


SUMMARY OF VITAL STATISTICS 1958

THE CITY OF NEW YORK



CONTENTS

	PAGE
Table 1. Population, births, marriages, deaths, fetal deaths and infant mortality, 1898-1958.....	2
Table 2. Births, deaths, maternal deaths, and fetal deaths by borough of report, 1958.....	2
Table 3. Births, fetal deaths, infant mortality, and deaths by borough of residence, 1958.....	2*
Table 4. Deaths by cause and borough of residence, 1958.....	3
Table 5. Chief causes of death in certain age groups, 1958.....	4
Table 6. Expectation of life in New York City 1901, 1910, 1930, 1940 and 1957 and in the United States, 1957.....	5
Table 7. Deaths from accidents, 1958.....	5
Table 8. Population, deaths and crude death rates, 1901-1958.....	6, 7
Table 9. Infant mortality by ethnic group, 1950-1958.....	8
Table 10. Infant mortality rates by weight and color, 1958.....	8
Table 11. Live births by age of mother, 1958.....	9
Table 12. Population, births, deaths and infant mortality by health center district of residence, 1958.....	10
Table 13. Population in 1957 and deaths in 1958 by age, color and sex.....	11
Table 14. Cases of reportable infectious diseases, 1900-1958.....	11
Table 15. Age specific death rates, 1900-1958.....	12
Table 16. Age-adjusted death rates, certain causes, 1900-1957.....	12

Department of Health, The City of New York
 LEONA BAUMGARTNER, M.D., Commissioner of Health

Table 1. Population, Births, Marriages, Deaths and Infant Mortality, 1898-1958

YEAR	Estimated Population July 1	LIVE BIRTHS*		MARRIAGES		DEATHS		FETAL DEATHS		INFANT MORTALITY	
		Total Re-ported	Rate per 1,000	Total Re-ported	Rate per 1,000	Total Re-ported	Rate per 1,000	Total Re-ported	Ratio to 1,000 Live Births	Deaths Under One Year	Rate per 1,000 Live Births
1898-1900.....	3,358,000	119,000	35.4	30,535	9.1	67,503	20.1	5,639	47.4	16,264	136.7
1901-1905.....	3,786,000	129,000	34.1	37,988	10.0	71,689	18.9	6,096	47.3	15,611	121.0
1906-1910.....	4,473,000	144,000	32.2	44,966	10.1	75,865	17.0	6,927	48.1	16,609	115.3
1911-1915.....	5,049,000	140,581	27.8	51,157	10.1	74,666	14.8	6,590	46.9	14,060	100.0
1916-1920.....	5,492,000	136,101	24.8	59,081	10.8	80,435	14.6	6,276	46.1	12,004	88.2
1921-1925.....	6,175,000	130,462	21.1	62,510	10.1	69,303	11.2	6,205	47.6	8,985	68.9
1926-1930.....	6,703,000	125,590	18.7	65,278	9.7	75,395	11.2	5,899	47.0	7,662	61.0
1931-1935.....	7,101,000	106,179	15.0	63,273	8.9	75,561	10.6	5,259	49.5	5,321	52.0
1936.....	7,258,000	98,507	13.6	72,234	10.0	77,638	10.7	4,992	50.7	4,490	45.6
1937.....	7,311,000	101,988	13.9	69,417	9.5	77,465	10.6	4,847	47.5	4,457	43.7
1938.....	7,363,000	102,045	13.9	63,493	8.6	73,775	10.0	4,995	48.9	3,910	38.3
1939.....	7,416,000	102,261	13.8	62,288	8.4	75,439	10.2	6,831‡	66.8‡	3,793	37.1
1940.....	7,466,000	107,287	14.4	78,487	10.5	76,008	10.2	7,986	74.4	3,746	34.9
1941.....	7,510,000	114,367	15.2	83,012	11.1	74,553	9.9	8,974	78.5	3,519	30.8
1942.....	7,553,000	131,989	17.5	81,454	10.8	75,675	10.0	10,013	75.9	3,805	28.8
1943.....	7,597,000	134,520	17.7	76,059	10.0	83,174	11.0	9,508	70.7	4,069	30.2
1944.....	7,641,000	122,748	16.1	67,315	8.8	78,783	10.3	9,987	81.4	3,829	31.2
1945.....	7,684,000	128,853	16.8	72,589	9.4	79,726	10.4	10,367	80.5	3,918	30.4
1946.....	7,728,000	152,736	19.8	104,548	13.5	78,481	10.2	12,980	85.0	4,239	27.8
1947.....	7,772,000	171,174	22.0	95,897	12.3	80,733	10.4	14,077	82.2	4,517	26.4
1948.....	7,815,000	157,969	20.2	92,273	11.8	81,651	10.4	14,018	88.7	4,138	26.2
1949.....	7,859,000	156,932	20.0	79,367	10.1	78,593	10.0	14,455	92.1	3,922	25.1
1950.....	7,903,000	155,818	19.7	82,535	10.4	79,082	10.0	16,405	105.3	3,858	24.8
1951.....	8,042,000	162,755	20.2	76,983	9.6	79,109	9.8	17,961	110.4	3,847	23.6
1952.....	8,086,000	164,165	20.3	71,004	8.8	81,139	10.0	18,549	113.0	3,980	24.2
1953.....	8,078,000	161,499	20.0	71,942	8.9	82,039	10.2	19,357	119.9	3,945	24.4
1954.....	8,041,000	164,060	20.4	69,900	8.7	79,014	9.8	20,379	124.2	3,891	23.7
1955.....	8,042,000	165,150	20.5	68,615	8.5	81,612	10.1	20,384	123.4	4,268	25.8
1956.....	8,086,000	165,553	20.5	70,291	8.7	81,118	10.0	21,527	130.0	4,052	24.5
1957.....	8,080,000	166,977	20.7	69,498	8.6	84,141	10.4	21,810	130.6	4,176	25.0
1958.....	8,042,000	167,775	20.9	67,594	8.4	84,586	10.5	22,331	133.1	4,435	26.4

Note: Figures for single years prior to 1936 appear in the annual summaries for 1957 and earlier.
 * 1898-1913 birth figures are estimated, as the number actually reported was undoubtedly incomplete.
 ‡ Increase due to improved reporting of fetal deaths under 20 weeks gestation.

Table 2. Births, Deaths, Maternal Deaths and Fetal Deaths, by Borough of Report, 1958

BOROUGH	Estimated Population July 1	LIVE BIRTHS	DEATHS	FETAL DEATHS	MATERNAL DEATHS		
					Number	Rate per 10,000	
						Live Births	Total Births*
Manhattan.....	1,831,000	51,956	28,088	6,960	39	7.5	6.6
The Bronx.....	1,444,000	21,700	13,478	3,410	16	7.4	6.4
Brooklyn.....	2,702,000	57,925	26,155	7,709	31	5.4	4.7
Queens.....	1,855,000	31,537	14,508	3,754	15	4.8	4.3
Richmond.....	210,000	4,657	2,357	498	2	4.3	3.9
City of New York.....	8,042,000	167,775	84,586	22,331	103	6.1	5.4

* Live births and fetal deaths.

Table 3. Births, Fetal Deaths, and Deaths by Borough of Residence City of New York, 1958

	Total Recorded In New York City	Known Residents by Borough of Residence					Known Non-Residents of City	Perma- nent Res. Un- known
		Man- hattan	Bronx	B'klyn	Queens	Rich'd		
Live births.....	167,775	32,925	27,079	56,015	34,461	4,523	11,568	1,204
Rate per 1,000 population.....	20.9	18.0	18.8	20.7	18.6	21.5
Fetal deaths.....	22,331	5,375	3,637	7,519	3,956	493	1,187	164
Ratio per 1,000 live births.....	133.1	163.2	134.3	134.2	114.8	109.0
Deaths under one year.....	4,435	1,108	717	7,501	718	94	265	32
Rate per 1,000 live births.....	26.4	33.7	26.5	26.8	20.8	20.8
Deaths under 28 days.....	3,286	826	514	1,110	546	76	184	30
Rate per 1,000 live births.....	19.6	25.1	19.0	19.8	15.8	16.8
Deaths from all causes.....	84,586	21,457	14,020	26,777	15,629	2,105	3,983	615
Death rate per 1,000 population.....	10.5	11.7	9.7	9.9	8.4	10.0

Table 4. Deaths by Cause and Borough of Residence, City of New York, 1958

CAUSE OF DEATH	Total Recorded In New York City	Known Residents by Borough of Residence					Known Non-Residents of City	Permanent Res. Unknown
		Manhattan	Bronx	B'klyn	Queens	Rich'd		
TOTAL, ALL CAUSES	84,586	21,457	14,020	26,777	15,629	2,105	3,983	615
1. Total tuberculosis (001-019)	833	345	114	206	110	13	22	23
Respiratory tuberculosis (001-008)	772	326	107	190	95	12	20	22
Other forms (010-019)	61	19	7	16	15	1	2	1
2. Syphilis and its sequelae (020-029)	132	48	17	37	17	1	10	2
3. Acute poliomyelitis (080)	5	1	2	2
4. Infectious hepatitis (092)	45	13	6	16	8	2
5. Other infective and parasitic diseases (Rest of 001-138)	140	44	23	44	18	2	7	2
6. Malignant neoplasms, all (140-205)	16,659	3,978	3,002	4,822	3,228	334	1,257	38
Buccal cavity and pharynx (140-148)	406	118	87	88	69	14	30
Digestive organs and peritoneum (150-159)	6,419	1,550	1,241	1,949	1,219	133	312	15
Stomach (151)	1,577	392	332	468	283	29	65	8
Large intestine (153)	1,841	434	360	554	377	37	78	1
Rectum (154)	898	209	177	273	168	18	51	2
Biliary passages and liver (155, 156)	704	172	122	224	148	7	30	1
Pancreas (157)	821	196	144	256	172	16	36	1
Respiratory system (160-165)	2,614	585	475	760	552	42	189	11
Bronchus (162.1)	933	212	151	260	202	16	87	5
Lung and pleura (162.2, 163)	1,401	297	272	441	292	19	74	6
Breast and genito-urinary organs (170-181)	4,243	1,061	696	1,229	867	82	300	8
Breast (170)	1,582	384	264	456	320	31	126	1
Cervix uteri (171)	406	135	78	112	47	6	26	2
Ovary, Fallopian tube and broad ligament (175)	515	120	94	152	109	4	35	1
Prostate (177)	567	146	89	169	114	3	34	2
Bladder and other urinary organs (181)	495	118	70	143	124	17	22	1
Other and unspecified sites (190-199)	1,494	350	253	420	260	30	179	2
Lymphatic and hematopoietic tissues (200-205)	1,483	314	250	376	261	33	247	2
Leukemia and aleukemia (204)	699	125	118	180	131	18	126	1
7. Benign and unspecified neoplasms (210-239)	323	66	60	98	47	10	40	2
8. Diabetes mellitus (260)	1,624	325	291	634	287	47	37	3
9. Total cardiovascular-renal (330-334, 400-468, 592-594)	46,150	11,387	7,548	15,299	8,835	1,269	1,571	241
Vascular lesions of nervous system (330-334)	6,149	1,600	927	2,008	1,182	189	210	33
Rheumatic fever (400-402)	20	3	3	4	9	1
Diseases of the heart (410-443)	37,202	9,144	6,215	12,511	6,928	984	1,222	198
Chronic rheumatic heart disease (410-416)	1,331	291	214	459	256	27	82	2
Arteriosclerotic heart disease (420)	28,825	6,854	4,942	9,676	5,444	811	948	150
Other myocardial degeneration (421, 422)	2,495	786	316	936	305	67	61	24
Hypertension with heart disease (440-443)	4,193	1,110	689	1,339	858	70	111	16
Hypertension no mention of heart (444-447)	549	136	83	155	126	25	24
General arteriosclerosis (450)	1,177	245	168	341	352	38	26	7
Chronic and unspecified nephritis (592-594)	599	120	95	179	142	22	40	1
10. Influenza and pneumonia (480-483, 490-493)	3,597	1,084	565	1,122	565	83	126	52
11. Ulcer of stomach and duodenum (540, 541)	780	163	129	264	153	17	51	3
12. Appendicitis (550-553)	129	32	33	32	20	7	5
13. Intestinal obstruction and hernia (560, 561, 570)	410	98	64	140	76	9	17	6
14. Gastritis, duodenitis, enteritis, colitis (543, 571, 572)	322	82	59	89	67	6	17	2
15. Cirrhosis of liver (581)	1,645	568	267	416	243	38	89	24
16. Acute nephritis and nephrosis (590, 591)	31	6	6	8	7	1	3
17. Hyperplasia of prostate (610)	277	59	59	91	53	3	11	1
18. Puerperal diseases (640-689)	103	35	18	29	15	2	4
19. Congenital malformations (750-759)	938	181	146	259	179	26	146	1
20. Diseases of early infancy (760-776)	2,853	730	455	986	463	69	140	10
21. All other diseases	3,794	1,114	570	1,130	607	87	234	52
22. Total accidents (800-962)	2,638	725	395	758	457	59	146	98
Motor vehicle accidents (810-835)	655	127	103	221	116	23	52	13
Home accidents	1,071	361	167	287	220	16	20
Drowning* (929)	155	40	14	31	17	5	17	31
23. Suicide (963, 970-979)	793	232	146	192	148	15	37	23
24. Homicide (964, 965, 980-999)	365	142	46	103	26	7	9	32

* Exclusive of drownings at home.

Numbers in parentheses are those of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1958 Revision.

**Table 5. Chief Causes of Death in Certain Age Groups (a)
City of New York, 1958**

Males			Females	
Deaths	Per Cent		Deaths	Per Cent
ALL AGES				
20,978	46	Heart Diseases	16,224	43
8,996	19	Malignant Neoplasms	7,663	20
2,798	6	Vascular Lesions of Central Nervous System	3,351	9
2,061	4	Influenza and Pneumonia	1,536	4
1,607	3	Diseases Peculiar to Early Infancy	1,246	3
1,643	3	Accidents	995	3
1,102	2	Cirrhosis of the Liver	543	2
630	1	Diabetes Mellitus	594	3
7,240	16	All Other Causes	4,979	13
47,055	100	Total	37,531	100
UNDER ONE YEAR				
630	25	Immaturity	490	26
518	20	Postnatal Asphyxia and Atelectasis	399	21
389	15	Influenza and Pneumonia	293	15
360	14	Congenital Malformations	289	15
186	7	Diseases Peculiar to Early Infancy	156	8
170	7	Injury at Birth	103	6
49	2	Accidents	34	2
41	2	Diarrhea	32	2
194	8	All Other Causes	102	5
2,537	100	Total	1,898	100
1 TO 14 YEARS				
140	21	Malignant Neoplasms	93	19
137	21	Accidents	88	18
75	11	Influenza and Pneumonia	87	18
99	15	Congenital Malformations	58	12
15	2	Meningitis	8	2
10	2	Chronic Nephritis	7	1
9	1	Bronchitis	7	1
5	1	Tuberculosis	7	1
170	26	All Other Causes	139	28
660	100	Total	494	100
15 TO 24 YEARS				
112	23	Accidents	31	10
73	15	Malignant Neoplasms	44	14
50	10	Homicide	26	9
30	6	Suicide	17	6
27	5	Influenza and Pneumonia	13	4
25	5	Heart Diseases	14	5
.....	Puerperal Diseases	25	8
8	2	Tuberculosis	9	3
169	34	All Other Causes	126	41
494	100	Total	305	100
25 TO 44 YEARS				
510	16	Malignant Neoplasms	741	30
807	26	Heart Diseases	386	16
325	11	Accidents	102	4
187	6	Cirrhosis of the Liver	123	5
158	5	Influenza and Pneumonia	89	4
105	3	Vascular Lesions of Central Nervous System	137	6
134	4	Suicide	79	3
101	3	Tuberculosis	85	3
813	26	All Other Causes	701	29
3,140	100	Total	2,443	100
45 TO 64 YEARS				
7,778	47	Heart Diseases	3,549	36
3,691	23	Malignant Neoplasms	3,267	33
716	5	Vascular Lesions of Central Nervous System	665	7
636	4	Cirrhosis of the Liver	298	3
503	3	Influenza and Pneumonia	257	3
513	3	Accidents	168	2
246	1	Diabetes Mellitus	313	3
331	2	Tuberculosis	59	1
1,995	12	All Other Causes	1,168	12
16,409	100	Total	9,744	100
65 AND OVER				
12,362	52	Heart Diseases	12,269	54
4,575	19	Malignant Neoplasms	3,512	15
1,956	8	Vascular Lesions of Central Nervous System	2,536	11
1,012	4	Influenza and Pneumonia	887	4
465	2	General Arteriosclerosis	624	3
507	2	Accidents	572	3
334	2	Diabetes Mellitus	643	3
271	1	Cirrhosis of the Liver	116	1
2,333	10	All Other Causes	1,488	6
23,815	100	Total	22,647	100

(a) Eight leading causes of death in each age group arranged in order of importance for both sexes combined.

Table 6. Expectation of Life in New York City at Specified Ages 1901, 1910, 1930, 1940, 1950 and 1957 and United States 1957

M A L E										
New York City									United States	
Exact Age	1901 Total	1910 Total	1930 Total	1940 White	1950		1957		1957	
					White	Nonwhite	White	Nonwhite	White	Nonwhite
0	40.6	45.3	55.8	62.5	66.1	59.3	67.0	60.8	67.3	61.1
5	48.5	51.3	56.2	60.9	63.4	58.0	64.0	59.1	64.4	59.6
10	44.9	47.4	51.9	56.2	58.6	53.3	59.2	54.3	59.6	54.8
15	40.5	42.9	47.3	51.4	53.7	48.5	54.3	49.4	54.8	50.0
20	36.4	38.7	42.9	46.6	48.9	44.0	49.5	44.8	50.1	45.4
30	29.3	30.8	34.2	37.3	39.4	35.5	40.0	36.1	40.9	36.7
40	23.0	23.8	26.0	28.4	30.1	27.4	30.6	27.9	31.6	28.5
50	17.1	17.6	18.7	20.4	21.8	20.4	22.1	20.5	23.1	21.1
60	12.0	12.2	12.9	13.8	15.0	15.0	15.0	14.6	15.9	15.2
70	7.8	8.2	8.4	8.9	9.7	10.7	9.5	10.4	10.3	11.5

F E M A L E										
New York City									United States	
Exact Age	1901 Total	1910 Total	1930 Total	1940 White	1950		1957		1957	
					White	Nonwhite	White	Nonwhite	White	Nonwhite
0	44.9	49.5	60.0	66.8	71.2	64.2	72.2	66.0	73.7	65.9
5	51.9	54.9	59.7	64.6	68.0	62.6	68.9	63.9	70.5	63.9
10	48.2	50.9	55.2	59.8	63.2	57.8	64.0	59.1	65.6	59.1
15	43.8	46.5	50.5	55.0	58.3	53.0	59.1	54.2	60.7	54.2
20	39.7	42.2	46.0	50.2	53.4	48.4	54.2	49.4	55.9	49.4
30	32.3	34.1	37.4	40.8	43.8	39.5	44.6	40.3	46.2	40.3
40	25.5	26.6	28.9	31.7	34.4	30.9	35.1	31.5	36.7	31.8
50	18.8	19.5	21.0	23.2	25.6	23.4	26.2	23.7	27.7	24.1
60	13.0	13.4	14.3	15.8	17.7	17.3	18.0	17.3	19.3	17.9
70	8.4	8.7	9.1	9.9	11.1	11.9	10.9	12.2	12.2	13.6

NOTES In 1880 the expectation of life at birth was 29.0 for males and 32.8 for females; in 1920 it was 51.6 for males and 54.8 for females.

Table 7. Deaths from Accidents* City of New York, 1958

Type of Accident	All Ages	Age Group						65 and over
		0-4	5-14	15-24	25-44	45-64		
Total	2,638	191	117	143	427	681	1,079	
Occupational	142	9	53	72	8	
Home	1,071	165	37	26	105	191	547	
Poisonings (gas excepted)	63	24	4	20	13	2	
Poisonings by gases and vapors	16	4	8	4	
Fire, explosion	184	28	22	7	30	45	52	
Hot substance and steam	23	8	1	1	3	10	
Mechanical suffocation	30	30	
Firearms	5	1	3	1	
Falls	668	34	6	6	44	109	469	
Other home accidents	82	41	7	5	7	12	10	
Motor Vehicle	655	17	53	59	126	186	214	
Injury to pedestrian	460	9	45	6	52	152	196	
Collision with other motor vehicle	93	4	2	21	36	18	12	
Collision with fixed object	52	1	2	13	24	11	1	
Non-collision	42	3	1	17	14	5	2	
Other motor vehicle	8	3	2	3	
Public Non-Motor Vehicle	733	9	26	48	130	216	304	
Railroad	13	1	4	7	1	
Subway and elevated train	44	6	14	18	6	
Other vehicle	5	1	1	2	1	
Water transportation	12	2	5	4	1	
Air transportation	4	3	1	
Fire, explosion	14	6	5	3	
Hot substance and steam	2	1	1	
Drowning	148	3	18	23	37	44	23	
Falls	459	3	1	13	51	129	262	
Other public	32	3	6	2	7	8	6	
Type unknown	37	1	1	13	16	6	

*Including 37 deaths occurring in New York City as result of accidents out of city.

Table 8.

Population, Deaths and Crude Death Rates per 100

CAUSE	ANNUAL AVE						
	1901-1905	1906-1910	1911-1915	1916-1920	1921-1925	1926-1930	1931-1935
Infant deaths.....	15,611	16,609	14,060	12,004	8,985	7,662	5,521
Rate (a).....	120.8	115.2	100.0	88.2	68.9	61.0	52.1
Neonatal deaths.....	(b)	(b)	5,143	4,894	4,309	3,892	3,152
Rate (a).....	37.4	36.0	33.0	31.0	29.1
Infant deaths (under 7 days).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Rate (a).....
Fetal deaths (28 wks. gestation & over).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Ratio (a).....
Perinatal rate (c).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Measles (85).....	616	925	630	559	405	255	101
Rate (d).....	144.0	191.8	119.8	100.5	73.2	46.8	21.1
Whooping cough (56).....	365	329	353	456	302	226	141
Rate (d).....	85.6	68.1	66.7	81.9	54.5	41.5	29.1
Scarlet fever (50).....	832	872	521	150	173	75	81
Rate (d).....	73.8	63.2	36.3	9.5	10.5	4.4	4.1
Diphtheria (55).....	1,980	1,765	1,302	1,144	739	499	131
Rate (d).....	174.5	135.9	90.1	73.3	45.0	29.7	7.1
Typhoid fevers (40, 41).....	691	607	414	180	155	83	51
Rate.....	18.3	13.6	8.2	3.3	2.5	1.2	0.1
Meningococcus men. (57).....	846	485	185	184	106	305	141
Rate.....	22.3	10.8	3.7	3.4	1.7	4.6	2.1
Tuberculosis of resp. sys. (1-8).....	8,154	8,832	8,745	7,915	4,937	4,574	4,061
Rate.....	215.4	197.5	173.2	144.1	80.0	68.2	57.1
Other tuberculosis (10-19).....	1,246	1,288	1,415	1,189	754	670	491
Rate.....	32.9	28.8	28.0	21.6	12.2	10.0	7.1
Influenza (480-483).....	449	412	393	4,480	725	874	621
Rate.....	11.9	9.2	7.8	81.6	11.7	13.0	8.1
Pneumonia (490-493).....	9,976	10,573	10,135	12,656	8,210	9,115	7,581
Rate.....	263.5	236.4	200.7	230.4	133.0	136.0	106.1
Other respiratory (470-475, 500-527).....	3,224	2,307	1,458	1,407	689	622	591
Rate.....	85.2	51.6	28.9	25.6	11.2	9.3	8.1
Malignant neoplasms (140-205) (e).....	2,621	3,334	4,256	4,993	6,229	7,637	9,061
Rate.....	69.2	74.5	84.3	90.9	100.9	113.9	127.1
Diabetes (260).....	520	690	916	1,063	1,284	1,624	2,141
Rate.....	13.7	15.4	18.1	19.4	20.8	24.2	30.1
Appendicitis (550-553).....	472	565	664	686	912	1,053	1,051
Rate.....	12.5	12.6	13.2	12.5	14.8	15.7	14.1
Nephritis (590-594).....	5,752	5,600	5,499	5,676	4,108	3,411	3,601
Rate.....	151.9	125.2	108.9	103.4	66.5	50.9	50.1
Circulatory system (400-468).....	5,954	9,148	12,699	14,792	18,114	21,815	23,701
Rate.....	157.3	204.5	251.5	269.3	293.3	325.5	331.1
Vascular lesions (330-334) (f).....	2,593	1,790	970	834	719	723	1,431
Rate.....	68.4	40.0	19.2	15.2	11.6	10.8	20.1
Cardiovascular-renal (330-334, 400-468, 590-594).....	14,297	16,538	19,168	21,302	22,941	25,949	28,741
Rate.....	377.6	369.7	379.6	387.9	371.4	387.2	404.1
Suicides (963, 970-979) (i).....	761	825	866	742	842	1,163	1,361
Rate.....	20.1	18.4	17.2	13.5	13.6	17.4	19.1
Homicides (964, 965, 980-999).....	143	247	293	271	334	405	521
Rate.....	3.8	5.5	5.8	4.9	5.4	6.0	7.1
Automobile accidents (810-835).....	(b)	(b)	253	658	929	1,175	1,161
Rate.....	5.0	12.0	15.0	17.5	16.1
Home accidents (g).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Rate.....
Other accidents.....	3,521	3,549	3,516	3,426	3,138	3,574	3,201
Rate.....	93.0	79.3	69.6	62.4	50.8	53.3	45.1
Puerperal diseases (640-689).....	694	745	694	664	689	651	601
Rate—per 10,000 live births.....	53.7	51.7	49.4	48.8	52.8	51.8	57.1

Numbers following disease names are numbers of the International List, 7th Revision. (a) Rates are per 1,000 live births. (b) Rates for measles and whooping cough, per 100,000 under five years; rates for scarlet fever and diphtheria, per 100,000 greater weight to cerebral hemorrhage than to arteriosclerosis. The rate for 1931-1934 was 9.1, and for 1935 it was 44.9. (g) thus reducing home accident totals. Beginning with 1958 accidents in all hospitals were classified as "public" resulting in a new classification of deaths reported as due to "fall or jump" from high places as suicides. Previously such deaths had been classified as suicides.

000 Population, City of New York, 1901 to 1958

R A G E		Fifth Rev. Sixth Rev.					Ratio Sixth Fifth				
1936- 1940	1941- 1945	1946- 1948	1949- 1951	1949- 1951		1952- 1955		1956	1957	1958	
1	4,079	3,828	4,298	3,882	3,882	4,021	4,052	4,176	4,435	
0	39.8	30.3	26.8	24.5	24.5	24.6	24.5	25.0	26.4	
2	2,631	2,764	3,298	2,989	2,989	3,032	3,072	3,211	3,286	
7	25.7	21.9	20.5	18.9	18.9	18.5	18.6	19.2	19.6	
1	2,101	2,338	2,845	2,604	2,604	2,713	2,746	2,900	2,958	
1	20.5	18.5	17.7	16.4	16.4	16.6	16.6	17.4	17.6	
1	2,589	2,709	2,902	2,441	2,441	2,310	2,196	2,337	2,439	
1	25.3	21.4	18.1	15.4	15.4	14.1	13.3	14.0	14.5	
1	44.7	39.1	35.1	31.3	31.3	30.3	29.5	30.9	31.7	
7	31	14	16	10	10	12	11	3	16	
4	6.5	2.6	2.4	1.4	1.4	1.8	1.6	0.4	2.4	
3	58	43	11	6	6	2	2	0	0	
7	12.0	7.9	1.6	0.8	0.8	0.3	0.3	
8	28	8	1	0	0	0	1	0	0	
1	1.7	0.5	0.1	0.1	
7	30	11	12	2	2	1	0	0	0	
7	1.9	0.7	0.7	0.1	0.1	0.1	
3	24	10	5	3	2	1	0	1	1	
3	0.3	0.1	0.1	h	h	h	h	h	
2	87	135	40	33	32	34	18	26	17	
0	1.2	1.8	0.5	0.4	0.4	0.4	0.2	0.3	0.2	
8	3,680	3,281	2,932	2,253	2,173	1.0	1,178	916	931	772	
3	50.0	43.2	37.7	28.4	27.4	14.6	11.3	11.5	9.6	
8	345	304	229	184	172	0.9	97	58	51	61	
0	4.7	4.0	2.9	2.3	2.2	1.2	0.7	0.6	0.8	
5	250	108	48	46	57	1.2	51	30	164	59	
3	3.4	1.4	0.6	0.6	0.7	0.6	0.4	2.0	0.7	
0	5,087	3,345	2,966	2,457	2,412	1.0	2,613	2,689	3,425	3,538	
7	69.1	44.0	38.2	31.0	30.4	32.4	33.3	42.4	44.0	
4	536	492	424	424	450	1.1	461	514	551	667	
4	7.3	6.5	5.5	5.3	5.7	5.7	6.4	6.8	8.3	
2	11,257	13,169	14,627	15,460	15,556	1.0	16,553	16,896	16,746	16,659	
5	152.9	173.3	188.2	194.8	196.0	205.3	209.0	207.3	207.1	
0	2,787	3,131	3,423	3,688	1,583	0.4	1,644	1,527	1,486	1,624	
1	37.9	41.2	44.0	46.5	19.9	20.4	18.9	18.4	20.2	
9	857	441	273	205	192	0.9	162	167	138	129	
9	11.6	5.8	3.5	2.6	2.4	2.0	2.1	1.7	1.6	
8	3,675	3,081	2,574	2,073	570	0.3	556	582	626	630	
8	49.9	40.6	33.1	26.1	7.2	6.9	7.2	7.7	7.8	
5	25,711	30,886	32,539	32,547	36,206	1.1	37,724	37,817	39,267	39,402	
8	349.2	406.6	418.7	410.2	456.3	467.9	467.7	486.0	490.0	
3	3,846	3,611	3,710	3,811	5,099	1.3	5,688	5,571	5,907	6,149	
2	52.2	47.5	47.7	48.0	64.3	70.6	68.9	73.1	76.5	
7	33,232	37,578	38,823	38,431	41,875	1.1	43,968	43,970	45,800	46,181	
3	451.3	494.7	499.5	484.3	527.8	545.4	543.8	566.8	574.3	
3	1,191	907	930	863	863	1.0	649	591	545	793	
1	16.2	11.9	12.0	10.9	10.9	8.0	7.3	6.7	9.9	
1	331	265	362	318	318	1.0	340	313	318	365	
1	4.5	3.5	4.7	4.0	4.0	4.2	3.9	3.9	4.5	
7	920	728	635	593	600	1.0	634	632	644	655	
4	12.5	9.6	8.2	7.5	7.6	7.8	7.8	8.0	8.1	
1	1,546	1,823	1,941	(b)	1,699	1,568	1,302	1,228	1,071	
5	21.0	24.0	25.0	21.4	19.5	16.1	15.2	13.3	
1	1,561	1,268	1,314	(b)	1,008	882	954	1,018	912	
1	21.2	16.7	16.9	12.7	10.9	11.8	12.6	11.3	
8	372	255	178	137	115	0.8	102	104	107	103	
3	36.3	20.2	11.1	8.6	7.3	6.2	6.3	6.4	6.1	

b) Not available. (c) Fetal deaths (28 wks.+) plus infant deaths (-7 days) per 1,000 live births plus fetal deaths (28+), under fifteen years. (e) Includes neoplasms of lymphatic and haematopoietic tissues. (f) Coding changed in 1935, giving Beginning with 1956 accidents occurring in other than residential hospitals were classified as "public" rather than "home," small additional drop in home accident totals. (h) Rate is less than 0.05. (i) The 7th Revision of the International List classified as accidental deaths.

Table 9. Infant Mortality by Ethnic Group, New York City, 1950-1958

Ethnic Group	1950	1951	1952	1953	1954	1955	1956	1957	1958
Live Births									
Total	155,818	162,755	164,165	161,499	164,060	165,150	165,553	166,977	167,775
Puerto Rican	9,206	10,479	12,215	14,431	16,891	18,365	19,545	20,553	21,863
Nonwhite	21,945	23,180	23,297	23,975	25,465	27,093	29,103	30,431	32,546
Other	124,667	129,096	128,653	123,093	121,704	119,692	116,905	115,993	113,366
Infant Deaths									
Total	3,858	3,847	3,980	3,945	3,891	4,268	4,052	4,176	4,435
Puerto Rican	304	314	370	419	487	641	562	632	673
Nonwhite	864	882	978	971	948	1,112	1,113	1,276	1,404
Other	2,690	2,651	2,632	2,555	2,456	2,515	2,377	2,268	2,358
Infant Mortality Rates*									
Total	24.8	23.6	24.2	24.4	23.7	25.8	24.5	25.0	26.4
Puerto Rican	33.0	30.0	30.3	29.0	28.8	34.9	28.8	30.7	30.8
Nonwhite	39.4	38.0	42.0	40.5	37.2	41.0	38.2	41.9	43.1
Other	21.6	20.5	20.5	20.8	20.2	21.0	20.3	19.6	20.8
Deaths Under 28 Days (Neonatal)									
Total	2,971	2,998	3,009	2,945	2,938	3,235	3,072	3,211	3,286
Puerto Rican	207	240	280	298	348	469	413	463	486
Nonwhite	671	668	715	717	707	851	840	958	1,021
Other	2,093	2,090	2,014	1,930	1,883	1,915	1,819	1,790	1,779
Neonatal Mortality Rates*									
Total	19.1	18.4	18.3	18.2	17.9	19.6	18.6	19.2	19.6
Puerto Rican	22.5	22.9	22.9	20.6	20.6	25.5	21.1	22.5	22.2
Nonwhite	30.6	28.8	30.7	29.9	27.8	31.4	28.9	31.5	31.4
Other	16.8	16.2	15.7	15.7	15.5	16.0	15.6	15.4	15.7

*Rates per 1,000 live births.

Table 10. Infant Mortality Rates (Per 100 Live Births) by Weight* and Color, New York City, 1958

Birth Weight (in grams)	Under One Year			Under 28 Days		
	Total	White	Nonwhite	Total	White	Nonwhite
Less than 1001	93.7	97.7	88.5	91.5	94.6	87.5
1001-1500	49.3	52.7	44.3	45.3	49.0	40.0
1501-2000	18.2	20.4	14.3	15.8	18.1	11.9
2001-2500	4.6	4.7	4.5	3.2	3.4	2.7
2501-3000	1.6	1.5	2.1	0.9	0.9	0.9
3001-3500	1.1	0.9	1.6	0.5	0.5	0.7
3501-4000	0.9	0.8	1.4	0.5	0.4	0.6
4001-4500	1.0	1.0	1.6	0.7	0.6	0.7
4501-5000	1.3	1.2	2.4	1.1	1.0	1.6
5001 and over	4.4	5.1	3.7	4.3
Under 2501	17.0	16.2	18.4	15.1	14.5	16.3
2501 and over	1.2	1.1	1.7	0.6	0.6	0.7
Total	2.6	2.2	4.3	2.0	1.7	3.1

*Not stated weights allocated according to gestation.

Table 11. Live Births by Age of Mother, City of New York, 1958

	Total Births	AGE OF MOTHER							Not Stated
		Under 15 Years	15-19	20-24	25-29	30-34	35-39	40 & Over	
Total Births.....	167,775	167	13,635	51,674	51,142	32,383	15,116	3,594	64
Sex:									
Male.....	86,037	86	7,088	26,468	26,234	16,574	7,748	1,809	30
Female.....	81,738	81	6,547	25,206	24,908	15,809	7,368	1,785	34
Race of Child and Nativity of Mother									
Total White.....	134,373	48	8,577	40,534	42,776	26,842	12,518	3,037	41
Native.....	119,354	47	8,155	37,102	38,074	22,936	10,418	2,597	25
Foreign.....	14,983	1	420	3,427	4,694	3,900	2,096	440	5
Not Stated.....	36	2	5	8	6	4	11
Total Nonwhite.....	33,402	119	5,058	11,140	8,366	5,541	2,598	557	23
Native.....	32,376	119	5,016	10,884	8,015	5,297	2,503	519	23
Indian.....	29	5	10	7	4	3
Chinese.....	766	33	196	248	182	69	38
Japanese.....	162	1	37	63	41	20
Other nonwhite.....	69	3	13	33	17	3
Number of Child in Order of Birth									
(Live Births Only)									
First child.....	55,293	164	9,633	24,944	13,262	5,027	1,831	417	15
Second child.....	50,614	2	3,206	16,482	18,093	9,003	3,204	616	8
Third child.....	30,603	1	648	6,467	10,681	8,270	3,817	715	4
Fourth child.....	14,954	123	2,471	4,703	4,583	2,472	597	5
Fifth child.....	7,575	19	895	2,324	2,388	1,506	440	3
Sixth child.....	3,884	2	295	1,102	1,382	850	251	2
Seventh child.....	2,171	81	580	761	567	180	2
Eighth child.....	1,231	25	231	497	365	113
Ninth child.....	631	4	98	220	210	99
Tenth child or more.....	764	3	56	247	292	166
Not stated.....	55	4	7	12	5	2	25
Weight at Birth									
1000 grams and under.....	1,082	1	143	323	270	224	95	24	2
1001-1500 grams.....	1,093	5	154	307	289	198	108	32
1501-2000 grams.....	2,643	8	316	841	696	459	250	73
2001-2500 grams.....	10,511	15	1,176	3,264	2,933	1,933	930	257	3
2501 and over.....	151,835	137	11,797	46,759	46,776	29,449	13,661	3,194	32
Not stated.....	641	1	49	180	178	120	72	14	27
Plurality									
Single.....	164,073	167	13,441	50,786	49,982	31,445	14,683	3,505	64
Twins.....	3,659	194	882	1,150	923	424	86
Triplets.....	43	6	10	15	9	3
Place of Birth									
Home (a).....	2,050	2	220	648	585	374	168	46	7
Hospital.....									
Voluntary.....	100,661	80	5,903	29,331	32,697	20,855	9,482	2,295	18
Proprietary.....	28,684	2	1,085	8,287	9,426	6,193	3,005	678	8
Municipal.....	34,961	82	6,251	12,859	8,052	4,777	2,367	560	13
Federal and State.....	1,238	1	158	495	338	160	75	11
Foundling.....	17	17
All others (b).....	163	17	54	44	24	19	4	1
Attendant									
M.D. not in hospital.....	202	7	46	62	47	28	10	2
Midwife.....	74	5	15	28	16	9	1
Ambulance.....	1,859	2	218	614	521	320	141	38	5
In hospital:									
Private service.....	102,275	7	3,374	28,355	35,052	22,732	10,336	2,404	15
General service.....	63,270	158	10,024	22,617	15,461	9,253	4,593	1,140	24
All others.....	95	7	27	18	15	9	1	18

(a) Includes 1,772 ambulance deliveries, formerly included in hospital of report.

(b) Includes 87 ambulance deliveries, formerly included in hospital of report.

**Table 12. Population, Births, Deaths and Infant Mortality
by Health Center District of Residence, New York City, 1958**

	Population Estimates July 1, 1958	LIVE BIRTHS		BIRTHS TO PUERTO RICAN MOTHERS		NONWHITE BIRTHS		DEATHS ALL CAUSES		INFANT MORTALITY	
		Number	Rate*	Number	Percent of Total Live Births	Number	Percent of Total Live Births	Number	Rate*	Number	Rate**
NEW YORK CITY	8,042,000	167,775	20.9	21,863	13.0	32,546	19.4	84,586	10.5	4,435	26.4
KNOWN RESIDENTS	8,042,000	155,003	†	21,722	14.0	32,112	20.7	79,988	†	4,138	26.7 †
MANHATTAN	1,831,000	32,925	18.0	9,247	28.1	11,085	33.7	21,457	11.7	1,108	33.7
Central Harlem.....	255,000	6,228	24.4	323	5.2	5,812	93.3	2,979	11.7	279	44.8
East Harlem.....	186,000	4,563	24.5	2,268	49.7	1,191	26.1	1,832	9.8	172	37.7
Kips Bay-Yorkville.....	243,000	2,203	9.1	90	4.1	56	2.5	2,983	12.3	63	28.6
Lower East Side.....	282,000	5,610	19.9	2,488	44.3	780	12.0	3,533	12.5	151	26.9
Lower West Side.....	294,000	4,254	14.5	1,511	35.5	415	9.8	3,955	13.5	143	33.6
Riverside.....	254,000	5,531	21.8	1,983	35.9	1,552	28.1	3,192	12.6	186	33.6
Washington Heights.....	317,000	4,536	14.3	584	12.9	1,279	28.2	2,983	9.4	114	25.1
BRONX	1,444,000	27,079	18.8	5,796	21.4	4,324	16.0	14,020	9.7	717	26.5
Fordham-Riverdale.....	225,000	3,731	16.6	89	2.4	89	2.4	2,548	11.3	78	20.9
Morrisania.....	285,000	6,155	21.6	2,012	32.7	2,079	33.8	2,589	9.1	198	32.2
Mott Haven.....	220,000	5,135	23.3	2,634	51.3	909	17.7	1,929	8.8	179	34.9
Pelham Bay.....	151,000	2,793	18.5	80	2.9	402	14.4	1,461	9.7	76	27.2
Tremont.....	298,000	4,800	16.1	757	15.8	489	10.2	3,283	11.0	106	22.1
Westchester.....	265,000	4,465	16.8	224	5.0	356	8.0	2,210	8.3	80	17.9
BROOKLYN	2,702,000	56,015	20.7	6,278	11.2	12,408	22.2	26,777	9.9	1,501	26.8
Bay Ridge.....	326,000	5,701	17.5	35	0.6	40	0.7	2,914	8.9	99	17.4
Bedford.....	298,000	7,521	25.2	437	5.8	5,397	71.8	2,908	9.8	287	38.2
Brownsville.....	276,000	6,172	22.4	1,050	17.0	1,447	23.4	2,867	10.4	166	26.9
Bushwick.....	218,000	4,934	22.6	538	10.9	1,086	22.0	2,398	11.0	114	23.1
Flatbush.....	510,000	8,163	16.0	33	0.4	189	2.3	4,976	9.8	185	22.7
Fort Greene.....	205,000	5,821	28.4	1,153	19.8	2,906	49.9	2,226	10.9	225	38.7
Gravesend.....	302,000	5,470	18.1	122	2.2	210	3.8	2,795	9.3	105	19.2
Red Hook-Gowanus.....	156,000	4,028	25.8	1,124	27.9	749	18.6	1,754	11.2	110	27.3
Sunset Park.....	227,000	3,855	17.0	355	9.9	26	0.7	2,030	8.9	96	24.9
Wmsbrg.-Greenpoint.....	184,000	4,350	23.6	1,431	32.9	358	8.2	1,909	10.4	114	26.2 *.
QUEENS	1,855,000	34,461	18.6	377	1.1	4,033	11.7	15,629	8.4	718	20.8
Astoria-L. I. C.....	255,000	4,905	19.2	124	2.5	355	7.2	2,441	9.6	98	20.0
Corona.....	254,000	4,322	17.0	54	1.2	612	14.2	2,013	7.9	98	22.7
Flushing.....	477,000	7,976	16.7	39	0.5	215	2.7	2,982	6.3	152	19.1
Jamaica East.....	293,000	5,752	19.6	60	1.0	2,123	36.9	2,445	8.3	146	25.4
Jamaica West.....	309,000	6,422	20.8	85	1.3	672	10.5	3,084	10.0	135	21.0
Maspeth-Forest Hills.....	267,000	5,084	19.0	15	0.3	56	1.1	2,664	10.0	89	17.5
RICHMOND	210,000	4,523	21.5	24	0.5	262	5.8	2,105	10.0	94	20.8
KNOWN NON-RESIDENTS		11,566	49	218	3,983	265
PERMANENT RES. UNKNOWN		1,206	92	216	615	32

*Rate per 1,000 population.

**Rate per 1,000 live births.

†This figure is not computed because known resident totals include only events occurring in New York City to known residents, and do not include events occurring outside of city to New York City residents.

Table 13. Population in 1957 and Deaths in 1958, City of New York

Age	1957 Population by Age, Color and Sex				Deaths in 1958 by Age, Color and Sex					
	White		Nonwhite		White		Negro		Other	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
All ages.....	3,302,599	3,511,621	455,543	525,708	41,801	32,984	4,942	4,514	312	33
Under 5.....	274,010	263,127	56,615	56,301	1,980	1,468	862	714	11	8
5-9.....	262,850	253,392	52,026	52,190	173	91	28	32	1	1
10-14.....	246,909	238,498	34,629	35,718	117	66	24	12	1
15-19.....	194,441	200,397	25,132	30,138	156	93	33	25
20-24.....	192,058	222,393	26,668	40,194	217	129	87	58	1
25-29.....	237,196	246,194	35,789	49,296	240	194	130	119	1	2
30-34.....	234,104	252,736	42,610	54,883	382	247	222	165	1	1
35-39.....	234,121	268,057	42,455	51,675	579	436	282	231	4	2
40-44.....	240,034	277,921	36,600	41,499	981	751	303	293	15	2
45-49.....	243,279	266,955	29,381	32,500	1,700	1,133	369	317	10	1
50-54.....	245,308	254,977	25,112	26,147	2,991	1,675	453	382	29	4
55-59.....	206,646	211,759	18,074	18,426	4,327	2,284	513	400	47
60-64.....	184,479	194,142	12,730	13,446	5,421	3,138	492	407	57	3
65-69.....	141,526	158,507	8,710	10,528	6,393	4,146	423	432	52	4
70-74.....	88,872	100,210	4,926	6,383	6,016	4,936	319	327	47	1
75 and over.....	76,496	102,356	4,086	6,384	10,128	12,197	402	600	35	4

Table 14. Cases of Reportable Infectious Diseases, City of New York, 1900-1958

Year	Pulmonary Tuberculosis	Diphtheria	Measles	Scarlet Fever	Chickenpox	Typhoid Fevers	Whooping Cough	Meningococcus Meningitis	Poliomyelitis	Syphilis	Gonorrhea	Influenza	Pneumonia	Epidemic Encephalitis
1900	11,997	12,913	19,298	6,683	1,226	2,658	174	7						
1901	13,703	12,329	11,990	16,692	2,437	2,748	113	13						
1902	12,914	15,319	20,251	11,894	3,269	3,871	313	10						
1903	15,214	18,317	13,689	10,887	4,181	3,671	1,066	20						
1904	18,723	18,158	32,861	13,495	4,263	3,412	1,016	482						
1905	20,831	13,686	19,026	8,071	5,473	4,326	2,637	2,755						
1906	20,085	14,757	38,653	7,881	4,667	3,467	2,177	1,032						
1907	19,725	15,276	16,637	15,788	4,308	4,426	1,920	828						
1908	23,325	16,431	38,276	24,426	5,928	5,928	1,182	380						
1909	25,667	15,097	31,950	12,475	6,765	3,499	2,752	346						
1910	32,065	16,940	35,374	18,924	5,534	3,582	2,018	242						
1911	24,513	13,485	25,540	15,794	6,758	3,450	3,210	266	358					
1912	22,752	13,533	39,018	12,716	7,649	3,076	2,132	250	504					
1913	22,674	14,845	29,350	10,739	6,897	2,643	3,529	232	310	10,623	7,440			
1914	21,604	17,129	25,793	11,105	9,632	2,260	3,798	318	129	21,128	9,526			
1915	22,141	15,279	38,186	9,879	8,721	2,455	6,771	174	95	17,335	9,709			
1916	19,297	13,521	21,603	5,814	9,617	1,617	7,460	263	9,023	20,128	6,341			
1917	17,494	12,624	27,519	6,260	8,548	1,442	5,597	322	139	19,833	8,312			
1918	14,439	11,454	28,675	4,460	4,196	1,238	5,558	477	134	17,320	6,538			
1919	14,570	14,014	8,194	4,594	5,326	854	1,658	317	42	19,241	5,677	25,218	10,325	118
1920	14,035	14,166	35,083	6,537	5,534	969	7,530	244	154	19,440	4,535	69,824	25,983	573
1921	12,966	15,110	7,738	13,516	8,041	899	5,808	279	588	14,096	5,287	2,486	14,143	528
1922	13,339	10,427	40,569	10,269	5,738	790	4,799	218	224	13,199	5,599	21,042	19,121	611
1923	11,336	8,050	13,999	8,237	8,671	890	4,484	133	577	16,879	6,817	16,061	15,952	923
1924	11,924	9,687	33,561	8,399	8,260	1,687	8,244	156	344	16,402	6,137	1,753	18,594	465
1925	10,955	9,051	9,483	8,840	7,546	1,417	4,826	120	307	15,630	5,466	1,745	15,651	327
1926	10,498	7,531	39,750	7,968	6,757	913	3,487	170	111	17,700	4,728	5,911	22,661	297
1927	10,873	13,507	2,101	18,339	9,444	762	6,052	177	537	24,324	7,006	2,048	18,273	232
1928	11,614	10,776	35,008	10,586	7,082	688	5,876	1,102	572	25,034	7,431	2,878	21,079	193
1929	11,938	8,548	2,537	7,952	9,264	607	2,944	1,000	71	28,772	8,840	11,121	21,132	173
1930	11,821	3,794	23,635	7,592	7,901	552	4,538	503	78	32,219	9,737	1,010	17,081	100
1931	11,794	3,999	26,519	11,900	9,113	637	8,643	392	4,138	34,894	9,745	3,498	21,116	97
1932	10,589	3,581	10,354	21,093	8,862	598	7,126	207	143	42,315	11,640	4,118	17,835	57
1933	9,991	1,891	36,216	8,262	11,966	588	6,009	114	831	42,242	11,164	2,617	16,972	86
1934	9,990	1,593	5,015	8,820	12,177	378	8,764	102	73	46,276	10,953	899	14,489	51
1935	8,796	1,189	28,490	14,602	10,866	349	8,703	529	2,054	47,659	11,069	622	13,185	69
1936	8,987	1,124	36,548	11,417	8,324	334	4,461	538	34	68,969	14,445	1,396	15,786	37
1937	9,128	1,184	12,091	10,058	12,723	299	4,653	228	243	88,101	17,872	4,181	16,393	55
1938	8,748	700	34,604	8,419	11,112	312	12,232	112	43	37,077*	12,935	447	12,969	38
1939	8,277	543	3,653	6,121	9,103	198	5,821	71	184	32,874	12,810	1,546	16,875	62
1940	8,212	386	10,496	13,569	13,046	171	5,775	48	67	30,718	14,639	791	13,808	28
1941	8,459	362	79,646	7,206	9,773	183	7,811	118	404	27,194	12,297	2,677	10,707	49
1942	9,145	292	2,261	7,009	10,978	119	9,240	411	88	30,036	12,022	441	10,130	52
1943	8,283	374	23,627	9,484	9,290	123	3,678	1,406	361	25,878	12,957	1,387	7,663	37
1944	7,229	232	26,048	8,509	8,441	122	2,810	1,104	1,890	23,069	14,489	266	5,981	37
1945	6,232	254	1,870	8,347	7,905	118	4,932	487	547	22,690	18,009	334	5,830	34
1946	6,386	366	22,408	8,009	6,586	110	2,135	246	716	26,765	24,350	394	3,930	38
1947	6,832	378	7,915	3,583	11,921	75	3,224	113	224	26,303	22,746	268	2,517	30
1948	7,359	167	28,960	2,420	10,214	58	1,591	120	703	25,366	23,422	233	2,563	33
1949	7,344	119	5,467	2,230	12,866	54	4,129	104	2,446	20,489	20,309	85	2,408	47
1950	6,518	72	21,990	1,652	7,973	49	1,791	142	1,064	21,795	16,784	304	2,806	127
1951	6,331	35	9,644	2,144	11,849	26	1,606	110	555	22,458	14,114	1,793	2,696	200
1952	6,021	18	34,615	3,548	8,912	94	1,379	144	821	25,078	12,105	129	2,338	280
1953	6,110	26	5,117	1,595	12,942	63	2,733	183	677	25,224	12,505	475	1,902	311
1954	5,439	23	41,037	2,143	8,775	36	1,777	129	844	19,412	12,379	45	1,294	270
1955	5,064	20	9,712	1,334	10,476	26	1,136	108	806	18,056	11,239	65	1,317	220
1956	5,089	10	21,616	2,357	11,433	25	1,113	75	149	17,052	10,482	85	1,649	309
1957	5,162	12	10,226	1,657	7,287	34	1,326	75	57	15,485	11,479	6,092	2,218	204
1958	4,513	9	28,272	1,944	8,403	26	655	36	100	13,082	13,341	802	2,677	165

* Figures prior to 1938 were based on positive laboratory findings and included much duplication. Beginning with 1938 duplicates have, as far as possible, been omitted.

Table 15.

City of New York, 1900-1958

Age	1901-'02-'03		1909-'10-'11		1919-'20*		1929-'30-'31		1939-'40-'41		1949-'50-'51		1956-'57-'58	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0-4	60.3	52.6	50.2	43.2	32.4	26.5	19.4	15.4	11.3	8.8	7.6	6.0	8.3	6.5
5-9	5.8	5.2	4.2	3.9	3.8	3.1	2.5	2.0	1.0	0.8	0.6	0.5	0.7	0.4
10-14	2.8	2.8	2.4	2.3	2.4	2.2	1.7	1.3	0.9	0.7	0.6	0.4	0.5	0.3
15-19	4.8	4.1	3.9	3.1	4.0	3.7	2.6	2.2	1.3	1.1	0.9	0.6	0.9	0.5
20-24	7.3	6.0	5.3	4.6	5.8	5.4	3.4	3.2	1.7	1.6	1.3	0.9	1.2	0.7
25-29	9.5	8.2	6.9	5.9	6.5	6.9	3.8	3.4	2.2	2.0	1.4	1.2	1.4	1.1
30-34	12.6	9.8	9.6	7.6	7.7	7.0	5.1	4.1	3.1	2.4	2.0	1.6	2.1	1.5
35-39	15.1	11.6	13.0	9.3	9.2	7.3	7.0	5.0	4.5	3.2	3.2	2.2	3.1	2.1
40-44	19.0	13.2	16.5	11.2	10.9	9.0	10.1	6.9	7.0	4.8	5.5	3.6	4.7	3.2
45-49	22.0	15.0	20.8	14.3	15.2	12.1	14.8	10.5	11.7	7.4	8.9	5.3	8.0	4.9
50-54	29.2	22.8	26.5	19.1	20.6	16.3	22.0	15.0	17.2	11.5	14.5	8.3	12.8	7.2
55-59	38.8	31.4	37.0	28.8	30.1	24.8	32.0	23.4	25.9	17.5	22.6	12.8	21.5	11.8
60-64	51.4	43.8	51.4	44.1	40.8	33.8	44.7	35.3	37.9	26.8	32.9	20.5	30.9	17.0
65-69	69.9	60.5	68.5	58.9	60.1	55.0	62.0	50.2	55.0	40.8	46.2	29.7	45.1	27.2
70-74	95.8	85.2	89.6	81.2	85.1	79.5	84.3	73.3	78.9	62.5	68.0	49.7	67.4	47.8
75-79	141.0	119.3	127.3	114.4	116.2	107.6	120.7	109.2	111.4	93.3	95.9	77.0	101.3	81.1
80-84	175.9	157.9	167.4	159.6	162.6	143.6	170.9	151.2	149.8	141.5	134.0	121.2	141.3	121.0
85 & Over	252.3	223.0	257.4	232.3	224.8	210.2	242.8	227.5	230.5	222.2	202.8	183.8	215.8	205.4

* As Census date is the midpoint of the period presented, only two years are used for 1919-'20 calculation, the Census having been made on Jan. 1, 1920.

**Table 16. Age-Adjusted Death Rates (a) Certain Causes, Per 100,000 Population
City of New York, 1900-1957**


Cause of Death	1901-'02-'03	1909-'10-'11	1919-'20	1929-'30-'31	1939-'40-'41	1949-'50-'51		1956-'57
						V—revision—VI		
All causes	2,075.0	1,805.0	1,526.0	1,219.0	893.0	687.6	687.6	639.3
Respiratory tuberculosis	204.3	172.2	126.6	63.6	49.0	20.4	19.8	7.5
Other forms of tuberculosis	35.4	30.3	23.7	11.3	5.0	2.0	1.9	0.5
Influenza and pneumonia	281.3	259.7	293.8	164.2	52.8	25.6	27.1	29.0
Cancer (b)	83.2	94.8	101.7	116.7	125.1	124.4	127.1	128.0
Diabetes	16.6	19.3	19.9	26.3	31.2	28.0	12.2	10.6
Appendicitis	12.3	13.1	13.4	16.1	8.8	2.1	1.9	1.3
Nephritis	182.7	142.9	107.5	47.4	37.9	17.6	5.6	5.4
Diseases of circulatory system	193.6	299.0	325.6	376.2	303.0	260.9	289.8	288.2
Total Degenerative Diseases	469.6	467.5	450.4	433.1	370.5	300.8	318.4	321.8
Total accidents	94.2	82.1	70.5	71.7	47.0	33.2	31.9	26.9
Auto accidents	(c)	(c)	15.1	20.5	11.1	6.3	6.4	6.6
Other accidents	(c)	(c)	55.5	51.1	35.8	26.9	25.5	20.3

(a) For 1901-'02-'03 and 1909-'10-'11 rates are standardized for age and sex; for 1919-'20, 1929-'30-'31 and 1939-'40-'41 rates are standardized for age, sex and color. Standard is the population of England and Wales in 1901. Rates were adjusted for sex and color according to the distribution of the population of states of the Death Registration Area of the United States in 1920.

(b) Under cancer in the Sixth Revision are included deaths from Hodgkin's disease, leukemia and aleukemia, and mycosis fungoides to which 643, 1,916 and 22 deaths respectively were assigned in the three-year period 1949-1951. The standardized rate for these 2,581 deaths was 9.1 per 100,000.

(c) Data not available for 1901-1911.

New York City's Aging Population



207-816
918-602