



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

### **DINING OUT NYC**

### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:			
Cafe Address:			
Application Number:			
CB Review Deadline (on date or next bus	iness day):		
Sidewalk Cafe Setup Feedback:		Community Board of	chooses to <b>WAIVE</b> review
Comments related to the cafe's <b>physical footpri</b>	nt and dimensio	ns:	
Comments related to <b>pedestrian flow</b> (i.e., visbili	ity, safety , poten	tial crowding):	
Comments related to potential conflicts with <b>exi</b>	sting curb use (i.	e., planters, bike racks, bus sto	ops):
Please check one of the recommendations below, the above application:	, either <b>approval</b> ,	denial, or approval with modif	ications relating to
Community Board recommends approval		Community Board recomm	nends <b>denial</b>
Community Board recommends approval w/	modifications		
Recommended modifications (only if approved to approved to approved to approve to approv	w/ modifications	):	
Applicant acknowledges and agrees to modi  Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree this box is checked, please provide NYC DOT	ee with modificat	ons relating to the above refe	renced application. If

### **RESTAURANT DETAILS**

#### Food Service Establishment Permit(FSEP)

FSEP#: 40763881

Expiration Date: 07/31/2025 DOHMH Status: CURRENT

Business Legal Name: FOOD IN ITALY LLC

Assumed Name: GNOCCO

Business Address: 337 EAST 10 STREET, NEW YORK, NY 10009

Venue Type: Restaurant (with bar)
Last updated from DOHMH: 03/31/2025

### **Restaurant Information**

Entity Type: Limited Liability Corporation (LLC)

Phone: (212) 677-1913

Email Address: info@gnocco.com

### **DOS** Information

DOS ID#: 2516562 Process Name: Gnocco

DOS Address: 337 East 10th Street, New York, New York 10009

### NYS Liquor Authority Information

NYSLA Serial No: 1279598 License Type: On-Premises

Name of License: Food in Italy LLC

Title of Representative: OWNER MEMEBER Name of Certificate Holder: Food in Italy LLC

### **Business** hours

Sun:

11:00 AM- 10:00 AM

Mon:

11:00 AM- 10:00 PM

Tues:

11:00 AM- 10:00 PM

Wed:

11:00 AM- 10:00 PM

Thurs:

11:00 AM- 10:00 PM

Fri:

11:00 AM- 11:00 PM

Sat:

11:00 AM- 11:00 PM

### SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requiremen	ts:
Clear path requirement for your sidewalk cafe can be	C1- Global Corridor (12 feet Clear Path)
found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.	C2- Regional Corridor (10 feet Clear Path)  C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setu	p Area Identification :
	Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
	Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.

DINING	NE
NYC O L L	



# **Sidewalk Cafe Site Plan Form**

Applicant Name:	
Restaurant Name:	
FSEP Number:	

### **Drawing Requirements**

### Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

### **Private Property shown as:**

Dashed line

### Street names:

Labels on each street

### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

### Building entrances shown as:

Label

### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

### Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

## Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

### Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow


	F
	• • Pi
	D
	S
	•
	S
	•
	В
	С
	S sl
	•
	E
	a
	•
	U p
	•
	N
Length of sidewalk cafe:feet Width of sidewalk cafe:feet	

### SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet	clearance from si	dewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet	clearance from si	dewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet of	learance from sid	ewalk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18-Traffic Signal	feet
S12- SBS Fare Machine	feet		
Elements with minimum 5 feet of	learance from sid	ewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet
S23- Curb Cut	feet		
Elements with minimum 3 feet of	learance from sid	ewalk cafe:	
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet
Elements with minimum 1 foot 6	inches clearance	from sidewalk cafe elements:	
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches
Check this box if none of the ob	jects listed above a	re within 15 feet of the proposed setu	ıp.





### SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

faterials Checklist:
*Required*
Perimeter Demarcation (All of the following must be met)
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.  Maximum height is 2 feet 6 inches (excluding planting(s)).  Not affixed to the sidewalk.
*Optional- Only check the material categories you intend to use in your sidewalk cafe*
Furnishings (if using, the first two below must be met)
Lightweight and easily movable.
Not affixed to the sidewalk.
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnings Physically Attached to the Building (if using, all of the following must be met)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overhead Coverings/ Umbrellas (if using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections (if using, all of the following must be met)
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.