



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:					
Cafe Address:					
Application Number:					
CB Review Deadline (on date or next business day NYCDOT Internal Use Only):				
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review				
Comments related to the cafe's physical footprint and dime	ensions:				
Comments related to pedestrian flow (i.e., visbility, safety , p	otential crowding):				
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):					
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to the above application</u> :					
Community Board recommends approval	Community Board recommends denial				
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications)	tions):				
Applicant acknowledges and agrees to modifications related this box is checked, please provide NYC DOT with documents.	•				

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50051704

Expiration Date: 06/30/2025 DOHMH Status: CURRENT

Business Legal Name: COFFEEMEN'S, LLC

Assumed Name: LITTLE CANAL

Business Address: 26 CANAL STREET, NEW YORK, NY 10002

Venue Type: Restaurant (with bar)
Last updated from DOHMH: 04/07/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (917) 472-7479

Email Address: jereme@littlecanal.com

DOS Information

DOS ID#: 4619895

Process Name: Coffeemen's LLC

DOS Address: 26 Canal Street, New York, New York 10002

NYS Liquor Authority Information

NYSLA Serial No: 1333959 License Type: On-Premises

Name of License: Coffeemens LLC Title of Representative: Owner

Name of Certificate Holder: Jereme Barnas

Business hours

Sun: 8:00 AM- 4:00 PM Mon: 7:30 AM- 4:00 PM Tues: 7:30 AM- 4:00 PM Wed: 7:30 AM- 4:00 PM Thurs: 7:30 AM- 4:00 PM Fri: 7:30 AM- 4:00 PM Sat: 8:00 AM- 4:00 PM

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- · Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements: Clear path requirement for

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

Length of sidewalk cafe:

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification:

Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Sidewalk Cafe Site Plan Form

Jereme Barnas


Applicant Name:

Restaurant Name:

FSEP Number:

Little Canal

50051704



Width of sidewalk cafe:

Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

Dashed line

Street names:

· Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- · Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow

SECTION 2: Required Clearances


· Please provide distances from the following objects.

anta with minimum 15 fact alasman a from sidewalls act

- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet	clearance moni si	uewaik caie.	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet	clearance from si	dewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet of	clearance from sid	ewalk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- SBS Fare Machine	feet		
Elements with minimum 5 feet of	clearance from sid	ewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet
S23- Curb Cut	feet		
Elements with minimum 3 feet of	clearance from sid	ewalk cafe:	
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet
Elements with minimum 1 foot	6 inches clearance	from sidewalk cafe elements:	
S30- Vent Infrastructure: utility vent poles, vent	inches	S31- Manholes	inches





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
 to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
 checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

- Furnishings (if using, the first two below must be met)
 - Lightweight and easily movable.
 - Not affixed to the sidewalk.
 - Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or <u>Basement Door Certification</u>
- Awnings Physically Attached to the Building (if using, all of the following must be met)
 - Minimum 8 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
- Overhead Coverings/ Umbrellas (if using, all of the following must be met)
 - Minimum 7 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
 - Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
- Lighting and Electrical Connections (if using, all of the following must be met)
 - Any lighting is outdoor rated, properly secured, and lightweight.
 - Connection is directly connected to ground floor restaurant's power source and within the perimeter of
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Does not exceed 10 feet in height.
 - Not attached to any City property, including street trees.
 - Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's

Pedestrian Mobility Plan

Pedestrian Demand Map.

Identify Clear Path Requirements:

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification:

Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing





Sidewalk Cafe **Site Plan Form**

Jereme Barnas **Applicant Name:**



Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Lenath
- Labels

Private Property shown as:

Dashed line

Street names:

· Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup


Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown

- · Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow



SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

lements with minimum 15 feet	ciearance noni	sidewaik care.	
S01- Subway Stair: Open End	20 feet		
Elements with minimum 10 feet	clearance from	sidewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet c	learance from si	idewalk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	_10feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- SBS Fare Machine	feet		
Elements with minimum 5 feet c	learance from si	idewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet
S23- Curb Cut	feet		
Elements with minimum 3 feet c	learance from si	idewalk cafe:	
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet
Elements with minimum 1 foot 6	inches clearand	ce from sidewalk cafe elements:	
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
 to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
 checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

		7	Keq	<u>uırea</u>

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

- Furnishings (if using, the first two below must be met)
 - Lightweight and easily movable.
 - Not affixed to the sidewalk.
 - Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or <u>Basement Door Certification</u>
- Awnings Physically Attached to the Building (if using, all of the following must be met)
 - Minimum 8 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
- Overhead Coverings/ Umbrellas (if using, all of the following must be met)
 - Minimum 7 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
 - Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
- Lighting and Electrical Connections (if using, all of the following must be met)
 - Any lighting is outdoor rated, properly secured, and lightweight.
 - Connection is directly connected to ground floor restaurant's power source and within the perimeter of
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Does not exceed 10 feet in height.
 - Not attached to any City property, including street trees.
 - Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.









