



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:					
Cafe Address:					
Application Number:					
CB Review Deadline (on date or next business day NYCDOT Internal Use Only):				
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review				
Comments related to the cafe's physical footprint and dime	ensions:				
Comments related to pedestrian flow (i.e., visbility, safety , p	otential crowding):				
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):					
Please check one of the recommendations below, either approval , denial , or approval with modifications relating to the above application:					
Community Board recommends approval	Community Board recommends denial				
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications)	tions):				
Applicant acknowledges and agrees to modifications relating to the above referenced application Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.					

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50110881

Expiration Date: 05/31/2026 DOHMH Status: CURRENT

Business Legal Name: K&L HOSPITALITY LLC

Assumed Name: LITTLE REBEL

Business Address: 219 2 AVENUE, NEW YORK, NY 10003

Venue Type: Restaurant (with bar)
Last updated from DOHMH: 04/21/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (646) 922-7325

Email Address: kellymlk136@GMAIL.COM

DOS Information

DOS ID#: 5844173

Process Name: DERMOT LYNCH

DOS Address: 32 DRIGGS AVE, APT 3R, BROOKLYN, New York 11222

NYS Liquor Authority Information

NYSLA Serial No: 034023139256

License Type: On-Premises

Name of License: DERMOT LYNCH Title of Representative: LLC MEMBER

Name of Certificate Holder: K L HOSPITALITY LLC

Business hours

Sun:

11:00 AM- 12:00 AM

Mon:

11:00 AM- 12:00 AM

Tues:

11:00 AM- 12:00 AM

Wed:

11:00 AM- 12:00 AM

Thurs:

11:00 AM- 2:00 AM

Fri:

11:00 AM- 4:00 AM


Sat:

11:00 AM- 4:00 AM

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data C1- Global Corridor (12 feet Clear Path) C2- Regional Corridor (10 feet Clear Path) C3- Neighborhood Corridor (8 feet Clear Path) C4- Community Connector (8 feet Clear Path)



Setup Area Identification:

plan drawing below.

Please check this box if you plan to have outdoor dining located

Please check this box if all or part of your sidewalk cafe is in a

sidewalk widening area, developed pursuant to the NYC Zoning

within private property. If so, indicate the property line in the site



Sidewalk Cafe Site Plan Form

K&L HOSPITALITY LLC

Applicant Name:

Little Rebel

Restaurant Name:

50110881

FSEP Number:

Drawing Requirements

Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

Street names:

· Labels on each street

Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

Primary building entrance shown as:

- Lahel
- · Distance from proposed setup

Cafe perimeter shown as:

- Line
- Length and width
- --- (Dashed line) representing Private Property Line

Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

Sidewalk elements or objects shown as:

- · Lines or symbols
- Labels
- Distance from cafe perimeter

Utility coverings shown as:


- Symbols representing the approximate shape of the covering within the setup
 - MANHOLE COVER
 - X UTILITY COVERING

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:							
S01- Subway Stair: Open End	feet						
Elements with minimum 10 feet clearance from sidewalk cafe:							
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet				
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet				
Elements with minimum 8 feet clearance from sidewalk cafe:							
S06- Street Tree Bed	feet	S13- Newsstand	feet				
S07- Mailbox	feet	S14- Streetlight	feet				
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet				
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet				
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet				
S11- Parking Meter	feet	S18-Traffic Signal	feet				
S12- SBS Fare Machine	feet						
Elements with minimum 5 feet clearance from sidewalk cafe:							
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet				
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet				
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet				
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet				
S23- Curb Cut	feet						
Elements with minimum 3 feet clearance from sidewalk cafe:							
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet				
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:							
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches				
Check this box if none of the objects listed above are within 15 feet of the proposed setup.							





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

faterials Checklist:
Required
Perimeter Demarcation (All of the following must be met)
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. Maximum height is 2 feet 6 inches (excluding planting(s)). Not affixed to the sidewalk.
Optional- Only check the material categories you intend to use in your sidewalk cafe
Furnishings (if using, the first two below must be met)
Lightweight and easily movable.
Not affixed to the sidewalk.
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnings Physically Attached to the Building (if using, all of the following must be met)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overhead Coverings/ Umbrellas (if using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections (if using, all of the following must be met)
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.