



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:					
Cafe Address:					
Application Number:					
CB Review Deadline (on date or next business day): NYCDOT Internal Use Only					
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review				
Comments related to the cafe's physical footprint and dime	ensions:				
Comments related to pedestrian flow (i.e., visbility, safety , p	ootential crowding):				
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):					
Please check one of the recommendations below, either approval , denial , or approval with modifications relating to the above application:					
Community Board recommends approval	Community Board recommends denial				
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications)	tions):				
Applicant acknowledges and agrees to modifications relating to the above referenced application Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.					

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50140643

Expiration Date: 08/31/2024 DOHMH Status: CURRENT

Business Legal Name: MOREISH HOSPITALITY INC

Assumed Name: FOSSETTA

Business Address: 198 ALLEN STREET, NEW YORK, NY 10002

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 06/16/2025

Restaurant Information

Entity Type: Corporation Phone: (646) 430-1249

Email Address: hello@fossetta-nyc.com

DOS Information

DOS ID#: 6835025

Process Name: Moreish Hospitality Inc

DOS Address: 198 Allen Street, New York, New York 10002

NYS Liquor Authority Information

NYSLA Serial No: 05242503956 License Type: On-Premises Name of License: Julie Park Title of Representative: Owner

Name of Certificate Holder: Moreish Hospitality Inc

Business hours

Sun:

10:00 AM- 10:00 AM

Mon:

11:00 AM- 10:00 PM

Tues:

11:00 AM- 10:00 PM

Wed:

11:00 AM- 10:00 PM

Thurs:


11:00 AM- 10:00 PM

Fri:

11:00 AM- 10:00 PM

Sat:

10:00 AM- 10:00 PM



SECTION 2: Required Clearances Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. Elements with minimum 15 feet clearance from sidewalk cafe: S01- Subway Stair: Open End Elements with minimum 10 feet clearance from sidewalk cafe: 502- Subway Elevator Entrance S04- MTA Curb Cut feet S03- Exhaust Duct feet SOS- FDNY Curb Cut feet Elements with minimum 8 feet clearance from sidewalk cafe: 506- Street Tree Bed S13- Newsstand feet 507- Mailbox feet 514- Streetlight feet S08- LinkNYC Kiosk feet S15- Bus Stop Pole feet 509- Wayfinding Kiosk feet S16- Fire Hydrant feet S10- E-charging Station feet S17- Bus Stop Shelter feet S11- Parking Meter feet 518-Traffic Signal feet S12- SBS Fare Machine Elements with minimum 5 feet clearance from sidewalk cafe: 519- OtiBike/Bike Share Station S24- Emergency Exit Hatch feet 520- Blke Corral feet 525- Subway Stair: Closed End feet S21- Micromobility Station feet S26- Subwey Elevator: Non-Entry feet S22- Primary Building Entrance feet 527- Siamese Connection feet S23- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: 528- Elevated Train Infrastructure 529- Transformer Vault Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: 530- Vent Infrastructure: 531- Manholes inches utility vent poles, vent grates, subway grates Check this box if none of the objects listed above are within 15 feet of the proposed setup. annot block access

SECTION 3: Material Requirements

Materials Checklist:

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

	Required
Perin	meter Demarcation (All of the following must be met)
- 17	Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
	Maximum height is 2 feet 6 inches (excluding planting(s)).
X	Not affixed to the sidewalk.
0	ptional- Only check the material categories you intend to use in your sidewalk cafe
X Furn	ishings (if using, the first two below must be met)
X	Lightweight and easily movable.
D	Not affixed to the sidewalk.
-	Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cella or Basement Door Certification
Awni Awni	ings Physically Attached to the Building (if using, all of the following must be met)
	Minimum 8 feet height from the ground and does not exceed 10 feet height.
	Easily removable, comprised of fire-grade and wind resistant materials.
	Does not extend beyond the perimeter of the sidewalk cafe.
	Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Over	head Coverings/ Umbrellas (if using, all of the following must be met)
18	Minimum 7 feet height from the ground and does not exceed 10 feet height.
	Easily removable, comprised of fire-grade and wind resistant materials.
	Does not extend beyond the perimeter of the sidewalk cafe.
	The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
	Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Light	ing and Electrical Connections (if using, all of the following must be met)
	Any lighting is outdoor rated, properly secured, and lightweight.
	Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
	Does not extend beyond the perimeter of the sidewalk cafe.
	Does not exceed 10 feet in height.
princip.	Not attached to any City property, including street trees.
	Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable.