



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:			
Cafe Address:			
Application Number:			
CB Review Deadline (on date or next business day NYCDOT Internal Use Only) :		
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review		
Comments related to the cafe's physical footprint and dime	ensions:		
Comments related to pedestrian flow (i.e., visbility, safety , p	ootential crowding):		
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):			
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to the above application</u> :			
Community Board recommends approval	Community Board recommends denial		
Community Board recommends approval w/ modifications			
Recommended modifications (only if approved w/ modifications)	tions):		
Applicant acknowledges and agrees to modifications relating to the above referenced application Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.			

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50104478

Expiration Date: 03/31/2026 DOHMH Status: CURRENT

Business Legal Name: VICTORY'S FLAVOR CORP

Assumed Name: VILLAGE CREPERIE

Business Address: 445 EAST 9 STREET, NEW YORK, NY 10009

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 07/21/2025

Restaurant Information

Entity Type: Corporation Phone: (646) 469-0850

Email Address: victorycorp108@gmail.com

DOS Information

DOS ID#: 5611309

Process Name: THE CORPORATION

DOS Address: 49 VICTORY BLVD, STATEN ISLAND, New York 10301

NYS Liquor Authority Information

Establishment serves alcohol: No

Business hours

Sun:

8:00 AM- 8:00 PM

Mon:

7:00 AM-8:00 PM

Tues:

7:00 AM- 8:00 PM

Wed:

7:00 AM- 8:00 PM

Thurs:

7:00 AM- 8:00 PM

Fri:

7:00 AM- 10:00 PM

Sat:

8:00 AM- 10:00 PM

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

Avenue

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)

Length of sidewalk cafe:

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification:

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing





Sidewalk Cafe **Site Plan Form**

Applicant Name:

Ali Mouaki Village Creperie

Restaurant Name:

FSEP Number:

50104478

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

E 9TH STREET

Pedestrian Clearance 8 Total sidewalk width 12-8 Dining area width 4.8 Sidewalk length 8 ft North Door/Entrance Whole café frontage with entrance 11 ft 10 inc

Width of sidewalk cafe:

Drawing Requirements

Food service establishment frontage

- Line representing the establishment's space facing the sidewalk
- Lenath
- Labels

Private Property shown as:

Dashed line

Street names:

Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.)

Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

	Elements with minimum 15 feet clearance from sidewalk cafe:				
S01- Subway Stair: Open End	feet				
Elements with minimum 10 feet clearance from sidewalk cafe:					
S02- Subway Elevator Entrance	feet feet	S04- MTA Curb Cut S05- FDNY Curb Cut	feet		
Elements with minimum 8 feet cle					
S06- Street Tree Bed S07- Mailbox S08- LinkNYC Kiosk S09- Wayfinding Kiosk S10- E-charging Station S11- Parking Meter S12- SBS Fare Machine Elements with minimum 5 feet cle	feet feet feet feet feet feet feet feet	S13- Newsstand S14- Streetlight S15- Bus Stop Pole S16- Fire Hydrant S17- Bus Stop Shelter S18- Traffic Signal	feet 52 feet 30 feet 27 feet feet 52 feet feet feet feet		
S19- CitiBike/Bike Share Station S20- Bike Corral S21- Micromobility Station S22- Primary Building Entrance S23- Curb Cut	feetfeet 6 feet 47 feet	S24- Emergency Exit Hatch S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection	feetfeetfeetfeet		
Elements with minimum 3 feet clearance from sidewalk cafe:					
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet		
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:					
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches		
Check this box if none of the objects listed above are within 15 feet of the proposed setup.					





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

- Perimeter Demarcation (All of the following must be met)
 - Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
 - Maximum height is 2 feet 6 inches (excluding planting(s)).
 - Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

- Furnishings (if using, the first two below must be met)
 - Lightweight and easily movable.
 - Not affixed to the sidewalk.
 - Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or Basement Door Certification
- Awnings Physically Attached to the Building (if using, all of the following must be met)
 - Minimum 8 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
- Overhead Coverings/ Umbrellas (if using, all of the following must be met)
 - Minimum 7 feet height from the ground and does not exceed 10 feet height.
 - Easily removable, comprised of fire-grade and wind resistant materials.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
 - Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
- Lighting and Electrical Connections (if using, all of the following must be met)
 - Any lighting is outdoor rated, properly secured, and lightweight.
 - Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
 - Does not extend beyond the perimeter of the sidewalk cafe.
 - Does not exceed 10 feet in height.
 - Not attached to any City property, including street trees.
 - Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.









