



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Cafe Address: 135C DIVISION ST, NEW YORK, NY, 10002				
Application Number: 20240604010001				
Recommendation Response Deadline: 11/16/24				
NYCDOT Internal Use Only				
Sidewalk Cafe Setup Feedback: Community Board chooses to W	IVE review			
Comments related to the cafe's physical footprint and dimensions :				
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):				
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):				
Please check one of the recommendations below, either approval, denial , or approval with modifications <u>relating to</u> <u>the above application</u> :				
Community Board recommends approval				
Community Board recommends approval w/ modifications				
Recommended modifications (only if approved w/ modifications):				
Applicant acknowledges and agrees to modifications relating to the above referenced application				
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced applications this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's constructions.				

Restaurant Details

Food Service Establishment Permit (FSEP)

FSEP#: 50121140

Expiration Date: 04/30/2025

DOHMH Status: CURRENT

Business Legal Name: KSSWINE LLC

Assumed Name: PARCELLE

Business Address: 135C DIVISION ST, NEW YORK, NY 10002

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (212) 258-0722

Email Address: hello@pb.law

DOS Information

DOS ID#: 5231425

Process Name: Pesetsky & Bookman

DOS Address: 325 Broadway, Suite 501, New York, New York 10007

NYS Liquor Authority Information

NYSLA Serial No: 026722105494

License Type: **On-Premises**

Name of License: KSSWine LLC

Title of Representative: Attorney on Record

Name of Certificate Holder: KSSWine LLC

User Information

Created By: Max Bookman

Created On: 5/29/2024 11:27:07 AM

Modified By: Max Bookman

Modified On: 5/29/2024 11:27:07 AM

Business hours

Sun:

5:00 PM- 10:00 PM

Mon:

5:00 PM- 10:00 PM

Tues:

5:00 PM- 10:00 PM

Wed:

5:00 PM- 10:00 PM

Thurs:

5:00 PM- 10:00 PM

Fri:

5:00 PM- 10:00 PM

Sat:

5:00 PM- 10:00 PM

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Sidewalk Cafe Site Plan Form Identify Clear Path Requirements: Setup Area Identification : C1- Global Corridor (12 feet Clear Path) Please check this box if you plan to have outdoor dining located Clear path requirement for your **KSSWine LLC** within private property. If so, indicate the property line in the site sidewalk cafe can be found by C2- Regional Corridor (10 feet Clear Path) Applicant Name: plan drawing below. identifying your corridor type on C3- Neighborhood Corridor (8 feet Clear Path) Parcelle the DOT's Pedestrian Mobility Plan Please check this box if all or part of your sidewalk cafe is in a **Restaurant Name:** sidewalk widening area, developed pursuant to the NYC Zoning C4- Community Connector (8 feet Clear Path) Pedestrian Demand Map on Open Resolution. If so, indicate the property line in the site plan drawing 50121140 Data. C5- Baseline Street (8 feet Clear Path) FSEP Number: below. Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances. **Drawing Requirements** Food service establishment frontage shown by: Line representing space occupied in building Labels Street names: Labels on each street Sidewalk shown as: Line representing street curb Width measured from building line to curb line Primary building entrance shown as: [See Diagram Attached] Label Distance from proposed setup Cafe perimeter shown as: Line Length and width ---- (Dashed line) representing Private Property Line Set-up furniture (tables, chairs, etc.) shown as: Lines or symbols at approximate location within setup Sidewalk elements or objects shown as: Lines or symbols Labels Distance from cafe perimeter Utility coverings shown as: Symbols representing the approximate shape of the covering within the setup Q MANHOLE COVER UTILITY COVERING Length of sidewalk cafe: 24 Width of sidewalk cafe: 12 feet feet

NEW YORK CITY Eric Adams

Mayor Ydanis Rodriguez

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.

feet

- Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:

S01- Subway Stair: Open End

Elements with minimum 10 feet clearance from sidewalk cafe:					
S02- Subway Elevator Entrance S03- Exhaust Duct	feet feet	S04- MTA Curb Cut	feet feet		
Elements with minimum 8 feet clearance from sidewalk cafe:					
 S06- Street Tree Bed S07- Mailbox S08- LinkNYC Kiosk S09- Wayfinding Kiosk S10- E-charging Station S11- Parking Meter S12- Select Bus Service Fare Machine 	feet feet feet feet feet feet	 S13- Newsstand S14- Streetlight S15- Bus Stop Pole S16- Fire Hydrant S17- Bus Stop Shelter S18- Traffic Signal 	feetfeetfeetfeetfeetfeetfeetfeetfeetfeetfeet		
Elements with minimum 5 feet clearance from sidewalk cafe:					
S19- CitiBike/Bike Share Station S20- Bike Corral S21- Micromobility Station S22- Primary Building Entrance	feet feet feet feet	S24- Emergency Exit Hatch S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection	feet feet feet feet		
· · · · · · · · · · · · · · · · ·	reet		reet		

Elements with minimum 3 feet clearance from sidewalk cafe:

S28- Elevated Train Infrastructure _____feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:



S23- Curb Cut

inches

feet





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

<u>Furnishings</u>

Lightweight and easily movable.

Not affixed to the sidewalk.

Awnings (Physically attached to the building)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

Overhead Coverings/ Umbrellas

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

Lighting and Electrical Connections

Any lighting is outdoor rated, properly secured, and lightweight.

- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.







