URBAN DESIGN AND VISUAL RESOURCES

CHAPTER 10

In an urban design assessment under CEQR, one considers whether and how a project may change the experience of a pedestrian in the project area. The assessment focuses on the components of a proposed project that may have the potential to alter the arrangement, appearance, and functionality of the built environment. The analysis of un an design relies on drawings, maps, renderings, and most importantly, photographs and project would look like. In the pedestrian eye level. These representations allow the public to see what a project would look like. In the project would look like the project would look like. In the project would look like the project would look like. In the project would look like the project would look like. In the project would look like the project would look like the project would look like. In the project would look like the proj

As indicated throughout the Manual, it is important for an applicant to projectosely with the lead agency during the entire environmental review process. In addition, the New York City Department of City Planning (DCP) often works with the lead agency during the CEQR process to provide technical review, assistance, and recommendations relating to urban design.

100. DEFINITIONS

Urban design is the totality of components that may a sect a pede trian's experience of public space. The following elements play an important role in that experience

streets. For many neighborhoods, streets are the primary component of public space. The arrangement and orientation of streets define the location and flow of activity in an area, set street views, and create the blocks on which buildings and open spaces are organized. The apportionment of street space between cars, bicycles, transit, and sidewalks and the careful design of street furniture, grade, materials used, and permanent fixtures, including plantings, street lights, fire two rants, curb and or newsstands are critical to making a successful streetscape.

BUILDINGS. Building support streets. A building correct walls form the most common backdrop in the city for public space. A building stize, shape, setback loccoverage, and placement on the zoning lot and block; the orientation of active uses; and pedestrian and rebicular entrances all play major roles in the vitality of the streetscape. The public reason also extends to building façades and rooftops, offering more opportunity to enrich the visual character of a rarea.

VIOL RESOURCES. A visual a source is the connection from the public realm to significant natural or built features, including views of the viater ront, public parks, landmark structures or districts, otherwise distinct buildings or roups of buildings, or natural resources.

PEN SPACE. For the purpose of urban design, open space includes public and private areas such as parks, yards, cemeteries, and inglots, and privately owned public spaces.

NATURAL FEATURES. Natural features include vegetation and geologic, topographic, and aquatic features. Rock outcroppings, seep slopes or varied ground elevation, beaches, or wetlands may help define the overall visual character of an area.

WIND. Channelized wind pressure from between tall buildings and downwashed wind pressure from parallel tall buildings may cause winds that affect pedestrian comfort and safety.

200. DETERMINING WHETHER AN URBAN DESIGN AND VISUAL RESOURCES ASSESSMENT IS APPROPRIATE

In general, an assessment of urban design is needed when the project may have effects on one or more of the elements that contribute to the pedestrian experience described above. There is no need to conduct an urban design analysis if a proposed project would be constructed within existing zoning envelopes, and would not result in physical changes beyond the bulk and form permitted "as-of-right."

210. PRELIMINARY ANALYSIS THRESHOLDS

A preliminary assessment is appropriate when there is the potential for a pedestrian to observe, from the street level, a physical alteration beyond that allowed by existing zoning, including the following:

- 1. Projects that permit the modification of yard, height, and setback requirements
- 2. Projects that result in an increase in built floor area beyond what would be allowed 'as-of-right' or in the future without the proposed project.

However, certain projects that may affect buildings, such as a variance of a rear yard equirement, do not require any assessment of urban design because the projects do not result in a change to the experience of a pedestrian since it is located in a rear yard. Another example would be a change in use that ones not change the bulk controls of a block, such as a special permit to allow an act a sory packing garage to operate as a public parking garage.

To complete a preliminary assessment, the analyst should use the check ist in Section 320. The checklist forms a "snapshot" of the project and provides the minimum amount of information necessary to determine whether a potential for significant adverse impacts exists and, consequently, whether further analysis is needed. If a preliminary assessment determines that a change to the pedestrian experience is minimal and unlikely to disturb the vitality, the walkability, or the visual character of the area when no further assessment is necessary.

220. DETAILED ANALYSIS THRESHOLD

The lead agency must use its discretion to determine if a more detailed analysis is needed. Examples may include projects that would allow a project to potential obstruct view corridors, compete with icons in the skyline, or make substantial alterations to the streets apply of a neighborhood by noticeably changing the scale of buildings.

230. PEDESTRIAN WIND CONDITIONS

The construction of projects involving a untiple, tall buildings at or in close proximity to waterfront sites may result in an electrication of wind condition due to 'channelization' or 'downwash' effects that may affect pedestrian comfort and safety. If appropriate, the lead agency should consult with DCP or the Mayor's Office of Environmental Coordination (MOEC) to determine whether a pedestrian wind condition analysis is warranted for a proposed project. Factors that may be considered in making this determination include, but are not necessarily limited to:

- Whether the location is exposed to high wind conditions, such as along west and northwest-facing waterfronts, or other locations at or in close proximity to waterfront sites where prevailing winds from the waterfront are not attenuated by buildings or natural features;
- The fize of the project (generally only projects of a substantial size have the potential to alter wind conditions);
- The number of proposed buildings to be constructed;
- The size and orientation of the buildings that are proposed to be constructed; and
- The site plan and surrounding pedestrian context of the project.

If determined to be necessary, analysis should focus on the extent to which the massing and orientation of buildings and other features of the proposed development contribute to an exacerbation of pedestrian wind conditions. In the event that studies indicate the potential for exacerbation of pedestrian wind conditions that could affect pedestrian safety, modifications to the urban design features of the project, including changes to building massing, landscaping and other measures, that are consistent with the overall urban design objectives of the project, should be considered.

300. ASSESSMENT

310. STUDY AREAS

The study area for urban design is the area where the project may influence land use patterns and the built environment, and is generally consistent with that used for the land use analysis. For vitual resources, the view corridors within the study area from which such resources are publicly viewable should be identified. The land use study area may serve as the initial basis for analysis; however, in many cases where significant visual resources exist, it may be appropriate to look beyond the land use study area to excompass views outside of this area, as is often the case with waterfront sites or sites within or near historic districts.

311. Describing the Existing Area

Both graphics and text may be used to describe the area affected by a project. This assessment should be organized to identify those elements of urban design in the area.

The information required in both the preliminary and detailed assessments help describe the existing urban design of the area. For example, the affected area may be described by the regularity of street grid, building form, site planning and configuration, parking, and streetscape, as well as by predominant land use(s): low-rise, residential, medium-density residential, commercial industrial, or undeveloped.


320. PRELIMINARY ASSESSMENT


The purpose of the preliminary assessment is to determine whether any physical changes proposed by the project may have the potential to significantly and adversely affect elements of urban design.

The preliminary approxis, Mery fore, should provide the following information, if known:

- A concise narrative of the enstage project area, the future No-Action condition, and the future With-Action condition;
- Aer all hotograph of the study area (a current online map is sufficient);
- Zoning calculations of existing and the future With-Action conditions;
- Floor area calculations;
- Lot and twer coverage;
- Building eights;
- A three-dimensional representation of the future With-Action condition streetscape (lines drawn over photograph indicating the location size and general shape is sufficient, see illustration below); and
- If view corridors exist within the study area, describe the proposed project as it relates to visual resources including, as appropriate, proximity, orientation, height, bulk, etc.







PROPOSED PROJECT

If the preliminary assessment shows that changes at the pedestrian environment are sufficiently significant to require greater explanation and further study, they a detailed analysis is appropriate. Detailed analyses are generally appropriate for all area-wide rezonings that include an increase in permitted floor area or changes in height and setback requirements, general large scale developments of projects that would result in substantial changes to the built environment of a historic district or components of an historic building that contribute to the resource's historic significance.

Conditions that merit consideration for further analysis of visual resources include:

- When the project partially or totally blocks a view corridor or a natural or built visual resource, and that resource is rare in the area or considered a defining feature of the neighborhood; or
- When the project changes urbar a sign features so that the context of a natural or built visual resource is altered (for example, if the project oftens the street grid so that the approach to the resource changes; if the project changes the scale of surrounding buildings so that the context changes; if the project removes twent or other open freas that lerve as a setting for the resource).

330. LETANED ANALYSIS

io complete a detailed analysis, use the checklist below to compile the information, if applicable and known, recled for review. This checklist requests drawings and other information that provide an objective and clear presentation of the likely effect of the proposed project on the pedestrian's experience of the public realm. If feasible the magnet should compile these items for the existing condition, the future No-Action condition, and the future With-Action condition, and annotate these as necessary to identify potential positive and significant adverse in acts of design.

- Concise narratives of existing project area condition, future No-Action condition, and future With-Action condition.
- Context plan 1: 500.

- Site plans 1: 100 (multiple as necessary). For those instances when a proposed project does not include a specific development site, but applies to a large area (such as an area-wide rezoning), include a series of potential site plans covering a range of possibilities.
- Photographs of existing conditions. At a minimum, views should include each street intersection bounding and within the site. Photographs should be taken from the sidewalk at pedestrian height.
- Sketches or renderings of the future With-Action condition for each existing view. Architectural and land-scape detail is not required, unless the details are to be approved as part of the project (required components of a site plan, architectural designs that are mandated through the approval process, etc.). Any details that are shown on sketches and renderings that would not be required as part of the project mould be noted as illustrative on the figures, and should be understood to be placeholders.
- Completed chart of building massing.
- Floor area calculations.
- Lot and tower coverage.
- Street-wall heights.
- Open area.
- Building heights.
- Average floor-plate sizes.
- Building setbacks.
- Proposed program and use distribution.
- Birdseye views of the entire project area. Te liews should be taken at 90 degrees from each other to surround entire project area.
- Elevations along all street fronts hoving street wall reignts, setbacks, recesses and transparencies. All should be clearly labeled.
- Detailed landscape plans of the future With-Action condition public areas showing paving, lighting, planting, seating, and other elements.
- Sections through street and other pedestrian areas showing sidewalk widths, plantings, furnishings, and other elements of red strian street can e for the future With-Action condition. Sections should extend to surrounding buildings on both sides.
- An area map showing existing view corridors and access to visual resources both within and outside the project rea.
- Nind sessment study, if required.

NOTE: For all drawings, all significant dimensions should be labeled clearly. Dimensions should be given in feet and incres. Drawings, it printed, should be on $8.5'' \times 11''$ paper or be able to be folded easily to that size. All trawing should be clearly labeled with titles from the checklist. All annotations should be legible. All drawings and renderings should be readable in a black and white printed format.

340. FUTUR NO-ACTION CONDITION

Using the information gathered above, assess whether and how the existing urban design conditions of the neighborhood are expected to change in the future No-Action condition. The assessment should reference the figures provided and explain the specific changed conditions that the figures illustrate.

350. FUTURE WITH-ACTION CONDITION

To determine how the proposed project may affect urban design relative to the No-Action conditions, the assessment describes the proposed project in terms of how it would affect the area's defining elements of urban

design in the With-Action condition compared to the future No-Action condition. The assessment should reference the figures provided and explain the specific changed conditions that the figures illustrate.


Generic actions can be assessed in much the same way, with somewhat less detail than site-specific actions' assessments. In some cases, when less detail about the project is available, the assessment considers the circumstances or issues that may affect the urban design in the study area.

400. DETERMINING IMPACT SIGNIFICANCE

Determining the significance of an urban design impact requires consideration of the degree to which a project would result in a change to the built environment's arrangement, appearance, or functionality and whether the change would negatively affect a pedestrian's experience of the area. One important consideration is a project's context—for example, the scale and use of surrounding buildings. However, matching context is not reconstitute to solve the context of measuring urban design impacts, and this subject is further assessed in the Chapter 21 "Neighborhood Character."

All changes should be clearly denoted on the drawings in which they are shown to determine the impact, and whether that impact is significant. See the drawing below for an example. The proposed street wall (1) has a different street wall height than its neighbors (2). This may be considered a negative upon design impact in some zoning districts.

Key considerations in the assessment of the significance of a visual result of the significance of a visual resource impact may include whether the project obstructs important visual resources and whether such obstructs in would be permanent, leasonal, or temporary; how many viewers would be affected; whether the view is unique on to similar views exist, or whether the visual resource can be seen from many other locations.



500. DEVELOPING MITIGATION

Because significant adverse impacts on urban design relate to projects that physically change a site (or provide an opportunity for physical change, such as through a rezoning) in terms of the project's appearance, location, placement on the block, effect on the street grid, or alteration of topography, *etc.*, mitigation of these impacts may involve changes to these features that would better complement the area. If a significant adverse impact is identified, project changes necessary to avoid the impact may be examined as described in Section 600, below.

600. DEVELOPING ALTERNATIVES

Alternatives that reduce or eliminate significant adverse impacts on urban design may be classified into two pajor types: (i) those that involve substantial design changes to the proposed project and (i) in se involving attendative sites. Project alternatives usually include a different physical design that would not result in the same impacts at the project as proposed. These physical changes may include a reduction in size, major alterations to the site plan, thanges in the orientation of buildings, or alterations to proposed street mappings or demappings.

Alternative site analyses may involve the examination of a different site to the proposed project, which would result in a project that is more consistent with the streetscape of the alternative site's surrounding area, or one that would not block important view corridors, eliminate important natural areas, etc.

700. REGULATIONS AND COORDINATION

710. REGULATIONS AND STANDARDS

There are no specific city, state, or federal statutes, regulations, or standards governing the analysis of visual character.

720. APPLICABLE COORDINATION

Coordination with DCP may be useful in any streetscape assessment, but is required only when the DCP is an involved agency. This occur is the project includes in action subject to approval by the City Planning Commission.

If a project may affect put lie waterfront we ws, consultation with the Waterfront and Open Space Division of DCP is recommended. Similarly, if a project put cause obstruction of a view of a landmark (see Chapter 9, "Historic Resources") consultation with the land tasks Preservation Commission (LPC) is recommended.

730. LOCATION OMNFORMATION