GLOSSARY

The following terms and acronyms are used throughout the CEQR Technical Manual and are separated into three categories:

- 1. Agency Acronyms
- 2. Key CEQR Terms
- 3. Technical Terms

AGENCY ACRONYMS

- ACS: New York City Administration for Children's Services
- BEPA: New York City Department of Environmental Protection Bureau of Environmental Planning and Analysis

Or

- **BSA:** New York City Board of Standards and Appeals
- CAU: Mayor's Community Affairs Unit
- CPC: City Planning Commission
- DCAS: New York City Department of Citywide Administrative Se
- DCLA: New York City Department of Cultural Affairs
- **DCP:** New York City Department of City Planning
- **DDC:** New York City Department of Design and Coperation
- **DEP:** New York City Department of Environmental votection
- DHCR: New York State Division of Housing and Community Reneval
- DHS: New York City Department of Home ess Services
- DOB: New York City Department an Buildings
- *DOC:* New York City Department of Correction
- **DOE:** New York City Expartment of Education
- **DOHMH:** New York City Department of Health Individual Hygiene
- DOITT: New York Cay Department of Information Technology & Telecommunications
- **DOT:** New ork City Department of Transportation
- DPR: New Yorl City Department of Parks and Recreation
- **DSN** New York City Department of Sanitation
- **DYCD:** New York City Department of Youth & Community Development
- **FDNY:** New York City File Department
- FEMA: Fereral Emergency Management Agency
- FHWA: Feder LUghway Administration
- HDC: New York City Housing Development Corporation
- HHC: New York City Health and Hospitals Corporation
- **HPD:** New York City Department of Housing Preservation & Development



HRA:	New York City Human Resources Administration
HUD:	U.S. Department of Housing and Urban Development
LPC:	New York City Landmarks Preservation Commission
MOEC:	Mayor's Office of Environmental Coordination
MOER:	Mayor's Office of Environmental Remediation
MOLTPS:	Mayor's Office of Long-Term Planning and Sustainability
MTA:	Metropolitan Transit Authority
NMFS:	National Marine Fisheries Service
NOAA:	National Oceanic and Atmospheric Administration
NPS:	National Park Service
NRC:	Nuclear Regulatory Commission
NRCS:	United States Department of Agriculture Natural Resources Conservatio
NYCEDC:	New York City Economic Development Corporation
NYCHA:	New York City Housing Authority
NYCIDA:	New York City Industrial Development Agency
NYCT:	New York City Transit
NYPD:	Police Department of the City of New York
NYPL:	New York Public Library
NYSDEC:	New York State Department of Environmental Conservation
NYSDHCR:	New York State Division of Housing and Community Renew 1
NYSERDA:	New York State Energy Research and Development Authority
NYSESDC:	New York State Urban Development Corporation d/b/a New York State Empire State Development Corporation
NYSDOH:	New York State Department of Health
NYSDOL:	New York State Department of Labor
OEM:	New York City Office of Emergence Management
OPRHP:	New York State Office of Parks, Lecretrion and Historic Preservation
OSHA:	United States Occupation and Health and Safety Administration
SBS:	New York City Department of Business Services
SCA:	New York City School Construction Authority
SHPO:	New York State Historic Preservation Office
TLC:	Ney York City T xi & Limousine Commission
USACE:	United States Army Corps of Engineers
USDA:	United States Department of Agriculture
USEPA:	United States Environmental Protection Agency
USFWS:	United States Fish and Wildlife Service
USHUD:	United States Department of Housing and Urban Development



KEY CEQR TERMS

ACTION SCENARIO OR CONDITION: See WITH-ACTION SCENARIO OR CONDITION.

ACTION: That which is to be approved, funded, or undertaken at the discretion of a city agency. An action (or set of actions), if approved, would allow a project to proceed.

ACTION-WITH-MITIGATION CONDITION: Scenario of the future with the proposed project and any proposed mitigation measures in place that avoid or eliminate identified significant adverse impacts of the project.

BUILD YEAR: The year a proposed project would be substantially operational; this is the year for which the project's effect predicted in environmental analyses.

CEQR: CEQR is New York City's (NYC) process for implementing SEQRA, and cannot be less string in than its state counternart. CEQR adapts and refines the state rules to take into account the special circumstances of New York City. CEQR is governed by SEQRA, NYC's Executive Order No. 91 (<u>43 RCNY Chapter 6</u>), and the CEQR Rules of Procedure <u>52 RCNY Chapter 5</u>).

CONDITIONAL NEGATIVE DECLARATION: A lead agency's written statement and determination that a coject may have a significant adverse effect on the environment, but that all such effects can be eliminated or avoided by specific changes in the project or mitigation imposed by the lead agency, if implemented. To issue a conditional negative according, the action must be unlisted and involve an applicant. <u>6 NYCRR 617.2(h)</u>.

DEIS: DRAFT ENVIRONMENTAL IMPACT STATEMENT. See ENVIRONMENTAL MPACT STATEMENT.

DETERMINATION OF SIGNIFICANCE: Based on the information presented in an EAS, the Vecision made by the lead agency as to whether a project would significantly and adversely impact the avironment. The three types are: a **NEGATIVE DECLARATION**, **A POSITIVE DECLARATION**, or a **CONDITIONAL NEGATIVE DECLARATION**, **A**

ENVIRONMENTAL ASSESSMENT STATEMENT (EAS): An environmental assessment statement is a form used to describe the proposed project and its location, and contains a first level of analysis of the unvironmental review impact areas to determine potential effects on the environment. It is used by a level of agency to inform the **DETERMINATION OF SIGNIFICANCE**.

ENVIRONMENTAL IMPACT STATEMENT (EIS): In environmental impact statement (EIS) is a disclosure document that provides a complete analysis of all appropriate impact a gas and provides a means for agencies, project sponsors, and the public to consider a project's significant adverse environmental impacts alternatives, and mitigations. An EIS facilitates the weighing of social, economic, and environmental actors early in the planning and decision-making process. A **DRAFT EIS (DEIS)** is the initial statement that is circulated for public eview and comment which are then responded to and incorporated (as appropriate) into the DEIS to produce a **FIN.U. EIS (FEIS).** The FEI insthe disclosure document upon which the lead and involved agencies base their decisions as set forth in each agency's statement of Findings.

FEIS: Final Environmental Impact Statement. Set ENVIRONMENTAL IMPACT STATEMENT.

GENERIC ACT ON: A program or plan that has wide application or affects a large area or range of future policies. It may also be referred to as a "programmatic action."

INCREMENT: The difference(s) in conditions between the future without the project in place (**NO-ACTION CONDITION**) and the future with the project in cueration (**WITH-ACTION CONDITION**). The environmental assessment or environmental impact statement examines this difference to determine whether a project has the potential to significantly and adversely impact the environment.

INTERESTED ACENCY: A agency requests or is requested to participate in the environmental review because of special concerns or expertise. Increase d agencies do not directly approve, fund or undertake a discrete action.

INVOLVED AGENCY: An agency, other than the lead agency, with jurisdiction to fund, approve, or undertake an action.

LEAD AGENCY: The agency principally responsible for carrying out, funding, or approving an action; therefore, the agency responsible for determining whether an environmental review is required.

MITIGATION: Measures to minimize or avoid a project's significant adverse impacts to the fullest extent practicable.



MOEC (MAYOR'S OFFICE OF ENVIRONMENTAL COORDINATION): The Mayoral Office that coordinates the environmental review process in New York City. MOEC provides assistance to all City agencies in fulfilling their environmental review responsibilities and maintains a repository of City environmental review documents.

NEGATIVE DECLARATION: A written document issued when the lead agency determines that there would not be a significant impact on the environment as a result of the project. See <u>6 NYCRR 617.2(z)</u>.

NEPA (NATIONAL ENVIRONMENTAL POLICY ACT OF 1969): If a federal agency funds part of a project, approves a permit, or undertakes a project, that agency must comply with NEPA before taking its action. NEPA requires all federal agencies to evaluate the environmental consequences of proposed projects and to consider alternatives.

NO-ACTION SCENARIO OR CONDITION: Scenario of the future without the proposed project, used as a baseline against which incremental changes generated by a project are evaluated in environmental review.

NOTICE OF COMPLETION: A written document issued by the lead agency when a **DEIS** or **FEIS** has been completed that comprescribed information about the environmental review, and, for a DEIS, information about the public commencement.

NYCRR: The official compilation of New York Codes, Rules and Regulations.

POSITIVE DECLARATION: A written document issued when the lead agency determines there is the potential for ignificant adverse impacts in one or more technical areas as a result of the project. A positive declaration lead to the preparation of a **DRAFT ENVIRONMENTAL IMPACT STATEMENT (DEIS).** See 6 NYCRR 617.2(ad)

PROJECT: The result of an action or set of actions that is approved, funded, on undertaken at the discretion of a city agency.

PROJECT SITE: The site that would be directly affected by a proposed project

PUBLIC COMMENT PERIOD: The period of time that must elapse after the issuance of a draw ocument when the public may review and comment on the draft. It generally must be a minimum of thirty (30) calendar days.

For a draft scope of work, the public comment period begins at the issuance of the Graft scope. A public meeting must be held between thirty (30) and forty-five (45) calendar days after its ssuance and the comment period remains opens for a minimum of ten (10) calendar days after the public meeting

For a DEIS, the public comment period begins at the issuance of the Netice of Completion for the DEIS. A public hearing must be held between 15 and 60 calendar days after the issuance of the Notice of Completion and the comment period must remain open for at least thirty (30) calendar days of for a minimum of ten (10) calendar days after the public hearing, whichever is later.

REASONABLE WORST CASE DEFELOMENT SCENARIO (AWCLES: This is a development scenario that is reasonably likely to occur given conditions at the projected project site. From the range of possible scenarios that are considered reasonable and likely, the scenario with the worst environmental conferences should be analyzed in an environmental assessment. The use of a RWCDS ensures that, regardless of which scenari cartually occurs, a project's actual impacts would be no worse than those considered in the environmental review.

RCNY: Rules of the City of New York.

SCOPE OF WORK: A document that is antilies in detail all topics to be addressed in the EIS, including the methods for study, possible alternatives to the proposed project, and mitigation measures.

SINE-SPECIFIC ACTION: Action, proposed for a specific location.

STATE LAVIRONMENTAL QUALITY REVIEW ACT: (SEQRA): Article 8 of the New York State Environmental Conservation Law. SEQRA is implemented by <u>6.1YC-Part 617</u>. SEQRA requires that state and local governmental agencies assess environmental effects of discretionary actions before undertaking, funding, or approving such actions, unless they fall within certain statutory or regulatory exemptions from the requirements for review.

STATEMENT OF FINDINGS: A Statement of Findings is a written statement prepared by each involved agency after an FEIS has been filed that considers the relevant environmental impacts presented in an EIS, weighs and balances them with social, economic, and other essential considerations, provides a rationale for the agency's decision, and certifies that the CEQR requirements have been met.

STUDY AREA: The geographic area likely to be affected by the proposed project for a given technical criterion, or the area in which impacts of that type could occur. This is the area subject to assessment for that technical criterion.



TYPE I ACTION: An action that is more likely to have a significant adverse impact on the environment than other actions or classes of actions. A list of Type I actions appears in the SEQR regulations at <u>6 NYCRR 617.4</u> and is supplemented with a city-specific list, found at <u>43 RCNY 6-15</u>.

TYPE II ACTION: An action that has been either found categorically not to have significant adverse impacts on the environment or statutorily exempted from review under SEQRA, and correspondingly, CEQR. Any action or class of actions listed as Type II in <u>6 NYCRR 617.5</u> requires no further review under CEQR. Additionally, subject to the prerequisites of <u>62 RCNY 5-05(d)</u>, any action or class of actions listed as Type II at <u>62 RCNY 5-05(c)</u> requires no further review under CEQR.

ULURP (UNIFORM LAND USE REVIEW PROCEDURE): The procedure by which acquisition, disposition, uses, development, or improvement of real property subject to city regulation are reviewed pursuant to NYC Charter Section 197-c.

UNLISTED ACTION: An action that is neither a Type I Action nor a Type II Action.

WITH-ACTION SCENARIO OR CONDITION: Scenario of the future with the proposed project in place escato compare with the Nov Action condition to assess effects on the environment due to the project. It may also be referred to us the "Action condition."



TECHNICAL TERMS

A-WEIGHTING: The system of modifying measured sound pressure levels to simulate the actual response of the human ear to different sound frequencies.

AADT (AVERAGE ANNUAL DAILY TRAFFIC): The total volume of traffic passing a point or segment of a highway facility, in both directions, for one year, divided by the number of days in the year.

ABSOLUTE IMPACT CRITERION (NOISE): An absolute noise level at a receptor, above which a significant impact would occur (see also Relative Impact Criterion).

ACCESSORY PARKING: Parking spaces restricted for use only by employees or patrons of specific local businesses, schools, or ganizations, etc.

ACOUSTICS: The science or study of sound.

ADAPTIVE REUSE: The fitting of new requirements, functions, or uses into an existing historic space, may be a mitigation option.

AERMOD: A steady-state plume model that incorporates air dispersion based on planetary bundary layer turb lence structure and scaling concepts, including treatment of both surface and elevated sources, any both simple and complex terrain.

AGC: Annual Guideline Concentrations for noncriteria air pollutants listen in NYS PLAS Air Guide-1.

AIR GUIDE-1: 2007 Guidelines for the Control of Toxic Ambient Air Contaminants, published by the New York State Department of Environmental Conservation, in which maximum allowable guideline concentrations for certain all pollutants for which EPA has no established standards are listed.

AMBIENT AIR: The surrounding air, to which the public is expressed on a regular basis.

AMBIENT NOISE LEVEL: The total noise level in the acoustical invironment, excluding the proposed project. When measurements are made, each noise source (*e.g.*, traffic noise, a rcrait noise) is measured separately.

ANSI (AMERICAN NATIONAL STANDARDS INSTITUTE) wormtary federation of U.S. organizations that oversees the development of standards. ANSI standards are drafted by committees of industry experts and published only after board review and determination of national consensus.

AMERICAN REPORT ON SOCIAL INDICATORS: Provides summary data for the city, and, where available, for boroughs and community districts. Source: DCP, Housing, Economic, and Infrastructure Planning Division.

ANQZ: Ambient Noise Quality Zone restablished by the New York City Noise Code.

AP-42: Workbook of Atmospheric Dispersion Estimates, TA document that provides air pollutant emission factors for many sources.

AQUIFER: A subsulface neck or sediment for natio, that contains sufficient saturated permeable material to transmit significant quantities of ground vator.

ARCHAEF LS CICAL TECTING: A systematic process of controlled excavations conducted to establish the physical presence or absence of archaeological resources on a site.

ALCHA OLOGICAL POTENTIAL OR SENSITIVITY: The likelihood that a location or site contains significant archaeological resources; potential is usually characterized as low, moderate, or high.

ARCHAEOLOGIC: A solution of the prehistoric, Native American, and historic periods, such as burial nearths foundations, artifacts, wells, and privies. Generally, archeological resources do not include 20th and 21st Century artifacts

ARCHAEOLOGY: The study of prehistoric and historic cultures through excavation and analysis of physical remains.

ARCHITECTURAL RESOURCE: Historically or architecturally important buildings, structures, objects, sites, or districts.

ARCHIVAL RESEARCH: The retrieval and evaluation of historical documents, including local histories, cartographic materials, deeds, and other instruments. Archival research is necessary for predicting the existence and assessing the significance of an historic resource and determining archeological potential/sensitivity.



AREA SOURCES: Sources of air pollutants distributed over a large area such as a parking lot.

ARTERIAL: Signalized streets that serve primarily through traffic and provide access to abutting properties as a secondary function.

ARTIFACT: The physical or tangible result of human action or behavior, commonly associated with archaeological investigation; it may be complete, incomplete, intentional, or a by-product of the subject action or behavior.

ASHRAE: American Society of Heating, Refrigeration and Air Conditioning Engineers.

ASSIGNMENT: The routing of vehicle trips to and from a project site.

ASSOCIATIVE VALUE: Attributes of an historic resource that link it with historic events, activities, or persons, and contribute to a property's significance.

AST: Above-ground storage tank.

ASTM: American Society for Testing of Materials.

ATR (AUTOMATIC TRAFFIC RECORDER) COUNTS: ATR traffic volume counts recorded by mashines with connected tures placed across the roadway being counted. These counts are generally recorded every 15 c incress for 24 hours per day.

ATTENUATION (NOISE): Reduction in noise level.

AFC (AUTOMATIC FARE COLLECTION): A system whereby entry to the transmust medoes not require a token or money, but is activated by a card in the possession of the transit rider that is "read vity a machine at the entry point to the station, either by inserting the card into and through the "reader" or "swiping" it through the seader.

AVERAGE VEHICLE OCCUPANCY: The total number of occupants in an automobile (or a 1 XI), on overage.

BACKGROUND AIR POLLUTANT CONCENTRATIONS: Ambient air bold and concentrations that are a function of regional emissions.

BACKGROUND NOISE LEVEL: Noise levels that exist much of the time and that individual occurrences intrude upon. Usually, this "background" is coming from many directions from a multitude of una sognizable sources. L₉₀ is considered a reasonable indication of this background noise (see also **STA ISD SAL WOISE LEVELS** below

BACKGROUND TRAFFIC GROWTH FACTOR: An annual traffic growth percentage to be applied to traffic volumes in an area to account for normal expected traffic volume increases. Generally, it does not account for major new developments that may be proposed for an area.

BASE FLOOD: See 100-year flood.

BAY: The space between architecture features, such as waits, piers, or columns; used in reference to the way in which windows, doors, and other openings relate to each other.

BLUFFS: Steep for nations of soft erodible material, such as sand and clay.

BMP (BEST MANY SELENT PRACTICES) Source controls or technologies designed to improve the infiltration, retention, and detention of storm vater runoff.

BTU (BRTISH NERMAL UNIT): The amount of heat required to raise one pound of water one degree Fahrenheit at one atmosphere. It's the unit of measurement used for heat inputs and outputs of boilers or other fuel burning equipment.

BUILDI IG: A structure creates to shelter human activity.

BULK: The size and share of a building, including height and floor area, relative to the size of its lot.

CELSIUS OR (C) The temperature scale in which the freezing point of water is assigned as 0° and the boiling point of water is assigned as 100. The Celsius scale may also be termed Centigrade.

C-WEIGHTING: Electronic filtering in sound level meters that models a flat response (output = input) over the range of maximum human hearing sensitivity.

CAA (CLEAN AIR ACT): The federal law mandating air pollutant emissions standards for stationary and mobile sources.

CAAA: Clean Air Act Amendments.

CAL3QHC: Mathematical dispersion model for simulation of carbon monoxide concentrations near roadway intersections.



CAPACITY: For vehicular traffic, the maximum volume of vehicles that can pass a point on a street or highway during a specified time period, usually expressed as vehicles per hour. For pedestrians, the maximum volume of persons that can be accommodated along a given point of a sidewalk or transit corridor per hour, or that can be accommodated within a crosswalk, intersection corner reservoir, transit vehicle, or turnstile.

CARBON MONOXIDE (CO): An odorless, colorless gas that is a **CRITERIA AIR POLLUTANT**, principally associated with motor vehicle exhaust.

CARBON DIOXIDE EQUIVALENT (CO2E): A common measure that allows gases with different global warming potentials (potential to trap heat in atmosphere) to be added together and compared. According to standard GHG accounting protocols, projects should calculate emissions of all six **GREENHOUSE GASES**, where applicable.

CAVITY: Region of air recirculation adjacent to a solid structure.

CEPO-CEQR (CITY ENVIRONMENTAL PROTECTION ORDER CITY ENVIRONMENTAL QUALITY REVIEW): The NYo Department of Environmental Protection policy that sets standards on noise exposure and designates mitigation measures. The standards are used for evaluating the noise impact of the environment on the projects described in EASs and ESs. The numbers are in terms of absolute limits.

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSIBILITY, COMPENSATION AND LIABLE TY ACT; ALSO KN/WN AS SUPERFUND): The federal law authorizing identification and remediation of sites contaminated by the variables substances.

CERCLIS (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND VAULAY NFORMAT ON SYSTEM): An EPA inventory of sites (including federal facilities) suspected to be contaminated by the ardous substances. In contains site identification data, financial expenditure data, and site tasks plans (if applicable). CERCLIS also includes some enforcement data on milestones and clean-up schedules (if applicable).

CFM (CUBIC FEET PER MINUTE): The unit of measurement for for ates through exhaust stocks.

CHANNELIZATION: Physical roadway improvements that direct, or "channel," the triffic flow into one or more lanes by either painted striping or by physical means such as curbs or rased islands" in the roadway.

CITY DRAINAGE PLAN: A plan for the proper sewage and drainage of New York City, or any part thereof, prepared and adopted in accordance with Section 24-503 of the Administrative Code of the City of New York.

COASTAL FRESH MARSH: A **TIDAL WETLAND** zone consisting of the vegetated area of land located primarily along the tidal portions of rivers and streams and subject to injundation by tidal and freshwater flows every day.

COASTAL SHOALS, BARS, AND FLATS A **TIDAL WETLAND** zone consisting of the unvegetated area along the shore that is covered by water at high tide and prosector overed by water or oser than 1 foot at low tide.

COASTAL ZONE: As mapped in the City's Coastal Zone coundaries maps, a geographic area of NYC's coastal waters and adjacent shorelines, generally, including islands, tidal netland, beaches, dunes, barrier islands, cliffs, bluffs, estuaries, flooding- and erosion-prone areas, port facilities, and other constal features.

COLD START: Veh cle started after no operating within the last 12 hours (720 minutes).

COMBINED SWEEL sewer system that collects both dry-weather wastewater and storm water.

CSC (COMPANEL SEWER OVERELOW). Wastewater in excess of the combined sewer system's capacity that is discharged into the nearest waterway rather than being sent to a water pollution control plant for treatment.

COMPLETENSIVE HOUSING AN ORDABILITY STRATEGY: Published annually. Provides information on government-assisted housing, Source: DCP, Lousin, Economic and Infrastructure Planning Division.

COMPREHENSILE SOLID WASTE MANAGEMENT PLAN (SWMP OR PLAN): A plan developed by the NYC Department of Sanitation pursuant to Article 27, Title 1, Section 27-0107 of the NYS Environmental Conservation Law and 6 NYCRR Section 360-15.9 that establishes the City's long-term strategy for solid waste management with certain required elements that include waste stream projections, a recycling analysis, determination of the appropriate sizing of solid waste management facilities, selection of an integrated system for managing various kinds of waste, certification of disposal capacity, and a timetable to implement the integrated system.

COMPREHENSIVE WATERFRONT PLAN: A report entitled New York City Comprehensive Waterfront Plan: Reclaiming the City's Edge, prepared by the Department of City Planning that presents a detailed assessment of neighborhood conditions, principles



and recommendations to guide planning and development adjacent to NYC's shoreline. Revised in 2011, <u>Vision 2020: New</u> <u>York City's Comprehensive Waterfront Plan</u> builds on these policies and sets the stage for expanded use of the waterfront for parks, housing, and economic development, and the waterways for transportation, recreation, and natural habitats.

CONFINED AQUIFER: An aquifer bounded above and below by more impermeable materials in which the pore water pressure is greater than atmospheric pressure.

CORDON LINE: An imaginary line drawn around an area, usually used to define an area being studied or an area through which traffic volumes are being counted or surveyed.

CORNER RESERVOIR: The sidewalk area at the corner of an intersection within which pedestrians wait for a green light to cross the intersection.

CORNICE: A projecting horizontal band that tops the element to which it is attached, particularly bove the frieze and be we the roofline on a building.

CRITERIA AIR POLLUTANTS: Air pollutants with corresponding federal or state ambient air quality standards.

CRITICAL ENVIRONMENTAL AREA: A specific geographic area designated by a state or local agency as having exceptional or unique environmental characteristics.

CRUISE SPEED: Travel speed along a block without any stopped delay.

CYCLE LENGTH: The length of time it takes a traffic light to pass through a unset whice of green, yelow, and red signal indications for all traffic movements.

DATA RECOVERY: Systematic retrieval of information from a celtural resource through excitation, analysis, recordation (*i.e.*, drawings, photographs), and reporting.

DAY-NIGHT SOUND LEVEL (LDN OR DNL): A 24-hour continuous Leavith 10 dBA called to levels occurring between 10 PM and 7 AM to account for greater sensitivity during typical sleeping hours.

DB: See Decibel.

DBA: A-weighted unit of sound pressure level indecides

DBC: C-weighted unit of sound pressure level in veribels.

DE MINIMIS: Minimum incremental in rease in 8-hour average carbon monoxide levels that would constitute a significant adverse air quality impact under CEOP

DECIBEL (DB): A unit of sound level or pressure level, it in alice 10 multiplied by a logarithmic ratio of power or some quantity proportional to power. The regarithm is to the base 10.

DECORATIVE ELEMENTS: Ornamental features of a sinulture, such as cornices, lintels, and bracketing. The existence or absence of a building's original decorative elements particularly exterior features, is considered in the assessment of a building's architectural significance.

DESCRIPTORS: Units of measurement for noise analysis, such as Leq, Ldn, etc.

DESIGNATED RESOURCE: Resource or properties recognized and protected under local, state, and federal historic preservation programs.

DISPERTY N MODEL: Mathematical model that estimates dissipation of air pollutant concentrations from line, area, or point sources.

DISPLACEMENT (DIRECT) The involuntary displacement of residents or businesses from the site of a project.

DISPLACEMENT (INDIRECT): The involuntary displacement of residents, businesses, or employees that results from a change in socioeconomic conditions created by a project.

DIVERTED-LINKED TRIPS: Trips attracted to a proposed project from streets near the project site, but not immediately adjacent to the site. Thus, these trips need to "divert" to other streets to access the site.

DORMER: An opening, usually a window, which projects from the main roof of a building and has a separate roof.

DOWNSTREAM: The direction toward which traffic is headed.



external co

DOWNWASH: Emissions from stationary sources that are rapidly transported toward the ground because of building-induced turbulence.

DUNES: Recent accumulations of sand formed by sea winds and waves.

(E) DESIGNATED SITE: An area designated on a zoning map pursuant to Section 11-15 of the Zoning Resolution of the City of New York within which no change of use or development requiring a NYC Department of Buildings permit may occur without approval of MOER. (E) designated sites require MOER's review to insure protection of human health and the environment from known or suspected hazardous materials, air quality, or noise conditions associated with the site.

ECL: New York State Environmental Conservation Law.

EFFECTIVE WIDTH: The width of a walkway that is usable by pedestrians; the total walkway width minus the width of physical obstacles and unusable buffer zones at such obstacles.

ELEVATION: A straight-on view of the exterior face of a building on a vertical plane showing a uil ag

ELIGIBLE RESOURCE: Historic resource meeting the criteria for listing on the State and/or National Registers of Historic Flaces or for designation as a New York City Landmark.

EMISSION MODEL: Mathematical model that estimates emissions from vehicle exhaust systems

ENTERING ANGLE: A shadow's angle from true north when it enters an open space

EPA: U.S. Environmental Protection Agency.

EQUIVALENT SOUND LEVEL (L_{EQ}): The level of continuous sound containing the same amount on constical energy as the fluctuating sound over the same period of time. The reference time period is usually specific Lin terms of hours in parentheses (*i.e.*, $L_{eq}(1)$ refers to a 1-hour L_{eq} value).

EROSION: The loss or displacement of land along the coast-line Lecruse of the action of waves, currents running along the shore, tides, wind, runoff of surface waters, or groundwater seepage wind driven water or waterborne ice, or other effects of coastal storms.

EROSION HAZARD AREAS: Erosion-prone areas on the store designated under the State Erosion Hazard Areas Act that are likely to be subject to erosion within a 4-year period and that constitute natural protective features (*i.e.*, beaches, dunes, shoals, bars, spits, barrier islands, bluffs and wetlands, natural protective yegetation).

ESTUARY: Any area where fresh and say water mix and tidal effects are evident, or any partially enclosed coastal body of water where the tide meets the current of the stream or river.

EXIT VELOCITY: Rate at which exhaust gas passes through a stack.

EXITING ANGLE: A shadow's angle from true orth yne it exits an open space.

EXTRACTION WELL. A we used to remove containinated groundwater by pumping.

EXTREME HIG 1 W. TER. The extreme high water of spring tides is the highest tide occurring during a lunar month, usually near the new still moor. This is equivalent to extreme high water of mixed semidiurnal tides.

FABRIC: The juitaposition of the physical components of a building.

FACAD: The exterior of a soliding, usually pertaining to the front.

FAHREL FIELT (F): The temperature scale in which the freezing point of water is assigned as 32° and the boiling point of water is assigned as 21.^o.

FAIR SHARE CRITERIA: Criteria to guide the siting of city facilities so as to further the fair distribution of the burdens and benefits associated with such facilities. *Fair Share Criteria: A Guide for City Agencies* was developed by DCP pursuant to City Charter Section 203.

ARCHAEOLOGICAL FEATURE: Archaeological evidence that typically cannot be excavated or removed from the site, but must be recorded in place, such as floors, walls, pits, postholes, foundation walls, privies, and cisterns.

FEDERAL STYLE: A style of architecture dating to ca. 1790-1820, found in New York City on town houses in Greenwich Village and Brooklyn Heights.



FENESTRATION: The arrangement of the window and door openings of a building.

FLOODPLAIN: The lowlands adjoining the channel of a river, stream, or watercourse, or ocean, lake, or other body of standing water, which have been or may be inundated by floodwater (as established by the National Flood Insurance Act).

FLOOR AREA RATIO (FAR): The total floor area on a zoning lot divided by the area of that zoning lot.

FOOTPRINT: The area of the ground occupied by a building.

FORM: The shape or ground plan of a building.

FORMERLY CONNECTED TIDAL WETLANDS: A **TIDAL WETLAND** zone consisting of lowland areas whose connections to tidal waters have been limited by construction of dikes, roads, or other structures.

FREQUENCY OF SERVICE: The frequency with which bus or subway service is provided (e.g., 10 buse, per hour).

FRESHWATER WETLAND: Wetland associated with freshwater systems.

FRIEZE: A horizontal band placed above a wall, but below the cornice. It may appear in both the interior and extense of a building.

G/SEC: Grams per second.

GEP (GOOD ENGINEERING PRACTICE): Reference to stacks of sufficient heights so that to downwash occur

GOTHIC STYLE: A style of architecture that first became popular in the 1840, commonly used for resultential buildings, schools, and churches.

GREENHOUSE GAS EMISSIONS (GHG): There are six internationally secognized greenhold areas pregulated under the Kyoto Protocol: carbon dioxide (CO₂), nitrous oxide (N₂O), methane (CH₂), hydrofluorocarbons (HP is), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). These atmospheric gases are the key contributors to climate hange.

GROUNDWATER: The water contained beneath the urf ce in soils and rock

HAZARDOUS WASTES: Substances regulated under the federal Resource Conservation and Recovery Act (RCRA). Hazardous wastes are solid wastes that meet one of the four characteristics of using chemically reactive, ignitable, corrosive, or toxic, or are otherwise listed as hazardous wastes

HEADWAY: The amount of time elapsing between the arrival of bases or subway trains on a given route. For example, a bus route may operate at a headway of 6 minutes, meaning buses are scheduled to arrive at a given stop every 6 minutes.

HEAVY TRUCK: A truck with three or more axles weighing prove than 25,000 pounds gross weight.

HIGH MARSH: A **TIDAL WZTLAND** zone consisting of the area periodically flooded by spring and storm tides, usually dominated by salt hay and spike grasses. It may also be called same adow."

HISTORIC LANDSCAPE: A seographic area, in fluding both cultural resources and natural resources therein, that has been influenced by or remets hum in history, and for which form, layout, and/or designer, rather than significant events or persons, are the primary leasens for its importance.

HISTORIC AND CULFURAL RESOURCE: Districts, buildings, structures, sites, and objects of historical, aesthetic, cultural, and archiveoogical in portance, including disignated resources and eligible resources.

HISTOF C SIGNIFICANCE: An Instoric and cultural resource that retains integrity and has important and meaningful ASSOCIATIVE VALUE.

HISTORIC ARCH AEOLOGY: Archaeological study of cultures after the advent of written records.

HISTORIC DISTRIC: A cographically definable area that possesses a significant concentration of associated buildings, structures, objects, or sites, united historically or aesthetically by plan and design or historical and/or architectural relationships. This may include historic districts listed on the State or National Register of Historic Places or New York City Historic Districts. New York City Historic Districts are further defined as distinct sections of the City that contain buildings, structures, places, or objects that have a special character or special historical or aesthetic interest or value, and that represent one or more periods or styles of architecture typical of one or more eras in the history of New York City.



HISTORIC AND CULTURAL RESOURCE OR PROPERTY: Buildings, structures, sites, or objects that provide, or may potentially yield, important cultural and/or archaeological information.

HOT START: Vehicle started after operating within the last 9 or 10 minutes.

HOT STABILIZED: A vehicle that has been on and operating for more than 505 seconds.

HOUSEHOLD MEDICAL WASTE: Items that are used in the course of home health care such as intravenous tubing and syringes with needles attached.

HOV (HIGH OCCUPANCY VEHICLE) LANE: Lanes reserved for the exclusive use of buses and other vehicles carrying a minimum of generally two, three, or more occupants.

HSWA (HAZARDOUS AND SOLID WASTE AMENDMENTS, 1984): Amendments to RCRA establishing a timetable for landfill ban more stringent UST requirements.

HUMAN REMAINS: See LPC's 2002 The Guidelines for Archaeological Work in New York

HVAC: Heating, ventilation, and air conditioning.

HYDRAULIC ANALYSIS: A study of how much flow (or capacity) the City's sanitary and storn water pipes carrently be and which sewer segments can accommodate extra flow from new development.

HERTZ (HZ): A measurement of frequency for sound waves and is the same s cycle per second

I&M: Inspection and maintenance program.

IDEAL SATURATION FLOW RATE: The maximum rate of flow at which passe ger cars can pass through an intersection under a set of ideal operating conditions.

INCREMENTAL SHADOW: The additional shadow a building would uset, beyond the shadows that would be cast by surrounding buildings.

INDUSTRIAL ARCHAEOLOGY: The study of sites and structure effecting diagram single strial technology, processes, and practices.

INDUSTRIAL PRETREATMENT PROGRAM (IPP): A foreran, authorized city program administered by the DEP, that identifies and monitors industrial uses that discharge pollucants of concern into the sever system.

INPUFF: A mathematical model used to simulate spills and short-to m releases of toxic chemicals.

INTEGRITY: The unimpaired ability of a property to convert thistoric or archaeological significance, evidenced by the survival of physical attributes that existed during the property's bicord or prehistoric period.

INTERCEPTORS: Large sewer, that connect the sever vetem via **REGULATORS** to treatment plants and are built to deliver at least two times design dry weather flow to **MAS E VA SE TREATMENT PLANTS**.

INTERIOR LANDMARK: Advinterior, or part the reon any part of which is thirty (30) years old or older, and that is customarily open or accessible to the cublic, or to which the public is customarily invited, and that has a special historical or aesthetic interest or value as part of the development, hereage, or cultural characteristics of the city, state, or nation, and that has been designated as an Interior Landmark pursuant to the New York City Landmarks Law.

INTERNOLAL T ANSFER: The transition passengers between travel modes, *e.g.*, from bus to subway or from railroad to subway, *etc.*

INTERT OAL MARSH: AT **IDAL WETLAND** zone consisting of the vegetated area of land subject to inundation by tidal flows every day; the area between a wage high and low tides.

INVASIVE TESTING: Testing of groundwater and soils in which the soil surfaces are penetrated for subsurface sample collection.

INVERSE SQUARE LAW: The condition in open spherical sound propagation from a point source that intensity drops off as the reciprocal of the square of the distance from the source. This translates to the ideal condition that SPL drops off at a rate of 6 dB per doubling of distance from the source.

ITALIANATE STYLE: A style of architecture that first came into fashion in the mid-19th century in New York City; many buildings in New York City, including tenements, town houses, and commercial structures, are designed in this style.



KELVIN (K): The temperature scale in which absolute zero is assigned as 0°K, and the degree size is the same as in the **CELSIUS** scale.

LDN: Day-night sound level.

L_{EQ}: Equivalent sound level.

L_{EQ}(1): The one-hour equivalent sound level (see EQUIVALENT SOUND LEVEL).

 $L_{EQ}(24)$: The 24-hour equivalent sound level.

LANDMARK: Any building, structure, work of art, or object, any part of which is thirty (30) years old or older, that has a special character or special historical or aesthetic interest or value as part of the development, heritage, or cultural characteristics of the city, state, or nation, and that has been designated a Landmark pursuant to the New York City Landmarks Law.

LAND USE: The activity occurring on land and within the structures that occupy it (e.g., residential, commercial, incustri

LEVEL OF SERVICE (LOS): A qualitative measure describing operational conditions within a venicul ror pedestrian raffic str

LIGHT-DUTY TRUCK: For noise analysis purposes, a truck weighing less than 9,400 pounds gross weight; for ar quality analysis purposes, a truck with four wheels, including vans and ambulances.

LINE SOURCES: Sources of air pollutant emissions that can be simulated as a group of thes in a machinatical model, such as a roadway.

LINE-HAUL CAPACITY: The capacity of a subway or rail line to transport assengers past a given point.

LINK: The section of roadway between traffic signals.

LINKED TRIPS: The multi-destination characteristic of trips in device when type areas.

LINTEL: A decorative feature of a building's exterior, placed for zontally above a window; corresponds to the sill, a similar horizontal element located underneath a window.

LITTORAL ZONE: A TIDAL WETLAND zone consisting of the portion of a indal water mat is shallow enough (usually less than 6 feet deep) to let sunlight penetrate to the land on the bottom; in New York City the land under water adjacent to nearly all the City's shoreline is considered littoral zone

LOAD FACTOR: The number of passenger soccupying a transit vehicle divided by the number of seats on the vehicle.

LOOP DETECTOR: A physical electrical loop en bedded within a street that allows it to monitor the volume and/or speed of traffic passing over it and which car often communicate with a waffic control system to alter signal timing patterns.

LOW-SULFUR OIL: Number 2 distillate oil with a sulfar content of 500 PPM, commonly used for boilers.

M/S: Meter(s) per recond.

MACROSCALE: Analysis of air pollutant sources and levels over a very large region.

MALODOROUS: Il smelling; with an on-msive odor.

MAXIMUM LOLD LOINT: The geographic location of a subway or bus line that has the highest ridership level.

M XIN UNSURGE CONDITION: The point at which the maximum number of pedestrians are in a crosswalk; usually occurs shortly after pedestrian signals change to green, when the lead pedestrian in each opposing crossing platoon reaches the opposite corner

MEAN LOW WATER LINE The line where the arithmetic mean of the low water heights observed over a specific 19-year Metonic cycle (the National Tidel Datum Epoch) meets the shore and shall be determined using hydrographic survey data of the National Ocean Survey of the U.S. Department of Commerce.

MEAN HIGH WATER LINE: The line where the arithmetic mean of the high water heights observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch) meets the shore and shall be determined using hydrographic survey data of the National Ocean Survey of the U.S. Department of Commerce.

MEDIUM TRUCK: A truck with two axles and six wheels, weighing between 9,400 and 25,000 pounds gross vehicle weight.

METEOROLOGICAL DATA: Measurements of atmospheric parameters such as temperature, wind speed, and wind direction.



MG/KG: One microgram per kilogram, which is equal to one part per billion, ppb.

MG/L: One microgram per liter, which is equal to one part per billion, ppb.

µG/M³: Micrograms per cubic meter.

 μ *M*: A micrometer, which is a unit of length equal to one millionth of a meter.

MG/KG: Milligrams per kilogram, which are equal to parts per million, ppm.

MG/L: Milligrams per liter, which are equal to parts per million, ppm.

MG/M³: Milligrams per cubic meter.

MICROSCALE: Analysis of air pollutant sources and levels on a localized basis.

MIXED USE DISTRICT: A mixed use district is a special zoning district in which new residential are polyresidential (commercial community facility, and light industrial) uses are permitted as-of-right. In these districts, designated on zoning maps as MX with a numerical suffix, an M1 district is paired with an R3 through R9 district.

MOBILE SOURCES: Sources of air pollutant emissions such as motor vehicles, plane, boas *etc.* **MODAL SPLIN**. The extent to which persons traveling to or from a site or an area utilize specific travel modes, such as a wos, taxis, stoways, buses, commuter rail, ferries, bicycles, or walking. It is usually expressed as a percentage of all travel

MONITORING WELL: A tube or pipe set in the ground, open to the atmosphere at the top and to water at the bottom, usually along an interval of slotted screen, used for taking groundwater samples.

MOVES: A series of air pollutant emissions simulation models prepared by EPA and periodically updated and adjusted for use in New York City.

MATERIAL SAFETY DATA SHEET (MSDS): Documentation provided by manufactures, that details the constituent compounds and their relative proportions in trade products.

MSW: Municipal solid waste.

MUNICIPAL PARKING: Parking spaces available to the public within a facility (purking lot or garage) operated by, or on behalf of, the City of New York.

MW: Megawatt(s).

NAAQS: National Ambient Air Quality Standard

NATURAL RESOURCE: Any area can able of providing 1 (bits) for plant and animal species or capable of functioning to support environmental systems - *e.g.*, surface and ground attent, ratural drainage systems, wetlands, dunes and beaches, grasslands, woodlands.

NEW HOUSING MALKETPACE PLAN: Annual report and database for new housing completions.

NEW YORK CTY NDISE CONTROL CODE The noise ordinance for New York City that establishes limits and regulations for the enforcement of noise levels within city imits. For construction activity, it requires that all exhausts be muffled, prohibits all unnecessary noise adjacent to schools hospitals, or courts, and limits construction activity to weekdays between 7 AM and 6 PM. The Noise Code also defines the Ambient Noise Quality Zones (ANQZ), which sets limits on the noise impact of a project on the environment.

NESHALS: National Envission Standards for Hazardous Air Pollutants.

NIOSH: National Institute for Occupational Safety and Health.

NOISE: Unwanted discurbing sound.

NOISE ABATEMENT CRITERIA (NAC): Noise level limits, in terms of $L_{eq}(1)$ or $L_{10}(1)$, promulgated by Federal Highway Administration regulations for vehicular traffic noise generated by the construction of new highways or the expansion of existing ones.

NOISE LEVEL REDUCTION (NLR): The outdoor to indoor attenuation of noise levels afforded by a building's exterior wall. NLR is used only in FAA mitigation recommendations.



be m

NOISE REDUCTION COEFFICIENT (NRC): A single number rating system for absorption coefficients over the speech frequency range. NRC is defined mathematically as the arithmetic average of the absorption coefficients at 250, 500, 1000, and 2000 Hz.

NONCRITERIA AIR POLLUTANTS: Air pollutants that lack criteria standards by EPA, but are listed by the DEC in Air Guide-1.

NONPOINT SOURCES: Sources of air pollutants that are not emitted from one small, restricted area; these include line sources and area sources.

NON-PUTRESCIBLE SOLID WASTES: Solid wastes that do not contain organic matter.

NO_x: Nitrogen oxides—a class of compounds that includes NO and NO₂, which are of concern in their roles as ozone precursors and are *CRITERIA AIR POLLUTANTS*.

NATIONAL PRIORITIES LIST (NPL): The official list of uncontrolled hazardous wastes sites to be remediated under CERCLA

OBJECT (HISTORIC OR ARCHAEOLOGICAL): Item of functional, aesthetic, cultural, historical, or sciencific value that may but is related to a given environment or setting.

OCTAVE BAND: A frequency band with an upper limit that is twice the lower limit, and is identified by a geometric mean frequency, called the center frequency. Standard octave band center frequencies accelered in ANSI Standard 5...6 - 1984 (R2006), entitled "Preferred Frequencies, Frequency Levels, and Band Numbers for Louisvical Measurements."

100-YEAR FLOOD: The flood having a 1 percent chance of being equaled operception a given year.

OPEN SPACE (DESIGNATED): Includes both mapped parkland and other land that, although rot officially mapped, is under the jurisdiction of DPR or another official body and has been set aside for auslic open space purposes. I excludes vacant land not designated for open space purposes.

OPEN SPACE (IMPROVED): Open space that is developed to its **intended** potential such as playground, ball field, or promenade.

OPEN SPACE (MAPPED): See PARKLAND (MAPPED).

OPEN SPACE (PRIVATE): Property designated for open space use that is under private ownership and that may or may not be publicly accessible.

ZONING OPEN SPACE RATIO: The percentage of total floor area of a building that must be provided as open space on a lot within certain residential districts.

OPEN SPACE (UNDEVELOPED): Natural a leas povintended for development, such as wetlands.

OPEN SPACE (UNIMPROVED): Open spice that has been acquired or mapped and is planned for further development but has not yet been developed for open space use.

ORIGIN/DESTINATION (O/D): The beginning and end reints of a trip, used in determining the routing of vehicle trips to and from a project site.

OSHA: U.S. Occupational Safety and Health 1 dministration.

OUTFALL: During vet weather, the point of discharge for separate storm sewer flows or, for combined sewers, if flows greater than two times the average design on tweather flow reach the **REGULATOR**, the excess flow is discharged to outfalls, located in the city wate ways (*e.g.*, Hudson River).

OZONE O₃): A **CRITERIA AIR + VLUTANT** formed by the reaction of hydrocarbons and nitrogen oxides with sunlight over long time period, and large regions.

PACKAGE TREAT MENT PLANT Small, non-municipal wastewater treatment plant.

PARK: Mapped open space under federal, state, or city jurisdiction.

PARKING ENFORCEMENT AGENT (PEA): New York City Police Department personnel with the responsibility to maintain clear curb lanes where posted parking regulations mandate it.

PARKLAND (MAPPED): Public open space that is denoted as parkland on official city maps and as such cannot be "alienated" from park and open space use without city review and state legislative action.

PARKING SHORTFALL: The amount by which the parking demand generated by a proposed project exceeds the amount of parking it is proposing to provide.



PASS-BY TRIPS: Trips attracted to a proposed project from the streets immediately adjacent to the project site; these trips are usually intermediate stops being made en route from the vehicle's trip origin to its ultimate destination.

POLYCHLORINATED BIPHENYLS (PCBS): Pathogenic (disease-causing) and teratogenic (causing developmental malformations) industrial compounds formerly used as heat-transfer agents.

PCE: Passenger Car Equivalent

PEAK HOUR FACTOR: A measure of traffic volume demand fluctuation within the peak hour. It is the peak hour volume divided by four times the peak 15-minute period within that hour.

PEDESTRIAN WIND: Channelized wind pressure from between tall buildings and downwashed wind pressure from parallel all buildings may cause winds that jeopardize pedestrian safety.

PERCENTILE LEVELS (L_N, 0<N<100): The percentage of observation time that a certain SPL has been exceeded. For example, \mathbf{n}_0 corresponds to the SPL exceeded 10 percent of the observation time. The observation time is a uaily specified in terms of hours in parentheses (*i.e.*, $L_{10}(1)$ refers to a 1-hour L_{10} value).

PERSISTENCE FACTORS: Empirical constants that relate 1-hour air pollutant concentrations to longer time averaging periods.

PESTICIDES: Substances or mixtures of substances used to destroy or mitigate insects, rodents, funging eeds, or other plant life. Many pesticides are also toxic to humans and animals.

PIEZOMETER: A tube or pipe, open to the atmosphere at the top and to write at the bottom, and scaled along its length, used to measure the hydraulic head in a geologic unit to determine groups water flow direction.

PLATOON: A group of vehicles traveling together as a group, either voluntarily or involuntarily, due to signal control, geometrics, or other factors; or the movement of a large group of pedestrians brough an area, witch once, occurs when a large volume of bus or subway riders exit from those travel modes.

PM₁₀: A criteria air pollutant comprised of particulates that are equal to or less than 10 µm in diameter.

PM_{2.5}: A criteria air pollutant comprised of particulates that are equal to be than 2.5 µm in diameter.

POINT SOURCES: Sources of air pollutants that at discharged from a small, restricted area, such as boiler exhaust stacks.

POLYCHLORINATED DIBENZODIOXINS AND D. ENZO CURANS (ALSO REFERRED TO AS DIOXINS): Materials that have never been commercially manufactured for use. Their man sources are from compustion processes, and chemical industries.

PPB: Parts per billion.

PPM: Parts per million.

flows.

PREHISTORIC ARCHAEOLOGY: An haeological study of choriginal cultures before the advent of written records.

PROTECTED TURNS Let or right turns made at a signalized intersection with no opposing or conflicting vehicular or pedestrian

PSD: Prevention of Significant Deterioration—Federal permit required for new or significant modifications to major stationary sources of as poweron.

WATENER NT FUBLIC ACCESS: Any accessible open space on a waterfront property, as well as pedestrian ways that provide a route from a vaterfront public access area to a public street, public park, public place, or public access area.

PUBLIC ARKING: Parking spaces available to the public, rather than restricted to employees or patrons of specific local businesses, school, or organizations.

PULSED PUMPING: Pup p-and-treat enhancement where **EXTRACTION WELLS** are periodically not pumped to allow concentrations in the extracted water to increase.

PUMP STATION: Stations that direct combined and separate flow to downstream locations in the City's sewer infrastructure when gravity cannot direct the flow.

PUMP TEST: Test for estimating the values of various hydrogeologic parameters in which water is continuously pumped from a well and the consequent effect on water levels in surrounding piezometers or monitoring wells is monitored.



PUTRESCIBLE SOLID WASTES: Solid wastes containing organic matter having the tendency to decompose with the formation of malodorous by-products.

QUEUE: A line of delayed vehicles.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA): The federal law regulating management and disposal of hazardous wastes.

RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM (RCRIS): An inventory of registered hazardous waste generators, transporters, and treatment, storage, and disposal facilities.

RECEPTOR: Location to which the public has access on a more or less continuous basis used for air quality predictions.

RECEPTOR (SENSITIVE): See SENSITIVE RECEPTOR.

RECIRCULATION: Entrapment of exhaust plumes into operable windows or air intakes.

REFLECTION: The act of sound bouncing off a partition, usually occurring from smooth, flat, had

REGULATORS: Chambers set to divert two times the average design dry-weather flow into the interceptor during storms; if a greater amount of combined flow reaches the regulator, the excess is directed to **OUTFAUS** no the nearest waterway (*e.g.*, the Hudson River, East River).

RELEASE: Any occurrence in which a regulated substance is emitted into air, son, was

RELATIVE IMPACT CRITERION (NOISE): A change in noise level at a receptor that expreat enough to be considered a significant impact.

REPOSITORY: An appropriate facility that curates the artifact collection from significant a shaeological sites to professional standards; see LPC's 2002 The Guidelines for Archaeological Workin New York.

RESERVE CAPACITY: The capacity of a traffic lane at an unsignalized intersection minus the volume using that lane. It is the determinant of level of service at unsignalized intersections.

REVERBERATION: The amplification of sound within an enclosed space consective realities reflections off of reflective terminations (*i.e.*, walls, ceilings, floors, or obstacles) of the point.

RIDESHARING: Also referred to as carpooling a nears of reducing vehicle virs by increasing the **AVERAGE OCCUPANCY** of vehicles traveling in a given area.

RISK ASSESSMENT: Evaluation of the mignitude of effect to human health and the environment posed by the presence of hazardous substances and proposed corrors to limit or eliminate effects.

RVP: Reid Vapor Pressure, a measurement of gasoline volaunty.

SALINITY: The total amount of solid material in grants contained in 1 kg of water when all the carbonate has been converted to oxide, the bromine and jodine re-placed by amerine and all the organic matter completely oxidized.

SALT MEADOV : The ALV ETLAND zone consisting of the area periodically flooded by spring and storm tides, usually dominated by salt hay and spring and storm tides. It may also be called "high marsh."

SUPERF AND AMEN DMENTS AND REAUTH DRIZATION ACT (1986) (SARA): Federal law reauthorizing and expanding and jurisdiction of CEACLE.

SARA 1 TLTIII: Section of SAR, requiring public disclosure of chemical information and development of emergency response plans.

SATURATED ZC VE: A subsurface area that contains sufficient water to fill all interconnected voids or pore spaces.

SCENIC LANDMARY My LANDSCAPE FEATURE or aggregate of landscape features, any part of which is thirty (30) years old or older, which has or have a special character of special historical or aesthetic interest or values as part of the development, heritage, or cultural characteristics of the city, state, or nation, and that has been designated a Scenic Landmark pursuant to the New York City Landmarks Law.

SCFM: Standard cubic feet per minute.

SCREEN: An EPA mathematical model that estimates air pollutant impacts from stationary sources.



SEPARATE SEWER: A sewer system in which dry-weather wastewater is sent to a water pollution control plant for treatment and storm water is sent through separate pipes into the nearest waterway.

SENSITIVE RECEPTOR: A defined area where human activity may be adversely affected when noise levels exceed predefined thresholds of acceptability or when levels increase by predefined thresholds of change, used for noise analyses. Examples include, but are not limited to, residences, hotels, motels, health care facilities, nursing homes, schools, houses of worship, court houses, public meeting facilities, museums, libraries, parks, outdoor theaters, golf courses, zoos, campgrounds, beaches, *etc.*

SETBACK: A recession or stepping back of a building's facade.

SGC: Short-term Guideline Concentrations for NONCRITERIA AIR POLLUTANTS, listed in DEC's AIR GUIDE-1.

SHORT-TERM NOISE IMPACT: An impact caused by a temporary noise source, such as construction activity

SIGNAL PHASING: The allocation of a signal cycle into phases that are used by different traffic moments passing intersection.

SIGNAL WARRANT ANALYSIS: An analysis of traffic volume, pedestrian volume, and safety and lons at an intersection to determine whether the installation of a traffic signal is warranted.

SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS: Habitats designated by the New Jork State Department of State, on the recommendation of DEC, because they (a) are essential to the survival of elarge portion of a react sular fish and wildlife population; (b) support populations of protected species; (c) support fish and wildlife populations that have significant commercial, recreational, or educational value; and/or (d) are habitat types not commended found in the state or region.

SIP: New York State Implementation Plan. The Clean Air Act requires each state to transport the in a SIP the manner in which it will attain compliance with the National Ambient Air Quality Standards.

SITE (HISTORIC OR ARCHAEOLOGICAL): Location or place where a significant event of events took place.

SLOT: Space for one child in a day care center.

SLUG TEST: A test for estimating hydraulic conductive values in which a rapid water-level change is produced in a piezometer or monitoring well, usually by introducing or with drawing a "slug" of vate or a weight. The resultant rise or decline in the water level is monitored.

SOFT SITE: A site where no particular development is planned or proposed, but where development can reasonably be expected to occur (for example, a property that is upperbuilt with respect to its zoning in an area with high development demand).

SOIL GAS SURVEY: A technique us of to obtain air from sursurface cavities (*i.e.*, using a soil gas probe); the soil gas sample is analyzed and used as an indicator of volatile organic compounds in groundwater or soil.

SOIL EROSION AND SETUMENT CONTROL PLANS: Poins for construction that can prevent adverse impacts by incorporating measures that prevent the transport of sediments officite and that prevent increased turbidity or pollution from affecting surface water or wetlands.

SOLID WHEEF MAI ACCMENT FACILITIES: SUP TRANSFER STATION.

SOUND L POSC RE LEVEL (SEL): A rating in dB, of discrete events, such as aircraft flyovers or train passbys, that compresses the to all s und energy of the event into a 1 second time period.

SOUND V VEL: The weighted sound pressure level measured by use of a metering device.

SOUND LEVEL NETER LAN, An instrument used to measure sound pressure levels.

SOUND POWER EVEL (*W***)**: 10 log (W/Wref), where W=power and Wref=1x10-12 Watts.

SOUND PRESSURE LEVEL (SPL OR LP): 20 log (p/pref), where p=root mean square acoustic pressure and pref=2x10-5 Newtons/meter2. Pref corresponds to the pressure at the threshold of hearing.

SOUND TRANSMISSION CLASS (STC): A single-number rating for a TL spectrum of a partition matched to a standard curve.

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT SPDES PERMIT): Permit issued by the New York State Department of Environmental Conservation.



SPECTRUM ANALYZER: A device that measures and manipulates spectra, available in many bandwidth possibilities. Octave band analyzers are the most common types of spectrum analyzers.

SRO: Single-room occupancy hotel.

STABILITY: Description of the rate at which air pollutants are dispersed depending on atmospheric conditions.

STACK: Structure through which concentrated airborne pollutants are emitted.

STATE HISTORIC PRESERVATION OFFICER: Official within the State, authorized by the state at the request of the U.S. Secretary of the Interior, to act as liaison for purposes of implementing federal historic preservation requirements and programs, or the said official's designated representative.

STATISTICAL NOISE LEVELS/PERCENTILE LEVELS (L₁, L₅, L₁₀, **ETC.)**: The practice to describe several important features of fluctuating or time-varying noise using statistical quantities. These percentile levels represent the percentage of the observed time period during which a given noise level is exceeded. For example, L₉₀, the noise level exceeded 90 percent or the time, it often considered to be the background noise level, while L₁₀ gives some indication of the intrusive nature of the noise.

STATIONARY SOURCES: Sources of airborne emissions from fixed facilities.

STEL: Short-Term Exposure Limits for air pollutants in the workplace, promulgated by the U.S. Occurational Safety and Health Administration.

STOPPED DELAY: Average vehicle delay at signalized intersections.

STREETSCAPE: The character and urban design features of a street of block including such features as setbacks, architectural styles, and materials.

STREETWALL: The wall created by the front face or faces of a briding or several building

structure: Built work made up of interdependent parts of elements in an eigenbad pattern.

SUPERFUND: See CERCLA.

SYMPATHETIC CONTEXTUAL DESIGN: A plan for a new pulliding or development that takes into account the setting, landscaping, shadow, and the visual impact that the proposed construction may have or an nearby existing historic resource; a mitigation option.

TARGET COMPOUND LIST (TCL): A list of analytes prepared by EPA, with a variety of corresponding analytical methods.

TOXICITY CHARACTERISTIC LEACHINE PEDCEDURE (TCLP): The tracicity test required under RCRA to determine if a waste is considered hazardous.

TEMPORAL DISTRIBUTION: The estribution of trip, by our or by 15-minute periods over the course of a given day.

THERMAL STATE: Term used to describe how for a schicle has been turned on and operating.

THERMAL TREAT EXAMPLE TEC INOLOGIES Method, that use heat to thermally separate the contaminants from the media they are found in. These echnologies do not vestroy the contaminants, so typically these technologies include off-site disposal of a concentrate lambuat of the original partonic minants.

THRESTOLD OF HEARING (CDBA): New PL below which sound cannot be heard by the average person with a healthy hearing mechanism.

TIDAL WETLAND: Wetlands mund in and around tidal zones; tidal wetlands may be grouped according to characteristic ecological zones—littoral zone, mastal shoals, bars, and flats; intertidal marsh; coastal fresh marsh; high marsh or salt meadow; and formerly connected tigal wetlands.

TIME-SPACE ANALYSIS: A methodology for evaluating pedestrian level of service for station platforms, waiting areas, street plazas, and other open space areas.

TPY: Tons per year.

TRAFFIC ENFORCEMENT AGENT (TEA): New York City Police Department personnel generally responsible for maintaining proper traffic flow through problem intersections.



TRANSFER STATION: Facility at which solid wastes are received for the purpose of subsequent transfer to another location, regardless of whether these solid wastes are subject to any processing or reduction in volume.

TRANSIT SHARE: The percentage of all person trips made to a given project or area by public transportation.

TRANSMISSION LOSS (TL): A measure of the sound attenuation effectiveness of a partition in units of dB.

TOXIC RELEASE INVENTORY (TRI): The annual report on chemical releases that regulated industries must file with EPA under **SARA TITLE III**.

TRIP ASSIGNMENT: The assumed routing, or "assignment," of trips (either vehicular or pedestrian) through an area en route to their destination.

TRIP GENERATION: The volume of trips generated, or produced, by a particular land use or project. Trip generation may specified in terms of person trips or vehicular trips.

TOXIC SUBSTANCES CONTROL ACT (TSCA): The federal law authorizing EPA to gather information on chanical risks; SCA regulates PCB's and certain other toxic substances.

UNSATURATED ZONE: That subsurface region that lies above the SATURATED ZONE or TREASEBLE

UPSTREAM: The direction from which traffic is coming.

USE: Any activity, occupation, business, or operation carried on, or intended to be curried on, in a tract of land.

USE GROUP: Uses that have similar functional and/or nuisance characteristics, as listed in the Zoning Resolution.

UNDERGROUND STORAGE TANK (UST): A tank with 10 percent or more of us volume underground, with connected piping, regulated under **RCRA**; used to store petroleum products or **CERCLA**-regulated hazardous cremical.

VACUUM EXTRACTION: Extraction of subsurface gases including divective-ways transport by withdrawing or injecting air through wells screened in the unsaturated zone.

VADOSE ZONE: See Unsaturated Zone.

VANPOOL: A grouping of individuals traveling to ether in a higher-oc upancy vehicle other than an automobile, such as a van.

VEHICLE CLASSIFICATION: Mix of vehicular diffic regmented into autos, taxis, light-duty gas trucks, heavy-duty gas trucks, and heavy-duty diesel trucks.

VIEW CORRIDOR: See VISUAL CORRIDOR

VISUAL CORRIDOR: An open area including streets), nat are ides a continuous view from a public place of the sky or focal object, such as the waterroom. A visual corridor is generally linear and unobstructed from its base to the sky.

VOLATILE ORGANIC COMPOUND (VOC): A family, this his evaporative organic materials used in a variety of industrial applications, such as paints and solvents.

VOLATILIZATION: The change of a chemical from liquid to gas.

VOLUM SOURCES Jources of air pointains distributed over a large volume of space.

VOCOME-12-CA ACITY (V/C) RATIO: be ratio of the vehicular or pedestrian volume passing a point on a street (or transit line) to the capacity of the street (or line).

WAKE: Region of air flow that is disturbed by a solid structure

WASTE-TO-ENINGY FAC UTIES: Facilities that recover usable energy from the incineration process.

WATER TABLE: Set face in an aquifer at which pore water pressure is equal to atmospheric pressure.

WATER TABLE AQUIFER: An aquifer in which the water table forms the upper boundary.

WATER-DEPENDENT USES: Uses that require direct access to a body of water to function or that use waterways for transport of materials, products, or people.

WATER-ENHANCING USES: Primarily recreational, cultural, entertainment, or retail uses that, when located at the water's edge, add to the public use and enjoyment of the waterfront.



WATERFRONT REVITALIZATION PROGRAM: New York City's Local Waterfront Revitalization Program, adopted as a 197a Plan, which applies to all projects in a designated Coastal Zone.

WASTE WATER TREATMENT PLANT (WWTP): Plant used to treat wastewater, including sanitary sewage; also known as a Water Control Pollution Plant (WPCP).

WEAVING ANALYSIS: An analysis of traffic conditions at a location (generally a length of highway) where different traffic streams cross each other's path without the aid of traffic signals.

WILDLIFE: All mammals, birds, reptiles, and amphibians, and all vertebrate and invertebrate animal species.

· ·

WIND TUNNEL: Fluid dispersion modeling using physical scale representations.

ZONE OF INFLUENCE: Area surrounding a pumping or recharging well within which the water table of an unconfined aquiter water pressure of a confined aquifer has been changed due to the well's pumping or recharge.

ZONING DENSITY: The number of dwelling units or zoning rooms permitted on a site.

ZONING NONCOMPLIANCE: The situation of a building that does not comply with one or more of the bulk regulations of a zoning district.

ZONING NONCONFORMANCE: The situation of a use that does not conform to one on more of the rs regulations of a zoning district.