

## Monthly SCORECARD Community Board Report - December 2022

---

### Percent of Acceptably Clean Sidewalks (Citywide Totals) - 2022 / 12

| Borough               | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------------|------------------------|----------------------------------------|----------------------------------|
| Manhattan             | 96.8                   | 98.2                                   | 95.3                             |
| Bronx                 | 95.2                   | 95.8                                   | 89.2                             |
| Brooklyn              | 94.3                   | 95.8                                   | 92.5                             |
| Queens                | 98.0                   | 98.4                                   | 95.6                             |
| Staten Island         | 97.1                   | 97.3                                   | 98.6                             |
| <b>Citywide Total</b> | <b>96.4</b>            | <b>97.1</b>                            | <b>94.5</b>                      |

Percent of Acceptably Clean Sidewalks - 2022 / 12

Manhattan

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 1               | MN011            | 100.0                  | 100.0                                  | 98.3                             |
|                 | MN013            | 100.0                  | 100.0                                  | 98.1                             |
| <b>1 Total</b>  |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>98.2</b>                      |
| 2               | MN021            | 100.0                  | 100.0                                  |                                  |
|                 | MN022            | 100.0                  | 98.1                                   |                                  |
|                 | MN023            | 100.0                  | 100.0                                  | 91.1                             |
| <b>2 Total</b>  |                  | <b>100.0</b>           | <b>99.4</b>                            | <b>91.1</b>                      |
| 3               | MN031            | 100.0                  | 94.9                                   | 72.0                             |
|                 | MN032            | 100.0                  | 100.0                                  | 96.6                             |
|                 | MN033            | 89.3                   | 96.4                                   |                                  |
|                 | MN034            | 100.0                  | 100.0                                  |                                  |
| <b>3 Total</b>  |                  | <b>97.8</b>            | <b>97.4</b>                            | <b>81.7</b>                      |
| 4               | MN041            | 100.0                  | 100.0                                  | 100.0                            |
|                 | MN042            | 98.0                   |                                        | 97.0                             |
|                 | MN043            | 97.6                   |                                        | 100.0                            |
| <b>4 Total</b>  |                  | <b>98.2</b>            | <b>100.0</b>                           | <b>98.6</b>                      |
| 5               | MN051            | 100.0                  | 100.0                                  | 100.0                            |
|                 | MN052            | 100.0                  | 100.0                                  | 94.9                             |
| <b>5 Total</b>  |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>97.2</b>                      |
| 6               | MN061            | 100.0                  |                                        |                                  |
|                 | MN062            | 100.0                  |                                        |                                  |
|                 | MN063            | 100.0                  |                                        |                                  |
| <b>6 Total</b>  |                  | <b>100.0</b>           |                                        |                                  |
| 7               | MN071            | 100.0                  | 100.0                                  | 100.0                            |
|                 | MN072            | 100.0                  | 100.0                                  | 100.0                            |
|                 | MN073            | 100.0                  | 100.0                                  |                                  |
|                 | MN074            | 100.0                  | 100.0                                  |                                  |
|                 | MN075            | 100.0                  | 100.0                                  | 100.0                            |
| <b>7 Total</b>  |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>100.0</b>                     |
| 8               | MN081            |                        | 100.0                                  |                                  |
|                 | MN082            |                        | 100.0                                  |                                  |
|                 | MN083            |                        | 100.0                                  |                                  |
|                 | MN084            |                        | 100.0                                  |                                  |
|                 | MN085            |                        | 100.0                                  |                                  |
| <b>8 Total</b>  |                  |                        | <b>100.0</b>                           |                                  |
| 9               | MN091            | 97.1                   | 100.0                                  | 100.0                            |
|                 | MN092            | 94.7                   | 93.8                                   | 100.0                            |
|                 | MN093            | 100.0                  | 100.0                                  | 96.9                             |
| <b>9 Total</b>  |                  | <b>96.9</b>            | <b>97.3</b>                            | <b>99.1</b>                      |
| 10              | MN101            | 94.6                   | 88.4                                   |                                  |
|                 | MN103            | 94.1                   | 91.4                                   | 94.3                             |
|                 | MN104            | 92.0                   | 92.0                                   |                                  |
| <b>10 Total</b> |                  | <b>93.5</b>            | <b>90.5</b>                            | <b>94.3</b>                      |
| 11              | MN111            | 90.3                   | 97.3                                   |                                  |
|                 | MN112            | 90.6                   | 97.2                                   |                                  |
|                 | MN113            | 81.8                   | 94.4                                   |                                  |
| <b>11 Total</b> |                  | <b>86.6</b>            | <b>96.0</b>                            |                                  |
| 12              | MN121            | 87.5                   | 95.8                                   | 86.4                             |
|                 | MN122            | 96.2                   | 100.0                                  | 95.5                             |

| Community Board      | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 12                   | MN123            | 96.0                   | 100.0                                  | 96.0                             |
|                      | MN124            | 96.2                   | 100.0                                  | 94.1                             |
| <b>12 Total</b>      |                  | <b>94.2</b>            | <b>99.1</b>                            | <b>93.2</b>                      |
| <b>Borough Total</b> |                  | <b>96.8</b>            | <b>98.2</b>                            | <b>95.3</b>                      |

Bronx

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 1               | BX011            | 94.7                   | 91.1                                   | 91.7                             |
|                 | BX012            | 88.7                   | 97.7                                   | 83.3                             |
| <b>1 Total</b>  |                  | <b>91.5</b>            | <b>94.6</b>                            | <b>87.2</b>                      |
| 2               | BX021            | 92.9                   | 85.3                                   | 59.1                             |
|                 | <b>2 Total</b>   | <b>92.9</b>            | <b>85.3</b>                            | <b>59.1</b>                      |
| 3               | BX031            | 88.3                   | 95.0                                   |                                  |
|                 | <b>3 Total</b>   | <b>88.3</b>            | <b>95.0</b>                            |                                  |
| 4               | BX041            | 86.8                   | 100.0                                  | 100.0                            |
|                 | BX042            | 86.8                   | 100.0                                  | 97.0                             |
|                 | BX043            | 92.5                   | 100.0                                  | 97.0                             |
| <b>4 Total</b>  |                  | <b>88.9</b>            | <b>100.0</b>                           | <b>98.1</b>                      |
| 5               | BX051            | 83.3                   | 97.0                                   |                                  |
|                 | BX052            | 86.1                   | 90.3                                   | 84.2                             |
|                 | BX053            | 90.0                   | 91.7                                   | 89.3                             |
| <b>5 Total</b>  |                  | <b>85.5</b>            | <b>94.1</b>                            | <b>86.5</b>                      |
| 6               | BX061            | 98.3                   | 95.2                                   | 94.8                             |
|                 | BX062            | 98.2                   | 92.2                                   | 100.0                            |
| <b>6 Total</b>  |                  | <b>98.3</b>            | <b>93.5</b>                            | <b>97.8</b>                      |
| 7               | BX071            | 93.9                   | 100.0                                  |                                  |
|                 | BX072            | 94.6                   | 94.4                                   |                                  |
|                 | BX073            | 97.9                   | 86.4                                   |                                  |
| <b>7 Total</b>  |                  | <b>95.2</b>            | <b>94.1</b>                            |                                  |
| 8               | BX081            | 100.0                  | 96.2                                   |                                  |
|                 | BX082            | 96.9                   | 100.0                                  |                                  |
|                 | BX083            | 100.0                  | 100.0                                  |                                  |
| <b>8 Total</b>  |                  | <b>99.3</b>            | <b>99.3</b>                            |                                  |
| 9               | BX091            | 93.8                   | 95.0                                   | 100.0                            |
|                 | BX092            | 93.3                   | 94.4                                   | 100.0                            |
|                 | BX093            | 95.7                   | 81.0                                   | 95.2                             |
|                 | BX094            | 100.0                  | 95.5                                   | 94.7                             |
| <b>9 Total</b>  |                  | <b>96.1</b>            | <b>92.8</b>                            | <b>97.5</b>                      |
| 10              | BX101            | 96.8                   | 96.7                                   |                                  |
|                 | BX102            | 100.0                  | 100.0                                  |                                  |
|                 | BX103            | 95.2                   | 100.0                                  |                                  |
| <b>10 Total</b> |                  | <b>97.5</b>            | <b>99.1</b>                            |                                  |
| 11              | BX111            | 94.1                   | 91.4                                   |                                  |
|                 | BX112            | 100.0                  | 91.7                                   | 100.0                            |
|                 | BX113            | 96.4                   | 100.0                                  | 100.0                            |
| <b>11 Total</b> |                  | <b>97.2</b>            | <b>94.1</b>                            | <b>100.0</b>                     |
| 12              | BX121            | 100.0                  | 100.0                                  | 61.5                             |
|                 | BX122            | 100.0                  | 100.0                                  | 61.5                             |

| Community Board      | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 12                   | BX123            | 100.0                  | 100.0                                  | 100.0                            |
|                      | BX124            | 93.3                   | 100.0                                  | 100.0                            |
|                      | BX125            | 100.0                  | 100.0                                  |                                  |
| <b>12 Total</b>      |                  | <b>98.9</b>            | <b>100.0</b>                           | <b>81.1</b>                      |
| <b>Borough Total</b> |                  | <b>95.2</b>            | <b>95.8</b>                            | <b>89.2</b>                      |

Brooklyn

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 1               | BKN011           | 94.4                   | 95.0                                   | 100.0                            |
|                 | BKN012           | 90.0                   | 95.2                                   |                                  |
|                 | BKN013           | 100.0                  | 93.8                                   | 87.5                             |
|                 | BKN014           | 95.0                   | 100.0                                  |                                  |
|                 | BKN015           | 93.1                   | 88.9                                   | 94.4                             |
| <b>1 Total</b>  |                  | <b>94.9</b>            | <b>94.2</b>                            | <b>93.2</b>                      |
| 2               | BKN021           | 98.0                   |                                        | 97.2                             |
|                 | BKN022           | 100.0                  |                                        | 97.2                             |
|                 | BKN023           | 97.2                   |                                        | 100.0                            |
|                 | BKN024           | 100.0                  |                                        | 100.0                            |
| <b>2 Total</b>  |                  | <b>98.8</b>            |                                        | <b>98.4</b>                      |
| 3               | BKN031           | 72.2                   | 89.5                                   | 100.0                            |
|                 | BKN032           | 89.5                   | 100.0                                  | 100.0                            |
|                 | BKN033           | 100.0                  | 100.0                                  |                                  |
|                 | BKN034           | 100.0                  | 100.0                                  |                                  |
|                 | BKN035           | 71.4                   | 100.0                                  |                                  |
| <b>3 Total</b>  |                  | <b>85.8</b>            | <b>97.4</b>                            | <b>100.0</b>                     |
| 4               | BKN041           | 97.0                   | 90.9                                   | 87.0                             |
|                 | BKN042           | 97.0                   | 93.9                                   | 90.3                             |
|                 | BKN043           | 100.0                  | 100.0                                  | 83.3                             |
| <b>4 Total</b>  |                  | <b>97.9</b>            | <b>94.8</b>                            | <b>87.1</b>                      |
| 5               | BKN051           | 84.6                   | 89.7                                   | 87.5                             |
|                 | BKN052           | 100.0                  | 100.0                                  | 73.3                             |
|                 | BKN053           | 95.5                   | 91.3                                   | 76.5                             |
|                 | BKN054           | 66.7                   | 90.5                                   | 94.4                             |
| <b>5 Total</b>  |                  | <b>85.2</b>            | <b>92.3</b>                            | <b>83.7</b>                      |
| 6               | BKS061           | 92.9                   | 81.3                                   | 100.0                            |
|                 | BKS062           | 100.0                  | 94.4                                   | 100.0                            |
|                 | BKS063           | 91.7                   | 100.0                                  | 95.8                             |
|                 | BKS064           | 94.7                   | 100.0                                  | 95.2                             |
|                 | BKS065           | 100.0                  | 100.0                                  |                                  |
| <b>6 Total</b>  |                  | <b>95.1</b>            | <b>92.1</b>                            | <b>98.3</b>                      |
| 7               | BKS071           | 100.0                  | 100.0                                  |                                  |
|                 | BKS072           | 100.0                  | 94.7                                   |                                  |
|                 | BKS073           | 94.4                   | 100.0                                  |                                  |
|                 | BKS074           | 100.0                  | 95.0                                   |                                  |
| <b>7 Total</b>  |                  | <b>99.1</b>            | <b>97.0</b>                            |                                  |
| 8               | BKN081           | 92.1                   | 100.0                                  | 100.0                            |
|                 | BKN082           | 91.4                   | 100.0                                  | 97.1                             |
|                 | BKN083           | 93.8                   | 100.0                                  | 100.0                            |
| <b>8 Total</b>  |                  | <b>92.5</b>            | <b>100.0</b>                           | <b>99.1</b>                      |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 9               | BKN091           | 97.1                   | 100.0                                  |                                  |
|                 | BKN092           | 100.0                  | 97.2                                   |                                  |
|                 | BKN093           | 100.0                  | 96.6                                   |                                  |
| <b>9 Total</b>  |                  | <b>98.9</b>            | <b>98.1</b>                            |                                  |
| 10              | BKS101           | 100.0                  | 100.0                                  |                                  |
|                 | BKS102           | 96.0                   | 100.0                                  |                                  |
|                 | BKS103           | 100.0                  | 100.0                                  |                                  |
|                 | BKS104           | 100.0                  | 95.0                                   |                                  |
| <b>10 Total</b> |                  | <b>99.3</b>            | <b>98.4</b>                            |                                  |
| 11              | BKS111           | 93.7                   | 100.0                                  |                                  |
|                 | BKS112           | 100.0                  | 93.7                                   |                                  |
|                 | BKS113           | 93.8                   | 93.8                                   |                                  |
|                 | BKS114           | 93.7                   | 92.3                                   |                                  |
|                 | BKS115           | 100.0                  | 100.0                                  |                                  |
|                 | BKS116           | 93.8                   | 100.0                                  |                                  |
| <b>11 Total</b> |                  | <b>96.1</b>            | <b>96.7</b>                            |                                  |
| 12              | BKS121           | 93.8                   | 100.0                                  | 84.6                             |
|                 | BKS122           | 93.7                   | 100.0                                  | 84.6                             |
|                 | BKS123           | 86.7                   | 100.0                                  | 64.3                             |
|                 | BKS124           | 93.7                   | 100.0                                  | 100.0                            |
|                 | BKS125           | 93.3                   | 100.0                                  | 100.0                            |
|                 | BKS126           | 100.0                  | 100.0                                  | 91.7                             |
| <b>12 Total</b> |                  | <b>94.1</b>            | <b>100.0</b>                           | <b>88.9</b>                      |
| 13              | BKS131           | 100.0                  | 100.0                                  | 90.6                             |
|                 | BKS132           | 83.3                   | 100.0                                  | 97.1                             |
| <b>13 Total</b> |                  | <b>88.8</b>            | <b>100.0</b>                           | <b>95.0</b>                      |
| 14              | BKS141           | 97.3                   | 97.3                                   |                                  |
|                 | BKS142           | 91.3                   | 95.7                                   |                                  |
|                 | BKS143           |                        | 96.8                                   |                                  |
|                 | BKS144           |                        | 100.0                                  | 100.0                            |
| <b>14 Total</b> |                  | <b>93.9</b>            | <b>97.5</b>                            | <b>100.0</b>                     |
| 15              | BKS151           | 96.2                   | 96.6                                   |                                  |
|                 | BKS152           | 100.0                  | 100.0                                  | 100.0                            |
|                 | BKS153           | 94.7                   | 100.0                                  | 94.1                             |
|                 | BKS154           | 100.0                  | 100.0                                  |                                  |
|                 | BKS155           | 100.0                  | 100.0                                  |                                  |
| <b>15 Total</b> |                  | <b>98.1</b>            | <b>99.5</b>                            | <b>96.5</b>                      |
| 16              | Unspecified      | 85.3                   | 79.9                                   |                                  |
| <b>16 Total</b> |                  | <b>85.3</b>            | <b>79.9</b>                            |                                  |
| 17              | BKN171           | 100.0                  | 89.5                                   | 76.9                             |
|                 | BKN172           | 88.2                   | 94.7                                   | 92.9                             |
|                 | BKN173           | 100.0                  | 84.2                                   | 92.9                             |
|                 | BKN174           | 94.4                   | 100.0                                  | 93.3                             |
|                 | BKN175           | 94.7                   | 88.2                                   | 81.8                             |
| <b>17 Total</b> |                  | <b>96.2</b>            | <b>89.5</b>                            | <b>86.9</b>                      |
| 18              | BKS181           | 100.0                  | 90.0                                   | 100.0                            |
|                 | BKS182           | 90.9                   | 100.0                                  | 85.7                             |
|                 | BKS183           | 90.0                   | 90.9                                   | 100.0                            |
|                 | BKS184           | 100.0                  | 100.0                                  | 90.0                             |
|                 | BKS185           | 90.9                   | 100.0                                  | 100.0                            |
|                 | BKS186           | 90.9                   | 100.0                                  | 80.0                             |

| Community Board      | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 18                   | BKS187           | 100.0                  | 100.0                                  | 100.0                            |
| <b>18 Total</b>      |                  | <b>95.7</b>            | <b>97.5</b>                            | <b>93.9</b>                      |
| <b>Borough Total</b> |                  | <b>94.3</b>            | <b>95.8</b>                            | <b>92.5</b>                      |

#### Queens

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 1               | QW011            | 100.0                  | 100.0                                  |                                  |
|                 | QW012            | 100.0                  | 100.0                                  |                                  |
|                 | QW013            | 100.0                  | 100.0                                  |                                  |
|                 | QW014            | 100.0                  | 100.0                                  |                                  |
|                 | QW015            | 100.0                  | 100.0                                  |                                  |
|                 | QW016            | 100.0                  | 93.3                                   |                                  |
| <b>1 Total</b>  |                  | <b>100.0</b>           | <b>98.8</b>                            |                                  |
| 2               | QW021            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QW022            | 94.7                   | 94.6                                   | 100.0                            |
|                 | QW023            | 94.1                   | 93.8                                   | 100.0                            |
| <b>2 Total</b>  |                  | <b>96.0</b>            | <b>95.8</b>                            | <b>100.0</b>                     |
| 3               | QW031            | 94.4                   | 100.0                                  | 96.4                             |
|                 | QW032            | 100.0                  | 94.7                                   | 94.4                             |
|                 | QW033            | 97.2                   | 100.0                                  | 100.0                            |
| <b>3 Total</b>  |                  | <b>96.3</b>            | <b>98.9</b>                            | <b>96.9</b>                      |
| 4               | QW041            | 92.7                   | 97.4                                   | 97.1                             |
|                 | QW042            | 97.4                   | 100.0                                  | 100.0                            |
|                 | QW043            | 97.1                   | 100.0                                  | 90.3                             |
| <b>4 Total</b>  |                  | <b>95.4</b>            | <b>99.0</b>                            | <b>95.4</b>                      |
| 5               | QW051            |                        | 100.0                                  |                                  |
|                 | QW052            |                        | 100.0                                  |                                  |
|                 | QW053            |                        | 100.0                                  |                                  |
|                 | QW054            |                        | 100.0                                  |                                  |
|                 | QW055            |                        | 100.0                                  |                                  |
| <b>5 Total</b>  |                  |                        | <b>100.0</b>                           |                                  |
| 6               | QW061            | 100.0                  | 100.0                                  | 97.8                             |
|                 | QW062            | 100.0                  | 100.0                                  | 100.0                            |
| <b>6 Total</b>  |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>99.2</b>                      |
| 7               | QE071            | 100.0                  | 94.4                                   | 93.3                             |
|                 | QE072            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE073            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE074            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE075            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE076            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE077            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE078            | 100.0                  | 100.0                                  | 100.0                            |
| <b>7 Total</b>  |                  | <b>100.0</b>           | <b>99.4</b>                            | <b>99.3</b>                      |
| 8               | QE081            | 100.0                  | 93.3                                   |                                  |
|                 | QE082            | 100.0                  | 100.0                                  | 100.0                            |
|                 | QE083            | 91.7                   | 100.0                                  |                                  |
|                 | QE084            | 100.0                  | 95.2                                   |                                  |
| <b>8 Total</b>  |                  | <b>97.7</b>            | <b>96.9</b>                            | <b>100.0</b>                     |
| 9               | QW091            | 100.0                  | 100.0                                  | 95.2                             |

| Community Board      | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 9                    | QW092            | 100.0                  | 100.0                                  | 96.3                             |
|                      | QW093            | 100.0                  | 100.0                                  | 100.0                            |
|                      | QW094            | 100.0                  | 100.0                                  | 100.0                            |
| <b>9 Total</b>       |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>98.3</b>                      |
| 10                   | QE101            | 100.0                  | 100.0                                  | 92.9                             |
|                      | QE102            | 100.0                  | 100.0                                  | 93.7                             |
|                      | QE103            | 100.0                  | 100.0                                  | 94.4                             |
|                      | QE104            | 100.0                  | 100.0                                  | 100.0                            |
| <b>10 Total</b>      |                  | <b>100.0</b>           | <b>100.0</b>                           | <b>95.3</b>                      |
| 11                   | QE111            | 100.0                  |                                        |                                  |
|                      | QE112            | 100.0                  |                                        |                                  |
|                      | QE113            | 100.0                  |                                        |                                  |
|                      | QE114            | 100.0                  |                                        |                                  |
|                      | QE115            | 100.0                  |                                        |                                  |
|                      | QE116            | 100.0                  |                                        | 100.0                            |
| <b>11 Total</b>      |                  | <b>100.0</b>           |                                        | <b>100.0</b>                     |
| 12                   | QE121            | 96.0                   | 100.0                                  | 100.0                            |
|                      | QE122            | 91.7                   | 93.8                                   | 37.5                             |
|                      | QE123            | 93.7                   | 78.6                                   | 91.7                             |
|                      | QE124            | 100.0                  | 91.7                                   | 100.0                            |
|                      | QE125            | 91.7                   | 100.0                                  | 90.0                             |
|                      | QE126            | 100.0                  | 100.0                                  | 88.9                             |
|                      | QE127            | 92.9                   | 100.0                                  | 100.0                            |
| <b>12 Total</b>      |                  | <b>95.2</b>            | <b>95.4</b>                            | <b>87.4</b>                      |
| 13                   | QE131            | 100.0                  | 100.0                                  |                                  |
|                      | QE132            | 100.0                  | 100.0                                  |                                  |
|                      | QE133            | 100.0                  | 100.0                                  |                                  |
|                      | QE134            | 100.0                  | 88.9                                   |                                  |
|                      | QE135            | 100.0                  | 100.0                                  |                                  |
|                      | QE136            | 100.0                  | 100.0                                  |                                  |
|                      | QE137            | 100.0                  | 100.0                                  |                                  |
|                      | QE138            | 100.0                  | 100.0                                  |                                  |
| <b>13 Total</b>      |                  | <b>100.0</b>           | <b>99.0</b>                            |                                  |
| 14                   | QE141            | 96.3                   | 100.0                                  | 100.0                            |
|                      | QE142            | 91.7                   | 95.7                                   | 85.0                             |
|                      | QE143            | 80.0                   |                                        | 100.0                            |
| <b>14 Total</b>      |                  | <b>89.6</b>            | <b>96.7</b>                            | <b>91.5</b>                      |
| <b>Borough Total</b> |                  | <b>98.0</b>            | <b>98.4</b>                            | <b>95.6</b>                      |

Staten Island

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 1               | SI011            | 83.3                   | 100.0                                  |                                  |
|                 | SI012            | 94.4                   | 100.0                                  | 100.0                            |
|                 | SI013            | 81.2                   | 100.0                                  | 100.0                            |
|                 | SI014            | 100.0                  | 100.0                                  |                                  |
| <b>1 Total</b>  |                  | <b>90.4</b>            | <b>100.0</b>                           | <b>100.0</b>                     |
| 2               | SI021            | 100.0                  | 100.0                                  | 100.0                            |
|                 | SI022            | 100.0                  | 100.0                                  | 94.4                             |
|                 | SI023            | 100.0                  | 100.0                                  | 88.9                             |

| Community Board      | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|----------------------------------------|----------------------------------|
| 2                    | SI024            | 100.0                  | 85.7                                   | 100.0                            |
| <b>2 Total</b>       |                  | <b>100.0</b>           | <b>94.8</b>                            | <b>96.2</b>                      |
| 3                    | SI031            | 100.0                  |                                        | 100.0                            |
|                      | SI032            | 100.0                  |                                        | 100.0                            |
|                      | SI033            | 100.0                  |                                        | 100.0                            |
|                      | SI034            | 100.0                  |                                        | 100.0                            |
|                      | SI035            | 100.0                  |                                        | 100.0                            |
|                      | SI036            | 100.0                  |                                        | 100.0                            |
|                      | SI037            | 100.0                  |                                        | 100.0                            |
|                      | SI038            | 100.0                  |                                        | 100.0                            |
| <b>3 Total</b>       |                  | <b>100.0</b>           |                                        | <b>100.0</b>                     |
| <b>Borough Total</b> |                  | <b>97.1</b>            | <b>97.3</b>                            | <b>98.6</b>                      |