

Monthly SCORECARD Community Board Report - September 2023

Percent of Acceptably Clean Sidewalks (Citywide Totals) - 2023 / 09

| Borough | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------------|-------------------------------|---|---|
| Manhattan | 97.5 | 98.3 | 98.9 |
| Bronx | 95.8 | 94.0 | 93.8 |
| Brooklyn | 95.8 | 96.4 | 92.6 |
| Queens | 97.8 | 97.8 | 96.8 |
| Staten Island | | 99.8 | 97.9 |
| Citywide Total | 96.9 | 97.2 | 95.7 |

Percent of Acceptably Clean Sidewalks - 2023 / 09

Manhattan

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 1 | MN011 | 100.0 | 100.0 | 100.0 |
| | MN013 | 98.1 | 100.0 | |
| 1 Total | | 99.4 | 100.0 | 100.0 |
| 2 | MN021 | 98.0 | 98.4 | 97.9 |
| | MN022 | 100.0 | 100.0 | 100.0 |
| | MN023 | 100.0 | 100.0 | 100.0 |
| 2 Total | | 99.2 | 99.3 | 99.1 |
| 3 | MN031 | | 93.9 | 100.0 |
| | MN032 | | 96.4 | 97.6 |
| | MN033 | | 100.0 | 100.0 |
| | MN034 | | 96.9 | 97.0 |
| 3 Total | | | 96.4 | 98.8 |
| 4 | MN041 | | 100.0 | 100.0 |
| | MN042 | | 97.9 | 100.0 |
| | MN043 | | 97.3 | 100.0 |
| 4 Total | | | 98.1 | 100.0 |
| 5 | MN051 | 100.0 | 100.0 | |
| | MN052 | 98.9 | 100.0 | |
| 5 Total | | 99.4 | 100.0 | |
| 6 | MN061 | 97.7 | 100.0 | 97.3 |
| | MN062 | 97.6 | 100.0 | 100.0 |
| | MN063 | 100.0 | 100.0 | 100.0 |
| 6 Total | | 98.2 | 100.0 | 99.0 |
| 7 | MN071 | | 96.9 | 100.0 |
| | MN072 | | 100.0 | 100.0 |
| | MN073 | | 100.0 | 100.0 |
| | MN074 | | 100.0 | 100.0 |
| | MN075 | | 100.0 | 100.0 |
| 7 Total | | | 99.2 | 100.0 |
| 8 | MN081 | | 100.0 | 100.0 |
| | MN082 | | 100.0 | 96.2 |
| | MN083 | | 100.0 | 100.0 |
| | MN084 | | 100.0 | 100.0 |
| | MN085 | | 100.0 | 100.0 |
| 8 Total | | | 100.0 | 99.3 |
| 9 | MN091 | | 100.0 | 100.0 |
| | MN092 | | 100.0 | 93.8 |
| | MN093 | | 100.0 | 100.0 |
| 9 Total | | | 100.0 | 97.3 |
| 10 | MN101 | 97.3 | 100.0 | |
| | MN103 | 100.0 | 86.5 | |
| | MN104 | 90.9 | 100.0 | |
| 10 Total | | 95.3 | 97.1 | |
| 11 | MN111 | 100.0 | 97.1 | 94.3 |
| | MN112 | 85.7 | 100.0 | 93.9 |
| | MN113 | 89.7 | 88.5 | 96.7 |
| 11 Total | | 92.1 | 93.9 | 95.3 |
| 12 | MN121 | 96.4 | 100.0 | 100.0 |
| | MN122 | 100.0 | 100.0 | 100.0 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|--|----------------------------------|
| 12 | MN123 | 100.0 | 96.6 | 100.0 |
| | MN124 | 100.0 | 91.7 | 100.0 |
| 12 Total | | 99.2 | 97.4 | 100.0 |
| Borough Total | | 97.5 | 98.3 | 98.9 |

Bronx

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 1 | BX011 | | 87.5 | 92.9 |
| | BX012 | | 86.0 | 91.3 |
| 1 Total | | | 86.7 | 92.0 |
| 2 | BX021 | 91.7 | 94.8 | 93.4 |
| | 2 Total | 91.7 | 94.8 | 93.4 |
| 3 | BX031 | 87.3 | 98.1 | 90.6 |
| | 3 Total | 87.3 | 98.1 | 90.6 |
| 4 | BX041 | 98.0 | 97.6 | 90.0 |
| | BX042 | 94.9 | 97.5 | 94.4 |
| | BX043 | 92.1 | 85.0 | 94.6 |
| 4 Total | | 95.0 | 92.9 | 92.9 |
| 5 | BX051 | 91.2 | 84.8 | 94.9 |
| | BX052 | 88.2 | 78.0 | 100.0 |
| | BX053 | 90.2 | 87.8 | 100.0 |
| 5 Total | | 90.2 | 83.7 | 97.3 |
| 6 | BX061 | 96.9 | 95.7 | 90.6 |
| | BX062 | 96.1 | 80.9 | 83.0 |
| 6 Total | | 96.4 | 87.2 | 86.2 |
| 7 | BX071 | 94.3 | 96.6 | 100.0 |
| | BX072 | 88.9 | 83.9 | 100.0 |
| | BX073 | 68.2 | 100.0 | 100.0 |
| 7 Total | | 85.3 | 91.7 | 100.0 |
| 8 | BX081 | 100.0 | 100.0 | 96.0 |
| | BX082 | 96.7 | 100.0 | 93.9 |
| | BX083 | 100.0 | 100.0 | 100.0 |
| 8 Total | | 99.3 | 100.0 | 98.0 |
| 9 | BX091 | 100.0 | 100.0 | |
| | BX092 | 90.5 | 94.7 | |
| | BX093 | 95.8 | 95.7 | |
| | BX094 | 100.0 | 91.3 | |
| 9 Total | | 97.7 | 95.5 | |
| 10 | BX101 | 96.9 | 96.8 | 97.2 |
| | BX102 | 100.0 | 100.0 | 91.7 |
| | BX103 | 100.0 | 95.5 | 89.5 |
| 10 Total | | 99.2 | 97.6 | 92.4 |
| 11 | BX111 | 93.5 | 94.4 | 93.9 |
| | BX112 | 100.0 | 96.4 | 100.0 |
| | BX113 | 100.0 | 90.0 | 92.6 |
| 11 Total | | 98.1 | 93.9 | 96.0 |
| 12 | BX121 | 100.0 | 93.8 | 100.0 |
| | BX122 | 100.0 | 87.5 | 93.3 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|--|----------------------------------|
| 12 | BX123 | 100.0 | 100.0 | 100.0 |
| | BX124 | 100.0 | 100.0 | 100.0 |
| | BX125 | 92.9 | 93.8 | 80.0 |
| 12 Total | | 97.9 | 94.9 | 93.0 |
| Borough Total | | 95.8 | 94.0 | 93.8 |

Brooklyn

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 1 | BKN011 | 100.0 | 100.0 | 100.0 |
| | BKN012 | 100.0 | 100.0 | 100.0 |
| | BKN013 | 84.6 | 100.0 | 100.0 |
| | BKN014 | 100.0 | 100.0 | 85.7 |
| | BKN015 | 96.7 | 97.0 | 96.8 |
| 1 Total | | 95.2 | 99.3 | 96.8 |
| 2 | BKN021 | | 100.0 | |
| | BKN022 | | 100.0 | |
| | BKN023 | 100.0 | 100.0 | |
| | BKN024 | 100.0 | 100.0 | |
| 2 Total | | 100.0 | 100.0 | |
| 3 | BKN031 | 95.5 | 86.4 | 95.5 |
| | BKN032 | 92.9 | 88.5 | 95.8 |
| | BKN033 | 100.0 | 91.3 | 100.0 |
| | BKN034 | 100.0 | 95.5 | 87.0 |
| | BKN035 | 95.5 | 90.0 | 95.5 |
| 3 Total | | 96.9 | 90.2 | 94.8 |
| 4 | BKN041 | 100.0 | 93.9 | 97.0 |
| | BKN042 | 100.0 | 90.9 | 100.0 |
| | BKN043 | 100.0 | 92.0 | 90.9 |
| 4 Total | | 100.0 | 92.3 | 96.2 |
| 5 | BKN051 | 96.0 | 74.2 | 84.6 |
| | BKN052 | 100.0 | 95.5 | 66.7 |
| | BKN053 | 100.0 | 100.0 | 57.1 |
| | BKN054 | 100.0 | 100.0 | 89.5 |
| 5 Total | | 99.2 | 93.8 | 74.5 |
| 6 | BKS061 | 100.0 | 81.3 | 100.0 |
| | BKS062 | 100.0 | 100.0 | 100.0 |
| | BKS063 | 100.0 | 95.8 | 95.7 |
| | BKS064 | 100.0 | 100.0 | 100.0 |
| | BKS065 | 100.0 | 100.0 | 100.0 |
| 6 Total | | 100.0 | 92.3 | 99.3 |
| 7 | BKS071 | 100.0 | 90.0 | 100.0 |
| | BKS072 | 95.2 | 100.0 | |
| | BKS073 | 92.0 | 93.3 | |
| | BKS074 | 100.0 | 100.0 | |
| 7 Total | | 96.9 | 96.3 | 100.0 |
| 8 | BKN081 | 94.7 | 97.3 | 100.0 |
| | BKN082 | 100.0 | 94.3 | 97.1 |
| | BKN083 | 97.1 | 85.7 | 94.3 |
| 8 Total | | 97.3 | 92.2 | 97.1 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 9 | BKN091 | 91.2 | 88.9 | 94.4 |
| | BKN092 | 95.8 | 94.1 | 97.1 |
| | BKN093 | 94.4 | 97.1 | 100.0 |
| 9 Total | | 93.6 | 93.1 | 97.0 |
| 10 | BKS101 | 95.8 | 100.0 | 100.0 |
| | BKS102 | 100.0 | 100.0 | 100.0 |
| | BKS103 | | 100.0 | 100.0 |
| | BKS104 | | 100.0 | 100.0 |
| 10 Total | | 97.8 | 100.0 | 100.0 |
| 11 | BKS111 | 100.0 | 100.0 | 100.0 |
| | BKS112 | 87.5 | 100.0 | 100.0 |
| | BKS113 | 100.0 | 100.0 | 81.2 |
| | BKS114 | 100.0 | 100.0 | 100.0 |
| | BKS115 | 100.0 | 100.0 | 100.0 |
| | BKS116 | 100.0 | 100.0 | 100.0 |
| 11 Total | | 98.0 | 100.0 | 97.7 |
| 12 | BKS121 | 93.8 | 100.0 | 100.0 |
| | BKS122 | 68.7 | 100.0 | 93.7 |
| | BKS123 | 87.5 | 100.0 | 100.0 |
| | BKS124 | 87.5 | 100.0 | 100.0 |
| | BKS125 | 100.0 | 100.0 | 93.8 |
| | BKS126 | 100.0 | 100.0 | 100.0 |
| 12 Total | | 91.4 | 100.0 | 98.1 |
| 13 | BKS131 | 90.0 | 100.0 | 88.5 |
| | BKS132 | 90.2 | 92.7 | 92.6 |
| 13 Total | | 90.2 | 95.1 | 91.2 |
| 14 | BKS141 | 97.1 | 94.9 | 94.3 |
| | BKS142 | 100.0 | 95.5 | 100.0 |
| | BKS143 | 97.1 | 100.0 | 96.6 |
| | BKS144 | 91.3 | 95.7 | 95.7 |
| 14 Total | | 96.2 | 96.7 | 96.7 |
| 15 | BKS151 | 100.0 | 100.0 | 100.0 |
| | BKS152 | 100.0 | 100.0 | 95.0 |
| | BKS153 | 94.4 | 93.8 | 78.6 |
| | BKS154 | 100.0 | 100.0 | 88.2 |
| | BKS155 | 94.7 | 100.0 | 100.0 |
| 15 Total | | 97.9 | 98.4 | 90.2 |
| 16 | Unspecified | 77.6 | 89.4 | 77.9 |
| 16 Total | | 77.6 | 89.4 | 77.9 |
| 17 | BKN171 | 100.0 | 100.0 | 88.9 |
| | BKN172 | 100.0 | 100.0 | 81.3 |
| | BKN173 | 83.3 | 100.0 | 94.7 |
| | BKN174 | 100.0 | 94.7 | 94.7 |
| | BKN175 | 100.0 | 100.0 | 84.2 |
| 17 Total | | 95.3 | 99.4 | 88.8 |
| 18 | BKS181 | | 100.0 | 100.0 |
| | BKS182 | | 100.0 | 100.0 |
| | BKS183 | | 81.8 | 90.9 |
| | BKS184 | | 100.0 | 100.0 |
| | BKS185 | | 100.0 | 70.0 |
| | BKS186 | | 81.8 | 80.0 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|--|----------------------------------|
| 18 | BKS187 | | 100.0 | 100.0 |
| 18 Total | | | 95.9 | 93.2 |
| Borough Total | | 95.8 | 96.4 | 92.6 |

Queens

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 1 | QW011 | 92.9 | 100.0 | 100.0 |
| | QW012 | 100.0 | 100.0 | 100.0 |
| | QW013 | 100.0 | 100.0 | 100.0 |
| | QW014 | 94.4 | 100.0 | 100.0 |
| | QW015 | 91.7 | 100.0 | 100.0 |
| | QW016 | 80.0 | 100.0 | 93.8 |
| 1 Total | | 93.1 | 100.0 | 98.9 |
| 2 | QW021 | 100.0 | 100.0 | 92.6 |
| | QW022 | 97.6 | 94.1 | 97.1 |
| | QW023 | 96.7 | 97.1 | 89.7 |
| 2 Total | | 97.9 | 97.1 | 92.6 |
| 3 | QW031 | 97.1 | 94.3 | 92.6 |
| | QW032 | 100.0 | 100.0 | 100.0 |
| | QW033 | 100.0 | 94.6 | 97.2 |
| 3 Total | | 98.4 | 95.6 | 95.2 |
| 4 | QW041 | 97.6 | 97.5 | 93.5 |
| | QW042 | 97.4 | 100.0 | 100.0 |
| | QW043 | 100.0 | 100.0 | 100.0 |
| 4 Total | | 98.4 | 99.0 | 97.5 |
| 5 | QW051 | 100.0 | 100.0 | 100.0 |
| | QW052 | 100.0 | 95.8 | 96.0 |
| | QW053 | 85.7 | 100.0 | 100.0 |
| | QW054 | 100.0 | 100.0 | 100.0 |
| | QW055 | 100.0 | 100.0 | 100.0 |
| 5 Total | | 98.7 | 99.6 | 99.6 |
| 6 | QW061 | 95.9 | 95.8 | 100.0 |
| | QW062 | 100.0 | 100.0 | 100.0 |
| 6 Total | | 98.5 | 98.5 | 100.0 |
| 7 | QE071 | 100.0 | 100.0 | 94.4 |
| | QE072 | 100.0 | 100.0 | 100.0 |
| | QE073 | 100.0 | 100.0 | 100.0 |
| | QE074 | 100.0 | 100.0 | 100.0 |
| | QE075 | 88.9 | 100.0 | 100.0 |
| | QE076 | 100.0 | 100.0 | 100.0 |
| | QE077 | 100.0 | 100.0 | 100.0 |
| | QE078 | 100.0 | 100.0 | 100.0 |
| 7 Total | | 98.3 | 100.0 | 99.4 |
| 8 | QE081 | 100.0 | 100.0 | |
| | QE082 | 100.0 | 100.0 | |
| | QE083 | 92.3 | 100.0 | |
| | QE084 | 100.0 | 100.0 | |
| 8 Total | | 97.8 | 100.0 | |
| 9 | QW091 | 100.0 | 100.0 | 100.0 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|--|----------------------------------|
| 9 | QW092 | 100.0 | 100.0 | 100.0 |
| | QW093 | 100.0 | 100.0 | 100.0 |
| | QW094 | 100.0 | 100.0 | 95.2 |
| 9 Total | | 100.0 | 100.0 | 98.2 |
| 10 | QE101 | 100.0 | 89.5 | 100.0 |
| | QE102 | 100.0 | 100.0 | 94.4 |
| | QE103 | 100.0 | 86.7 | 100.0 |
| | QE104 | 100.0 | 100.0 | 100.0 |
| 10 Total | | 100.0 | 93.3 | 98.9 |
| 11 | QE111 | 100.0 | 100.0 | 100.0 |
| | QE112 | 100.0 | 100.0 | 100.0 |
| | QE113 | 100.0 | 100.0 | 100.0 |
| | QE114 | 100.0 | 100.0 | 100.0 |
| | QE115 | 100.0 | 100.0 | 100.0 |
| | QE116 | 100.0 | 100.0 | 100.0 |
| 11 Total | | 100.0 | 100.0 | 100.0 |
| 12 | QE121 | 85.2 | 100.0 | 84.0 |
| | QE122 | 100.0 | 100.0 | 84.6 |
| | QE123 | 100.0 | 100.0 | 80.0 |
| | QE124 | 100.0 | 100.0 | 86.7 |
| | QE125 | 85.7 | 100.0 | 90.0 |
| | QE126 | 90.9 | 100.0 | 100.0 |
| | QE127 | 92.9 | 100.0 | 100.0 |
| 12 Total | | 93.3 | 100.0 | 90.4 |
| 13 | QE131 | 100.0 | 100.0 | 100.0 |
| | QE132 | 100.0 | 100.0 | 100.0 |
| | QE133 | 100.0 | 90.0 | 100.0 |
| | QE134 | 100.0 | 90.0 | 100.0 |
| | QE135 | 100.0 | 80.0 | 100.0 |
| | QE136 | 100.0 | 100.0 | 100.0 |
| | QE137 | 100.0 | 100.0 | 100.0 |
| | QE138 | 100.0 | 81.8 | 80.0 |
| 13 Total | | 100.0 | 92.6 | 96.4 |
| 14 | QE141 | 100.0 | 100.0 | 100.0 |
| | QE142 | 92.0 | 91.3 | 95.5 |
| | QE143 | 96.0 | 100.0 | 76.9 |
| 14 Total | | 94.5 | 95.1 | 91.7 |
| Borough Total | | 97.8 | 97.8 | 96.8 |

Staten Island

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|-----------------|------------------|------------------------|--|----------------------------------|
| 1 | SI011 | | 100.0 | 88.9 |
| | SI012 | | 100.0 | 94.1 |
| | SI013 | | 100.0 | 100.0 |
| | SI014 | | 100.0 | 100.0 |
| 1 Total | | | 100.0 | 96.1 |
| 2 | SI021 | | 100.0 | 93.3 |
| | SI022 | | 100.0 | 100.0 |
| | SI023 | | 100.0 | 100.0 |

| Community Board | Cleaning Section | Acceptable Sidewalks % | Acceptable Sidewalk % - Previous Month | Acceptable Sidewalk % - Year Ago |
|----------------------|------------------|------------------------|--|----------------------------------|
| 2 | SI024 | | 100.0 | 100.0 |
| 2 Total | | | 100.0 | 98.7 |
| 3 | SI031 | | 100.0 | 100.0 |
| | SI032 | | 92.3 | 100.0 |
| | SI033 | | 100.0 | 87.5 |
| | SI034 | | 100.0 | 100.0 |
| | SI035 | | 100.0 | 100.0 |
| | SI036 | | 100.0 | 100.0 |
| | SI037 | | 100.0 | 100.0 |
| | SI038 | | 100.0 | 100.0 |
| 3 Total | | | 99.3 | 98.8 |
| Borough Total | | | 99.8 | 97.9 |