

307 Kent Avenue

Final Environmental Impact Statement (FEIS)

CEQR No.: 20DCP100K

ULURP Nos.: C200306ZMK
N200307ZRK

Lead Agency:

City Planning Commission, City of New York
Marisa Lago, Chair

Lead Agency Contact:

Stephanie Shellooe
Deputy Director, Environmental Assessment and Review Division
New York City Department of City Planning
120 Broadway, 31st Floor
New York, NY 10271

Prepared by:

AKRF, Inc.

307 Kent Avenue
FINAL ENVIRONMENTAL IMPACT STATEMENT (FEIS)

Project Location:	Community District 1, Borough of Brooklyn
CEQR No.	20DCP100K
Type of Action:	Unlisted
ULURP Nos.	C200306ZMK N200307ZRK
Lead Agency:	City Planning Commission, City of New York Marisa Lago, Chair
Lead Agency Contact:	Stephanie Shellooe Deputy Director New York City Department of City Planning 120 Broadway, 31st Floor New York, NY 10271
Project Applicants:	307 Kent Associates
Prepared by:	AKRF, Inc.
Acceptance Date:	August 2021

The FEIS is available on the website of the New York City Department of City Planning:
<http://www1.nyc.gov/site/planning/applicants/eis-documents.page>

Table of Contents

Executive Summary	S-1
Chapter 1: Project Description	1-1
A. Introduction	1-1
B. Area Affected by the Proposed Actions	1-2
C. Proposed Actions	1-2
D. Purpose and Need for the Proposed Actions	1-4
E. Description of the Proposed Project	1-4
F. Analysis Framework	1-5
Reasonable Worst Case Development Scenario	1-5
G. Environmental Review Process	1-9
Uniform Land Use Review Procedure (ULURP)	1-9
New York City Environmental Quality Review	1-9
Chapter 2: Land Use, Zoning, and Public Policy	2-1
A. Introduction	2-1
Principal Conclusions	2-1
B. Methodology	2-1
C. Existing Conditions	2-2
Land Use	2-2
Zoning	2-4
Public Policy	2-8
D. The Future without the Proposed Actions	2-9
Land Use	2-9
Zoning and Public Policy	2-10
E. The Future with the Proposed Actions	2-11
Land Use	2-11
Zoning	2-12
Public Policy	2-13
Chapter 3: Open Space	3-1
A. Introduction	3-1
B. Principal Conclusions	3-1
C. Methodology	3-2
Direct Effects	3-2
Indirect Effects	3-2
Study Area	3-2
Study Area Population	3-3
Inventory of Open Space Resources	3-3
Adequacy of Open Space Resources	3-4

- D. Existing Conditions 3-4
 - Study Area Non-Residential Population..... 3-4
 - Study Area Open Space Resources..... 3-5
 - Adequacy of Open Space Resources 3-6
- E. The Future without the Proposed Actions 3-7
 - Study Area Non-Residential Population..... 3-7
 - Study Area Open Space Resources..... 3-9
 - Adequacy of Open Space Resources 3-9
- F. The Future with the Proposed Actions 3-9
 - Direct Effects 3-9
 - Study Area Non-Residential Population..... 3-10
 - Study Area Open Space Resources..... 3-10
 - Adequacy of Open Space Resources 3-10
- Chapter 4: Hazardous Materials 4-1**
 - A. Introduction 4-1
 - Principal Conclusions 4-1
 - B. Existing Conditions 4-2
 - Subsurface Conditions..... 4-2
 - Phase I ESA, April 2019..... 4-2
 - Subsurface (Phase II) Investigation, February 2021 4-3
 - C. Future without the Proposed Actions 4-4
 - D. Future with the Proposed Actions 4-4
 - E. Conclusion..... 4-6
- Chapter 5: Transportation 5-1**
 - A. Introduction 5-1
 - Project Description 5-1
 - Principal Conclusions 5-2
 - B. Preliminary Analysis Methodology and Screening Assessment 5-4
 - Level 1 Screening Assessment 5-4
 - Level 2 Screening Assessment 5-9
 - C. Transportation Analysis Methodologies..... 5-15
 - Traffic Operations..... 5-15
 - Transit Operations 5-17
 - Pedestrian Operations 5-18
 - Vehicular and Pedestrian Safety Evaluation..... 5-21
 - Parking Conditions Assessment 5-21
 - D. Detailed Traffic Analysis..... 5-22
 - Existing Conditions 5-22
 - Future without the Proposed Actions..... 5-25
 - Future with the Proposed Actions..... 5-32
 - E. Detailed Transit Analysis 5-36
 - Existing Conditions 5-36
 - Future without the Proposed Actions..... 5-37
 - Future with the Proposed Actions..... 5-38
 - F. Detailed Pedestrian Analysis 5-39
 - Existing Conditions 5-39

Future without the Proposed Actions	5-41
Future with the Proposed Actions	5-44
G. Vehicular and Pedestrian Safety Evaluation	5-46
Bedford Avenue and Metropolitan Avenue	5-48
H. Parking Assessment	5-48
Existing Conditions	5-48
Future without the Proposed Actions	5-49
Future with the Proposed Actions	5-50
Chapter 6: Air Quality	6-1
A. Introduction	6-1
Principal Conclusions.....	6-2
B. Pollutants for Analysis	6-2
Carbon Monoxide.....	6-2
Nitrogen Oxides, VOCs, and Ozone	6-3
Lead.....	6-3
Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	6-3
Sulfur Dioxide.....	6-4
Air Toxics.....	6-4
C. Air Quality Regulations, Standards, and Benchmarks	6-5
National and State Air Quality Standards	6-5
NAAQS Attainment Status and State Implementation Plans.....	6-5
Determining the Significance of Air Quality Impacts.....	6-7
D. Methodology for Predicting Pollutant Concentrations.....	6-9
Mobile Sources.....	6-9
Stationary Sources.....	6-13
E. Existing Conditions.....	6-23
F. The Future without the Proposed Project.....	6-23
Mobile Sources.....	6-23
Stationary Sources.....	6-24
G. The Future with the Proposed Project.....	6-24
Mobile Sources.....	6-24
Stationary Sources.....	6-25
Chapter 7: Noise.....	7-1
A. Introduction.....	7-1
Principal Conclusions.....	7-1
B. Acoustical Fundamentals	7-2
A-Weighted Sound Level (dBA).....	7-2
Noise Descriptors Used in Impact Assessment	7-3
C. Noise Standards and Criteria.....	7-4
New York CEQR Technical Manual Noise Standards.....	7-4
D. Existing Noise Levels	7-5
Selection of Noise Receptor Locations	7-5
Noise Monitoring	7-5
Existing Noise Levels at Noise Receptor Locations	7-6
E. Noise Prediction Methodology	7-6
General Methodology.....	7-6

F. The Future without the Proposed Actions	7-7
G. The Future with the Proposed Actions	7-8
H. Noise Attenuation Measures.....	7-8
I. Mechanical Equipment.....	7-10
Chapter 8: Public Health.....	8-1
Chapter 9: Neighborhood Character	9-1
Principal Conclusions	9-2
A. Methodology.....	9-2
B. Preliminary Assessment	9-3
Defining Features.....	9-3
Assessment of the Potential to Affect the Defining Features of the Neighborhood	9-4
Chapter 10: Alternatives.....	10-1
A. Introduction	10-1
Principal Conclusions	10-2
B. No Action Alternative	10-2
Alternative Identification.....	10-2
Land Use, Zoning, and Public Policy	10-2
Socioeconomic Conditions	10-3
Community Facilities and Services	10-4
Open Space	10-4
Shadows.....	10-4
Historic and Cultural Resources	10-4
Urban Design and Visual Resources	10-5
Natural Resources.....	10-5
Hazardous Materials	10-5
Water and Sewer Infrastructure	10-5
Solid Waste and Sanitation Services	10-5
Energy.....	10-6
Transportation.....	10-6
Air Quality.....	10-6
Greenhouse Gases and Climate Change	10-7
Noise.....	10-7
Neighborhood Character.....	10-8
Construction.....	10-8
Public Health	10-8
C. No Unmitigated Significant Adverse Impact Alternative.....	10-8
Alternative Identification.....	10-8
Transportation.....	10-9
Chapter 11: Mitigation	11-1
A. Introduction	11-1
Principal Conclusions	11-1
B. Transportation.....	11-3
Traffic	11-3
Transit.....	11-11

Pedestrians..... 11-11

Chapter 12: Growth-Inducing Aspects of the Proposed Actions..... 12-1

 A. Introduction..... 12-1

 B. Assessment..... 12-1

Chapter 13: Irreversible and Irretrievable Commitment of Resources 13-1

 A. Introduction..... 13-1

 B. Assessment..... 13-1

Chapter 14: Unavoidable Adverse Impacts..... 14-1

 A. Introduction..... 14-1

 B. Transportation 14-1

Chapter 15: Response to Comments on the DEIS 15-1

APPENDICES

- Appendix A Waterfront Revitalization Program Consistency Assessment
- Appendix B DEP Correspondence and Phase I ESA
- Appendix C TDF Memo
- Appendix D Written Comments Received on the Draft Environmental Impact Statement

List of Tables

1-1 Reasonable Worst Case Development Scenario.....	1-6
2-1 Existing Land Uses within the Study Area.....	2-4
2-2 Zoning Districts Located in the Study Area	2-5
2-3 No Build Projects.....	2-10
3-1 Existing Non-Residential Population within the Study Area	3-4
3-2 Inventory of Publicly Accessible Open Space in the Non-Residential Study Area	3-5
3-3 Existing Conditions: Adequacy of Open Space Resources	3-7
3-4 No Build Projects in the Open Space Study Area	3-8
3-5 No Action Condition: Adequacy of Open Space Resources	3-9
3-6 With Action Condition: Adequacy of Open Space Resources	3-10
3-7 Passive Open Space Ratios Summary	3-10
5-1 Comparison of Projected Development Sites No Action and With Action Conditions	5-2
5-2 Summary of Significant Adverse Traffic Impacts 2023 With Action Condition	5-2
5-3 Summary of Significant Adverse Pedestrian Impacts 2023 With Action Condition.....	5-3
5-4 Summary of High Crash Locations	5-4
5-5 Travel Demand Assumptions	5-5
5-6 Trip Generation: No Action Condition.....	5-6
5-7 Trip Generation: With Action Condition.....	5-7
5-8 Trip Generation Summary: Net Incremental Trips.....	5-8
5-9 Existing Off-Street Parking—Approximately ¼-Mile Weekday Utilization	5-9
5-10 Traffic Level 2 Screening Analysis Results	5-11
5-11 Pedestrian Level 2 Screening Analysis Results.....	5-13
5-12 Level of Service Criteria for Signalized Intersections.....	5-16
5-13 Level of Service Criteria for Unsignalized Intersections.....	5-17
5-14 Level of Service Criteria for Pedestrian Elements.....	5-19
5-15 Significant Impact Guidance for Sidewalks	5-20
5-16 Significant Impact Guidance for Corners and Crosswalks.....	5-21
5-17 Summary of 2019 Existing Traffic Analysis Results	5-23

307 Kent Avenue

5-18 2019 Existing Conditions Level of Service Analysis Signalized Intersections 5-24

5-19 2019 Existing Conditions Level of Service Analysis Unsignalized Intersections 5-25

5-20 No Build Projects Expected to Be Complete By 2023 5-26

5-21 Summary of 2023 No Action Traffic Analysis Results 5-30

5-22 2019 Existing and 2023 No Action Conditions Level of Service Analysis Signalized Intersections 5-31

5-23 2019 Existing and 2023 No Action Conditions Level of Service Analysis Unsignalized Intersections 5-31

5-24 Summary of 2023 With Action Traffic Analysis Results 5-33

5-25 2023 No Action and With Action Conditions Level of Service Analysis Signalized Intersections 5-34

5-26 2023 No Action and With Action Conditions Level of Service Analysis Unsignalized Intersections 5-34

5-27 2018 Existing Conditions Bus Line-Haul Analysis B32, B62 5-37

5-28 2023 No Action Condition Bus Line-Haul Analysis B32, B62 5-38

5-29 2023 With Action Condition Bus Line-Haul Analysis B32, B62 5-39

5-30 Summary of 2019 Existing Pedestrian Analysis Results 5-40

5-31 2019 Existing Conditions: Sidewalk Analysis 5-40

5-32 2019 Existing Conditions: Corner Analysis 5-41

5-33 2019 Existing Conditions: Crosswalk Analysis 5-41

5-34 Summary of 2023 No Action Pedestrian Analysis Results 5-42

5-35 2023 No Action Condition: Sidewalk Analysis 5-43

5-36 2023 No Action Condition: Corner Analysis 5-43

5-37 2023 No Action Condition: Crosswalk Analysis 5-44

5-38 Summary of 2023 With Action Pedestrian Analysis Results 5-45

5-39 2023 With Action Condition: Sidewalk Analysis 5-45

5-40 2023 With Action Condition: Corner Analysis 5-46

5-41 2023 With Action Condition: Crosswalk Analysis 5-46

5-43 Vehicle and Pedestrian Crash Details 5-47

5-44 On-Street Parking Regulations 5-48

5-45 2017 Existing and 2023 No Action Parking Supply and Utilization 5-49

5-46 Projected Development Sites—Weekday Parking Demand 5-50

5-47 2023 No Action and With Action Parking Supply and Utilization 5-51

6-1 National Ambient Air Quality Standards (NAAQS) 6-6

6-2 Industrial Source Analysis: Relevant NYSDEC Air Guideline Concentrations	6-9
6-3 Maximum Background Pollutant Concentration for Mobile Source Analysis.....	6-12
6-4 Exhaust Stack Parameters and Emission Rates	6-15
6-5 Maximum Background Pollutant Concentrations	6-16
6-6 Modeled Emission Rates of Existing Industrial Sources.....	6-17
6-7 Representative Industrial Source Permits Modeled for Proposed On-Site Industrial Uses	6-19
6-8 Stack Parameters and Emission Rates from NYPA North 1st Street Facility	6-22
6-9 Representative Monitored Ambient Air Quality Data.....	6-23
6-10 Maximum Predicted 24-Hour Average PM ₁₀ No Action Concentrations (µg/m ³).....	6-24
6-11 Maximum Predicted 24-Hour Average PM ₁₀ With Action Concentration (µg/m ³)	6-24
6-12 Maximum Predicted 24-Hour Average PM _{2.5} With Action and Incremental Concentration (µg/m ³).....	6-25
6-13 Maximum Predicted Annual Average PM _{2.5} With Action Incremental Concentration (µg/m ³).....	6-25
6-14 Maximum Modeled Pollutant Concentrations on Projected Development Sites (µg/m ³)	6-26
6-15 Maximum Modeled Pollutant Concentrations on Existing Buildings (µg/m ³).....	6-26
6-16 Maximum Predicted 24-Hour Average Pollutant Concentrations from Industrial Sources on the Proposed Project (µg/m ³).....	6-27
6-17 Maximum Predicted Annual Average Pollutant Concentrations from Industrial Sources on the Proposed Project (µg/m ³).....	6-27
6-18 Maximum Predicted Pollutant Concentrations from Processes at Projected Development Site 1 (µg/m ³).....	6-28
6-19 Maximum Modeled Pollutant Concentrations on the Proposed Project (µg/m ³)—N 1st Street Plant	6-29
7-1 Common Noise Levels	7-3
7-2 Noise Exposure Guidelines for Use in City Environmental Impact Review.....	7-4
7-3 Required Attenuation Values to Achieve Acceptable Interior Noise Levels	7-5
7-4 Noise Receptor Locations.....	7-5
7-5 Existing Noise Levels in dBA	7-6
7-6 2023 No Action Condition Noise Levels in dBA.....	7-8
7-7 2023 With Action Condition Noise Levels in dBA.....	7-8
7-8 CEQR Building Attenuation Requirements.....	7-9
11-1 Summary of Significant Adverse Traffic Impacts.....	11-2
11-2 Recommended Mitigation Measures Weekday AM Peak Hour.....	11-4
11-3 Recommended Mitigation Measures Weekday Midday Peak Hour.....	11-4

307 Kent Avenue

11-4 Recommended Mitigation Measures Weekday PM Peak Hour..... 11-5

11-5 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday AM Peak Hour—Signalized Intersections 11-6

11-6 2023 No Action, With Action and Mitigation Conditions Level of Service Analysis Weekday
AM Peak Hour—Unsignalized Intersections 11-6

11-7 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday Midday Peak Hour—Signalized Intersections 11-7

11-8 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday Midday Peak Hour—Unsignalized Intersections 11-7

11-9 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday PM Peak Hour—Signalized Intersections 11-8

11-10 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday PM Peak Hour—Unsignalized Intersections..... 11-9

11-11 2023 Mitigated With Action Condition Bus Line-Haul Analysis..... 11-11

11-12 2023 No Action, With Action, and Mitigation Conditions Pedestrian Level of Service
Analysis..... 11-12

List of Figures

Following page:

S-1	Project Location	S-1
S-2	Proposed Zoning	S-1
S-3	Tax Map	S-2
S-4	Proposed Project Ground Floor Plan	S-5
S-5	Proposed Project Section	S-5
S-6	Illustrative Rendering of With Action Condition Kent Avenue	S-5
S-7	Illustrative Rendering of the With Action Condition: Kent Avenue & South 3rd Street	S-5
1-1	Project Location	1-1
1-2	Proposed Zoning	1-1
1-3	Tax Map	1-2
1-4	Proposed Project Ground Floor Plan	1-5
1-5	Proposed Project Section	1-5
1-6	Illustrative Rendering of With Action Condition Kent Avenue	1-5
1-7	Illustrative Rendering of the With Action Condition: Kent Avenue & South 3rd Street	1-5
2-1	Existing Land Use	2-2
2-2	Existing Zoning	2-4
2-3	NYC Coastal Zone Boundary	2-8
2-4	No Build Projects	2-10
2-5	Proposed Zoning	2-12
3-1	Open Space Study Area and Resources	3-3
3-2	No Build Projects in the Open Space Study Area	3-8
5-1	Project Location	5-1
5-2	Transit Study Area	5-8
5-3	Off-Street Parking Facilities	5-9
5-4	No Action Project Generated Vehicle Trips: Weekday AM Peak Hour	5-10
5-5	No Action Project Generated Vehicle Trips: Weekday Midday Peak Hour	5-10
5-6	No Action Project Generated Vehicle Trips: Weekday PM Peak Hour	5-10
5-7	With Action Project Generated Vehicle Trips: Weekday AM Peak Hour	5-10

307 Kent Avenue

5-8 With Action Project Generated Vehicle Trips: Weekday Midday Peak Hour 5-10

5-9 With Action Project Generated Vehicle Trips: Weekday PM Peak Hour..... 5-10

5-10 With Action Incremental Vehicle Trips: Weekday AM Peak Hour..... 5-10

5-11 With Action Incremental Vehicle Trips: Weekday Midday Peak Hour..... 5-10

5-12 With Action Incremental Vehicle Trips: Weekday PM Peak Hour 5-10

5-13 Traffic Analysis Locations 5-10

5-14 No Action Project Generated Pedestrian Trips: Weekday AM Peak Hour..... 5-12

5-15 No Action Project Generated Pedestrian Trips: Weekday Midday Peak Hour..... 5-12

5-16 No Action Project Generated Pedestrian Trips: Weekday PM Peak Hour..... 5-12

5-17 With Action Project Generated Pedestrian Trips: Weekday AM Peak Hour..... 5-12

5-18 With Action Project Generated Pedestrian Trips: Weekday Midday Peak Hour..... 5-12

5-19 With Action Project Generated Pedestrian Trips: Weekday PM Peak Hour 5-12

5-20 With Action Incremental Pedestrian Trips: Weekday AM Peak Hour 5-12

5-21 With Action Incremental Pedestrian Trips: Weekday Midday Peak Hour 5-12

5-22 With Action Incremental Pedestrian Trips: Weekday PM Peak Hour 5-12

5-23 Pedestrian Analysis Locations 5-12

5-24 2019 Existing Traffic Volumes: Weekday AM Peak Hour..... 5-23

5-25 2019 Existing Traffic Volumes: Weekday Midday Peak Hour..... 5-23

5-26 2019 Existing Traffic Volumes: Weekday PM Peak Hour 5-23

5-27 2023 No Build Projects 5-25

5-28 2023 No Action Traffic Volumes: Weekday AM Peak Hour 5-29

5-29 2023 No Action Traffic Volumes: Weekday Midday Peak Hour 5-29

5-30 2023 No Action Traffic Volumes: Weekday PM Peak Hour..... 5-29

5-31 2023 With Action Traffic Volumes: Weekday AM Peak Hour 5-33

5-32 2023 With Action Traffic Volumes: Weekday Midday Peak Hour 5-33

5-33 2023 With Action Traffic Volumes: Weekday PM Peak Hour..... 5-33

5-34 2019 Existing Pedestrian Volumes: Weekday AM Peak Hour 5-39

5-35 2019 Existing Pedestrian Volumes: Weekday Midday Peak Hour 5-39

5-36 2019 Existing Pedestrian Volumes: Weekday PM Peak Hour..... 5-39

5-37 2023 No Action Pedestrian Volumes: Weekday AM Peak Hour..... 5-41

5-38 2023 No Action Pedestrian Volumes: Weekday Midday Peak Hour..... 5-41

5-39 2023 No Action Pedestrian Volumes: Weekday PM Peak Hour 5-41

5-40 2023 With Action Pedestrian Volumes: Weekday AM Peak Hour 5-44

List of Figures

5-41 2023 With Action Pedestrian Volumes: Weekday Midday Peak Hour 5-44
5-42 2023 With Action Pedestrian Volumes: Weekday PM Peak Hour..... 5-44
5-43 On Street Parking Regulations..... 5-48
7-1 Noise Receptor Locations 7-5

*