

606 WEST 57TH STREET

Final Environmental Impact Statement

CEQR No.13DCP080M

Lead Agency:
City Planning Commission, City of New York
Carl Weisbrod, Chair

March 2014

606 WEST 57TH STREET
FINAL ENVIRONMENTAL IMPACT STATEMENT (FEIS)

Project Location: Community District 4
Borough of Manhattan

CEQR No: 13DCP080M

Type of Action: Type I

ULURP Nos.: 130336ZMM 130339ZSM
130337ZRM N130340ZAM

Lead Agency: City Planning Commission, City of New York

Lead Agency Contact: Robert Dobruskin, Director
Department of City Planning—Environmental Assessment and Review Division

Applicant: 606 W. 57 LLC

Prepared by: AKRF, Inc.
440 Park Avenue South, 7th Floor
New York, NY 10016

Date: March 7, 2014

The FEIS is available for review on the website of the Department of City Planning:
<http://www.nyc.gov/dcp>

Table of Contents

Foreword	F-1
Executive Summary	S-1
1: Project Description	1-1
A. Project Identification	1-1
B. Project Description.....	1-2
Existing Conditions On the Project Block	1-2
Reasonable Worst-Case Development Scenario 1	1-3
Reasonable Worst-Case Development Scenario 2	1-4
Proposed Actions.....	1-5
C. Project Purpose and Need	1-7
D. Analysis Framework for Environmental Review	1-8
The Future Without the Proposed Actions	1-9
The Future With the Proposed Actions	1-9
E. Land Use and Environmental Review.....	1-11
Uniform Land Use Review Procedure	1-11
Environmental Review	1-11
2: Land Use, Zoning, and Public Policy	2-1
A. Introduction	2-1
Principal Conclusions.....	2-2
B. Methodology	2-2
C. Study Area Development History	2-3
D. Existing Conditions	2-3
Land Use	2-3
Zoning	2-6
Public Policy	2-10
E. The Future Without the Proposed Actions	2-13
Land Use	2-13
Zoning	2-16
Public Policy	2-16
F. Probable Impacts of the Proposed Actions	2-17
Land Use	2-17
Zoning	2-19
Public Policy	2-19
G. Waterfront Revitalization Program	2-20
Consistency of the Proposed Actions With Waterfront Revitalization Program Policies	2-20

3: Socioeconomic Conditions	3-1
A. Introduction	3-1
Principal Conclusions	3-1
B. Methodology.....	3-3
Background.....	3-3
Determining Whether A Socioeconomic Assessment Is Appropriate	3-4
Analysis Format.....	3-5
Study Area Definition.....	3-6
Data Sources	3-6
C. Preliminary Assessment	3-6
Direct Business Displacement	3-6
Indirect Residential Displacement	3-11
Indirect Business Displacement.....	3-17
Adverse Effects On Specific Industries	3-19
4: Community Facilities	4-1
A. Introduction	4-1
Principal Conclusions	4-1
B. Analysis Approach	4-2
C. Preliminary Screening	4-3
Direct Effects	4-3
Indirect Effects.....	4-3
D. Public Elementary and Intermediate Schools	4-5
Methodology.....	4-5
Existing Conditions	4-6
The Future Without the Proposed Actions	4-7
Probable Impacts of the Proposed Actions	4-9
E. Indirect Effects On Public Libraries	4-10
Methodology.....	4-10
Existing Conditions	4-10
The Future Without the Proposed Actions	4-11
Probable Impacts of the Proposed Actions	4-12
F. Indirect Effects On Child Care Centers	4-13
Methodology.....	4-13
Existing Conditions	4-14
The Future Without the Proposed Actions	4-14
Probable Impacts of the Proposed Actions	4-15
5: Open Space	5-1
A. Introduction	5-1
Principal Conclusions	5-1
B. Methodology.....	5-2
Study Area	5-2
Open Space User Populations.....	5-3
Inventory of Open Space Resources	5-3
Adequacy of Open Space Resources	5-4
C. Existing Conditions	5-5
Study Area Population	5-5

Study Area Open Space Resources	5-5
Adequacy of Open Space Resources.....	5-6
D. The Future Without the Proposed Actions	5-8
Study Area Population	5-8
Study Area Open Space Resources	5-9
Adequacy of Open Space Resources.....	5-10
E. Probable Impacts of the Proposed Actions	5-11
Study Area Population	5-11
Study Area Open Space Resources	5-11
Adequacy of Open Space Resources.....	5-11
F. Conclusion	5-13
6: Shadows.....	6-1
A. Introduction.....	6-1
Principal Conclusions.....	6-1
B. Definitions and Methodology	6-2
Definitions.....	6-2
Methodology	6-2
C. Preliminary Assessment.....	6-4
Tier 1 Screening Assessment	6-4
Tier 2 Screening Assessment	6-4
Tier 3 Screening Assessment	6-4
D. Detailed Analysis	6-6
Natural Resources of Concern.....	6-7
Open Space Resources of Concern	6-7
E. Conclusion	6-8
7: Historic and Cultural Resources	7-1
A. Introduction.....	7-1
Principal Conclusions.....	7-1
Methodology	7-2
B. Existing Conditions.....	7-3
Development Site 1	7-3
Remainder of Rezoning Area.....	7-3
Study Area.....	7-4
C. The Future Without the Proposed Actions	7-4
D. The Future With the Proposed Actions	7-5
Development Site 1	7-5
Remainder of Rezoning Area.....	7-5
Study Area.....	7-5
8: Urban Design and Visual Resources	8-1
A. Introduction.....	8-1
Principal Conclusions.....	8-1
B. Methodology	8-1
Approach	8-1
Study Area.....	8-3
C. Preliminary Assessment.....	8-3

Existing Conditions	8-3
The Future Without the Proposed Actions	8-9
Probable Impacts of the Proposed Actions	8-10
9: Hazardous Materials	9-1
A. Introduction	9-1
B. Principal Conclusions	9-1
C. Existing Conditions	9-2
Subsurface Conditions	9-2
Hazardous Materials Assessment	9-3
D. The Future Without the Proposed Project	9-4
E. The Future With the Proposed Project.....	9-5
Development Site 1.....	9-6
Development Site 2.....	9-8
10: Water and Sewer Infrastructure	10-1
A. Introduction	10-1
Principal Conclusions	10-1
B. Methodology.....	10-2
C. Existing Conditions	10-3
Sewer System	10-3
D. The Future Without the Proposed Actions	10-4
E. Probable Impacts of the Proposed Actions	10-4
Sewer System and WWTP Treatment Capacity Demand.....	10-4
11: Transportation	11-1
A. Introduction	11-1
Principal Conclusions	11-2
B. Preliminary Analysis Methodology.....	11-4
C. Level 1 Screening Assessment	11-5
Overview	11-5
Transportation Planning Assumptions.....	11-6
Travel Demand Projection Summary	11-8
D. Level 2 Screening Assessment	11-11
Traffic	11-11
E. Transportation Analysis Methodologies.....	11-17
Traffic Operations.....	11-17
Transit Operations	11-19
Pedestrian Operations	11-21
Vehicular and Pedestrian Safety Evaluation.....	11-23
Parking Conditions Assessment	11-23
F. Detailed Traffic Analysis.....	11-24
2013 Existing Conditions	11-24
The Future Without the Proposed Actions	11-29
Probable Impacts of the Proposed Actions	11-37
G. Transit.....	11-44
Transit Study Areas	11-44
Subway Station Analysis	11-45

Bus Line-Haul Analysis	11-54
H. Pedestrians	11-56
Existing Conditions	11-56
The Future Without the Proposed Actions	11-57
Probable Impacts of the Proposed Actions	11-57
I. Vehicular and Pedestrian Safety Evaluation	11-65
Eleventh Avenue and West 57th Street	11-66
Tenth Avenue and West 57th Street	11-67
Ninth Avenue and West 57th Street	11-69
Eighth Avenue and West 57th Street	11-69
J. Parking	11-70
2013 Existing Conditions	11-70
The Future Without the Proposed Actions	11-71
Probable Impacts of the Proposed Actions	11-72
12: Air Quality	12-1
A. Introduction	12-1
Principal Conclusions	12-2
B. Pollutants for Analysis	12-3
Carbon Monoxide	12-4
Nitrogen Oxides, VOCs, and Ozone	12-4
Lead	12-5
Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	12-5
Sulfur Dioxide	12-6
Air Toxics	12-6
C. Air Quality Standards, Regulations and Benchmarks	12-6
National and State Air Quality Standards	12-6
NAAQS Attainment Status and State Implementation Plans	12-8
Determining the Significance of Air Quality Impacts	12-9
D. Methodology for Predicting Pollutant Concentrations	12-11
Introduction	12-11
Mobile Sources	12-11
DSNY Vehicle Analysis	12-15
Stationary Sources	12-16
E. Existing Conditions	12-28
Modeled Co Concentrations for Existing Traffic Conditions	12-28
F. The Future Without the Proposed Actions	12-29
Mobile Sources	12-29
Intersection Analysis	12-29
Stationary Sources	12-29
G. Probable Impacts of the Proposed Actions	12-29
Mobile Sources	12-30
Stationary Sources	12-31
13: Greenhouse Gas Emissions	13-1
A. Introduction	13-1
Principal Conclusions	13-1
B. Pollutants of Concern	13-2

C.	Policy, Regulations, Standards, and Benchmarks for Reducing Ghg Emissions	13-3
D.	Methodology.....	13-5
	Building Operational Emissions	13-6
	Mobile Source Emissions	13-6
	Construction Emissions	13-7
	Emissions from Solid Waste Management.....	13-7
E.	Projected GHG Emissions from the Proposed Actions	13-7
	Building Operational Emissions	13-7
	Mobile Source Emissions	13-8
	Summary.....	13-8
F.	Elements of the Proposed Project That Would Reduce GHG Emissions.....	13-9
	Build Efficient Buildings.....	13-9
	Use Clean Power.....	13-10
	Transit-Oriented Development and Sustainable Transportation.....	13-10
	Reduce Construction Operation Emissions	13-10
	Use Building Materials With Low Carbon Intensity	13-10
14:	Noise	14-1
A.	Introduction	14-1
	Principal Conclusions	14-1
B.	Acoustical Fundamentals.....	14-1
	“A”-Weighted Sound Level (dBA).....	14-2
	Sound Level Descriptors.....	14-2
C.	Noise Standards and Criteria	14-3
	New York CEQR Noise Standards.....	14-3
	Impact Definition.....	14-4
D.	Existing Noise Levels.....	14-5
	Equipment Used During Noise Monitoring.....	14-5
E.	Noise Prediction Methodology	14-6
	Proportional Modeling.....	14-7
	Analysis Procedure	14-7
F.	Noise Analysis Results	14-8
	Mobile Noise Source Screening Analysis	14-8
	Building Noise Attenuation	14-8
	Building Mechanical Systems	14-10
15:	Public Health	15-1
16:	Neighborhood Character.....	16-1
A.	Introduction	16-1
	Principal Conclusions	16-2
B.	Methodology.....	16-2
	Study Area	16-3
C.	Preliminary Assessment	16-4
	Existing Conditions	16-4
	The Future Without the Proposed Actions	16-5
	Probable Impacts of the Proposed Actions	16-6

17: Construction	17-1
A. Introduction	17-1
Principal Conclusions.....	17-1
B. Governmental Coordination and Oversight	17-6
C. Construction Phasing and Schedule	17-7
D. Construction Description	17-8
General Construction Practices	17-8
Description of Construction Activities.....	17-9
E. Number of Construction Workers and Material Deliveries	17-12
F. The Future Without the Proposed Actions	17-13
G. Environmental Impacts of Project Construction Activities.....	17-13
Transportation	17-13
Air Quality.....	17-16
Noise and Vibration	17-20
Other Technical Areas.....	17-27
18: Alternatives	18-1
A. Introduction	18-1
B. No Action Alternative.....	18-2
Description	18-2
Land Use, Zoning, and Public Policy.....	18-3
Socioeconomic Conditions.....	18-3
Community Facilities	18-4
Open Space.....	18-5
Shadows	18-5
Historic and Cultural Resources.....	18-5
Urban Design and Visual Resources	18-6
Hazardous Materials.....	18-6
Water and Sewer Infrastructure.....	18-7
Transportation	18-7
Air Quality.....	18-9
Noise	18-9
Public Health.....	18-9
Neighborhood Character	18-9
Construction	18-10
C. C6-3x Reduced Density Alternatives.....	18-10
C6-3x Reduced Density Alternative.....	18-10
D. C4-7 and C6-2 Reduced Density Alternative.....	18-12
E. No Unmitigated Impact Alternative.....	18-14
F. No Unmitigated Impact Alternative.....	18-15
19: Mitigation	19-1
A. Introduction	19-1
Principal Conclusions.....	19-1
B. Community Facilities	19-2
C. Transportation	19-4
Traffic.....	19-4
Transit	19-18

Pedestrians19-19
Effects of Traffic Mitigation on Pedestrian Operations.....19-19

20: Unavoidable Adverse Impacts20-1
A. Introduction20-1
B. Community Facilities20-2
 Child Care Centers.....20-2
C. Transportation.....20-3
 Traffic Monitoring Plan20-5

21: Growth-Inducing Aspects of the Proposed Actions21-1
A. Introduction21-1

22: Irreversible and Irretrievable Commitments of Resources22-1

23: Response to Comments.....23-1
A. Introduction23-1
B. List of Organizations and Individuals Who Commented On the Draft Environmental
Impact Statement23-1
 City Planning Commissioners23-1
 Elected Officials23-1
 Community Board23-2
 Interested Individuals and Organizations23-2
C. Comments and Responses23-2
 Project Description23-2
 Land Use, Zoning, and Public Policy23-5
 Socioeconomic Conditions23-5
 Community Facilities.....23-6
 Open Space23-10
 Shadows23-11
 Urban Design and Visual Resources23-11
 Water and Sewer Infrastructure23-12
 Transportation.....23-12
 Neighborhood Character.....23-20
 General.....23-21
 Comments Not Directly Related to the DEIS23-22

Appendices

- Appendix A Proposed Zoning Text Amendment
- Appendix B Agency Correspondence
- Appendix C Development Site 2 Residential Mixed-Use Development Illustrative
Diagrams
- Appendix D Waterfront Revitalization Program Consistency Assessment Form
- Appendix E Comment on the DEIS
- Appendix F Development Site 2 Conceptual Analysis

List of Tables

S-1	RWCDs 1 and RWCDs 2—Program Summary	S-5
S-2	Summary of Existing, No Action, and With Action Assumptions for Analysis.....	S-11
S-3	Summary of Significant Adverse Traffic Impacts	S-19
S-4	Summary of Significant Adverse Pedestrian Impacts.....	S-20
1-1	RWCDs 1 and RWCDs 2—Program Summary	1-5
1-2	Summary of Existing, No Action, and With Action Assumptions for Analysis.....	1-14
2-1	Zoning Districts in the Study Area	2-7
2-2	Projects Within and Adjacent to the ¼-Mile Study Area Expected to be Complete by 2017	2-15
3-1	Estimated Employees in ½-Mile Study Area, Manhattan, and New York City	3-7
3-2	Directly Displaced Employment by Industry Sector	3-8
3-3	Average Household Income (1999, 2007-2011) ¹	3-12
3-4	Household Income Distribution (1999, 2007-2011)	3-13
3-5	2000 and 2010 Population	3-15
3-6	Estimated Population in the ½-Mile Study Area: No Action and With Action Conditions ..	3-15
4-1	Indirect Effects Analysis—Preliminary Screening Analysis Criteria.....	4-3
4-2	Public Schools Serving the Proposed Rezoning Area, Enrollment and Capacity Data, 2012–2013 School Year	4-6
4-3	Estimated Number of Students Introduced By Development in the Future Without the Proposed Actions	4-7
4-4	Future Without the Proposed Actions: Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization	4-8
4-5	Future With the Proposed Actions: Estimated Number of Students Introduced in the Study Area	4-9
4-6	Future With the Proposed Actions: Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization	4-9
4-7	Public Libraries Serving the Rezoning Area.....	4-11
4-8	Future Without the Proposed Actions: Catchment Area Population	4-12
4-9	Future With the Proposed Actions: Catchment Area Population.....	4-12
4-10	Publicly Funded Child Care Facilities Serving the Study Area.....	4-14

4-11	Future With the Proposed Actions: Estimated Public Child Care Facility Enrollment, Capacity, and Utilization	4-15
5-1	Existing Study Area Population	5-5
5-2	Existing Conditions: Open Space Resources Within the Study Area	5-7
5-3	Existing Conditions: Adequacy of Open Space Resources	5-8
5-4	Future Without the Proposed Actions: 2017 Residential Projects in the Study Area	5-9
5-5	Future Without the Proposed Actions: 2017 Additional Open Space Resources.....	5-10
5-6	Future Without the Proposed Actions: Adequacy of Open Space Resources	5-11
5-7	Probable Impacts of the Proposed Actions: Adequacy of Open Space Resources	5-12
5-8	Probable Impacts of the Proposed Actions: Open Space Ratios Summary.....	5-12
6-1	Incremental Shadow Durations	6-6
10-1	Existing Water Consumption and Sewage Generation	10-4
10-2	Existing Surface Coverage	10-4
10-3	Water Consumption and Sewage Generation Under RWCDs 2.....	10-5
10-4	Existing Surface Coverage	10-5
10-5	DEP Flow Volume Matrix: Existing and Build Volume Comparison	10-6
11-1(A)	Summary of Significant Adverse Traffic Impacts	11-2
11-1(B)	Summary of Significant Adverse Transit Impacts	11-3
11-2	Summary of Significant Adverse Pedestrian Impacts	11-3
11-3	RWCDs 2.....	11-5
11-4	Transportation Planning Assumptions	11-7
11-5	Trip Generation Summary: RWCDs 2	11-9
11-6	Trip Generation Summary: Proposed Project (RWCDs 1).....	11-10
11-7	Pedestrian Analysis Locations	11-16
11-8	LOS Criteria for Signalized Intersections	11-17
11-9	LOS Criteria for Unsignalized Intersections	11-18
11-10	LOS Criteria for Subway Station Elements	11-19
11-11	Significant Impact Guidance for Stairs and Passageways.....	11-20
11-12	Level of Service Criteria for Pedestrian Elements	11-21
11-13	Significant Impact Guidance for Sidewalks.....	11-22
11-14	Significant Impact Guidance for Corners and Crosswalks.....	11-23
11-15	2013 Existing Conditions Level of Service Analysis Signalized Intersections.....	11-26
11-16	2013 Existing Conditions Level of Service Analysis Unsignalized Intersections	11-27

11-17	Planned Projects Within or Near the Study Area By 2017	11-30
11-18	2013 Existing and 2017 No Action Conditions Level of Service Analysis Signalized Intersections	11-33
11-19	2013 Existing and 2017 No Action Conditions Level of Service Analysis Unsignalized Intersections	11-35
11-20	2017 No Action and With Action Conditions Level of Service Analysis Signalized Intersections	11-39
11-21	2017 No Action and With Action Conditions Level of Service Analysis Unsignalized Intersections	11-41
11-22	NYCT Local Bus Routes Serving the Study Area	11-45
11-23	2013 Existing Conditions Subway Stairway Analysis	11-46
11-24	2013 Existing Conditions Subway Fare Array Control Area Analysis	11-48
11-25	2017 No Action Conditions Subway Stairway Analysis	11-49
11-26	2017 No Action Conditions Subway Fare Array Control Area Analysis	11-51
11-27	2017 With Action Conditions Subway Stairway Analysis	11-52
11-28	2017 With Action Conditions Subway Fare Array Control Area Analysis	11-54
11-29	2013 Existing Conditions: Bus Line-Haul Analysis	11-55
11-30	2017 No Action Conditions: Bus Line-Haul Analysis	11-55
11-31	2017 With Action Conditions: Bus Line-Haul Analysis	11-56
11-32	2013 Existing Conditions: Sidewalk Analysis	11-58
11-33	2013 Existing Conditions: Corner Analysis	11-59
11-34	2013 Existing Conditions: Crosswalk Analysis	11-59
11-35	2017 No Action Conditions: Sidewalk Analysis	11-60
11-36	2017 No Action Conditions: Corner Analysis	11-61
11-37	2017 No Action Conditions: Crosswalk Analysis	11-62
11-38	2017 With Action Conditions: Sidewalk Analysis	11-63
11-39	2017 With Action Conditions: Corner Analysis	11-64
11-40	2017 With Action Conditions: Crosswalk Analysis	11-65
11-41	Accident Summary	11-66
11-42	Vehicle and Pedestrian Accident Details	11-68
11-43	On-Street Parking Regulations	11-70
11-44	2013 Existing Off-Street Parking - 1/4 Mile	11-71
11-45	2013 Existing and 2017 No Action Parking Supply and Utilization	11-72
11-46	Proposed Actions—Weekday Parking Demand	11-73

11-47	Proposed Actions—Saturday Parking Demand	11-73
11-48	2017 No Action and With Action Parking Supply and Utilization	11-74
12-1	National Ambient Air Quality Standards (NAAQS).....	12-7
12-2	Maximum Background Pollutant Concentrations for Mobile Source Sites ($\mu\text{g}/\text{m}^3$)..	12-13
12-3	Estimated HVAC Emissions from the Proposed Actions	12-16
12-4	Maximum Background Pollutant Concentrations for Stationary Source Analysis	12-19
12-5	Con Edison Power House Stack Parameters and Emission Rates (g/sec).....	12-25
12-6	Stack Parameters and Emissions from the Durst West 57th St Development.....	12-27
12-7	Representative Monitored Ambient Air Quality Data.....	12-28
12-8	Modeled Existing 8-Hour Average CO Concentration (2013).....	12-29
12-9	Maximum Predicted Future (2017) 8-Hour Average Carbon Monoxide No Build Concentration	12-29
12-10	Maximum Predicted Future (2017) Carbon Monoxide Build Concentration.....	12-30
12-11	Future Maximum NO ₂ and PM ₁₀ Concentrations from Development Site 2 on Development Site 1 (Project on Project) (in $\mu\text{g}/\text{m}^3$)	12-31
12-12	Future Maximum NO ₂ and PM ₁₀ Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu\text{g}/\text{m}^3$)	12-32
12-13	Future Maximum Predicted PM _{2.5} Concentrations Development Site 2 on Development Site 1 (Project on Project) (in $\mu\text{g}/\text{m}^3$)	12-32
12-14	Future Maximum Predicted PM _{2.5} Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu\text{g}/\text{m}^3$)	12-32
12-15	Maximum Predicted Impacts from Potential Automotive Showroom Service Area .	12-33
12-16	Maximum Predicted Impacts from Industrial Sources.....	12-34
12-17	Future Maximum Predicted Concentrations on the Proposed Project Site from the Consolidated Edison Power House (in $\mu\text{g}/\text{m}^3$)	12-34
12-18	Future Maximum Predicted PM _{2.5} Increments on the Proposed Project Site from the Consolidated Edison Power House (in $\mu\text{g}/\text{m}^3$)	12-35
12-19	Future Maximum Predicted Concentrations on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu\text{g}/\text{m}^3$).....	12-35
12-20	Future Maximum Predicted PM _{2.5} Increments on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu\text{g}/\text{m}^3$).....	12-36
12-21	Future Maximum Predicted Cumulative Concentrations on the Proposed Project Site (in $\mu\text{g}/\text{m}^3$)	12-36
12-22	Future Maximum Predicted Cumulative PM _{2.5} Increments on the Proposed Project Site (in $\mu\text{g}/\text{m}^3$).....	12-37

12-23	Future Maximum Predicted Concentrations from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu\text{g}/\text{m}^3$) ..	12-37
12-24	Future Maximum Predicted $\text{PM}_{2.5}$ Increments from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu\text{g}/\text{m}^3$) ..	12-38
13-1	Global Warming Potential (GWP) for Major GHGs	13-3
13-2	Annual Vehicle Miles Traveled Per Year	13-7
13-3	Annual Building Operational Emissions (RWCDS 2).....	13-8
13-4	Mobile Source Emissions (Metric Tons CO_2e).....	13-8
13-5	Summary of Annual GHG Emissions 2015 RWCDS (Metric Tons CO_2e).....	13-8
14-1	Common Noise Levels.....	14-2
14-2	Noise Exposure Guidelines for Use in City Environmental Impact Review	14-4
14-3	Required Attenuation Values to Achieve Acceptable Interior Noise Levels.....	14-4
14-4	Existing Noise Levels (in dBA).....	14-6
14-5	Noise Screening Analysis Results	14-8
14-6	CEQR Building Attenuation Requirements.....	14-9
17-1	Construction Oversight in New York City	17-7
17-2	Anticipated Construction Schedule.....	17-8
17-3	Average Number of Daily Construction Workers and Trucks By Quarter.....	17-13
17-4	Peak Construction Vehicle Trip Projections.....	17-15
17-5	Comparison of Construction and Operational Peak Vehicle Trip Generation.....	17-15
17-6	Typical Construction Equipment Noise Emission Levels (dBA)	17-23
17-7	Vibration Source Levels for Construction Equipment.....	17-26
18-1	Trip Generation Summary: RWCDS 2 and C6-3x Reduced Density Alternative	18-12
18-2	Trip Generation Summary: RWCDS 2 and C4-7 and C6-2 Reduced Density Alternative	18-14
19-1	Child Care Mitigation	19-3
19-2	Summary of Significant Adverse Traffic Impacts	19-5
19-2a	Recommended Mitigation Measures - Weekday Am Peak Hour	19-6
19-2b	Recommended Mitigation Measures - Weekday Midday Peak Hour.....	19-7
19-2c	Recommended Mitigation Measures - Weekday Pm Peak Hour.....	19-8
19-2d	Recommended Mitigation Measures - Saturday Peak Hour.....	19-9
19-3	2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday AM Peak Hour	19-10

606 West 57th Street

19-4 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday Midday Peak Hour19-11

19-5 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Weekday PM Peak Hour19-12

19-6 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis
Saturday Peak Hour.....19-14

19-7 2017 Mitigated Build Condition (Capacity Improvement) Bus Line Haul Levels19-18

19-8 2017 No Build, Build, and Mitigated Conditions Pedestrian Level of Service Crosswalk
Analysis.....19-20

20-1 Child Care Mitigation.....20-3

List of Figures

Following page:

S-1	Proposed Rezoning Area Location	S-1
S-2	Lots Within the Proposed Rezoning Area	S-1
S-3	Illustrative Rendering North Elevation.....	S-3
S-4	Illustrative Rendering South Elevation.....	S-3
S-5	Illustrative Renderings East/West Elevation.....	S-3
S-6	Illustrative Site Plan.....	S-3
S-7	Illustrative Rendering–Looking East Along West 57th Street.....	S-3
S-8	Illustrative Rendering–Looking Northwest From Twelfth Avenue.....	S-3
S-9	Existing and Proposed Zoning	S-6
1-1	Proposed Rezoning Area Location	1-1
1-2	Lots Within the Proposed Rezoning Area	1-1
1-3	Illustrative Rendering North Elevation.....	1-3
1-4	Illustrative Rendering South Elevation.....	1-3
1-5	Illustrative Renderings East/West Elevation.....	1-3
1-6	Illustrative Site Plan.....	1-3
1-7	Illustrative Rendering–Looking East Along West 57th Street.....	1-3
1-8	Illustrative Rendering–Looking Northeast From Twelfth Avenue.....	1-3
1-9	Existing and Proposed Zoning	1-6
2-1	Land Use Study Area.....	2-2
2-2	Existing Land Use.....	2-4
2-3	Existing Zoning.....	2-6
2-4	2017 No Build Projects.....	2-13
2-5	Proposed Coastal Zone	2-16
3-1	Socioeconomic Study Area.....	3-6
4-1	Elementary and Intermediate Public Schools	4-5
4-2	Public Libraries.....	4-10
4-3	Publicly Funded Child Care Centers.....	4-14

606 West 57th Street

5-1	Open Space Study Area.....	5-3
5-2	Study Area Open Space Resources	5-5
5-3	2017 Residential Projects in the Study Area	5-8
5-4	2017 Additional Open Space Resources	5-9
6-1	Tier 1 & Tier 2 Screening Assessment.....	6-4
6-2	Tier 3 Screening Assessment	6-5
6-3	Three-Dimensional Computer Model	6-6
6-4	Detailed Analysis March 21/September 21	6-6
6-5	Detailed Analysis May 6/August 6	6-6
6-6	Detailed Analysis June 21	6-6
6-7	Detailed Analysis December 21	6-6
6-8	Detailed Analysis March 21/September 21	6-6
6-9	Detailed Analysis May 6 / August 6	6-6
6-10	Detailed Analysis June 21	6-6
6-11	Detailed Analysis December 21	6-6
7-1	Architectural Resources	7-2
7-2	Consolidated Edison Power House –Known Architectural Resource in Study Area.....	7-4
8-1	Urban Design and Visual Resources Study Area	8-3
8-2	Project Block Aerial Photograph.....	8-3
8-3	Views of the Project Site and the Rezoning Area	8-3
8-4	Views of the Project Site and Study Area	8-3
8-5	Views of the Project Block.....	8-4
8-6	Views of the Study Area	8-4
8-7	Views of the Study Area	8-4
8-8	Views of the Study Area	8-4
8-9	Views of the Study Area	8-4
8-10	Views of the Study Area	8-4
8-11	Illustrative Site Plan	8-10
8-12	Illustrative Rendering North Elevation	8-10
8-13	Illustrative Rendering South Elevation	8-10
8-14	Illustrative Renderings East/West Elevation.....	8-10
8-15	Illustrative Rendering–Looking East Along West 57th Street	8-10
8-16	Illustrative Rendering–Looking Northwest From Twelfth Avenue	8-10

8-17	Comparative Views: Existing, No Build, and Build Conditions View Southwest from West 57th Street.....	8-11
8-18	Comparative Views: Existing, No Build, and Build Conditions View Southeast from West 57th Street.....	8-12
8-19	Comparative Views: Existing, No Build, and Build Conditions View West from West 57th Street.....	8-13
10-1	Stormwater Best Management Practices Concept Plan	10-6
11-1	Incremental Vehicle Trips Weekday AM Peak Hour	11-13
11-2	Incremental Vehicle Trips Weekday Midday Peak Hour	11-13
11-3	Incremental Vehicle Trips Weekday PM Peak Hour.....	11-13
11-4	Incremental Vehicle Trips Weekday Saturday Peak Hour	11-13
11-5	Traffic Analysis Locations.....	11-13
11-6	Project Generated Pedestrian Volumes AM Peak Hour	11-15
11-7	Project Generated Pedestrian Volumes Weekday MD Peak Hour	11-15
11-8	Project Generated Pedestrian Volumes Weekday PM Peak Hour	11-15
11-9	Project Generated Pedestrian Volumes Weekday Saturday Peak Hour.....	11-15
11-10	Pedestrian Analysis Locations	11-15
11-11	2013 Existing Traffic Volumes Weekday AM Peak Hour	11-25
11-12	2013 Existing Traffic Volumes Weekday Midday Peak Hour	11-25
11-13	2013 Existing Traffic Volumes Weekday PM Peak Hour.....	11-25
11-14	2013 Existing Traffic Volumes Weekday Saturday Peak Hour.....	11-25
11-15	2017 No Build Projects.....	11-30
11-16	2017 No Action Traffic Volumes Weekday AM Peak Hour.....	11-31
11-17	2017 No Action Traffic Volumes Weekday Midday Peak Hour.....	11-31
11-18	2017 No Action Traffic Volumes Weekday PM Peak Hour	11-31
11-19	2017 No Action Traffic Volumes Weekday Saturday Peak Hour	11-31
11-20	2017 With Action Traffic Volumes Weekday AM Peak Hour.....	11-37
11-21	2017 No Action Traffic Volumes Weekday Midday Peak Hour.....	11-37
11-22	2017 No Action Traffic Volumes Weekday PM Peak Hour	11-37
11-23	2017 No Action Traffic Volumes Weekday Saturday Peak Hour	11-37
11-24	Study Area Transit Map.....	11-44
11-25	Existing Pedestrian Volumes Weekday AM Peak Hour.....	11-56
11-26	Existing Pedestrian Volumes Weekday MD Peak Hour.....	11-56
11-27	Existing Pedestrian Volumes Weekday PM Peak Hour	11-56

606 West 57th Street

11-28 Existing Pedestrian Volumes Weekday Saturday Peak Hour 11-56
11-29 No Action Pedestrian Volumes Weekday AM Peak Hour..... 11-57
11-30 No Action Pedestrian Volumes Weekday MD Peak Hour..... 11-57
11-31 No Action Pedestrian Volumes Weekday PM Peak Hour 11-57
11-32 No Action Pedestrian Volumes Weekday Saturday Peak Hour..... 11-57
11-33 With Action Pedestrian Volumes Weekday AM Peak Hour..... 11-57
11-34 With Action Pedestrian Volumes Weekday MD Peak Hour..... 11-57
11-35 With Action Pedestrian Volumes Weekday PM Peak Hour 11-57
11-36 With Action Pedestrian Volumes Weekday Saturday Peak Hour..... 11-57
11-37 On-Street Parking Regulations..... 11-69
11-38 Off-Street Parking Facilities..... 11-69
14-1 Noise Receptor Locations 14-5
17-1 Sensitive Receptor Locations 17-18
18-1 C4-7 and C6-2 Reduced Density Alternative..... 18-12

*