

APPENDIX I:
NOISE ATTENUATION REQUIREMENTS

Projected Development Site Number	Block	Lot(s)	Governing Receptor Site(s)	CEQR Attenuation Requirement
1	488	71	B, 2	33 dBA
2	487	60, 64, 80	A, 1, 4	35 dBA
3	488	9	B, C, 3	33 dBA
4	488	18, 26, 175, 201, 206	C, 8	33 dBA
5	488	53, 65	B, 2, 8	33 dBA
6	489	5	3	33 dBA
7	497	1, 7, 9	4, 11	35 dBA
8	498	1	1	33 dBA
9	500	16, 18, 20, 22, 24	5, 6	33 dBA
10	502	1	6, 7	33 dBA
11	505	4, 51	2	33 dBA
12	505	11, 12, 14	2	33 dBA
13	505	22, 24, 25	10	41 dBA
14	505	18	2, 10	41 dBA
15	507	12, 17	8	33 dBA
16	508	22, 23, 24	9	42 dBA
17	509	1, 4, 8	3, 9	42 dBA
18	526	11	14, 15	28 dBA
19	526	19, 21, 25	14, 15	28 dBA
20	526	57, 59, 61	12, 15	28 dBA
21	526	8	14	NA
22	527	49	12, 15	28 dBA
23	527	50, 52	15	28 dBA
24	527	55	15	28 dBA
25	527	65, 66, 68, 70	13, 15	28 dBA
26 ¹	9	9	16	43 dBA
27 ¹	34	1	17	37 dBA
28 ¹	6	20	18, 19	NA
SSWD A	487	100	B	31 dBA
SSWD B1	487	100	B, C	31 dBA

Notes:

¹ The requirement for façade attenuation as well as the requirement for an alternate means of ventilation will be required through disposition agreements or similar binding mechanisms between the City of New York and the future developer.

Potential Development Site Number	Block	Lot(s)	Governing Receptor Site(s)	CEQR Attenuation Requirement
A	487	42	1, A	35 dBA
B	488	1	3	33 dBA
C	488	157, 162, 164	3	33 dBA
D	489	1	3	33 dBA
E	489	16	3	33 dBA
F	489	19	3	33 dBA
G	498	5	5	NA
H	498	74	1, 5	33 dBA
I	500	1, 10, 11, 12	1	33 dBA
J	502	34	6, 7	33 dBA
K	503	1	2, 7	33 dBA
L	503	32	2, 7	33 dBA
M	505	1	2	33 dBA
N	507	1, 5, 6	8, 10	41 dBA
O	508	9, 21	9	42 dBA
P	508	1	8, 9	42 dBA
Q	509	34	9	42 dBA
R	510	43	3	33 dBA
S	511	1	3	33 dBA
T	526	43	15	28 dBA
U	526	52	15	28 dBA
V	526	53	15	28 dBA
W	527	59	15	28 dBA