

Appendix H:

E-Designations for Inclusionary Alternative

**Table H-1
Sites Requiring E-Designations
for Hazardous Materials under the Inclusionary Alternative**

Block/Lot	Address
353/75 (Projected)	140 Delancey Street
458/23 (Potential)	32 East 3rd Street
372/33 (Potential)	320 East 3rd Street
376/24 (Potential)	264 East 7th Street
376/22 (Potential)	262 East 7th Street
376/23 (Potential)	262 East 7th Street
377/64 (Potential)	247 East 7th Street
444/21 (Potential)	64 East 3rd Street
448/18 (Potential)	68 East 7th Street
449/20 (Potential)	62 St. Marks Place
464/31 (Potential)	236 East 9th Street
468/54 (Potential)	215 East 12th Street
350/54 (Potential)	301 East Houston Street
402/41 (Potential)	98 Avenue B
<p>Note: <u>This table has been expanded between DEIS and FEIS to incorporate all E-Designations previously listed herein and those listed in Chapter 11, "Hazardous Materials." No new E-Designations are being proposed.</u></p>	

Table H-2

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
344	145	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
345	8	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
348	43	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing Pitt Street and Delancey Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
348	55	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Clinton Street when firing No. 2 oil, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
350	4	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Clinton Street when firing No. 2 oil, and at least 20 feet from the lot line facing Clinton Street when firing natural gas, to avoid any potential significant air quality impacts.
350	21	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East Houston Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
350	37	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East Houston Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
350	78	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
353	34	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
353	42	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Norfolk Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
353	47, 75, 79, 80, 82, 83	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Norfolk Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
355	59	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East Houston Street when firing No. 2 oil, and at least 20 feet from the lot line facing East Houston Street when firing natural gas, to avoid any potential significant air quality impacts.
372	30	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 2nd Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
372	33	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
372	31, 32	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 50 feet from the lot line facing East 2nd Street when firing No. 2 oil, and at least 20 feet from the lot line facing East 2nd Street when firing natural gas, to avoid any potential significant air quality impacts.
373	13	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 3rd Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
373	14	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
373	15	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
373	61	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
373	62	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue D when firing No. 2 oil, to avoid any potential significant air quality impacts.
373	63	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
373	16, 17	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Avenue D when firing No. 2 oil, and at least 20 feet from the lot line facing Avenue D when firing natural gas, to avoid any potential significant air quality impacts.
374	31	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
374	47	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue D when firing No. 2 oil, to avoid any potential significant air quality impacts.
375	29	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
375	32	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	13	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	21	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	22	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	24	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	26	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	27	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	43	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	43	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
376	44	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems exclusively, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street when firing natural gas, to avoid any potential significant air quality impacts.
<u>376</u>	<u>63</u>	<u>Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue D, to avoid any potential significant air quality impacts.</u>
377	10	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue C when firing No. 2 oil, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
377	49	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street and at least 10 feet from the lot line facing Avenue D when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	50	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
377	51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing East 8th Street and Avenue C when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	52	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	53	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	54	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing East 8th Street and Avenue D when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	61	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue C when firing No. 2 oil, to avoid any potential significant air quality impacts.
377	64-66	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue D, when firing No. 2 oil, or at least 20 feet from the lot line facing Avenue D when firing natural gas, to avoid any potential significant air quality impacts.
378	43	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue D, when firing No. 2 oil, or at least 20 feet from the lot line facing Avenue D when firing natural gas, to avoid any potential significant air quality impacts.
378	28-30	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue D, at least 15 feet from the lot line facing East 8th Street, and at least 10 feet from the lot line facing East 9th Street when firing No. 2 oil, or at least 10 feet from the lot lines facing Avenue D and East 9th Street, and at least 15 feet from the lot line facing East 8th Street when firing natural gas, to avoid any potential significant air quality impacts.
379	21	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 9th Street when firing No. 2 oil, and at least 20 feet from the lot line facing East 9th Street when firing natural gas, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
385	24	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing East 2nd Street when firing No. 2 oil, and at least 20 feet from the lot line facing East 2nd Street when firing natural gas, to avoid any potential significant air quality impacts.
385	30	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue B when firing No. 2 oil, to avoid any potential significant air quality impacts.
386	1	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 4th Street when firing No. 2 oil, and at least 20 feet from the lot line East 4th Street when firing natural gas, to avoid any potential significant air quality impacts.
386	61	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
386	62	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
387	42	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
389	51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
389	52	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
390	23	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
390	52	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue C, to avoid any potential significant air quality impacts.
390	58	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
391	10	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
391	13	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
391	19	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
391	51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue C when firing No. 2 oil, to avoid any potential significant air quality impacts.
392	16	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
392	39	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue B when firing No. 2 oil, to avoid any potential significant air quality impacts.
392	40	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 10th Street when firing No. 2 oil, and at least 10 feet from the lot line facing East 10th Street when firing natural gas, to avoid any potential significant air quality impacts.
392	43	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 10th Street when firing No. 2 oil, and at least 10 feet from the lot line facing East 10th Street when firing natural gas, to avoid any potential significant air quality impacts.
393	9	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 10th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
393	59	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Avenue C when firing No. 2 oil, and at least 20 feet from the lot line facing Avenue C when firing natural gas, to avoid any potential significant air quality impacts.
393	61	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue B when firing No. 2 oil, to avoid any potential significant air quality impacts.
394	28	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 11th Street, to avoid any potential significant air quality impacts.
394	32, 34	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Avenue C when firing No. 2 oil, and at least 20 feet from the lot line facing Avenue C when firing natural gas, to avoid any potential significant air quality impacts.
397	19	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing East Houston Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
397	27	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue B when firing No. 2 oil, to avoid any potential significant air quality impacts.
398	45	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
399	40	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 4th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
399	11, 51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 80 feet from the lot line facing Avenue A when firing No. 2 oil, to avoid any potential significant air quality impacts.
399	58	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 4th Street, and at least 20 feet from the lot line facing Avenue A when firing No. 2 oil, to avoid any potential significant air quality impacts.
404	9	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 10th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
404	11	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
404	23	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue A when firing No. 2 oil, to avoid any potential significant air quality impacts.
404	46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
404	47	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
404	48	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
404	52	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Avenue B when firing No. 2 oil, to avoid any potential significant air quality impacts.
405	19	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Avenue A when firing No. 2 oil, to avoid any potential significant air quality impacts.
406	19	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 12th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
406	48	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Avenue A when firing No. 2 oil, to avoid any potential significant air quality impacts.
406	52	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
406	23, 24	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Avenue B when firing No. 2 oil, and at least 20 feet from the lot line facing Avenue B when firing natural gas, to avoid any potential significant air quality impacts.
406	55	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
410	32	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
410	33	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Ludlow Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
412	2	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
412	12	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
412	21	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
412	61	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
413	26	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Delancey Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
415	36	Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
417	64	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East Houston Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
<u>425</u>	<u>31</u>	<u>Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Delancey Street when firing No. 2 oil, to avoid any potential significant air quality impacts.</u>
<u>425</u>	<u>32</u>	<u>Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing Delancey Street, to avoid any potential significant air quality impacts.</u>
429	8	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
429	18	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
429	12	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
429	20	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
429	28	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East Houston Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
434	34	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
434	42	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
434	46, 48	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Avenue A when firing No. 2 oil, and at least 20 feet from the lot line facing Avenue A when firing natural gas, to avoid any potential significant air quality impacts.
434	50	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
434	54	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
435	16, 48, 49, 52	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 60 feet from the lot line facing Avenue A, when firing No. 2 oil, or at least 20 feet from the lot line facing Avenue A when firing natural gas, to avoid any potential significant air quality impacts.
435	42	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
436	11	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
436	25	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
437	15	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 9th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
437	33	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
437	43	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
438	25	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
440	29	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
443	16	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 50 feet from the lot line facing East Houston Street and at least 40 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
443	19	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
443	29	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 25 feet from the lot line facing East Houston Street and at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
443	44	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, and shall be at least 20 feet from the lot line facing First Avenue, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
443	45, 46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 10 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
443	49	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
444	20, 21	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
445	2	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 3rd Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
445	16	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
445	17	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
445	64	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
446	3	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
446	4	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
<u>448</u>	<u>4</u>	<u>Any new residential and/or commercial development must use natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.</u>
448	16	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
448	18	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
448	40	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
448	42	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 7th Street when firing No. 2 oil, and at least 20 feet from the lot line facing East 7th Street when firing natural gas, to avoid any potential significant air quality impacts.
448	45	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
448	46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
448	47	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
448	48	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 7th Street when firing No. 2 oil, or at least 20 feet from the lot line facing East 7th Street when firing natural gas, to avoid any potential significant air quality impacts.
448	50	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
448	51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 7th Street and 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	7	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 7th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	13	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	14	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
449	20	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, and ensure that heating, ventilating and air conditioning stack(s) is located at least 15 feet from the lot line facing First Avenue, to avoid any potential significant air quality impacts.
449	23	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing East 7th Street and Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	41	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	42	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
449	46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing East 8th Street and First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
449	48	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
449	57	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
450	8	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
450	37	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 9th Street and at least 10 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
450	38	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 9th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
450	39	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 9th Street and at least 10 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
450	44	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
450	45	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 9th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
450	46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
450	48	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
450	52	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 9th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
451	4	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 10th Street, and at least 40 feet from the lot line facing First Avenue when firing No. 2 oil, or at least 20 feet from the lot lines facing East 10th Street and First Avenue when firing natural gas, to avoid any potential significant air quality impacts.
451	15	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
451	24	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
451	47, 48	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
452	20	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing First Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
453	37	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
454	66	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
454	68	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
459	18	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
459	21	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Bowery Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
459	23	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 3rd Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
460	23	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 4th Street, when firing No. 2 oil, or at least 20 feet from the lot line facing East 4th Street when firing natural gas, to avoid any potential significant air quality impacts.
460	26	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
460	27	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
460	28	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 4th Street and at least 10 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
460	32	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
460	33	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 4th Street and at least 10 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
460	43	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
460	44	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 5th Street, to avoid any potential significant air quality impacts.
460	45, 46	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 5th Street when firing No. 2 oil, and at least 20 feet from the lot line facing East 5th Street when firing natural gas, to avoid any potential significant air quality impacts.
461	18	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing East 5th Street and at least 30 feet from the lot line facing Third Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
462	18	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing Second Avenue when firing No. 2 oil, or at least 20 feet from the lot line facing Second Avenue when firing natural gas, to avoid any potential significant air quality impacts.
463	18	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and any stacks must be a minimum of 10 feet above the roof, to avoid any potential significant air quality impacts.
463	23	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
463	39	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
463	40	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
463	41	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
464	15	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 8th Street and at least 20 feet from the lot line facing Third Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
464	16	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 8th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
464	20	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 40 feet from the lot line facing East 8th Street when firing No. 2 oil, or at least 20 feet from the lot line facing East 8th Street when firing natural gas, to avoid any potential significant air quality impacts.
464	27, 31, 132	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
464	32	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
464	47	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
464	55	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
465	58, 59	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 10th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
466	12	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Third Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-2 (cont'd)

Sites Requiring E-Designations for Air Quality Under the Inclusionary Alternative

Block	Lot	Restriction
466	15	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
466	20	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
467	16	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
467	20	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 11th Street, to avoid any potential significant air quality impacts.
467	21	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
467	48	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing Second Avenue, to avoid any potential significant air quality impacts.
467	49	Any new residential and/or commercial development must use No. 2 fuel oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
468	26	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, to avoid any potential significant air quality impacts.
468	48	Any new residential and/or commercial development must use natural gas exclusively as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot line facing East 13th Street, to avoid any potential significant air quality impacts.
468	49	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 13th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
468	50	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 13th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.
460	51	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 20 feet from the lot lines facing East 13th Street and Third Avenue when firing No. 2 oil, to avoid any potential significant air quality impacts.
468	54	Any new residential and/or commercial development must use No. 2 oil or natural gas as the type of fuel for HVAC systems, and ensure that the heating, ventilating and air conditioning stack(s) is located at least 30 feet from the lot line facing East 13th Street when firing No. 2 oil, to avoid any potential significant air quality impacts.

Note: This table has been expanded between DEIS and FEIS to incorporate all E-Designations previously listed herein and those listed in Appendix F, "Air Quality E-Designations." No new E-Designations are being proposed.

Table H-3
Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
343	63	R8A*	Residential	9	30
343	66	R8A*	Residential	9	30
343	68, 69, 71, 72, 73	R8A*	Residential	10	35
344	53, 54	R7A	Residential	9,10	30
344	56, 60	R7A	Residential	9,10	30
344	139	R7A	Residential	6	30
344	141, 144	R7A	Residential	9,10	30
344	157	R7A	Residential	9,10	30
345	1	R7A	Residential	6	30
345	2	R7A	Residential	6	30
345	6	R7A	Residential	6	30
345	7	R7A	Residential	6	30
345	8	R7A	Residential	6	30
345	15	R8A*	Residential	5	35
345	16	R8A*	Residential	5	35
345	17, 19	R8A*	Residential	5	35
345	26	R7A	Residential	6	30
345	30, 32, 33	R7A	Residential	6	30
345	35	R7A	Residential	6	30
348	33	R8A*	Residential	10	35
348	34	C6-2A*	Residential	7	40
348	36	C6-2A*	Residential	7	40
348	37	C6-2A*	Residential	5	35
348	38	R8A*	Residential	10	35
348	46	R7A	Residential	6	30
348	64, 66	R7A	Residential	8	35
348	70	R8A*	Residential	10	35
348	71	R8A*	Residential	10	35
348	75	R8A*	Residential	10	35
350	4	R7A	Residential	8	35
350	18	R8A*	Residential	5	35
350	21	R7A	Residential	6	30
350	38	R7A	Residential	8	35
350	54	R8A*	Residential/Commercial	5	35
350	60	R8A*	Residential	5	35
350	61	R8A*	Residential	5	35
350	62, 63	R8A*	Residential	5	35
350	68	R7A	Residential	6	30
350	69	R7A	Residential	6	30
350	71	R7A	Residential	6	30
350	73	R7A	Residential	6	30

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-3 (cont'd)

Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
353	28, 29, 30	R7A	Residential	6	30
353	34	R7A	Residential	8	35
353	42	C6-2A*	Residential	7	40
353	47, 75, 79, 80, 82, 83	C6-2A*	Residential/Commercial	7	40
354	1	C4-4A	Commercial	8	30*
354	18, 19	R7A	Residential	8	35
354	25	R7A	Residential	6	30
354	37, 38	C4-4A	Residential	8	35
355	45	R7A	Residential	6	30
355	51	R8A*	Residential	5	35
355	52	R8A*	Residential	5	35
355	53	R8A*	Residential	5	35
355	57	R8A*	Residential	5	35
355	59	R7A	Residential	6	30
355	61	R7A	Residential	2	35
355	65	R7A	Residential	6	30
372	3, 4, 5	R8A*	Residential/Commercial	2	30
372	34	R8A*	Residential	2	30
372	36, 37	R8A*	Residential	2	30
372	41, 42	R8A*	Residential	2	30
372	43, 44, 47, 48, 49	R8A*	Residential	5	35
372	52	R8A*	Residential	5	35
373	2	R7A	Residential	2	30
373	36, 38	R8A*	Residential	2	30
374	34	R8A*	Residential	2	30
374	37	R8A*	Residential	2	30
375	41	R8A*	Residential	2	30
376	1, 2	R7A	Residential	2	30
376	32, 33	R8A*	Residential	2	30
376	63	R7A	Residential	2	30
377	1	R7A	Residential	2	30
377	10	R8B	Residential	2	30
377	42	R8A*	Residential	2	30
378	28, 29, 30	R8B	Residential	2	30
378	32	R8A*	Residential	2	30
378	34	R8A*	Residential	2	30
378	40	R8A*	Residential	2	30
378	43	R8B	Residential	2	30
379	21	R8B	Residential	2	30
379	44	R8B	Residential	2	30

Table H-3 (cont'd)

Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
384	19	R8A*	Residential	5	35
384	21	R8A*	Residential	5	35
384	33	R8A*	Residential	5	35
385	4	R7A	Residential	2	30
386	5, 7, 8	R7A	Residential	2	30
387	33	R7A	Residential	2	30
387	34	R7A	Residential	2	30
387	35	R7A	Residential	2	30
387	135	R7A*	Residential	2	30
390	34	R7A*	Residential	2	30
390	39	R7A	Residential	2	30
391	7	R7A	Residential	2	30
391	33	R7A*	Residential	2	30
392	32	R7A*	Residential	2	30
392	35	R7A	Residential	2	30
392	40	R8B	Residential	2	30
392	43	R8B	Residential	2	30
393	59	R8B	Residential	3	30
393	61	R8B	Residential/Commercial	2	30
394	10	R7A	Residential	2	30
394	32, 34	R8B	Residential	2	30
394	36	R7A	Residential	2	30
398	29	R7A	Residential	2	30
398	34	R7A	Residential	2	30
399	8	R7A	Residential	2	30
402	41	R7A*	Residential	2	30
402	41	R7A	Residential	2	30
402	42	R7A	Residential	3	30
404	23	R8B	Residential	2	30
404	46	R8B	Residential	3	30
404	47	R8B	Residential	3	30
404	52	R8B	Residential	3	30
404	53	R8B	Residential	3	30
404	56	R7A	Residential	3	30
404	58	R7A*	Residential	3	30
405	19	R8B	Residential	2	30
405	39, 41	R8B	Residential	2	30
406	19	R8B	Residential	2	30
406	23, 24	R8B	Residential	2	30
406	29	R7A	Residential	2	30
406	36	R7A	Residential	2	30
406	45	R8B	Residential	2	30

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-3 (cont'd)
Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
406	48	R8B	Residential	2	30
406	52	R8B	Residential	2	30
408	4	C4-4A	Residential	6	30
408	24	C4-4A	Residential	5	35
408	26	C4-4A	Residential	5	35
409	17	C6-2A*	Residential	7	40
409	20	C6-2A*	Residential	8	35
410	13, 16	C4-4A	Residential/Commercial	8	35
410	24	C4-4A	Residential	8	35
410	32	C6-2A*	Residential	7	40
410	33	C6-2A*	Residential	7	40
410	34	C6-2A*	Residential	7	40
410	51	C4-4A	Residential/Commercial	6	30
410	52	C4-4A	Residential	8	35
410	64	C6-2A*	Residential	7	40
410	67, 68, 69	C6-2A*	Residential	7	40
411	12	C4-4A	Residential	6	30
411	15	C4-4A	Residential	6	30
411	16	C4-4A	Residential	6	30
411	19	C4-4A	Residential	6	30
411	41	C4-4A	Residential	6	30
412	2	C4-4A	Residential	6	30
412	12	C4-4A	Residential	6	30
412	13, 14, 16	C6-2A*	Residential	5	35
412	21	C6-2A*	Residential	5	35
412	61	C6-2A*	Residential	5	35
412	72	C4-4A	Residential	6	35
413	25	C4-4A	Residential	5	35
413	26	C4-4A	Residential	5	35
413	29	C4-4A	Residential	5	35
415	3	C6-2A*	Residential	1	35
415	10	C4-4A	Residential	8	35
415	23	C4-4A	Residential	8	35
415	27	C4-4A	Residential	8	35
415	36	C4-4A	Residential	8	35
415	77	C6-2A*	Residential	1	35
416	23	C4-4A	Residential	8	35
416	28	C4-4A	Residential	1	35
416	53	C4-4A	Residential	1	35
416	56	C4-4A	Residential	1	35
417	10	C6-2A*	Residential	6	30
417	12	C6-2A*	Residential	5	35

Table H-3 (cont'd)
Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
417	13	C6-2A*	Residential	6	30
417	64	C4-4A	Residential	1	35
418	35	C4-4A	Residential	1	35
418	39	C4-4A	Residential	8	35
418	43	C4-4A	Residential	6	30
418	51, 52, 53	C4-4A	Residential	8	35
418	54	C4-4A	Residential	1	30
418	55	C4-4A	Residential	5	35
418	58	C4-4A	Residential	5	35
419	49	C6-2A*	Residential/Commercial	6	30
419	73	C4-4A	Residential	6	30
419	75	C4-4A	Residential	6	30
421	60	C4-4A	Residential	6	30
422	42, 43	C4-4A	Residential	6	30
422	49	C6-2A*	Residential/Commercial	5	35
422	53	C6-2A*	Residential	6	30
423	16, 17	C6-2A*	Residential	6	30
423	19	C6-3A*	Residential	1	35
423	21	C6-2A*	Residential	1	35
423	26	C6-2A*	Residential	6	30
423	28	C6-3A*	Residential	5	35
423	29	C6-2A*	Residential	6	30
423	126	C6-2A*	Residential	1	35
424	27	C6-2A*	Residential	1	35
424	31	C6-3A*	Residential	1	35
424	35	C6-2A*	Residential	1	35
424	37	C6-3A*	Residential	5	35
425	28	C6-2A*	Residential/Commercial	1	35
425	30	C6-2A*	Residential	1	35
425	31	C6-2A*	Residential	1	35
425	32	C6-2A*	Residential	1	35
425	38, 39	C6-2A*	Residential	1	35
426	24	C6-3A*	Residential	1	35
426	27	C6-2A*	Residential	1	35
426	28	C6-2A*	Residential	1	35
426	33	C6-2A*	Residential	1	35
426	35	C6-2A*	Residential	1	35
426	37	C6-3A*	Residential	1	35
426	38	C6-2A*	Residential	1	35
429	7	R7A*	Residential	1	35
429	39	R8A*	Residential	2	30
429	40	R8A*	Residential	5	35

Appendix H: Inclusionary Alternative Additional E-Designations

Table H-3 (cont'd)

Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
429	41, 43	R8A*	Residential	5	35
434	3	R7A	Residential	1	35
434	34	R7A*	Residential	2	30
434	35	R7A*	Residential	2	30
434	48	R8B	Residential	2	30
435	16, 48, 49, 52	R8B	Residential	2	30
435	34	R7A*	Residential	2	30
435	35	R7A*	Residential	2	30
436	8	R7A	Residential	3	30
437	25	R7A	Residential	3	30
438	8	R7A*	Residential	1	35
438	10	R7A	Residential	2	30
438	11, 12	R8B	Residential	2	30
439	26	R8B	Residential	2	30
439	27, 31, 33, 34	R7A	Residential	2	30
440	6	R7A*	Residential	1	35
440	26	R8B	Residential	2	30
440	32	R7A*	Residential	2	30
440	44	R8B	Residential	2	30
440	46	R8B	Residential	2	30
443	1	C6-2A*	Residential	1	35
443	8	C6-2A*	Residential	1	35
443	36	R7A*	Residential	1	35
443	37	R7A*	Residential	1	35
444	3, 5	C6-2A*	Residential	1	35
444	12	C6-2A*	Residential/Commercial	1	35
444	42	R7A	Residential	1	35
445	3	R7A*	Residential	1	35
446	6	R7A*	Residential	1	35
446	7	R7A*	Residential	1	35
446	29	R7A	Residential	1	35
447	5	R7A*	Residential	1	35
447	32	R7A	Residential	1	35
448	4	R7A	Residential	1	35
449	5	R7A	Residential	1	35
449	20	R8B	Residential	3	30
449	30	R7A	Residential	1	35
450	22	R8B	Residential	3	30
450	23	R8B	Residential	3	30
450	36	R7A*	Residential	3	30
450	38	R8B	Residential	3	30
451	47, 48	R8B	Residential	3	30

Table H-3 (cont'd)

Sites Requiring E-Designations for Noise under the Inclusionary Alternative

Block	Lot	Proposed Zoning	Projected Use	Governing Noise Site	Minimum Required Building Attenuation
452	20	R8B	Residential	2	30
452	33, 34	R7A	Residential	1	35
454	39	R7A*	Residential	1	35
454	40	R7A	Residential	3	30
454	65	R8B	Residential	2	30
456	27	C6-2A*	Residential	1	35
457	33	C6-2A*	Residential	1	35
458	25	C6-2A*	Residential/Commercial	1	35
458	35	C6-2A*	Residential/Commercial	10	35
464	27, 31, 132	R8B	Residential	3	30
465	53	R7A	Residential	1	35
465	58, 59	R8B	Residential	3	30
466	12	R8B	Residential	2	30
468	26	R8B	Residential	2	30
468	54	R8B	Residential	2	30

Notes: This table has been expanded between DEIS and FEIS to incorporate all E-Designations previously listed herein and those listed in Appendix G, "Noise E-Designations." No new E-Designations are being proposed.

*