
NEW YORK CITY ENVIRONMENTAL QUALITY REVIEW FINAL ENVIRONMENTAL IMPACT STATEMENT

RIVER NORTH (FORMERLY LIBERTY TOWERS)

CEQR NUMBER: 20DCP140R

170-208 RICHMOND TERRACE & 8-26 STUYVESANT PLACE
BOROUGH OF STATEN ISLAND



Prepared For:
Richmond SI Owner LLC
117 Avenue of the Americas
Manhattan, New York, 10036

Lead Agency:
NYC Department of City Planning
120 Broadway, 31st Floor
Manhattan, New York, 10271

Prepared By:
**Langan Engineering, Environmental, Surveying,
Landscape Architecture, and Geology D.P.C.**
21 Penn Plaza
360 West 31st Street, 8th Floor
New York, New York 10001

LANGAN

20 August 2021

**River North (Formerly Liberty Towers)
FINAL ENVIRONMENTAL IMPACT STATEMENT (FEIS)**

August 20, 2021

Project Location: Block 13, Lots 82, 92, 100, and p/o 8 ("Tentative Lot 95")
Staten Island
Community District 1

CEQR No. 20DCP140R

Type of Action: Unlisted

ULURP Nos. C 210289 ZMR
N 210290 ZRR
C 210291 ZSR

Lead Agency: City Planning Commission, City of New York
Marisa Lago, Chair

Lead Agency Contact: Stephanie Shellooe, Deputy Director
Environmental Assessment and Review Division
New York City Department of City Planning
120 Broadway, 31st Floor
New York, NY 10271

Project Applicants: Richmond SI Owner LLC

Prepared by: Langan Engineering & Environmental Services
21 Penn Plaza, 8th Floor
New York, NY 10001

In Coordination With: Rowan Williams Davies & Irwin Inc. (RWDI)
Cerami & Associates
Tenen Environmental

Acceptance Date: August 20, 2021

Table of Contents

Executive Summary	1
E.1 Introduction	1
E.2 Background and Existing Conditions	1
E.3 Proposed Actions	8
E.4 Purpose and Need	10
E.5 Proposed Development	12
E.6 Analysis Framework	13
E.7 Probable Impacts of the Proposed Actions	17
1 Project Description	1-1
1.1 Introduction	1-1
1.2 Proposed Actions	1-1
1.3 Project Area and Development Sites	1-3
1.4 Proposed Development	1-5
1.5 Purpose and Need	1-7
1.6 Analysis Framework	1-8
2 Socioeconomic Conditions	2-1
2.1 Introduction	2-1
2.2 Principal Conclusions	2-1
2.3 Methodology	2-3
2.4 Preliminary Indirect Residential Displacement Assessment	2-7
2.5 Detailed Indirect Residential Displacement Assessment	2-11
3 Open Space	3-1
3.1 Introduction	3-1
3.2 Principal Conclusions	3-1
3.3 Methodology	3-3
3.4 Detailed Assessment	3-6
4 Hazardous Materials	4-1
4.1 Introduction	4-1
4.2 Principal Conclusions	4-1
4.3 Methodology	4-2
4.4 Existing Conditions	4-4
4.5 No-Action Condition	4-6
4.6 With-Action Condition	4-6
4 Hazardous Materials	4-1
4.1 Introduction	4-1
4.2 Principal Conclusions	4-1
4.3 Methodology	4-2
4.4 Existing Conditions	4-4
4.5 No-Action Condition	4-6
4.6 With-Action Condition	4-6
5 Transportation	5-1
5.1 Introduction	5-1
5.2 Principal Conclusions	5-2
5.3 Transportation Screening Assessment	5-4
6 Air Quality	6-1
6.1 Introduction	6-1
6.2 Principal Conclusions	6-1
6.3 Methodology	6-3
6.4 Assessment	6-5
7 Greenhouse Gas Emissions and Climate Change	7-1

7.1	Introduction	7-1
7.2	Principal Conclusions	7-2
7.3	Methodology	7-2
7.4	Assessment	7-5
7.5	Projected GHG Emissions from the Proposed Actions	7-7
8	Noise	8-1
8.1	Introduction	8-1
8.2	Principal Conclusions	8-1
8.3	Methodology	8-2
8.4	Existing Noise Levels	8-5
8.5	No-Action Noise Levels	8-5
8.6	With-Action Noise Levels	8-6
8.7	Assessment	8-7
9	Public Health	9-1
9.1	Introduction	9-1
9.2	Principal Conclusions	9-1
9.3	Preliminary Screening	9-1
10	Neighborhood Character	10-1
10.1	Introduction	10-1
10.2	Principal Conclusions	10-1
10.3	Methodology	10-2
10.4	Existing Conditions	10-3
10.5	Assessment	10-4
11	Construction	11-1
11.1	Introduction	11-1
11.2	Principal Conclusions	11-2
11.3	Methodology	11-6
11.4	Preliminary Assessment	11-6
11.5	Detailed Assessment	11-16
12	Alternatives	12-1
12.1	Introduction	12-1
12.2	No-Action Alternative	12-2
12.3	No Unmitigated Significant Adverse Impact Alternative	12-7
13	Mitigation	13-1
13.1	Introduction	13-1
13.2	Principal Conclusions	13-1
13.3	Open Space	13-5
13.4	Transportation	13-7
13.5	Air Quality	13-12
13.6	Construction	13-12
14	Unavoidable Adverse Impacts	14-1
14.1	Introduction	14-1
14.2	Open Space	14-1
14.3	Transportation	14-2
14.4	Construction	14-3
15	Growth-Inducing Aspects of the Proposed Project	15-1
15.1	Introduction	15-1
16	Irreversible and Irretrievable Commitments of Resources	16-1
16.1	Introduction	16-1
17	Response to Comments on the Draft Environmental Impact Statement	17-1
17.1	Introduction	17-1
17.2	List of Elected Officials, Organizations, and Individuals who Commented on the DEIS	17-1
17.3	Comments and Responses on the DEIS	17-4

Table of Figures

Figure 1: Regional Location Map.....	2
Figure 2: Project Area Map	3
Figure 3: Tax Map	4
Figure 4: Existing Zoning Map	5
Figure 5: No-Action Site Plan.....	14
Figure 6: With-Action Site Plan	15
Figure 2-1: Socioeconomic Conditions Study Area	2-6
Figure C-1: Open Space Resource Map.....	3-4
Figure 5-1: Transit Map	5-10
Figure 5-2: Traffic Study Area.....	5-13
Figure 5-3: Pedestrian Study Area.....	5-15
Figure 5-4: Parking Survey Map	5-38
Figure 6-1: Receptors 400 Feet or Taller Within 400 Feet of Development Sites.....	6-5
Figure 6-2: Nearest Receptors by Building.....	6-6
Figure 6-3: Building 2 SO ₂ Boiler Screen – Residential Fuel Oil #2	6-7
Figure 6-4: Building 2 NO ₂ Boiler Screening – Residential Development Natural Gas	6-8
Figure 6-5: Building 3 SO ₂ Boiler Screen – Residential Fuel Oil #2	6-9
Figure 6-6: Building 3 NO ₂ Boiler Screening – Residential Development Natural Gas	6-9
Figure 6-7: Building 4 SO ₂ Boiler Screen – Residential Fuel Oil #2	6-10
Figure 6-8: Building 4 NO ₂ Boiler Screening – Residential Development Natural Gas	6-11
Figure 8-1: Site Map and Survey Locations.....	8-4
Figure 11-1: Illustrative Construction Site Plan.....	11-9
Figure 11-2: Illustrative Sightlines Between Projected Development Sites and Castleton Park Apartments.....	11-11
Figure 11-3: Short Term (24-hour) PM _{2.5} Construction Emission Profile	11-30
Figure 11-4: Receptor Locations	11-40
Figure 13-1: Conceptual On-Site Open Space Mitigation	13-6



Table of Tables

Table 1: Proposed Development - Floor Area by Use	12
Table 2: With-Action Condition - Floor Area by Use by Building	16
Table 3: Project Increment by Use	17
Table 4: Percent Change in Open Space Ratio	22
Table 1-1: Proposed Development - Floor Area by Use.....	1-5
Table 1-2: With-Action Condition - Floor Area by Use.....	1-9
Table 1-3: Project Increment by Use.....	1-11
Table 2-1: Household Income Characteristics (2006-2010, 2014-2018 ACS).....	2-7
Table 2-2: Distribution of Household Incomes (2014 – 2018).....	2-8
Table 2-3: Household Income Below the Poverty Level in the Past 12 Months.....	2-8
Table 2-4: 2020 New York City Area Median Income (AMI)	2-9
Table 2-5: 2019 Median Asking Monthly Rents in the Study Area	2-9
Table 2-6: Household Income by Unit Type.....	2-9
Table 2-7: Residential Population	2-10
Table 2-8: Estimated Residential Population of Study Area, 2020	2-10
Table 2-9: 2025 No-Action Planned Developments in Study Area	2-11
Table 2-10: 2025 No-Action and With-Action Populations.....	2-11
Table 2-11: Median Asking Rents in the Study Area	2-12
Table 2-12: Renter-Occupied DUs in Study Area, 2014-2018.....	2-13
Table 2-13: Proportion of Renter-Occupied DUs in the Study Area, 2018	2-13
Table 2-14: Summary of DUs in Rent-Regulated Buildings in Study Area	2-14
Table 2-15: Inventory of Rent Regulated Housing in the Study Area	2-15
Table 2-16: Low-Income Households in the Study Area	2-16
Table 2-17: Protected and Unprotected Rental DUs in the Study Area, 2014 – 2018	2-16
Table 2-18: Estimate of Low-Income Population Living in Unprotected Rental Housing DUs in the Study Area	2-17
Table 2-19: Estimate of Low-Income Population Subject to Potential Indirect Displacement in the Study Area.....	2-18
Table 2-20: Projects Under Construction or in Pre-Development in the Study Area (as of March 2020)	2-18
Table C-1: Residential Study Area (0.5-mile) Residential Population Age Breakdown.....	3-6
Table C-2: Open Space Resources.....	3-7
Table C-3: Adequacy of Open Space Resources – Existing Conditions	3-9
Table C-4: No-Action – Residential Open Space Study Area Population	3-11
Table C-5: Adequacy of Open Space Resources – No-Action Condition.....	3-11
Table C-6: Percent Change in Open Space Ratio	3-13
Table 5-1: Incremental Difference between No-Action and With-Action Conditions.....	5-2
Table 5-2: Transportation Planning Assumptions	5-6
Table 5-3: Transportation Demand Forecast, No-Action Condition	5-7
Table 5-4: Transportation Demand Forecast, With-Action Condition	5-8
Table 5-5: Transportation Demand Forecast, Net Incremental Trips.....	5-9
Table 5-6: Intersection LOS Criteria based on HCM Methodology.....	5-16
Table 5-7: Sidewalk/Walkway LOS for Non-Platoon and Platoon Conditions	5-17
Table 5-8: Corner/Crosswalk LOS Pedestrian Space	5-18
Table 5-9: Significant Impact Guidance for Sidewalks Platoon flow, Non-CBD Location	5-19
Table 5-10: Significant Impact Guidance for Corners and Crosswalks, Non-CBD Location	5-20
Table 5-11: Existing Conditions - LOS Summary	5-24
Table 5-12: No-Action Condition - LOS Summary	5-28
Table 5-13: With-Action Condition - LOS Summary.....	5-31
Table 5-14: Existing Conditions Corner Analysis	5-35
Table 5-15: Existing Conditions Sidewalk Analysis	5-35
Table 5-16: No-Action Condition Corner Analysis.....	5-36
Table 5-17: No-Action Condition Sidewalk Analysis.....	5-36
Table 5-18: With-Action Condition Corner Analysis	5-37
Table 5-19: With-Action Condition Sidewalk Analysis	5-37
Table 5-20: Existing Conditions Off-Street Public Parking Facilities/Utilization within ¼-mile.....	5-38
Table 5-21: No-Action Project-Generated Hourly Parking Accumulation – Weekday	5-39
Table 5-22: No-Action Project-Generated Hourly Parking Accumulation – Saturday	5-40
Table 5-23: No-Action Condition Off-Street Public Parking Utilization within ¼-mile.....	5-41

Table 5-24: Proposed Actions Project-Generated Hourly Parking Accumulation – Weekday	5-42
Table 5-25: Proposed Actions Project-Generated Hourly Parking Accumulation – Saturday	5-43
Table 5-26: With-Action Condition Off-Street Public Parking Utilization within ¼-mile	5-43
Table 5-27: Crash Data Analysis Summary	5-44
Table 6-1: Building Roof and Emissions Stack Heights by Development Site	6-6
Table 6-2: Clean Air Tracking System (CATS) Search	6-11
Table 6-3: Intersection Mobile Source Emissions	6-12
Table 6-4: Mobile Source Emissions	6-13
Table 7-1: Global Warming Potential for Primary Greenhouse Gases	7-4
Table 7-2: Daily Trips (Including Off-Peak) by Mode	7-6
Table 7-3: With-Action Condition – Annual Miles Traveled (miles per year)	7-6
Table 7-4: Project-Generated Annual Operational Emissions	7-7
Table 7-5: Annual Mobile Source Emissions (CO ₂ e – metric tons/year)	7-8
Table 7-6: Summary of Annual GHG Emissions Resulting from Proposed Actions	7-8
Table 8-1: Seaside Park and Community Arts Center Monitoring Location 7	8-3
Table 8-2: Required Attenuation Values to Achieve Acceptable Interior Noise Levels	8-4
Table 8-3: Measured Existing Noise Levels	8-5
Table 8-4: No-Action Noise Levels	8-6
Table 8-5: With-Action Noise Levels	8-7
Table 8-6: CEQR Building Attenuation Analysis Summary	8-8
Table 11-1: Nearest Sensitive Receptors by Direction - Buildings	11-10
Table 11-2: Construction Sequencing Schedule	11-13
Table 11-3: Average Number of Daily Workers and Truck Deliveries by Quarter	11-17
Table 11-4: Hourly Vehicle Trip Projections during Peak Quarter (Q7) of Construction	11-18
Table 11-5: Existing Conditions – LOS Summary	11-20
Table 11-6: No-Action Condition – LOS Summary	11-22
Table 11-7: With-Action Condition – LOS Summary	11-24
Table 11-8: Maximum Predicted Pollutant Concentrations from Construction Site Sources—Peak Analysis Period ..	11-32
Table 11-9: Typical Construction Equipment Noise Emission Levels (dBA)	11-36
Table 11-10: Active Construction Equipment Per Quarter (Full Site)	11-38
Table 11-11: Noise Receptors by Location and Land Use	11-40
Table 11-12: Maximum Noise Levels (dBA) at Recievers Over Threshold by Quarter	11-42
Table 11-13: Properties that Exceed Construction Noise Impact Criteria	11-44
Table 13-1: Summary of Potentially Significant Adverse Traffic Impacts due to the Proposed Actions	13-3
Table 13-2: Summary of Potentially Significant Adverse Traffic Impacts due to Construction	13-3
Table 13-3: Summary of Recommended Traffic Mitigation Measures – Weekday AM Peak Hour	13-8
Table 13-4: Summary of Recommended Traffic Mitigation Measures – Weekday Midday Peak Hour	13-9
Table 13-5: Summary of Recommended Traffic Mitigation Measures – Weekday PM Peak Hour	13-9
Table 13-6: Summary of Recommended Traffic Mitigation Measures – Saturday Midday Peak Hour	13-9
Table 13-7: LOS Comparison Summary – Weekday AM Peak Hour	13-10
Table 13-8: LOS Comparison Summary – Weekday Midday Peak Hour	13-10
Table 13-9: LOS Comparison Summary – Weekday PM Peak Hour	13-11
Table 13-10: LOS Comparison Summary – Saturday Midday Peak Hour	13-11
Table 13-11: Summary of Recommended Traffic Mitigation Measures – Weekday AM Construction Peak Hour	13-13
Table 13-12: Summary of Recommended Traffic Mitigation Measures – Weekday PM Construction Peak Hour	13-14
Table 13-13: LOS Comparison Summary – Weekday AM Construction Peak Hour	13-15
Table 13-14: LOS Comparison Summary – Weekday PM Construction Peak Hour	13-15
Table 14-1: Significant Adverse Traffic Impacts	14-2
Table 14-2: Significant Adverse Construction Traffic Impacts	14-3

Appendices

Appendix A – Architectural Drawings

Appendix B – Proposed Zoning Text Amendments

Appendix C – Reasonable Worst-Case Development Scenario

Appendix C-1 – RWCDS Table

Appendix C-2 – No-Action Drawings

Appendix C-3 – No-Build Projects

Appendix D – Environmental Documents & Reports

Appendix D-1 – Executed Brownfield Cleanup Agreement

Appendix D-2 – Phase I Environmental Site Assessment

Appendix D-3 – Phase II Environmental II Site Investigation

Appendix E – Transportation

Appendix F – Construction

Appendix F-1 – Air Quality

Appendix F-2 – Transportation

Appendix G – Mitigation

