

**FINAL ENVIRONMENTAL IMPACT STATEMENT**  
**for the**  
**PROPOSED MANHATTANVILLE IN WEST HARLEM REZONING AND**  
**ACADEMIC MIXED-USE DEVELOPMENT**

November 16, 2007

**CEQR No.:** 06DCP032M  
**ULURP Nos.** 070495 ZMM  
070496 ZRM

**LEAD AGENCY:**

City Planning Commission  
City of New York  
Amanda M. Burden, AICP, Chair

**LEAD AGENCY CONTACT:**

Robert Dobruskin, Director  
Environmental Assessment and Review Division  
New York City Department of City Planning  
22 Reade Street, Room 4E  
New York, NY 10007  
(212) 720-3423

**PREPARED FOR THE LEAD AGENCY BY:**

AKRF, Inc.  
Emisstar LLC  
HydroQual, Inc.  
The Sam Schwartz Company

## Table of Contents

---

<b>Foreword</b> .....	<b>F-1</b>
<b>Executive Summary</b> .....	<b>S-1</b>
<b>1: Project Description</b> .....	<b>1-1</b>
A. Project Identification.....	1-1
B. Project Purpose and Need .....	1-2
Overview: Goals and Objectives .....	1-2
Expansion and Modernization of Columbia University .....	1-3
C. Revitalization of Manhattanville.....	1-21
Introduction and Overview.....	1-21
Need for Revitalization .....	1-22
Recent Planning.....	1-23
D. Land Use and Related Actions.....	1-24
Special Manhattanville Mixed-Use Zoning District.....	1-24
General Project Plan.....	1-29
E. Proposed Academic Mixed-Use Development Plan .....	1-30
Planning and Design Approach.....	1-30
Description of the Academic Mixed-Use Development Plan .....	1-32
Relocation Sites.....	1-42
F. Transportation Improvements .....	1-43
G. Project Approvals .....	1-45
Discretionary Actions Subject to CEQR and Seqra .....	1-45
City and State Approvals Not Subject to CEQR or SEQRA.....	1-46
<b>2: Procedural and Analytical Framework</b> .....	<b>2-1</b>
A. Introduction.....	2-1
B. Environmental Review Process .....	2-1
Process Overview .....	2-1
C. Framework for Environmental Analysis.....	2-4
Scope of Environmental Analysis .....	2-4
Analysis Years.....	2-5
Definition of Study Areas .....	2-6
Defining Baseline Conditions .....	2-7
Defining the Action for Environmental Analysis.....	2-12
Mitigation .....	2-18
Alternatives .....	2-19

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

**3: Land Use, Zoning, and Public Policy .....3-1**

- A. Introduction ..... 3-1
  - Principal Conclusions ..... 3-1
- B. Methodology ..... 3-2
- C. Existing Conditions ..... 3-3
  - Project Area ..... 3-3
  - Primary Study Area ..... 3-16
  - Secondary Study Area ..... 3-21
- D. 2015 Future Without the Proposed Actions ..... 3-27
  - Project Area ..... 3-28
  - Primary Study Area ..... 3-29
  - Secondary Study Area ..... 3-31
- E. 2015 Future With the Proposed Actions ..... 3-32
  - Project Area ..... 3-32
  - Primary Study Area ..... 3-40
  - Secondary Study Area ..... 3-41
- F. 2030 Future Without the Proposed Actions ..... 3-43
  - Project Area ..... 3-43
  - Primary Study Area ..... 3-44
  - Secondary Study Area ..... 3-45
- G. 2030 Future With the Proposed Actions ..... 3-45
  - Project Area ..... 3-45
  - Primary Study Area ..... 3-49
  - Secondary Study Area ..... 3-49

**4: Socioeconomic Conditions .....4-1**

- A. Introduction ..... 4-1
  - Principal Conclusions ..... 4-2
- B. Methodology ..... 4-7
  - CEQR Overview ..... 4-7
  - Assessment Methods ..... 4-8
- C. Preliminary Assessment ..... 4-12
  - Direct Residential Displacement ..... 4-13
  - Direct Business and Institutional Displacement ..... 4-20
  - Indirect Residential Displacement ..... 4-22
  - Indirect Business and Institutional Displacement ..... 4-25
  - Adverse Effects on Specific Industries ..... 4-29
- D. Detailed Analysis ..... 4-30
  - Direct Business and Institutional Displacement ..... 4-30
  - Indirect Residential Displacement ..... 4-53
  - Indirect Business and Institutional Displacement ..... 4-89
- E. Economic and Fiscal Benefits and Costs Analysis ..... 4-102
  - Introduction ..... 4-102
  - Methodology ..... 4-103
  - Economic and Fiscal Benefits From Phase 1 Development (2015) ..... 4-105
  - Economic and Fiscal Benefits and Costs at Full Build Out (2030) ..... 4-115

Economic and Fiscal Costs.....	4-123
<b>5: Community Facilities and Services .....</b>	<b>5-1</b>
A. Introduction.....	5-1
Principal Conclusions.....	5-1
B. Screening Level Assessment.....	5-2
Public Schools.....	5-2
Libraries .....	5-3
Health Care Facilities .....	5-3
Day Care Centers .....	5-3
Fire Protection .....	5-4
Police Protection .....	5-4
Other Community Facilities .....	5-4
C. Methodology for Detailed Analysis.....	5-4
Public Schools.....	5-4
Libraries .....	5-5
D. Existing Conditions.....	5-5
Public Schools.....	5-5
Libraries .....	5-7
E. 2015 Future Without the Proposed Actions.....	5-8
Public Schools.....	5-10
Libraries .....	5-12
F. 2015 Future With the Proposed Actions .....	5-12
Public Schools.....	5-13
Libraries .....	5-15
G. 2030 Future Without the Proposed Actions.....	5-15
Public Schools.....	5-15
Libraries .....	5-15
H. 2030 Future With the Proposed Actions .....	5-15
Public Schools.....	5-16
Libraries .....	5-17
<b>6: Open Space.....</b>	<b>6-1</b>
A. Introduction.....	6-1
Principal Conclusions.....	6-1
B. Methodology .....	6-3
Direct Effects Analysis.....	6-3
Indirect Effects Analysis .....	6-4
C. Existing Conditions.....	6-7
Study Area Population .....	6-7
Study Area Open Spaces .....	6-11
Adequacy of Open Spaces.....	6-16
D. 2015 Future Without the Proposed Actions.....	6-19
Study Area Population .....	6-19
Study Area Open Spaces .....	6-20
Adequacy of Open Spaces.....	6-20

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

- E. 2015 Future With the Proposed Actions .....6-22
  - Direct Effects .....6-22
  - Indirect Effects.....6-22
- F. 2030 Future Without the Proposed Actions .....6-29
  - Study Area Population.....6-29
  - Study Area Open Spaces .....6-29
  - Adequacy of Open Spaces .....6-29
- G. 2030 Future With the Proposed Actions .....6-30
  - Direct Effects .....6-30
  - Indirect Effects.....6-31
- 7: Shadows .....7-1**
  - A. Introduction .....7-1
    - Principal Conclusions .....7-1
  - B. Methodology .....7-4
  - C. Shadow Screening .....7-4
    - Potentially Affected Public Open Spaces .....7-6
    - Potentially Affected Sun-Sensitive Historic Resources.....7-7
  - D. Shadow Effects By Season.....7-7
  - E. Assessment of Shadow Impacts—2015 .....7-9
    - Shadows on Open Space Resources .....7-10
  - F. Assessment of Shadow Impacts—2030 .....7-14
    - Shadows on Open Space Resources .....7-14
- 8: Historic Resources .....8-1**
  - A. Introduction .....8-1
    - Archaeological Resources .....8-1
    - Architectural Resources.....8-2
  - B. Principal Conclusions.....8-2
    - Project Area .....8-2
    - Study Area .....8-3
  - C. Methodology .....8-4
    - Archaeological Resources .....8-4
    - Architectural Resources.....8-4
  - D. Existing Conditions.....8-6
    - Historical Background.....8-6
    - Archaeological Resources .....8-8
    - Architectural Resources.....8-9
  - E. 2015 Future Without the Proposed Actions .....8-20
    - Archaeological Resources .....8-20
    - Architectural Resources.....8-20
  - F. 2015 Future With the Proposed Actions .....8-22
    - Archaeological Resources .....8-22
    - Architectural Resources.....8-22
  - G. 2030 Future Without the Proposed Actions .....8-28
    - Archaeological Resources .....8-28

Architectural Resources .....	8-28
H. 2030 Future With the Proposed Actions .....	8-28
Archaeological Resources .....	8-28
Architectural Resources .....	8-28
<b>9: Urban Design and Visual Resources .....</b>	<b>9-1</b>
A. Introduction.....	9-1
Principal Conclusions.....	9-1
B. Methodology.....	9-4
C. Existing Conditions.....	9-5
Urban Design.....	9-6
Visual Resources .....	9-20
D. 2015 Future Without the Proposed Actions.....	9-23
Project Area.....	9-23
Study Area.....	9-24
E. 2015 Future With the Proposed Actions .....	9-25
Introduction .....	9-25
Project Area.....	9-26
Study Area.....	9-34
F. 2030 Future Without the Proposed Actions.....	9-36
G. 2030 Future With the Proposed Actions .....	9-36
Project Area.....	9-36
Study Area.....	9-42
<b>10: Neighborhood Character .....</b>	<b>10-1</b>
A. Introduction.....	10-1
Principal Conclusions.....	10-1
B. Methodology.....	10-3
Study Areas .....	10-3
Screening for Neighborhood Character Components.....	10-3
C. Existing Conditions.....	10-5
Underlying Neighborhoods .....	10-5
Project Area.....	10-6
Primary Study Area .....	10-10
Secondary Study Area.....	10-12
D. 2015 Future Without the Proposed Actions.....	10-13
Project Area.....	10-13
Primary Study Area .....	10-16
Secondary Study Area.....	10-17
E. 2015 Future With the Proposed Actions .....	10-17
Project Area.....	10-17
Primary Study Area.....	10-22
Secondary Study Area.....	10-23
F. 2030 Future Without the Proposed Actions.....	10-24
Project Area.....	10-24
Primary Study Area.....	10-24

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

Secondary Study Area ..... 10-24

G. 2030 Future With the Proposed Actions ..... 10-25

    Project Area ..... 10-25

    Primary Study Area ..... 10-29

    Secondary Study Area ..... 10-30

**11: Natural Resources ..... 11-1**

A. Introduction ..... 11-1

    Principal Conclusions ..... 11-3

B. Methodology ..... 11-6

    Existing And Future Conditions ..... 11-6

    Assessment of Impacts on Water Quality and Natural Resources ..... 11-7

C. Regulatory Context ..... 11-9

D. Existing Conditions ..... 11-12

    Floodplains and Wetlands ..... 11-12

    Groundwater ..... 11-13

    Earthquake Potential ..... 11-14

    Terrestrial Resources ..... 11-17

    Aquatic Resources ..... 11-17

    Threatened, Endangered, and Special Concern Species ..... 11-21

    Significant Coastal Fish and Wildlife Habitat ..... 11-22

E. 2015 Future Without the Proposed Actions ..... 11-22

    Floodplains and Wetlands ..... 11-22

    Groundwater ..... 11-22

    Earthquake Potential ..... 11-23

    Terrestrial Resources ..... 11-23

    Aquatic Resources ..... 11-23

F. 2015 Future With the Proposed Actions ..... 11-27

    Floodplains and Wetlands ..... 11-27

    Groundwater ..... 11-28

    Earthquake Potential ..... 11-28

    Terrestrial Resources ..... 11-29

    Aquatic Resources ..... 11-29

    Threatened, Endangered, and Special Concern Species ..... 11-32

    Significant Coastal Fish and Wildlife Habitat ..... 11-32

G. 2030 Future Without the Proposed Actions ..... 11-33

    Floodplains and Wetlands ..... 11-33

    Groundwater ..... 11-33

    Earthquake Potential ..... 11-33

    Terrestrial Resources ..... 11-33

    Aquatic Resources ..... 11-33

H. 2030 Future With the Proposed Actions ..... 11-35

    Floodplains and Wetlands ..... 11-35

    Earthquake Potential ..... 11-35

    Terrestrial Resources ..... 11-36

    Aquatic Resources ..... 11-36

    Threatened, Endangered, and Special Concern Species ..... 11-39

Significant Coastal Fish and Wildlife Habitat.....	11-39
I. References.....	11-39
<b>12: Hazardous Materials .....</b>	<b>12-1</b>
A. Introduction.....	12-1
Principal Conclusions.....	12-1
B. Methodology.....	12-2
C. Existing Conditions.....	12-3
Preliminary Environmental Site Assessment (PESA).....	12-3
Phase II Investigation.....	12-5
Summary .....	12-9
D. 2015 Future Without the Proposed Actions.....	12-9
E. 2015 Future With the Proposed Actions .....	12-9
Fill/Soil.....	12-10
Petroleum Storage Tanks .....	12-10
Groundwater.....	12-10
Asbestos, Lead-Based Paint, and PCB-Containing Equipment .....	12-11
Contingency Plans and Requirements for Further Testing.....	12-11
Restrictive Declarations .....	12-11
E-Designation Properties.....	12-12
F. 2030 Future Without the Proposed Actions.....	12-14
G. 2030 Future With the Proposed Actions .....	12-15
<b>13: Waterfront Revitalization Program.....</b>	<b>13-1</b>
A. Introduction.....	13-1
Background .....	13-2
B. Principal Conclusions .....	13-2
C. Methodology.....	13-3
D. Existing Conditions.....	13-3
E. 2015 Future Without the Proposed Actions.....	13-3
F. 2015 Future With the Proposed Actions .....	13-4
G. 2030 Future Without the Proposed Actions.....	13-5
H. 2030 Future With the Proposed Actions .....	13-6
I. Consistency of the Proposed Project With the WRP Policies .....	13-6
<b>14: Infrastructure.....</b>	<b>14-1</b>
A. Introduction.....	14-1
Principal Conclusions.....	14-1
B. Amended Drainage Plan .....	14-1
Combined Sewers.....	14-2
Storm Sewers.....	14-2
C. Existing Conditions.....	14-3
Water Supply.....	14-3
Sanitary Sewage .....	14-4
D. 2015 Future Without the Proposed Actions.....	14-6



**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

Water Supply .....	14-6
Sanitary Sewage.....	14-7
Combined Sewer Overflows.....	14-7
E.    2015 Future With the Proposed Actions .....	14-7
Water Supply .....	14-8
Sanitary Sewage.....	14-9
Potential Conservation Measures.....	14-9
Combined Sewer Overflows.....	14-9
Liquid Laboratory Waste.....	14-10
F.    2030 Future Without the Proposed Actions .....	14-12
Water Supply .....	14-12
Sanitary Sewage.....	14-12
Combined Sewer Overflows.....	14-12
G.    2030 Future With the Proposed Actions .....	14-12
Street Reconstruction and New Utility Lines .....	14-12
Water Supply .....	14-13
Sanitary Sewage.....	14-13
Combined Sewer Overflows.....	14-14
Liquid Laboratory Waste.....	14-15
<b>15: Solid Waste and Sanitation Services .....</b>	<b>15-1</b>
A.    Introduction.....	15-1
Principal Conclusions .....	15-1
B.    Existing Conditions.....	15-1
C.    2015 Future Without the Proposed Actions .....	15-3
D.    2015 Future With the Proposed Actions .....	15-4
E.    2030 Future Without the Proposed Actions .....	15-5
F.    2030 Future With the Proposed Actions .....	15-5
<b>16: Energy .....</b>	<b>16-1</b>
A.    Introduction.....	16-1
Principal Conclusions .....	16-1
B.    Existing Conditions.....	16-1
C.    2015 Future Without the Proposed Actions .....	16-2
D.    2015 Future With the Proposed Actions .....	16-2
Energy Generation.....	16-3
Potential Energy Conservation Measures.....	16-3
Probable Impacts of the Proposed Actions on Energy.....	16-4
E.    2030 Future Without the Proposed Actions .....	16-5
F.    2030 Future With the Proposed Actions .....	16-5
Con Edison Cooling Station .....	16-5
Energy Generation.....	16-6
Probable Impacts of the Proposed Actions on Energy.....	16-6
G.    Conclusions.....	16-7

<b>17: Traffic and Parking .....</b>	<b>17-1</b>
A. Introduction.....	17-1
Principal Conclusions.....	17-1
B. Methodology.....	17-2
Overview .....	17-2
Study Area.....	17-3
Operational Analysis Methodology.....	17-5
Parking Conditions Assessment .....	17-7
Traffic Safety Evaluation .....	17-8
Travel Demand Projections .....	17-8
C. Existing Conditions.....	17-25
Traffic Volumes .....	17-25
Intersection Capacity Analysis.....	17-26
Parking Supply and Utilization .....	17-33
D. 2015 Future Without the Proposed Actions.....	17-35
Traffic Volumes and Intersection Capacity Analysis.....	17-35
Parking Supply and Utilization .....	17-45
E. 2015 Probable Impacts of the Proposed Actions .....	17-47
Overview .....	17-47
Vehicle Trip Assignment .....	17-48
Traffic Volumes and Intersection Capacity Analyses .....	17-49
Parking Supply and Utilization .....	17-58
F. 2030 Future Without the Proposed Actions.....	17-60
Traffic Volumes and Intersection Capacity Analyses .....	17-62
Parking Supply and Utilization .....	17-71
G. 2030 Probable Impacts of the Proposed Actions .....	17-73
Overview .....	17-73
Vehicle Trip Assignment .....	17-73
Traffic Volumes and Intersection Capacity Analyses .....	17-74
Parking Supply and Utilization .....	17-83
H. Traffic Safety .....	17-87
<b>18: Transit and Pedestrians .....</b>	<b>18-1</b>
A. Introduction.....	18-1
Principal Conclusions.....	18-1
B. Methodology.....	18-1
Transit and Pedestrian Study Areas.....	18-2
Operational Analysis Methodology.....	18-3
Travel Demand Projections .....	18-6
C. Existing Conditions.....	18-7
Subway Station Operations .....	18-7
Subway Line Haul Levels .....	18-8
Nyct Bus Line Haul Levels .....	18-9
Pedestrian Circulation .....	18-10
D. 2015 Future Without the Proposed Actions.....	18-15
Transit and Pedestrian Volume Projections .....	18-16

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

Subway Station Operations.....	18-16
Subway and Bus Line Haul Levels.....	18-16
Pedestrian Circulation.....	18-16
E. 2015 Future With the Proposed Actions .....	18-23
Changes in the Pedestrian Environment .....	18-23
Project-Generated Trip Assignment .....	18-24
Subway Station Operations.....	18-24
Subway and Bus Line Haul Levels.....	18-25
Pedestrian Circulation.....	18-27
F. 2030 Future Without the Proposed Actions .....	18-30
Transit and Pedestrian Volume Projections.....	18-30
Subway Station Operations.....	18-31
Subway and Bus Line Haul Levels.....	18-31
Pedestrian Circulation.....	18-33
G. 2030 Future With the Proposed Actions .....	18-33
Changes in the Pedestrian Environment .....	18-33
Project-Generated Trip Assignment .....	18-38
Subway Station Operations.....	18-39
Subway and Bus Line Haul Levels.....	18-39
Pedestrian Circulation.....	18-42
<b>19: Air Quality .....</b>	<b>19-1</b>
A. Introduction .....	19-1
Principal Conclusions .....	19-2
B. Pollutants for Analysis .....	19-4
Carbon Monoxide .....	19-4
Nitrogen Oxides, VOCs, and Ozone.....	19-4
Lead .....	19-5
Respirable Particulate Matter—PM <sub>10</sub> and PM <sub>2.5</sub> .....	19-5
Sulfur Dioxide .....	19-6
Air Toxics .....	19-6
C. Air Quality Regulations, Standards, and Benchmarks .....	19-6
National and State Air Quality Standards.....	19-6
Naaqs Attainment Status and State Implementation Plans (SIP).....	19-8
Determining the Significance of Air Quality Impacts .....	19-8
D. Methodology for Predicting Pollutant Concentrations.....	19-10
Introduction .....	19-10
Reasonable Worst-Case Development Scenario.....	19-11
Mobile Sources .....	19-12
Parking Facilities .....	19-16
Stationary Sources .....	19-17
Mta Manhattanville Bus Depot.....	19-37
E. Existing Conditions.....	19-37
Existing Monitored Air Quality Conditions .....	19-37
PM <sub>2.5</sub> Background Concentrations.....	19-38
Predicted CO Concentrations in the Study Area .....	19-38
F. 2015 Future Without The Proposed Actions.....	19-39

Mobile Sources Analysis.....	19-39
Stationary Source Analysis .....	19-40
G.    2015 Future With the Proposed Actions .....	19-40
Mobile Sources Analysis.....	19-40
Stationary Sources.....	19-43
MTA Manhattanville Bus Depot.....	19-46
H.    2030 Future Without the Proposed Actions.....	19-46
Mobile Sources Analysis.....	19-46
Stationary Source Analysis .....	19-47
I.    2030 Future With the Proposed Actions .....	19-47
Mobile Sources Analysis.....	19-47
Stationary Sources.....	19-50
Manhattanville Bus Depot.....	19-57
Consistency With New York State Air Quality Implementation Plan .....	19-59
J.    Probable Impacts of the Proposed Actions Without Proposed Improvements .....	19-59
<b>20: Noise.....</b>	<b>20-1</b>
A.    Introduction.....	20-1
Principal Conclusions.....	20-1
B.    Noise Fundamentals.....	20-2
“A”-Weighted Sound Level (dBA) .....	20-2
Ability to Perceive Changes in Noise Levels .....	20-2
C.    Noise Standards and Criteria .....	20-3
New York City Noise Control Code .....	20-4
New York CEQR Noise Criteria.....	20-4
D.    Impact Definition.....	20-6
E.    Noise Prediction Methodology .....	20-6
General Methodology.....	20-6
Tnm Model.....	20-6
Fta Guidance Manual .....	20-7
Analysis Procedure.....	20-7
Building Reflections.....	20-7
F.    Existing Conditions.....	20-8
Site Description.....	20-8
Selection of Noise Receptor Locations .....	20-8
Noise Monitoring .....	20-8
Equipment Used During Noise Monitoring .....	20-9
Results of Baseline Measurements.....	20-9
G.    2015 Future Without the Proposed Actions.....	20-10
H.    2015 Future With the Proposed Actions .....	20-11
I.    2030 Future Without the Proposed Actions.....	20-13
J.    2030 Future With the Proposed Actions .....	20-14
K.    Probable Impacts of the Proposed Actions Without Proposed Improvements .....	20-16
L.    Building Attenuation for Project Buildings .....	20-17
M.    Mechanical Systems .....	20-17

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

<b>21: Construction</b> .....	<b>21-1</b>
A. Introduction .....	21-1
B. Principal Conclusions.....	21-1
Land Use and Neighborhood Character.....	21-1
Historic Resources .....	21-2
Socioeconomic Conditions .....	21-2
Hazardous Materials .....	21-3
Infrastructure .....	21-4
Traffic .....	21-4
Parking.....	21-5
Transit.....	21-5
Pedestrians .....	21-5
Air Quality .....	21-5
Noise .....	21-7
Public Health .....	21-7
Rodent Control .....	21-8
C. Construction of Buildings and Below-Grade Space.....	21-8
Introduction .....	21-8
Schedule and Sequencing .....	21-8
Abatement and Demolition.....	21-12
Excavation, Foundations, and Below-Grade Construction.....	21-13
Construction of Infrastructure Improvements.....	21-18
Street Reconstruction.....	21-20
Above-Grade Building Construction.....	21-21
General Construction Practices.....	21-21
Relocation of Electric Cooling Facility and Transmission Lines .....	21-25
D. Future Without the Proposed Actions .....	21-26
E. Future With the Proposed Actions .....	21-26
Land Use and Neighborhood Character.....	21-26
Historic Resources .....	21-27
Socioeconomic Conditions .....	21-27
Hazardous Materials .....	21-29
Infrastructure .....	21-30
Traffic and Transportation .....	21-31
Parking.....	21-57
Transit.....	21-58
Pedestrians .....	21-59
Air Quality .....	21-59
Noise and Vibration.....	21-81
Public Health .....	21-97
Rodent Control .....	21-97
<b>22: Public Health</b> .....	<b>22-1</b>
A. Introduction .....	22-1
Principal Conclusions .....	22-1
B. Methodology .....	22-3
C. Summary of Air and Noise Pollution Sources from the Proposed Actions.....	22-4

Construction .....	22-4
Project Operations .....	22-4
D. Pollutants of Concern.....	22-5
Particulate Matter .....	22-5
E. Air Quality and Noise Regulations and Standards.....	22-6
Air Quality.....	22-6
Noise .....	22-7
F. Determining the Significance of Public Health Impacts.....	22-7
Air Quality.....	22-8
Noise .....	22-9
G. Air Quality-Related Health Effects.....	22-9
Diesel Engine Exhaust .....	22-10
H. Future With the Proposed Actions .....	22-19
Air Quality.....	22-20
Noise .....	22-22
Hazardous Materials.....	22-22
Rodent Control .....	22-23
Laboratory Practices.....	22-23
<b>23: Mitigation .....</b>	<b>23-1</b>
A. Introduction.....	23-1
B. Socioeconomic Conditions .....	23-1
Overview .....	23-1
Indirect Residential Displacement Mitigation.....	23-1
Summary .....	23-5
C. Open Space .....	23-6
Overview .....	23-6
Mitigation for Shadows on Open Space.....	23-6
Indirect Effects Mitigation .....	23-7
Analysis of Mitigation.....	23-9
D. Shadows .....	23-10
E. Historic Resources .....	23-10
Overview .....	23-10
Historic Resources: 2015 .....	23-10
Historic Resources: 2030 .....	23-11
F. Traffic and Parking .....	23-12
Overview .....	23-12
Traffic: 2015.....	23-13
Traffic: 2030.....	23-19
Parking: 2015 .....	23-24
Parking: 2030 .....	23-25
G. Transit and Pedestrians .....	23-26
Overview .....	23-26
Subway Station Operations .....	23-26
NYCT Bus Line Haul.....	23-26
H. Air Quality .....	23-27

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

Effects of Proposed Traffic Mitigation Measures.....23-27

I. Noise .....23-27

Effects of Proposed Traffic Mitigation Measures.....23-27

Noise Mitigation at Significantly Impacted Locations .....23-27

J. Construction .....23-28

Traffic .....23-28

Noise.....23-28

**24: Alternatives.....24-1**

A. Introduction .....24-1

Overview .....24-1

Principal Conclusions .....24-1

B. Alternatives Considered and Rejected .....24-20

Manhattanville Bus Depot Overbuild Alternative .....24-20

Infill Development Alternative.....24-21

C. No Action Alternative .....24-26

Description of the No Action Alternative.....24-26

No Action Alternative Compared with the Proposed Actions .....24-28

Conclusion .....24-40

D. Alternatives to Reduce or Avoid Significant Adverse Impacts.....24-41

Shadows.....24-41

Historic Resources .....24-44

E. Expanded Infill Alternative .....24-47

Description of Alternative .....24-47

Expanded Infill Alternative Compared with the Proposed Actions .....24-52

Ability to Meet the Goals and Objectives of the Proposed Actions .....24-76

F. Community Board 9 Proposed 197-A Plan Alternatives .....24-77

Introduction .....24-77

Background.....24-79

Description of Community Board 9 197-A Plan Alternative 1 .....24-79

197-A Plan Alternative 1 Compared with the Proposed Actions .....24-88

Ability Of 197-A Plan Alternative 1 to Meet the Goals and Objectives  
of the Proposed Actions.....24-89

Description of Community Board 9 197-A Plan Alternative 2 .....24-92

197-A Plan Alternative 2 Compared with the Proposed Actions .....24-100

197-A Plan Alternative 2 with Further Revisions .....24-117

Ability to Meet the Goals and Objectives of the Proposed Actions .....24-120

G. Cogeneration Energy Supply Alternative.....24-121

2015 .....24-121

2030 .....24-122

Cogeneration Energy Supply Alternative Compared with the Proposed Actions .....24-126

Conclusion .....24-128

**25: Unavoidable Significant Adverse Impacts .....25-1**

A. Socioeconomic Conditions.....25-1

B. Open Space.....25-1

C.	Shadows .....	25-2
D.	Historic Resources .....	25-2
E.	Parking .....	25-3
F.	Noise .....	25-3
G.	Construction.....	25-3
	Noise .....	25-3
<b>26: Irreversible and Irretrievable Commitment of Resources .....</b>		<b>26-1</b>
<b>27: Growth-Inducing Aspects of the Proposed Actions.....</b>		<b>27-1</b>
<b>28: Response to Comments on the Draft Environmental Impact Statement.....</b>		<b>28-1</b>
<b>29: Modifications to the Proposed Actions .....</b>		<b>29-1</b>

**LIST OF APPENDICES**

<b>APPENDIX A</b>	PROPOSED SPECIAL ZONING DISTRICT TEXT AND CONCEPTUAL ANALYSIS
APPENDIX A.1	SPECIAL ZONING DISTRICT TEXT
APPENDIX A.2	CONCEPTUAL ANALYSIS OF PROPOSED SPECIAL ZONING DISTRICT TEXT
<b>APPENDIX B</b>	SOCIOECONOMIC CONDITIONS
APPENDIX B.1	SOCIOECONOMIC CONDITIONS BACKUP
APPENDIX B.2	RESIDENTIAL RELOCATION SITES: ENVIRONMENTAL ANALYSIS
APPENDIX B.3	RESIDENTIAL RELOCATION SITES: ENVIRONMENTAL ANALYSIS CORRESPONDENCE
<b>APPENDIX C</b>	RECENT TRENDS ANALYSIS
<b>APPENDIX D</b>	HISTORIC RESOURCES
APPENDIX D.1	ARCHAEOLOGY REPORT
APPENDIX D.2	HISTORIC RESOURCES AGENCY CORRESPONDENCE
APPENDIX D.3	CONSTRUCTION PROTECTION PLAN
APPENDIX D.4	FORMER SHEFFIELD FARMS FEASIBILITY STUDY
<b>APPENDIX E</b>	NATURAL RESOURCES
APPENDIX E.1	WATER QUALITY MODELING
APPENDIX E.2	NATURAL RESOURCES CORRESPONDENCE
APPENDIX E.3	NATURAL RESOURCES REFERENCES
<b>APPENDIX F</b>	HAZARDOUS MATERIALS
APPENDIX F.1	ENVIRONMENTAL ISSUES IN PROJECT AREA
APPENDIX F.2	SUBSURFACE (PHASE 2) INVESTIGATION
<b>APPENDIX G</b>	COASTAL ASSESSMENT FORM



**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

<b>APPENDIX H</b>	TRAFFIC AND PARKING
<b>APPENDIX I</b>	AIR QUALITY
<b>APPENDIX J</b>	NOISE
<b>APPENDIX K</b>	CONSTRUCTION
APPENDIX K.1	GENERAL CONSTRUCTION
APPENDIX K.2	TRAFFIC AND PARKING
APPENDIX K.3	AIR QUALITY
APPENDIX K.4	NOISE
APPENDIX K.5	CENTRAL BELOW-GRADE SERVICE AREA: MEMORANDA ON FLOODING AND SEISMIC ISSUES
<b>APPENDIX L</b>	ENVIRONMENTAL JUSTICE
<b>APPENDIX M</b>	IMPACTS OF THE PROPOSED ACTIONS WITHOUT TRANSPORTATION IMPROVEMENTS
<b>APPENDIX N</b>	CB9 197-A PLAN ALTERNATIVE 1
APPENDIX N.1	CB9 197-A PLAN ALTERNATIVE 1: IMPACT ANALYSES
APPENDIX N.2	CB9 197-A PLAN ALTERNATIVE 1: COLUMBIA UNIVERSITY DEVELOPMENT SCENARIO
<b>APPENDIX O</b>	GENERIC ANALYSES OF THE MANHATTANVILLE BUS DEPOT AND 131st STREET SHOP RELOCATION
APPENDIX O.1	GENERIC ANALYSIS OF THE MANHATTANVILLE BUS DEPOT RELOCATION
APPENDIX O.2	GENERIC ANALYSIS OF THE 131st STREET SHOP RELOCATION
<b>APPENDIX P</b>	MITIGATION APPENDIX
APPENDIX P.1	MITIGATION CORRESPONDENCE
APPENDIX P.2	UNIVERSITY HOUSING MITIGATION: ENVIRONMENTAL ANALYSIS
APPENDIX P.3	PARKING MITIGATION: NET PARKING REROUTING VOLUMES
APPENDIX P.4	UNIVERSITY HOUSING MITIGATION CORRESPONDENCE
<b>APPENDIX Q</b>	RESPONSE TO COMMENTS APPENDIX
APPENDIX Q.1	RESPONSE TO COMMENTS CORRESPONDENCE
APPENDIX Q.2	COMMENTS ON THE CB9 197-A PLAN
APPENDIX Q.3	MTA MANHATTANVILLE BUS DEPOT NO RELOCATION SCENARIO
<b>APPENDIX R</b>	EXPANDED INFILL ALTERNATIVE
APPENDIX R.1	TRAFFIC AND PARKING
APPENDIX R.2	NOISE
<b>APPENDIX S</b>	LIST OF E-DESIGNATIONS

## List of Tables

---

S-1	Permitted Uses By Development Site .....	S-13
S-2	Subdistrict A: 2015 and 2030 Maximum and Minimum Proposed Academic Mixed-Use Above-Grade Development .....	S-13
S-3	Subdistrict A: Illustrative Plan by Development Site (in gsf) .....	S-17
S-4	Development Under Construction or Proposed in the Project and Study Areas Expected To Be Completed In The Future Without The Proposed Actions .....	S-27
S-5	Subdistrict B and the Other Areas: Projected Development Sites.....	S-31
S-6	Project Area Reasonable Worst-Case Development Scenario .....	S-32
S-7	Summary Open Space Ratios, 2015 and 2030 .....	S-42
S-8	Comparison of 2015 No Build, Build, and Mitigated AM Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-58
S-9	Comparison of 2015 No Build, Build, and Mitigated Midday Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-58
S-10	Comparison of 2015 No Build, Build, and Mitigated PM Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-59
S-11	Comparison of 2015 No Build, Build, and Mitigated AM Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-59
S-12	Comparison of 2015 No Build, Build, and Mitigated Midday Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-60
S-13	Comparison of 2015 No Build, Build, and Mitigated PM Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-60
S-14	Comparison of 2030 No Build, Build, and Mitigated AM Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-61
S-15	Comparison of 2030 No Build, Build, and Mitigated Midday Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-61
S-16	Comparison of 2030 No Build, Build, and Mitigated PM Peak Hour Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	S-62
S-17	Comparison of 2030 No Build, Build, and Mitigated AM Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-62
S-18	Comparison of 2030 No Build, Build, and Mitigated Midday Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-63
S-19	Comparison of 2030 No Build, Build, and Mitigated Pm Peak Hour Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	S-63
1-1	Recently Constructed and Proposed Academic Research Buildings.....	1-10
1-2	Comparison of Floor Area for Academic Research Among Top-Ranked Universities ...	1-12

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

1-3 Comparison of Available Space and Study Rooms Among Business Schools .....1-14

1-4 Major Columbia University Expansion Projects Since 1995 (Projects of More Than 25,000 Square Feet) .....1-17

1-5 Columbia-Controlled Development Sites: Maximum As-of-Right Floor Area.....1-18

1-6 Permitted Uses by Development Site .....1-30

1-7 Subdistrict A: 2015 and 2030 Maximum and Minimum Proposed Academic Mixed-Use Above-Grade Development.....1-30

1-8 Subdistrict A: Illustrative Plan by Development Site (in gsf) .....1-33

2-1 Development Under Construction or Proposed in the Project and Study Areas Expected to be Completed in the Future Without the Proposed Actions.....2-8

2-2 Subdistrict B and the Other Areas: Projected Development Sites .....2-16

2-3 Project Area Reasonable Worst-Case Development Scenario.....2-18

3-1 Zoning Districts Located in Project Area .....3-12

3-2 Zoning Districts Located in the Primary and Secondary Study Areas .....3-19

4-1 Socioeconomic Conditions Reasonable Worst-Case Development Scenario.....4-9

4-2 Race And Ethnicity in 1990 and 2000 .....4-14

4-3 2000 Contract Rents of Renter-Occupied Housing Units in Project and Study Areas...4-15

4-4 2000 Household Income in Project and Study Areas .....4-16

4-5 Population Below the Poverty Level in Project and Study Areas (1990 & 2000).4-17

4-6 Existing Residential Buildings in the Academic Mixed-Use Area.....4-17

4-7 Residential Replacement Sites.....4-19

4-8 Total Employment by Sector in the Project Area .....4-33

4-9 Displaced Businesses and Institutions and Employment in the Project Area.....4-35

4-10 Displaced Businesses and Institutions and Employment by Subdistrict.....4-36

4-11 Primary Study Area Employment by Industry .....4-38

4-12 Secondary Study Area Employment by Industry.....4-39

4-13 Directly Displaced Employment as a Percentage of Primary and Secondary Study Area Employment.....4-40

4-14 Direct Business and Institutional Displacement (2015).....4-48

4-15 Direct Business and Institutional Displacement (2030).....4-51

4-16 Population Trends.....4-54

4-17 Race and Ethnicity in 1990 and 2000 .....4-56

4-18 1990 and 2000 Age Distribution.....4-57

4-19 Average Household Size: 2000, 1990, and 1980.....4-57

4-20 Household Incomes in 1999 .....4-58

4-21 Household Incomes in 1989 .....4-58

4-22 Population Below the Poverty Level in 2000, 1990, and 1980 .....4-59

4-23 2000 Housing Units by Year Built .....4-60

4-24	Tenure and Vacancy in 2000, 1990, and 1980 .....	4-60
4-25	Units per Residential Structure in 1990 and 2000.....	4-61
4-26	2000 Housing Values of Owner-Occupied Housing Units .....	4-62
4-27	2000 Contract Rents of Renter-Occupied Housing Units .....	4-62
4-28	Rent as a Percentage of Income .....	4-63
4-29	Single Room Occupancy Units in the Study Areas.....	4-65
4-30	Unregulated Rental Housing Units in Primary and Secondary Study Areas .....	4-69
4-31	Average Household Income for Renters in Small Buildings, Buildings With 5 or More Units, and All Renter-Occupied Buildings in Manhattan, 2000 .....	4-71
4-32	Unregulated Rental Housing Units by Census Tract.....	4-72
4-33	Expected Residential Development: 2015 Future Without the Proposed Actions .	4-75
4-34	Project-Generated University Employees and Students Seeking Housing in Study Areas—2015.....	4-80
4-35	Project-Generated University Population (Including Families) Seeking Housing in Study Areas—2015 .....	4-81
4-36	Project-Generated University Employees and Students Seeking Housing in Study Areas—2030.....	4-86
4-37	Project-Generated University Population (Including Families) Seeking Housing in Study Areas—2030 .....	4-88
4-38	Primary Study Area Employment by Industry .....	4-91
4-39	Secondary Study Area Employment by Industry .....	4-93
4-40	Construction Costs Used as Bases for Economic and Fiscal Benefits Modeling (Millions of 2007 Dollars).....	4-104
4-41	Economic and Fiscal Benefits From Construction of the Phase 1 (2015) Academic Mixed-Use Area Development.....	4-106
4-42	Economic and Fiscal Benefits From Construction of the Development in Subdistrict B and the Other Area East of Broadway (2015).....	4-108
4-43	Summary of the Economic and Fiscal Benefits from Construction of the Total Phase 1 (2015) Development.....	4-109
4-44	Economic and Fiscal Benefits From the Annual Operation of the Phase 1 (2015) Academic Mixed-Use Area Development.....	4-110
4-45	Projected Economic and Fiscal Benefits From the Annual Operation of the Development In Subdistrict B and the Other Area East of Broadway .....	4-112
4-46	Summary of the Projected Economic and Fiscal Benefits From the Annual Operation of the Total Phase 1 (2015) Development.....	4-114
4-47	Economic and Fiscal Benefits From Construction of the Incremental (2015 to 2030) Academic Mixed-Use Area Development.....	4-116
4-48	Economic and Fiscal Benefits From Construction of the Cumulative (Full Build) Academic Mixed-Use Area Development.....	4-117
4-49	Summary of the Economic and Fiscal Benefits From Construction of the Entire Projected Development .....	4-119

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

4-50 Projected Economic and Fiscal Benefits From the Annual Operation of the Completed Academic Mixed-Use Area Development ..... 4-120

4-51 Summary of the Projected Economic and Fiscal Benefits From the Annual Operation of the Entire Completed Development ..... 4-122

5-1 Preliminary Screening Analysis Criteria .....5-2

5-2 Public Elementary/Intermediate School Enrollment, Capacity, and Utilization, 2005–2006 School Year .....5-6

5-3 Library Services.....5-7

5-4 Expected Residential Development: 2015 Future Without the Proposed Actions ..5-9

5-5 2015 Future Without the Proposed Actions, Projected New Housing Units and Estimated Number of Students Generated by the New Housing Units .....5-10

5-6 Public Elementary/Intermediate School Enrollment, Capacity, and Utilization: 2015 Future Without The Proposed Actions .....5-11

5-7 Projected New Housing Units and Estimated Number of Students Generated: 2015 Future With the Proposed Actions.....5-13

5-8 Public Elementary/Intermediate School Enrollment, Capacity, and Utilization: 2015 Future With the Proposed Actions.....5-14

5-9 Projected New Housing Units And Estimated Number of Students Generated: 2030 Future With the Proposed Actions.....5-16

5-10 Public Elementary/Intermediate School Enrollment, Capacity, and Utilization: 2030 Future With the Proposed Actions.....5-17

6-1 Summary Open Space Ratios, 2015 and 2030.....6-2

6-2 Weighted Average Passive Open Space Ratios for Combined Residential and Non-Residential Populations .....6-7

6-3 Existing Population in the Non-Residential and Residential Study Areas .....6-8

6-4 Age Distribution of Non-Residential Study Area.....6-9

6-5 Age Distribution of Residential Study Area .....6-10

6-6 Inventory of Open Space Resources .....6-11

6-7 Existing Conditions: Adequacy of Open Space Resources .....6-17

6-8 2015 Future Without the Proposed Actions: Adequacy of Open Space Resources .6-21

6-9 2015 Subdistrict A: Open Space Reasonable Worst-Case Development Scenario .....6-24

6-10 2015 Future With the Proposed Actions: Adequacy of Open Space Resources....6-27

6-11 2015 Future With the Proposed Actions: Open Space Ratios Summary .....6-27

6-12 2030 Future Without the Proposed Actions: Adequacy Open Space Resources...6-30

6-13 2030 Subdistrict A: Open Space Reasonable Worst-Case Development Scenario .....6-33

6-14 2030 Future With the Proposed Actions: Adequacy of Open Space Resources....6-35

6-15	2030 Future With the Proposed Actions: Open Space Ratios Summary .....	6-36
7-1	Shadows Screening: Open Spaces Within Maximum Shadow Sweep.....	7-5
7-2	Figure Number Locator for Shadow Diagrams .....	7-8
7-3	Maximum Height of Proposed Buildings in the Academic Mixed-Use Area (in Feet)...	7-9
7-4	Project Shadow Durations—2015 .....	7-10
7-5	Project Shadow Durations—2030 .....	7-15
8-1	Architectural Resources in the Project Area and Study Area.....	8-10
8-2	Contributing Properties in the Riverside Drive/West 135th–136th Streets Historic District ...	8-19
11-1	DEP Water Quality Data for the West 125th Street Sampling Station (1999–2003) .....	11-19
12-1	Summary of Phase II Site Investigation Results .....	12-6
12-2	Restrictive Declaration Lots .....	12-13
12-3	E-Designation Lots.....	12-14
14-1	Actual Flows at North River WPCP.....	14-5
14-2	water and Sewage Conversion Factors.....	14-7
14-3	Expected Maximum Water Demand With the Proposed Actions in 2015 .....	14-8
14-4	2015 CSO Volumes (million gallons per year) and Frequency of discharge into the Hudson River.....	14-10
14-5	Expected Maximum Incremental Water Demand with the Proposed Actions in 2030	14-13
14-6	CSO Volume (million gallons per year) and Frequency of Discharges into the Hudson River.....	14-15
15-1	Solid Waste Conversion Factors .....	15-2
15-2	Existing Solid Waste Generation in Project Area .....	15-3
15-3	Expected Solid Waste Generation for the Reasonable Worst-Case Development Scenario in 2015.....	15-5
15-4	Expected Solid Waste Generation for the Reasonable Worst-Case Development Scenario in 2030.....	15-6
16-1	Estimated Existing Annual Energy Consumption.....	16-2
16-2	Projected Energy Consumption in 2015.....	16-5
16-3	Projected Energy Consumption in 2030.....	16-7
17-1	Level of Service Criteria for Signalized Intersections .....	17-6
17-2	Level of Service Criteria for Unsignalized Intersections .....	17-7
17-3	Comparison of Transportation Analysis Scenarios .....	17-9
17-4a	Travel Demand Assumptions for Columbia University Personnel .....	17-16
17-4b	Travel Demand Assumptions for Columbia University Components.....	17-17

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

17-5	2015 Trip Generation Results for Columbia University Components.....	17-18
17-6	2030 Trip Generation Results for Columbia University Components.....	17-19
17-7	Travel Demand Assumptions for Subdistrict B and Other Area .....	17-23
17-8	2015 Trip Generation Results for Subdistrict B and Other Area.....	17-24
17-9	2006 Existing Conditions Primary Study Area Signalized Inersection Level-of-Service Analysis .....	17-27
17-10	2006 Existing Conditions Primary Study Area Unsignalized Inersection Level-of-Service Analysis .....	17-30
17-11	2006 Existing Conditions Secondary Study Area Signalized Inersection Level-of-Service Analysis .....	17-31
17-12	2006 Existing Conditions Secondary Study Area Unsignalized Inersection Level-of-Service Analysis .....	17-32
17-13	2006 Existing On-Street Parking Utilization Summary.....	17-34
17-14	2006 Existing Off-Street Parking Utilization Summary .....	17-34
17-15	2015 No Build Condition Primary Study Area Signalized Intersection Level-of-Service Analysis .....	17-36
17-16	2015 No Build Condition Primary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-38
17-17	2015 No Build Condition Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	17-39
17-18	2015 No Build Condition Secondary Study Area Unsignalized Intersection Level-of-Service Analysis.....	17-40
17-19	2015 No Build On-Street Parking Utilization Summary .....	17-45
17-20	2015 No Build Off-Street Parking Utilization Summary .....	17-46
17-21	Comparison of 2015 No Build and Build Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis .....	17-50
17-22	Comparison of 2015 No Build and Build Conditions Primary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-53
17-23	Comparison of 2015 No Build and Build Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis.....	17-54
17-24	Comparison of 2015 No Build and Build Conditions Secondary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-55
17-25	Significantly Impacted Intersections within the Project Area in 2015 Build Condition without Improvements .....	17-57
17-26	2015 Build On-Street Parking Utilization Summary .....	17-59
17-27	2015 Build Off-Street Parking Utilization Summary .....	17-61

17-28	2030 No Build Condition Primary Study Area Signalized Intersection Level-of-Service Analysis.....	17-63
17-29	2030 No Build Condition Primary Study Area Unsignalized Intersection Level-of-Service Analysis.....	17-65
17-30	2030 No Build Condition Secondary Study Area Signalized Intersection Level-of-Service Analysis.....	17-66
17-31	2030 No Build Condition Secondary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-67
17-32	2030 No Build On-Street Parking Utilization Summary.....	17-72
17-33	2030 No Build Off-Street Parking Utilization Summary .....	17-72
17-34	Comparison of 2030 No Build and Build Conditions Primary Study Area Signalized Intersection Level-of-Service Analysis.....	17-75
17-35	Comparison of 2030 No Build and Build Conditions Primary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-78
17-36	Comparison of 2030 No Build and Build Conditions Secondary Study Area Signalized Intersection Level-of-Service Analysis .....	17-79
17-37	Comparison of 2030 No Build and Build Conditions Secondary Study Area Unsignalized Intersection Level-of-Service Analysis .....	17-80
17-38	Significantly Impacted Intersections within the Project Area in 2030 Build Condition without Improvements.....	17-82
17-39	2030 Build On-Street Parking Utilization Summary.....	17-84
17-40	2030 Build Off-Street Parking Utilization Summary .....	17-86
17-41	2001 Study Area Intersection Accident Data .....	17-88
17-42	2002 Study Area Intersection Accident Data .....	17-89
17-43	2003 Study Area Intersection Accident Data .....	17-90
17-44	Study Area Intersection Accident Data Summary.....	17-91
18-1	NYCT Local Bus Routes Serving the Manhattanville Area.....	18-3
18-2	Level of Service Criteria for Subway Station Elements.....	18-4
18-3	Level of Service Criteria for Pedestrian Elements .....	18-6
18-4	2006 Existing Conditions: Subway Station Vertical Circulation Analysis .....	18-8
18-5	2006 Existing Conditions: Subway Station Control Area Analysis .....	18-9
18-6	2006 Existing Conditions: Peak Hour Subway Line-Haul.....	18-10
18-7	2006 Existing Conditions: Peak Hour Bx15 Bus Line-Haul.....	18-10
18-8	2006 Existing Conditions: Pedestrian LOS Analysis for Sidewalks .....	18-11
18-9	2006 Existing Conditions: Pedestrian LOS Analysis for Sidewalks .....	18-12
18-10	2006 Existing Conditions: Pedestrian LOS Analysis for Sidewalks.....	18-13



**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

18-11 2006 Existing Conditions: Pedestrian LOS Analysis for Corner Reservoirs.....18-14

18-12 2006 Existing Conditions: Pedestrian Crosswalk LOS Analysis .....18-15

18-13 2015 No Build Condition: Subway Station Vertical Circulation Analysis.....18-17

18-14 2015 No Build Condition: Subway Station Control Area Analysis .....18-18

18-15 2015 No Build Condition: Peak Hour Subway Line-Haul .....18-18

18-16 2015 No Build Condition: Peak Hour Bx15 Bus Line-Haul .....18-18

18-17 2015 No Build Condition: Pedestrian LOS Analysis For Sidewalks.....18-19

18-18 2015 No Build Condition: Pedestrian LOS Analysis For Sidewalks.....18-20

18-19 2015 No Build Condition: Pedestrian LOS Analysis For Sidewalks.....18-21

18-20 2015 No Build Condition: Pedestrian LOS Analysis for Corner Reservoirs.....18-22

18-21 2015 No Build Conditions: Pedestrian Crosswalk LOS Analysis .....18-22

18-22 2015 Build Condition: Subway Station Vertical Circulation Analysis.....18-25

18-23 2015 Build Condition: Subway Station Control Area Analysis .....18-26

18-24 2015 Build Condition: Peak Hour Subway Line-Haul .....18-26

18-25 2015 Build Condition: Peak Hour Bx15 Bus Line-Haul .....18-26

18-26 2015 Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-27

18-27 2015 Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-28

18-28 2015 Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-29

18-29 2015 Build Condition: Pedestrian LOS Analysis for Corner Reservoirs.....18-29

18-30 2015 Build Condition: Pedestrian Crosswalk LOS Analysis .....18-30

18-31 2030 No Build Condition: Subway Station Vertical Circulation Analysis.....18-31

18-32 2030 No Build Condition: Subway Station Control Area Analysis .....18-32

18-33 2030 No Build Condition: Peak Hour Subway Line-Haul .....18-32

18-34 2030 No Build Condition: Peak Hour Bx15 Bus Line-Haul .....18-32

18-35 2030 No Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-34

18-36 2030 No Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-35

18-37 2030 No Build Condition: Pedestrian LOS Analysis for Sidewalks .....18-36

18-38 2030 No Build Condition: Pedestrian LOS Analysis for Corner Reservoirs.....18-37

18-39 2030 No Build Condition: Pedestrian Crosswalk LOS Analysis.....18-38

18-40 2030 Build Condition: Subway Station Vertical Circulation Analysis.....18-40

18-41 2030 Build Condition: Subway Station Control Area Analysis .....18-41

18-42 2030 Build Condition: Peak Hour Subway Line-Haul .....18-41

18-43 2030 Build Condition: Peak Hour Bx15 Bus Line-Haul .....18-41

**List of Tables**

---

18-44	2030 Build Condition: Pedestrian LOS Analysis for Sidewalks.....	18-43
18-45	2030 Build Condition: Pedestrian LOS Analysis for Sidewalks.....	18-44
18-46	2030 Build Condition: Pedestrian LOS Analysis for Sidewalks.....	18-45
18-47	2030 Build Condition: Pedestrian LOS Analysis for Corner Reservoirs.....	18-46
18-48	2030 Build Condition: Pedestrian Crosswalk LOS Analysis.....	18-47
19-1	Ambient Air Quality Standards.....	19-7
19-2	Reasonable Worst-Case Development Scenario.....	19-11
19-3	Mobile Source Analysis Intersection Locations.....	19-15
19-4	Anticipated Emergency Generator Capacities.....	19-18
19-5	Central Energy Plant Boilers Short-Term Emission Rates and Stack Parameters....	19-21
19-6a	Future (2015) Development Projected Development Site 1 Short-Term Emission Rates and Stack Parameters.....	19-22
19-6b	Future (2030) Development Projected Development Sites 15, 16 and 17 Short-Term Emission Rates and Stack Parameters.....	19-23
19-7	Maximum PM <sub>10</sub> and PM <sub>2.5</sub> Emissions from Cooling Towers.....	19-24
19-8	Central Energy Plant Boilers Annual Average Emissions and Stack Parameters.....	19-25
19-9a	Projected Development Site 1 Boiler Annual Average Emissions and Stack Parameters.....	19-26
19-9b	Projected Development Site 15, 16 and 17 Boiler Annual Average Emissions and Stack Parameters.....	19-27
19-10	Annual Emissions (tons per year).....	19-28
19-11	Maximum Background Pollutant Concentrations.....	19-29
19-12	Chemicals Selected for Worst-Case Spill Analysis.....	19-34
19-13	Estimated Emissions From Fume Hood.....	19-34
19-14	Representative Monitored Ambient Air Quality Data.....	19-38
19-15	Maximum Predicted Existing 8-Hour Average CO Concentrations for 2006.....	19-39
19-16	Future (2015) Maximum Predicted 8-Hour Average Carbon Monoxide No Build Concentrations.....	19-39
19-17	Future (2015) Maximum Predicted No Build 24-Hour PM <sub>10</sub> Concentrations.....	19-40
19-18	Future (2015) Maximum Predicted 8-Hour Average No Build and Build Carbon Monoxide Concentrations.....	19-41
19-19	Future (2015) Maximum Predicted 24-Hour Average PM <sub>10</sub> Concentrations.....	19-41
19-20	Future (2015) Maximum Predicted 24-Hour Average PM <sub>2.5</sub> Concentrations.....	19-42
19-21	Future (2015) Maximum Predicted Annual Average PM <sub>2.5</sub> Concentrations.....	19-42

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

19-22 Future (2015) Maximum Predicted 1-Hour and 8-Hour Carbon Monoxide Concentrations on University Housing Development Sites (parts per million)... 19-42

19-23 Future (2015) Maximum Modeled Pollutant Concentrations from Central Energy Plant and Package Boilers (in  $\mu\text{g}/\text{m}^3$ )..... 19-43

19-24 Future (2015) Maximum Predicted  $\text{PM}_{2.5}$  Concentrations..... 19-43

19-25 Maximum Predicted Impacts from Industrial Sources ( $\mu\text{g}/\text{m}^3$ )..... 19-45

19-26 Future (2015) Maximum Predicted Pollutant Concentrations from Existing Manhattanville Bus Depot ..... 19-46

19-27 Future (2030) Maximum Predicted 8-Hour Average Carbon Monoxide No Build Concentrations ..... 19-47

19-28 Future (2030) Maximum Predicted No Build 24-Hour  $\text{PM}_{10}$  Concentrations ..... 19-47

19-29 Future (2030) Maximum Predicted 8-Hour Average No Build and Build Carbon Monoxide Concentrations..... 19-48

19-30 Future (2030) Maximum Predicted 24-Hour Average  $\text{PM}_{10}$  Concentrations ..... 19-48

19-31 Future (2030) Maximum Predicted 24-Hour Average  $\text{PM}_{2.5}$  Concentrations..... 19-49

19-32 Future (2030) Maximum Predicted Annual Average  $\text{PM}_{2.5}$  Concentrations ..... 19-49

19-33 Future (2030) Maximum Predicted 1-Hour and 8-Hour Carbon Monoxide Concentrations on University Housing Development Sites (parts per million)... 19-49

19-34 Future (2030) Maximum Modeled Pollutant Concentrations From Central Energy Plants And Package Boilers (in  $\mu\text{g}/\text{m}^3$ ) ..... 19-50

19-35 Future (2030) Maximum Predicted  $\text{PM}_{2.5}$  Concentrations..... 19-51

19-36 HVAC Source Screening Analysis Results ..... 19-52

19-37 Future (2030) Maximum Predicted Pollutant Concentrations Cumulative Impact Analysis ..... 19-54

19-38 Fume Hood Recirculation Analysis Maximum Predicted Concentrations (ppm) 19-55

19-39 Maximum Predicted Concentrations (ppm)..... 19-56

19-40 Future (2030) Maximum Predicted Pollutant Concentrations Existing HVAC Source Analysis ..... 19-57

19-41 Future (2030) Maximum Predicted Pollutant Concentrations from Below-Grade Manhattanville Bus Depot ..... 19-58

19-42 Future (2030) Maximum Predicted  $\text{PM}_{2.5}$  Concentrations from Below-Grade Manhattanville Bus Depot-Proposed Actions Relocation Scenario ..... 19-58

20-1 Common Noise Levels ..... 20-3

20-2 Average Ability to Perceive Changes in Noise Levels..... 20-3

20-3 New York City Noise Codes ..... 20-4

20-4 Noise Exposure Guidelines for Use in City Environmental Impact Review ..... 20-5

20-5	Required Attenuation Values to Achieve Acceptable Interior Noise Levels .....	20-5
20-6	Noise Receptor Locations .....	20-9
20-7	Measured Existing Noise Levels (in dBA).....	20-10
20-8	2015 No Build Noise Levels (in dBA).....	20-11
20-9	2015 Build Noise Levels (In Dba) .....	20-12
20-10	2030 No Build Noise Levels (in dBA).....	20-14
20-11	2030 Build Noise Levels (in dBA).....	20-16
20-12	Maximum Building Attenuation to Comply With CEQR Requirements in the Year 2030.	20-18
21-1	Construction and Operational Traffic Comparison .....	21-33
21-2	2008 No Build and Construction Level-of-Service Analysis: Sewer Improvement Work With West 129th Street Open.....	21-36
21-3	2008 No Build and Construction Level-of-Service Analysis: Sewer Improvement Work With West 129th Street Closed .....	21-37
21-4	2011 Peak Phase 1 Construction: LOS Analysis Results.....	21-40
21-5	2022 Phase 2 Construction: LOS Analysis Results.....	21-44
21-6	2027 Peak Phase 2 Construction: LOS Analysis Results .....	21-48
21-7	2011 Peak Phase 1 Construction: AM Analysis Hour Mitigation.....	21-51
21-8	2011 Peak Phase 1 Construction: PM Analysis Hour Mitigation .....	21-53
21-9	2022 Phase 2 Construction: AM Analysis Hour Mitigation .....	21-54
21-10	2022 Phase 2 Construction: PM Analysis Hour Mitigation .....	21-54
21-11	2027 Peak Phase 2 Construction: AM Analysis Hour Mitigation.....	21-55
21-12	2027 Peak Phase 2 Construction: Pm Analysis Hour Mitigation.....	21-56
21-13	Mobile Source Analysis Sites.....	21-64
21-14	Maximum Predicted Concentrations From Mobile Sources—Phase 1 ( $\mu\text{g}/\text{m}^3$ )..	21-68
21-15	Maximum Predicted Pollutant Concentrations From Columbia University Construction Phase 1, 2008 ( $\mu\text{g}/\text{m}^3$ ).....	21-70
21-16	Maximum Predicted Pollutant Concentrations From Columbia University Construction Phase 1, 2011 ( $\mu\text{g}/\text{m}^3$ ).....	21-71
21-17	Maximum Predicted Pollutant Concentrations From Construction Activity at Projected Redevelopment Sites—Subdistrict B and the Other Areas, Phase 1 ( $\mu\text{g}/\text{m}^3$ ) .....	21-73
21-18	Maximum Predicted Cumulative Pollutant Concentrations During Construction—Phase 1 ( $\mu\text{g}/\text{m}^3$ ).....	21-75
21-19	Maximum Predicted Concentrations From Mobile Sources—Phase 2 ( $\mu\text{g}/\text{m}^3$ )..	21-77

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

21-20 Maximum Predicted Pollutant Concentrations From Construction Site Sources—  
Phase 2 ( $\mu\text{g}/\text{m}^3$ ).....21-78

21-21 Maximum Predicted Cumulative Pollutant Concentrations During Construction—  
Phase 2 ( $\mu\text{g}/\text{m}^3$ ).....21-79

21-22 Construction Equipment Noise Emission Levels .....21-85

21-23 Construction Noise Receptor Locations .....21-87

21-24(a) Construction Noise Analysis Results for Phase 1 ( $L_{\text{eq}(1)}$  Values in dBA).....21-89

21-24 (b) Construction Noise Analysis Results for Phase 2 ( $L_{\text{eq}(1)}$  Values in dBA).....21-91

21-25 Vibration Source Levels for Construction Equipment.....21-96

22-1 1997 and 2004 Hospitalization Rates per 1,000 Persons (Aged 0 to 14 Years) ..22-16

23-1 Columbia Mitigation for Indirect Residential Displacement Impacts: Preservation  
and/or Development of Affordable Housing in CB9 .....23-4

23-2 Comparison of 2015 No Build, Build, and Mitigated AM Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-13

23-3 Comparison of 2015 No Build, Build, and Mitigated Midday Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-14

23-4 Comparison of 2015 No Build, Build, and Mitigated PM Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-14

23-5 Comparison of 2015 No Build, Build, and Mitigated AM Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-16

23-6 Comparison of 2015 No Build, Build, and Mitigated Midday Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-17

23-7 Comparison of 2015 No Build, Build, and Mitigated PM Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-17

23-8 Comparison of 2030 No Build, Build, and Mitigated AM Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-19

23-9 Comparison of 2030 No Build, Build, and Mitigated Midday Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-20

23-10 Comparison of 2030 No Build, Build, and Mitigated PM Peak Hour Conditions  
Primary Study Area Signalized Intersection Level-of-Service Analysis.....23-20

23-11 Comparison of 2030 No Build, Build, and Mitigated AM Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-22

23-12 Comparison of 2030 No Build, Build, and Mitigated Midday Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-22

23-13 Comparison of 2030 No Build, Build, and Mitigated PM Peak Hour Conditions  
Secondary Study Area Signalized Intersection Level-of-Service Analysis.....23-23

24-1 No Action Alternative, Direct Residential and Business and Institutional  
Displacement, Compared with the Proposed Actions.....24-30

24-2	No Action Alternative, Adequacy of Open Space Resources Compared with the Proposed Actions 2015 and 2030.....	24-31
24-3	Columbia University Development: Proposed Actions Compared with Expanded Infill Alternative (sf in 000s).....	24-50
24-4	Projected Development: Proposed Actions Compared with Expanded Infill Alternative.....	24-52
24-5	Expanded Infill Alternative, Direct Residential and Business and Institutional Displacement, Compared with the Proposed Actions .....	24-54
24-6	Expanded Infill Alternative Development Scenario: Employment Calculation..	24-55
24-7	Expanded Infill Alternative: Projected New Housing Units and Estimated Number Of Students Generated by the New Housing Units .....	24-56
24-8	Expanded Infill Alternative, Adequacy of Open Space Resources Compared with the Proposed Actions.....	24-58
24-9	Comparison of Expanded Infill Alternative and Proposed Actions: Person Trips .....	24-66
24-10	Comparison of Expanded Infill Alternative and Proposed Actions: Vehicle Trips.....	24-66
24-11	2030 No Build, Proposed Actions, and Expanded Infill Alternative Level-Of-Service Analysis.....	24-67
24-12	$L_{eq(1)}$ Noise Levels for the Expanded Infill Alternative in the Year 2030 .....	24-72
24-13	CB9 Proposed 197-A Plan Alternative 1: Projected Development Sites (in GSF).....	24-85
24-14	Columbia University Development: Proposed Actions Compared with 197-A Plan Alternative 2 (sf in 000s).....	24-98
24-15	Projected Development: Proposed Actions Compared with 197-A Plan Alternative 2.....	24-99
24-16	197-A Plan Alternative 2, Direct Residential and Business and Institutional Displacement, Compared With The Proposed Actions.....	24-101
24-17	197-A Plan Alternative 2 Development Scenario: Employment Calculation ...	24-102
24-18	CB9 Proposed 197-A Plan Alternative 2 Development Scenario: Projected New Housing Units and Estimated Number of Students Generated by the New Housing Units .....	24-104
24-19	197-A Plan Alternative 2, Adequacy of Open Space Resources Compared with the Proposed Actions.....	24-105
24-20	Comparison Of 197-A Plan Alternative 2 and Proposed Actions: Person Trips.....	24-113
24-21	Comparison Of 197-A Plan Alternative 2 and Proposed Actions: Vehicle Trips .....	24-114
24-22	Columbia University Development: Proposed Actions Compared with 197-A Plan Alternative 2 -Relaxed (sf in 000s) .....	24-118

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

24-23 Projected Development: Proposed Actions Compared with 197-A Plan Alternative 2- Relaxed.....24-119

24-24 Cogeneration Plant Alternative Short-Term Emissions and Stack Parameters .24-124

24-25 2015 Cogeneration Plant Alternative Annual Average Emissions and Stack Parameters.....24-125

24-26 2030 Cogeneration Plant Alternative Annual Average Emissions and Stack Parameters.....24-126

24-27 Annual Emissions (Tons per Year).....24-126

24-28 Future (2015) Maximum Modeled Pollutant Concentrations from Cogeneration Energy Supply Alternative (in  $\mu\text{G} / \text{M}^3$ ).....24-127

24-29<sup>(1)</sup> Future (2030) Maximum Modeled Pollutant Concentrations from Cogeneration Energy Supply Alternative (in  $\mu\text{G} / \text{M}^3$ ).....24-127

24-30 Future (2015) Maximum Predicted  $\text{Pm}_{2.5}$  Concentrations from Cogeneration Energy Supply Alternative (in  $\mu\text{g} / \text{M}^3$ ) .....24-128

24-31 Future (2030) Maximum Predicted  $\text{Pm}_{2.5}$  Concentrations from Cogeneration Energy Supply Alternative (in  $\mu\text{g} / \text{M}^3$ ) .....24-128

## List of Figures

---

		<u>Following</u> <u>Page</u>
S-1	Project Location .....	S-2
S-2	Proposed Special Manhattanville Mixed-Use District and Subdistricts.....	S-2
S-3	Proposed Zoning .....	S-10
S-4	Subdistrict A: Illustrative Land Use Plan.....	S-10
S-5	Subdistrict A: 2015 Phase 1 Site Plan.....	S-16
S-6	Subdistrict A: 2030 Illustrative Site Plan.....	S-16
S-7	Future Without the Proposed Actions: Developments Proposed or Under Construction for 2015.....	S-28
S-8	Subdistricts B, C, and the Other Areas: Reasonable Worst-Case Development Scenarios .....	S-30
1-1	Project Location .....	1-2
1-2	Proposed Special Manhattanville Mixed-Use District and Subdistricts.....	1-2
1-3	Academic Research Building: Typical Floor Plan .....	1-12
1-4	Typical Academic Research Building: Cross Section.....	1-12
1-5	Existing Conditions: Northwest Aerial View .....	1-22
1-6	Existing Zoning .....	1-22
1-7	Proposed Zoning .....	1-24
1-8	Areas of Mandatory Active Ground-Floor Uses .....	1-26
1-9	Maximum Building Heights .....	1-26
1-10	Location and Dimensions of Required Open Spaces in Subdistrict A.....	1-26
1-11	Subdistricts B, C, and the Other Areas: Reasonable Worst-Case Development Scenarios .....	1-28
1-12	Subdistrict A: Illustrative Land Use Plan.....	1-32
1-13	Subdistrict A: 2015 Phase I Site Plan.....	1-34
1-14	Subdistrict A: 2030 Illustrative Site Plan .....	1-34
1-15	Twelfth Avenue Elevation Looking East .....	1-36
1-16	Broadway Elevation Looking West .....	1-36
1-17	Illustrative Plan: Northwest Aerial View .....	1-36
1-18	Illustrative Aerial Rendering View From North .....	1-36
1-19	View West on West 125th Street from Broadway .....	1-36
1-20	View North on Twelfth Avenue from West 125th Street.....	1-36
1-21	View South on Broadway from West 131st Street.....	1-36



**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

1-22	View West on West 131st Street from Broadway .....	1-36
1-23	View Southwest from the Square Toward the Riverside Drive Viaduct .....	1-36
1-24	Proposed Below-Grade Areas: Illustrative Plan for Subdistrict A .....	1-38
1-25	Central Below-Grade Service Area: Level 7 .....	1-38
1-26	Central Below-Grade Service Area: Level 6 .....	1-38
1-27	Central Below-Grade Service Area: Level 5 .....	1-38
1-28	Central Below-Grade Service Area: Level 4 .....	1-38
1-29	Central Below-Grade Service Area: Level 3 .....	1-38
1-30	Central Below-Grade Service Area: Level 2 .....	1-38
1-31	Central Below-Grade Service Area: Level 1 .....	1-38
1-32	Subdistrict A: Reasonable Worst-Case Construction Scenario for Sequencing ....	1-40
1-33	Subdistrict A: Status of Above-Grade Uses as of 2015 .....	1-40
2-1	Future Without the Proposed Actions: Developments Proposed or Under Construction for 2015 .....	2-8
2-2	Subdistricts B, C, and the Other Areas: Reasonable Worst-Case Development Scenarios .....	2-14
3-1	Study Area .....	3-4
3-2	Project Area: Existing Land Use .....	3-8
3-3	Columbia University Property Owned or Under Contract .....	3-8
3-4	Existing Zoning .....	3-12
3-5	Study Area: Public Policies .....	3-14
3-6	Study Area: Existing Land Use .....	3-18
3-7	Study Area: Existing Zoning .....	3-20
3-8	2015 Future Without the Proposed Actions: Proposed Zoning Changes.....	3-30
3-9	Subdistrict A: Illustrative Land Use Plan .....	3-32
3-10	Proposed Zoning.....	3-34
4-1	Socioeconomic Study Area.....	4-10
4-2	Existing Residential Buildings in Subdistrict A .....	4-14
4-3	Auto Repair Businesses in Northern Manhattan and South Bronx.....	4-42
4-4	Storage Businesses in Northern Manhattan and South Bronx .....	4-42
4-5	2015: Direct Displacement of Businesses and Institutions by Proposed Actions..	4-48
4-6	2030: Direct Displacement of Businesses and Institutions by Proposed Actions..	4-50
5-1	Public Schools .....	5-6
5-2	Library Locations.....	5-8
6-1	Open Space Study Areas.....	6-4
6-2	Existing Open Space Resources .....	6-12
6-3	2015 Future with the Proposed Actions: Open Space Resources .....	6-26
6-4	2030 Future with the Proposed Actions: Open Space Resources .....	6-34
7-1	Open Space Resources for Shadow Analysis .....	7-6

7-2	Shadow Screening Sun-sensitive Historic Resources .....	7-6
7-3	Details of I.S. 195 Playground .....	7-6
7-4	Maximum Building Heights .....	7-10
7-5	Shadow Diagram 2015 Analysis Year March 21 8:36 AM EDT .....	7-20
7-6	Shadow Diagram 2015 Analysis Year March 21 10:00 AM EDT .....	7-20
7-7	Shadow Diagram 2015 Analysis Year March 21 2:45 PM EDT .....	7-20
7-8	Shadow Diagram 2015 Analysis Year March 21 5:15 PM EDT .....	7-20
7-9	Shadow Diagram 2015 Analysis Year May 6 7:27 AM EDT .....	7-20
7-10	Shadow Diagram 2015 Analysis Year May 6 8:30 AM EDT .....	7-20
7-11	Shadow Diagram 2015 Analysis Year May 6 10:30 AM EDT .....	7-20
7-12	Shadow Diagram 2015 Analysis Year May 6 2:15 PM EDT .....	7-20
7-13	Shadow Diagram 2015 Analysis Year May 6 5:45 PM EDT .....	7-20
7-14	Shadow Diagram 2015 Analysis Year June 21 6:57 AM EDT .....	7-20
7-15	Shadow Diagram 2015 Analysis Year June 21 8:30 AM EDT .....	7-20
7-16	Shadow Diagram 2015 Analysis Year June 21 10:00 AM EDT .....	7-20
7-17	Shadow Diagram 2015 Analysis Year June 21 2:15 PM EDT .....	7-20
7-18	Shadow Diagram 2015 Analysis Year June 21 5:45 PM EDT .....	7-20
7-19	Shadow Diagram 2015 Analysis Year December 21 9:45 AM EST .....	7-20
7-20	Shadow Diagram 2015 Analysis Year December 21 11:00 AM EST .....	7-20
7-21	Shadow Diagram 2015 Analysis Year December 21 1:00 PM EST .....	7-20
7-22	Shadow Diagram 2015 Analysis Year December 21 2:00 PM EST .....	7-20
7-23	Shadow Diagram 2030 Analysis Year March 21 8:36 AM DST .....	7-20
7-24	Shadow Diagram 2030 Analysis Year March 21 10:00 AM DST .....	7-20
7-25	Shadow Diagram 2030 Analysis Year March 21 11:15 AM DST .....	7-20
7-26	Shadow Diagram 2030 Analysis Year March 21 12:30 PM DST .....	7-20
7-27	Shadow Diagram 2030 Analysis Year March 21 1:45 PM DST .....	7-20
7-28	Shadow Diagram 2030 Analysis Year March 21 2:45 PM DST .....	7-20
7-29	Shadow Diagram 2030 Analysis Year March 21 3:45 PM DST .....	7-20
7-30	Shadow Diagram 2030 Analysis Year March 21 5:15 PM DST .....	7-20
7-31	Shadow Diagram 2030 Analysis Year May 6 7:27 AM DST .....	7-20
7-32	Shadow Diagram 2030 Analysis Year May 6 8:30 AM DST .....	7-20
7-33	Shadow Diagram 2030 Analysis Year May 6 10:30 AM DST .....	7-20
7-34	Shadow Diagram 2030 Analysis Year May 6 1:00 PM DST .....	7-20
7-35	Shadow Diagram 2030 Analysis Year May 6 2:15 PM DST .....	7-20
7-36	Shadow Diagram 2030 Analysis Year May 6 5:45 PM DST .....	7-20
7-37	Shadow Diagram 2030 Analysis Year June 21 6:57 AM DST .....	7-20
7-38	Shadow Diagram 2030 Analysis Year June 21 8:30 AM DST .....	7-20
7-39	Shadow Diagram 2030 Analysis Year June 21 10:00 AM DST .....	7-20
7-40	Shadow Diagram 2030 Analysis Year June 21 2:15 PM DST .....	7-20

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

7-41 Shadow Diagram 2030 Analysis Year June 21 5:45 PM DST ..... 7-20

7-42 Shadow Diagram 2030 Analysis Year December 21 9:45 AM EST ..... 7-20

7-43 Shadow Diagram 2030 Analysis Year December 21 11:00 AM EST ..... 7-20

7-44 Shadow Diagram 2030 Analysis Year December 21 12:00 PM EST..... 7-20

7-45 Shadow Diagram 2030 Analysis Year December 21 1:00 PM EST..... 7-20

7-46 Shadow Diagram 2030 Analysis Year December 21 2:00 PM EST..... 7-20

8-1 Historic Resources ..... 8-6

8-2 Manhattan Valley IRT Viaduct Historic Resources in the Project Area ..... 8-12

8-3 125th Street IRT Subway Station Historic Resources in the Project Area ..... 8-12

8-4 Studebaker Building Historic Resources in the Project Area ..... 8-12

8-5 Historic Resources in the Project Area ..... 8-12

8-6 West Market Diner Historic Resources in the Project Area ..... 8-12

8-7 Riverside Drive Viaduct Historic Resources in the Project Area ..... 8-14

8-8 Historic Resources in the Project Area ..... 8-14

8-9 Claremont Theater Building Historic Resources in the Project Area ..... 8-14

8-10 Historic Resources in the Study Area ..... 8-16

8-11 Historic Resources in the Study Area ..... 8-14

8-12 New York Public Library, George Bruce Branch Historic Resources in the Study Area ..... 8-16

8-13 St. Mary’s Protestant Episcopal Church Complex Historic Resources in the Study Area ..... 8-16

8-14 Historic Resources in the Study Area ..... 8-16

8-15 Historic Resources in the Study Area ..... 8-18

8-16 Residential Buildings at 505-517 West 135th Street Historic Resources in the Study Area ..... 8-18

8-17 Riverside Park and Riverside Drive Scenic Landmark Historic Resources in the Study Area ..... 8-18

8-18 Riverside Drive and Riverside Park Scenic Landmark North Historic Resources in the Study Area ..... 8-18

8-19 Riverside Drive/135th and 136th Streets Historic District Historic Resources in the Study Area ..... 8-18

8-20 Riverside Drive/135th and 136th Streets Historic District Historic Resources in the Study Area ..... 8-18

8-21 Riverside Drive/135th and 136th Streets Historic District Historic Resources in the Study Area ..... 8-18

8-22 Tiemann Estate Historic District Historic Resources in the Study Area ..... 8-20

8-23 Upper Broadway Historic District Historic Resources in the Study Area ..... 8-20

8-24 View from North-South Passage Next to the Studebaker Building Toward Prentiss Hall ..... 8-30

8-25 View from Open Space Between West 129th and West 130th Streets Toward Studebaker Tower ..... 8-30

9-1	Urban Design and Visual Resources .....	9-6
9-2	Existing Conditions: Northwest Aerial View .....	9-6
9-3	Urban Design and Visual Resources Manhattan Valley IRT Viaduct .....	9-8
9-4	Urban Design and Visual Resources Manhattan Valley IRT and Riverside Drive Viaducts.....	9-10
9-5	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-6	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-7	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-8	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-9	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-10	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-10
9-11	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-12
9-12	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-12
9-13	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-12
9-14	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-12
9-15	Urban Design and Visual Resources Academic Mixed-Use Area .....	9-12
9-16	Urban Design and Visual Resources Subdistrict B .....	9-12
9-17	Urban Design and Visual Resources Subdistrict B .....	9-14
9-18	Urban Design and Visual Resources Subdistrict B .....	9-14
9-19	Urban Design and Visual Resources Subdistrict B .....	9-14
9-20	Urban Design and Visual Resources Subdistrict B .....	9-14
9-21	Urban Design and Visual Resources Subdistrict C .....	9-14
9-22	Urban Design and Visual Resources Other Area .....	9-16
9-23	Urban Design and Visual Resources Subdistrict B and Other Area.....	9-16
9-24	Urban Design and Visual Resources Study Area .....	9-16
9-25	Urban Design and Visual Resources Study Area .....	9-18
9-26	Urban Design and Visual Resources Study Area .....	9-18
9-27	Urban Design and Visual Resources Study Area .....	9-18
9-28	Urban Design and Visual Resources Study Area .....	9-20
9-29	Urban Design and Visual Resources Study Area .....	9-20
9-30	Urban Design and Visual Resources Study Area .....	9-20
9-31	Urban Design and Visual Resources Study Area .....	9-20
9-32	Urban Design and Visual Resources Study Area .....	9-20
9-33	Urban Design and Visual Resources Study Area .....	9-20
9-34	Subdistrict A: Illustrative Land Use Plan.....	9-26
9-35	Maximum Building Heights.....	9-26
9-36	Illustrative Plan: Northwest Aerial View .....	9-26
9-37	Subdistrict A: 2015 Illustrative Site Plan .....	9-28
9-38	View West on West 125th Street from Broadway .....	9-28

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

9-39	View North on Twelfth Avenue from West 12th Street .....	9-28
9-40	View North on West 125th Street Showing The Small Square .....	9-30
9-41	Broadway Elevation Looking West .....	9-30
9-42	Twelfth Avenue Elevation Looking East.....	9-30
9-43	129th-125th Street Elevation Looking North .....	9-32
9-44	View West on West 129th Street From Broadway .....	9-34
9-45	Subdistrict A: 2030 Illustrative Site Plan .....	9-36
9-46	Illustrative Model Long-Distance View East .....	9-38
9-47	View South on Broadway From West 131st Street .....	9-38
9-48	View West on West 131st Street From Broadway .....	9-38
9-49	View East on West 130th Street Through Project Area .....	9-38
9-50	View North on Broadway from West 131st Street .....	9-38
9-51	View Southwest From the Square Toward the Riverside Drive Viaduct .....	9-38
9-52	Broadway Elevation Looking East .....	9-40
9-53	Illustrative Model Aerial View From South .....	9-40
9-54	Illustrative Model Close-Up View East.....	9-40
9-55	Illustrative Aerial Rendering View From North.....	9-40
11-1	100-Year Floodplain.....	11-12
11-2	DEC Tidal Wetlands.....	11-14
11-3	NWI Wetlands .....	11-14
12-1	Project Area Detail .....	12-4
13-1	Waterfront Revitalization Program: Coastal Zone Boundary.....	13-2
13-2	FEMA Flood Zones .....	13-12
17-1	Study Area Intersections.....	17-4
17-2	Traffic Study Area: Developments Proposed or Under Construction for 2015 and 2030 .....	17-10
17-3	Primary Study Area Existing 2006 Morning Peak Hour .....	17-26
17-4	Primary Study Area Existing 2006 Midday Peak Hour.....	17-26
17-5	Primary Study Area Existing 2006 Evening Peak Hour.....	17-26
17-6	Secondary Study Area Existing 2006 Morning Peak Hour .....	17-26
17-7	Secondary Study Area Existing 2006 Midday Peak Hour.....	17-26
17-8	Secondary Study Area Existing 2006 Evening Peak Hour.....	17-26
17-9a	Study Area Parking Regulations.....	17-34
17-9b	Study Area Parking Regulations.....	17-34
17-10	Existing 2006 Morning On-Street Parking Capacity/Occupancy Rate.....	17-34
17-11	Existing 2006 Midday On-Street Parking Capacity/Occupancy Rate .....	17-34
17-12	Existing 2006 Evening On-Street Parking Capacity/Occupancy Rate .....	17-34
17-13a	Study Area Off-Street Parking Facilities .....	17-34
17-13b	Study Area Off-Street Parking Facilities .....	17-34

17-14	Primary Study Area No Build 2015 Morning Peak Hour .....	17-36
17-15	Primary Study Area No Build 2015 Midday Peak Hour .....	17-36
17-16	Primary Study Area No Build 2015 Evening Peak Hour .....	17-36
17-17	Secondary Study Area No Build 2015 Morning Peak Hour .....	17-36
17-18	Secondary Study Area No Build 2015 Midday Peak Hour .....	17-36
17-19	Secondary Study Area No Build 2015 Evening Peak Hour .....	17-36
17-20	Primary Study Area Build 2015 Morning Peak Hour .....	17-50
17-21	Primary Study Area Build 2015 Midday Peak Hour .....	17-50
17-22	Primary Study Area Build 2015 Evening Peak Hour .....	17-50
17-23	Secondary Study Area Build 2015 Morning Peak Hour .....	17-50
17-24	Secondary Study Area Build 2015 Midday Peak Hour .....	17-50
17-25	Secondary Study Area Build 2015 Evening Peak Hour .....	17-50
17-26	Primary Study Area No Build 2030 Morning Peak Hour .....	17-62
17-27	Primary Study Area No Build 2030 Midday Peak Hour .....	17-62
17-28	Primary Study Area No Build 2030 Evening Peak Hour .....	17-62
17-29	Secondary Study Area No Build 2030 Morning Peak Hour .....	17-62
17-30	Secondary Study Area No Build 2030 Midday Peak Hour .....	17-62
17-31	Secondary Study Area No Build 2030 Evening Peak Hour .....	17-62
17-32	Primary Study Area Build 2030 Morning Peak Hour .....	17-74
17-33	Primary Study Area Build 2030 Midday Peak Hour .....	17-74
17-34	Primary Study Area Build 2030 Evening Peak Hour .....	17-74
17-35	Secondary Study Area Build 2030 Morning Peak Hour .....	17-74
17-36	Secondary Study Area Build 2030 Midday Peak Hour .....	17-74
17-37	Secondary Study Area Build 2030 Evening Peak Hour .....	17-74
18-1	Transit Analysis Locations .....	18-2
19-1	Air Quality Mobile Sources Analysis Sites .....	19-14
19-2	Stationary Emission Sources—2015 Build Condition .....	19-20
19-3	Stationary Emission Sources—2030 Build Condition .....	19-20
19-4	24-hour Average PM <sub>2.5</sub> Concentrations Measured at J.H.S. 45 and Manhattanville P.O. ....	19-36
19-5	24-hour Average PM <sub>2.5</sub> Concentration Frequency 2000-2005 J.H.S. 45 and Manhattanville Station .....	19-38
20-1	Existing Land Use: Noise Receptor Locations .....	20-1
20-2	Noise Receptor Locations Subdistrict A: Illustrative Land Use Plan .....	20-8
21-1	Conceptual Construction Schedule .....	21-10
21-2	Subdistrict A: Reasonable Worst-Case Construction Scenario for Sequencing ..	21-10
21-3	Development Site .....	21-10
21-4	Typical Cross Section, West 129th-West 133rd Street at Broadway .....	21-14
21-5	Typical Cross Section, West 130th-West 133rd Street at Twelfth Avenue .....	21-14

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

21-6	Upgraded Combined and New Stormwater Sewers.....	21-18
21-7	2008 No Build Traffic Volumes .....	21-36
21-8	2008 Construction-Generated Traffic Volumes.....	21-36
21-9	2008 Construction Traffic Volumes .....	21-36
21-10	2008 Construction Traffic Volumes with 129th Street Closure .....	21-36
21-11	2011 No Build Traffic Volumes 6-7 AM Peak Hour .....	21-38
21-12	2011 No Build Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-13	2022 No Build Traffic Volumes 6-7 AM Peak Hour .....	21-38
21-14	2022 No Build Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-15	2027 No Build Traffic Volumes 6-7 AM Peak Hour .....	21-38
21-16	2027 No Build Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-17	2011 Construction-Generated Worker Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-18	2011 Construction-Generated Worker Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-19	2011 Construction-Generated Truck Traffic Volumes (PCEs) 6-7 AM Peak Hour.....	21-38
21-20	2022 Construction-Generated Worker Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-21	2022 Construction-Generated Worker Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-22	2022 Construction-Generated Truck Traffic Volumes (PCEs) 6-7 AM Peak Hour.....	21-38
21-23	2027 Construction-Generated Worker Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-24	2027 Construction-Generated Worker Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-25	2027 Construction-Generated Truck Traffic Volumes (PCEs) 6-7 AM Peak Hour.....	21-38
21-26	2011 Construction Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-27	2011 Construction Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-28	2022 Construction Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-29	2022 Construction Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-30	2027 Construction Traffic Volumes 6-7 AM Peak Hour.....	21-38
21-31	2027 Construction Traffic Volumes 3-4 PM Peak Hour .....	21-38
21-32	Air Quality Mobile Source Analysis Sites.....	21-64
21-33	Potential Projected Redevelopment at Sites in Subdistricts B and Other Areas Peak (24-Hour Average) Construction PM <sub>2.5</sub> Emissions Profile .....	21-66
21-34	Potential Projected Redevelopment at Sites in Subdistricts B and Other Areas Annual (Moving 12-Month Average) Construction PM <sub>2.5</sub> Emissions Profile .....	21-66
21-35	Columbia University Peak (24-Hour Average) Construction PM <sub>2.5</sub> Emissions Profile .....	21-66
21-36	Columbia University Annual (Moving 12-Month Average) Construction PM <sub>2.5</sub> Emissions Profile .....	21-66
21-37	Maximum Predicted 24-Hour Average Increase in PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 1, 2008.....	21-70
21-38	Maximum Predicted Annual Average Increase in PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 1, 2008.....	21-70

21-39	Total Maximum Predicted 1-Hour Average CO Concentration–Columbia University Construction, Phase 1, 2008 .....	21-70
21-40	Total Maximum Predicted 8-Hour Average CO Concentration–Columbia University Construction, Phase 1, 2008 .....	21-70
21-41	Maximum Predicted 24-Hour Average Increase in PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 1, 2011 .....	21-70
21-42	Maximum Predicted Annual Average Increase in PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 1, 2011 .....	21-70
21-43	Total Maximum Predicted 1-Hour Average CO Concentration–Columbia University Construction, Phase 1, 2011 .....	21-70
21-44	Total Maximum Predicted 8-Hour Average CO Concentration–Columbia University Construction, Phase 1, 2011 .....	21-70
21-45	Maximum Predicted 24-Hour Average Increase in PM <sub>2.5</sub> Concentration–Projected Redevelopment Sites–Site 18 and Site 19, Phase 1 .....	21-72
21-46	Maximum Predicted Annual Average Increase in PM <sub>2.5</sub> Concentration–Projected Redevelopment Sites–Site 18 and Site 19, Phase 1 .....	21-72
21-47	Total Maximum Predicted 1-Hour Average CO Concentration–Projected Redevelopment Sites–Site 18 and Site 19, Phase 1 .....	21-72
21-48	Total Maximum Predicted 8-Hour Average CO Concentration–Projected Redevelopment Sites–Site 18 and Site 19, Phase 1 .....	21-72
21-49	Maximum Predicted 24-Hour Average Increase in PM <sub>2.5</sub> Concentration–Projected Redevelopment Site 25 .....	21-74
21-50	Maximum Predicted Annual Average Increase in PM <sub>2.5</sub> Concentration–Projected Redevelopment Site 25 .....	21-74
21-51	Total Maximum Predicted 24-Hour Average PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 2 .....	21-78
21-52	Total Maximum Predicted Annual Average PM <sub>2.5</sub> Concentration–Columbia University Construction, Phase 2 .....	21-78
21-51	Total Maximum Predicted 24-Hour Average CO Concentration–Columbia University Construction, Phase 2 .....	21-78
21-52	Total Maximum Predicted Annual Average CO Concentration–Columbia University Construction, Phase 2 .....	21-78
21-53	Total Maximum Predicted 1-hour Average CO Concentration–Columbia University Construction, Phase 2 .....	21-78
21-54	Total Maximum Predicted 8-hour Average CO Concentration—Columbia University Construction, Phase 2 .....	21-78
21-55	Construction Noise Receptor Locations .....	21-86
22-1	Zip Codes Surrounding Project Area .....	22-16
23-1	Open Space Mitigation: 2030 Future with the Proposed Actions .....	23-8
24-1	Infill Alternative: Columbia Controlled Property .....	24-22
24-2	Infill Alternative: Below-Grade Conventional Basements .....	24-22
24-3	Infill Alternative: FAR 6 Scenario: Land Use .....	24-24



**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

24-4	Infill Alternative: FAR 6 Scenario: Northwest Aerial View .....	24-24
24-5	Infill Alternative: Full Build Scenario: Land Use.....	24-24
24-6	Infill Alternative: Full Build Scenario: Northwest Aerial View.....	24-24
24-7	Historic Preservation Alternative.....	24-46
24-8	Expanded Infill Alternative: Columbia and Publicly Controlled Property .....	24-48
24-9	Expanded Infill Alternative: Land Use .....	24-48
24-10	Expanded Infill Alternative: Below-Grade Area .....	24-48
24-11	Expanded Infill Alternative: Ground Floor Plan .....	24-50
24-12	Expanded Infill Alternative: Northwest Aerial View .....	24-50
24-13	Expanded Infill Alternative: Sections of Typical Academic Research Building.	24-50
24-14	197-a Plan Alternative 1: Subdistrict Boundaries.....	24-78
24-15	197-a Plan Alternative 1: Location of Projected Development Sites .....	24-84
24-16	197-a Plan Alternative 1: Land Use.....	24-84
24-17	197-a Plan Alternative 1: Section of New Construction Office/Community Facility Building .....	24-86
24-18	197-a Plan Alternative 1: Section of New Construction Residential Building....	24-86
24-19	197-a Plan Alternative 1: Massing Diagram View Northwest .....	24-86
24-20	197-a Plan Alternative 1: Massing Diagram View Northeast .....	24-86
24-21	197-a Plan Alternative 2: Subdistrict Boundaries.....	24-92
24-22	197-a Plan Alternative 2: Location of Projected Development Sites .....	24-96
24-23	197-a Plan Alternative 2: Land Use.....	24-96
24-24	197-a Plan Alternative 2: Columbia Uses Only: Massing Diagram View Northwest.	24-98
24-25	197-a Plan Alternative 2: Below-Grade Area.....	24-98
24-26	197-a Plan Alternative 2: Ground Floor Plan .....	24-98
24-27	197-a Plan Alternative 2: Twelfth Avenue Streetwall Regulations—Analysis of Academic Research .....	24-100
24-28	197-a Plan Alternative 2 Relaxed: Land Use.....	24-118
24-29	197-a Plan Alternative 2 Relaxed: Massing Diagram View Northwest .....	24-118
29-1	Existing Zoning .....	29-2
29-2	Proposed Modifications: Proposed Zoning.....	29-2
A.2-1	Shadow Diagram—2030 Analysis Year March 21 10:00 AM DST .....	A.2-8
A.2-2	Shadow Diagram—2030 Analysis Year May 6 8:30 AM DST .....	A.2-8
A.2-3	Shadow Diagram—2030 Analysis Year June 21 8:30 AM DST .....	A.2-8
A.2-4	Shadow Diagram—2030 Analysis Year March 21 11:15 AM DST .....	A.2-8
A.2-5	Shadow Diagram—2030 Analysis Year March 21 12:30 PM DST .....	A.2-8
A.2-6	Shadow Diagram—2030 Analysis Year March 21 1:45 PM DST .....	A.2-8
A.2-7	Shadow Diagram—2030 Analysis Year March 21 2:45 PM DST .....	A.2-8
A.2-8	Shadow Diagram—2030 Analysis Year May 6 10:30 AM DST .....	A.2-8
A.2-9	Shadow Diagram—2030 Analysis Year May 6 1:00 PM DST .....	A.2-8

A.2-10	Shadow Diagram—2030 Analysis Year May 6 2:00 PM DST.....	A.2-8
A.2-11	Shadow Diagram—2030 Analysis Year June 21 10:00 AM DST.....	A.2-8
A.2-12	Shadow Diagram—2030 Analysis Year December 21 11:00 AM DST.....	A.2-8
A.2-13	Shadow Diagram—2030 Analysis Year December 21 12:00 PM DST.....	A.2-8
A.2-14	Shadow Diagram—2030 Analysis Year December 21 1:00 PM DST.....	A.2-10
A.2-15	Shadow Diagram—2030 Analysis Year March 21 5:15 PM DST.....	A.2-10
A.2-16	Shadow Diagram—2030 Analysis Year May 6 5:45 PM DST.....	A.2-10
A.2-17	Shadow Diagram—2030 Analysis Year May 6 7:27 PM DST.....	A.2-10
B.2-1	Residential Relocation Sites.....	B.2-2
B.2-2	Relocation Site 1: Sanborn Map.....	B.2-2
B.2-3	View of Relocation Site 1.....	B.2-2
B.2-4	Relocation Site 2: Sanborn Map.....	B.2-4
B.2-5	View of Relocation Site 2.....	B.2-4
B.2-6	Relocation Site 3: Sanborn Map.....	B.2-6
B.2-7	Views of Relocation Site 3.....	B.2-6
B.2-8	Relocation Site 1: Land Use.....	B.2-8
B.2-9	Relocation Site 1: Zoning.....	B.2-8
B.2-10	Relocation Site 2: Land Use.....	B.2-8
B.2-11	Relocation Site 2: Zoning.....	B.2-8
B.2-12	Relocation Site 3: Land Use.....	B.2-10
B.2-13	Relocation Site 3: Zoning.....	B.2-10
B.2-14	Relocation Site 1: Historic Resources Map.....	B.2-20
B.2-15	Relocation Site 1: Potential Historic Resources.....	B.2-20
B.2-16	Relocation Site 1: Potential Historic Resources.....	B.2-20
B.2-17	Relocation Site 2: Historic Resources Map.....	B.2-20
C-1	North Manhattan Control Area.....	C-2
C-2	Total Transaction Volume for Control Area, Study Area, and Neighborhoods.....	C-5
C-3	Percent Increase in Transaction Volume from Previous Year for Control Area and Study Area.....	C-6
C-4	Median Sales Price per Square Foot in Control Group and Study Area.....	C-8
C-5	Median Sales Price per Square Foot Comparison (2000 and 2005).....	C-9
C-6	Rental Rates in Control Area and Study Area: 200, 2003, and 2005.....	C-10
C-7	2000 Land Use.....	C-14
C-8	2006 Land Use.....	C-14
E.1-1	CSOs and NPDES.....	E.11
E.1-2	Water Quality Stations.....	E.12
G-1	Waterfront Revitalization Program: Coastal Zone Boundary.....	G-2
G-2	Proposed Special Manhattanville Mixed-Use District and Subdistricts.....	G-2
K.3-1	Construction Equipment Layout Phase 1 2008: Short-Term Analysis.....	K.3-18

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

K.3-2	Construction Equipment Layout Phase 1 2008: Annual Analysis.....	K.3-18
K.3-3	Construction Equipment Layout Phase 1 2011: Short-Term Analysis.....	K.3-18
K.3-4	Construction Equipment Layout Phase 1 2011: Annual Analysis.....	K.3-18
K.3-5	Construction Equipment Layout Projected Redevelopment Site 25: Short-Term Analysis.....	K.3-18
K.3-6	Construction Equipment Layout Projected Redevelopment Site 25: Annual Analysis.....	K.3-18
K.3-7	Construction Equipment and Operational Source Layout Phase 2: Short-Term Analysis.....	K.3-18
K.3-8	Construction Equipment and Operational Source Layout Phase 2: Annual Analysis.....	K.3-18
K.4-1	Phase 1 Construction .....	K.4-12
K.4-2	Phase 2 Construction .....	K.4-12
K.4-3	Phase 1 2008 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-4	Phase 1 2009 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-5	Phase 1 2010 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-6	Phase 1 2011 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-7	Phase 1 2012 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-8	Phase 1 2013 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-9	Phase 1 2014 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-10	Phase 2 2024 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-11	Phase 2 2025 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-12	Phase 2 2026 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-13	Phase 2 2027 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
K.4-14	Phase 2 2028 Construction Noise Contour Map at 1.5 Meters Above Ground Level .....	K.4-12
L-1	Environmental Justice Study Area.....	L2
M-1	Primary Study Area Project-Generated 2015 Morning Peak Hour Without Traffic Improvements Scenario .....	M-4
M-2	Primary Study Area Project-Generated 2015 Midday Peak Hour Without Traffic Improvements Scenario .....	M-4

M-3	Primary Study Area Project-Generated 2015 Evening Peak Hour Without Traffic Improvements Scenario.....	M-4
M-4	Primary Study Area Build 2015 Morning Peak Hour Without Traffic Improvements Scenario.....	M-4
M-5	Primary Study Area Build 2015 Midday Peak Hour Without Traffic Improvements Scenario.....	M-4
M-6	Primary Study Area Build 2015 Evening Peak Hour Without Traffic Improvements Scenario.....	M-4
M-7	Primary Study Area Project-Generated 2030 Morning Peak Hour Without Traffic Improvements Scenario.....	M-10
M-8	Primary Study Area Project-Generated 2030 Midday Peak Hour Without Traffic Improvements Scenario.....	M-10
M-9	Primary Study Area Project-Generated 2030 Evening Peak Hour Without Traffic Improvements Scenario.....	M-10
M-10	Primary Study Area Build 2030 Morning Peak Hour Without Traffic Improvements Scenario.....	M-10
M-11	Primary Study Area Build 2030 Midday Peak Hour Without Traffic Improvements Scenario.....	M-10
M-12	Primary Study Area Build 2030 Evening Peak Hour Without Traffic Improvements Scenario.....	M-10
N.1-1	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Auto Morning Peak Hour .....	N.1-29
N.1-2	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Taxi and Delivery Morning Peak Hour .....	N.1-29
N.1-3	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Morning Peak Hour.....	N.1-29
N.1-4	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Auto Evening Peak Hour .....	N.1-29
N.1-5	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Taxi and Delivery Evening Peak Hour.....	N.1-29
N.1-6	Primary Study Area 2030 197-a Plan Alternative Generated Traffic Evening Peak Hour.....	N.1-29
N.1-7	Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Auto Morning Peak Hour .....	N.1-29
N.1-8	Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Taxi and Delivery Morning Peak Hour .....	N.1-29
N.1-9	Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Morning Peak Hour.....	N.1-29
N.1-10	Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Auto Evening Peak Hour .....	N.1-29
N.1-11	Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Taxi and Delivery Evening Peak Hour.....	N.1-29

**Proposed Manhattanville in West Harlem Rezoning and Academic Mixed-Use Development FEIS**

---

N.1-12 Secondary Study Area 2030 197-a Plan Alternative Generated Traffic Evening Peak Hour ..... N.1-29

N.1-13 Primary Study Area 2030 197-a Plan Alternative Morning Peak Hour ..... N.1-29

N.1-14 Primary Study Area 2030 197-a Plan Alternative Evening Peak Hour ..... N.1-29

N.1-15 Secondary Study Area 2030 197-a Plan Alternative Morning Peak Hour ..... N.1-29

N.1-16 Secondary Study Area 2030 197-a Plan Alternative Evening Peak Hour ..... N.1-29

N.2-1 Columbia University Property Owned or Under Contract ..... N.2-2

N.2-2 197-a Plan Alternative Columbia Scenario: Land Use ..... N.2-2

N.2-3 197-a Plan Alternative Columbia Scenario: Massing Diagram View Northwest N.2-2

P.2-1 University Housing Site: Sanborn Map ..... P.2-2

P.2-2 View of University Housing Site ..... P.2-2

P.2-3 University Housing Site: Land Use ..... P.2-4

P.2-4 University Housing Site: Zoning ..... P.2-4

P.2-5 Open Spaces and Census Tracts in Half-Mile Study Area ..... P.2-8

P.3-1 Build 2015 Net Parking Rerouting Volumes Morning Peak Hour

P.3-2 Build 2015 Net Parking Rerouting Volumes Midday Peak Hour

P.3-3 Build 2015 Net Parking Rerouting Volumes Evening Peak Hour

P.3-4 Build 2030 Net Parking Rerouting Volumes Morning Peak Hour

P.3-5 Build 2030 Net Parking Rerouting Volumes Midday Peak Hour

P.3-6 Build 2030 Net Parking Rerouting Volumes Evening Peak Hour

R.1-1 Primary Study Area 2030 Expanded Infill Alternative Generated Traffic Volumes Morning Peak Hour

R.1-2 Primary Study Area 2030 Expanded Infill Alternative Generated Traffic Volumes Midday Peak Hour

R.1-3 Primary Study Area 2030 Expanded Infill Alternative Generated Traffic Volumes Evening Peak Hour

R.1-4 Primary Study Area 2030 Expanded Infill Alternative Build Traffic Volumes Morning Peak Hour

R.1-5 Primary Study Area 2030 Expanded Infill Alternative Build Traffic Volumes Midday Peak Hour

R.1-6 Primary Study Area 2030 Expanded Infill Alternative Build Traffic Volumes Evening Peak Hour

\*