
Appendix B: Hazardous Materials



April 27, 2021

Katherine Glass
Senior Project Manager
Environmental Assessment and Review Division
New York City Department of City Planning
120 Broadway, 31st Floor
New York, NY 10271

Vincent Sapienza, P.E.
Commissioner

Angela Licata
*Deputy Commissioner of
Sustainability*

59-17 Junction Blvd.
Flushing, NY 11373

Tel. (718) 595-4398
Fax (718) 595-4422
alicata@dep.nyc.gov

**Re: Project Commodore
109 East 42nd Street
Block 1280, Lots 1, 30, 54, and 154
CEQR # 21DCP057M**

Dear Ms. Glass:

The New York City Department of Environmental Protection, Bureau of Sustainability (DEP) has reviewed the April 2021 Environmental Assessment Statement Hazardous Materials Chapter prepared by VHB, the January 2021 Phase I Environmental Site Assessment (Phase I) the February 2021 Phase II Summary Letter Report (Phase II) and the March 2021 Remedial Action Plan (RAP) and Construction Health and Safety Plan (CHASP) prepared by Roux Environmental Engineering and Geology, D.P.C. on behalf of Commodore Owner LLC (applicant) for the above referenced project. It is our understanding that the applicant is seeking several discretionary approvals from the New York City Department of City Planning (DCP) including special permits and zoning text amendments to facilitate a mixed-use development on Block 1280, Lot 30 (Development Site) containing approximately 2,108,820 gross square feet (gsf) of office space; an approximately 452,950 gsf, 500-room hotel; an approximately 16,000 square feet (sf) publicly accessible space; and approximately 43,370 gsf of retail on the cellar, ground, and second floors of the proposed building (Proposed Project). The Development Site currently contains the Grand Hyatt Hotel. The existing building is located directly above the Grand Central – 42nd Street subway station and Metropolitan Transportation Authority (MTA) Metro-North Railroad (MNR) tracks below grade. The Development Site is located immediately east of the Beaux Arts-style Grand Central Terminal on Block 1280, Lot 1. The building is immediately to the south of the Grand Central Market (Market) on Block 1280, Lots 54 and 154. The Terminal and Market are located on an existing merged zoning lot (Lots 1, 54, and 154) and contain approximately 322,664 sf of floor area. The MTA controls Lots 1, 54, and 154 as well as ground-floor and mezzanine-level circulation areas located on the Development Site. The Project Area—comprising the existing hotel, Terminal, and Market on Block 1280, Lots 1, 30, 54, and 154—has a combined area of 203,872 sf. In addition, a number of on- and off-site transit and public realm improvements would be introduced to enhance passenger circulation conditions at the 42nd Street – Grand Central

subway station. These improvements include the redesign and expansion of Fare Control Areas R238 and R238A, a new transit hall on the western side of the Development Site, a redesign of the FCA R240 area, removal of girders from the subway mezzanine level, and a “Short Loop Connection” construction to provide direct access for MNR and Long Island Railroad from Grand Central Terminal to the subway. The below-grade mezzanine level would continue to contain the existing subway station and rail station areas, with significant improvements. The ground floor would contain the hotel lobby and office lobby, a reconstructed Lexington Passage and MTA retail located along the passage, an approximately 6,350 sf Transit Hall (includes approximately 4,200 sf on Lot 30 and an additional approximately 1,200 sf of Transit Hall connections), and approximately 2,400 sf of additional area for subway entries off 42nd Street and Lexington Avenue. The hotel lobby would be located on the eastern frontage on Lexington Avenue, while the office lobby would be accessed from East 42nd Street. The second floor would contain office lobby and two open-air publicly accessible spaces, one of which would front on Lexington Avenue and one of which would face the eastern façade of Grand Central at the level of the Park Avenue Viaduct. Office space is planned to be located on floors 7-63, and the hotel on floors 65-83.

The January 2021 Phase I report revealed that historical on-site and surrounding area land uses consisted of a variety of residential and commercial uses including a hospital, stables, a hotel, an energy plant, a bank, a bakery, storefronts, apartments, offices, etc. Regulatory databases identified 59 spills, 5 E-Designation sites, 1 historical cleaner and 6 historical auto sites within 1/8 mile; 10 underground storage tank sites, 5 dry cleaners and 69 aboveground storage tank sites within 1/4 mile; 91 leaking storage tank sites within a 1/2 mile; and 4 manufactured gas plants within 1 mile of the subject property.

During the October and November 2020 fieldwork, 7 test pits were advanced to a maximum depth of 12 feet below grade surface (bgs). 10 soil samples and 3 soil vapor samples were collected. One surficial sample ranging from 0-2 feet bgs and one deeper sample were collected from the test pits. Groundwater was not observed above in the overburden as part of the field activities. Soil samples were analyzed for Target Compound List (TCL) volatile organic compounds (VOCs) by United States Environmental Protection Agency (EPA) Method 8260, TCL semivolatile organic compounds (SVOCs) by EPA Method 8270, pesticides by EPA Method 8081, polychlorinated biphenyls by EPA Method 8082, Target Analyte List metals plus mercury, hexavalent chromium, and cyanide. Soil vapor samples were analyzed for VOCs by EPA Method TO-15.

The soil analytical results revealed that one VOC (acetone), several SVOCs (benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, and indeno(1,2,3-cd)pyrene), total PCBs, two pesticides (4,4'-DDE and 4,4'-DDT) and several metals (cadmium, chromium, copper, lead, mercury, nickel, and zinc) were detected above their New York State Department of Environmental Conservation (NYSDEC) 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives (SCOs), Restricted Residential Use SCOs, Commercial Use SCOs and/or Industrial Use SCOs.

The soil vapor analytical results revealed that several VOCs (1,2,4-trimethylbenzene, 2-hexanone, acetone, benzene, carbon disulfide, chloroform, chloromethane, cyclohexane,

dichlorodifluoromethane, ethanol, ethylbenzene, isopropanol, p/m-xylene, 2-butanone, n-hexane, o-xylene, styrene, tert-butyl alcohol, tetrachloroethylene, toluene, trans-1,2-dichloroethene and trichlorofluoromethane) were detected.

The March 2021 RAP proposes the excavation, transportation and off-site disposal of soil in accordance with all applicable federal, state and local regulations; if any underground storage tanks are encountered during demolition and construction activities, properly closed and/or removed in accordance with local, state, and federal laws; stockpiled soil will be covered with polyethylene sheeting; dust control; air monitoring; construction of a concrete cover system comprised of the concrete foundation slab (the areas of the Site where a cover system is not proposed do not have soil beneath the lowest level of the proposed Site building due to the presence of existing MTA or MNR infrastructure (tunnel) air space below); and installation of a minimum 20-mil vapor barrier system consisting of a Stego Wrap, Grace Florprufe or approved equal for under slab applications. The March 2021 CHASP addresses worker and community health and safety during construction.

Based upon our review of the submitted documentation, we have the following comments and recommendations to DCP:

RAP

- DCP should instruct the applicant that the manufacturer's specifications of the 20-mil Stego Wrap vapor barrier should be included in the RAP and submitted for DEP review and approval prior to installation.
- DCP should instruct the applicant that the proposed vapor barrier should be used unless an amendment is approved by DEP.
- DCP should instruct the applicant that the Community Air Monitoring Plan should be developed and implemented in accordance with the NYSDEC Division of Environmental Remediation DER-10 (May 2010), Appendix 1A - New York State Department of Health Generic Community Air Monitoring Plan (December 2009).

CHASP

- DCP should instruct the applicant to include information fact sheets and/or safety data sheets for potential contaminants of concern (VOCs, SVOCs, pesticides, PCBs, and heavy metals).
- DCP should instruct the applicant to include the names and phone numbers of the site safety personnel (i.e., Project Manager, Site Supervisor, Site Health and Safety Officer, and Alternate Site Health and Safety Officer, etc.) when they are appointed, prior to the start of any construction activities.

DEP finds the March 2021 RAP and CHASP for the proposed project acceptable as long as the aforementioned information is incorporated into the RAP and CHASP and the manufacturer's specifications of the 20-mil Stego Wrap vapor barrier is submitted for DEP review and approval

prior to installation. DCP should instruct the applicant that at the completion of the project, a Professional Engineer (P.E.) certified Remedial Closure Report should be submitted for DEP review and approval for the proposed project. The P.E. certified Remedial Closure Report should indicate that all remedial requirements have been properly implemented (i.e., transportation/disposal manifests for removal and disposal of soil in accordance with applicable local, state, and federal laws and regulations; installation of vapor barrier, etc.).

Future correspondence and submittals related to this project should include the following CEQR # **21DCP057M**. If you have any questions, you may contact Scott Davidow, P.G. at (718) 595-7716.

Sincerely,

A handwritten signature in black ink, appearing to read "Wei Yu".

Wei Yu
Deputy Director, Hazardous Materials

c: R. Weissbard
S. Davidow
T. Estes
M. Wimbish
R. Lucas
O. Abinader (DCP)



May 13, 2021

Katherine Glass
Senior Project Manager
Environmental Assessment and Review Division
New York City Department of City Planning
120 Broadway, 31st Floor
New York, NY 10271

Vincent Sapienza, P.E.
Commissioner

Angela Licata
Deputy Commissioner of Sustainability

59-17 Junction Blvd.
Flushing, NY 11373

Tel. (718) 595-4398
Fax (718) 595-4422
alicata@dep.nyc.gov

**Re: Project Commodore
109 East 42nd Street
Block 1280, Lots 1, 30, 54, and 154
CEQR # 21DCP057M**

Dear Ms. Glass:

The New York City Department of Environmental Protection, Bureau of Sustainability (DEP) has reviewed the May 2021 Remedial Action Plan (RAP) and Construction Health and Safety Plan (CHASP) prepared by Roux Environmental Engineering and Geology, D.P.C. on behalf of Commodore Owner LLC (applicant) for the above referenced project. It is our understanding that the applicant is seeking several discretionary approvals from the New York City Department of City Planning (DCP) including special permits and zoning text amendments to facilitate a mixed-use development on Block 1280, Lot 30 (Development Site) containing approximately 2,108,820 gross square feet (gsf) of office space; an approximately 452,950 gsf, 500-room hotel; an approximately 16,000 square feet (sf) publicly accessible space; and approximately 43,370 gsf of retail on the cellar, ground, and second floors of the proposed building (Proposed Project). The Development Site currently contains the Grand Hyatt Hotel. The existing building is located directly above the Grand Central – 42nd Street subway station and Metropolitan Transportation Authority (MTA) Metro-North Railroad (MNR) tracks below grade. The Development Site is located immediately east of the Beaux Arts-style Grand Central Terminal on Block 1280, Lot 1. The building is immediately to the south of the Grand Central Market (Market) on Block 1280, Lots 54 and 154. The Terminal and Market are located on an existing merged zoning lot (Lots 1, 54, and 154) and contain approximately 322,664 sf of floor area. The MTA controls Lots 1, 54, and 154 as well as ground-floor and mezzanine-level circulation areas located on the Development Site. The Project Area—comprising the existing hotel, Terminal, and Market on Block 1280, Lots 1, 30, 54, and 154—has a combined area of 203,872 sf. In addition, a number of on- and off-site transit and public realm improvements would be introduced to enhance passenger circulation conditions at the 42nd Street – Grand Central subway station. These improvements include the redesign and expansion of Fare Control Areas R238 and R238A, a new transit hall on the western side of the Development Site, a redesign of the FCA R240 area, removal of girders

from the subway mezzanine level, and a “Short Loop Connection” construction to provide direct access for MNR and Long Island Railroad from Grand Central Terminal to the subway. The below-grade mezzanine level would continue to contain the existing subway station and rail station areas, with significant improvements. The ground floor would contain the hotel lobby and office lobby, a reconstructed Lexington Passage and MTA retail located along the passage, an approximately 6,350 sf Transit Hall (includes approximately 4,200 sf on Lot 30 and an additional approximately 1,200 sf of Transit Hall connections), and approximately 2,400 sf of additional area for subway entries off 42nd Street and Lexington Avenue. The hotel lobby would be located on the eastern frontage on Lexington Avenue, while the office lobby would be accessed from East 42nd Street. The second floor would contain office lobby and two open-air publicly accessible spaces, one of which would front on Lexington Avenue and one of which would face the eastern façade of Grand Central at the level of the Park Avenue Viaduct. Office space is planned to be located on floors 7-63, and the hotel on floors 65-83.

The May 2021 RAP proposes the excavation, transportation and off-site disposal of soil in accordance with all applicable federal, state and local regulations; if any underground storage tanks are encountered during demolition and construction activities, properly closed and/or removed in accordance with local, state, and federal laws; stockpiled soil will be covered with polyethylene sheeting; dust control; air monitoring; construction of a concrete cover system comprised of the concrete foundation slab (the areas of the Site where a cover system is not proposed do not have soil beneath the lowest level of the proposed Site building due to the presence of existing MTA or MNR infrastructure (tunnel) air space below); and installation of a minimum 20-mil vapor barrier system consisting of a Stego Wrap, Grace Florprufe or approved equal for under slab applications (If an alternative product is selected, an amendment with the new vapor barrier will be submitted to DEP. The proposed vapor barrier will only be used if the amendment is approved by DEP). The May 2021 CHASP addresses worker and community health and safety during construction.

Based upon our review of the submitted documentation, we have the following comments and recommendations to DCP:

CHASP

- DCP should instruct the applicant that Figure 1 should include a highlighted route to the nearest hospital.
- DCP should instruct the applicant to include the names and phone numbers of the site safety personnel (i.e., Project Manager, Site Supervisor, Site Health and Safety Officer, and Alternate Site Health and Safety Officer, etc.) when they are appointed, prior to the start of any construction activities.

DEP finds the May 2021 RAP and CHASP for the proposed project acceptable as long as the aforementioned information is incorporated into the CHASP. DCP should instruct the applicant that at the completion of the project, a Professional Engineer (P.E.) certified Remedial Closure Report should be submitted for DEP review and approval for the proposed project. The P.E. certified Remedial Closure Report should indicate that all remedial requirements have been

properly implemented (i.e., transportation/disposal manifests for removal and disposal of soil in accordance with applicable local, state, and federal laws and regulations; installation of vapor barrier, etc.).

Future correspondence and submittals related to this project should include the following CEQR # **21DCP057M**. If you have any questions, you may contact Scott Davidow, P.G. at (718) 595-7716.

Sincerely,

A handwritten signature in cursive script, appearing to read "Wei Yu".

Wei Yu
Deputy Director, Hazardous Materials

c: R. Weissbard
S. Davidow
T. Estes
M. Wimbish
R. Lucas
O. Abinader (DCP)



Phase I Environmental Site Assessment

109 East 42nd Street
Block 1280, Lot 30
New York, New York

January 13, 2021

Prepared for:

Commodore Owner LLC
75 Rockefeller Plaza, Suite 1500
New York, New York 10019

Prepared by:

**Roux Environmental Engineering
and Geology, D.P.C.**
209 Shafter Street
Islandia, New York 11749

Table of Contents

EXECUTIVE SUMMARY	1
1. INTRODUCTION.....	4
2. METHODS OF INVESTIGATION	7
2.1 General	7
2.2 Review of Readily Available Information	7
2.3 Subject Property and Surrounding Area Reconnaissance	8
2.4 Interview with Key Subject Property Manager.....	9
2.5 User-Provided Information.....	9
3. SUBJECT PROPERTY DESCRIPTION	10
3.1 Subject Property Location and Description	10
3.2 Current Surrounding Property Usage	11
3.3 Topographic and Hydrogeologic Setting	11
4. SUBJECT PROPERTY HISTORY	12
4.1 Historical Subject Property and Surrounding Property Usage	12
4.2 Historical Certified Sanborn Fire Insurance Maps	12
4.3 Historical Aerial Photographs	14
4.4 Historical Topographic Maps	15
4.5 City Directory Abstract.....	15
5. RECORDS REVIEW	18
5.1 Environmental Database Review	18
5.2 Freedom of Information Act Letter Responses.....	23
6. SUBJECT PROPERTY RECONNAISSANCE.....	26
6.1 Utilities	26
6.2 Hazardous Substances and Petroleum Products.....	26
6.3 Storage Tanks	26
6.4 Polychlorinated Biphenyls (PCBs).....	26
6.5 Staining and Stressed Vegetation	27
6.6 Floor Drains, Pits, and Sumps.....	27
6.7 Solid Waste.....	27
6.8 Wastewater and Stormwater	27
6.9 Wells	27
6.10 Asbestos Containing Materials (ACMs).....	27
7. INTERVIEWS AND USER-PROVIDED INFORMATION.....	28
7.1 Interviews.....	28
7.2 User Questionnaire.....	28
8. SUMMARY OF FINDINGS.....	29
9. REPORT ASSUMPTIONS AND LIMITATIONS.....	31

Table of Contents (Continued)

Figures

1. Subject Property Location Map
2. Subject Property Plan

Appendices

- A. Professional Profiles
- B. Federal and State Environmental Databases
- C. Freedom of Information Law Letters and Responses
- D. Historical Sanborn Maps
- E. Historical Aerial Maps
- F. Historical Topographic Maps
- G. City Directory Abstract
- H. Subject Property Photographs
- I. User-Provided Information

EXECUTIVE SUMMARY

At the request of Commodore Owner LLC (Client and User), Roux Environmental Engineering and Geology, D.P.C. (Roux) performed a Phase I Environmental Site Assessment (ESA) of the real property identified as 109 East 42nd Street (Block 1280, Lot 30) in the Borough of Manhattan and the City and State of New York (Subject Property; Figure 1). A Subject Property Plan showing relevant features is provided as Figure 2. The Phase I ESA is intended to define the historical uses of the Subject Property and identify any potential Recognized Environmental Conditions (RECs) that could warrant further consideration, in accordance with ASTM International Standard Practice E1527-13 (Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process).

The Subject Property is improved by a 26-story building identified as the Grand Hyatt Hotel. The building is constructed of steel and glass with foundations that penetrate the Metro North Railroad (MNR) and Metropolitan Transit Authority (MTA) mezzanine and platform levels below grade. The first three levels of the building include a mezzanine area that contains the main amenity spaces of the hotel, a ground floor lobby, ballrooms, convention center spaces, and a restaurant. The remaining 23 floors contain approximately 1,300 guest rooms and 45 conference rooms. The building has three basement levels that serve as back-of-house spaces to support the day-to-day functions of the hotel. The basement was observed to be used for laundry services, storage, mechanical spaces, maintenance and porters' quarters, staff locker rooms and the security office. Based on building plans provided by the User, the second basement level (currently used for laundry services) historically included a dry-cleaning operation. The building was observed to be heated via steam utility which is provided by ConEdison. The hotel was observed to be vacant at the time of reconnaissance due to the ongoing COVID-19 pandemic. Vacant commercial spaces were located on the ground floor of the building. The building has direct access to Grand Central Station via the retail/commercial at-grade passage identified as "Lexington Passage".

The scope of this Phase I ESA covers the above-grade and basement structures associated with the Grand Hyatt Hotel, excluding the ground floor commercial and retail stores fronting East 42nd Street and Lexington Avenue. These commercial and retail stores were identified to be closed at the time of the Subject Property reconnaissance due to the ongoing COVID-19 pandemic and are not included in the scope of evaluation. The Lexington Passage and retail stores along Lexington Passage at grade are included within the scope of this Phase I ESA as they will be incorporated into the redevelopment. The Phase I ESA also includes the below grade structures associated with the MNR space beneath the Grand Hyatt Hotel as parts of this area proposed to be developed with foundation elements that will be used to support the future redevelopment. Subgrade property associated with the MTA near the intersection of East 42nd Street and Lexington Avenue is considered part of the scope of this Phase I ESA.

A review of historical sources, including historical aerial photographs, historical topographic maps, and a City Directory Abstract, as well as an interview with a Key Subject Property Representative, indicate that the Subject Property was originally developed prior to 1890 with the Warren Fuller & Co (Manufactory of Paper-Hangings) in the western portion, a hospital in the southeastern portion and multiple unspecified buildings in the northeastern portion and a structure identified as a wagon building. In approximately 1919, the former buildings were demolished, and the Subject Property was redeveloped with the 26-story Commodore Hotel. According to the Sanborn Maps, the Commodore Hotel was renovated into the Grand Hyatt Hotel between 1968 and 1980. Although the hotel changed ownership/names, the actual footprint of structures does not appear to have changed. The layout of the Subject Property described in the 1985 Sanborn Map was consistent with the structures and layout observed during the November 2020 reconnaissance.

Based on the information gathered during the Phase I ESA process, Roux has identified the following Recognized Environmental Conditions (RECs):

- Mass Transit Usage: The area upgradient to the northwest of the Site is developed with railroad/subway infrastructure associated with the MNR, including the adjoining Grand Central Terminal. Additional rail structures associated with the New York City Subway (MTA) are also noted to be present under the Subject Property; therefore, the mass transit/rail usage is considered both on-site and off-site. Railway infrastructure typically involves the usage of various hazardous substances and petroleum products in its operations including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation. Railway infrastructure also requires electrical power conversion typically in the form of substations, which may involve the use of polychlorinated biphenyls (PCBs) in electrical transformers. Numerous New York State Department of Environmental Conservation (NYSDEC) spill listings are associated with the rail lines in this area. This spill has identified free product seeping into the nearby subway tunnels with a source unable to be identified. The spill and remediation efforts are ongoing and typically consist of cleaning up the material as it enters the subway tunnel. In addition, a sheen was observed on rainwater that had pooled between the tracks of the MNR during the Site Reconnaissance.

Roux has not identified any Historical RECs (HRECs) or Controlled RECs (CRECs) in connection with the Subject Property.

Roux has identified the following Business Environmental Risks (BERs) in connection with the Subject Property:

- Suspect Presence of Historic Fill Material: The Subject Property was historically redeveloped with the Commodore Hotel in 1919 as evidenced by Sanborn Maps and historical accounts and online resources for this time period. The redevelopment would have required demolition of the previous hospital and manufacturing related buildings present in the earlier Sanborn Maps dated 1890, 1899 and 1910. As the demolition occurred at a time where no environmental or waste management laws were enacted, there is potential for the Subject Property to be underlain by Historic Fill Material, which may contain glass, bricks, concrete, slag, ceramic and other non-native materials brought, deposited or demolished directly into the subsurface to facilitate redevelopment. The presence of this material should be considered when planning any future redevelopment requiring soil/material excavation and disposal.
- Suspect Presence Asbestos Containing Materials (ACMs): Based upon the age of construction of the current building (1919), there is potential for ACMs to be present in various pipe wrappings, joint wrappings and other building materials. The MNR and MTA mezzanine and platform levels below grade were also constructed on or before approximately 1915, with many renovations since initially built, so the potential for ACMs, including pipe insulations, tars, and electrical equipment, extends to these areas as well. The suspected presence of these materials should be considered prior to demolition of the building for redevelopment.

Roux has identified the following data gaps/data failures in connection with this Phase I ESA:

- Awaiting responses to Freedom of Information Act (FOIA) requests from the New York State Department of Health (NYSDOH) and the New York City Department of Environmental Protection (NYCDEP) pertaining to the Subject Property. Based on the records obtained and reviewed from other resources, this is not considered a significant data gap. If any pertinent information is obtained from responses to outstanding FOIA requests regarding the Subject Property, Roux will prepare a letter addendum summarizing these findings.
- Due to the current inactive and vacant nature of the Subject Property and ongoing COVID-19 pandemic, certain areas were locked, vacant and inaccessible during the Subject Property reconnaissance. Several of the commercial and retail stores along the Lexington Passage were vacant and inactive and no access was able to be provided to these areas. Additionally, the portions of the MNR subgrade area were inaccessible (storage area behind a locked wire partition). These areas were observed from the track side of the partition and appeared to be used as general back-of-house storage for the MNR operations. Areas of the MTA space that were not publicly accessible were not visually inspected. While a thorough inspection of these areas was unable to be performed,

the inaccessible areas are not considered significant data gaps as their inspection has a low probability of eliminating the transit related REC identified above.

- The commercial and retail stores that were identified to be closed at the time of the Subject Property reconnaissance due to the ongoing COVID-19 pandemic were not accessible; however, given the types of uses (food service establishments, retail shops), they are not likely to store or use significant quantities of hazardous materials or petroleum products on premises. Therefore, this data failure is not considered a significant data gap that impacts our ability to identify RECs at the Site.

1. INTRODUCTION

At the request of Commodore Owner LLC (Client and User), Roux Environmental Engineering and Geology, D.P.C. (Roux) performed a Phase I Environmental Site Assessment (ESA) of the real property identified as 109 East 42nd Street (Block 1280, Lot 30) in the Borough of Manhattan and the City and State of New York (Subject Property; Figure 1). A Subject Property Plan showing relevant features is provided as Figure 2. The Phase I ESA is intended to define the historical uses of the Subject Property and identify any potential Recognized Environmental Conditions (RECs) that could warrant further consideration, in accordance with ASTM International Standard Practice E1527-13 (Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process).

The Subject Property is improved by a 26-story building identified as the Grand Hyatt Hotel. The building is constructed of steel and glass with foundations that penetrate the Metro North Railroad (MNR) and Metropolitan Transit Authority (MTA) mezzanine and platform levels below grade. The first three levels of the building include a mezzanine area that contains the main amenity spaces of the hotel, a ground floor lobby, ballrooms, convention center spaces, and a restaurant. The remaining 23 floors contain approximately 1,300 guest rooms and 45 conference rooms. The building has three basement levels that serve as back-of-house spaces to support the day-to-day functions of the hotel. The basement was observed to be used for laundry services, storage, mechanical spaces, maintenance and porters' quarters, staff locker rooms and the security office. Based on building plans provided by the User, the second basement level (currently used for laundry services) historically included a dry-cleaning operation. The building was observed to be heated via steam utility which is provided by ConEdison. The hotel was observed to be vacant at the time of reconnaissance due to the ongoing COVID-19 pandemic. Vacant commercial spaces were located on the ground floor of the building. The building has direct access to Grand Central Station via the retail/commercial at-grade passage identified as "Lexington Passage".

The scope of this Phase I ESA covers the above-grade and basement structures associated with the Grand Hyatt Hotel, excluding the ground floor commercial and retail stores fronting East 42nd Street and Lexington Avenue. These commercial and retail stores were identified to be closed at the time of the Subject Property reconnaissance due to the ongoing COVID-19 pandemic and were not accessible; however, given the types of uses (food service establishments, retail shops), they are not likely to store or use significant quantities of hazardous materials or petroleum products on premises. The Lexington Passage and retail stores along Lexington Passage at grade are included within the scope of this Phase I ESA as they will be incorporated into the redevelopment. The Phase I ESA also includes the below grade structures associated with the MNR space beneath the Grand Hyatt Hotel as parts of this area proposed to be developed with foundation elements that will be used to support the future redevelopment. Subgrade property associated with the MTA near the intersection of East 42nd Street and Lexington Avenue is considered part of the scope of this Phase I ESA.

The Phase I ESA was conducted in accordance with the June 19, 2020 Agreement for Professional Services between Commodore Owner LLC and Roux, the scope of work presented in Roux's Proposal for Environmental Services, dated August 25, 2020, and in general accordance with the ASTM International Standard Practice E1527-13 (Standard Practice for Environmental Site Assessments), consistent with the USEPA Standards and Practices for All Appropriate Inquiries (AAI) Rule (40 CFR Part 312, Standards and Practices for All Appropriate Inquiries; Final Rule¹). The preamble for the AAI Rule states:

¹ Final Rule and information available at www.epa.gov/swerosps/bf/reqneg.htm#final_rule, and <https://federalregister.gov/a/2013-31112>.

In today's final rule, EPA is referencing the standards and practices developed by ASTM International and known as Standard E1527-05 (entitled "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process") and recognizing the E1527-05 standard as consistent with today's final rule. The Agency determined that this voluntary consensus standard is consistent with today's final rule and is compliant with the statutory criteria for all appropriate inquiries. Persons conducting all appropriate inquiries may use the procedures included in the ASTM E1527-05 standard to comply with today's final rule.²

This AAI Rule was subsequently amended in 2013, as indicated in the following "Background":

With today's action, EPA is establishing that parties seeking liability relief under CERCLA's landowner liability protections, as well as recipients of brownfields grants for conducting site assessments, will be considered to have met the standards and practices for all appropriate inquiries, as set forth in the Brownfields Amendments to CERCLA and 40 CFR Part 312, if such parties follow the procedures provided in the ASTM E1527-13 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process." EPA made this determination based upon the Agency's finding that the ASTM E1527-13 standard is compliant with the All Appropriate Inquiries Rule. Therefore, parties conducting all appropriate inquiries may use the procedures in the newly issued ASTM E1527-13 standard when conducting all appropriate inquiries.³

The purpose of the Phase I ESA was to identify, to the extent feasible, RECs in connection with the Subject Property. ASTM Standard Practice E1527-13 defines RECs as:

the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions.

ASTM Standard Practice E1527-13 provides that identified RECs can be evaluated and classified into Controlled Recognized Environmental Conditions (CRECs) or Historical Recognized Environmental Conditions (HRECs) based on the following definitions. ASTM Standard Practice E1527-13 defines a CREC as:

a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (for example, as evidenced by the issuance of a no further action letter or equivalent, or meeting risk-based criteria established by regulatory authority), with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls).

ASTM Standard Practice E1527-13 defines a HREC as:

a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls).

To assess the potential for RECs associated with the Subject Property, Roux utilized a variety of informational sources to perform the Phase I ESA, including a radial information search from federal, state, and local regulatory agency databases; Freedom of Information Act (FOIA)/public records responses from federal,

² Federal Register: November 1, 2005 (Volume 70, Number 210), page 66081.

³ Federal Register: December 30, 2013 (Volume 78, Number 250).

state, and local regulatory agencies; and readily available information from the following sources: historical aerial photographs, historical topographic maps, historical Certified Sanborn Maps and a City Directory Abstract. The historical research and interviews were conducted to develop an understanding of the following:

- Current and past uses of the Subject Property;
- Current and past uses of hazardous substances and/or petroleum at the Subject Property, if any;
- Waste management and disposal practices that might have potentially caused releases or threatened releases of hazardous substances and/or petroleum products at the Subject Property;
- Current and past corrective actions and response activities undertaken to address past and ongoing releases of hazardous substances and/or petroleum products at the Subject Property, if any;
- The existence of any engineering and/or institutional controls recorded for the Subject Property; and
- Current and past uses of adjoining properties that could have resulted in releases or threatened releases of hazardous substances and/or petroleum products to the Subject Property.

Mr. Frank Cherena and Mr. Adam Nasiatka served as the Environmental Professionals who conducted this Phase I ESA. As the Environmental Professionals, Mr. Cherena and Mr. Nasiatka possess sufficient specific education, training, and experience necessary to exercise professional judgment to develop opinions and conclusions regarding conditions indicative of releases or threatened releases (as defined in §312.1(c) on, at, in, or to a Site, sufficient to meet the objectives and performance factors in §312.20(e) and (f)). Mr. Cherena's and Mr. Nasiatka's professional profiles are provided in Appendix A.

2. METHODS OF INVESTIGATION

The methods of investigation used to conduct this Phase I ESA are outlined in the following sections.

2.1 General

The activities performed in conjunction with the Phase I ESA of the Subject Property include:

- Review of federal, state, and local environmental regulatory agency databases provided by Environmental Data Resources (EDR), Inc. of Milford, Connecticut indicating locations of environmental concern within specified radii from the Subject Property (Appendix B);
- Submission of FOIA/public records requests and inquiries to federal, state, and local regulatory agencies for the Subject Property (Appendix C);
- Review of historical information for the Subject Property and surrounding area, including aerial photographs, topographic maps, and other relevant historical information sources;
- Conducted interviews with Key Subject Property Managers; and
- Reconnaissance of the Subject Property and surrounding area.

2.2 Review of Readily Available Information

The resources compiled and reviewed by Roux to date include the following:

- EDR Radius Map with GeoCheck, dated October 2, 2020 (EDR report) (Appendix B);
- Historical Certified Sanborn Fire Insurance Maps dated 1890, 1899, 1910, 1929, 1950, 1968, 1980, 1983, 1985, 1987, 1988, 1991 through 1996 and 2001 through 2005 (Appendix D);
- Historical Aerial Photographs 1924, 1951, 1954, 1961, 1966, 1974, 1976, 1980, 1984, 1991, 1995, 2006, 2010, 2013 and 2017 (Appendix E);
- United States Geological Survey (USGS) 15 Minute Topographic Maps, Brooklyn, New York Quadrangle dated 1897, 1898 and 1900; 15 Minute Topographic Maps, Harlem, New York Quadrangle dated 1897, 1898 and 1900; 15 Minute Topographic Maps, Staten Island, New York Quadrangle dated 1898 and 1900; 15 Minute Topographic Maps, Paterson, New Jersey Quadrangle dated 1898 and 1900; 7.5 Minute Topographic Maps, Brooklyn, New York Quadrangle dated 1947, 1956, 1966, 1967, 1979, 1995, 1997, 2013 and 2014; 7.5 Minute Topographic Maps, Central Park, New York Quadrangle dated 1947, 1956, 1966, 1967, 1979, 1995, 1997, 2013 and 2014; 7.5 Minute Topographic Maps, Jersey City, New Jersey Quadrangle dated 1947, 1966, 1967, 2013 and 2014; 7.5 Minute Topographic Maps, Weehawken, New Jersey Quadrangle dated 1966, 1967, 1995, 1997 2013 and 2014 (Appendix F); and
- A search of the City Directory Abstract conducted by EDR (Appendix G).

Pursuant to ASTM E1527-13, Roux contacted and reviewed additional environmental records provided by the following agencies:

Agency	Status
United States Environmental Protection Agency (USEPA)	Online database reviewed; no records identified.
New York State Department of Environmental Conservation (NYSDEC)	Response received; no records identified.
New York State Department of Health (NYSDOH)	Acknowledgement received; no records provided.
New York City Department of Environmental Protection (NYCDEP)	Acknowledgement received; no records provided.

Agency	Status
New York City Fire Department (FDNY)	Response received; records summarized in Section 5.2.
New York City Department of Buildings (NYCDOB)	Records accessed online.
New York City Department of Finance (NYCDOF)	Records accessed online.
New York City Department of City Planning (NYCDCP)	Records accessed online.

2.3 Subject Property and Surrounding Area Reconnaissance

Pursuant to ASTM Standard Practice E1527-13, Roux conducted a reconnaissance of the Subject Property and surrounding area on November 5 and 30, 2020 to identify, investigate, and assess potential RECs and other potential environmental concerns. The reconnaissance included observation of the Subject Property, including structures and buildings, and the surrounding area to determine the current use and condition of the Subject Property, indications of past uses of the Subject Property, and current uses of adjacent and adjoining properties and the surrounding area. During the Subject Property reconnaissance, Roux placed particular emphasis on identifying the following features, if present, in accordance with ASTM E1527-13:

- Hazardous substances and petroleum products in connection with identified uses;
- Storage tanks;
- Odors;
- Pools of liquid;
- Drums;
- Hazardous substances and petroleum products containers;
- Unidentified substance containers;
- Polychlorinated biphenyls (PCBs);
- Heating and cooling systems;
- Stains or corrosion;
- Drains and sumps;
- Pits, ponds, or lagoons;
- Stained soil or pavement;
- Stressed vegetation;
- Solid waste;
- Wastewater;
- Wells; and
- Septic systems.

In addition, observation of the general topographic setting of the Subject Property was made, and inquiry was made into the source of potable water for the Subject Property and other utilities, as presented in Section 6. Photographs from the Subject Property reconnaissance are presented in Appendix H.

2.4 Interview with Key Subject Property Manager

On November 5, 2020, in conjunction with the Subject Property reconnaissance, Mr. Nasiatka interviewed Mr. Owen Haye as the Key Subject Property Representative. Mr. Haye was identified as the Assistant Director of Engineering for the Grand Hyatt. During the interview, Mr. Nasiatka asked general questions regarding the current and historical use and conditions of the Subject Property and surrounding area and inquired about specific observations made during the Subject Property reconnaissance. Pertinent information obtained during the interview is presented in appropriate sections throughout this Phase I ESA report.

2.5 User-Provided Information

As of the date of this report, Roux was not provided with any environmental reports related to the Subject Property other than the Roux letter report titled “Summary of Sub-Slab Soil Vapor Investigation” dated November 20, 2020, which is provided in Appendix I.

3. SUBJECT PROPERTY DESCRIPTION

Descriptions of the Subject Property and surrounding properties are included in the following sections. The location of the Subject Property is presented in Figure 1. The Subject Property and surrounding properties are presented in Figure 2.

3.1 Subject Property Location and Description

The Subject Property is identified by the following addresses and parcels and represents a combined area of 57,282 square feet:

- 107-129 East 42nd Street, New York, New York 10017
- 406-412 Lexington Avenue, New York, New York 10017

The Subject Property is further defined as Manhattan Block 1280 and Lot 30 and is currently occupied by the Grand Hyatt Hotel. The Grand Hyatt Hotel is currently a 26-story steel and glass building with foundations that penetrate the MTA mezzanine and platform levels below grade. The Subject Property is part of Zoning District C5-3 (Commercial) and located within the Special Midtown District and Grand Central Core District. The first three levels include a mezzanine area that contains the main amenity spaces of the hotel, a ground floor lobby, ballroom and convention center spaces (approximately 60,000 square feet) and a restaurant that overhangs the sidewalk below. The hotel holds approximately 1,300 guest rooms, 45 conference rooms and has two below grade levels for back of house spaces that provide support for the hotel day-to-day functions. The hotel basement occupies the northwest portion of the Lot 30, and it contains three sub-levels that were observed to be used for laundry services, storage, mechanical spaces, maintenance and porters' quarters, staff locker rooms and the security office. The building was observed to be heated via steam utility which is provided by ConEdison. The hotel was observed to be vacant at the time of reconnaissance, which was conducted in November 2020. Vacant commercial spaces which appeared to be formerly jewelry stores and art galleries were located on the ground floor.

Beyond the hotel basement towards the southeast, the Subject Property is improved by the MNR platform and track levels. There are two sub-levels of the MNR space. Sub-level 1 is improved by Track 100 and various back of house spaces utilized by MNR. The deeper Sub-level 2 of the MNR space is improved by the "loop" track and general storage area for MNR. The track beds were separated from the storage areas by a locked wire partition. These storage areas could not be accessed during the Site Reconnaissance, but they were observed from the track side of the partition. This area appeared to be largely used as general storage for MNR operations, and it was where the water-supplied fire suppression system and its associated piping were installed. Continuing towards the southeast beyond the MNR space, the Subject Property is improved by the MTA mezzanine and track levels for the 4, 5, 6 and 7 subway trains.

The Lexington Passageway is improved by several retail tenant spaces that were occupied by L'Occitane, Grand Central Optical, TUMI, Jet Set Candy, Aveda Experience Center, Inaya, Jacques Torres Chocolate, Café Grumpy, diptyque, M•A•C Cosmetics, and Origins. At least four of the tenant spaces (Tenant Spaces 26, 33, 34 and 37) were vacant and inaccessible during Site reconnaissance.

Access to the Subject Property is provided via East 42nd Street to the southwest and Lexington Avenue to the southeast. The Subject Property and surrounding area were inspected during the Subject Property reconnaissance. The findings of the reconnaissance are summarized in Section 6.

3.2 Current Surrounding Property Usage

The areas surrounding the Subject Property are developed with mixed-use buildings. Table 3.2 below provides details on adjoining and adjacent properties.

Table 3.2 Surrounding Property Uses	
North	Passage to Grand Central Terminal (Grand Central Market); Beyond that is a 31-Story Mixed Use Building
South	Chanin Building (Apple Bank)
East	Chrysler Building (Chase Bank/ Amazon Store)
West	Park Avenue Elevated Car Viaduct (Banana Republic at Grade below Viaduct), beyond that is Grand Central Terminal

3.3 Topographic and Hydrogeologic Setting

The grade of the Subject Property is generally level. The average elevation of the Subject Property is approximately 49 feet above mean sea level (ft amsl) as shown in the USGS 7.5 Minute Series Topographic Map (Appendix F). According to the EDR Report and National Wetlands Inventory, the Subject Property is not located in or adjacent to any wetlands. According to FEMA Flood Maps, the Subject Property is not located in the 100-year or 500-year flood zones.

A formal groundwater flow direction study has not been conducted as part of this Phase I ESA. For purposes of investigating potential migration of off-Site groundwater impacts during this Phase I ESA, the regional direction of groundwater flow in the vicinity of the Subject Property is assumed to flow towards the east-southeast in the direction of the East River. This estimation was based on regional topographic and hydrogeological features.

4. SUBJECT PROPERTY HISTORY

The historical uses of the Subject Property are discussed below.

4.1 Historical Subject Property and Surrounding Property Usage

The historical uses of the Subject Property and surrounding properties were researched by examining historical Certified Sanborn Fire Insurance Maps (Appendix D); historical aerial photographs (Appendix E); historical USGS topographic maps (Appendix F); and the City Directory Abstract (Appendix G).

4.2 Historical Certified Sanborn Fire Insurance Maps

Roux reviewed historical Certified Sanborn Fire Insurance Maps (Sanborn Maps) for the Subject Property. Table 4.5 provides a summary of the Subject Property and surrounding area from 1890 to 2005, as determined from the Certified Sanborn Fire Insurance maps, which are included as Appendix D.

Table 4.2 Certified Sanborn Fire Insurance Maps	
Date	Description
1890	<p>Subject Property: Developed with the five-story Warren Fuller & Co (Manufactory of Paper Hangings) in the western portion of the lot with unspecified stores noted below. The five-story “Hospital for the Ruptured and Crippled” is present in the southeastern corner of the lot along the intersection of Lexington Avenue and East 42nd Street. Six four-story structures – one of which is noted as a wagon building – are present along Lexington Avenue in the eastern portion of the Subject Property. Multiple unspecified structures (four-story, three-story and a two-story) are present in the northern portion of the Subject Property.</p> <p>Surrounding Area: The area to the west is developed with Grand Central Station. East 43rd Street is noted to adjoin the Subject Property to the north and beyond that is the “Adams Express Co.,” which is noted as stabling for horses and wagons on the 2nd and 3rd floors and manufacturing on the floors above that. The area to the east is developed with a hotel and multiple unspecified five-story structures. The area to the south is developed with the Grand Union Hotel, a car house, and the Manhattan Storage & Warehouse Co.</p>
1899	<p>Subject Property: The 1899 Sanborn Map appears to be generally the same as the 1890 Sanborn Map, except the hospital is noted to expand northward and include five-story portions where the previous four-story structures were.</p> <p>Surrounding Area: The 1899 Sanborn Map appears to be generally the same as the 1890 Sanborn Map, except the building to the north across East 43rd Street is now noted as the “Grand Central Palace of Industry” and is noted to contain an auditorium.</p>
1910	<p>Subject Property: The 1910 Sanborn Map appears to be generally the same as the 1899 Sanborn Map, except the manufacturing operation in the western portion of the Subject Property is unspecified. Additionally, the hospital is identified to have an Independent Energy Plant (IEP) in the eastern central portion of the Subject Property.</p> <p>Surrounding Area: The 1910 Sanborn Map appears to be generally the same as the 1899 Sanborn Map, except the hotel to the southeast is noted as the Vanderbilt Hotel. The Grand Union Hotel is now noted to the southwest of the Subject Property, and the area to the south is noted as the “Manhattan Storage and Safe Deposit”.</p>

1929	<p>Subject Property: The Subject Property is now noted as the 26-story Commodore Hotel. An elevator bank is depicted centrally within the building with additional elevators located in the northwest and western portions of the Subject Property. There appears to be underground access directly to Grand Central Terminal to the west. Subway/railroad lines are also depicted directly underneath the hotel.</p> <p>Surrounding Area: An additional building has been constructed and adjoins to the north noted as the Commodore Loading Platform at what appears to be the termination of East 43rd Street. The building to the south is noted as the 23-story Pershing Square Building (built 1922), the 14-story Bowery Savings Bank Building (built 1921) and the 52-story Chanin Building (built 1928). A four-story bakery/restaurant is also depicted to the south. The 68-story Chrysler Building (built 1929) is depicted to the east. The area to the west is still developed with Grand Central Terminal. The former building to the north appears to have been replaced with the 28-story Graybar Building (built 1926), which is noted to contain offices, a NY Post Office, a restaurant and a walking path to Grand Central Terminal.</p>
1950	<p>Subject Property: No changes observed from the 1929 Sanborn Map.</p> <p>Surrounding Area: The 1950 Sanborn Map appears to be generally the same as the previous 1929 Sanborn Map, except the Pershing Square building is now noted as the Continental Can Building. The former bakery/restaurant to the south is now noted as a bank annex.</p>
1968	<p>Subject Property: No changes observed from the 1950 Sanborn Map.</p> <p>Surrounding Area: The 1968 Sanborn Map appears to be generally the same as the 1950 Sanborn Map, except the buildings to the east are noted as hotels, stores and flats.</p>
1980	<p>Subject Property: No changes observed from the 1968 Sanborn Map.</p> <p>Surrounding Area: The 1980 Sanborn Map appears to be generally the same as the 1968 Sanborn Map; however, an additional three-story unspecified commercial building (built 1975) is noted to adjoin the Subject Property to the north. This building was constructed on the former area of East 43rd Road and adjoins the Commodore Loading Platform to the east/southeast.</p>
1983	<p>Subject Property: The Subject Property is now noted as the Grand Hyatt Hotel with no changes to the structures noted.</p> <p>Surrounding Area: The 1983 Sanborn Map appears to be generally the same as the previous 1980 Sanborn Map.</p>
1985	<p>Subject Property: The 1985 Sanborn Map appears to be generally the same as the previous 1983 Sanborn Map, except a new restaurant is noted to overhang over the sidewalk on the southern portion of the Subject Property.</p> <p>Surrounding Area: The 1985 Sanborn Map appears to be generally the same towards the north, west and southern portions. The block to the east (across the intersection of East 43rd Street and Lexington Avenue) is now noted as vacant.</p>
1987-2005	<p>Subject Property: No changes observed from the 1985 Sanborn Map.</p> <p>Surrounding Area: The 1987 through 2005 Sanborn Maps are generally the same as the 1985 Sanborn Map towards the north, west and southern portions. A new 31-story building has been constructed to the east (built 1987) and is noted as offices.</p>

A review of the historical Certified Sanborn Fire Insurance Maps indicated that the Subject Property was developed prior to 1890 with the Warren Fuller & Co (Manufactory of Paper-Hangings) in the western portion, the "Hospital for the Ruptured and Crippled" (the Hospital) in the southeastern portion and multiple unspecified buildings in the northeastern portion with one structure noted as a wagon building. Between 1890 and 1899, the Hospital in the southeastern portion was noted to expand northward. The 1899 Sanborn Map

indicated that stores were present below the Warren Fuller & Co (Manufactory of Paper-Hangings). The Warren Fuller & Co (Manufactory of Paper-Hangings) was no longer noted to be present at the Site on the 1910 Sanborn Map, and this area of the Subject Property was noted as stores and manufacturing flats with specific usages not noted. In approximately 1919, the entire area of the Subject Property was redeveloped with the 26-story Hotel Commodore. The hotel was depicted with elevators, lobby, dining room, ball room and access to Grand Central Terminal in the northwestern portion of the Subject Property. According to the Sanborn Maps, the Commodore Hotel was renovated into the Grand Hyatt Hotel between 1968 and 1980. Although the hotel changed ownership/names, the actual structures do not appear to have changed. Sometime between 1983 and 1985, a restaurant was constructed of glass on the southern portion of the Subject Property and overhangs the sidewalk on East 42nd Street. The Subject Property generally remained consistent with the layout observed in the 1985 Sanborn Map until the most recent 2005 Sanborn Map. Due to the prior demolition of building predating the construction of the Commodore Hotel in 1919, the Subject Property may be underlain by Historic Fill Material from demolition debris of unknown quality, which is considered a BER.

MNR and MTA below-grade railway tunnels, station, and other facilities are present beneath the Site. In addition, the area surrounding the Subject Property to the west and northwest contained railroad/subway infrastructure including the western adjoining Grand Central Terminal. These operations typically involve the usage of various hazardous substances and petroleum products including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation. Electrical power conversion typically involves substations which may involve the use of PCBs in electrical transformers. The potential for releases of these hazardous substances or petroleum products from the historical use of the subgrade portions of the Subject Property is considered a REC.

Other historical uses in the surrounding area consisted of hotels, stores, storage/warehouses and car/horse storage houses. Around the 1920s, the surrounding area was redeveloped with large-scale multi-story commercial/office buildings including the Grabar Building to the north (built 1926), the Bowery Savings Bank Building to the south (built 1921), the Chanin Building to the south (built 1928), the Pershing Square Building to the southwest (built 1922) and the Chrysler Building to the east (built 1929). These buildings were noted to contain commercial retail stores, banks, restaurants and offices. The area to the east/northeast was redeveloped in 1987 with a 31-story office building. Except for the previously mentioned railroad infrastructure usage, no other surrounding properties were identified to have potential to impact upon the environmental quality of the Subject Property.

4.3 Historical Aerial Photographs

Historical aerial photographs were obtained from EDR, and they are provided in Appendix E. Historical aeriels may indicate past activities at a property that may not have been documented by other means or observed during a reconnaissance visit. The aerial photographs reviewed were generally poor-quality images and specific Subject Property features were difficult to discern. The Subject Property appears developed with an "H" shaped building in the first 1924 aerial photograph. This building remains in all of the aerial photographs up to and including the most recent 2017 aerial photograph. No visible changes were able to be identified for the Subject Property in a review of all of the aerial photographs spanning 1924 through 2017.

4.4 Historical Topographic Maps

Historical topographic maps of the Subject Property were obtained from EDR, and they are provided in Appendix F. Elevation of the Subject Property was consistent in topographic maps reviewed from 1897 to 2013. No significant elevation changes that would suggest backfilling operations were identified.

4.5 City Directory Abstract

A City Directory Abstract of the Subject Property was obtained from EDR and is presented in Appendix G. Records reviewed from 1920 to 2017 were sourced from New York Telephone, Hill-Donnelly Information Services, Cole Information Services, NYNEX, NYNEX Telephone, R.L. Polk & Co., Manhattan and Bronx Directory Publishing Company Residential Directory and the EDR Digital Archive. The listings presented in the in the table below appear exactly as presented in the City Directory (inclusive of potential typographical errors or misspellings). No listings were identified in the City Directory for the Lexington Avenue address (406-412 Lexington Avenue, New York, New York 10017).

Listings for 107-129 East 42nd Street are provided in Table 4.5a below:

Table 4.5a City Directory Listings for 107-129 East 42 nd Street	
Date	Description
1920	Bowman Hotel Corp
1923	Commodore Hotel, Fidelity International Trust Co
1927-1931	Residential Listings
1934	Terminal Barber Shops
1938	Residential Listings, Davega-City Radio Inc Radio-Sportg GDS, St Laurent GCB, United Prntng Machy Co
1942	Heaton Fred R Inc Firsts, Quinn Pubshg Co, Radio Circular Co Inc, Schoverling Daly & Gales
1947	Residential Listings, Heaton Fred R Inc Firsts, Quinn Pubshg Co, Radio Circular Co Inc, Schoverling Daly & Gales, Nedick S Inc
1950	Broadmoor Hotel of Colorado Springs, Mission Inn of Riverside California, Sherman Hotel of Chicago, Shoreham Hotel of Washington DC, Nancy Barnes Hotel Rep, Vanderbilt Passageway Grant Cnt Term
1956	Residential Listings, Chemotech Associats Corp
1958	Residential Listings, Empire Mercantile Co
1963	Commodore Pharmcy, Dartmouth College Club, Jaynet Drug Corp, Mayors Comm on Registration, Personal Svce Drug Stores, Puerto-Rican Social Svces Inc, Residential Listings, Merritt & Harris Consltnts, Blauner Robt A Prntng
1968	Brown Club, Brown Univ Club In NY Inc, Chetam & Co, Commodore Hotel Barber Shop Inc, Conway Assocs Internatl NC, Dartmouth College Club, Genl Concessionaires Inc, Internatl Union Of Operating Engineers Regional Ofc, Jaynet Drug Corp, Leisure Hour Enterprises Inc, Nemets Assocs, Personal

Table 4.5a City Directory Listings for 107-129 East 42nd Street	
	Svce Drug Stores, Quick Xero Copies, Translating Assocs Inc, Residential Listings, Eldorado Pictures Internatl Corp, American Marketing Research Inst
1973	Amer Host Foundtn Inc, Beame For Comptroller, Brown Club, Brown Univ Club in NY Inc, Conway Assocs Internatl Inc Dartmouth College Club, David Green Assoc, Digital Equipt Corp, Europress Alliance LTD, Gen Concessionaires LN, Health Resources Inc, Internatl Union of Operating Engineers Regional Ofc, Kiriakon Jack Hairstylist, La Novlesse Inc Beauty Salon, Leisure Hou Enterprises Inc, Meet the Americans Inc, National Committee for Responsible Patriotism, Nemetz Assocs, Peacock Fashions, Press Communications, Procaccino for Mayor, Rittersporn for City Council, Silva Mind Control International Inc, Translating Assocs, Writers Alliance, Commodore Florist Inc, Cosmopolitn Structureal Suce LTD, Davega TV & Applnce Co, Hotel Commodore Flower Shop, Superior Woodworking Corp, Wegier Decratg Colnc, Wegier Interiors & Supl Co
1978	Commodore Pizza of East 42 ST, Dean Buying Corp, Dean Merchandise Colnc, Drago Shoe Repr, Health Reaources Inc, National Committee for Respombaff Patriotism, Nemets Assocs, Rittersporn for City Council, Starrett Housing Corp, Residential Listings, Commodore Camera Inc, Sixty Nine Cents Shops, Vanderlex MDSE Co Inc.
1983	Ancorp National Svces, Ciro Jewelers, Ciro of Bond Street Inc, Continental Guest Services, Fallas M LTD, Flicker Electronics Inc, Henry Modell & Co Inc, Kumbo Pens & Stationary Inc, Ky00 Garden Fl0ist Inc, Linea Garbo Shoes, National Committee for Responsible Patriotism, Papillon Chocolate, Sr David LTD, Stern H Jewelers Inc, Commodore Camera Inc
1988	Dalton Book Seller, Di Mauro Hair Salon, Henry Modell & Co Inc, Kent Jewelers, Kyoto Garden Fl0ist Inc, Linea Garbo Shoes, Manhattan, Modell S, Modell S Retail Stores Bway, N S Allan LTD, NY Hotel Drug Inc, National Committee for Responsible Patriotism, Prestige Newstand Corp, Stern H Jewelers Inc Hyatt
1993	Best Color At Lexington Inc, Brisk Waterproofing Co, Cheney & Co, Forty Second Street Photo, Kent Jewelers, Kyoto Garden Florist Inc, Martinique Fine Jewelers, Modell S, Modells Inc, N S Allan LTD, NY Hotel Drug Inc, Prestige Newstand Corp
1994	Barnes & Noble Bookstore-Stores, Best Color at Lexington Inc, Cheney & Co, Forty Second Street Photo, Gems at the Grand Hyatt, Joseph Allan Jewelers LTD, Kyoto Gardens Florist Inc, Martinique Fine Jewelers, NS Allan LTD, NY Hotel Drug Inc, Prestige Newstand Corp
1998	Best Color At Lexington Inc, Cheney & Co, Christi Southers LTD, GL Gemstone, Coordinated Metals Inc, Forty Second Street Photo, Forty Seventh Street Audio & Photo, Heritage Air System, NS Allan LTD, Yonkers Contracting Co Inc
1999	Cheney & Company, Christi Sothers Limited, Coordinated Metals Incorporated, Forty Second Street Photo, Forty Seventh Street Audio & Photo, Jacobson & Company, Richelieu, Starbucks Coffee, Yonkers Contracting Company Incorporated, Kenneth Cole, J Peterman Company Store, Banana Republic, Watch Station Inc, Discovery Channel Store, Vermont Candle Company, Childrens General Store

Table 4.5a City Directory Listings for 107-129 East 42nd Street	
2004	Christi Sothers Ltd, Custard Beach LLC, Grand Hyatt New York, Juniors Cheesecakes, Mendys Grand Corp, NS Allan LTD, Parini LLC, WH Smith US Travel, Traintunes, Eddies Shoe Repair Inc, Watch Station International, GC Mud Inc, Grande Harvest Wines, Discovery Channel Store, Pink Slip, Joon Grand Central, Childrens General Store, Flowers on Lexington Grand Cen, Banana Republic
2006	Boltons, Brother Jimmys Jambalaya, Café Spice, Cheney & Co, Chirping Chicken, Christi Sothers LTD, Cingular Wireless, Corrado 2000 Inc, Grand Gifts, Green Point Bank, Imperial Parking, Innovus Inc, Jacques Imos, Legato Boutique, Mendys Food Court, Mikes Take Away, NS Allan LTD, Grand Hyatt New York, Parini LLC, Travel Traders Hotel Store, Two Boots Grand Central, WH Smith, Zocalo at Grand Central, Eddies Shoe Repair, Discovery Channel Store, Cobbler & Shine, Childrens General Store, Traintunes, Erwin Pearl Inc Jewelry, Grand Central Flowesr, Grand Harvest Wines, Joon Grand Central, Kenneth Cole Productions Inc, Our Name Is Mud, Papyrus, Park Ave Sweets, Pink Slip Inc, Starbucks, Swatch Group, Banana Republic, Tumi
2009	A&E Stores, Manhattan Chili Company, Mendysfood Corp, NS Allan Limited, Starbucks Coffee, Two Boots Grand Central, Cole Kenneth, Banana Republic, Emotions Entertainment, Cobbler & Shine, Bose Corp, Joon Grand Central, Lacrasia, Kenneth Cole Productions Inc, Grand Harvest Wines, Chin Seong Joon, New York Joon, Papyrus, Eddies Shoe Repair, Pink Slip Inc, Access Artisans, GC Mud Inc, Tumi, The Swatch Group
2014	A&E Boltons, All Ways Automobile Shipping, Baked by Melissa, Boltons Midtown, Café Spice, Capitalone, Chicken Chirping, Christi Sothers Jewelry, Grand Hyatt New York, Laz Parking, Manhattan Chili Company, Mendysfood Court, NS Allan Limited, Starbucks Coffee, Two Boots Grand Central, Cursive New York Inc, Flowers on Lexington Grand Central, Banana Republic, Erwin Pearl Retail Inc, Grand Harvest Wines, Kenneth Cole, Cobbler & Shine, Lacrasia, Mac at Grand Central Station, Origins, Pylones, Tumi, GNC, Innasense Designs, Swatch, Eddies Shoe Repair Inc, Papyrus,
2017	A&E Boltons, A&E Stores Inc, All Ways Auto Shipping, Baked by Melissa, Capitalone, Chicken Chirping, Commodore Grill, Emergency Anytime Locksmith, Laz Parking, Mendysfood Court, AM PM Locksmith, Magnolia Bakery, Mac at Grand Central Sta, Eddies Shoe Repair Inc

A review of the City Directory records dating back to 1920 indicate that the Subject Property was historically operated as a hotel with numerous and varying retail stores throughout its history. The retail stores were identified as multiple jewelers and beauty salons, newsstands, stationary stores, restaurants, shoe shiners and repair, locksmiths, offices associated with political campaigns, offices associated with universities and clubs, clothing stores, florists, liquor and wine shops, pharmacies, banks, coffee shops and bakeries. None of the historical uses identified in the City Directory records should impact upon the environmental quality of the Subject Property.

Listings for the properties surrounding the Subject Property were limited due to the immense volume of records associated with the Subject Property. The few listings available for the surrounding area are generally similar to that of the Subject Property and consist of retail stores, commercial office spaces, and restaurants. None of the surrounding uses identified in the City Directory records should impact upon the environmental quality of the Subject Property.

5. RECORDS REVIEW

This section summarizes the information regarding the Subject Property and potential environmental sites of concern that are contained in the standard and additional environmental record sources reviewed by Roux in accordance with ASTM Standard Practice E1527-13.

5.1 Environmental Database Review

Roux used a computerized environmental database and radius map report prepared by EDR to conduct a government records database search of properties of potential environmental concern within a maximum of one-mile radius of the Subject Property. Appendix B contains a complete copy of the EDR Radius Map Report with GeoCheck. A summary of the pertinent results is provided in Table 5.1. Table 5.1 tabulates all the search results with at least one environmental database entry.

Table 5.1 Environmental Database Listings						
Database	Subject Property	<1/8 mile	1/8-1/4 mile	1/4-1/2 mile	1/2-1 mile	Total
SEMS	0	1	0	0	NR	1
SEMS-ARCHIVE	0	0	0	1	NR	1
RCRA-LQG	0	8	13	NR	NR	21
RCRA-SQG	1	2	9	NR	NR	12
RCRA-VSQG	0	2	7	NR	NR	9
ERNS	1	NR	NR	NR	NR	1
NY SHWS	0	0	0	0	1	1
NY LTANKS	0	2	15	74	NR	91
NY UST	0	0	10	NR	NR	10
NY MOSF	0	1	1	3	NR	5
NY AST	0	9	60	NR	NR	69
NY TANKS	0	1	1	NR	NR	2
NY ENG CONTROLS	0	0	0	3	NR	3
NY INST CONTROLS	0	0	0	4	NR	4
NY VCP	0	1	0	4	NR	5
NY BROWNFIELDS	0	0	0	2	NR	2
NY SPILLS	0	59	NR	NR	NR	59
RCRA NONGEN/NLR	0	71	269	NR	NR	340
FUDS	0	0	0	2	0	2

Table 5.1 Environmental Database Listings						
Database	Subject Property	<1/8 mile	1/8-1/4 mile	1/4-1/2 mile	1/2-1 mile	Total
CONSENT	0	0	4	0	0	4
FUSRAP	0	1	0	0	0	1
FINDS	1	NR	NR	NR	NR	1
ECHO	1	NR	NR	NR	NR	1
FUELS PROGRAM	0	0	12	NR	NR	12
NY DRYCLEANERS	0	5	NR	NR	NR	5
NY MANIFEST	1	98	370	NR	NR	469
TX IND HAZ WASTE	0	0	1	NR	NR	1
CT MANIFEST	0	0	1	NR	NR	1
PA MANIFEST	0	4	3	NR	NR	7
NJ MANIFEST	1	37	116	NR	NR	154
NY COOLING TOWERS	9	NR	NR	NR	NR	9
EDR MGP	0	0	0	2	2	4
EDR HIST AUTO	0	6	NR	NR	NR	6
EDR HIST CLEANER	0	1	NR	NR	NR	1
NR – Not Reported						

The Subject Property was identified in the RCRA-SQG, ERNS, FINDS, ECHO, NY MANIFEST, NJ MANIFEST and NY COOLING TOWERS databases. The listings are described in detail below:

1. **RCRA-SQG:** The Subject Property (Grand Hyatt New York) is identified as a Small-Quantity Generator (SQG) of hazardous waste in 2006 and 2007 and is associated with EPA ID: NYD986930675. The Subject Property was historically identified as a Conditionally Exempt Small Quantity Generator (CESQG) in 1990 and 2005. The waste streams associated with this listing include D001 (non-listed ignitable wastes), D009 (non-hazardous mercury), F002 (halogenated solvents and still bottoms) and K086 (solvent washes and sludges, caustic washes and sludges, or water washes and sludges from leaning tubs and equipment used in the formulation of ink from pigments, driers, soaps and stabilizers containing chromium and lead). Multiple RCRA violations were identified for this facility by the EPA spanning the 1990s and early 2000s. The RCRA listing appears to be related to former dry-cleaning operations that were conducted at the hotel. The Key Subject Property Representative indicated that dry cleaning is not currently conducted at the Subject Property during the interviews completed as part of this Phase I ESA. Additionally, based on review of historical drawings provided by the Client, all laundry and dry-cleaning operations were conducted

on the second level of the basement (not the lowest level of the basement), and therefore any operations are less likely to impact the subsurface as a Site. In addition, Roux collected soil vapor samples beneath the slab of the lowest basement level as part of a Phase II ESA completed at the Site. The analytical data from the soil vapor samples did not indicate elevated concentrations of any dry cleaner related solvents in the subsurface of the Site. This analytical data is provided in the Roux letter report titled “Summary of Sub-Slab Soil Vapor Investigation” dated November 20, 2020, which is provided in Appendix I.

2. **ERNS:** The Subject Property (109 East 42nd Street) is listed in the Emergency Response Notification System (ERNS) database and is associated with a public incident report. NRC Report No. 466855 is associated with an incident reported on December 9, 1998 in which a caller stated that they identified gasoline running down the street. The location of the report was noted at the entrance to Grand Central Terminal. No other information was provided in the ERNS database and due to the location of the spill in the public street, this spill will likely not impact upon the environmental quality of the Subject Property.
3. **FINDS/ECHO:** The Subject Property (Grand Hyatt New York) is identified in both the Facility Index System (FINDS) and Enforcement and Compliance History Online (ECHO) databases. These databases serve as data repositories for other databases such as the RCRA database and generally reiterate the same information previously discussed.
4. **NY & NJ MANIFEST:** The Subject Property (Grand Hyatt New York) is identified in both the NY and NJ Manifest databases. The manifests reviewed indicate shipments of D001 (corrosive) and D035 (methyl ethyl ketone) from the Subject Property between 2005 and 2007.
5. **NY COOLING TOWERS:** The Subject Property is listed in the NY Cooling Towers database nine times. According to listings in the EDR report, samples collected from these towers did not indicate the presence of legionella.

The Subject Property is not listed in any other environmental databases.

Off-site properties that meet the criteria presented below are discussed in this report:

- Facilities adjoining or adjacent to the Subject Property are examined due to their proximity and the potential for surface water discharges (e.g., stormwater runoff, surface water effluent discharges) to impact upon the environmental quality of the Subject Property; and
- Facilities located topographically or hydraulically upgradient of the Subject Property.

Groundwater flow direction is presumed east-southeast in the direction of the East River. Facilities that are located downgradient or cross gradient to the Subject Property—but not adjoining the Subject Property—are not discussed in this report because these facilities are considered to pose a low potential environmental concern to the Subject Property.

Adjoining Property Detail

Grand Central Terminal (Adjoins to the Northwest)

Grand Central Terminal adjoins the Subject Property upgradient to the northwest and is identified to have multiple NY SPILL listings which are discussed in detail below:

1. NY SPILL #0010574 occurred on December 20, 2000 and was reported initially as SPILL #1010077 which was related to seepage of several gallons of oil through the walls of the #7 subway line tubes. The NYSDEC memo states that this is a recurrence of an older spill (SPILL #1010077) that has been ongoing for approximately 10 years and is being actively managed under SPILL #0010574, therefore SPILL #1010077 was administratively closed by the NYSDEC as it was redundant. According to the EDR report, the seepage of oil was continuing to occur while being mopped up continually by MTA workers. The memo indicates that seepage is continuing to occur at a slow place and that a sump was impacted. A tube sealing and cleaning event was noted in the memo to occur in January 2015. The most recent update of August 2018 indicated additional cleaning events, which resulted in the generation of 30 bags of oiled absorbents and booms. As of the date of this Phase I report, this spill case is currently still open, and the source of the seepage has not been identified. This open spill case is considered a REC in connection with the surrounding and on-Site rail/ transit usage.
2. NY SPILL #9212241 occurred on January 26, 1993 and resulted from a punctured transformer on the underside of a passenger train car. The spill memo indicates that approximately 40 gallons of PCB oil was recovered and that approximately 90 gallons of PCB oil was spilled and will be cleaned up. The spill was subsequently closed to the satisfaction of the NYSDEC on January 28, 1993.
3. NY SPILL #9611752 occurred on December 27, 1996 at the MNR and resulted from a ruptured compressor hose, which released approximately 10 gallons of hydraulic oil. No further information was provided in the database, and the spill was subsequently closed to the satisfaction of the NYSDEC on December 8, 2003.
4. NY SPILL #0108498 occurred on November 21, 2001 and resulted from the identification of an unknown oil substance collecting within a pan collecting water above track #1. The NYSDEC spill memo indicates that the spill was cleaned up by the New York City Transit (NYCT) and that they will notify the NYSDEC if the material returns. The spill was subsequently closed to the satisfaction of the NYSDEC on July 30, 2002.
5. NY SPILL #1112519 occurred on January 29, 2012 and resulted from a release from a train. The NYSDEC spill memo indicates that approximately 10-gallons of lube oil was spilled to the gravel from the train and that cleanup was in progress. The spill was subsequently closed to the satisfaction of the NYSDEC the following day on January 30, 2012.
6. NY SPILL #1504856 occurred on August 5, 2015 and was reported to have occurred in the Grand Central Terminal boiler room. The spill resulted from the identification of mercury droplets on the floor of the boiler room. Since mercury is not regulated by the NYSDEC Spills unit the spill was subsequently closed to their satisfaction on August 5, 2015.
7. NY SPILL #1609639 occurred on January 18, 2017 and resulted from an equipment failure. The NYSDEC memo indicates that a hydraulic elevator was being taken out of service and a bleeder valve was removed prematurely which resulted in a release of approximately 50 gallons of hydraulic oil within the elevator pit. Approximately 1.5 drums of oil and absorbent material was collected from

the concrete pit which contained the spill. The NYSDEC reviewed the cleanup documentation, and the spill was subsequently closed to their satisfaction on January 20, 2017.

Grand Central Terminal is also identified in the RCRA-LQG and TANKS databases. The RCRA listing is associated with EPA ID: NYD981179773 and identifies the Site as a Large Quantity Generator (LQG) of hazardous waste. The waste codes associated with the Site include D001 (ignitable waste), D008 (lead), D009 (mercury), D018 (benzene), D035 (methyl ethyl ketone), F002 (spent halogenated solvents), F003/F005 (spent non-halogenated solvents). Numerous violations were identified to be associated with the RCRA listing. The TANKS database indicates that this Site is associated with Petroleum Bulk Storage (PBS) #2-613155. The TANKS database currently indicates that the Site has an unregistered status. Specific information about the quantity, type or location of tanks was identified to be withheld and not releasable under Freedom of Information Law which is likely related to security issues.

Based upon the numerous environmental listings associated with the rail transit (open spill #0010574 with free product identified seeping into rail tunnels, RCRA LQG status, presence in the TANKS database), the railroad operations at Grand Central Terminal involved the usage of hazardous substances and petroleum products, which have resulted in releases to the subsurface. As previously mentioned, the rail transit operations involved the use of hazardous substances and/ or petroleum products. Documented releases appear to may have impacted upon the environmental quality of the Subject Property and are considered a REC.

Graybar Building (Adjoins to the North-northeast)

The Graybar Building which adjoins the Subject Property to the north-northeast is identified to have two (2) NY SPILL listings which are discussed in detail below:

1. NY SPILL #0505448 occurred on August 3, 2005 and resulted from a broken blood pressure meter that spilled an unspecified amount of mercury. No additional cleanup details were provided other than the cleanup being planned. The spill was subsequently closed to the satisfaction of the NYSDEC on August 4, 2005.
2. NY SPILL #1605892 occurred on September 12, 2016 and resulted from human error related to dumping acrylic paints into a catch basin. The impacted catch basin was observed to have paints and sludges within it which were pumped out and triple washed and cleaned. Based upon a review of the closure documentation, the spill was subsequently closed to the satisfaction of the NYSDEC on September 19, 2016.

Due to the nature of the spills being limited in quantity and no reports of impacts to soil or groundwater, they should not impact upon the environmental quality of the Subject Property.

West 42nd Street Substation (Adjoins to the Southwest)

Several spills were noted on to occur at West 42nd Street Substation, which according to the EDR was noted to be adjoining to the Subject Property to the Southwest. It is likely that this substation is located west of 5th Avenue, which is 3 avenues west of Site (based on its address of West 42nd Street) and was incorrectly plotted in the EDR report. Furthermore, the three NY SPILL incidents associated with this listing are likely to not have impacted to the Subject Property, since they involved small quantities and were cleaned up to the satisfaction of the NYSDEC and subsequently closed.

Commercial Property – 405 Lexington Ave (Adjoins to the East-southeast)

The commercial property located at 405 Lexington Avenue is identified to have a single NY SPILL listing which is discussed in detail below:

1. NY SPILL #1202153 occurred on June 3, 2012 and resulted from a vehicle accident. The NYSDEC memo indicates that a defective gasoline tank released approximately one gallon of gasoline, which was contained to the spill area. No impacts to soil or groundwater were noted, and the spill was noted to be cleaned up. The spill was closed to the satisfaction of the NYSDEC on June 4, 2012.

Upgradient Property Detail

Gold JM & Co – 60 East 42nd Street (Approximately 635 feet to the West)

The above-referenced property is listed in the EDR HIST AUTO database for the years 1991 through 2008 as an automotive repair shop. As no other environmental listings are associated with the facility (NY SPILLS, LTANKS, RCRA), it is not likely that it will impact upon the environmental quality of the Subject Property.

One Vanderbilt – 10 Vanderbilt Avenue (Approximately 578 feet to the West-northwest)

The above-referenced facility is identified in the Voluntary Cleanup Program (VCP) database and is associated with New York City Mayor's Office of Environmental Remediation (NYCOER) project number 16CVCP053M. A review of online resources indicated that remediation of this Site is complete with the construction of the superstructure ongoing. A review of environmental summary notes collected during the Remedial Investigation (RI) indicated that the soil quality was generally impacted with semi-volatile organic compounds (SVOCs) and metals (including characteristically hazardous levels of leachable lead), which can occur in fill material in the New York City metropolitan area. Groundwater quality was generally impacted with SVOCs, metals and the single volatile organic compound (VOC) toluene at concentrations exceeding their respective groundwater standards. It was determined based on NYSDOH guidance that the soil vapor concentrations for both tetrachloroethylene and trichloroethylene exceeded the monitoring level ranges at one location. The cleanup at this facility included the removal of impacted soil to achieve a Track 1 cleanup and unrestricted use soil cleanup objectives. The waterproofing system installed at this facility would mitigate the potential for residual soil vapor contamination. Based upon a review of the environmental information publicly available for this facility, it appears that the elevated concentrations of tetrachloroethylene and trichloroethylene were limited to one localized area, and there were no significant detections of tetrachloroethylene and trichloroethylene on the eastern side of this facility that faces the Subject Property. It is not likely that this property will impact upon the environmental quality of the Subject Property. Although this property will not likely impact upon the Subject Property, the identification of fill material is likely indicative of general soil quality of the New York area and can be anticipated to be found at the Subject Property. The suspect presence of fill material is considered a BER in connection with the Subject Property.

5.2 Freedom of Information Act Letter Responses

FOIA requests were submitted to the NYSDEC, NYSDOH, NYCDEP and the FDNY requesting records associated with the Subject Property. Online USEPA, NYCDOB, NYCDOF and NYCDOP databases were searched for records related to the Subject Property. If any additional pertinent environmental information is received from the outstanding FOIA requests following the issuance of this report, Roux will provide a letter addendum to this report detailing this information. Information obtained from the Internet Databases and FOIA responses is included as Appendix C.

USEPA

The Subject Property was not identified within the online USEPA databases when searched.

NYSDEC

As of the date of this report, the NYSDEC has responded to our FOIA request and indicated that they do not maintain any records related to the Subject Property.

The online NYSDEC InfoLocator tool was also searched for records pertaining to the Subject Property and nearby properties. A search of this database did not indicate any information on the Subject Property or any adjoining Sites that may impact upon the environmental quality of the Subject Property.

NYSDOH

As of the date of this report, the NYSDOH has acknowledged our FOIA request in a letter dated October 28, 2020. The NYSDOH has not identified whether any records exist for the Subject Property. Any additional information provided by the NYSDOH will be provided as soon as it has been received and evaluated.

NYCDEP

As of the date of this report, the NYCDEP has acknowledged our FOIA request in an email response dated November 4, 2020. The NYCDEP has not identified whether any records exist for the Subject Property. Any additional information provided by the NYCDEP will be provided as soon as it has been received and evaluated.

FDNY

As of the date of this report, the FDNY has responded to our FOIA request and provided information related to the emergency generator and sprinkler violations. The tank account report identified the emergency generator to have a 275-gallon AST which is located on the 36th floor of the building⁴. This tank was identified during the Subject Property reconnaissance and is further discussed in Section 6.3 of this report. The specific type of product stored within the tank was not identified in the records provided; however, based on the Site reconnaissance, the tank was noted to contain diesel fuel. No other pertinent information was identified in the FDNY records.

NYCDOB

The Subject Property is associated with eighteen open DOB violations and one open Environmental Control Board (ECB) violation. The open DOB violations are related to electric signs, elevators, annual elevator inspection tests and elevator affirmations of correction. The open ECB violation is related to the failure to submit an architectural or engineering report certifying that the emergency exit signs are connected to an emergency power source. No environmental restrictions (E-designations) were identified to be associated with the Subject Property. The Subject Property is in a special district designated MID – Midtown.

Numerous Certificates of Occupancy (COs) were identified for the Subject Property, which generally identified it as a hotel with back of house mechanicals, storage, locker rooms, and laundry facilities in the basement. The upper floors were generally identified as occupant rooms except for the ground floor with retail spaces and lobbies.

⁴ It should be noted that the numbering of the floors in the building is not sequential. The floor identified as the “36th Floor” is actually the 26th above-grade floor of the building.

NYCDOF

The Subject Property has a NYCDOF building classification of H1- Hotels. The NYCDOF Automated City Register Information System (ACRIS) database was also searched for the Subject Property. The ACRIS generally contained deeds, mortgage agreements and lease agreements. According to the ACRIS files, the Subject Property is currently owned by the MTA.

NYCDCP

The New York City Zoning Resolution was searched for indications of Restrictive Declarations and Environmental Designations (E-designations) pertaining to the Subject Property. Appendix C Tables 1 and 2 of the Zoning Resolution were searched for the Subject Property Block and Lot. According to a review of both tables, the Subject Property does not appear to have restrictive declarations or e-designations.

6. SUBJECT PROPERTY RECONNAISSANCE

The findings of the Subject Property reconnaissance conducted on November 5 and 30, 2020 are discussed below.

6.1 Utilities

The Subject Property was observed to be connected to municipal water, sewer, electric, natural gas and steam utilities.

6.2 Hazardous Substances and Petroleum Products

Several flammable safety cages were identified throughout the building, which contained canned food heating gels, paints, lacquers, paint thinners, spray paints, crack sealant, adhesives and other spray products. The products were identified to be typical building maintenance materials, which were properly stored off the ground within the safety cages. No stains, odors or signs of spillage were identified near the flammable cages. Several 25-gallon plastic drums of corrosive laundry detergents were also observed at sub-level 2 of the basement in the vicinity of the laundry machines. No stains, odors or signs of spillage were identified in the vicinity of the drums and their presence should not impact upon the environmental quality of the Subject Property.

A diesel backup generator was identified at the Subject Property and additional information is provided in Section 6.3 below.

6.3 Storage Tanks

A diesel generator containing a 275-gallon belly diesel fuel tank was identified within the 36th floor of the building⁵. The belly tank was unavailable for direct inspection due to the placement behind various mechanical equipment which was identified to be operating. Small portions of the belly tank were visible, and it appeared to be in good condition with no petroleum odors noted in the room it was in. Based upon the lack of odors and placement of the AST on the 36th floor, its presence should not impact upon the environmental quality of the Subject Property.

6.4 Polychlorinated Biphenyls (PCBs)

Several electrical transformers were observed throughout the Subject Property, specifically near mechanical spaces associated with the elevators and heating equipment. All of the transformers inspected appear to be “dry-type” transformers with no liquid reservoirs. None of the equipment was marked as PCB-containing and no spills, odors or signs of spillage were identified in their vicinity. The presence of these transformers should not impact upon the environmental quality of the Subject Property. Elevators present at the Subject Property were observed to be powered electrically and not through hydraulics.

As previously mentioned, the historical usage of the Subject Property subgrade areas for rail transit may have involved the usage of PCB containing oils in power generation, lubricants and/ or electrical conversion. The historical and current onsite and off-site usage for rail transit is considered a REC.

⁵ It should be noted that the numbering of the floors in the building is not sequential. The floor identified as the “36th Floor” is actually the 26th above-grade floor of the building.

6.5 Staining and Stressed Vegetation

No staining or stressed vegetation was observed at the Subject Property. A sheen was observed on rainwater that had pooled between the tracks of the MNR. As previously mentioned, the historical usage of the Subject Property subgrade areas for rail transit may have involved the usage of hydraulic oils. The historical and current onsite and off-site usage for rail transit is considered a REC.

6.6 Floor Drains, Pits, and Sumps

Numerous floor drains were observed throughout the Subject Property in kitchen and food service areas. These drains are likely connected to the municipal sewer, and any discharges through them should not impact upon the environmental quality of the Subject Property.

6.7 Solid Waste

At the time of the reconnaissance the Grand Hyatt Hotel and associated commercial retail tenant spaces were vacant, and no solid waste storage was identified.

6.8 Wastewater and Stormwater

Wastewater generated at the Subject Property is limited to sanitary waste and is connected to the municipal sewer system. Stormwater is expected to flow off concrete areas into catch basins located in the publicly-managed streets.

6.9 Wells

No groundwater monitoring or potable water wells were observed at the Subject Property.

No groundwater monitoring wells were observed at nearby properties.

6.10 Asbestos Containing Materials (ACMs)

Due to the age of construction of the building, there is potential for the building structures to contain ACMs. A formal inspection and testing ACMs are not included under the ASTM 1527-13 standard and are considered out of scope; however, Roux observed various suspect ACMs in the form of roofing material, wall plasters, fireproofing material, and mastics, and therefore, the suspected presence of ACMs is considered a BER.

7. INTERVIEWS AND USER-PROVIDED INFORMATION

Pertinent findings from these sources are summarized in the following sections.

7.1 Interviews

On November 5, 2020, in conjunction with the Subject Property reconnaissance, Mr. Nasiatka interviewed Mr. Owen Haye as the Key Subject Property Representative. Mr. Haye was identified as the Assistant Director of Engineering for the Grand Hyatt. The following pertinent information was collected from the interview:

- Mr. Haye indicated that the Subject Property has been vacant as they have been struggling to maintain occupancy with the current pandemic.
- Mr. Haye indicated that the Subject Property elevators are powered electrically.
- Mr. Haye was unsure if the floor drains were connected to the sewer system.
- Mr. Haye indicated that he is unaware of any environmental issues connected with the Subject Property.
- Mr. Haye indicated that he is unaware of any historical environmental reports related to the Subject Property.
- Mr. Haye indicated that no dry cleaning is currently conducted at the Subject Property and was unable to provide any details on the possible historical dry cleaning.

7.2 User Questionnaire

As of the date of this report, Roux was provided with a completed environmental User Questionnaire. The questionnaire was completed by Mr. Greg Lowe. A review of the environmental questionnaire did not identify any pertinent information related to the Subject Property. A copy of the environmental questionnaire is provided in Appendix I.

8. SUMMARY OF FINDINGS

Based on the information gathered during the Phase I ESA process, Roux has identified the following REC:

- Mass Transit Usage: The area upgradient to the northwest of the Site is developed with railroad/subway infrastructure associated with the MNR, including the adjoining Grand Central Terminal. Additional rail structures associated with the New York City Subway (MTA) are also noted to be present under the Subject Property; therefore, the mass transit/rail usage is considered both on-site and off-site. Railway infrastructure typically involves the usage of various hazardous substances and petroleum products in its operations including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation. Railway infrastructure also requires electrical power conversion typically in the form of substations, which may involve the use of polychlorinated biphenyls (PCBs) in electrical transformers. Numerous New York State Department of Environmental Conservation (NYSDEC) spill listings are associated with the rail lines in this area. This spill has identified free product seeping into the nearby subway tunnels with a source unable to be identified. The spill and remediation efforts are ongoing and typically consist of cleaning up the material as it enters the subway tunnel. In addition, a sheen was observed on rainwater that had pooled between the tracks of the MNR during the Site Reconnaissance.

Roux has not identified any HRECs or CRECs in connection with the Subject Property.

Roux has identified the following BERs in connection with the Subject Property:

- Suspect Presence of Historic Fill Material: The Subject Property was historically redeveloped with the Commodore Hotel in 1919 as evidenced by Sanborn Maps and historical accounts and online resources for this time period. The redevelopment would have required demolition of the previous hospital and manufacturing related buildings present in the earlier Sanborn Maps dated 1890, 1899 and 1910. As the demolition occurred at a time where no environmental or waste management laws were enacted, there is potential for the Subject Property to be underlain by Historic Fill Material, which may contain glass, bricks, concrete, slag, ceramic and other non-native materials brought, deposited or demolished directly into the subsurface to facilitate redevelopment. The presence of this material should be considered when planning any future redevelopment requiring soil/material excavation and disposal.
- Suspect Presence Asbestos Containing Materials (ACMs): Based upon the age of construction of the current building (1919), there is potential for ACMs to be present in various pipe wrappings, joint wrappings and other building materials. The MNR and MTA mezzanine and platform levels below grade were also constructed on or before approximately 1915, with many renovations since initially built, so the potential for ACMs, including pipe insulations, tars, and electrical equipment, extends to these areas as well. The suspected presence of these materials should be considered prior to demolition of the building for redevelopment.

Roux has identified the following data gaps in connection with this Phase I ESA:

Roux has identified the following data gaps/data failures in connection with this Phase I ESA:

- Awaiting responses to Freedom of Information Act (FOIA) requests from the New York State Department of Health (NYSDOH) and the New York City Department of Environmental Protection (NYCDEP) pertaining to the Subject Property. Based on the records obtained and reviewed from other resources, this is not considered a significant data gap. If any pertinent information is obtained from responses to outstanding FOIA requests regarding the Subject Property, Roux will prepare a letter addendum summarizing these findings.
- Due to the current inactive and vacant nature of the Subject Property and ongoing COVID-19 pandemic, certain areas were locked, vacant and inaccessible during the Subject Property reconnaissance. Several of the commercial and retail stores along the Lexington Passage were vacant and inactive and no access was able to be provided to these areas. Additionally, the portions of the MNR subgrade area were inaccessible (storage area behind a locked wire partition). These

areas were observed from the track side of the partition and appeared to be used as general back-of-house storage for the MNR operations. Areas of the MTA space that were not publicly accessible were not visually inspected. While a thorough inspection of these areas was unable to be performed, the inaccessible areas are not considered significant data gaps as their inspection has a low probability of eliminating the transit related REC identified above.

- The commercial and retail stores that were identified to be closed at the time of the Subject Property reconnaissance due to the ongoing COVID-19 pandemic were not accessible; however, given the types of uses (food service establishments, retail shops), they are not likely to store or use significant quantities of hazardous materials or petroleum products on premises. Therefore, this data failure is not considered a significant data gap that impacts our ability to identify RECs at the Site.

9. REPORT ASSUMPTIONS AND LIMITATIONS

This Phase I ESA Report, including the exhibits attached hereto, describes the results of Roux's initial investigation to identify the potential presence of RECs involving or affecting the Subject Property in accordance with ASTM Standard Practice E1527-13. This Phase I ESA was conducted by Roux in accordance with the regulatory requirements for conducting AAI as set forth in the USEPA AAI Rule, at 40 CFR Part 312. Specifically, the preamble to the AAI Rule states:

"In today's final rule, EPA is referencing the standards and practices developed by ASTM International and known as Standard E1527-13 (entitled "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process") and recognizing the E1527-13 standard as consistent with today's final rule. The Agency determined that this voluntary consensus standard is consistent with today's final rule and is compliant with the statutory criteria for all appropriate inquiries. Persons conducting all appropriate inquiries may use the procedures included in the ASTM E1527-13 standard to comply with today's final rule."⁶

One of the requirements that a person acquiring real property must meet in order to qualify for either the innocent landowner, contiguous owner, or bona fide prospective purchaser (collectively hereinafter "Prospective Purchaser") defense to liability under the federal Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), is that person must conduct all appropriate inquiry in conformance with the AAI Rule (or the ASTM E1527-13) prior to acquisition of the property. Commodore Owner LLC understands that, under the AAI Rule, Roux' performance of the Phase I ESA in accordance with ASTM E1527-13 will not alone result in Commodore Owner LLC satisfying all requirements of the AAI Rule and provide a defense to CERCLA liability.

Commodore Owner LLC understands that the AAI Rule also requires that the Prospective Purchaser undertake certain additional inquiries and post-acquisition activities to satisfy the CERCLA AAI requirements. **ACCORDINGLY, ROUX MAKES NO GUARANTEES OR WARRANTIES, EXPRESSED OR IMPLIED, REGARDING THIS PHASE I ESA, INCLUDING WITHOUT LIMITATION, ANY WARRANTY THAT THIS PHASE I ESA WILL IN FACT QUALIFY THE CLIENT FOR A DEFENSE TO CERCLA LIABILITY.**

Roux has performed this Phase I ESA in a professional manner using the degree of skill and care exercised for similar projects under similar conditions by reputable and competent environmental consultants. Professional judgments expressed herein are based on the facts currently available to Roux.

The AAI Rule requires, and the conclusions and recommendations stated herein, represent the application of a variety of engineering and technical disciplines to material facts and conditions associated with the Subject Property. As such, these conclusions and recommendations are based on subjective interpretations and the exercise of discretion. Many of these facts and conditions are subject to change over time. Accordingly, the conclusions and recommendations must be considered within this context.

Commodore Owner LLC understands that Roux will not be responsible for conditions or consequences arising from relevant facts that were concealed, withheld, or not fully disclosed at the time the Phase I ESA was performed. To the extent practicable, Roux has identified data gaps and has evaluated the potential significance of such data gaps. Recommendations to address those data gaps are presented herein and are based on the data available at the time of the performance of the Phase I ESA. Implementation of the recommendations may not fully address the data gaps as the information obtained from execution of those

⁶ Federal Register: November 1, 2005 (Volume 70, Number 210) Page 66081.

recommendations may alter or modify the interpretation of the Subject Property conditions and conclusions regarding the data gaps.

It should be noted that Roux has not conducted any intrusive activities on the Subject Property and is relying on information presented by others, often in preliminary, draft, or verbal form. By referencing this information, Roux does not accept responsibility for the accuracy of the underlying data, sampling methods, laboratory analysis, or documentation.

This Phase I ESA Report should not be considered a legal interpretation of existing environmental laws and regulations. The Phase I ESA was conducted with a reasonable degree of inquiry to identify significant RECs, but uncertainty is not eliminated. No Phase I ESA can wholly eliminate uncertainty regarding the potential for RECs in connection with a property. The Phase I ESA process is intended to reduce, but not eliminate, the uncertainty involved with identifying RECs.

This Phase I ESA Report is not an appraisal or value judgment of the Subject Property. Commodore Owner LLC understands that Roux shall not be liable for any use of the Phase I ESA Report as an appraisal or value judgment of the Subject Property.


The Phase I ESA Report has been prepared for the exclusive Commodore Owner LLC for specific application to the Subject Property covered by the Phase I ESA Report. Commodore Owner LLC understands that any third-party use of this Phase I ESA Report is the sole responsibility and at the sole liability of Commodore Owner LLC.

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312; and

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Subject Property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth on 40 CFR 312.

Respectfully Submitted,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.



Adam P. Nasiatka
Project Geologist




Frank Cherena, P.G.
Principal Geologist

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

FIGURES


1. Subject Property Location Map
2. Subject Property Plan



**SUBJECT
PROPERTY** →

V:\GIS\PROJECTS\32550002Y101\3255.0002Y101.1.MXD

QUADRANGLE LOCATION



Title:

SUBJECT PROPERTY LOCATION MAP

109 EAST 42ND STREET
NEW YORK, NY

Prepared for:

COMMODORE OWNER LLC



Compiled by: A.N.

Date: 11/12/20

FIGURE

Prepared by: M.S.R.

Scale: AS SHOWN

Project Mgr: A.N.

Project: 3255.0002Y000

File: 3255.0002Y101.1.mxd

1




LEGEND



SUBJECT PROPERTY BOUNDARY

NOTE: THE SUBJECT PROPERTY BOUNDARY DOES NOT INCLUDE SUB-GRADE STRUCTURES ASSOCIATED WITH THE MTA SUBWAY TUNNELS, WHICH TRAVERSE THROUGH THE PROPERTY BOUNDARY. SUB-GRADE STRUCTURES ASSOCIATED WITH THE MNR ARE INCLUDED ONLY IF THEY ARE PROPOSED TO BE DISTURBED AS PART OF THE FUTURE DEVELOPMENT. GROUND FLOOR COMMERCIAL RETAIL UNITS EXCEPT THOSE IN THE LEXINGTON PASSAGE ARE NOT INCLUDED WITHIN THE SCOPE OF THE PHASE I ESA.



Title:

SUBJECT PROPERTY PLAN

109 EAST 42ND STREET
NEW YORK, NY

Prepared for:

COMMODORE OWNER LLC



Compiled by: A.N.

Date: 11/19/20

Prepared by: M.S.R.

Scale: AS SHOWN

Project Mgr: A.N.

Project: 3255.0002Y000

File: 3255.0002Y101.2.mxd

FIGURE

2

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDICES

- A. Professional Profiles
- B. Federal and State Environmental Databases
- C. Freedom of Information Law Letters and Responses
- D. Historical Sanborn Maps
- E. Historical Aerial Maps
- F. Historical Topographic Maps
- G. City Directory Abstract
- H. Subject Property Photographs
- I. User Provided Information

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX A

Professional Profiles

TECHNICAL SPECIALTIES

Conducted, managed, or overseen Phase I and Phase II investigations and remediation at contaminated sites, specializing in developing innovative cost-saving solutions that focus on integrating remedies into redevelopment scenarios. Experience working with multiple agencies and stakeholders including negotiation and coordination with lenders, tenants, and community stakeholders to secure funding and approvals.

EXPERIENCE SUMMARY

Seventeen years of experience: Principal Geologist with Roux Associates, Inc., Islandia, New York; Staff Geologist with RTP Environmental Associates, Inc., Green Brook, New Jersey.

CREDENTIALS

B.A., Geology, Colgate University, 2003
OSHA 40-Hour Hazardous Materials Training, 2003
OSHA 8-Hour Supervisor Training, 2004
Accredited AHERA Inspector, 2004
NJ UST Subsurface Evaluator Certification# 491925
New York Licensed Professional Geologist #720
Connecticut Licensed Environmental Professional #610

KEY PROJECTS

- Principal in charge of large university tech development project in New York City. The project consists of the demolition and decommissioning of a former hospital building, and excavation for redevelopment of four separate buildings for the first phase of campus construction. Environmental considerations on the project included site assessment, remediation design and oversight, SDPES permitting (construction dewatering and geothermal well discharge), soil characterization for reuse and capping of soils. Coordinated with NYCDEP, and other project stakeholders concerning community protection and monitoring concerns.
- Principal in charge of redevelopment of a former powerplant into an industrial arts complex. Remediation consisted of removal and containment of TSCA-regulated PCB-impacted soils, groundwater, and building material, and remediation waste. Successfully obtained Certificate of Completion for NYSDEC BCP, clean up and continue to coordinate Site redevelopment activities under a Site Management Plan. Included significant coordination and correspondence with USEPA to negotiate installation of a consent order for bulkhead installation along the Gowanus Canal Superfund Site.
- Principal in charge of redevelopment of shopping mall in Staten Island, New York. The Site will consist of the construction of two commercial out parcel buildings, a new parking deck, and an expansion of the existing mall

building. Areas of concern include historical fill, site-wide soil contamination (arsenic and pesticides). In addition, also responsible for agency coordination with FDNY, NYSDEC, and NYCOER for mitigation of methane and chlorinated volatile organic compounds vapor issues.

- Principal-in-Charge for the redevelopment of a 5-acre live-work-play campus in Hunts Point, Bronx. The residential component of the Project is comprised of 100% affordable housing, and is currently enrolled in the NYSDEC BCP. Mr. Cherena has also negotiated/coordinated with lenders, coordinated with multiple disciplines on the design team to create a RAP to comply with NYCOER air/noise requirements, and assisted in remedial design and estimation.
- Principal in charge for new development of a large regional mall in Norwalk, Connecticut with underground parking. The proposed redevelopment will result in the construction of a retail shops, restaurants, hotel, and entertainment. Previous usage of the property included over 30 different parcels including three establishments, gasoline filling stations, fuel oil terminal storage, hazardous waste disposal areas. The project includes investigation and subsequent remediation of petroleum and hazardous waste releases, filing of the Environmental Conditions Assessment Form (ECAf) associated with the three transfer act parcels, and coordination with the CT DEEP and CT DECd to obtain CT Brownfields Grant funds.
- Principal in charge for two adjoining multifamily NYSDEC BCP redevelopment sites in Mott Haven, Bronx, New York along the Harlem River. Project includes characterization, excavation, and disposal of over 40,000 tons of soil, support for obtaining a SPDES discharge permit for construction water, along with attending public meetings and creating public participation plans. Project task includes community air monitoring, shoreline permitting, and construction monitoring while minimize cost impact by sharing resources between both projects.
- Principal in charge for the largest redevelopment project in New York City (over \$4.5 billion). Project includes Phase I and Phase II ESAs (investigation of soil, groundwater, and soil vapor) at over 75 properties; Construction support for excavation of one million cubic yards of soil including implementing an *in situ* waste characterization program; Environmental support for demolition, asbestos and lead abatement, site remediation using *In Situ* Chemical Oxidation, and relocating of an active 9-acre 100-year old railyard; Property acquisition support throughout the project (7 city blocks); and Agency support for NYSDEC, NYCDEP, MTA (LIRR/NYCT), and ESDC. The environmental data was used as an integral

component of the New York State Environmental Quality Review Act (SEQRA) final Environmental Impact Statement (EIS). The project will encompass 336,000 sq ft of office space, 6.4 million sq ft of residential space, an 18,000 seat sports and entertainment venue - the Barclays Center (home of the Nets professional basketball team) - 247,000 sq ft of retail space, a 165,000 square-foot hotel, and over 8 acres of intricately designed publicly accessible open space.

- Principal in charge of redevelopment and rehabilitation of the Nassau Coliseum Event Center in Uniondale, Long Island, New York. Services included Phase I and Phase II ESA to obtain approvals and entitlements, along with providing consulting services for asbestos abatement and operations and maintenance. Also was responsible for diesel generator tank removal and replacement tank design and installation.
- Principal in charge for a remedial investigation and real estate transaction negotiation for a contaminated former industrial property in Glen Cove, Long Island, New York. Activities included due diligence including document review and historical research to develop and implement a cost efficient investigation scope that was able to identify presence of contamination that was used to negotiate property transaction. Investigation was also designed to develop red mediation and construction budget to support future mixed use redevelopment of the over 12 acre property.
- Principal in charge of numerous due diligence projects for owners, developers, managers, municipalities, and lenders at commercial and industrial properties throughout the Northeast. Activities included performance of UST evaluations and closures, hot spot remediations, Phase I and Phase II Site Assessments, vapor intrusion studies and mitigation, lead based paint, asbestos and hazardous materials surveys, interaction with regulatory agencies on behalf of clients and development of remedial cost estimates for planning and negotiation.
- Principal in charge for investigation and review of a former electroplating facility in Bay Shore, New York with chlorinated solvent DNAPL. Activities included historical document review, subsurface investigation, and coordination with outside legal counsel and NYSDEC.
- Project manager for a property transfer support project at a heavily contaminated state-of-the-art distribution facility in the Bronx, New York. The site was a former MGP being handled under the VCP in central office, the site had an open spill under the regional spills group and the site was attempting to apply to the BCP through the regional office. Roux performed a Phase I for the buyer, a Phase II and remedial cost estimate for the owner and negotiated

with the buyer's consultant and NYSDEC to limit the scope of the investigation and cleanup.

- Principal in charge of NYSDEC BCP redevelopment project in Island Park, Long Island, New York. Property was the location of a former oil terminal with extensive degraded petroleum contamination. Contracted services included, management of contaminated soil, import of recycled soil to bring the site above the flood plain, and negotiation with the NYSDEC. Project remediation schedule was extremely tight, and a COC was achieved before the requisite deadline.
- Served as Environmental Professional on hundreds of Phase I Environmental Site Assessments according to ASTM E1527-00, ASTM E1527-05, and ASTM E1527-13 for due diligence of large retail shopping centers, industrial facilities, and office buildings. Associated activities included agency contact, database management and interpretation, report preparation, and recommendations for additional work.
- Implemented GIS analysis and mapping for a remedial study and alternative analysis report (AAR) for an active petroleum storage terminal in Buffalo, New York under jurisdiction of the NYSDEC. The AAR required spatial analyses in order to categorize and analyze contaminant data from multiple investigations, investigate remedial alternatives, and to help focus ongoing additional investigations.

TECHNICAL EXPERIENCE

Phase I and II environmental site assessments, remedial construction oversight, Voluntary and Brownfield Cleanup Program requirements, Petroleum Bulk Storage regulations, mold assessment and remediation, soil vapor intrusion, drywell and storm drain investigation and remediation, regulatory coordination, Underground Storage Tank (UST) investigations and removal, engineering control (vapor barrier and sub-slab depressurization system) design and implementation.

EXPERIENCE SUMMARY:

Five years of experience: Project Geologist at Roux Environmental Engineering and Geology, D.P.C.; Project Manager at HydroTech Environmental Engineering and Geology, D.P.C.

CREDENTIALS:

B.A. Environmental Science, Natural Resources and Earth Science, SUNY Binghamton 2014
C.E.I – Certified Environmental Inspector – Environmental Assessment Association
C.E.M – Certified Environmental Manager – Environmental Assessment Association
NYC Mayor's Office of Environmental Remediation Gold Certified Professional
Licensed NYS Mold Assessor #MA01542
OSHA 40-Hour HAZWOPER and OSHA 8-Hour Annual Refreshers
OSHA 30-Hour Construction Safety, 2019
OSHA 10-Hour Construction Safety, 2018

PROFESSIONAL AFFILIATIONS:

Environmental Assessment Association

KEY PROJECTS

- Authored and assisted on over 200 Phase I Environmental Site Assessments for properties in the greater New York City area and Long Island. These assessments ranged from small residential properties to large scale industrial, commercial and manufacturing businesses. Responsible for maintaining report integrity and compliance with ASTM E1527-13 standards. Maintained client expectations and delivered accurate results in a timely manner to satisfy tight due diligence deadlines. Provided recommendations and cost estimates to clients if Phase II investigations were warranted.
- Performed a Phase I portfolio for 16 vacant parcels of land owned by the New York City Department of Housing Preservation and Development (NYCHPD). The developer was interested in purchasing and developing affordable housing on these lots. Several NYCHPD specific requirements were incorporated into each Phase I to satisfy the clients due diligence requirements in the allotted timeframe. The client ultimately purchased the lots and is in negotiations with subcontractors for development.
- Project Geologist for a VCP renovation of a 11,000 square foot 5-story former paint manufacturing building located in Brooklyn, New York. Designed and implemented a remedial action work plan that was

approved by the NYCOER which included excavation of lead hazardous and metal impacted soil exceeding industrial SCOs. Directed weekly construction meetings with the numerous subcontractors working at the Site regarding their environmental obligations. Coordinated with the NYSDOH regarding the vapor barrier and SSDS design as well as the NYSDEC upon the discovery of lacquer, paint and varnish product present in the soil. Performed hazardous lead delineation sampling to minimize overall costs of soil disposal, transportation and treatment for the client.

- Project Geologist for a VCP redevelopment of a vacant parcel in the middle of the Coney Island in Brooklyn, New York. Technical challenges included planning for construction in the busy summer months as well as the very active local community board. Meetings were held between the client, community board and the OER to convey the importance and goals of the environmental oversight as well as ease tensions of the local residents. Additional precautions were implemented to minimize trucking activities, sidewalk impact, noise pollution as well as dust production. Towards the end of the project, stockpiled soil was identified to be hazardous and was handled expeditiously with the disposal facility in order to minimize construction delays for the client.
- Project Geologist for a 12.5-acre waterfront property in Whitestone, Queens which was entered into the NYSDEC Brownfield Cleanup Program for a second time. The project had originally completed its remediation under a separate consultant but was not issued a Certificate of Completion (COC) due to the contractor importing approximately 35,000 tons of contaminated backfill onto the Site. The Site was purchased in 2015 with the intention of reentering the BCP under a new agreement and developing 51 single family residential homes and a waterfront park. Responsibilities included the characterization of 137 soil grids for contaminants of concern including SVOCs, metals and pesticides. Approvals were obtained from four separate disposal facilities and a disposal plan was established to ensure proper handling of the excavated soil. Mass excavation of approximately 45,000 tons of impacted material (including hazardous lead and cadmium soil) was conducted peaking at 130 trucks removed per day. Provided daily oversight and communicated directly with the NYSDEC case manager documenting the successful implementation of required storm water pollution prevention measures and remedial construction elements. The final phase included the coordination and sampling of soil source facilities to provide a clean 2-foot cover of soil over the excavated areas. Approximately 30,000 tons of clean material was imported to the Site. On-site soils were also sampled and reused to minimize the cost of clean fill importation. The COC for this Site was issued in December 2017.
- Project Geologist for the remediation and subsequent monitoring of a retail gasoline station in Valley Stream, New York. During underground storage tank replacement, impacted soil and groundwater were identified and a NYSDEC spill case was opened.

A remedial action work plan was submitted and approved by the NYSDEC and included source soil excavation, endpoint sampling, community air monitoring, odor suppression and backfilling. The work was completed within a month of the identification of the release and the monitoring phase was initiated. A subsurface investigation was conducted at the request of the NYSDEC to delineate any residual soil/groundwater impact. Dissolved VOCs and SVOCs were identified in the groundwater at concentrations exceeding regulatory standards and a monitoring/sampling program was proposed and approved. No additional soil contamination remained on Site. Concentrations of groundwater contaminants reduced significantly over time confirming source removal. Coordination was also provided with the law team representing the client and a new purchaser. An access agreement was also developed and executed following the client's sale of the Site to allow for the continuation of the required monitoring activities, meeting all the client's goals for this project.

- Project Geologist for the remediation of a 30,000-square foot former Rubber Adhesives manufacturer in Ravenswood, Queens. The project was enrolled in the BCP and operating under an approved Interim Remedial Measure (IRM) to be performed in conjunction with the development of a 13-story hotel. Due to zoning changes, a strict deadline for the foundation placement had to be met, which provided technical challenges for the entire development team. Five USTs containing a combination of gasoline, toluene, heptane and methyl ethyl ketone were identified, emptied and removed. The entire footprint of the hotel was dug down to bedrock which ranged from 3 to 16 feet below grade. Approximately 2,500 tons of hazardous toluene and 6,000 tons of VOC and metal impacted soil was excavated and disposed off-site. The development team consisting of architects, foundation engineers, developers, environmental consultants and stakeholders attended meetings every week to track progress, issues, environmental obligations and deadlines. Ultimately, the deadline was met and the IRM requirements were completed within time and budget constraints allowing the client to continue with the development of the hotel.
- Project Geologist for the investigation and remediation of stormwater drywells for a client who owned a chain of auto repair shops on Long Island. Drywells were split sampled with the health department and compared to Suffolk County Department of Health Services (SCDHS) Action Levels and several exceedances for VOCs, SVOCs and metals were identified. Coordinated a remediation strategy with the county, which included vacuum truck sediment removal and disposal, endpoint sampling and backfilling the structures with virgin sand.
- Project Geologist for the evaluation of a 25,000-gallon #6 fuel oil tank impacted from Hurricane Sandy located at a large residential complex in Rockaway, Queens. A combined Phase I/II was performed which identified the tank as a significant source of environmental risk. Several temporary monitoring wells and soil probes were

installed around the tank and identified significant VOC impacts and petroleum in the soil which prompted the opening of a NYSDEC spill case. The residual product and sludge were removed from the tank and the interior was cleaned and prepped for abandonment. Removal was not deemed technically feasible due to the tanks size and proximately to the foundation walls of the building. Additional soil disposal was conducted on the surface and surrounding the tank until no more product was identified and the NYSDEC spill was subsequently closed.

- Project Manager and Site Assessor for an extensive mold investigation conducted at a 27,000-square foot luxury condominium complex in DUMBO, Brooklyn. The investigation was conducted over several weeks and throughout approximately 20 residential units and common areas including the basement, hallways and amenity spaces. Excess moisture was documented throughout the entire building, accumulating in areas where HVAC ducting was located. Ultimately, it was identified that the HVAC ducts were not properly insulated, and condensation was forming on them and impacting drywall throughout the basement and residential areas. Mold growth was identified in several units throughout the complex, which was confirmed with both bulk and air samples. A remediation plan was provided for all the areas identified with mold impact. Replacement and insulation of the ductwork was recommended to prevent future moisture buildup and potential mold growth. Mold growth in one unit was extreme which required an outside contractor to perform remediation services. Oversight of this work was provided to assess the contractor's ability to follow the remediation work plan provided. Clearance assessment and sampling was also conducted which confirmed the remediation as successful.
- Performed oversight of foundation and general contractors installing various engineering controls including: concrete covers, vapor barriers and SSD systems to ensure appropriate installation methods. Audited and corrected installation methods to ensure strict adherence to engineering design. Performed yearly inspections of these systems for SMP compliance on OER projects and generated SMP inspection reports.

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX B

Federal and State Environmental Databases

3255.0002Y000

109 E 42nd Street
NEW YORK, NY 10017

Inquiry Number: 6212910.2s
October 02, 2020

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	2675
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-9
Physical Setting Source Map Findings	A-10
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

109 E 42ND STREET
NEW YORK, NY 10017

COORDINATES

Latitude (North):	40.7520360 - 40° 45' 7.32"
Longitude (West):	73.9763360 - 73° 58' 34.80"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	586416.6
UTM Y (Meters):	4511524.0
Elevation:	49 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5940599 CENTRAL PARK, NY
Version Date:	2013
Southeast Map:	5940597 BROOKLYN, NY
Version Date:	2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20150729, 20150522
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A2		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A3		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A4		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A5		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A6		109 EAST 42ND ST	ERNS		TP
A7	GRAND HYATT NEW YORK	109 E 42ND ST	RCRA-SQG, FINDS, ECHO, NY MANIFEST, NJ MANIFEST		TP
A8		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A9		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A10		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A11		109 EAST 42ND STREET	NY COOLING TOWERS		TP
A12	CON EDISON	107 E 42 ST	NY MANIFEST	Higher	124, 0.023, WSW
B13	CON EDISON	121 E 42 ST	NY MANIFEST	Lower	134, 0.025, SSE
C14	BROOKLYN UNION GAS	400 LEXINGTON AVE	NY MANIFEST	Lower	156, 0.030, East
C15	CON ED - V 0481	400 LEXINGTON AVE	RCRA NonGen / NLR	Lower	156, 0.030, East
D16	NYCDOT BRIDGES BIN 2	PARK AVE VIADUCT OVE	RCRA NonGen / NLR, NY MANIFEST	Higher	160, 0.030, West
17	METRO NORTH RAILROAD	416 LEXINGTON AVE	NY Spills	Higher	164, 0.031, North
B18	INFRONT OF	122 EAST 43ND ST	NY Spills	Lower	176, 0.033, SSW
C19	CON EDISON	406 LEXINGTON AVE	NY MANIFEST	Lower	177, 0.034, East
D20	GRAND CENTRAL TERMIN	105 E 42ND ST	RCRA-SQG, NY MANIFEST, NJ MANIFEST	Higher	181, 0.034, WSW
D21	CON EDISON - SERVICE	122 E 42ND ST	RCRA-LQG	Higher	211, 0.040, WSW
D22	CON EDISON	122 E 42ND ST	RCRA NonGen / NLR	Higher	211, 0.040, WSW
D23	CHANIN BUILDING	122 E 42ND ST	RCRA-SQG, NY MANIFEST	Higher	211, 0.040, WSW
D24	CON EDISON - SERVICE	122 E 42 ST	RCRA-LQG	Higher	211, 0.040, WSW
D25	CON EDISON - SERVICE	122 E 42 ST	NJ MANIFEST	Higher	211, 0.040, WSW
D26	CON EDISON	122 E 42 ST	NJ MANIFEST	Higher	211, 0.040, WSW
D27	CON EDISON SERVICE B	122-26 E 42ND ST & L	RCRA NonGen / NLR, NY MANIFEST	Higher	211, 0.040, WSW
D28	CON EDISON	122 E 42ND ST	RCRA NonGen / NLR, ECHO, NY MANIFEST	Higher	211, 0.040, WSW
D29	CON EDISON SERVICE B	122 E 42ND ST OPPOSI	NJ MANIFEST	Higher	211, 0.040, WSW
D30	CON EDISON	122 E 42 ST	NY MANIFEST	Higher	211, 0.040, WSW
D31	CON EDISON SERVICE B	122 E 42ND ST OPPOSI	RCRA NonGen / NLR, NY MANIFEST	Higher	211, 0.040, WSW
C32	CON ED-VS 0042	CAMPUS RD S/O 68'W/O	RCRA NonGen / NLR	Lower	215, 0.041, East
C33	NYC DEP	43RD ST & LEXINGTON	RCRA NonGen / NLR, NY MANIFEST	Lower	217, 0.041, East
C34	CON EDISON	393 LEXINGTON AVE	NY MANIFEST	Lower	219, 0.041, SE
B35	EAST 42ND ST&LEXINGT	E 42ND ST / LEXINGTO	NY Spills	Lower	224, 0.042, SSE
B36	SUBWAY,LEX&42ND-AVIS	LEXINGTON AVE / 42ND	NY Spills	Lower	224, 0.042, SSE
B37	MANHOLE 56570	EAST 42ND ST/LEXINGT	NY Spills	Lower	224, 0.042, SSE
B38	MH 38638	EAST 42ND ST/LEXINGT	NY Spills	Lower	224, 0.042, SSE
B39	CON EDISON - MANHOLE	LEXINGTON AVE & E 42	NY MANIFEST	Lower	224, 0.042, SSE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
B40	CONSOLIDATED EDISON	42ND ST & LEXINGTON	NY MANIFEST	Lower	224, 0.042, SSE
B41	MTA NYCT - GRAND CEN	42ND ST & LEXINGTON	RCRA NonGen / NLR	Lower	224, 0.042, SSE
B42	CONSOLIDATED EDISON	LEXINGTON AVE & 42 S	NY MANIFEST	Lower	224, 0.042, SSE
B43	CON ED	EAST 42 AND LEXINGTO	NY Spills	Lower	224, 0.042, SSE
B44	MH 38633	E 42ND ST & LEXINGTO	NY Spills	Lower	224, 0.042, SSE
B45	ALLEYWAY AT GRAND CE	42ND AND LEXINGTON A	NY Spills	Lower	224, 0.042, SSE
C46	CON EDISON - 395 LEX	395 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	233, 0.044, ESE
C47	DY DX TRADING CORP	405 LEXINGTON AVE FL	EDR Hist Auto	Lower	234, 0.044, East
C48	CHRYSLER CLEANERS IN	405 LEXINGTON AVE FL	EDR Hist Cleaner	Lower	234, 0.044, East
C49	SAMYANG CORPORATION	405 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	234, 0.044, East
C50	CHRYSLER CLEANERS IN	405 LEXINGTON AVENUE	NY DRYCLEANERS	Lower	234, 0.044, East
C51	THE CHRYSLER CENTER	405 LEXINGTON AVE	NY AST	Lower	234, 0.044, East
C52	COMMERCIAL PROPERTY	405 LEXINGTON AVE	NY Spills	Lower	234, 0.044, East
D53	CON EDISON	116 E 42 ST	NY MANIFEST	Higher	241, 0.046, WSW
D54	WEST 42ND ST SUBSTAT	42ND ST	NY Spills	Higher	252, 0.048, WSW
D55	WEST 42ND ST SUBSTAT	42ND ST	NY Spills	Higher	252, 0.048, WSW
D56	BETWEEN LEXINGTON &	E 42ND ST	NY Spills	Higher	252, 0.048, WSW
E57	CON EDISON SERVICE B	133 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	277, 0.052, SSE
E58	CON EDISON SERVICE B	133 E 42ND ST	NJ MANIFEST	Lower	277, 0.052, SSE
E59	CON EDISON	126 E 42 ST	NY MANIFEST	Lower	293, 0.055, SSE
F60	HELMSLEY-SPEAR INC	420 LEXINGTON AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	294, 0.056, NE
F61	CATCH BASIN	420 LEXINGTON AVE	NY Spills	Lower	294, 0.056, NE
F62	GRAYBAR BUILDING 22N	420 LEXINGTON AVE	NY Spills	Lower	294, 0.056, NE
F63	A B DICK CO	420 LEXINGTON AVE ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	294, 0.056, NE
G64	SL GREEN REALTY CORP	110 EAST 42ND STREET	NY AST	Higher	294, 0.056, SW
G65	CON ED DRAIN	110 EAST 42 ST	NY Spills	Higher	294, 0.056, SW
E66	GRAND CENTRAL TERM/M	GRAND CENTRAL TERMIN	NY Spills	Lower	310, 0.059, SSE
H67	CON EDISON	374 LEXINGTON AV	NY MANIFEST	Lower	312, 0.059, South
H68	STEAM PIPE RUPTURE W	LEXINGTON AVENUE BET	NY Spills	Lower	322, 0.061, South
I69	CON EDISON	F/O 129 EAST 43 ST	NY MANIFEST	Lower	325, 0.062, East
F70	CON EDISON VAULT: 91	425 LEXINGTON AVE VA	RCRA NonGen / NLR, FINDS	Lower	351, 0.066, ENE
F71	HINES	425 LEXINGTON AVENUE	NY AST	Lower	351, 0.066, ENE
F72	CON EDISON	425 LEXINGTON AVE VA	NY MANIFEST	Lower	351, 0.066, ENE
F73	CON EDISON	425 LEXINGTON AVE VA	NY MANIFEST	Lower	351, 0.066, ENE
F74	CON EDISON VAULT: 97	425 LEXINGTON AVE VA	RCRA NonGen / NLR	Lower	351, 0.066, ENE
I75	CHRYSLER BUILDING	43RD BETWEEN 3RD & L	NY Spills	Lower	386, 0.073, East
I76	EAST 43RD ST BET	LEXINGTON AND 3RD AV	NY Spills	Lower	386, 0.073, East
J77	GRAND CENTRAL BOILER	89 EAST 42ND	NY Spills	Higher	393, 0.074, West
J78	GRAND CENTRAL TERMIN	89 EAST 42ND STREET	NY Spills	Higher	393, 0.074, West

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
J79	METRO NORTH RAILROAD	89 EAST 42ND STREET	RCRA-LQG	Higher	393, 0.074, West
E80	MANHOLE 1592	I/F/O 150 EAST 42ND	NY Spills	Lower	400, 0.076, SSE
G81	MANHOLE #07991	IFO 101 E 41ST ST	NY Spills	Higher	405, 0.077, SSW
J82	GRAND CENTRAL TERMIN	87 EAST 42ND STREET	NY TANKS	Higher	406, 0.077, West
H83	X	107 EAST 41ST ST	NY Spills	Higher	406, 0.077, SSW
H84	CON EDISON VAULT: 35	117 E 41ST ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
H85	CON EDISON MANHOLE 5	117 E 41ST ST	NJ MANIFEST	Lower	426, 0.081, South
H86	CON EDISON VAULT: 35	117 E 41ST ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
H87	VAULT 3841	117 E. 41ST STREET	NY Spills	Lower	426, 0.081, South
H88	CON EDISON VAULT: 22	117 E 41ST ST V 2239	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
H89	CON EDISON VAULT: 38	117 E 41ST ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
H90	CON EDISON MANHOLE 5	117 E 41ST ST	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
H91	CON EDISON VAULT: 37	117 E 41ST ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	426, 0.081, South
K92	CON EDISON	EAST 44TH ST & LEXIN	NJ MANIFEST	Lower	428, 0.081, NE
K93	211393; E 44 ST AND	E 44 ST AND LEXINGTO	NY Spills	Lower	428, 0.081, NE
K94	CON EDISON	E 44TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	428, 0.081, NE
K95	CON EDISON VAULT: 56	E 44TH ST & LEXINGTO	RCRA NonGen / NLR, FINDS	Lower	428, 0.081, NE
K96	CON EDISON	LEXINGTON AVE & 44TH	NJ MANIFEST	Lower	428, 0.081, NE
K97	CON EDISON	E 44TH ST & LEXINGTO	NY MANIFEST	Lower	428, 0.081, NE
K98	CON EDISON	E 44TH ST & LEXINGTO	NJ MANIFEST	Lower	428, 0.081, NE
K99	CON EDISON	LEXINGTON AVE & 44TH	RCRA NonGen / NLR	Lower	428, 0.081, NE
K100	CON EDISON	E 44TH ST & LEXINGTO	NJ MANIFEST	Lower	428, 0.081, NE
K101	CON EDISON	E 44TH ST & LEXINGTO	RCRA NonGen / NLR, FINDS, ECHO	Lower	428, 0.081, NE
K102	CON EDISON	E 44TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	428, 0.081, NE
L103	CON EDISON SERVICE B	131 PARK AVE FRONT O	RCRA NonGen / NLR, NY MANIFEST	Higher	432, 0.082, WSW
J104	ON STREET	125TH ST & PARK AVE	NY Spills	Higher	439, 0.083, West
M105	VAULT#2426	150 EAST 42ST	NY Spills	Lower	442, 0.084, SE
J106	GRAND CENTRAL/TRK 16	GRAND CENTRAL/TRK 16	NY Spills	Higher	443, 0.084, WNW
J107	GRAND CENTRAL STATIO	#7 LINE, TRACK C2, C	NY Spills	Higher	443, 0.084, WNW
J108	GRAND CENTRAL STATIO	TRACK #1	NY Spills	Higher	443, 0.084, WNW
N109	MANHOLE 56481	100 EAST 41ST ST	NY Spills	Higher	444, 0.084, SSW
N110	CON EDISON	100 E 41ST ST	NJ MANIFEST	Higher	444, 0.084, SSW
N111	CON ED	100 E 41ST ST & PARK	NY MANIFEST	Higher	444, 0.084, SSW
N112	CON EDISON	100 E 41ST ST	RCRA NonGen / NLR	Higher	444, 0.084, SSW
N113	CON EDISON	100 E 41ST ST	RCRA NonGen / NLR	Higher	444, 0.084, SSW
N114	CON EDISON	100 E 41ST ST	NJ MANIFEST	Higher	444, 0.084, SSW
N115	CON EDISON SERVICE B	104 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	445, 0.084, SSW
N116	CON EDISON SERVICE B	104 E 41ST ST	NJ MANIFEST	Higher	445, 0.084, SSW
M117	BUS 8614	42 ST BETWEEN LEXING	NY Spills	Lower	447, 0.085, SE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
N118	CON EDISON	110 E 41ST ST	RCRA NonGen / NLR	Lower	451, 0.085, SSW
N119	CON EDISON	110 E 41ST ST	NJ MANIFEST	Lower	451, 0.085, SSW
N120	CON EDISON	110 E 41ST ST	NY MANIFEST	Lower	451, 0.085, SSW
O121	BUILDING - CON ED VA	E 41ST ST AND LEXING	NY Spills	Lower	456, 0.086, South
O122	CON EDISON - MANHOLE	E 41 ST & LEXINGTON	RCRA-LQG, NY MANIFEST, NJ MANIFEST	Lower	456, 0.086, South
O123	CONSOLIDATED EDISON	E 41ST ST & LEXINGTO	NY MANIFEST	Lower	456, 0.086, South
O124	CONSOLIDATED EDISON	LEXINGTON AVE & 41ST	NY MANIFEST	Lower	456, 0.086, South
O125	CON EDISON - MANHOLE	E 41ST ST & LEXINGTO	RCRA-LQG, NJ MANIFEST	Lower	456, 0.086, South
O126	MANHOLE #38626	E 41ST ST & LEXINGTO	NY Spills	Lower	456, 0.086, South
O127	ROADWAY	41ST AND LEXINGTON	NY Spills	Lower	456, 0.086, South
O128	CONSOLIDATED EDISON	41ST ST & LEXINGTON	NY MANIFEST	Lower	456, 0.086, South
O129	CON EDISON MANHOLE 3	E 41ST ST & LEXINGTO	RCRA-LQG, NJ MANIFEST	Lower	456, 0.086, South
O130	CONSOLIDATED EDISON	41 ST & LEXINGTON AV	NY MANIFEST	Lower	456, 0.086, South
O131	2 GAL SPILLED FROM D	LEXINGTON AVE & 41 S	NY Spills	Lower	456, 0.086, South
O132	THREE QTS OIL IN MAN	EAST 41 STREET & LEX	NY Spills	Lower	456, 0.086, South
M133	CON EDISON SERVICE B	130 E 42ND ST BOX 82	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	458, 0.087, SE
M134	CON EDISON SERVICE B	130 E 42ND ST BOX 82	RCRA NonGen / NLR, NY MANIFEST	Lower	458, 0.087, SE
M135	CON EDISON SERVICE B	130 E 42ND ST BOX 82	NJ MANIFEST	Lower	458, 0.087, SE
M136	CON EDISON SERVICE B	130 E 42ND ST BOX 82	NJ MANIFEST	Lower	458, 0.087, SE
J137	CON EDISON TRANSFORM	150 PARK AVE	RCRA-VSQG	Higher	460, 0.087, West
O138	RVS2788	E. 41ST STREET AND L	RCRA NonGen / NLR, NY MANIFEST	Lower	461, 0.087, South
O139	CON EDISON NYC STEAM	LEXINGTON AVENUE BET	SEMS, PRP	Lower	461, 0.087, South
O140	CON ED - V 3108	116 E 41 ST	RCRA NonGen / NLR	Lower	464, 0.088, SSW
O141	NYNEX	116 E 41 ST	NY MANIFEST	Lower	464, 0.088, SSW
O142	CON EDISON SERVICE B	116 E 41ST ST	NJ MANIFEST	Lower	464, 0.088, SSW
O143	CON EDISON SERVICE B	116 E 41ST ST	RCRA NonGen / NLR, NY MANIFEST	Lower	464, 0.088, SSW
O144	CON EDISON	118 E 41ST ST	NY MANIFEST	Lower	469, 0.089, South
O145	CON EDISON	131 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	473, 0.090, South
O146	CON EDISON	131 E 41ST ST	NY MANIFEST	Lower	473, 0.090, South
L147	MTA PID STAIRCASE IN	125 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	473, 0.090, WSW
O148	VAULT 3108	120 E 41 STREET	NY Spills	Lower	480, 0.091, South
M149	CON EDISON SERVICE B	138 E 42ND ST	RCRA NonGen / NLR, FINDS	Lower	485, 0.092, SE
M150	CON EDISON	138 E 42ND ST	NY MANIFEST	Lower	485, 0.092, SE
M151	CON EDISON SERVICE B	138 E 42ND ST	NJ MANIFEST	Lower	485, 0.092, SE
L152	CON EDISON SERVICE B	123 PARK AVE FRONT O	RCRA NonGen / NLR, NY MANIFEST	Higher	487, 0.092, WSW
L153	CON EDISON SERVICE B	123-25 PARK AVE & 72	RCRA NonGen / NLR, NY MANIFEST	Higher	487, 0.092, WSW
P154	CON EDISON SERVICE B	126 PARK AVE FRONT O	RCRA NonGen / NLR, NY MANIFEST	Higher	495, 0.094, West
O155	CON ED	126 E 41ST ST	NY MANIFEST	Lower	496, 0.094, South
O156	CON EDISON	126 E 41ST ST	NJ MANIFEST	Lower	496, 0.094, South

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
O157	CON EDISON	126 E 41ST ST	RCRA NonGen / NLR	Lower	496, 0.094, South
O158	25 27 BP INC	370 LEXINGTON AVE 40	EDR Hist Auto	Lower	498, 0.094, SSW
O159	RADIATION APPLICATIO	370 LEXINGTON AVENUE	FUSRAP	Lower	498, 0.094, SSW
O160	CONSOLIDATED EDISON	128 E 41ST ST	NY MANIFEST	Lower	501, 0.095, South
P161	NALCO WATER AT BLOOM	120 PARK AVE	RCRA NonGen / NLR	Higher	505, 0.096, West
P162	120 PARK AVENUE	120 PARK AVENUE	NY AST	Higher	505, 0.096, West
Q163	CONSOLIDATED EDISON	141 E 41ST ST SB8001	NY MANIFEST	Lower	508, 0.096, South
N164	CON EDISON SERVICE B	364 LEXINGTON AVE	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	515, 0.098, SSW
N165	LOT 58,TAXBLOCK 1295	364 LEXINGTON AVENUE	NY E DESIGNATION	Lower	515, 0.098, SSW
O166	CON EDISON	371 LEXINGTON AVE	NY MANIFEST	Lower	522, 0.099, South
L167	CON EDISON	E 41ST ST & PARK AVE	RCRA NonGen / NLR, FINDS	Higher	522, 0.099, WSW
P168	CON EDISON - VAULT V	118 - 132 PARK AVE.	RCRA NonGen / NLR, NY MANIFEST	Higher	522, 0.099, West
P169	VAULT #4725	118 -132 PARK AVE	NY Spills	Higher	522, 0.099, West
L170	GRAVEL IN HUDSON, BR	232ND ST. PARK	NY Spills	Higher	522, 0.099, WSW
M171	CVS # 07019	150 E 42ND STREET	PA MANIFEST	Lower	526, 0.100, SE
M172	CON EDISON SERVICE B	150 E 42ND ST	NJ MANIFEST	Lower	526, 0.100, SE
M173	CON EDISON SERVICE B	150 E 42ND ST	RCRA NonGen / NLR, NY MANIFEST	Lower	526, 0.100, SE
M174	MANHOLE #8242	150 E 42ND ST	NY Spills	Lower	526, 0.100, SE
M175	QUAD GRAPHICS	150 E 42ND ST 27TH F	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	526, 0.100, SE
M176	MOBIL CHAMPLAIN	150 EAST 42 STREET	NY MOSF	Lower	526, 0.100, SE
M177	A C C CAR CARE CENTE	150 E 42ND ST	EDR Hist Auto	Lower	526, 0.100, SE
M178	CON EDISION - M8242	150 E. 42ND ST. 150	RCRA NonGen / NLR, NY MANIFEST	Lower	526, 0.100, SE
M179	MOBIL OIL CORP	150 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	526, 0.100, SE
M180	MOBIL OIL CORP	150 E 42ND ST	RCRA NonGen / NLR	Lower	526, 0.100, SE
R181	CON EDISON	72 E 42 ST	NY MANIFEST	Higher	528, 0.100, West
S182	44TH STREET BETWEEN	AND LEXINGTON	NY Spills	Lower	531, 0.101, ENE
O183	369 LEXINGTON BORROW	369 LEXINGTON AVE, 1	NY AST	Lower	531, 0.101, South
O184	MACKLOWE MANAGEMENT	369 LEXINGTON AV	NY LTANKS	Lower	531, 0.101, South
T185	GRAND CENTRAL TERMIN	15 VANDERBILT AVE	PA MANIFEST	Higher	535, 0.101, WNW
T186	METRO NORTH RAILROAD	GRAND CENTRAL TERMIN	NY MANIFEST	Higher	535, 0.101, WNW
L187	MANHOLE #56305	EAST 41ST ST AND PAR	NY Spills	Higher	546, 0.103, WSW
L188	MANHOLE 2394	E 41ST ST / PARK AV	NY Spills	Higher	546, 0.103, WSW
U189	VAULT#0310	130 EAST 43RD STREET	NY Spills	Lower	549, 0.104, ESE
U190	CON ED - V 290	130 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Lower	549, 0.104, ESE
O191	CON EDISON	365 LEXINGTON AVE	NY MANIFEST	Lower	550, 0.104, South
O192	CON EDISON	365 LEXINGTON AVE	RCRA NonGen / NLR	Lower	550, 0.104, South
O193	CON EDISON	365 LEXINGTON AVE	NJ MANIFEST	Lower	550, 0.104, South
T194	GRAND CENTRAL TERMIN	25 VANDERBELT AVE	NY Spills	Higher	550, 0.104, NW
L195	CONSOLIDATED EDISON	E.41 ST AND PARK AV	NY MANIFEST	Higher	557, 0.105, WSW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
L196	CONSOLIDATED EDISON	PARK AVE & 41ST ST	NY MANIFEST	Higher	557, 0.105, WSW
L197	CONSOLIDATED EDISON	PARK AVE & E 41 ST V	NY MANIFEST	Higher	557, 0.105, WSW
K198	CON EDISON	443 LEXINGTON AVE	NY MANIFEST	Lower	558, 0.106, NE
O199	STREET	360 LEXINGTON AVE	NY Spills	Lower	559, 0.106, SSW
V200	CON EDISON SERVICE B	160 E 42ND ST	NJ MANIFEST	Lower	559, 0.106, SE
V201	CON EDISON SERVICE B	160 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	559, 0.106, SE
O202	212277; 363 LEXINGTO	363 LEXINGTON AVE	NY Spills	Lower	566, 0.107, South
O203	VAULT	363 LEXINGTON AVE	NY Spills, NY E DESIGNATION	Lower	566, 0.107, South
W204	CON EDISON	E 41ST ST & PARK AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	569, 0.108, WSW
S205	HOTEL GRAND CENTRAL	141 EAST 44TH STREET	NY AST	Lower	569, 0.108, ENE
R206	CON EDISON - MANHOLE	E 42 ST & VANDERBILT	NY MANIFEST	Higher	574, 0.109, WNW
R207	MTA -SHUTTLE PLATFOR	42ND ST & VANDERBILT	NY MANIFEST	Higher	574, 0.109, WNW
R208	CON EDISON	VANDERBILT AVE & E 4	NJ MANIFEST	Higher	574, 0.109, WNW
R209	MTA -SHUTTLE PLATFOR	42ND ST & VANDERBILT	RCRA NonGen / NLR, FINDS, ECHO	Higher	574, 0.109, WNW
R210	CON ED	VANDERBILT AVE & E 4	NY MANIFEST	Higher	574, 0.109, WNW
R211	CON EDISON	VANDERBILT AVE & E 4	RCRA NonGen / NLR, FINDS, ECHO	Higher	574, 0.109, WNW
R212	CON EDISON - VANDERB	E 42ND ST & VANDERBI	PA MANIFEST	Higher	574, 0.109, WNW
R213	CON EDISON	E 42ND ST & VANDERBU	NY MANIFEST	Higher	574, 0.109, WNW
X214	CONSOLIDATED EDISON	101 PARK AVE MH7993	NY MANIFEST	Higher	576, 0.109, SW
X215	PAVEMENT STORM DRAIN	101 PARK AVE	NY Spills	Higher	576, 0.109, SW
Q216	CON EDISON - VAULT 5	150 E 41 ST	RCRA-LQG	Lower	577, 0.109, South
Q217	CON ED	150 E 41 ST	NY MANIFEST	Lower	577, 0.109, South
Q218	CON EDISON - VAULT 5	150 E 41 ST	NJ MANIFEST	Lower	577, 0.109, South
T219	ONE VANDERBILT	10 VANDERBILT AVENUE	NY VCP	Higher	578, 0.109, WNW
T220	ONE VANDERBILT LLC	10 VANDERBILT AVE	RCRA NonGen / NLR	Higher	578, 0.109, WNW
T221	ONE VANDERBILT LLC	10 VANDERBILT AVE	NY MANIFEST	Higher	578, 0.109, WNW
Y222	THE METROPOLIS	150 EAST 44TH STREET	NY AST	Lower	584, 0.111, East
Y223	CON EDISON	150 E 44TH ST	NJ MANIFEST	Lower	584, 0.111, East
Y224	CON EDISON	150 E 44TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	584, 0.111, East
R225	BETWEEN 40TH ST &	40TH & 42ND ST/MADIS	NY LTANKS	Higher	593, 0.112, WNW
V226	CON EDISON - MANHOLE	170 E 42ND ST	RCRA-LQG	Lower	594, 0.112, SE
V227	CON EDISON - MANHOLE	170 E 42ND ST	NY MANIFEST	Lower	594, 0.112, SE
Z228	CON EDISON OTHER SPE	104 E 45TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	597, 0.113, NNE
Z229	CON EDISON OTHER SPE	104 E 45TH ST	NJ MANIFEST	Higher	597, 0.113, NNE
AA230	CON ED	666 3RD AVE SB43884	NY MANIFEST	Lower	610, 0.116, ESE
AA231	CON EDISON	666 3RD AVE SB43886	RCRA NonGen / NLR	Lower	610, 0.116, ESE
AA232	CON ED	666 3RD AVE SB43886	NY MANIFEST	Lower	610, 0.116, ESE
AA233	CON EDISON	666 3RD AVE SB43886	NJ MANIFEST	Lower	610, 0.116, ESE
AA234	CON EDISON	666 3RD AVE SB43884	NJ MANIFEST	Lower	610, 0.116, ESE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AA235	CON EDISON	666 3RD AVE SB43885	NJ MANIFEST	Lower	610, 0.116, ESE
AA236	CON ED	666 3RD AVE SB43885	NY MANIFEST	Lower	610, 0.116, ESE
AA237	CON EDISON	666 3RD AVE SB43884	RCRA NonGen / NLR	Lower	610, 0.116, ESE
AA238	CON EDISON	666 3RD AVE SB43885	RCRA NonGen / NLR, FINDS, ECHO	Lower	610, 0.116, ESE
AA239	CHRYSLER CENTER SHAR	666 THIRD AVENUE	NY AST	Lower	610, 0.116, ESE
S240	GRAND CENTRAL PARTNE	152 EAST 44TH STREET	NY MANIFEST	Lower	612, 0.116, East
P241	RESIDENCE	65-41 WOODSIDE AVENU	NY Spills	Higher	613, 0.116, West
AB242	LOT 17,TAXBLOCK 1295	354 LEXINGTON AVENUE	NY Spills, NY E DESIGNATION, NY MANIFEST	Higher	617, 0.117, SSW
AC243	CON EDISON	451 LEXINGTON AVE	NY MANIFEST	Lower	619, 0.117, NE
AC244	CON EDISON SERVICE B	451 LEXINGTON	NJ MANIFEST	Lower	619, 0.117, NE
AC245	CON EDISON SERVICE B	451 LEXINGTON	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	619, 0.117, NE
AD246	VILLAGE SERVICE CENT	170 PARK AVE S	EDR Hist Auto	Higher	621, 0.118, NNW
T247	LOT 27,TAXBLOCK 1277	51 EAST 42 STREET	NY E DESIGNATION	Higher	627, 0.119, WNW
U248	MANHOLE 56948	138 EAST 43RD STREET	NY Spills	Lower	629, 0.119, ESE
R249	PINNACLE ENVIRONMENT	60 E 42ND ST	RCRA-VSQQ, FINDS, ECHO, NY MANIFEST, NY COOLING...	Higher	635, 0.120, West
R250	EMPIRE STATE REALTY	60 E. 42ND STREET	PA MANIFEST	Higher	635, 0.120, West
R251	GOLD J M & CO INC	60 E 42ND ST STE 165	EDR Hist Auto	Higher	635, 0.120, West
R252	HELMSLEY SPEAR INC	60 E 42ND ST	NJ MANIFEST	Higher	635, 0.120, West
Z253	450 LEXINGTON VENTUR	450 LEXINGTON AVE SU	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	639, 0.121, NE
Z254	CON EDISON - VAULT 3	450 LEXINGTON AVE	NY MANIFEST, NY COOLING TOWERS	Lower	639, 0.121, NE
Z255	HINES INTERESTS LTD	450 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	639, 0.121, NE
Z256	CBRE OFFICE BUILDING	450 LEXINGTON AVE	NY Spills	Lower	639, 0.121, NE
Z257	450 LEXINGTON AVE	450 LEXINGTON AVE	NY AST	Lower	639, 0.121, NE
AD258	5 M MOBIL SERVICE CE	182 PARK AVE	EDR Hist Auto	Higher	641, 0.121, NNW
U259	COLOR ALL TECHNOLOGI	684 3RD AV	NY Spills	Lower	642, 0.122, ESE
U260	CON EDISON	686-688 3RD AVE	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	646, 0.122, East
U261	CONSOLIDATED EDISON	686 3RD AVE	NY MANIFEST	Lower	646, 0.122, East
W262	CON EDISON SERVICE B	110 PARK AVE FRONT O	RCRA NonGen / NLR, NY MANIFEST	Higher	650, 0.123, WSW
T263	LOT 46,TAXBLOCK 1277	48 EAST 43 STREET	NY E DESIGNATION	Higher	654, 0.124, NW
AE264	CON EDISON	47 E 42 ST	NY MANIFEST	Higher	654, 0.124, WNW
AE265	SPILL NUMBER 9812883	47-65 EAST 42ND STRE	NY Spills	Higher	654, 0.124, WNW
266	VANDERBILT AV&43RD S	VANDERBILT AVE&43RD	NY Spills	Higher	654, 0.124, NW
AF267	CON EDISON SERVICE B	690 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	659, 0.125, East
AF268	CON EDISON SERVICE B	690 3RD AVE	NJ MANIFEST	Lower	659, 0.125, East
AB269	CON EDISON SERVICE B	355 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NJ MANIFEST, NY...	Higher	662, 0.125, South
AB270	355 LEXINGTON INC	355 LEXINGTON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	662, 0.125, South
AC271	132 E 45TH STREET	132 E 45TH ST.	NY AST	Lower	666, 0.126, ENE
Y272	CON EDISON	160 E 44TH ST E OF L	RCRA NonGen / NLR, NY MANIFEST	Lower	668, 0.127, East
AC273	CON EDISON	128 E 45TH ST	NY MANIFEST	Lower	669, 0.127, NE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.)
AC274	CON EDISON	E 45TH ST & LEXINGTO	NJ MANIFEST	Lower	670, 0.127, NE
AC275	CON EDISON	E 45TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	670, 0.127, NE
AC276	CON EDISON	LEXINGTON AVE & 45TH	NJ MANIFEST	Lower	670, 0.127, NE
AC277	CON EDISON	E 45TH ST & LEXINGTO	NJ MANIFEST	Lower	670, 0.127, NE
AC278	NYNEX	45TH ST & LEXINGTON	NY MANIFEST	Lower	670, 0.127, NE
AC279	CON EDISON	E 45TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	670, 0.127, NE
AC280	CON EDISON	E 45TH ST & LEXINGTO	NY MANIFEST	Lower	670, 0.127, NE
AC281	CON EDISON	LEXINGTON AVE & 45TH	RCRA NonGen / NLR	Lower	670, 0.127, NE
AC282	NYNEX	LEXINGTON & 45TH ST	NY MANIFEST	Lower	670, 0.127, NE
AC283	CON EDISON MANHOLE:	E 45TH ST & LEXINGTO	RCRA NonGen / NLR, NY MANIFEST	Lower	670, 0.127, NE
AC284	CON EDISON	LEXINGTON AVE & 45TH	NY MANIFEST	Lower	670, 0.127, NE
AC285	CON EDISON	130 E 45TH ST	NJ MANIFEST	Lower	675, 0.128, ENE
AC286	CON EDISON	130 E 45TH ST	RCRA NonGen / NLR	Lower	675, 0.128, ENE
AC287	CON EDISON	130 E 45TH ST	NY MANIFEST	Lower	675, 0.128, ENE
AG288	CON EDISON SERVICE B	101 E 45TH ST	RCRA NonGen / NLR	Higher	681, 0.129, NNE
AG289	CON EDISON	101 E 45TH ST	NY MANIFEST	Higher	681, 0.129, NNE
AH290	CUNNINGHAM ASSOCIATE	210-10/16 GRAND CENT	NY UST, NY Spills	Lower	682, 0.129, ENE
AF291	BELL ATLANTIC-NY	43 STREET/3 AVENUE	RCRA NonGen / NLR, NY MANIFEST	Lower	688, 0.130, ESE
AF292	CONSOLIDATED EDISON	EAST 43RD & 3RD AVE	NY MANIFEST	Lower	688, 0.130, ESE
AF293	CON EDISON MANHOLE:	3RD AVE & 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Lower	688, 0.130, ESE
AF294	CONSOLIDATED EDISON	3RD AVE & E 43RD AVE	NY MANIFEST	Lower	688, 0.130, ESE
AF295	CON EDISON	3 AVE & 43 ST	NY MANIFEST	Lower	688, 0.130, ESE
AI296	CONSOLIDATED EDISON	3RD AVE & E 42 ST	NY MANIFEST	Lower	692, 0.131, SE
AI297	CON EDISON	42ND ST & 3RD AVE	NJ MANIFEST	Lower	692, 0.131, SE
AI298	NYCTA - GRAND CENTRA	3RD AVE & 42ND ST	NY MANIFEST	Lower	692, 0.131, SE
AI299	NYCTA - GRAND CENTRA	3RD AVE & 42ND ST	RCRA NonGen / NLR	Lower	692, 0.131, SE
AI300	CON EDISON	42ND ST & 3RD AVE	NY MANIFEST	Lower	692, 0.131, SE
AI301	CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	692, 0.131, SE
AI302	CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	692, 0.131, SE
AI303	NYCTA	3RD & 42ND ST	NJ MANIFEST	Lower	692, 0.131, SE
AI304	CON EDISON	3RD AVE & E 42ND ST	NJ MANIFEST	Lower	692, 0.131, SE
AI305	CON EDISON	42ND ST & 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	692, 0.131, SE
AI306	CON EDISON	3RD AVE & E 42ND ST	RCRA NonGen / NLR	Lower	692, 0.131, SE
AI307	CON EDISON MANHOLE 4	3RD AVE & E 42ND ST	RCRA NonGen / NLR, NY MANIFEST	Lower	692, 0.131, SE
AI308	CONSOLIDATED EDISON	EAST 42ND ST & 3RD A	NY MANIFEST	Lower	692, 0.131, SE
AI309	CON EDISON	3RD AVE & E 42ND ST	NY MANIFEST	Lower	692, 0.131, SE
AI310	CON EDISON SERVICE B	201 E 42ND ST	RCRA NonGen / NLR, NY MANIFEST	Lower	694, 0.131, SE
AI311	CON EDISON SERVICE B	201 E 42ND ST	NJ MANIFEST	Lower	694, 0.131, SE
AI312	CONSOLIDATED EDISON	F/O 201 EAST 42ND ST	NY MANIFEST	Lower	694, 0.131, SE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AJ313	CON EDISON - V 2761	60 E 41 ST 60 E 41 S	RCRA NonGen / NLR, NY MANIFEST	Higher	699, 0.132, WSW
AJ314	V554	60 E 41ST STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	699, 0.132, WSW
AJ315	SL GREEN REALTY CORP	100 PARK AVE	NY AST	Higher	699, 0.132, WSW
AJ316	CON EDISON	100 PARK AVE VAULT 5	NY MANIFEST	Higher	699, 0.132, WSW
AJ317	CON EDISON - TRANSFO	100 PARK AVE (40TH S	RCRA-LQG, NY MANIFEST	Higher	699, 0.132, WSW
AJ318	CON EDISON VAULT: 27	100 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	699, 0.132, WSW
AJ319	CON EDISON VAULT: 55	100 PARK AVE VAULT 5	RCRA NonGen / NLR	Higher	699, 0.132, WSW
AJ320	CON EDISON	100 PARK AVE VAULT 2	NY MANIFEST	Higher	699, 0.132, WSW
AJ321	CON EDISON VAULT: 27	100 PARK AVE VAULT 2	RCRA NonGen / NLR	Higher	699, 0.132, WSW
AB322	CON EDISON MANHOLE 3	E 40TH ST & LEXINGTO	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	704, 0.133, SSW
AB323	CON EDISON MANHOLE 5	E 40TH ST & LEXINGTO	RCRA NonGen / NLR, NY MANIFEST	Higher	704, 0.133, SSW
AB324	CONSOLIDATED EDISON	E 40TH ST & LEXINGTO	NY MANIFEST	Higher	704, 0.133, SSW
AB325	CON EDISON MANHOLE 5	E 40TH ST & LEXINGTO	NJ MANIFEST	Higher	704, 0.133, SSW
AF326	CON EDISON SERVICE B	698 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	707, 0.134, East
AF327	CON EDISON SERVICE B	698 3RD AVE	NJ MANIFEST	Lower	707, 0.134, East
AB328	CON EDISON	118 E 40TH ST & LEXI	RCRA NonGen / NLR, FINDS, ECHO	Higher	710, 0.134, SSW
AF329	CONSOLIDATED EDISON	39 ST & 3 AVE OP EXC	NY MANIFEST	Lower	720, 0.136, ESE
AF330	CONSOLIDATED EDISON	40 ST & 3 AVE EXCAV	NY MANIFEST	Lower	720, 0.136, ESE
AF331	CON EDISON - MH MH-5	E. 40TH STREET AND 3	RCRA NonGen / NLR, NY MANIFEST	Lower	720, 0.136, ESE
AA332	CON EDISON SERVICE B	671 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	725, 0.137, ESE
AA333	CON EDISON SERVICE B	671 3RD AVE	NJ MANIFEST	Lower	725, 0.137, ESE
AK334	CONSTRUCTION	679 3RD AVE	NY LTANKS	Lower	730, 0.138, ESE
AK335	CON EDISON SERVICE B	679 3RD AVE	NJ MANIFEST	Lower	730, 0.138, ESE
AK336	CON EDISON SERVICE B	679 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	730, 0.138, ESE
AI337	CON EDISON	661 3RD AVE	NY MANIFEST	Lower	730, 0.138, SE
AI338	CON EDISON SERVICE B	661 3RD AVE OPPOSITE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	730, 0.138, SE
AI339	CON EDISON SERVICE B	661 3RD AVE OPPOSITE	NJ MANIFEST	Lower	730, 0.138, SE
AI340	CON EDISON OTHER - S	661 3RD AVE	RCRA NonGen / NLR, FINDS	Lower	730, 0.138, SE
AL341	SMART SET CLEANERS	ATLANTIC AVENUE	RCRA-SQG	Higher	732, 0.139, WSW
AC342	459 LEXINGTON ASSOCI	459 LEXINGTON AVE	NY AST	Lower	741, 0.140, NE
AA343	CON EDISON SERVICE B	675 3RD AVE	RCRA NonGen / NLR, NY MANIFEST, NY COOLING TOWERS	Lower	742, 0.141, ESE
AA344	CON EDISON SERVICE B	675 3RD AVE	NJ MANIFEST	Lower	742, 0.141, ESE
AF345	CON EDISON	681-691 3RD AVE	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	747, 0.141, ESE
AI346	ROYAL REALTY CORP	200 E 42ND ST	RCRA-VSQG, FINDS, ECHO, NY MANIFEST	Lower	753, 0.143, SE
AI347	CON EDISON SERVICE B	200 E 42ND ST	NJ MANIFEST	Lower	753, 0.143, SE
AI348	NYNEX	200 E 42ND ST	NY MANIFEST	Lower	753, 0.143, SE
AI349	CON EDISON SERVICE B	200 E 42ND ST	RCRA NonGen / NLR, NY MANIFEST	Lower	753, 0.143, SE
AM350	CON EDISON SERVICE B	102 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	759, 0.144, SW
AM351	CON EDISON SERVICE B	102 E 40TH ST	NJ MANIFEST	Higher	759, 0.144, SW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AM352	GRAND PARK CONDOMINI	110 EAST 40TH STREET	NY AST	Higher	761, 0.144, SW
AN353	CON EDISON	118 E 40TH ST	NJ MANIFEST	Higher	764, 0.145, SSW
AN354	CON ED	118 E 40TH ST	NY MANIFEST	Higher	764, 0.145, SSW
AN355	RENWICK HOTEL	118 EAST 40TH STREET	NY AST	Higher	764, 0.145, SSW
AN356	CON EDISON	118 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	764, 0.145, SSW
AN357	114 E 40TH STREET	114 EAST 40TH STREET	NY AST	Higher	765, 0.145, SSW
AO358	CON EDISON	122 E 40TH ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	770, 0.146, South
AO359	CON EDISON SERVICE B	122 E 40TH ST OPPOSI	RCRA NonGen / NLR, NY MANIFEST	Higher	770, 0.146, South
AO360	CON EDISON SERVICE B	122 E 40TH ST OPPOSI	NJ MANIFEST	Higher	770, 0.146, South
AH361	CON EDISON	702 3 AVE	NY MANIFEST	Lower	771, 0.146, East
AP362	CON EDISON MANHOLE:	141-143 E 40TH ST &	RCRA NonGen / NLR, NY MANIFEST	Lower	772, 0.146, South
AH363	INTL COMMODITIES	708 3RD AVE	RCRA NonGen / NLR	Lower	773, 0.146, East
AO364	124 EAST 40TH ST	124 EAST 40TH STREET	NY AST	Higher	774, 0.147, South
AL365	CON EDISON	90 PARK AVE & 40TH S	RCRA NonGen / NLR, FINDS, ECHO	Higher	779, 0.148, WSW
AP366	MH07797	F/O 143 E.40 STREET	RCRA NonGen / NLR, NY MANIFEST	Lower	782, 0.148, South
AQ367	CON EDISON	650 3RD AVE	NY MANIFEST	Lower	782, 0.148, SSE
AR368	NEW YORK TELEPHONE C	200 PARK AVE	RCRA NonGen / NLR, ECHO	Higher	784, 0.148, NNW
AR369	SHORENSTEIN COMPANY	200 PARK AVE - WEST	RCRA NonGen / NLR, NY MANIFEST	Higher	784, 0.148, NNW
AR370	CON EDISON	200 PARK AVE S	NY MANIFEST	Higher	784, 0.148, NNW
AR371	MET LIFE BUILDING	200 PARK AVE	NY AST	Higher	784, 0.148, NNW
AR372	METLIFE BUILDING THE	200 PARK AVE	RCRA-SQG	Higher	784, 0.148, NNW
AR373	BARCLAYS CAPITAL	200 PARK AVENUE	NY TANKS	Higher	784, 0.148, NNW
AR374	MARUBENI AMERICA COR	200 PARK AVENUE	NY MANIFEST	Higher	784, 0.148, NNW
AR375	CON EDISON - PAN AM	200 PARK AVE PAN AM	RCRA NonGen / NLR, NY MANIFEST	Higher	784, 0.148, NNW
AL376	CON EDISON	90 PARK AVE & 40TH S	NJ MANIFEST	Higher	786, 0.149, WSW
AS377	CON EDISON - MANHOLE	E 44 ST AND 3 AVE	RCRA-LQG, NY MANIFEST, NJ MANIFEST	Lower	786, 0.149, East
AS378	CONSOLIDATED EDISON-	EAST 44TH ST. & 3RD	NY MANIFEST	Lower	786, 0.149, East
AS379	CON EDISON MANHOLE:	3RD AVE & 44TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	786, 0.149, East
AS380	CONSOLIDATED EDISON	EAST 44TH ST & 3RD A	NY MANIFEST	Lower	786, 0.149, East
AT381	FIFTY EAST FORTY SEC	50 EAST 42ND ST	NY AST	Higher	786, 0.149, WNW
AF382	685 THIRD AVENUE	685 THIRD AVENUE	NY UST	Lower	787, 0.149, East
AF383	AMERICAN HOME PRODUC	685 THIRD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	787, 0.149, East
AF384	685 THIRD AVENUE	685 THIRD AVENUE	NY AST	Lower	787, 0.149, East
AO385	CON EDISON SERVICE B	130 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	788, 0.149, South
AO386	CON EDISON SERVICE B	130 E 40TH ST	NJ MANIFEST	Higher	788, 0.149, South
AO387	130 EAST 40 ASSOCIAT	130 EAST 40TH STREET	NY AST	Higher	788, 0.149, South
AU388	CON EDISON VAULT: 50	154 E 45TH ST	RCRA NonGen / NLR, FINDS	Lower	789, 0.149, ENE
AU389	CON EDISON	154 E 45TH ST	NY MANIFEST	Lower	789, 0.149, ENE
AV390	CON EDISON SERVICE B	137 E 45TH ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	792, 0.150, NE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AQ391	CON EDISON - GAS DRI	646 3RD AVE	RCRA-LQG, FINDS, ECHO, NY MANIFEST	Lower	793, 0.150, SSE
AW392	CON EDISON VAULT: 28	41 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	796, 0.151, NW
AW393	CON EDISON VAULT: 30	41 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	796, 0.151, NW
AQ394	CON EDISON	644 3 AVE	NY MANIFEST	Lower	797, 0.151, SSE
AG395	RXR REALTY	237 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	798, 0.151, NNE
AG396	JP MORGAN CHASE	237 PARK AVENUE	CT MANIFEST	Higher	798, 0.151, NNE
AU397	CONSOLIDATED EDISON	160 EAST 45TH STREET	NY MANIFEST	Lower	800, 0.152, ENE
AV398	CON EDISON SERVICE B	139 E 45TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	800, 0.152, NE
AV399	CON EDISON SERVICE B	139 E 45TH ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	800, 0.152, NE
AW400	CON EDISON	325 MADISON AVE	NY MANIFEST	Higher	800, 0.152, WNW
AX401	ONE VANDERBILT OWNER	317 MADISON AVE	NY MANIFEST	Higher	801, 0.152, WNW
AX402	317 MADISON AVE	317 MADISON AVE	NY AST	Higher	801, 0.152, WNW
AX403	ONE VANDERBILT OWNER	317 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	801, 0.152, WNW
AW404	CON ED - V 4058	44 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	801, 0.152, NW
AQ405	CON EDISON	640 3 AVE	NY MANIFEST	Lower	802, 0.152, SSE
AY406	TAMS CONSULTANTS INC	655 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	803, 0.152, SE
AY407	KONICA BUSINESS MACH	655 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	803, 0.152, SE
AY408	CON EDISON	655 3RD AVE FRONT OF	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	803, 0.152, SE
AW409	CON EDISON	331 MADISON AVE	NJ MANIFEST	Higher	803, 0.152, NW
AW410	CON EDISON	331 MADISON AVE	RCRA NonGen / NLR	Higher	803, 0.152, NW
AW411	CON EDISON	331 MADISON AVE	NY MANIFEST	Higher	803, 0.152, NW
AQ412	CON EDISON SERVICE B	E 41ST ST & 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	804, 0.152, SSE
AQ413	CON EDISON - MANHOLE	E 41 ST AND THIRD AV	RCRA-LQG, NY MANIFEST, NJ MANIFEST	Lower	804, 0.152, SSE
AV414	CON EDISON VAULT: 50	145 E 45TH ST FRONT	RCRA NonGen / NLR, FINDS	Lower	804, 0.152, ENE
AQ415	CON EDISON SERVICE B	638 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	805, 0.152, SSE
AQ416	CON EDISON SERVICE B	638 3RD AVE	NJ MANIFEST	Lower	805, 0.152, SSE
AZ417	CON EDISON	221 PARK AV	NY MANIFEST	Higher	808, 0.153, North
AZ418	CON EDISON	221 PARK AV	NY MANIFEST	Higher	808, 0.153, North
AN419	CON EDISON SERVICE B	344 LEXINGTON AVE	NJ MANIFEST	Higher	811, 0.154, SSW
AN420	CON EDISON SERVICE B	344 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	811, 0.154, SSW
AO421	KOBRAND CORP	134 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	814, 0.154, South
AQ422	CON EDISON SERVICE B	632 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	814, 0.154, SSE
AQ423	CON EDISON SERVICE B	632 3RD AVE	NJ MANIFEST	Lower	814, 0.154, SSE
AL424	CON EDISON MANHOLE:	83 E 40TH ST	RCRA NonGen / NLR	Higher	818, 0.155, WSW
AL425	CON EDISON	83 E 40TH ST	NY MANIFEST	Higher	818, 0.155, WSW
AQ426	CON EDISON	200 E 41ST ST	RCRA NonGen / NLR	Lower	821, 0.155, SSE
AQ427	CON EDISON	200 E 41ST ST	NJ MANIFEST	Lower	821, 0.155, SSE
AQ428	CON EDISON	200 E 41ST ST	NY MANIFEST	Lower	821, 0.155, SSE
AQ429	CON EDISON SERVICE B	651 3RD AVE	NJ MANIFEST	Lower	822, 0.156, SSE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AQ430	CON EDISON SERVICE B	651 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	822, 0.156, SSE
AU431	CON EDISON	153 E 45 ST	NY MANIFEST	Lower	822, 0.156, ENE
AW432	CON EDISON	333 MADISON AVE	NY MANIFEST	Higher	825, 0.156, NW
AW433	CON EDISON SERVICE B	333 MADISON AVE	NJ MANIFEST	Higher	825, 0.156, NW
AW434	CON EDISON SERVICE B	333 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	825, 0.156, NW
AT435	CON EDISON	307 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	826, 0.156, WNW
AT436	CON EDISON	307 MADISON AVE	NJ MANIFEST	Higher	826, 0.156, WNW
AT437	CON EDISON	307 MADISON AVE	NY MANIFEST	Higher	826, 0.156, WNW
AU438	CON ED	155 E 45TH ST	NY MANIFEST	Lower	827, 0.157, ENE
AU439	CON EDISON - OTH 860	157 E. 45TH STREET	RCRA NonGen / NLR, NY MANIFEST	Lower	832, 0.158, ENE
AP440	CON EDISON MANHOLE:	142 E 40TH ST	NJ MANIFEST	Lower	836, 0.158, South
AP441	CON EDISON MANHOLE:	142 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	836, 0.158, South
AP442	14040 TENANTS CORPOR	140 EAST 40TH STREET	NY AST	Higher	837, 0.159, South
AP443	CON EDISON MANHOLE:	140 E 40TH ST OPPOS	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	837, 0.159, South
AP444	CON EDISON MANHOLE:	140 E 40TH ST OPPOS	NJ MANIFEST	Higher	837, 0.159, South
AP445	CON EDISON SERVICE B	153 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	841, 0.159, South
AP446	CON EDISON SERVICE B	153 E 40TH ST	NJ MANIFEST	Lower	841, 0.159, South
AM447	POLARIS CLEANERS	99 PARK AVENUE	NY DRYCLEANERS	Higher	848, 0.161, SW
AM448	CON EDISON SERVICE B	99 PARK AVE	NJ MANIFEST	Higher	848, 0.161, SW
AM449	ROBECO INC	99 PARK AVE 17TH FLO	RCRA NonGen / NLR, ICIS, FINDS, ECHO, NY MANIFEST	Higher	848, 0.161, SW
AM450	CON EDISON SERVICE B	99 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	848, 0.161, SW
AY451	A G F A DIV BAYER CO	212 E 42ND ST 2ND FL	RCRA NonGen / NLR, FINDS, ECHO	Lower	849, 0.161, SE
AY452	WESTIN NEW YORK GRAN	212 EAST 42ND STREET	NY AST	Lower	849, 0.161, SE
AY453	CON EDISON MANHOLE:	202 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	853, 0.162, SE
AY454	CON EDISON MANHOLE:	202 E 42ND ST	NJ MANIFEST	Lower	853, 0.162, SE
AS455	CONED	703 3RD AVE	NY MANIFEST	Lower	854, 0.162, East
AR456	CON EDISON - VAULT 9	E 45 ST & VANDERBILT	NY MANIFEST	Higher	854, 0.162, NNW
AR457	CON EDISON - VAULT 2	E 45 ST & VANDERBILT	NY MANIFEST	Higher	854, 0.162, NNW
BA458	S. J. MANAGEMENT SER	299 MADISON AVENUE	NY AST	Higher	857, 0.162, West
AW459	CON EDISON SERVICE B	E 43RD ST & MADISON	RCRA NonGen / NLR, NY MANIFEST	Higher	857, 0.162, NW
AW460	NYNEX	43RD ST & MADISON AV	NY MANIFEST	Higher	858, 0.162, NW
AW461	CON EDISON	43RD ST & MADISON AV	NY MANIFEST	Higher	858, 0.162, NW
AW462	CON EDISON	43RD ST & MADISON AV	NJ MANIFEST	Higher	858, 0.162, NW
AW463	NYNEX - MANHOLE	43RD ST & MADISON AV	RCRA NonGen / NLR	Higher	858, 0.162, NW
AW464	CON EDISON	43RD ST & MADISON AV	RCRA NonGen / NLR, NY MANIFEST	Higher	858, 0.162, NW
AW465	CON EDISON	43RD ST & MADISON AV	RCRA NonGen / NLR	Higher	858, 0.162, NW
AT466	CON EDISON - MANHOLE	303 MADISON AVE	RCRA-LQG	Higher	859, 0.163, West
AT467	CON EDISON - MANHOLE	303 MADISON AVE	NY MANIFEST	Higher	859, 0.163, West
BB468	CON EDISON	52 E 44TH ST VAULT95	NJ MANIFEST	Higher	862, 0.163, NW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BB469	CON EDISON	52 E 44TH ST VAULT83	RCRA NonGen / NLR	Higher	862, 0.163, NW
BB470	CON EDISON	52 E 44TH ST VAULT83	NY MANIFEST	Higher	862, 0.163, NW
BB471	CON EDISON	52 E 44TH ST VAULT95	RCRA NonGen / NLR	Higher	862, 0.163, NW
BB472	CON EDISON	52 E 44TH ST VAULT95	NY MANIFEST	Higher	862, 0.163, NW
BB473	CON EDISON	52 EAST 44TH STREET	NY MANIFEST	Higher	862, 0.163, NW
BB474	CON EDISON	52 E 44TH ST VAULT83	NJ MANIFEST	Higher	862, 0.163, NW
AT475	CON EDISON	E 42ND ST & MADISON	NY MANIFEST	Higher	864, 0.164, WNW
BA476	CONSOLIDATED EDISON	301 MADISON AVE & E	NY Spills, NY MANIFEST	Higher	865, 0.164, West
AR477	CON EDISON VAULT: 22	41 E 45TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	875, 0.166, North
AR478	CON ED - V 775	41 E 45TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	875, 0.166, North
BA479	CONSOLIDATED EDISON	40 EAST 41ST STREET	NY MANIFEST	Higher	877, 0.166, West
AN480	CON EDISON SERVICE B	121 E 39TH ST	NJ MANIFEST	Higher	879, 0.166, SSW
AN481	CON EDISON SERVICE B	121 E 39TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	879, 0.166, SSW
AP482	CON EDISON - VAULT V	148 E 40TH ST	RCRA-LQG	Lower	882, 0.167, South
AP483	CON EDISON - VAULT V	148 E 40TH ST	NY MANIFEST	Lower	882, 0.167, South
AQ484	CON EDISON SERVICE B	645 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	883, 0.167, SSE
AQ485	CON EDISON SERVICE B	645 3RD AVE	NJ MANIFEST	Lower	883, 0.167, SSE
AP486	CON EDISON SERVICE B	152 E 40TH ST	NJ MANIFEST	Lower	888, 0.168, South
AP487	CON EDISON SERVICE B	152 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	888, 0.168, South
BC488	140 EAST 46 STREET	140 EAST 46TH STREET	NY AST	Lower	891, 0.169, NE
BD489	222 PARK AVE S	222 PARK AVE S/HERON	NY LTANKS	Higher	893, 0.169, North
BE490	CON EDISON - VAULT V	205 E 42ND ST	NY MANIFEST	Lower	894, 0.169, ESE
BE491	CON EDISON - VAULT V	205 E 42ND ST	RCRA-LQG	Lower	894, 0.169, ESE
BF492	CON EDISON - V6126	201 E 43 ST 201 E 43	RCRA NonGen / NLR, NY MANIFEST	Lower	896, 0.170, ESE
BF493	CON EDISON - VAULT V	201 E 43 ST	NY MANIFEST	Lower	896, 0.170, ESE
BD494	METRO NORTH COMMUTER	230 PARK AVE	NY MANIFEST	Higher	899, 0.170, North
BD495	STX COMMODITIES	230 PARK AVENUE	FUELS PROGRAM	Higher	899, 0.170, North
AX496	CON EDISON	316 MADISON AVE	NY MANIFEST	Higher	905, 0.171, WNW
BG497	METHINKS/PLYMOUTH CL	337 LEXINGTON AV	NY DRYCLEANERS	Higher	912, 0.173, SSW
BG498	METHINK CLEANERS	337 LEXINGTON AVE	RCRA-VSQG, ICIS, FINDS, ECHO, NY MANIFEST	Higher	912, 0.173, SSW
AX499	PADD 1	330 MADISON AVE	CONSENT, FINDS	Higher	915, 0.173, WNW
AX500	330 MADISON AVENUE	330 MADISON AVENUE	NY AST	Higher	915, 0.173, WNW
AX501	GLENCORE LTD. - PADD	330 MADISON AVE	FUELS PROGRAM	Higher	915, 0.173, WNW
AX502			CONSENT, FINDS, FUELS PROGRAM	Higher	915, 0.173, WNW
AX503	PADD 3	330 MADISON AVE	FUELS PROGRAM	Higher	915, 0.173, WNW
AX504			CONSENT, FINDS, FUELS PROGRAM	Higher	915, 0.173, WNW
AX505			CONSENT, FINDS, FUELS PROGRAM	Higher	915, 0.173, WNW
AX506	GLENCORE LTD. - PADD	330 MADISON AVE	FINDS, FUELS PROGRAM	Higher	915, 0.173, WNW
AX507	FLUELLEN ASSOCIATES,	330 MADISON AVENUE,	FINDS, FUELS PROGRAM	Higher	915, 0.173, WNW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AX508	PADD 1	330 MADISON AVE	FUELS PROGRAM	Higher	915, 0.173, WNW
AX509	FLUELLEN ASSOCIATES,	330 MADISON AVENUE,	FUELS PROGRAM	Higher	915, 0.173, WNW
AX510	330 MADISON COMPANY	330 MADISON AVE	RCRA-LQG, FINDS, NY MANIFEST	Higher	915, 0.173, WNW
AX511	BROWNING CHEMICAL CO	330 MADISON AVE	RCRA-SQG, FINDS, NY MANIFEST	Higher	915, 0.173, WNW
AW512	CON EDISON MANHOLE 5	334 MADISON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	919, 0.174, NW
AW513	CON EDISON MANHOLE 5	334 MADISON AVE	NJ MANIFEST	Higher	919, 0.174, NW
BH514	CON EDISON SERVICE B	631 3RD AVE	NJ MANIFEST	Lower	920, 0.174, SSE
BH515	CON EDISON SERVICE B	631 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	920, 0.174, SSE
BB516	JONES LANG LASALLE	335 MADISON AVE - LO	RCRA-VSQG, FINDS, ECHO, NY MANIFEST	Higher	920, 0.174, NW
BB517	BANK OF AMERICA C-O	335 MADISON AVE FLOO	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	920, 0.174, NW
BC518	SPILL NUMBER 0211441	146 EAST 46TH ST	NY LTANKS	Lower	922, 0.175, NE
BC519	CON EDISON	E 46TH ST & LEXINGTO	NY MANIFEST	Lower	927, 0.176, NE
BC520	CON EDISON	E 46TH ST & LEXINGTO	NY MANIFEST	Lower	927, 0.176, NE
BC521	CON EDISON	E 46TH ST & LEXINGTO	NJ MANIFEST	Lower	927, 0.176, NE
BC522	CON EDISON	E 46TH ST & LEXINGTO	RCRA NonGen / NLR, FINDS, ECHO	Lower	927, 0.176, NE
BC523	CON EDISON	E 46TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	927, 0.176, NE
BC524	CON EDISON	E 46TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	927, 0.176, NE
BC525	CON EDISON	E 46TH ST & LEXINGTO	NJ MANIFEST	Lower	927, 0.176, NE
BI526	CON EDISON SERVICE B	310 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	928, 0.176, WNW
BI527	TANK BARGE ATLANTIC	310 MADISON AVENUE	NY MOSF, NY MANIFEST	Higher	928, 0.176, WNW
BI528	CON EDISON SERVICE B	310 MADISON AVE	NJ MANIFEST	Higher	928, 0.176, WNW
BC529	CON EDISON SERVICE B	148 E 46TH ST	NJ MANIFEST	Lower	929, 0.176, NE
BC530	CON EDISON SERVICE B	148 E 46TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	929, 0.176, NE
BJ531	V1531	101 E39 STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	930, 0.176, SW
BG532	CON EDISON SERVICE B	133 E 39TH ST	NJ MANIFEST	Higher	930, 0.176, South
BG533	CON EDISON SERVICE B	133 E 39TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	930, 0.176, South
BJ534	CON EDISON VAULT: 11	101 E 39TH ST	RCRA NonGen / NLR, FINDS	Higher	931, 0.176, SW
BJ535	CON EDISON - VAULT 1	101 E 39 ST	RCRA NonGen / NLR, NY MANIFEST	Higher	931, 0.176, SW
BJ536	CON EDISON - V3701	101 EAST 39 ST 101 E	RCRA NonGen / NLR, NY MANIFEST	Higher	931, 0.176, SW
BJ537	CONSOLIDATED EDISON	101 E 39TH ST V1531	NY MANIFEST	Higher	931, 0.176, SW
BJ538	CON ED - V 0011	101 E 39 ST	RCRA NonGen / NLR, NY MANIFEST	Higher	931, 0.176, SW
BJ539	CON EDISON	101 E 39 ST	NY MANIFEST	Higher	931, 0.176, SW
BK540	CON EDISON VAULT: 79	32 E 45TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	932, 0.177, NNW
BK541	CON EDISON VAULT: 79	32 E 45TH ST	NJ MANIFEST	Higher	932, 0.177, NNW
BI542	CON EDISON SERVICE B	308 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	932, 0.177, WNW
BI543	CON EDISON SERVICE B	308 MADISON AVE	NJ MANIFEST	Higher	932, 0.177, WNW
BA544	D B S SERVICES INC	295 MADISON AVE ROOM	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	937, 0.177, West
BL545	CON EDISON	40 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	940, 0.178, WSW
BL546	CON EDISON	40 EAST 40TH STREET	NY MANIFEST	Higher	940, 0.178, WSW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BA547	V4090	279-93 MADISON AVENU	RCRA NonGen / NLR, NY MANIFEST	Higher	940, 0.178, West
BH548	CON EDISON SERVICE B	621 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	942, 0.178, SSE
BH549	CON EDISON SERVICE B	621 3RD AVE	NJ MANIFEST	Lower	942, 0.178, SSE
BG550	13539 OWNERS CORPORA	135 E 39TH STREET	NY AST	Higher	943, 0.179, South
BA551	CON EDISON	293 MADISON AVE MH50	NJ MANIFEST	Higher	944, 0.179, West
BA552	V4090	293 MADISON AVENUE	RCRA NonGen / NLR, NY MANIFEST	Higher	944, 0.179, West
BA553	CON EDISON	293 MADISON AVE SB50	NY MANIFEST	Higher	944, 0.179, West
BA554	MH50208	F/O 293 MADISON AVEN	RCRA NonGen / NLR, NY MANIFEST	Higher	944, 0.179, West
BA555	CON EDISON	293 MADISON AVE	NY MANIFEST	Higher	944, 0.179, West
BA556	CON EDISON	293 MADISON AVE MH50	RCRA NonGen / NLR, FINDS, ECHO	Higher	944, 0.179, West
BA557	CON EDISON	293 MADISON AVE SB50	RCRA NonGen / NLR	Higher	944, 0.179, West
BA558	CON EDISON	293 MADISON AVE MH50	NY MANIFEST	Higher	944, 0.179, West
BA559	CON EDISON	293 MADISON AVE SB50	NJ MANIFEST	Higher	944, 0.179, West
BM560	CON EDISON	3RD AVE & E 45TH ST	NY MANIFEST	Lower	944, 0.179, ENE
BM561	CON EDISON	3RD AVE & E 45TH ST	RCRA NonGen / NLR	Lower	944, 0.179, ENE
BM562	CONSOLIDATED EDISON	45 TH STREET AND THI	NY MANIFEST	Lower	944, 0.179, ENE
BM563	CON EDISON VAULT: 50	E 45TH ST & 3RD AVE	RCRA NonGen / NLR	Lower	944, 0.179, ENE
BM564	CON EDISON	3RD AVE & E 45TH ST	NJ MANIFEST	Lower	944, 0.179, ENE
BM565	CON EDISON	200-208 E 45TH ST &	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	948, 0.180, East
BN566	CON EDISON SERVICE B	340 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	951, 0.180, NW
BN567	CON EDISON SERVICE B	340 MADISON AVE	NJ MANIFEST	Higher	951, 0.180, NW
BA568	CONSOLIDATED EDISON	EAST 41 STREET & MAD	NY MANIFEST	Higher	952, 0.180, West
BA569	CON EDISON	MADISON AVE & 41 ST	NY MANIFEST	Higher	952, 0.180, West
BO570	UNICORP AMERICAN COR	154-156 EAST 46TH ST	NY UST	Lower	954, 0.181, ENE
BM571	CON EDISON	720 3RD AVE	NY MANIFEST	Lower	955, 0.181, ENE
BP572	CON EDISON MANHOLE:	214 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	959, 0.182, SE
BP573	CON EDISON MANHOLE:	214 E 42ND ST	NJ MANIFEST	Lower	959, 0.182, SE
BL574	NINETY PARK PROPERTY	90 PARK AVE - CELLAR	RCRA NonGen / NLR, FINDS, ECHO	Higher	959, 0.182, WSW
BL575	STERLING DRUG INC	90 PARK AVE	RCRA NonGen / NLR	Higher	959, 0.182, WSW
BL576	CON EDISON	90 PARK AVE & 40TH S	NY MANIFEST	Higher	959, 0.182, WSW
BL577	M R C MANAGEMENT LLC	90 PARK AVE 17TH FLO	RCRA NonGen / NLR, FINDS, ECHO	Higher	959, 0.182, WSW
BL578	OMI BULK MANAGEMENT	90 PARK AVE - 2ND FL	RCRA NonGen / NLR, FINDS, ECHO	Higher	959, 0.182, WSW
BL579	OMI BULK MANAGEMENT	90 PARK AVE RM 1600	TX Ind. Haz Waste	Higher	959, 0.182, WSW
BG580	CONSOLIDATED EDISON	E 39TH ST & LEXINGTO	NY MANIFEST	Higher	960, 0.182, SSW
BG581	CON EDISON	E 39TH ST & LEXINGTO	NY MANIFEST	Higher	960, 0.182, SSW
BG582	CON EDISON	E 39TH ST & LEXINGTO	RCRA NonGen / NLR, FINDS, ECHO	Higher	960, 0.182, SSW
BG583	CON EDISON - MANHOLE	E 39 ST & LEXINGTON	NY MANIFEST	Higher	960, 0.182, SSW
BG584	CON EDISON	E 39TH ST & LEXINGTO	NJ MANIFEST	Higher	960, 0.182, SSW
BQ585	CON EDISON MANHOLE 5	E 40 ST & 3RD AVE	RCRA NonGen / NLR	Lower	962, 0.182, SSE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BQ586	VERIZON NEW YORK INC	40TH ST & 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	962, 0.182, SSE
BQ587	CONSOLIDATED EDISON	E 40 ST & 3RD AVE	NY MANIFEST	Lower	962, 0.182, SSE
BQ588	CONSOLIDATED EDISON	E 40 ST & 3 AVE	NY MANIFEST	Lower	962, 0.182, SSE
BQ589	CON EDISON - MANHOLE	E 40TH ST & 3RD AVE	NY MANIFEST	Lower	962, 0.182, SSE
BQ590	CONSOLIDATED EDISON	40TH ST & 3RD AVE	NY MANIFEST	Lower	962, 0.182, SSE
BQ591	CON ED - MH 56214	E 40 ST & 3 AVE	RCRA NonGen / NLR	Lower	962, 0.182, SSE
BQ592	CONSOLIDATED EDISON	E 40 ST & 3RD AVE	NY MANIFEST	Lower	962, 0.182, SSE
BI593	300 MADISON AVE	300 MADISON AVENUE	NY AST	Higher	964, 0.183, WNW
BK594	MTA METRO NORTH RAIL	347 MADISON AVE	RCRA NonGen / NLR, RAATS, FTTS, HIST FTTS, FINDS,...	Higher	965, 0.183, NNW
BK595	CON ED - METRO NORTH	347 MADISON AVE - TR	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	965, 0.183, NNW
BI596	V6429	42 EAST 42ND STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	966, 0.183, WNW
BR597	YOUNG & RUBICAM INC	285 MADISON AVE - BA	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	969, 0.184, West
BR598	CON EDISON	285 MADISON AVE	NJ MANIFEST	Higher	969, 0.184, West
BR599	CON EDISON	285 MADISON AVE	RCRA NonGen / NLR	Higher	969, 0.184, West
BO600	AUSTIN NICHOLS & CO.	156 EAST 46TH STREET	NY UST	Lower	976, 0.185, ENE
BR601	CON EDISON	279 MADISON AVE	RCRA NonGen / NLR	Higher	978, 0.185, West
BR602	CON EDISON	279 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	978, 0.185, West
BR603	CONSOLIDATED EDISON	279 MADISON AVENUE	NY Spills, NY MANIFEST	Higher	978, 0.185, West
BR604	CON EDISON	279-9 MADISON AVE N/	NY MANIFEST	Higher	978, 0.185, West
BS605	TEACHERS INSURANCE &	730 3RD AVE BLOCK 13	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	995, 0.188, ENE
BJ606	CONSOLIDATED EDISON	PARK AVE & E 39TH ST	NY MANIFEST	Higher	996, 0.189, SW
BT607	SPEED GRAPHICS INC	342 MADISON AVE 10 F	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1000, 0.189, NW
BT608	342 MADISON AVE	342 MADISON AVENUE	NY UST	Higher	1000, 0.189, NW
BT609	CON EDISON - MANHOLE	342 MADISON AVE	RCRA-LQG	Higher	1000, 0.189, NW
BT610	HANNAN MEDICAL LABOR	342 MADISON AVE	RCRA NonGen / NLR	Higher	1000, 0.189, NW
BT611	CON EDISON	342 MADISON AVE	NY MANIFEST	Higher	1000, 0.189, NW
BT612	JAL 58 ASSOCIATES	342 MADISON AVE	NY AST	Higher	1000, 0.189, NW
BU613	CON EDISON SERVICE B	245-247 BROADWAY & P	RCRA NonGen / NLR, FINDS	Higher	1002, 0.190, NNE
BV614	CONED	145 E 39TH ST	NY MANIFEST	Higher	1003, 0.190, South
BW615	CONSOLIDATED EDISON	124 EAST 39TH ST OFF	NY MANIFEST	Higher	1011, 0.191, SSW
BV616	CON EDISON SERVICE B	147 E 39TH ST	NJ MANIFEST	Lower	1012, 0.192, South
BV617	CON EDISON SERVICE B	147 E 39TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1012, 0.192, South
BW618	NEW YORK COURT	130 EAST 39TH STREET	NY AST	Higher	1015, 0.192, SSW
BX619	600 THIRD AVENUE LLC	600 3RD AVE	NY MANIFEST	Lower	1018, 0.193, South
BX620	600 THIRD AVENUE	600 THIRD AVENUE	NY AST	Lower	1018, 0.193, South
BX621	600 THIRD AVENUE LLC	600 3RD AVE	RCRA NonGen / NLR	Lower	1018, 0.193, South
BR622	275 MADISON AVE	275 MADISON AVENUE	NY AST	Higher	1019, 0.193, West
BR623	GP 275 OWNER LLC	275 MADISON AVE - 21	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	1019, 0.193, West
BR624	CON EDISON SERVICE B	37 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1023, 0.194, WSW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BR625	CON EDISON SERVICE B	37 E 40TH ST	NJ MANIFEST	Higher	1023, 0.194, WSW
BY626	CON EDISON SERVICE B	209 E 44TH ST	NJ MANIFEST	Lower	1027, 0.195, East
BY627	CON EDISON SERVICE B	209 E 44TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1027, 0.195, East
BZ628	CON ED - V 2699	204 E 43RD ST	RCRA NonGen / NLR	Lower	1029, 0.195, ESE
BZ629	CONSOLIDATED EDISON	204 E 43RD ST	NY MANIFEST	Lower	1029, 0.195, ESE
CA630	GRIFFON THE	77 PARK AVE	RCRA-VSQG	Higher	1030, 0.195, SW
CA631	77 PARK AVENUE CONDO	77 PARK AVENUE	NY AST	Higher	1030, 0.195, SW
BR632	CVS PHARMACY #10764	292 MADISON AVE	NY MANIFEST	Higher	1045, 0.198, West
BR633	CVS PHARMACY #10764	292 MADISON AVE	RCRA-VSQG	Higher	1045, 0.198, West
BR634	292 MADISON AVENUE	292 MADISON AVENUE	NY AST	Higher	1045, 0.198, West
BT635	CON EDISON SERVICE B	350 MADISON AVE	NJ MANIFEST	Higher	1045, 0.198, NNW
BT636	350 MADISON PROPERTI	350 MADISON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1045, 0.198, NNW
BT637	350 MADISON PROPERTI	350 MADISON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1045, 0.198, NNW
BT638	350 MADISON AVENUE	350 MADISON AVENUE	NY AST	Higher	1045, 0.198, NNW
BN639	V3686/V4593	22 E. 44 ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1048, 0.198, NW
BN640	MH8595	22 E. 44 ST.	RCRA NonGen / NLR, NY MANIFEST	Higher	1048, 0.198, NW
BN641	CON EDISON MANHOLE 8	22 E 44 ST	NJ MANIFEST	Higher	1048, 0.198, NW
BN642	CON EDISON MANHOLE 8	22 E 44TH ST & MADIS	RCRA NonGen / NLR, NY MANIFEST	Higher	1048, 0.198, NW
643	ROOSEVELT HOTEL	45 EAST 45TH STREET	NY AST, NY Spills, RCRA NonGen / NLR, ICIS, US...	Higher	1050, 0.199, NNW
CB644	CON EDISON	16 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1055, 0.200, NW
CB645	CONSOLIDATED EDISON	16 E 43 ST	NY MANIFEST	Higher	1055, 0.200, NW
CB646	CON EDISON	16 E 43 ST	NY MANIFEST	Higher	1055, 0.200, NW
CB647	CON EDISON	16 E 43RD ST	NJ MANIFEST	Higher	1055, 0.200, NW
CB648	CON ED - V 5331	16 E 43 ST	RCRA NonGen / NLR	Higher	1055, 0.200, NW
649	PFIZER	219 EAST 42ND STREET	NY AST	Lower	1055, 0.200, SE
BZ650	AVIS RENT A CAR SYST	217 E. 43RD STREET	NY Spills, RCRA NonGen / NLR, NY MANIFEST	Lower	1055, 0.200, ESE
CC651	CON ED	136 E 39 ST	NY MANIFEST	Higher	1058, 0.200, SSW
BU652	245 PARK AVE	245 PARK AVENUE	NY AST	Higher	1067, 0.202, NNE
BU653	PADD 1	245 PARK AVE	FINDS, FUELS PROGRAM	Higher	1067, 0.202, NNE
BU654	WESTINGHOUSE ELECTRI	245 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1067, 0.202, NNE
BU655	PADD 3	245 PARK AVE	FINDS, FUELS PROGRAM	Higher	1067, 0.202, NNE
BU656	CON EDISON - PARK AV	245 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1067, 0.202, NNE
BU657	ZEN-NOH UNICO AMERIC	245 PARK AVE 25TH FL	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1067, 0.202, NNE
CD658	TEACHERS INSURANCE &	485 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1070, 0.203, NE
CD659	CITI BANK NA	485 LEXINGTON AVE	NY AST	Lower	1070, 0.203, NE
CD660	DUANE READE INC STOR	485 LEXINGTON AVE 1S	RCRA-SQG, NY E DESIGNATION, NY MANIFEST	Lower	1070, 0.203, NE
CE661	BELL ATLANTIC-NY	45 ST/MADISON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1070, 0.203, NNW
CE662	CON ED	MADISON AVE & 45 ST	NY MANIFEST	Higher	1071, 0.203, NNW
CE663	CON EDISON	MADISON AVE & 45TH S	RCRA NonGen / NLR	Higher	1071, 0.203, NNW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
CF664	V2093	205 E.41 ST.	RCRA NonGen / NLR, NY MANIFEST	Lower	1083, 0.205, SE
CG665	27 E 39TH ST	27 E 39TH ST	NY LTANKS	Higher	1084, 0.205, WSW
BS666	CON EDISON SERVICE B	731 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1085, 0.205, ENE
BS667	CON EDISON SERVICE B	731 3RD AVE	NJ MANIFEST	Lower	1085, 0.205, ENE
CB668	CON EDISON SERVICE B	12 E 43RD ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1085, 0.205, NW
CH669	CONSOLIDATED EDISON	16 E 44TH ST	NY MANIFEST	Higher	1086, 0.206, NW
CH670	CON EDISON	F/O 16 EAST 44TH ST	NY MANIFEST	Higher	1086, 0.206, NW
CH671	CON EDISON SERVICE B	16 E 44TH ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	1086, 0.206, NW
CH672	CONSOLIDATED EDISON	16 E 44 ST V4593	NY MANIFEST	Higher	1086, 0.206, NW
CH673	CON EDISON - MANHOLE	16 E 44TH ST	RCRA-LQG	Higher	1086, 0.206, NW
CH674	V4567	16 E 44TH STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	1086, 0.206, NW
CH675	CONSOLIDATED EDISON-	F/O 16 EAST 44TH ST	NY MANIFEST	Higher	1086, 0.206, NW
CI676	CON EDISON	E 40TH ST & MADISON	NY MANIFEST	Higher	1088, 0.206, West
CI677	CON EDISON	E 40TH ST & MADISON	RCRA NonGen / NLR	Higher	1088, 0.206, West
CI678	CON EDISON	E 40TH ST & MADISON	NJ MANIFEST	Higher	1088, 0.206, West
CF679	CON EDISON	207 E 41ST ST	NY MANIFEST	Lower	1088, 0.206, SE
CF680	CON EDISON - 41ST	207 E 41ST	PA MANIFEST	Lower	1088, 0.206, SE
CF681	CON EDISON - VAULT 4	207 E 41ST ST	RCRA-LQG, FINDS, ECHO	Lower	1088, 0.206, SE
CF682	CON EDISON	206 E 41 ST	NY MANIFEST	Lower	1089, 0.206, SE
CG683	V1147	31 EAST 39TH STREET	RCRA NonGen / NLR, NY MANIFEST	Higher	1090, 0.206, WSW
CJ684	CONSOLIDATED EDISON	V0227-41 E 45TH ST	NY MANIFEST	Lower	1098, 0.208, East
BY685	VIDEO 44	219 E 44TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1099, 0.208, East
BX686	605 THIRD AVENUE	605 THIRD AVENUE	NY AST	Lower	1102, 0.209, SSE
BT687	CONSOLIDATED EDISON C	19 E 44 ST	NY MANIFEST	Higher	1105, 0.209, NW
BT688	CON ED - V 376	19 E 44 ST	RCRA NonGen / NLR	Higher	1105, 0.209, NW
CK689	RITE AID #04964	26 GRAND CENTRAL TER	RCRA-VSQQ, NY MANIFEST	Higher	1106, 0.209, WNW
CK690	RITE AID # 4964	26 GRAND CENTRAL TER	PA MANIFEST	Higher	1106, 0.209, WNW
BU691	CON EDISON VAULT: 73	257 PARK AVE FRONT O	RCRA NonGen / NLR, NY MANIFEST	Higher	1106, 0.209, NNE
CA692	CON EDISON SERVICE B	71 PARK AVE	NJ MANIFEST	Higher	1106, 0.209, SW
CA693	CON EDISON SERVICE B	71 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1106, 0.209, SW
CI694	CONSOLIDATED EDISON	MADISON & E 40 ST EX	NY MANIFEST	Higher	1107, 0.210, West
CE695	CON EDISON VAULT: 03	18 E 45TH ST & LEXIN	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST, NY...	Higher	1114, 0.211, NNW
CH696	12 E 44TH ST	12 E 44TH ST	NY AST	Higher	1117, 0.212, NW
CL697	ROYAL REALTY	733 3RD AVE - SUB BA	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1118, 0.212, ENE
698	80 PARK AVENUE CONDO	80 PARK AVENUE	NY AST	Higher	1118, 0.212, SW
BZ699	CON EDISON - MANHOLE	223-225 E 43RD ST	RCRA-LQG	Higher	1120, 0.212, ESE
BZ700	CON EDISON	223-225 E 43RD ST &	NY MANIFEST	Higher	1120, 0.212, ESE
BZ701	CON EDISON	247-249 E 43RD ST &	RCRA NonGen / NLR	Higher	1120, 0.212, ESE
BZ702	CON EDISON - MANHOLE	223-225 E 43RD ST &	NJ MANIFEST	Higher	1120, 0.212, ESE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
CB703	EMIGRANT BANK	6 E 43RD ST	RCRA-SQG, NY MANIFEST	Higher	1128, 0.214, NW
CB704	CON EDISON	6 E 43RD ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1128, 0.214, NW
CB705	CON EDISON	6 E 43RD ST	NJ MANIFEST	Higher	1128, 0.214, NW
CM706	250 PARK AVENUE LLC	250 PARK AVE	RCRA NonGen / NLR	Higher	1129, 0.214, North
CM707	250 PARK AVENUE LLC	250 PARK AVE	NY MANIFEST	Higher	1129, 0.214, North
CF708	V1772	225 E.41 ST.	RCRA NonGen / NLR, NY MANIFEST	Lower	1130, 0.214, SE
CG709	CON EDISION - V814	43-01 39TH ST. 43-01	RCRA NonGen / NLR, NY MANIFEST	Higher	1132, 0.214, WSW
CN710	271 MADISON AVE	271 MADISON AVE	NY AST	Higher	1135, 0.215, WSW
CO711	APARTMENT/PROFESS BU	109 EAST 38TH STREET	NY AST	Higher	1138, 0.216, SSW
CL712	BELL ATLANTIC-NY	E 46 ST/3 AVENUE	RCRA NonGen / NLR, NY MANIFEST	Lower	1138, 0.216, ENE
CL713	CON EDISON	3RD AVE & E. 46TH ST	NY MANIFEST	Lower	1139, 0.216, ENE
CP714	CON EDISON - VAULT 2	200 E 40 ST	NY MANIFEST	Lower	1139, 0.216, SSE
CF715	CON EDISON	226 E 41 ST	NY MANIFEST	Lower	1140, 0.216, SE
CH716	CON EDISON	F/O 11 EAST 44TH ST.	NY MANIFEST	Higher	1141, 0.216, NW
CH717	BELL ATLANTIC-NY	IFO 11 E 44TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1141, 0.216, NW
CH718	CONSOLIDATED EDISON	10 E 44TH ST	NY MANIFEST	Higher	1141, 0.216, NW
CQ719	SUMMIT	222 EAST 44TH STREET	NY UST	Higher	1142, 0.216, ESE
CQ720	K L CUSTOM PHOTOGRAP	222 E 44TH ST - 2ND	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1142, 0.216, ESE
CQ721	EDITEL NEW YORK	222 E 44TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1142, 0.216, ESE
CQ722	SUMMIT	222 EAST 44TH STREET	NY AST	Higher	1142, 0.216, ESE
CQ723	BLDG 44 DEVELOPERS L	222 E 44TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1142, 0.216, ESE
CA724	BRICKWORK MANAGEMENT	105 EAST 38TH ST	NY AST	Higher	1143, 0.216, SW
CI725	APF 286 MAD LLC	21 EAST 40TH STREET	NY AST	Higher	1143, 0.216, West
BY726	CON ED	225 E 44TH ST	NY MANIFEST	Higher	1144, 0.217, East
CR727	18 E 41 STREET PARTN	18 EAST 41ST STREET	NY AST	Higher	1145, 0.217, West
CR728	APT BUILDING	18 E 41ST STREET	NY LTANKS	Higher	1145, 0.217, West
CR729	CON EDISION - V7190	18 E.41 ST. 18 E.41	RCRA NonGen / NLR, NY MANIFEST	Higher	1145, 0.217, West
CS730	CON EDISON SERVICE B	225 E 43RD ST	NJ MANIFEST	Higher	1146, 0.217, ESE
CS731	CON EDISON SERVICE B	225 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1146, 0.217, ESE
CS732	BUDGET RENT A CAR SY	225 EAST 43RD STREET	NY UST	Higher	1146, 0.217, ESE
CS733	225 EAST 43RD ST	225 EAST 43RD ST	NY LTANKS, NY Spills	Higher	1146, 0.217, ESE
CC734	CONSOLIDATED EDISON	315 LEXINGTON AVE	NY MANIFEST	Higher	1147, 0.217, SSW
CF735	230 WEST 41ST STREET	230 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1149, 0.218, SE
CT736	CON EDISON SERVICE B	744 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1150, 0.218, ENE
CT737	CON EDISON SERVICE B	744 3RD AVE	NJ MANIFEST	Lower	1150, 0.218, ENE
CF738	NEW YORK NEWS INC	235 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1154, 0.219, SE
CU739	CON EDISON SERVICE B	601 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1154, 0.219, South
CU740	CON EDISON SERVICE B	601 3RD AVE	NJ MANIFEST	Lower	1154, 0.219, South
CU741	CON EDISON SERVICE B	601 3RD AVE	NJ MANIFEST	Lower	1154, 0.219, South

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
CU742	CON EDISON SERVICE B	601 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1154, 0.219, South
CI743	CON EDISON SERVICE B	26 E 40TH ST	NJ MANIFEST	Higher	1158, 0.219, West
CI744	CONSOLIDATED EDISON-	26 EAST 40TH ST.	NY MANIFEST	Higher	1158, 0.219, West
CI745	CON EDISON SERVICE B	26 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1158, 0.219, West
CI746	CON EDISON SERVICE B	19 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1159, 0.220, West
CI747	CON EDISON SERVICE B	19 E 40TH ST	NJ MANIFEST	Higher	1159, 0.220, West
CI748	CONSOLIDATED EDISON	19 EAST 40TH STREET	NY MANIFEST	Higher	1159, 0.220, West
CJ749	KING FEATURES SYNDIC	216 E 45TH ST - 4TH	RCRA NonGen / NLR, NY MANIFEST	Higher	1159, 0.220, East
CJ750	RESIDENCE	216 EAST 45TH ST.	NY LTANKS, NY Spills	Higher	1159, 0.220, East
CJ751	216 WATERMARK HOLDIN	216 EAST 45TH STREET	NY AST	Higher	1159, 0.220, East
CJ752	ACE ATLAS	216 EAST 45TH STREET	NY LTANKS	Higher	1159, 0.220, East
CP753	CON EDISON SERVICE B	201 E 40TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	1159, 0.220, SSE
CU754	CONSOLIDATED EDISON	39TH ST & 3RD AVE	NY MANIFEST	Lower	1163, 0.220, South
CU755	CONSOLIDATED EDISON	39 ST & 3 AVE	NY MANIFEST	Lower	1163, 0.220, South
CF756	CON EDISON	236 E 41 ST	NY MANIFEST	Lower	1165, 0.221, SE
CF757	CON EDISON	236 E 41 ST	NY MANIFEST	Lower	1165, 0.221, SE
CV758	NYU AMBULATORY CARE	222 E 41ST ST	RCRA-VSQQ	Lower	1168, 0.221, SSE
CV759	NYU 222 EAST 41ST ST	222 EAST 41ST STREET	NY AST	Lower	1168, 0.221, SSE
760	67 PARK AVE	67 PARK AVE	NY AST	Higher	1168, 0.221, SW
CN761	CON EDISON	267-69 MADISON AVE &	NY MANIFEST	Higher	1168, 0.221, WSW
CE762	17 E 45 ST (BUILDING	360 MADISON AVENUE	NY AST	Higher	1171, 0.222, NNW
CF763	TOWERS CLEANERS	240 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1175, 0.223, SE
CW764	CON ED	14 E 45TH ST VAULT52	NY MANIFEST	Higher	1176, 0.223, NNW
CW765	MANHATTAN PACIFIC MG	140 E 45TH ST - LEX	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1176, 0.223, NNW
CW766	CON EDISON	14 E 45 ST	NJ MANIFEST	Higher	1176, 0.223, NNW
CW767	CON EDISON	14 E 45TH ST VAULT88	RCRA NonGen / NLR	Higher	1176, 0.223, NNW
CW768	CON ED	14 E 45TH ST VAULT88	NY MANIFEST	Higher	1176, 0.223, NNW
CW769	CON EDISON	14 E 45TH ST VAULT52	RCRA NonGen / NLR	Higher	1176, 0.223, NNW
CI770	CON EDISON - V5911	24 E. 40TH ST. 24 E.	RCRA NonGen / NLR, NY MANIFEST	Higher	1179, 0.223, West
CR771	CON EDISON	15-17 E 40TH ST & 5T	NY MANIFEST	Higher	1181, 0.224, West
CR772	CON EDISON SERVICE B	15 E 40TH ST	NJ MANIFEST	Higher	1181, 0.224, West
CR773	CON EDISON SERVICE B	15 E 40TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1181, 0.224, West
CF774	CON EDISON - VAULT 4	247 E 41 ST	NY MANIFEST	Lower	1183, 0.224, SE
CX775	NEWS BUILDING THE	220 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1185, 0.224, SE
CX776	THE NEWS BUILDING	220 EAST 42ND STREET	NY AST	Lower	1185, 0.224, SE
CX777	CONSOLIDATED EDISON	V2633-220 W 42ND ST	NY MANIFEST	Lower	1185, 0.224, SE
CX778	POST PERFECT	220 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1185, 0.224, SE
CY779	CON EDISON	LEXINGTON AVE & E 47	NJ MANIFEST	Lower	1186, 0.225, NE
CY780	CON EDISON	E 47TH ST & LEXINGTO	RCRA NonGen / NLR	Lower	1186, 0.225, NE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
CY781	CON EDISON	LEXINGTON AVE & E 47	RCRA NonGen / NLR	Lower	1186, 0.225, NE
CY782	CON EDISON MANHOLE 3	E 47TH ST & LEXINGTO	RCRA NonGen / NLR, NY MANIFEST	Lower	1186, 0.225, NE
CY783	BELL ATLANTIC-NY	E 47TH ST/LEXINGTON	RCRA NonGen / NLR, NY MANIFEST	Lower	1186, 0.225, NE
CQ784	CON ED - V 5334	228 E 44 ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1187, 0.225, ESE
CS785	CON EDISON	229 E 43RD ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1187, 0.225, ESE
CS786	CON EDISON	229 E 43RD ST	NJ MANIFEST	Higher	1187, 0.225, ESE
CS787	CON EDISON	229 E 43 ST	NY MANIFEST	Higher	1187, 0.225, ESE
CD788	CON EDISON SERVICE B	130 E 47TH ST	NJ MANIFEST	Lower	1191, 0.226, NE
CD789	CON EDISON VAULT 408	130 E 47TH ST	RCRA NonGen / NLR	Lower	1191, 0.226, NE
CD790	CON EDISON SERVICE B	130 E 47TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	1191, 0.226, NE
CD791	CON EDISON	130 EAST 47TH STREET	NY MANIFEST	Lower	1191, 0.226, NE
CZ792	CON EDISON - MANHOLE	101 E 47TH ST	NY MANIFEST	Higher	1194, 0.226, NNE
CZ793	CON EDISON - MANHOLE	101 E 47TH ST	NY MANIFEST	Higher	1194, 0.226, NNE
DA794	CON EDISON	138 E 47 ST	NY MANIFEST	Lower	1202, 0.228, NE
DB795	137 EAST 38TH STREET	137 EAST 38TH STREET	NY AST	Higher	1205, 0.228, South
DA796	CON EDISON VAULT: 45	142 E 47TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	1208, 0.229, NE
DA797	CON EDISON VAULT: 51	142 E 47TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	1208, 0.229, NE
DA798	CON EDISON VAULT: 71	142 E 47TH ST FRONT	RCRA NonGen / NLR, NY MANIFEST	Lower	1208, 0.229, NE
DA799	CON EDISON VAULT: 44	142 E 47 ST FRONT OF	RCRA NonGen / NLR, NY MANIFEST	Lower	1208, 0.229, NE
CT800	CON EDISON VAULT: 20	750 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1210, 0.229, ENE
CT801	CON EDISON VAULT: 19	750 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1210, 0.229, ENE
CT802	S L GREEN REALTY COR	750 THIRD AVE	RCRA-SQG	Lower	1210, 0.229, ENE
DC803	CON EDISON SERVICE B	E 38TH ST & LEXINGTO	NJ MANIFEST	Higher	1212, 0.230, SSW
DA804	CON EDISON MANHOLE:	144 E 47TH ST	NJ MANIFEST	Lower	1212, 0.230, NE
DA805	CON EDISON MANHOLE:	144 E 47TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1212, 0.230, NE
CL806	CON EDISON	210 E 46TH ST	RCRA NonGen / NLR	Lower	1212, 0.230, ENE
CL807	CON EDISON	210 E 46TH ST	NJ MANIFEST	Lower	1212, 0.230, ENE
CK808	CON EDISON	OPP 12 E 42 ST	NY MANIFEST	Higher	1213, 0.230, WNW
DD809	MURRAY HILL HOUSE IN	590 THIRD AVE	NY AST	Lower	1216, 0.230, South
CS810	CON EDISON SERVICE B	231-33 E 43RD ST E O	RCRA NonGen / NLR, NY MANIFEST	Higher	1218, 0.231, ESE
CV811	CON EDISON SERVICE B	211 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1218, 0.231, SSE
CV812	CON EDISON SERVICE B	211 E 40TH ST	NJ MANIFEST	Lower	1218, 0.231, SSE
CR813	CON EDISON SERVICE B	10 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1219, 0.231, West
CR814	CON EDISON SERVICE B	10 E 41ST ST	NJ MANIFEST	Higher	1219, 0.231, West
CN815	270 MADISON AVE	270 MADISON AVENUE	NY AST	Higher	1221, 0.231, WSW
CN816	270 MADISON AVE/MANH	270 MADISON AVENUE	NY LTANKS	Higher	1221, 0.231, WSW
CN817	270 MADISON ASSOCIAT	270 MADISON AVE	NY Spills, RCRA NonGen / NLR, FINDS, ECHO	Higher	1221, 0.231, WSW
DE818	CON EDISON SERVICE B	20 E 40TH ST OPPOSIT	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1222, 0.231, West
DE819	CON EDISON SERVICE B	20 E 40TH ST OPPOSIT	NJ MANIFEST	Higher	1222, 0.231, West

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
DF820	CON EDISON	13 E 41 ST	NY MANIFEST	Higher	1223, 0.232, West
CV821	CON EDISON SERVICE B	215 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1232, 0.233, SSE
CV822	CON EDISON SERVICE B	215 E 40TH ST	NJ MANIFEST	Lower	1232, 0.233, SSE
DG823	CON EDISON SERVICE B	235 E 42ND ST	RCRA NonGen / NLR, ICIS, FINDS, ECHO, NY MANIFEST	Lower	1232, 0.233, ESE
DG824	PFIZER, INC	235 EAST 42ND ST	NY AST, HIST FTTS	Lower	1232, 0.233, ESE
DG825	PFIZER, INC.	EAST 42ND STREET	RCRA-SQG, NJ MANIFEST	Lower	1232, 0.233, ESE
CW826	CON EDISON	10 E 45TH ST	RCRA NonGen / NLR	Higher	1233, 0.234, NNW
CW827	CON EDISON	10 E 45TH ST	NJ MANIFEST	Higher	1233, 0.234, NNW
CW828	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW829	CON ED	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW830	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW831	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW832	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW833	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
CW834	CON EDISON	10 E 45TH ST	NY MANIFEST	Higher	1233, 0.234, NNW
DH835	CON EDISON	366 MADISON AV	NY MANIFEST	Higher	1237, 0.234, NNW
DH836	PONTE GADEA MADISON	366 MADISON AVENUE	NY AST	Higher	1237, 0.234, NNW
DH837	COMMERCIAL BLDG.	366 MADISON AVE.	NY LTANKS, NY E DESIGNATION	Higher	1237, 0.234, NNW
DH838	CON EDISON - MANHOLE	366 MADISON AVE	RCRA-LQG, NY MANIFEST	Higher	1237, 0.234, NNW
DI839	TANKS & TOWERS CO IN	521 5TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1239, 0.235, NW
DJ840	CON EDISON MANHOLE:	225 E 45TH ST	NJ MANIFEST	Higher	1240, 0.235, East
DJ841	CON EDISON MANHOLE:	225 E 45TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1240, 0.235, East
DK842	CONSOLIDATED EDISON	3 E 44TH ST	NY MANIFEST	Higher	1240, 0.235, NW
DK843	3 EAST 44 LESSEE LLC	3 EAST 44TH STREET	NY AST	Higher	1240, 0.235, NW
DH844	CON EDISON	E 46TH ST & MADISON	NY MANIFEST	Higher	1243, 0.235, NNW
DH845	NYNEX	46TH ST & MADISON	NY MANIFEST	Higher	1243, 0.235, NNW
DE846	CON EDISON SERVICE B	18 E 40TH ST OPPOSIT	NJ MANIFEST	Higher	1244, 0.236, West
DE847	CON EDISON SERVICE B	18 E 40TH ST OPPOSIT	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1244, 0.236, West
CV848	CONSOLIDATED EDISON	219 E 40 ST MH7812	NY MANIFEST	Lower	1246, 0.236, SSE
DL849	9 EAST 40TH STREET L	9 EAST 40TH STREET	NY AST	Higher	1250, 0.237, West
DI850	CON EDISON VAULT: 27	1 E 43RD ST FRONT OF	RCRA NonGen / NLR, NY MANIFEST	Higher	1252, 0.237, NW
DI851	CON EDISON VAULT: 26	1 E 43RD ST FRONT OF	RCRA NonGen / NLR, NY MANIFEST	Higher	1252, 0.237, NW
DI852	CON EDISON VAULT: 37	1 E 43RD ST FRONT OF	RCRA NonGen / NLR, NY MANIFEST	Higher	1252, 0.237, NW
DI853	CON EDISON VAULT: 10	1 E 43RD ST FRONT OF	RCRA NonGen / NLR, NY MANIFEST	Higher	1252, 0.237, NW
DI854	CON EDISON - V2768	1 E.43 ST. 1 E.43 ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1252, 0.237, NW
CO855	TOWNE HOUSE	108 E 38TH ST	NY AST	Higher	1253, 0.237, SSW
CO856	108 E. 38TH STREET	108 E. 38TH STREET	NY LTANKS	Higher	1253, 0.237, SSW
CP857	CON EDISON - VS 774	214 EAST 40TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	1253, 0.237, SSE
DC858	CONSOLIDATED EDISON	310 LEXINGTON	NY MANIFEST	Higher	1255, 0.238, SSW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
DC859	310 LEXINGTON OWNERS	310 LEXINGTON AVENUE	NY AST	Higher	1255, 0.238, SSW
DL860	CON EDISON	7 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1256, 0.238, West
DL861	CON EDISON	7 E 40TH ST	NY MANIFEST	Higher	1256, 0.238, West
DL862	CON EDISON	7 E 40TH ST	NJ MANIFEST	Higher	1256, 0.238, West
863	CON EDISON	PARK AVE & E 38TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1257, 0.238, SW
CS864	CON EDISON - MANHOLE	235 E 43RD ST	NY MANIFEST	Higher	1257, 0.238, ESE
DM865	CON EDISON	OPP 5 E 42 ST	NY MANIFEST	Higher	1259, 0.238, WNW
DJ866	291 DIGITAL LLC	E 45TH ST	NY MANIFEST	Higher	1265, 0.240, East
DJ867	291 DIGITAL LLC	E 45TH ST	RCRA-SQG	Higher	1265, 0.240, East
DJ868	227 E 45 LLC	227 EAST 45 STREET	NY AST	Higher	1265, 0.240, East
869	CON EDISON SERVICE B	39 E 39TH ST & MADIS	RCRA NonGen / NLR, FINDS	Higher	1268, 0.240, WSW
DN870	CON EDISON - RV 625	228 EAST 45 ST 228 E	RCRA NonGen / NLR, NY MANIFEST	Higher	1269, 0.240, East
DN871	SPEED GRAPHICS INC	228 E 45TH ST - 6TH	RCRA NonGen / NLR, NY MANIFEST	Higher	1269, 0.240, East
DN872	CON EDISON	228 E 45 ST	NY MANIFEST	Higher	1269, 0.240, East
DN873	CON EDISON - 45TH ST	228 E 45TH ST	PA MANIFEST	Higher	1269, 0.240, East
DN874	APA GRAVURE	228 E 45TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1269, 0.240, East
DN875	228 EAST 45TH STREET	228 EAST 45TH STREET	NY AST	Higher	1269, 0.240, East
DC876	TATHAM HOUSE	138 EAST 38TH STREET	NY AST	Higher	1270, 0.241, SSW
DC877	CON EDISON SERVICE B	308 LEXINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1270, 0.241, SSW
DC878	CON EDISON SERVICE B	308 LEXINGTON AVE	NJ MANIFEST	Higher	1270, 0.241, SSW
DJ879	V1083	227 E45TH ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1272, 0.241, East
CV880	CON EDISON SERVICE B	227 E 40TH ST	NJ MANIFEST	Lower	1273, 0.241, SSE
CV881	CON EDISON SERVICE B	227 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1273, 0.241, SSE
DH882	CON EDISON SERVICE B	24 E 46TH ST OPPOSIT	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1273, 0.241, NNW
DH883	CON EDISON SERVICE B	24 E 46TH ST OPPOSIT	NJ MANIFEST	Higher	1273, 0.241, NNW
DO884	CON EDISON	247-249 E 43RD ST &	NJ MANIFEST	Higher	1273, 0.241, ESE
DA885	127 E. 47TH ST	127 E. 47TH ST	NY LTANKS	Lower	1275, 0.241, NE
DA886	127 EAST 47TH ST	127 EAST 47TH ST	NY LTANKS	Lower	1275, 0.241, NE
DE887	16 EAST 40TH STREET	16 E 40 ST	NY AST	Higher	1275, 0.241, West
DE888	BEAUTY FASHION INC	16 E 40TH ST 3RD FLO	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1275, 0.241, West
DO889	CON EDISON	249 E 43RD ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1276, 0.242, ESE
DO890	CON EDISON	249 E 43RD ST	NY MANIFEST	Higher	1276, 0.242, ESE
DO891	CON EDISON MANHOLE 8	249 E 43RD ST E OF 2	NJ MANIFEST	Higher	1276, 0.242, ESE
DO892	CON EDISON MANHOLE 8	249 E 43RD ST E OF 2	RCRA NonGen / NLR, NY MANIFEST	Higher	1276, 0.242, ESE
DP893	HERTZ CAR RENTAL	222 E 40TH ST	NY MANIFEST	Lower	1277, 0.242, SSE
DP894	222 EAST 40TH ST	222 EAST 40TH STREET	NY LTANKS, NY UST, NY Spills	Lower	1277, 0.242, SSE
DQ895	CON EDISON	203 E 46 ST	NY MANIFEST	Lower	1277, 0.242, ENE
DO896	CONSOLIDATED EDISON	251 E 43RD ST	NY MANIFEST	Higher	1280, 0.242, ESE
DO897	CON ED - V 5391	251 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1280, 0.242, ESE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
DO898	CON ED - V 5291	251 E 43RD ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1280, 0.242, ESE
DO899	CON ED - V5291	251 E 43RD ST	RCRA NonGen / NLR	Higher	1280, 0.242, ESE
DQ900	AGENCE FRANCE-PRESSE	747 3RD AVE - 10TH F	RCRA NonGen / NLR, NY MANIFEST	Lower	1281, 0.243, ENE
DQ901	MIKI SANGYO USA INC	747 3RD AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1281, 0.243, ENE
DM902	CON EDISON MANHOLE:	3 E 42ND ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1285, 0.243, WNW
DM903	CON EDISON MANHOLE:	3 E 42ND ST	NJ MANIFEST	Higher	1285, 0.243, WNW
DR904	SYMPHONY CLEANERS	245 E 44TH ST	RCRA-SQG, NY MANIFEST	Higher	1286, 0.244, East
DR905	SYMPHONY 44 CLEANERS	245 EAST 44TH STREET	NY DRYCLEANERS	Higher	1286, 0.244, East
DR906	FALCON TOWER	245 EAST 44TH STREET	NY UST	Higher	1286, 0.244, East
DR907	FALCON TOWER	245 EAST 44TH STREET	NY AST	Higher	1286, 0.244, East
DD908	CON EDISON	578 3RD AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1289, 0.244, South
DS909	CON EDISON	260 PARK AVE	NY MANIFEST	Higher	1291, 0.245, North
DS910	CON EDISON	260 PARK AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1291, 0.245, North
DS911	CON EDISON	260 PARK AVE	NJ MANIFEST	Higher	1291, 0.245, North
DP912	CONSOLIDATED EDISON	226 E 40 ST	NY MANIFEST	Lower	1292, 0.245, SSE
DT913	CONSOLIDATED EDISON	511 5TH AVE V8770	NY MANIFEST	Higher	1292, 0.245, WNW
DT914	ISRAEL DISCOUNT BANK	511 5TH AVE	NY AST, RCRA NonGen / NLR, NY MANIFEST	Higher	1292, 0.245, WNW
915	CONSOLIDATED EDISON	F/O 31 EAST 38TH ST	NY MANIFEST	Higher	1293, 0.245, WSW
DH916	CON EDISON	18 E 46TH ST	NY MANIFEST	Higher	1293, 0.245, NNW
DH917	CON EDISON	18-22 E 46TH ST & MA	NJ MANIFEST	Higher	1293, 0.245, NNW
DH918	CON EDISON	18-22 E 46TH ST & MA	RCRA NonGen / NLR	Higher	1293, 0.245, NNW
DH919	CON EDISON	18 E 46TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1293, 0.245, NNW
DH920	CON EDISON	18-22 E 46TH ST & MA	NY MANIFEST	Higher	1293, 0.245, NNW
DH921	CON EDISON	18 E 46TH ST	NJ MANIFEST	Higher	1293, 0.245, NNW
CV922	TOWER/PARKER FAIRWAY	235E. 40TH STREET	NY DRYCLEANERS	Lower	1293, 0.245, SSE
DU923	LESOTHO CONSULATE	204 EAST 39TH STREET	NY LTANKS	Lower	1296, 0.245, South
DF924	CON EDISON SERVICE B	6 E 41ST ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1298, 0.246, West
DF925	CON EDISON SERVICE B	6 E 41ST ST	NJ MANIFEST	Higher	1298, 0.246, West
DV926	CON EDISON	377 MADISON AV	NY MANIFEST	Higher	1298, 0.246, North
DW927	CON EDISON SERVICE B	59 PARK AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1299, 0.246, SW
DW928	CON EDISON SERVICE B	59 PARK AVE	NJ MANIFEST	Higher	1299, 0.246, SW
DU929	CON EDISON	202 E 39TH ST FRONT	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Lower	1301, 0.246, South
DM930	DE SALVIO JOHN CO	507 FIFTH AVE	RCRA NonGen / NLR	Higher	1306, 0.247, WNW
DM931	EQUITABLE BLUPRT & P	507 5TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1306, 0.247, WNW
DX932	5 EAST 17TH STREET R	222 EAST 46TH STREET	NY AST	Lower	1308, 0.248, ENE
DX933	CON EDISON	222 E 46 ST	NY MANIFEST	Lower	1308, 0.248, ENE
DB934	TAYLOR HWI SOOK PRI	156 E 38TH ST	RCRA NonGen / NLR, FINDS	Higher	1309, 0.248, South
DB935	QUAD GRAPHICS	156 E 38TH ST	NY MANIFEST	Higher	1309, 0.248, South
DQ936	CON EDISON	209 E 46 ST	NY MANIFEST	Lower	1309, 0.248, ENE

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
DY937	CON EDISON - MANHOLE	501 5 AVE	NY MANIFEST	Higher	1312, 0.248, WNW
DY938	501 FIFTH AVE COMPAN	501 5TH AVENUE	NY UST	Higher	1312, 0.248, WNW
DL939	CON EDISON SERVICE B	3 E 40TH ST	NJ MANIFEST	Higher	1313, 0.249, West
DL940	CON EDISON SERVICE B	3 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1313, 0.249, West
DZ941	CON EDISON SERVICE B	243 E 40TH ST	NJ MANIFEST	Lower	1319, 0.250, SSE
DZ942	CON EDISON SERVICE B	243 E 40TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1319, 0.250, SSE
943	123 EAST 37TH ST/MAN	123 EAST 37TH STREET	NY LTANKS	Higher	1407, 0.266, SSW
DV944	390 MADISON AVE- COM	390 MADISON AVE	RCRA-LQG, NY MOSF, FINDS, ECHO	Higher	1409, 0.267, North
945	D/B HYGRADE #8	500 FIFTH AVENUE	NY MOSF	Higher	1423, 0.270, WNW
946	279 E. 44TH STREET	279 E, 44TH STRRET	NY LTANKS	Higher	1441, 0.273, ESE
EA947	400 MADISON AVE	400 MADISON AVE	NY LTANKS, NY CBS	Higher	1589, 0.301, North
EA948	TTF 400 MADISON AVE	400 MADISON AVE.	NY LTANKS	Higher	1589, 0.301, North
949	MARRIOT EAST HOTEL	525 LEXINGTON AVE	NY LTANKS	Lower	1602, 0.303, NE
EB950	APARTMENT BUILDING	250 EAST 39TH STREET	NY LTANKS, NY Spills	Lower	1606, 0.304, SSE
EB951	APRT BUILDING	250 EAST 39TH STREET	NY LTANKS, NY Spills	Lower	1606, 0.304, SSE
EB952	APARTMENT BUILDING	250 EAST 39TH STREET	NY LTANKS	Lower	1606, 0.304, SSE
953	WEST 46TH ST & 5TH A	WEST 46TH ST / 5TH A	NY LTANKS	Higher	1633, 0.309, NNW
954	APARTMENT COMPLEX	30 E 37TH ST	NY LTANKS	Higher	1636, 0.310, SW
EC955	220 E 48TH ST	220 E 48TH ST	NY LTANKS	Lower	1678, 0.318, ENE
EC956	220 E. 48TH ST.	220 E. 48TH ST.	NY LTANKS	Lower	1678, 0.318, ENE
957	APARTMENT BUILDING	146 EAST 49TH ST	NY LTANKS, NY Spills	Lower	1682, 0.319, NE
ED958	243 E. 38TH ST	243 E. 38TH ST	NY LTANKS	Lower	1688, 0.320, SSE
ED959	240 E 38TH ST/MANH/N	240 EAST 38TH STREET	NY LTANKS	Lower	1726, 0.327, SSE
960	209 EAST 48TH STREET	209 EAST 48TH STREET	NY LTANKS	Lower	1741, 0.330, ENE
961	APT COMPLEX	136 EAST 36TH ST	NY LTANKS, NY Spills	Higher	1781, 0.337, SSW
962	APT COMPLEX TTF	17-19 WEST 45TH	NY LTANKS	Higher	1811, 0.343, NW
963	2 SNIFFEN COURT/MANH	2 SNIFFEN COURT	NY LTANKS, NY Spills	Lower	1843, 0.349, SSW
964	E 39TH ST PARKING LO	320 E 40TH ST	NY LTANKS, NY Spills	Lower	1847, 0.350, SE
EE965	APARTMENT BUILDING	20 PARK AVE	NY LTANKS	Higher	1859, 0.352, SW
EE966	AT 36TH ST	30 PARK AVE	NY LTANKS	Higher	1862, 0.353, SW
967	LOT 36,TAXBLOCK 1285	300 PARK AVENUE	NY LTANKS, NY Spills, NY E DESIGNATION	Higher	1878, 0.356, NNE
968	ORG RES CORPS SITE		FUDS	Higher	1891, 0.358, NW
969	CONSTRUCTION SITE	1 BRYANT PARK	NY LTANKS	Higher	1892, 0.358, WNW
970	139 E35TH ST	139 E35TH ST	NY LTANKS	Higher	1946, 0.369, SSW
971	11 EAST 36TH STREET	11 EAST 36TH STREET	NY LTANKS	Higher	1972, 0.373, WSW
972	COMMERCIAL BUILDING	249 EAST 48TH ST	NY LTANKS	Lower	1985, 0.376, ENE
973	APARTMENT	165 EAST 35TH STREET	NY LTANKS	Lower	1997, 0.378, SSW
974	SPILL NUMBER 0313627	305 EAST 47TH STREET	NY LTANKS, NY Spills	Lower	2022, 0.383, East
975	RESIENTIAL BUILDING	132 EAST 35TH STREET	NY LTANKS	Higher	2044, 0.387, SSW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
976	APARTMENT BUILDING	45 WEST 45TH ST	NY LTANKS	Higher	2052, 0.389, NW
977	303 EAST 37TH ST/MAN	303 EAST 37TH STREET	NY LTANKS	Lower	2054, 0.389, SSE
EF978	FM RING ASSOCIATES	20 W. 47TH ST	NY LTANKS	Higher	2064, 0.391, NNW
EG979	CONSTRUCTION PHASE	15 PARK AVE	NY LTANKS, NY Spills	Higher	2067, 0.391, SW
EH980	404 5TH AVENUE	404 5TH AVENUE	NY LTANKS	Higher	2072, 0.392, WSW
EI981	APARTMENT BUILDING	6-8 WEST 48TH STREET	NY LTANKS	Higher	2075, 0.393, NNW
EI982	SPILL NUMBER 0000763	6 W 48TH ST	NY LTANKS	Higher	2075, 0.393, NNW
EH983	LANG PRODUCTS CO.		FUDS	Higher	2075, 0.393, WSW
EF984	15 WEST 47TH ST/MANH	15 WEST 47TH STREET	NY LTANKS	Higher	2109, 0.399, NNW
985	US MISSION TO UN	799 FIRST AVE	NY LTANKS	Lower	2110, 0.400, ESE
EJ986	32 WEST 39TH STREET	32 WEST 39TH STREET	NY LTANKS	Higher	2128, 0.403, West
EJ987	32 W. 39TH MIDTOWN P	32 WEST 39TH STREET	NY LTANKS, NY UST	Higher	2128, 0.403, West
988	HERTZ CORP THE	310 E 48TH ST	RCRA-VSQG, NY LTANKS, NY UST, FINDS, ECHO, NY...	Lower	2133, 0.404, ENE
EK989	RBH MANAGEMENT TTF	333 PARK AVE STH	NY LTANKS	Higher	2170, 0.411, NNE
EK990	WATTON STUDIO TTF	333 PARK AVE STH	NY LTANKS	Higher	2170, 0.411, NNE
EG991	APARTMENT BUILDING	7 PARK AVE	NY LTANKS	Higher	2190, 0.415, SW
EL992	WATERSIDE GENERATING	700 FIRST AVE.	NY INST CONTROL	Lower	2215, 0.420, SE
EM993	MANHOLE 5047	300 EAST 49TH ST	NY LTANKS, NY Spills	Lower	2217, 0.420, ENE
EM994	TOWNHOUSE	300 EAST 49TH STREET	NY LTANKS	Lower	2217, 0.420, ENE
EN995	685 FIRST AVENUE - S	685 1ST AVENUE	NY VCP	Lower	2221, 0.421, SE
EN996	PARKING LOT (FIRST A	685 FIRST AVE.	NY ENG CONTROLS	Lower	2221, 0.421, SE
EN997	PARKING LOT (FIRST A	685 FIRST AVE.	NY INST CONTROL	Lower	2221, 0.421, SE
EN998	708 OFFICE BUILDING	708 FIRST AVE.	NY VCP, NY BROWNFIELDS	Lower	2240, 0.424, SE
EN999	708 OFFICE BUILDING	708 FIRST AVE.	NY INST CONTROL	Lower	2240, 0.424, SE
EN1000	THE GREATER WATERSID	700-708 FIRST AVENUE	NY INST CONTROL	Lower	2257, 0.427, SE
EN1001	PARKING LOT (FIRST A	685 FIRST AVE.	NY VCP, NY BROWNFIELDS	Lower	2257, 0.427, SE
EN1002	THE GREATER WATERSID	700-708 FIRST AVENUE	NY ENG CONTROLS	Lower	2257, 0.427, SE
1003	15 WEST 37TH STREET	15 WEST 37TH STREET	NY LTANKS, NY Spills	Higher	2258, 0.428, West
1004	331 E 38TH ST/NY TEL	331 E 38TH ST/NY TEL	NY LTANKS	Lower	2265, 0.429, SSE
EL1005	NEW AMSTERDAM GAS CO	FIRST AVE BETWEEN E	EDR MGP	Lower	2273, 0.430, SE
1006	RESIDENCE	222 E 35TH ST	NY LTANKS	Lower	2282, 0.432, South
1007	VENAVILLA FASHIONS	38 WEST 38TH STREET	NY LTANKS	Higher	2284, 0.433, West
EL1008	708 OFFICE BUILDING	708 FIRST AVE.	NY ENG CONTROLS, NY Spills	Lower	2302, 0.436, SE
1009	TTF	928 2ND AVE	NY LTANKS	Lower	2306, 0.437, ENE
1010	CON EDISON - EAST 39	EAST 39TH - EAST 42N	EDR MGP	Lower	2315, 0.438, SE
1011	SPILL NUMBER 0212048	941 2ND AVE	NY LTANKS	Lower	2323, 0.440, ENE
EN1012	WATERSIDE GENERATING	700 1ST AVENUE	NY LTANKS, NY Spills	Lower	2325, 0.440, SE
1013	13 WEST 36TH STREET	13 WEST 36TH ST	NY LTANKS	Higher	2338, 0.443, WSW
1014	ANCHOR CASTING CO IN	38 W 48TH ST	SEMS-ARCHIVE, RCRA NonGen / NLR	Higher	2360, 0.447, NNW

MAPPED SITES SUMMARY

Target Property Address:
109 E 42ND STREET
NEW YORK, NY 10017

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
EO1015	80 W. 40TH ST	80 W. 40TH ST	NY LTANKS	Higher	2374, 0.450, West
EO1016	CON EDISON SERVICE B	80 W 40TH ST OPPOSIT	NY LTANKS, RCRA NonGen / NLR, FINDS, ECHO, NY...	Higher	2374, 0.450, West
1017	166 EAST 34	166 EAST 34TH ST	NY LTANKS, NY Spills	Lower	2388, 0.452, SSW
EP1018	OXFORD UNIVERSITY PR	365 5TH AVENUE	NY LTANKS	Higher	2427, 0.460, WSW
1019	APARTMENT BLDG	211 E. 51ST ST	NY LTANKS, NY Spills	Lower	2439, 0.462, NE
1020	X - TTF	208-210 EAST 34TH ST	NY LTANKS	Lower	2444, 0.463, South
EQ1021	COMMERCIAL BLDG TTF	25 WEST 36TH ST	NY LTANKS	Higher	2453, 0.465, WSW
EQ1022	25 W 36TH ST	25 W 36TH ST	NY LTANKS	Higher	2453, 0.465, WSW
1023	MAN HOLE 6988	39 WEST 37TH STREET	NY LTANKS, NY Spills	Higher	2465, 0.467, West
1024	EAST 39TH ST YARD	E39TH ST / 1ST AV	NY LTANKS	Lower	2469, 0.468, SSE
EO1025	AGREKO	40TH ST/6TH AVE	NY LTANKS	Higher	2470, 0.468, WNW
EP1026	MULTIPLE USE BLDG -	366 5TH AVE	NY LTANKS	Higher	2489, 0.471, WSW
ER1027	11 EAST 51 STREET	11 EAST 51 STREET	NY VCP	Higher	2508, 0.475, North
EP1028	MICHELLE F	362 FIFTH AVENUE	NY MOSF	Higher	2522, 0.478, WSW
1029	APT BUILDING TTF	1040 6TH AVE	NY LTANKS	Higher	2533, 0.480, West
1030	APARTMENT BUILDING	171 MADISON AVE.	NY LTANKS	Higher	2562, 0.485, SW
1031	311-317 EAST 50TH ST	311-317 EAST 50TH ST	NY LTANKS	Lower	2563, 0.485, ENE
1032	1177 AVE OF AMERICAS	1177 AVE OF THE AMER	NY LTANKS	Higher	2567, 0.486, NW
1033	4 EAST 34TH STREET	4 EAST 34TH STREET	NY LTANKS, NY UST, NY MANIFEST	Higher	2616, 0.495, WSW
ER1034	14 EAST 52ND STREET	14 EAST 52ND STREET	NY LTANKS	Higher	2629, 0.498, North
1035	BUCHBINDER RESIDENCE	211 EAST 33RD ST	NY LTANKS	Lower	2633, 0.499, South
1036	CON EDISON - EAST 32	EAST 32ND - EAST 33R	EDR MGP	Lower	3506, 0.664, South
1037	CON EDISON - WEST 58	11TH AVE. BETWEEN W.	EDR MGP	Higher	4922, 0.932, North
1038	FORMER GUARDIAN CLEA	27-35 WEST 24TH STRE	NY SHWS, NY ENG CONTROLS, NY INST CONTROL	Lower	5163, 0.978, SW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND ST 109 EAST 42ND ST MANHATTAN, NY	ERNS NRC Report #: 466855 Incident Date Time: 1998-12-09 06:30:00	N/A
GRAND HYATT NEW YORK 109 E 42ND ST NEW YORK, NY 10017	RCRA-SQG EPA ID:: NYD986930675 FINDS Registry ID:: 110004456026 ECHO Registry ID: 110004456026 NY MANIFEST EPA ID: NYD986930675 NJ MANIFEST EPA Id: NYD986930675	NYD986930675
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A
109 EAST 42ND STREET 109 EAST 42ND STREET NEW YORK, NY 10017	NY COOLING TOWERS	N/A

EXECUTIVE SUMMARY

109 EAST 42ND STREET
109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

N/A

109 EAST 42ND STREET
109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROLS..... Institutional Controls Sites List

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

EXECUTIVE SUMMARY

NY HIST LTANKS..... Listing of Leaking Storage Tanks

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing
NY CBS UST..... Chemical Bulk Storage Database
NY MOSF UST..... Major Oil Storage Facilities Database
NY CBS AST..... Chemical Bulk Storage Database
NY MOSF AST..... Major Oil Storage Facilities Database
INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

NY RES DECL..... Restrictive Declarations Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

NY ERP..... Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWRCY..... Registered Recycling Facility List
NY SWTIRE..... Registered Waste Tire Storage & Facility List
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
NY DEL SHWS..... Delisted Registry Sites
US CDL..... National Clandestine Laboratory Register
NY PFAS..... PFAS Contamination Site Location Listing

Local Lists of Registered Storage Tanks

NY HIST UST..... Historical Petroleum Bulk Storage Database
NY HIST AST..... Historical Petroleum Bulk Storage Database

Local Land Records

NY LIENS..... Spill Liens Information
LIENS 2..... CERCLA Lien Information

EXECUTIVE SUMMARY

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
NY Hist Spills..... SPILLS Database
NY SPILLS 90..... SPILLS 90 data from FirstSearch
NY SPILLS 80..... SPILLS 80 data from FirstSearch

Other Ascertainable Records

DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
DOT OPS..... Incident and Accident Data
INDIAN RESERV..... Indian Reservations
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US MINES..... Mines Master Index File
ABANDONED MINES..... Abandoned Mines
DOCKET HWC..... Hazardous Waste Compliance Docket Listing
UXO..... Unexploded Ordnance Sites
NY AIRS..... Air Emissions Data
NY COAL ASH..... Coal Ash Disposal Site Listing
NY Financial Assurance..... Financial Assurance Information Listing
NY HSWDS..... Hazardous Substance Waste Disposal Site Inventory
NY SPDES..... State Pollutant Discharge Elimination System
NY VAPOR REOPENED..... Vapor Intrusion Legacy Site List
NY UIC..... Underground Injection Control Wells
NY LEAD..... Lead-based Paint Testing Results
MINES MRDS..... Mineral Resources Data System

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS..... Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF..... Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS list

SEMS: SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the SEMS list, as provided by EDR, and dated 07/29/2020 has revealed that there is 1 SEMS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CON EDISON NYC STEAM</i> Site ID: 0206211 EPA Id: NYN000206211	<i>LEXINGTON AVENUE BET</i>	<i>S 0 - 1/8 (0.087 mi.)</i>	<i>O139</i>	<i>344</i>

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 07/29/2020 has revealed that there is 1 SEMS-ARCHIVE site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>ANCHOR CASTING CO IN</i>	<i>38 W 48TH ST</i>	<i>NNW 1/4 - 1/2 (0.447 mi.)</i>	<i>1014</i>	<i>2613</i>

EXECUTIVE SUMMARY

Site ID: 0203340
EPA Id: NYD001617059

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 06/15/2020 has revealed that there are 21 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - SERVICE EPA ID:: NYP004804928	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D21	58
CON EDISON - SERVICE EPA ID:: NYP004744967	122 E 42 ST	WSW 0 - 1/8 (0.040 mi.)	D24	70
METRO NORTH RAILROAD EPA ID:: NYD981179773	89 EAST 42ND STREET	W 0 - 1/8 (0.074 mi.)	J79	185
CON EDISON - TRANSFO EPA ID:: NYP004198461	100 PARK AVE (40TH S	WSW 1/8 - 1/4 (0.132 mi.)	AJ317	732
CON EDISON - MANHOLE EPA ID:: NYP005114590	303 MADISON AVE	W 1/8 - 1/4 (0.163 mi.)	AT466	1124
330 MADISON COMPANY EPA ID:: NY0000884569	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX510	1204
CON EDISON - MANHOLE EPA ID:: NYP004988758	342 MADISON AVE	NW 1/8 - 1/4 (0.189 mi.)	BT609	1462
CON EDISON - MANHOLE EPA ID:: NYP004249312	16 E 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH673	1654
CON EDISON - MANHOLE EPA ID:: NYP004807871	223-225 E 43RD ST	ESE 1/8 - 1/4 (0.212 mi.)	BZ699	1723
CON EDISON - MANHOLE EPA ID:: NYP004400982	366 MADISON AVE	NNW 1/8 - 1/4 (0.234 mi.)	DH838	2111
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - MANHOLE EPA ID:: NYP004152393	E 41 ST & LEXINGTON	S 0 - 1/8 (0.086 mi.)	O122	305
CON EDISON - MANHOLE EPA ID:: NYP004152054	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O125	313
CON EDISON MANHOLE 3 EPA ID:: NYP004152302	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O129	321
CON EDISON - VAULT 5 EPA ID:: NYP004868362	150 E 41 ST	S 0 - 1/8 (0.109 mi.)	Q216	513
CON EDISON - MANHOLE	170 E 42ND ST	SE 0 - 1/8 (0.112 mi.)	V226	529

EXECUTIVE SUMMARY

EPA ID:: NYP005098955				
CON EDISON - MANHOLE	E 44 ST AND 3 AVE	E 1/8 - 1/4 (0.149 mi.)	AS377	892
EPA ID:: NYP004169678				
CON EDISON - GAS DRI	646 3RD AVE	SSE 1/8 - 1/4 (0.150 mi.)	AQ391	933
EPA ID:: NYP004290433				
CON EDISON - MANHOLE	E 41 ST AND THIRD AV	SSE 1/8 - 1/4 (0.152 mi.)	AQ413	998
EPA ID:: NYP004188041				
CON EDISON - VAULT V	148 E 40TH ST	S 1/8 - 1/4 (0.167 mi.)	AP482	1156
EPA ID:: NYP005058132				
CON EDISON - VAULT V	205 E 42ND ST	ESE 1/8 - 1/4 (0.169 mi.)	BE491	1173
EPA ID:: NYP005046042				
CON EDISON - VAULT 4	207 E 41ST ST	SE 1/8 - 1/4 (0.206 mi.)	CF681	1669
EPA ID:: NYP004718037				

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/15/2020 has revealed that there are 11 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GRAND CENTRAL TERMIN	105 E 42ND ST	WSW 0 - 1/8 (0.034 mi.)	D20	41
EPA ID:: NYR000161398				
CHANIN BUILDING	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D23	63
EPA ID:: NYR000131805				
SMART SET CLEANERS	ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.139 mi.)	AL341	792
EPA ID:: NYR000133264				
METLIFE BUILDING THE	200 PARK AVE	NNW 1/8 - 1/4 (0.148 mi.)	AR372	880
EPA ID:: NYD166485177				
BROWNING CHEMICAL CO	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX511	1209
EPA ID:: NYR000156877				
EMIGRANT BANK	6 E 43RD ST	NW 1/8 - 1/4 (0.214 mi.)	CB703	1730
EPA ID:: NYR000153114				
291 DIGITAL LLC	E 45TH ST	E 1/8 - 1/4 (0.240 mi.)	DJ867	2180
EPA ID:: NYD982743494				
SYMPHONY CLEANERS	245 E 44TH ST	E 1/8 - 1/4 (0.244 mi.)	DR904	2324
EPA ID:: NYD987000361				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DUANE READE INC STOR	485 LEXINGTON AVE 1S	NE 1/8 - 1/4 (0.203 mi.)	CD660	1617
EPA ID:: NYR000129247				
S L GREEN REALTY COR	750 THIRD AVE	ENE 1/8 - 1/4 (0.229 mi.)	CT802	2010
EPA ID:: NYR000197624				
PFIZER, INC.	EAST 42ND STREET	ESE 1/8 - 1/4 (0.233 mi.)	DG825	2068

EXECUTIVE SUMMARY

EPA ID:: NYD982176281

RCRA-VSQQ: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQQ list, as provided by EDR, and dated 06/15/2020 has revealed that there are 9 RCRA-VSQQ sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON TRANSFORM EPA ID:: NYP005243340	150 PARK AVE	W 0 - 1/8 (0.087 mi.)	J137	339
PINNACLE ENVIRONMENT EPA ID:: NYR000206805	60 E 42ND ST	W 0 - 1/8 (0.120 mi.)	R249	573
METHINK CLEANERS EPA ID:: NYD981082282	337 LEXINGTON AVE	SSW 1/8 - 1/4 (0.173 mi.)	BG498	1185
JONES LANG LASALLE EPA ID:: NYR000114827	335 MADISON AVE - LO	NW 1/8 - 1/4 (0.174 mi.)	BB516	1224
GRIFFON THE EPA ID:: NYR000230235	77 PARK AVE	SW 1/8 - 1/4 (0.195 mi.)	CA630	1514
CVS PHARMACY #10764 EPA ID:: NYR000230185	292 MADISON AVE	W 1/8 - 1/4 (0.198 mi.)	BR633	1520
RITE AID #04964 EPA ID:: NYR000188730	26 GRAND CENTRAL TER	WNW 1/8 - 1/4 (0.209 mi.)	CK689	1689
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROYAL REALTY CORP EPA ID:: NYR000029579	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI346	809
NYU AMBULATORY CARE EPA ID:: NYR000239178	222 E 41ST ST	SSE 1/8 - 1/4 (0.221 mi.)	CV758	1894

State- and tribal - equivalent CERCLIS

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 05/12/2020 has revealed that there is 1 NY SHWS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FORMER GUARDIAN CLEA	27-35 WEST 24TH STRE	SW 1/2 - 1 (0.978 mi.)	1038	2655

EXECUTIVE SUMMARY

Site Code: 440109

State and tribal leaking storage tank lists

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 05/12/2020 has revealed that there are 91 NY LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BETWEEN 40TH ST & Spill Number/Closed Date: 0205816 / 2003-07-17 Site ID: 81030 Spill Date: 2002-09-05	40TH & 42ND ST/MADIS	WNW 0 - 1/8 (0.112 mi.)	R225	528
222 PARK AVE S Spill Number/Closed Date: 9110674 / 1992-01-30 Site ID: 89628 Spill Date: 1992-01-13	222 PARK AVE S/HERON	N 1/8 - 1/4 (0.169 mi.)	BD489	1171
27 E 39TH ST Spill Number/Closed Date: 9614335 / 1997-03-11 Site ID: 239039 Spill Date: 1997-03-11	27 E 39TH ST	WSW 1/8 - 1/4 (0.205 mi.)	CG665	1633
APT BUILDING Spill Number/Closed Date: 1301068 / 2014-06-13 Site ID: 481432 Spill Date: 2013-04-30	18 E 41ST STREET	W 1/8 - 1/4 (0.217 mi.)	CR728	1810
225 EAST 43RD ST Spill Number/Closed Date: 9403751 / 2005-03-28 Spill Number/Closed Date: 9408906 / 2005-03-28 Site ID: 163204 Site ID: 93442 Spill Date: 1994-06-16 Spill Date: 1994-10-04	225 EAST 43RD ST	ESE 1/8 - 1/4 (0.217 mi.)	CS733	1822
RESIDENCE Spill Number/Closed Date: 9006446 / 1990-09-20 Site ID: 129112 Spill Date: 1990-09-12	216 EAST 45TH ST.	E 1/8 - 1/4 (0.220 mi.)	CJ750	1876
ACE ATLAS Spill Number/Closed Date: 0603914 / 2006-08-16 Site ID: 366764 Spill Date: 2006-07-10	216 EAST 45TH STREET	E 1/8 - 1/4 (0.220 mi.)	CJ752	1884
270 MADISON AVE/MANH Spill Number/Closed Date: 9011120 / 1991-01-19 Site ID: 134216 Spill Date: 1991-01-19	270 MADISON AVENUE	WSW 1/8 - 1/4 (0.231 mi.)	CN816	2041
COMMERCIAL BLDG.	366 MADISON AVE.	NNW 1/8 - 1/4 (0.234 mi.)	DH837	2109

EXECUTIVE SUMMARY

Spill Number/Closed Date: 0312658 / 2004-03-11 Site ID: 105354 Spill Date: 2004-02-13				
108 E. 38TH STREET Spill Number/Closed Date: 9511832 / 1996-11-22 Site ID: 175616 Spill Date: 1995-12-18	108 E. 38TH STREET	SSW 1/8 - 1/4 (0.237 mi.)	CO856	2160
123 EAST 37TH ST/MAN Spill Number/Closed Date: 8912354 / 1996-11-29 Site ID: 84848 Spill Date: 1989-12-05	123 EAST 37TH STREET	SSW 1/4 - 1/2 (0.266 mi.)	943	2419
279 E. 44TH STREET Spill Number/Closed Date: 9506908 / 1995-09-06 Site ID: 179583 Spill Date: 1995-09-06	279 E. 44TH STREET	ESE 1/4 - 1/2 (0.273 mi.)	946	2430
400 MADISON AVE Spill Number/Closed Date: 0413471 / 2005-04-26 Site ID: 342584 Spill Date: 2005-03-28	400 MADISON AVE	N 1/4 - 1/2 (0.301 mi.)	EA947	2431
TTF 400 MADISON AVE Spill Number/Closed Date: 0500267 / 2005-04-11 Site ID: 343184 Spill Date: 2005-04-06	400 MADISON AVE.	N 1/4 - 1/2 (0.301 mi.)	EA948	2432
WEST 46TH ST & 5TH A Spill Number/Closed Date: 9415266 / 2003-02-24 Site ID: 216866 Spill Date: 1995-02-21	WEST 46TH ST / 5TH A	NNW 1/4 - 1/2 (0.309 mi.)	953	2442
APARTMENT COMPLEX Spill Number/Closed Date: 0212336 / 2003-03-17 Site ID: 78544 Spill Date: 2003-03-15	30 E 37TH ST	SW 1/4 - 1/2 (0.310 mi.)	954	2443
APT COMPLEX Spill Number/Closed Date: 0109772 / 2005-03-08 Site ID: 257207 Spill Date: 2002-01-08	136 EAST 36TH ST	SSW 1/4 - 1/2 (0.337 mi.)	961	2452
APT COMPLEX TTF Spill Number/Closed Date: 1214462 / 2014-05-22 Site ID: 477707 Spill Date: 2013-01-10	17-19 WEST 45TH	NW 1/4 - 1/2 (0.343 mi.)	962	2459
APARTMENT BUILDING Spill Number/Closed Date: 0508716 / 2006-09-08 Site ID: 354359 Spill Date: 2005-10-20	20 PARK AVE	SW 1/4 - 1/2 (0.352 mi.)	EE965	2478
AT 36TH ST Spill Number/Closed Date: 0107405 / 2002-04-02 Site ID: 113141 Spill Date: 2001-10-17	30 PARK AVE	SW 1/4 - 1/2 (0.353 mi.)	EE966	2480
LOT 36, TAXBLOCK 1285 Spill Number/Closed Date: 8911006 / 1992-12-08 Site ID: 155762 Spill Date: 1990-02-19	300 PARK AVENUE	NNE 1/4 - 1/2 (0.356 mi.)	967	2481
CONSTRUCTION SITE	1 BRYANT PARK	WNW 1/4 - 1/2 (0.358 mi.)	969	2484

EXECUTIVE SUMMARY

Spill Number/Closed Date: 0411351 / 2007-03-20				
Spill Number/Closed Date: 0500615 / 2005-05-31				
Site ID: 336527				
Site ID: 343646				
Spill Date: 2005-01-19				
Spill Date: 2005-04-14				
139 E35TH ST	139 E35TH ST	SSW 1/4 - 1/2 (0.369 mi.)	970	2487
Spill Number/Closed Date: 9611158 / 2003-03-03				
Site ID: 320008				
Spill Date: 1996-12-10				
11 EAST 36TH STREET	11 EAST 36TH STREET	WSW 1/4 - 1/2 (0.373 mi.)	971	2488
Spill Number/Closed Date: 9512890 / 1996-01-17				
Site ID: 212592				
Spill Date: 1996-01-17				
RESIENTIAL BUILDING	132 EAST 35TH STREET	SSW 1/4 - 1/2 (0.387 mi.)	975	2494
Spill Number/Closed Date: 0502932 / 2005-10-25				
Site ID: 347400				
Spill Date: 2005-06-10				
APARTMENT BUILDING	45 WEST 45TH ST	NW 1/4 - 1/2 (0.389 mi.)	976	2495
Spill Number/Closed Date: 0409101 / 2005-02-04				
Site ID: 333755				
Spill Date: 2004-11-16				
FM RING ASSOCIATES	20 W. 47TH ST	NNW 1/4 - 1/2 (0.391 mi.)	EF978	2498
Spill Number/Closed Date: 9913942 / 2003-11-02				
Site ID: 250181				
Spill Date: 2000-03-10				
CONSTRUCTION PHASE	15 PARK AVE	SW 1/4 - 1/2 (0.391 mi.)	EG979	2499
Spill Number/Closed Date: 9704826 / 2003-02-19				
Site ID: 141525				
Spill Date: 1997-07-22				
404 5TH AVENUE	404 5TH AVENUE	WSW 1/4 - 1/2 (0.392 mi.)	EH980	2501
Spill Number/Closed Date: 9314077 / 1994-03-02				
Site ID: 88077				
Spill Date: 1994-03-02				
APARTMENT BUILDING	6-8 WEST 48TH STREET	NNW 1/4 - 1/2 (0.393 mi.)	EI981	2502
Spill Number/Closed Date: 0400386 / 2004-04-28				
Site ID: 168861				
Spill Date: 2004-04-13				
SPILL NUMBER 0000763	6 W 48TH ST	NNW 1/4 - 1/2 (0.393 mi.)	EI982	2503
Spill Number/Closed Date: 0000763 / 2000-04-19				
Site ID: 255683				
Spill Date: 2000-04-19				
15 WEST 47TH ST/MANH	15 WEST 47TH STREET	NNW 1/4 - 1/2 (0.399 mi.)	EF984	2504
Spill Number/Closed Date: 9002949 / 1995-03-30				
Site ID: 195030				
Spill Date: 1990-06-14				
32 WEST 39TH STREET	32 WEST 39TH STREET	W 1/4 - 1/2 (0.403 mi.)	EJ986	2507
Spill Number/Closed Date: 0512893 / 2006-03-31				
Site ID: 359282				
Spill Date: 2006-02-07				
32 W. 39TH MIDTOWN P	32 WEST 39TH STREET	W 1/4 - 1/2 (0.403 mi.)	EJ987	2508

EXECUTIVE SUMMARY

Spill Number/Closed Date: 0406617 / 2006-10-17 Site ID: 292756 Spill Date: 2004-09-16				
RBH MANAGEMENT TTF	333 PARK AVE STH	NNE 1/4 - 1/2 (0.411 mi.)	EK989	2523
Spill Number/Closed Date: 1111100 / 2012-03-01 Site ID: 458975 Spill Date: 2011-12-14				
WATTON STUDIO TTF	333 PARK AVE STH	NNE 1/4 - 1/2 (0.411 mi.)	EK990	2524
Spill Number/Closed Date: 1301250 / Not Reported Site ID: 481625 Spill Date: 2013-05-07				
APARTMENT BUILDING	7 PARK AVE	SW 1/4 - 1/2 (0.415 mi.)	EG991	2526
Spill Number/Closed Date: 0705083 / 2007-10-01 Site ID: 385356 Spill Date: 2007-08-03				
15 WEST 37TH STREET	15 WEST 37TH STREET	W 1/4 - 1/2 (0.428 mi.)	1003	2581
Spill Number/Closed Date: 9512443 / 1996-01-05 Site ID: 229865 Spill Date: 1996-01-05				
VENAVILLA FASHIONS	38 WEST 38TH STREET	W 1/4 - 1/2 (0.433 mi.)	1007	2587
Spill Number/Closed Date: 9609813 / 1996-11-06 Site ID: 240624 Spill Date: 1996-11-06				
13 WEST 36TH STREET	13 WEST 36TH ST	WSW 1/4 - 1/2 (0.443 mi.)	1013	2612
Spill Number/Closed Date: 9812458 / 1999-07-05 Site ID: 177406 Spill Date: 1999-01-08				
80 W. 40TH ST	80 W. 40TH ST	W 1/4 - 1/2 (0.450 mi.)	EO1015	2620
Spill Number/Closed Date: 9412778 / 1994-12-23 Site ID: 149985 Spill Date: 1994-12-23				
CON EDISON SERVICE B	80 W 40TH ST OPPOSIT	W 1/4 - 1/2 (0.450 mi.)	EO1016	2621
Spill Number/Closed Date: 1902445 / Not Reported Site ID: 590367 Spill Date: 2019-06-05				
OXFORD UNIVERSITY PR	365 5TH AVENUE	WSW 1/4 - 1/2 (0.460 mi.)	EP1018	2629
Spill Number/Closed Date: 9413330 / 1995-01-06 Site ID: 105294 Spill Date: 1995-01-06				
COMMERCIAL BLDG TTF	25 WEST 36TH ST	WSW 1/4 - 1/2 (0.465 mi.)	EQ1021	2634
Spill Number/Closed Date: 1002275 / 2012-07-06 Site ID: 435389 Spill Date: 2010-05-28				
25 W 36TH ST	25 W 36TH ST	WSW 1/4 - 1/2 (0.465 mi.)	EQ1022	2635
Spill Number/Closed Date: 9109689 / 1991-12-13 Spill Number/Closed Date: 9110093 / 1991-12-23 Site ID: 292311 Site ID: 292312 Spill Date: 1991-12-11 Spill Date: 1991-12-23				
MAN HOLE 6988	39 WEST 37TH STREET	W 1/4 - 1/2 (0.467 mi.)	1023	2637

EXECUTIVE SUMMARY

Spill Number/Closed Date: 9314117 / 1994-03-03 Site ID: 69717 Spill Date: 1994-03-03				
AGREKO	40TH ST/6TH AVE	WNW 1/4 - 1/2 (0.468 mi.)	EO1025	2640
Spill Number/Closed Date: 0510202 / 2005-11-29 Site ID: 356131 Spill Date: 2005-11-28				
MULTIPLE USE BLDG -	366 5TH AVE	WSW 1/4 - 1/2 (0.471 mi.)	EP1026	2641
Spill Number/Closed Date: 1406896 / 2014-12-31 Site ID: 500388 Spill Date: 2014-09-30				
APT BUILDING TTF	1040 6TH AVE	W 1/4 - 1/2 (0.480 mi.)	1029	2643
Spill Number/Closed Date: 1202426 / 2014-09-15 Site ID: 465193 Spill Date: 2012-06-11				
APARTMENT BUILDING	171 MADISON AVE.	SW 1/4 - 1/2 (0.485 mi.)	1030	2644
Spill Number/Closed Date: 0410652 / 2005-03-16 Site ID: 335680 Spill Date: 2004-12-28				
1177 AVE OF AMERICAS	1177 AVE OF THE AMER	NW 1/4 - 1/2 (0.486 mi.)	1032	2647
Spill Number/Closed Date: 9302881 / 1993-06-03 Site ID: 76407 Spill Date: 1993-06-03				
4 EAST 34TH STREET	4 EAST 34TH STREET	WSW 1/4 - 1/2 (0.495 mi.)	1033	2648
Spill Number/Closed Date: 9414259 / 1995-02-06 Site ID: 89411 Spill Date: 1995-01-27				
14 EAST 52ND STREET	14 EAST 52ND STREET	N 1/4 - 1/2 (0.498 mi.)	ER1034	2652
Spill Number/Closed Date: 9500659 / 1995-04-17 Site ID: 253726 Spill Date: 1995-04-17				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MACKLOWE MANAGEMENT	369 LEXINGTON AV	S 0 - 1/8 (0.101 mi.)	O184	455
Spill Number/Closed Date: 0010906 / 2001-10-26 Site ID: 302115 Spill Date: 2001-01-04				
CONSTRUCTION	679 3RD AVE	ESE 1/8 - 1/4 (0.138 mi.)	AK334	777
Spill Number/Closed Date: 0702152 / 2007-09-25 Site ID: 381817 Spill Date: 2007-05-22				
SPILL NUMBER 0211441	146 EAST 46TH ST	NE 1/8 - 1/4 (0.175 mi.)	BC518	1234
Spill Number/Closed Date: 0211441 / 2003-06-30 Site ID: 257210 Spill Date: 2003-02-17				
127 E. 47TH ST	127 E. 47TH ST	NE 1/8 - 1/4 (0.241 mi.)	DA885	2265
Spill Number/Closed Date: 9411387 / 1994-11-30 Site ID: 190069 Spill Date: 1994-11-26				
127 EAST 47TH ST	127 EAST 47TH ST	NE 1/8 - 1/4 (0.241 mi.)	DA886	2266

EXECUTIVE SUMMARY

Spill Number/Closed Date: 9510310 / 1995-11-16 Site ID: 146179 Spill Date: 1995-11-16				
222 EAST 40TH ST	222 EAST 40TH STREET	SSE 1/8 - 1/4 (0.242 mi.)	DP894	2285
Spill Number/Closed Date: 0111214 / 2002-07-10 Site ID: 101378 Spill Date: 2002-02-26				
LESOTHO CONSULATE	204 EAST 39TH STREET	S 1/8 - 1/4 (0.245 mi.)	DU923	2372
Spill Number/Closed Date: 0510527 / 2005-12-12 Site ID: 356518 Spill Date: 2005-12-07				
MARRIOTT EAST HOTEL	525 LEXINGTON AVE	NE 1/4 - 1/2 (0.303 mi.)	949	2434
Spill Number/Closed Date: 0109979 / 2003-07-07 Site ID: 131622 Spill Date: 2002-01-16				
APARTMENT BUILDING	250 EAST 39TH STREET	SSE 1/4 - 1/2 (0.304 mi.)	EB950	2435
Spill Number/Closed Date: 0509394 / 2006-03-01 Site ID: 355166 Spill Date: 2005-11-04				
APRT BUILDING	250 EAST 39TH STREET	SSE 1/4 - 1/2 (0.304 mi.)	EB951	2437
Spill Number/Closed Date: 0505707 / 2008-07-21 Site ID: 350785 Spill Date: 2005-08-09				
APARTMENT BUILDING	250 EAST 39TH STREET	SSE 1/4 - 1/2 (0.304 mi.)	EB952	2441
Spill Number/Closed Date: 1113774 / 2012-06-18 Site ID: 461786 Spill Date: 2012-03-10				
220 E 48TH ST	220 E 48TH ST	ENE 1/4 - 1/2 (0.318 mi.)	EC955	2444
Spill Number/Closed Date: 9107505 / 1991-10-15 Site ID: 270125 Spill Date: 1991-10-14				
220 E. 48TH ST.	220 E. 48TH ST.	ENE 1/4 - 1/2 (0.318 mi.)	EC956	2445
Spill Number/Closed Date: 9214329 / 1993-03-29 Site ID: 245137 Spill Date: 1993-03-29				
APARTMENT BUILDING	146 EAST 49TH ST	NE 1/4 - 1/2 (0.319 mi.)	957	2446
Spill Number/Closed Date: 1910353 / Not Reported Site ID: 600991 Spill Date: 2020-02-04				
243 E. 38TH ST	243 E. 38TH ST	SSE 1/4 - 1/2 (0.320 mi.)	ED958	2449
Spill Number/Closed Date: 0306430 / 2004-07-23 Site ID: 191704 Spill Date: 2003-09-17				
240 E 38TH ST/MANH/N	240 EAST 38TH STREET	SSE 1/4 - 1/2 (0.327 mi.)	ED959	2450
Spill Number/Closed Date: 8906478 / 1995-06-20 Site ID: 198011 Spill Date: 1989-10-02				
209 EAST 48TH STREET	209 EAST 48TH STREET	ENE 1/4 - 1/2 (0.330 mi.)	960	2451
Spill Number/Closed Date: 9413006 / 1994-12-29 Site ID: 155412 Spill Date: 1994-12-29				
2 SNIFFEN COURT/MANH	2 SNIFFEN COURT	SSW 1/4 - 1/2 (0.349 mi.)	963	2460

EXECUTIVE SUMMARY

Spill Number/Closed Date: 9008590 / 1990-11-06 Site ID: 269120 Spill Date: 1990-11-06					
E 39TH ST PARKING LO	320 E 40TH ST	SE 1/4 - 1/2 (0.350 mi.)	964	2463	
Spill Number/Closed Date: 9809889 / 2003-03-13 Site ID: 286165 Spill Date: 1998-11-05					
COMMERCIAL BUILDING	249 EAST 48TH ST	ENE 1/4 - 1/2 (0.376 mi.)	972	2489	
Spill Number/Closed Date: 0813281 / 2009-05-12 Site ID: 410962 Spill Date: 2009-03-10					
APARTMENT	165 EAST 35TH STREET	SSW 1/4 - 1/2 (0.378 mi.)	973	2490	
Spill Number/Closed Date: 0612862 / 2008-09-03 Site ID: 377801 Spill Date: 2007-02-28					
SPILL NUMBER 0313627	305 EAST 47TH STREET	E 1/4 - 1/2 (0.383 mi.)	974	2491	
Spill Number/Closed Date: 0106894 / 2002-01-21 Site ID: 294444 Spill Date: 2001-10-01					
303 EAST 37TH ST/MAN	303 EAST 37TH STREET	SSE 1/4 - 1/2 (0.389 mi.)	977	2496	
Spill Number/Closed Date: 9011297 / 1997-10-16 Site ID: 237615 Spill Date: 1991-01-25					
US MISSION TO UN	799 FIRST AVE	ESE 1/4 - 1/2 (0.400 mi.)	985	2506	
Spill Number/Closed Date: 0500029 / 2005-04-18 Site ID: 342902 Spill Date: 2005-04-01					
HERTZ CORP THE	310 E 48TH ST	ENE 1/4 - 1/2 (0.404 mi.)	988	2513	
Spill Number/Closed Date: 9201045 / 1992-04-27 Site ID: 144005 Spill Date: 1987-05-01					
MANHOLE 5047	300 EAST 49TH ST	ENE 1/4 - 1/2 (0.420 mi.)	EM993	2533	
Spill Number/Closed Date: 9612022 / 2005-09-09 Site ID: 138639 Spill Date: 1997-01-06					
TOWNHOUSE	300 EAST 49TH STREET	ENE 1/4 - 1/2 (0.420 mi.)	EM994	2536	
Spill Number/Closed Date: 0505705 / 2006-12-06 Site ID: 350783 Spill Date: 2005-08-09					
331 E 38TH ST/NY TEL	331 E 38TH ST/NY TEL	SSE 1/4 - 1/2 (0.429 mi.)	1004	2584	
Spill Number/Closed Date: 9104747 / 1994-11-09 Site ID: 189277 Spill Date: 1991-08-01					
RESIDENCE	222 E 35TH ST	S 1/4 - 1/2 (0.432 mi.)	1006	2586	
Spill Number/Closed Date: 0012773 / 2003-07-31 Site ID: 132364 Spill Date: 2001-03-01					
TTF	928 2ND AVE	ENE 1/4 - 1/2 (0.437 mi.)	1009	2595	
Spill Number/Closed Date: 1411287 / 2015-07-21 Site ID: 505046 Spill Date: 2015-02-27					
SPILL NUMBER 0212048	941 2ND AVE	ENE 1/4 - 1/2 (0.440 mi.)	1011	2596	

EXECUTIVE SUMMARY

Spill Number/Closed Date: 0212048 / 2003-07-08

Site ID: 84670

Spill Date: 2003-03-07

WATERSIDE GENERATING **700 1ST AVENUE** **SE 1/4 - 1/2 (0.440 mi.)** **EN1012** **2598**

Spill Number/Closed Date: 9600005 / 1998-04-16

Spill Number/Closed Date: 9402225 / 1995-03-29

Site ID: 117680

Site ID: 306455

Spill Date: 1996-04-01

Spill Date: 1994-05-14

166 EAST 34 **166 EAST 34TH ST** **SSW 1/4 - 1/2 (0.452 mi.)** **1017** **2626**

Spill Number/Closed Date: 0501096 / 2006-01-18

Site ID: 344234

Spill Date: 2005-04-26

APARTMENT BLDG **211 E. 51ST ST** **NE 1/4 - 1/2 (0.462 mi.)** **1019** **2630**

Spill Number/Closed Date: 9910024 / 2003-08-22

Site ID: 174266

Spill Date: 1999-11-18

X - TTF **208-210 EAST 34TH ST** **S 1/4 - 1/2 (0.463 mi.)** **1020** **2632**

Spill Number/Closed Date: 9806125 / 2014-11-28

Site ID: 329833

Spill Date: 1998-08-17

EAST 39TH ST YARD **E39TH ST / 1ST AV** **SSE 1/4 - 1/2 (0.468 mi.)** **1024** **2639**

Spill Number/Closed Date: 9809592 / 2009-08-18

Site ID: 225947

Spill Date: 1998-10-30

311-317 EAST 50TH ST **311-317 EAST 50TH ST** **ENE 1/4 - 1/2 (0.485 mi.)** **1031** **2646**

Spill Number/Closed Date: 8911300 / 1990-02-28

Site ID: 281395

Spill Date: 1990-02-28

BUCHBINDER RESIDENCE **211 EAST 33RD ST** **S 1/4 - 1/2 (0.499 mi.)** **1035** **2653**

Spill Number/Closed Date: 9701574 / 1997-05-06

Site ID: 153483

Spill Date: 1997-05-06

State and tribal registered storage tank lists

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 10 NY UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
342 MADISON AVE Database: UST, Date of Government Version: 06/22/2020	342 MADISON AVENUE	NW 1/8 - 1/4 (0.189 mi.)	BT608	1460
SUMMIT Database: UST, Date of Government Version: 06/22/2020	222 EAST 44TH STREET	ESE 1/8 - 1/4 (0.216 mi.)	CQ719	1767
BUDGET RENT A CAR SY Database: UST, Date of Government Version: 06/22/2020	225 EAST 43RD STREET	ESE 1/8 - 1/4 (0.217 mi.)	CS732	1820

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FALCON TOWER Database: UST, Date of Government Version: 06/22/2020	245 EAST 44TH STREET	E 1/8 - 1/4 (0.244 mi.)	DR906	2332
501 FIFTH AVE COMPAN Database: UST, Date of Government Version: 06/22/2020	501 5TH AVENUE	WNW 1/8 - 1/4 (0.248 mi.)	DY938	2407
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CUNNINGHAM ASSOCIATE Database: UST, Date of Government Version: 06/22/2020	210-10/16 GRAND CENT	ENE 1/8 - 1/4 (0.129 mi.)	AH290	664
685 THIRD AVENUE Database: UST, Date of Government Version: 06/22/2020	685 THIRD AVENUE	E 1/8 - 1/4 (0.149 mi.)	AF382	906
UNICORP AMERICAN COR Database: UST, Date of Government Version: 06/22/2020	154-156 EAST 46TH ST	ENE 1/8 - 1/4 (0.181 mi.)	BO570	1359
AUSTIN NICHOLS & CO. Database: UST, Date of Government Version: 06/22/2020	156 EAST 46TH STREET	ENE 1/8 - 1/4 (0.185 mi.)	BO600	1436
222 EAST 40TH ST Database: UST, Date of Government Version: 06/22/2020	222 EAST 40TH STREET	SSE 1/8 - 1/4 (0.242 mi.)	DP894	2285

NY MOSF: These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

A review of the NY MOSF list, as provided by EDR, and dated 06/22/2020 has revealed that there are 5 NY MOSF sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TANK BARGE ATLANTIC Tank Status: Unregulated/Closed Facility Id: 0-0566 Facility Id: 0-0567 Facility Id: 0-0568 Facility Id: 0-0657	310 MADISON AVENUE	WNW 1/8 - 1/4 (0.176 mi.)	BI527	1251
390 MADISON AVE- COM Tank Status: Unregulated/Closed Facility Id: 0-0378	390 MADISON AVE	N 1/4 - 1/2 (0.267 mi.)	DV944	2420
D/B HYGRADE #8 Tank Status: Unregulated/Closed Facility Id: 0-0144 Facility Id: 0-0145 Facility Id: 0-0146 Facility Id: 0-0149 Facility Id: 0-0150 <i>*Additional key fields are available in the Map Findings section</i>	500 FIFTH AVENUE	WNW 1/4 - 1/2 (0.270 mi.)	945	2427
MICHELLE F Tank Status: Unregulated/Closed Facility Id: 0-0573	362 FIFTH AVENUE	WSW 1/4 - 1/2 (0.478 mi.)	EP1028	2643
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MOBIL CHAMPLAIN	150 EAST 42 STREET	SE 0 - 1/8 (0.100 mi.)	M176	431

EXECUTIVE SUMMARY

Tank Status: Unregulated/Closed
 Tank Status: Inactive
 Facility Id: 0-0189
 Facility Id: 0-0193
 Facility Id: 0-0194

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 69 NY AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SL GREEN REALTY CORP Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-609749	110 EAST 42ND STREET	SW 0 - 1/8 (0.056 mi.)	G64	152
120 PARK AVENUE Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-600076	120 PARK AVENUE	W 0 - 1/8 (0.096 mi.)	P162	394
SL GREEN REALTY CORP Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-610775	100 PARK AVE	WSW 1/8 - 1/4 (0.132 mi.)	AJ315	728
GRAND PARK CONDOMINI Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-322423	110 EAST 40TH STREET	SW 1/8 - 1/4 (0.144 mi.)	AM352	825
RENWICK HOTEL Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-606155	118 EAST 40TH STREET	SSW 1/8 - 1/4 (0.145 mi.)	AN355	832
114 E 40TH STREET Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-600029	114 EAST 40TH STREET	SSW 1/8 - 1/4 (0.145 mi.)	AN357	836
124 EAST 40TH ST Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-063878	124 EAST 40TH STREET	S 1/8 - 1/4 (0.147 mi.)	AO364	856
MET LIFE BUILDING Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-611589	200 PARK AVE	NNW 1/8 - 1/4 (0.148 mi.)	AR371	877
FIFTY EAST FORTY SEC Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-234958	50 EAST 42ND ST	WNW 1/8 - 1/4 (0.149 mi.)	AT381	904
130 EAST 40 ASSOCIAT Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-247189	130 EAST 40TH STREET	S 1/8 - 1/4 (0.149 mi.)	AO387	922
317 MADISON AVE Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-612267	317 MADISON AVE	WNW 1/8 - 1/4 (0.152 mi.)	AX402	963
14040 TENANTS CORPOR Database: AST, Date of Government Version: 06/22/2020 Facility Id: 2-321583	140 EAST 40TH STREET	S 1/8 - 1/4 (0.159 mi.)	AP442	1067
S. J. MANAGEMENT SER Database: AST, Date of Government Version: 06/22/2020	299 MADISON AVENUE	W 1/8 - 1/4 (0.162 mi.)	BA458	1105

EXECUTIVE SUMMARY

Facility Id: 2-248681				
330 MADISON AVENUE	330 MADISON AVENUE	WNW 1/8 - 1/4 (0.173 mi.)	AX500	1193
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-612422				
13539 OWNERS CORPORA	135 E 39TH STREET	S 1/8 - 1/4 (0.179 mi.)	BG550	1317
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-147303				
300 MADISON AVE	300 MADISON AVENUE	WNW 1/8 - 1/4 (0.183 mi.)	BI593	1407
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-609423				
JAL 58 ASSOCIATES	342 MADISON AVE	NW 1/8 - 1/4 (0.189 mi.)	BT612	1469
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-337374				
NEW YORK COURT	130 EAST 39TH STREET	SSW 1/8 - 1/4 (0.192 mi.)	BW618	1482
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-607405				
275 MADISON AVE	275 MADISON AVENUE	W 1/8 - 1/4 (0.193 mi.)	BR622	1492
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-112046				
77 PARK AVENUE CONDO	77 PARK AVENUE	SW 1/8 - 1/4 (0.195 mi.)	CA631	1516
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-112070				
292 MADISON AVENUE	292 MADISON AVENUE	W 1/8 - 1/4 (0.198 mi.)	BR634	1525
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-060828				
350 MADISON AVENUE	350 MADISON AVENUE	NNW 1/8 - 1/4 (0.198 mi.)	BT638	1538
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-607240				
ROOSEVELT HOTEL	45 EAST 45TH STREET	NNW 1/8 - 1/4 (0.199 mi.)	643	1553
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-603599				
245 PARK AVE	245 PARK AVENUE	NNE 1/8 - 1/4 (0.202 mi.)	BU652	1587
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-608661				
12 E 44TH ST	12 E 44TH ST	NW 1/8 - 1/4 (0.212 mi.)	CH696	1713
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-303801				
80 PARK AVENUE CONDO	80 PARK AVENUE	SW 1/8 - 1/4 (0.212 mi.)	698	1720
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-043087				
271 MADISON AVE	271 MADISON AVE	WSW 1/8 - 1/4 (0.215 mi.)	CN710	1750
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-045594				
APARTMENT/PROFESS BU	109 EAST 38TH STREET	SSW 1/8 - 1/4 (0.216 mi.)	CO711	1753
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-335940				
SUMMIT	222 EAST 44TH STREET	ESE 1/8 - 1/4 (0.216 mi.)	CQ722	1788
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-364509				
BRICKWORK MANAGEMENT	105 EAST 38TH ST	SW 1/8 - 1/4 (0.216 mi.)	CA724	1793
Database: AST, Date of Government Version: 06/22/2020				

EXECUTIVE SUMMARY

Facility Id: 2-292818					
APF 286 MAD LLC	21 EAST 40TH STREET	W 1/8 - 1/4 (0.216 mi.)	CI725	1796	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-600038					
Facility Id: 2-060836					
18 E 41 STREET PARTN	18 EAST 41ST STREET	W 1/8 - 1/4 (0.217 mi.)	CR727	1805	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-601376					
Facility Id: 2-092207					
216 WATERMARK HOLDIN	216 EAST 45TH STREET	E 1/8 - 1/4 (0.220 mi.)	CJ751	1878	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-244759					
67 PARK AVE	67 PARK AVE	SW 1/8 - 1/4 (0.221 mi.)	760	1900	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-192147					
17 E 45 ST (BUILDING	360 MADISON AVENUE	NNW 1/8 - 1/4 (0.222 mi.)	CE762	1904	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-407070					
137 EAST 38TH STREET	137 EAST 38TH STREET	S 1/8 - 1/4 (0.228 mi.)	DB795	1987	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-606043					
270 MADISON AVE	270 MADISON AVENUE	WSW 1/8 - 1/4 (0.231 mi.)	CN815	2039	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-057428					
PONTE GADEA MADISON	366 MADISON AVENUE	NNW 1/8 - 1/4 (0.234 mi.)	DH836	2107	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-604183					
3 EAST 44 LESSEE LLC	3 EAST 44TH STREET	NW 1/8 - 1/4 (0.235 mi.)	DK843	2126	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-606087					
9 EAST 40TH STREET L	9 EAST 40TH STREET	W 1/8 - 1/4 (0.237 mi.)	DL849	2137	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-604642					
TOWNE HOUSE	108 E 38TH ST	SSW 1/8 - 1/4 (0.237 mi.)	CO855	2157	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-111503					
310 LEXINGTON OWNERS	310 LEXINGTON AVENUE	SSW 1/8 - 1/4 (0.238 mi.)	DC859	2167	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-091898					
227 E 45 LLC	227 EAST 45 STREET	E 1/8 - 1/4 (0.240 mi.)	DJ868	2214	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-282669					
228 EAST 45TH STREET	228 EAST 45TH STREET	E 1/8 - 1/4 (0.240 mi.)	DN875	2235	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-511714					
Facility Id: 2-107255					
TATHAM HOUSE	138 EAST 38TH STREET	SSW 1/8 - 1/4 (0.241 mi.)	DC876	2243	
Database: AST, Date of Government Version: 06/22/2020					
Facility Id: 2-321788					
16 EAST 40TH STREET	16 E 40 ST	W 1/8 - 1/4 (0.241 mi.)	DE887	2267	
Database: AST, Date of Government Version: 06/22/2020					

EXECUTIVE SUMMARY

Facility Id: 2-146889				
FALCON TOWER	245 EAST 44TH STREET	E 1/8 - 1/4 (0.244 mi.)	DR907	2335
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-309850				
Facility Id: 2-608003				
ISRAEL DISCOUNT BANK	511 5TH AVE	WNW 1/8 - 1/4 (0.245 mi.)	DT914	2351
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-605566				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
THE CHRYSLER CENTER	405 LEXINGTON AVE	E 0 - 1/8 (0.044 mi.)	C51	126
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-611110				
HINES	425 LEXINGTON AVENUE	ENE 0 - 1/8 (0.066 mi.)	F71	167
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-601831				
Facility Id: 2-609441				
369 LEXINGTON BORROW	369 LEXINGTON AVE, 1	S 0 - 1/8 (0.101 mi.)	O183	453
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-317616				
HOTEL GRAND CENTRAL	141 EAST 44TH STREET	ENE 0 - 1/8 (0.108 mi.)	S205	496
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-062979				
THE METROPOLIS	150 EAST 44TH STREET	E 0 - 1/8 (0.111 mi.)	Y222	522
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-607847				
CHRYSLER CENTER SHAR	666 THIRD AVENUE	ESE 0 - 1/8 (0.116 mi.)	AA239	551
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-604684				
Facility Id: 2-609182				
450 LEXINGTON AVE	450 LEXINGTON AVE	NE 0 - 1/8 (0.121 mi.)	Z257	594
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-610296				
132 E 45TH STREET	132 E 45TH ST.	ENE 1/8 - 1/4 (0.126 mi.)	AC271	629
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-292001				
459 LEXINGTON ASSOCI	459 LEXINGTON AVE	NE 1/8 - 1/4 (0.140 mi.)	AC342	796
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-310212				
685 THIRD AVENUE	685 THIRD AVENUE	E 1/8 - 1/4 (0.149 mi.)	AF384	914
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-609716				
WESTIN NEW YORK GRAN	212 EAST 42ND STREET	SE 1/8 - 1/4 (0.161 mi.)	AY452	1095
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-600583				
140 EAST 46 STREET	140 EAST 46TH STREET	NE 1/8 - 1/4 (0.169 mi.)	BC488	1169
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-253529				
600 THIRD AVENUE	600 THIRD AVENUE	S 1/8 - 1/4 (0.193 mi.)	BX620	1486
Database: AST, Date of Government Version: 06/22/2020				

EXECUTIVE SUMMARY

Facility Id: 2-612898				
PFIZER	219 EAST 42ND STREET	SE 1/8 - 1/4 (0.200 mi.)	649	1576
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-610034				
CITI BANK NA	485 LEXINGTON AVE	NE 1/8 - 1/4 (0.203 mi.)	CD659	1615
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-611346				
605 THIRD AVENUE	605 THIRD AVENUE	SSE 1/8 - 1/4 (0.209 mi.)	BX686	1682
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-610105				
NYU 222 EAST 41ST ST	222 EAST 41ST STREET	SSE 1/8 - 1/4 (0.221 mi.)	CV759	1897
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-612728				
THE NEWS BUILDING	220 EAST 42ND STREET	SE 1/8 - 1/4 (0.224 mi.)	CX776	1943
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-604594				
MURRAY HILL HOUSE IN	590 THIRD AVE	S 1/8 - 1/4 (0.230 mi.)	DD809	2023
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-251364				
PFIZER, INC	235 EAST 42ND ST	ESE 1/8 - 1/4 (0.233 mi.)	DG824	2065
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-610033				
5 EAST 17TH STREET R	222 EAST 46TH STREET	ENE 1/8 - 1/4 (0.248 mi.)	DX932	2396
Database: AST, Date of Government Version: 06/22/2020				
Facility Id: 2-055395				

NY TANKS: This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

A review of the NY TANKS list, as provided by EDR, has revealed that there are 2 NY TANKS sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GRAND CENTRAL TERMIN	87 EAST 42ND STREET	W 0 - 1/8 (0.077 mi.)	J82	208
Database: TANKS, Date of Government Version: 06/22/2020				
Facility Id: 2-613155				
Site Status: Unregistered				
BARCLAYS CAPITAL	200 PARK AVENUE	NNW 1/8 - 1/4 (0.148 mi.)	AR373	884
Database: TANKS, Date of Government Version: 06/22/2020				
Facility Id: 2-611499				
Site Status: Inactive				

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: Environmental Remediation sites that have engineering controls in place.

A review of the NY ENG CONTROLS list, as provided by EDR, and dated 05/12/2020 has revealed that

EXECUTIVE SUMMARY

there are 3 NY ENG CONTROLS sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PARKING LOT (FIRST A Site Code: 58857)	685 FIRST AVE.	SE 1/4 - 1/2 (0.421 mi.)	EN996	2538
THE GREATER WATERSID Site Code: 58858	700-708 FIRST AVENUE	SE 1/4 - 1/2 (0.427 mi.)	EN1002	2578
708 OFFICE BUILDING Site Code: 57005	708 FIRST AVE.	SE 1/4 - 1/2 (0.436 mi.)	EL1008	2588

Environmental Remediation sites that have institutional controls in place.

A review of the NY INST CONTROL list, as provided by EDR, and dated 05/12/2020 has revealed that there are 4 NY INST CONTROL sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WATERSIDE GENERATING Site Code: 57006	700 FIRST AVE.	SE 1/4 - 1/2 (0.420 mi.)	EL992	2527
PARKING LOT (FIRST A Site Code: 58857)	685 FIRST AVE.	SE 1/4 - 1/2 (0.421 mi.)	EN997	2540
708 OFFICE BUILDING Site Code: 57005	708 FIRST AVE.	SE 1/4 - 1/2 (0.424 mi.)	EN999	2551
THE GREATER WATERSID Site Code: 58858	700-708 FIRST AVENUE	SE 1/4 - 1/2 (0.427 mi.)	EN1000	2557

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the NY VCP list, as provided by EDR, has revealed that there are 5 NY VCP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ONE VANDERBILT Database: VCP NYC, Date of Government Version: 03/17/2020	10 VANDERBILT AVENUE	WNW 0 - 1/8 (0.109 mi.)	T219	518
11 EAST 51 STREET Database: VCP NYC, Date of Government Version: 03/17/2020	11 EAST 51 STREET	N 1/4 - 1/2 (0.475 mi.)	ER1027	2643
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
685 FIRST AVENUE - S Database: VCP NYC, Date of Government Version: 03/17/2020	685 1ST AVENUE	SE 1/4 - 1/2 (0.421 mi.)	EN995	2538
708 OFFICE BUILDING Database: VCP, Date of Government Version: 05/12/2020 Site Code: 57005	708 FIRST AVE.	SE 1/4 - 1/2 (0.424 mi.)	EN998	2548
PARKING LOT (FIRST A Database: VCP, Date of Government Version: 05/12/2020	685 FIRST AVE.	SE 1/4 - 1/2 (0.427 mi.)	EN1001	2573

EXECUTIVE SUMMARY

Site Code: 58857

State and tribal Brownfields sites

NY BROWNFIELDS: Brownfields Site List

A review of the NY BROWNFIELDS list, as provided by EDR, and dated 05/12/2020 has revealed that there are 2 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
708 OFFICE BUILDING Site Code: 57363	708 FIRST AVE.	SE 1/4 - 1/2 (0.424 mi.)	EN998	2548
PARKING LOT (FIRST A Site Code: 58858	685 FIRST AVE.	SE 1/4 - 1/2 (0.427 mi.)	EN1001	2573

ADDITIONAL ENVIRONMENTAL RECORDS

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 05/12/2020 has revealed that there are 59 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
METRO NORTH RAILROAD Spill Date: 1996-12-27 Spill Number/Closed Date: 9611752 / 2003-12-08 Site ID: 304972	416 LEXINGTON AVE	N 0 - 1/8 (0.031 mi.)	17	37
WEST 42ND ST SUBSTAT Spill Date: 2001-03-15 Spill Number/Closed Date: 0013142 / 2004-09-08 Site ID: 310565	42ND ST	WSW 0 - 1/8 (0.048 mi.)	D54	131
WEST 42ND ST SUBSTAT Spill Date: 2001-02-19 Spill Number/Closed Date: 0012388 / 2001-08-17 Site ID: 310564	42ND ST	WSW 0 - 1/8 (0.048 mi.)	D55	132
BETWEEN LEXINGTON & Spill Date: 1999-11-07 Spill Number/Closed Date: 9909592 / 2004-02-06 Site ID: 159663	E 42ND ST	WSW 0 - 1/8 (0.048 mi.)	D56	133
CON ED DRAIN Spill Date: 2019-07-10 Spill Number/Closed Date: 1903642 / 2019-09-23	110 EAST 42 ST	SW 0 - 1/8 (0.056 mi.)	G65	156

EXECUTIVE SUMMARY

Site ID: 591612				
GRAND CENTRAL BOILER	89 EAST 42ND	W 0 - 1/8 (0.074 mi.)	J77	183
Spill Date: 2015-08-05				
Spill Number/Closed Date: 1504856 / 2015-08-05				
Site ID: 511209				
GRAND CENTRAL TERMIN	89 EAST 42ND STREET	W 0 - 1/8 (0.074 mi.)	J78	184
Spill Date: 2017-01-16				
Spill Number/Closed Date: 1609639 / 2017-01-20				
Site ID: 538435				
MANHOLE #07991	IFO 101 E 41ST ST	SSW 0 - 1/8 (0.077 mi.)	G81	206
Spill Date: 2003-07-15				
Spill Number/Closed Date: 0304009 / 2003-09-26				
Site ID: 259668				
X	107 EAST 41ST ST	SSW 0 - 1/8 (0.077 mi.)	H83	208
Spill Date: 2000-09-18				
Spill Date: 2004-08-27				
Spill Date: 2000-10-09				
Spill Number/Closed Date: 0007136 / 2004-06-29				
Spill Number/Closed Date: 0405829 / 2004-10-20				
Spill Number/Closed Date: 0008035 / 2002-04-05				
Site ID: 209845				
Site ID: 225114				
Site ID: 285485				
ON STREET	125TH ST & PARK AVE	W 0 - 1/8 (0.083 mi.)	J104	259
Spill Date: 2004-03-29				
Spill Number/Closed Date: 0314214 / 2004-04-05				
Site ID: 99177				
GRAND CENTRAL/TRK 16	GRAND CENTRAL/TRK 16	WNW 0 - 1/8 (0.084 mi.)	J106	262
Spill Date: 1993-01-26				
Spill Number/Closed Date: 9212241 / 1993-01-28				
Site ID: 77788				
GRAND CENTRAL STATIO	#7 LINE, TRACK C2, C	WNW 0 - 1/8 (0.084 mi.)	J107	263
Spill Date: 2000-12-20				
Spill Number/Closed Date: 0010574 / Not Reported				
Site ID: 93202				
GRAND CENTRAL STATIO	TRACK #1	WNW 0 - 1/8 (0.084 mi.)	J108	280
Spill Date: 2001-11-21				
Spill Number/Closed Date: 0108498 / 2002-07-30				
Site ID: 314068				
MANHOLE 56481	100 EAST 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N109	281
Spill Date: 2015-04-27				
Spill Number/Closed Date: 1500936 / 2015-05-14				
Site ID: 507110				
VAULT #4725	118 -132 PARK AVE	W 0 - 1/8 (0.099 mi.)	P169	412
Spill Date: 2005-10-14				
Spill Number/Closed Date: 0508429 / 2006-01-12				
Site ID: 354017				
GRAVEL IN HUDSON, BR	232ND ST. PARK	WSW 0 - 1/8 (0.099 mi.)	L170	413
Spill Date: 1986-04-13				
Spill Number/Closed Date: 8600326 / 1986-04-15				
Site ID: 269759				
MANHOLE #56305	EAST 41ST ST AND PAR	WSW 0 - 1/8 (0.103 mi.)	L187	463

EXECUTIVE SUMMARY

Spill Date: 1999-01-19 Spill Number/Closed Date: 9812822 / 2004-01-08 Site ID: 227005				
MANHOLE 2394	E 41ST ST / PARK AV	WSW 0 - 1/8 (0.103 mi.)	L188	464
Spill Date: 2001-03-10 Spill Number/Closed Date: 0012974 / 2001-08-24 Site ID: 217294				
GRAND CENTRAL TERMIN	25 VANDERBELT AVE	NW 0 - 1/8 (0.104 mi.)	T194	477
Spill Date: 2012-01-29 Spill Number/Closed Date: 1112519 / 2012-01-30 Site ID: 460459				
PAVEMENT STORM DRAIN	101 PARK AVE	SW 0 - 1/8 (0.109 mi.)	X215	512
Spill Date: 2015-08-13 Spill Number/Closed Date: 1505151 / 2015-08-27 Site ID: 512500				
RESIDENCE	65-41 WOODSIDE AVENU	W 0 - 1/8 (0.116 mi.)	P241	561
Spill Date: 1999-08-02 Spill Number/Closed Date: 9905266 / 1999-09-01 Site ID: 244580				
LOT 17, TAXBLOCK 1295	354 LEXINGTON AVENUE	SSW 0 - 1/8 (0.117 mi.)	AB242	562
Spill Date: 2003-09-23 Spill Number/Closed Date: 0306654 / 2005-06-28 Site ID: 293555				
SPILL NUMBER 9812883	47-65 EAST 42ND STRE	WNW 0 - 1/8 (0.124 mi.)	AE265	611
Spill Date: 1999-01-20 Spill Number/Closed Date: 9812883 / 2004-01-08 Site ID: 117566				
VANDERBILT AV&43RD S	VANDERBILT AVE&43RD	NW 0 - 1/8 (0.124 mi.)	266	612
Spill Date: 1988-03-09 Spill Number/Closed Date: 8710309 / 1988-03-19 Site ID: 315152				
Lower Elevation	Address	Direction / Distance	Map ID	Page
INFRONT OF	122 EAST 43ND ST	SSW 0 - 1/8 (0.033 mi.)	B18	38
Spill Date: 1999-03-22 Spill Number/Closed Date: 9815119 / 1999-03-22 Site ID: 143323				
EAST 42ND ST&LEXINGT	E 42ND ST / LEXINGTO	SSE 0 - 1/8 (0.042 mi.)	B35	99
Spill Date: 1988-12-02 Spill Number/Closed Date: 8807301 / 2004-01-23 Site ID: 330386				
SUBWAY, LEX&42ND-AVIS	LEXINGTON AVE / 42ND	SSE 0 - 1/8 (0.042 mi.)	B36	100
Spill Date: 1979-07-03 Spill Number/Closed Date: 7900470 / 1982-02-22 Site ID: 195482				
MANHOLE 56570	EAST 42ND ST/LEXINGT	SSE 0 - 1/8 (0.042 mi.)	B37	101
Spill Date: 2001-05-16 Spill Number/Closed Date: 0101798 / 2001-06-19 Site ID: 92138				
MH 38638	EAST 42ND ST/LEXINGT	SSE 0 - 1/8 (0.042 mi.)	B38	103

EXECUTIVE SUMMARY

Spill Date: 2000-07-23 Spill Number/Closed Date: 0004839 / 2004-05-11 Site ID: 92137				
CON ED	EAST 42 AND LEXINGTO	SSE 0 - 1/8 (0.042 mi.)	B43	111
Spill Date: 2007-07-21 Spill Number/Closed Date: 0704527 / 2007-11-08 Site ID: 384685				
MH 38633	E 42ND ST & LEXINGTO	SSE 0 - 1/8 (0.042 mi.)	B44	112
Spill Date: 1999-10-12 Spill Number/Closed Date: 9908420 / 2004-02-05 Site ID: 224014				
ALLEYWAY AT GRAND CE	42ND AND LEXINGTON A	SSE 0 - 1/8 (0.042 mi.)	B45	113
Spill Date: 1996-12-27 Spill Number/Closed Date: 9611764 / 1996-12-27 Site ID: 108675				
COMMERCIAL PROPERTY	405 LEXINGTON AVE	E 0 - 1/8 (0.044 mi.)	C52	128
Spill Date: 2012-06-03 Spill Number/Closed Date: 1202153 / 2012-06-04 Site ID: 464907				
CATCH BASIN	420 LEXINGTON AVE	NE 0 - 1/8 (0.056 mi.)	F61	146
Spill Date: 2016-09-12 Spill Number/Closed Date: 1605892 / 2016-09-19 Site ID: 532455				
GRAYBAR BUILDING 22N	420 LEXINGTON AVE	NE 0 - 1/8 (0.056 mi.)	F62	147
Spill Date: 2005-08-03 Spill Number/Closed Date: 0505448 / 2005-08-04 Site ID: 350467				
GRAND CENTRAL TERM/M	GRAND CENTRAL TERMIN	SSE 0 - 1/8 (0.059 mi.)	E66	158
Spill Date: 1988-03-09 Spill Number/Closed Date: 8710325 / 1988-03-09 Site ID: 151960				
STEAM PIPE RUPTURE W	LEXINGTON AVENUE BET	S 0 - 1/8 (0.061 mi.)	H68	161
Spill Date: 2007-07-18 Spill Number/Closed Date: 0704396 / 2008-05-19 Site ID: 384535				
CHRYSLER BUILDING	43RD BETWEEN 3RD & L	E 0 - 1/8 (0.073 mi.)	I75	181
Spill Date: 1999-02-03 Spill Number/Closed Date: 9813493 / 1999-02-10 Site ID: 327959				
EAST 43RD ST BET	LEXINGTON AND 3RD AV	E 0 - 1/8 (0.073 mi.)	I76	182
Spill Date: 1997-11-25 Spill Number/Closed Date: 9709888 / 1998-01-02 Site ID: 249156				
MANHOLE 1592	I/F/O 150 EAST 42ND	SSE 0 - 1/8 (0.076 mi.)	E80	205
Spill Date: 2012-04-23 Spill Number/Closed Date: 1200689 / 2012-09-27 Site ID: 463341				
VAULT 3841	117 E. 41ST STREET	S 0 - 1/8 (0.081 mi.)	H87	220
Spill Date: 1999-03-26 Spill Number/Closed Date: 9815344 / 1999-05-04 Site ID: 93296				
211393; E 44 ST AND	E 44 ST AND LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K93	236

EXECUTIVE SUMMARY

Spill Date: 2008-05-15 Spill Number/Closed Date: 0814197 / 2008-08-10 Site ID: 432410				
VAULT#2426	150 EAST 42ST	SE 0 - 1/8 (0.084 mi.)	M105	260
Spill Date: 2015-05-31 Spill Number/Closed Date: 1502244 / 2015-08-19 Site ID: 508495				
BUS 8614	42 ST BETWEEN LEXING	SE 0 - 1/8 (0.085 mi.)	M117	297
Spill Date: 2009-06-17 Spill Number/Closed Date: 0903190 / 2009-06-19 Site ID: 415276				
BUILDING - CON ED VA	E 41ST ST AND LEXING	S 0 - 1/8 (0.086 mi.)	O121	304
Spill Date: 2015-08-13 Spill Number/Closed Date: 1505164 / 2015-11-19 Site ID: 512514				
MANHOLE #38626	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O126	317
Spill Date: 2001-05-23 Spill Number/Closed Date: 0102080 / 2004-03-16 Site ID: 188661				
ROADWAY	41ST AND LEXINGTON	S 0 - 1/8 (0.086 mi.)	O127	319
Spill Date: 2011-02-20 Spill Number/Closed Date: 1011603 / 2011-02-22 Site ID: 445488				
2 GAL SPILLED FROM D	LEXINGTON AVE & 41 S	S 0 - 1/8 (0.086 mi.)	O131	327
Spill Date: 2007-08-01 Spill Number/Closed Date: 0704944 / 2007-11-08 Site ID: 385188				
THREE QTS OIL IN MAN	EAST 41 STREET & LEX	S 0 - 1/8 (0.086 mi.)	O132	328
Spill Date: 2007-08-03 Spill Number/Closed Date: 0705085 / 2007-09-20 Site ID: 385358				
VAULT 3108	120 E 41 STREET	S 0 - 1/8 (0.091 mi.)	O148	366
Spill Date: 2000-11-02 Spill Date: 2005-12-30 Spill Number/Closed Date: 0008959 / 2004-02-13 Spill Number/Closed Date: 0511347 / 2007-05-03 Site ID: 112521 Site ID: 357481				
MANHOLE #8242	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M174	424
Spill Date: 2001-04-06 Spill Number/Closed Date: 0100197 / 2001-05-17 Site ID: 111787				
44TH STREET BETWEEN	AND LEXINGTON	ENE 0 - 1/8 (0.101 mi.)	S182	452
Spill Date: 2001-03-07 Spill Number/Closed Date: 0012892 / 2003-02-13 Site ID: 186854				
VAULT#0310	130 EAST 43RD STREET	ESE 0 - 1/8 (0.104 mi.)	U189	465
Spill Date: 2005-06-13 Spill Number/Closed Date: 0503065 / 2005-12-29 Site ID: 347567				
STREET	360 LEXINGTON AVE	SSW 0 - 1/8 (0.106 mi.)	O199	484

EXECUTIVE SUMMARY

Spill Date: 2015-04-17 Spill Number/Closed Date: 1500596 / 2015-04-17 Site ID: 506755				
212277; 363 LEXINGTO	363 LEXINGTON AVE	S 0 - 1/8 (0.107 mi.)	O202	490
Spill Date: 2008-07-02 Spill Number/Closed Date: 0814251 / 2008-07-15 Site ID: 432451				
VAULT	363 LEXINGTON AVE	S 0 - 1/8 (0.107 mi.)	O203	491
Spill Date: 2009-06-04 Spill Number/Closed Date: 0902637 / 2009-06-22 Site ID: 414691				
MANHOLE 56948	138 EAST 43RD STREET	ESE 0 - 1/8 (0.119 mi.)	U248	572
Spill Date: 1999-10-22 Spill Number/Closed Date: 9908908 / 2004-02-05 Site ID: 269587				
CBRE OFFICE BUILDING	450 LEXINGTON AVE	NE 0 - 1/8 (0.121 mi.)	Z256	593
Spill Date: 2009-08-10 Spill Number/Closed Date: 0905450 / 2009-08-10 Site ID: 417714				
COLOR ALL TECHNOLOGI	684 3RD AV	ESE 0 - 1/8 (0.122 mi.)	U259	598
Spill Date: 2000-07-06 Spill Number/Closed Date: 0004172 / 2003-02-12 Site ID: 258965				

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/15/2020 has revealed that there are 340 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NYCDOT BRIDGES BIN 2 EPA ID:: NY0000362913	PARK AVE VIADUCT OVE	W 0 - 1/8 (0.030 mi.)	D16	33
CON EDISON EPA ID:: NYP004744801	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D22	61
CON EDISON SERVICE B EPA ID:: NYP004467759	122-26 E 42ND ST & L	WSW 0 - 1/8 (0.040 mi.)	D27	77
CON EDISON EPA ID:: NYP004267753	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D28	81
CON EDISON SERVICE B EPA ID:: NYP004267761	122 E 42ND ST OPPOS	WSW 0 - 1/8 (0.040 mi.)	D31	89
CON EDISON SERVICE B EPA ID:: NYP004318556	131 PARK AVE FRONT O	WSW 0 - 1/8 (0.082 mi.)	L103	256
CON EDISON	100 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N112	286

EXECUTIVE SUMMARY

EPA ID:: NYP004786075				
CON EDISON	100 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N113	288
EPA ID:: NYP004752523				
CON EDISON SERVICE B	104 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N115	292
EPA ID:: NYP004267829				
MTA PID STAIRCASE IN	125 PARK AVE	WSW 0 - 1/8 (0.090 mi.)	L147	360
EPA ID:: NYR000094425				
CON EDISON SERVICE B	123 PARK AVE FRONT O	WSW 0 - 1/8 (0.092 mi.)	L152	373
EPA ID:: NYP004318549				
CON EDISON SERVICE B	123-25 PARK AVE & 72	WSW 0 - 1/8 (0.092 mi.)	L153	377
EPA ID:: NYP004464772				
CON EDISON SERVICE B	126 PARK AVE FRONT O	W 0 - 1/8 (0.094 mi.)	P154	380
EPA ID:: NYP004318564				
NALCO WATER AT BLOOM	120 PARK AVE	W 0 - 1/8 (0.096 mi.)	P161	391
EPA ID:: NYR000239004				
CON EDISON	E 41ST ST & PARK AVE	WSW 0 - 1/8 (0.099 mi.)	L167	404
EPA ID:: NYP004769675				
CON EDISON - VAULT V	118 - 132 PARK AVE.	W 0 - 1/8 (0.099 mi.)	P168	407
EPA ID:: NYP004136644				
CON EDISON	E 41ST ST & PARK AVE	WSW 0 - 1/8 (0.108 mi.)	W204	493
EPA ID:: NYP004756300				
MTA -SHUTTLE PLATFOR	42ND ST & VANDERBILT	WNW 0 - 1/8 (0.109 mi.)	R209	501
EPA ID:: NYR000226746				
CON EDISON	VANDERBILT AVE & E 4	WNW 0 - 1/8 (0.109 mi.)	R211	506
EPA ID:: NYP004826929				
ONE VANDERBILT LLC	10 VANDERBILT AVE	WNW 0 - 1/8 (0.109 mi.)	T220	518
EPA ID:: NYR000228403				
CON EDISON OTHER SPE	104 E 45TH ST	NNE 0 - 1/8 (0.113 mi.)	Z228	532
EPA ID:: NYP004269973				
CON EDISON SERVICE B	110 PARK AVE FRONT O	WSW 0 - 1/8 (0.123 mi.)	W262	605
EPA ID:: NYP004318572				
CON EDISON SERVICE B	355 LEXINGTON AVE	S 1/8 - 1/4 (0.125 mi.)	AB269	619
EPA ID:: NYP004225710				
355 LEXINGTON INC	355 LEXINGTON AVE	S 1/8 - 1/4 (0.125 mi.)	AB270	624
EPA ID:: NYD987038858				
CON EDISON SERVICE B	101 E 45TH ST	NNE 1/8 - 1/4 (0.129 mi.)	AG288	660
EPA ID:: NYP004425906				
CON EDISON - V 2761	60 E 41 ST 60 E 41 S	WSW 1/8 - 1/4 (0.132 mi.)	AJ313	721
EPA ID:: NYP004092441				
V554	60 E 41ST STREET	WSW 1/8 - 1/4 (0.132 mi.)	AJ314	725
EPA ID:: NYP004036158				
CON EDISON VAULT: 27	100 PARK AVE	WSW 1/8 - 1/4 (0.132 mi.)	AJ318	736
EPA ID:: NYP004356515				
CON EDISON VAULT: 55	100 PARK AVE VAULT 5	WSW 1/8 - 1/4 (0.132 mi.)	AJ319	739
EPA ID:: NYP004552352				
CON EDISON VAULT: 27	100 PARK AVE VAULT 2	WSW 1/8 - 1/4 (0.132 mi.)	AJ321	743

EXECUTIVE SUMMARY

EPA ID:: NYP004552345				
CON EDISON MANHOLE 3	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB322	746
EPA ID:: NYP004218604				
CON EDISON MANHOLE 5	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB323	750
EPA ID:: NYP004249759				
CON EDISON	118 E 40TH ST & LEXI	SSW 1/8 - 1/4 (0.134 mi.)	AB328	762
EPA ID:: NYP004732814				
CON EDISON SERVICE B	102 E 40TH ST	SW 1/8 - 1/4 (0.144 mi.)	AM350	820
EPA ID:: NYP004266250				
CON EDISON	118 E 40TH ST	SSW 1/8 - 1/4 (0.145 mi.)	AN356	834
EPA ID:: NYP004833030				
CON EDISON	122 E 40TH ST	S 1/8 - 1/4 (0.146 mi.)	AO358	839
EPA ID:: NYP004165940				
CON EDISON SERVICE B	122 E 40TH ST OPPOS	S 1/8 - 1/4 (0.146 mi.)	AO359	843
EPA ID:: NYP004266540				
CON EDISON	90 PARK AVE & 40TH S	WSW 1/8 - 1/4 (0.148 mi.)	AL365	858
EPA ID:: NYP004747366				
NEW YORK TELEPHONE C	200 PARK AVE	NNW 1/8 - 1/4 (0.148 mi.)	AR368	866
EPA ID:: NYD980582530				
SHORENSTEIN COMPANY	200 PARK AVE - WEST	NNW 1/8 - 1/4 (0.148 mi.)	AR369	870
EPA ID:: NYD987002425				
CON EDISON - PAN AM	200 PARK AVE PAN AM	NNW 1/8 - 1/4 (0.148 mi.)	AR375	886
EPA ID:: NYD981086473				
CON EDISON SERVICE B	130 E 40TH ST	S 1/8 - 1/4 (0.149 mi.)	AO385	917
EPA ID:: NYP004267084				
CON EDISON VAULT: 28	41 E 43RD ST	NW 1/8 - 1/4 (0.151 mi.)	AW392	937
EPA ID:: NYP004360442				
CON EDISON VAULT: 30	41 E 43RD ST	NW 1/8 - 1/4 (0.151 mi.)	AW393	941
EPA ID:: NYP004360434				
RXR REALTY	237 PARK AVE	NNE 1/8 - 1/4 (0.151 mi.)	AG395	946
EPA ID:: NYR000214346				
ONE VANDERBILT OWNER	317 MADISON AVE	WNW 1/8 - 1/4 (0.152 mi.)	AX403	965
EPA ID:: NYR000226753				
CON ED - V 4058	44 E 43RD ST	NW 1/8 - 1/4 (0.152 mi.)	AW404	969
EPA ID:: NYP004010823				
CON EDISON	331 MADISON AVE	NW 1/8 - 1/4 (0.152 mi.)	AW410	990
EPA ID:: NYP004798286				
CON EDISON SERVICE B	344 LEXINGTON AVE	SSW 1/8 - 1/4 (0.154 mi.)	AN420	1015
EPA ID:: NYP004266532				
KOBRAND CORP	134 E 40TH ST	S 1/8 - 1/4 (0.154 mi.)	AO421	1019
EPA ID:: NYR000110668				
CON EDISON MANHOLE:	83 E 40TH ST	WSW 1/8 - 1/4 (0.155 mi.)	AL424	1029
EPA ID:: NYP004511556				
CON EDISON SERVICE B	333 MADISON AVE	NW 1/8 - 1/4 (0.156 mi.)	AW434	1047
EPA ID:: NYP004269569				
CON EDISON	307 MADISON AVE	WNW 1/8 - 1/4 (0.156 mi.)	AT435	1051

EXECUTIVE SUMMARY

EPA ID:: NYP004767505				
CON EDISON MANHOLE:	140 E 40TH ST OPPOS	S 1/8 - 1/4 (0.159 mi.)	AP443	1069
EPA ID:: NYP004267076				
ROBECO INC	99 PARK AVE 17TH FLO	SW 1/8 - 1/4 (0.161 mi.)	AM449	1081
EPA ID:: NYD002535888				
CON EDISON SERVICE B	99 PARK AVE	SW 1/8 - 1/4 (0.161 mi.)	AM450	1088
EPA ID:: NYP004266243				
CON EDISON SERVICE B	E 43RD ST & MADISON	NW 1/8 - 1/4 (0.162 mi.)	AW459	1108
EPA ID:: NYP004267811				
NYNEX - MANHOLE	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW463	1116
EPA ID:: NYP000920140				
CON EDISON	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW464	1118
EPA ID:: NYP004205324				
CON EDISON	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW465	1122
EPA ID:: NYP004774311				
CON EDISON	52 E 44TH ST VAULT83	NW 1/8 - 1/4 (0.163 mi.)	BB469	1128
EPA ID:: NYP004777926				
CON EDISON	52 E 44TH ST VAULT95	NW 1/8 - 1/4 (0.163 mi.)	BB471	1131
EPA ID:: NYP004777934				
CON EDISON VAULT: 22	41 E 45TH ST	N 1/8 - 1/4 (0.166 mi.)	AR477	1142
EPA ID:: NYP004429676				
CON ED - V 775	41 E 45TH ST	N 1/8 - 1/4 (0.166 mi.)	AR478	1145
EPA ID:: NYP004004123				
CON EDISON SERVICE B	121 E 39TH ST	SSW 1/8 - 1/4 (0.166 mi.)	AN481	1152
EPA ID:: NYP004266276				
CON EDISON MANHOLE 5	334 MADISON AVE	NW 1/8 - 1/4 (0.174 mi.)	AW512	1214
EPA ID:: NYP004249007				
BANK OF AMERICA C-O	335 MADISON AVE FLOO	NW 1/8 - 1/4 (0.174 mi.)	BB517	1229
EPA ID:: NYR000036343				
CON EDISON SERVICE B	310 MADISON AVE	WNW 1/8 - 1/4 (0.176 mi.)	BI526	1247
EPA ID:: NYP004267993				
V1531	101 E39 STREET	SW 1/8 - 1/4 (0.176 mi.)	BJ531	1259
EPA ID:: NYP004046314				
CON EDISON SERVICE B	133 E 39TH ST	S 1/8 - 1/4 (0.176 mi.)	BG533	1264
EPA ID:: NYP004266995				
CON EDISON VAULT: 11	101 E 39TH ST	SW 1/8 - 1/4 (0.176 mi.)	BJ534	1268
EPA ID:: NYP004574737				
CON EDISON - VAULT 1	101 E 39 ST	SW 1/8 - 1/4 (0.176 mi.)	BJ535	1271
EPA ID:: NYP004136065				
CON EDISON - V3701	101 EAST 39 ST 101 E	SW 1/8 - 1/4 (0.176 mi.)	BJ536	1275
EPA ID:: NYP004071890				
CON ED - V 0011	101 E 39 ST	SW 1/8 - 1/4 (0.176 mi.)	BJ538	1280
EPA ID:: NYP004005450				
CON EDISON VAULT: 79	32 E 45TH ST	NNW 1/8 - 1/4 (0.177 mi.)	BK540	1287
EPA ID:: NYP004451225				
CON EDISON SERVICE B	308 MADISON AVE	WNW 1/8 - 1/4 (0.177 mi.)	BI542	1291

EXECUTIVE SUMMARY

EPA ID:: NYP004267985				
D B S SERVICES INC	295 MADISON AVE ROOM	W 1/8 - 1/4 (0.177 mi.)	BA544	1297
EPA ID:: NY0000133348				
CON EDISON	40 E 40TH ST	WSW 1/8 - 1/4 (0.178 mi.)	BL545	1303
EPA ID:: NYP004813875				
V4090	279-93 MADISON AVENU	W 1/8 - 1/4 (0.178 mi.)	BA547	1308
EPA ID:: NYP004042131				
V4090	293 MADISON AVENUE	W 1/8 - 1/4 (0.179 mi.)	BA552	1321
EPA ID:: NYP004044343				
MH50208	F/O 293 MADISON AVEN	W 1/8 - 1/4 (0.179 mi.)	BA554	1326
EPA ID:: NYP004042149				
CON EDISON	293 MADISON AVE MH50	W 1/8 - 1/4 (0.179 mi.)	BA556	1331
EPA ID:: NYP004754446				
CON EDISON	293 MADISON AVE SB50	W 1/8 - 1/4 (0.179 mi.)	BA557	1333
EPA ID:: NYP004754453				
CON EDISON SERVICE B	340 MADISON AVE	NW 1/8 - 1/4 (0.180 mi.)	BN566	1351
EPA ID:: NYP004269551				
NINETY PARK PROPERTY	90 PARK AVE - CELLAR	WSW 1/8 - 1/4 (0.182 mi.)	BL574	1368
EPA ID:: NYR000070037				
STERLING DRUG INC	90 PARK AVE	WSW 1/8 - 1/4 (0.182 mi.)	BL575	1372
EPA ID:: NYD001317247				
M R C MANAGEMENT LLC	90 PARK AVE 17TH FLO	WSW 1/8 - 1/4 (0.182 mi.)	BL577	1376
EPA ID:: NYR000044693				
OMI BULK MANAGEMENT	90 PARK AVE - 2ND FL	WSW 1/8 - 1/4 (0.182 mi.)	BL578	1380
EPA ID:: NYD987016011				
CON EDISON	E 39TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.182 mi.)	BG582	1388
EPA ID:: NYP004768875				
MTA METRO NORTH RAIL	347 MADISON AVE	NNW 1/8 - 1/4 (0.183 mi.)	BK594	1410
EPA ID:: NYD980774590				
CON ED - METRO NORTH	347 MADISON AVE - TR	NNW 1/8 - 1/4 (0.183 mi.)	BK595	1418
EPA ID:: NYR000108845				
V6429	42 EAST 42ND STREET	WNW 1/8 - 1/4 (0.183 mi.)	BI596	1423
EPA ID:: NYP004047296				
YOUNG & RUBICAM INC	285 MADISON AVE - BA	W 1/8 - 1/4 (0.184 mi.)	BR597	1427
EPA ID:: NYD097508576				
CON EDISON	285 MADISON AVE	W 1/8 - 1/4 (0.184 mi.)	BR599	1433
EPA ID:: NYP004828549				
CON EDISON	279 MADISON AVE	W 1/8 - 1/4 (0.185 mi.)	BR601	1438
EPA ID:: NYP004751608				
CON EDISON	279 MADISON AVE	W 1/8 - 1/4 (0.185 mi.)	BR602	1440
EPA ID:: NYP004728713				
SPEED GRAPHICS INC	342 MADISON AVE 10 F	NW 1/8 - 1/4 (0.189 mi.)	BT607	1455
EPA ID:: NYD986931640				
HANNAN MEDICAL LABOR	342 MADISON AVE	NW 1/8 - 1/4 (0.189 mi.)	BT610	1465
EPA ID:: NYD078606647				
CON EDISON SERVICE B	245-247 BROADWAY & P	NNE 1/8 - 1/4 (0.190 mi.)	BU613	1472

EXECUTIVE SUMMARY

EPA ID:: NYP004514451				
GP 275 OWNER LLC	275 MADISON AVE - 21	W 1/8 - 1/4 (0.193 mi.)	BR623	1494
EPA ID:: NYR000178434				
CON EDISON SERVICE B	37 E 40TH ST	WSW 1/8 - 1/4 (0.194 mi.)	BR624	1500
EPA ID:: NYP004266649				
350 MADISON PROPRTI	350 MADISON AVE	NNW 1/8 - 1/4 (0.198 mi.)	BT636	1529
EPA ID:: NYD986875706				
350 MADISON PROPRTI	350 MADISON AVE	NNW 1/8 - 1/4 (0.198 mi.)	BT637	1534
EPA ID:: NYP004269338				
V3686/V4593	22 E. 44 ST	NW 1/8 - 1/4 (0.198 mi.)	BN639	1541
EPA ID:: NYP004042164				
MH8595	22 E. 44 ST.	NW 1/8 - 1/4 (0.198 mi.)	BN640	1544
EPA ID:: NYP004042172				
CON EDISON MANHOLE 8	22 E 44TH ST & MADIS	NW 1/8 - 1/4 (0.198 mi.)	BN642	1549
EPA ID:: NYP004228157				
ROOSEVELT HOTEL	45 EAST 45TH STREET	NNW 1/8 - 1/4 (0.199 mi.)	643	1553
EPA ID:: NYR000027920				
CON EDISON	16 E 43RD ST	NW 1/8 - 1/4 (0.200 mi.)	CB644	1566
EPA ID:: NYP004268116				
CON ED - V 5331	16 E 43 ST	NW 1/8 - 1/4 (0.200 mi.)	CB648	1574
EPA ID:: NYP000929141				
WESTINGHOUSE ELECTRI	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU654	1593
EPA ID:: NYD986893436				
CON EDISON - PARK AV	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU656	1600
EPA ID:: NYD982178782				
ZEN-NOH UNICO AMERIC	245 PARK AVE 25TH FL	NNE 1/8 - 1/4 (0.202 mi.)	BU657	1604
EPA ID:: NYR000028613				
BELL ATLANTIC-NY	45 ST/MADISON AVE	NNW 1/8 - 1/4 (0.203 mi.)	CE661	1623
EPA ID:: NYP000935270				
CON EDISON	MADISON AVE & 45TH S	NNW 1/8 - 1/4 (0.203 mi.)	CE663	1626
EPA ID:: NYP004884728				
CON EDISON SERVICE B	12 E 43RD ST	NW 1/8 - 1/4 (0.205 mi.)	CB668	1639
EPA ID:: NYP004267902				
CON EDISON SERVICE B	16 E 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH671	1646
EPA ID:: NYP004204723				
V4567	16 E 44TH STREET	NW 1/8 - 1/4 (0.206 mi.)	CH674	1657
EPA ID:: NYP004031076				
CON EDISON	E 40TH ST & MADISON	W 1/8 - 1/4 (0.206 mi.)	CI677	1663
EPA ID:: NYP004839068				
V1147	31 EAST 39TH STREET	WSW 1/8 - 1/4 (0.206 mi.)	CG683	1674
EPA ID:: NYP004045845				
VIDEO 44	219 E 44TH ST	E 1/8 - 1/4 (0.208 mi.)	BY685	1679
EPA ID:: NYD175156629				
CON ED - V 376	19 E 44 ST	NW 1/8 - 1/4 (0.209 mi.)	BT688	1686
EPA ID:: NYP000929158				
CON EDISON VAULT: 73	257 PARK AVE FRONT O	NNE 1/8 - 1/4 (0.209 mi.)	BU691	1700

EXECUTIVE SUMMARY

EPA ID:: NYP004387502				
CON EDISON SERVICE B	71 PARK AVE	SW 1/8 - 1/4 (0.209 mi.)	CA693	1704
EPA ID:: NYP004266235				
CON EDISON VAULT: 03	18 E 45TH ST & LEXIN	NNW 1/8 - 1/4 (0.211 mi.)	CE695	1709
EPA ID:: NYP004327417				
CON EDISON	247-249 E 43RD ST &	ESE 1/8 - 1/4 (0.212 mi.)	BZ701	1726
EPA ID:: NYP004807863				
CON EDISON	6 E 43RD ST	NW 1/8 - 1/4 (0.214 mi.)	CB704	1735
EPA ID:: NYP004792818				
250 PARK AVENUE LLC	250 PARK AVE	N 1/8 - 1/4 (0.214 mi.)	CM706	1739
EPA ID:: NYR000230763				
CON EDISION - V814	43-01 39TH ST. 43-01	WSW 1/8 - 1/4 (0.214 mi.)	CG709	1747
EPA ID:: NYP004072732				
BELL ATLANTIC-NY	IFO 11 E 44TH ST	NW 1/8 - 1/4 (0.216 mi.)	CH717	1763
EPA ID:: NYP000935445				
K L CUSTOM PHOTOGRAP	222 E 44TH ST - 2ND	ESE 1/8 - 1/4 (0.216 mi.)	CQ720	1776
EPA ID:: NYR000001784				
EDITEL NEW YORK	222 E 44TH ST	ESE 1/8 - 1/4 (0.216 mi.)	CQ721	1781
EPA ID:: NYD982717902				
BLDG 44 DEVELOPERS L	222 E 44TH ST	ESE 1/8 - 1/4 (0.216 mi.)	CQ723	1791
EPA ID:: NYP000972661				
CON EDISION - V7190	18 E.41 ST. 18 E.41	W 1/8 - 1/4 (0.217 mi.)	CR729	1811
EPA ID:: NYP004079042				
CON EDISON SERVICE B	225 E 43RD ST	ESE 1/8 - 1/4 (0.217 mi.)	CS731	1816
EPA ID:: NYP004246676				
CON EDISON SERVICE B	26 E 40TH ST	W 1/8 - 1/4 (0.219 mi.)	CI745	1861
EPA ID:: NYP004266565				
CON EDISON SERVICE B	19 E 40TH ST	W 1/8 - 1/4 (0.220 mi.)	CI746	1865
EPA ID:: NYP004266466				
KING FEATURES SYNDIC	216 E 45TH ST - 4TH	E 1/8 - 1/4 (0.220 mi.)	CJ749	1872
EPA ID:: NY0000083709				
MANHATTAN PACIFIC MG	140 E 45TH ST - LEX	NNW 1/8 - 1/4 (0.223 mi.)	CW765	1913
EPA ID:: NYR000066951				
CON EDISON	14 E 45TH ST VAULT88	NNW 1/8 - 1/4 (0.223 mi.)	CW767	1920
EPA ID:: NYP004807384				
CON EDISON	14 E 45TH ST VAULT52	NNW 1/8 - 1/4 (0.223 mi.)	CW769	1924
EPA ID:: NYP004807376				
CON EDISION - V5911	24 E. 40TH ST. 24 E.	W 1/8 - 1/4 (0.223 mi.)	CI770	1927
EPA ID:: NYP004070645				
CON EDISON SERVICE B	15 E 40TH ST	W 1/8 - 1/4 (0.224 mi.)	CR773	1933
EPA ID:: NYP004265971				
CON ED - V 5334	228 E 44 ST	ESE 1/8 - 1/4 (0.225 mi.)	CQ784	1966
EPA ID:: NYP004003166				
CON EDISON	229 E 43RD ST	ESE 1/8 - 1/4 (0.225 mi.)	CS785	1970
EPA ID:: NYP004746525				
CON EDISON SERVICE B	231-33 E 43RD ST E O	ESE 1/8 - 1/4 (0.231 mi.)	CS810	2025

EXECUTIVE SUMMARY

EPA ID:: NYP004246494				
CON EDISON SERVICE B	10 E 41ST ST	W 1/8 - 1/4 (0.231 mi.)	CR813	2034
EPA ID:: NYP004258679				
270 MADISON ASSOCIAT	270 MADISON AVE	WSW 1/8 - 1/4 (0.231 mi.)	CN817	2043
EPA ID:: NYR000048538				
CON EDISON SERVICE B	20 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.231 mi.)	DE818	2047
EPA ID:: NYP004266300				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW826	2091
EPA ID:: NYP004833311				
TANKS & TOWERS CO IN	521 5TH AVE	NW 1/8 - 1/4 (0.235 mi.)	DI839	2115
EPA ID:: NYD980772529				
CON EDISON MANHOLE:	225 E 45TH ST	E 1/8 - 1/4 (0.235 mi.)	DJ841	2120
EPA ID:: NYP004269577				
CON EDISON SERVICE B	18 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.236 mi.)	DE847	2132
EPA ID:: NYP004266367				
CON EDISON VAULT: 27	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI850	2139
EPA ID:: NYP004359154				
CON EDISON VAULT: 26	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI851	2143
EPA ID:: NYP004359196				
CON EDISON VAULT: 37	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI852	2146
EPA ID:: NYP004359170				
CON EDISON VAULT: 10	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI853	2150
EPA ID:: NYP004359162				
CON EDISION - V2768	1 E.43 ST. 1 E.43 ST	NW 1/8 - 1/4 (0.237 mi.)	DI854	2153
EPA ID:: NYP004070637				
CON EDISON	7 E 40TH ST	W 1/8 - 1/4 (0.238 mi.)	DL860	2169
EPA ID:: NYP004845331				
CON EDISON	PARK AVE & E 38TH ST	SW 1/8 - 1/4 (0.238 mi.)	863	2174
EPA ID:: NYP004818466				
CON EDISON SERVICE B	39 E 39TH ST & MADIS	WSW 1/8 - 1/4 (0.240 mi.)	869	2216
EPA ID:: NYP004525101				
CON EDISION - RV 625	228 EAST 45 ST 228 E	E 1/8 - 1/4 (0.240 mi.)	DN870	2219
EPA ID:: NYP004091625				
SPEED GRAPHICS INC	228 E 45TH ST - 6TH	E 1/8 - 1/4 (0.240 mi.)	DN871	2223
EPA ID:: NYR000018770				
APA GRAVURE	228 E 45TH ST	E 1/8 - 1/4 (0.240 mi.)	DN874	2229
EPA ID:: NYD980526743				
CON EDISON SERVICE B	308 LEXINGTON AVE	SSW 1/8 - 1/4 (0.241 mi.)	DC877	2245
EPA ID:: NYP004266656				
V1083	227 E45TH ST	E 1/8 - 1/4 (0.241 mi.)	DJ879	2250
EPA ID:: NYP004044798				
CON EDISON SERVICE B	24 E 46TH ST OPPOSIT	NNW 1/8 - 1/4 (0.241 mi.)	DH882	2259
EPA ID:: NYP004269403				
BEAUTY FASHION INC	16 E 40TH ST 3RD FLO	W 1/8 - 1/4 (0.241 mi.)	DE888	2269
EPA ID:: NYR000064618				
CON EDISON	249 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO889	2274

EXECUTIVE SUMMARY

EPA ID:: NYP004746517				
CON EDISON MANHOLE 8	249 E 43RD ST E OF 2	ESE 1/8 - 1/4 (0.242 mi.)	DO892	2280
EPA ID:: NYP004246486				
CON ED - V 5391	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO897	2300
EPA ID:: NYP004005617				
CON ED - V 5291	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO898	2303
EPA ID:: NYP004003174				
CON ED - V5291	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO899	2307
EPA ID:: NYP000928069				
CON EDISON MANHOLE:	3 E 42ND ST	WNW 1/8 - 1/4 (0.243 mi.)	DM902	2319
EPA ID:: NYP004257846				
CON EDISON	260 PARK AVE	N 1/8 - 1/4 (0.245 mi.)	DS910	2345
EPA ID:: NYP004730198				
ISRAEL DISCOUNT BANK	511 5TH AVE	WNW 1/8 - 1/4 (0.245 mi.)	DT914	2351
EPA ID:: NYD982175960				
CON EDISON	18-22 E 46TH ST & MA	NNW 1/8 - 1/4 (0.245 mi.)	DH918	2364
EPA ID:: NYP004820045				
CON EDISON	18 E 46TH ST	NNW 1/8 - 1/4 (0.245 mi.)	DH919	2366
EPA ID:: NYP004821050				
CON EDISON SERVICE B	6 E 41ST ST	W 1/8 - 1/4 (0.246 mi.)	DF924	2373
EPA ID:: NYP004258661				
CON EDISON SERVICE B	59 PARK AVE	SW 1/8 - 1/4 (0.246 mi.)	DW927	2380
EPA ID:: NYP004266227				
DE SALVIO JOHN CO	507 FIFTH AVE	WNW 1/8 - 1/4 (0.247 mi.)	DM930	2390
EPA ID:: NYD054542949				
EQUITABLE BLUPRT & P	507 5TH AVE	WNW 1/8 - 1/4 (0.247 mi.)	DM931	2393
EPA ID:: NYD981487523				
TAYLOR HWI SOOK PRI	156 E 38TH ST	S 1/8 - 1/4 (0.248 mi.)	DB934	2400
EPA ID:: NYR000101048				
CON EDISON SERVICE B	3 E 40TH ST	W 1/8 - 1/4 (0.249 mi.)	DL940	2410
EPA ID:: NYP004265856				

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON ED - V 0481	400 LEXINGTON AVE	E 0 - 1/8 (0.030 mi.)	C15	30
EPA ID:: NYP000928044				
CON ED-VS 0042	CAMPUS RD S/O 68"W/O	E 0 - 1/8 (0.041 mi.)	C32	92
EPA ID:: NYP000928184				
NYC DEP	43RD ST & LEXINGTON	E 0 - 1/8 (0.041 mi.)	C33	94
EPA ID:: NYP003665460				
MTA NYCT - GRAND CEN	42ND ST & LEXINGTON	SSE 0 - 1/8 (0.042 mi.)	B41	106
EPA ID:: NYR000092783				
CON EDISON - 395 LEX	395 LEXINGTON AVE	ESE 0 - 1/8 (0.044 mi.)	C46	114
EPA ID:: NYD982791634				
SAMYANG CORPORATION	405 LEXINGTON AVE	E 0 - 1/8 (0.044 mi.)	C49	120
EPA ID:: NYR000058875				
CON EDISON SERVICE B	133 E 42ND ST	SSE 0 - 1/8 (0.052 mi.)	E57	134

EXECUTIVE SUMMARY

EPA ID:: NYP004267738				
HELMSLEY-SPEAR INC	420 LEXINGTON AVE	NE 0 - 1/8 (0.056 mi.)	F60	141
EPA ID:: NYD986868933				
A B DICK CO	420 LEXINGTON AVE ST	NE 0 - 1/8 (0.056 mi.)	F63	148
EPA ID:: NYD987033024				
CON EDISON VAULT: 91	425 LEXINGTON AVE VA	ENE 0 - 1/8 (0.066 mi.)	F70	164
EPA ID:: NYP004519401				
CON EDISON VAULT: 97	425 LEXINGTON AVE VA	ENE 0 - 1/8 (0.066 mi.)	F74	178
EPA ID:: NYP004519393				
CON EDISON VAULT: 35	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H84	211
EPA ID:: NYP004390233				
CON EDISON VAULT: 35	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H86	216
EPA ID:: NYP004390266				
CON EDISON VAULT: 22	117 E 41ST ST V 2239	S 0 - 1/8 (0.081 mi.)	H88	221
EPA ID:: NYP004390258				
CON EDISON VAULT: 38	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H89	224
EPA ID:: NYP004390282				
CON EDISON MANHOLE 5	117 E 41ST ST	S 0 - 1/8 (0.081 mi.)	H90	228
EPA ID:: NYP004249932				
CON EDISON VAULT: 37	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H91	231
EPA ID:: NYP004390241				
CON EDISON	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K94	237
EPA ID:: NYP004787719				
CON EDISON VAULT: 56	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K95	239
EPA ID:: NYP004536991				
CON EDISON	LEXINGTON AVE & 44TH	NE 0 - 1/8 (0.081 mi.)	K99	247
EPA ID:: NYP004835878				
CON EDISON	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K101	251
EPA ID:: NYP004787743				
CON EDISON	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K102	253
EPA ID:: NYP004787735				
CON EDISON	110 E 41ST ST	SSW 0 - 1/8 (0.085 mi.)	N118	298
EPA ID:: NYP004781092				
CON EDISON SERVICE B	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M133	329
EPA ID:: NYP004267704				
CON EDISON SERVICE B	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M134	333
EPA ID:: NYP004267696				
RVS2788	E. 41ST STREET AND L	S 0 - 1/8 (0.087 mi.)	O138	341
EPA ID:: NYP004036653				
CON ED - V 3108	116 E 41 ST	SSW 0 - 1/8 (0.088 mi.)	O140	345
EPA ID:: NYP000928051				
CON EDISON SERVICE B	116 E 41ST ST	SSW 0 - 1/8 (0.088 mi.)	O143	350
EPA ID:: NYP004267837				
CON EDISON	131 E 41ST ST	S 0 - 1/8 (0.090 mi.)	O145	355
EPA ID:: NYP004743845				
CON EDISON SERVICE B	138 E 42ND ST	SE 0 - 1/8 (0.092 mi.)	M149	368

EXECUTIVE SUMMARY

EPA ID:: NYP004267688				
CON EDISON	126 E 41ST ST	S 0 - 1/8 (0.094 mi.)	O157	386
EPA ID:: NYP004825218				
CON EDISON SERVICE B	364 LEXINGTON AVE	SSW 0 - 1/8 (0.098 mi.)	N164	397
EPA ID:: NYP004223293				
CON EDISON SERVICE B	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M173	420
EPA ID:: NYP004267670				
QUAD GRAPHICS	150 E 42ND ST 27TH F	SE 0 - 1/8 (0.100 mi.)	M175	425
EPA ID:: NYR000048850				
CON EDISON - M8242	150 E. 42ND ST. 150	SE 0 - 1/8 (0.100 mi.)	M178	432
EPA ID:: NYP004079323				
MOBIL OIL CORP	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M179	436
EPA ID:: NYD001307099				
MOBIL OIL CORP	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M180	447
EPA ID:: NYD068222041				
CON ED - V 290	130 E 43RD ST	ESE 0 - 1/8 (0.104 mi.)	U190	467
EPA ID:: NYP004013009				
CON EDISON	365 LEXINGTON AVE	S 0 - 1/8 (0.104 mi.)	O192	472
EPA ID:: NYP004826630				
CON EDISON SERVICE B	160 E 42ND ST	SE 0 - 1/8 (0.106 mi.)	V201	486
EPA ID:: NYP004267720				
CON EDISON	150 E 44TH ST	E 0 - 1/8 (0.111 mi.)	Y224	525
EPA ID:: NYP004844532				
CON EDISON	666 3RD AVE SB43886	ESE 0 - 1/8 (0.116 mi.)	AA231	538
EPA ID:: NYP004844557				
CON EDISON	666 3RD AVE SB43884	ESE 0 - 1/8 (0.116 mi.)	AA237	546
EPA ID:: NYP004844565				
CON EDISON	666 3RD AVE SB43885	ESE 0 - 1/8 (0.116 mi.)	AA238	549
EPA ID:: NYP004844540				
CON EDISON SERVICE B	451 LEXINGTON	NE 0 - 1/8 (0.117 mi.)	AC245	567
EPA ID:: NYP004269668				
450 LEXINGTON VENTUR	450 LEXINGTON AVE SU	NE 0 - 1/8 (0.121 mi.)	Z253	582
EPA ID:: NYR000062349				
HINES INTERESTS LTD	450 LEXINGTON AVE	NE 0 - 1/8 (0.121 mi.)	Z255	587
EPA ID:: NYR000047860				
CON EDISON	686-688 3RD AVE	E 0 - 1/8 (0.122 mi.)	U260	599
EPA ID:: NYP004172474				
CON EDISON SERVICE B	690 3RD AVE	E 0 - 1/8 (0.125 mi.)	AF267	613
EPA ID:: NYP004269619				
CON EDISON	160 E 44TH ST E OF L	E 1/8 - 1/4 (0.127 mi.)	Y272	631
EPA ID:: NYP004200473				
CON EDISON	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC275	637
EPA ID:: NYP004787701				
CON EDISON	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC279	643
EPA ID:: NYP004787693				
CON EDISON	LEXINGTON AVE & 45TH	NE 1/8 - 1/4 (0.127 mi.)	AC281	647

EXECUTIVE SUMMARY

EPA ID:: NYP004835860				
CON EDISON MANHOLE:	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC283	650
EPA ID:: NYP004337408				
CON EDISON	130 E 45TH ST	ENE 1/8 - 1/4 (0.128 mi.)	AC286	657
EPA ID:: NYP004799896				
BELL ATLANTIC-NY	43 STREET/3 AVENUE	ESE 1/8 - 1/4 (0.130 mi.)	AF291	667
EPA ID:: NYP000933366				
CON EDISON MANHOLE:	3RD AVE & 43RD ST	ESE 1/8 - 1/4 (0.130 mi.)	AF293	671
EPA ID:: NYP004423679				
NYCTA - GRAND CENTRA	3RD AVE & 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI299	682
EPA ID:: NYD986934693				
CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI301	687
EPA ID:: NYP004250387				
CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI302	690
EPA ID:: NYP004246692				
CON EDISON	42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI305	703
EPA ID:: NYP004845224				
CON EDISON	3RD AVE & E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI306	705
EPA ID:: NYP004846497				
CON EDISON MANHOLE 4	3RD AVE & E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI307	708
EPA ID:: NYP004250452				
CON EDISON SERVICE B	201 E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI310	715
EPA ID:: NYP004267605				
CON EDISON SERVICE B	698 3RD AVE	E 1/8 - 1/4 (0.134 mi.)	AF326	756
EPA ID:: NYP004269627				
CON EDISON - MH MH-5	E. 40TH STREET AND 3	ESE 1/8 - 1/4 (0.136 mi.)	AF331	767
EPA ID:: NYP004111563				
CON EDISON SERVICE B	671 3RD AVE	ESE 1/8 - 1/4 (0.137 mi.)	AA332	771
EPA ID:: NYP004267621				
CON EDISON SERVICE B	679 3RD AVE	ESE 1/8 - 1/4 (0.138 mi.)	AK336	779
EPA ID:: NYP004267647				
CON EDISON SERVICE B	661 3RD AVE OPPOSITE	SE 1/8 - 1/4 (0.138 mi.)	AI338	784
EPA ID:: NYP004267613				
CON EDISON OTHER - S	661 3RD AVE	SE 1/8 - 1/4 (0.138 mi.)	AI340	790
EPA ID:: NYP004560140				
CON EDISON SERVICE B	675 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AA343	798
EPA ID:: NYP004267639				
CON EDISON	681-691 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AF345	804
EPA ID:: NYP004172466				
CON EDISON SERVICE B	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI349	816
EPA ID:: NYP004267746				
CON EDISON MANHOLE:	141-143 E 40TH ST &	S 1/8 - 1/4 (0.146 mi.)	AP362	850
EPA ID:: NYP004441648				
INTL COMMODITIES	708 3RD AVE	E 1/8 - 1/4 (0.146 mi.)	AH363	853
EPA ID:: NYN008024788				
MH07797	F/O 143 E.40 STREET	S 1/8 - 1/4 (0.148 mi.)	AP366	861

EXECUTIVE SUMMARY

EPA ID:: NYP004046439				
CON EDISON MANHOLE:	3RD AVE & 44TH ST	E 1/8 - 1/4 (0.149 mi.)	AS379	899
EPA ID:: NYP004423901				
AMERICAN HOME PRODUC	685 THIRD AVE	E 1/8 - 1/4 (0.149 mi.)	AF383	908
EPA ID:: NYD001496397				
CON EDISON VAULT: 50	154 E 45TH ST	ENE 1/8 - 1/4 (0.149 mi.)	AU388	924
EPA ID:: NYP004535241				
CON EDISON SERVICE B	137 E 45TH ST	NE 1/8 - 1/4 (0.150 mi.)	AV390	928
EPA ID:: NYP004222758				
CON EDISON SERVICE B	139 E 45TH ST	NE 1/8 - 1/4 (0.152 mi.)	AV398	952
EPA ID:: NYP004223749				
CON EDISON SERVICE B	139 E 45TH ST	NE 1/8 - 1/4 (0.152 mi.)	AV399	956
EPA ID:: NYP004222766				
TAMS CONSULTANTS INC	655 3RD AVE	SE 1/8 - 1/4 (0.152 mi.)	AY406	974
EPA ID:: NYR000069203				
KONICA BUSINESS MACH	655 3RD AVE	SE 1/8 - 1/4 (0.152 mi.)	AY407	978
EPA ID:: NYD125930081				
CON EDISON	655 3RD AVE FRONT OF	SE 1/8 - 1/4 (0.152 mi.)	AY408	983
EPA ID:: NYP004215208				
CON EDISON SERVICE B	E 41ST ST & 3RD AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ412	994
EPA ID:: NYP004267597				
CON EDISON VAULT: 50	145 E 45TH ST FRONT	ENE 1/8 - 1/4 (0.152 mi.)	AV414	1003
EPA ID:: NYP004535225				
CON EDISON SERVICE B	638 3RD AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ415	1005
EPA ID:: NYP004267571				
CON EDISON SERVICE B	632 3RD AVE	SSE 1/8 - 1/4 (0.154 mi.)	AQ422	1024
EPA ID:: NYP004267589				
CON EDISON	200 E 41ST ST	SSE 1/8 - 1/4 (0.155 mi.)	AQ426	1033
EPA ID:: NYP004788303				
CON EDISON SERVICE B	651 3RD AVE	SSE 1/8 - 1/4 (0.156 mi.)	AQ430	1039
EPA ID:: NYP004267779				
CON EDISON - OTH 860	157 E. 45TH STREET	ENE 1/8 - 1/4 (0.158 mi.)	AU439	1057
EPA ID:: NYP004110078				
CON EDISON MANHOLE:	142 E 40TH ST	S 1/8 - 1/4 (0.158 mi.)	AP441	1063
EPA ID:: NYP004267100				
CON EDISON SERVICE B	153 E 40TH ST	S 1/8 - 1/4 (0.159 mi.)	AP445	1074
EPA ID:: NYP004266615				
A G F A DIV BAYER CO	212 E 42ND ST 2ND FL	SE 1/8 - 1/4 (0.161 mi.)	AY451	1091
EPA ID:: NYR000037804				
CON EDISON MANHOLE:	202 E 42ND ST	SE 1/8 - 1/4 (0.162 mi.)	AY453	1097
EPA ID:: NYP004267654				
CON EDISON SERVICE B	645 3RD AVE	SSE 1/8 - 1/4 (0.167 mi.)	AQ484	1159
EPA ID:: NYP004267555				
CON EDISON SERVICE B	152 E 40TH ST	S 1/8 - 1/4 (0.168 mi.)	AP487	1165
EPA ID:: NYP004266623				
CON EDISON - V6126	201 E 43 ST 201 E 43	ESE 1/8 - 1/4 (0.170 mi.)	BF492	1175

EXECUTIVE SUMMARY

EPA ID:: NYP004073896				
CON EDISON SERVICE B	631 3RD AVE	SSE 1/8 - 1/4 (0.174 mi.)	BH515	1220
EPA ID:: NYP004267563				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC522	1239
EPA ID:: NYP004786992				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC523	1241
EPA ID:: NYP004787685				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC524	1243
EPA ID:: NYP004833139				
CON EDISON SERVICE B	148 E 46TH ST	NE 1/8 - 1/4 (0.176 mi.)	BC530	1255
EPA ID:: NYP004269635				
CON EDISON SERVICE B	621 3RD AVE	SSE 1/8 - 1/4 (0.178 mi.)	BH548	1312
EPA ID:: NYP004267548				
CON EDISON	3RD AVE & E 45TH ST	ENE 1/8 - 1/4 (0.179 mi.)	BM561	1340
EPA ID:: NYP004782900				
CON EDISON VAULT: 50	E 45TH ST & 3RD AVE	ENE 1/8 - 1/4 (0.179 mi.)	BM563	1343
EPA ID:: NYP004535209				
CON EDISON	200-208 E 45TH ST &	E 1/8 - 1/4 (0.180 mi.)	BM565	1347
EPA ID:: NYP004168274				
CON EDISON MANHOLE:	214 E 42ND ST	SE 1/8 - 1/4 (0.182 mi.)	BP572	1363
EPA ID:: NYP004267662				
CON EDISON MANHOLE 5	E 40 ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ585	1393
EPA ID:: NYP004149191				
VERIZON NEW YORK INC	40TH ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ586	1395
EPA ID:: NYP000950477				
CON ED - MH 56214	E 40 ST & 3 AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ591	1403
EPA ID:: NYP000928762				
TEACHERS INSURANCE &	730 3RD AVE BLOCK 13	ENE 1/8 - 1/4 (0.188 mi.)	BS605	1449
EPA ID:: NYD987027679				
CON EDISON SERVICE B	147 E 39TH ST	S 1/8 - 1/4 (0.192 mi.)	BV617	1478
EPA ID:: NYP004266847				
600 THIRD AVENUE LLC	600 3RD AVE	S 1/8 - 1/4 (0.193 mi.)	BX621	1489
EPA ID:: NYR000232298				
CON EDISON SERVICE B	209 E 44TH ST	E 1/8 - 1/4 (0.195 mi.)	BY627	1506
EPA ID:: NYP004269601				
CON ED - V 2699	204 E 43RD ST	ESE 1/8 - 1/4 (0.195 mi.)	BZ628	1510
EPA ID:: NYP000927988				
AVIS RENT A CAR SYST	217 E. 43RD STREET	ESE 1/8 - 1/4 (0.200 mi.)	BZ650	1579
EPA ID:: NYP000910653				
TEACHERS INSURANCE &	485 LEXINGTON AVE	NE 1/8 - 1/4 (0.203 mi.)	CD658	1609
EPA ID:: NYD986931939				
V2093	205 E.41 ST.	SE 1/8 - 1/4 (0.205 mi.)	CF664	1629
EPA ID:: NYP004044079				
CON EDISON SERVICE B	731 3RD AVE	ENE 1/8 - 1/4 (0.205 mi.)	BS666	1634
EPA ID:: NYP004269585				
ROYAL REALTY	733 3RD AVE - SUB BA	ENE 1/8 - 1/4 (0.212 mi.)	CL697	1716

EXECUTIVE SUMMARY

EPA ID:: NYR000070458				
V1772	225 E.41 ST.	SE 1/8 - 1/4 (0.214 mi.)	CF708	1743
EPA ID:: NYP004044061				
BELL ATLANTIC-NY	E 46 ST/3 AVENUE	ENE 1/8 - 1/4 (0.216 mi.)	CL712	1755
EPA ID:: NYP000933853				
230 WEST 41ST STREET	230 E 41ST ST	SE 1/8 - 1/4 (0.218 mi.)	CF735	1829
EPA ID:: NYD980780993				
CON EDISON SERVICE B	744 3RD AVE	ENE 1/8 - 1/4 (0.218 mi.)	CT736	1837
EPA ID:: NYP004269643				
NEW YORK NEWS INC	235 E 41ST ST	SE 1/8 - 1/4 (0.219 mi.)	CF738	1842
EPA ID:: NYD001525724				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU739	1849
EPA ID:: NYP004266508				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU742	1855
EPA ID:: NYP004266490				
CON EDISON SERVICE B	201 E 40TH ST	SSE 1/8 - 1/4 (0.220 mi.)	CP753	1885
EPA ID:: NYP004320156				
TOWERS CLEANERS	240 E 41ST ST	SE 1/8 - 1/4 (0.223 mi.)	CF763	1906
EPA ID:: NYD982730582				
NEWS BUILDING THE	220 E 42ND ST	SE 1/8 - 1/4 (0.224 mi.)	CX775	1938
EPA ID:: NYR000012534				
POST PERFECT	220 E 42ND ST	SE 1/8 - 1/4 (0.224 mi.)	CX778	1948
EPA ID:: NYD131364093				
CON EDISON	E 47TH ST & LEXINGTO	NE 1/8 - 1/4 (0.225 mi.)	CY780	1956
EPA ID:: NYP004161550				
CON EDISON	LEXINGTON AVE & E 47	NE 1/8 - 1/4 (0.225 mi.)	CY781	1958
EPA ID:: NYP004842668				
CON EDISON MANHOLE 3	E 47TH ST & LEXINGTO	NE 1/8 - 1/4 (0.225 mi.)	CY782	1960
EPA ID:: NYP004243689				
BELL ATLANTIC-NY	E 47TH ST/LEXINGTON	NE 1/8 - 1/4 (0.225 mi.)	CY783	1963
EPA ID:: NYP000933952				
CON EDISON VAULT 408	130 E 47TH ST	NE 1/8 - 1/4 (0.226 mi.)	CD789	1977
EPA ID:: NYP004241717				
CON EDISON SERVICE B	130 E 47TH ST	NE 1/8 - 1/4 (0.226 mi.)	CD790	1979
EPA ID:: NYP004274262				
CON EDISON VAULT: 45	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA796	1989
EPA ID:: NYP004362471				
CON EDISON VAULT: 51	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA797	1992
EPA ID:: NYP004362448				
CON EDISON VAULT: 71	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA798	1996
EPA ID:: NYP004362430				
CON EDISON VAULT: 44	142 E 47 ST FRONT OF	NE 1/8 - 1/4 (0.229 mi.)	DA799	1999
EPA ID:: NYP004362489				
CON EDISON VAULT: 20	750 3RD AVE	ENE 1/8 - 1/4 (0.229 mi.)	CT800	2003
EPA ID:: NYP004356432				
CON EDISON VAULT: 19	750 3RD AVE	ENE 1/8 - 1/4 (0.229 mi.)	CT801	2006

EXECUTIVE SUMMARY

EPA ID:: NYP004356424				
CON EDISON MANHOLE:	144 E 47TH ST	NE 1/8 - 1/4 (0.230 mi.)	DA805	2015
EPA ID:: NYP004274254				
CON EDISON	210 E 46TH ST	ENE 1/8 - 1/4 (0.230 mi.)	CL806	2019
EPA ID:: NYP004878635				
CON EDISON SERVICE B	211 E 40TH ST	SSE 1/8 - 1/4 (0.231 mi.)	CV811	2029
EPA ID:: NYP004266326				
CON EDISON SERVICE B	215 E 40TH ST	SSE 1/8 - 1/4 (0.233 mi.)	CV821	2054
EPA ID:: NYP004266334				
CON EDISON SERVICE B	235 E 42ND ST	ESE 1/8 - 1/4 (0.233 mi.)	DG823	2059
EPA ID:: NYP004267373				
CON EDISON - VS 774	214 EAST 40TH ST	SSE 1/8 - 1/4 (0.237 mi.)	CP857	2161
EPA ID:: NYP004114005				
CON EDISON SERVICE B	227 E 40TH ST	SSE 1/8 - 1/4 (0.241 mi.)	CV881	2255
EPA ID:: NYP004266342				
AGENCE FRANCE-PRESSE	747 3RD AVE - 10TH F	ENE 1/8 - 1/4 (0.243 mi.)	DQ900	2309
EPA ID:: NY0000379230				
MIKI SANGYO USA INC	747 3RD AVE	ENE 1/8 - 1/4 (0.243 mi.)	DQ901	2314
EPA ID:: NYD077703346				
CON EDISON	578 3RD AVE	S 1/8 - 1/4 (0.244 mi.)	DD908	2340
EPA ID:: NYP004148797				
CON EDISON	202 E 39TH ST FRONT	S 1/8 - 1/4 (0.246 mi.)	DU929	2385
EPA ID:: NYP004164646				
CON EDISON SERVICE B	243 E 40TH ST	SSE 1/8 - 1/4 (0.250 mi.)	DZ942	2415
EPA ID:: NYP004266979				

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 05/13/2020 has revealed that there are 2 FUDS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ORG RES CORPS SITE		NW 1/4 - 1/2 (0.358 mi.)	968	2484
LANG PRODUCTS CO.		WSW 1/4 - 1/2 (0.393 mi.)	EH983	2504

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 06/30/2020 has revealed that there are 4 CONSENT sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PADD 1	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX499	1192
Not reported		WNW 1/8 - 1/4 (0.173 mi.)	AX502	1197
Not reported		WNW 1/8 - 1/4 (0.173 mi.)	AX504	1199
Not reported		WNW 1/8 - 1/4 (0.173 mi.)	AX505	1200

EXECUTIVE SUMMARY

FUSRAP: DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

A review of the FUSRAP list, as provided by EDR, and dated 08/08/2017 has revealed that there is 1 FUSRAP site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RADIATION APPLICATIO Site Status: Eliminated from consideration under FUSRAP Site ID: NY.57	370 LEXINGTON AVENUE	SSW 0 - 1/8 (0.094 mi.)	O159	389

FUELS PROGRAM: This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

A review of the FUELS PROGRAM list, as provided by EDR, and dated 05/18/2020 has revealed that there are 12 FUELS PROGRAM sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STX COMMODITIES Company Seq ID: 7620 Facility ID: 80001	230 PARK AVENUE	N 1/8 - 1/4 (0.170 mi.)	BD495	1182
GLENCORE LTD. - PADD Company Seq ID: 5867 Facility ID: 80006, 83135	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX501	1196
Not reported Company Seq ID: 5867 Facility ID: 10002, 70002 Facility ID: 83134, 80002		WNW 1/8 - 1/4 (0.173 mi.)	AX502	1197
PADD 3 Company Seq ID: 5867 Facility ID: 80003, 83132	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX503	1198
Not reported Company Seq ID: 5867 Facility ID: 00003, 70003		WNW 1/8 - 1/4 (0.173 mi.)	AX504	1199
Not reported Company Seq ID: 5867 Facility ID: 70005, 00005 Facility ID: 80005, 83140		WNW 1/8 - 1/4 (0.173 mi.)	AX505	1200
GLENCORE LTD. - PADD Company Seq ID: 5867 Facility ID: 10006	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX506	1201
FLUELLEN ASSOCIATES, Company Seq ID: 6272 Facility ID: 83165	330 MADISON AVENUE,	WNW 1/8 - 1/4 (0.173 mi.)	AX507	1202
PADD 1 Company Seq ID: 5867 Facility ID: 70001, 00001 Facility ID: 80001, 83131	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX508	1203
FLUELLEN ASSOCIATES,	330 MADISON AVENUE,	WNW 1/8 - 1/4 (0.173 mi.)	AX509	1204

EXECUTIVE SUMMARY

PADD 1 Company Seq ID: 5850 Facility ID: 00001	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU653	1592
PADD 3 Company Seq ID: 5850 Facility ID: 00003	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU655	1599

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 06/08/2020 has revealed that there are 5 NY DRYCLEANERS sites within approximately 0.25 miles of the target property.

NY E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the NY E DESIGNATION list, as provided by EDR, and dated 02/27/2020 has revealed that there are 5 NY E DESIGNATION sites within approximately 0.125 miles of the target property.

TC6212910.2s EXECUTIVE SUMMARY 74

EXECUTIVE SUMMARY

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/01/2019 has revealed that there are 468 NY MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON EPA ID: NYP004616439	107 E 42 ST	WSW 0 - 1/8 (0.023 mi.)	A12	26
NYCDOT BRIDGES BIN 2 EPA ID: NY0000362913	PARK AVE VIADUCT OVE	W 0 - 1/8 (0.030 mi.)	D16	33
GRAND CENTRAL TERMIN EPA ID: NYR000161398	105 E 42ND ST	WSW 0 - 1/8 (0.034 mi.)	D20	41
CHANIN BUILDING EPA ID: NYP004804928 EPA ID: NYP000943498 EPA ID: NYR000131805	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D23	63
CON EDISON SERVICE B EPA ID: NYP004467759	122-26 E 42ND ST & L	WSW 0 - 1/8 (0.040 mi.)	D27	77
CON EDISON EPA ID: NYP004267753 EPA ID: NYP004744801	122 E 42ND ST	WSW 0 - 1/8 (0.040 mi.)	D28	81
CON EDISON EPA ID: NYP004744967	122 E 42 ST	WSW 0 - 1/8 (0.040 mi.)	D30	87
CON EDISON SERVICE B EPA ID: NYP004267761	122 E 42ND ST OPPOS	WSW 0 - 1/8 (0.040 mi.)	D31	89
CON EDISON EPA ID: NYP004616504	116 E 42 ST	WSW 0 - 1/8 (0.046 mi.)	D53	130
CON EDISON SERVICE B EPA ID: NYP004318556	131 PARK AVE FRONT O	WSW 0 - 1/8 (0.082 mi.)	L103	256
CON ED EPA ID: NYP004752523 EPA ID: NYP004775375 EPA ID: NYP004786075	100 E 41ST ST & PARK	SSW 0 - 1/8 (0.084 mi.)	N111	283
CON EDISON SERVICE B EPA ID: NYP004267829	104 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N115	292
MTA PID STAIRCASE IN EPA ID: NYR000094425	125 PARK AVE	WSW 0 - 1/8 (0.090 mi.)	L147	360
CON EDISON SERVICE B EPA ID: NYP004318549	123 PARK AVE FRONT O	WSW 0 - 1/8 (0.092 mi.)	L152	373
CON EDISON SERVICE B EPA ID: NYP004464772	123-25 PARK AVE & 72	WSW 0 - 1/8 (0.092 mi.)	L153	377
CON EDISON SERVICE B EPA ID: NYP004318564	126 PARK AVE FRONT O	W 0 - 1/8 (0.094 mi.)	P154	380
CON EDISON - VAULT V EPA ID: NYP004136644	118 - 132 PARK AVE.	W 0 - 1/8 (0.099 mi.)	P168	407
CON EDISON EPA ID: NYP004616421	72 E 42 ST	W 0 - 1/8 (0.100 mi.)	R181	450
METRO NORTH RAILROAD	GRAND CENTRAL TERMIN	WNW 0 - 1/8 (0.101 mi.)	T186	461

EXECUTIVE SUMMARY

EPA ID: NYD981179773				
CONSOLIDATED EDISON EPA ID: NYP004152344	E.41 ST AND PARK AV	WSW 0 - 1/8 (0.105 mi.)	L195	478
CONSOLIDATED EDISON EPA ID: NYP004151890	PARK AVE & 41ST ST	WSW 0 - 1/8 (0.105 mi.)	L196	480
CONSOLIDATED EDISON EPA ID: NYP004103149	PARK AVE & E 41 ST V	WSW 0 - 1/8 (0.105 mi.)	L197	481
CON EDISON - MANHOLE EPA ID: NYP004980247	E 42 ST & VANDERBILT	WNW 0 - 1/8 (0.109 mi.)	R206	498
MTA -SHUTTLE PLATFOR EPA ID: NYR000226746	42ND ST & VANDERBILT	WNW 0 - 1/8 (0.109 mi.)	R207	498
CON ED EPA ID: NYP004826929	VANDERBILT AVE & E 4	WNW 0 - 1/8 (0.109 mi.)	R210	505
CON EDISON EPA ID: NYP004715363	E 42ND ST & VANDERBU	WNW 0 - 1/8 (0.109 mi.)	R213	509
CONSOLIDATED EDISON EPA ID: NYP004152237	101 PARK AVE MH7993	SW 0 - 1/8 (0.109 mi.)	X214	511
ONE VANDERBILT LLC EPA ID: NYR000228403	10 VANDERBILT AVE	WNW 0 - 1/8 (0.109 mi.)	T221	521
CON EDISON OTHER SPE EPA ID: NYP004269973	104 E 45TH ST	NNE 0 - 1/8 (0.113 mi.)	Z228	532
LOT 17,TAXBLOCK 1295 EPA ID: NYP004905350	354 LEXINGTON AVENUE	SSW 0 - 1/8 (0.117 mi.)	AB242	562
PINNACLE ENVIRONMENT EPA ID: NYR000206805	60 E 42ND ST	W 0 - 1/8 (0.120 mi.)	R249	573
CON EDISON SERVICE B EPA ID: NYP004318572	110 PARK AVE FRONT O	WSW 0 - 1/8 (0.123 mi.)	W262	605
CON EDISON EPA ID: NYP004616520	47 E 42 ST	WNW 0 - 1/8 (0.124 mi.)	AE264	609
CON EDISON SERVICE B EPA ID: NYP004225710	355 LEXINGTON AVE	S 1/8 - 1/4 (0.125 mi.)	AB269	619
355 LEXINGTON INC EPA ID: NYD987038858	355 LEXINGTON AVE	S 1/8 - 1/4 (0.125 mi.)	AB270	624
CON EDISON EPA ID: NYP004425906	101 E 45TH ST	NNE 1/8 - 1/4 (0.129 mi.)	AG289	662
CON EDISON - V 2761 EPA ID: NYP004092441	60 E 41 ST 60 E 41 S	WSW 1/8 - 1/4 (0.132 mi.)	AJ313	721
V554 EPA ID: NYP004036158	60 E 41ST STREET	WSW 1/8 - 1/4 (0.132 mi.)	AJ314	725
CON EDISON EPA ID: NYP004552352	100 PARK AVE VAULT 5	WSW 1/8 - 1/4 (0.132 mi.)	AJ316	730
CON EDISON - TRANSFO EPA ID: NYP004198461	100 PARK AVE (40TH S	WSW 1/8 - 1/4 (0.132 mi.)	AJ317	732
CON EDISON VAULT: 27 EPA ID: NYP004356515	100 PARK AVE	WSW 1/8 - 1/4 (0.132 mi.)	AJ318	736
CON EDISON	100 PARK AVE VAULT 2	WSW 1/8 - 1/4 (0.132 mi.)	AJ320	742

EXECUTIVE SUMMARY

EPA ID: NYP004552345				
CON EDISON MANHOLE 3	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB322	746
EPA ID: NYP004218604				
CON EDISON MANHOLE 5	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB323	750
EPA ID: NYP004249759				
CONSOLIDATED EDISON	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB324	754
EPA ID: NYP004060158				
CON EDISON SERVICE B	102 E 40TH ST	SW 1/8 - 1/4 (0.144 mi.)	AM350	820
EPA ID: NYP004266250				
CON ED	118 E 40TH ST	SSW 1/8 - 1/4 (0.145 mi.)	AN354	829
EPA ID: NYP004829325				
EPA ID: NYP004833030				
CON EDISON	122 E 40TH ST	S 1/8 - 1/4 (0.146 mi.)	AO358	839
EPA ID: NYP004165940				
CON EDISON SERVICE B	122 E 40TH ST OPPOS	S 1/8 - 1/4 (0.146 mi.)	AO359	843
EPA ID: NYP004266540				
SHORENSTEIN COMPANY	200 PARK AVE - WEST	NNW 1/8 - 1/4 (0.148 mi.)	AR369	870
EPA ID: NYD987002425				
CON EDISON	200 PARK AVE S	NNW 1/8 - 1/4 (0.148 mi.)	AR370	874
EPA ID: NYD166485177				
EPA ID: NYP004800843				
MARUBENI AMERICA COR	200 PARK AVENUE	NNW 1/8 - 1/4 (0.148 mi.)	AR374	885
EPA ID: NYD981566474				
CON EDISON - PAN AM	200 PARK AVE PAN AM	NNW 1/8 - 1/4 (0.148 mi.)	AR375	886
EPA ID: NYD981086473				
CON EDISON SERVICE B	130 E 40TH ST	S 1/8 - 1/4 (0.149 mi.)	AO385	917
EPA ID: NYP004267084				
CON EDISON VAULT: 28	41 E 43RD ST	NW 1/8 - 1/4 (0.151 mi.)	AW392	937
EPA ID: NYP004360442				
CON EDISON VAULT: 30	41 E 43RD ST	NW 1/8 - 1/4 (0.151 mi.)	AW393	941
EPA ID: NYP004360434				
RXR REALTY	237 PARK AVE	NNE 1/8 - 1/4 (0.151 mi.)	AG395	946
EPA ID: NYR000214346				
CON EDISON	325 MADISON AVE	WNW 1/8 - 1/4 (0.152 mi.)	AW400	960
EPA ID: NYP004616538				
ONE VANDERBILT OWNER	317 MADISON AVE	WNW 1/8 - 1/4 (0.152 mi.)	AX401	962
EPA ID: NYR000226753				
CON ED - V 4058	44 E 43RD ST	NW 1/8 - 1/4 (0.152 mi.)	AW404	969
EPA ID: NYP004010823				
CON EDISON	331 MADISON AVE	NW 1/8 - 1/4 (0.152 mi.)	AW411	993
EPA ID: NYP004798286				
CON EDISON	221 PARK AV	N 1/8 - 1/4 (0.153 mi.)	AZ417	1011
EPA ID: NYP004711677				
CON EDISON	221 PARK AV	N 1/8 - 1/4 (0.153 mi.)	AZ418	1012
EPA ID: NYP004711693				
CON EDISON SERVICE B	344 LEXINGTON AVE	SSW 1/8 - 1/4 (0.154 mi.)	AN420	1015
EPA ID: NYP004266532				
KOBRAND CORP	134 E 40TH ST	S 1/8 - 1/4 (0.154 mi.)	AO421	1019

EXECUTIVE SUMMARY

EPA ID: NYR000110668				
CON EDISON	83 E 40TH ST	WSW 1/8 - 1/4 (0.155 mi.)	AL425	1032
EPA ID: NYP004511556				
CON EDISON	333 MADISON AVE	NW 1/8 - 1/4 (0.156 mi.)	AW432	1044
EPA ID: NYP004439360				
CON EDISON SERVICE B	333 MADISON AVE	NW 1/8 - 1/4 (0.156 mi.)	AW434	1047
EPA ID: NYP004269569				
CON EDISON	307 MADISON AVE	WNW 1/8 - 1/4 (0.156 mi.)	AT437	1054
EPA ID: NYP004767505				
CON EDISON MANHOLE:	140 E 40TH ST OPPOS	S 1/8 - 1/4 (0.159 mi.)	AP443	1069
EPA ID: NYP004267076				
ROBECO INC	99 PARK AVE 17TH FLO	SW 1/8 - 1/4 (0.161 mi.)	AM449	1081
EPA ID: NYD002535888				
CON EDISON SERVICE B	99 PARK AVE	SW 1/8 - 1/4 (0.161 mi.)	AM450	1088
EPA ID: NYP004266243				
CON EDISON - VAULT 9	E 45 ST & VANDERBILT	NNW 1/8 - 1/4 (0.162 mi.)	AR456	1104
EPA ID: NYP004947240				
CON EDISON - VAULT 2	E 45 ST & VANDERBILT	NNW 1/8 - 1/4 (0.162 mi.)	AR457	1105
EPA ID: NYP004947257				
CON EDISON SERVICE B	E 43RD ST & MADISON	NW 1/8 - 1/4 (0.162 mi.)	AW459	1108
EPA ID: NYP004267811				
NYNEX	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW460	1111
EPA ID: NYP000920140				
CON EDISON	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW461	1112
EPA ID: NYP004774311				
CON EDISON	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW464	1118
EPA ID: NYP004205324				
CON EDISON - MANHOLE	303 MADISON AVE	W 1/8 - 1/4 (0.163 mi.)	AT467	1126
EPA ID: NYP005114590				
CON EDISON	52 E 44TH ST VAULT83	NW 1/8 - 1/4 (0.163 mi.)	BB470	1130
EPA ID: NYP004777926				
CON EDISON	52 E 44TH ST VAULT95	NW 1/8 - 1/4 (0.163 mi.)	BB472	1134
EPA ID: NYP004777934				
CON EDISON	52 EAST 44TH STREET	NW 1/8 - 1/4 (0.163 mi.)	BB473	1135
EPA ID: NYP004664827				
CON EDISON	E 42ND ST & MADISON	WNW 1/8 - 1/4 (0.164 mi.)	AT475	1138
EPA ID: NYP004858868				
CONSOLIDATED EDISON	301 MADISON AVE & E	W 1/8 - 1/4 (0.164 mi.)	BA476	1139
EPA ID: NYP004200663				
CON EDISON VAULT: 22	41 E 45TH ST	N 1/8 - 1/4 (0.166 mi.)	AR477	1142
EPA ID: NYP004429676				
CON ED - V 775	41 E 45TH ST	N 1/8 - 1/4 (0.166 mi.)	AR478	1145
EPA ID: NYP004004123				
CONSOLIDATED EDISON	40 EAST 41ST STREET	W 1/8 - 1/4 (0.166 mi.)	BA479	1149
EPA ID: NYP000928077				
CON EDISON SERVICE B	121 E 39TH ST	SSW 1/8 - 1/4 (0.166 mi.)	AN481	1152

EXECUTIVE SUMMARY

EPA ID: NYP004266276				
METRO NORTH COMMUTER	230 PARK AVE	N 1/8 - 1/4 (0.170 mi.)	BD494	1181
EPA ID: NYP000791335				
CON EDISON	316 MADISON AVE	WNW 1/8 - 1/4 (0.171 mi.)	AX496	1183
EPA ID: NYP004619193				
METHINK CLEANERS	337 LEXINGTON AVE	SSW 1/8 - 1/4 (0.173 mi.)	BG498	1185
EPA ID: NYD981082282				
330 MADISON COMPANY	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX510	1204
EPA ID: NY0000884569				
BROWNING CHEMICAL CO	330 MADISON AVE	WNW 1/8 - 1/4 (0.173 mi.)	AX511	1209
EPA ID: NYR000156877				
CON EDISON MANHOLE 5	334 MADISON AVE	NW 1/8 - 1/4 (0.174 mi.)	AW512	1214
EPA ID: NYP004249007				
JONES LANG LASALLE	335 MADISON AVE - LO	NW 1/8 - 1/4 (0.174 mi.)	BB516	1224
EPA ID: NYR000114827				
BANK OF AMERICA C-O	335 MADISON AVE FLOO	NW 1/8 - 1/4 (0.174 mi.)	BB517	1229
EPA ID: NYR000036343				
CON EDISON SERVICE B	310 MADISON AVE	WNW 1/8 - 1/4 (0.176 mi.)	BI526	1247
EPA ID: NYP004267993				
TANK BARGE ATLANTIC	310 MADISON AVENUE	WNW 1/8 - 1/4 (0.176 mi.)	BI527	1251
EPA ID: NYP004616462				
V1531	101 E39 STREET	SW 1/8 - 1/4 (0.176 mi.)	BJ531	1259
EPA ID: NYP004046314				
CON EDISON SERVICE B	133 E 39TH ST	S 1/8 - 1/4 (0.176 mi.)	BG533	1264
EPA ID: NYP004266995				
CON EDISON - VAULT 1	101 E 39 ST	SW 1/8 - 1/4 (0.176 mi.)	BJ535	1271
EPA ID: NYP004136065				
CON EDISON - V3701	101 EAST 39 ST 101 E	SW 1/8 - 1/4 (0.176 mi.)	BJ536	1275
EPA ID: NYP004071890				
CONSOLIDATED EDISON	101 E 39TH ST V1531	SW 1/8 - 1/4 (0.176 mi.)	BJ537	1279
EPA ID: NYP004137105				
CON ED - V 0011	101 E 39 ST	SW 1/8 - 1/4 (0.176 mi.)	BJ538	1280
EPA ID: NYP004005450				
CON EDISON	101 E 39 ST	SW 1/8 - 1/4 (0.176 mi.)	BJ539	1284
EPA ID: NYP004574737				
EPA ID: NYP004607925				
CON EDISON VAULT: 79	32 E 45TH ST	NNW 1/8 - 1/4 (0.177 mi.)	BK540	1287
EPA ID: NYP004451225				
CON EDISON SERVICE B	308 MADISON AVE	WNW 1/8 - 1/4 (0.177 mi.)	BI542	1291
EPA ID: NYP004267985				
D B S SERVICES INC	295 MADISON AVE ROOM	W 1/8 - 1/4 (0.177 mi.)	BA544	1297
EPA ID: NYP004619169				
EPA ID: NY0000133348				
CON EDISON	40 EAST 40TH STREET	WSW 1/8 - 1/4 (0.178 mi.)	BL546	1305
EPA ID: NYP004813875				
EPA ID: NYP004606497				
V4090	279-93 MADISON AVENU	W 1/8 - 1/4 (0.178 mi.)	BA547	1308

EXECUTIVE SUMMARY

EPA ID: NYP004042131				
V4090	293 MADISON AVENUE	W 1/8 - 1/4 (0.179 mi.)	BA552	1321
EPA ID: NYP004044343				
CON EDISON	293 MADISON AVE SB50	W 1/8 - 1/4 (0.179 mi.)	BA553	1324
EPA ID: NYP004754453				
MH50208	F/O 293 MADISON AVEN	W 1/8 - 1/4 (0.179 mi.)	BA554	1326
EPA ID: NYP004042149				
CON EDISON	293 MADISON AVE	W 1/8 - 1/4 (0.179 mi.)	BA555	1329
EPA ID: NYP004616470				
CON EDISON	293 MADISON AVE MH50	W 1/8 - 1/4 (0.179 mi.)	BA558	1335
EPA ID: NYP004754446				
CON EDISON SERVICE B	340 MADISON AVE	NW 1/8 - 1/4 (0.180 mi.)	BN566	1351
EPA ID: NYP004269551				
CONSOLIDATED EDISON	EAST 41 STREET & MAD	W 1/8 - 1/4 (0.180 mi.)	BA568	1356
EPA ID: NYP004176129				
CON EDISON	MADISON AVE & 41 ST	W 1/8 - 1/4 (0.180 mi.)	BA569	1358
EPA ID: NYP004613295				
CON EDISON	90 PARK AVE & 40TH S	WSW 1/8 - 1/4 (0.182 mi.)	BL576	1375
EPA ID: NYP004747366				
CONSOLIDATED EDISON	E 39TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.182 mi.)	BG580	1385
EPA ID: NYP004155479				
CON EDISON	E 39TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.182 mi.)	BG581	1387
EPA ID: NYP004768875				
CON EDISON - MANHOLE	E 39 ST & LEXINGTON	SSW 1/8 - 1/4 (0.182 mi.)	BG583	1391
EPA ID: NYP004914998				
MTA METRO NORTH RAIL	347 MADISON AVE	NNW 1/8 - 1/4 (0.183 mi.)	BK594	1410
EPA ID: NYD980774590				
CON ED - METRO NORTH	347 MADISON AVE - TR	NNW 1/8 - 1/4 (0.183 mi.)	BK595	1418
EPA ID: NYR000108845				
V6429	42 EAST 42ND STREET	WNW 1/8 - 1/4 (0.183 mi.)	BI596	1423
EPA ID: NYP004047296				
YOUNG & RUBICAM INC	285 MADISON AVE - BA	W 1/8 - 1/4 (0.184 mi.)	BR597	1427
EPA ID: NYD097508576				
EPA ID: NYP004828549				
CONSOLIDATED EDISON	279 MADISON AVENUE	W 1/8 - 1/4 (0.185 mi.)	BR603	1443
EPA ID: NYP004751608				
EPA ID: NYP004851685				
EPA ID: NYP000928085				
CON EDISON	279-9 MADISON AVE N/	W 1/8 - 1/4 (0.185 mi.)	BR604	1447
EPA ID: NYP004627287				
CONSOLIDATED EDISON	PARK AVE & E 39TH ST	SW 1/8 - 1/4 (0.189 mi.)	BJ606	1454
EPA ID: NYP004154860				
SPEED GRAPHICS INC	342 MADISON AVE 10 F	NW 1/8 - 1/4 (0.189 mi.)	BT607	1455
EPA ID: NYD986931640				
CON EDISON	342 MADISON AVE	NW 1/8 - 1/4 (0.189 mi.)	BT611	1469
EPA ID: NYP004988758				
CONED	145 E 39TH ST	S 1/8 - 1/4 (0.190 mi.)	BV614	1474

EXECUTIVE SUMMARY

EPA ID: NYP004176509				
CONSOLIDATED EDISON	124 EAST 39TH ST OFF	SSW 1/8 - 1/4 (0.191 mi.)	BW615	1476
EPA ID: NYP004184628				
GP 275 OWNER LLC	275 MADISON AVE - 21	W 1/8 - 1/4 (0.193 mi.)	BR623	1494
EPA ID: NYR000178434				
CON EDISON SERVICE B	37 E 40TH ST	WSW 1/8 - 1/4 (0.194 mi.)	BR624	1500
EPA ID: NYP004266649				
CVS PHARMACY #10764	292 MADISON AVE	W 1/8 - 1/4 (0.198 mi.)	BR632	1518
EPA ID: NYR000230185				
350 MADISON PROPERTI	350 MADISON AVE	NNW 1/8 - 1/4 (0.198 mi.)	BT636	1529
EPA ID: NYD986875706				
350 MADISON PROPERTI	350 MADISON AVE	NNW 1/8 - 1/4 (0.198 mi.)	BT637	1534
EPA ID: NYP004269338				
V3686/V4593	22 E. 44 ST	NW 1/8 - 1/4 (0.198 mi.)	BN639	1541
EPA ID: NYP004042164				
MH8595	22 E. 44 ST.	NW 1/8 - 1/4 (0.198 mi.)	BN640	1544
EPA ID: NYP004042172				
CON EDISON MANHOLE 8	22 E 44TH ST & MADIS	NW 1/8 - 1/4 (0.198 mi.)	BN642	1549
EPA ID: NYP004228157				
ROOSEVELT HOTEL	45 EAST 45TH STREET	NNW 1/8 - 1/4 (0.199 mi.)	643	1553
EPA ID: NYR000027920				
CON EDISON	16 E 43RD ST	NW 1/8 - 1/4 (0.200 mi.)	CB644	1566
EPA ID: NYP004268116				
CONSOLIDATED EDISON	16 E 43 ST	NW 1/8 - 1/4 (0.200 mi.)	CB645	1570
EPA ID: NYP000929141				
CON EDISON	16 E 43 ST	NW 1/8 - 1/4 (0.200 mi.)	CB646	1571
EPA ID: NYP004755062				
CON ED	136 E 39 ST	SSW 1/8 - 1/4 (0.200 mi.)	CC651	1585
EPA ID: NYP004853376				
WESTINGHOUSE ELECTRI	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU654	1593
EPA ID: NYD986893436				
CON EDISON - PARK AV	245 PARK AVE	NNE 1/8 - 1/4 (0.202 mi.)	BU656	1600
EPA ID: NYD982178782				
ZEN-NOH UNICO AMERIC	245 PARK AVE 25TH FL	NNE 1/8 - 1/4 (0.202 mi.)	BU657	1604
EPA ID: NYR000028613				
BELL ATLANTIC-NY	45 ST/MADISON AVE	NNW 1/8 - 1/4 (0.203 mi.)	CE661	1623
EPA ID: NYP000935270				
CON ED	MADISON AVE & 45 ST	NNW 1/8 - 1/4 (0.203 mi.)	CE662	1626
EPA ID: NYP004884728				
CON EDISON SERVICE B	12 E 43RD ST	NW 1/8 - 1/4 (0.205 mi.)	CB668	1639
EPA ID: NYP004267902				
CONSOLIDATED EDISON	16 E 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH669	1643
EPA ID: NYP004249312				
CON EDISON	F/O 16 EAST 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH670	1644
EPA ID: NYP004444519				
CON EDISON SERVICE B	16 E 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH671	1646

EXECUTIVE SUMMARY

EPA ID: NYP004204723				
CONSOLIDATED EDISON	16 E 44 ST V4593	NW 1/8 - 1/4 (0.206 mi.)	CH672	1652
EPA ID: NYP004112018				
V4567	16 E 44TH STREET	NW 1/8 - 1/4 (0.206 mi.)	CH674	1657
EPA ID: NYP004031076				
CONSOLIDATED EDISON-	F/O 16 EAST 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH675	1660
EPA ID: NYP004252557				
CON EDISON	E 40TH ST & MADISON	W 1/8 - 1/4 (0.206 mi.)	CI676	1662
EPA ID: NYP004839068				
V1147	31 EAST 39TH STREET	WSW 1/8 - 1/4 (0.206 mi.)	CG683	1674
EPA ID: NYP004045845				
CONSOLIDATED EDISON C	19 E 44 ST	NW 1/8 - 1/4 (0.209 mi.)	BT687	1685
EPA ID: NYP000929158				
RITE AID #04964	26 GRAND CENTRAL TER	WNW 1/8 - 1/4 (0.209 mi.)	CK689	1689
EPA ID: NYR000188730				
CON EDISON VAULT: 73	257 PARK AVE FRONT O	NNE 1/8 - 1/4 (0.209 mi.)	BU691	1700
EPA ID: NYP004387502				
CON EDISON SERVICE B	71 PARK AVE	SW 1/8 - 1/4 (0.209 mi.)	CA693	1704
EPA ID: NYP004266235				
CONSOLIDATED EDISON	MADISON & E 40 ST EX	W 1/8 - 1/4 (0.210 mi.)	CI694	1708
EPA ID: NYP004120416				
CON EDISON VAULT: 03	18 E 45TH ST & LEXIN	NNW 1/8 - 1/4 (0.211 mi.)	CE695	1709
EPA ID: NYP004327417				
CON EDISON	223-225 E 43RD ST &	ESE 1/8 - 1/4 (0.212 mi.)	BZ700	1726
EPA ID: NYP004807871				
EMIGRANT BANK	6 E 43RD ST	NW 1/8 - 1/4 (0.214 mi.)	CB703	1730
EPA ID: NYP004792818				
EPA ID: NYR000153114				
250 PARK AVENUE LLC	250 PARK AVE	N 1/8 - 1/4 (0.214 mi.)	CM707	1742
EPA ID: NYR000230763				
CON EDISON - V814	43-01 39TH ST. 43-01	WSW 1/8 - 1/4 (0.214 mi.)	CG709	1747
EPA ID: NYP004072732				
CON EDISON	F/O 11 EAST 44TH ST.	NW 1/8 - 1/4 (0.216 mi.)	CH716	1761
EPA ID: NYP004273165				
BELL ATLANTIC-NY	IFO 11 E 44TH ST	NW 1/8 - 1/4 (0.216 mi.)	CH717	1763
EPA ID: NYP000935445				
CONSOLIDATED EDISON	10 E 44TH ST	NW 1/8 - 1/4 (0.216 mi.)	CH718	1766
EPA ID: NYP004255121				
K L CUSTOM PHOTOGRAP	222 E 44TH ST - 2ND	ESE 1/8 - 1/4 (0.216 mi.)	CQ720	1776
EPA ID: NYR000001784				
EDITEL NEW YORK	222 E 44TH ST	ESE 1/8 - 1/4 (0.216 mi.)	CQ721	1781
EPA ID: NYD982717902				
EPA ID: NYP000972661				
CON ED	225 E 44TH ST	E 1/8 - 1/4 (0.217 mi.)	BY726	1803
EPA ID: NYP004861536				
CON EDISON - V7190	18 E.41 ST. 18 E.41	W 1/8 - 1/4 (0.217 mi.)	CR729	1811
EPA ID: NYP004079042				
CON EDISON SERVICE B	225 E 43RD ST	ESE 1/8 - 1/4 (0.217 mi.)	CS731	1816

EXECUTIVE SUMMARY

EPA ID: NYP004246676				
CONSOLIDATED EDISON	315 LEXINGTON AVE	SSW 1/8 - 1/4 (0.217 mi.)	CC734	1827
EPA ID: NYP004176491				
CONSOLIDATED EDISON-	26 EAST 40TH ST.	W 1/8 - 1/4 (0.219 mi.)	CI744	1860
EPA ID: NYP004252896				
CON EDISON SERVICE B	26 E 40TH ST	W 1/8 - 1/4 (0.219 mi.)	CI745	1861
EPA ID: NYP004266565				
CON EDISON SERVICE B	19 E 40TH ST	W 1/8 - 1/4 (0.220 mi.)	CI746	1865
EPA ID: NYP004266466				
CONSOLIDATED EDISON	19 EAST 40TH STREET	W 1/8 - 1/4 (0.220 mi.)	CI748	1870
EPA ID: NYP000928192				
KING FEATURES SYNDIC	216 E 45TH ST - 4TH	E 1/8 - 1/4 (0.220 mi.)	CJ749	1872
EPA ID: NY0000083709				
CON EDISON	267-69 MADISON AVE &	WSW 1/8 - 1/4 (0.221 mi.)	CN761	1902
EPA ID: NYP004525002				
CON ED	14 E 45TH ST VAULT52	NNW 1/8 - 1/4 (0.223 mi.)	CW764	1911
EPA ID: NYP004807376				
MANHATTAN PACIFIC MG	140 E 45TH ST - LEX	NNW 1/8 - 1/4 (0.223 mi.)	CW765	1913
EPA ID: NYR000066951				
CON ED	14 E 45TH ST VAULT88	NNW 1/8 - 1/4 (0.223 mi.)	CW768	1923
EPA ID: NYP004807384				
CON EDISON - V5911	24 E. 40TH ST. 24 E.	W 1/8 - 1/4 (0.223 mi.)	CI770	1927
EPA ID: NYP004070645				
CON EDISON	15-17 E 40TH ST & 5T	W 1/8 - 1/4 (0.224 mi.)	CR771	1931
EPA ID: NYP004525028				
CON EDISON SERVICE B	15 E 40TH ST	W 1/8 - 1/4 (0.224 mi.)	CR773	1933
EPA ID: NYP004265971				
CON ED - V 5334	228 E 44 ST	ESE 1/8 - 1/4 (0.225 mi.)	CQ784	1966
EPA ID: NYP004003166				
CON EDISON	229 E 43 ST	ESE 1/8 - 1/4 (0.225 mi.)	CS787	1974
EPA ID: NYP004746525				
CON EDISON - MANHOLE	101 E 47TH ST	NNE 1/8 - 1/4 (0.226 mi.)	CZ792	1984
EPA ID: NYP004918219				
CON EDISON - MANHOLE	101 E 47TH ST	NNE 1/8 - 1/4 (0.226 mi.)	CZ793	1985
EPA ID: NYP004918193				
CON EDISON	OPP 12 E 42 ST	WNW 1/8 - 1/4 (0.230 mi.)	CK808	2022
EPA ID: NYP004616496				
CON EDISON SERVICE B	231-33 E 43RD ST E O	ESE 1/8 - 1/4 (0.231 mi.)	CS810	2025
EPA ID: NYP004246494				
CON EDISON SERVICE B	10 E 41ST ST	W 1/8 - 1/4 (0.231 mi.)	CR813	2034
EPA ID: NYP004258679				
CON EDISON SERVICE B	20 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.231 mi.)	DE818	2047
EPA ID: NYP004266300				
CON EDISON	13 E 41 ST	W 1/8 - 1/4 (0.232 mi.)	DF820	2052
EPA ID: NYP004616454				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW828	2095

EXECUTIVE SUMMARY

EPA ID: NYP004863508				
CON ED	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW829	2097
EPA ID: NYP004833311				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW830	2098
EPA ID: NYP004836886				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW831	2100
EPA ID: NYP004863516				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW832	2101
EPA ID: NYP004863524				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW833	2103
EPA ID: NYP004863540				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW834	2104
EPA ID: NYP004863532				
CON EDISON	366 MADISON AV	NNW 1/8 - 1/4 (0.234 mi.)	DH835	2106
EPA ID: NYP004617965				
CON EDISON - MANHOLE	366 MADISON AVE	NNW 1/8 - 1/4 (0.234 mi.)	DH838	2111
EPA ID: NYP004400982				
CON EDISON MANHOLE:	225 E 45TH ST	E 1/8 - 1/4 (0.235 mi.)	DJ841	2120
EPA ID: NYP004269577				
CONSOLIDATED EDISON	3 E 44TH ST	NW 1/8 - 1/4 (0.235 mi.)	DK842	2124
EPA ID: NYP004256129				
CON EDISON	E 46TH ST & MADISON	NNW 1/8 - 1/4 (0.235 mi.)	DH844	2128
EPA ID: NYP004678421				
NYNEX	46TH ST & MADISON	NNW 1/8 - 1/4 (0.235 mi.)	DH845	2129
EPA ID: NYP000916833				
CON EDISON SERVICE B	18 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.236 mi.)	DE847	2132
EPA ID: NYP004266367				
CON EDISON VAULT: 27	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI850	2139
EPA ID: NYP004359154				
CON EDISON VAULT: 26	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI851	2143
EPA ID: NYP004359196				
CON EDISON VAULT: 37	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI852	2146
EPA ID: NYP004359170				
CON EDISON VAULT: 10	1 E 43RD ST FRONT OF	NW 1/8 - 1/4 (0.237 mi.)	DI853	2150
EPA ID: NYP004359162				
CON EDISON - V2768	1 E.43 ST. 1 E.43 ST	NW 1/8 - 1/4 (0.237 mi.)	DI854	2153
EPA ID: NYP004070637				
CONSOLIDATED EDISON	310 LEXINGTON	SSW 1/8 - 1/4 (0.238 mi.)	DC858	2165
EPA ID: NYP004176525				
CON EDISON	7 E 40TH ST	W 1/8 - 1/4 (0.238 mi.)	DL861	2171
EPA ID: NYP004845331				
CON EDISON - MANHOLE	235 E 43RD ST	ESE 1/8 - 1/4 (0.238 mi.)	CS864	2176
EPA ID: NYP005208869				
CON EDISON	OPP 5 E 42 ST	WNW 1/8 - 1/4 (0.238 mi.)	DM865	2177
EPA ID: NYP004620605				
291 DIGITAL LLC	E 45TH ST	E 1/8 - 1/4 (0.240 mi.)	DJ866	2179

EXECUTIVE SUMMARY

EPA ID: NYD982743494				
CON EDISON - RV 625	228 EAST 45 ST 228 E	E 1/8 - 1/4 (0.240 mi.)	DN870	2219
EPA ID: NYP004091625				
SPEED GRAPHICS INC	228 E 45TH ST - 6TH	E 1/8 - 1/4 (0.240 mi.)	DN871	2223
EPA ID: NYR000018770				
CON EDISON	228 E 45 ST	E 1/8 - 1/4 (0.240 mi.)	DN872	2227
EPA ID: NYP004716981				
APA GRAVURE	228 E 45TH ST	E 1/8 - 1/4 (0.240 mi.)	DN874	2229
EPA ID: NYD980526743				
CON EDISON SERVICE B	308 LEXINGTON AVE	SSW 1/8 - 1/4 (0.241 mi.)	DC877	2245
EPA ID: NYP004266656				
V1083	227 E45TH ST	E 1/8 - 1/4 (0.241 mi.)	DJ879	2250
EPA ID: NYP004044798				
CON EDISON SERVICE B	24 E 46TH ST OPPOSIT	NNW 1/8 - 1/4 (0.241 mi.)	DH882	2259
EPA ID: NYP004269403				
BEAUTY FASHION INC	16 E 40TH ST 3RD FLO	W 1/8 - 1/4 (0.241 mi.)	DE888	2269
EPA ID: NYR000064618				
CON EDISON	249 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO890	2277
EPA ID: NYP004746517				
CON EDISON MANHOLE 8	249 E 43RD ST E OF 2	ESE 1/8 - 1/4 (0.242 mi.)	DO892	2280
EPA ID: NYP004246486				
CONSOLIDATED EDISON	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO896	2298
EPA ID: NYP000928069				
CON ED - V 5391	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO897	2300
EPA ID: NYP004005617				
CON ED - V 5291	251 E 43RD ST	ESE 1/8 - 1/4 (0.242 mi.)	DO898	2303
EPA ID: NYP004003174				
CON EDISON MANHOLE:	3 E 42ND ST	WNW 1/8 - 1/4 (0.243 mi.)	DM902	2319
EPA ID: NYP004257846				
SYMPHONY CLEANERS	245 E 44TH ST	E 1/8 - 1/4 (0.244 mi.)	DR904	2324
EPA ID: NYD987000361				
CON EDISON	260 PARK AVE	N 1/8 - 1/4 (0.245 mi.)	DS909	2343
EPA ID: NYP004730198				
CONSOLIDATED EDISON	511 5TH AVE V8770	WNW 1/8 - 1/4 (0.245 mi.)	DT913	2350
EPA ID: NYP004111902				
ISRAEL DISCOUNT BANK	511 5TH AVE	WNW 1/8 - 1/4 (0.245 mi.)	DT914	2351
EPA ID: NYD982175960				
CONSOLIDATED EDISON	F/O 31 EAST 38TH ST	WSW 1/8 - 1/4 (0.245 mi.)	915	2360
EPA ID: NYP004255816				
CON EDISON	18 E 46TH ST	NNW 1/8 - 1/4 (0.245 mi.)	DH916	2362
EPA ID: NYP004821050				
CON EDISON	18-22 E 46TH ST & MA	NNW 1/8 - 1/4 (0.245 mi.)	DH920	2369
EPA ID: NYP004820045				
CON EDISON SERVICE B	6 E 41ST ST	W 1/8 - 1/4 (0.246 mi.)	DF924	2373
EPA ID: NYP004258661				
CON EDISON	377 MADISON AV	N 1/8 - 1/4 (0.246 mi.)	DV926	2378

EXECUTIVE SUMMARY

EPA ID: NYP004930747				
EPA ID: NYP004617973				
CON EDISON SERVICE B	59 PARK AVE	SW 1/8 - 1/4 (0.246 mi.)	DW927	2380
EPA ID: NYP004266227				
QUAD GRAPHICS	156 E 38TH ST	S 1/8 - 1/4 (0.248 mi.)	DB935	2403
EPA ID: NYR000101048				
CON EDISON - MANHOLE	501 5 AVE	WNW 1/8 - 1/4 (0.248 mi.)	DY937	2406
EPA ID: NYP004989261				
CON EDISON SERVICE B	3 E 40TH ST	W 1/8 - 1/4 (0.249 mi.)	DL940	2410
EPA ID: NYP004265856				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON	121 E 42 ST	SSE 0 - 1/8 (0.025 mi.)	B13	28
EPA ID: NYP004616447				
BROOKLYN UNION GAS	400 LEXINGTON AVE	E 0 - 1/8 (0.030 mi.)	C14	29
EPA ID: NYP000928044				
CON EDISON	406 LEXINGTON AVE	E 0 - 1/8 (0.034 mi.)	C19	39
EPA ID: NYP004618039				
NYC DEP	43RD ST & LEXINGTON	E 0 - 1/8 (0.041 mi.)	C33	94
EPA ID: NYP003665460				
CON EDISON	393 LEXINGTON AVE	SE 0 - 1/8 (0.041 mi.)	C34	98
EPA ID: NYP004616512				
CON EDISON - MANHOLE	LEXINGTON AVE & E 42	SSE 0 - 1/8 (0.042 mi.)	B39	104
EPA ID: NYP004950273				
CONSOLIDATED EDISON	42ND ST & LEXINGTON	SSE 0 - 1/8 (0.042 mi.)	B40	105
EPA ID: NYP004151908				
CONSOLIDATED EDISON	LEXINGTON AVE & 42 S	SSE 0 - 1/8 (0.042 mi.)	B42	109
EPA ID: NYP004151858				
CON EDISON - 395 LEX	395 LEXINGTON AVE	ESE 0 - 1/8 (0.044 mi.)	C46	114
EPA ID: NYD982791634				
SAMYANG CORPORATION	405 LEXINGTON AVE	E 0 - 1/8 (0.044 mi.)	C49	120
EPA ID: NYR000058875				
CON EDISON SERVICE B	133 E 42ND ST	SSE 0 - 1/8 (0.052 mi.)	E57	134
EPA ID: NYP004267738				
CON EDISON	126 E 42 ST	SSE 0 - 1/8 (0.055 mi.)	E59	140
EPA ID: NYP004755468				
HELMSLEY-SPEAR INC	420 LEXINGTON AVE	NE 0 - 1/8 (0.056 mi.)	F60	141
EPA ID: NYD986868933				
CON EDISON	374 LEXINGTON AV	S 0 - 1/8 (0.059 mi.)	H67	159
EPA ID: NYP004617999				
CON EDISON	F/O 129 EAST 43 ST	E 0 - 1/8 (0.062 mi.)	I69	163
EPA ID: NYP004635769				
CON EDISON	425 LEXINGTON AVE VA	ENE 0 - 1/8 (0.066 mi.)	F72	175
EPA ID: NYP004519393				
CON EDISON	425 LEXINGTON AVE VA	ENE 0 - 1/8 (0.066 mi.)	F73	177
EPA ID: NYP004519401				
CON EDISON VAULT: 35	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H84	211

EXECUTIVE SUMMARY

EPA ID: NYP004390233				
CON EDISON VAULT: 35	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H86	216
EPA ID: NYP004390266				
CON EDISON VAULT: 22	117 E 41ST ST V 2239	S 0 - 1/8 (0.081 mi.)	H88	221
EPA ID: NYP004390258				
CON EDISON VAULT: 38	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H89	224
EPA ID: NYP004390282				
CON EDISON MANHOLE 5	117 E 41ST ST	S 0 - 1/8 (0.081 mi.)	H90	228
EPA ID: NYP004249932				
CON EDISON VAULT: 37	117 E 41ST ST FRONT	S 0 - 1/8 (0.081 mi.)	H91	231
EPA ID: NYP004390241				
CON EDISON	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K97	243
EPA ID: NYP004787719				
EPA ID: NYP004787735				
EPA ID: NYP004787743				
EPA ID: NYP004536991				
CON EDISON	110 E 41ST ST	SSW 0 - 1/8 (0.085 mi.)	N120	303
EPA ID: NYP004781092				
CON EDISON - MANHOLE	E 41 ST & LEXINGTON	S 0 - 1/8 (0.086 mi.)	O122	305
EPA ID: NYP004152393				
CONSOLIDATED EDISON	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O123	310
EPA ID: NYP004070215				
CONSOLIDATED EDISON	LEXINGTON AVE & 41ST	S 0 - 1/8 (0.086 mi.)	O124	312
EPA ID: NYP004152278				
CONSOLIDATED EDISON	41ST ST & LEXINGTON	S 0 - 1/8 (0.086 mi.)	O128	320
EPA ID: NYP004153607				
CONSOLIDATED EDISON	41 ST & LEXINGTON AV	S 0 - 1/8 (0.086 mi.)	O130	325
EPA ID: NYP004152096				
CON EDISON SERVICE B	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M133	329
EPA ID: NYP004267704				
CON EDISON SERVICE B	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M134	333
EPA ID: NYP004267696				
RVS2788	E. 41ST STREET AND L	S 0 - 1/8 (0.087 mi.)	O138	341
EPA ID: NYP004036653				
NYNEX	116 E 41 ST	SSW 0 - 1/8 (0.088 mi.)	O141	347
EPA ID: NYP000928051				
CON EDISON SERVICE B	116 E 41ST ST	SSW 0 - 1/8 (0.088 mi.)	O143	350
EPA ID: NYP004267837				
CON EDISON	118 E 41ST ST	S 0 - 1/8 (0.089 mi.)	O144	353
EPA ID: NYP004823783				
CON EDISON	131 E 41ST ST	S 0 - 1/8 (0.090 mi.)	O146	358
EPA ID: NYP004743845				
CON EDISON	138 E 42ND ST	SE 0 - 1/8 (0.092 mi.)	M150	371
EPA ID: NYP004267688				
CON ED	126 E 41ST ST	S 0 - 1/8 (0.094 mi.)	O155	384
EPA ID: NYP004825218				
CONSOLIDATED EDISON	128 E 41ST ST	S 0 - 1/8 (0.095 mi.)	O160	389

EXECUTIVE SUMMARY

EPA ID: NYP004151569				
CONSOLIDATED EDISON	141 E 41ST ST SB8001	S 0 - 1/8 (0.096 mi.)	Q163	396
EPA ID: NYP004152245				
CON EDISON SERVICE B	364 LEXINGTON AVE	SSW 0 - 1/8 (0.098 mi.)	N164	397
EPA ID: NYP004223293				
CON EDISON	371 LEXINGTON AVE	S 0 - 1/8 (0.099 mi.)	O166	403
EPA ID: NYP004618021				
CON EDISON SERVICE B	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M173	420
EPA ID: NYP004267670				
QUAD GRAPHICS	150 E 42ND ST 27TH F	SE 0 - 1/8 (0.100 mi.)	M175	425
EPA ID: NYR000048850				
CON EDISON - M8242	150 E. 42ND ST. 150	SE 0 - 1/8 (0.100 mi.)	M178	432
EPA ID: NYP004079323				
MOBIL OIL CORP	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M179	436
EPA ID: NYD001307099				
CON ED - V 290	130 E 43RD ST	ESE 0 - 1/8 (0.104 mi.)	U190	467
EPA ID: NYP004013009				
CON EDISON	365 LEXINGTON AVE	S 0 - 1/8 (0.104 mi.)	O191	470
EPA ID: NYP004826630				
CON EDISON	443 LEXINGTON AVE	NE 0 - 1/8 (0.106 mi.)	K198	483
EPA ID: NYP004619391				
CON EDISON SERVICE B	160 E 42ND ST	SE 0 - 1/8 (0.106 mi.)	V201	486
EPA ID: NYP004267720				
CON ED	150 E 41 ST	S 0 - 1/8 (0.109 mi.)	Q217	516
EPA ID: NYP004868362				
CON EDISON - MANHOLE	170 E 42ND ST	SE 0 - 1/8 (0.112 mi.)	V227	531
EPA ID: NYP005098955				
CON ED	666 3RD AVE SB43884	ESE 0 - 1/8 (0.116 mi.)	AA230	536
EPA ID: NYP004844565				
CON ED	666 3RD AVE SB43886	ESE 0 - 1/8 (0.116 mi.)	AA232	540
EPA ID: NYP004844557				
CON ED	666 3RD AVE SB43885	ESE 0 - 1/8 (0.116 mi.)	AA236	545
EPA ID: NYP004844540				
GRAND CENTRAL PARTNE	152 EAST 44TH STREET	E 0 - 1/8 (0.116 mi.)	S240	559
EPA ID: NYP000904789				
CON EDISON	451 LEXINGTON AVE	NE 0 - 1/8 (0.117 mi.)	AC243	564
EPA ID: NYP004619151				
CON EDISON SERVICE B	451 LEXINGTON	NE 0 - 1/8 (0.117 mi.)	AC245	567
EPA ID: NYP004269668				
450 LEXINGTON VENTUR	450 LEXINGTON AVE SU	NE 0 - 1/8 (0.121 mi.)	Z253	582
EPA ID: NYR000062349				
CON EDISON - VAULT 3	450 LEXINGTON AVE	NE 0 - 1/8 (0.121 mi.)	Z254	586
EPA ID: NYP004888329				
HINES INTERESTS LTD	450 LEXINGTON AVE	NE 0 - 1/8 (0.121 mi.)	Z255	587
EPA ID: NYP004862336				
EPA ID: NYR000047860				
EPA ID: NYP000893636				
CON EDISON	686-688 3RD AVE	E 0 - 1/8 (0.122 mi.)	U260	599

EXECUTIVE SUMMARY

EPA ID: NYP004172474				
CONSOLIDATED EDISON	686 3RD AVE	E 0 - 1/8 (0.122 mi.)	U261	604
EPA ID: NYP004176145				
CON EDISON SERVICE B	690 3RD AVE	E 0 - 1/8 (0.125 mi.)	AF267	613
EPA ID: NYP004269619				
EPA ID: NYP004861940				
CON EDISON	160 E 44TH ST E OF L	E 1/8 - 1/4 (0.127 mi.)	Y272	631
EPA ID: NYP004200473				
CON EDISON	128 E 45TH ST	NE 1/8 - 1/4 (0.127 mi.)	AC273	635
EPA ID: NYP004854606				
NYNEX	45TH ST & LEXINGTON	NE 1/8 - 1/4 (0.127 mi.)	AC278	642
EPA ID: NYP000915017				
CON EDISON	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC280	645
EPA ID: NYP004787693				
NYNEX	LEXINGTON & 45TH ST	NE 1/8 - 1/4 (0.127 mi.)	AC282	649
EPA ID: NYP000913491				
CON EDISON MANHOLE:	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC283	650
EPA ID: NYP004787701				
EPA ID: NYP004337408				
CON EDISON	LEXINGTON AVE & 45TH	NE 1/8 - 1/4 (0.127 mi.)	AC284	655
EPA ID: NYP004835860				
CON EDISON	130 E 45TH ST	ENE 1/8 - 1/4 (0.128 mi.)	AC287	659
EPA ID: NYP004799896				
BELL ATLANTIC-NY	43 STREET/3 AVENUE	ESE 1/8 - 1/4 (0.130 mi.)	AF291	667
EPA ID: NYP000933366				
CONSOLIDATED EDISON	EAST 43RD & 3RD AVE	ESE 1/8 - 1/4 (0.130 mi.)	AF292	670
EPA ID: NYP004176152				
CON EDISON MANHOLE:	3RD AVE & 43RD ST	ESE 1/8 - 1/4 (0.130 mi.)	AF293	671
EPA ID: NYP004423679				
CONSOLIDATED EDISON	3RD AVE & E 43RD AVE	ESE 1/8 - 1/4 (0.130 mi.)	AF294	675
EPA ID: NYP004175840				
CON EDISON	3 AVE & 43 ST	ESE 1/8 - 1/4 (0.130 mi.)	AF295	676
EPA ID: NYP004614806				
CONSOLIDATED EDISON	3RD AVE & E 42 ST	SE 1/8 - 1/4 (0.131 mi.)	AI296	678
EPA ID: NYP004153771				
NYCTA - GRAND CENTRA	3RD AVE & 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI298	680
EPA ID: NYD986934693				
CON EDISON	42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI300	685
EPA ID: NYP004845224				
CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI301	687
EPA ID: NYP004250387				
CON EDISON MANHOLE 4	E 42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI302	690
EPA ID: NYP004246692				
CON EDISON MANHOLE 4	3RD AVE & E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI307	708
EPA ID: NYP004250452				
CONSOLIDATED EDISON	EAST 42ND ST & 3RD A	SE 1/8 - 1/4 (0.131 mi.)	AI308	712
EPA ID: NYP004176137				
CON EDISON	3RD AVE & E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI309	713

EXECUTIVE SUMMARY

EPA ID: NYP004846497				
CON EDISON SERVICE B	201 E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI310	715
EPA ID: NYP004267605				
CONSOLIDATED EDISON	F/O 201 EAST 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI312	719
EPA ID: NYP004101937				
CON EDISON SERVICE B	698 3RD AVE	E 1/8 - 1/4 (0.134 mi.)	AF326	756
EPA ID: NYP004269627				
CONSOLIDATED EDISON	39 ST & 3 AVE OP EXC	ESE 1/8 - 1/4 (0.136 mi.)	AF329	764
EPA ID: NYP004115382				
CONSOLIDATED EDISON	40 ST & 3 AVE EXCAV	ESE 1/8 - 1/4 (0.136 mi.)	AF330	765
EPA ID: NYP004106688				
CON EDISON - MH MH-5	E. 40TH STREET AND 3	ESE 1/8 - 1/4 (0.136 mi.)	AF331	767
EPA ID: NYP004111563				
CON EDISON SERVICE B	671 3RD AVE	ESE 1/8 - 1/4 (0.137 mi.)	AA332	771
EPA ID: NYP004267621				
CON EDISON SERVICE B	679 3RD AVE	ESE 1/8 - 1/4 (0.138 mi.)	AK336	779
EPA ID: NYP004267647				
CON EDISON	661 3RD AVE	SE 1/8 - 1/4 (0.138 mi.)	AI337	783
EPA ID: NYP004560140				
CON EDISON SERVICE B	661 3RD AVE OPPOSITE	SE 1/8 - 1/4 (0.138 mi.)	AI338	784
EPA ID: NYP004267613				
CON EDISON SERVICE B	675 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AA343	798
EPA ID: NYP004267639				
CON EDISON	681-691 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AF345	804
EPA ID: NYP004172466				
ROYAL REALTY CORP	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI346	809
EPA ID: NYR000029579				
NYNEX	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI348	815
EPA ID: NYP000913038				
CON EDISON SERVICE B	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI349	816
EPA ID: NYP004267746				
CON EDISON	702 3 AVE	E 1/8 - 1/4 (0.146 mi.)	AH361	848
EPA ID: NYP004619300				
CON EDISON MANHOLE:	141-143 E 40TH ST &	S 1/8 - 1/4 (0.146 mi.)	AP362	850
EPA ID: NYP004441648				
MH07797	F/O 143 E.40 STREET	S 1/8 - 1/4 (0.148 mi.)	AP366	861
EPA ID: NYP004046439				
CON EDISON	650 3RD AVE	SSE 1/8 - 1/4 (0.148 mi.)	AQ367	864
EPA ID: NYP004618013				
CON EDISON - MANHOLE	E 44 ST AND 3 AVE	E 1/8 - 1/4 (0.149 mi.)	AS377	892
EPA ID: NYP004169678				
CONSOLIDATED EDISON-	EAST 44TH ST. & 3RD	E 1/8 - 1/4 (0.149 mi.)	AS378	897
EPA ID: NYP004250668				
CON EDISON MANHOLE:	3RD AVE & 44TH ST	E 1/8 - 1/4 (0.149 mi.)	AS379	899
EPA ID: NYP004423901				
CONSOLIDATED EDISON	EAST 44TH ST & 3RD A	E 1/8 - 1/4 (0.149 mi.)	AS380	902

EXECUTIVE SUMMARY

EPA ID: NYP004176186				
AMERICAN HOME PRODUC	685 THIRD AVE	E 1/8 - 1/4 (0.149 mi.)	AF383	908
EPA ID: NYD001496397				
CON EDISON	154 E 45TH ST	ENE 1/8 - 1/4 (0.149 mi.)	AU389	927
EPA ID: NYP004535241				
CON EDISON SERVICE B	137 E 45TH ST	NE 1/8 - 1/4 (0.150 mi.)	AV390	928
EPA ID: NYP004222758				
CON EDISON - GAS DRI	646 3RD AVE	SSE 1/8 - 1/4 (0.150 mi.)	AQ391	933
EPA ID: NYP004290433				
CON EDISON	644 3 AVE	SSE 1/8 - 1/4 (0.151 mi.)	AQ394	944
EPA ID: NYP004614814				
CONSOLIDATED EDISON	160 EAST 45TH STREET	ENE 1/8 - 1/4 (0.152 mi.)	AU397	951
EPA ID: NYP004176194				
CON EDISON SERVICE B	139 E 45TH ST	NE 1/8 - 1/4 (0.152 mi.)	AV398	952
EPA ID: NYP004223749				
CON EDISON SERVICE B	139 E 45TH ST	NE 1/8 - 1/4 (0.152 mi.)	AV399	956
EPA ID: NYP004222766				
CON EDISON	640 3 AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ405	972
EPA ID: NYP004614882				
TAMS CONSULTANTS INC	655 3RD AVE	SE 1/8 - 1/4 (0.152 mi.)	AY406	974
EPA ID: NYR000069203				
KONICA BUSINESS MACH	655 3RD AVE	SE 1/8 - 1/4 (0.152 mi.)	AY407	978
EPA ID: NYD125930081				
CON EDISON	655 3RD AVE FRONT OF	SE 1/8 - 1/4 (0.152 mi.)	AY408	983
EPA ID: NYP004215208				
CON EDISON SERVICE B	E 41ST ST & 3RD AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ412	994
EPA ID: NYP004267597				
CON EDISON - MANHOLE	E 41 ST AND THIRD AV	SSE 1/8 - 1/4 (0.152 mi.)	AQ413	998
EPA ID: NYP004188041				
CON EDISON SERVICE B	638 3RD AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ415	1005
EPA ID: NYP004267571				
CON EDISON SERVICE B	632 3RD AVE	SSE 1/8 - 1/4 (0.154 mi.)	AQ422	1024
EPA ID: NYP004267589				
CON EDISON	200 E 41ST ST	SSE 1/8 - 1/4 (0.155 mi.)	AQ428	1036
EPA ID: NYP004788303				
CON EDISON SERVICE B	651 3RD AVE	SSE 1/8 - 1/4 (0.156 mi.)	AQ430	1039
EPA ID: NYP004267779				
CON EDISON	153 E 45 ST	ENE 1/8 - 1/4 (0.156 mi.)	AU431	1043
EPA ID: NYP004619144				
CON ED	155 E 45TH ST	ENE 1/8 - 1/4 (0.157 mi.)	AU438	1056
EPA ID: NYP004861965				
CON EDISON - OTH 860	157 E. 45TH STREET	ENE 1/8 - 1/4 (0.158 mi.)	AU439	1057
EPA ID: NYP004110078				
CON EDISON MANHOLE:	142 E 40TH ST	S 1/8 - 1/4 (0.158 mi.)	AP441	1063
EPA ID: NYP004267100				
CON EDISON SERVICE B	153 E 40TH ST	S 1/8 - 1/4 (0.159 mi.)	AP445	1074

EXECUTIVE SUMMARY

EPA ID: NYP004266615				
CON EDISON MANHOLE:	202 E 42ND ST	SE 1/8 - 1/4 (0.162 mi.)	AY453	1097
EPA ID: NYP004267654				
CONED	703 3RD AVE	E 1/8 - 1/4 (0.162 mi.)	AS455	1103
EPA ID: NYP004176202				
CON EDISON - VAULT V	148 E 40TH ST	S 1/8 - 1/4 (0.167 mi.)	AP483	1158
EPA ID: NYP005058132				
CON EDISON SERVICE B	645 3RD AVE	SSE 1/8 - 1/4 (0.167 mi.)	AQ484	1159
EPA ID: NYP004267555				
CON EDISON SERVICE B	152 E 40TH ST	S 1/8 - 1/4 (0.168 mi.)	AP487	1165
EPA ID: NYP004266623				
CON EDISON - VAULT V	205 E 42ND ST	ESE 1/8 - 1/4 (0.169 mi.)	BE490	1172
EPA ID: NYP005046042				
CON EDISON - V6126	201 E 43 ST 201 E 43	ESE 1/8 - 1/4 (0.170 mi.)	BF492	1175
EPA ID: NYP004067005				
EPA ID: NYP004073896				
CON EDISON - VAULT V	201 E 43 ST	ESE 1/8 - 1/4 (0.170 mi.)	BF493	1180
EPA ID: NYP004982623				
CON EDISON SERVICE B	631 3RD AVE	SSE 1/8 - 1/4 (0.174 mi.)	BH515	1220
EPA ID: NYP004267563				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC519	1235
EPA ID: NYP004787685				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC520	1236
EPA ID: NYP004786992				
CON EDISON SERVICE B	148 E 46TH ST	NE 1/8 - 1/4 (0.176 mi.)	BC530	1255
EPA ID: NYP004269635				
CON EDISON SERVICE B	621 3RD AVE	SSE 1/8 - 1/4 (0.178 mi.)	BH548	1312
EPA ID: NYP004267548				
CON EDISON	3RD AVE & E 45TH ST	ENE 1/8 - 1/4 (0.179 mi.)	BM560	1338
EPA ID: NYP004782900				
CONSOLIDATED EDISON	45 TH STREET AND THI	ENE 1/8 - 1/4 (0.179 mi.)	BM562	1342
EPA ID: NYP004254850				
CON EDISON	200-208 E 45TH ST &	E 1/8 - 1/4 (0.180 mi.)	BM565	1347
EPA ID: NYP004168274				
CON EDISON	720 3RD AVE	ENE 1/8 - 1/4 (0.181 mi.)	BM571	1362
EPA ID: NYP004269544				
CON EDISON MANHOLE:	214 E 42ND ST	SE 1/8 - 1/4 (0.182 mi.)	BP572	1363
EPA ID: NYP004267662				
VERIZON NEW YORK INC	40TH ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ586	1395
EPA ID: NYP000950477				
CONSOLIDATED EDISON	E 40 ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ587	1398
EPA ID: NYP004149191				
CONSOLIDATED EDISON	E 40 ST & 3 AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ588	1399
EPA ID: NYP000928762				
CON EDISON - MANHOLE	E 40TH ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ589	1401
EPA ID: NYP004937688				
CONSOLIDATED EDISON	40TH ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ590	1401

EXECUTIVE SUMMARY

EPA ID: NYP004151486				
CONSOLIDATED EDISON	E 40 ST & 3RD AVE	SSE 1/8 - 1/4 (0.182 mi.)	BQ592	1405
EPA ID: NYP004155883				
TEACHERS INSURANCE &	730 3RD AVE BLOCK 13	ENE 1/8 - 1/4 (0.188 mi.)	BS605	1449
EPA ID: NYD987027679				
CON EDISON SERVICE B	147 E 39TH ST	S 1/8 - 1/4 (0.192 mi.)	BV617	1478
EPA ID: NYP004266847				
600 THIRD AVENUE LLC	600 3RD AVE	S 1/8 - 1/4 (0.193 mi.)	BX619	1484
EPA ID: NYR000232298				
CON EDISON SERVICE B	209 E 44TH ST	E 1/8 - 1/4 (0.195 mi.)	BY627	1506
EPA ID: NYP004269601				
CONSOLIDATED EDISON	204 E 43RD ST	ESE 1/8 - 1/4 (0.195 mi.)	BZ629	1512
EPA ID: NYP000927988				
AVIS RENT A CAR SYST	217 E. 43RD STREET	ESE 1/8 - 1/4 (0.200 mi.)	BZ650	1579
EPA ID: NYP000910653				
TEACHERS INSURANCE &	485 LEXINGTON AVE	NE 1/8 - 1/4 (0.203 mi.)	CD658	1609
EPA ID: NYD986931939				
DUANE READE INC STOR	485 LEXINGTON AVE 1S	NE 1/8 - 1/4 (0.203 mi.)	CD660	1617
EPA ID: NYR000129247				
V2093	205 E.41 ST.	SE 1/8 - 1/4 (0.205 mi.)	CF664	1629
EPA ID: NYP004044079				
CON EDISON SERVICE B	731 3RD AVE	ENE 1/8 - 1/4 (0.205 mi.)	BS666	1634
EPA ID: NYP004269585				
CON EDISON	207 E 41ST ST	SE 1/8 - 1/4 (0.206 mi.)	CF679	1667
EPA ID: NYP004718037				
CON EDISON	206 E 41 ST	SE 1/8 - 1/4 (0.206 mi.)	CF682	1672
EPA ID: NYP004622213				
CONSOLIDATED EDISON	V0227-41 E 45TH ST	E 1/8 - 1/4 (0.208 mi.)	CJ684	1677
EPA ID: NYP004056867				
ROYAL REALTY	733 3RD AVE - SUB BA	ENE 1/8 - 1/4 (0.212 mi.)	CL697	1716
EPA ID: NYR000070458				
V1772	225 E.41 ST.	SE 1/8 - 1/4 (0.214 mi.)	CF708	1743
EPA ID: NYP004044061				
BELL ATLANTIC-NY	E 46 ST/3 AVENUE	ENE 1/8 - 1/4 (0.216 mi.)	CL712	1755
EPA ID: NYP000933853				
CON EDISON	3RD AVE & E. 46TH ST	ENE 1/8 - 1/4 (0.216 mi.)	CL713	1758
EPA ID: NYP005222245				
CON EDISON - VAULT 2	200 E 40 ST	SSE 1/8 - 1/4 (0.216 mi.)	CP714	1759
EPA ID: NYP004954283				
CON EDISON	226 E 41 ST	SE 1/8 - 1/4 (0.216 mi.)	CF715	1760
EPA ID: NYP004618047				
230 WEST 41ST STREET	230 E 41ST ST	SE 1/8 - 1/4 (0.218 mi.)	CF735	1829
EPA ID: NYD980780993				
CON EDISON SERVICE B	744 3RD AVE	ENE 1/8 - 1/4 (0.218 mi.)	CT736	1837
EPA ID: NYP004269643				
NEW YORK NEWS INC	235 E 41ST ST	SE 1/8 - 1/4 (0.219 mi.)	CF738	1842

EXECUTIVE SUMMARY

EPA ID: NYD001525724				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU739	1849
EPA ID: NYP004266508				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU742	1855
EPA ID: NYP004266490				
CON EDISON SERVICE B	201 E 40TH ST	SSE 1/8 - 1/4 (0.220 mi.)	CP753	1885
EPA ID: NYP004320156				
CONSOLIDATED EDISON	39TH ST & 3RD AVE	S 1/8 - 1/4 (0.220 mi.)	CU754	1889
EPA ID: NYP004115026				
CONSOLIDATED EDISON	39 ST & 3 AVE	S 1/8 - 1/4 (0.220 mi.)	CU755	1889
EPA ID: NYP004116026				
CON EDISON	236 E 41 ST	SE 1/8 - 1/4 (0.221 mi.)	CF756	1891
EPA ID: NYP004617054				
CON EDISON	236 E 41 ST	SE 1/8 - 1/4 (0.221 mi.)	CF757	1892
EPA ID: NYP004618054				
TOWERS CLEANERS	240 E 41ST ST	SE 1/8 - 1/4 (0.223 mi.)	CF763	1906
EPA ID: NYD982730582				
CON EDISON - VAULT 4	247 E 41 ST	SE 1/8 - 1/4 (0.224 mi.)	CF774	1937
EPA ID: NYP004888741				
CONSOLIDATED EDISON	V2633-220 W 42ND ST	SE 1/8 - 1/4 (0.224 mi.)	CX777	1947
EPA ID: NYP004064705				
POST PERFECT	220 E 42ND ST	SE 1/8 - 1/4 (0.224 mi.)	CX778	1948
EPA ID: NYD131364093				
EPA ID: NYR000012534				
CON EDISON MANHOLE 3	E 47TH ST & LEXINGTO	NE 1/8 - 1/4 (0.225 mi.)	CY782	1960
EPA ID: NYP004243689				
BELL ATLANTIC-NY	E 47TH ST/LEXINGTON	NE 1/8 - 1/4 (0.225 mi.)	CY783	1963
EPA ID: NYP000933952				
CON EDISON SERVICE B	130 E 47TH ST	NE 1/8 - 1/4 (0.226 mi.)	CD790	1979
EPA ID: NYP004274262				
CON EDISON	130 EAST 47TH STREET	NE 1/8 - 1/4 (0.226 mi.)	CD791	1982
EPA ID: NYP004668760				
CON EDISON	138 E 47 ST	NE 1/8 - 1/4 (0.228 mi.)	DA794	1985
EPA ID: NYP004627345				
CON EDISON VAULT: 45	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA796	1989
EPA ID: NYP004362471				
CON EDISON VAULT: 51	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA797	1992
EPA ID: NYP004362448				
CON EDISON VAULT: 71	142 E 47TH ST FRONT	NE 1/8 - 1/4 (0.229 mi.)	DA798	1996
EPA ID: NYP004362430				
CON EDISON VAULT: 44	142 E 47 ST FRONT OF	NE 1/8 - 1/4 (0.229 mi.)	DA799	1999
EPA ID: NYP004362489				
CON EDISON VAULT: 20	750 3RD AVE	ENE 1/8 - 1/4 (0.229 mi.)	CT800	2003
EPA ID: NYP004356432				
CON EDISON VAULT: 19	750 3RD AVE	ENE 1/8 - 1/4 (0.229 mi.)	CT801	2006
EPA ID: NYP004356424				
CON EDISON MANHOLE:	144 E 47TH ST	NE 1/8 - 1/4 (0.230 mi.)	DA805	2015

EXECUTIVE SUMMARY

EPA ID: NYP004274254				
CON EDISON SERVICE B	211 E 40TH ST	SSE 1/8 - 1/4 (0.231 mi.)	CV811	2029
EPA ID: NYP004266326				
CON EDISON SERVICE B	215 E 40TH ST	SSE 1/8 - 1/4 (0.233 mi.)	CV821	2054
EPA ID: NYP004266334				
CON EDISON SERVICE B	235 E 42ND ST	ESE 1/8 - 1/4 (0.233 mi.)	DG823	2059
EPA ID: NYP004267373				
EPA ID: NYD982176281				
CONSOLIDATED EDISON	219 E 40 ST MH7812	SSE 1/8 - 1/4 (0.236 mi.)	CV848	2136
EPA ID: NYP004120848				
CON EDISON - VS 774	214 EAST 40TH ST	SSE 1/8 - 1/4 (0.237 mi.)	CP857	2161
EPA ID: NYP004114005				
CON EDISON SERVICE B	227 E 40TH ST	SSE 1/8 - 1/4 (0.241 mi.)	CV881	2255
EPA ID: NYP004266342				
HERTZ CAR RENTAL	222 E 40TH ST	SSE 1/8 - 1/4 (0.242 mi.)	DP893	2284
EPA ID: NYP000951988				
CON EDISON	203 E 46 ST	ENE 1/8 - 1/4 (0.242 mi.)	DQ895	2297
EPA ID: NYP004619383				
AGENCE FRANCE-PRESSE	747 3RD AVE - 10TH F	ENE 1/8 - 1/4 (0.243 mi.)	DQ900	2309
EPA ID: NY0000379230				
MIKI SANGYO USA INC	747 3RD AVE	ENE 1/8 - 1/4 (0.243 mi.)	DQ901	2314
EPA ID: NYD077703346				
CON EDISON	578 3RD AVE	S 1/8 - 1/4 (0.244 mi.)	DD908	2340
EPA ID: NYP004148797				
CONSOLIDATED EDISON	226 E 40 ST	SSE 1/8 - 1/4 (0.245 mi.)	DP912	2348
EPA ID: NYP004252474				
CON EDISON	202 E 39TH ST FRONT	S 1/8 - 1/4 (0.246 mi.)	DU929	2385
EPA ID: NYP004164646				
CON EDISON	222 E 46 ST	ENE 1/8 - 1/4 (0.248 mi.)	DX933	2398
EPA ID: NYP004619284				
CON EDISON	209 E 46 ST	ENE 1/8 - 1/4 (0.248 mi.)	DQ936	2404
EPA ID: NYP004619292				
CON EDISON SERVICE B	243 E 40TH ST	SSE 1/8 - 1/4 (0.250 mi.)	DZ942	2415
EPA ID: NYP004266979				

TX Ind. Haz Waste: The Industrial and Hazardous Waste Database contains summary reports by waste handlers, generators and shippers in Texas.

A review of the TX Ind. Haz Waste list, as provided by EDR, and dated 02/06/2020 has revealed that there is 1 TX Ind. Haz Waste site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
OMI BULK MANAGEMENT Registration Number: 47010	90 PARK AVE RM 1600	WSW 1/8 - 1/4 (0.182 mi.)	BL579	1383

EXECUTIVE SUMMARY

CT MANIFEST: Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

A review of the CT MANIFEST list, as provided by EDR, and dated 05/12/2020 has revealed that there is 1 CT MANIFEST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JP MORGAN CHASE EPA Id: NYD001289008	237 PARK AVENUE	NNE 1/8 - 1/4 (0.151 mi.)	AG396	950

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there are 7 PA MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GRAND CENTRAL TERMIN Generator EPA Id: NYD981179773	15 VANDERBILT AVE	WNW 0 - 1/8 (0.101 mi.)	T185	456
CON EDISON - VANDERB Generator EPA Id: NYP004715363	E 42ND ST & VANDERBI	WNW 0 - 1/8 (0.109 mi.)	R212	509
EMPIRE STATE REALTY Generator EPA Id: NYR000206805	60 E. 42ND STREET	W 0 - 1/8 (0.120 mi.)	R250	578
RITE AID # 4964 Generator EPA Id: NYR000188730	26 GRAND CENTRAL TER	WNW 1/8 - 1/4 (0.209 mi.)	CK690	1695
CON EDISON - 45TH ST Generator EPA Id: NYP004716981	228 E 45TH ST	E 1/8 - 1/4 (0.240 mi.)	DN873	2228

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CVS # 07019 Generator EPA Id: NYD001307099	150 E 42ND STREET	SE 0 - 1/8 (0.100 mi.)	M171	414
CON EDISON - 41ST Generator EPA Id: NYP004718037	207 E 41ST	SE 1/8 - 1/4 (0.206 mi.)	CF680	1669

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2018 has revealed that there are 153 NJ MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GRAND CENTRAL TERMIN EPA Id: NYR000161398	105 E 42ND ST	WSW 0 - 1/8 (0.034 mi.)	D20	41
CON EDISON - SERVICE EPA Id: NYP004744967	122 E 42 ST	WSW 0 - 1/8 (0.040 mi.)	D25	72
CON EDISON EPA Id: NYP004804928 EPA Id: NYP004744801 EPA Id: NYP004267753	122 E 42 ST	WSW 0 - 1/8 (0.040 mi.)	D26	73
CON EDISON SERVICE B	122 E 42ND ST OPPOS	WSW 0 - 1/8 (0.040 mi.)	D29	86

EXECUTIVE SUMMARY

EPA Id: NYP004267761				
CON EDISON	100 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N110	282
EPA Id: NYP004786075				
CON EDISON	100 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N114	291
EPA Id: NYP004752523				
CON EDISON SERVICE B	104 E 41ST ST	SSW 0 - 1/8 (0.084 mi.)	N116	296
EPA Id: NYP004267829				
CON EDISON	VANDERBILT AVE & E 4	WNW 0 - 1/8 (0.109 mi.)	R208	500
EPA Id: NYP004826929				
CON EDISON OTHER SPE	104 E 45TH ST	NNE 0 - 1/8 (0.113 mi.)	Z229	535
EPA Id: NYP004269973				
HELMSLEY SPEAR INC	60 E 42ND ST	W 0 - 1/8 (0.120 mi.)	R252	579
EPA Id: NYD001538842				
CON EDISON SERVICE B	355 LEXINGTON AVE	S 1/8 - 1/4 (0.125 mi.)	AB269	619
EPA Id: NYP004225710				
CON EDISON MANHOLE 3	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB322	746
EPA Id: NYP004218604				
CON EDISON MANHOLE 5	E 40TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.133 mi.)	AB325	755
EPA Id: NYP004249759				
CON EDISON SERVICE B	102 E 40TH ST	SW 1/8 - 1/4 (0.144 mi.)	AM351	824
EPA Id: NYP004266250				
CON EDISON	118 E 40TH ST	SSW 1/8 - 1/4 (0.145 mi.)	AN353	828
EPA Id: NYP004833030				
CON EDISON	122 E 40TH ST	S 1/8 - 1/4 (0.146 mi.)	AO358	839
EPA Id: NYP004165940				
CON EDISON SERVICE B	122 E 40TH ST OPPOS	S 1/8 - 1/4 (0.146 mi.)	AO360	847
EPA Id: NYP004266540				
CON EDISON	90 PARK AVE & 40TH S	WSW 1/8 - 1/4 (0.149 mi.)	AL376	891
EPA Id: NYP004747366				
CON EDISON SERVICE B	130 E 40TH ST	S 1/8 - 1/4 (0.149 mi.)	AO386	921
EPA Id: NYP004267084				
CON EDISON	331 MADISON AVE	NW 1/8 - 1/4 (0.152 mi.)	AW409	989
EPA Id: NYP004798286				
CON EDISON SERVICE B	344 LEXINGTON AVE	SSW 1/8 - 1/4 (0.154 mi.)	AN419	1014
EPA Id: NYP004266532				
CON EDISON SERVICE B	333 MADISON AVE	NW 1/8 - 1/4 (0.156 mi.)	AW433	1046
EPA Id: NYP004269569				
CON EDISON	307 MADISON AVE	WNW 1/8 - 1/4 (0.156 mi.)	AT436	1053
EPA Id: NYP004767505				
CON EDISON MANHOLE:	140 E 40TH ST OPPOS	S 1/8 - 1/4 (0.159 mi.)	AP444	1073
EPA Id: NYP004267076				
CON EDISON SERVICE B	99 PARK AVE	SW 1/8 - 1/4 (0.161 mi.)	AM448	1080
EPA Id: NYP004266243				
CON EDISON	43RD ST & MADISON AV	NW 1/8 - 1/4 (0.162 mi.)	AW462	1114
EPA Id: NYP004774311				
CON EDISON	52 E 44TH ST VAULT95	NW 1/8 - 1/4 (0.163 mi.)	BB468	1127

EXECUTIVE SUMMARY

EPA Id: NYP004777934				
CON EDISON	52 E 44TH ST VAULT83	NW 1/8 - 1/4 (0.163 mi.)	BB474	1137
EPA Id: NYP004777926				
CON EDISON SERVICE B	121 E 39TH ST	SSW 1/8 - 1/4 (0.166 mi.)	AN480	1150
EPA Id: NYP004266276				
CON EDISON MANHOLE 5	334 MADISON AVE	NW 1/8 - 1/4 (0.174 mi.)	AW513	1217
EPA Id: NYP004249007				
CON EDISON SERVICE B	310 MADISON AVE	WNW 1/8 - 1/4 (0.176 mi.)	BI528	1253
EPA Id: NYP004267993				
CON EDISON SERVICE B	133 E 39TH ST	S 1/8 - 1/4 (0.176 mi.)	BG532	1263
EPA Id: NYP004266995				
CON EDISON VAULT: 79	32 E 45TH ST	NNW 1/8 - 1/4 (0.177 mi.)	BK541	1290
EPA Id: NYP004451225				
CON EDISON SERVICE B	308 MADISON AVE	WNW 1/8 - 1/4 (0.177 mi.)	BI543	1295
EPA Id: NYP004267985				
CON EDISON	293 MADISON AVE MH50	W 1/8 - 1/4 (0.179 mi.)	BA551	1319
EPA Id: NYP004754446				
CON EDISON	293 MADISON AVE SB50	W 1/8 - 1/4 (0.179 mi.)	BA559	1337
EPA Id: NYP004754453				
CON EDISON SERVICE B	340 MADISON AVE	NW 1/8 - 1/4 (0.180 mi.)	BN567	1355
EPA Id: NYP004269551				
CON EDISON	E 39TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.182 mi.)	BG584	1392
EPA Id: NYP004768875				
CON EDISON	285 MADISON AVE	W 1/8 - 1/4 (0.184 mi.)	BR598	1432
EPA Id: NYP004828549				
GP 275 OWNER LLC	275 MADISON AVE - 21	W 1/8 - 1/4 (0.193 mi.)	BR623	1494
EPA Id: NYR000178434				
CON EDISON SERVICE B	37 E 40TH ST	WSW 1/8 - 1/4 (0.194 mi.)	BR625	1504
EPA Id: NYP004266649				
CON EDISON SERVICE B	350 MADISON AVE	NNW 1/8 - 1/4 (0.198 mi.)	BT635	1528
EPA Id: NYP004269338				
CON EDISON MANHOLE 8	22 E 44 ST	NW 1/8 - 1/4 (0.198 mi.)	BN641	1548
EPA Id: NYP004228157				
CON EDISON	16 E 43RD ST	NW 1/8 - 1/4 (0.200 mi.)	CB647	1573
EPA Id: NYP004268116				
CON EDISON SERVICE B	16 E 44TH ST	NW 1/8 - 1/4 (0.206 mi.)	CH671	1646
EPA Id: NYP004249312				
EPA Id: NYP004204723				
CON EDISON	E 40TH ST & MADISON	W 1/8 - 1/4 (0.206 mi.)	CI678	1666
EPA Id: NYP004839068				
CON EDISON SERVICE B	71 PARK AVE	SW 1/8 - 1/4 (0.209 mi.)	CA692	1703
EPA Id: NYP004266235				
CON EDISON - MANHOLE	223-225 E 43RD ST &	ESE 1/8 - 1/4 (0.212 mi.)	BZ702	1728
EPA Id: NYP004807871				
CON EDISON	6 E 43RD ST	NW 1/8 - 1/4 (0.214 mi.)	CB705	1737
EPA Id: NYP004792818				
CON EDISON SERVICE B	225 E 43RD ST	ESE 1/8 - 1/4 (0.217 mi.)	CS730	1815

EXECUTIVE SUMMARY

EPA Id: NYP004246676				
CON EDISON SERVICE B	26 E 40TH ST	W 1/8 - 1/4 (0.219 mi.)	CI743	1859
EPA Id: NYP004266565				
CON EDISON SERVICE B	19 E 40TH ST	W 1/8 - 1/4 (0.220 mi.)	CI747	1869
EPA Id: NYP004266466				
CON EDISON	14 E 45 ST	NNW 1/8 - 1/4 (0.223 mi.)	CW766	1918
EPA Id: NYP004807384				
EPA Id: NYP004807376				
CON EDISON SERVICE B	15 E 40TH ST	W 1/8 - 1/4 (0.224 mi.)	CR772	1932
EPA Id: NYP004265971				
CON EDISON	229 E 43RD ST	ESE 1/8 - 1/4 (0.225 mi.)	CS786	1973
EPA Id: NYP004746525				
CON EDISON SERVICE B	E 38TH ST & LEXINGTO	SSW 1/8 - 1/4 (0.230 mi.)	DC803	2012
EPA Id: NYP004266755				
CON EDISON SERVICE B	10 E 41ST ST	W 1/8 - 1/4 (0.231 mi.)	CR814	2038
EPA Id: NYP004258679				
CON EDISON SERVICE B	20 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.231 mi.)	DE819	2051
EPA Id: NYP004266300				
CON EDISON	10 E 45TH ST	NNW 1/8 - 1/4 (0.234 mi.)	CW827	2094
EPA Id: NYP004833311				
CON EDISON MANHOLE:	225 E 45TH ST	E 1/8 - 1/4 (0.235 mi.)	DJ840	2119
EPA Id: NYP004269577				
CON EDISON SERVICE B	18 E 40TH ST OPPOSIT	W 1/8 - 1/4 (0.236 mi.)	DE846	2131
EPA Id: NYP004266367				
CON EDISON	7 E 40TH ST	W 1/8 - 1/4 (0.238 mi.)	DL862	2173
EPA Id: NYP004845331				
CON EDISON SERVICE B	308 LEXINGTON AVE	SSW 1/8 - 1/4 (0.241 mi.)	DC878	2249
EPA Id: NYP004266656				
CON EDISON SERVICE B	24 E 46TH ST OPPOSIT	NNW 1/8 - 1/4 (0.241 mi.)	DH883	2263
EPA Id: NYP004269403				
CON EDISON	247-249 E 43RD ST &	ESE 1/8 - 1/4 (0.241 mi.)	DO884	2264
EPA Id: NYP004807863				
CON EDISON MANHOLE 8	249 E 43RD ST E OF 2	ESE 1/8 - 1/4 (0.242 mi.)	DO891	2278
EPA Id: NYP004746517				
EPA Id: NYP004246486				
CON EDISON MANHOLE:	3 E 42ND ST	WNW 1/8 - 1/4 (0.243 mi.)	DM903	2323
EPA Id: NYP004257846				
CON EDISON	260 PARK AVE	N 1/8 - 1/4 (0.245 mi.)	DS911	2347
EPA Id: NYP004730198				
CON EDISON	18-22 E 46TH ST & MA	NNW 1/8 - 1/4 (0.245 mi.)	DH917	2363
EPA Id: NYP004820045				
CON EDISON	18 E 46TH ST	NNW 1/8 - 1/4 (0.245 mi.)	DH921	2370
EPA Id: NYP004821050				
CON EDISON SERVICE B	6 E 41ST ST	W 1/8 - 1/4 (0.246 mi.)	DF925	2377
EPA Id: NYP004258661				
CON EDISON SERVICE B	59 PARK AVE	SW 1/8 - 1/4 (0.246 mi.)	DW928	2384
EPA Id: NYP004266227				
CON EDISON SERVICE B	3 E 40TH ST	W 1/8 - 1/4 (0.249 mi.)	DL939	2409

EXECUTIVE SUMMARY

EPA Id: NYP004265856

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON SERVICE B EPA Id: NYP004267738	133 E 42ND ST	SSE 0 - 1/8 (0.052 mi.)	E58	138
CON EDISON MANHOLE 5 EPA Id: NYP004249932	117 E 41ST ST	S 0 - 1/8 (0.081 mi.)	H85	215
CON EDISON EPA Id: NYP004787735	EAST 44TH ST & LEXIN	NE 0 - 1/8 (0.081 mi.)	K92	235
CON EDISON EPA Id: NYP004835878	LEXINGTON AVE & 44TH	NE 0 - 1/8 (0.081 mi.)	K96	241
CON EDISON EPA Id: NYP004787719	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K98	246
CON EDISON EPA Id: NYP004787743	E 44TH ST & LEXINGTO	NE 0 - 1/8 (0.081 mi.)	K100	249
CON EDISON EPA Id: NYP004781092	110 E 41ST ST	SSW 0 - 1/8 (0.085 mi.)	N119	301
CON EDISON - MANHOLE EPA Id: NYP004152393	E 41 ST & LEXINGTON	S 0 - 1/8 (0.086 mi.)	O122	305
CON EDISON - MANHOLE EPA Id: NYP004152054	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O125	313
CON EDISON MANHOLE 3 EPA Id: NYP004152302	E 41ST ST & LEXINGTO	S 0 - 1/8 (0.086 mi.)	O129	321
CON EDISON SERVICE B EPA Id: NYP004267696	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M135	336
CON EDISON SERVICE B EPA Id: NYP004267704	130 E 42ND ST BOX 82	SE 0 - 1/8 (0.087 mi.)	M136	337
CON EDISON SERVICE B EPA Id: NYP004267837	116 E 41ST ST	SSW 0 - 1/8 (0.088 mi.)	O142	349
CON EDISON SERVICE B EPA Id: NYP004267688	138 E 42ND ST	SE 0 - 1/8 (0.092 mi.)	M151	372
CON EDISON EPA Id: NYP004825218	126 E 41ST ST	S 0 - 1/8 (0.094 mi.)	O156	384
CON EDISON SERVICE B EPA Id: NYP004223293	364 LEXINGTON AVE	SSW 0 - 1/8 (0.098 mi.)	N164	397
CON EDISON SERVICE B EPA Id: NYP004267670	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M172	419
CON EDISON EPA Id: NYP004826630	365 LEXINGTON AVE	S 0 - 1/8 (0.104 mi.)	O193	475
CON EDISON SERVICE B EPA Id: NYP004267720	160 E 42ND ST	SE 0 - 1/8 (0.106 mi.)	V200	485
CON EDISON - VAULT 5 EPA Id: NYP004868362	150 E 41 ST	S 0 - 1/8 (0.109 mi.)	Q218	516
CON EDISON EPA Id: NYP004844532	150 E 44TH ST	E 0 - 1/8 (0.111 mi.)	Y223	524
CON EDISON	666 3RD AVE SB43886	ESE 0 - 1/8 (0.116 mi.)	AA233	541

EXECUTIVE SUMMARY

EPA Id: NYP004844557				
CON EDISON	666 3RD AVE SB43884	ESE 0 - 1/8 (0.116 mi.)	AA234	543
EPA Id: NYP004844565				
CON EDISON	666 3RD AVE SB43885	ESE 0 - 1/8 (0.116 mi.)	AA235	544
EPA Id: NYP004844540				
CON EDISON SERVICE B	451 LEXINGTON	NE 0 - 1/8 (0.117 mi.)	AC244	566
EPA Id: NYP004269668				
CON EDISON	686-688 3RD AVE	E 0 - 1/8 (0.122 mi.)	U260	599
EPA Id: NYP004172474				
CON EDISON SERVICE B	690 3RD AVE	E 0 - 1/8 (0.125 mi.)	AF268	618
EPA Id: NYP004269619				
CON EDISON	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC274	636
EPA Id: NYP004787701				
CON EDISON	LEXINGTON AVE & 45TH	NE 1/8 - 1/4 (0.127 mi.)	AC276	639
EPA Id: NYP004835860				
CON EDISON	E 45TH ST & LEXINGTO	NE 1/8 - 1/4 (0.127 mi.)	AC277	641
EPA Id: NYP004787693				
CON EDISON	130 E 45TH ST	ENE 1/8 - 1/4 (0.128 mi.)	AC285	656
EPA Id: NYP004799896				
CON EDISON	42ND ST & 3RD AVE	SE 1/8 - 1/4 (0.131 mi.)	AI297	679
EPA Id: NYP004845224				
NYCTA	3RD & 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI303	694
EPA Id: NYD986934693				
CON EDISON	3RD AVE & E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI304	701
EPA Id: NYP004846497				
CON EDISON SERVICE B	201 E 42ND ST	SE 1/8 - 1/4 (0.131 mi.)	AI311	718
EPA Id: NYP004267605				
CON EDISON SERVICE B	698 3RD AVE	E 1/8 - 1/4 (0.134 mi.)	AF327	760
EPA Id: NYP004269627				
CON EDISON SERVICE B	671 3RD AVE	ESE 1/8 - 1/4 (0.137 mi.)	AA333	775
EPA Id: NYP004267621				
CON EDISON SERVICE B	679 3RD AVE	ESE 1/8 - 1/4 (0.138 mi.)	AK335	778
EPA Id: NYP004267647				
CON EDISON SERVICE B	661 3RD AVE OPPOSITE	SE 1/8 - 1/4 (0.138 mi.)	AI339	788
EPA Id: NYP004267613				
CON EDISON SERVICE B	675 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AA344	803
EPA Id: NYP004267639				
CON EDISON	681-691 3RD AVE	ESE 1/8 - 1/4 (0.141 mi.)	AF345	804
EPA Id: NYP004172466				
CON EDISON SERVICE B	200 E 42ND ST	SE 1/8 - 1/4 (0.143 mi.)	AI347	814
EPA Id: NYP004267746				
CON EDISON - MANHOLE	E 44 ST AND 3 AVE	E 1/8 - 1/4 (0.149 mi.)	AS377	892
EPA Id: NYP004169678				
CON EDISON SERVICE B	137 E 45TH ST	NE 1/8 - 1/4 (0.150 mi.)	AV390	928
EPA Id: NYP004222758				
CON EDISON SERVICE B	139 E 45TH ST	NE 1/8 - 1/4 (0.152 mi.)	AV399	956

EXECUTIVE SUMMARY

EPA Id: NYP004222766				
CON EDISON	655 3RD AVE FRONT OF	SE 1/8 - 1/4 (0.152 mi.)	AY408	983
EPA Id: NYP004215208				
CON EDISON - MANHOLE	E 41 ST AND THIRD AV	SSE 1/8 - 1/4 (0.152 mi.)	AQ413	998
EPA Id: NYP004188041				
CON EDISON SERVICE B	638 3RD AVE	SSE 1/8 - 1/4 (0.152 mi.)	AQ416	1009
EPA Id: NYP004267571				
CON EDISON SERVICE B	632 3RD AVE	SSE 1/8 - 1/4 (0.154 mi.)	AQ423	1028
EPA Id: NYP004267589				
CON EDISON	200 E 41ST ST	SSE 1/8 - 1/4 (0.155 mi.)	AQ427	1035
EPA Id: NYP004788303				
CON EDISON SERVICE B	651 3RD AVE	SSE 1/8 - 1/4 (0.156 mi.)	AQ429	1038
EPA Id: NYP004267779				
CON EDISON MANHOLE:	142 E 40TH ST	S 1/8 - 1/4 (0.158 mi.)	AP440	1062
EPA Id: NYP004267100				
CON EDISON SERVICE B	153 E 40TH ST	S 1/8 - 1/4 (0.159 mi.)	AP446	1078
EPA Id: NYP004266615				
CON EDISON MANHOLE:	202 E 42ND ST	SE 1/8 - 1/4 (0.162 mi.)	AY454	1101
EPA Id: NYP004267654				
CON EDISON SERVICE B	645 3RD AVE	SSE 1/8 - 1/4 (0.167 mi.)	AQ485	1163
EPA Id: NYP004267555				
CON EDISON SERVICE B	152 E 40TH ST	S 1/8 - 1/4 (0.168 mi.)	AP486	1164
EPA Id: NYP004266623				
CON EDISON SERVICE B	631 3RD AVE	SSE 1/8 - 1/4 (0.174 mi.)	BH514	1218
EPA Id: NYP004267563				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC521	1238
EPA Id: NYP004787685				
CON EDISON	E 46TH ST & LEXINGTO	NE 1/8 - 1/4 (0.176 mi.)	BC525	1245
EPA Id: NYP004833139				
CON EDISON SERVICE B	148 E 46TH ST	NE 1/8 - 1/4 (0.176 mi.)	BC529	1254
EPA Id: NYP004269635				
CON EDISON SERVICE B	621 3RD AVE	SSE 1/8 - 1/4 (0.178 mi.)	BH549	1316
EPA Id: NYP004267548				
CON EDISON	3RD AVE & E 45TH ST	ENE 1/8 - 1/4 (0.179 mi.)	BM564	1345
EPA Id: NYP004782900				
CON EDISON	200-208 E 45TH ST &	E 1/8 - 1/4 (0.180 mi.)	BM565	1347
EPA Id: NYP004168274				
CON EDISON MANHOLE:	214 E 42ND ST	SE 1/8 - 1/4 (0.182 mi.)	BP573	1367
EPA Id: NYP004267662				
CON EDISON SERVICE B	147 E 39TH ST	S 1/8 - 1/4 (0.192 mi.)	BV616	1477
EPA Id: NYP004266847				
CON EDISON SERVICE B	209 E 44TH ST	E 1/8 - 1/4 (0.195 mi.)	BY626	1505
EPA Id: NYP004269601				
CON EDISON SERVICE B	731 3RD AVE	ENE 1/8 - 1/4 (0.205 mi.)	BS667	1638
EPA Id: NYP004269585				
CON EDISON SERVICE B	744 3RD AVE	ENE 1/8 - 1/4 (0.218 mi.)	CT737	1841

EXECUTIVE SUMMARY

EPA Id: NYP004269643				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU740	1853
EPA Id: NYP004266508				
CON EDISON SERVICE B	601 3RD AVE	S 1/8 - 1/4 (0.219 mi.)	CU741	1854
EPA Id: NYP004266490				
CON EDISON	LEXINGTON AVE & E 47	NE 1/8 - 1/4 (0.225 mi.)	CY779	1954
EPA Id: NYP004842668				
CON EDISON SERVICE B	130 E 47TH ST	NE 1/8 - 1/4 (0.226 mi.)	CD788	1976
EPA Id: NYP004274262				
CON EDISON MANHOLE:	144 E 47TH ST	NE 1/8 - 1/4 (0.230 mi.)	DA804	2013
EPA Id: NYP004274254				
CON EDISON	210 E 46TH ST	ENE 1/8 - 1/4 (0.230 mi.)	CL807	2021
EPA Id: NYP004878635				
CON EDISON SERVICE B	211 E 40TH ST	SSE 1/8 - 1/4 (0.231 mi.)	CV812	2033
EPA Id: NYP004266326				
CON EDISON SERVICE B	215 E 40TH ST	SSE 1/8 - 1/4 (0.233 mi.)	CV822	2058
EPA Id: NYP004266334				
PFIZER, INC.	EAST 42ND STREET	ESE 1/8 - 1/4 (0.233 mi.)	DG825	2068
EPA Id: NYP004267373				
EPA Id: NYD982176281				
CON EDISON SERVICE B	227 E 40TH ST	SSE 1/8 - 1/4 (0.241 mi.)	CV880	2254
EPA Id: NYP004266342				
CON EDISON	202 E 39TH ST FRONT	S 1/8 - 1/4 (0.246 mi.)	DU929	2385
EPA Id: NYP004164646				
CON EDISON SERVICE B	243 E 40TH ST	SSE 1/8 - 1/4 (0.250 mi.)	DZ941	2414
EPA Id: NYP004266979				

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there are 4 EDR MGP sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - WEST 58	11TH AVE. BETWEEN W.	N 1/2 - 1 (0.932 mi.)	1037	2654
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NEW AMSTERDAM GAS CO	FIRST AVE BETWEEN E	SE 1/4 - 1/2 (0.430 mi.)	EL1005	2585

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - EAST 39	EAST 39TH - EAST 42N	SE 1/4 - 1/2 (0.438 mi.)	1010	2596
CON EDISON - EAST 32	EAST 32ND - EAST 33R	S 1/2 - 1 (0.664 mi.)	1036	2654

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 6 EDR Hist Auto sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VILLAGE SERVICE CENT	170 PARK AVE S	NNW 0 - 1/8 (0.118 mi.)	AD246	571
GOLD J M & CO INC	60 E 42ND ST STE 165	W 0 - 1/8 (0.120 mi.)	R251	579
5 M MOBIL SERVICE CE	182 PARK AVE	NNW 0 - 1/8 (0.121 mi.)	AD258	597
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DY DX TRADING CORP	405 LEXINGTON AVE FL	E 0 - 1/8 (0.044 mi.)	C47	119
25 27 BP INC	370 LEXINGTON AVE 40	SSW 0 - 1/8 (0.094 mi.)	O158	388
A C C CAR CARE CENTE	150 E 42ND ST	SE 0 - 1/8 (0.100 mi.)	M177	431

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHRYSLER CLEANERS IN	405 LEXINGTON AVE FL	E 0 - 1/8 (0.044 mi.)	C48	120

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 55 records.

Site Name	Database(s)
WEST 29TH STREET GW	NY SHWS
CE - W. 45TH ST. GAS WORKS	NY SHWS
1ST AVENUE AND EAST 90TH STREET	NY SHWS
CE - E. 21ST ST. WORKS	NY SHWS
RADIUM CHEMICAL	NY SHWS
QUEENS WEST - SOUTH	NY SHWS
NYC STEAM PIPE RUPTURE 2018	SEMS, FINDS
CLOSED-LACKOF RECENT INFO	NY LTANKS
APARTMENT BUILDING	NY LTANKS
28-56 36TH ST/QUEENS	NY LTANKS
78-02 37TH ST/QUNS/USPS	NY LTANKS
1100-1114 MADISON STREET & 1101-11	NJ VCP
BLOCK 99	NJ VCP
22-26 NORTH PARK PLACE	NJ VCP
CE - E. 32ND ST. STATION	NY VCP
CE - E. 39TH ST. WORKS	NY VCP
37-23 - 37-29 33RD STREET	NY VCP
37-14 TO 37-18 34TH STREET	NY VCP
37-22 34TH STREET	NY VCP
34-22 35TH STREET - ASTORIA STUDIO	NY VCP
134-03 35TH AVENUE	NY VCP
134-37 35TH AVENUE	NY VCP
37-06 36TH STREET (NNO SUBMISSIONS	NY VCP
37-14 36TH STREET - DOB JOB NO. NB	NY VCP
31-19 37TH AVENUE - DOB JOB NO. NB	NY VCP
27-10 37TH AVE	NY VCP
32-08 38TH AVENUE	NY VCP
19-73 38TH STREET/ 19-80 STEINWAY	NY VCP
25-10 38 AVENUE	NY VCP
30-04 38TH AVENUE	NY VCP
43-06 AND 43-30 38TH STREET	NY VCP
31-12 38TH AVENUE	NY VCP
25-17 38TH AVE	NY VCP
32-04 38TH AVENUE - DOB JOB NO. 42	NY VCP
33-01 38TH AVENUE	NY VCP
31-07 38TH AVENUE	NY VCP
30-68 38TH STREET	NY VCP
28-09 39TH AVENUE	NY VCP
TANGRAM PLAZA	NY VCP
43-46 39TH PLACE	NY VCP
27-14 39TH AVENUE	NY VCP
23-12 40TH AVENUE	NY VCP
30-17 40TH AVENUE	NY VCP
41-04 27TH STREET	NY VCP
23-10 41ST AVENUE	NY VCP
21-30 44TH DRIVE	NY VCP
11-12 44TH DRIVE	NY VCP
45-35 11TH STREET AND 11-22 45TH R	NY VCP
11-20 46TH ROAD	NY VCP
11-51 47TH AVENUE	NY VCP
5-27-5-39 48TH AVENUE	NY VCP
27-10 49TH AVENUE	NY VCP
43-20 52ND STREET	NY VCP
47-27 5TH STREET - DOB JOB NO. NB	NY VCP
BRIGHTON GREEN	NY VCP

OVERVIEW MAP - 6212910.2S



★ Target Property

▲ Sites at elevations higher than or equal to the target property

◆ Sites at elevations lower than the target property

⚡ Manufactured Gas Plants

🏠 National Priority List Sites

🏠 Dept. Defense Sites

🏠 Indian Reservations BIA

🏠 County Boundary

🏠 Power transmission lines

🏠 Pipelines

🏠 Special Flood Hazard Area (1%)

🏠 0.2% Annual Chance Flood Hazard

🏠 National Wetland Inventory


🏠 State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK NY 10017
LAT/LONG: 40.752036 / 73.976336

CLIENT: Roux Associates
CONTACT: Rachel Henke
INQUIRY #: 6212910.2s
DATE: October 02, 2020 9:54 am

DETAIL MAP - 6212910.2S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚙ Manufactured Gas Plants
- 🏠 Sensitive Receptors
- 🚧 National Priority List Sites
- 🚧 Dept. Defense Sites

 Indian Reservations BIA

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK NY 10017
LAT/LONG: 40.752036 / 73.976336

CLIENT: Roux Associates
CONTACT: Rachel Henke
INQUIRY #: 6212910.2s
DATE: October 02, 2020 10:02 am

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		1	0	0	NR	NR	1
<i>Federal CERCLIS NFRAP site list</i>								
SEMS-ARCHIVE	0.500		0	0	1	NR	NR	1
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		8	13	NR	NR	NR	21
RCRA-SQG	0.250	1	2	9	NR	NR	NR	12
RCRA-VSQG	0.250		2	7	NR	NR	NR	9
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP	1	NR	NR	NR	NR	NR	1
<i>State- and tribal - equivalent CERCLIS</i>								
NY SHWS	1.000		0	0	0	1	NR	1
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
NY SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
INDIAN LUST	0.500		0	0	0	NR	NR	0
NY LTANKS	0.500		2	15	74	NR	NR	91
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
FEMA UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY UST	0.250		0	10	NR	NR	NR	10
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	0	NR	NR	NR	0
NY MOSF	0.500		1	1	3	NR	NR	5
NY AST	0.250		9	60	NR	NR	NR	69
NY CBS AST	0.250		0	0	NR	NR	NR	0
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250		1	1	NR	NR	NR	2
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	0	3	NR	NR	3
NY INST CONTROL	0.500		0	0	4	NR	NR	4
State and tribal voluntary cleanup sites								
NY VCP	0.500		1	0	4	NR	NR	5
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
NY BROWNFIELDS	0.500		0	0	2	NR	NR	2
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWRCY	0.500		0	0	0	NR	NR	0
NY SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
NY DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
NY PFAS	0.500		0	0	0	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		59	NR	NR	NR	NR	59
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		71	269	NR	NR	NR	340
FUDS	1.000		0	0	2	0	NR	2
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	4	0	0	NR	4
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		1	0	0	0	NR	1
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP	1	NR	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	12	NR	NR	NR	12
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		1	4	NR	NR	NR	5
NY E DESIGNATION	0.125		5	NR	NR	NR	NR	5

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY MANIFEST	0.250	1	98	370	NR	NR	NR	469
TX Ind. Haz Waste	0.250		0	1	NR	NR	NR	1
CT MANIFEST	0.250		0	1	NR	NR	NR	1
PA MANIFEST	0.250		4	3	NR	NR	NR	7
NJ MANIFEST	0.250	1	37	116	NR	NR	NR	154
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY VAPOR REOPENED	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NY COOLING TOWERS	TP	9	NR	NR	NR	NR	NR	9
NY LEAD	TP		NR	NR	NR	NR	NR	0
MINES MRDS	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	2	2	NR	4
EDR Hist Auto	0.125		6	NR	NR	NR	NR	6
EDR Hist Cleaner	0.125		1	NR	NR	NR	NR	1

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS	TP		NR	NR	NR	NR	NR	0
NY RGA LF	TP		NR	NR	NR	NR	NR	0

- Totals --		15	310	896	95	3	0	1319
-------------	--	----	-----	-----	----	---	---	------

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1

Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

S121998447
N/A

Site 1 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 9030
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 1120618
Cooling Capacity: 7000
Cooling Capacity Unit: Tonnage
Commissioned Date: 08/03/2009
Inspection Date: Not reported
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: 04/19/2016
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

A2

Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

S121997569
N/A

Site 2 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 8138
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 112-618
Cooling Capacity: 705
Cooling Capacity Unit: Tonnage
Commissioned Date: 12/01/2004
Inspection Date: 12/02/2015
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: 09/09/2015
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A3
Target
Property

**109 EAST 42ND STREET
NEW YORK, NY 10017**

NY COOLING TOWERS

**S121998448
N/A**

Site 3 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 9031
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 112-618
Cooling Capacity: 7000
Cooling Capacity Unit: Tonnage
Commissioned Date: 08/03/2009
Inspection Date: Not reported
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: Not reported
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

A4
Target
Property

**109 EAST 42ND STREET
NEW YORK, NY 10017**

NY COOLING TOWERS

**S121998449
N/A**

Site 4 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 9032
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 112-618
Cooling Capacity: 7000
Cooling Capacity Unit: Tonnage
Commissioned Date: 08/03/2009
Inspection Date: Not reported
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: Not reported
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A5

Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

S121989357
N/A

Site 5 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 10705
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 1120618
Cooling Capacity: 2820000
Cooling Capacity Unit: BTU
Commissioned Date: Not reported
Inspection Date: 05/09/2017
Date of Bacteriological Collection: 05/09/2017
Date of Legionella Collection: 07/26/2017
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

A6

Target
Property

109 EAST 42ND ST
MANHATTAN, NY

ERNS

98466855
N/A

Site 6 of 12 in cluster A

Actual:
49 ft.

Incident Commons:

NRC Report #: 466855
Description of Incident: CALLER STATED THAT GASOLINE WAS RUNNING DOWN THE STREET
Type of Incident: UNKNOWN SHEEN
Incident Cause: UNKNOWN
Incident Date Time: 1998-12-09 06:30:00
Incident DTG: DISCOVERED
Incident Location: Not reported
Location Address: 109 EAST 42ND ST
Location Street 1: GRAND CENTRAL ENTRANCE
Location Street 2: Not reported
Location Nearest City: MANHATTAN
Location State: NY
Location County: NEW YORK (MANHATTAN)
Location Zip: Not reported
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported
Location Township: Not reported
Location range: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

98466855

Potential Range:	Not reported
Incidents:	
NRC Report #:	466855
Aircraft Type:	UNKNOWN
Aircraft Model:	Not reported
Aircraft ID:	Not reported
Aircraft Fuel Capacity:	Not reported
Aircraft Fuel Capacity Units:	Not reported
Aircraft Fuel on Board:	Not reported
Aircraft Fuel on Board Units:	Not reported
Aircraft Spot Number:	Not reported
Aircraft Hanger:	Not reported
Aircraft Runway Number:	Not reported
Road Mile Marker:	Not reported
Building ID:	Not reported
Type of Fixed Object:	UNKNOWN
Power Generating Facility:	U
Generating Capacity:	Not reported
Type of Fuel:	Not reported
NPDES:	Not reported
NPDES Compliance:	U
Pipeline Type:	UNKNOWN
DOT Regulated:	U
Pipeline Above Ground:	ABOVE
Exposed Underwater:	U
Pipeline Covered:	U
Railroad Hotline:	N
Grade Crossing:	N
Location Subdivision:	Not reported
Railroad Milepost:	UNKNOWN
Type Vehicle Involved:	UNKNOWN
Crossing Device Type:	Not reported
Device Operational:	Y
DOT Crossing Number:	Not reported
Brake Failure:	N
Description of Tank:	Not reported
Tank Above Ground:	ABOVE
Transportable Container:	U
Tank Regulated:	U
Tank Regulated By:	Not reported
Tank ID:	Not reported
Capacity of Tank:	Not reported
Capacity of Tank Units:	Not reported
Actual Amount:	Not reported
Actual Amount Units:	Not reported
Platform Rig Name:	Not reported
Platform Letter:	Not reported
Location Area ID:	Not reported
Location Block ID:	Not reported
OCSG Number:	Not reported
OCSP Number:	Not reported
State Lease Number:	Not reported
Pier Dock Number:	Not reported
Berth Slip Number:	Not reported
Continuous Release Type:	Not reported
Initial Continuous Release No:	Not reported
Continuous Release Permit:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

98466855

Allision:	N
Type of Structure:	Not reported
Structure Name:	Not reported
Structure Operational:	Y
Airbag Deployed:	Not reported
Date Tiem Normal Service:	Not reported
Service Disruption Time:	Not reported
Service Disruption Units:	Not reported
Transit Bus Flag:	Not reported
CR Begin Date:	Not reported
CR End Date:	Not reported
CR Change Date:	Not reported
FBI Contact:	Not reported
FBI Contact Date Time:	Not reported
Sub Part C Testing Req:	XXX
Conductor Testing:	Not reported
Engineer Testing:	Not reported
Trainman Testing:	Not reported
Yard Foreman Testing:	Not reported
RCL Operator Testing:	Not reported
Brakeman Testing:	Not reported
Train Dispatcher Testing:	Not reported
Signalman Testing:	Not reported
Other Employee Testing:	Not reported
Unknown Testing:	Not reported
Passenger Handling:	Not reported
Passenger Route:	XXX
Passenger Delay:	XXX

Incident Details:

NRC Report #:	466855
Fire Involved:	N
Fire Extinguished:	U
Any Evacuations:	N
Number Evacuated:	Not reported
Who Evacuated:	Not reported
Radius of Evacuation:	Not reported
Any Injuries:	U
Number Injured:	Not reported
Number Hospitalized:	Not reported
Any Fatalities:	U
Number Fatalities:	Not reported
Any Damages:	N
Damage Amount:	Not reported
Air Corridor Closed:	N
Air Corridor Desc:	Not reported
Air Closure Time:	Not reported
Waterway Closed:	N
Waterway Desc:	Not reported
Waterway Closure Time:	Not reported
Road Closed:	N
Road Desc:	Not reported
Road Closure Time:	Not reported
Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

98466855

Track Closure Time:	Not reported
Media Interest:	Not reported
Medium Desc:	LAND
Additional Medium Info:	ASPHALT
Body of Water:	Not reported
Tributary of:	Not reported
Release Secured:	U
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	NONE
State Agency on Scene:	Not reported
State Agency Report Number:	Not reported
Other Agency Notified:	Not reported
Weather Conditions:	Not reported
Air Temperature:	Not reported
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	U
Sheen Size:	Not reported
Sheen Color:	Not reported
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported
Current Speed Unit:	Not reported
Road Closure Units:	Not reported
Track CLosure Units:	Not reported
Sheen Size Units:	Not reported
Additional Info:	CALLER STATED THAT THEY TOLD A PASSING POLICEMAN BUT AREN'T SURE IF THEY ARE PLANNING TO RESPOND
State Agency Notified:	Not reported
Federal Agency Notified:	Not reported
nearest River Mile Marker:	Not reported
Sheen Size Length:	Not reported
Sheen Size Length Units:	Not reported
Sheen Size Width:	Not reported
Sheen Size Width Units:	Not reported
Offshore:	Y
Duration Unit:	Not reported
Release Rate Unit:	Not reported
Release Rate Rate:	Not reported
Passengers Transferred:	UNK
Calls:	
NRC Report #:	466855
Site ID:	98466855
Date Time Received:	1998-12-09 06:53:07

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

98466855

Date Time Complete: 1998-12-09 06:58:03
Call Type: INC
Responsible Company: Not reported
Responsible Org Type: UNKNOWN
Responsible City: Not reported
Responsible State: XX
Responsible Zip: Not reported
On Behalf: Not reported
Source: UNAVAILABLE

Material Involved:
NRC Report #: 466855
Chris Code: GAS
Case Number: Not reported
UN Number: Not reported
Amount of Material: 0
Unit of Measure: UNKNOWN AMOUNT
Name of Material: GASOLINE: AUTOMOTIVE (UNLEADED)
If Reached Water: YES
Amount in Water: 0
Unit of Measure Reach Water: UNKNOWN AMOUNT

A7 GRAND HYATT NEW YORK THE
Target 109 E 42ND ST
Property NEW YORK, NY 10017

RCRA-SQG 1000457792
FINDS NYD986930675
ECHO
NY MANIFEST
NJ MANIFEST

Site 7 of 12 in cluster A

Actual:
49 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: GRAND HYATT NEW YORK THE
Handler Address: 109 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017-5698
EPA ID: NYD986930675
Contact Name: MANNY ROSA
Contact Address: E 42ND ST
Contact City,State,Zip: NEW YORK, NY 10017-5698
Contact Telephone: 646-213-6701
Contact Fax: Not reported
Contact Email: MROSA@HYATT.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST
Mailing City,State,Zip: NEW YORK, NY 10017-5698
Owner Name: REGENCY LEXINGTON PARTNERS
Owner Type: Private
Operator Name: NO NAME FOUND
Operator Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	REGENCY LEXINGTON PARTNERS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	REGENCY LEXINGTON PARTNERS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HYATT CORP AS AGENT OF HYATT EQUITIES LL
Legal Status:	Private
Date Became Current:	1983-09-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	71 S WACKY DR
Owner/Operator City,State,Zip:	CHICAGO, IL 60606
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	HYATT CORP AS AGENT OF HYATT EQUITIES LL
Legal Status:	Private
Date Became Current:	1983-09-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NO NAME FOUND
Legal Status:	Private
Date Became Current:	1983-09-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: GRAND HYATT NEW YORK THE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: GRAND HYATT NEW YORK THE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1990-11-13 00:00:00.0
Handler Name: GRAND HYATT NEW YORK HOTEL
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2005-08-29 00:00:00.0
Handler Name: GRAND HYATT NEW YORK THE
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	1998-03-05 00:00:00.0
Actual Return to Compliance Date:	1998-09-01 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	1998-06-07 00:00:00.0
Enforcement Identifier:	000
Date of Enforcement Action:	1998-05-07 00:00:00.0
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	R2
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	R2CFP
Enforcement Responsible Sub-Organization:	RCB
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	1998-07-14 00:00:00.0
Actual Return to Compliance Date:	1998-09-01 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	1998-08-21 00:00:00.0
Enforcement Identifier:	000
Date of Enforcement Action:	1998-07-21 00:00:00.0
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	R2
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	R2CFP
Enforcement Responsible Sub-Organization:	RCB
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Evaluation Action Summary:

Evaluation Date: 2007-12-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYFBR
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1998-03-05 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R2CFP
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: 1998-09-01 00:00:00.0
Scheduled Compliance Date: 1998-06-07 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1998-03-05 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R2CFP
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: 1998-09-01 00:00:00.0
Scheduled Compliance Date: 1998-08-21 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

FINDS:

Registry ID: 110004456026

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

ECHO:

Envid: 1000457792
Registry ID: 110004456026
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004456026>
Name: GRAND HYATT NEW YORK THE
Address: 109 E 42ND ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: GRAND HYATT NEW YORK
Address: 109 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD986930675
Facility Status: Not reported
Location Address 1: E 109 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD986930675
Mailing Name: GRAND HYATT NEW YORK
Mailing Contact: MARK HOUSTON
Mailing Address 1: E 109 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128831234

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD980772768
Trans2 State ID: Not reported
Generator Ship Date: 07/24/2007
Trans1 Recv Date: 07/24/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/24/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986930675
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 003121742JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D001
Waste Code 1_2: D035
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

NJ MANIFEST:

EPA Id: NYD986930675
Mail Address: 109 E. 42ND ST.
Mail City/State/Zip: NEW YORK 10017
Facility Phone: 2128831234
Emergency Phone: 2128831234
Contact: Not reported
Comments: Not reported
SIC Code: Not reported
County: 00
Municipal: 00
Previous EPA Id: Not reported
Gen Flag: X
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: 000000

Manifest:

Manifest Number: 003121742JJK
EPA ID: NYD986930675
Date Shipped: 07/24/2007
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD980772768
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/24/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/24/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10017
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H06
Quantity:	55 G

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H06
Quantity:	220 G

Manifest Number:	NJA5243068
EPA ID:	NYD986930675
Date Shipped:	09/07/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND HYATT NEW YORK THE (Continued)

1000457792

Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/07/2005
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 09/07/2005
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: 10120521
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

A8
Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS **S121989358**
N/A

Site 8 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:
Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 10706
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 1120618
Cooling Capacity: 2280000
Cooling Capacity Unit: BTU
Commissioned Date: Not reported
Inspection Date: 05/09/2017
Date of Bacteriological Collection: 05/09/2017
Date of Legionella Collection: 07/26/2017
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A9

Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

S121989355
N/A

Site 9 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 10704
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 1120618
Cooling Capacity: 2820000
Cooling Capacity Unit: BTU
Commissioned Date: 01/01/2013
Inspection Date: 05/09/2017
Date of Bacteriological Collection: 07/27/2017
Date of Legionella Collection: 07/26/2017
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

A10

Target
Property

109 EAST 42ND STREET
NEW YORK, NY 10017

NY COOLING TOWERS

S121997567
N/A

Site 10 of 12 in cluster A

Actual:
49 ft.

COOLING TOWERS:

Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 8136
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 112-618
Cooling Capacity: 705
Cooling Capacity Unit: Tonnage
Commissioned Date: 12/01/2004
Inspection Date: 12/02/2015
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: 09/09/2015
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

A11
Target **109 EAST 42ND STREET**
Property **NEW YORK, NY 10017**
NY COOLING TOWERS **S121997568**
N/A

Site 11 of 12 in cluster A

Actual: **COOLING TOWERS:**
49 ft. Name: Not reported
Address: 109 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 8137
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: USS 112-618
Cooling Capacity: 705
Cooling Capacity Unit: Tonnage
Commissioned Date: 12/01/2004
Inspection Date: 12/02/2015
Date of Bacteriological Collection: Not reported
Date of Legionella Collection: 09/09/2015
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.751649998
Longitude: -73.976150031

A12
WSW **CON EDISON**
< 1/8 **107 E 42 ST**
0.023 mi. **NEW YORK, NY 10017**
124 ft. **Site 12 of 12 in cluster A**
NY MANIFEST **S117314578**
N/A

Relative: **NY MANIFEST:**
Higher Name: CON EDISON
Actual: Address: 107 E 42 ST
49 ft. City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616439
Facility Status: Not reported
Location Address 1: 107 E 42 ST
Code: BP
Location Address 2: SB 8223
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004616439
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314578

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/04/2014
Trans1 Recv Date:	08/04/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/04/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004616439
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002608758GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

B13
SSE
< 1/8
0.025 mi.
134 ft.

CON EDISON
121 E 42 ST
NEW YORK, NY 10017

Site 1 of 13 in cluster B

NY MANIFEST **S117314579**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: CON EDISON
Address: 121 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616447
Facility Status: Not reported
Location Address 1: 121 E 42 ST
Code: BP
Location Address 2: SB 8224
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004616447
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/13/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616447
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608290GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314579

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

C14
East
< 1/8
0.030 mi.
156 ft.

BROOKLYN UNION GAS
400 LEXINGTON AVE
NEW YORK, NY 10017

NY MANIFEST **S117563591**
N/A

Site 1 of 13 in cluster C

Relative:
Lower
Actual:
46 ft.

NY MANIFEST:
Name: BROOKLYN UNION GAS
Address: 400 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYP000928044
Facility Status: Not reported
Location Address 1: (No street address in conversion)
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: STATEN ISLAND
Location State: NY
Location Zip: 10301
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000928044
Mailing Name: BROOKLYN UNION GAS
Mailing Contact: BILL IRELAND
Mailing Address 1: ONE METROTECH CENTER 10 FLOOR
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11201
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROOKLYN UNION GAS (Continued)

S117563591

Mailing Country: USA
Mailing Phone: 7104032711

NY MANIFEST:

Document ID: NYB8468586
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 02/27/1997
Trans1 Recv Date: 02/27/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/27/1997
Part A Recv Date: 03/12/1997
Part B Recv Date: 03/11/1997
Generator EPA ID: NYP000928044
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01130
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

C15
East
< 1/8
0.030 mi.
156 ft.

CON ED - V 0481
400 LEXINGTON AVE
NEW YORK, NY 10017
Site 2 of 13 in cluster C

RCRA NonGen / NLR 1007205253
NYP000928044

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 0481
Handler Address: 400 LEXINGTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0481 (Continued)

1007205253

Handler City,State,Zip:	NEW YORK, NY 10017-0000
EPA ID:	NYP000928044
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	CONSOLIDATED EDISON INC
Contact City,State,Zip:	NEW YORK, NY 10003-0000
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0481 (Continued)

1007205253

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 0481
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 0481
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 0481
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0481 (Continued)

1007205253

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

D16
West
< 1/8
0.030 mi.
160 ft.

NYCDOT BRIDGES BIN 2246550
PARK AVE VIADUCT OVER 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1000890427
NY0000362913

Site 1 of 17 in cluster D

Relative:
Higher
Actual:
51 ft.

RCRA Listings:	
Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	NYCDOT BRIDGES BIN 2246550
Handler Address:	PARK AVE VIADUCT OVER 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NY0000362913
Contact Name:	ANTHONY GROSSO
Contact Address:	RECTOR ST - 4TH FLOOR
Contact City,State,Zip:	NEW YORK, NY 10006
Contact Telephone:	212-788-1705
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Municipal
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	RECTOR ST - 4TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10006
Owner Name:	NYCDOT BUREAU OF BRIDGES
Owner Type:	Municipal
Operator Name:	NYCDOT BUREAU OF BRIDGES
Operator Type:	Municipal
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCDOT BRIDGES BIN 2246550 (Continued)

1000890427

Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NYCDOT BUREAU OF BRIDGES
Legal Status:	Municipal
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2 RECTOR ST - 4TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10006
Owner/Operator Telephone:	212-788-1705
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
---------------------------	-------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCDOT BRIDGES BIN 2246550 (Continued)

1000890427

Owner/Operator Name: NYCDOT BUREAU OF BRIDGES
Legal Status: Municipal
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 2 RECTOR ST - 4TH FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10006
Owner/Operator Telephone: 212-788-1705
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NYCDOT BUREAU OF BRIDGES
Legal Status: Municipal
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 2 RECTOR ST - 4TH FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10006
Owner/Operator Telephone: 212-788-1705
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: NYCDOT BRIDGES BIN 2246550
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: NYCDOT BRIDGES BIN 2246550
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1994-06-13 00:00:00.0
Handler Name: NYCDOT BRIDGES BIN 2246550
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCDOT BRIDGES BIN 2246550 (Continued)

1000890427

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	NYCDOT
Address:	PARK AVE VIADUCT OVER 42ND ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NY0000362913
Facility Status:	Not reported
Location Address 1:	PARK AVENUE VIADUCT
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NY0000362913
Mailing Name:	NYCDOT
Mailing Contact:	ANTHONY GORSSO
Mailing Address 1:	2 RECTOR STREET 4TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10006
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2127881705

NY MANIFEST:

Document ID:	NJA2259949
Manifest Status:	C
seq:	Not reported
Year:	1996
Trans1 State ID:	S6993
Trans2 State ID:	Not reported
Generator Ship Date:	09/19/1996
Trans1 Recv Date:	09/19/1996
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/19/1996
Part A Recv Date:	10/03/1996
Part B Recv Date:	10/08/1996
Generator EPA ID:	NY0000362913
Trans1 EPA ID:	NJD980772768
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCDOT BRIDGES BIN 2246550 (Continued)

1000890427

Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01600
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

17
North
< 1/8
0.031 mi.
164 ft.

METRO NORTH RAILROAD
416 LEXINGTON AVE
NYC, NY

NY Spills S104502636
N/A

Relative:
Higher

Actual:
52 ft.

SPILLS:
Name: METRO NORTH RAILROAD
Address: 416 LEXINGTON AVE
City,State,Zip: NYC, NY
Spill Number/Closed Date: 9611752 / 2003-12-08
Facility ID: 9611752
Facility Type: ER
DER Facility ID: 246349
Site ID: 304972
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: D4
SWIS: 3101
Spill Date: 1996-12-27
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1996-12-27
CID: 270
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-12-27
Spill Record Last Update: 2003-12-08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD (Continued)

S104502636

Spiller Name: MARY SACCHETTI
Spiller Company: GERALD INDUSTRIAL SERVIC
Spiller Address: 603 CLINTON ST
Spiller Company: 001
Contact Name: ANN EGAN
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
AUSTIN THIS WASN'T FAXED TO US TILL 12/28 @ 4:31AM. KW 12/8/03 -
AUSTIN - MINOR SURF. SPILL FROM 7 YRS. AGO - CLOSED - ORIG. ASSIGNED
TO SIGONA - END"

Remarks: "compressor line broke on compressor"

All Materials:

Site ID: 304972
Operable Unit ID: 1043048
Operable Unit: 01
Material ID: 340406
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: 10.00
Oxygenate: Not reported

**B18
SSW
< 1/8
0.033 mi.
176 ft.**

**INFRONT OF
122 EAST 43ND ST
MANHATTAN, NY
Site 2 of 13 in cluster B**

**NY Spills S103829254
N/A**

**Relative:
Lower**

**Actual:
48 ft.**

SPILLS:
Name: INFRONT OF
Address: 122 EAST 43ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9815119 / 1999-03-22
Facility ID: 9815119
Facility Type: ER
DER Facility ID: 122242
Site ID: 143323
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 2401
Spill Date: 1999-03-22
Investigator: JXZHAO
Referred To: Not reported
Reported to Dept: 1999-03-22
CID: 257
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INFRONT OF (Continued)

S103829254

Remediation Phase: 0
Date Entered In Computer: 1999-03-22
Spill Record Last Update: 1999-03-22
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: PAUL GREENE
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHAO REFERRED AND FAXED TO NYCDEP- HAZMAT UNIT. 12:50PM, TWO (2) DEP EMPLOYEES WERE ON THE SCENE. NO FURTHER INFORMATION WAS GIVEN AT THE TIME."
Remarks: "PRODUCT IS ON SIDEWALK ON THE 41ST ST SIDE OF PROPERTY LOOKS LIKE IT WAS WASHED DOWN THE SIDEWALK FROM THE HEAVEY RAIN"

All Materials:
Site ID: 143323
Operable Unit ID: 1072977
Operable Unit: 01
Material ID: 308241
Material Code: 0031A
Material Name: mercury
Case No.: 07439976
Material FA: Hazardous Material
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

C19
East
< 1/8
0.034 mi.
177 ft.

CON EDISON
406 LEXINGTON AVE
NEW YORK, NY 10017
Site 3 of 13 in cluster C

NY MANIFEST **S117737179**
N/A

Relative:
Lower

Actual:
46 ft.

NY MANIFEST:
Name: CON EDISON
Address: 406 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004618039
Facility Status: Not reported
Location Address 1: 406 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004618039
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737179

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004618039
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002422788GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

D20
WSW
< 1/8
0.034 mi.
181 ft.

GRAND CENTRAL TERMINAL
105 E 42ND ST
NEW YORK, NY 10017

Site 2 of 17 in cluster D

RCRA-SQG
NY MANIFEST
NJ MANIFEST

1012186278
NYR000161398

Relative:
Higher

Actual:
50 ft.

RCRA Listings:
Date Form Received by Agency: 2008-12-02 00:00:00.0
Handler Name: GRAND CENTRAL TERMINAL
Handler Address: 105 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000161398
Contact Name: GARTH LAWRENCE
Contact Address: 7TH AVE - 16TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10018
Contact Telephone: 718-391-4709
Contact Fax: Not reported
Contact Email: GLAWRENC@MTA-ESA.ORG
Contact Title: Not reported
EPA Region: 02
Land Type: State
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 7TH AVE - 16TH FLOOR
Mailing City,State,Zip: NEW YORK, NY 10018
Owner Name: MIDTOWN TRUCKAGE VENTURES LLC
Owner Type: State
Operator Name: MTA-LIRR EAST SIDE ACCESS
Operator Type: State
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: Yes
Universal Waste Destination Facility: Yes
Federal Universal Waste: Yes
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D002
Waste Description:	CORROSIVE WASTE

Waste Code:	D004
Waste Description:	ARSENIC

Waste Code:	D006
Waste Description:	CADMIUM

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MTA-LIRR EAST SIDE ACCESS
Legal Status:	State
Date Became Current:	2007-09-04 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MIDTOWN TRUCKAGE VENTURES LLC
Legal Status:	State
Date Became Current:	2007-01-25 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2008-12-02 00:00:00.0
Handler Name:	GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	Yes
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	MTA GRAND CENTRAL TERMINAL
Address:	105 E 42ND ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000161398
Facility Status:	Not reported
Location Address 1:	105 E 42ND ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000161398
Mailing Name:	MTA GRAND CENTRAL TERMINAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Mailing Contact: JENNIFER WUOTINEN
Mailing Address 1: 105 E 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 6462523813

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD986938645
Trans2 State ID: Not reported
Generator Ship Date: 12/08/2011
Trans1 Recv Date: 12/08/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/16/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000161398
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD049836679
TSDF ID 2: Not reported
Manifest Tracking Number: 001595188GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 7
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Waste Code 1_6: Not reported

NJ MANIFEST:

EPA Id: NYR000161398
Mail Address: 7TH AVE - 16TH FLOOR
Mail City/State/Zip: NEW YORK, NY 10018
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: GARTH LAWRENCE
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001054996GBF
EPA ID: NYR000161398
Date Shipped: 3/16/2011
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H141
Quantity: 600.00 Pounds

Manifest Number: 003205840GBF
EPA ID: NYR000161398
Date Shipped: 2/7/2018
TSDf EPA ID: NJD002200046
Transporter EPA ID: NYD986938645
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
Generator EPA Facility Name: NY CITY MTA TRANSIT AUTH MADISON YARD
Transporter-1 EPA Facility Name: TRI-STATE TRANSFER ASSOC
TSDf EPA Facility Name: CYCLE CHEM INC
QTY Units: Pounds
Transporter SEQ ID: Not reported
Transporter-1 Date: 2/7/2018
Waste SEQ ID: 1
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: 2/9/2018
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 008922829JJK
EPA ID: NYR000161398

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Date Shipped: 3/15/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Quantity: 275.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 385.00 Pounds

Manifest Number: 009205353JJK
EPA ID: NYR000161398
Date Shipped: 6/19/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 100.00 Pounds

Manifest Number: 009140438FLE
EPA ID: NYR000161398

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Date Shipped: 2/26/2016
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJR986628162
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 009406308FLE
EPA ID: NYR000161398
Date Shipped: 3/8/2017
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJR986628162
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 014162451JJK
EPA ID: NYR000161398
Date Shipped: 9/9/2015
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 008922923JJK
EPA ID: NYR000161398
Date Shipped: 4/10/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 400.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	100.00 Pounds
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	400.00 Pounds
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	400.00 Pounds
Manifest Number:	009205331JJK
EPA ID:	NYR000161398
Date Shipped:	6/19/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10018
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 600.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 100.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 100.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 65.00 Pounds

Manifest Number: 003205836GBF
EPA ID: NYR000161398
Date Shipped: 2/7/2018
TSD EPA ID: NJD002200046
Transporter EPA ID: NYD986938645
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
Generator EPA Facility Name: NY CITY MTA TRANSIT AUTH MADISON YARD
Transporter-1 EPA Facility Name: TRI-STATE TRANSFER ASSOC
TSD EPA Facility Name: CYCLE CHEM INC
QTY Units: Pounds
Transporter SEQ ID: Not reported
Transporter-1 Date: 2/7/2018
Waste SEQ ID: 1
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: 2/9/2018
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 008921303JJK
EPA ID: NYR000161398
Date Shipped: 9/18/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 85.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Quantity:	85.00 Pounds
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	55.00 Pounds
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	125.00 Pounds
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	45.00 Pounds
Manifest Number:	009205319JJK
EPA ID:	NYR000161398
Date Shipped:	6/19/2012
TSDf EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 100.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 100.00 Pounds

Manifest Number: 003205839GBF
EPA ID: NYR000161398
Date Shipped: 2/7/2018
TSDf EPA ID: NJD002200046
Transporter EPA ID: NYD986938645
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
Generator EPA Facility Name: NY CITY MTA TRANSIT AUTH MADISON YARD
Transporter-1 EPA Facility Name: TRI-STATE TRANSFER ASSOC
TSDf EPA Facility Name: CYCLE CHEM INC
QTY Units: Pounds
Transporter SEQ ID: Not reported
Transporter-1 Date: 2/7/2018
Waste SEQ ID: 1
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: 2/9/2018
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Manifest Number: 008922810JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

EPA ID: NYR000161398
Date Shipped: 3/15/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10018
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 55.00 Pounds

Manifest Year: Not reported
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

1012186278

Hand Code: Not reported
Quantity: 165.00 Pounds

D21
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON - SERVICE BOX 8230
122 E 42ND ST
NEW YORK, NY 10168

RCRA-LQG 1019905023
NYP004804928

Site 3 of 17 in cluster D

Relative:
Higher

Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - SERVICE BOX 8230
Handler Address: 122 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10168
EPA ID: NYP004804928
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - SERVICE BOX 8230 (Continued)

1019905023

Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-08-20 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - SERVICE BOX 8230 (Continued)

1019905023

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-08-20 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-04-10 00:00:00.0
Handler Name:	CON EDISON - SERVICE BOX 8230
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2015-07-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-07-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
D22 WSW < 1/8 0.040 mi. 211 ft.	CON EDISON 122 E 42ND ST NEW YORK, NY 10017 Site 4 of 17 in cluster D	RCRA NonGen / NLR	1019324766 NYP004744801
Relative: Higher	RCRA Listings:		
Actual: 51 ft.	Date Form Received by Agency:	2015-12-22 00:00:00.0	
	Handler Name:	CON EDISON	
	Handler Address:	122 E 42ND ST	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004744801	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324766

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:53:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-12-22 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-12-22 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324766

Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2016-02-05 00:00:00.0
Handler Name: CON EDISON - SERVICE BOX 8227
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-12-22 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-12-22 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

D23
WSW
< 1/8
0.040 mi.
211 ft.
CHANIN BUILDING
122 E 42ND ST
NEW YORK, NY 10168
Site 5 of 17 in cluster D

RCRA-SQG **1008374446**
NY MANIFEST **NYR000131805**

Relative: RCRA Listings:
Higher Date Form Received by Agency: 2007-01-01 00:00:00.0
Actual: Handler Name: CHANIN BUILDING
51 ft. Handler Address: 122 E 42ND ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

Handler City,State,Zip:	NEW YORK, NY 10168
EPA ID:	NYR000131805
Contact Name:	PAUL GREENE
Contact Address:	E 42ND ST
Contact City,State,Zip:	NEW YORK, NY 10168
Contact Telephone:	212-697-0970
Contact Fax:	Not reported
Contact Email:	CHANINMGT@AOL.COM
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	E 42ND ST
Mailing City,State,Zip:	NEW YORK, NY 10168
Owner Name:	122 EAST 42ND STREET LLC
Owner Type:	Private
Operator Name:	122 EAST 42ND STREET LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No
TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2015-04-14 00:00:00.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: 122 EAST 42ND STREET LLC
Legal Status: Private
Date Became Current: 1998-09-14 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 122 E 42ND ST
Owner/Operator City,State,Zip: NEW YORK, NY 10168
Owner/Operator Telephone: 212-697-0970
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 122 EAST 42ND STREET LLC
Legal Status: Private
Date Became Current: 1998-09-14 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 122 E 42ND ST
Owner/Operator City,State,Zip: NEW YORK, NY 10168
Owner/Operator Telephone: 212-697-0970
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 122 EAST 42ND STREET LLC
Legal Status: Private
Date Became Current: 1998-09-14 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 122 E 42ND ST
Owner/Operator City,State,Zip: NEW YORK, NY 10168
Owner/Operator Telephone: 212-697-0970

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	122 EAST 42ND STREET LLC
Legal Status:	Private
Date Became Current:	1998-09-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	122 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10168
Owner/Operator Telephone:	212-697-0970
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	CHANIN BUILDING
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	CHANIN BUILDING
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2005-04-21 00:00:00.0
Handler Name:	CHANIN BUILDING
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

NY MANIFEST:

Name: CON EDISON
Address: 122 E 42ND ST
City,State,Zip: NEW YORK, NY 10168
Country: USA
EPA ID: NYP004804928
Facility Status: Not reported
Location Address 1: 122 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10168
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004804928
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/10/2015
Trans1 Recv Date: 07/10/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/13/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004804928
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614609GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CHANIN BUILDING
Address: 122 E 42ND ST
City,State,Zip: NEW YORK, NY 10168
Country: USA
EPA ID: NYP000943498
Facility Status: Not reported
Location Address 1: 122 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10168
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000943498
Mailing Name: CHANIN BUILDING
Mailing Contact: T SPILLANE
Mailing Address 1: 122 E 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10168
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126972204

NY MANIFEST:

Document ID: NYG1006497
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: NYPD1010
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHANIN BUILDING (Continued)

1008374446

Generator Ship Date: 03/30/1999
Trans1 Recv Date: 03/30/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/07/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP000943498
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00110
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00025
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

D24
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON - SERVICE BOX 8230
122 E 42 ST
NEW YORK, NY 10017

Site 6 of 17 in cluster D

RCRA-LQG **1019324768**
NYP004744967

Relative:
Higher

Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2016-02-05 00:00:00.0
Handler Name: CON EDISON - SERVICE BOX 8230
Handler Address: 122 E 42 ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004744967
Contact Name: THERESA BURKARD
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2262
Contact Fax: 646-582-2258
Contact Email: BURKARDT@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2015
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - SERVICE BOX 8230 (Continued)

1019324768

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-11-07 13:10:02.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-03-06 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - SERVICE BOX 8230 (Continued)

1019324768

Date Became Current: 2015-03-06 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2016-02-05 00:00:00.0
Handler Name: CON EDISON - SERVICE BOX 8230
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

D25
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON - SERVICE BOX 8230
122 E 42 ST
NEW YORK, NY 10017
Site 7 of 17 in cluster D

NJ MANIFEST S120668461
N/A

Relative:
Higher

Actual:
51 ft.

NJ MANIFEST:
EPA Id: NYP004744967
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002610526GBF
EPA ID: NYP004744967
Date Shipped: 3/6/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - SERVICE BOX 8230 (Continued)

S120668461

Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

D26
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON
122 E 42 ST
NEW YORK, NY 10017
Site 8 of 17 in cluster D

NJ MANIFEST S117986209
N/A

Relative:
Higher
Actual:
51 ft.

NJ MANIFEST:
EPA Id: NYP004804928
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: ALYSSA SOTTO
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117986209

Manifest:

Manifest Number: 002614609GBF
EPA ID: NYP004804928
Date Shipped: 7/10/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

EPA Id: NYP004744801
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117986209

TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002610527GBF
EPA ID: NYP004744801
Date Shipped: 3/6/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 015320273JJK
EPA ID: NYP004744801
Date Shipped: 12/22/2015
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117986209

Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

EPA Id: NYP004267753
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456485JJK
EPA ID: NYP004267753
Date Shipped: 9/11/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117986209

Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,625.00 Pounds

D27
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON SERVICE BOX: 8230
122-26 E 42ND ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1016972985
NY MANIFEST NYP004467759

Site 9 of 17 in cluster D

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2014-04-15 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8230
Handler Address: 122-26 E 42ND ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004467759
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8230 (Continued)

1016972985

Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8230 (Continued)

1016972985

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-03-15 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8230
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-04-15 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8230
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	122-26 E 42ND ST & LEXINGTON A
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004467759
Facility Status:	Not reported
Location Address 1:	122-126 E 42 ST & LEXINGTON AV
Code:	BP
Location Address 2:	SB8230
Total Tanks:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8230 (Continued)

1016972985

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004467759
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING ST
Mailing Address 2: 15TH ST
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/15/2014
Trans1 Recv Date: 03/15/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/17/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004467759
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002359467GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: P - Pounds
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8230 (Continued)

1016972985

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

D28
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON
122 E 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR
ECHO
NY MANIFEST

1016143988
NYP004267753

Site 10 of 17 in cluster D

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-06 00:00:00.0
Handler Name: CON EDISON
Handler Address: 122 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267753
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016143988

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-03-06 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016143988

Receive Date: 2015-03-06 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

ECHO:

Envid: 1016143988
Registry ID: 110022307751
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110022307751>
Name: CON EDISON
Address: 122 E 42ND ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 122 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004267753
Facility Status: Not reported
Location Address 1: 122 E 42 ST
Code: BP
Location Address 2: SERV BOX 8230
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267753
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016143988

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267753
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456485JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1625
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON EDISON
Address: 122 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004744801
Facility Status: Not reported
Location Address 1: 122 E 42 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016143988

Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004744801
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/06/2015
Trans1 Recv Date: 03/06/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/12/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004744801
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002610527GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016143988

Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

D29
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON SERVICE BOX: 8225
122 E 42ND ST OPPOSITE
NEW YORK, NY 10016

NJ MANIFEST S117986210
N/A

Site 11 of 17 in cluster D

Relative:
Higher

NJ MANIFEST:

Actual:
51 ft.

EPA Id: NYP004267761
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456486JJK
EPA ID: NYP004267761
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8225 (Continued)

S117986210

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,625.00 Pounds

D30
WSW
< 1/8
0.040 mi.
211 ft.

CON EDISON
122 E 42 ST
NEW YORK, NY 10017
Site 12 of 17 in cluster D

NY MANIFEST **S117741275**
N/A

Relative:
Higher
Actual:
51 ft.

NY MANIFEST:
Name: CON EDISON
Address: 122 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004744967
Facility Status: Not reported
Location Address 1: 122 E 42 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004744967
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117741275

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/06/2015
Trans1 Recv Date: 03/06/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/12/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004744967
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002610526GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
D31	CON EDISON SERVICE BOX: 8225	RCRA NonGen / NLR	1016143989
WSW	122 E 42ND ST OPPOSITE	NY MANIFEST	NYP004267761
< 1/8	NEW YORK, NY 10016		
0.040 mi.			
211 ft.	Site 13 of 17 in cluster D		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2017-07-28 00:00:00.0	
Actual:	Handler Name:	CON EDISON SERVICE BOX: 8225	
51 ft.	Handler Address:	122 E 42ND ST OPPOSITE	
	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP004267761	
	Contact Name:	JUAN RODRIGUEZ	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	347-865-5931	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8225 (Continued)

1016143989

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:21:39.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8225
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8225
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8225 (Continued)

1016143989

Electronic Manifest Broker: No

NY MANIFEST:

Name: CON EDISON
Address: 122 E 42ND ST OPPOSITE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267761
Facility Status: Not reported
Location Address 1: OPP 122 E 42 ST
Code: BP
Location Address 2: SERV BOX 8225
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267761
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267761
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456486JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8225 (Continued)

1016143989

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1625
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

C32
East
< 1/8
0.041 mi.
215 ft.

CON ED-VS 0042
CAMPUS RD S/O 68'W/O HILLEL RD
BROOKLYN, NY 11235

RCRA NonGen / NLR

1007205259
NYP000928184

Site 4 of 13 in cluster C

Relative:
Lower
Actual:
45 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED-VS 0042
Handler Address: CAMPUS RD S/O 68'W/O HILLEL RD
Handler City,State,Zip: BROOKLYN, NY 11235-0000
EPA ID: NYP000928184
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED-VS 0042 (Continued)

1007205259

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED-VS 0042 (Continued)

1007205259

Historic Generators:

Receive Date: 1998-02-27 00:00:00.0
Handler Name: CON ED-VS 0042
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-28 00:00:00.0
Handler Name: CON ED-VS 0042
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-26 00:00:00.0
Handler Name: CON ED-VS 0042
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

C33
East
< 1/8
0.041 mi.
217 ft.

NYC DEP
43RD ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR **1014957382**
NY MANIFEST **NYP003665460**

Site 5 of 13 in cluster C

Relative:
Lower
Actual:
45 ft.

RCRA Listings:
Date Form Received by Agency: 2012-10-12 00:00:00.0
Handler Name: NYC DEP
Handler Address: 43RD ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP003665460
Contact Name: JOANNE NURSE
Contact Address: JUNCTION BLVD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEP (Continued)

1014957382

Contact City,State,Zip:	FLUSHING, NY 11373
Contact Telephone:	718-595-4675
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	ADMIN MGR
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	JUNCTION BLVD
Mailing City,State,Zip:	FLUSHING, NY 11373
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEP (Continued)

1014957382

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-05-24 11:11:25.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-06-13 00:00:00.0
Handler Name:	NYC DEP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-10-12 00:00:00.0
Handler Name:	NYC DEP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	NYC DEP
Address:	43RD ST & LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP003665460
Facility Status:	Not reported
Location Address 1:	43RD ST & LEXINGTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEP (Continued)

1014957382

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP003665460
Mailing Name: NYC DEP
Mailing Contact: NYC DEP
Mailing Address 1: 43RD ST & LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/04/2012
Trans1 Recv Date: 06/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/20/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP003665460
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: OHD083377010
TSDF ID 2: Not reported
Manifest Tracking Number: 010098821JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEP (Continued)

1014957382

Quantity: 180
Units: P - Pounds
Number of Containers: 2
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D001
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**C34
SE
< 1/8
0.041 mi.
219 ft.**

**CON EDISON
393 LEXINGTON AVE
NEW YORK, NY 10017

Site 6 of 13 in cluster C**

**NY MANIFEST S117314585
N/A**

**Relative:
Lower

Actual:
44 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 393 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616512
Facility Status: Not reported
Location Address 1: 393 LEXINGTON AVE
Code: BP
Location Address 2: SB 38643
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004616512
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314585

Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616512
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608334GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

B35
SSE
< 1/8
0.042 mi.
224 ft.

EAST 42ND ST&LEXINGTON AV
E 42ND ST / LEXINGTON AVE
NEW YORK CITY, NY

Site 3 of 13 in cluster B

NY Spills S102142367
N/A

Relative:
Lower
Actual:
45 ft.

SPILLS:

Name: EAST 42ND ST&LEXINGTON AV
Address: E 42ND ST / LEXINGTON AVE
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8807301 / 2004-01-23
Facility ID: 8807301
Facility Type: ER
DER Facility ID: 265765
Site ID: 330386
DEC Region: 2
Spill Cause: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST 42ND ST&LEXINGTON AV (Continued)

S102142367

Spill Class: C1
SWIS: 3101
Spill Date: 1988-12-02
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 1988-12-05
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Fire Department
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1988-12-05
Spill Record Last Update: 2004-01-23
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL "
Remarks: "SEEPAGE NOTICED IN ELECTRICAL PIT, PRODUCT PUMPED INTO 55 GALLON DRUMS& SENT TO BE ANALYZED."
All Materials:
Site ID: 330386
Operable Unit ID: 923979
Operable Unit: 01
Material ID: 455646
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 2000.00
Units: G
Recovered: .00
Oxygenate: Not reported

B36 SUBWAY,LEX&42ND-AVIS RENT
SSE LEXINGTON AVE / 42ND ST
< 1/8 MANHATTAN, NY
0.042 mi.
224 ft. Site 4 of 13 in cluster B

NY Spills S102142277
N/A

Relative: SPILLS:
Lower Name: SUBWAY,LEX&42ND-AVIS RENT
Address: LEXINGTON AVE / 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 7900470 / 1982-02-22
Facility ID: 7900470
Facility Type: ER
DER Facility ID: 162873
Site ID: 195482

Actual:
45 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUBWAY,LEX&42ND-AVIS RENT (Continued)

S102142277

DEC Region: 2
Spill Cause: Unknown
Spill Class: Not reported
SWIS: 3101
Spill Date: 1979-07-03
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 1979-07-03
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: 1982-02-22
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: Not reported
Spill Record Last Update: 1996-04-02
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks: ""

All Materials:
Site ID: 195482
Operable Unit ID: 892490
Operable Unit: 01
Material ID: 483404
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: L
Recovered: .00
Oxygenate: Not reported

B37
SSE
< 1/8
0.042 mi.
224 ft.

MANHOLE 56570
EAST 42ND ST/LEXINGTON AV
MANHATTAN, NY

Site 5 of 13 in cluster B

NY Spills **S105057416**
N/A

Relative: SPILLS:
Lower Name: MANHOLE 56570
Address: EAST 42ND ST/LEXINGTON AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0101798 / 2001-06-19
Facility ID: 0101798
Facility Type: ER
DER Facility ID: 82752
Site ID: 92138

Actual:
45 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 56570 (Continued)

S105057416

DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 2001-05-16
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 2001-05-16
CID: 382
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-05-16
Spill Record Last Update: 2001-08-31
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 001
Contact Name: SEAN MCKEEVER
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL DEC INSPECTOR'S NOTES Arrived on site @2:30pm location is in center lane of 42nd. St. approx. 25' west of Lexington Ave. Oil is contained to this structure- oil level is below conduits, and adjacent structures are clean. Oil visibly appears to be dielectric cable oil. However there is no transformer feeder or transformer in structure, only distribution cables. Due to location on busy street in front of Grand Central Station, cleanup will begin on midnight shift. Samples were taken for PCB & Oil ID. Once structure has been cleaned the will be able to investigate the source. 5-10-01 0445hrs. Copy of notes to ECO Duty Officer. 5-17-01 Voice mail update from Lou First. Oil/water pumped out, total water 200gals. total oil 25-50gals. Found blown joint and cut cables in MH PCB count 28ppm. Measurement originally made in sump- actual thickness was less than 1 of oil. CON ED E2MIS REPORT 5-16-01 1,000gals. of unknown oil found at the C/O E. 42St. 30'W/O Lexington Ave. in MH 56570. No water in the structure, all oil. No sewer connection as per conduit plate 26-j-2. Took 2 samples 1 for oil ID and 1 for PCB. Aroclor 1254 ; <27.8ppm Analysis indicates a substance similar to dielectric fluid. 3:00am Tanker has removed approx. 250gals. of fluids, 220water & 25-30gals. of oil. The problem with the original estimate was that when the oil probe was put into the manhole it went into the sump that is directly below the opening. This gave the appearance that there was a considerably larger amount of oil. In reality there was only about two inches of fluid in the hole. They found a joint that had been cut out on the floor and the six cable ends uncapped. They were capping these ends, removing the old joint and cleaning the hole. 0900hrs. Approx. 40gals. of oil and approx. 250gals. of water was pumped out of the MH. Underground crews are presently cleaning the manhole. They expect to be completed during the day shift. 1030hrs. As of 10:15am cleanup is complete. Manhole was washed twice with slix cleaning agent, 3 cable joints washed and removed to 28th St. yard."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 56570 (Continued)

S105057416

Remarks: "1000 gals oil found in manhole. con ed states they have no oil based machinery in manhole. con ed 137-120. clean up crews enroute upon availability"

All Materials:

Site ID: 92138
Operable Unit ID: 840627
Operable Unit: 01
Material ID: 537501
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 1000.00
Units: G
Recovered: .00
Oxygenate: Not reported

B38
SSE
< 1/8
0.042 mi.
224 ft.

MH 38638
EAST 42ND ST/LEXINGTON AV
MANHATTAN, NY

NY Spills S104787544
N/A

Site 6 of 13 in cluster B

Relative:
Lower

Actual:
45 ft.

SPILLS:

Name: MH 38638
Address: EAST 42ND ST/LEXINGTON AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0004839 / 2004-05-11
Facility ID: 0004839
Facility Type: ER
DER Facility ID: 82752
Site ID: 92137
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2000-07-23
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 2000-07-23
CID: 396
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-07-23
Spill Record Last Update: 2004-05-11
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH 38638 (Continued)

S104787544

Contact Name:

CHARLIE MCCARTHY

DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 132504: Bronx U.G. during manhole inspections for upcoming Telergy work, discovered a dielectric fluid spill. The spill was approximately 6 OZ. on the floor and down the south wall from duct BW-S due to a leaking feeder and 3C-350 cable from the aforementioned duct. There is no water involved. There is no sewer connection from this manhole as per conduit plate. The clean-up is pending sample analysis. lab-results 00-07088 PCB 74 ppm. date: 07-25-00 Time: 0530 am Cleanup Info: double washed mh with slix and water from fire hydrant, removed by over 50 tanker. Spill Source: oil from feeder cable ends. Involved Equip: dead feeder cable open ends.sealed same. Leak Abatement Proc: utilized shrink cap"

Remarks:

"clean up pending test results. ref #132504."

All Materials:

Site ID: 92137
Operable Unit ID: 827265
Operable Unit: 01
Material ID: 549565
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 6.00
Units: G
Recovered: .00
Oxygenate: Not reported

B39
SSE
< 1/8
0.042 mi.
224 ft.

CON EDISON - MANHOLE M56584
LEXINGTON AVE & E 42ND ST
NEW YORK, NY 10017

NY MANIFEST **S120958592**
N/A

Site 7 of 13 in cluster B

Relative:
Lower

NY MANIFEST:

Actual:
45 ft.

Name: CON EDISON - MANHOLE M56584
Address: LEXINGTON AVE & E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004950273
Facility Status: Not reported
Location Address 1: LEXINGTON AVE & E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004950273
Mailing Name: CON EDISON - MANHOLE M56584
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M56584 (Continued)

S120958592

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

**B40
SSE
< 1/8
0.042 mi.
224 ft.**

**CONSOLIDATED EDISON
42ND ST & LEXINGTON AVE
NEW YORK, NY**

NY MANIFEST

**S119072926
N/A**

Site 8 of 13 in cluster B

**Relative:
Lower
Actual:
45 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 42ND ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004151908
Facility Status: Not reported
Location Address 1: 42nd st & lexington ave
Code: BP
Location Address 2: mh38633
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004151908
Mailing Name: consolidated edison
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 irving pl rm 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/22/2007
Trans1 Recv Date: 07/22/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/24/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004151908
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119072926

TSD ID 1: NYD077444263
TSD ID 2: Not reported
Manifest Tracking Number: 001450286FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 550
Units: K - Kilograms (2.2 pounds)
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

B41
SSE
< 1/8
0.042 mi.
224 ft.

MTA NYCT - GRAND CENTRAL STA 3 LINE
42ND ST & LEXINGTON AVE
NEW YORK, NY 10017

Site 9 of 13 in cluster B

RCRA NonGen / NLR 1004762025
NYR000092783

Relative:
Lower

Actual:
45 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: MTA NYCT - GRAND CENTRAL STA 3 LINE
Handler Address: 42ND ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000092783
Contact Name: WILLIAM JEHL
Contact Address: BROADWAY 2ND FLOOR
Contact City,State,Zip: NEW YORK, NY 10004
Contact Telephone: 646-252-3500
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Other
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT - GRAND CENTRAL STA 3 LINE (Continued)

1004762025

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	BROADWAY 2ND FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10004
Owner Name:	MTA NEW YORK CITY TRANSIT
Owner Type:	Other
Operator Name:	MTA NEW YORK CITY TRANSIT
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT - GRAND CENTRAL STA 3 LINE (Continued)

1004762025

Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MTA NEW YORK CITY TRANSIT
Legal Status:	Other
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY 2ND FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	646-252-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MTA NEW YORK CITY TRANSIT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY 2ND FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	646-252-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MTA NEW YORK CITY TRANSIT
Legal Status:	Other
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY 2ND FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	646-252-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	MTA NYCT - GRAND CENTRAL STA 3 LINE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT - GRAND CENTRAL STA 3 LINE (Continued)

1004762025

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	MTA NYCT - GRAND CENTRAL STA 3 LINE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2000-12-14 00:00:00.0
Handler Name:	MTA NYCT - GRAND CENTRAL STA 3 LINE
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

B42
SSE
< 1/8
0.042 mi.
224 ft.

CONSOLIDATED EDISON
LEXINGTON AVE & 42 ST
NEW YORK, NY 10020
Site 10 of 13 in cluster B

NY MANIFEST **S108650764**
N/A

Relative:
Lower
Actual:
45 ft.

NY MANIFEST:	
Name:	CONSOLIDATED EDISON
Address:	LEXINGTON AVE & 42 ST
City,State,Zip:	NEW YORK, NY 10020
Country:	USA
EPA ID:	NYP004151858
Facility Status:	Not reported
Location Address 1:	LEXINGTON AVE & 42 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10020
Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004151858
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650764

Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/19/2007
Trans1 Recv Date: 07/19/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/20/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004151858
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 000331432FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 87
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D018
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B43
SSE
< 1/8
0.042 mi.
224 ft.

CON ED
EAST 42 AND LEXINGTON
MANHATTAN, NY

NY Spills **S108762893**
N/A

Site 11 of 13 in cluster B

Relative:
Lower

Actual:
45 ft.

SPILLS:

Name: CON ED
Address: EAST 42 AND LEXINGTON
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0704527 / 2007-11-08
Facility ID: 0704527
Facility Type: ER
DER Facility ID: 334081
Site ID: 384685
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2007-07-21
Investigator: gdbreen
Referred To: Not reported
Reported to Dept: 2007-07-21
CID: 62
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2007-07-21
Spill Record Last Update: 2007-11-08
Spiller Name: Not reported
Spiller Company: Con Edison
Spiller Address: Not reported
Spiller Company: 001
Contact Name: ERTSDESK
DEC Memo: "11/08/07 - See eDocs for Con Ed report detailing cleanup and closure. "
Remarks: "628 ppm PCB, .5 gal oil on 30 gal water"

All Materials:

Site ID: 384685
Operable Unit ID: 1141985
Operable Unit: 01
Material ID: 2132198
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

B44
SSE
< 1/8
0.042 mi.
224 ft.

MH 38633
E 42ND ST & LEXINGTON AV
MANHATTAN, NY

NY Spills S104649793
N/A

Site 12 of 13 in cluster B

Relative:
Lower

Actual:
45 ft.

SPILLS:

Name: MH 38633
Address: E 42ND ST & LEXINGTON AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9908420 / 2004-02-05
Facility ID: 9908420
Facility Type: ER
DER Facility ID: 185161
Site ID: 224014
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1999-10-12
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-10-12
CID: 266
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-10-12
Spill Record Last Update: 2004-02-05
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL Con ed e2mis notes: FDR-602, unknown oil approx 1 gal mixed with 3 gals water in MH-38633, source of spill unknown, PCB sample taken by Mcmanus, no other oil filled equipment in structure. AROCLOR #1254 PCB count<1.00ppm, clean up complete in MH-38633, removed 100 gals oil/Water to <50 tanker, generated 1 drum PPE, used flush truck to clean and rinse structure. "

Remarks: "MANHOLE 38633. ONE GALLON UNKNOWN OIL AND THREE GALLONS OF WATER. CONTAINED WITHIN MANHOLE. SAMPLES TAKEN. CLEAN UP PENDING TEST RESULTS. CON EDISON REFERENCE NUMBER 128367."

All Materials:

Site ID: 224014
Operable Unit ID: 1087093
Operable Unit: 01
Material ID: 297533
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH 38633 (Continued)

S104649793

Quantity: 1.00
Units: G
Recovered: 1.00
Oxygenate: Not reported

**B45
SSE
< 1/8
0.042 mi.
224 ft.**

**ALLEYWAY AT GRAND CENTRAL
42ND AND LEXINGTON AVE
MANHATTAN, NY**

**NY Spills S102446804
N/A**

Site 13 of 13 in cluster B

**Relative:
Lower**

SPILLS:

**Actual:
45 ft.**

Name: ALLEYWAY AT GRAND CENTRAL
Address: 42ND AND LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9611764 / 1996-12-27
Facility ID: 9611764
Facility Type: ER
DER Facility ID: 95490
Site ID: 108675
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1996-12-27
Investigator: LUCE
Referred To: Not reported
Reported to Dept: 1996-12-27
CID: 311
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Federal Government
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-12-27
Spill Record Last Update: 1997-01-06
Spiller Name: MS SACCHETTI
Spiller Company: GENERAL INDUSTRIAL SERV
Spiller Address: Not reported
Spiller Company: 001
Contact Name: ANN EGAN
DEC Memo: ""
Remarks: "CALLER STATES EQUIPMENT FAILURE ON A PORTABLE GENERATOR CAUSED THE LEAK."

All Materials:

Site ID: 108675
Operable Unit ID: 1043054
Operable Unit: 01
Material ID: 340418
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLEYWAY AT GRAND CENTRAL (Continued)

S102446804

Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: 10.00
Oxygenate: Not reported

C46
ESE
< 1/8
0.044 mi.
233 ft.

CON EDISON - 395 LEXINGTON AVE
395 LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1000111697
NYD982791634

Site 7 of 13 in cluster C

Relative:
Lower

Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: CON EDISON - 395 LEXINGTON AVE
Handler Address: 395 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD982791634
Contact Name: Not reported
Contact Address: IRVING PL ROOM 300
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL ROOM 300
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: COOKE PROPERTY & CORP
Owner Type: Private
Operator Name: COOKE PROPERTY & CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 395 LEXINGTON AVE (Continued)

1000111697

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	COOKE PROPERTY & CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	COOKE PROPERTY & CORP
Legal Status:	Private
Date Became Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 395 LEXINGTON AVE (Continued)

1000111697

Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: COOKE PROPERTY & CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 1993-10-29 00:00:00.0
Handler Name: CON EDISON - 395 LEXINGTON AVE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: CON EDISON - 395 LEXINGTON AVE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: CON EDISON - 395 LEXINGTON AVE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 395 LEXINGTON AVE (Continued)

1000111697

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1989-09-11 00:00:00.0
Handler Name:	CON EDISON - 395 LEXINGTON AVE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004433774

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000111697
Registry ID:	110004433774
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004433774
Name:	CON EDISON - 395 LEXINGTON AVE
Address:	395 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	395 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYD982791634
Facility Status:	Not reported
Location Address 1:	395 LEXINGTON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	5500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 395 LEXINGTON AVE (Continued)

1000111697

NY MANIFEST:

EPAID: NYD982791634
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB2141055
Manifest Status: C
seq: Not reported
Year: 1989
Trans1 State ID: 580-TZL
Trans2 State ID: Not reported
Generator Ship Date: 11/18/1989
Trans1 Recv Date: 11/18/1989
Trans2 Recv Date: / /
TSD Site Recv Date: 11/20/1989
Part A Recv Date: 11/29/1989
Part B Recv Date: 12/06/1989
Generator EPA ID: NYD982791634
Trans1 EPA ID: NJD071629976
Trans2 EPA ID: Not reported
TSDF ID 1: TND980729305
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B001 - PCB OIL (CONC) FROM TRANS, CAP, ETC
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 07200
Units: P - Pounds
Number of Containers: 012
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: B006 - PCB TRANSFORMERS WITH 500 PPM OR > PCB

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 395 LEXINGTON AVE (Continued)

1000111697

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 21180
Units: P - Pounds
Number of Containers: 005
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds
Number of Containers: 007
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

C47
East
< 1/8
0.044 mi.
234 ft.

DY DX TRADING CORP
405 LEXINGTON AVE FL 42
NEW YORK, NY 10174

EDR Hist Auto 1021244017
N/A

Relative:
Lower

EDR Hist Auto

Actual:
44 ft.

Year:	Name:	Type:
2001	DY DX TRADING CORP	Gasoline Service Stations
2002	DY DX TRADING CORP	Gasoline Service Stations
2003	DY DX TRADING CORP	Gasoline Service Stations
2004	DY DX TRADING CORP	Gasoline Service Stations
2005	DY DX TRADING CORP	Gasoline Service Stations
2006	DY DX TRADING CORP	Gasoline Service Stations
2007	DY DX TRADING CORP	Gasoline Service Stations
2008	DY DX TRADING CORP	Gasoline Service Stations

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C48
East
< 1/8
0.044 mi.
234 ft.
CHRYSLER CLEANERS INC
405 LEXINGTON AVE FL ARC2
NEW YORK, NY 10174
Site 9 of 13 in cluster C

EDR Hist Cleaner
1019954204
N/A

Relative:
Lower
EDR Hist Cleaner

Actual:
44 ft.
Year: Name:
1995 CHRYSLER CLEANERS INC
1996 CHRYSLER CLEANERS INC
1997 CHRYSLER CLEANERS INC
1998 CHRYSLER CLEANERS INC
1999 CHRYSLER CLEANERS INC
2000 CHRYSLER CLEANERS INC
2001 CHRYSLER CLEANERS INC
2002 CHRYSLER CLEANERS INC
2003 CHRYSLER CLEANERS INC
2004 CHRYSLER CLEANERS INC
2007 CHRYSLER CLEANERS INC
2008 CHRYSLER CLEANERS INC
2009 CHRYSLER CLEANERS INC
2010 CHRYSLER CLEANERS INC
2011 CHRYSLER CLEANERS INC
2012 CHRYSLER CLEANERS INC
2013 CHRYSLER CLEANERS INC
2014 CHRYSLER CLEANERS INC

Type:
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs
Drycleaning Plants, Except Rugs

C49
East
< 1/8
0.044 mi.
234 ft.
SAMYANG CORPORATION
405 LEXINGTON AVE
NEW YORK, NY 10174
Site 10 of 13 in cluster C

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1001229331
NYR000058875

Relative:
Lower
RCRA Listings:
Actual:
44 ft.
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: TISHMAN SPEYER PROPERTIES
Handler Address: 405 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10174
EPA ID: NYR000058875
Contact Name: JOHN WELSH
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10174
Contact Telephone: 212-682-3070
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE
Mailing City,State,Zip: NEW YORK, NY 10174
Owner Name: 405 LEXINGTON LLC
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SAMYANG CORPORATION (Continued)

1001229331

Operator Name:	405 LEXINGTON LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SAMYANG CORPORATION (Continued)

1001229331

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	405 LEXINGTON LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	405 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10174
Owner/Operator Telephone:	212-682-3070
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	405 LEXINGTON LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	405 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10174
Owner/Operator Telephone:	212-682-3070
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	405 LEXINGTON LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	405 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10174
Owner/Operator Telephone:	212-682-3070
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	TISHMAN SPEYER PROPERTIES
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	TISHMAN SPEYER PROPERTIES
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SAMYANG CORPORATION (Continued)

1001229331

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-08-05 00:00:00.0
Handler Name:	TISHMAN SPEYER PROPERTIES
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110070157196

[Click Here:](#)

Environmental Interest/Information System:

TSCA SUBMITTER

Registry ID: 110004545626

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SAMYANG CORPORATION (Continued)

1001229331

ECHO:

Envid: 1001229331
Registry ID: 110004545626
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004545626>
Name: TISHMAN SPEYER PROPERTIES
Address: 405 LEXINGTON AVENUE
City,State,Zip: NEW YORK, NY 10174

NY MANIFEST:

Name: TISHMAN SPEYER PROPERTIES
Address: 405 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10174
Country: USA
EPA ID: NYR000058875
Facility Status: Not reported
Location Address 1: 405 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10174
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000058875
Mailing Name: TISHMAN SPEYER PROPERTIES
Mailing Contact: ROBERT LEVEY
Mailing Address 1: 405 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10174
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126823070

NY MANIFEST:

Document ID: NYB9036243
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: XE82833PA
Trans2 State ID: Not reported
Generator Ship Date: 04/21/1999
Trans1 Recv Date: 04/21/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/23/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000058875
Trans1 EPA ID: PAD146714878
Trans2 EPA ID: Not reported
TSDF ID 1: NYD049836679
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SAMYANG CORPORATION (Continued)

1001229331

Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

C50
East
< 1/8
0.044 mi.
234 ft.

CHRYSLER CLEANERS INC.
405 LEXINGTON AVENUE
NEW YORK, NY 10174

Site 11 of 13 in cluster C

NY DRYCLEANERS **S110246210**
N/A

Relative:
Lower

Actual:
44 ft.

DRYCLEANERS:
Name: CHRYSLER CLEANERS INC.
Address: 405 LEXINGTON AVENUE
City,State,Zip: NEW YORK, NY 10174
Facility ID: DROP SHOP
Phone Number: Not reported
Region: 2
Registration Effective Date: N/A
Inspection Date: 07MAY23
Install Date: Not reported
Expiration Date: Not reported
Removal Date: Not reported
Drop Shop: Y
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: DROPSHOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C51
East
< 1/8
0.044 mi.
234 ft.
THE CHRYSLER CENTER
405 LEXINGTON AVE
NEW YORK, NY 10174
Site 12 of 13 in cluster C

NY AST **A100343960**
N/A

Relative:
Lower

AST:

Actual:
44 ft.

Name: THE CHRYSLER CENTER
Address: 405 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10174
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-611110
Program Type: PBS
UTM X: 586489.34646
UTM Y: 4511753.34313
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 415226
Affiliation Type: Facility Owner
Company Name: TS 405 LEXINGTON OWNER, LLC
Contact Type: PROPERTY MGR
Contact Name: DENISE WOKAS
Address1: 465 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10174
Country Code: 001
Phone: (212) 682-3070
EMail: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2009-06-29

Site Id: 415226
Affiliation Type: Mail Contact
Company Name: TS 405 LEXINGTON OWNER, LLC
Contact Type: Not reported
Contact Name: DENISE WOKAS
Address1: 405 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10174
Country Code: 001
Phone: (212) 682-3070
EMail: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2009-06-29

Site Id: 415226
Affiliation Type: Facility Operator
Company Name: THE CHRYSLER CENTER
Contact Type: Not reported
Contact Name: TISHMAN SPEYER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE CHRYSLER CENTER (Continued)

A100343960

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-3070
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2009-06-17

Site Id: 415226
Affiliation Type: Emergency Contact
Company Name: TS 405 LEXINGTON OWNER, LLC
Contact Type: Not reported
Contact Name: DENISE WOKAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 996-3975
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2009-06-17

Tank Info:

Tank Number: 2003
Tank Id: 228967
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K01 - Spill Prevention - Catch Basin
I02 - Overfill - High Level Alarm
E02 - Piping Secondary Containment - Vault (with Access)
L99 - Piping Leak Detection - Other
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 02/23/2000
Capacity Gallons: 2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE CHRYSLER CENTER (Continued)

A100343960

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 46725
Tank Id: 228966
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E02 - Piping Secondary Containment - Vault (with Access)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
L99 - Piping Leak Detection - Other
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 01/01/1999
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

C52
East
< 1/8
0.044 mi.
234 ft.

COMMERCIAL PROPERTY
405 LEXINGTON AVE
MANHATTAN, NY
Site 13 of 13 in cluster C

NY Spills S112146611
N/A

Relative:
Lower

Actual:
44 ft.

SPILLS:
Name: COMMERCIAL PROPERTY
Address: 405 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1202153 / 2012-06-04
Facility ID: 1202153
Facility Type: ER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL PROPERTY (Continued)

S112146611

DER Facility ID: 419297
Site ID: 464907
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2012-06-03
Investigator: RMPIPER
Referred To: Not reported
Reported to Dept: 2012-06-03
CID: Not reported
Water Affected: Not reported
Spill Source: Passenger Vehicle
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2012-06-03
Spill Record Last Update: 2012-06-04
Spiller Name: Not reported
Spiller Company: UNKNOWN AT THIS TIME
Spiller Address: Not reported
Spiller Company: 999
Contact Name: DULISSE
DEC Memo: "DECP iper spoke with OEM and informed them that DEC will not take gasoline and should either be sent with tow truck or dealt with by DEP. FDNY performed cleanup on curb"
Remarks: "1817 THE CALLER ADVISED DISPATCH THE SPILL WAS DUE TO A DEFECTIVE GASOLINE TANK. THE SPILL IS CONTAINED. NO WATER OR SOIL IMPACTED. THE CLEAN UP HAS BEEN CONDUCTED."

All Materials:

Site ID: 464907
Operable Unit ID: 1214941
Operable Unit: 01
Material ID: 2213010
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D53
WSW
< 1/8
0.046 mi.
241 ft.
CON EDISON
116 E 42 ST
NEW YORK, NY 10017
Site 14 of 17 in cluster D

NY MANIFEST **S117314584**
N/A

Relative:
Higher

Actual:
53 ft.

NY MANIFEST:
Name: CON EDISON
Address: 116 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616504
Facility Status: Not reported
Location Address 1: 116 E 42 ST
Code: BP
Location Address 2: SB 8227
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004616504
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616504
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608289GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314584

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

D54
WSW
< 1/8
0.048 mi.
252 ft.

WEST 42ND ST SUBSTATION
42ND ST
MANHATTAN, NY
Site 15 of 17 in cluster D

NY Spills **S104953436**
N/A

Relative:
Higher
Actual:
54 ft.

SPILLS:
Name: WEST 42ND ST SUBSTATION
Address: 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0013142 / 2004-09-08
Facility ID: 0013142
Facility Type: ER
DER Facility ID: 250688
Site ID: 310565
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2001-03-15
Investigator: KMFOLEY
Referred To: Not reported
Reported to Dept: 2001-03-15
CID: 396
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 42ND ST SUBSTATION (Continued)

S104953436

Remediation Phase: 0
Date Entered In Computer: 2001-03-15
Spill Record Last Update: 2004-09-08
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: PETER MCGUIRE
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY Con Ed e2mis 134937: 3/15/2001 While doing maintenance on Tranformer #1 at the W. 42 st Sub-station found a leak at the Pothead stand of Transf. #1 spilled onto the stand grating. This tranformer is connected to feeder 38m45. This oil spill is about 1 ounce. The leak is on C phase. UPDATE 3/15/2001 16:30 The cleanup is complete. The Porcein has been cleaned, the dry oil on the Pothead and surrounding area. W. 42ND ST S/S 38M45 C PHASE POTHEAD TOP AREA BLEEDING VALVE ON TOP OF POTHEAD Tightened valve. Removed visible traces of oil. RE-TORQUED POTHEAD On May 10, 2002 NYSDEC O'Connell and Foley, along with Con Ed Hanebuth, Susco inspected this leak and found that the leak had been repaired. This continues to leak into containment. 10/22/03 I inspected this leak and it has been repaired and the containment removed. P.Keelan "
Remarks: "leat from pot head stand on transformer #1...hx data less than 1 ppm.. ref # 135937."

All Materials:
Site ID: 310565
Operable Unit ID: 834634
Operable Unit: 01
Material ID: 571776
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

D55
WSW
< 1/8
0.048 mi.
252 ft.

**WEST 42ND ST SUBSTATION
42ND ST
MANHATTAN, NY**

Site 16 of 17 in cluster D

**NY Spills S104952900
N/A**

**Relative:
Higher
Actual:
54 ft.**

SPILLS:
Name: WEST 42ND ST SUBSTATION
Address: 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0012388 / 2001-08-17
Facility ID: 0012388
Facility Type: ER
DER Facility ID: 250688
Site ID: 310564
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 42ND ST SUBSTATION (Continued)

S104952900

SWIS: 3101
Spill Date: 2001-02-19
Investigator: OKWUOHA
Referred To: Not reported
Reported to Dept: 2001-02-19
CID: 382
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-02-19
Spill Record Last Update: 2003-03-14
Spiller Name: Not reported
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: JIMMY FOX
DEC Memo: ""
Remarks: "8 oz spill from unclosed valve on water cooler. spilled onto blue stone - clean up in progress. con ed 135-595"

All Materials:

Site ID: 310564
Operable Unit ID: 834279
Operable Unit: 01
Material ID: 542659
Material Code: 0020A
Material Name: transformer oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

**D56
WSW
< 1/8
0.048 mi.
252 ft.**

**BETWEEN LEXINGTON & PARK
E 42ND ST
MANHATTAN, NY**

**NY Spills S104283800
N/A**

Site 17 of 17 in cluster D

**Relative:
Higher
Actual:
54 ft.**

SPILLS:
Name: BETWEEN LEXINGTON & PARK
Address: E 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9909592 / 2004-02-06
Facility ID: 9909592
Facility Type: ER
DER Facility ID: 134868
Site ID: 159663
DEC Region: 2
Spill Cause: Human Error

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETWEEN LEXINGTON & PARK (Continued)

S104283800

Spill Class: C3
SWIS: 3101
Spill Date: 1999-11-07
Investigator: COMENALE
Referred To: Not reported
Reported to Dept: 1999-11-07
CID: 365
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-11-07
Spill Record Last Update: 2004-03-15
Spiller Name: UNKNOWN
Spiller Company: CON ED
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "CONTRACTOR WAS DIGGING IN THE STREET & MAY HAVE IT A FEEDER LINE BUT IT IS STILL UNCERTAIN AT THIS POINT - IT IS BELIEVED TO BE ON LAND ONLY AT THIS POINT - NO REF YET"

All Materials:

Site ID: 159663
Operable Unit ID: 1088294
Operable Unit: 01
Material ID: 298671
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

E57
SSE
< 1/8
0.052 mi.
277 ft.

CON EDISON SERVICE BOX: 8232
133 E 42ND ST
NEW YORK, NY 10016
Site 1 of 5 in cluster E

RCRA NonGen / NLR **1016143986**
FINDS **NYP004267738**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8232
Handler Address: 133 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267738
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8232 (Continued)

1016143986

Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8232 (Continued)

1016143986

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:30:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8232
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8232
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421468

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8232 (Continued)

1016143986

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143986
Registry ID: 110055421468
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055421468>
Name: CON EDISON SERVICE BOX: 8232
Address: 133 E 42ND ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 133 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267738
Facility Status: Not reported
Location Address 1: 133 E 42 ST
Code: BP
Location Address 2: SERV BOX 8232
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267738
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267738

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8232 (Continued)

1016143986

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456474JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

E58
SSE
< 1/8
0.052 mi.
277 ft.

CON EDISON SERVICE BOX: 8232
133 E 42ND ST
NEW YORK, NY 10016

NJ MANIFEST **S117986207**
N/A

Site 2 of 5 in cluster E

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004267738
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported

Actual:
43 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8232 (Continued)

S117986207

Date Change:	Not reported
Manifest:	
Manifest Number:	010456474JJJ
EPA ID:	NYP004267738
Date Shipped:	9/11/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E59
SSE
< 1/8
0.055 mi.
293 ft.

CON EDISON
126 E 42 ST
NEW YORK, NY 10017

Site 3 of 5 in cluster E

NY MANIFEST **S118088012**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
43 ft.

Name: CON EDISON
Address: 126 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004755468
Facility Status: Not reported
Location Address 1: 126 E 42 ST
Code: BP
Location Address 2: SB 8230
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004755468
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/22/2015
Trans1 Recv Date: 03/22/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/23/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004755468
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611519GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118088012

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

F60
NE
< 1/8
0.056 mi.
294 ft.

HELMSLEY-SPEAR INC
420 LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1000842153
NY MANIFEST NYD986868933

Site 1 of 9 in cluster F

Relative:
Lower
Actual:
47 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: HELMSLEY-SPEAR INC
Handler Address: 420 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD986868933
Contact Name: Not reported
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: HELMSLEY-SPEAR INC AGENT FOR OWNER
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY-SPEAR INC (Continued)

1000842153

Operator Name:	HELMSLEY-SPEAR INC AGENT FOR OWNER
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY-SPEAR INC (Continued)

1000842153

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HELMSLEY-SPEAR INC AGENT FOR OWNER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HELMSLEY-SPEAR INC AGENT FOR OWNER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	HELMSLEY-SPEAR INC AGENT FOR OWNER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1992-10-28 00:00:00.0
Handler Name:	HELMSLEY-SPEAR INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	HELMSLEY-SPEAR INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY-SPEAR INC (Continued)

1000842153

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: HELMSLEY-SPEAR INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1992-10-06 00:00:00.0
Handler Name: HELMSLEY-SPEAR INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: HELMSLEY
Address: 420 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD986868933
Facility Status: Not reported
Location Address 1: 420 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD986868933
Mailing Name: HELMSLEY
Mailing Contact: HELMSLEY
Mailing Address 1: 420 LEXINGTON AVENUE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY-SPEAR INC (Continued)

1000842153

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2122970028

NY MANIFEST:

Document ID: PAC8459662
Manifest Status: C
seq: Not reported
Year: 1992
Trans1 State ID: PAAH0172
Trans2 State ID: Not reported
Generator Ship Date: 10/19/1992
Trans1 Recv Date: 10/19/1992
Trans2 Recv Date: / /
TSD Site Recv Date: 10/21/1992
Part A Recv Date: / /
Part B Recv Date: 10/30/1992
Generator EPA ID: NYD986868933
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: PAD987266715
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00550
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

F61
NE
< 1/8
0.056 mi.
294 ft.

CATCH BASIN
420 LEXINGTON AVE
NEW YORK, NY
Site 2 of 9 in cluster F

NY Spills S118951587
N/A

Relative:
Lower

Actual:
47 ft.

SPILLS:

Name: CATCH BASIN
Address: 420 LEXINGTON AVE
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 1605892 / 2016-09-19
Facility ID: 1605892
Facility Type: ER
DER Facility ID: 486463
Site ID: 532455
DEC Region: 2
Spill Cause: Human Error
Spill Class: C4
SWIS: 3101
Spill Date: 2016-09-12
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 2016-09-12
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2016-09-12
Spill Record Last Update: 2016-09-19
Spiller Name: Not reported
Spiller Company: SL GREEN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: WILLIAM SILVERI
DEC Memo: "9/12/16 TJD Teleconference with Bill Silveri at WCD Group (consultant). As per Mr. Silveri, building workers dumped paint into catch basin and consultant has been retained to hire contractor and oversee cleanup. Consultant to provide update once cleanup is complete. DDO provided consultant with NYCDEP contact information for notification to NYC sewers. 9/13/16 TJD DeMeo received email notification that cleanup has been completed. As per email, Summary of events that occurred this morning: 1. Enviro Waste mobilized to Site at 0700, 2. The catch basin of concern was located at the northernmost portion of roadway between Site building and west adjacent Grand Central (i.e. Catch Basin of Concern) 3. Paint and sludge were observed within the Catch Basin of Concern. 4. From 07:15 to 08:15, Catch Basin of Concern was pump out, then triple washed and cleaned. 5. After cleaning of the Catch Basin of Concern, two other catch basins to the north were similarly cleaned and washed (Note: no visible paint was observed inside these other catch basins. 6. Liquids and solids were captured from the Catch Basin of Concern and other catch basins were captured by the vacuum truck and will be disposed at an appropriate off-site facility based on sampling

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CATCH BASIN (Continued)

S118951587

Remarks:

results of the waste. The waste characterization sampling will be performed by Enviro Waste. 9/19/16 TJD File review. Based upon cleanup performed no further action is required. Non-petroleum product. Email uploaded to DECDOCS. Spill closed."
"Caller advised aprx 3 gal of non hazardous acrylic paint spilled into a catch basin. Clean up is pending."

All Materials:

Site ID: 532455
Operable Unit ID: 1281227
Operable Unit: 01
Material ID: 2286486
Material Code: 0426A
Material Name: acrylic products
Case No.: Not reported
Material FA: Other
Quantity: 3.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

**F62
NE
< 1/8
0.056 mi.
294 ft.**

**GRAYBAR BUILDING 22ND FLO
420 LEXINGTON AVE
MANHATTAN, NY**

**NY Spills S106970297
N/A**

Site 3 of 9 in cluster F

**Relative:
Lower**

SPILLS:

**Actual:
47 ft.**

Name: GRAYBAR BUILDING 22ND FLO
Address: 420 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0505448 / 2005-08-04
Facility ID: 0505448
Facility Type: ER
DER Facility ID: 296933
Site ID: 350467
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-08-03
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2005-08-03
CID: 409
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2005-08-03
Spill Record Last Update: 2005-08-04
Spiller Name: BRANDEE VELEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAYBAR BUILDING 22ND FLO (Continued)

S106970297

Spiller Company: METRO NORTH RAILROAD
Spiller Address: 420 LEXINGTON AVE
Spiller Company: 001
Contact Name: BRADNDEE VELEZ
DEC Memo: ""
Remarks: "IT WAS A BLOOD PRESSURE METER THAT SPILLED. CLEAN UP IS ON THE WAY."

All Materials:

Site ID: 350467
Operable Unit ID: 1108029
Operable Unit: 01
Material ID: 2097965
Material Code: 0031A
Material Name: mercury
Case No.: 07439976
Material FA: Hazardous Material
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

**F63
NE
< 1/8
0.056 mi.
294 ft.**

**A B DICK CO
420 LEXINGTON AVE STE 2108
NEW YORK, NY 10170**

**RCRA NonGen / NLR
FINDS
ECHO**

**1000833557
NYD987033024**

Site 4 of 9 in cluster F

**Relative:
Lower**

**Actual:
47 ft.**

RCRA Listings:

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: A B DICK CO
Handler Address: 420 LEXINGTON AVE STE 2108
Handler City,State,Zip: NEW YORK, NY 10170-2199
EPA ID: NYD987033024
Contact Name: Not reported
Contact Address: LEXINGTON AVE STE 2108
Contact City,State,Zip: NEW YORK, NY 10170
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE STE 2108
Mailing City,State,Zip: NEW YORK, NY 10170
Owner Name: A B DICK CO
Owner Type: Private
Operator Name: A B DICK CO
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A B DICK CO (Continued)

1000833557

Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:

Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A B DICK CO (Continued)

1000833557

Owner/Operator Name: A B DICK CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 5700 W TOUHY AVE
Owner/Operator City,State,Zip: NILES, IL 60714-4690
Owner/Operator Telephone: 312-763-1900
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: A B DICK CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 5700 W TOUHY AVE
Owner/Operator City,State,Zip: NILES, IL 60714-4690
Owner/Operator Telephone: 312-763-1900
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: A B DICK CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 5700 W TOUHY AVE
Owner/Operator City,State,Zip: NILES, IL 60714-4690
Owner/Operator Telephone: 312-763-1900
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: A B DICK CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: A B DICK CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A B DICK CO (Continued)

1000833557

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1993-04-26 00:00:00.0
Handler Name:	A B DICK CO
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1999-07-08 00:00:00.0
Handler Name:	A B DICK CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110006881080

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000833557
Registry ID:	110006881080
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110006881080
Name:	A B DICK CO
Address:	420 LEXINGTON AVE STE 2108
City,State,Zip:	NEW YORK, NY 10170

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G64
SW
< 1/8
0.056 mi.
294 ft.

SL GREEN REALTY CORPORATION
110 EAST 42ND STREET
NEW YORK, NY 10017

NY AST A100296061
N/A

Site 1 of 3 in cluster G

Relative:
Higher

AST:

Actual:
52 ft.

Name: SL GREEN REALTY CORPORATION
Address: 110 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-609749
Program Type: PBS
UTM X: 586360.19671
UTM Y: 4511693.27476
Expiration Date: N/A
Site Type: Other

Affiliation Records:

Site Id: 332921
Affiliation Type: Facility Owner
Company Name: GREEN 110 EAST 42ND LLC
Contact Type: PORTFOLIO MANAGER
Contact Name: FANCI WEISSMAN
Address1: 420 LEXINGTON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) 594-2700
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-10-26

Site Id: 332921
Affiliation Type: Mail Contact
Company Name: GREEN 110 EAST 42ND LLC
Contact Type: PORTFOLIO MANAGER
Contact Name: FANCI WEISSMAN
Address1: 420 LEXINGTON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) 594-2700
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-10-26

Site Id: 332921
Affiliation Type: Facility Operator
Company Name: SL GREEN REALTY CORPORATION
Contact Type: Not reported
Contact Name: JOSEPH RIGGIO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORPORATION (Continued)

A100296061

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-8329
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-10-26

Site Id: 332921
Affiliation Type: Emergency Contact
Company Name: GREEN 110 EAST 42ND LLC
Contact Type: Not reported
Contact Name: FANCI WEISSMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 681-9875
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-10-26

Tank Info:

Tank Number: 001
Tank Id: 180617
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORPORATION (Continued)

A100296061

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/29/2004
Register: True
Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 180618
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None
C03 - Pipe Location - Aboveground/Underground Combination
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 003
Tank Id: 180619
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORPORATION (Continued)

A100296061

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 004
Tank Id: 180620
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L00 - Piping Leak Detection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I05 - Overfill - Vent Whistle
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORPORATION (Continued)

A100296061

Tank Number: 005
Tank Id: 180621
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

**G65
SW
< 1/8
0.056 mi.
294 ft.**

**CON ED DRAIN
110 EAST 42 ST
MANHATTAN, NY**

**NY Spills S124518665
N/A**

Site 2 of 3 in cluster G

**Relative:
Higher
Actual:
52 ft.**

SPILLS:
Name: CON ED DRAIN
Address: 110 EAST 42 ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1903642 / 2019-09-23
Facility ID: 1903642
Facility Type: ER
DER Facility ID: 541745
Site ID: 591612
DEC Region: 2
Spill Cause: Traffic Accident
Spill Class: D4
SWIS: 3101
Spill Date: 2019-07-10
Investigator: EJKIM
Referred To: Not reported
Reported to Dept: 2019-07-10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED DRAIN (Continued)

S124518665

CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2019-07-10
Spill Record Last Update: 2019-09-23
Spiller Name: TONY
Spiller Company: UNKNOWN
Spiller Address: 110 EAST 42 ST
Spiller Company: 999
Contact Name: TONY
DEC Memo: "07/15/19 - Lakhani service box vehicle third party spill accident?
slurry of product found in the structure analysis indicates PCB less
than 1 ppm oil ID - light fuel oil 1 gallon reported EMIS 272555
9/23/19 Kim Allstate Vactor removed 2000 lbs. of wash water and
debris; Con Ed contained and cleaned up the spill See document files
for further information Spill closed end"
Remarks: "mva clean up is pending"

All Materials:

Site ID: 591612
Operable Unit ID: 1339225
Operable Unit: 01
Material ID: 2348771
Material Code: 0015
Material Name: motor oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

Site ID: 591612
Operable Unit ID: 1339225
Operable Unit: 01
Material ID: 2348770
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

Site ID: 591612
Operable Unit ID: 1339225
Operable Unit: 01
Material ID: 2348773
Material Code: 0009
Material Name: gasoline

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED DRAIN (Continued)

S124518665

Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

Site ID: 591612
Operable Unit ID: 1339225
Operable Unit: 01
Material ID: 2348772
Material Code: 0043A
Material Name: antifreeze
Case No.: Not reported
Material FA: Other
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

E66
SSE
< 1/8
0.059 mi.
310 ft.

GRAND CENTRAL TERM/MANHAT
GRAND CENTRAL TERMINAL
NEW YORK CITY, NY

NY Spills S102144945
N/A

Site 4 of 5 in cluster E

Relative:
Lower

Actual:
43 ft.

SPILLS:
Name: GRAND CENTRAL TERM/MANHAT
Address: GRAND CENTRAL TERMINAL
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8710325 / 1988-03-09
Facility ID: 8710325
Facility Type: ER
DER Facility ID: 129001
Site ID: 151960
DEC Region: 2
Spill Cause: Deliberate
Spill Class: Not reported
SWIS: 3101
Spill Date: 1988-03-09
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1988-03-09
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 1988-03-09
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1988-03-14
Spill Record Last Update: 1989-03-14
Spiller Name: Not reported
Spiller Company: METRO NORTH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERM/MANHAT (Continued)

S102144945

Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN "
Remarks: "METRO NORTH DISCOVERED SPILL, SPILL WAS DUE TO VANDALISM."
All Materials:
Site ID: 151960
Operable Unit ID: 916038
Operable Unit: 01
Material ID: 462097
Material Code: 0029C
Material Name: hydrogen chloride
Case No.: 07647010
Material FA: Hazardous Material
Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

H67
South
< 1/8
0.059 mi.
312 ft.

CON EDISON
374 LEXINGTON AV
NEW YORK, NY 10016
Site 1 of 11 in cluster H

NY MANIFEST **S117314727**
N/A

Relative:
Lower
Actual:
47 ft.

NY MANIFEST:
Name: CON EDISON
Address: 374 LEXINGTON AV
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004617999
Facility Status: Not reported
Location Address 1: 374 LEXINGTON AV
Code: BP
Location Address 2: MH38632
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004617999
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314727

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/05/2014
Trans1 Recv Date:	08/05/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/07/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004617999
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002608618GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

H68
South
< 1/8
0.061 mi.
322 ft.

STEAM PIPE RUPTURE WITH ASBESTOS
LEXINGTON AVENUE BET 41 & 42 ST
MANHATTAN, NY

NY Spills **S108762794**
N/A

Site 2 of 11 in cluster H

Relative:
Lower

Actual:
45 ft.

SPILLS:

Name: STEAM PIPE RUPTURE WITH ASBESTOS
Address: LEXINGTON AVENUE BET 41 & 42 ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0704396 / 2008-05-19
Facility ID: 0704396
Facility Type: ER
DER Facility ID: 333936
Site ID: 384535
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: A3
SWIS: 3101
Spill Date: 2007-07-18
Investigator: gdbreen
Referred To: Not reported
Reported to Dept: 2007-07-18
CID: 75
Water Affected: N/A
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2007-07-18
Spill Record Last Update: 2008-05-19
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: LEXINGTON AVE BET 41 -42
Spiller Company: 999
Contact Name: ERT DESK
DEC Memo: "05/19/08 - See eDocs for Con Ed report detailing cleanup and closure. 207136. see eDocs 7/30/07 - Austin - On afternoon of 7/18/07, I received initial reports of a pipe explosion in midtown Manhattn via news reports. I monitored such reports for details of the event, and also spoke with Amar Nagi and RD Suzane Mattei. For DER/Spills, I formulated a plan to have staff check nearby PBS facilities and remediation sites for any disruptions/damage to tanks/pipes/remediation systems, once the area was reoccupied. On 7/19/07, I received a request to have personnel deployed to the scene of the event to act as a DEC relay for information and regulatory inquiries. Dispatched staff (Krimgold) to Command Post on E43 St. to assist in comms from event site, and had Jeff Vought act as office contact to relay requests and info to and from Jake Krimgold. Once the issues were identified for DEC's involvement (waste transport and disposal, material waste analysis and sampling, air monitoring for suspended particulate), DER went back to the original assignemt of checking and ascertaining the condition of the three PBS sites in the immediate vicinity of the explosion(#2-317616 @ 369 Lexington Ave., #2-601831 @ 425 Lexington Ave., and #2-610296 @ 450 Lexington Ave.)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STEAM PIPE RUPTURE WITH ASBESTOS (Continued)

S108762794

All three were apparently unfazed by the impact of the explosion. No remedial systems were installed/operating in the immediate vicinity. On 7/26/07, participated in RD debriefing regarding chronology and response to this event by DEC. - end 08/07/07-Vought-Notes entered for spill as per DEC Austin. In morning of 7/19/07 DEC Vought and DEC Krimgold notified that DEC Emergency Response center set up and DEC Gilmore is DEC On-scene coordinator. As per Gilmore, EPA sending response team to site. Concerns expressed included possible damage to adjacent PBS sites. DEC involvement being coordinated via DEC Shovelin and DEC Milstry. Also present at DEC center was DEC McDonald, DEC Krimgold, DEC Southwell, DEC Brezner, DEC Lieblich, DEC Nagi and DEC Mattei. DEC Krimgold will perform site visit to Command Center to obtain more information and return call to Vought to convey info to DEC Gilmore. Vought received call back from Krimgold who attended 1pm meeting at Command Center and as per Command, all debris will be treated at ACM (asbestos containing material) and will be handled and disposed of accordingly. As per DEC O'Connell no transformers were involved in explosion. Also as per Krimgold, FDNY will hose down buildings and ConEd will collect washwater for disposal. As per DEC Lieblich, DEC air monitoring stations show no impact but are also not monitored for asbestos. Vought received callback from DEC Krimgold at 2pm and debris sampling was completed and asbestos was found less than 0.5% but material will be treated as ACM nonetheless. Also as per Krimgold, 3rd avenue will be reopened and materials removed will be bagged and disposal location still unknown. Next meeting at Command Center scheduled for 3:30pm. DEC Mattei expressed concern over who is transporter, are they permitted and location of disposal. Soil being removed by Asbestos Transportation Corp. ECO Komanchek and ECO Matteri arrived at command center and ECO Komanchek will go to site to ensure Part 364 compliance. Decision made later by NYCDEP to allow washwater to enter sewers and DEC Southwell notified. DEC Brezner to handle all disposal issues as per DEC Gilmore and DEC Lieblich to handle any air concerns. Search of adjacent spill site and adjacent PBS sites show no adjacent spill sites and only one adjacent PBS site. Vought called all PBS sites as per DEC Austin and no problems observed with ASTs and USTs. "

Remarks:

"underground explosion poss asbestos release between 41 and 42 street-CON ED cleanhup ending-spill not assigned. 207136"

All Materials:

Site ID: 384535
Operable Unit ID: 1141837
Operable Unit: 01
Material ID: 2132050
Material Code: 0026A
Material Name: asbestos
Case No.: 01332214
Material FA: Hazardous Material
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

I69
East
< 1/8
0.062 mi.
325 ft.

CON EDISON
F/O 129 EAST 43 ST
NEW YORK, NY 10017

Site 1 of 3 in cluster I

NY MANIFEST **S117316325**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
 Address: F/O 129 EAST 43 ST
Actual: City,State,Zip: NEW YORK, NY 10017
43 ft. Country: USA
 EPA ID: NYP004635769
 Facility Status: Not reported
 Location Address 1: F/O 129 EAST 43 ST
 Code: BP
 Location Address 2: MH4813
 Total Tanks: Not reported
 Location City: NEW YORK
 Location State: NY
 Location Zip: 10017
 Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004635769
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/21/2014
Trans1 Recv Date: 08/21/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/27/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004635769
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609074GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117316325

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

F70
ENE
< 1/8
0.066 mi.
351 ft.

CON EDISON VAULT: 9199
425 LEXINGTON AVE VAULT 9199
NEW YORK, NY 10017

RCRA NonGen / NLR 1017774137
FINDS NYP004519401

Site 5 of 9 in cluster F

Relative:
Lower
Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2014-06-02 00:00:00.0
Handler Name: CON EDISON VAULT: 9199
Handler Address: 425 LEXINGTON AVE VAULT 9199
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004519401
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 9199 (Continued)

1017774137

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 9199 (Continued)

1017774137

Historic Generators:

Receive Date:	2014-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-02 00:00:00.0
Handler Name:	CON EDISON VAULT: 9199
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063761601

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F71
ENE
< 1/8
0.066 mi.
351 ft.
HINES
425 LEXINGTON AVENUE
NEW YORK, NY 10017
Site 6 of 9 in cluster F

NY AST **A100168988**
N/A

Relative:
Lower

AST:

Actual:
44 ft.

Name: CANADIAN IMPERIAL BANK OF COMMERCE
Address: 425 LEXINGTON AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601831
Program Type: PBS
UTM X: 586543.98990
UTM Y: 4511778.47192
Expiration Date: 06/28/2023
Site Type: Other

Affiliation Records:

Site Id: 23793
Affiliation Type: Mail Contact
Company Name: CANADIAN IMPERIAL BANK OF COMMERCE
Contact Type: Not reported
Contact Name: FRED RODRIGUEZ
Address1: 425 LEXINGTON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 856-4225
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-05-10

Site Id: 23793
Affiliation Type: Facility Operator
Company Name: CANADIAN IMPERIAL BANK OF COMMERCE
Contact Type: Not reported
Contact Name: FRED RODRIGUEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 856-4067
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-05-10

Site Id: 23793
Affiliation Type: Emergency Contact
Company Name: CANADIAN IMPERIAL BANK OF COMMERCE
Contact Type: Not reported
Contact Name: FRED RODRIGUEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 856-4225
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2008-12-29

Site Id: 23793
Affiliation Type: Facility Owner
Company Name: 425 LEXINGTON REALTY COMPANY LLC
Contact Type: DIRECTOR
Contact Name: FRED RODRIGUEZ
Address1: 425 LEXINGTON AVE
Address2: Not reported
City: NY
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-5200
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-05-10

Tank Info:

Tank Number: 002
Tank Id: 165949
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
L99 - Piping Leak Detection - Other
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1987

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Capacity Gallons: 2000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: 002-A
Tank Id: 165950
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed Prior to Micro Conversion, 03/91
Pipe Model: Not reported
Install Date: 01/01/1988
Capacity Gallons: 1200
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 2996
Tank Id: 67477
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Tank Location: H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L99 - Piping Leak Detection - Other
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/10/1988
Capacity Gallons: 1200
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: DAY TANK
Tank Id: 278237

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
L99 - Piping Leak Detection - Other
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
J00 - Dispenser - None
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.

Tank Location: Steel/Carbon Steel/Iron
Tank Type: In Service
Tank Status: Not reported
Pipe Model: 01/01/1987
Install Date: 200
Capacity Gallons: -
Tightness Test Method: Not reported
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: SFT75
Tank Id: 278219

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Equipment Records:

F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
In Service
Not reported
10/10/1988
75
-
Not reported
Not reported
Not reported
True
MXLAY
10/29/2018
Diesel (E-Gen)

Tank Location:

Tank Type:

Tank Status:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Date Test:

Next Test Date:

Date Tank Closed:

Register:

Modified By:

Last Modified:

Material Name:

Affiliation Records:

Site Id: 31285
Affiliation Type: Mail Contact
Company Name: HINES
Contact Type: Not reported
Contact Name: ED FIALLO
Address1: 425 LEXINGTON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-5200
Email: EFIALLO@HINES.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2018-06-14

Site Id: 31285
Affiliation Type: Facility Operator
Company Name: HINES
Contact Type: Not reported
Contact Name: LEVIS TALAVERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Zip Code: Not reported
Country Code: 001
Phone: (212) 661-5200
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2018-06-14

Site Id: 31285
Affiliation Type: Emergency Contact
Company Name: 425 LEXINGTON REALTY CO, LLC.
Contact Type: Not reported
Contact Name: NICK GALLUSCIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 578-4366
EMail: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 2013-09-11

Site Id: 31285
Affiliation Type: Facility Owner
Company Name: 425 LEXINGTON REALTY CO, LLC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 425 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-5200
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2013-10-09

Tank Info:

Tank Number: 002
Tank Id: 165949
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
L99 - Piping Leak Detection - Other
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1987
Capacity Gallons: 2000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: 002-A
Tank Id: 165950
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed Prior to Micro Conversion, 03/91
Pipe Model: Not reported
Install Date: 01/01/1988
Capacity Gallons: 1200
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 2996

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Tank Id: 67477
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L99 - Piping Leak Detection - Other
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Location:
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/10/1988
Capacity Gallons: 1200
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: DAY TANK
Tank Id: 278237

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
L99 - Piping Leak Detection - Other
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
J00 - Dispenser - None
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Location:
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1987

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES (Continued)

A100168988

Capacity Gallons: 200
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

Tank Number: SFT75
Tank Id: 278219

Equipment Records:

F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/10/1988
Capacity Gallons: 75
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/29/2018
Material Name: Diesel (E-Gen)

F72
ENE
< 1/8
0.066 mi.
351 ft.

CON EDISON
425 LEXINGTON AVE VAULT 9710
NEW YORK, NY 10017
Site 7 of 9 in cluster F

NY MANIFEST **S117059753**
N/A

Relative:
Lower
Actual:
44 ft.

NY MANIFEST:
Name: CON EDISON
Address: 425 LEXINGTON AVE VAULT 9710
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004519393
Facility Status: Not reported
Location Address 1: 425 LEXINGTON AV & 44 ST
Code: BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117059753

Location Address 2: SB9710
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004519393
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH ST
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/02/2014
Trans1 Recv Date: 05/02/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004519393
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002417154GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117059753

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

F73
ENE
< 1/8
0.066 mi.
351 ft.

CON EDISON
425 LEXINGTON AVE VAULT 9199
NEW YORK, NY 10017

NY MANIFEST **S117059754**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
44 ft.

Name: CON EDISON
Address: 425 LEXINGTON AVE VAULT 9199
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004519401
Facility Status: Not reported
Location Address 1: 425 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004519401
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH ST
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/02/2014
Trans1 Recv Date: 05/02/2014
Trans2 Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117059754

TSD Site Recv Date: 05/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004519401
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002418090GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

F74
ENE
< 1/8
0.066 mi.
351 ft.

CON EDISON VAULT: 9710
425 LEXINGTON AVE VAULT 9710
NEW YORK, NY 10017
Site 9 of 9 in cluster F

RCRA NonGen / NLR 1017774136
NYP004519393

Relative:
Lower
Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2014-06-02 00:00:00.0
Handler Name: CON EDISON VAULT: 9710
Handler Address: 425 LEXINGTON AVE VAULT 9710
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004519393
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 9710 (Continued)

1017774136

Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 9710 (Continued)

1017774136

Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-02 00:00:00.0
Handler Name:	CON EDISON VAULT: 9710
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

I75
East
< 1/8
0.073 mi.
386 ft.
CHRYSLER BUILDING
43RD BETWEEN 3RD & LEXING
NEW YORK CITY, NY
Site 2 of 3 in cluster I

NY Spills **S103827890**
N/A

Relative:
Lower

Actual:
41 ft.

SPILLS:

Name: CHRYSLER BUILDING
Address: 43RD BETWEEN 3RD & LEXING
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9813493 / 1999-02-10
Facility ID: 9813493
Facility Type: ER
DER Facility ID: 263992
Site ID: 327959
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 1999-02-03
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1999-02-04
CID: 195
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Federal Government
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-02-04
Spill Record Last Update: 2000-01-24
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: LT FINNEY
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
ENGELHARDT "
Remarks: "UNKNOWN SUBJECT DUMPING MATERIAL INTO STORM SEWER FROM A CONTAINER
MARKED NITROGEN. POSSIBLY LIQUID NITROGEN."

All Materials:

Site ID: 327959
Operable Unit ID: 1070877
Operable Unit: 01
Material ID: 310210
Material Code: 0348A
Material Name: nitrogen
Case No.: 07727370
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

I76
East
< 1/8
0.073 mi.
386 ft.

EAST 43RD ST BET
LEXINGTON AND 3RD AVE
MANHATTAN, NY

NY Spills S102961861
N/A

Site 3 of 3 in cluster I

Relative:
Lower

Actual:
41 ft.

SPILLS:

Name: EAST 43RD ST BET
Address: LEXINGTON AND 3RD AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9709888 / 1998-01-02
Facility ID: 9709888
Facility Type: ER
DER Facility ID: 204309
Site ID: 249156
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1997-11-25
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1997-11-25
CID: 369
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1997-11-25
Spill Record Last Update: 2000-07-03
Spiller Name: TIM SOILCH
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: MR MOSTYN
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT Con Ed reported that material tested negative for asbestos."

Remarks: "steam leak on land air-suspected asbestos-nyc dep on scene"

All Materials:

Site ID: 249156
Operable Unit ID: 1056254
Operable Unit: 01
Material ID: 328217
Material Code: 0026A
Material Name: asbestos
Case No.: 01332214
Material FA: Hazardous Material
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

J77
West
< 1/8
0.074 mi.
393 ft.

GRAND CENTRAL BOILER ROOM
89 EAST 42ND
NEW YORK, NY

Site 1 of 9 in cluster J

NY Spills **S118141827**
N/A

Relative:
Higher

Actual:
56 ft.

SPILLS:

Name: GRAND CENTRAL BOILER ROOM
Address: 89 EAST 42ND
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 1504856 / 2015-08-05
Facility ID: 1504856
Facility Type: ER
DER Facility ID: 465752
Site ID: 511209
DEC Region: 2
Spill Cause: Unknown
Spill Class: Not reported
SWIS: 3101
Spill Date: 2015-08-05
Investigator: SXMAHAT
Referred To: Not reported
Reported to Dept: 2015-08-05
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2015-08-05
Spill Record Last Update: 2015-10-28
Spiller Name: KAREN
Spiller Company: METRO NORTH
Spiller Address: 89 EAST 42ND
Spiller Company: 999
Contact Name: KAREN
DEC Memo: "8/5/15: Mahat t/c: The Spill was reported by MTA Env. Compliance director once crew discovered mercury on the boiler room floor. DEP Hazmat and NRC has been notified. Miller Environmental en route for the response. Area has been isolated for Health and Safety issue. Spill case will be closed in DEC Spill database since Mercury is not regulated by the Department. "
Remarks: "miller environmental enr to assist in investigation - cleanup pending update with correct address"

All Materials:

Site ID: 511209
Operable Unit ID: 1260472
Operable Unit: 01
Material ID: 2263859
Material Code: 0031A
Material Name: mercury
Case No.: 07439976
Material FA: Hazardous Material
Quantity: 1.00
Units: L

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL BOILER ROOM (Continued)

S118141827

Recovered: Not reported
Oxygenate: Not reported

J78
West
< 1/8
0.074 mi.
393 ft.

GRAND CENTRAL TERMINAL
89 EAST 42ND STREET
MANHATTAN, NY

NY Spills S119029571
N/A

Site 2 of 9 in cluster J

Relative:
Higher

Actual:
56 ft.

SPILLS:

Name: GRAND CENTRAL TERMINAL
Address: 89 EAST 42ND STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1609639 / 2017-01-20
Facility ID: 1609639
Facility Type: ER
DER Facility ID: 492254
Site ID: 538435
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 3101
Spill Date: 2017-01-16
Investigator: RJFENG
Referred To: Not reported
Reported to Dept: 2017-01-18
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2017-01-18
Spill Record Last Update: 2017-01-20
Spiller Name: DEAN
Spiller Company: METRO NORTH RAIL ROAD
Spiller Address: GRAND CENTRAL TERMINAL
Spiller Company: 999
Contact Name: DEAN
DEC Memo: "1/18/2017 - Feng - Duty Desk. Spoke to Dean of Master Piece US (914-563-7291, DeanS@MasterPieceCompanies.com). They have a contract with Metro North Rail Road to renovate the elevator, everything to be taken out. The bleeder valve was taken out prematurely and about 50 gallons of hydraulic oil leaked out onto the elevator pit. The pit is in concrete and was designed to take care of minor leak. The oil did not go anywhere. They applied SpeedyDry and absorbent pads to clean up the oil. Some SpeedyDry/granular still in place and will be drummed by the end of the day. About 1 and half drums were generated. CycleChem is their contractor to take care of the waste. Photos were taken. DEC required a report documenting the spill details, the work has been done to clean up the spill and the photos to be sent. 1/20/2017 - Feng - Received Spill Report. Spill has been cleaned up and no further action is required. Spill is closed. "

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL (Continued)

S119029571

Remarks: "bleeder valve removed and leaking Clean is in progress"

All Materials:

Site ID: 538435
Operable Unit ID: 1287032
Operable Unit: 01
Material ID: 2292690
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

J79
West
< 1/8
0.074 mi.
393 ft.

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL
89 EAST 42ND STREET
NEW YORK, NY 10017

RCRA-LQG 1000308878
NYD981179773

Site 3 of 9 in cluster J

Relative:
Higher
Actual:
56 ft.

RCRA Listings:

Date Form Received by Agency: 2019-09-27 00:00:00.0
Handler Name: METRO NORTH RAILROAD GRAND CENTRAL TERMINAL
Handler Address: 89 EAST 42ND STREET
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD981179773
Contact Name: KAREN M MIELE
Contact Address: NORTH BROADWAY - MNR ENVIRONMENTAL DEPT.
Contact City,State,Zip: WHITE PLAINS, NY 10603
Contact Telephone: 914-416-0560
Contact Fax: 914-461-0599
Contact Email: KMIELE@MNR.ORG
Contact Title: MANAGER
EPA Region: 02
Land Type: State
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: NORTH BROADWAY - MNR ENVIRONMENTAL DEPT.
Mailing City,State,Zip: WHITE PLAINS, NY 10603
Owner Name: ARGENT VENTURES
Owner Type: State
Operator Name: METRO NORTH RAILROAD
Operator Type: State
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-10-07 11:57:54.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Year: 2011

[Click Here for Biennial Reporting System Data:](#)

Year: 2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

[Click Here for Biennial Reporting System Data:](#)

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Year: 2003

[Click Here for Biennial Reporting System Data:](#)

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D008
Waste Description: LEAD

Waste Code: D009
Waste Description: MERCURY

Waste Code: D018
Waste Description: BENZENE

Waste Code: D035
Waste Description: METHYL ETHYL KETONE

Waste Code: F002
Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ARGENT VENTMRES
Legal Status:	Private
Date Became Current:	2006-12-06 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 FIFTH AV
Owner/Operator City,State,Zip:	NEW YORK, NY 10176
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ARGENT VENTURES
Legal Status:	State
Date Became Current:	2006-12-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10176
Owner/Operator Telephone:	212-692-5408
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MTA - METROPOLITAN TRANSPORTATION AUTHOR
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 FIFTH AV
Owner/Operator City,State,Zip:	NEW YORK, NY 10176
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	State
Date Became Current:	1900-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Legal Status:	State
Date Became Current:	1970-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	AMERICAN PREMIER UNDERWRITERS
Legal Status:	Private
Date Became Current:	1970-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	E 4TH ST
Owner/Operator City,State,Zip:	CINCINNATI, OH 45202
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY
Legal Status:	State
Date Became Current:	1970-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVENUE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ARGENT VENTURES
Legal Status:	State
Date Became Current:	2006-12-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10176
Owner/Operator Telephone:	212-692-5408
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ARGENT VENTURES
Legal Status:	State
Date Became Current:	2006-12-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10176
Owner/Operator Telephone:	212-692-5400
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RR
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	PENN CENTRAL CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	METRO NORTH COMMUTER RAILROAD
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	E 4TH ST
Owner/Operator City,State,Zip:	CINCINNATI, OH 45202
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN TRANSPORTATION AUTHORITY
Legal Status:	State
Date Became Current:	1972-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVENUE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	NO NAME FOUND
Legal Status:	State
Date Became Current:	1983-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ARGENT VENTURES
Legal Status:	State
Date Became Current:	2006-12-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	551 5TH AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Owner/Operator City,State,Zip: NEW YORK, NY 10176
Owner/Operator Telephone: 212-692-5408
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2010-03-05 00:00:00.0
Handler Name: METRO NORTH RAILROAD GRAND CENTRAL TERMINAL
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2012-03-02 00:00:00.0
Handler Name: METRO NORTH RR GRAND CENTRAL TERMINAL
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2018-02-23 00:00:00.0
Handler Name: METRO NORTH RAILROAD GCT
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 2006-02-27 00:00:00.0
Handler Name: METRO NORTH RAILROAD-GRAND CENTRAL TERMI
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	METRO NORTH RAILROAD-GRAND CENTRAL TERMI
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1986-01-15 00:00:00.0
Handler Name:	GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2019-01-17 00:00:00.0
Handler Name:	METRO NORTH RAILROAD GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No
Receive Date:	2019-09-27 00:00:00.0
Handler Name:	METRO NORTH RAILROAD GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No
Receive Date:	1996-01-24 00:00:00.0
Handler Name:	METRO-NORTH RAILROAD
Federal Waste Generator Description:	Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-07-31 00:00:00.0
Handler Name:	METRO NORTH RR-GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	METRO NORTH RAILROAD-GRAND CTL TERM
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-02-28 00:00:00.0
Handler Name:	METRO NORTH RAILROAD
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2004-02-27 00:00:00.0
Handler Name:	METRO N COMMUTER RR-GRAND CENTRAL TERM
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-02-28 00:00:00.0
Handler Name:	METRO NORTH RAILROAD-GRAND CENTRAL TERMI
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2008-02-25 00:00:00.0
Handler Name:	METRO NORTH RAILROAD - GRAND CENTRAL TERMINAL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:	
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Records/Reporting
Date Violation was Determined:	1997-08-26 00:00:00.0
Actual Return to Compliance Date:	1997-09-24 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1997-10-01 00:00:00.0
Enforcement Identifier:	000
Date of Enforcement Action:	1997-08-26 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	1996-10-16 00:00:00.0
Actual Return to Compliance Date:	1998-08-10 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	000
Date of Enforcement Action:	1996-10-16 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYADS
Enforcement Responsible Sub-Organization: R2
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 1996-10-16 00:00:00.0
Actual Return to Compliance Date: 1998-08-10 00:00:00.0
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 1996-12-24 00:00:00.0
Enforcement Identifier: 000
Date of Enforcement Action: 1996-12-09 00:00:00.0
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported

Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYADS
Enforcement Responsible Sub-Organization: R2
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: LDR - General

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Date Violation was Determined:	1996-10-16 00:00:00.0
Actual Return to Compliance Date:	1998-08-10 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	000
Date of Enforcement Action:	1996-10-16 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYADS
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	LDR - General
Date Violation was Determined:	1996-10-16 00:00:00.0
Actual Return to Compliance Date:	1998-08-10 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1996-12-24 00:00:00.0
Enforcement Identifier:	000
Date of Enforcement Action:	1996-12-09 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYADS
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Universal Waste - Small Quantity Handlers
Date Violation was Determined:	2016-12-08 00:00:00.0
Actual Return to Compliance Date:	2017-02-02 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2017-01-03 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSC
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Universal Waste - Small Quantity Handlers

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Date Violation was Determined:	2016-12-08 00:00:00.0
Actual Return to Compliance Date:	2017-02-02 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2017-01-03 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSC
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Manifest
Date Violation was Determined:	2016-12-08 00:00:00.0
Actual Return to Compliance Date:	2017-02-02 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2017-01-03 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSC
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:	
Evaluation Date:	1997-03-01 00:00:00.0
Evaluation Responsible Agency:	State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	1997-09-24 00:00:00.0
Scheduled Compliance Date:	1997-10-01 00:00:00.0
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2009-09-17 00:00:00.0
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R2RV
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	1993-11-18 00:00:00.0
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R2TRC
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	1996-09-04 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYADS
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	1998-08-10 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	1996-09-04 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYADS
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	1998-08-10 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Scheduled Compliance Date: 1996-12-24 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1996-09-04 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYADS
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 1998-08-10 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1996-09-04 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYADS
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 1998-08-10 00:00:00.0
Scheduled Compliance Date: 1996-12-24 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2016-12-08 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYSC
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2017-02-02 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2016-12-08 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYSC
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2017-02-02 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD GRAND CENTRAL TERMINAL (Continued)

1000308878

Evaluation Date: 2016-12-08 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYSC
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2017-02-02 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2012-11-09 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: COMPLIANCE ASSISTANCE VISIT
Evaluation Responsible Person Identifier: R2AHJ
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

E80
SSE
< 1/8
0.076 mi.
400 ft.

MANHOLE 1592
I/F/O 150 EAST 42ND ST
MANHATTAN, NY

Site 5 of 5 in cluster E

NY Spills S111835709
N/A

Relative:
Lower

Actual:
40 ft.

SPILLS:
Name: MANHOLE 1592
Address: I/F/O 150 EAST 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1200689 / 2012-09-27
Facility ID: 1200689
Facility Type: ER
DER Facility ID: 417742
Site ID: 463341
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2012-04-23
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 2012-04-23
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 1592 (Continued)

S111835709

UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2012-04-23
Spill Record Last Update: 2012-09-27
Spiller Name: ERT
Spiller Company: CON ED
Spiller Address: I/F/O 150 EAST 42ND ST
Spiller Company: 999
Contact Name: ERT
DEC Memo: "04/23/12- Zhune spoke to Tony Delgado from Con-Ed ERT. He said the spill is contained in the manhole. Nothing is going outside. The transformer is leaking from the bottom. They are going to take a sample and clean the spill. They are going to pump oil contained in manhole and the oil in the tranformer. 9/27/12 - Austin - Transformer lost 500 gals. into vault - Contained to only vault - Con Ed contained and cleaned up the spill, and removed the transformer - See eDocs files for further information - Spill closed - end"

Remarks: "Caller reporting a spill of 500 gallons of transformer oil to containment. Clean up pending."

All Materials:
Site ID: 463341
Operable Unit ID: 1213438
Operable Unit: 01
Material ID: 2211388
Material Code: 0020A
Material Name: transformer oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 500.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

G81
SSW
< 1/8
0.077 mi.
405 ft.

MANHOLE #07991
IFO 101 E 41ST ST
MANHATTAN, NY

NY Spills S106016149
N/A

Site 3 of 3 in cluster G

Relative:
Higher
Actual:
52 ft.

SPILLS:
Name: MANHOLE #07991
Address: IFO 101 E 41ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0304009 / 2003-09-26
Facility ID: 0304009
Facility Type: ER
DER Facility ID: 212356
Site ID: 259668
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2003-07-15
Investigator: KMFOLEY
Referred To: Not reported
Reported to Dept: 2003-07-16

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE #07991 (Continued)

S106016149

CID: 252
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2003-07-16
Spill Record Last Update: 2003-09-29
Spiller Name: KEVIN MCARDLE
Spiller Company: MANHOLE #07991
Spiller Address: IFO 101 E 41ST ST
Spiller Company: 001
Contact Name: KEVIN MCARDLE
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY e2mis 149307 07/15/03 @20:35 hrs R.Valenzuela #92468 flush supv.Founded 2 pt of oil leaking from cable end 20:30 hrs in m07991 at 20:30 hrs. Reported to W.Lee mcc #33243. At loc f/o 101-105 e.41 st on feeder 26m44. HUng sign #17848, Chain of custody #DD00981, Took two sample one for pcb and one for oil id No smoke/fire was involved, No waterway/sewer affected, No private property affected, No injuries related to spill, No weather conditions contribute to hazard of spill, No substantial cracks, No water in manhole, No sump pump running, No standing water, No sewer connection Reason for entering structure: emerg. Substance: Cable oil Source of spill: Cable end Cause of spill: Leaking cable end Spill on: soil (drit) in manhole
Logger: W.Lee #33243 7/17 @ 07:20 Cleanup set for 7/17 @ 07:00 Over 50 tanker ordered from Transportation and faxed documentation UG notified and faxed documentation Flush ordered and faced documentation EPA # NYP 004 113 098 Update 7-16-03 @ 14:40 After discussion with G Turiano #14461 a decision was made by the environmental desk to re-calssify this incident due to that it will most likely not meet the 24 hour deadline.....J Moran #01182 Update: 07/16/03 @20:37 hrs A.Smeragliuolo #16106 ogs reported to R.Pellegrino #38620 senior specialist @20:27 hrs that he has generated 5 drum of solid debris & 75 gal of water/mix has been removed. Job will be relieved @23:00 hrs. with midnight crew.
>>>INSERT >>> Environmental Desk made formatting changes to the above entry by W. Lee for clarification purposes only. 7-17-03 @ 18:33 Lab Sequence Number: 03-05867-001 Date Approved: 7/17/2003 E2 Incident Number: 149307 Date Received: 7/15/2003 Chain of Custody ID: DD00981 Date Sampled: 7/15/2003 Aroclor 1242 < 1.0 ppm EPA 608/8082 Aroclor 1254 6.2 ppm EPA 608/8082 Aroclor 1248 < 1.0 ppm EPA 608/8082 Aroclor 1260 < 1.0 ppm EPA 608/8082 TOTAL PCB 6 ppm.....J Moran #01182 Udate: 07/17/03 @19:45 hrs. A.Smeragliuolo 16106 ogs reported to W.Lee #33243 mcc that cleanup was completed at 19:30 hrs Removed 11 barrels of solid debris and 550 gal of water to wash manhole, Double wash with slix and removed tag #17848.Name of cleanup crews list in event involved pearson Logger: W.Lee #33243 Update 8/14/2003. Underground North Planner S. Cioffi reported that field verficaiton showed no oil in the structure. The leaking cable has apparently been repaired."

Remarks:

"LEAKING CABLE CAUSED APPROX 2 PINTS OF DIELECTRIC FLUID TO SPILL."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE #07991 (Continued)

S106016149

PRODUCT IS CONTAINED IN THE MANHOLE. CON ED #149307 "

All Materials:

Site ID: 259668
Operable Unit ID: 871010
Operable Unit: 01
Material ID: 504868
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

J82
West
< 1/8
0.077 mi.
406 ft.

GRAND CENTRAL TERMINAL
87 EAST 42ND STREET
NEW YORK, NY 10017

NY TANKS **S126290008**
N/A

Site 4 of 9 in cluster J

Relative:
Higher
Actual:
56 ft.

TANKS:

Name: GRAND CENTRAL TERMINAL
Address: 87 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Facility Id: 2-613155
Region: STATE
DEC Region: 2
Site Status: Unregistered
Program Type: PBS
Expiration Date: N/A
UTM X: Not reported
UTM Y: Not reported

H83
SSW
< 1/8
0.077 mi.
406 ft.

X
107 EAST 41ST ST
MANHATTAN, NY

NY Spills **S106698702**
N/A

Site 3 of 11 in cluster H

Relative:
Higher
Actual:
49 ft.

SPILLS:

Name: VAULT 4271
Address: 107 EAST 41ST STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0007136 / 2004-06-29
Facility ID: 0007136
Facility Type: ER
DER Facility ID: 173962
Site ID: 209845
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2000-09-18
Investigator: KMFOLEY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X (Continued)

S106698702

Referred To: Not reported
Reported to Dept: 2000-09-18
CID: 195
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-09-18
Spill Record Last Update: 2004-06-29
Spiller Name: TED ROBICHARD
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: JIMMY FOX
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY e2mis no. 133445: M. Wiggins reports while setting up to retro fill unit found 30 gallons of dielectric transformer fluid on the floor in v-4271. Will start cleanup and do a partial with over 50 ppm tanker. Have hard copy showing 114ppm. J. Ligouri O.S. reports transformer was drained - crew removed 375 gallons of oil from transformer and 25 gallons from the floor. 3 bags of oil absorbent was placed on floor to absorb any residual oil. Unit is pending removal. Transformer removed 9/18/00 and taken to Astoria. Previous PCB history is 131 ppm. Hard copy on file. The Final Cleanup of this vault was performed on 9/21/00."
Remarks: "30 GALLONS OF FLUID LEAKING FROM BOTTOM OF TRANSFORMER. CLEANING PENDING LAB RESULTS. UNKNOWN IF IN SEWER. NO VISUAL MOVEMENT OF LIQUID LEVEL. CON ED SPILL 133445."
All Materials:
Site ID: 209845
Operable Unit ID: 829906
Operable Unit: 01
Material ID: 548236
Material Code: 0020A
Material Name: transformer oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30.00
Units: G
Recovered: .00
Oxygenate: Not reported
Name: X
Address: 107 EAST 41ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0405829 / 2004-10-20
Facility ID: 0405829
Facility Type: ER
DER Facility ID: 231501
Site ID: 225114
DEC Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X (Continued)

S106698702

Spill Cause: Other
Spill Class: C4
SWIS: 3101
Spill Date: 2004-08-27
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 2004-08-27
CID: 403
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2004-08-27
Spill Record Last Update: 2009-01-29
Spiller Name: ANTHONY
Spiller Company: S&L GREEN MANAGEMENT
Spiller Address: 107 EAST 41 ST
Spiller Company: 001
Contact Name: ANTHONY
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIPPLE 8/30/04 tippie updating/// Eastman on site friday cleaning// 500Gal delivery, 320 gal reached tank, approx.30 gal came through foundation wall into basement, 150 gallons of #2fo still in ground. Hillman retained//awaiting contact from Hillman.// 10/20/04 Tippie updating// report from Impact Environmental arrives//NFA necessary"
Remarks: "broken fill line caused the spill.spill is in the process of being cleaned up"

All Materials:

Site ID: 225114
Operable Unit ID: 889386
Operable Unit: 01
Material ID: 486680
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: MH 4308
Address: 107 EAST 41ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0008035 / 2002-04-05
Facility ID: 0008035
Facility Type: ER
DER Facility ID: 231501
Site ID: 285485
DEC Region: 2
Spill Cause: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X (Continued)

S106698702

Spill Class: C4
SWIS: 3101
Spill Date: 2000-10-09
Investigator: OKWUOHA
Referred To: Not reported
Reported to Dept: 2000-10-09
CID: 396
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-10-09
Spill Record Last Update: 2002-04-05
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: BIRAN JOYCE
DEC Memo: ""
Remarks: "1/2 gal on 20 gal of water...poss cooking grease...samples tanke and clean up pending test results. ref #133844."

All Materials:
Site ID: 285485
Operable Unit ID: 828645
Operable Unit: 01
Material ID: 545555
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

H84
South
< 1/8
0.081 mi.
426 ft.

CON EDISON VAULT: 3571
117 E 41ST ST FRONT OF V 3571
NEW YORK, NY 10017
Site 4 of 11 in cluster H

RCRA NonGen / NLR 1016966168
NY MANIFEST NYP004390233

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2013-12-13 00:00:00.0
Handler Name: CON EDISON VAULT: 3571
Handler Address: 117 E 41ST ST FRONT OF V 3571
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004390233
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3571 (Continued)

1016966168

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3571 (Continued)

1016966168

Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3571
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-12-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3571
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	117 E 41ST ST FRONT OF V 3571
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004390233
Facility Status:	Not reported
Location Address 1:	117 E 41ST ST
Code:	BP
Location Address 2:	V 3571

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3571 (Continued)

1016966168

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004390233
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/13/2013
Trans1 Recv Date: 11/13/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004390233
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002236979GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3571 (Continued)

1016966168

Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

H85
South
< 1/8
0.081 mi.
426 ft.

CON EDISON MANHOLE 56305
117 E 41ST ST
NEW YORK, NY 10017

NJ MANIFEST S117985250
N/A

Site 5 of 11 in cluster H

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004249932
Mail Address: 4 IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: BENJAMIN BAMONTE
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 009203838JJK
EPA ID: NYP004249932
Date Shipped: 3/18/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56305 (Continued)

S117985250

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 3,000.00 Pounds

H86
South
< 1/8
0.081 mi.
426 ft.

CON EDISON VAULT: 3584
117 E 41ST ST FRONT OF V 3584
NEW YORK, NY 10017

RCRA NonGen / NLR **1016966171**
NY MANIFEST **NYP004390266**

Site 6 of 11 in cluster H

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2013-12-13 00:00:00.0
Handler Name: CON EDISON VAULT: 3584
Handler Address: 117 E 41ST ST FRONT OF V 3584
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004390266
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3584 (Continued)

1016966171

Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3584 (Continued)

1016966171

Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3584
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-12-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3584
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	117 E 41ST ST FRONT OF V 3584
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004390266
Facility Status:	Not reported
Location Address 1:	117 E 41ST ST
Code:	BP
Location Address 2:	V 3584
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004390266
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3584 (Continued)

1016966171

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/13/2013
Trans1 Recv Date: 11/13/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004390266
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002236981GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

H87
South
< 1/8
0.081 mi.
426 ft.

VAULT 3841
117 E. 41ST STREET
MANHATTAN, NY
Site 7 of 11 in cluster H

NY Spills **S104506887**
N/A

Relative:
Lower

Actual:
46 ft.

SPILLS:

Name: VAULT 3841
Address: 117 E. 41ST STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9815344 / 1999-05-04
Facility ID: 9815344
Facility Type: ER
DER Facility ID: 83643
Site ID: 93296
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1999-03-26
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1999-03-26
CID: 322
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-03-26
Spill Record Last Update: 2000-06-19
Spiller Name: Not reported
Spiller Company: UNK SOURCE
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT CON ED E2MIS NOTES Approx. 2 oz. of unknown oil mixed with approx. 2gals.of water found in V3841. Spill contained to Vault, no sewers or waterways affected. No foundational cracks although a sewer connection exists. The sump was not running, transformer was not leaking. 2 samples were takne and tag#01427 placed. Oil filled equipment in this structure is transformer#3841 Cleanup procedure 50-499 being used. 3-26-99 Transformer associated with V3841 was found with vacuum. Pressure tested-held pressure.4 transformers in nearby vaults dry and pressure tested ok, no sign of oil in other 4 vaults. Lab Results Seq# 99-03121 Aroclor 1260 PCB <1.00ppm 4-10-99 @1500 hrs. Cleanup completed"

Remarks: " 2 OZ OF UNK OIL MIXED WITH 2 GAL OF WATER IN VAULT - SAMPLES WERE TAKEN AND CLEAN UP PENDING RESULTS - SUMP PUMP IN VAULT IS DISCONNECTED AND TRANSFORMER IN VAULT IS NOT LEAKING"

All Materials:

Site ID: 93296
Operable Unit ID: 1073353
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 3841 (Continued)

S104506887

Material ID: 308454
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

H88
South
< 1/8
0.081 mi.
426 ft.

CON EDISON VAULT: 2239
117 E 41ST ST V 2239
NEW YORK, NY 10017

RCRA NonGen / NLR 1016966170
NY MANIFEST NYP004390258

Site 8 of 11 in cluster H

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2013-12-13 00:00:00.0
Handler Name: CON EDISON VAULT: 2239
Handler Address: 117 E 41ST ST V 2239
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004390258
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2239 (Continued)

1016966170

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 2239
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2239 (Continued)

1016966170

Receive Date:	2013-12-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 2239
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	117 E 41ST ST V 2239
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004390258
Facility Status:	Not reported
Location Address 1:	117 E 41ST ST
Code:	BP
Location Address 2:	V 2239
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004390258
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	11/13/2013
Trans1 Recv Date:	11/13/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/15/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004390258

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2239 (Continued)

1016966170

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002236982GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

H89
South
< 1/8
0.081 mi.
426 ft.

CON EDISON VAULT: 3841
117 E 41ST ST FRONT OF V 3841
NEW YORK, NY 10017

RCRA NonGen / NLR **1016966173**
NY MANIFEST **NYP004390282**

Site 9 of 11 in cluster H

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2013-12-13 00:00:00.0
Handler Name: CON EDISON VAULT: 3841
Handler Address: 117 E 41ST ST FRONT OF V 3841
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004390282
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3841 (Continued)

1016966173

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3841 (Continued)

1016966173

Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3841
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-12-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3841
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	117 E 41ST ST FRONT OF V 3841
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004390282
Facility Status:	Not reported
Location Address 1:	117 E 41ST ST
Code:	BP
Location Address 2:	V 3841
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3841 (Continued)

1016966173

NY MANIFEST:

EPAID: NYP004390282
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/13/2013
Trans1 Recv Date: 11/13/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004390282
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002236980GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3841 (Continued)

1016966173

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

H90
South
< 1/8
0.081 mi.
426 ft.

CON EDISON MANHOLE 56305
117 E 41ST ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1015746992
NYP004249932

Site 10 of 11 in cluster H

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2012-04-17 00:00:00.0
Handler Name: CON EDISON MANHOLE 56305
Handler Address: 117 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004249932
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56305 (Continued)

1015746992

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-03-18 00:00:00.0
Handler Name:	CON EDISON MANHOLE 56305
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-04-17 00:00:00.0
Handler Name:	CON EDISON MANHOLE 56305
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56305 (Continued)

1015746992

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON-MH 56305
Address:	117 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004249932
Facility Status:	Not reported
Location Address 1:	117 EAST 41ST ST.
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004249932
Mailing Name:	CONSOLIDATED EDISON-MH 56305
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	03/18/2012
Trans1 Recv Date:	03/18/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/19/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004249932
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56305 (Continued)

1015746992

TSD ID 2: Not reported
Manifest Tracking Number: 009203838JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

H91
South
< 1/8
0.081 mi.
426 ft.

CON EDISON VAULT: 3730
117 E 41ST ST FRONT OF V 3730
NEW YORK, NY 10017

RCRA NonGen / NLR **1016966169**
NY MANIFEST **NYP004390241**

Site 11 of 11 in cluster H

Relative:
Lower

RCRA Listings:

Actual:
46 ft.

Date Form Received by Agency: 2013-12-13 00:00:00.0
Handler Name: CON EDISON VAULT: 3730
Handler Address: 117 E 41ST ST FRONT OF V 3730
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004390241
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3730 (Continued)

1016966169

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3730 (Continued)

1016966169

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3730
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-12-13 00:00:00.0
Handler Name:	CON EDISON VAULT: 3730
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	117 E 41ST ST FRONT OF V 3730
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004390241
Facility Status:	Not reported
Location Address 1:	117 E 41ST ST
Code:	BP
Location Address 2:	V 3730
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004390241
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3730 (Continued)

1016966169

Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/13/2013
Trans1 Recv Date: 11/13/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004390241
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002236983GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K92
NE
< 1/8
0.081 mi.
428 ft.
CON EDISON
EAST 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017
Site 1 of 12 in cluster K

NJ MANIFEST **S120672218**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id: NYP004787735
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614156GBF
EPA ID: NYP004787735
Date Shipped: 5/29/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672218

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

K93 211393; E 44 ST AND LEXINGTON AVE
NE E 44 ST AND LEXINGTON AVE
< 1/8 NEW YORK, NY
0.081 mi.
428 ft. Site 2 of 12 in cluster K

NY Spills S110306304
N/A

Relative: SPILLS:
Lower Name: 211393; E 44 ST AND LEXINGTON AVE
Actual: Address: E 44 ST AND LEXINGTON AVE
46 ft. City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0814197 / 2008-08-10
Facility ID: 0814197
Facility Type: ER
DER Facility ID: 386527
Site ID: 432410
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 2008-05-15
Investigator: DMPOKRZY
Referred To: Not reported
Reported to Dept: 2008-12-31
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: Not reported
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2010-04-16
Spill Record Last Update: 2010-04-16
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 5030 BROADWAY
Spiller Company: 001
Contact Name: ERT DESK
DEC Memo: ""
Remarks: ""

All Materials:
Site ID: 432410
Operable Unit ID: 1183471
Operable Unit: 01
Material ID: 2177659
Material Code: 0541A
Material Name: dielectric fluid

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

211393; E 44 ST AND LEXINGTON AVE (Continued)

S110306304

Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

**K94
NE
< 1/8
0.081 mi.
428 ft.**

**CON EDISON
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019903605
NYP004787719**

Site 3 of 12 in cluster K

**Relative:
Lower
Actual:
46 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 44TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004787719
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903605

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-28 00:00:00.0
Handler Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903605

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

K95
NE
< 1/8
0.081 mi.
428 ft.

CON EDISON VAULT: 5619
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS

1017775853
NYP004536991

Site 4 of 12 in cluster K

Relative:
Lower

Actual:
46 ft.

RCRA Listings:	
Date Form Received by Agency:	2014-06-20 00:00:00.0
Handler Name:	CON EDISON VAULT: 5619
Handler Address:	E 44TH ST & LEXINGTON AVE
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004536991
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5619 (Continued)

1017775853

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-05-20 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5619 (Continued)

1017775853

Electronic Manifest Broker:	Not reported
Receive Date:	2014-05-20 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2014-06-20 00:00:00.0
Handler Name:	CON EDISON VAULT: 5619
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063793024

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

K96
NE
< 1/8
0.081 mi.
428 ft.

CON EDISON
LEXINGTON AVE & 44TH ST
NEW YORK, NY 10017

Site 5 of 12 in cluster K

NJ MANIFEST **S120676461**
N/A

Relative:
Lower
Actual:
46 ft.

NJ MANIFEST:	
EPA Id:	NYP004835878
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676461

SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002613125GBF
EPA ID:	NYP004835878
Date Shipped:	9/8/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Manifest Number:	003007452GBF
EPA ID:	NYP004835878
Date Shipped:	2/11/2016
TSDf EPA ID:	NJD002200046
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676461

Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**K97
NE
< 1/8
0.081 mi.
428 ft.**

**CON EDISON
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

**NY MANIFEST S117736583
N/A**

Site 6 of 12 in cluster K

**Relative:
Lower
Actual:
46 ft.**

NY MANIFEST:
Name: CON EDISON
Address: E 44TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004787719
Facility Status: Not reported
Location Address 1: LEXINGTON AVE & 44TH ST
Code: BP
Location Address 2: MH 63339
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117736583

NY MANIFEST:

EPAID: NYP004787719
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/29/2015
Trans1 Recv Date: 05/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004787719
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614078GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117736583

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON EDISON
Address: E 44TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004787735
Facility Status: Not reported
Location Address 1: EAST 44TH ST & LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004787735
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/29/2015
Trans1 Recv Date: 05/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004787735
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614156GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117736583

Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
3 additional NY MANIFEST: record(s) in the EDR Site Report.

K98
NE
< 1/8
0.081 mi.
428 ft.

CON EDISON
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017

NJ MANIFEST **S120672217**
N/A

Site 7 of 12 in cluster K

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id: NYP004787719
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614078GBF
EPA ID: NYP004787719

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672217

Date Shipped: 5/29/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

K99
NE
< 1/8
0.081 mi.
428 ft.

CON EDISON
LEXINGTON AVE & 44TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1019907592
NYP004835878

Site 8 of 12 in cluster K

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-08 00:00:00.0
Handler Name: CON EDISON
Handler Address: LEXINGTON AVE & 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004835878
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907592

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907592

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

K100
NE
< 1/8
0.081 mi.
428 ft.

CON EDISON
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017

NJ MANIFEST S120672219
N/A

Site 9 of 12 in cluster K

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id:	NYP004787743
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672219

Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614061GBF
EPA ID: NYP004787743
Date Shipped: 5/29/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
K101	CON EDISON	RCRA NonGen / NLR	1019903606
NE	E 44TH ST & LEXINGTON AVE	FINDS	NYP004787743
< 1/8	NEW YORK, NY 10017	ECHO	
0.081 mi.			
428 ft.	Site 10 of 12 in cluster K		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2015-05-29 00:00:00.0	
	Handler Name:	CON EDISON	
Actual:	Handler Address:	E 44TH ST & LEXINGTON AVE	
46 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004787743	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903606

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903606

Electronic Manifest Broker:

Not reported

FINDS:

Registry ID: 110069386042

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019903606
Registry ID: 110069386042
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069386042>
Name: CON EDISON
Address: E 44TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017

**K102
NE
< 1/8
0.081 mi.
428 ft.**

**CON EDISON
E 44TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019325024
NYP004787735**

Site 11 of 12 in cluster K

**Relative:
Lower**

RCRA Listings:

**Actual:
46 ft.**

Date Form Received by Agency:	2015-05-29 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	E 44TH ST & LEXINGTON AVE
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004787735
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325024

Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325024

Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Biennial: List of Years
Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-05-29 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-05-29 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - DISCONNECT MANHOLE 57847
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325024

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-05-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

L103
WSW
< 1/8
0.082 mi.
432 ft.

CON EDISON SERVICE BOX: 12063
131 PARK AVE FRONT OF
NEW YORK, NY 10035

RCRA NonGen / NLR **1016959975**
NY MANIFEST **NYP004318556**

Site 1 of 11 in cluster L

Relative:
Higher
Actual:
61 ft.

RCRA Listings:	
Date Form Received by Agency:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12063
Handler Address:	131 PARK AVE FRONT OF
Handler City,State,Zip:	NEW YORK, NY 10035
EPA ID:	NYP004318556
Contact Name:	RICARDO CARTY
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	646-772-3407
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12063 (Continued)

1016959975

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-06-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12063
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12063 (Continued)

1016959975

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12063
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	131 PARK AVE FRONT OF
City,State,Zip:	NEW YORK, NY 10035
Country:	USA
EPA ID:	NYP004318556
Facility Status:	Not reported
Location Address 1:	FO 131 E 64 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10021
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004318556
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12063 (Continued)

1016959975

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/04/2013
Trans1 Recv Date: 06/04/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/05/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004318556
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010917746JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

J104
West
< 1/8
0.083 mi.
439 ft.

**ON STREET
125TH ST & PARK AVE
MANHATTAN, NY**

Site 5 of 9 in cluster J

**NY Spills S106384354
N/A**

**Relative:
Higher**

SPILLS:

**Actual:
58 ft.**

Name: ON STREET
Address: 125TH ST & PARK AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0314214 / 2004-04-05
Facility ID: 0314214
Facility Type: ER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ON STREET (Continued)

S106384354

DER Facility ID: 88169
Site ID: 99177
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2004-03-29
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 2004-03-29
CID: 444
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2004-03-29
Spill Record Last Update: 2007-10-31
Spiller Name: MR. BONSIGNOYE
Spiller Company: ON STREET
Spiller Address: 125 / PARK AVE
Spiller Company: 001
Contact Name: MR. BONSIGNOYE
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TIBBE Ruptured hose on bus # 470. Contained and cleaned by NYCT."
Remarks: "BUS LEAKED ANTI FREEZE: ALL CLEANED UP: BUS # 470"

All Materials:

Site ID: 99177
Operable Unit ID: 879662
Operable Unit: 01
Material ID: 495793
Material Code: 0043A
Material Name: antifreeze
Case No.: Not reported
Material FA: Other
Quantity: 6.00
Units: G
Recovered: .00
Oxygenate: Not reported

M105
SE
< 1/8
0.084 mi.
442 ft.

VAULT#2426
150 EAST 42ST
MANHATTAN, NY

Site 1 of 19 in cluster M

Relative:
Lower

Actual:
39 ft.

SPILLS:
Name: VAULT#2426
Address: 150 EAST 42ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1502244 / 2015-08-19
Facility ID: 1502244

NY Spills **S117973879**
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT#2426 (Continued)

S117973879

Facility Type:	ER
DER Facility ID:	463194
Site ID:	508495
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	D4
SWIS:	3101
Spill Date:	2015-05-31
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2015-06-01
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Transformer
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2015-06-01
Spill Record Last Update:	2015-08-19
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	BILL WAINWRIGHT
DEC Memo:	"emis 240976 8/19/15 - Austin - 8 gals dielectric fluid leaked from a transformer, and impacted a vault plus 3 other connected vaults - Con Ed contained and cleaned up the spill, and replaced the transformer - See document files for further information - Spill closed - end"
Remarks:	"CONTAINED TO VAILT- CLEAN UP PENDING TRANSFORMER REMOVAL"
All Materials:	
Site ID:	508495
Operable Unit ID:	1257809
Operable Unit:	01
Material ID:	2260847
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	8.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

J106
WNW
< 1/8
0.084 mi.
443 ft.

GRAND CENTRAL/TRK 16& 3
GRAND CENTRAL/TRK 16&3
MANHATTAN, NY

Site 6 of 9 in cluster J

NY Spills S102143710
N/A

Relative:
Higher

Actual:
56 ft.

SPILLS:

Name: GRAND CENTRAL/TRK 16& 3
Address: GRAND CENTRAL/TRK 16&3
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9212241 / 1993-01-28
Facility ID: 9212241
Facility Type: ER
DER Facility ID: 72505
Site ID: 77788
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1993-01-26
Investigator: CAMMISA
Referred To: Not reported
Reported to Dept: 1993-01-27
CID: Not reported
Water Affected: Not reported
Spill Source: Railroad Car
Spill Notifier: Responsible Party
Cleanup Ceased: 1993-01-28
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-01-29
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: METRO NORTH CONNUTER R.R.
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "40 GALS WAS RECOVERED IN PASSENGER CAR 8430 AT NEW HAVEN REPAIR FACILITY KNOWN AREAS OF SPILL WILL BE CLEANED UP TRANSFORMER WAS FOUND PUNCTURED ON UNDER SIDE OF PASSENGER CAR"

All Materials:

Site ID: 77788
Operable Unit ID: 976808
Operable Unit: 01
Material ID: 402096
Material Code: 0017A
Material Name: PCB oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 90.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

J107
WNW
< 1/8
0.084 mi.
443 ft.
**GRAND CENTRAL STATION -NYCT
#7 LINE, TRACK C2, COL 57
MANHATTAN, NY**
Site 7 of 9 in cluster J

**NY Spills S104881203
N/A**

**Relative:
Higher**

**Actual:
56 ft.**

SPILLS:

Name: GRAND CENTRAL STATION -NYCT
Address: #7 LINE, TRACK C2, COL 57
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0010574 / Not Reported
Facility ID: 0010574
Facility Type: ER
DER Facility ID: 83580
Site ID: 93202
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2000-12-20
Investigator: AAOBLIGA
Referred To: Not reported
Reported to Dept: 2000-12-20
CID: 211
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 5
Date Entered In Computer: 2000-12-20
Spill Record Last Update: 2018-08-15
Spiller Name: STEVE LICHTMAN
Spiller Company: 43 AND 2 PROPERTY LLC
Spiller Address: 801 2ND AVE
Spiller Company: 999
Contact Name: JIM CRANDALL
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE See also 0203738. 11/12/10 - spill re-assigned from Tibbe to Joe O'Connell 12/30/10 - Raphael Ketani. A new spill case was called into DEC on 12/22/10. It was assigned #1010077. The spill consisted of the seepage of several gallons of oil through the walls of the #7 subway line tubes. It is a reoccurrence of a historical spill that has been going on for over 10 years and is being managed through active spill case #0010754. As there is an older active spill case for the site, I have closed spill case #1010077. 1/4/11 - Raphael Ketani. Randy Austin, Chief of the Spills Unit, requested an update regarding the seepage. I tried to contact Haroon Aslam of the Environmental Protection Division (646) 252-5774 of the NYCTA, but I could only leave a message. Mr. Aslam returned my call and left a message. He said that workers are still going into the tunnels to mop up the seep with pads. Otherwise, noting else has changed. 4/24/14 - Obligado - I emailed Sherry Bulkey to get an update on this spill. 9/2/14-Vought-DEC Obligado out of office and Vought received email that Jeffrey and Santosh, There is an ongoing 3rd party spill that has been impacting the Steinway Tube (subway) on Track C-1. I am

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

trying to locate the historic spill number, and will send it to you when I retrieve it. Many inspectors, including one of my staff will be going out tonight to walk the tracks and try and identify at least the point of entry. I am extending an invitation to the DEC to see if anyone would like to join. Please keep in mind the DEC representative needs to be track qualified. It is my current understanding that there will be no power (third rail will be off) during the inspection. I will call Jeffrey about the message that was left Friday. Please see the invitation below (11:30 to 2am at Vernon-Jackson Tool Booth). Thank you, Francine. Vought sent reply that Francine, After our phone conversation, I was able to locate the open Spill Number referenced above and the case is currently assigned to Andre Obligado in my Spills Remediation Unit. Andre is out of the office on vacation and is also not NYCT track qualified. Myself and Santosh, however, are certified and will meet you at the Jackson Avenue station at 11:30pm. I also have the advantage of having personal experience with the prior cleanup efforts including personal observations of the fuel oil formerly seeping from the tunnel ceiling and walls as well as OM&M of our former recovery system. After discussing the site with Randy (copied above), who is also historically familiar with the site, we are hoping NYCT can provide some information on how long the current seepage event has been occurring. Also our contractor has recently changed and as such may not be NYCT certified which may take time and such, pending the schedule, it may be more feasible for NYCT to perform the initial cleanup. We can discuss further when we meet your team tonight. With respect to Ray Favis's note that DEC should investigate the source of the spill after all these years, DEC performed thorough searches of adjacent spills and PBS sites and had not been able to locate any direct sources. Unfortunately due to the depth of the seepage (bedrock at least 50' down), it is not cost feasible (as was determined by Central Office) to perform bedrock fracture trace analysis, borehole geophysics or other bedrock surveys over such a wide area. As such the decision was made by Central Office to use Spill Fund monies for remediation only and not further investigation. Finally, just a logistical note: When DEC and NYCT mobilized site and seepage location during my prior years, it was via the entrance by a doorway adjacent to the FDR at the base of the United Nations (that included a seven story stairway down that opened directly onto the location). Is this more feasible to avoid the long walk from the Queens side? Regardless, Santosh and I look forward to meeting your team at Jackson Avenue at 11:30pm unless we hear otherwise. Thanks 9/3/14-Vought-Site visit to inspect track with DEC Mahat and MTA team including Capital Project Management and Systems Safety (Richard Iyasere) and seepage at same location that Vought observed in prior years. Impact also to sump pump room #2. Vought spoke with RSE and due to logistical difficulties associated with work (eg general work orders, insurance requirements and training requirements), if seepage persists, DEC may ask MTA to use Spill Fund monies for the cleanup as they can use their contractors and only submit work plans and results to DEC. Vought called and spoke to MTA Maibauer and forwarded her photos from site visit and Maibauer noted MTA would perform the initial cleanup via simple green and barrels and will also clean Sump Pump #2. They will monitor and maintain after and if problem persists will approach DEC with either using a State contractor or making a claim to the Fund for cleanup costs. 9/10/14 - Obligado - C.Sastry to inquire about the status of the fuel entering the subway and the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

clean up. I left a message to call back the DEC. 9/12/14 - Obligado - Mr. Sastry called back and provided me with the phone number for Francine Maubuer who is the System Safety Manager and is in charge of the project. I spoke to Francine. She said MTA had an internal meeting yesterday and were not inclined to hire their own remediation contractor but rather train the DEC and DEC's contractor on track safety and request we do the work. We will schedule a conference call to discuss the issue further. She said she would provide 7 line tube as built drawings. 9/23/14 - Obligado- We (Obligado, Vought, and Austin) had a conference call with NYCT, including Francine Maubaier, Eric Jones, and others as well as CPM, the contractor who will be doing construction work in the tunnel. According to transit, the seepage is very slow, minor. They inspect the rail regularly. They have put socks in the sump to recover oil. According to NYCT they inspect the track weekly. The August appearance of free product is the first time it's been seen in several years according to NYCT. NYCT was not inclined to do the cleanup, and would rather DEC hire contractor. We discussed the scope moving forward. DEC contractors will do the initial cleaning. Following the cleaning, NYCT will inspect and monitor the area for additional seepage to determine if we need to reactivate the recovery system. DEC stated that if the amount of product is small, as it appears to be, it may not warrant restart of the full system and other recovery methods could be used. DEC and NYCT discussed potential sealing/grouting the tunnel walls to prevent further infiltration. DEC and NYCT set up a tentative dates of October 18th, 25, Nov, 8 to do the cleaning. There is a General Order on those weekends for CPM's work so the DEC contractor could piggy back on those GOs to do the cleaning. 10/6/14 - Obligado - I had email discussions with Francine regarding the inspection and cleaning. I suggested doing the initial inspection on the 18th and then do the cleaning on the 25th of October. Francine responded that she would not be able to get all Miller personnel track trained until mid Nov, so the cleaning would have to wait until mid Nov. However she agreed to move the initial inspection to the 18th. 10/8/14 - Obligado - PIN Callout for Miller, signed by Austin and sent to Rob Ferguson. 10/13/14 - Obligado - Obligado and Vought attended a pre-General Order (GO) meeting at NYCTransit offices with NYCT, in particular, Francine Maubauer, to discuss logistics for the 18th site visit. DEC PIN Contractor Miller environmental attended as well. Tentative inspection time/date of 10AM Sat 10/18. 10/17/14 - Obligado - Email from Francine, inspection scheduled for 7AM October 18 meeting at the Grand Central platform. 10/17/14 - Obligado - I reviewed design drawings of subway tunnels provided to me by transit to pin point the location of the seep. The reported seep locations I have in my file at 43 + 25, 44 +60 and 45 + 10, which based on the drawings provided puts the seep under the east river. I emailed Francine to see if there are more updated drawings with different survey markers. 1/17/15 - GO tube cleaning and wall sealing AO on site 645 Miller full crew on-site 720. 725 H and S meeting 730 ready to go. 740 talk to Richard. Still waiting for flaggers. 7328488420 you 6464631390 rich Flagger #14681 800 start work train 815 stop work train, still on platform Miller has one crew cleaning oil from trench with pads. Another crew scaling and grinding solidified oil from the walls and ceiling. Once cracks are exposed Miller applies epoflex. 1/18/15 - GO tube cleaning and wall sealing AO Onsite at 935. Walk out to c1 work train. Oil intrusion at the ceiling has gotten considerably worse. Oil slowly dripping from the ceiling going right

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

through the epoflex. Overnight flowed downWork train set up below leak area. Naminder subeda onsite for transit. We asked trNsit to provide another cement material DAN yu onsite as well. 1500 hours identify major oil infiltration 11 ties south of 432c wall oil seep. Oil flowing down trench. There is seepage at wall at that point but doesnt flow into the trench. Meaning oik may coming ing from the bottom of the trench. Miller cleans up additional oil with pads. Adjusts water capture shield device to capture dripping oil to prevent it from falling on the track. 1600 exit tunnel 1/25/15 -GO tube cleaning and wall sealing Work train on c2 6 Miller guys Cameron is the foreman dan yu from nyct 745 work train starts 800 drop trench guys down track to pad and bag 815 start scraping c2 seep area 10 ft east of 4450 10 am, walked the C2 trench. I identified another large seep in the trench at signal 461c. Oil actively seeping out the bottom of wood rail ties directly into trench Complete surface prep of C2 wall seep. 1015 break 1030 resume work. Crew starts to walk c1 trench I walk c1 trench. Signal 432 c 37 ties west of nyct marker 44 00. 1st smal seep 19 ties west of major seep. Oil still seeping. Walked to the second seep area on C1 north of major seep, appromimately 200 ft north. Primed and sealed areas were seeping oil through seal. Small seeps, approximately 4 or 5. 12pm finish 2nd coat 1/28/15 830 AM Inspect 300 East 40th Street Miker Tarku not on-site, at Jury Duty The assistant super showed me around I saw the abandoned 40,000 gallon #6 oil tank. The UST is located in the very bottom of the parking garage. The manhole was sealed shut. Photographs taken. The assistant showed me the current tank. Its an AST in the boiler room. The tank is shown to contain #2 fuel oil. According to the assistant, this tank is a temporary tank for when temperatures go below -10 F, otherwise, the boiler runs on gas. The system was converted last year. I asked him to show me the fill ports for both the old tank and the new tank. The fill port for the new tank is located on 40th St. I asked him where the old fill was, he did not know. We went into his office and he showed me paperwork, no info was available on the old fill port, but he showed me a letter from the withdrawing notice of complaint with regard to overdue tightness test.stating that no tightness testing was required. He called his supervisor Mike Tarku. I asked Mike what happened to the old fill line. He said it was in the same location as the new. They took the old line out and put a new fill port. 930 Andre Off-site. 12:28 - I emailed Mr. Lazarri and requested tank abandonment report. I later identified a closed spill report for 300 EAst 40th St due to a hole in the 40,000 gallon UST. Spill No. 0801691 closed by Vought. The 40,000 gallon tank had a cracked seam identified during the tank closure. A limited investigation was performed. 6 Borings were advance with a concrete coring machine on the sides of the tank. The borings were advanced to the tank at the midpoint depth. Laboratory samples of the soils reported no contamination. I later emailed Mr. lazarri and notified him that I found additional information in my files and that i did not need the abandonment report at this time but I would let him know if I needed additional info. 1/29/15 - I measured the elevation of the platform by counting steps - 101 steps. Each step is approximately 7.25 inches, equals 61 ft down to the north (aka east) side of the #7 platform. According to GIs, the elevation of the top of the stairwell is 37 ft above msl. I insepcted The Woodstock building on 42nd street. Pbs # 2-116440. The pbs lists a 10,000 gallon #6 oil tank. I met the super AI on-site. He showed me the tank. It was in a concrete vault with access to inspect concrete

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

floors. No staining or evidence of spills. They switched to #2 oil last year. I advised him that his registration was not current and he should update the records with the DEC. He showed me the fill pipe, which runs above ground in the basement until it goes through the basement wall to the sidewalk fill port. No staining or spills were evident at the entry point. The schist bedrock was exposed at the north basement wall. The tank was installed in 1979. Prior to the use of the the tank, the heating equipment ran on city steam. HE showed me the old steeam pipes which were disconnected. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574.

1/31/15 - AO onsite 645 Miller onsite 7 AM As of 8 AM, still waiting for NYCIT flaggers 830. Start walking trench. Measure off from edge of platform to 1st seep on C2. 687.1 ft to start of first major bench seep. Identified a location where yhe bench was broken. 2 pipes run inside the trench. Suspect oil migrating through pipes east of the bench seep location and emptying at the trench seep area, where 2 pipes enter the trench 126.1 ft from edge of paint to first trench seep. Rob Cameron and helper apply final coat to the left side of C2 bench and epoxy to right side of C2 bench. Other crew switches up pads on C2. Francine will not let us keep pads in the trench due to fire hazard. All pads picked up. Bags from C2 brought to the GC 7 platform temporarily Finish up C2 work, move to C1 to switch pads along c1 trench and apply another top coat to the wall seeps. Major seep at C1 ceiling is 579.9 ft from edge of platform. 1017 ft to smaller wall seep area on the south wall of C1. significant oil still in trench at certain locations. Heavy oil accumulation in trench at 879.5 ft. Miller collects a product sample from the trench at this location for oil ID. We are not able to store bags of waste near system as planned. Francine spoke with another transit worker who said the system area is outside the assigned flagging area. Miller would need to take the bags back with them, however, they don't have a waste transporting vehicle. 2 guys will need to go back to the shop to get a truck to bring back. 2/2/14 - Obligado - Inspect 801 2nd Ave, PBS #2-600069. See spill number 1410622. 2/13/15 - Obligado - DEC Vought and Obligado inspect neighboring properties and pbs facilities around the seep location. PBS # - 2-6005823 - 212 East 42nd Street, Westen Hotel. - Met with Javier Reyes and Raphael. We inspected the 2 ASTs in the sub basement. The ASTs are 20,000 gallon #4 oil tanks in a large concrete vault. The tanks are on racks with the concrete bottom visible for inspection. A slight oil drip was observed from the union fitting above Tank #1, which dripped down the side of the tank, and formed a couple small stains on the tank vault floor. Other then this slight drippage, no evidence of significant oil spills was apparent in the vault. The vault was generally clean and well kept. The oil drip from the union was brought to the attention of Mr. Reyes. According to Mr. Reyes, this facility predominantly uses natural gas, and the #4 fuel oil tanks are back up fuel supplies. They have not run the boilers on #4 oil since last year. When they did use oil, according to Raphael, the oil was delivered by Hess, 10-13 K gallons every 10 days approximately. We inspected the sumps, and no oil was apparent. We inspected the remote fill. Their are 2 remote fill ports, 1 for each tank, in the sidewalk on 41st street. The fill lines run under the sidewalk. We advised Mr. Reyes that his registration needs to be updated and the certificate needs to be displayed. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

facility is the source of the spill #0010574. PBS # 2-315484 - 333 East 41st street - We met the super, Aden Nefjalic. According to the super, they switched to #2 oil approximately 2 years ago. They have a dual fuel gas/#2 oil system. The #2 is a backup fuel. Prior to the switch, according to Aden, they used #4. We inspected the tank vault. Vought entered the vault. The tank is a rectangular with the bottom in direct contact with the vault floor. No oil spills were apparent in the vault. We inspected the sumps, which were dry. We inspected the boiler room which was clean. We inspected the fill port, which ran aboveground attached to the building wall. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS #2-359122 - Essex Owners Corp, 325 E. 41st Street. We met Louie Nieves, the super on site. The site has a 7500 gallon #2 fuel oil AST in a vault. We entered the vault and inspected around the tank. The tank is cylindrical in shape and the invert of the tank rests directly on the vault room floor, so it was not possible to see completely beneath the tank. However, there were no oil spills apparent anywhere on the tank vault floor. According to Louis, they had the tank completely cleaned out when they switched fuels. We inspected the pump room sump and found no oil. We inspected the remote fill, which was in the sidewalk on 41st street. According to Mr. Nieves, they have been running solely on gas since the switch, as they have a contract agreement to run gas only for 5 years after conversion. We advised Mr. Nieves that the building needs to update their PBS registration and display the certificate. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. . 304 East 42nd Street - The Hilton Manhattan East. While walking on 41st street, a fill port and vent pipe was observed in the back of the building. We entered inside the building to inspect. They had a 275 gallon Diesel AST in the basement on a concrete floor. No significant spillage was observed. We inspected the basement sumps and elevator sumps. No oil was present in sumps. No current or historic source of #4 or #6 oil is present at this facility. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS #604594 - The News Building - 220 East 42nd Street. We met with Frank Paselli, the building manager. We inspected the sub basement and 3 sump pits. All pits were free of oil. We inspected the 1000 gallon diesel tank. The tank room was clean with no spills. The tank is for the emergency generator. We asked if they ever had oil intrusion, he said no, but they do get water seepage in some areas of hot water. The building is heated by Coned supplied Steam. We advised Mr. Paselli that his PBS certificate needs to be displayed. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS # 2-610034 - Pfizer Building - We met Mr. Paul Bryne, the Chief Engineer and Mr. Everett Jackson, the building manager. We inspected the basement sumps - no oil in the sumps. We inspected the diesel AST and it was in a vault and extremely clean with no oil spillage. The AST is for the emergency generator. The building runs on Coned supplied Steam. We asked if they every had any oil seepage into the basement. They said no. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures which

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

were apparent at this location which would indicate this facility is the source of the spill #0010574. 675 3rd Ave/ 201 -205 E 42nd - These buildings do not have a PBS ID, however we inspected them anyway. According to the building manager, Angelo Maniello, they have no oil tanks and they have never used #4 or #6 to his knowledge. The 2 buildings are connected and have the same ownership. We inspected both basements. There was no oil storage in the basement. We inspected the sumps and found no evidence of oil in sumps. Both building heating systems run on Coned supplied steam. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures which were apparent at this location which would indicate this facility is the source of the spill #0010574. 2/28/15 - AO onsite for track cleaning and tunnel sealing. Miller onsite as well as NYCT system safety - Richard and NYCT Structural inspector to inspect integrity of the tunnel ceiling. We inspected the ceiling seeps and found the flow decreased significantly from previous visit. Milelr wiped of oil, cleaned the ceiling and applied a top coat of epoxy. I collected product samples from 3 different seep locations, 1 from the Track C1 Tunnel Ceiling SEep, 1 from the Track C1 South Wall seep area, and one from Track C2 wall seep. Milelr applied plug and seal to wall seeps on C1. We also inspected track C2 - Significant oil seepage through the prior epoxy layers. Oil puddles were evident on the floor. 3/1/15 - Obligado - returned to the Tunnel for additional track cleaning and sealing. DEC Obligado, Miller Crew, and NYCT Dan Yu. Inspect the ceiling seep. 3 Miller guys go down track with pads. 10 to 11 small drips of oil over night. Wiped the oil off and Miller applied plug and dyke at each seep point. Covered with shield. Inspected down gradient wall seep. No oil seep apparent over night. Estimated less than a 1 oz of oil seeped over 24 hours. 1 boom set down gradient of all seeps. On track C2 there is significantly more oil intrusion. One crew sets 3 booms. 1 down gradient from bench seep. 1 down gradient from trench seep. 1 down gradient of all oil in trench. Crew works to try to seal trench. Oil/water could be seen trapped in bubbles under epoxy seal - not permanent seal. When pierced oil and water seeps out. Prior to cement application, water flows in continuous stream out of a weep hole in the seam with a drop of oil every 10-20 seconds or so. Miller grinds out the whole length of bench seam. Applies an alternate hydraulic cement product to the seam. Upon leaving the site, no oil seep however water seeps present and oil likely to be able to bleed through eventually. 6/1/15 - Obligado - I emailed Francine regarding continuing clean up activities. We were trying to coordinate a date to get on both tracks to do a clean-up of any additional oil seepage since our last visit. NYCT responded that we would not be able to get on both tracks, but only one, since there is no GO. Also, any oil or oil impacted material removed from C2 would not be able to be stored in the system area and would need to be taken out of the tunnel the same day through Grand Central terminal. After discussion with Vought and Austin, I sent email to NYCT notifying them that we would perform clean up going forward on an as needed basis based on NYCT inspections. 7/17/15 - Obligado - I called Francine to inquire about the oil seepage and left a message on her voicemail. 7/24/15 - Obligado - I received an email from Francine - According to Francine, Hydraulics division has not indicated that there is an issue with the oil intrusion. 8/27/15 - Obligado - Inspection of Tunnel C2 scheduled for 9/9/15 3/22/17 - Obligado - As per NYCT System Safety's Daniel Yu, Hydraulics Staff inspected the tunnel on 3/16/17 and did not

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

observe any recurring oil seepage. 8/10/17 - Obligado - Discussion with DEC Austin and Vought about the P&T system status in the subway and whether the System should be dismantled and removed due to the absence of oil intrusion for 2 years. Austin recommended investigate whether the system was properly decommissioned (all electrical equipment properly disconnected). It was agreed I would review the Spill and PIN file for documentation of proper system decommissioning. 9/8/17 - Obligado - No documentation of proper decommissioning was found. As per Austin, I sent an email to NYCT transit Michael Mandac, cc to Austin, Vought, and NYCT Daniel Yu inquiring about the status of the system and asking whether the electrical to the system and pumps had been disconnected by NYCT. 9/19/17 - Obligado - Email from Michael Mandac. I was able to get MOW to walk the Steinway tube on the 15th. It looks like oil seepage has stopped, the pumps removed, and electrical systems de-energized. Would this be enough to close out this spill? Thank you! 9/21/17 - Obligado - I emailed Michael Mandac that in order to close out the spill the DEC will need to decommission and remove the system. I requested access for DEC contractors to remove the system during an up coming GO. 9/22/17 - Obligado - Work Authorization signed by DEC Austin sent to Miller to decommission, break down, remove, and dispose of former system. 10/2/17 - Obligado - Closed out work Authorization to Miller since they do not have current NYCT track training and will not likely get the training in time for the upcoming GO. 4/30/18 - Obligado - I received an email from Daniel Yu, who indicated that the oil seepage had returned and the oil has entered the track bed and sump pump room. I requested the NYCT provide access to inspect and clean up the oil spill. 5/2/18 - Obligado - I received notification that there would be a General Order shut down on the weekend of May 11. 5/9/18 - Obligado - I attended a GO planning meeting at the NYCT offices. The 7 line train will be shutdown and access and flaggers will be provided for the DEC and our contractor WRS. It was indicated that up to 2500 feet of track on both the C1 and C2 were impacted in oil. 5/15/18 - Obligado - During the weekend of 5/12/18 through 5/14/18, the DEC mobilized our contractor WRS to perform cleanup of oil and contaminated sediment from the Steinway Tunnel. During the weekend, over 25 cubic yards of contaminated sediment/oil/water mixture was removed from the tunnel. Upon excavating the trench, at least 3 active oil seeps were observed entering the trench on both C1 and C2 tunnels. Additional remediation will be required during future GOs. 5/24/18 - Obligado - Meeting at NYSDEC offices with System Safety - Michael Mandac, Daniel Yu, and Dorein Boatwain. DEC attendees were Randall Austin and Andre Obligado. WRS Patrick McCloughlin also attended. We discussed the remediation which was performed and some obstacles to completing the remediation over the weekend. Specific issues which were discussed included the presence of construction debris in the trench which DEC's contractor did not have capability to remove dispose of at the time. Also, work trains were delayed 6.5 hours and flagmen were missing for several hours, resulted in lost time. DEC requested an additional weekend GO and to be provided access to 2 work trains, each Vactron unit and additional flat bed on each train for steel/concrete debris transport. Ms. Boatwain indicated that she would raise the issue up to the VP of System Safety and request special access to be provided and discuss diverting WRS personnel and equipment from the SAP project to the DEC Spill clean up. It was also stated that considering the active and on-going oil seepage, the DEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

and WRS may need additional GOs to complete the work. We also discussed setting up a short weeknight GO recover free floating oil and change out absorbents as an interim remedial measure. Other issues raised included the status of the former remedial system. Additional access will need to be provided towards that effort, but that is lower priority. It was agreed that in order to maximize sediment removal and minimize water generation, water will be decanted and run through carbon filter socks prior to discharge back to trench. 6/6/18 - Obligado - I emailed Michael Mandac to inquire if any progress had been made on providing site access. He said the subject has been raised to upper management and he is awaiting an response. 8/15/18 - Obligado - Mobilized with WRS to perform interim oil clean up in the subway tunnel during an overnight GO. Approximately 30 bags of oiled absorbents and booms were removed from the tunnel."

Remarks: "CALLER STATES THERE IS SEEPAGE OF PRODUCT INTO TRACK AREA UNKNOWN SOURCE - NO CLEAN UP "

All Materials:

Site ID: 93202
Operable Unit ID: 831711
Operable Unit: 01
Material ID: 544470
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Site ID: 93202
Operable Unit ID: 831711
Operable Unit: 01
Material ID: 2263129
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: GRAND CENTRAL STATION -NYCT
Address: #7 LINE, TRACK C2, COL 57
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0010574 / Not Reported
Facility ID: 0010574
Facility Type: ER
DER Facility ID: 83580
Site ID: 93202
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

Spill Date: 2000-12-20
Investigator: AAOBLIGA
Referred To: Not reported
Reported to Dept: 2000-12-20
CID: 211
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 5
Date Entered In Computer: 2000-12-20
Spill Record Last Update: 2018-08-15
Spiller Name: SCOTT SOLOMON
Spiller Company: FARBOD REALTY CORP
Spiller Address: 46 WESTCHESTER AVENUE
Spiller Company: 999
Contact Name: JIM CRANDALL
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE See also 0203738. 11/12/10 - spill re-assigned from Tibbe to Joe O'Connell 12/30/10 - Raphael Ketani. A new spill case was called into DEC on 12/22/10. It was assigned #1010077. The spill consisted of the seepage of several gallons of oil through the walls of the #7 subway line tubes. It is a reoccurrence of a historical spill that has been going on for over 10 years and is being managed through active spill case #0010754. As there is an older active spill case for the site, I have closed spill case #1010077. 1/4/11 - Raphael Ketani. Randy Austin, Chief of the Spills Unit, requested an update regarding the seepage. I tried to contact Haroon Aslam of the Environmental Protection Division (646) 252-5774 of the NYCTA, but I could only leave a message. Mr. Aslam returned my call and left a message. He said that workers are still going into the tunnels to mop up the seep with pads. Otherwise, noting else has changed. 4/24/14 - Obligado - I emailed Sherry Bulkey to get an update on this spill. 9/2/14-Vought-DEC Obligado out of office and Vought received email that Jeffrey and Santosh, There is an ongoing 3rd party spill that has been impacting the Steinway Tube (subway) on Track C-1. I am trying to locate the historic spill number, and will send it to you when I retrieve it. Many inspectors, including one of my staff will be going out tonight to walk the tracks and try and identify at least the point of entry. I am extending an invitation to the DEC to see if anyone would like to join. Please keep in mind the DEC representative needs to be track qualified. It is my current understanding that there will be no power (third rail will be off) during the inspection. I will call Jeffrey about the message that was left Friday. Please see the invitation below (11:30 to 2am at Vernon-Jackson Tool Booth). Thank you, Francine. Vought sent reply that Francine, After our phone conversation, I was able to locate the open Spill Number referenced above and the case is currently assigned to Andre Obligado in my Spills Remediation Unit. Andre is out of the office on vacation and is also not NYCT track qualified. Myself and Santosh, however, are certified and will meet you at the Jackson Avenue station at 11:30pm. I also have the advantage of having personal experience with the prior cleanup efforts including personal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

observations of the fuel oil formerly seeping from the tunnel ceiling and walls as well as OM&M of our former recovery system. After discussing the site with Randy (copied above), who is also historically familiar with the site, we are hoping NYCT can provide some information on how long the current seepage event has been occurring. Also our contractor has recently changed and as such may not be NYCT certified which may take time and such, pending the schedule, it may be more feasible for NYCT to perform the initial cleanup. We can discuss further when we meet your team tonight. With respect to Ray Favis's note that DEC should investigate the source of the spill after all these years, DEC performed thorough searches of adjacent spills and PBS sites and had not been able to locate any direct sources. Unfortunately due to the depth of the seepage (bedrock at least 50' down), it is not cost feasible (as was determined by Central Office) to perform bedrock fracture trace analysis, borehole geophysics or other bedrock surveys over such a wide area. As such the decision was made by Central Office to use Spill Fund monies for remediation only and not further investigation. Finally, just a logistical note: When DEC and NYCT mobilized site and seepage location during my prior years, it was via the entrance by a doorway adjacent to the FDR at the base of the United Nations (that included a seven story stairway down that opened directly onto the location). Is this more feasible to avoid the long walk from the Queens side? Regardless, Santosh and I look forward to meeting your team at Jackson Avenue at 11:30pm unless we hear otherwise. Thanks

9/3/14-Vought-Site visit to inspect track with DEC Mahat and MTA team including Capital Project Management and Systems Safety (Richard Iyasere) and seepage at same location that Vought observed in prior years. Impact also to sump pump room #2. Vought spoke with RSE and due to logistical difficulties associated with work (eg general work orders, insurance requirements and training requirements), if seepage persists, DEC may ask MTA to use Spill Fund monies for the cleanup as they can use their contractors and only submit work plans and results to DEC. Vought called and spoke to MTA Maibauer and forwarded her photos from site visit and Maibauer noted MTA would perform the initial cleanup via simple green and barrels and will also clean Sump Pump #2. They will monitor and maintain after and if problem persists will approach DEC with either using a State contractor or making a claim to the Fund for cleanup costs. 9/10/14 - Obligado - C.Sastry to inquire about the status of the fuel entering the subway and the clean up. I left a message to call back the DEC. 9/12/14 - Obligado - Mr. Sastry called back and provided me with the phone number for Francine Maubauer who is the System Safety Manager and is in charge of the project. I spoke to Francine. She said MTA had an internal meeting yesterday and were not inclined to hire their own remediation contractor but rather train the DEC and DEC's contractor on track safety and request we do the work. We will schedule a conference call to discuss the issue further. She said she would provide 7 line tube as built drawings. 9/23/14 - Obligado- We (Obligado,Vought, and Austin) had a conference call with NYCT, including Francine Maubauer, Eric Jones, and others as well as CPM, the contractor who will be doing construction work in the tunnel. According to transit, the seepage is very slow,minor. They inspect the rail regularly. They have put socks in the sump to recover oil. According to NYCT they inspect the track weekly. The August appearance of free product is the first time it's been seen in several years according to NYCT. NYCT was not inclined to do the cleanup, and would rather DEC hire

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

contractor. We discussed the scope moving forward. DEC contractors will do the initial cleaning. Following the cleaning, NYCT will inspect and monitor the area for additional seepage to determine if we need to reactivate the recovery system. DEC stated that if the amount of product is small, as it appears to be, it may not warrant restart of the full system and other recovery methods could be used. DEC and NYCT discussed potential sealing/grouting the tunnel walls to prevent further infiltration. DEC and NYCT set up a tentative dates of October 18th, 25, Nov, 8 to do the cleaning. There is a General Order on those weekends for CPM's work so the DEC contractor could piggy back on those GOs to do the cleaning. 10/6/14 - Obligado - I had email discussions with Francine regarding the inspection and cleaning. I suggested doing the initial inspection on the 18th and then do the cleaning on the 25th of October. Francine responded that she would not be able to get all Miller personnel track trained until mid Nov, so the cleaning would have to wait until mid Nov. However she agreed to move the initial inspection to the 18th. 10/8/14 - Obligado - PIN Callout for Miller, signed by Austin and sent to Rob Ferguson. 10/13/14 - Obligado - Obligado and Vought attended a pre-General Order (GO) meeting at NYCTransit offices with NYCT, in particular, Francine Maibauer, to discuss logistics for the 18th site visit. DEC PIN Contractor Miller environmental attended as well. Tentative inspection time/date of 10AM Sat 10/18. 10/17/14 - Obligado - Email from Francine, inspection scheduled for 7AM October 18 meeting at the Grand Central platform. 10/17/14 - Obligado - I reviewed design drawings of subway tunnels provided to me by transit to pin point the location of the seep. The reported seep locations I have in my file at 43 + 25, 44 +60 and 45 + 10, which based on the drawings provided puts the seep under the east river. I emailed Francine to see if there are more updated drawings with different survey markers. 1/17/15 - GO tube cleaning and wall sealing AO on site 645 Miller full crew on-site 720. 725 H and S meeting 730 ready to go. 740 talk to Richard. Still waiting for flaggers. 7328488420 Yu 6464631390 Rich Flagger #14681 800 start work train 815 stop work train, still on platform Miller has one crew cleaning oil from trench with pads. Another crew scaling and grinding solidified oil from the walls and ceiling. Once cracks are exposed Miller applies epoflex. 1/18/15 - GO tube cleaning and wall sealing AO Onsite at 935. Walk out to c1 work train. Oil intrusion at the ceiling has gotten considerably worse. Oil slowly dripping from the Oil going right through the epoflex. Overnight flowed down Work train set up below leak area. Naminder Subeda onsite for transit. We asked Transit to provide another cement material DAN Yu onsite as well. 1500 hours identify major oil infiltration 11 ties south of 432c wall oil seep. Oil flowing down trench. There is seepage at wall at that point but doesn't flow into the trench. Meaning oil may be coming in from the bottom of the trench. Miller cleans up additional oil with pads. Adjusts water capture shield device to capture dripping oil to prevent it from falling on the track. 1600 exit tunnel 1/25/15 -GO tube cleaning and wall sealing Work train on c2 6 Miller guys Cameron is the foreman dan Yu from nyct 745 work train starts 800 drop trench guys down track to pad and bag 815 start scraping c2 seep area 10 ft east of 4450 10 am, walked the C2 trench. I identified another large seep in the trench at signal 461c. Oil actively seeping out the bottom of wood rail ties directly into trench Complete surface prep of C2 wall seep. 1015 break 1030 resume work. Crew starts to walk c1 trench I walk c1 trench. Signal 432 c 37 ties west of nyct marker 44

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

00. 1st smal seep 19 ties west of major seep. Oil still seeping. Walked to the second seep area on C1 north of major seep, appromimately 200 ft north. Primed and sealed areas were seeping oil through seal. Small seeps, approximately 4 or 5. 12pm finish 2nd coat 1/28/15 830 AM Inspect 300 East 40th Street Miker Tarku not on-site, at Jury Duty The assistant super showed me around I saw the abandoned 40,000 gallon #6 oil tank. The UST is located in the very bottom of the parking garage. The manhole was sealed shut. Photographs taken. The assistant showed me the current tank. Its an AST in the boiler room. The tank is shown to contain #2 fuel oil. According to the assistant, this tank is a temporary tank for when temperatures go below -10 F, otherwise, the boiler runs on gas. The system was converted last year. I asked him to show me the fill ports for both the old tank and the new tank. The fill port for the new tank is located on 40th St. I asked him where the old fill was, he did not know. We went into his office and he showed me paperwork, no info was available on the old fill port, but he showed me a letter from the withdrawing notice of complaint with regard to overdue tightness test.stating that no tightness testing was required. He called his supervisor Mike Tarku. I asked Mike what happened to the old fill line. He said it was in the same location as the new. They took the old line out and put a new fill port. 930 Andre Off-site. 12:28 - I emailed Mr. Lazarri and requested tank abandonment report. I later identified a closed spill report for 300 EAst 40th St due to a hole in the 40,000 gallon UST. Spill No. 0801691 closed by Vought. The 40,000 gallon tank had a cracked seam identified during the tank closure. A limited investigation was performed. 6 Borings were advance with a concrete coring machine on the sides of the tank. The borings were advanced to the tank at the midpoint depth. Laboratory samples of the soils reported no contamination. I later emailed Mr. lazarri and notified him that I found additional information in my files and that i did not need the abandonment report at this time but I would let him know if I needed additional info. 1/29/15 - I measured the elevation of the platform by counting steps - 101 steps. Each step is approximately 7.25 inches, equals 61 ft down to the north (aka east) side of the #7 platform. According to GIs, the elevation of the top of the stairwell is 37 ft above msl. I insepcted The Woodstock building on 42nd street. Pbs # 2-116440. The pbs lists a 10,000 gallon #6 oil tank. I met the super AI on-site. He showed me the tank. It was in a concrete vault with access to inspect concrete floors. No staining or evidence of spills. They swithced to #2 oil last year. I advised him that his registration was not current and he should update the records with the DEC. He showed me the fill pipe, which runs above ground in the basement until it goes through the basement wall to the sidewalk fill port. No staining or spills were evident at the entry point. The shchist bedrock was exposed at the north basement wall. The tank was installed in 1979. Prior to the use of the the tank, the heating equipment ran on city steam. HE showed me the old steeam pipes which were disconnected. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. 1/31/15 - AO onsite 645 Miller onsite 7 AM As of 8 AM, still waiting for NYCiT flaggers 830. Start walking trench. Measure off from edge of platform to 1st seep on C2. 687.1 ft to start of first major bench seep. Identified a location where yhe bench was broken. 2 pipes run inside the trench. Suspect oil migrating through pipes east of the bench seep location and emptying at the trench seep area, where 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

pipes enter the trench 126.1 ft from edge of paint to first trench seep. Rob Cameron and helper apply final coat to the left side of C2 bench and epoxy to right side of C2 bench. Other crew switches up pads on C2. Francine will not let us keep pads in the trench due to fire hazard. All pads picked up. Bags from C2 brought to the GC 7 platform temporarily. Finish up C2 work, move to C1 to switch pads along c1 trench and apply another top coat to the wall seeps. Major seep at C1 ceiling is 579.9 ft from edge of platform. 1017 ft to smaller wall seep area on the south wall of C1. significant oil still in trench at certain locations. Heavy oil accumulation in trench at 879.5 ft. Miller collects a product sample from the trench at this location for oil ID. We are not able to store bags of waste near system as planned. Francine spoke with another transit worker who said the system area is outside the assigned flagging area. Miller would need to take the bags back with them, however, they don't have a waste transporting vehicle. 2 guys will need to go back to the shop to get a truck to bring back. 2/2/14 - Obligado - Inspect 801 2nd Ave, PBS #2-600069. See spill number 1410622. 2/13/15 - Obligado - DEC Vought and Obligado inspect neighboring properties and pbs facilities around the seep location. PBS # - 2-6005823 - 212 East 42nd Street, Westen Hotel. - Met with Javier Reyes and Raphael. We inspected the 2 ASTs in the sub basement. The ASTs are 20,000 gallon #4 oil tanks in a large concrete vault. The tanks are on racks with the concrete bottom visible for inspection. A slight oil drip was observed from the union fitting above Tank #1, which dripped down the side of the tank, and formed a couple small stains on the tank vault floor. Other than this slight drippage, no evidence of significant oil spills was apparent in the vault. The vault was generally clean and well kept. The oil drip from the union was brought to the attention of Mr. Reyes. According to Mr. Reyes, this facility predominantly uses natural gas, and the #4 fuel oil tanks are back up fuel supplies. They have not run the boilers on #4 oil since last year. When they did use oil, according to Raphael, the oil was delivered by Hess, 10-13 K gallons every 10 days approximately. We inspected the sumps, and no oil was apparent. We inspected the remote fill. There are 2 remote fill ports, 1 for each tank, in the sidewalk on 41st street. The fill lines run under the sidewalk. We advised Mr. Reyes that his registration needs to be updated and the certificate needs to be displayed. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS # 2-315484 - 333 East 41st street - We met the super, Aden Nefjalic. According to the super, they switched to #2 oil approximately 2 years ago. They have a dual fuel gas/#2 oil system. The #2 is a backup fuel. Prior to the switch, according to Aden, they used #4. We inspected the tank vault. Vought entered the vault. The tank is a rectangular with the bottom in direct contact with the vault floor. No oil spills were apparent in the vault. We inspected the sumps, which were dry. We inspected the boiler room which was clean. We inspected the fill port, which ran aboveground attached to the building wall. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS #2-359122 - Essex Owners Corp, 325 E. 41st Street. We met Louie Nieves, the super on site. The site has a 7500 gallon #2 fuel oil AST in a vault. We entered the vault and inspected around the tank. The tank is cylindrical in shape and the invert of the tank rests directly on the vault room floor, so it was not possible to see

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

completely beneath the tank. However, there were no oil spills apparent anywhere on the tank vault floor. According to Louis, they had the tank completely cleaned out when they switched fuels. We inspected the pump room sump and found no oil. We inspected the remote fill, which was in the sidewalk on 41st street. According to Mr. Nieves, they have been running solely on gas since the switch, as they have a contract agreement to run gas only for 5 years after conversion. We advised Mr. Nieves that the building needs to update their PBS registration and display the certificate. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. . 304 East 42nd Street - The Hilton Manhattan East. While walking on 41st street, a fill port and vent pipe was observed in the back of the building. We entered inside the building to inspect. They had a 275 gallon Diesel AST in the basement on a concrete floor. No significant spillage was observed. We inspected the basement sumps and elevator sumps. No oil was present in sumps. No current or historic source of #4 or #6 oil is present at this facility. No obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS #604594 - The News Building - 220 East 42nd Street. We met with Frank Paselli, the building manager. We inspected the sub basement and 3 sump pits. All pits were free of oil. We inspected the 1000 gallon diesel tank. The tank room was clean with no spills. The tank is for the emergency generator. We asked if they ever had oil intrusion, he said no, but they do get water seepage in some areas of hot water. The building is heated by Coned supplied Steam. We advised Mr. Paselli that his PBS certificate needs to be displayed. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures were apparent at this location which would indicate this facility is the source of the spill #0010574. PBS # 2-610034 - Pfizer Building - We met Mr. Paul Bryne, the Chief Engineer and Mr. Everett Jackson, the building manager. We inspected the basement sumps - no oil in the sumps. We inspected the diesel AST and it was in a vault and extremely clean with no oil spillage. The AST is for the emergency generator. The building runs on Coned supplied Steam. We asked if they every had any oil seepage into the basement. They said no. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures which were apparent at this location which would indicate this facility is the source of the spill #0010574. 675 3rd Ave/ 201 -205 E 42nd - These buildings do not have a PBS ID, however we inspected them anyway. According to the building manager, Angelo Maniello, they have no oil tanks and they have never used #4 or #6 to his knowledge. The 2 buildings are connected and have the same ownership. We inspected both basements. There was no oil storage in the basement. We inspected the sumps and found no evidence of oil in sumps. Both building heating systems run on Coned supplied steam. This site has no current or historic #4 or #6 oil storage/use and there were no obvious signs of spills or tank/line failures which were apparent at this location which would indicate this facility is the source of the spill #0010574. 2/28/15 - AO onsite for track cleaning and tunnel sealing. Miller onsite as well as NYCT system safety - Richard and NYCT Structural inspector to inspect integrity of the tunnel ceiling. We inspected the ceiling seeps and found the flow decreased significantly from previous visit. Milelr wiped of oil, cleaned the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

ceiling and applied a top coat of epoxy. I collected product samples from 3 different seep locations, 1 from the Track C1 Tunnel Ceiling SEep, 1 from the Track C1 South Wall seep area, and one from Track C2 wall seep. Miller applied plug and seal to wall seeps on C1. We also inspected track C2 - Significant oil seepage through the prior epoxy layers. Oil puddles were evident on the floor. 3/1/15 - Obligado - returned to the Tunnel for additional track cleaning and sealing. DEC Obligado, Miller Crew, and NYCT Dan Yu. Inspect the ceiling seep. 3 Miller guys go down track with pads. 10 to 11 small drips of oil over night. Wiped the oil off and Miller applied plug and dyke at each seep point. Covered with shield. Inspected down gradient wall seep. No oil seep apparent over night. Estimated less than a 1 oz of oil seeped over 24 hours. 1 boom set down gradient of all seeps. On track C2 there is significantly more oil intrusion. One crew sets 3 booms. 1 down gradient from bench seep. 1 down gradient from trench seep. 1 down gradient of all oil in trench. Crew works to try to seal trench. Oil/water could be seen trapped in bubbles under epoxy seal - not permanent seal. When pierced oil and water seeps out. Prior to cement application, water flows in continuous stream out of a weep hole in the seam with a drop of oil every 10-20 seconds or so. Miller grinds out the whole length of bench seam. Applies an alternate hydraulic cement product to the seam. Upon leaving the site, no oil seep however water seeps present and oil likely to be able to bleed through eventually. 6/1/15 - Obligado - I emailed Francine regarding continuing clean up activities. We were trying to coordinate a date to get on both tracks to do a clean-up of any additional oil seepage since our last visit. NYCT responded that we would not be able to get on both tracks, but only one, since there is no GO. Also, any oil or oil impacted material removed from C2 would not be able to be stored in the system area and would need to be taken out of the tunnel the same day through Grand Central terminal. After discussion with Vought and Austin, I sent email to NYCT notifying them that we would perform clean up going forward on an as needed basis based on NYCT inspections. 7/17/15 - Obligado - I called Francine to inquire about the oil seepage and left a message on her voicemail. 7/24/15 - Obligado - I received an email from Francine - According to Francine, Hydraulics division has not indicated that there is an issue with the oil intrusion. 8/27/15 - Obligado - Inspection of Tunnel C2 scheduled for 9/9/15 3/22/17 - Obligado - As per NYCT System Safety's Daniel Yu, Hydraulics Staff inspected the tunnel on 3/16/17 and did not observe any recurring oil seepage. 8/10/17 - Obligado - Discussion with DEC Austin and Vought about the P&T system status in the subway and whether the System should be dismantled and removed due to the absence of oil intrusion for 2 years. Austin recommended investigate whether the system was properly decommissioned (all electrical equipment properly disconnected). It was agreed I would review the Spill and PIN file for documentation of proper system decommissioning. 9/8/17 - Obligado - No documentation of proper decommissioning was found. As per Austin, I sent an email to NYCT transit Michael Mandac, cc to Austin, Vought, and NYCT Daniel Yu inquiring about the status of the system and asking whether the electrical to the system and pumps had been disconnected by NYCT. 9/19/17 - Obligado - Email from Michael Mandac. I was able to get MOW to walk the Steinway tube on the 15th. It looks like oil seepage has stopped, the pumps removed, and electrical systems de-energized. Would this be enough to close out this spill? Thank you! 9/21/17 - Obligado - I emailed Michael Mandac that in order to close out the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

spill the DEC will need to decommission and remove the system. I requested access for DEC contractors to remove the system during an upcoming GO. 9/22/17 - Obligado - Work Authorization signed by DEC Austin sent to Miller to decommission, break down, remove, and dispose of former system. 10/2/17 - Obligado - Closed out work Authorization to Miller since they do not have current NYCT track training and will not likely get the training in time for the upcoming GO. 4/30/18 - Obligado - I received an email from Daniel Yu, who indicated that the oil seepage had returned and the oil has entered the track bed and sump pump room. I requested the NYCT provide access to inspect and clean up the oil spill. 5/2/18 - Obligado - I received notification that there would be a General Order shut down on the weekend of May 11. 5/9/18 - Obligado - I attended a GO planning meeting at the NYCT offices. The 7 line train will be shutdown and access and flaggers will be provided for the DEC and our contractor WRS. It was indicated that up to 2500 feet of track on both the C1 and C2 were impacted in oil. 5/15/18 - Obligado - During the weekend of 5/12/18 through 5/14/18, the DEC mobilized our contractor WRS to perform cleanup of oil and contaminated sediment from the Steinway Tunnel. During the weekend, over 25 cubic yards of contaminated sediment/oil/water mixture was removed from the tunnel. Upon excavating the trench, at least 3 active oil seeps were observed entering the trench on both C1 and C2 tunnels. Additional remediation will be required during future GOs. 5/24/18 - Obligado - Meeting at NYSDEC offices with System Safety - Michael Mandac, Daniel Yu, and Dorein Boatwain. DEC attendees were Randall Austin and Andre Obligado. WRS Patrick McCloughlin also attended. We discussed the remediation which was performed and some obstacles to completing the remediation over the weekend. Specific issues which were discussed included the presence of construction debris in the trench which DEC's contractor did not have capability to remove dispose of at the time. Also, work trains were delayed 6.5 hours and flagmen were missing for several hours, resulted in lost time. DEC requested an additional weekend GO and to be provided access to 2 work trains, each Vactron unit and additional flat bed on each train for steel/concrete debris transport. Ms. Boatwain indicated that she would raise the issue up to the VP of System Safety and request special access to be provided and discuss diverting WRS personnel and equipment from the SAP project to the DEC Spill clean up. It was also stated that considering the active and on-going oil seepage, the DEC and WRS may need additional GOs to complete the work. We also discussed setting up a short weeknight GO recover free floating oil and change out absorbents as an interim remedial measure. Other issues raised included the status of the former remedial system. Additional access will need to be provided towards that effort, but that is lower priority. It was agreed that in order to maximize sediment removal and minimize water generation, water will be decanted and run through carbon filter socks prior to discharge back to trench. 6/6/18 - Obligado - I emailed Michael Mandac to inquire if any progress had been made on providing site access. He said the subject has been raised to upper management and he is awaiting a response. 8/15/18 - Obligado - Mobilized with WRS to perform interim oil clean up in the subway tunnel during an overnight GO. Approximately 30 bags of oiled absorbents and booms were removed from the tunnel."

Remarks:

"CALLER STATES THERE IS SEEPAGE OF PRODUCT INTO TRACK AREA UNKNOWN SOURCE - NO CLEAN UP "

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION -NYCT (Continued)

S104881203

All Materials:

Site ID: 93202
Operable Unit ID: 831711
Operable Unit: 01
Material ID: 544470
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Site ID: 93202
Operable Unit ID: 831711
Operable Unit: 01
Material ID: 2263129
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

J108
WNW
< 1/8
0.084 mi.
443 ft.

GRAND CENTRAL STATION
TRACK #1
MANHATTAN, NY

NY Spills S105236230
N/A

Site 8 of 9 in cluster J

Relative:
Higher
Actual:
56 ft.

SPILLS:

Name: GRAND CENTRAL STATION
Address: TRACK #1
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0108498 / 2002-07-30
Facility ID: 0108498
Facility Type: ER
DER Facility ID: 253229
Site ID: 314068
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2001-11-21
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 2001-11-22
CID: 390
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL STATION (Continued)

S105236230

Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-11-22
Spill Record Last Update: 2002-07-30
Spiller Name: BOBBY ISSAAC
Spiller Company: NYC TRANSIT
Spiller Address: 370 JAY STREET
Spiller Company: 001
Contact Name: BOBBY ISAAC
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TIBBE SMALL AMOUNT OF OIL WAS NOTED ON THE PAN COLLECTING WATER ABOVE
TRACK 1. CLEANED BY NYCT. NYCT WILL NOTIFY DEC IF IT RETURNS."
Remarks: "1 pt unk oil on the ground"

All Materials:
Site ID: 314068
Operable Unit ID: 845892
Operable Unit: 01
Material ID: 529745
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: 1.00
Oxygenate: Not reported

N109
SSW
< 1/8
0.084 mi.
444 ft.

MANHOLE 56481
100 EAST 41ST ST
MANHATTAN, NY
Site 1 of 13 in cluster N

NY Spills S117852561
N/A

Relative:
Higher

Actual:
52 ft.

SPILLS:
Name: MANHOLE 56481
Address: 100 EAST 41ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1500936 / 2015-05-14
Facility ID: 1500936
Facility Type: ER
DER Facility ID: 461866
Site ID: 507110
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 2015-04-27
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 2015-04-27
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 56481 (Continued)

S117852561

Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2015-04-27
Spill Record Last Update: 2015-05-14
Spiller Name: Not reported
Spiller Company: CON ED
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ERT
DEC Memo: "4/28/15: Mahat Spill case has been cross referenced with EMIS 240366
Con Ed has taken samples for laboratory analysis and further actions
will be taken based on the report. Spill case has been assigned to
Con Edison Unassigned. 5/14/15 - Austin - 10 gals of suspected oil
atop 20 gals water in vault - Lab analysis did not confirm material
was oil - Con Ed contained and cleaned up the spill; no source
identified - See document files for further information - Spill
closed - end"

Remarks: "10 gallons oil to 20 gallons water - in structure - cleanup pending"

All Materials:
Site ID: 507110
Operable Unit ID: 1256446
Operable Unit: 01
Material ID: 2259342
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: 10.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

N110
SSW
< 1/8
0.084 mi.
444 ft.
CON EDISON
100 E 41ST ST
NEW YORK, NY 10017
Site 2 of 13 in cluster N

NJ MANIFEST **S120672082**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004786075
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported

Actual:
52 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672082

TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 002614102GBF
EPA ID: NYP004786075
Date Shipped: 5/24/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

N111
SSW
< 1/8
0.084 mi.
444 ft.
CON ED
100 E 41ST ST & PARK AVE
NEW YORK, NY 10017
Site 3 of 13 in cluster N

NY MANIFEST **S118090960**
N/A

Relative: NY MANIFEST:
Higher Name: CON EDISON
Actual: Address: 100 E 41ST ST
52 ft. City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118090960

Country: USA
EPA ID: NYP004752523
Facility Status: Not reported
Location Address 1: 100E 41 ST
Code: BP
Location Address 2: MH56481
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004752523
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/17/2015
Trans1 Recv Date: 03/17/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/20/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004752523
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611387GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118090960

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON ED
Address: 100 E 41ST ST & PARK AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004775375
Facility Status: Not reported
Location Address 1: 100 E 41 ST & PARK AVE
Code: BP
Location Address 2: MH 56481
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004775375
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 04/28/2015
Trans1 Recv Date: 04/28/2015
Trans2 Recv Date: 05/06/2015
TSD Site Recv Date: 05/06/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118090960

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004775375
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611842GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
2 additional NY MANIFEST: record(s) in the EDR Site Report.

N112
SSW
< 1/8
0.084 mi.
444 ft.

CON EDISON
100 E 41ST ST
NEW YORK, NY 10017

RCRA NonGen / NLR **1019903476**
NYP004786075

Site 4 of 13 in cluster N

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2015-05-24 00:00:00.0
Handler Name: CON EDISON
Handler Address: 100 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004786075
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903476

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903476

Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

N113
SSW
< 1/8
0.084 mi.
444 ft.

CON EDISON
100 E 41ST ST
NEW YORK, NY 10017

Site 5 of 13 in cluster N

RCRA NonGen / NLR **1018280374**
NYP004752523

Relative:
Higher

Actual:
52 ft.

RCRA Listings:

Date Form Received by Agency:	2015-03-17 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	100 E 41ST ST
Handler City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280374

EPA ID:	NYP004752523
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280374

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-05-02 12:51:50.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-03-17 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-03-17 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N114
SSW
< 1/8
0.084 mi.
444 ft.
CON EDISON
100 E 41ST ST
NEW YORK, NY 10017
Site 6 of 13 in cluster N

NJ MANIFEST **S120669123**
N/A

Relative:
Higher

Actual:
52 ft.

NJ MANIFEST:
EPA Id: NYP004752523
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611387GBF
EPA ID: NYP004752523
Date Shipped: 3/17/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120669123

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

N115 **CON EDISON SERVICE BOX: 7993**
SSW **104 E 41ST ST**
< 1/8 **NEW YORK, NY 10017**
0.084 mi.
445 ft. **Site 7 of 13 in cluster N**

RCRA NonGen / NLR **1016143995**
FINDS **NYP004267829**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
49 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7993
Handler Address: 104 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267829
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7993 (Continued)

1016143995

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 12:22:01.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7993
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7993 (Continued)

1016143995

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055457768

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143995
Registry ID:	110055457768
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055457768
Name:	CON EDISON SERVICE BOX: 7993
Address:	104 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	104 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004267829
Facility Status:	Not reported
Location Address 1:	104 E 41 ST
Code:	BP
Location Address 2:	SERV BOX 7993
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267829
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7993 (Continued)

1016143995

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/12/2012
Trans1 Recv Date: 09/12/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/12/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267829
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456449JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N116
SSW
< 1/8
0.084 mi.
445 ft.
CON EDISON SERVICE BOX: 7993
104 E 41ST ST
NEW YORK, NY 10017
Site 8 of 13 in cluster N

NJ MANIFEST **S117986216**
N/A

Relative:
Higher

Actual:
49 ft.

NJ MANIFEST:
EPA Id: NYP004267829
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456449JJK
EPA ID: NYP004267829
Date Shipped: 9/12/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7993 (Continued)

S117986216

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,000.00 Pounds

M117
SE
< 1/8
0.085 mi.
447 ft.

BUS 8614
42 ST BETWEEN LEXINGTON AND 3RD AVE
NY CITY, NY
Site 2 of 19 in cluster M

NY Spills S109826733
N/A

Relative:
Lower

Actual:
39 ft.

SPILLS:

Name: BUS 8614
Address: 42 ST BETWEEN LEXINGTON AND 3RD AVE
City,State,Zip: NY CITY, NY
Spill Number/Closed Date: 0903190 / 2009-06-19
Facility ID: 0903190
Facility Type: ER
DER Facility ID: 364386
Site ID: 415276
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: D4
SWIS: 3101
Spill Date: 2009-06-17
Investigator: RMPIPER
Referred To: Not reported
Reported to Dept: 2009-06-17
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2009-06-17
Spill Record Last Update: 2009-06-19
Spiller Name: Not reported
Spiller Company: NYC TRANSIT
Spiller Address: Not reported
Spiller Company: 999
Contact Name: KATHY PERKINS
DEC Memo: "traffic accident. spill to roadway. Cleaned. closed. "
Remarks: "Clean up complete"

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUS 8614 (Continued)

S109826733

All Materials:

Site ID: 415276
Operable Unit ID: 1171631
Operable Unit: 01
Material ID: 2163449
Material Code: 0015
Material Name: motor oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

N118
SSW
< 1/8
0.085 mi.
451 ft.

CON EDISON
110 E 41ST ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1019324954
NYP004781092

Site 9 of 13 in cluster N

Relative:
Lower

Actual:
48 ft.

RCRA Listings:

Date Form Received by Agency: 2015-05-09 00:00:00.0
Handler Name: CON EDISON
Handler Address: 110 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004781092
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324954

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:

Owner/Operator Name:

Owner

CONSOLIDATED EDISON CO OF NY INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324954

Legal Status:	Private
Date Became Current:	2015-05-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL15TH FL NE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2015-05-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL15TH FL NE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-26 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 56481
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324954

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

N119
SSW
< 1/8
0.085 mi.
451 ft.

CON EDISON
110 E 41ST ST
NEW YORK, NY 10017

NJ MANIFEST **S120671645**
N/A

Site 10 of 13 in cluster N

Relative:
Lower

NJ MANIFEST:

Actual:
48 ft.

EPA Id:	NYP004781092
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002614021GBF
EPA ID:	NYP004781092
Date Shipped:	5/28/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671645

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002611952GBF
EPA ID: NYP004781092
Date Shipped: 5/9/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N120
SSW
< 1/8
0.085 mi.
451 ft.
CON EDISON
110 E 41ST ST
NEW YORK, NY 10017
Site 11 of 13 in cluster N

NY MANIFEST **S118256556**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
48 ft.

Name: CON EDISON
Address: 110 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004781092
Facility Status: Not reported
Location Address 1: 110 EAST 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004781092
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/28/2015
Trans1 Recv Date: 05/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/28/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004781092
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614021GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118256556

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O121
South
< 1/8
0.086 mi.
456 ft.

BUILDING - CON ED VAULT IMPACTED
E 41ST ST AND LEXINGTON AVE
MANHATTAN, NY

NY Spills S118260452
N/A

Site 1 of 37 in cluster O

Relative:
Lower
Actual:
46 ft.

SPILLS:
Name: BUILDING - CON ED VAULT IMPACTED
Address: E 41ST ST AND LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1505164 / 2015-11-19
Facility ID: 1505164
Facility Type: ER
DER Facility ID: 467066
Site ID: 512514
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 2015-08-13
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 2015-08-13
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUILDING - CON ED VAULT IMPACTED (Continued)

S118260452

Remediation Phase: 0
Date Entered In Computer: 2015-08-13
Spill Record Last Update: 2015-11-19
Spiller Name: Not reported
Spiller Company: HJ KALIKOW AND COMPANY LLC
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ERT
DEC Memo: "HJ Kalikow & Company, LLC. / 101 Park Avenue - NY,NY 10178 - 212-808-7000. Person responsible - Raffi Derhovamessian - email: derhovamessian@hjkalikow.com 11/19/15 - Austin - 25 gals of #2 fuel oil from 3rd party entered Con Ed utility vault - Con Ed contained and cleaned up the spill - See document files for further information - Spill closed - end"
Remarks: "Caller advised aprx 25 gal of oil spilled onto a building. Clean up is pending."

All Materials:

Site ID: 512514
Operable Unit ID: 1261772
Operable Unit: 01
Material ID: 2265219
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 25.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

O122
South
< 1/8
0.086 mi.
456 ft.

CON EDISON - MANHOLE 56305
E 41 ST & LEXINGTON AV
NEW YORK, NY 10017

RCRA-LQG
NY MANIFEST
NJ MANIFEST

1012184891
NYP004152393

Site 2 of 37 in cluster O

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2008-02-21 00:00:00.0
Handler Name: CON EDISON - MANHOLE 56305
Handler Address: E 41 ST & LEXINGTON AV
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004152393
Contact Name: FRANKLIN MURRAY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2007
Accessibility: Not reported
Active Site Indicator: Handler Activities

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 56305 (Continued)

1012184891

State District Owner:	Not reported
State District:	Not reported
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 56305 (Continued)

1012184891

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2008-02-21 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 56305
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 56305 (Continued)

1012184891

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: E 41 ST & LEXINGTON AV
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004152393
Facility Status: Not reported
Location Address 1: E 41 ST & LEXINGTON AV
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004152393
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/30/2007
Trans1 Recv Date: 07/30/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/02/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152393
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 000175006GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 56305 (Continued)

1012184891

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 1
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

NJ MANIFEST:

EPA Id: NYP004152393
Mail Address: 4 IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: FRANKLIN MURRAY
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 000175006GBF
EPA ID: NYP004152393
Date Shipped: 07/30/2007
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/30/2007
Date Trans2 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 56305 (Continued)

1012184891

Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 08/02/2007
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

O123
South
< 1/8
0.086 mi.
456 ft.

CONSOLIDATED EDISON
E 41ST ST & LEXINGTON AVE
NEW YORK, NY 10017

NY MANIFEST 1009240165
N/A

Site 3 of 37 in cluster O

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: CONSOLIDATED EDISON
Address: E 41ST ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004070215
Facility Status: Not reported
Location Address 1: E 41ST ST & LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004070215
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009240165

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0709389
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 12/20/2000
Trans1 Recv Date: 12/20/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/22/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004070215
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B005 - PCB ARTICLES WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01000
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TP - Tanks, portable
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O124
South
< 1/8
0.086 mi.
456 ft.
CONSOLIDATED EDISON
LEXINGTON AVE & 41ST ST
NEW YORK, NY 10003
Site 4 of 37 in cluster O

NY MANIFEST **S119072933**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: CONSOLIDATED EDISON
Address: LEXINGTON AVE & 41ST ST
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004152278
Facility Status: Not reported
Location Address 1: lexington ave & 41st st
Code: BP
Location Address 2: mh8000
Total Tanks: Not reported
Location City: new york
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004152278
Mailing Name: consolidated edison
Mailing Contact: franklyn murray
Mailing Address 1: 750 e 18th st
Mailing Address 2: Not reported
Mailing City: new york
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128849467

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003912047
Trans2 State ID: Not reported
Generator Ship Date: 08/03/2007
Trans1 Recv Date: 08/03/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/10/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152278
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 000263052GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119072933

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O125
South
< 1/8
0.086 mi.
456 ft.

CON EDISON - MANHOLE 38632
E 41ST ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA-LQG 1012184883
NJ MANIFEST NYP004152054

Site 5 of 37 in cluster O

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2008-02-22 00:00:00.0
Handler Name: CON EDISON - MANHOLE 38632
Handler Address: E 41ST ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004152054
Contact Name: FRANKLIN MURRAY
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 38632 (Continued)

1012184883

Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-04-28 16:24:16.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 38632 (Continued)

1012184883

Biennial: List of Years

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 38632 (Continued)

1012184883

Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2008-02-21 00:00:00.0
Handler Name: CON EDISON - MANHOLE 38632
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2008-02-22 00:00:00.0
Handler Name: CON EDISON - MANHOLE 38632
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NJ MANIFEST:

EPA Id: NYP004152054
Mail Address: 4 IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: FRANKLIN MURRAY
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 000263048GBF
EPA ID: NYP004152054
Date Shipped: 08/03/2007
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 38632 (Continued)

1012184883

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 08/03/2007
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 08/10/2007
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

O126
South
< 1/8
0.086 mi.
456 ft.

MANHOLE #38626
E 41ST ST & LEXINGTON AV
NEW YORK, NY

NY Spills S121979287
N/A

Site 6 of 37 in cluster O

Relative:
Lower

SPILLS:

Actual:
46 ft.

Name: MANHOLE #38626
Address: E 41ST ST & LEXINGTON AV
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0102080 / 2004-03-16
Facility ID: 0102080
Facility Type: ER
DER Facility ID: 157562
Site ID: 188661
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2001-05-23
Investigator: KMFOLEY
Referred To: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE #38626 (Continued)

S121979287

Reported to Dept: 2001-05-24
CID: 257
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-05-24
Spill Record Last Update: 2004-03-16
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 001
Contact Name: ANTHONY NATALE
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY e2mis 137243 @ 09:30 hrs J.Comerford #08212 ogs reported to W.Lee #33243 mcc that W.Cobb #15854 found 1 gal. of unknown oil and 75 gal of water in mh38626. Did not enter,sewer/waterway, no private property affected. sample by John Comerford 08212 ogs. one for pcb, and one for oil id cause of spill unknown,spill in water.oil fill equipment in structure. Sample taken from: spill. Update: 23:45 hrs 5/23/01 lab seq#01-05952-001: TOTAL PCB 728 ppm @11:00 hrs A.Zappono #85207ogs reported to W.Lee #33243 mcc,clean up completed,at e 41st & lexington ave in mh 38626; waiting for wipe sample to be taken by chem-lab. Lab Sequence #01-05995-001 TEST PT. # AROCLOR PCB (in ug/100 cm^2) 1 1254 2.1 2 1254 1.1 3 1254 1.8 = 2.0 4 1254 2.6 = 3.0 5 1254 5.8 = 6.0 6 1254 15.3 = 5 (FAILED) 7 1254 19.8 = 20 (FAILED) 8 1254 4.2 = 4.0 9 1254 2.5 = 3.0 10 < 1.0 11 1254 < 1.0 NOTE: Points & 7 failed. The manhole will have to be re-cleaned. UPDATE: 6/01/01 Manhole was recleaned on 5/31/01 and Chemist took wipe samples again. Lab Sequence #01-06120-001. Date Sampled: 5/31/01 Wipe Samples Analysis: TEST PT. # AROCLOR PCB (in ug/100 cm^2) 5 1254 8.4 = 8.0 6 1254 6.2 = 6.0 7 1254 2.0 The above results indicate that the cleanup has passed the wipe sample analysis since the PCB is less than 10 ug/100 cm^2 for all 3 sample points. UPDATE: 12/18/02 This manhole was cleaned as > 500 ppm PCB's. The signed over 500 cleanup checklist was received from Operating Supervisor."
Remarks: "1 gal on 75 gals of water ref #137243"

All Materials:

Site ID: 188661
Operable Unit ID: 840903
Operable Unit: 01
Material ID: 537773
Material Code: 9999
Material Name: other -
Case No.: Not reported
Material FA: Other
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

O127
South
< 1/8
0.086 mi.
456 ft.

ROADWAY
41ST AND LEXINGTON
MANHATTAN, NY

Site 7 of 37 in cluster O

NY Spills S110752294
N/A

Relative:
Lower

Actual:
46 ft.

SPILLS:

Name: ROADWAY
Address: 41ST AND LEXINGTON
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1011603 / 2011-02-22
Facility ID: 1011603
Facility Type: ER
DER Facility ID: 400323
Site ID: 445488
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2011-02-20
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2011-02-20
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2011-02-20
Spill Record Last Update: 2011-02-22
Spiller Name: Not reported
Spiller Company: NYC TRANSIT
Spiller Address: Not reported
Spiller Company: 999
Contact Name: NYC TRANIST
DEC Memo: "minor spill from NYCT Bus.Clean up completed."
Remarks: "5 GALLONS DIESEL TO ROADWAY SURFACE, CLEANUP COMPLETE."

All Materials:

Site ID: 445488
Operable Unit ID: 1195873
Operable Unit: 01
Material ID: 2191959
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O128
South
< 1/8
0.086 mi.
456 ft.
CONSOLIDATED EDISON
41ST ST & LEXINGTON
NEW YORK, NY
Site 8 of 37 in cluster O

NY MANIFEST **S121967017**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: CONSOLIDATED EDISON
Address: 41ST ST & LEXINGTON
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004153607
Facility Status: Not reported
Location Address 1: 41ST ST & LEXINGTON
Code: BP
Location Address 2: MH38626
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004153607
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2007
Trans1 Recv Date: 09/05/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004153607
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001437059FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S121967017

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: K - Kilograms (2.2 pounds)
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O129
South
< 1/8
0.086 mi.
456 ft.

CON EDISON MANHOLE 38626
E 41ST ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA-LQG 1012184888
NJ MANIFEST NYP004152302

Site 9 of 37 in cluster O

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2008-02-22 00:00:00.0
Handler Name: CON EDISON MANHOLE 38626
Handler Address: E 41ST ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004152302
Contact Name: FRANKLIN MURRAY
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38626 (Continued)

1012184888

Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-04-27 15:45:42.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38626 (Continued)

1012184888

Biennial: List of Years

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2007-07-26 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38626 (Continued)

1012184888

Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2008-02-21 00:00:00.0
Handler Name: CON EDISON - MANHOLE 38626
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2008-02-22 00:00:00.0
Handler Name: CON EDISON MANHOLE 38626
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NJ MANIFEST:

EPA Id: NYP004152302
Mail Address: IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: FRANKLIN MURRAY
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 000175008GBF
EPA ID: NYP004152302
Date Shipped: 07/31/2007
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38626 (Continued)

1012184888

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/31/2007
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 08/02/2007
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

O130
South
< 1/8
0.086 mi.
456 ft.

**CONSOLIDATED EDISON
41 ST & LEXINGTON AVE
NEW YORK, NY 10020**

**NY MANIFEST S121967015
N/A**

Site 10 of 37 in cluster O

**Relative:
Lower**

NY MANIFEST:

**Actual:
46 ft.**

Name: CONSOLIDATED EDISON
Address: 41 ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004152096
Facility Status: Not reported
Location Address 1: 41 ST & LEXINGTON AVE
Code: BP
Location Address 2: MH 38626
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S121967015

NY MANIFEST:

EPAID: NYP004152096
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PLACE ROOM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/03/2007
Trans1 Recv Date: 08/03/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/06/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152096
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001436156FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S121967015

Waste Code 1_2: D007
Waste Code 1_3: D008
Waste Code 1_4: B007
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O131
South
< 1/8
0.086 mi.
456 ft.

2 GAL SPILLED FROM DUCT BEING
LEXINGTON AVE & 41 STREET
MANHATTAN, NY

NY Spills S108763211
N/A

Site 11 of 37 in cluster O

Relative:
Lower
Actual:
46 ft.

SPILLS:

Name: 2 GAL SPILLED FROM DUCT BEING
Address: LEXINGTON AVE & 41 STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0704944 / 2007-11-08
Facility ID: 0704944
Facility Type: ER
DER Facility ID: 334568
Site ID: 385188
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2007-08-01
Investigator: gdbreen
Referred To: Not reported
Reported to Dept: 2007-08-01
CID: 78
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2007-08-01
Spill Record Last Update: 2007-11-08
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 999
Contact Name: ERTSDESK
DEC Memo: "11/08/07 - See eDocs for Con Ed report detailing cleanup and closure. 207299. see eDocs"
Remarks: "Leak on land. some absorbed into soil. Absorbent applied. Material will have to be picked up. Con Ed 207299. No to five questions"

All Materials:

Site ID: 385188
Operable Unit ID: 1142463
Operable Unit: 01
Material ID: 2132700
Material Code: 0020B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 GAL SPILLED FROM DUCT BEING (Continued)

S108763211

Material Name: cable oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: 2.00
Oxygenate: Not reported

O132
South
< 1/8
0.086 mi.
456 ft.

THREE QTS OIL IN MANHOLE # 38626
EAST 41 STREET & LEXINGTON AVENUE
MANHATTAN, NY

NY Spills S108763326
N/A

Site 12 of 37 in cluster O

Relative:
Lower

Actual:
46 ft.

SPILLS:

Name: THREE QTS OIL IN MANHOLE # 38626
Address: EAST 41 STREET & LEXINGTON AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0705085 / 2007-09-20
Facility ID: 0705085
Facility Type: ER
DER Facility ID: 334743
Site ID: 385358
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2007-08-03
Investigator: gdbreen
Referred To: Not reported
Reported to Dept: 2007-08-03
CID: 410
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2007-08-03
Spill Record Last Update: 2007-09-20
Spiller Name: ERTSDESK
Spiller Company: CON EDISON MH # 38626
Spiller Address: SW CRN OF EAST 41ST & LEX
Spiller Company: 999
Contact Name: ERTSDESK
DEC Memo: "09/20/07 - See eDocs for Con Ed report detailing cleanup and closure. 207358. see eDocs"
Remarks: "3 QUARTS ON 40 GALLONS OF WATER, SEEPED IN THROUGH DUCT WORK, CLEANUP IN PROGRESS, COMING OFF 72 HOUR CLOCK, NO TO 5 QUESTIONS, NOT CONTAINED: CONED #207358"

All Materials:

Site ID: 385358
Operable Unit ID: 1142629

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THREE QTS OIL IN MANHOLE # 38626 (Continued)

S108763326

Operable Unit: 01
Material ID: 2132865
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

**M133
SE
< 1/8
0.087 mi.
458 ft.**

**CON EDISON SERVICE BOX: 8237
130 E 42ND ST BOX 8237
NEW YORK, NY 10016**

**RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST**

**1016143983
NYP004267704**

Site 3 of 19 in cluster M

**Relative:
Lower**

RCRA Listings:

**Actual:
39 ft.**

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8237
Handler Address: 130 E 42ND ST BOX 8237
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267704
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

1016143983

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:38:17.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8237
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

1016143983

Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8237
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421459

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143983
Registry ID:	110055421459
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421459
Name:	CON EDISON SERVICE BOX: 8237
Address:	130 E 42ND ST BOX 8237
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	130 E 42ND ST BOX 8237
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267704
Facility Status:	Not reported
Location Address 1:	130 E 42 ST
Code:	BP
Location Address 2:	SERV BOX 8237
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID: NYP004267704

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

1016143983

Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267704
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456483JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1625
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

1016143983

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

M134
SE
< 1/8
0.087 mi.
458 ft.

CON EDISON SERVICE BOX: 8238
130 E 42ND ST BOX 8238
NEW YORK, NY 10016
Site 4 of 19 in cluster M

RCRA NonGen / NLR
NY MANIFEST
1016143982
NYP004267696

Relative:
Lower
Actual:
39 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8238
Handler Address: 130 E 42ND ST BOX 8238
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267696
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8238 (Continued)

1016143982

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:40:38.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8238
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8238
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8238 (Continued)

1016143982

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	130 E 42ND ST BOX 8238
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267696
Facility Status:	Not reported
Location Address 1:	130 E 42 ST
Code:	BP
Location Address 2:	SERV BOX 8238
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267696
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/2012
Trans1 Recv Date:	09/11/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/11/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004267696
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010456286JJJ
Import Indicator:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8238 (Continued)

1016143982

Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1625
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

M135
SE
< 1/8
0.087 mi.
458 ft.

CON EDISON SERVICE BOX: 8238
130 E 42ND ST BOX 8238
NEW YORK, NY 10016

NJ MANIFEST S117986203
N/A

Site 5 of 19 in cluster M

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004267696
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
39 ft.

Manifest:
Manifest Number: 010456286JJK
EPA ID: NYP004267696
Date Shipped: 9/11/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8238 (Continued)

S117986203

TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,629.00 Pounds

M136
SE
< 1/8
0.087 mi.
458 ft.

CON EDISON SERVICE BOX: 8237
130 E 42ND ST BOX 8237
NEW YORK, NY 10016

Site 6 of 19 in cluster M

NJ MANIFEST S117986204
N/A

Relative:
Lower

Actual:
39 ft.

NJ MANIFEST:
EPA Id: NYP004267704
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

S117986204

Emergency Phone:	Not reported
Contact:	JUAN RODRIGUEZ
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456483JJK
EPA ID:	NYP004267704
Date Shipped:	9/11/2012
TSDf EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8237 (Continued)

S117986204

Hand Code: Not reported
Quantity: 1,625.00 Pounds

J137
West
< 1/8
0.087 mi.
460 ft.

CON EDISON TRANSFORMER VAULT: V2160
150 PARK AVE
NEW YORK, NY 10017

RCRA-VSQG 1025887501
NYP005243340

Site 9 of 9 in cluster J

Relative:
Higher

Actual:
58 ft.

RCRA Listings:
Date Form Received by Agency: 2019-05-10 00:00:00.0
Handler Name: CON EDISON TRANSFORMER VAULT: V2160
Handler Address: 150 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP005243340
Contact Name: THOMAS TEELING
Contact Address: IRVING PL, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: Yes
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON TRANSFORMER VAULT: V2160 (Continued)

1025887501

Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-07-18 13:25:45.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2019-05-10 00:00:00.0
Handler Name:	CON EDISON TRANSFORMER VAULT: V2160
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
O138 South < 1/8 0.087 mi. 461 ft.	RVS2788 E. 41ST STREET AND LEXINGTON A NEW YORK CITY, NY 10017 Site 13 of 37 in cluster O	RCRA NonGen / NLR NY MANIFEST	1007207055 NYP004036653
Relative: Lower	RCRA Listings:		
Actual: 46 ft.	Date Form Received by Agency:	2001-01-03 00:00:00.0	
	Handler Name:	RVS2788	
	Handler Address:	E. 41ST STREET AND LEXINGTON A	
	Handler City,State,Zip:	NEW YORK CITY, NY 10017	
	EPA ID:	NYP004036653	
	Contact Name:	ANTHONY DRUMMINGS	
	Contact Address:	CONSOLIDATED EDISON INC.	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	CONSOLIDATED EDISON INC.	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RVS2788 (Continued)

1007207055

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	RVS2788
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	RVS2788
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RVS2788 (Continued)

1007207055

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	RVS2788
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E. 41ST STREET AND LEXINGTON A
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004036653
Facility Status:	Not reported
Location Address 1:	V2788-41ST & LEXINGTON
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	14201
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004036653
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0242335
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	GX3216
Trans2 State ID:	Not reported
Generator Ship Date:	05/03/1999
Trans1 Recv Date:	05/03/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RVS2788 (Continued)

1007207055

TSD Site Recv Date: 05/03/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004036653
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID 1: NYD980593636
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01317
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

O139
South
< 1/8
0.087 mi.
461 ft.

CON EDISON NYC STEAM EXPLOSION
LEXINGTON AVENUE BETWEEN 42ND AND 41ST
NEW YORK, NY 10017

SEMS 1010417367
PRP NYN000206211

Site 14 of 37 in cluster O

Relative:
Lower
Actual:
46 ft.

SEMS:
Site ID: 0206211
EPA ID: NYN000206211
Name: CON EDISON NYC STEAM EXPLOSION
Address: LEXINGTON AVENUE BETWEEN 42ND AND 41ST
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Cong District: 14
FIPS Code: 36061
Latitude: Not reported
Longitude: Not reported
FF: N
NPL: Not on the NPL
Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

SEMS Detail:
Region: 02
Site ID: 0206211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON NYC STEAM EXPLOSION (Continued)

1010417367

EPA ID: NYN000206211
Site Name: CON EDISON NYC STEAM EXPLOSION
NPL: N
FF: N
OU: 00
Action Code: RV
Action Name: RMVL
SEQ: 1
Start Date: 2007-07-19 04:00:00
Finish Date: 7/23/2007 4:00:00 AM
Qual: C
Current Action Lead: EPA Perf

PRP:

PRP Name: CONSOLIDATED EDISON CO OF NEW YORK

O140
SSW
< 1/8
0.088 mi.
464 ft.

CON ED - V 3108
116 E 41 ST
NEW YORK, NY 10017
Site 15 of 37 in cluster O

RCRA NonGen / NLR

1007205254
NYP000928051

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 3108
Handler Address: 116 E 41 ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000928051
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 3108 (Continued)

1007205254

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 3108
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 3108 (Continued)

1007205254

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 3108
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 3108
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

O141 **NYNEX**
SSW **116 E 41 ST**
< 1/8 **NEW YORK, NY 10017**
0.088 mi.
464 ft. **Site 16 of 37 in cluster O**

NY MANIFEST **S117563592**
N/A

Relative:	NY MANIFEST:	
Lower	Name:	NYNEX
	Address:	116 E 41 ST
Actual:	City,State,Zip:	NEW YORK, NY 10017-0000
46 ft.	Country:	USA
	EPA ID:	NYP000928051
	Facility Status:	Not reported
	Location Address 1:	TOBIAS STREET AND JERUSALEM AV
	Code:	BP
	Location Address 2:	Not reported
	Total Tanks:	Not reported
	Location City:	HICKSVILLE
	Location State:	NY
	Location Zip:	11801
	Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

S117563592

NY MANIFEST:

EPAID: NYP000928051
Mailing Name: NYNEX
Mailing Contact: JAMES CASCIOTTA
Mailing Address 1: 221 EAST 37TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2123856040

NY MANIFEST:

Document ID: NYB8468577
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 02/27/1997
Trans1 Recv Date: 02/27/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/27/1997
Part A Recv Date: 03/12/1997
Part B Recv Date: 03/11/1997
Generator EPA ID: NYP000928051
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01224
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O142
SSW
< 1/8
0.088 mi.
464 ft.
CON EDISON SERVICE BOX: 7994
116 E 41ST ST
NEW YORK, NY 10017
Site 17 of 37 in cluster O

NJ MANIFEST **S117986217**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id: NYP004267837
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456450JJK
EPA ID: NYP004267837
Date Shipped: 9/12/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7994 (Continued)

S117986217

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 3,000.00 Pounds

O143
SSW
< 1/8
0.088 mi.
464 ft.

CON EDISON SERVICE BOX: 7994
116 E 41ST ST
NEW YORK, NY 10017
Site 18 of 37 in cluster O

RCRA NonGen / NLR 1016143996
NY MANIFEST NYP004267837

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7994
Handler Address: 116 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267837
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7994 (Continued)

1016143996

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 12:23:55.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7994
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7994 (Continued)

1016143996

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7994
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	116 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004267837
Facility Status:	Not reported
Location Address 1:	116 E 41ST ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267837
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/12/2012
Trans1 Recv Date:	09/12/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7994 (Continued)

1016143996

Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/12/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267837
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456450JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O144
South
< 1/8
0.089 mi.
469 ft.

CON EDISON
118 E 41ST ST
NEW YORK, NY 10017
Site 19 of 37 in cluster O

NY MANIFEST **S118258957**
N/A

Relative:
Lower
Actual:
46 ft.

NY MANIFEST:
Name: CON EDISON
Address: 118 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004823783
Facility Status: Not reported
Location Address 1: 118 E 41ST ST
Code: BP
Location Address 2: SB 7994
Total Tanks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118258957

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004823783
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/13/2015
Trans1 Recv Date: 08/13/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/14/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004823783
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612882GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118258957

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O145
South
< 1/8
0.090 mi.
473 ft.

CON EDISON
131 E 41ST ST
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1018279556
NYP004743845

Site 20 of 37 in cluster O

Relative:
Lower
Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-05 00:00:00.0
Handler Name: CON EDISON
Handler Address: 131 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004743845
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279556

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-03-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279556

Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-03-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 7957
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-05 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-05 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279556

FINDS:

Registry ID: 110067692839

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018279556
Registry ID: 110067692839
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067692839>
Name: CON EDISON
Address: 131 E 41ST ST
City,State,Zip: NEW YORK, NY 10017

O146
South
< 1/8
0.090 mi.
473 ft.

CON EDISON
131 E 41ST ST
NEW YORK, NY 10017
Site 21 of 37 in cluster O

NY MANIFEST **S117741168**
N/A

Relative:
Lower

NY MANIFEST:
Name: CON EDISON
Address: 131 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004743845
Facility Status: Not reported
Location Address 1: E 41 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Actual:
44 ft.

NY MANIFEST:
EPAID: NYP004743845
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117741168

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	03/05/2015
Trans1 Recv Date:	03/05/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004743845
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002611005GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	4500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
L147 WSW < 1/8 0.090 mi. 473 ft.	MTA PID STAIRCASE INSTALLATION 125 PARK AVE NEW YORK, NY 10017 Site 2 of 11 in cluster L	RCRA NonGen / NLR NY MANIFEST	1004762189 NYR000094425
Relative: Higher	RCRA Listings:		
Actual: 62 ft.	Date Form Received by Agency:	2018-08-15 00:00:00.0	
	Handler Name:	MTA PID STAIRCASE INSTALLATION	
	Handler Address:	125 PARK AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYR000094425	
	Contact Name:	THOMAS FRANCISCO	
	Contact Address:	LEXINGTON AVE 7TH FLOOR	
	Contact City,State,Zip:	NEW YORK, NY 10170	
	Contact Telephone:	212-230-2300	
	Contact Fax:	Not reported	
	Contact Email:	THOMAS.FRANCISCO@HINES.COM	
	Contact Title:	CONSTRUCTION MANAGER	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	PARK AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10022	
	Owner Name:	ONE VANDERBILT OWNER LLC	
	Owner Type:	Private	
	Operator Name:	ONE VANDERBILT OWNER LLC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-15 14:36:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WATCH HOLDINGS LLC
Legal Status:	Private
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	125 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-692-0130
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10170

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	WATCH HOLDINGS LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	125 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-692-0130
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	WATCH HOLDINGS LLC
Legal Status:	Private
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	125 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-692-0130
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	RICHARD BARRA
Legal Status:	Private
Date Became Current:	2004-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10170
Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

Date Ended Current: Not reported
Owner/Operator Address: 420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10170
Owner/Operator Telephone: 212-594-2700
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: ONE VANDERBILT OWNER LLC
Legal Status: Private
Date Became Current: 2015-04-28 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10170
Owner/Operator Telephone: 212-594-2700
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: SRI SIX 125 PARK LLC
Legal Status: Private
Date Became Current: 2004-01-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 125 PARK AVE SUITE 1405
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-692-0130
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: WATCH HOLDINGS LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: WATCH HOLDINGS LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

Electronic Manifest Broker:	Not reported
Receive Date:	2018-08-15 00:00:00.0
Handler Name:	MTA PID STAIRCASE INSTALLATION
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No
Receive Date:	2001-02-26 00:00:00.0
Handler Name:	WATCH HOLDINGS LLC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2010-03-08 00:00:00.0
Handler Name:	SHORENSTEIN REALTY SERVICES
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-09-07 00:00:00.0
Handler Name:	MTA PID STAIRCASE INSTALLATION
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

NY MANIFEST:

Name: WATCH HOLDING LLC
Address: 125 PARK AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000094425
Facility Status: Not reported
Location Address 1: 125 PARK AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000094425
Mailing Name: WATCH HOLDING LLC
Mailing Contact: N/S
Mailing Address 1: 125 PARK AVE 4TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7189942000

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: CTR000005058
Trans2 State ID: Not reported
Generator Ship Date: 12/02/2016
Trans1 Recv Date: 12/02/2016
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/02/2016
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000094425
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 016323508JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA PID STAIRCASE INSTALLATION (Continued)

1004762189

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 13040
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O148
South
< 1/8
0.091 mi.
480 ft.

VAULT 3108
120 E 41 STREET
MANHATTAN, NY
Site 22 of 37 in cluster O

NY Spills S107521624
N/A

Relative:
Lower
Actual:
46 ft.

SPILLS:
Name: VAULT 3108
Address: 120 E 41 STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0008959 / 2004-02-13
Facility ID: 0008959
Facility Type: ER
DER Facility ID: 307516
Site ID: 112521
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2000-11-02
Investigator: OKWUOHA
Referred To: Not reported
Reported to Dept: 2000-11-02
CID: 389
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-11-02
Spill Record Last Update: 2004-02-13
Spiller Name: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 3108 (Continued)

S107521624

Spiller Company: Unknown
Spiller Address: UNKNOWN
Spiller Company: 999
Contact Name: CALLER
DEC Memo: ""
Remarks: "caller reporting a spill of material from an unk spill coned#134220
samples taken for pcb and id clean up pending test results"

All Materials:

Site ID: 112521
Operable Unit ID: 829549
Operable Unit: 01
Material ID: 546462
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: VAULT #43571
Address: 120 E 41 STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0511347 / 2007-05-03
Facility ID: 0511347
Facility Type: ER
DER Facility ID: 307516
Site ID: 357481
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-12-30
Investigator: GDBREEN
Referred To: Not reported
Reported to Dept: 2005-12-30
CID: 408
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-12-30
Spill Record Last Update: 2007-05-03
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 999
Contact Name: ERT DESK
DEC Memo: "05/03/07 - See e-docs for Con Ed report detailing cleanup and
closure. 162390. 30-DEC-2005 10:03. S Brenseke # 05729, I&A"

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 3108 (Continued)

S107521624

Supervisor reports that while doing a preinspect in vault 3571, located at 120 e 41 street, he discovered 10 gallons of dielectric fluid on the concrete floor of the vault. Work was being performed under acct # F3293. There was no fire or smoke involved and no release to sewers or water ways. No injuries were reported and weather conditions did not contribute to the hazard of the spill. Yellow tag # 44236 was installed and samples of oil were taken for PCB and ID. No private property was affected and the substance is owned by Con Ed. Brenseke will get back with chain of custody form # . CIG notified spoke to T Enright #48536 At 09:50 hrs. logged by : G Anelli 14059 "

Remarks: "NO TO 5 QUESTIONS, NO PRIVATE PROPERTY. HAS NOT BEEN CLEANED UP. 162390"

All Materials:

Site ID: 357481
Operable Unit ID: 1114757
Operable Unit: 01
Material ID: 2104819
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

M149
SE
< 1/8
0.092 mi.
485 ft.

CON EDISON SERVICE BOX: 8231
138 E 42ND ST
NEW YORK, NY 10016

RCRA NonGen / NLR 1016143981
FINDS NYP004267688

Site 7 of 19 in cluster M

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8231
Handler Address: 138 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267688
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8231 (Continued)

1016143981

Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:27:19.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8231 (Continued)

1016143981

Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8231
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8231
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421440

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M150
SE
< 1/8
0.092 mi.
485 ft.
CON EDISON
138 E 42ND ST
NEW YORK, NY 10016
Site 8 of 19 in cluster M

NY MANIFEST **S117564497**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
38 ft.

Name: CON EDISON
Address: 138 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267688
Facility Status: Not reported
Location Address 1: 138 E 42 ST
Code: BP
Location Address 2: SERV BOX 8231
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267688
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267688
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456285JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117564497

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1625
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

M151 **CON EDISON SERVICE BOX: 8231**
SE **138 E 42ND ST**
< 1/8 **NEW YORK, NY 10016**
0.092 mi.
485 ft. **Site 9 of 19 in cluster M**

NJ MANIFEST **S117986202**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267688
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456285JJK
EPA ID: NYP004267688
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8231 (Continued)

S117986202

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	1,625.00 Pounds

L152
WSW
< 1/8
0.092 mi.
487 ft.

CON EDISON SERVICE BOX: 12062
123 PARK AVE FRONT OF
NEW YORK, NY 10035
Site 3 of 11 in cluster L

RCRA NonGen / NLR 1016959974
NY MANIFEST NYP004318549

Relative:
Higher
Actual:
63 ft.

RCRA Listings:	
Date Form Received by Agency:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12062
Handler Address:	123 PARK AVE FRONT OF
Handler City,State,Zip:	NEW YORK, NY 10035
EPA ID:	NYP004318549
Contact Name:	RICARDO CARTY
Contact Address:	Not reported
Contact City,State,Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12062 (Continued)

1016959974

Contact Telephone:	646-772-3407
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12062 (Continued)

1016959974

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-06-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12062
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12062
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	123 PARK AVE FRONT OF
City,State,Zip:	NEW YORK, NY 10035
Country:	USA
EPA ID:	NYP004318549
Facility Status:	Not reported
Location Address 1:	FO 123 E 64 ST
Code:	BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12062 (Continued)

1016959974

Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10021
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004318549
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/04/2013
Trans1 Recv Date: 06/04/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/05/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004318549
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010917744JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12062 (Continued)

1016959974

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

L153
WSW
< 1/8
0.092 mi.
487 ft.

CON EDISON SERVICE BOX: 13093
123-25 PARK AVE & 72ND ST
NEW YORK, NY 10021

RCRA NonGen / NLR **1016972696**
NY MANIFEST **NYP004464772**

Site 4 of 11 in cluster L

Relative:
Higher

Actual:
63 ft.

RCRA Listings:
Date Form Received by Agency: 2014-04-12 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 13093
Handler Address: 123-25 PARK AVE & 72ND ST
Handler City,State,Zip: NEW YORK, NY 10021
EPA ID: NYP004464772
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 13093 (Continued)

1016972696

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-03-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 13093
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 13093 (Continued)

1016972696

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2014-04-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 13093
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	123-25 PARK AVE & 72ND ST
City,State,Zip:	NEW YORK, NY 10021
Country:	USA
EPA ID:	NYP004464772
Facility Status:	Not reported
Location Address 1:	123-25 PARK AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10021
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004464772
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING ST
Mailing Address 2:	15TH ST
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	03/12/2014
Trans1 Recv Date:	03/12/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/14/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 13093 (Continued)

1016972696

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004464772
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002359552GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

P154
West
< 1/8
0.094 mi.
495 ft.

CON EDISON SERVICE BOX: 12069
126 PARK AVE FRONT OF
NEW YORK, NY 10035
Site 1 of 6 in cluster P

RCRA NonGen / NLR 1016959976
NY MANIFEST NYP004318564

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2013-07-05 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 12069
Handler Address: 126 PARK AVE FRONT OF
Handler City,State,Zip: NEW YORK, NY 10035
EPA ID: NYP004318564
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12069 (Continued)

1016959976

EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12069 (Continued)

1016959976

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-06-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12069
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12069
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	126 PARK AVE FRONT OF
City,State,Zip:	NEW YORK, NY 10035
Country:	USA
EPA ID:	NYP004318564
Facility Status:	Not reported
Location Address 1:	FO 128 E 64 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12069 (Continued)

1016959976

Location Zip: 10021
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004318564
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/04/2013
Trans1 Recv Date: 06/04/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/05/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004318564
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010917747JJJ
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12069 (Continued)

1016959976

Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O155
South
< 1/8
0.094 mi.
496 ft.

CON ED
126 E 41ST ST
NEW YORK, NY 10017
Site 23 of 37 in cluster O

NY MANIFEST **S119077246**
N/A

Relative:
Lower

NY MANIFEST:
Name: CON ED
Address: 126 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004825218
Facility Status: Not reported
Location Address 1: 126 E 41 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Actual:
45 ft.

NY MANIFEST:
EPAID: NYP004825218
Mailing Name: CON ED
Mailing Contact: THERESA BURKARD
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602262

O156
South
< 1/8
0.094 mi.
496 ft.

CON EDISON
126 E 41ST ST
NEW YORK, NY 10017
Site 24 of 37 in cluster O

NJ MANIFEST **S120675487**
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004825218
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported

Actual:
45 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675487

Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002612924GBF
EPA ID: NYP004825218
Date Shipped: 8/25/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
O157 South < 1/8 0.094 mi. 496 ft.	CON EDISON 126 E 41ST ST NEW YORK, NY 10017 Site 25 of 37 in cluster O	RCRA NonGen / NLR	1019325413 NYP004825218
Relative: Lower	RCRA Listings:		
Actual: 45 ft.	Date Form Received by Agency:	2015-08-17 00:00:00.0	
	Handler Name:	CON EDISON	
	Handler Address:	126 E 41ST ST	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004825218	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325413

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-08-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-08-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325413

Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2016-02-26 00:00:00.0
Handler Name: CON EDISON - MANHOLE 7995
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-08-17 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-08-17 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

O158 25 27 BP INC
SSW 370 LEXINGTON AVE 400
< 1/8 NEW YORK, NY 10017
0.094 mi.
498 ft. Site 26 of 37 in cluster O

EDR Hist Auto 1021006212
N/A

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
47 ft. 2000 UNIVERSAL MANAGEMENT SERVICES General Automotive Repair Shops, NEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

25 27 BP INC (Continued)

1021006212

2004	25 27 BP INC	Gasoline Service Stations, NEC
2005	25 27 BP INC	Gasoline Service Stations, NEC
2006	25 27 BP INC	Gasoline Service Stations, NEC
2007	25 27 BP INC	Gasoline Service Stations, NEC
2008	25 27 BP INC	Gasoline Service Stations, NEC

O159
SSW
< 1/8
0.094 mi.
498 ft.

RADIATION APPLICATIONS, INC.
370 LEXINGTON AVENUE
NEW YORK, NY

FUSRAP **1016603392**
N/A

Site 27 of 37 in cluster O

Relative:
Lower

FUSRAP:

Actual:
47 ft.

Site Name:	RADIATION APPLICATIONS, INC.
Site Id:	NY.57
Site Status:	Eliminated from consideration under FUSRAP
Designated Name:	Not Designated
Alternate Name:	RAI
Location Street Address:	370 LEXINGTON AVENUE
Location City:	NEW YORK
Location State:	NY
Location County:	Not reported
Evaluation Year:	1991
Site Operations:	Developed foam separation techniques and proposed investigations to remove cesium and strontium from fission product waste solutions. No indication that a substantial quantity of radioactive material was involved.
Site Disposition:	Eliminated - Potential for contamination considered remote
Radioactive Materials Handled:	None Indicated
Primary Radioactive Materials Handled:	None Indicated
Radiological Survey(S):	None Indicated
Long Term Care Requirements:	Not reported
Historical Operations:	Not reported
Website URL:	www.lm.doe.gov/Considered_Sites/Radiation_Applications_Inc_-_NY_57.asp

O160
South
< 1/8
0.095 mi.
501 ft.

CONSOLIDATED EDISON
128 E 41ST ST
NEW YORK, NY

NY MANIFEST **S108650453**
N/A

Site 28 of 37 in cluster O

Relative:
Lower

NY MANIFEST:

Actual:
45 ft.

Name:	CONSOLIDATED EDISON
Address:	128 E 41ST ST
City,State,Zip:	NEW YORK, NY
Country:	USA
EPA ID:	NYP004151569
Facility Status:	Not reported
Location Address 1:	128 E 41ST ST
Code:	BP
Location Address 2:	MH8000
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650453

Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004151569
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address 1:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808
NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	07/09/2007
Trans1 Recv Date:	07/09/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/10/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004151569
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NYD077444263
TSD ID 2:	Not reported
Manifest Tracking Number:	001450291FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	Y
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	271
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	2
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650453

Waste Code: D008
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

P161 **NALCO WATER AT BLOOMBERG LP**
West **120 PARK AVE**
< 1/8 **NEW YORK, NY 10017**
0.096 mi.
505 ft. **Site 2 of 6 in cluster P**

RCRA NonGen / NLR **1024892301**
NYR000239004

Relative:
Higher
Actual:
61 ft.

RCRA Listings:
Date Form Received by Agency: 2018-12-13 00:00:00.0
Handler Name: NALCO WATER AT BLOOMBERG LP
Handler Address: 120 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000239004
Contact Name: DAN MOTISI
Contact Address: PO BOX 7495
Contact City,State,Zip: BROOMFIELD, CO 80021
Contact Telephone: 303-593-2087
Contact Fax: 866-266-3679
Contact Email: AGUILMETTE@ORAYSERVICES.COM
Contact Title: PROJECT MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: PO BOX 7495
Mailing City,State,Zip: BROOMFIELD, CO 80021
Owner Name: 118 PARK AVE ASSOCIATES LLC
Owner Type: Private
Operator Name: NALCO WATER
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NALCO WATER AT BLOOMBERG LP (Continued)

1024892301

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-12-13 16:31:51.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	118 PARK AVE ASSOCIATES LLC
Legal Status:	Private
Date Became Current:	2000-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	410 PARK AVE #20
Owner/Operator City,State,Zip:	NEW YORK, NY 10022
Owner/Operator Telephone:	212-355-1500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NALCO WATER
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NALCO WATER AT BLOOMBERG LP (Continued)

1024892301

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	120 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	118 PARK AVE ASSOCIATES LLC
Legal Status:	Private
Date Became Current:	2000-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	410 PARK AVE #20
Owner/Operator City,State,Zip:	NEW YORK, NY 10022
Owner/Operator Telephone:	212-355-1500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NALCO WATER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	120 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	2018-12-13 00:00:00.0
Handler Name:	NALCO WATER AT BLOOMBERG LP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2018-11-09 00:00:00.0
Handler Name:	NALCO WATER AT BLOOMBERG LP
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NALCO WATER AT BLOOMBERG LP (Continued)

1024892301

Non Storage Recycler Activity: No
Electronic Manifest Broker: No

P162
West
< 1/8
0.096 mi.
505 ft.

120 PARK AVENUE
120 PARK AVENUE
NEW YORK, NY 10017

NY AST **A100293007**
N/A

Site 3 of 6 in cluster P

Relative:
Higher

Actual:
61 ft.

AST:

Name: 120 PARK AVENUE
Address: 120 PARK AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600076
Program Type: PBS
UTM X: 586238.06534
UTM Y: 4511694.94550
Expiration Date: 03/25/2023
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 22063
Affiliation Type: Mail Contact
Company Name: GLOBAL HOLDINGS AS AGENT
Contact Type: Not reported
Contact Name: ROBERT HINDS
Address1: 120 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-6650
EMail: BOB.HINDS@GH-MGMT.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-29

Site Id: 22063
Affiliation Type: Facility Operator
Company Name: 120 PARK AVENUE
Contact Type: Not reported
Contact Name: ROBERT HINDS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 661-6650
EMail: Not reported
Fax Number: Not reported
Modified By: DMMOULOG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

120 PARK AVENUE (Continued)

A100293007

Date Last Modified: 2013-04-02

Site Id: 22063
Affiliation Type: Emergency Contact
Company Name: 120 PARK AVENUE ASSOCIATES LLC
Contact Type: Not reported
Contact Name: CHRIS RACZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 661-6650
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-29

Site Id: 22063
Affiliation Type: Facility Owner
Company Name: 120 PARK AVENUE ASSOCIATES LLC
Contact Type: VICE PRESIDENT
Contact Name: ROBERT L. HINDS
Address1: 120 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-6650
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-29

Tank Info:

Tank Number: NORTH #1
Tank Id: 41240
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

H00 - Tank Leak Detection - None
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
I04 - Overfill - Product Level Gauge (A/G)
E12 - Piping Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

120 PARK AVENUE (Continued)

A100293007

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1981
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMMOLOUG
Last Modified: 04/14/2017
Material Name: diesel

Q163
South
< 1/8
0.096 mi.
508 ft.

CONSOLIDATED EDISON
141 E 41ST ST SB8001
NEW YORK, NY 10005
Site 1 of 4 in cluster Q

NY MANIFEST **S108933178**
N/A

Relative:
Lower
Actual:
43 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 141 E 41ST ST SB8001
City,State,Zip: NEW YORK, NY 10005
Country: USA
EPA ID: NYP004152245
Facility Status: Not reported
Location Address 1: 141 E 41ST ST SB8001
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10005
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004152245
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933178

Generator Ship Date: 07/31/2007
Trans1 Recv Date: 07/31/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/02/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152245
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 000263040GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 1
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

N164 **CON EDISON SERVICE BOX 38625**
SSW **364 LEXINGTON AVE**
< 1/8 **NEW YORK, NY 10017**
0.098 mi.
515 ft. **Site 12 of 13 in cluster N**

RCRA NonGen / NLR **1014918710**
NJ MANIFEST **NYP004223293**
NY MANIFEST

Relative:
Lower
Actual:
48 ft.

RCRA Listings:
Date Form Received by Agency: 2011-02-04 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 38625
Handler Address: 364 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004223293
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38625 (Continued)

1014918710

Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38625 (Continued)

1014918710

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-01-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 38625
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-02-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 38625
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004223293
Mail Address:	IRVING PL RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JUAN RODRIGUEZ
Comments:	Not reported
SIC Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38625 (Continued)

1014918710

County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 007655635JJK
EPA ID: NYP004223293
Date Shipped: 1/5/2011
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 2,000.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38625 (Continued)

1014918710

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 364 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004223293
Facility Status: Not reported
Location Address 1: 364 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004223293
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602757

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/05/2011
Trans1 Recv Date: 01/05/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/07/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004223293
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007655635JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38625 (Continued)

1014918710

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**N165
SSW
< 1/8
0.098 mi.
515 ft.**

**LOT 58,TAXBLOCK 1295
364 LEXINGTON AVENUE
MANHATTAN, NY
Site 13 of 13 in cluster N**

NY E DESIGNATION

**S120838996
N/A**

**Relative:
Lower**

E DESIGNATION:

**Actual:
48 ft.**

Name: LOT 58,TAXBLOCK 1295
Address: 364 LEXINGTON AVENUE
City,State,Zip: MANHATTAN, NY
Tax Lot(s): 58
Tax Block: 1295
Borough Code: Not reported
E-No: E-408
Effective Date: 8/9/2017
Satisfaction Date: Not reported
Ceqr Number: 17DCP001M
Ulurp Number: N170186AZRM, C170187ZMM
Zoning Map No: 8c

Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

Description: Con Edison steam only
Lot Remediation Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O166
South
< 1/8
0.099 mi.
522 ft.
CON EDISON
371 LEXINGTON AVE
NEW YORK, NY 10017
Site 29 of 37 in cluster O

NY MANIFEST **S117314729**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: CON EDISON
Address: 371 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004618021
Facility Status: Not reported
Location Address 1: 371 LEXINGTON AVE
Code: BP
Location Address 2: MH 38630
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004618021
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/09/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004618021
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002502041GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314729

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

L167
WSW
< 1/8
0.099 mi.
522 ft.

CON EDISON
E 41ST ST & PARK AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS

1019324851
NYP004769675

Site 5 of 11 in cluster L

Relative:
Higher
Actual:
64 ft.

RCRA Listings:
Date Form Received by Agency: 2015-04-17 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 41ST & PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004769675
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324851

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324851

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2015-04-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2015-04-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - TRANSFORMER MANHOLE 2394
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-04-17 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019324851

Receive Date: 2015-04-17 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110070148772

Click Here:

Environmental Interest/Information System:

HAZARDOUS WASTE BIENNIAL REPORTER

Registry ID: 110067705077

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

P168
West
< 1/8
0.099 mi.
522 ft.

CON EDISON - VAULT V4725
118 - 132 PARK AVE.
NEW YORK, NY 10017

Site 4 of 6 in cluster P

RCRA NonGen / NLR **1010325987**
NY MANIFEST **NYP004136644**

Relative:
Higher
Actual:
61 ft.

RCRA Listings:

Date Form Received by Agency: 2006-02-23 00:00:00.0
Handler Name: CON EDISON - VAULT V4725
Handler Address: 118 - 132 PARK AVE.
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004136644
Contact Name: FRANKLIN MURRAY
Contact Address: 4 IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V4725 (Continued)

1010325987

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V4725 (Continued)

1010325987

Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-10-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-10-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-10-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V4725 (Continued)

1010325987

Date Became Current:	2005-10-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-02-22 00:00:00.0
Handler Name:	CON EDISON - VAULT V4725
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-02-23 00:00:00.0
Handler Name:	CON EDISON - VAULT V4725
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-02-21 00:00:00.0
Handler Name:	CON EDISON - VAULT V4725
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	118 - 132 PARK AVE.
City,State,Zip:	NEW YORK, NY 10017
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V4725 (Continued)

1010325987

EPA ID: NYP004136644
Facility Status: Not reported
Location Address 1: V4725 118-132 PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004136644
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0627471
Manifest Status: Not reported
seq: Not reported
Year: 2005
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/14/2005
Trans1 Recv Date: 10/14/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/14/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004136644
Trans1 EPA ID: 46235JM
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V4725 (Continued)

1010325987

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02682
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

P169
West
< 1/8
0.099 mi.
522 ft.

VAULT #4725
118 -132 PARK AVE
MANHATTAN, NY

NY Spills S107416034
N/A

Site 5 of 6 in cluster P

Relative:
Higher

Actual:
61 ft.

SPILLS:
Name: VAULT #4725
Address: 118 -132 PARK AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0508429 / 2006-01-12
Facility ID: 0508429
Facility Type: ER
DER Facility ID: 301359
Site ID: 354017
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-10-14
Investigator: GDBREEN
Referred To: Not reported
Reported to Dept: 2005-10-14
CID: 444
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-10-14
Spill Record Last Update: 2006-01-12
Spiller Name: ERT DESK
Spiller Company: VAULT #4725
Spiller Address: 118 -132 PARK AVE
Spiller Company: 001
Contact Name: ERT DESK
DEC Memo: "161498. 10/14/05 14:38. F.Simms#66618, Emergency Dept. Manager, notified the control center on 10/14/05 at 14:20hrs. to report a spill of 50 gallons of transformer oil and 200 gallons of water and foam in V4725, which is located in front of 118 - 132 Park Ave. between E. 41 ST & E. 42 ST. F.Simms#66618 was responding to a Fire Dept. report of a transformer fire when he found the spill. F.Simms#66618 reports that it is a possible broken bushing on the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT #4725 (Continued)

S107416034

transformer. The account number is #F3503. There was fire and smoke. There was no sewers or waterways affected. There were no injuries related to this spill and the weather could have had an affect, it is not known at this time. The Fire Dept. was/is on location. There was no private property affected. A yellow environmental tag numbered #01046 was hung in V4725. There will be 1 sample taken for PCB's. The Warhouse PCB History states 10 PPM, as of 09/09/1994. There was no initial cleanup action taken. The cleanup is pending a tanker and transformer removal. M.Schlagel#18276, of CIG, was notified on 10/11/05 at 14:29hrs. Logger : M.Casalta #12684 "

Remarks: "NO SEWERS OR WATERWAYS 200 GALLONS OF WATER IN HOLE, TRANSFORMER DIEL; FLUID POSSIBLE; THERE WAS FIRE: CREWS ON LOCATION; HISTORICAL PPM OF 10: IN 1992: 161498"

All Materials:

Site ID: 354017
Operable Unit ID: 1111456
Operable Unit: 01
Material ID: 2101498
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 50.00
Units: G
Recovered: .00
Oxygenate: Not reported

L170
WSW
< 1/8
0.099 mi.
522 ft.

**GRAVEL IN HUDSON, BRONX
232ND ST. PARK
NEW YORK CITY, NY**

**NY Spills S102143893
N/A**

Site 6 of 11 in cluster L

**Relative:
Higher**

**Actual:
63 ft.**

SPILLS:

Name: GRAVEL IN HUDSON, BRONX
Address: 232ND ST. PARK
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8600326 / 1986-04-15
Facility ID: 8600326
Facility Type: ER
DER Facility ID: 219700
Site ID: 269759
DEC Region: 2
Spill Cause: Unknown
Spill Class: Not reported
SWIS: 0301
Spill Date: 1986-04-13
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 1986-04-14
CID: Not reported
Water Affected: HUDSON RIVER
Spill Source: Commercial/Industrial
Spill Notifier: Citizen
Cleanup Ceased: 1986-04-15
Cleanup Meets Std: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAVEL IN HUDSON, BRONX (Continued)

S102143893

Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1986-05-05
Spill Record Last Update: 1986-06-27
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was 10/10/95: This is additional information about material spilled from the translation of the old spill file: GRAVEL MATERIAL."
Remarks: "OTH.LOC-JUST NO.OF THIS SITE-CONSTRUCTN.ELECTRCL.PWR.STA.STN.&GRAV.LKNG.MAT"

All Materials:
Site ID: 269759
Operable Unit ID: 898239
Operable Unit: 01
Material ID: 480500
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

**M171
SE
< 1/8
0.100 mi.
526 ft.**

**CVS # 07019
150 E 42ND STREET
NY, NY 10017
Site 10 of 19 in cluster M**

**PA MANIFEST S118889312
N/A**

**Relative:
Lower
Actual:
37 ft.**

Manifest Details:
Year: 2015
Manifest Number: 007379820FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099
Generator Date: 02/22/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 4
Waste Number: D002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS # 07019 (Continued)

S118889312

Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 7
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007395351FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099
Generator Date: 05/13/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 3
Waste Number: D009
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 5
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007395351FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099
Generator Date: 05/13/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 4
Waste Number: D002
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 13

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS # 07019 (Continued)

S118889312

Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007379820FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001307099
Generator Date:	02/22/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	2
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	13
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007395351FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001307099
Generator Date:	05/13/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	2
Waste Number:	D001
Container Number:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	5
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS # 07019 (Continued)

S118889312

Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007395351FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001307099
Generator Date:	05/13/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	27
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007379820FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001307099
Generator Date:	02/22/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	3
Waste Number:	D011
Container Number:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	7
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS # 07019 (Continued)

S118889312

Manifest Number: 007379820FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099
Generator Date: 02/22/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D001
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 7
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007395351FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099
Generator Date: 05/13/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D002
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 5
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007379820FLE
Manifest Type: TSD Copy
Generator EPA Id: NYD001307099

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS # 07019 (Continued)

S118889312

Generator Date: 02/22/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: U002
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 7
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional PA_MANIFEST: detail in the EDR Site Report.

M172
SE
< 1/8
0.100 mi.
526 ft.

CON EDISON SERVICE BOX: 8240
150 E 42ND ST
NEW YORK, NY 10016
Site 11 of 19 in cluster M

NJ MANIFEST S117986201
N/A

Relative:
Lower
Actual:
37 ft.

NJ MANIFEST:
EPA Id: NYP004267670
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 010456472JJK
EPA ID: NYP004267670
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8240 (Continued)

S117986201

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

M173
SE
< 1/8
0.100 mi.
526 ft.

CON EDISON SERVICE BOX: 8240
150 E 42ND ST
NEW YORK, NY 10016
Site 12 of 19 in cluster M

RCRA NonGen / NLR **1016143980**
NY MANIFEST **NYP004267670**

Relative:
Lower
Actual:
37 ft.

RCRA Listings:	
Date Form Received by Agency:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8240
Handler Address:	150 E 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004267670
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8240 (Continued)

1016143980

Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8240 (Continued)

1016143980

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:42:43.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8240
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8240
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	150 E 42ND ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267670
Facility Status:	Not reported
Location Address 1:	150 E 42 ST
Code:	BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8240 (Continued)

1016143980

Location Address 2: SERV BOX 8240
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267670
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267670
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456472JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8240 (Continued)

1016143980

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**M174
SE
< 1/8
0.100 mi.
526 ft.**

**MANHOLE #8242
150 E 42ND ST
MANHATTAN, NY**

**NY Spills S105056305
N/A**

Site 13 of 19 in cluster M

**Relative:
Lower**

SPILLS:

**Actual:
37 ft.**

Name: MANHOLE #8242
Address: 150 E 42ND ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0100197 / 2001-05-17
Facility ID: 0100197
Facility Type: ER
DER Facility ID: 97739
Site ID: 111787
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2001-04-06
Investigator: KMFOLEY
Referred To: Not reported
Reported to Dept: 2001-04-06
CID: 112
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-04-06
Spill Record Last Update: 2001-05-17
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: CHARLIE MCCARTHY
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was FOLEY "
Remarks: "1 gallon on 100 gallons of water - clean up pending test results Con Ed #136310"

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE #8242 (Continued)

S105056305

All Materials:

Site ID: 111787
Operable Unit ID: 838744
Operable Unit: 01
Material ID: 539466
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

**M175
SE
< 1/8
0.100 mi.
526 ft.**

**QUAD GRAPHICS
150 E 42ND ST 27TH FLOOR
NEW YORK, NY 10017**

**RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST**

**1004760552
NYR000048850**

Site 14 of 19 in cluster M

**Relative:
Lower**

**Actual:
37 ft.**

RCRA Listings:

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: QUAD GRAPHICS
Handler Address: 150 E 42ND ST 27TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000048850
Contact Name: ANTHONY CONFORTI
Contact Address: E 42ND ST 27TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-672-1369
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST 27TH FLOOR
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: QUAD GRAPHICS
Owner Type: Private
Operator Name: QUAD GRAPHICS
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

1004760552

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	QUAD GRAPHICS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	150 W 42ND ST 27TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

1004760552

Owner/Operator Telephone:	212-672-1369
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	QUAD GRAPHICS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	150 W 42ND ST 27TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-672-1369
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	QUAD GRAPHICS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	150 W 42ND ST 27TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-672-1369
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	QUAD GRAPHICS
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	QUAD GRAPHICS
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-01-09 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

1004760552

Handler Name:	QUAD GRAPHICS
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	2008-01-10 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

1004760552

Evaluation Responsible Person Identifier:	NYACY
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:

Registry ID: 110004539606

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004760552
Registry ID:	110004539606
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004539606
Name:	QUAD GRAPHICS
Address:	150 E 42ND ST 27TH FLOOR
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	QUAD GRAPHICS
Address:	150 E 42ND ST 27TH FLOOR
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000048850
Facility Status:	Not reported
Location Address 1:	150 EAST 42ND STREET 27TH FLR
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000048850
Mailing Name:	QUAD GRAPHICS
Mailing Contact:	ANTHONY CONFORTI
Mailing Address 1:	3 TIMES SQUARE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

1004760552

Mailing Zip: 10036
Mailing Zip 4: 6564
Mailing Country: USA
Mailing Phone: 2126721369

NY MANIFEST:

Document ID: NYG2976111
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: PX1132
Trans2 State ID: Not reported
Generator Ship Date: 08/21/2001
Trans1 Recv Date: 08/21/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/24/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000048850
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSD ID 1: NYD082785429
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M176
SE
< 1/8
0.100 mi.
526 ft.
MOBIL CHAMPLAIN
150 EAST 42 STREET
NEW YORK, NY 10017
Site 15 of 19 in cluster M

NY MOSF **S108413162**
N/A

Relative:
Lower

MOSF:

Actual:
37 ft.

Name: MOBIL CHAMPLAIN
Address: 150 EAST 42 STREET
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0189
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: MOBIL MT. VERNON
Address: 150 EAST 42 STREET
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0193
Program Type: MOSF
Tank Status: Inactive
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: MOBIL 33
Address: 150 EAST 42 STREET
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0194
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

M177
SE
< 1/8
0.100 mi.
526 ft.
A C C CAR CARE CENTER SERVICE
150 E 42ND ST
NEW YORK, NY 10017
Site 16 of 19 in cluster M

EDR Hist Auto **1020836237**
N/A

Relative:
Lower

EDR Hist Auto

Actual:
37 ft.

Year:	Name:	Type:
1972	MOBIL CENTERS INC DEL	Carwashes
1973	MOBIL CENTERS INC DEL	Carwashes
1974	MOBIL CENTERS INC DEL	Carwashes
1975	MOBIL CENTERS INC DEL	Carwashes
1976	MOBIL CENTERS INC DEL	Carwashes
1987	MOBIL CORPORATION	Crude Petroleum And Natural Gas
1987	MOBIL OIL CORPORATION	Crude Petroleum And Natural Gas
1988	MOBIL OIL CORPORATION	Crude Petroleum And Natural Gas
1989	MOBIL CORPORATION	Crude Petroleum And Natural Gas Production
1989	MOBIL OIL CORPORATION	Crude Petroleum And Natural Gas Production
1990	SOCONY MOBIL COMPANY INC	Petroleum Products, NEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A C C CAR CARE CENTER SERVICE (Continued)

1020836237

1991	SOCONY MOBIL COMPANY INC	Petroleum Products, NEC
1992	SOCONY MOBIL COMPANY INC	Petroleum Products, NEC
1993	SOCONY MOBIL COMPANY INC	Petroleum Products, NEC
1994	SOCONY MOBIL COMPANY INC	Petroleum Products, NEC
1994	MOBIL ADMINISTRATIVE SVCS CO I	Gasoline Service Stations
1995	MOBIL CORP	Gasoline Service Stations
1995	MOBIL ADMINISTRATIVE SVCS CO I	Gasoline Service Stations
2005	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2006	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2008	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2009	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2010	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2011	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC

M178
SE
< 1/8
0.100 mi.
526 ft.

CON EDISION - M8242
150 E. 42ND ST. 150 E. 42ND ST
NEW YORK, NY 10003

RCRA NonGen / NLR **1007207959**
NY MANIFEST **NYP004079323**

Site 17 of 19 in cluster M

Relative:
Lower
Actual:
37 ft.

RCRA Listings:	
Date Form Received by Agency:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - M8242
Handler Address:	150 E. 42ND ST. 150 E. 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10003
EPA ID:	NYP004079323
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	IRVING PLACE
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - M8242 (Continued)

1007207959

Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - M8242
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - M8242 (Continued)

1007207959

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - M8242
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - M8242
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	150 E. 42ND ST. 150 E. 42ND ST
City,State,Zip:	NEW YORK, NY 10003
Country:	USA
EPA ID:	NYP004079323
Facility Status:	Not reported
Location Address 1:	MH8242 150 E 42ND ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004079323
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - M8242 (Continued)

1007207959

Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0759699
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: 31877AJ
Trans2 State ID: Not reported
Generator Ship Date: 04/09/2001
Trans1 Recv Date: 04/09/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/10/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004079323
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02483
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	EDR ID Number EPA ID Number
M179 SE < 1/8 0.100 mi. 526 ft.	MOBIL OIL CORP 150 E 42ND ST NEW YORK, NY 10017 Site 18 of 19 in cluster M	RCRA NonGen / NLR FINDS ECHO NY MANIFEST	1000129701 NYD001307099
Relative: Lower	RCRA Listings:		
Actual: 37 ft.	Date Form Received by Agency:	2019-04-08 00:00:00.0	
	Handler Name:	CVS PHARMACY #7019	
	Handler Address:	150 E 42ND ST	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYD001307099	
	Contact Name:	NICOLE WILKINSON	
	Contact Address:	CVS DR MAIL CODE 2340	
	Contact City,State,Zip:	WOONSOCKET, RI 02895	
	Contact Telephone:	401-770-7132	
	Contact Fax:	Not reported	
	Contact Email:	NICOLE.WILKINSON@CVSHEALTH.COM	
	Contact Title:	DIRECTOR CORPORATE ENVIRONMENTAL	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Handler Activities	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	CVS DR MAIL CODE 2340	
	Mailing City,State,Zip:	WOONSOCKET, RI 02895	
	Owner Name:	HIRO REAL ESTATE CO	
	Owner Type:	Private	
	Operator Name:	CVS ALBANY LLC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-06-25 14:02:34.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D004
Waste Description:	ARSENIC
Waste Code:	D005
Waste Description:	BARIUM
Waste Code:	D006
Waste Description:	CADMIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D008
Waste Description:	LEAD
Waste Code:	D009
Waste Description:	MERCURY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D024
Waste Description:	M-CRESOL
Waste Code:	D027
Waste Description:	1,4-DICHLOROBENZENE
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste Code:	P012
Waste Description:	ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE
Waste Code:	P075
Waste Description:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
Waste Code:	P188
Waste Description:	BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL-5-YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE
Waste Code:	U002
Waste Description:	2-PROPANONE (I) (OR) ACETONE (I)
Waste Code:	U010
Waste Description:	AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[[AMINOCARBONYLOXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C
Waste Code:	U031
Waste Description:	1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)
Waste Code:	U034
Waste Description:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
Waste Code:	U035

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Waste Description:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U058
Waste Description:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
Waste Code:	U059
Waste Description:	5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN
Waste Code:	U070
Waste Description:	BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE
Waste Code:	U072
Waste Description:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
Waste Code:	U089
Waste Description:	DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-
Waste Code:	U122
Waste Description:	FORMALDEHYDE
Waste Code:	U129
Waste Description:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
Waste Code:	U132
Waste Description:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
Waste Code:	U150
Waste Description:	L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN
Waste Code:	U151
Waste Description:	MERCURY
Waste Code:	U154
Waste Description:	METHANOL (I) (OR) METHYL ALCOHOL (I)
Waste Code:	U165
Waste Description:	NAPHTHALENE
Waste Code:	U188
Waste Description:	PHENOL
Waste Code:	U200
Waste Description:	RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
Waste Code:	U201
Waste Description:	1,3-BENZENEDIOL (OR) RESORCINOL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Waste Code:	U204
Waste Description:	SELENIOUS ACID (OR) SELENIUM DIOXIDE
Waste Code:	U205
Waste Description:	SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)
Waste Code:	U206
Waste Description:	D-GLUCOSE, 2-DEOXY-2-[[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN
Waste Code:	U210
Waste Description:	ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE
Waste Code:	U279
Waste Description:	U279
Waste Code:	U411
Waste Description:	U411

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CORPORATION
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HIRO REAL ESTATE CO
Legal Status:	Private
Date Became Current:	2007-06-08 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	650 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10022
Owner/Operator Telephone:	212-370-0928
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HIRO REAL ESTATE CO
Legal Status:	Private
Date Became Current:	2007-06-08 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	650 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10022
Owner/Operator Telephone:	212-370-0928
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HIRO REAL ESTATE CO
Legal Status: Private
Date Became Current: 2007-06-08 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 650 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10022
Owner/Operator Telephone: 212-370-0928
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CORPORATION
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CORPORATION
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HIRO REAL ESTATE CO
Legal Status: Private
Date Became Current: 2007-06-08 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 650 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10022
Owner/Operator Telephone: 212-370-0928
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HIRO REAL ESTATE CO
Legal Status: Private
Date Became Current: 2007-06-08 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 650 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10022
Owner/Operator Telephone: 212-370-0928
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 1 CVS DR MAIL CODE 2340

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Owner/Operator City,State,Zip: WOONSOCKET, RI 02895
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 2007-10-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HIRO REAL ESTATE CO
Legal Status: Private
Date Became Current: 2007-06-08 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 650 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10022
Owner/Operator Telephone: 212-370-0928
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: ST REGIS PAPER CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: ST REGIS PAPER CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Receive Date: 1980-12-10 00:00:00.0
Handler Name: ST REGIS PAPER CO
Federal Waste Generator Description: Not reported
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2012-03-05 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2013-08-07 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2014-05-12 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-10-20 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2016-12-20 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2019-04-08 00:00:00.0
Handler Name: CVS PHARMACY #7019
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

FINDS:

Registry ID: 110009467969

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

ECHO:

Envid: 1000129701
Registry ID: 110009467969
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009467969>
Name: MOBIL OIL CORP
Address: 150 E 42ND ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CVS PHARMACY #7019
Address: 150 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD001307099
Facility Status: Not reported
Location Address 1: 150 EAST 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD001307099
Mailing Name: CVS PHARMACY #7019
Mailing Contact: CVS PHARMACY #7019
Mailing Address 1: 150 E 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126618139

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD082785429
Trans2 State ID: PAD982661381
Generator Ship Date: 12/22/2014
Trans1 Recv Date: 12/22/2014
Trans2 Recv Date: 12/29/2014
TSD Site Recv Date: 12/31/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001307099
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: RID040098352
TSDF ID 2: Not reported
Manifest Tracking Number: 007174968FLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000129701

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 30
Units: P - Pounds
Number of Containers: 1
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Waste Code: D011
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

M180
SE
< 1/8
0.100 mi.
526 ft.

MOBIL OIL CORP
150 E 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR **1000253395**
NYD068222041

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: MOBIL OIL CORP
Handler Address: 150 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD068222041
Contact Name: Not reported
Contact Address: E 42ND ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000253395

State District:	NYSDEC R2
Mailing Address:	E 42ND ST
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	MOBIL CORP
Owner Type:	Private
Operator Name:	MOBIL CORP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000253395

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MOBIL CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MOBIL CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MOBIL CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	MOBIL OIL CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL OIL CORP (Continued)

1000253395

Electronic Manifest Broker:	Not reported
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	MOBIL OIL CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	MOBIL OIL CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1980-08-15 00:00:00.0
Handler Name:	MOBIL OIL CORP
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

R181
West
< 1/8
0.100 mi.
528 ft.

CON EDISON
72 E 42 ST
NEW YORK, NY 10017

Site 1 of 14 in cluster R

NY MANIFEST **S117314577**
N/A

Relative: NY MANIFEST:
Higher

Actual: Name: CON EDISON
58 ft. Address: 72 E 42 ST
 City,State,Zip: NEW YORK, NY 10017
 Country: USA
 EPA ID: NYP004616421
 Facility Status: Not reported
 Location Address 1: 72 E 42 ST
 Code: BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314577

Location Address 2: SB 8221
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004616421
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/13/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616421
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608759GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314577

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

S182
ENE
< 1/8
0.101 mi.
531 ft.
44TH STREET BETWEEN 3RD
AND LEXINGTON
MANHATTAN, NY
Site 1 of 3 in cluster S

NY Spills **S104953256**
N/A

Relative:
Lower

Actual:
42 ft.

SPILLS:

Name: 44TH STREET BETWEEN 3RD
Address: AND LEXINGTON
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0012892 / 2003-02-13
Facility ID: 0012892
Facility Type: ER
DER Facility ID: 156168
Site ID: 186854
DEC Region: 2
Spill Cause: Other
Spill Class: C4
SWIS: 3101
Spill Date: 2001-03-07
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 2001-03-07
CID: 282
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Citizen
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-03-07
Spill Record Last Update: 2003-02-13
Spiller Name: N/A
Spiller Company: SUNRISE TRANSPORTATION
Spiller Address: N/A
Spiller Company: 001
Contact Name: N/A
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
DEMEO 2/13/2003 - Closed Due To The Nature / Extent Of The Spill
Report"
Remarks: "CITIZEN SAW A BUS DRIPPING WHAT LOOKED LIKE A BRIGHT GREEN SUBSTANCE
ONTO THE GROUND.THE BUS HAS SUNRISE TRANSPORTATION. CELL-914-953-8588

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

44TH STREET BETWEEN 3RD (Continued)

S104953256

FOR OUR COMPLAINT"

All Materials:

Site ID: 186854
Operable Unit ID: 834442
Operable Unit: 01
Material ID: 539615
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

O183
South
< 1/8
0.101 mi.
531 ft.

369 LEXINGTON BORROWER LLC
369 LEXINGTON AVE, 17TH FLOOR
NEW YORK, NY 10017

NY AST U003389903
N/A

Site 30 of 37 in cluster O

Relative:
Lower

AST:

Actual:
46 ft.

Name: 369 LEXINGTON BORROWER LLC
Address: 369 LEXINGTON AVE, 17TH FLOOR
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-317616
Program Type: PBS
UTM X: 586390.34074
UTM Y: 4511552.63566
Expiration Date: 09/09/2023
Site Type: Other

Affiliation Records:

Site Id: 14613
Affiliation Type: Mail Contact
Company Name: 369 LEXINGTON BORROWER LLC
Contact Type: Not reported
Contact Name: SHERIF FARAG
Address1: 369 LEXINGTON AVE
Address2: 17TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 983-0338
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-12

Site Id: 14613
Affiliation Type: Facility Operator
Company Name: 369 LEXINGTON BORROWER LLC
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

369 LEXINGTON BORROWER LLC (Continued)

U003389903

Contact Name: SHERIF FARAG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 204-5874
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-12

Site Id: 14613
Affiliation Type: Emergency Contact
Company Name: 369 LEXINGTON BORROWER LLC
Contact Type: Not reported
Contact Name: HESS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 204-5874
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-12

Site Id: 14613
Affiliation Type: Facility Owner
Company Name: 369 LEXINGTON BORROWER LLC
Contact Type: MEMBER
Contact Name: FREDDIE SROUR
Address1: 369 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 983-0338
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-12

Tank Info:

Tank Number: 001
Tank Id: 17835
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

369 LEXINGTON BORROWER LLC (Continued)

U003389903

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G99 - Tank Secondary Containment - Other
K00 - Spill Prevention - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/01/1978
Capacity Gallons: 10000
Tightness Test Method: 34
Date Test: 10/16/2018
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: BKFALVEY
Last Modified: 02/05/2019
Material Name: #2 fuel oil (on-site consumption)

O184
South
< 1/8
0.101 mi.
531 ft.

MACKLOWE MANAGEMENT
369 LEXINGTON AV
MANHATTAN, NY
Site 31 of 37 in cluster O

NY LTANKS **S104877543**
N/A

Relative:
Lower

Actual:
46 ft.

LTANKS:
Name: MACKLOWE MANAGEMENT
Address: 369 LEXINGTON AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0010906 / 2001-10-26
Facility ID: 0010906
Site ID: 302115
Spill Date: 2001-01-04
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2001-01-04
CID: 323
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2001-01-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MACKLOWE MANAGEMENT (Continued)

S104877543

Spill Record Last Update: 2002-01-23
Spiller Name: GEORGE
Spiller Company: MACKLOWE MANAGEMENT
Spiller Address: 369 LEXINGTON AV
Spiller County: 001
Spiller Contact: GEORGE
Spiller Phone: (212) 687-4390
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 244114
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was HINTON/SANGESLAND 9/18/2001 Sangesland spoke to Jim Simori (212-867-2120) He has a contractor who completed a Closure Report for the spill and he wanted to know what the correct process was to close the spill out. Sangesland told him to submit the report, color photos of the clean site along with a coverletter requesting that the spill be closed out. Overfill onto basement floor and vent line to sidewalk. 10/26/2001 - Spill was reviewed and closed out by Michael Hinton (DEC region #9) while he spent 1 week in NYC helping after WTC incident. According to a copy of a work report prepared by Eastmond & Sons Boiler Repair Inc., on 1/4/01 Eastmond was called to the site by Stuyvesant Fuel. Tank had been overfilled. 30 to 40 gallons spilled on the sidewalk. Speedie Dry was laid on the sidewalk and then it was pressure washed. Water/oil was vacuumed up. Eastmond provided a waste manifest for everything removed. Eastmond also provided color photos of the sidewalk and basement to confirm the cleanup. "

Remarks: "SUPERINTENDANT GAVE INACCURATE READING TO DRIVER. SUPER CLAIMED TANK WAS EMPTY AND TANK WAS NOT. EASTMAN ENROUTE TO CLEAN UP SPILL. PHOTOS AND CLEAN-UP REPORT SUBMITTED - SPILL CLEANED AND CLOSED - R. AUSTIN"

All Materials:
Site ID: 302115
Operable Unit ID: 832297
Operable Unit: 01
Material ID: 544785
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30.00
Units: G
Recovered: .00
Oxygenate: Not reported

T185
WNW
< 1/8
0.101 mi.
535 ft.

**GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILRO
15 VANDERBILT AVE
NEW YORK, NY 10017**

Site 1 of 8 in cluster T

**PA MANIFEST S109245802
N/A**

**Relative:
Higher**

Manifest Details:

**Actual:
56 ft.**

Year: 2018
Manifest Number: 017670466JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 04/11/2018
Mailing Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILROAD (Continued)

S109245802

Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 7
Container Type: Metal drums, barrels, kegs
Waste Quantity: 3675
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2018
Manifest Number: 017670466JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 04/11/2018
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D009
Container Number: 7
Container Type: Metal drums, barrels, kegs
Waste Quantity: 3675
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2017
Manifest Number: 015070760JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 05/16/2017
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILROAD (Continued)

S109245802

TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D009
Container Number: 3
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1549
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2017
Manifest Number: 015070760JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 05/16/2017
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 3
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1549
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2016
Manifest Number: 014216389JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 02/24/2016
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILROAD (Continued)

S109245802

TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D009
Container Number: 5
Container Type: Metal drums, barrels, kegs
Waste Quantity: 4000
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2016
Manifest Number: 014216389JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 02/24/2016
Mailing Address: Not reported
Mailing City, St, Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 5
Container Type: Metal drums, barrels, kegs
Waste Quantity: 4000
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2016
Manifest Number: 015073954JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 07/12/2016
Mailing Address: Not reported
Mailing City, St, Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILROAD (Continued)

S109245802

Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D009
Container Number: 4
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1936
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2016
Manifest Number: 015073954JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 07/12/2016
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 4
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1936
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 014218476JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 11/06/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL METRO NORTH COMMUTER RAILROAD (Continued)

S109245802

Waste Number: D009
Container Number: 2
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1200
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 014218476JJK
Manifest Type: TSD Copy
Generator EPA Id: NYD981179773
Generator Date: 11/06/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 212-340-2050
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: AERC.COM Inc
TSD Facility Address: 2591 Mitchell Ave
TSD Facility City: Allentown
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 2
Container Type: Metal drums, barrels, kegs
Waste Quantity: 1200
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD987367216
Date TSP Sig: Not reported

[Click this hyperlink](#) while viewing on your computer to access
41 additional PA_MANIFEST: record(s) in the EDR Site Report.

T186
WNW
< 1/8
0.101 mi.
535 ft.

METRO NORTH RAILROAD
GRAND CENTRAL TERMINAL
NEW YORK, NY 10603
Site 2 of 8 in cluster T

NY MANIFEST S119071456
N/A

Relative:
Higher

Actual:
56 ft.

NY MANIFEST:
Name: METRO NORTH RAILROAD
Address: GRAND CENTRAL TERMINAL
City,State,Zip: NEW YORK, NY 10603
Country: USA
EPA ID: NYD981179773
Facility Status: Not reported
Location Address 1: 25 VANERBILT AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD (Continued)

S119071456

Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD981179773
Mailing Name: METRO NORTH RAILROAD
Mailing Contact: GAIL SILKEM
Mailing Address 1: 525 N BROADWAY
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10603
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 9144610593

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD986908085
Trans2 State ID: NJD054126164
Generator Ship Date: 12/22/2009
Trans1 Recv Date: 12/22/2009
Trans2 Recv Date: 12/22/2009
TSD Site Recv Date: 01/15/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981179773
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: MID980991566
TSDF ID 2: Not reported
Manifest Tracking Number: 003675405JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 150
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH RAILROAD (Continued)

S119071456

Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**L187
WSW
< 1/8
0.103 mi.
546 ft.**

**MANHOLE #56305
EAST 41ST ST AND PARK AV
MANHATTAN, NY
Site 7 of 11 in cluster L**

**NY Spills S103827340
N/A**

**Relative:
Higher**

**Actual:
64 ft.**

SPILLS:

Name: MANHOLE #56305
Address: EAST 41ST ST AND PARK AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9812822 / 2004-01-08
Facility ID: 9812822
Facility Type: ER
DER Facility ID: 187370
Site ID: 227005
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1999-01-19
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1999-01-19
CID: 201
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-01-19
Spill Record Last Update: 2004-02-06
Spiller Name: Not reported
Spiller Company: UNK
Spiller Address: UNKNOWN
Spiller Company: 999
Contact Name: CALLER
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT 1/19/99, 9:32 hrs: ERT Shah - samples taken for PCB and oil ID. Unknown if water sampled. (CAE) ~~~~~ e2mis no. 122504: ONE GALLON UNKNOWN FLUID (OIL TYPE) AND 200 GALLONS OF UNKNOWN WHITE SUBSTANCE IN MH 56305. LAB SEQUENCE # 99-00516 PCB <1 PPM 1/20/99 cleanup completed. Removed 1,000 gals. Oil/Water to tanker. Used flush truck to clean & rinse structure."
Remarks: "1 GAL IS UNK OIL/OTHER IS UNK WHITE SUBSTANCE/SAMPLES OF BOTH HAVE BEEN TAKEN/CLEANUP WILL TAKE PLACE AFTER LAB RESULTS HAVE BEEN MADE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE #56305 (Continued)

S103827340

CON ED REF # 122504"

All Materials:

Site ID:	227005
Operable Unit ID:	1073271
Operable Unit:	01
Material ID:	313101
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	200.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Site ID:	227005
Operable Unit ID:	1073271
Operable Unit:	01
Material ID:	313100
Material Code:	0065A
Material Name:	unknown non-petro/non-haz material
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

L188
WSW
< 1/8
0.103 mi.
546 ft.

MANHOLE 2394
E 41ST ST / PARK AV
MANHATTAN, NY
Site 8 of 11 in cluster L

NY Spills S104953317
N/A

Relative:
Higher

Actual:
64 ft.

SPILLS:

Name:	MANHOLE 2394
Address:	E 41ST ST / PARK AV
City,State,Zip:	MANHATTAN, NY
Spill Number/Closed Date:	0012974 / 2001-08-24
Facility ID:	0012974
Facility Type:	ER
DER Facility ID:	179895
Site ID:	217294
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	3101
Spill Date:	2001-03-10
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2001-03-10
CID:	312
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 2394 (Continued)

S104953317

Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2001-03-10
Spill Record Last Update: 2001-08-24
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL "
Remarks: "on 150gal of water in the box - sample taken - contained - case 135866"

All Materials:
Site ID: 217294
Operable Unit ID: 834510
Operable Unit: 01
Material ID: 539697
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

**U189
ESE
< 1/8
0.104 mi.
549 ft.**

**VAULT#0310
130 EAST 43RD STREET
MANHATTAN, NY
Site 1 of 6 in cluster U**

**NY Spills S106968747
N/A**

**Relative:
Lower**

**Actual:
38 ft.**

SPILLS:
Name: VAULT#0310
Address: 130 EAST 43RD STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0503065 / 2005-12-29
Facility ID: 0503065
Facility Type: ER
DER Facility ID: 293898
Site ID: 347567
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-06-13
Investigator: SKARAKHA
Referred To: Not reported
Reported to Dept: 2005-06-13
CID: 408
Water Affected: Not reported
Spill Source: Commercial/Industrial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT#0310 (Continued)

S106968747

Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-06-14
Spill Record Last Update:	2005-12-29
Spiller Name:	ERT DESK
Spiller Company:	CON EDISON
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	ERT DESK MIKE DAUGHTERY
DEC Memo:	"e2mis no 159150 M Zaccardo #11549 discovered 3 gallons of transformer oil mixed with dirt on the concrete floor of the structure. No sewer or waterwat affected. No measuring device was used to determine the amount of the spill. Source of spill is the transformer and the cause is a leak(a possible bottom leak). Environmental yellow tag # 46096. The drain in the structure is clogged. No substantial cracks. 1 dirt and oil sample was taken from the spill by M Zaccardo # 11549 for pcb. Chain of custody # ee09000. Cleanup is pending transformer removal. Update 6-14-05 @ 00:39 Lab Sequence Number: 05-05670-001 TOTAL PCB 27 ppm 16 @ 00:25 Stlies # 03740 of Cable called mre up to find out the status of this structure. I informed him that a Contractor was assigned to flush this structure.Ticket # 29740. He informed me that the structure looked crystal clean in his opinion like it was double-washed and cleaned in the proper manner. He is treating this like a completed situation and will be dropping the Unit this morning. He said he will remove the tag. 8/16 @ 02:37 Spoke to Stiles and he informed me that the Flush Foreman told himn that the Vendor did in fact complete the washing of the structure. Environmental tag # 46096 was removed. Crew...Pirrello # 12120....Platt # 13218...Rosario # 11464....Holder # 85940 The spill was remediated the the replacement with a new Transformer unit. Completion 8/16/2005 @ 02:05"
Remarks:	"BELIEVED THAT THE TRANSFORMER IS LEAKING FROM THE BOTTOM. NO PRIVATE PROPERTY EFFECTED. CLEAN UP IS PENDING REMOPVAL OF TRANSFORMER. CON ED# 159150"
All Materials:	
Site ID:	347567
Operable Unit ID:	1105273
Operable Unit:	01
Material ID:	1502648
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

U190
ESE
< 1/8
0.104 mi.
549 ft.

CON ED - V 290
130 E 43RD ST
MANHATTAN, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1007206611
NYP004013009

Site 2 of 6 in cluster U

Relative:
Lower

Actual:
38 ft.

RCRA Listings:

Date Form Received by Agency:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 290
Handler Address:	130 E 43RD ST
Handler City,State,Zip:	MANHATTAN, NY 10017-0000
EPA ID:	NYP004013009
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	CONSOLIDATED EDISON INC
Contact City,State,Zip:	NEW YORK, NY 10003-0000
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 290 (Continued)

1007206611

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 290
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 290
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 290 (Continued)

1007206611

Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 290
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	130 E 43RD ST
City,State,Zip:	MANHATTAN, NY 10017-0000
Country:	USA
EPA ID:	NYP004013009
Facility Status:	Not reported
Location Address 1:	V 290 - 130 E 43 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004013009
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0004284
Manifest Status:	K
seq:	Not reported
Year:	1997
Trans1 State ID:	20854AD
Trans2 State ID:	Not reported
Generator Ship Date:	10/17/1997
Trans1 Recv Date:	10/17/1997
Trans2 Recv Date:	/ /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 290 (Continued)

1007206611

TSD Site Recv Date: 10/20/1997
Part A Recv Date: 11/10/1997
Part B Recv Date: 11/07/1997
Generator EPA ID: NYP004013009
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01123
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

O191
South
< 1/8
0.104 mi.
550 ft.

CON EDISON
365 LEXINGTON AVE
NEW YORK, NY 10017
Site 32 of 37 in cluster O

NY MANIFEST S118259123
N/A

Relative:
Lower
Actual:
47 ft.

NY MANIFEST:
Name: CON EDISON
Address: 365 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004826630
Facility Status: Not reported
Location Address 1: 365 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004826630

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118259123

Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/15/2015
Trans1 Recv Date: 09/15/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/18/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004826630
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613214GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118259123

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O192
South
< 1/8
0.104 mi.
550 ft.

CON EDISON
365 LEXINGTON AVE
NEW YORK, NY 10017
Site 33 of 37 in cluster O

RCRA NonGen / NLR

1019325432
NYP004826630

Relative:
Lower
Actual:
47 ft.

RCRA Listings:
Date Form Received by Agency: 2015-08-19 00:00:00.0
Handler Name: CON EDISON
Handler Address: 365 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004826630
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325432

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-08-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325432

Legal Status:	Private
Date Became Current:	2015-08-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - VAULT 777
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-08-19 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-08-19 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O193
South
< 1/8
0.104 mi.
550 ft.
CON EDISON
365 LEXINGTON AVE
NEW YORK, NY 10017
Site 34 of 37 in cluster O

NJ MANIFEST **S120675612**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
47 ft.

EPA Id: NYP004826630
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002613064GBF
EPA ID: NYP004826630
Date Shipped: 9/11/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675612

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002613214GBF
EPA ID: NYP004826630
Date Shipped: 9/15/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002612725GBF
EPA ID: NYP004826630
Date Shipped: 8/19/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675612

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**T194
NW
< 1/8
0.104 mi.
550 ft.**

**GRAND CENTRAL TERMINAL TRACK 23
25 VANDERBELT AVE
MANHATTAN, NY
Site 3 of 8 in cluster T**

**NY Spills S111458044
N/A**

**Relative:
Higher**

**Actual:
57 ft.**

SPILLS:
Name: GRAND CENTRAL TERMINAL TRACK 23
Address: 25 VANDERBELT AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1112519 / 2012-01-30
Facility ID: 1112519
Facility Type: ER
DER Facility ID: 414922
Site ID: 460459
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2012-01-29
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2012-01-29
CID: Not reported
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL TERMINAL TRACK 23 (Continued)

S111458044

Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2012-01-29
Spill Record Last Update: 2012-01-30
Spiller Name: GALE SLIKE
Spiller Company: METRO NORTH RAILROAD
Spiller Address: 25 VANDERBELT AVE
Spiller Company: 999
Contact Name: GALE SLIKE
DEC Memo: "On concrete, no environmental impact. Miller Environmental cleaned it up. Closure letter will be sent to DEC.(sr)"
Remarks: "10 gallons spilled to the gravel from a train. Clean up is in progress."

All Materials:

Site ID: 460459
Operable Unit ID: 1210548
Operable Unit: 01
Material ID: 2208190
Material Code: 0013
Material Name: lube oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

L195
WSW
< 1/8
0.105 mi.
557 ft.

**CONSOLIDATED EDISON
E.41 ST AND PARK AV
NEW YORK, NY 10017**

**NY MANIFEST S108933342
N/A**

Site 9 of 11 in cluster L

**Relative:
Higher
Actual:
64 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: E.41 ST AND PARK AV
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004152344
Facility Status: Not reported
Location Address 1: E.41 ST AND PARK AV
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004152344

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933342

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/29/2007
Trans1 Recv Date: 07/29/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/29/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152344
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 000175007GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933342

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

L196
WSW
< 1/8
0.105 mi.
557 ft.

CONSOLIDATED EDISON
PARK AVE & 41ST ST
NEW YORK, NY

NY MANIFEST

S108650846
N/A

Site 10 of 11 in cluster L

Relative:
Higher

Actual:
64 ft.

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: PARK AVE & 41ST ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004151890
Facility Status: Not reported
Location Address 1: PARK AVE & 41ST ST
Code: BP
Location Address 2: mh41643
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004151890
Mailing Name: consolidated ediSON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 irving pl rm 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/21/2007
Trans1 Recv Date: 07/21/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/23/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004151890
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001436068FLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650846

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 428
Units: K - Kilograms (2.2 pounds)
Number of Containers: 5
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

L197
WSW
< 1/8
0.105 mi.
557 ft.

CONSOLIDATED EDISON
PARK AVE & E 41 ST VS1653
NEW YORK, NY 10017

NY MANIFEST **1009241793**
N/A

Site 11 of 11 in cluster L

Relative:
Higher

NY MANIFEST:

Actual:
64 ft.

Name: CONSOLIDATED EDISON
Address: PARK AVE & E 41 ST VS1653
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004103149
Facility Status: Not reported
Location Address 1: PARK AVE & E 41 ST VS1653
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004103149
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241793

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0460764
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 31877AJ
Trans2 State ID: Not reported
Generator Ship Date: 10/02/2002
Trans1 Recv Date: 10/02/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/02/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004103149
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01210
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K198
NE
< 1/8
0.106 mi.
558 ft.
CON EDISON
443 LEXINGTON AVE
NEW YORK, NY 10017
Site 12 of 12 in cluster K

NY MANIFEST **S117314852**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
45 ft.

Name: CON EDISON
Address: 443 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619391
Facility Status: Not reported
Location Address 1: 443 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004619391
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619391
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608745GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314852

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 8000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O199
SSW
< 1/8
0.106 mi.
559 ft.

STREET
360 LEXINGTON AVE
MANHATTAN, NY

Site 35 of 37 in cluster O

NY Spills **S117852257**
N/A

Relative:
Lower

Actual:
48 ft.

SPILLS:
Name: STREET
Address: 360 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1500596 / 2015-04-17
Facility ID: 1500596
Facility Type: ER
DER Facility ID: 461514
Site ID: 506755
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 3101
Spill Date: 2015-04-17
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2015-04-17
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STREET (Continued)

S117852257

Remediation Phase: 0
Date Entered In Computer: 2015-04-17
Spill Record Last Update: 2015-04-17
Spiller Name: MICHELLE
Spiller Company: NYC TRANSIT
Spiller Address: 2 BROADWAY
Spiller Company: 999
Contact Name: MICHELLE
DEC Memo: "04/17/15-Hiralkumar Patel. 1:35 PM:- left message for Michelle. 1:59 PM:- received call from Michelle. she mentioned that approx. 5 gal of diesel spilled onto street only. FDNY resonded and cleaned up the spill. no impact to soil or sewer system. case closed."
Remarks: "Diesel spilled from bus 5706 to the street. Clean up is complete."

All Materials:
Site ID: 506755
Operable Unit ID: 1256098
Operable Unit: 01
Material ID: 2258903
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

V200
SE
< 1/8
0.106 mi.
559 ft.
CON EDISON SERVICE BOX: 8243
160 E 42ND ST
NEW YORK, NY 10016
Site 1 of 4 in cluster V

NJ MANIFEST **S117986206**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267720
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
37 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 010456473JJK
EPA ID: NYP004267720
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8243 (Continued)

S117986206

Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

V201
SE
< 1/8
0.106 mi.
559 ft.

CON EDISON SERVICE BOX: 8243
160 E 42ND ST
NEW YORK, NY 10016

Site 2 of 4 in cluster V

RCRA NonGen / NLR 1016143985
FINDS NYP004267720
ECHO
NY MANIFEST

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:
Contact Name:

2017-07-28 00:00:00.0
CON EDISON SERVICE BOX: 8243
160 E 42ND ST
NEW YORK, NY 10016
NYP004267720
JUAN RODRIGUEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8243 (Continued)

1016143985

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8243 (Continued)

1016143985

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:44:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8243
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8243
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055456876

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8243 (Continued)

1016143985

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143985
Registry ID: 110055456876
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456876>
Name: CON EDISON SERVICE BOX: 8243
Address: 160 E 42ND ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 160 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267720
Facility Status: Not reported
Location Address 1: 160 E 42 ST
Code: BP
Location Address 2: SERV BOX 8243
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267720
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8243 (Continued)

1016143985

Part B Recv Date: Not reported
Generator EPA ID: NYP004267720
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456473JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

O202
South
< 1/8
0.107 mi.
566 ft.

212277; 363 LEXINGTON AVE
363 LEXINGTON AVE
NEW YORK, NY

Site 36 of 37 in cluster O

NY Spills S110306358
N/A

Relative:
Lower
Actual:
47 ft.

SPILLS:
Name: 212277; 363 LEXINGTON AVE
Address: 363 LEXINGTON AVE
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0814251 / 2008-07-15
Facility ID: 0814251
Facility Type: ER
DER Facility ID: 386364
Site ID: 432451
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 2008-07-02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212277; 363 LEXINGTON AVE (Continued)

S110306358

Investigator: DMPOKRZY
Referred To: Not reported
Reported to Dept: 2008-12-31
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: Not reported
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2010-04-16
Spill Record Last Update: 2010-04-16
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 5030 BROADWAY
Spiller Company: 001
Contact Name: ERT DESK
DEC Memo: ""
Remarks: ""

All Materials:
Site ID: 432451
Operable Unit ID: 1183512
Operable Unit: 01
Material ID: 2177700
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

O203
South
< 1/8
0.107 mi.
566 ft.

VAULT
363 LEXINGTON AVE
MANHATTAN, NY

Site 37 of 37 in cluster O

NY Spills **S109583490**
NY E DESIGNATION **N/A**

Relative:
Lower

Actual:
47 ft.

SPILLS:
Name: VAULT
Address: 363 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0902637 / 2009-06-22
Facility ID: 0902637
Facility Type: ER
DER Facility ID: 363838
Site ID: 414691
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2009-06-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT (Continued)

S109583490

Investigator: Con Ed Unassigned
Referred To: Not reported
Reported to Dept: 2009-06-04
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2009-06-04
Spill Record Last Update: 2009-06-22
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ERT
DEC Memo: "06/22/09 - See eDocs for Con Ed report detailing cleanup and closure. "
Remarks: "CALLER STATES THAT THERES 10 GALLONS OF TRANSFORMER OIL ON TOP OF 50 GALLONS WATER CONTAINED TO THE VAULT CLEAN UP IS PENDING."

All Materials:

Site ID: 414691
Operable Unit ID: 1171073
Operable Unit: 01
Material ID: 2162859
Material Code: 0020A
Material Name: transformer oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: 10.00
Oxygenate: Not reported

Site ID: 414691
Operable Unit ID: 1171073
Operable Unit: 01
Material ID: 2162860
Material Code: 9999
Material Name: other - WATER
Case No.: Not reported
Material FA: Other
Quantity: 50.00
Units: G
Recovered: 50.00
Oxygenate: Not reported

E DESIGNATION:

Name: LOT 20,TAXBLOCK 1295
Address: 363 LEXINGTON AVENUE
City,State,Zip: MANHATTAN, NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT (Continued)

S109583490

Tax Lot(s): 20
Tax Block: 1295
Borough Code: Not reported
E-No: E-408
Effective Date: 8/9/2017
Satisfaction Date: Not reported
Ceqr Number: 17DCP001M
Ulurp Number: N170186AZRM, C170187ZMM
Zoning Map No: 8c

Description: Exhaust stack location limitations
Lot Remediation Date: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

W204
WSW
< 1/8
0.108 mi.
569 ft.

CON EDISON
E 41ST ST & PARK AVE SW COR
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1018280726
NYP004756300

Site 1 of 2 in cluster W

Relative:
Higher
Actual:
65 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-24 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 41ST ST & PARK AVE SW COR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004756300
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280726

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-03-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280726

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-03-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067710828

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018280726
Registry ID:	110067710828
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067710828
Name:	CON EDISON
Address:	E 41ST ST & PARK AVE SW COR
City,State,Zip:	NEW YORK, NY 10017

Envid:	1018280726
Registry ID:	110067705077
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067705077
Name:	CON EDISON
Address:	E 41ST ST & PARK AVE
City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S205
ENE
< 1/8
0.108 mi.
569 ft.
HOTEL GRAND CENTRAL LLC
141 EAST 44TH STREET
NEW YORK, NY 10017
Site 2 of 3 in cluster S

NY AST
U003383788
N/A

Relative:
Lower

AST:

Actual:
42 ft.

Name: HOTEL GRAND CENTRAL LLC
Address: 141 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-062979
Program Type: PBS
UTM X: 586557.79915
UTM Y: 4511805.97494
Expiration Date: N/A
Site Type: Other

Affiliation Records:

Site Id: 1218
Affiliation Type: Facility Owner
Company Name: JOHN FITZ-PATRICK
Contact Type: Not reported
Contact Name: Not reported
Address1: 141 EAST 44TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 351-6800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1218
Affiliation Type: Mail Contact
Company Name: FITZ-PATRICK GRAND CENTRAL HOTEL
Contact Type: Not reported
Contact Name: RUDOLPH RILEY
Address1: 141 EAST 44TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 351-6800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1218
Affiliation Type: Facility Operator
Company Name: HOTEL GRAND CENTRAL LLC
Contact Type: Not reported
Contact Name: RUDOLPH RILEY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOTEL GRAND CENTRAL LLC (Continued)

U003383788

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 351-6800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1218
Affiliation Type: Emergency Contact
Company Name: JOHN FITZ-PATRICK
Contact Type: Not reported
Contact Name: RUDOLPH RILEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 351-6800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 2260
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser
H99 - Tank Leak Detection - Other

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOTEL GRAND CENTRAL LLC (Continued)

U003383788

Next Test Date: Not reported
Date Tank Closed: 03/08/2011
Register: True
Modified By: LXZIELIN
Last Modified: 04/20/2017
Material Name: #6 fuel oil (on-site consumption)

R206
WNW
< 1/8
0.109 mi.
574 ft.

CON EDISON - MANHOLE M56616
E 42 ST & VANDERBILT AVE
NEW YORK, NY 10017

NY MANIFEST **S120958965**
N/A

Site 2 of 14 in cluster R

Relative:
Higher
Actual:
58 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE M56616
Address: E 42 ST & VANDERBILT AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004980247
Facility Status: Not reported
Location Address 1: E 42 ST & VANDERBILT AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004980247
Mailing Name: CON EDISON - MANHOLE M56616
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

R207
WNW
< 1/8
0.109 mi.
574 ft.

MTA -SHUTTLE PLATFORM & MEZZANINE
42ND ST & VANDERBILT AVE
NEW YORK, NY 10017

NY MANIFEST **S120959613**
N/A

Site 3 of 14 in cluster R

Relative:
Higher
Actual:
58 ft.

NY MANIFEST:
Name: MTA -SHUTTLE PLATFORM & MEZZANINE
Address: 42ND ST & VANDERBILT AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000226746
Facility Status: Not reported
Location Address 1: 42ND ST & VANDERBILT AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA -SHUTTLE PLATFORM & MEZZANINE (Continued)

S120959613

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000226746
Mailing Name: MTA -SHUTTLE PLATFORM & MEZZANINE
Mailing Contact: MTA -SHUTTLE PLATFORM & MEZZANINE
Mailing Address 1: 42ND ST & VANDERBILT AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/18/2017
Trans1 Recv Date: 07/18/2017
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/18/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000226746
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 015633346JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA -SHUTTLE PLATFORM & MEZZANINE (Continued)

S120959613

Quantity: 60
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**R208
WNW
< 1/8
0.109 mi.
574 ft.**

**CON EDISON
VANDERBILT AVE & E 42ND ST
NEW YORK, NY 10017**

**NJ MANIFEST S120675639
N/A**

Site 4 of 14 in cluster R

**Relative:
Higher
Actual:
58 ft.**

NJ MANIFEST:
EPA Id: NYP004826929
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002612919GBF
EPA ID: NYP004826929
Date Shipped: 8/20/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675639

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

R209
WNW
< 1/8
0.109 mi.
574 ft.

MTA -SHUTTLE PLATFORM & MEZZANINE
42ND ST & VANDERBILT AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1018281295
FINDS NYR000226746
ECHO

Site 5 of 14 in cluster R

Relative:
Higher
Actual:
58 ft.

RCRA Listings:
Date Form Received by Agency: 2017-04-18 00:00:00.0
Handler Name: MTA -SHUTTLE PLATFORM & MEZZANINE
Handler Address: 42ND ST & VANDERBILT AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000226746
Contact Name: THOMAS FRANCISCO
Contact Address: LEXINGTON AVE 7TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-230-2300
Contact Fax: Not reported
Contact Email: THOMAS.FRANCISCO@HINES.COM
Contact Title: CONSTRUCTION MANAGER
EPA Region: 02
Land Type: State
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: BROADWAY
Mailing City,State,Zip: NEW YORK, NY 10004
Owner Name: METROPOLITAN TRANSIT AUTHORITY
Owner Type: State
Operator Name: METROPOLITAN TRANSIT AUTHORITY
Operator Type: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA -SHUTTLE PLATFORM & MEZZANINE (Continued)

1018281295

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-05-23 14:52:43.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA -SHUTTLE PLATFORM & MEZZANINE (Continued)

1018281295

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY
Legal Status:	State
Date Became Current:	1965-02-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	212-230-2300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY
Legal Status:	State
Date Became Current:	1965-02-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY
Legal Status:	State
Date Became Current:	1965-02-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN TRANSIT AUTHORITY
Legal Status:	State
Date Became Current:	1965-02-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	212-230-2300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2017-04-18 00:00:00.0
Handler Name:	MTA -SHUTTLE PLATFORM & MEZZANINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA -SHUTTLE PLATFORM & MEZZANINE (Continued)

1018281295

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2016-05-13 00:00:00.0
Handler Name:	MTA -SHUTTLE PLATFORM & MEZZANINE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069283554

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018281295
Registry ID:	110069283554
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069283554
Name:	MTA -SHUTTLE PLATFORM & MEZZANINE
Address:	42ND ST & VANDERBILT AVE
City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

R210
WNW
< 1/8
0.109 mi.
574 ft.
CON ED
VANDERBILT AVE & E 42ND ST
NEW YORK, NY 10017
Site 6 of 14 in cluster R

NY MANIFEST **S119077310**
N/A

Relative:
Higher

Actual:
58 ft.

NY MANIFEST:
Name: CON ED
Address: VANDERBILT AVE & E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004826929
Facility Status: Not reported
Location Address 1: E 42ND ST AND VANDERBILT AVE
Code: BP
Location Address 2: SB 8212
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004826929
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/20/2015
Trans1 Recv Date: 08/20/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/21/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004826929
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612919GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119077310

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

R211
WNW
< 1/8
0.109 mi.
574 ft.

CON EDISON
VANDERBILT AVE & E 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1019906825
NYP004826929

Site 7 of 14 in cluster R

Relative:
Higher
Actual:
58 ft.

RCRA Listings:
Date Form Received by Agency: 2015-08-20 00:00:00.0
Handler Name: CON EDISON
Handler Address: VANDERBILT AVE & E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004826929
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906825

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906825

Historic Generators:

Receive Date:	2015-08-20 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-08-20 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069675177

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019906825
Registry ID:	110069675177
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069675177
Name:	CON EDISON
Address:	VANDERBILT AVE & E 42ND ST
City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

R212 CON EDISON - VANDERBILT AVE
WNW E 42ND ST & VANDERBILT AVE
< 1/8 MANHATTAN, NY 10017

PA MANIFEST S118889084
N/A

0.109 mi.
574 ft.

Site 8 of 14 in cluster R

Relative:
Higher

Manifest Details:

Actual:
58 ft.

Year: 2015
Manifest Number: 002659497GBF
Manifest Type: TSD Copy
Generator EPA Id: NYP004715363
Generator Date: 01/15/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Cargo tanks (tank trucks)
Waste Quantity: 2000
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

R213 CON EDISON
WNW E 42ND ST & VANDERBUILT AVE
< 1/8 NEW YORK, NY 10017

NY MANIFEST S117738485
N/A

0.109 mi.
574 ft.

Site 9 of 14 in cluster R

Relative:
Higher

NY MANIFEST:

Actual:
58 ft.

Name: CON EDISON
Address: E 42ND ST & VANDERBUILT AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004715363
Facility Status: Not reported
Location Address 1: E 42ND ST & VANDERBUILT AVE
Code: BP
Location Address 2: MH 8218
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004715363
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117738485

Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/15/2015
Trans1 Recv Date: 01/15/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004715363
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 002659497GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1568
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X214
SW
< 1/8
0.109 mi.
576 ft.
CONSOLIDATED EDISON
101 PARK AVE MH7993
NEW YORK, NY 10002
Site 1 of 2 in cluster X

NY MANIFEST **S108933162**
N/A

Relative:
Higher

Actual:
63 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 101 PARK AVE MH7993
City,State,Zip: NEW YORK, NY 10002
Country: USA
EPA ID: NYP004152237
Facility Status: Not reported
Location Address 1: 101 PARK AVE MH7993
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10002
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004152237
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/28/2007
Trans1 Recv Date: 07/28/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/02/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004152237
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 000263034GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933162

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 1
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**X215
SW
< 1/8
0.109 mi.
576 ft.**

**PAVEMENT STORM DRAIN
101 PARK AVE
MANHATTAN, NY
Site 2 of 2 in cluster X**

**NY Spills S118260442
N/A**

**Relative:
Higher
Actual:
63 ft.**

SPILLS:
Name: PAVEMENT STORM DRAIN
Address: 101 PARK AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1505151 / 2015-08-27
Facility ID: 1505151
Facility Type: ER
DER Facility ID: 467051
Site ID: 512500
DEC Region: 2
Spill Cause: Housekeeping
Spill Class: D3
SWIS: 2401
Spill Date: 2015-08-13
Investigator: RMPIPER
Referred To: Not reported
Reported to Dept: 2015-08-13
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PAVEMENT STORM DRAIN (Continued)

S118260442

Remediation Phase: 0
Date Entered In Computer: 2015-08-13
Spill Record Last Update: 2015-08-27
Spiller Name: WAYNE
Spiller Company: APPROVED OIL
Spiller Address: 101 PARK AVE
Spiller Company: 999
Contact Name: WAYNE
DEC Memo: "DEC Piper responded to site. Approx 30-40 gal of oil on ground washed down street by super. Spill was due to faulty piping and valving in basement. Needs to be repaired. All boro on scene cleaning spill. DEP hazmat and DEP and waste on scene. 8/13/15- DEC Piper received call from All Boro. Street and drain cleaned. Storm drain vacced out. Secondary containment of generator tank pumped out. Based on visit and work to date, spill closed. "
Remarks: "over fill clean up is started"

All Materials:

Site ID: 512500
Operable Unit ID: 1261758
Operable Unit: 01
Material ID: 2265206
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

Q216
South
< 1/8
0.109 mi.
577 ft.

CON EDISON - VAULT 504
150 E 41 ST
NEW YORK, NY 10017
Site 2 of 4 in cluster Q

RCRA-LQG **1019325888**
NYP004868362

Relative:
Lower
Actual:
42 ft.

RCRA Listings:
Date Form Received by Agency: 2016-02-26 00:00:00.0
Handler Name: CON EDISON - VAULT 504
Handler Address: 150 E 41 ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004868362
Contact Name: THERESA BURKARD
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2262
Contact Fax: Not reported
Contact Email: BURKARDT@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2015
Accessibility: Not reported
Active Site Indicator: Handler Activities

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 504 (Continued)

1019325888

State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PLACE, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-11-07 13:10:02.0
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 504 (Continued)

1019325888

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-11-12 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-11-12 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-26 00:00:00.0
Handler Name:	CON EDISON - VAULT 504
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
Q217 South < 1/8 0.109 mi. 577 ft.	CON ED 150 E 41 ST NEW YORK, NY 10017 Site 3 of 4 in cluster Q	NY MANIFEST	S118563655 N/A

Relative:	NY MANIFEST:	
Lower	Name:	CON ED
	Address:	150 E 41 ST
Actual:	City,State,Zip:	NEW YORK, NY 10017
42 ft.	Country:	USA
	EPA ID:	NYP004868362
	Facility Status:	Not reported
	Location Address 1:	150 E 41 ST
	Code:	BP
	Location Address 2:	Not reported
	Total Tanks:	Not reported
	Location City:	NEW YORK
	Location State:	NY
	Location Zip:	10017
	Location Zip 4:	Not reported
	NY MANIFEST:	
	EPAID:	NYP004868362
	Mailing Name:	CON ED
	Mailing Contact:	CON ED
	Mailing Address 1:	4 IRVING PL 15TH FL NE
	Mailing Address 2:	Not reported
	Mailing City:	NEW YORK
	Mailing State:	NY
	Mailing Zip:	10003
	Mailing Zip 4:	Not reported
	Mailing Country:	USA
	Mailing Phone:	Not reported

Q218 South < 1/8 0.109 mi. 577 ft.	CON EDISON - VAULT 504 150 E 41 ST NEW YORK, NY 10017 Site 4 of 4 in cluster Q	NJ MANIFEST	S120677852 N/A
--	---	--------------------	---------------------------------

Relative:	NJ MANIFEST:	
Lower	EPA Id:	NYP004868362
	Mail Address:	IRVING PLACE, 15TH FL NE
Actual:	Mail City/State/Zip:	NEW YORK, NY 10003
42 ft.	Facility Phone:	Not reported
	Emergency Phone:	Not reported
	Contact:	THERESA BURKARD
	Comments:	Not reported
	SIC Code:	Not reported
	County:	NY061
	Municipal:	Not reported
	Previous EPA Id:	Not reported
	Gen Flag:	Not reported
	Trans Flag:	Not reported
	TSD Flag:	Not reported
	Name Change:	Not reported
	Date Change:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 504 (Continued)

S120677852

Manifest:

Manifest Number: 002613516GBF
EPA ID: NYP004868362
Date Shipped: 11/12/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002613517GBF
EPA ID: NYP004868362
Date Shipped: 11/12/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 504 (Continued)

S120677852

Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

T219
WNW
< 1/8
0.109 mi.
578 ft.

ONE VANDERBILT
10 VANDERBILT AVENUE
NEW YORK CITY, NY

NY VCP S125317298
N/A

Site 4 of 8 in cluster T

Relative:
Higher
Actual:
57 ft.

VCP NYC:

Project ID: 16TMP0050M, 16EHAN049M, 16CVCP053M, 19TMP1815M (MERGED), 19TMP1933M (MERGED), 19TMP2
Name: ONE VANDERBILT
Address: 10 VANDERBILT AVENUE
City,State,Zip: NEW YORK CITY, NY
Borough: Manhattan

T220
WNW
< 1/8
0.109 mi.
578 ft.

ONE VANDERBILT LLC
10 VANDERBILT AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1019326227
NYR000228403

Site 5 of 8 in cluster T

Relative:
Higher
Actual:
57 ft.

RCRA Listings:

Date Form Received by Agency: 2017-04-18 00:00:00.0
Handler Name: ONE VANDERBILT LLC
Handler Address: 10 VANDERBILT AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000228403
Contact Name: KEVIN GORDON
Contact Address: LEXINGTON AVE - 7TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10170

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT LLC (Continued)

1019326227

Contact Telephone:	646-647-1086
Contact Fax:	Not reported
Contact Email:	KEVIN.GORDON@AECOM.COM
Contact Title:	SUPERINTENDENT
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE
Mailing City,State,Zip:	NEW YORK, NY 10022
Owner Name:	ONE VANDERBILT OWNER LLC
Owner Type:	Private
Operator Name:	ONE VANDERBILT OWNER LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT LLC (Continued)

1019326227

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-05-25 14:35:43.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE - 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10170
Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT LLC (Continued)

1019326227

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-04-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE - 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10170
Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2017-04-18 00:00:00.0
Handler Name:	ONE VANDERBILT LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-08-25 00:00:00.0
Handler Name:	ONE VANDERBILT LLC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

T221
WNW
< 1/8
0.109 mi.
578 ft.

ONE VANDERBILT LLC
10 VANDERBILT AVE
NEW YORK, NY 10017
Site 6 of 8 in cluster T

NY MANIFEST **S118954270**
N/A

Relative:
Higher
Actual:
57 ft.

NY MANIFEST:	
Name:	ONE VANDERBILT LLC
Address:	10 VANDERBILT AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000228403

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT LLC (Continued)

S118954270

Facility Status: Not reported
Location Address 1: 10 VANDERBILT AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000228403
Mailing Name: ONE VANDERBILT LLC
Mailing Contact: ONE VANDERBILT LLC
Mailing Address 1: 10 VANDERBILT AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Y222
East
< 1/8
0.111 mi.
584 ft.

THE METROPOLIS
150 EAST 44TH STREET
NEW YORK, NY 10017
Site 1 of 4 in cluster Y

NY AST A100296276
N/A

Relative:
Lower

AST:

Actual:
39 ft.

Name: THE METROPOLIS
Address: 150 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607847
Program Type: PBS
UTM X: 586583.35853
UTM Y: 4511770.30746
Expiration Date: 06/19/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29699
Affiliation Type: Facility Owner
Company Name: LEXINGTON BELVEDERE LLC C/O ROSE ASSOCIATES INC
Contact Type: PROPERTY MANAGER
Contact Name: SOPHIA PARK
Address1: 200 MADISON AVENUE, 5TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 210-6667
EMail: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE METROPOLIS (Continued)

A100296276

Modified By: MFLEONAR
Date Last Modified: 2017-06-15

Site Id: 29699
Affiliation Type: Mail Contact
Company Name: ROSE ASSOCIATES INC
Contact Type: Not reported
Contact Name: COMPLIANCE DEPT.
Address1: 200 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 210-6762
EMail: SNICHOLSON@ROSENYC.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-15

Site Id: 29699
Affiliation Type: Facility Operator
Company Name: THE METROPOLIS
Contact Type: Not reported
Contact Name: ELVIN BAUTISTA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 785-6142
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-15

Site Id: 29699
Affiliation Type: Emergency Contact
Company Name: LEXINGTON BELVEDERE LLC C/O ROSE ASSOCIATES INC
Contact Type: Not reported
Contact Name: ELVIN BAUTISTA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 785-6142
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-15

Tank Info:

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE METROPOLIS (Continued)

A100296276

Tank Id: 63638
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
J02 - Dispenser - Suction Dispenser
H99 - Tank Leak Detection - Other

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/2002
Capacity Gallons: 12000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/15/2017
Material Name: #2 fuel oil (on-site consumption)

Y223
East
< 1/8
0.111 mi.
584 ft.

CON EDISON
150 E 44TH ST
NEW YORK, NY 10017

Site 2 of 4 in cluster Y

NJ MANIFEST S120677226
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004844532
Mail Address: IRVING PL 15TH FL NE
Actual: Mail City/State/Zip: NEW YORK, NY 10003
39 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677226

Manifest:
Manifest Number: 002625025GBF
EPA ID: NYP004844532
Date Shipped: 9/28/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Y224
East
< 1/8
0.111 mi.
584 ft.
CON EDISON
150 E 44TH ST
NEW YORK, NY 10017
Site 3 of 4 in cluster Y

RCRA NonGen / NLR 1019908319
FINDS NYP004844532
ECHO

Relative:
Lower
Actual:
39 ft.
RCRA Listings:
Date Form Received by Agency: 2015-09-28 00:00:00.0
Handler Name: CON EDISON
Handler Address: 150 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004844532
Contact Name: THOMAS TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908319

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908319

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDU Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069665008

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908319

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019908319
Registry ID: 110069665008
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069665008>
Name: CON EDISON
Address: 150 E 44TH ST
City,State,Zip: NEW YORK, NY 10017

**R225
WNW
< 1/8
0.112 mi.
593 ft.**

**BETWEEN 40TH ST &
40TH & 42ND ST/MADISON AV
MANHATTAN, NY**

**NY LTANKS S105996669
N/A**

Site 10 of 14 in cluster R

**Relative:
Higher**

LTANKS:

**Actual:
58 ft.**

Name: BETWEEN 40TH ST &
Address: 40TH & 42ND ST/MADISON AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0205816 / 2003-07-17
Facility ID: 0205816
Site ID: 81030
Spill Date: 2002-09-05
Spill Cause: Tank Failure
Spill Source: Commercial Vehicle
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2002-09-05
CID: 211
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2002-09-05
Spill Record Last Update: 2004-03-03
Spiller Name: Not reported
Spiller Company: SKYLINE BUS
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: NEW YORK CITY FD
Spiller Phone: (212) 628-2900
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 75020
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETWEEN 40TH ST & (Continued)

S105996669

Remarks: SANGESLAND COPIED ECO'S."
"sewer also affected - tank ruptured on bus - fire dept on scene
attempting to contain - req dec rep to scene"

All Materials:

Site ID: 81030
Operable Unit ID: 857411
Operable Unit: 01
Material ID: 520010
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 30.00
Units: G
Recovered: .00
Oxygenate: Not reported

V226
SE
< 1/8
0.112 mi.
594 ft.

CON EDISON - MANHOLE M8242
170 E 42ND ST
NEW YORK, NY 10017
Site 3 of 4 in cluster V

RCRA-LQG 1024891349
NYP005098955

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE M8242
Handler Address: 170 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP005098955
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M8242 (Continued)

1024891349

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M8242 (Continued)

1024891349

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 2017-06-18 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: 212-460-2757
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 2017-06-18 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: 212-460-2757
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE M8242
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

V227
SE
< 1/8
0.112 mi.
594 ft.

CON EDISON - MANHOLE M8242
170 E 42ND ST
NEW YORK, NY 10017
Site 4 of 4 in cluster V

NY MANIFEST S121968271
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE M8242
Address: 170 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M8242 (Continued)

S121968271

EPA ID: NYP005098955
Facility Status: Not reported
Location Address 1: 170 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP005098955
Mailing Name: CON EDISON - MANHOLE M8242
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Z228
NNE
< 1/8
0.113 mi.
597 ft.

CON EDISON OTHER SPECIFY: NONE
104 E 45TH ST
NEW YORK, NY 10170
Site 1 of 7 in cluster Z

RCRA NonGen / NLR 1016144208
FINDS NYP004269973
ECHO
NY MANIFEST

Relative:
Higher
Actual:
49 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON OTHER SPECIFY: NONE
Handler Address: 104 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10170
EPA ID: NYP004269973
Contact Name: GARY FARRELL
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 718-319-2340
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING GENERAL SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER SPECIFY: NONE (Continued)

1016144208

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-23 14:53:06.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER SPECIFY: NONE (Continued)

1016144208

Historic Generators:

Receive Date:	2012-09-21 00:00:00.0
Handler Name:	CON EDISON OTHER - SPECIFY: NONE
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON OTHER SPECIFY: NONE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055424759

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144208
Registry ID:	110055424759
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055424759
Name:	CON EDISON OTHER SPECIFY: NONE
Address:	104 E 45TH ST
City,State,Zip:	NEW YORK, NY 10170

NY MANIFEST:

Name:	CON EDISON
Address:	104 E 45TH ST
City,State,Zip:	NEW YORK, NY 10170
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER SPECIFY: NONE (Continued)

1016144208

EPA ID: NYP004269973
Facility Status: Not reported
Location Address 1: 104 E 45 ST- MANHATTAN
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10170
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269973
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Z229
NNE
< 1/8
0.113 mi.
597 ft.

CON EDISON OTHER SPECIFY: NONE
104 E 45TH ST
NEW YORK, NY 10170
Site 2 of 7 in cluster Z

NJ MANIFEST S117986407
N/A

Relative:
Higher
Actual:
49 ft.

NJ MANIFEST:
EPA Id: NYP004269973
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: GARY FARRELL
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001674938GBF
EPA ID: NYP004269973
Date Shipped: 9/21/2012
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER SPECIFY: NONE (Continued)

S117986407

Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 800.00 gallons

AA230
ESE
< 1/8
0.116 mi.
610 ft.

CON ED
666 3RD AVE SB43884
NEW YORK, NY 10172

Site 1 of 14 in cluster AA

NY MANIFEST S119078032
N/A

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:
Name: CON ED
Address: 666 3RD AVE SB43884
City,State,Zip: NEW YORK, NY 10172
Country: USA
EPA ID: NYP004844565
Facility Status: Not reported
Location Address 1: 663 3RD AVE
Code: BP
Location Address 2: SB 43884
Total Tanks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119078032

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004844565
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/28/2015
Trans1 Recv Date: 09/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004844565
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002625057GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119078032

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AA231
ESE
< 1/8
0.116 mi.
610 ft.

CON EDISON
666 3RD AVE SB43886
NEW YORK, NY 10172
Site 2 of 14 in cluster AA

RCRA NonGen / NLR 1019908321
NYP004844557

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-28 00:00:00.0
Handler Name: CON EDISON
Handler Address: 666 3RD AVE SB43886
Handler City,State,Zip: NEW YORK, NY 10172
EPA ID: NYP004844557
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908321

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908321

Receive Date: 2015-09-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

AA232
ESE
< 1/8
0.116 mi.
610 ft.

CON ED
666 3RD AVE SB43886
NEW YORK, NY 10172
Site 3 of 14 in cluster AA

NY MANIFEST **S119078031**
N/A

Relative:
Lower
Actual:
37 ft.

NY MANIFEST:
Name: CON ED
Address: 666 3RD AVE SB43886
City,State,Zip: NEW YORK, NY 10172
Country: USA
EPA ID: NYP004844557
Facility Status: Not reported
Location Address 1: 677 3RD AVE
Code: BP
Location Address 2: SB 43886
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004844557
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/28/2015
Trans1 Recv Date: 09/28/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119078031

Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004844557
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002624982GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AA233
ESE
< 1/8
0.116 mi.
610 ft.

CON EDISON
666 3RD AVE SB43886
NEW YORK, NY 10172
Site 4 of 14 in cluster AA

NJ MANIFEST S120677228
N/A

Relative:
Lower
Actual:
37 ft.

NJ MANIFEST:
EPA Id: NYP004844557
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677228

Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002624982GBF
EPA ID:	NYP004844557
Date Shipped:	9/28/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AA234
ESE
< 1/8
0.116 mi.
610 ft.

CON EDISON
666 3RD AVE SB43884
NEW YORK, NY 10172
Site 5 of 14 in cluster AA

NJ MANIFEST **S120677229**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
37 ft.

EPA Id: NYP004844565
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002625057GBF
EPA ID: NYP004844565
Date Shipped: 9/28/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677229

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AA235
ESE
< 1/8
0.116 mi.
610 ft.

CON EDISON
666 3RD AVE SB43885
NEW YORK, NY 10172
Site 6 of 14 in cluster AA

NJ MANIFEST **S120677227**
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004844540
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
37 ft.

Manifest:
Manifest Number: 002624981GBF
EPA ID: NYP004844540
Date Shipped: 9/28/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677227

TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**AA236
ESE
< 1/8
0.116 mi.
610 ft.**

**CON ED
666 3RD AVE SB43885
NEW YORK, NY 10172

Site 7 of 14 in cluster AA**

**NY MANIFEST S119078030
N/A**

**Relative:
Lower**

NY MANIFEST:

**Actual:
37 ft.**

Name: CON ED
Address: 666 3RD AVE SB43885
City,State,Zip: NEW YORK, NY 10172
Country: USA
EPA ID: NYP004844540
Facility Status: Not reported
Location Address 1: 663-667 3RD AVE
Code: BP
Location Address 2: SB 43885
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004844540
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119078030

Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/28/2015
Trans1 Recv Date: 09/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004844540
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002624981GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AA237
ESE
< 1/8
0.116 mi.
610 ft.

CON EDISON
666 3RD AVE SB43884
NEW YORK, NY 10172
Site 8 of 14 in cluster AA

RCRA NonGen / NLR 1019908322
NYP004844565

Relative:
Lower

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:
Contact Name:

2015-09-28 00:00:00.0
CON EDISON
666 3RD AVE SB43884
NEW YORK, NY 10172
NYP004844565
THOMAS TEELING

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908322

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908322

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AA238 ESE < 1/8 0.116 mi. 610 ft.	CON EDISON 666 3RD AVE SB43885 NEW YORK, NY 10172 Site 9 of 14 in cluster AA	RCRA NonGen / NLR FINDS ECHO	1019908320 NYP004844540
Relative: Lower	RCRA Listings:		
Actual: 37 ft.	Date Form Received by Agency:	2015-09-28 00:00:00.0	
	Handler Name:	CON EDISON	
	Handler Address:	666 3RD AVE SB43885	
	Handler City,State,Zip:	NEW YORK, NY 10172	
	EPA ID:	NYP004844540	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908320

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908320

Electronic Manifest Broker:

Not reported

FINDS:

Registry ID: 110069665017

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019908320
Registry ID: 110069665017
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069665017>
Name: CON EDISON
Address: 666 3RD AVE SB43884
City,State,Zip: NEW YORK, NY 10172

AA239
ESE
< 1/8
0.116 mi.
610 ft.

CHRYSLER CENTER SHARED
666 THIRD AVENUE
NEW YORK, NY 10017
Site 10 of 14 in cluster AA

NY AST **A100169066**
N/A

Relative:
Lower

Actual:
37 ft.

AST:
Name: CHRYSLER BUILDING EAST
Address: 666 THIRD AVENUE
City,State,Zip: NEW YORK, NY 10270
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-604684
Program Type: PBS
UTM X: 586623.93014
UTM Y: 4511642.62895
Expiration Date: N/A
Site Type: Other

Affiliation Records:
Site Id: 26555
Affiliation Type: Facility Owner
Company Name: CREDIT AGRICOLE INDOSUEZ
Contact Type: Not reported
Contact Name: Not reported
Address1: 666 THIRD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Phone: (646) 349-3420
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26555
Affiliation Type: Mail Contact
Company Name: UNFLAT & ASSOCIATES
Contact Type: Not reported
Contact Name: ULRIC GLOUDON
Address1: 573 JOHNSON AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11237
Country Code: 001
Phone: (718) 386-6100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26555
Affiliation Type: Facility Operator
Company Name: CHRYSLER BUILDING EAST
Contact Type: Not reported
Contact Name: CREDIT INDOSUEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 658-4320
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26555
Affiliation Type: Emergency Contact
Company Name: CREDIT AGRICOLE INDOSUEZ
Contact Type: Not reported
Contact Name: SECURITY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 658-3400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Tank Info:

Tank Number: 001
Tank Id: 58595
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 09/01/1999
Capacity Gallons: 1500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/18/2008
Register: True
Modified By: LXZIELIN
Last Modified: 07/31/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 270014

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J01 - Dispenser - Pressurized Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/2000
Capacity Gallons: 2000
Tightness Test Method: -

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 01/02/2019
Material Name: Diesel (E-Gen)

Tank Number: 002
Tank Id: 66469
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)
Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 12/01/2000
Capacity Gallons: 2000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/18/2008
Register: True
Modified By: LXZIELIN
Last Modified: 07/31/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 46725
Tank Id: 66681
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
J01 - Dispenser - Pressurized Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

L00 - Piping Leak Detection - None
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1999
Capacity Gallons: 1500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 01/02/2019
Material Name: Diesel (E-Gen)

Affiliation Records:

Site Id: 31027
Affiliation Type: Mail Contact
Company Name: TISHMAN SPEYER
Contact Type: Not reported
Contact Name: CHRIS PANCOAST
Address1: 405 LEXINGTON AVENUE
Address2: 27TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10174
Country Code: 001
Phone: (212) 682-3070
EMail: CPANCOAS@TISHMANSPEYER.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-07-17

Site Id: 31027
Affiliation Type: Facility Operator
Company Name: CHRYSLER CENTER SHARED
Contact Type: Not reported
Contact Name: AIDAN KEAVENEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-3070
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2019-01-02

Site Id: 31027
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Company Name: CHRYSLER EAST BUILDING, LLC
Contact Type: Not reported
Contact Name: CHRIS PANCOAST
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 648-2448
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-07-17

Site Id: 31027
Affiliation Type: Facility Owner
Company Name: CHRYSLER EAST BUILDING, LLC
Contact Type: MANAGING AGENT
Contact Name: ANTHONY BODNAR
Address1: 45 ROCKEFELLER PLAZA
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10111
Country Code: 001
Phone: (212) 682-3070
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-07-17

Tank Info:

Tank Number: 001
Tank Id: 58595
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 09/01/1999
Capacity Gallons: 1500
Tightness Test Method: -

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/18/2008
Register: True
Modified By: LXZIELIN
Last Modified: 07/31/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 270014

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J01 - Dispenser - Pressurized Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/2000
Capacity Gallons: 2000
Tightness Test Method: -

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 01/02/2019
Material Name: Diesel (E-Gen)

Tank Number: 002
Tank Id: 66469
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHRYSLER CENTER SHARED (Continued)

A100169066

Tank Location: H05 - Tank Leak Detection - In-Tank System (ATG)
Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 12/01/2000
Capacity Gallons: 2000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/18/2008
Register: True
Modified By: LXZIELIN
Last Modified: 07/31/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 46725
Tank Id: 66681
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
J01 - Dispenser - Pressurized Dispenser
L00 - Piping Leak Detection - None
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1999
Capacity Gallons: 1500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 01/02/2019
Material Name: Diesel (E-Gen)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S240
East
< 1/8
0.116 mi.
612 ft.
GRAND CENTRAL PARTNERSHIP
152 EAST 44TH STREET
NEW YORK, NY 10017
Site 3 of 3 in cluster S

NY MANIFEST **1009233025**
N/A

Relative:
Lower

NY MANIFEST:

Name: GRAND CENTRAL PARTNERSHIP
Address: 152 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP000904789
Facility Status: Not reported
Location Address 1: 152 EAST 44TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Actual:
40 ft.

NY MANIFEST:

EPAID: NYP000904789
Mailing Name: GRAND CENTRAL PARTNERSHIP
Mailing Contact: FRANK SCHIAZZA
Mailing Address 1: 152 EAST 44TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128181220

NY MANIFEST:

Document ID: NJA0981122
Manifest Status: K
seq: Not reported
Year: 1992
Trans1 State ID: NJDEPS632
Trans2 State ID: Not reported
Generator Ship Date: 04/09/1992
Trans1 Recv Date: 04/09/1992
Trans2 Recv Date: / /
TSD Site Recv Date: 04/09/1992
Part A Recv Date: / /
Part B Recv Date: 05/22/1992
Generator EPA ID: NYP000904789
Trans1 EPA ID: NJD991291584
Trans2 EPA ID: Not reported
TSDF ID 1: NJD980536593
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND CENTRAL PARTNERSHIP (Continued)

1009233025

Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F003 - UNKNOWN
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CW - Wooden boxes
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00030
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P241
West
< 1/8
0.116 mi.
613 ft.

RESIDENCE
65-41 WOODSIDE AVENUE
NEW YORK, NY
Site 6 of 6 in cluster P

NY Spills **S104193513**
N/A

Relative:
Higher

Actual:
64 ft.

SPILLS:

Name: RESIDENCE
Address: 65-41 WOODSIDE AVENUE
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 9905266 / 1999-09-01
Facility ID: 9905266
Facility Type: ER
DER Facility ID: 200903
Site ID: 244580
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 4101
Spill Date: 1999-08-02
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 1999-08-02
CID: 389
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-08-02
Spill Record Last Update: 1999-09-01
Spiller Name: ALLA ALMOGOVAR
Spiller Company: RESIDENCE
Spiller Address: 65-41 WOODSIDE AVENUE
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "caller states that some type of odor was coming from residence from house in front of above address caller states this is in an on going problem unknown what type of material it is"

All Materials:

Site ID: 244580
Operable Unit ID: 1079699
Operable Unit: 01
Material ID: 569164
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AB242
SSW
< 1/8
0.117 mi.
617 ft.
LOT 17,TAXBLOCK 1295
354 LEXINGTON AVENUE
MANHATTAN, NY 10016
Site 1 of 8 in cluster AB

NY Spills
NY E DESIGNATION
NY MANIFEST
S106018398
N/A

Relative:
Higher

Actual:
50 ft.

SPILLS:

Name: V4638
Address: 354 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0306654 / 2005-06-28
Facility ID: 0306654
Facility Type: ER
DER Facility ID: 237606
Site ID: 293555
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2003-09-23
Investigator: SKARAKHA
Referred To: Not reported
Reported to Dept: 2003-09-23
CID: 207
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2003-09-23
Spill Record Last Update: 2005-06-28
Spiller Name: CALLER
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: PAUL DIDONATO
DEC Memo: "L Roman # 27270 Operating Supervisor Manhattan I&A reported to N Muldoon # 18723 that @ 0:45 hrs M Pina # 11652 also of the I&A reported to him that while inspecting Vault 4638 located at F/O 354 Lexington Ave (40 -41 St) discovered approx 1 gallon of unknown oil (possible cooking oil) on top of 200 gallons of water. No private properties affected. The source and cause of the spill are unknown. There was no fire or smoke involved. There were no injuries related to the spill. There was no evidence of release to sewer or waterways as per Mr Roman. Weather conditions did not contribute to the hazard of the spill. There is oil filled equipment in the structure the transformer. There is standing water but no visual movement. A sewer connection, concrete sump and any substantial cracks could not be verified. No sump pump running. Spill tag # 17465 was installed Two liquid samples were taken one for OIL ID and one for PCB on a priority E basis. Chain of Custody # BB06626 was used. Account # 80484 is also used. Cleanup pending lab results and will try to get an over 50 tanker as soon as possible so I & A can see if there is a leak on the unit or it is cooking oil. This incident meets the criteria of a 24 Hr spill. Note: There is a scaffolding over the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 17,TAXBLOCK 1295 (Continued)

S106018398

vault. No parking anytime. Logger: N Muldoon #18723 Update 9-23-03 @ 18:25 S Brenseke # 05729 reports that a partial cleanup is complete , final cleanup is pending transformer removal. 250 gallons of oil and water mixed removed. Speedy dry applied , drain is clogged. Transformer is leaking from the fin and S Brenseke #05729 stated that he will request the transformer ooe-2. Cleanup crew and supervisor are listed in the event involved person screen. Incident is being re-classified from a 24 hour deminimis spill to a spill dielectric transformer. J Moran #01182 Lab Sequence Number: 03-07877-001 Analysis indicates the presence of a substance similar to a dielectric fluid. Lab Sequence Number: 03-07876-001 TOTAL PCB 17 ppm Update: Clean up complete as of 05/04/04 @ 05:00 hrs Reports V.Mirance 58484 O.S., and that flush truck removed approx. 55 gallons of mud,oil & water mix. V4638 was washed twice with slix,no barrels used,tag 17465 pulled. Old unit removed and was the source of the spill & new unit installed"

Remarks: "transformer oil and water mixed - total 250 gals - unk how much of each involved - removed 150465"

All Materials:

Site ID: 293555
Operable Unit ID: 873091
Operable Unit: 01
Material ID: 503850
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

E DESIGNATION:

Name: LOT 17,TAXBLOCK 1295
Address: 354 LEXINGTON AVENUE
City,State,Zip: MANHATTAN, NY 10016
Tax Lot(s): 17
Tax Block: 1295
Borough Code: MN
E-No: E-408
Effective Date: 8/9/2017
Satisfaction Date: Not reported
Ceqr Number: 17DCP001M
Ulurp Number: N170186AZRM, C170187ZMM
Zoning Map No: 8c

Description: Con Edison steam only
Lot Remediation Date: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 17,TAXBLOCK 1295 (Continued)

S106018398

NY MANIFEST:

Name: CON EDISON - VAULT V1846
Address: 354 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY 10016
Country: USA
EPA ID: NYP004905350
Facility Status: Not reported
Location Address 1: 354 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004905350
Mailing Name: CON EDISON - VAULT V1846
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

AC243
NE
< 1/8
0.117 mi.
619 ft.

CON EDISON
451 LEXINGTON AVE
NEW YORK, NY 10017
Site 1 of 20 in cluster AC

NY MANIFEST S112210774
N/A

Relative:
Lower

Actual:
45 ft.

NY MANIFEST:

Name: CON EDISON
Address: 451 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619151
Facility Status: Not reported
Location Address 1: 451 LEXINGTON AVE
Code: BP
Location Address 2: SB 38660
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004619151
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S112210774

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619151
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608688GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AC244
NE
< 1/8
0.117 mi.
619 ft.
CON EDISON SERVICE BOX: 38660
451 LEXINGTON
NEW YORK, NY 10017
Site 2 of 20 in cluster AC

NJ MANIFEST **S117986381**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
45 ft.

EPA Id: NYP004269668
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456610JJK
EPA ID: NYP004269668
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38660 (Continued)

S117986381

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

**AC245
NE
< 1/8
0.117 mi.
619 ft.**

**CON EDISON SERVICE BOX: 38660
451 LEXINGTON
NEW YORK, NY 10017

Site 3 of 20 in cluster AC**

**RCRA NonGen / NLR 1016144177
FINDS NYP004269668
ECHO
NY MANIFEST**

**Relative:
Lower**

**Actual:
45 ft.**

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 38660
Handler Address: 451 LEXINGTON
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269668
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38660 (Continued)

1016144177

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:33:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38660
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38660 (Continued)

1016144177

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38660
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462333

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144177
Registry ID:	110055462333
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462333
Name:	CON EDISON SERVICE BOX: 38660
Address:	451 LEXINGTON
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	451 LEXINGTON
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004269668
Facility Status:	Not reported
Location Address 1:	451 LEXINGTON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38660 (Continued)

1016144177

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269668
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269668
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456610JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38660 (Continued)

1016144177

Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AD246 **VILLAGE SERVICE CENTER**
NNW **170 PARK AVE S**
< 1/8 **NEW YORK, NY 10014**
0.118 mi.
621 ft. **Site 1 of 2 in cluster AD**

EDR Hist Auto **1020205772**
N/A

Relative: EDR Hist Auto
Higher

Actual:	Year:	Name:	Type:
59 ft.	1971	VILLAGE SERVICE CENTER	Gasoline Service Stations
	1972	VILLAGE SERVICE CENTER	Gasoline Service Stations
	1973	VILLAGE SERVICE CENTER	Gasoline Service Stations
	1974	VILLAGE SERVICE CENTER	Gasoline Service Stations

T247 **LOT 27,TAXBLOCK 1277**
WNW **51 EAST 42 STREET**
< 1/8 **MANHATTAN, NY**
0.119 mi.
627 ft. **Site 7 of 8 in cluster T**

NY E DESIGNATION **S117936695**
N/A

Relative: E DESIGNATION:
Higher Name: LOT 27,TAXBLOCK 1277
Address: 51 EAST 42 STREET
City,State,Zip: MANHATTAN, NY
Tax Lot(s): 27
Tax Block: 1277
Borough Code: Not reported
E-No: E-357
Effective Date: 5/27/2015
Satisfaction Date: Not reported
Ceqr Number: 14DCP188M
Ulurp Number: 150127ZRM, 150128ZSM, 150129ZSM, 150130ZSM
Zoning Map No: 8d

Description: Air Quality - HVAC natural gas with low Nox only
Lot Remediation Date: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

U248
ESE
< 1/8
0.119 mi.
629 ft.

MANHOLE 56948
138 EAST 43RD STREET
MANHATTAN, NY

Site 3 of 6 in cluster U

NY Spills **S104508355**
N/A

Relative:
Lower

Actual:
37 ft.

SPILLS:

Name: MANHOLE 56948
Address: 138 EAST 43RD STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9908908 / 2004-02-05
Facility ID: 9908908
Facility Type: ER
DER Facility ID: 219562
Site ID: 269587
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1999-10-22
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-10-22
CID: 205
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-10-22
Spill Record Last Update: 2004-02-05
Spiller Name: CALLER
Spiller Company: CON ED
Spiller Address: 4 IRVING PL
Spiller Company: 001
Contact Name: CALLER
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 128582: APPROX. 1 PINT OF DIELECTRIC CABLE OIL ON THE FLOOR THAT LEAKED FROM A LEAKING DISTRIBUTION FEEDER CABLE IN MH-56948. CLEANUP IS PENDING TEST RESULTS. THERE IS NO SUMP OR SEWER CONNECTION. 2/4/00 clean up complete in MH -56948. PILC Waste clean up Treated wastestream as 50-499 ppm PCB. Found 1 ounce cable oil on floor of structure. Double washed 1 ft. around a 1 ounce spot of cable oil with degreaser & absorbent pads. Found an open PILC cable end - Shorted & sealed same."

Remarks: "faulty cable leaked to ground. con ed #128582. samples."

All Materials:

Site ID: 269587
Operable Unit ID: 1083182
Operable Unit: 01
Material ID: 298005
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 56948 (Continued)

S104508355

Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

R249
West
< 1/8
0.120 mi.
635 ft.

PINNACLE ENVIRONMENTAL CORP
60 E 42ND ST
NEW YORK, NY 10165

Site 11 of 14 in cluster R

RCRA-VSQG 1016455577
FINDS NYR000206805
ECHO
NY MANIFEST
NY COOLING TOWERS

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2014-06-11 00:00:00.0
Handler Name: PINNACLE ENVIRONMENTAL CORP
Handler Address: 60 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10165
EPA ID: NYR000206805
Contact Name: KYLE NEVERGOLD
Contact Address: E 42ND ST SUITE 803
Contact City,State,Zip: NEW YORK, NY 10165
Contact Telephone: 212-697-0696
Contact Fax: Not reported
Contact Email: KNEVERGOLD@EMPIRESTATEREALTYTRUST.COM
Contact Title: PROPERTY MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST SUITE 803
Mailing City,State,Zip: NEW YORK, NY 10165
Owner Name: ESRT ONE GRAND CENTRAL PLACE
Owner Type: Private
Operator Name: PINNACLE ENVIRONMENTAL CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PINNACLE ENVIRONMENTAL CORP (Continued)

1016455577

Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-11-17 12:00:01.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ESRT ONE GRAND CENTRAL PLACE
Legal Status:	Private
Date Became Current:	2013-10-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	60 E 42ND ST SUITE 803
Owner/Operator City,State,Zip:	NEW YORK, NY 10165
Owner/Operator Telephone:	212-697-0696
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PINNACLE ENVIRONMENTAL CORP (Continued)

1016455577

Owner/Operator Indicator: Operator
Owner/Operator Name: PINNACLE ENVIRONMENTAL CORP
Legal Status: Private
Date Became Current: 2013-10-15 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: ESRT ONE GRAND CENTRAL PLACE
Legal Status: Private
Date Became Current: 2013-10-02 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 60 E 42ND ST SUITE 803
Owner/Operator City,State,Zip: NEW YORK, NY 10165
Owner/Operator Telephone: 212-697-0696
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: PINNACLE ENVIRONMENTAL CORP
Legal Status: Private
Date Became Current: 2013-10-15 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2014-06-11 00:00:00.0
Handler Name: PINNACLE ENVIRONMENTAL CORP
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2014-01-23 00:00:00.0
Handler Name: PINNACLE ENVIRONMENTAL CORP
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PINNACLE ENVIRONMENTAL CORP (Continued)

1016455577

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110057070191

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016455577
Registry ID:	110057070191
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110057070191
Name:	PINNACLE ENVIRONMENTAL CORP
Address:	60 E 42ND ST
City,State,Zip:	NEW YORK, NY 10165

NY MANIFEST:

Name:	PINNACLE ENVIRONMENTAL CORP
Address:	60 E 42ND ST
City,State,Zip:	NEW YORK, NY 10165
Country:	USA
EPA ID:	NYR000206805
Facility Status:	Not reported
Location Address 1:	60 E 42ND ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10165
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000206805
Mailing Name:	PINNACLE ENVIRONMENTAL CORP
Mailing Contact:	PINNACLE ENVIRONMENTAL CORP
Mailing Address 1:	60 E 42ND ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10165
Mailing Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PINNACLE ENVIRONMENTAL CORP (Continued)

1016455577

Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134957
Trans2 State ID: PAD982661381
Generator Ship Date: 02/20/2014
Trans1 Recv Date: 02/20/2014
Trans2 Recv Date: 02/21/2014
TSD Site Recv Date: 02/25/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000206805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 011980035JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 425
Units: P - Pounds
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

COOLING TOWERS:

Name: Not reported
Address: 60 E 42ND ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PINNACLE ENVIRONMENTAL CORP (Continued)

1016455577

City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 13364
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Evapco
Model: ICT 3-83
Cooling Capacity: 20
Cooling Capacity Unit: Tonnage
Commissioned Date: Not reported
Inspection Date: 02/14/2020
Date of Bacteriological Collection: 04/22/2020
Date of Legionella Collection: 04/15/2020
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.752424434
Longitude: -73.978493465

R250
West
< 1/8
0.120 mi.
635 ft.

EMPIRE STATE REALTY TRUST
60 E. 42ND STREET
NEW YORK, NY 10165
Site 12 of 14 in cluster R

PA MANIFEST **S118069217**
N/A

Relative:
Higher
Actual:
59 ft.

Manifest Details:
Year: 2014
Manifest Number: 011980035JJK
Manifest Type: TSD Copy
Generator EPA Id: NYR000206805
Generator Date: 02/20/2014
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 4
Container Type: Metal drums, barrels, kegs
Waste Quantity: 425
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

R251
West
< 1/8
0.120 mi.
635 ft.

GOLD J M & CO INC
60 E 42ND ST STE 1651
NEW YORK, NY 10165

Site 13 of 14 in cluster R

EDR Hist Auto **1020209212**
N/A

Relative:
Higher

EDR Hist Auto

Actual:
59 ft.

Year:	Name:	Type:
1991	GOLD J M & CO INC	General Automotive Repair Shops
1992	GOLD J M & CO INC	General Automotive Repair Shops
2000	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2001	GOLD J M & CO INC	General Automotive Repair Shops
2001	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2002	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2002	MEK MARK ONE STOP AUTO INC	General Automotive Repair Shops
2002	GOLD J M & CO INC	General Automotive Repair Shops
2003	GOLD J M & CO INC	General Automotive Repair Shops
2003	MEK MARK ONE STOP AUTO INC	General Automotive Repair Shops
2003	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2004	MEK MARK ONE STOP AUTO INC	General Automotive Repair Shops
2004	GOLD J M & CO INC	General Automotive Repair Shops
2004	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2005	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2005	GREEN AUTO COLLECTION LLC	General Automotive Repair Shops
2005	FOREMOST MERRY TIME INC	General Automotive Repair Shops
2005	GOLD J M & CO INC	General Automotive Repair Shops
2006	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2006	GREEN AUTO COLLECTION LLC	General Automotive Repair Shops
2006	GOLD J M & CO INC	General Automotive Repair Shops
2006	FOREMOST MERRY TIME INC	General Automotive Repair Shops
2007	GREEN AUTO COLLECTION LLC	General Automotive Repair Shops
2007	GOLD J M & CO INC	General Automotive Repair Shops
2007	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services
2008	GREEN AUTO COLLECTION LLC	General Automotive Repair Shops
2008	GOLD J M & CO INC	General Automotive Repair Shops
2008	TELEGRAPHIC TERMINALS INC	Cable, Telegram, And Telex Services

R252
West
< 1/8
0.120 mi.
635 ft.

HELMSLEY SPEAR INC
60 E 42ND ST
NEW YORK, NY 10165

Site 14 of 14 in cluster R

NJ MANIFEST **S117984769**
N/A

Relative:
Higher

NJ MANIFEST:

Actual:
59 ft.

EPA Id:	NYD001538842
Mail Address:	60 E 42ND ST
Mail City/State/Zip:	NEW YORK 10165
Facility Phone:	2129243880
Emergency Phone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY SPEAR INC (Continued)

S117984769

Date Change:	Not reported
Manifest:	
Manifest Number:	010559967JJK
EPA ID:	NYD001538842
Date Shipped:	10/17/2012
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK 10165
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	Not reported
Quantity:	70.00 gallons
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	Not reported
Quantity:	55.00 gallons
Manifest Year:	Not reported
Waste Code:	D002
Hand Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY SPEAR INC (Continued)

S117984769

Quantity: 605.00 gallons

Manifest Year: Not reported

Waste Code: D002

Hand Code: Not reported

Quantity: 5.00 gallons

Manifest Year: Not reported

Waste Code: D018 D001

Hand Code: Not reported

Quantity: 300.00 Pounds

Manifest Number: 011235423JJK

EPA ID: NYD001538842

Date Shipped: 4/15/2013

TSDF EPA ID: NJD991291105

Transporter EPA ID: NJD991291105

Transporter 2 EPA ID: Not reported

Transporter 3 EPA ID: Not reported

Transporter 4 EPA ID: Not reported

Transporter 5 EPA ID: Not reported

Transporter 6 EPA ID: Not reported

Transporter 7 EPA ID: Not reported

Transporter 8 EPA ID: Not reported

Transporter 9 EPA ID: Not reported

Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: Not reported

Date Trans2 Transported Waste: Not reported

Date Trans3 Transported Waste: Not reported

Date Trans4 Transported Waste: Not reported

Date Trans5 Transported Waste: Not reported

Date Trans6 Transported Waste: Not reported

Date Trans7 Transported Waste: Not reported

Date Trans8 Transported Waste: Not reported

Date Trans9 Transported Waste: Not reported

Date Trans10 Transported Waste: Not reported

Date TSDF Received Waste: Not reported

TSDF EPA Facility Name: Not reported

QTY Units: Not reported

Transporter SEQ ID: Not reported

Transporter-1 Date: Not reported

Waste SEQ ID: Not reported

Waste Type Code 2: Not reported

Waste Type Code 3: Not reported

Waste Type Code 4: Not reported

Waste Type Code 5: Not reported

Waste Type Code 6: Not reported

Date Accepted: Not reported

Manifest Discrepancy Type: Not reported

Data Entry Number: Not reported

Was Load Rejected: NEW YORK 10165

Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported

Waste Code: D002 U122

Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELMSLEY SPEAR INC (Continued)

S117984769

Quantity: 55.00 Pounds

Z253
NE
< 1/8
0.121 mi.
639 ft.

450 LEXINGTON VENTURE
450 LEXINGTON AVE SUITE 1620
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1001233123
NYR000062349

Site 3 of 7 in cluster Z

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: 450 LEXINGTON VENTURE
Handler Address: 450 LEXINGTON AVE SUITE 1620
Handler City,State,Zip: NEW YORK, NY 10017-3904
EPA ID: NYR000062349
Contact Name: GEORGE KULP
Contact Address: LEXINGTON AVE SUITE 1620
Contact City,State,Zip: NEW YORK, NY 10017-3904
Contact Telephone: 718-784-3333
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE SUITE 1620
Mailing City,State,Zip: NEW YORK, NY 10017-3904
Owner Name: 450 LEXINGTON VENTURE
Owner Type: Private
Operator Name: 450 LEXINGTON VENTURE
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON VENTURE (Continued)

1001233123

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	450 LEXINGTON VENTURE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	450 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-3904
Owner/Operator Telephone:	212-557-4450
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	450 LEXINGTON VENTURE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	450 LEXINGTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON VENTURE (Continued)

1001233123

Owner/Operator City,State,Zip: NEW YORK, NY 10017-3904
Owner/Operator Telephone: 212-557-4450
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 450 LEXINGTON VENTURE
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 450 LEXINGTON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017-3904
Owner/Operator Telephone: 212-557-4450
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: 450 LEXINGTON VENTURE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: 450 LEXINGTON VENTURE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-10-21 00:00:00.0
Handler Name: 450 LEXINGTON VENTURE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON VENTURE (Continued)

1001233123

FINDS:

Registry ID: 110006868489

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001233123
Registry ID: 110006868489
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110006868489>
Name: 450 LEXINGTON VENTURE
Address: 450 LEXINGTON AVE SUITE 1620
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: 450 LEXINGTON AVENUE VENTURES
Address: 450 LEXINGTON AVE SUITE 1620
City,State,Zip: NEW YORK, NY 10017-3904
Country: USA
EPA ID: NYR000062349
Facility Status: Not reported
Location Address 1: 450 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000062349
Mailing Name: 450 LEXINGTON AVENUE VENTURES
Mailing Contact: JOE DISILVIO
Mailing Address 1: 450 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7182743339

NY MANIFEST:

Document ID: NYG1056267
Manifest Status: Not reported
seq: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON VENTURE (Continued)

1001233123

Year: 1998
Trans1 State ID: NYPD1010
Trans2 State ID: Not reported
Generator Ship Date: 10/30/1998
Trans1 Recv Date: 10/30/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/03/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000062349
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

Z254
NE
< 1/8
0.121 mi.
639 ft.

CON EDISON - VAULT 33073
450 LEXINGTON AVE
NEW YORK, NY 10017
Site 4 of 7 in cluster Z

NY MANIFEST **S121989680**
NY COOLING TOWERS **N/A**

Relative:
Lower
Actual:
46 ft.

NY MANIFEST:
Name: CON EDISON - VAULT 33073
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004888329
Facility Status: Not reported
Location Address 1: 450 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 33073 (Continued)

S121989680

Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004888329
Mailing Name: CON EDISON - VAULT 33073
Mailing Contact: ANNAMARIE MOYLAN
Mailing Address 1: 4 IRVING PLACE 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602278

COOLING TOWERS:

Name: Not reported
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 1102
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: Marley CT 41-2A
Model: 223-852
Cooling Capacity: 3000
Cooling Capacity Unit: Tonnage
Commissioned Date: 08/20/2015
Inspection Date: 05/28/2020
Date of Bacteriological Collection: 05/28/2020
Date of Legionella Collection: 05/28/2020
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.753079993
Longitude: -73.975025012

**Z255
NE
< 1/8
0.121 mi.
639 ft.**

**HINES INTERESTS LTD PARTNERSHIP
450 LEXINGTON AVE
NEW YORK, NY 10017**

Site 5 of 7 in cluster Z

**RCRA NonGen / NLR 1004760529
FINDS NYR000047860
ECHO
NY MANIFEST**

**Relative:
Lower**

RCRA Listings:

**Actual:
46 ft.**

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: HINES INTERESTS LTD PARTNERSHIP
Handler Address: 450 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000047860
Contact Name: PATRICK MCGOVERN
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-557-4626
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	LEXINGTON AVE
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	450 LEXINGTON VENTURE LP
Owner Type:	Private
Operator Name:	450 LEXINGTON VENTURE LP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2015-04-14 00:00:00.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Handler - Owner Operator:

Owner/Operator Indicator: Owner
Owner/Operator Name: 450 LEXINGTON VENTURE LP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 450 LEXINGTON AVE SUITE 1620
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-557-4450
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 450 LEXINGTON VENTURE LP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 450 LEXINGTON AVE SUITE 1620
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-557-4450
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 450 LEXINGTON VENTURE LP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 450 LEXINGTON AVE SUITE 1620
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-557-4450
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: HINES INTERESTS LTD PARTNERSHIP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: HINES INTERESTS LTD PARTNERSHIP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1997-12-15 00:00:00.0
Handler Name: HINES INTERESTS LTD PARTNERSHIP
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004539072

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004760529
Registry ID: 110004539072
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004539072>
Name: HINES INTERESTS LTD PARTNERSHIP
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

NY MANIFEST:

Name: CON ED
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10128
Country: USA
EPA ID: NYP004862336
Facility Status: Not reported
Location Address 1: 450 LEXINGTON AVE
Code: BP
Location Address 2: SB 39027
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10128
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004862336
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/29/2015
Trans1 Recv Date: 10/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004862336
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612494GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: HINES INTERESTS LTD
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000047860
Facility Status: Not reported
Location Address 1: 450 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000047860
Mailing Name: HINES INTERESTS LTD
Mailing Contact: PATRICK MCGOVERN
Mailing Address 1: 450 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125574626

NY MANIFEST:
Document ID: NYG0521946
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: AZ001
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HINES INTERESTS LTD PARTNERSHIP (Continued)

1004760529

Generator Ship Date: 07/14/1999
Trans1 Recv Date: 07/14/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/22/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000047860
Trans1 EPA ID: AZR000005454
Trans2 EPA ID: Not reported
TSDF ID 1: PAR000034249
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 06000
Units: P - Pounds
Number of Containers: 500
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

Z256
NE
< 1/8
0.121 mi.
639 ft.

CBRE OFFICE BUILDING
450 LEXINGTON AVE
MANHATTAN, NY
Site 6 of 7 in cluster Z

NY Spills S109828527
N/A

Relative:
Lower
Actual:
46 ft.

SPILLS:
Name: CBRE OFFICE BUILDING
Address: 450 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0905450 / 2009-08-10
Facility ID: 0905450
Facility Type: ER
DER Facility ID: 366860
Site ID: 417714
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CBRE OFFICE BUILDING (Continued)

S109828527

SWIS: 3101
Spill Date: 2009-08-10
Investigator: smsanges
Referred To: Not reported
Reported to Dept: 2009-08-10
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2009-08-10
Spill Record Last Update: 2009-08-10
Spiller Name: Not reported
Spiller Company: CBRE
Spiller Address: Not reported
Spiller Company: 999
Contact Name: BOB TREGLIO
DEC Memo: "Sangesland spoke to CHRIS HIRSCHMANN of the Hillmann Group. He said there was a spill to the cement in an alley area. No impact to soil or drains. Cleanup complete."

Remarks: "fuel from emergency generator tank spilled onto pavement inot private ally outside building, spill has been cleaned up."

All Materials:

Site ID: 417714
Operable Unit ID: 1173928
Operable Unit: 01
Material ID: 2166114
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

Z257
NE
< 1/8
0.121 mi.
639 ft.
450 LEXINGTON AVE
450 LEXINGTON AVE
NEW YORK, NY 10017
Site 7 of 7 in cluster Z

NY AST **A100298589**
N/A

Relative: **AST:**
Lower Name: 450 LEXINGTON AVE
Address: 450 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610296
Program Type: PBS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON AVE (Continued)

A100298589

UTM X: 586523.38413
UTM Y: 4511853.86966
Expiration Date: 09/10/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 368280
Affiliation Type: Mail Contact
Company Name: RXR REALTY LLC
Contact Type: Not reported
Contact Name: TERENCE W. FRASER
Address1: 450 LEXINGTON AVE.
Address2: SUITE 600
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 973-4501
EMail: TFRASER@RXRREALTY.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-10-12

Site Id: 368280
Affiliation Type: Facility Operator
Company Name: 450 LEXINGTON AVE
Contact Type: Not reported
Contact Name: MIKE PLACENTE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 973-4500
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-10-12

Site Id: 368280
Affiliation Type: Emergency Contact
Company Name: RXR PO OWNER LLC
Contact Type: Not reported
Contact Name: MIKE PLACENTE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 416-7696
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-10-12

Site Id: 368280

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON AVE (Continued)

A100298589

Affiliation Type: Facility Owner
Company Name: RXR PO OWNER LLC
Contact Type: SR. PROPERTY MANAGER
Contact Name: TERENCE W. FRASER
Address1: 450 LEXINGTON AVE. SUITE 600
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 973-4500
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-10-12

Tank Info:

Tank Number: 1
Tank Id: 212961
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 01/01/1991

Capacity Gallons: 1800

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: MXLAY

Last Modified: 10/11/2018

Material Name: Diesel (E-Gen)

Tank Number: 2

Tank Id: 212962

Material Code: 0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

450 LEXINGTON AVE (Continued)

A100298589

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
F01 - Pipe External Protection - Painted/Asphalt Coating
G09 - Tank Secondary Containment - Modified Double-Walled
(Aboveground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
D10 - Pipe Type - Copper
L00 - Piping Leak Detection - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 01/01/1991

Capacity Gallons: 75

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: MXLAY

Last Modified: 10/11/2018

Material Name: Diesel (E-Gen)

AD258 **5 M MOBIL SERVICE CENTER**
NNW **182 PARK AVE**
< 1/8 **NEW YORK, NY 10017**
0.121 mi.
641 ft. **Site 2 of 2 in cluster AD**

EDR Hist Auto **1021756487**
N/A

Relative: EDR Hist Auto
Higher

Actual:	Year:	Name:	Type:
59 ft.	1989	5 M MOBIL SERVICE CENTER	Gasoline Service Stations, NEC
	1991	5 M MOBIL SERVICE CENTER	Gasoline Service Stations, NEC
	1992	5 M MOBIL SERVICE CENTER	Gasoline Service Stations, NEC
	1993	5 M MOBIL SERVICE CENTER	Gasoline Service Stations, NEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U259
ESE
< 1/8
0.122 mi.
642 ft.

COLOR ALL TECHNOLOGIES
684 3RD AV
QUEENS, NY

Site 4 of 6 in cluster U

NY Spills S104786954
N/A

Relative:
Lower

SPILLS:

Actual:
37 ft.

Name: COLOR ALL TECHNOLOGIES
Address: 684 3RD AV
City,State,Zip: QUEENS, NY
Spill Number/Closed Date: 0004172 / 2003-02-12
Facility ID: 0004172
Facility Type: ER
DER Facility ID: 211882
Site ID: 258965
DEC Region: 2
Spill Cause: Deliberate
Spill Class: C4
SWIS: 4101
Spill Date: 2000-07-06
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 2000-07-07
CID: 312
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Federal Government
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-07-07
Spill Record Last Update: 2003-02-12
Spiller Name: AHMED JAMAL
Spiller Company: COLOR ALL TECHNOLOGIES
Spiller Address: 684 3RD AV
Spiller Company: 001
Contact Name: AHMED JAMAL
DEC Memo: ""
Remarks: "ANONYMOUS CALLER STATED TO THE NRC THAT THE RESPONSIBLE PARTY IS
SPRAYING VEH'S OUTSIDE W/OUT A BOOTH - PER EPA IT SOUNDS LIKE A
COMPETITER CALLED IT IN - STEVEN SACCACIO ADVISED"

All Materials:

Site ID: 258965
Operable Unit ID: 826571
Operable Unit: 01
Material ID: 548918
Material Code: 0056A
Material Name: paint thinners
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported
Site ID: 258965

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLOR ALL TECHNOLOGIES (Continued)

S104786954

Operable Unit ID: 826571
Operable Unit: 01
Material ID: 548917
Material Code: 0055A
Material Name: paint
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

U260
East
< 1/8
0.122 mi.
646 ft.

CON EDISON
686-688 3RD AVE
NEW YORK, NY 10158

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014395781
NYP004172474

Site 5 of 6 in cluster U

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2016-06-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: 686-688 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10158
EPA ID: NYP004172474
Contact Name: PATRICK HANLEY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-203-1475
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395781

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-10-17 10:58:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2009-06-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395781

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004172474
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	PATRICK HANLEY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001028473JJK
EPA ID:	NYP004172474
Date Shipped:	06/09/2009
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/09/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395781

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 06/10/2009
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 1500 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 686-688 3RD AVE
City,State,Zip: NEW YORK, NY 10158
Country: USA
EPA ID: NYP004172474
Facility Status: Not reported
Location Address 1: 686 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004172474
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395781

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	06/09/2009
Trans1 Recv Date:	06/09/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/10/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004172474
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	001028473JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U261
East
< 1/8
0.122 mi.
646 ft.
CONSOLIDATED EDISON
686 3RD AVE
NEW YORK, NY 10020
Site 6 of 6 in cluster U

NY MANIFEST **S119073183**
N/A

Relative:
Lower

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 686 3RD AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004176145
Facility Status: Not reported
Location Address 1: 686 3rd AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176145
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176145
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961008GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073183

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

W262
WSW
< 1/8
0.123 mi.
650 ft.

CON EDISON SERVICE BOX: 12066
110 PARK AVE FRONT OF
NEW YORK, NY 10035

RCRA NonGen / NLR 1016959977
NY MANIFEST NYP004318572

Site 2 of 2 in cluster W

Relative:
Higher
Actual:
67 ft.

RCRA Listings:
Date Form Received by Agency: 2013-07-05 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 12066
Handler Address: 110 PARK AVE FRONT OF
Handler City,State,Zip: NEW YORK, NY 10035
EPA ID: NYP004318572
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12066 (Continued)

1016959977

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12066 (Continued)

1016959977

Historic Generators:

Receive Date:	2013-06-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12066
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-07-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 12066
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	110 PARK AVE FRONT OF
City,State,Zip:	NEW YORK, NY 10035
Country:	USA
EPA ID:	NYP004318572
Facility Status:	Not reported
Location Address 1:	FO 110 E 64 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10021
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004318572
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 12066 (Continued)

1016959977

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	06/04/2013
Trans1 Recv Date:	06/04/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/05/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004318572
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010917743JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

T263 **LOT 46,TAXBLOCK 1277** **NY E DESIGNATION** **S117936701**
NW **48 EAST 43 STREET** **N/A**
< 1/8 **MANHATTAN, NY**
0.124 mi.
654 ft. **Site 8 of 8 in cluster T**

Relative: E DESIGNATION:
Higher Name: LOT 46,TAXBLOCK 1277
 Address: 48 EAST 43 STREET
Actual: City,State,Zip: MANHATTAN, NY
58 ft. Tax Lot(s): 46
 Tax Block: 1277
 Borough Code: Not reported
 E-No: E-357
 Effective Date: 5/27/2015
 Satisfaction Date: Not reported
 Ceqr Number: 14DCP188M
 Ulurp Number: 150127ZRM, 150128ZSM, 150129ZSM, 150130ZSM
 Zoning Map No: 8d

 Description: Air Quality - HVAC natural gas with low Nox only
 Lot Remediation Date: Not reported

 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Lot Remediation Date: Not reported

 Description: Window Wall Attenuation & Alternate Ventilation
 Lot Remediation Date: Not reported

AE264 **CON EDISON** **NY MANIFEST** **S117737172**
WNW **47 E 42 ST** **N/A**
< 1/8 **NEW YORK, NY 10017**
0.124 mi.
654 ft. **Site 1 of 2 in cluster AE**

Relative: NY MANIFEST:
Higher Name: CON EDISON
 Address: 47 E 42 ST
Actual: City,State,Zip: NEW YORK, NY 10017
59 ft. Country: USA
 EPA ID: NYP004616520
 Facility Status: Not reported
 Location Address 1: 47 E 42 ST
 Code: BP
 Location Address 2: Not reported
 Total Tanks: Not reported
 Location City: NEW YORK
 Location State: NY
 Location Zip: 10017
 Location Zip 4: Not reported

 NY MANIFEST:
 EPAID: NYP004616520
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737172

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616520
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608286GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 10000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AE265
WNW
< 1/8
0.124 mi.
654 ft.

SPILL NUMBER 9812883
47-65 EAST 42ND STREET
MANHATTAN, NY

NY Spills S104648478
N/A

Site 2 of 2 in cluster AE

Relative:
Higher

Actual:
59 ft.

SPILLS:

Name: SPILL NUMBER 9812883
Address: 47-65 EAST 42ND STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9812883 / 2004-01-08
Facility ID: 9812883
Facility Type: ER
DER Facility ID: 102270
Site ID: 117566
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1999-01-20
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-01-20
CID: 266
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-01-20
Spill Record Last Update: 2004-02-06
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 122540: 4 GALLONS OF UNKNOWN FLUID (OIL TYPE) MIXED WITH 50 GALLONS OF WATER IN V3232. unit was pressure tested and indicated that sanitation trucks are parking over vaults when removing garbage from restaurant causing debris and grease to enter vault. LAB SEQUENCE # 99-00560 PCB 48 PPM 1/21/99 drained 150 gallons of water and grease from vault. Flushed and cleaned vault."
Remarks: "VAULT #3232. FOUR GALLONS OF UNKNOWN OIL ON 50 GALLONS OF WATER. CONTAINED WITHIN MANHOLE. SAMPLES TAKEN. TO BE CLEANED UP AS IS 50-499 PPM OF PBC'S. CON EDISON REFERENCE NUMBER 122540."

All Materials:

Site ID: 117566
Operable Unit ID: 1073340
Operable Unit: 01
Material ID: 313158
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPILL NUMBER 9812883 (Continued)

S104648478

Quantity: 4.00
Units: G
Recovered: 4.00
Oxygenate: Not reported

**266
NW
< 1/8
0.124 mi.
654 ft.**

**VANDERBILT AV&43RD ST/MAN
VANDERBILT AVE&43RD ST
NEW YORK CITY, NY**

**NY Spills S102144948
N/A**

**Relative:
Higher**

**Actual:
57 ft.**

SPILLS:

Name: VANDERBILT AV&43RD ST/MAN
Address: VANDERBILT AVE&43RD ST
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8710309 / 1988-03-19
Facility ID: 8710309
Facility Type: ER
DER Facility ID: 254077
Site ID: 315152
DEC Region: 2
Spill Cause: Human Error
Spill Class: Not reported
SWIS: 3101
Spill Date: 1988-03-09
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 1988-03-09
CID: Not reported
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 1988-03-19
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1988-03-16
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: NYS MTA-METRO NORTH
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "SPILL CONTAINED ON CONCRETE, SORBENT APPLIED & PUT INTO DRUMS, NO INJURIES."

All Materials:

Site ID: 315152
Operable Unit ID: 916019
Operable Unit: 01
Material ID: 462079
Material Code: 1889A
Material Name: water treatment comp
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VANDERBILT AV&43RD ST/MAN (Continued)

S102144948

Material FA: Other
Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

AF267
East
< 1/8
0.125 mi.
659 ft.

CON EDISON SERVICE BOX: 43891
690 3RD AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016144172
NYP004269619

Site 1 of 16 in cluster AF

Relative:
Lower

Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43891
Handler Address: 690 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269619
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

1016144172

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:38:37.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43891
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43891
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

1016144172

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421690

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144172
Registry ID:	110055421690
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421690
Name:	CON EDISON SERVICE BOX: 43891
Address:	690 3RD AVE
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	690 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004269619
Facility Status:	Not reported
Location Address 1:	690 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004269619
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

1016144172

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269619
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456598JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON ED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

1016144172

Address: 690 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004861940
Facility Status: Not reported
Location Address 1: 690 3RD AVE
Code: BP
Location Address 2: SB 43891
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004861940
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/29/2015
Trans1 Recv Date: 10/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/03/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004861940
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 014085815JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

1016144172

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 700
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

AF268
East
< 1/8
0.125 mi.
659 ft.

CON EDISON SERVICE BOX: 43891
690 3RD AVE
NEW YORK, NY 10017
Site 2 of 16 in cluster AF

NJ MANIFEST S117986376
N/A

Relative:
Lower

Actual:
38 ft.

NJ MANIFEST:
EPA Id: NYP004269619
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456598JJK
EPA ID: NYP004269619
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43891 (Continued)

S117986376

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AB269
South
1/8-1/4
0.125 mi.
662 ft.

CON EDISON SERVICE BOX 38628
355 LEXINGTON AVE
NEW YORK, NY 10017

Site 2 of 8 in cluster AB

RCRA NonGen / NLR **1014918952**
FINDS **NYP004225710**
ECHO
NJ MANIFEST
NY MANIFEST

Relative:
Higher

Actual:
49 ft.

RCRA Listings:
Date Form Received by Agency: 2011-02-26 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 38628
Handler Address: 355 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004225710
Contact Name: STEVEN ALVARADO
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-427-0733
Contact Fax: Not reported
Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38628 (Continued)

1014918952

Contact Title:	ADMINISTRATIVE CLERK L1-2
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38628 (Continued)

1014918952

Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-01-27 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 38628
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-02-26 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 38628
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004507579

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38628 (Continued)

1014918952

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1014918952
Registry ID: 110004507579
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004507579>
Name: 355 LEXINGTON INC
Address: 355 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017

NJ MANIFEST:

EPA Id: NYP004225710
Mail Address: IRVING PL RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: STEVEN ALVARADO
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 007660162JJK
EPA ID: NYP004225710
Date Shipped: 1/27/2011
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38628 (Continued)

1014918952

Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 300.00 Pounds

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 355 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004225710
Facility Status: Not reported
Location Address 1: F/O 355 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10002
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004225710
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 38628 (Continued)

1014918952

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/27/2011
Trans1 Recv Date: 01/27/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/28/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004225710
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007660162JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AB270 **355 LEXINGTON INC**
South **355 LEXINGTON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.125 mi.
662 ft. **Site 3 of 8 in cluster AB**

RCRA NonGen / NLR **1000872670**
NY MANIFEST **NYD987038858**

Relative:
Higher
Actual:
49 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: 355 LEXINGTON INC
Handler Address: 355 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD987038858
Contact Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

355 LEXINGTON INC (Continued)

1000872670

Contact Address:	PARK AVE - RUDIN MGMT CO
Contact City,State,Zip:	NEW YORK, NY 10154-0101
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE - RUDIN MGMT CO
Mailing City,State,Zip:	NEW YORK, NY 10154-0101
Owner Name:	355 LEXINGTON INC C/O RUDIN MGMT CO
Owner Type:	Private
Operator Name:	355 LEXINGTON INC C/O RUDIN MGMT CO
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

355 LEXINGTON INC (Continued)

1000872670

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	355 LEXINGTON INC C/O RUDIN MGMT CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	345 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10154-0101
Owner/Operator Telephone:	212-644-8814
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	355 LEXINGTON INC C/O RUDIN MGMT CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	345 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10154-0101
Owner/Operator Telephone:	212-644-8814
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	355 LEXINGTON INC C/O RUDIN MGMT CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	345 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10154-0101
Owner/Operator Telephone:	212-644-8814
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

355 LEXINGTON INC (Continued)

1000872670

Historic Generators:

Receive Date: 1999-07-08 00:00:00.0
Handler Name: 355 LEXINGTON INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: 355 LEXINGTON INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: 355 LEXINGTON INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1993-07-28 00:00:00.0
Handler Name: 355 LEXINGTON INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: RUDIN MGMT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

355 LEXINGTON INC (Continued)

1000872670

Address: 355 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD987038858
Facility Status: Not reported
Location Address 1: 355 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10154
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD987038858
Mailing Name: RUDIN MGMT
Mailing Contact: PAUL FAUST
Mailing Address 1: 355 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10154
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129868683

NY MANIFEST:

Document ID: NJA3285980
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 12/14/2001
Trans1 Recv Date: 12/14/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/14/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987038858
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

355 LEXINGTON INC (Continued)

1000872670

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00050
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

AC271 132 E 45TH STREET
ENE 132 E 45TH ST.
1/8-1/4 NEW YORK, NY 10017
0.126 mi.
666 ft. Site 4 of 20 in cluster AC

NY AST U003387476
N/A

Relative:
Lower
Actual:
43 ft.

AST:
Name: 132 E 45TH STREET
Address: 132 E 45TH ST.
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-292001
Program Type: PBS
UTM X: 586590.23092
UTM Y: 4511855.13686
Expiration Date: 07/07/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 13264
Affiliation Type: Facility Owner
Company Name: PAMELA EQUITIES
Contact Type: PROPERTY MANAGER
Contact Name: FRANK BORG
Address1: 18 E. 50TH ST. 10TH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-08-09

Site Id: 13264
Affiliation Type: Mail Contact
Company Name: PAN AM EQUITIES INC.
Contact Type: Not reported
Contact Name: FRANK BORG
Address1: 18 E. 50TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 E 45TH STREET (Continued)

U003387476

Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
EMail: FBORG@PANAMEQUITIES.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-08-09

Site Id: 13264
Affiliation Type: Facility Operator
Company Name: 132 E 45TH STREET
Contact Type: Not reported
Contact Name: SAFET DURAKOVIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 522-0111
EMail: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2008-01-04

Site Id: 13264
Affiliation Type: Emergency Contact
Company Name: PAMELA EQUITIES % PAN AM EQUITIES INC
Contact Type: Not reported
Contact Name: FRANK BORG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-12

Tank Info:

Tank Number: 001
Tank Id: 11983
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G02 - Tank Secondary Containment - Vault (w/access)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
K00 - Spill Prevention - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 E 45TH STREET (Continued)

U003387476

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J05 - Dispenser - On Site Heating System (Supply/Return)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/21/1988
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 08/09/2018
Material Name: #4 fuel oil (on-site consumption)

Y272
East
1/8-1/4
0.127 mi.
668 ft.

CON EDISON
160 E 44TH ST E OF LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR **1014397714**
NY MANIFEST **NYP004200473**

Site 4 of 4 in cluster Y

Relative:
Lower
Actual:
39 ft.

RCRA Listings:
Date Form Received by Agency: 2016-06-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: 160 E 44TH ST E OF LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004200473
Contact Name: DANIEL PONTECORVO
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-203-2573
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014397714

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-07-28 15:29:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014397714

Historic Generators:

Receive Date:	2009-12-22 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	160 E 44TH ST E OF LEXINGTON A
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004200473
Facility Status:	Not reported
Location Address 1:	FRONT OF 160 EAST 44th STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10020
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004200473
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	CONSOLIDATED EDISON
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014397714

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	12/22/2009
Trans1 Recv Date:	12/22/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/23/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004200473
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	001085563GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	60
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AC273
NE
1/8-1/4
0.127 mi.
669 ft.
CON EDISON
128 E 45TH ST
NEW YORK, NY 10017
Site 5 of 20 in cluster AC

NY MANIFEST
S118463632
N/A

Relative:
Lower

NY MANIFEST:

Actual:
44 ft.

Name: CON EDISON
Address: 128 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004854606
Facility Status: Not reported
Location Address 1: 128 E 45TH ST
Code: BP
Location Address 2: TM 2461
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004854606
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/15/2015
Trans1 Recv Date: 10/15/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004854606
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002832302GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118463632

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AC274
NE
1/8-1/4
0.127 mi.
670 ft.**

**CON EDISON
E 45TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

**NJ MANIFEST S120672216
N/A**

Site 6 of 20 in cluster AC

**Relative:
Lower**

NJ MANIFEST:
EPA Id: NYP004787701
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

**Actual:
46 ft.**

Manifest:
Manifest Number: 002614155GBF
EPA ID: NYP004787701
Date Shipped: 5/29/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672216

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**AC275
NE
1/8-1/4
0.127 mi.
670 ft.**

**CON EDISON
E 45TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1019903604
NYP004787701**

Site 7 of 20 in cluster AC

**Relative:
Lower**

RCRA Listings:

**Actual:
46 ft.**

Date Form Received by Agency: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 45TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004787701
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903604

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903604

Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-09-09 13:09:22.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

**AC276
NE
1/8-1/4
0.127 mi.
670 ft.**

**CON EDISON
LEXINGTON AVE & 45TH ST
NEW YORK, NY 10017**

**NJ MANIFEST S120676460
N/A**

Site 8 of 20 in cluster AC

**Relative:
Lower
Actual:
46 ft.**

NJ MANIFEST:
EPA Id: NYP004835860
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676460

Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002613035GBF
EPA ID:	NYP004835860
Date Shipped:	9/8/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AC277
NE
1/8-1/4
0.127 mi.
670 ft.
CON EDISON
E 45TH ST & LEXINGTON AVE SE
NEW YORK, NY 10017
Site 9 of 20 in cluster AC

NJ MANIFEST **S120672215**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id: NYP004787693
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611729GBF
EPA ID: NYP004787693
Date Shipped: 5/28/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672215

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AC278
NE
1/8-1/4
0.127 mi.
670 ft.

NYNEX
45TH ST & LEXINGTON
NEW YORK, NY 10017
Site 10 of 20 in cluster AC

NY MANIFEST 1009233416
N/A

Relative:
Lower

Actual:
46 ft.

NY MANIFEST:
Name: NYNEX
Address: 45TH ST & LEXINGTON
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP000915017
Facility Status: Not reported
Location Address 1: 45TH ST & LEXINGTON
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000915017
Mailing Name: NYNEX
Mailing Contact: THEODORE DIMON
Mailing Address 1: 1095 AVE OF AMER
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125938700

NY MANIFEST:
Document ID: CTF0204658
Manifest Status: C
seq: Not reported
Year: 1994
Trans1 State ID: 104E90MD
Trans2 State ID: Not reported
Generator Ship Date: 05/20/1994
Trans1 Recv Date: 05/20/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 05/23/1994
Part A Recv Date: / /
Part B Recv Date: 06/06/1994
Generator EPA ID: NYP000915017
Trans1 EPA ID: MAD039322250

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233416

Trans2 EPA ID: Not reported
TSDF ID 1: CTD000604488
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00300
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

AC279
NE
1/8-1/4
0.127 mi.
670 ft.

CON EDISON
E 45TH ST & LEXINGTON AVE SE
NEW YORK, NY 10017
Site 11 of 20 in cluster AC

RCRA NonGen / NLR **1019903603**
NYP004787693

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 45TH ST & LEXINGTON AVE SE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004787693
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903603

Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903603

Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

**AC280
NE
1/8-1/4
0.127 mi.
670 ft.**

**CON EDISON
E 45TH ST & LEXINGTON AVE SE
NEW YORK, NY 10017**

**NY MANIFEST S119075561
N/A**

Site 12 of 20 in cluster AC

**Relative:
Lower
Actual:
46 ft.**

NY MANIFEST:

Name: CON EDISON
Address: E 45TH ST & LEXINGTON AVE SE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004787693
Facility Status: Not reported
Location Address 1: SE COR E 45TH ST & LEXINGTON AVE
Code: BP
Location Address 2: MH 38661
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004787693
Mailing Name: CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075561

Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/28/2015
Trans1 Recv Date: 05/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004787693
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611729GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075561

Waste Code 1_6:

Not reported

AC281
NE
1/8-1/4
0.127 mi.
670 ft.

CON EDISON
LEXINGTON AVE & 45TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1019907591
NYP004835860

Site 13 of 20 in cluster AC

Relative:
Lower

Actual:
46 ft.

RCRA Listings:

Date Form Received by Agency:	2015-09-08 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	LEXINGTON AVE & 45TH ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004835860
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907591

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907591

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

AC282
NE
1/8-1/4
0.127 mi.
670 ft.

NYNEX
LEXINGTON & 45TH ST
NEW YORK, NY

NY MANIFEST **1009233314**
N/A

Site 14 of 20 in cluster AC

Relative:
Lower

NY MANIFEST:

Actual:
46 ft.

Name: NYNEX
Address: LEXINGTON & 45TH ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP000913491
Facility Status: Not reported
Location Address 1: LEXINGTON & 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000913491
Mailing Name: NYNEX
Mailing Contact: R HINZIKER
Mailing Address 1: 1095 AVE OF AMER
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2123958544

NY MANIFEST:

Document ID: CTF0276644
Manifest Status: C
seq: Not reported
Year: 1994
Trans1 State ID: MD100E30
Trans2 State ID: Not reported
Generator Ship Date: 03/22/1994
Trans1 Recv Date: 03/22/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 03/23/1994
Part A Recv Date: / /
Part B Recv Date: 04/04/1994
Generator EPA ID: NYP000913491
Trans1 EPA ID: MAD039322250
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233314

TSD ID 1: CTD000604488
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

AC283
NE
1/8-1/4
0.127 mi.
670 ft.

CON EDISON MANHOLE: 38661
E 45TH ST & LEXINGTON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1016961227
NYP004337408

Site 15 of 20 in cluster AC

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2013-08-29 00:00:00.0
Handler Name: CON EDISON MANHOLE: 38661
Handler Address: E 45TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004337408
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 38661 (Continued)

1016961227

Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 38661 (Continued)

1016961227

Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2013-07-29 00:00:00.0
Handler Name: CON EDISON MANHOLE: 38661
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2013-08-29 00:00:00.0
Handler Name: CON EDISON MANHOLE: 38661
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CON EDISON
Address: E 45TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004787701
Facility Status: Not reported
Location Address 1: LEXINGTON AVE & 45TH ST
Code: BP
Location Address 2: MH 56238
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10174
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004787701
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 38661 (Continued)

1016961227

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/29/2015
Trans1 Recv Date: 05/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004787701
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614155GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON EDISON
Address: E 45TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 38661 (Continued)

1016961227

Country: USA
EPA ID: NYP004337408
Facility Status: Not reported
Location Address 1: SEC E 45TH ST & LEXINGTON
Code: BP
Location Address 2: MH #38661
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004337408
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/29/2013
Trans1 Recv Date: 07/29/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/30/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004337408
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002086821GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 38661 (Continued)

1016961227

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

**AC284
NE
1/8-1/4
0.127 mi.
670 ft.**

**CON EDISON
LEXINGTON AVE & 45TH ST
NEW YORK, NY 10017
Site 16 of 20 in cluster AC**

**NY MANIFEST S123692166
N/A**

**Relative:
Lower**

NY MANIFEST:

**Actual:
46 ft.**

Name: CON EDISON
Address: LEXINGTON AVE & 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004835860
Facility Status: Not reported
Location Address 1: LEXINGTON AVE & 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004835860
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AC285
ENE
1/8-1/4
0.128 mi.
675 ft.
CON EDISON
130 E 45TH ST
NEW YORK, NY 10017
Site 17 of 20 in cluster AC

NJ MANIFEST **S120673267**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
44 ft.

EPA Id: NYP004799896
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614488GBF
EPA ID: NYP004799896
Date Shipped: 6/27/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120673267

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AC286
ENE
1/8-1/4
0.128 mi.
675 ft.

CON EDISON
130 E 45TH ST
NEW YORK, NY 10017
Site 18 of 20 in cluster AC

RCRA NonGen / NLR 1019904590
NYP004799896

Relative:
Lower
Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2015-06-27 00:00:00.0
Handler Name: CON EDISON
Handler Address: 130 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004799896
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019904590

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-06-27 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-06-27 00:00:00.0
Handler Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019904590

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AC287
ENE
1/8-1/4
0.128 mi.
675 ft.

CON EDISON
130 E 45TH ST
NEW YORK, NY 10017

NY MANIFEST **S118257286**
N/A

Site 19 of 20 in cluster AC

Relative:
Lower

NY MANIFEST:

Actual:
44 ft.

Name:	CON EDISON
Address:	130 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004799896
Facility Status:	Not reported
Location Address 1:	130 E 45TH ST
Code:	BP
Location Address 2:	M 8799
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004799896
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	06/27/2015
Trans1 Recv Date:	06/27/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/06/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118257286

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004799896
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614488GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AG288
NNE
1/8-1/4
0.129 mi.
681 ft.

CON EDISON SERVICE BOX: 8795
101 E 45TH ST
NEW YORK, NY 10017
Site 1 of 4 in cluster AG

RCRA NonGen / NLR 1016968951
NYP004425906

Relative:
Higher

RCRA Listings:

Actual:
56 ft.

Date Form Received by Agency: 2014-02-26 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8795
Handler Address: 101 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004425906
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8795 (Continued)

1016968951

EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8795 (Continued)

1016968951

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-01-26 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8795
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-02-26 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8795
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AG289
NNE
1/8-1/4
0.129 mi.
681 ft.

CON EDISON
101 E 45TH ST
NEW YORK, NY 10017

NY MANIFEST **S121967091**
N/A

Site 2 of 4 in cluster AG

Relative:
Higher

Actual:
56 ft.

NY MANIFEST:	
Name:	CON EDISON
Address:	101 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004425906
Facility Status:	Not reported
Location Address 1:	F/O 101 EAST 45TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967091

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004425906
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/25/2014
Trans1 Recv Date: 01/25/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004425906
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002330012GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: Y
Manifest Ref Number: Not reported
Alt Facility RCRA ID: NJD991291105
Alt Facility Sign Date: 02/03/2014
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967091

Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AH290
ENE
1/8-1/4
0.129 mi.
682 ft.

CUNNINGHAM ASSOCIATES, LP
210-10/16 GRAND CENTRAL PKWY
QUEENS VILLAGE, NY 11427

NY UST **U000417413**
NY Spills **N/A**

Site 1 of 3 in cluster AH

Relative:
Lower
Actual:
40 ft.

UST:
Name: CUNNINGHAM ASSOCIATES, LP
Address: 210-10/16 GRAND CENTRAL PKWY
City,State,Zip: QUEENS VILLAGE, NY 11427
Id/Status: 2-203327 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 605034.83255
UTM Y: 4508763.06472
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 7009
Affiliation Type: Facility Owner
Company Name: CUNNINGHAM ASSOCITES, L.P.
Contact Type: EXECUTIVE VICE PRESIDENT
Contact Name: PETER G. FLOREY
Address1: 377 OAK STREET STE. 401
Address2: Not reported
City: GARDEN CITY
State: NY
Zip Code: 11530
Country Code: 001
Phone: (516) 745-0150
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-12-17

Site Id: 7009
Affiliation Type: Mail Contact
Company Name: CUNNINGHAM ASSOCIATES, L.P.
Contact Type: Not reported
Contact Name: Not reported
Address1: 377 OAK STREET
Address2: 377 OAK STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CUNNINGHAM ASSOCIATES, LP (Continued)

U000417413

City: GARDEN CITY
State: NY
Zip Code: 11530
Country Code: 001
Phone: (516) 745-0150
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 7009
Affiliation Type: Facility Operator
Company Name: CUNNINGHAM HEIGHTS
Contact Type: Not reported
Contact Name: EDWARD WEISS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 464-4000
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 7009
Affiliation Type: Emergency Contact
Company Name: CUNNINGHAM ASSOCITES, L.P.
Contact Type: Not reported
Contact Name: ROBERT GAETANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 805-0783
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-12-17

Tank Info:

Tank Number: 011
Tank ID: 18478
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 5000
Install Date: 12/01/1951
Date Tank Closed: 01/01/2004
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CUNNINGHAM ASSOCIATES, LP (Continued)

U000417413

Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21
Date Test: 10/04/2002
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: KXTANG
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

SPILLS:

Name: CUNNINGHAM HEIGHTS APARTM
Address: 210-10 GRAND CENTRAL PARK
City,State,Zip: QUEENS, NY
Spill Number/Closed Date: 9804327 / 2003-02-19
Facility ID: 9804327
Facility Type: ER
DER Facility ID: 249948
Site ID: 309622
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: B3
SWIS: 4101
Spill Date: 1998-07-06
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 1998-07-07
CID: 266
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1998-07-07
Spill Record Last Update: 2003-02-19
Spiller Name: Not reported
Spiller Company: CUNNINGHAM HEIGHTS APARTM
Spiller Address: 210-16 GRAND CENTRAL PARK
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "BOILER STOPPED WORKING. DURING INVESTIGATION, AN UNDERGROUND FUEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CUNNINGHAM ASSOCIATES, LP (Continued)

U000417413

LINE WAS FOUND TO BE LEAKING. CALLER'S AGENCY CONTACTED FOR CLEAN UP.
APPROXIMATELY TEN YARDS OF SOIL STOCKPILED. LINE REPLACED."

All Materials:

Site ID: 309622
Operable Unit ID: 1062237
Operable Unit: 01
Material ID: 569361
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

AF291
ESE
1/8-1/4
0.130 mi.
688 ft.

BELL ATLANTIC-NY
43 STREET/3 AVENUE
MANHATTAN, NY 00000
Site 3 of 16 in cluster AF

RCRA NonGen / NLR 1007205429
NY MANIFEST NYP000933366

Relative:
Lower
Actual:
37 ft.

RCRA Listings:

Date Form Received by Agency: 1998-03-01 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Handler Address: 43 STREET/3 AVENUE
Handler City,State,Zip: MANHATTAN, NY 00000-0000
EPA ID: NYP000933366
Contact Name: JOHN QUATRALE
Contact Address: BELL ATLANTIC - ENVIRONMENTAL
Contact City,State,Zip: NEW YORK, NY 10016-0000
Contact Telephone: 212-338-7141
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: BELL ATLANTIC - ENVIRONMENTAL
Mailing City,State,Zip: NEW YORK, NY 10016-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205429

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205429

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-03-01 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-27 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: BELL ATLANTIC-NY
Address: 43 STREET/3 AVENUE
City,State,Zip: MANHATTAN, NY 00000-0000
Country: USA
EPA ID: NYP000933366
Facility Status: Not reported
Location Address 1: 43 STREET/3 AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000933366
Mailing Name: BELL ATLANTIC-NY
Mailing Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205429

Mailing Address 1: Not reported
Mailing Address 2: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Zip 4: Not reported
Mailing Country: Not reported
Mailing Phone: Not reported

AF292
ESE
1/8-1/4
0.130 mi.
688 ft.

CONSOLIDATED EDISON
EAST 43RD & 3RD AVE
NEW YORK, NY 10020
Site 4 of 16 in cluster AF

NY MANIFEST **S119073184**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
37 ft.

Name: CONSOLIDATED EDISON
Address: EAST 43RD & 3RD AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004176152
Facility Status: Not reported
Location Address 1: EAST 43rd & 3rd AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176152
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073184

Generator EPA ID: NYP004176152
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961007GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AF293
ESE
1/8-1/4
0.130 mi.
688 ft.

CON EDISON MANHOLE: 43889
3RD AVE & 43RD ST
NEW YORK, NY 10017

RCRA NonGen / NLR 1016968740
NY MANIFEST NYP004423679

Site 5 of 16 in cluster AF

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2014-02-22 00:00:00.0
Handler Name: CON EDISON MANHOLE: 43889
Handler Address: 3RD AVE & 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004423679
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43889 (Continued)

1016968740

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43889 (Continued)

1016968740

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-01-22 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 43889
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-02-22 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 43889
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	3RD AVE & 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004423679
Facility Status:	Not reported
Location Address 1:	3 AVE NWC 43 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43889 (Continued)

1016968740

NY MANIFEST:

EPAID: NYP004423679
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/22/2014
Trans1 Recv Date: 01/22/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/24/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004423679
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002299454GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43889 (Continued)

1016968740

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AF294
ESE
1/8-1/4
0.130 mi.
688 ft.**

**CONSOLIDATED EDISON
3RD AVE & E 43RD AVE
NEW YORK, NY**

NY MANIFEST

**S109825503
N/A**

Site 6 of 16 in cluster AF

**Relative:
Lower
Actual:
37 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 3RD AVE & E 43RD AVE
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004175840
Facility Status: Not reported
Location Address 1: 3RD AVE & E 43RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004175840
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/19/2009
Trans1 Recv Date: 06/19/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/19/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004175840
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109825503

TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 001028060JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AF295
ESE
1/8-1/4
0.130 mi.
688 ft.
CON EDISON
3 AVE & 43 ST
NEW YORK, NY 10017
Site 7 of 16 in cluster AF

NY MANIFEST **S117314425**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
Address: 3 AVE & 43 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004614806
Facility Status: Not reported
Location Address 1: 3 AVE & 43 ST
Code: BP
Location Address 2: SB 43895
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004614806

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314425

Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/01/2014
Trans1 Recv Date: 08/01/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004614806
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002504398GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314425

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI296
SE
1/8-1/4
0.131 mi.
692 ft.

CONSOLIDATED EDISON
3RD AVE & E 42 ST
NEW YORK, NY 10020

NY MANIFEST **S119072985**
N/A

Site 1 of 25 in cluster AI

Relative:
Lower

NY MANIFEST:

Actual:
36 ft.

Name: CONSOLIDATED EDISON
Address: 3RD AVE & E 42 ST
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004153771
Facility Status: Not reported
Location Address 1: 3rd AVE & E 42 ST
Code: BP
Location Address 2: MH 43875
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004153771
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 09/13/2007
Trans1 Recv Date: 09/13/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/13/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004153771
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001451379FLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119072985

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: K - Kilograms (2.2 pounds)
Number of Containers: 3
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI297
SE
1/8-1/4
0.131 mi.
692 ft.
CON EDISON
42ND ST & 3RD AVE
NEW YORK, NY 10017
Site 2 of 25 in cluster AI

NJ MANIFEST **S120677288**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004845224
Mail Address: IRVING PL 15TH FL NE
Actual: Mail City/State/Zip: NEW YORK, NY 10003
36 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 002625094GBF
EPA ID: NYP004845224

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677288

Date Shipped: 9/29/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AI298
SE
1/8-1/4
0.131 mi.
692 ft.

NYCTA - GRAND CENTRAL STATION
3RD AVE & 42ND ST
NEW YORK, NY 10017
Site 3 of 25 in cluster AI

NY MANIFEST **S117562931**
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: NYCTA - GRAND CENTRAL STATION
Address: 3RD AVE & 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD986934693
Facility Status: Not reported
Location Address 1: 38TH ST YARD 38TH ST & 9TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA - GRAND CENTRAL STATION (Continued)

S117562931

Location City: BROOKLYN
Location State: NY
Location Zip: 11203
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD986934693
Mailing Name: NYCTA - GRAND CENTRAL STATION
Mailing Contact: JAMES J POPP
Mailing Address 1: 2 BROADWAY ROOM A-27.64
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10004
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 9084424900

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/19/2017
Trans1 Recv Date: 10/19/2017
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/19/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986934693
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 017950536JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: P - Pounds
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA - GRAND CENTRAL STATION (Continued)

S117562931

Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI299
SE
1/8-1/4
0.131 mi.
692 ft.

NYCTA - GRAND CENTRAL STATION
3RD AVE & 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1000458129
NYD986934693

Site 4 of 25 in cluster AI

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: NYCTA - GRAND CENTRAL STATION
Handler Address: 3RD AVE & 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD986934693
Contact Name: Not reported
Contact Address: JAY ST ROOM 809
Contact City,State,Zip: BROOKLYN, NY 11201
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: JAY ST ROOM 809
Mailing City,State,Zip: BROOKLYN, NY 11201
Owner Name: NEW YORK CITY TRANSIT AUTHORITY
Owner Type: Municipal
Operator Name: NEW YORK CITY TRANSIT AUTHORITY
Operator Type: Municipal
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA - GRAND CENTRAL STATION (Continued)

1000458129

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NEW YORK CITY TRANSIT AUTHORITY
Legal Status:	Municipal
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	370 JAY ST ROOM 809
Owner/Operator City,State,Zip:	BROOKLYN, NY 11201
Owner/Operator Telephone:	718-330-4891
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA - GRAND CENTRAL STATION (Continued)

1000458129

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK CITY TRANSIT AUTHORITY
Legal Status:	Municipal
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	370 JAY ST ROOM 809
Owner/Operator City,State,Zip:	BROOKLYN, NY 11201
Owner/Operator Telephone:	718-330-4891
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK CITY TRANSIT AUTHORITY
Legal Status:	Municipal
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	370 JAY ST ROOM 809
Owner/Operator City,State,Zip:	BROOKLYN, NY 11201
Owner/Operator Telephone:	718-330-4891
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	NYCTA - GRAND CENTRAL STATION
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	NYCTA - GRAND CENTRAL STATION
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	NYCTA - GRAND CENTRAL STATION
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA - GRAND CENTRAL STATION (Continued)

1000458129

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1990-12-27 00:00:00.0
Handler Name:	NYCTA - GRAND CENTRAL STATION
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AI300
SE
1/8-1/4
0.131 mi.
692 ft.

CON EDISON
42ND ST & 3RD AVE
NEW YORK, NY 10017

NY MANIFEST **S119078065**
N/A

Site 5 of 25 in cluster AI

Relative:
Lower

NY MANIFEST:

Actual:
36 ft.

Name:	CON EDISON
Address:	42ND ST & 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004845224
Facility Status:	Not reported
Location Address 1:	NW COR 3RD AVE & 42ND ST
Code:	BP
Location Address 2:	MH 43877
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004845224
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
--------------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119078065

Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/29/2015
Trans1 Recv Date:	09/29/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/29/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004845224
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002625094GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	200
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AI301 SE 1/8-1/4 0.131 mi. 692 ft.	CON EDISON MANHOLE 43876 E 42ND ST & 3RD AVE NEW YORK, NY 10017 Site 6 of 25 in cluster AI	RCRA NonGen / NLR NY MANIFEST	1015747035 NYP004250387
Relative: Lower	RCRA Listings:		
Actual: 36 ft.	Date Form Received by Agency:	2012-04-26 00:00:00.0	
	Handler Name:	CON EDISON MANHOLE 43876	
	Handler Address:	E 42ND ST & 3RD AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004250387	
	Contact Name:	BENJAMIN BAMONTE	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-894-9549	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	4 IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43876 (Continued)

1015747035

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-03-27 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43876
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-04-26 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43876
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43876 (Continued)

1015747035

Electronic Manifest Broker:

Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON - MH 43876
Address: E 42ND ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004250387
Facility Status: Not reported
Location Address 1: S/E/C EAST 42ND ST & 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004250387
Mailing Name: CONSOLIDATED EDISON - MH 43876
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/27/2012
Trans1 Recv Date: 03/27/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/28/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004250387
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007019394JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43876 (Continued)

1015747035

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AI302
SE
1/8-1/4
0.131 mi.
692 ft.**

**CON EDISON MANHOLE 43883
E 42ND ST & 3RD AVE
NEW YORK, NY 10012**

**RCRA NonGen / NLR
NY MANIFEST**

**1015746676
NYP004246692**

Site 7 of 25 in cluster AI

**Relative:
Lower
Actual:
36 ft.**

RCRA Listings:
Date Form Received by Agency: 2012-02-19 00:00:00.0
Handler Name: CON EDISON MANHOLE 43883
Handler Address: E 42ND ST & 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10012
EPA ID: NYP004246692
Contact Name: PETER JORDAN
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-780-3756
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SR OFFICE ASSISTANT A X L1-2
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015746676

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015746676

Historic Generators:

Receive Date:	2012-01-20 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43883
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-02-19 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43883
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E 42ND ST & 3RD AVE
City,State,Zip:	NEW YORK, NY 10012
Country:	USA
EPA ID:	NYP004246692
Facility Status:	Not reported
Location Address 1:	E. 42 STREET & 3RD AVE
Code:	BP
Location Address 2:	MH-43883
Total Tanks:	Not reported
Location City:	BRONX
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004246692
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	CONSOLIDATED EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015746676

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	01/20/2012
Trans1 Recv Date:	01/20/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/20/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004246692
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NYD980593636
TSD ID 2:	Not reported
Manifest Tracking Number:	003203803FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	Y
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	B007
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AI303
SE
1/8-1/4
0.131 mi.
692 ft.
NYCTA
3RD & 42ND ST
NEW YORK, NY 10017
Site 8 of 25 in cluster AI

NJ MANIFEST **S117984878**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
36 ft.

EPA Id: NYD986934693
Mail Address: 370 JAY ST
Mail City/State/Zip: BROOKLYN 11201
Facility Phone: 7182434581
Emergency Phone: Not reported
Contact: Not reported
Comments: Not reported
SIC Code: Not reported
County: 00
Municipal: 00
Previous EPA Id: Not reported
Gen Flag: X
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 009140441FLE
EPA ID: NYD986934693
Date Shipped: 2/22/2016
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJR986628162
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Manifest Number: 014162490JJK
EPA ID: NYD986934693
Date Shipped: 9/17/2015
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Manifest Number: 009203357JJK
EPA ID: NYD986934693
Date Shipped: 6/12/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D002
Hand Code: Not reported
Quantity: 15.00 gallons

Manifest Year: Not reported
Waste Code: D002
Hand Code: Not reported
Quantity: 30.00 gallons

Manifest Year: Not reported
Waste Code: D001
Hand Code: Not reported
Quantity: 165.00 gallons

Manifest Number: 015633050JJK
EPA ID: NYD986934693
Date Shipped: 3/10/2017
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Manifest Number: 006736132FLE
EPA ID: NYD986934693
Date Shipped: 9/3/2013
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJR986628162
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 25.00 Pounds

Manifest Number: 000518017WAS
EPA ID: NYD986934693
Date Shipped: 6/4/2013
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJR986628162
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 20.00 Pounds

Manifest Number: 016114452JJK
EPA ID: NYD986934693
Date Shipped: 2/21/2017
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

Manifest Number: 014160162JJK
EPA ID: NYD986934693
Date Shipped: 4/6/2015
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	BROOKLYN 11201
Reason Load Was Rejected:	Not reported
Manifest Number:	013244729JJK
EPA ID:	NYD986934693
Date Shipped:	6/5/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCTA (Continued)

S117984878

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: BROOKLYN 11201
Reason Load Was Rejected: Not reported

AI304
SE
1/8-1/4
0.131 mi.
692 ft.

CON EDISON
3RD AVE & E 42ND ST
NEW YORK, NY 10017
Site 9 of 25 in cluster AI

NJ MANIFEST **S120677409**
N/A

Relative:
Lower

Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004846497
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002832322GBF
EPA ID: NYP004846497
Date Shipped: 10/15/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677409

Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002613344GBF
EPA ID: NYP004846497
Date Shipped: 10/1/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677409

Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AI305
SE
1/8-1/4
0.131 mi.
692 ft.

CON EDISON
42ND ST & 3RD AVE
NEW YORK, NY 10017
Site 10 of 25 in cluster AI

RCRA NonGen / NLR **1019908382**
FINDS **NYP004845224**
ECHO

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-29 00:00:00.0
Handler Name: CON EDISON
Handler Address: 42ND ST & 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004845224
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908382

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908382

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-09-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069668960

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019908382
Registry ID:	110069668960
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069668960
Name:	CON EDISON
Address:	42ND ST & 3RD AVE
City,State,Zip:	NEW YORK, NY 10017

AI306
SE
1/8-1/4
0.131 mi.
692 ft.

CON EDISON
3RD AVE & E 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1019325669
NYP004846497

Site 11 of 25 in cluster AI

Relative:
Lower

Actual:
36 ft.

RCRA Listings:	
Date Form Received by Agency:	2015-10-01 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	3RD AVE & E 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004846497
Contact Name:	THOMAS TEELING
Contact Address:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325669

Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325669

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:53:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-10-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-10-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-26 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 43883
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325669

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-10-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-10-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AI307
SE
1/8-1/4
0.131 mi.
692 ft.

CON EDISON MANHOLE 43883
3RD AVE & E 42ND ST
NEW YORK, NY 10017

RCRA NonGen / NLR **1015747042**
NY MANIFEST **NYP004250452**

Site 12 of 25 in cluster AI

Relative:
Lower
Actual:
36 ft.

RCRA Listings:	
Date Form Received by Agency:	2012-04-26 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43883
Handler Address:	3RD AVE & E 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004250452
Contact Name:	BENJAMIN BAMONTE
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-894-9549
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015747042

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015747042

Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-03-27 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43883
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-04-26 00:00:00.0
Handler Name:	CON EDISON MANHOLE 43883
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	3RD AVE & E 42ND ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004250452
Facility Status:	Not reported
Location Address 1:	N/E/C E 42ND & 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004250452
--------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015747042

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/27/2012
Trans1 Recv Date: 03/27/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/28/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004250452
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 007019396JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 43883 (Continued)

1015747042

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AI308
SE
1/8-1/4
0.131 mi.
692 ft.**

**CONSOLIDATED EDISON
EAST 42ND ST & 3RD AVE
NEW YORK, NY 10020**

**NY MANIFEST S119073182
N/A**

Site 13 of 25 in cluster AI

**Relative:
Lower**

NY MANIFEST:

**Actual:
36 ft.**

Name: CONSOLIDATED EDISON
Address: EAST 42ND ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004176137
Facility Status: Not reported
Location Address 1: EAST 42nd ST & 3rd AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176137
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176137
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961006GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073182

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI309
SE
1/8-1/4
0.131 mi.
692 ft.
CON EDISON
3RD AVE & E 42ND ST
NEW YORK, NY 10017
Site 14 of 25 in cluster AI

NY MANIFEST **S119078126**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
Address: 3RD AVE & E 42ND ST
Actual: City,State,Zip: NEW YORK, NY 10017
36 ft. Country: USA
EPA ID: NYP004846497
Facility Status: Not reported
Location Address 1: 3RD AVE & E 42 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004846497
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119078126

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/15/2015
Trans1 Recv Date: 10/15/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004846497
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002832322GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AI310 SE 1/8-1/4 0.131 mi. 694 ft.	CON EDISON SERVICE BOX: 8244 201 E 42ND ST NEW YORK, NY 10016 Site 15 of 25 in cluster AI	RCRA NonGen / NLR NY MANIFEST	1016143973 NYP004267605
Relative: Lower	RCRA Listings:		
Actual: 36 ft.	Date Form Received by Agency:	2017-07-28 00:00:00.0	
	Handler Name:	CON EDISON SERVICE BOX: 8244	
	Handler Address:	201 E 42ND ST	
	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP004267605	
	Contact Name:	JUAN RODRIGUEZ	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	347-865-5931	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8244 (Continued)

1016143973

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:51:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8244
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8244
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8244 (Continued)

1016143973

Electronic Manifest Broker: No

NY MANIFEST:

Name: CON EDISON
Address: 201 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267605
Facility Status: Not reported
Location Address 1: 201 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267605
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267605
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456475JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8244 (Continued)

1016143973

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI311
SE
1/8-1/4
0.131 mi.
694 ft.
CON EDISON SERVICE BOX: 8244
201 E 42ND ST
NEW YORK, NY 10016
Site 16 of 25 in cluster AI

NJ MANIFEST **S117986194**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267605
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
36 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456475JJK
EPA ID: NYP004267605
Date Shipped: 9/11/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8244 (Continued)

S117986194

Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AI312
SE
1/8-1/4
0.131 mi.
694 ft.
**CONSOLIDATED EDISON
F/O 201 EAST 42ND ST
NEW YORK, NY
Site 17 of 25 in cluster AI**

**NY MANIFEST 1009241689
N/A**

Relative: NY MANIFEST:
Lower Name: CONSOLIDATED EDISON
Address: F/O 201 EAST 42ND ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004101937
Facility Status: Not reported
Location Address 1: F/O 201 EAST 42ND ST
Code: BP
Location Address 2: Not reported

Actual:
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241689

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004101937
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE1315782
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 31877AJ
Trans2 State ID: Not reported
Generator Ship Date: 08/27/2002
Trans1 Recv Date: 08/27/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/28/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004101937
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01700
Units: K - Kilograms (2.2 pounds)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241689

Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

AJ313
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISION - V 2761
60 E 41 ST 60 E 41 ST
NEW YORK, NY 10003

RCRA NonGen / NLR
NY MANIFEST

1007208559
NYP004092441

Site 1 of 9 in cluster AJ

Relative:
Higher

Actual:
68 ft.

RCRA Listings:
Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V 2761
Handler Address: 60 E 41 ST 60 E 41 ST
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004092441
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V 2761 (Continued)

1007208559

Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V 2761
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V 2761 (Continued)

1007208559

Receive Date: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V 2761
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-05-31 00:00:00.0
Handler Name: CON EDISION - V 2761
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 60 E 41 ST 60 E 41 ST
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004092441
Facility Status: Not reported
Location Address 1: 60 E 41 ST V2761
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004092441
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V 2761 (Continued)

1007208559

NY MANIFEST:

Document ID: NJA4036315
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 08/28/2002
Trans1 Recv Date: 08/28/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/30/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004092441
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00955
Units: K - Kilograms (2.2 pounds)
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00211
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AJ314 WSW 1/8-1/4 0.132 mi. 699 ft.	V554 60 E 41ST STREET NEW YORK CITY, NY 10017 Site 2 of 9 in cluster AJ	RCRA NonGen / NLR NY MANIFEST	1007207027 NYP004036158
Relative: Higher	RCRA Listings:		
Actual: 68 ft.	Date Form Received by Agency:	2001-01-03 00:00:00.0	
	Handler Name:	V554	
	Handler Address:	60 E 41ST STREET	
	Handler City,State,Zip:	NEW YORK CITY, NY 10017	
	EPA ID:	NYP004036158	
	Contact Name:	ANTHONY DRUMMINGS	
	Contact Address:	CONSOLIDATED EDISON INC.	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	CONSOLIDATED EDISON INC.	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V554 (Continued)

1007207027

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V554
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V554
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V554 (Continued)

1007207027

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V554
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	60 E 41ST STREET
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004036158
Facility Status:	Not reported
Location Address 1:	V5544-60 E 41ST ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004036158
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0214727
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	SM1708
Trans2 State ID:	Not reported
Generator Ship Date:	04/20/1999
Trans1 Recv Date:	04/20/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V554 (Continued)

1007207027

TSD Site Recv Date: 04/20/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004036158
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01080
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

AJ315 **SL GREEN REALTY CORP**
WSW **100 PARK AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.132 mi.
699 ft. **Site 3 of 9 in cluster AJ**

NY AST **A100318974**
N/A

Relative:
Higher
Actual:
69 ft.

AST:
Name: SL GREEN REALTY CORP
Address: 100 PARK AVE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610775
Program Type: PBS
UTM X: 586222.83295
UTM Y: 4511647.10022
Expiration Date: 03/25/2023
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 394098
Affiliation Type: Facility Owner
Company Name: SL G 100 PARK LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORP (Continued)

A100318974

Contact Type: PROPERTY MGR
Contact Name: JOHN FLAHERTY
Address1: 100 PARK AVE 29TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 686-8020
EMail: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 2013-05-02

Site Id: 394098
Affiliation Type: Mail Contact
Company Name: SL GREEN REALTY CORP
Contact Type: Not reported
Contact Name: JOHN FLAHERTY
Address1: 100 PARK AVE.
Address2: 29TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 686-8020
EMail: JOHN.FLAHERTY @SLGREEN.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2019-06-13

Site Id: 394098
Affiliation Type: Facility Operator
Company Name: SL GREEN REALTY CORP
Contact Type: Not reported
Contact Name: JOHN FLAHERTY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 686-8020
EMail: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 2008-02-27

Site Id: 394098
Affiliation Type: Emergency Contact
Company Name: SL GREEN REALTY CORP
Contact Type: Not reported
Contact Name: JOHN FLAHERTY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SL GREEN REALTY CORP (Continued)

A100318974

Zip Code: Not reported
Country Code: 001
Phone: (212) 686-8020
EMail: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 2008-02-27

Tank Info:

Tank Number: 001
Tank Id: 222181
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
H05 - Tank Leak Detection - In-Tank System (ATG)
E12 - Piping Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/29/2008
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KAKYER
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AJ316
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISON
100 PARK AVE VAULT 5544
NEW YORK, NY 10017
Site 4 of 9 in cluster AJ

NY MANIFEST S117062848
N/A

Relative:
Higher

NY MANIFEST:
Name: CON EDISON
Address: 100 PARK AVE VAULT 5544
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004552352
Facility Status: Not reported

Actual:
69 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117062848

Location Address 1: 100 PARK AVE.
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004552352
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/03/2014
Trans1 Recv Date: 06/03/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/09/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004552352
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002422528GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117062848

Waste Code: Not reported
Quantity: 5000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AJ317
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISON - TRANSFORMER VAULT 1918
100 PARK AVE (40TH ST)
NEW YORK, NY 10016

RCRA-LQG 1014397517
NY MANIFEST NYP004198461

Site 5 of 9 in cluster AJ

Relative:
Higher

Actual:
69 ft.

RCRA Listings:
Date Form Received by Agency: 2010-03-23 00:00:00.0
Handler Name: CON EDISON - TRANSFORMER VAULT 1918
Handler Address: 100 PARK AVE (40TH ST)
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004198461
Contact Name: FRANKLYN MURRAY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2009
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 4 IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - TRANSFORMER VAULT 1918 (Continued)

1014397517

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2009

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - TRANSFORMER VAULT 1918 (Continued)

1014397517

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2009-07-18 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2009-07-18 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2010-03-23 00:00:00.0
Handler Name:	CON EDISON - TRANSFORMER VAULT 1918
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2009-10-23 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
-------	---------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - TRANSFORMER VAULT 1918 (Continued)

1014397517

Address: 100 PARK AVE (40TH ST)
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004198461
Facility Status: Not reported
Location Address 1: 100 PARK AVE (40TH ST)
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004198461
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/23/2009
Trans1 Recv Date: 10/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/26/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004198461
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: 001433273FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - TRANSFORMER VAULT 1918 (Continued)

1014397517

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 250
Units: K - Kilograms (2.2 pounds)
Number of Containers: 5
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AJ318
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISON VAULT: 2761
100 PARK AVE
NEW YORK, NY 10017
Site 6 of 9 in cluster AJ

RCRA NonGen / NLR 1016962598
NY MANIFEST NYP004356515

Relative:
Higher
Actual:
69 ft.

RCRA Listings:
Date Form Received by Agency: 2013-10-08 00:00:00.0
Handler Name: CON EDISON VAULT: 2761
Handler Address: 100 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004356515
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2761 (Continued)

1016962598

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-08 00:00:00.0
Handler Name:	CON EDISON VAULT: 2761
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2761 (Continued)

1016962598

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2013-10-08 00:00:00.0
Handler Name:	CON EDISON VAULT: 2761
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	100 PARK AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004356515
Facility Status:	Not reported
Location Address 1:	100 PARK AVE
Code:	BP
Location Address 2:	VAULT 2761
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004356515
Mailing Name:	CON EDISON
Mailing Contact:	TEELING
Mailing Address 1:	4 IRVING PLACE 15 FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2761 (Continued)

1016962598

Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/08/2013
Trans1 Recv Date: 09/08/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/09/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004356515
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002221078GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AJ319
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISON VAULT: 5544
100 PARK AVE VAULT 5544
NEW YORK, NY 10017
Site 7 of 9 in cluster AJ

RCRA NonGen / NLR

1017777343
NYP004552352

Relative:
Higher
Actual:
69 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:

2014-07-03 00:00:00.0
CON EDISON VAULT: 5544
100 PARK AVE VAULT 5544
NEW YORK, NY 10017
NYP004552352

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5544 (Continued)

1017777343

Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5544 (Continued)

1017777343

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-06-03 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-03 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-07-03 00:00:00.0
Handler Name:	CON EDISON VAULT: 5544
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5544 (Continued)

1017777343

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AJ320
WSW
1/8-1/4
0.132 mi.
699 ft.

CON EDISON
100 PARK AVE VAULT 2761
NEW YORK, NY 10017

NY MANIFEST **S117062847**
N/A

Site 8 of 9 in cluster AJ

Relative:
Higher

NY MANIFEST:

Actual:
69 ft.

Name:	CON EDISON
Address:	100 PARK AVE VAULT 2761
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004552345
Facility Status:	Not reported
Location Address 1:	100 PARK AV
Code:	BP
Location Address 2:	SB2761
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004552345
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2014
Trans1 Recv Date:	06/03/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/05/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004552345
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117062847

TSD ID 2: Not reported
Manifest Tracking Number: 002422529GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AJ321
WSW
1/8-1/4
0.132 mi.
699 ft.

**CON EDISON VAULT: 2761
100 PARK AVE VAULT 2761
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1017777342
NYP004552345**

Site 9 of 9 in cluster AJ

**Relative:
Higher**

RCRA Listings:

**Actual:
69 ft.**

Date Form Received by Agency: 2014-07-03 00:00:00.0
Handler Name: CON EDISON VAULT: 2761
Handler Address: 100 PARK AVE VAULT 2761
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004552345
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2761 (Continued)

1017777342

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2761 (Continued)

1017777342

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-06-03 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-03 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-07-03 00:00:00.0
Handler Name:	CON EDISON VAULT: 2761
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AB322
SSW
1/8-1/4
0.133 mi.
704 ft.

CON EDISON MANHOLE 38614
E 40TH ST & LEXINGTON AVE
NEW YORK, NY 10016

Site 4 of 8 in cluster AB

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014918249
NYP004218604

Relative:
Higher

Actual:
52 ft.

RCRA Listings:

Date Form Received by Agency:

2010-11-21 00:00:00.0

Handler Name:

CON EDISON MANHOLE 38614

Handler Address:

E 40TH ST & LEXINGTON AVE

Handler City,State,Zip:

NEW YORK, NY 10016

EPA ID:

NYP004218604

Contact Name:

KELVIN NELSON

Contact Address:

Not reported

Contact City,State,Zip:

Not reported

Contact Telephone:

212-780-3756

Contact Fax:

Not reported

Contact Email:

Not reported

Contact Title:

SR OFFICE ASSISTANT A X L1-2

EPA Region:

02

Land Type:

Private

Federal Waste Generator Description:

Not a generator, verified

Non-Notifier:

Not reported

Biennial Report Cycle:

Not reported

Accessibility:

Not reported

Active Site Indicator:

Not reported

State District Owner:

NY

State District:

NYSDEC R2

Mailing Address:

IRVING PL RM 828

Mailing City,State,Zip:

NEW YORK, NY 10003

Owner Name:

Not reported

Owner Type:

Not reported

Operator Name:

Not reported

Operator Type:

Not reported

Short-Term Generator Activity:

No

Importer Activity:

No

Mixed Waste Generator:

No

Transporter Activity:

No

Transfer Facility Activity:

No

Recycler Activity with Storage:

No

Small Quantity On-Site Burner Exemption:

No

Smelting Melting and Refining Furnace Exemption:

No

Underground Injection Control:

No

Off-Site Waste Receipt:

No

Universal Waste Indicator:

No

Universal Waste Destination Facility:

No

Federal Universal Waste:

No

Active Site Fed-Reg Treatment Storage and Disposal Facility:

Not reported

Active Site Converter Treatment storage and Disposal Facility:

Not reported

Active Site State-Reg Treatment Storage and Disposal Facility:

Not reported

Active Site State-Reg Handler:

Federal Facility Indicator:

Not reported

Hazardous Secondary Material Indicator:

NN

Sub-Part K Indicator:

Not reported

Commercial TSD Indicator:

No

Treatment Storage and Disposal Type:

Not reported

2018 GPRA Permit Baseline:

Not on the Baseline

2018 GPRA Renewals Baseline:

Not on the Baseline

Permit Renewals Workload Universe:

Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38614 (Continued)

1014918249

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2010-10-22 00:00:00.0
Handler Name:	CON EDISON MANHOLE 38614
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2010-11-21 00:00:00.0
Handler Name:	CON EDISON MANHOLE 38614
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38614 (Continued)

1014918249

Electronic Manifest Broker:

Not reported

NJ MANIFEST:

EPA Id: NYP004218604
Mail Address: IRVING PL RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: KELVIN NELSON
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 007656710JJK
EPA ID: NYP004218604
Date Shipped: 10/21/2010
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 10/21/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 10/22/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38614 (Continued)

1014918249

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 800 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: E 40TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004218604
Facility Status: Not reported
Location Address 1: INT. EAST 40TH 7 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004218604
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/21/2010
Trans1 Recv Date: 10/21/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/22/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38614 (Continued)

1014918249

Generator EPA ID: NYP004218604
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007656710JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 800
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AB323
SSW
1/8-1/4
0.133 mi.
704 ft.

CON EDISON MANHOLE 59255
E 40TH ST & LEXINGTON AVE
NEW YORK, NY 10016

RCRA NonGen / NLR **1015746974**
NY MANIFEST **NYP004249759**

Site 5 of 8 in cluster AB

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2012-04-14 00:00:00.0
Handler Name: CON EDISON MANHOLE 59255
Handler Address: E 40TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004249759
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 59255 (Continued)

1015746974

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 59255 (Continued)

1015746974

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-03-15 00:00:00.0
Handler Name:	CON EDISON MANHOLE 59255
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-04-14 00:00:00.0
Handler Name:	CON EDISON MANHOLE 59255
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON-MH 59255
Address:	E 40TH ST & LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004249759
Facility Status:	Not reported
Location Address 1:	N/S E. 40 TH ST. E/O LEXINGTON AVE.
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 59255 (Continued)

1015746974

NY MANIFEST:

EPAID: NYP004249759
Mailing Name: CONSOLIDATED EDISON-MH 59255
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/15/2012
Trans1 Recv Date: 03/15/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/16/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004249759
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009204878JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 59255 (Continued)

1015746974

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AB324
SSW
1/8-1/4
0.133 mi.
704 ft.

CONSOLIDATED EDISON
E 40TH ST & LEXINGTON AVE
NEW YORK, NY 10016

NY MANIFEST

1009239339
N/A

Site 6 of 8 in cluster AB

Relative:
Higher
Actual:
52 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: E 40TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004060158
Facility Status: Not reported
Location Address 1: E 40TH ST & LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004060158
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE0670122
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 09/01/2000
Trans1 Recv Date: 09/01/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/01/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004060158
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009239339

TSD ID 1: NYD980593636
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00091
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

AB325
SSW
1/8-1/4
0.133 mi.
704 ft.

CON EDISON MANHOLE 59255
E 40TH ST & LEXINGTON AVE
NEW YORK, NY 10016
Site 7 of 8 in cluster AB

NJ MANIFEST S117985234
N/A

Relative:
Higher

Actual:
52 ft.

NJ MANIFEST:
EPA Id: NYP004249759
Mail Address: 4 IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: BENJAMIN BAMONTE
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 009204878JJK
EPA ID: NYP004249759
Date Shipped: 3/15/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 59255 (Continued)

S117985234

Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

AF326
East
1/8-1/4
0.134 mi.
707 ft.

CON EDISON SERVICE BOX: 43893
698 3RD AVE
NEW YORK, NY 10017

Site 8 of 16 in cluster AF

RCRA NonGen / NLR 1016144173
FINDS NYP004269627
ECHO
NY MANIFEST

Relative:
Lower

Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:
Contact Name:

2017-07-28 00:00:00.0
CON EDISON SERVICE BOX: 43893
698 3RD AVE
NEW YORK, NY 10017
NYP004269627
JUAN RODRIGUEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43893 (Continued)

1016144173

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43893 (Continued)

1016144173

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:43:34.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43893
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43893
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462315

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43893 (Continued)

1016144173

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016144173
Registry ID: 110055462315
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055462315>
Name: CON EDISON SERVICE BOX: 43893
Address: 698 3RD AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 698 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269627
Facility Status: Not reported
Location Address 1: 698 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269627
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/27/2012
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43893 (Continued)

1016144173

Part B Recv Date: Not reported
Generator EPA ID: NYP004269627
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456599JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AF327
East
1/8-1/4
0.134 mi.
707 ft.

CON EDISON SERVICE BOX: 43893
698 3RD AVE
NEW YORK, NY 10017
Site 9 of 16 in cluster AF

NJ MANIFEST **S117986377**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004269627
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43893 (Continued)

S117986377

TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456599JJK
EPA ID:	NYP004269627
Date Shipped:	9/20/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

AB328	CON EDISON	RCRA NonGen / NLR	1018278507
SSW	118 E 40TH ST & LEXINGTON AVE	FINDS	NYP004732814
1/8-1/4	NEW YORK, NY 10016	ECHO	
0.134 mi.			
710 ft.	Site 8 of 8 in cluster AB		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2015-02-17 00:00:00.0	
	Handler Name:	CON EDISON	
Actual:	Handler Address:	133 E 40TH ST & LEXINGTON AVE	
53 ft.	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP004732814	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278507

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-02-17 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-02-17 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278507

Electronic Manifest Broker:

Not reported

FINDS:

Registry ID: 110067707271

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018278507
Registry ID: 110067707271
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067707271>
Name: CON EDISON
Address: 118 E 40TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016

**AF329
ESE
1/8-1/4
0.136 mi.
720 ft.**

**CONSOLIDATED EDISON
39 ST & 3 AVE OP EXCAV
NEW YORK, NY 10030
Site 10 of 16 in cluster AF**

**NY MANIFEST 1009242466
N/A**

**Relative:
Lower**

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 39 ST & 3 AVE OP EXCAV
City,State,Zip: NEW YORK, NY 10030
Country: USA
EPA ID: NYP004115382
Facility Status: Not reported
Location Address 1: 39 ST & 3 AVE OP EXCAV
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10030
Location Zip 4: Not reported

**Actual:
37 ft.**

NY MANIFEST:

EPAID: NYP004115382
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242466

Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE0514323
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 46630JM
Trans2 State ID: Not reported
Generator Ship Date: 09/28/2003
Trans1 Recv Date: 09/28/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/29/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004115382
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00400
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

AF330 **CONSOLIDATED EDISON**
ESE **40 ST & 3 AVE EXCAV**
1/8-1/4 **NEW YORK, NY 10027**
0.136 mi.
720 ft. **Site 11 of 16 in cluster AF**

NY MANIFEST **1009242064**
N/A

Relative: NY MANIFEST:
Lower Name: CONSOLIDATED EDISON
Address: 40 ST & 3 AVE EXCAV
Actual: City,State,Zip: NEW YORK, NY 10027
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242064

Country: USA
EPA ID: NYP004106688
Facility Status: Not reported
Location Address 1: 40 ST & 3 AVE EXCAV
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004106688
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0676143
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 46690JM
Trans2 State ID: Not reported
Generator Ship Date: 01/26/2003
Trans1 Recv Date: 01/26/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004106688
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242064

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

**AF331
ESE
1/8-1/4
0.136 mi.
720 ft.**

**CON EDISON - MH MH-56217
E. 40TH STREET AND 3RD AVENUE
NEW YORK, NY 10016**

**RCRA NonGen / NLR 1008195652
NY MANIFEST NYP004111563**

Site 12 of 16 in cluster AF

**Relative:
Lower**

RCRA Listings:

**Actual:
37 ft.**

Date Form Received by Agency: 2004-02-27 00:00:00.0
Handler Name: CON EDISON - MH MH-56217
Handler Address: E. 40TH STREET AND 3RD AVENUE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004111563
Contact Name: ANTHONY DRUMMINGS
Contact Address: 4 IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Municipal
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH MH-56217 (Continued)

1008195652

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2003

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-05-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH MH-56217 (Continued)

1008195652

Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-05-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-05-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-05-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	2004-02-25 00:00:00.0
Handler Name:	CON EDISON - MH MH-56217
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2004-02-26 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH MH-56217 (Continued)

1008195652

Handler Name:	CON EDISON - MH MH-56217
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2004-02-27 00:00:00.0
Handler Name:	CON EDISON - MH MH-56217
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E. 40TH STREET AND 3RD AVENUE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004111563
Facility Status:	Not reported
Location Address 1:	40 ST & 3 AVE MH56217
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10003
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004111563
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH MH-56217 (Continued)

1008195652

NY MANIFEST:

Document ID: NYE1303776
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 46690JM
Trans2 State ID: 96589JE
Generator Ship Date: 06/09/2003
Trans1 Recv Date: 06/09/2003
Trans2 Recv Date: 06/09/2003
TSD Site Recv Date: 06/10/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004111563
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: NYD006982359
TSD ID 1: NYD077444263
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00050
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

AA332
ESE
1/8-1/4
0.137 mi.
725 ft.

CON EDISON SERVICE BOX: 43885
671 3RD AVE
NEW YORK, NY 10016
Site 11 of 14 in cluster AA

RCRA NonGen / NLR 1016143975
FINDS NYP004267621
ECHO
NY MANIFEST

Relative:
Lower

RCRA Listings:

Actual:
37 ft.

Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:
Contact Name:

2017-07-28 00:00:00.0
CON EDISON SERVICE BOX: 43885
671 3RD AVE
NEW YORK, NY 10016
NYP004267621
JUAN RODRIGUEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43885 (Continued)

1016143975

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43885 (Continued)

1016143975

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:13:16.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43885
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43885
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055456849

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43885 (Continued)

1016143975

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143975
Registry ID: 110055456849
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456849>
Name: CON EDISON SERVICE BOX: 43885
Address: 671 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 671 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267621
Facility Status: Not reported
Location Address 1: 371 3RD AVE
Code: BP
Location Address 2: SERV BOX 43885
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267621
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43885 (Continued)

1016143975

Part B Recv Date: Not reported
Generator EPA ID: NYP004267621
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456469JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AA333 **CON EDISON SERVICE BOX: 43885**
ESE **671 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.137 mi.
725 ft. **Site 12 of 14 in cluster AA**

NJ MANIFEST **S117986196**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267621
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
37 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43885 (Continued)

S117986196

TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456469JJK
EPA ID:	NYP004267621
Date Shipped:	9/11/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AK334
ESE
1/8-1/4
0.138 mi.
730 ft.

CONSTRUCTION
679 3RD AVE
NEW YORK, NY
Site 1 of 3 in cluster AK

NY LTANKS **S108639658**
N/A

Relative:
Lower

Actual:
37 ft.

LTANKS:

Name: CONSTRUCTION
Address: 679 3RD AVE
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0702152 / 2007-09-25
Facility ID: 0702152
Site ID: 381817
Spill Date: 2007-05-22
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 2007-05-22
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2007-05-22
Spill Record Last Update: 2007-09-25
Spiller Name: MEREDITH HAYES
Spiller Company: CONSTRUCTION
Spiller Address: 679 3RD AVE
Spiller County: 999
Spiller Contact: MEREDITH HAYES
Spiller Phone: (212) 594-8140
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 331225
DEC Memo: "CSL sent to: John Witty The Durst Organization 1155 Ave of Americas NY NY 10036 They have found an 800 gal ast behind a wall. they are going to overexcavated and collect samples. will send report at later time. 9/25/07- DEC Piper recieved tan kclosure report. The 800 gal tankwas rmeoved along with500 gal of fuel in tank. Additionally 23 tons of soil was removed of and disposed of. Endpoint sampling of excavation revealed no VOC's over TAGM and slight exceedances in SVOC's, which may be related to fill material since construction debris was encountered in excavation. Based on efforts to date, this spill is closed. See e-docs if warranted."

Remarks: "CONTAMINATED SOIL AT ABOVE ADDRESS"

All Materials:

Site ID: 381817
Operable Unit ID: 1139245
Operable Unit: 01
Material ID: 2129264
Material Code: 0066A
Material Name: unknown petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION (Continued)

S108639658

Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

AK335 **CON EDISON SERVICE BOX: 43887**
ESE **679 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.138 mi.
730 ft. **Site 2 of 3 in cluster AK**

NJ MANIFEST **S117986198**
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004267647
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
37 ft.

Manifest:
Manifest Number: 010456471JJK
EPA ID: NYP004267647
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43887 (Continued)

S117986198

TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AK336 **CON EDISON SERVICE BOX: 43887**
ESE **679 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.138 mi.
730 ft. **Site 3 of 3 in cluster AK**

RCRA NonGen / NLR **1016143977**
FINDS **NYP004267647**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43887
Handler Address: 679 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267647
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43887 (Continued)

1016143977

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:17:54.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43887 (Continued)

1016143977

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43887
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43887
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421422

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143977
Registry ID:	110055421422
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421422
Name:	CON EDISON SERVICE BOX: 43887
Address:	679 3RD AVE
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	679 3RD AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43887 (Continued)

1016143977

EPA ID: NYP004267647
Facility Status: Not reported
Location Address 1: 679 3RD AVE
Code: BP
Location Address 2: SERV BOX 43887
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267647
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267647
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456471JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43887 (Continued)

1016143977

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AI337
SE
1/8-1/4
0.138 mi.
730 ft.**

**CON EDISON
661 3RD AVE
NEW YORK, NY 10017
Site 18 of 25 in cluster AI**

**NY MANIFEST S117063584
N/A**

**Relative:
Lower
Actual:
36 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 661 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004560140
Facility Status: Not reported
Location Address 1: OPP 661 3 AVE
Code: BP
Location Address 2: MH 10102
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004560140
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117063584

Trans2 State ID: Not reported
Generator Ship Date: 06/10/2014
Trans1 Recv Date: 06/10/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/20/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004560140
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002422646GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI338 CON EDISON SERVICE BOX: 43884
SE 661 3RD AVE OPPOSITE
1/8-1/4 NEW YORK, NY 10016
0.138 mi.
730 ft. Site 19 of 25 in cluster AI

RCRA NonGen / NLR 1016143974
FINDS NYP004267613
ECHO
NY MANIFEST

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43884
Handler Address: 661 3RD AVE OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267613
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43884 (Continued)

1016143974

Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43884 (Continued)

1016143974

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:11:17.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43884
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43884
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421413

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43884 (Continued)

1016143974

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143974
Registry ID: 110055421413
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055421413>
Name: CON EDISON SERVICE BOX: 43884
Address: 661 3RD AVE OPPOSITE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 661 3RD AVE OPPOSITE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267613
Facility Status: Not reported
Location Address 1: OPP 661 3RD AVE
Code: BP
Location Address 2: SERV BOX 43884
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267613
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43884 (Continued)

1016143974

Generator EPA ID: NYP004267613
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456468JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AI339
SE
1/8-1/4
0.138 mi.
730 ft.

CON EDISON SERVICE BOX: 43884
661 3RD AVE OPPOSITE
NEW YORK, NY 10016

NJ MANIFEST S117986195
N/A

Site 20 of 25 in cluster AI

Relative:
Lower
Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004267613
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43884 (Continued)

S117986195

Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456468JJK
EPA ID:	NYP004267613
Date Shipped:	9/11/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AI340 SE 1/8-1/4 0.138 mi. 730 ft.	CON EDISON OTHER - SPECIFY: 10102 661 3RD AVE NEW YORK, NY 10017 Site 21 of 25 in cluster AI	RCRA NonGen / NLR FINDS	1017778098 NYP004560140
Relative: Lower	RCRA Listings:		
Actual: 36 ft.	Date Form Received by Agency:	2014-07-10 00:00:00.0	
	Handler Name:	CON EDISON OTHER - SPECIFY: 10102	
	Handler Address:	661 3RD AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004560140	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	SENIOR SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER - SPECIFY: 10102 (Continued)

1017778098

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-06-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OTHER - SPECIFY: 10102 (Continued)

1017778098

Electronic Manifest Broker:	Not reported
Receive Date:	2014-07-10 00:00:00.0
Handler Name:	CON EDISON OTHER - SPECIFY: 10102
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063831224

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**AL341
WSW
1/8-1/4
0.139 mi.
732 ft.**

**SMART SET CLEANERS
ATLANTIC AVENUE
OCEANSIDE, NY 11572**

**RCRA-SQG 1008374576
NYR000133264**

Site 1 of 5 in cluster AL

**Relative:
Higher**

**Actual:
72 ft.**

RCRA Listings:	
Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	SMART SET CLEANERS
Handler Address:	ATLANTIC AVENUE
Handler City,State,Zip:	OCEANSIDE, NY 11572
EPA ID:	NYR000133264
Contact Name:	THEODORE FIRETOG
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	516-845-8087
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SMART SET CLEANERS (Continued)

1008374576

State District:	NYSDEC R1
Mailing Address:	PARK AVENUE 35TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	GREAT LINCOLN LLC
Owner Type:	Private
Operator Name:	NO NAME FOUND
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SMART SET CLEANERS (Continued)

1008374576

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GREAT LINCOLN LLC
Legal Status:	Private
Date Became Current:	2001-07-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GREAT LINCOLN LLC
Legal Status:	Private
Date Became Current:	2001-07-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NO NAME FOUND
Legal Status:	Private
Date Became Current:	2001-07-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GREAT LINCOLN LLC
Legal Status:	Private
Date Became Current:	2001-07-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	100 PARK AVE - 35TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SMART SET CLEANERS (Continued)

1008374576

Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GREAT LINCOLN LLC
Legal Status: Private
Date Became Current: 2001-07-23 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 100 PARK AVE - 35TH FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GREAT LINCOLN LLC
Legal Status: Private
Date Became Current: 2001-07-23 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: PARK AVENUE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-04-05 00:00:00.0
Handler Name: SMART SET CLEANERS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: SMART SET CLEANERS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2005-07-19 00:00:00.0
Handler Name: GREAT LINCOLN LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SMART SET CLEANERS (Continued)

1008374576

Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-04-06 00:00:00.0
Handler Name:	SMART SET CLEANERS
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AC342
NE
1/8-1/4
0.140 mi.
741 ft.

459 LEXINGTON ASSOCIATES, INC.
459 LEXINGTON AVE
NEW YORK, NY 10017

Site 20 of 20 in cluster AC

NY AST **U004045574**
N/A

Relative:
Lower

Actual:
45 ft.

AST:	
Name:	459 LEXINGTON ASSOCIATES, INC.
Address:	459 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10017
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-310212
Program Type:	PBS
UTM X:	586573.94506
UTM Y:	4511893.95455
Expiration Date:	N/A
Site Type:	Unknown
Affiliation Records:	
Site Id:	14172
Affiliation Type:	Facility Owner
Company Name:	459 LEXINGTON ASSOCIATES, INC.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	57-08 39TH AVE.
Address2:	Not reported
City:	WOODSIDE
State:	NY
Zip Code:	11377
Country Code:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

459 LEXINGTON ASSOCIATES, INC. (Continued)

U004045574

Phone: (718) 779-4395
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 14172
Affiliation Type: Mail Contact
Company Name: 459 LEXINGTON ASSOCIATES, INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 57-08 39TH AVE.
Address2: Not reported
City: WOODSIDE
State: NY
Zip Code: 11377
Country Code: 001
Phone: (718) 779-4395
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 14172
Affiliation Type: Facility Operator
Company Name: 459 LEXINGTON ASSOCIATES, INC.
Contact Type: Not reported
Contact Name: 459 ASSOC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-3336
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 14172
Affiliation Type: Emergency Contact
Company Name: 459 LEXINGTON ASSOCIATES, INC.
Contact Type: Not reported
Contact Name: SAMUEL SUTTON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-3336
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

459 LEXINGTON ASSOCIATES, INC. (Continued)

U004045574

Tank Info:

Tank Number: 001
Tank Id: 24362
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 07/01/1995
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AA343
ESE
1/8-1/4
0.141 mi.
742 ft.

**CON EDISON SERVICE BOX: 43886
675 3RD AVE
NEW YORK, NY 10016
Site 13 of 14 in cluster AA**

**RCRA NonGen / NLR 1016143976
NY MANIFEST NYP004267639
NY COOLING TOWERS**

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43886
Handler Address: 675 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267639
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43886 (Continued)

1016143976

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43886 (Continued)

1016143976

Handler Date of Last Change:	2017-10-17 10:15:10.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43886
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43886
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	675 3RD AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267639
Facility Status:	Not reported
Location Address 1:	675 3RD AVE
Code:	BP
Location Address 2:	SERV BOX 43886
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267639
Mailing Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43886 (Continued)

1016143976

Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267639
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456470JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43886 (Continued)

1016143976

Waste Code 1_6: Not reported

COOLING TOWERS:

Name: Not reported
Address: 675 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 13812
Equipment Borough: Manhattan
Intended Use: Not reported
Manufacturer: Marley
Model: NC8013BM
Cooling Capacity: 300
Cooling Capacity Unit: Tonnage
Commissioned Date: 05/23/1995
Inspection Date: 10/24/2019
Date of Bacteriological Collection: 10/24/2019
Date of Legionella Collection: 10/24/2019
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.750790015
Longitude: -73.973965037

Name: Not reported
Address: 675 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 13811
Equipment Borough: Manhattan
Intended Use: Not reported
Manufacturer: Marley
Model: NC8013BM
Cooling Capacity: 300
Cooling Capacity Unit: Tonnage
Commissioned Date: 05/23/1995
Inspection Date: 10/24/2019
Date of Bacteriological Collection: 10/24/2019
Date of Legionella Collection: 10/24/2019
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.750790015
Longitude: -73.973965037

Name: Not reported
Address: 675 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 13813
Equipment Borough: Manhattan
Intended Use: Not reported
Manufacturer: Marley
Model: NC8013BM
Cooling Capacity: 300
Cooling Capacity Unit: Tonnage
Commissioned Date: 05/23/1995
Inspection Date: 10/24/2019
Date of Bacteriological Collection: 10/24/2019
Date of Legionella Collection: 10/24/2019
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.750790015
Longitude: -73.973965037

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AA344
ESE
1/8-1/4
0.141 mi.
742 ft.
CON EDISON SERVICE BOX: 43886
675 3RD AVE
NEW YORK, NY 10016
Site 14 of 14 in cluster AA

NJ MANIFEST **S117986197**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
37 ft.

EPA Id: NYP004267639
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456470JJK
EPA ID: NYP004267639
Date Shipped: 9/11/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43886 (Continued)

S117986197

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AF345
ESE
1/8-1/4
0.141 mi.
747 ft.

CON EDISON
681-691 3RD AVE
NEW YORK, NY 10158

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014395780
NYP004172466

Site 13 of 16 in cluster AF

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2016-06-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: 681-691 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10158
EPA ID: NYP004172466
Contact Name: PATRICK HANLEY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-203-1475
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395780

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-10-17 10:54:19.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2009-06-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395780

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004172466
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	PATRICK HANLEY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001028471JJK
EPA ID:	NYP004172466
Date Shipped:	06/09/2009
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/09/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395780

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 06/10/2009
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 1500 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 681-691 3RD AVE
City,State,Zip: NEW YORK, NY 10158
Country: USA
EPA ID: NYP004172466
Facility Status: Not reported
Location Address 1: 685 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004172466
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014395780

Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/09/2009
Trans1 Recv Date: 06/09/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/10/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004172466
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001028471JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AI346
SE
1/8-1/4
0.143 mi.
753 ft.

ROYAL REALTY CORP
200 E 42ND ST
NEW YORK, NY 10017

Site 22 of 25 in cluster AI

RCRA-VSQG
FINDS
ECHO
NY MANIFEST

1001119667
NYR000029579

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: ROYAL REALTY CORP
Handler Address: 200 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017-5803
EPA ID: NYR000029579
Contact Name: Not reported
Contact Address: E 42ND ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: THE DURST ORGANIZATION
Owner Type: Private
Operator Name: THE DURST ORGANIZATION
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY CORP (Continued)

1001119667

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	THE DURST ORGANIZATION
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 AVE OF THE AMERICAS
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	THE DURST ORGANIZATION
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 AVE OF THE AMERICAS
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY CORP (Continued)

1001119667

Owner/Operator Indicator:	Owner
Owner/Operator Name:	THE DURST ORGANIZATION
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 AVE OF THE AMERICAS
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	ROYAL REALTY CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	ROYAL REALTY CORP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	ROYAL REALTY CORP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1996-09-23 00:00:00.0
Handler Name:	ROYAL REALTY CORP
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY CORP (Continued)

1001119667

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004528636

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001119667
Registry ID:	110004528636
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004528636
Name:	ROYAL REALTY CORP
Address:	200 E 42ND ST
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	ROYAL REALTY CORP
Address:	200 E 42ND ST
City,State,Zip:	NEW YORK, NY 10017-5803
Country:	USA
EPA ID:	NYR000029579
Facility Status:	Not reported
Location Address 1:	655 3RD AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10013
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000029579
Mailing Name:	ROYAL REALTY CORP
Mailing Contact:	MICHAEL TERZANO
Mailing Address 1:	655 3RD AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10013

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY CORP (Continued)

1001119667

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129864163

NY MANIFEST:

Document ID: NYC7487550
Manifest Status: Not reported
seq: Not reported
Year: 2005
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 03/21/2005
Trans1 Recv Date: 03/21/2005
Trans2 Recv Date: 03/25/2005
TSD Site Recv Date: 03/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000029579
Trans1 EPA ID: NYAP6277
Trans2 EPA ID: T16L8D
TSDF ID 1: KYD053348108
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00900
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AI347
SE
1/8-1/4
0.143 mi.
753 ft.
CON EDISON SERVICE BOX: 8250
200 E 42ND ST
NEW YORK, NY 10016
Site 23 of 25 in cluster AI

NJ MANIFEST **S117986208**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
36 ft.

EPA Id: NYP004267746
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456467JJK
EPA ID: NYP004267746
Date Shipped: 9/11/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8250 (Continued)

S117986208

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AI348
SE
1/8-1/4
0.143 mi.
753 ft.

NYNEX
200 E 42ND ST
NEW YORK, NY
Site 24 of 25 in cluster AI

NY MANIFEST **1009233285**
N/A

Relative:
Lower

Actual:
36 ft.

NY MANIFEST:
Name: NYNEX
Address: 200 E 42ND ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP000913038
Facility Status: Not reported
Location Address 1: 200 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000913038
Mailing Name: NYNEX
Mailing Contact: RONALD A SIWULEC
Mailing Address 1: 1095 AVE OF AMER-RM 3025
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2123956040

NY MANIFEST:
Document ID: NJA1771117
Manifest Status: C
seq: Not reported
Year: 1994
Trans1 State ID: NJDEPES50
Trans2 State ID: Not reported
Generator Ship Date: 01/25/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233285

Trans1 Recv Date: 01/25/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 01/26/1994
Part A Recv Date: 04/08/1994
Part B Recv Date: 02/11/1994
Generator EPA ID: NYP000913038
Trans1 EPA ID: NYD980761191
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100

AI349
SE
1/8-1/4
0.143 mi.
753 ft.

**CON EDISON SERVICE BOX: 8250
200 E 42ND ST
NEW YORK, NY 10016**

**RCRA NonGen / NLR 1016143987
NY MANIFEST NYP004267746**

Site 25 of 25 in cluster AI

**Relative:
Lower**

RCRA Listings:

**Actual:
36 ft.**

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8250
Handler Address: 200 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267746
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8250 (Continued)

1016143987

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8250 (Continued)

1016143987

Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 10:54:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8250
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8250
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	200 E 42ND ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267746
Facility Status:	Not reported
Location Address 1:	200 E 42ND ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8250 (Continued)

1016143987

NY MANIFEST:

EPAID: NYP004267746
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267746
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456467JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8250 (Continued)

1016143987

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AM350
SW
1/8-1/4
0.144 mi.
759 ft.

CON EDISON SERVICE BOX: 7791
102 E 40TH ST
NEW YORK, NY 10018
Site 1 of 7 in cluster AM

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143839
NYP004266250

Relative:
Higher
Actual:
71 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7791
Handler Address: 102 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266250
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7791 (Continued)

1016143839

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 14:33:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7791
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7791
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7791 (Continued)

1016143839

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055426800

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143839
Registry ID:	110055426800
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055426800
Name:	CON EDISON SERVICE BOX: 7791
Address:	102 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	102 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266250
Facility Status:	Not reported
Location Address 1:	102 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7791
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10018
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004266250
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7791 (Continued)

1016143839

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266250
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456084JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AM351
SW
1/8-1/4
0.144 mi.
759 ft.
CON EDISON SERVICE BOX: 7791
102 E 40TH ST
NEW YORK, NY 10018
Site 2 of 7 in cluster AM

NJ MANIFEST
S117986069
N/A

Relative:
Higher

Actual:
71 ft.

NJ MANIFEST:
EPA Id: NYP004266250
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456084JJK
EPA ID: NYP004266250
Date Shipped: 9/4/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7791 (Continued)

S117986069

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AM352
SW
1/8-1/4
0.144 mi.
761 ft.

GRAND PARK CONDOMINIUM
110 EAST 40TH STREET
NEW YORK, NY 10016
Site 3 of 7 in cluster AM

NY AST **U003390735**
N/A

Relative:
Higher

Actual:
69 ft.

AST:
Name: GRAND PARK CONDOMINIUM
Address: 110 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-322423
Program Type: PBS
UTM X: 586286.81584
UTM Y: 4511554.94816
Expiration Date: 11/04/2024
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 15025
Affiliation Type: Mail Contact
Company Name: GRAND PARK CONDOMINIUM C/O PHILIPS INTERNATIONAL
Contact Type: Not reported
Contact Name: DINA LEVINSON
Address1: 295 MADISON AVE
Address2: 2ND FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 951-3807
EMail: DLEVINSON@PIHC.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-08-06

Site Id: 15025
Affiliation Type: Facility Operator
Company Name: GRAND PARK CONDOMINIUM
Contact Type: Not reported
Contact Name: EDISON FERNANDEZ
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND PARK CONDOMINIUM (Continued)

U003390735

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-3427
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-03-27

Site Id: 15025
Affiliation Type: Facility Owner
Company Name: THE GRAND PARK CONDOMINIUM
Contact Type: PRESIDENT
Contact Name: MICHAEL PAGNOTTA
Address1: 295 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 951-3807
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-03-27

Site Id: 15025
Affiliation Type: Emergency Contact
Company Name: THE GRAND PARK CONDOMINIUM
Contact Type: Not reported
Contact Name: EDISON FERNANDEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 245-0511
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-08-06

Tank Info:

Tank Number: 001
Tank Id: 19940
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND PARK CONDOMINIUM (Continued)

U003390735

F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
D00 - Pipe Type - No Piping
J03 - Dispenser - Gravity
L00 - Piping Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 07/01/1979
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 08/06/2019
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 19941
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
G02 - Tank Secondary Containment - Vault (w/access)
C01 - Pipe Location - Aboveground
D00 - Pipe Type - No Piping
J03 - Dispenser - Gravity
L00 - Piping Leak Detection - None
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 07/01/1979
Capacity Gallons: 3700
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND PARK CONDOMINIUM (Continued)

U003390735

Last Modified: 08/06/2019
Material Name: #2 fuel oil (on-site consumption)

AN353
SSW
1/8-1/4
0.145 mi.
764 ft.
CON EDISON
118 E 40TH ST
NEW YORK, NY 10016
Site 1 of 9 in cluster AN

NJ MANIFEST **S120676208**
N/A

Relative:
Higher

Actual:
62 ft.

NJ MANIFEST:
EPA Id: NYP004833030
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002612901GBF
EPA ID: NYP004833030
Date Shipped: 9/1/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676208

Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AN354
SSW
1/8-1/4
0.145 mi.
764 ft.

CON ED
118 E 40TH ST
NEW YORK, NY 10016
Site 2 of 9 in cluster AN

NY MANIFEST **S107784829**
N/A

Relative:
Higher

NY MANIFEST:

Actual:
62 ft.

Name: CON EDISON
Address: 118 E 40TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004829325
Facility Status: Not reported
Location Address 1: 118 E 40TH ST
Code: BP
Location Address 2: SB 7791
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004829325
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/25/2015
Trans1 Recv Date: 08/25/2015
Trans2 Recv Date: 08/27/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S107784829

TSD Site Recv Date: 08/27/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004829325
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613015GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON ED
Address: 118 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004833030
Facility Status: Not reported
Location Address 1: F/O 118 E 40 ST
Code: BP
Location Address 2: SB 7794
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004833030
Mailing Name: CON ED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S107784829

Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 09/01/2015
Trans1 Recv Date: 09/01/2015
Trans2 Recv Date: 09/02/2015
TSD Site Recv Date: 09/03/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004833030
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612901GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S107784829

Waste Code 1_6:

Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

**AN355
SSW
1/8-1/4
0.145 mi.
764 ft.**

**RENWICK HOTEL
118 EAST 40TH STREET
NEW YORK, NY 10016**

**NY AST A100178353
N/A**

Site 3 of 9 in cluster AN

**Relative:
Higher**

AST:

**Actual:
62 ft.**

Name: RENWICK HOTEL
Address: 118 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-606155
Program Type: PBS
UTM X: 589586.57567
UTM Y: 4500763.09982
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 28019
Affiliation Type: Mail Contact
Company Name: MICHAEL HILLIER
Contact Type: Not reported
Contact Name: RENWICK HOTEL
Address1: 118 EAST 40TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 634-4002
EMail: MICHAEL.HILLIER@RENWICKHOTEL.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-17

Site Id: 28019
Affiliation Type: Facility Operator
Company Name: RENWICK HOTEL
Contact Type: Not reported
Contact Name: MICHAEL HILLIER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 687-4875
EMail: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RENWICK HOTEL (Continued)

A100178353

Modified By: MFLEONAR
Date Last Modified: 2017-08-17

Site Id: 28019
Affiliation Type: Emergency Contact
Company Name: BEDFORD-WCK LLC
Contact Type: Not reported
Contact Name: MICHAEL HILLIER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 634-4002
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-17

Site Id: 28019
Affiliation Type: Facility Owner
Company Name: BEDFORD-WCK LLC
Contact Type: AUTHORIZED SIGNATORY
Contact Name: TIMOTHY YANTZ
Address1: 488 MADISON AVENUE, SUITE 1100
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (646) 666-3114
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-17

Tank Info:

Tank Number: 203
Tank Id: 271438

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RENWICK HOTEL (Continued)

A100178353

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/31/1952
Capacity Gallons: 4500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 08/17/2017
Material Name: #2 fuel oil (on-site consumption)

AN356
SSW
1/8-1/4
0.145 mi.
764 ft.

CON EDISON
118 E 40TH ST
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO

1019907349
NYP004833030

Site 4 of 9 in cluster AN

Relative:
Higher
Actual:
62 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: 118 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004833030
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907349

Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907349

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-09-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069690819

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019907349
Registry ID:	110069690819
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069690819
Name:	CON EDISON
Address:	118 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016

AN357 114 E 40TH STREET
SSW 114 EAST 40TH STREET
1/8-1/4 NEW YORK, NY 10016
0.145 mi.
765 ft. Site 5 of 9 in cluster AN

NY AST **U004078322**
N/A

Relative:	AST:	
Higher	Name:	114 E 40TH STREET
	Address:	114 EAST 40TH STREET
Actual:	City,State,Zip:	NEW YORK, NY 10016
65 ft.	Region:	STATE
	DEC Region:	2
	Site Status:	Active
	Facility Id:	2-600029
	Program Type:	PBS
	UTM X:	586302.18828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

114 E 40TH STREET (Continued)

U004078322

UTM Y: 4511546.91642
Expiration Date: 09/10/2020
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 22018
Affiliation Type: Mail Contact
Company Name: GFB MNGMT LLC C/O GALIL MANAGEMENT
Contact Type: Not reported
Contact Name: DAVID LEDERMAN
Address1: 1465A FLATBUSH AVE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11210
Country Code: 001
Phone: (718) 434-9440
EMail: DLEDERMAN@GALILMANAGEMENT.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-11-13

Site Id: 22018
Affiliation Type: Facility Operator
Company Name: 114 E 40TH STREET
Contact Type: Not reported
Contact Name: ARNALDO BATISTA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 282-3809
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-11-12

Site Id: 22018
Affiliation Type: Emergency Contact
Company Name: BRE FSC MULTIFAMILY BORROWER LLC
Contact Type: Not reported
Contact Name: ABRAHAM DAVIES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 518-6850
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-11-13

Site Id: 22018
Affiliation Type: Facility Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

114 E 40TH STREET (Continued)

U004078322

Company Name: BRE FSC MULTIFAMILY BORROWER LLC
Contact Type: MANAGER
Contact Name: DAVID LEDERMAN
Address1: 344 EAST 63RD ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10065
Country Code: 001
Phone: (646) 518-6850
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-11-13

Tank Info:

Tank Number: 001
Tank Id: 39966
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
H99 - Tank Leak Detection - Other
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1986
Capacity Gallons: 2000
Tightness Test Method: 03
Date Test: 03/01/1996
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AO358
South
1/8-1/4
0.146 mi.
770 ft.

CON EDISON
122 E 40TH ST
NEW YORK, NY 10016

Site 1 of 8 in cluster AO

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1012185760
NYP004165940

Relative:
Higher

Actual:
53 ft.

RCRA Listings:

Date Form Received by Agency:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	122 E 40TH ST
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004165940
Contact Name:	NEIL SKOW
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	718-204-4249
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185760

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-07-27 15:47:10.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2009-04-03 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185760

Electronic Manifest Broker: Not reported

NJ MANIFEST:

EPA Id: NYP004165940
Mail Address: 4 IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: NEIL SKOW
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001028082JJK
EPA ID: NYP004165940
Date Shipped: 04/03/2009
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/03/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: 04/07/2009
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185760

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 800 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 122 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004165940
Facility Status: Not reported
Location Address 1: 122 E HOTH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004165940
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 04/03/2009
Trans1 Recv Date: 04/03/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/07/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185760

Generator EPA ID: NYP004165940
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001028082JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 800
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AO359
South
1/8-1/4
0.146 mi.
770 ft.

CON EDISON SERVICE BOX: 7789
122 E 40TH ST OPPOSITE
NEW YORK, NY 10016

RCRA NonGen / NLR 1016143868
NY MANIFEST NYP004266540

Site 2 of 8 in cluster AO

Relative:
Higher
Actual:
53 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7789
Handler Address: 122 E 40TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266540
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7789 (Continued)

1016143868

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7789 (Continued)

1016143868

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 10:09:08.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7789
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7789
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	122 E 40TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004266540
Facility Status:	Not reported
Location Address 1:	OPP 122 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7789
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7789 (Continued)

1016143868

NY MANIFEST:

EPAID: NYP004266540
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/06/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266540
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456326JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7789 (Continued)

1016143868

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AO360
South
1/8-1/4
0.146 mi.
770 ft.

CON EDISON SERVICE BOX: 7789
122 E 40TH ST OPPOSITE
NEW YORK, NY 10016

NJ MANIFEST S117986098
N/A

Site 3 of 8 in cluster AO

Relative:
Higher
Actual:
53 ft.

NJ MANIFEST:
EPA Id: NYP004266540
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456326JJK
EPA ID: NYP004266540
Date Shipped: 9/5/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7789 (Continued)

S117986098

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AH361
East
1/8-1/4
0.146 mi.
771 ft.
CON EDISON
702 3 AVE
NEW YORK, NY 10017
Site 2 of 3 in cluster AH

NY MANIFEST **S117314843**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
Address: 702 3 AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619300
Facility Status: Not reported
Location Address 1: 702 3 AVE
Code: BP
Location Address 2: SB 43900
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004619300
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314843

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	08/06/2014
Trans1 Recv Date:	08/06/2014
Trans2 Recv Date:	08/06/2014
TSD Site Recv Date:	08/06/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004619300
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002504574GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AP362	CON EDISON MANHOLE: 7797	RCRA NonGen / NLR	1016970454
South	141-143 E 40TH ST & LEXINGTON AVE E OF	NY MANIFEST	NYP004441648
1/8-1/4	NEW YORK, NY 10016		
0.146 mi.			
772 ft.	Site 1 of 13 in cluster AP		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2014-03-14 00:00:00.0	
	Handler Name:	CON EDISON MANHOLE: 7797	
Actual:	Handler Address:	141-143 E 40TH ST & LEXINGTON AVE E OF	
47 ft.	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP004441648	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	SENIOR SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016970454

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-02-14 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7797
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-03-14 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7797
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016970454

Electronic Manifest Broker:

Not reported

NY MANIFEST:

Name: CON EDISON
Address: 141-143 E 40TH ST & LEXINGTON
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004441648
Facility Status: Not reported
Location Address 1: 141 E 40TH ST
Code: BP
Location Address 2: SB7797
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004441648
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 02/13/2014
Trans1 Recv Date: 02/13/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/14/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004441648
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002329174GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016970454

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AH363
East
1/8-1/4
0.146 mi.
773 ft.

INTL COMMODITIES
708 3RD AVE
NEW YORK, NY 10017

Site 3 of 3 in cluster AH

RCRA NonGen / NLR **1015746517**
NYN008024788

Relative:
Lower
Actual:
39 ft.

RCRA Listings:
Date Form Received by Agency: 2012-06-04 00:00:00.0
Handler Name: INTL COMMODITIES
Handler Address: 708 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYN008024788
Contact Name: STEVEN SPRINGER
Contact Address: 3RD AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-485-3571
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: VICE PRES
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 3RD AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INTL COMMODITIES (Continued)

1015746517

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-11-16 12:31:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INTL COMMODITIES (Continued)

1015746517

Historic Generators:

Receive Date:	2012-06-04 00:00:00.0
Handler Name:	INTL COMMODITIES
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	2012-05-30 00:00:00.0
Evaluation Responsible Agency:	EPA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INTL COMMODITIES (Continued)

1015746517

Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

AO364
South
1/8-1/4
0.147 mi.
774 ft.
124 EAST 40TH ST
124 EAST 40TH STREET
NEW YORK, NY 10016
Site 4 of 8 in cluster AO

NY AST U003383831
N/A

Relative:
Higher

Actual:
52 ft.

AST:
Name: 124 EAST 40TH ST
Address: 124 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-063878
Program Type: PBS
UTM X: 586332.78483
UTM Y: 4511530.36712
Expiration Date: 03/10/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 1296
Affiliation Type: Facility Owner
Company Name: 124 EAST 40TH STREET LLC
Contact Type: VP
Contact Name: LOUISA LITTLE
Address1: 1185 SIXTH AVENUE, 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-02-20

Site Id: 1296
Affiliation Type: Mail Contact
Company Name: 124 EAST 40TH STREET C/O SOL GOLDMAN INVESTMENTS L
Contact Type: Not reported
Contact Name: LOUISA LITTLE
Address1: 1185 SIXTH AVENUE, 10TH FLOOR
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

124 EAST 40TH ST (Continued)

U003383831

State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-02-20

Site Id: 1296
Affiliation Type: Facility Operator
Company Name: 124 EAST 40TH ST
Contact Type: Not reported
Contact Name: MIGUEL HERNANDEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 697-2120
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-02-20

Site Id: 1296
Affiliation Type: Emergency Contact
Company Name: 124 EAST 40TH STREET LLC
Contact Type: Not reported
Contact Name: LOUISA LITTLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-02-20

Tank Info:

Tank Number: 001
Tank Id: 2342
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

124 EAST 40TH ST (Continued)

U003383831

E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/19/1958
Capacity Gallons: 3000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 02/20/2018
Material Name: #2 fuel oil (on-site consumption)

AL365
WSW
1/8-1/4
0.148 mi.
779 ft.

CON EDISON
90 PARK AVE & 40TH ST
NEW YORK, NY 10017
Site 2 of 5 in cluster AL

RCRA NonGen / NLR
FINDS
ECHO

1018279884
NYP004747366

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-09 00:00:00.0
Handler Name: CON EDISON
Handler Address: 90 PARK AVE & 40TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004747366
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279884

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279884

Historic Generators:

Receive Date:	2015-03-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067697754

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018279884
Registry ID:	110067697754
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067697754
Name:	CON EDISON
Address:	90 PARK AVE & 40TH ST
City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AP366
South
1/8-1/4
0.148 mi.
782 ft.

MH07797
F/O 143 E.40 STREET
NEW YORK CITY, NY 10016

Site 2 of 13 in cluster AP

RCRA NonGen / NLR
NY MANIFEST

1007207466
NYP004046439

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: MH07797
Handler Address: F/O 143 E.40 STREET
Handler City,State,Zip: NEW YORK CITY, NY 10016
EPA ID: NYP004046439
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH07797 (Continued)

1007207466

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	MH07797
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	MH07797
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH07797 (Continued)

1007207466

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	MH07797
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	F/O 143 E.40 STREET
City,State,Zip:	NEW YORK CITY, NY 10016
Country:	USA
EPA ID:	NYP004046439
Facility Status:	Not reported
Location Address 1:	7797-40TH ST & LEXINGTON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004046439
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0278853
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	80680AE
Trans2 State ID:	Not reported
Generator Ship Date:	11/12/1999
Trans1 Recv Date:	11/12/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH07797 (Continued)

1007207466

TSD Site Recv Date: 11/15/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004046439
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID 1: NYD077444263
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00149
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

AQ367
SSE
1/8-1/4
0.148 mi.
782 ft.

CON EDISON
650 3RD AVE
NEW YORK, NY 10017
Site 1 of 17 in cluster AQ

NY MANIFEST **S117314728**
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: CON EDISON
Address: 650 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004618013
Facility Status: Not reported
Location Address 1: 650 3RD AVE
Code: BP
Location Address 2: MH 43869
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004618013

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314728

Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004618013
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002502039GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314728

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AR368
NNW
1/8-1/4
0.148 mi.
784 ft.

NEW YORK TELEPHONE CO
200 PARK AVE
NEW YORK, NY 10017
Site 1 of 12 in cluster AR

RCRA NonGen / NLR 1000136830
ECHO NYD980582530

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: NEW YORK TELEPHONE CO
Handler Address: 200 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017-5520
EPA ID: NYD980582530
Contact Name: Not reported
Contact Address: PENN PLZ ROOM 1650
Contact City,State,Zip: NEW YORK, NY 10121
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: PENN PLZ ROOM 1650
Mailing City,State,Zip: NEW YORK, NY 10121
Owner Name: NEW YORK TELEPHONE CO
Owner Type: Private
Operator Name: NEW YORK TELEPHONE CO
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK TELEPHONE CO (Continued)

1000136830

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK TELEPHONE CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NEW YORK TELEPHONE CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK TELEPHONE CO (Continued)

1000136830

Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK TELEPHONE CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	NEW YORK TELEPHONE CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	NEW YORK TELEPHONE CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	NEW YORK TELEPHONE CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK TELEPHONE CO (Continued)

1000136830

Receive Date: 1981-03-25 00:00:00.0
Handler Name: NEW YORK TELEPHONE CO
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 1984-02-10 00:00:00.0
Actual Return to Compliance Date: 1984-11-21 00:00:00.0
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 1984-09-10 00:00:00.0
Enforcement Identifier: 001
Date of Enforcement Action: 1984-08-10 00:00:00.0
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 1984-02-10 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK TELEPHONE CO (Continued)

1000136830

Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	1984-11-21 00:00:00.0
Scheduled Compliance Date:	1984-09-10 00:00:00.0
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

ECHO:

EnvId:	1000136830
Registry ID:	110009470410
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110009470410
Name:	NEW YORK TELEPHONE CO
Address:	200 PARK AVE
City,State,Zip:	NEW YORK, NY 10017

AR369
NNW
1/8-1/4
0.148 mi.
784 ft.

SHORENSTEIN COMPANY EAST
200 PARK AVE - WEST LOBBY
NEW YORK, NY 10166

RCRA NonGen / NLR **1000694015**
NY MANIFEST **NYD987002425**

Site 2 of 12 in cluster AR

Relative:
Higher
Actual:
60 ft.

RCRA Listings:	
Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	SHORENSTEIN COMPANY EAST
Handler Address:	200 PARK AVE - WEST LOBBY
Handler City,State,Zip:	NEW YORK, NY 10166
EPA ID:	NYD987002425
Contact Name:	JOSEPH SOLDANO
Contact Address:	PARK AVE - WEST LOBBY
Contact City,State,Zip:	NEW YORK, NY 10166
Contact Telephone:	212-867-0750
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE - WEST LOBBY
Mailing City,State,Zip:	NEW YORK, NY 10166
Owner Name:	METROPOLITAN LIFE INSURANCE CO
Owner Type:	Private
Operator Name:	METROPOLITAN LIFE INSURANCE CO
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHORENSTEIN COMPANY EAST (Continued)

1000694015

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:
Owner/Operator Name:
Legal Status:

Owner
METROPOLITAN LIFE INSURANCE CO
Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHORENSTEIN COMPANY EAST (Continued)

1000694015

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ONE MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10010
Owner/Operator Telephone:	212-578-2211
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METROPOLITAN LIFE INSURANCE CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ONE MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10010
Owner/Operator Telephone:	212-578-2211
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN LIFE INSURANCE CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ONE MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10010
Owner/Operator Telephone:	212-578-2211
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	SHORENSTEIN COMPANY EAST
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	SHORENSTEIN COMPANY EAST
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHORENSTEIN COMPANY EAST (Continued)

1000694015

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1992-05-19 00:00:00.0
Handler Name:	SHORENSTEIN COMPANY EAST
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	SHORENSTEIN COMPANY EAST
Address:	200 PARK AVE - WEST LOBBY
City,State,Zip:	NEW YORK, NY 10166
Country:	USA
EPA ID:	NYD987002425
Facility Status:	Not reported
Location Address 1:	200 PARK AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10166
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD987002425
Mailing Name:	SHORENSTEIN COMPANY EAST
Mailing Contact:	JOSEPH S SOLDANO
Mailing Address 1:	200 PARK AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10166
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2128670750

NY MANIFEST:

Document ID:	NJA2828730
Manifest Status:	K
seq:	Not reported
Year:	1997
Trans1 State ID:	08690
Trans2 State ID:	Not reported
Generator Ship Date:	11/24/1997
Trans1 Recv Date:	11/24/1997
Trans2 Recv Date:	/ /
TSD Site Recv Date:	12/08/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHORENSTEIN COMPANY EAST (Continued)

1000694015

Part A Recv Date: / /
Part B Recv Date: 12/24/1997
Generator EPA ID: NYD987002425
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002182897
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00574
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

**AR370
NNW
1/8-1/4
0.148 mi.
784 ft.**

**CON EDISON
200 PARK AVE S
NEW YORK, NY 10003

Site 3 of 12 in cluster AR**

**NY MANIFEST S118086741
N/A**

**Relative:
Higher**

NY MANIFEST:
Name: METLIFE BUILDING THE
Address: 200 PARK AVE
City,State,Zip: NEW YORK, NY 10166
Country: USA
EPA ID: NYD166485177
Facility Status: Not reported
Location Address 1: 200 PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10166
Location Zip 4: Not reported

**Actual:
60 ft.**

NY MANIFEST:
EPAID: NYD166485177
Mailing Name: METLIFE BUILDING THE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118086741

Mailing Contact: METLIFE BUILDING THE/PAN AM
Mailing Address 1: 200 PARK AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10166
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128670750

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134957
Generator Ship Date: 06/19/2015
Trans1 Recv Date: 06/19/2015
Trans2 Recv Date: 06/22/2015
TSD Site Recv Date: 06/30/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD166485177
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 008177468FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 250
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118086741

Waste Code 1_6: Not reported

Name: CON EDISON
Address: 200 PARK AVE S
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004800843
Facility Status: Not reported
Location Address 1: 200 PARK AVE
Code: BP
Location Address 2: MH 3121
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004800843
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/30/2015
Trans1 Recv Date: 06/30/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004800843
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614452GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118086741

Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
3 additional NY MANIFEST: record(s) in the EDR Site Report.

**AR371
NNW
1/8-1/4
0.148 mi.
784 ft.**

**MET LIFE BUILDING
200 PARK AVE
NEW YORK, NY 10017

Site 4 of 12 in cluster AR**

**NY AST A100356945
N/A**

**Relative:
Higher**

AST:

**Actual:
60 ft.**

Name: MET LIFE BUILDING
Address: 200 PARK AVE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-611589
Program Type: PBS
UTM X: 586406.15748
UTM Y: 4511950.24339
Expiration Date: 06/15/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 449195
Affiliation Type: Facility Owner
Company Name: 200 PARK, L.P.
Contact Type: PROPERTY MANAGER
Contact Name: MARK LANDSTROM
Address1: 200 PARK AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10166

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MET LIFE BUILDING (Continued)

A100356945

Country Code: 001
Phone: (212) 867-0750
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-03-27

Site Id: 449195
Affiliation Type: Mail Contact
Company Name: TISHMAN SPEYER PROPERTIES LLP
Contact Type: Not reported
Contact Name: MARK LANDSTROM
Address1: 200 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10166
Country Code: 001
Phone: (212) 867-0750
EMail: MLANDSTROM@TISHMANSPEYER.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-03-27

Site Id: 449195
Affiliation Type: Facility Operator
Company Name: MET LIFE BUILDING
Contact Type: Not reported
Contact Name: FRANK KINGSTON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 485-5312
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-03-27

Site Id: 449195
Affiliation Type: Emergency Contact
Company Name: 200 PARK, L.P.
Contact Type: Not reported
Contact Name: FRANK FRAIOLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 782-2543
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-03-27

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MET LIFE BUILDING (Continued)

A100356945

Tank Info:

Tank Number: 001A
Tank Id: 239319
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/2001
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 001B
Tank Id: 239320
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MET LIFE BUILDING (Continued)

A100356945

Tank Type: above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/02/2006
Capacity Gallons: 12000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 002
Tank Id: 255042

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/06/1987
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AR372
NNW
1/8-1/4
0.148 mi.
784 ft.

**METLIFE BUILDING THE
200 PARK AVE
NEW YORK, NY 10166**
Site 5 of 12 in cluster AR

**RCRA-SQG 1000101655
NYD166485177**

**Relative:
Higher
Actual:
60 ft.**

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:

2015-04-08 00:00:00.0
METLIFE BUILDING THE
200 PARK AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METLIFE BUILDING THE (Continued)

1000101655

Handler City,State,Zip:	NEW YORK, NY 10166
EPA ID:	NYD166485177
Contact Name:	MARK S LANDSTROM
Contact Address:	PARK AVE SUITE EAST MEZZ
Contact City,State,Zip:	NEW YORK, NY 10166
Contact Telephone:	212-867-0750
Contact Fax:	Not reported
Contact Email:	MLANDSTR@TISHMANSPEYER.COM
Contact Title:	SENIOR PROPERTY MANAGER
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE SUITE EAST MEZZ
Mailing City,State,Zip:	NEW YORK, NY 10166
Owner Name:	TISHMAN SPEYER
Owner Type:	Private
Operator Name:	TISHMAN SPEYER
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METLIFE BUILDING THE (Continued)

1000101655

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-05-05 11:26:24.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN LIFE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	TISHMAN SPEYER
Legal Status:	Private
Date Became Current:	2005-06-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METROPOLITAN LIFE
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METLIFE BUILDING THE (Continued)

1000101655

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METROPOLITAN LIFE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TISHMAN SPEYER
Legal Status:	Private
Date Became Current:	2005-06-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	200 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10166
Owner/Operator Telephone:	212-867-0750
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	1999-07-08 00:00:00.0
Handler Name:	PAN AM BLDG
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	PAN AM BLDG
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METLIFE BUILDING THE (Continued)

1000101655

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	PAN AM BLDG
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1989-07-19 00:00:00.0
Handler Name:	PAN AM BLDG
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-04-08 00:00:00.0
Handler Name:	METLIFE BUILDING THE
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

AR373
NNW
1/8-1/4
0.148 mi.
784 ft.

BARCLAYS CAPITAL
200 PARK AVENUE
NEW YORK, NY 10017
Site 6 of 12 in cluster AR

NY TANKS S110772173
N/A

Relative:
Higher
Actual:
60 ft.

TANKS:
Name: BARCLAYS CAPITAL
Address: 200 PARK AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility Id: 2-611499
Region: STATE
DEC Region: 2
Site Status: Inactive

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BARCLAYS CAPITAL (Continued)

S110772173

Program Type: PBS
Expiration Date: N/A
UTM X: 586366.25309
UTM Y: 4511986.44436

**AR374
NNW
1/8-1/4
0.148 mi.
784 ft.**

**MARUBENI AMERICA CORP
200 PARK AVENUE
NEW YORK, NY 10166**

**NY MANIFEST 1009226388
N/A**

Site 7 of 12 in cluster AR

**Relative:
Higher**

NY MANIFEST:

**Actual:
60 ft.**

Name: MARUBENI AMERICA CORP
Address: 200 PARK AVENUE
City,State,Zip: NEW YORK, NY 10166
Country: USA
EPA ID: NYD981566474
Facility Status: Not reported
Location Address 1: 200 PARK AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10166
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD981566474
Mailing Name: MARUBENI AMERICA CORP
Mailing Contact: MARUBENI AMERICA CORP
Mailing Address 1: 200 PARK AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10166
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125997178

NY MANIFEST:

Document ID: OKA2263000
Manifest Status: K
seq: Not reported
Year: 1987
Trans1 State ID: 2029
Trans2 State ID: Not reported
Generator Ship Date: 05/06/1987
Trans1 Recv Date: 05/06/1987
Trans2 Recv Date: / /
TSD Site Recv Date: 05/15/1987
Part A Recv Date: 08/21/1987
Part B Recv Date: 09/10/1987
Generator EPA ID: NYD981566474
Trans1 EPA ID: MND980791321
Trans2 EPA ID: Not reported
TSDF ID 1: OKD065438376
TSDF ID 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MARUBENI AMERICA CORP (Continued)

1009226388

Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: P020 - DIN0SEB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01104
Units: P - Pounds
Number of Containers: 003
Container Type: BA - Burlap, plastic, paper bags
Handling Method: L Landfill.
Specific Gravity: 100

AR375
NNW
1/8-1/4
0.148 mi.
784 ft.

CON EDISON - PAN AM BUILDING
200 PARK AVE PAN AM BLDG
NEW YORK, NY 10166

RCRA NonGen / NLR 1000111660
NY MANIFEST NYD981086473

Site 8 of 12 in cluster AR

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: CON EDISON - PAN AM BUILDING
Handler Address: 200 PARK AVE PAN AM BLDG
Handler City,State,Zip: NEW YORK, NY 10166
EPA ID: NYD981086473
Contact Name: ROBERT KEEGAN
Contact Address: IRVING PL ROOM 300
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-4833
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL ROOM 300
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: OWNERNAME
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PAN AM BUILDING (Continued)

1000111660

Operator Name:	OWNERNAME
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PAN AM BUILDING (Continued)

1000111660

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	CON EDISON - PAN AM BUILDING
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	CON EDISON - PAN AM BUILDING
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PAN AM BUILDING (Continued)

1000111660

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1985-07-23 00:00:00.0
Handler Name:	CON EDISON - PAN AM BUILDING
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	200 PARK AVE PAN AM BLDG
City,State,Zip:	NEW YORK, NY 10166
Country:	USA
EPA ID:	NYD981086473
Facility Status:	Not reported
Location Address 1:	PAN AM BLDG 200-PARK AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10166
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD981086473
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYA3824864
Manifest Status:	C
seq:	Not reported
Year:	1986
Trans1 State ID:	67237-GV(

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PAN AM BUILDING (Continued)

1000111660

Trans2 State ID: Not reported
Generator Ship Date: 09/30/1986
Trans1 Recv Date: 09/30/1986
Trans2 Recv Date: / /
TSD Site Recv Date: 10/01/1986
Part A Recv Date: 10/07/1986
Part B Recv Date: 10/06/1986
Generator EPA ID: NYD981086473
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID 1: NYD049836679
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00750
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00450
Units: P - Pounds
Number of Containers: 009
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AL376
WSW
1/8-1/4
0.149 mi.
786 ft.
CON EDISON
90 PARK AVE & 40TH ST
NEW YORK, NY 10017
Site 3 of 5 in cluster AL

NJ MANIFEST **S120668668**
N/A

Relative:
Higher

Actual:
73 ft.

NJ MANIFEST:
EPA Id: NYP004747366
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611248GBF
EPA ID: NYP004747366
Date Shipped: 3/9/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120668668

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AS377
East
1/8-1/4
0.149 mi.
786 ft.

CON EDISON - MANHOLE 57881
E 44 ST AND 3 AVE
NEW YORK, NY 10017

RCRA-LQG
NY MANIFEST
NJ MANIFEST

1012186129
NYP004169678

Site 1 of 5 in cluster AS

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2010-03-23 00:00:00.0
Handler Name: CON EDISON - MANHOLE 57881
Handler Address: E 44 ST AND 3 AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004169678
Contact Name: FRANKLYN MURRAY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2009
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 4 IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 57881 (Continued)

1012186129

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2009

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2009-05-10 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 57881 (Continued)

1012186129

Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2009-05-10 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2010-03-23 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 57881
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2009-05-13 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E 44 ST AND 3 AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004169678
Facility Status:	Not reported
Location Address 1:	E 44 ST AND 3 AVE
Code:	BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 57881 (Continued)

1012186129

Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004169678
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/13/2009
Trans1 Recv Date: 05/13/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/13/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004169678
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001031446JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 57881 (Continued)

1012186129

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

NJ MANIFEST:

EPA Id: NYP004169678
Mail Address: 4 IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: FRANKLYN MURRAY
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001031446JJK
EPA ID: NYP004169678
Date Shipped: 05/13/2009
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 05/13/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: 05/13/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 57881 (Continued)

1012186129

TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 3000 P

AS378
East
1/8-1/4
0.149 mi.
786 ft.

CONSOLIDATED EDISON-MH 57881
EAST 44TH ST. & 3RD AVE.
NEW YORK, NY 10017
Site 2 of 5 in cluster AS

NY MANIFEST S112140310
N/A

Relative:
Lower

NY MANIFEST:

Name: CONSOLIDATED EDISON-MH 57881
Address: EAST 44TH ST. & 3RD AVE.
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004250668
Facility Status: Not reported
Location Address 1: EAST 44TH ST. & 3RD AVE.
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004250668
Mailing Name: CONSOLIDATED EDISON-MH 57881
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON-MH 57881 (Continued)

S112140310

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	04/09/2012
Trans1 Recv Date:	04/09/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/12/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004250668
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	009203856JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AS379	CON EDISON MANHOLE: 43899	RCRA NonGen / NLR	1016968762
East	3RD AVE & 44TH ST	NY MANIFEST	NYP004423901
1/8-1/4	NEW YORK, NY 10017		
0.149 mi.			
786 ft.	Site 3 of 5 in cluster AS		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2014-02-22 00:00:00.0	
	Handler Name:	CON EDISON MANHOLE: 43899	
Actual:	Handler Address:	3RD AVE & 44TH ST	
38 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004423901	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	SENIOR SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43899 (Continued)

1016968762

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-01-22 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 43899
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-02-22 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 43899
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43899 (Continued)

1016968762

Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CON EDISON
Address: 3RD AVE & 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004423901
Facility Status: Not reported
Location Address 1: 3 AVE NWC 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004423901
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/22/2014
Trans1 Recv Date: 01/22/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/24/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004423901
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002299455GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 43899 (Continued)

1016968762

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AS380
East
1/8-1/4
0.149 mi.
786 ft.

CONSOLIDATED EDISON
EAST 44TH ST & 3RD AVE
NEW YORK, NY 10020

Site 4 of 5 in cluster AS

NY MANIFEST **S119073185**
N/A

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: EAST 44TH ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004176186
Facility Status: Not reported
Location Address 1: EAST 44th ST & 3rd AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004176186
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073185

Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176186
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961009GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT381
WNW
1/8-1/4
0.149 mi.
786 ft.

FIFTY EAST FORTY SECOND CO, LLC.
50 EAST 42ND ST
NEW YORK, NY 10017

Site 1 of 7 in cluster AT

NY AST **U003387799**
N/A

Relative:
Higher

AST:

Actual:
63 ft.

Name: FIFTY EAST FORTY SECOND CO, LLC.
Address: 50 EAST 42ND ST
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-234958
Program Type: PBS
UTM X: 586169.86899
UTM Y: 4511796.47896
Expiration Date: 07/10/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 8630
Affiliation Type: Facility Owner
Company Name: FIFTY EAST FORTY SECOND CO
Contact Type: OWNER'S REP
Contact Name: ALAN B. ABRAMSON
Address1: 501 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 687-2655
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-13

Site Id: 8630
Affiliation Type: Mail Contact
Company Name: C/O ABRAMSON BROTHER
Contact Type: Not reported
Contact Name: ALAN ABRAMSON
Address1: 501 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 687-2655
EMail: BJH@ABRAMSONBROTHERS.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-13

Site Id: 8630
Affiliation Type: Facility Operator
Company Name: FIFTY EAST FORTY SECOND CO, LLC.
Contact Type: Not reported
Contact Name: ADAM LAQJI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FIFTY EAST FORTY SECOND CO, LLC. (Continued)

U003387799

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 687-2655
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-13

Site Id: 8630
Affiliation Type: Emergency Contact
Company Name: FIFTY EAST FORTY SECOND CO
Contact Type: Not reported
Contact Name: ADAM LAQJI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 687-4983
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-13

Tank Info:

Tank Number: 001
Tank Id: 12601
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1961

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FIFTY EAST FORTY SECOND CO, LLC. (Continued)

U003387799

Capacity Gallons: 7500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 07/13/2017
Material Name: #2 fuel oil (on-site consumption)

AF382
East
1/8-1/4
0.149 mi.
787 ft.

685 THIRD AVENUE
685 THIRD AVENUE
NEW YORK, NY 10017
Site 14 of 16 in cluster AF

NY UST **U004228924**
N/A

Relative:
Lower

UST:

Actual:
39 ft.

Name: 685 THIRD AVENUE
Address: 685 THIRD AVENUE
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-609716 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 10/11/2022
UTM X: 586662.22097
UTM Y: 4511723.74745
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 59194
Affiliation Type: Mail Contact
Company Name: JONES LANG LASALLE
Contact Type: Not reported
Contact Name: STEPHEN COSTELLO
Address1: 685 THIRD AVENUE
Address2: SUITE 1701
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-7598
Email: STEPHEN.COSTELLO@AM.JLL.COM
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194
Affiliation Type: Facility Operator
Company Name: 685 THIRD AVENUE
Contact Type: Not reported
Contact Name: JULIE ARCE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

685 THIRD AVENUE (Continued)

U004228924

Phone: (212) 682-5655
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194
Affiliation Type: Emergency Contact
Company Name: UNIZO REAL ESTATE NY FOUR LLC
Contact Type: Not reported
Contact Name: STEPHEN COSTELLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (908) 380-3589
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194
Affiliation Type: Facility Owner
Company Name: UNIZO REAL ESTATE NY FOUR LLC
Contact Type: GENERAL MANAGER
Contact Name: JULIE ARCE
Address1: C/O JLL 685 THIRD AVENUE, SUITE 1701
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-5601
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Tank Info:

Tank Number: 001
Tank ID: 180264
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 7000
Install Date: Not reported
Date Tank Closed: 06/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

685 THIRD AVENUE (Continued)

U004228924

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NTFREEMA
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None

AF383
East
1/8-1/4
0.149 mi.
787 ft.

AMERICAN HOME PRODUCTS CORP
685 THIRD AVE
NEW YORK, NY 10017

Site 15 of 16 in cluster AF

RCRA NonGen / NLR 1000546017
NY MANIFEST NYD001496397

Relative:
Lower

Actual:
39 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: AMERICAN HOME PRODUCTS CORP
Handler Address: 685 THIRD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD001496397
Contact Name: BRIAN SULLIVAN
Contact Address: THIRD AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-878-5711
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: THIRD AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: AMERICAN HOME PRODUCTS CORP
Owner Type: Private
Operator Name: AMERICAN HOME PRODUCTS CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:
Owner/Operator Name:
Legal Status:
Date Became Current:

Owner
AMERICAN HOME PRODUCTS CORP
Private
Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Date Ended Current:	Not reported
Owner/Operator Address:	685 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-878-5623
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	AMERICAN HOME PRODUCTS CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	685 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-878-5623
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	AMERICAN HOME PRODUCTS CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	685 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-878-5623
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Historic Generators:	
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	AMERICAN HOME PRODUCTS CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	AMERICAN HOME PRODUCTS CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Electronic Manifest Broker:	Not reported
Receive Date:	1992-03-05 00:00:00.0
Handler Name:	AMERICAN HOME PRODUCTS CORP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Facility Has Received Notices of Violation:	
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	LDR - General
Date Violation was Determined:	1993-07-15 00:00:00.0
Actual Return to Compliance Date:	1993-07-30 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1993-08-15 00:00:00.0
Enforcement Identifier:	000
Date of Enforcement Action:	1993-07-15 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSAN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date: 1993-06-11 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYSAN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	1993-07-30 00:00:00.0
Scheduled Compliance Date:	1993-08-15 00:00:00.0
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

NY MANIFEST:

Name:	AMERICAN HOME PRODUCTS
Address:	685 THIRD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYD001496397
Facility Status:	Not reported
Location Address 1:	685 THIRD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001496397
Mailing Name:	AMERICAN HOME PRODUCTS
Mailing Contact:	AMERICAN HOME PRODUCTS
Mailing Address 1:	685 THIRD AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2128785711

NY MANIFEST:

Document ID:	NJA1878985
Manifest Status:	C
seq:	Not reported
Year:	1994
Trans1 State ID:	NJDEPE632
Trans2 State ID:	Not reported
Generator Ship Date:	04/21/1994
Trans1 Recv Date:	04/21/1994
Trans2 Recv Date:	/ /
TSD Site Recv Date:	04/21/1994
Part A Recv Date:	04/29/1994
Part B Recv Date:	05/05/1994
Generator EPA ID:	NYD001496397
Trans1 EPA ID:	NJD991291584

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Trans2 EPA ID:	Not reported
TSDf ID 1:	NJD980536593
TSDf ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00040
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00415
Units:	P - Pounds
Number of Containers:	006
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00040
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN HOME PRODUCTS CORP (Continued)

1000546017

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00300
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00180
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

AF384
East
1/8-1/4
0.149 mi.
787 ft.

685 THIRD AVENUE
685 THIRD AVENUE
NEW YORK, NY 10017

NY AST A100295526
N/A

Site 16 of 16 in cluster AF

Relative:
Lower
Actual:
39 ft.

AST:
Name: 685 THIRD AVENUE
Address: 685 THIRD AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609716
Program Type: PBS
UTM X: 586662.22097
UTM Y: 4511723.74745
Expiration Date: 10/11/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 59194
Affiliation Type: Mail Contact
Company Name: JONES LANG LASALLE
Contact Type: Not reported
Contact Name: STEPHEN COSTELLO
Address1: 685 THIRD AVENUE
Address2: SUITE 1701
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-7598
EMail: STEPHEN.COSTELLO@AM.JLL.COM
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

685 THIRD AVENUE (Continued)

A100295526

Affiliation Type: Facility Operator
Company Name: 685 THIRD AVENUE
Contact Type: Not reported
Contact Name: JULIE ARCE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-5655
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194
Affiliation Type: Emergency Contact
Company Name: UNIZO REAL ESTATE NY FOUR LLC
Contact Type: Not reported
Contact Name: STEPHEN COSTELLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (908) 380-3589
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Site Id: 59194
Affiliation Type: Facility Owner
Company Name: UNIZO REAL ESTATE NY FOUR LLC
Contact Type: GENERAL MANAGER
Contact Name: JULIE ARCE
Address1: C/O JLL 685 THIRD AVENUE, SUITE 1701
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-5601
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-11

Tank Info:

Tank Number: 3
Tank Id: 208274
Material Code: 0008
Common Name of Substance: Diesel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

685 THIRD AVENUE (Continued)

A100295526

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
G02 - Tank Secondary Containment - Vault (w/access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
In Service
Not reported
10/01/2004
3000
-
Not reported
Not reported
Not reported
True
MXLAY
10/11/2018
Diesel (E-Gen)

Tank Location:

Tank Type:

Tank Status:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Date Test:

Next Test Date:

Date Tank Closed:

Register:

Modified By:

Last Modified:

Material Name:

Tank Number:

Tank Id:

Material Code:

Common Name of Substance:

3B
220699
0008
Diesel

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
G99 - Tank Secondary Containment - Other
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F05 - Pipe External Protection - Jacketed
C01 - Pipe Location - Aboveground
B99 - Tank External Protection - Other
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
In Service
Not reported
10/01/2004
275

Tank Location:

Tank Type:

Tank Status:

Pipe Model:

Install Date:

Capacity Gallons:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

685 THIRD AVENUE (Continued)

A100295526

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/11/2018
Material Name: Diesel (E-Gen)

AO385
South
1/8-1/4
0.149 mi.
788 ft.

CON EDISON SERVICE BOX: 7802
130 E 40TH ST
NEW YORK, NY 10016
Site 5 of 8 in cluster AO

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143921
NYP004267084

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7802
Handler Address: 130 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267084
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7802 (Continued)

1016143921

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 10:19:38.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-07 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7802
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7802 (Continued)

1016143921

Handler Name:	CON EDISON SERVICE BOX: 7802
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055434418

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143921
Registry ID:	110055434418
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055434418
Name:	CON EDISON SERVICE BOX: 7802
Address:	130 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	130 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267084
Facility Status:	Not reported
Location Address 1:	130 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7802
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267084
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7802 (Continued)

1016143921

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/07/2012
Trans1 Recv Date: 09/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267084
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456277JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AO386
South
1/8-1/4
0.149 mi.
788 ft.
CON EDISON SERVICE BOX: 7802
130 E 40TH ST
NEW YORK, NY 10016
Site 6 of 8 in cluster AO

NJ MANIFEST
S117986147
N/A

Relative:
Higher

Actual:
52 ft.

NJ MANIFEST:
EPA Id: NYP004267084
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456277JJK
EPA ID: NYP004267084
Date Shipped: 9/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7802 (Continued)

S117986147

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,000.00 Pounds

AO387 **130 EAST 40 ASSOCIATES**
South **130 EAST 40TH STREET**
1/8-1/4 **NEW YORK, NY 10016**
0.149 mi.
788 ft. **Site 7 of 8 in cluster AO**

NY AST **U003392794**
N/A

Relative:
Higher

Actual:
52 ft.

AST:

Name: 130 EAST 40 ASSOCIATES
Address: 130 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-247189
Program Type: PBS
UTM X: 586376.68007
UTM Y: 4511506.92181
Expiration Date: 01/25/2020
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 9703
Affiliation Type: Mail Contact
Company Name: HILSON MANAGEMENT CORP
Contact Type: VICE PRESIDENT
Contact Name: JASON SCHWALBE
Address1: 185 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 751-5884
EMail: JASON@HILSONMGT.COM
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-10-01

Site Id: 9703
Affiliation Type: Facility Operator
Company Name: 130 EAST 40 ASSOCIATES
Contact Type: Not reported
Contact Name: JOSE PEREZ TAVERA
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

130 EAST 40 ASSOCIATES (Continued)

U003392794

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 683-4430
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-10-01

Site Id: 9703
Affiliation Type: Emergency Contact
Company Name: HILSON MANAGEMENT CORP
Contact Type: Not reported
Contact Name: JASON SCHWALBE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 751-5884
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-10-01

Site Id: 9703
Affiliation Type: Facility Owner
Company Name: HILSON MANAGEMENT CORP
Contact Type: VICE PRESIDENT
Contact Name: JASON SCHWALBE
Address1: 185 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 751-5884
EMail: JASON@HILSONMGT.COM
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-10-01

Tank Info:

Tank Number: 001
Tank Id: 25427
Material Code: 0002
Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

130 EAST 40 ASSOCIATES (Continued)

U003392794

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
G04 - Tank Secondary Containment - Double-Walled (Underground)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/1978
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: LSZINOMA
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

AU388
ENE
1/8-1/4
0.149 mi.
789 ft.

CON EDISON VAULT: 5071
154 E 45TH ST
NEW YORK, NY 10017
Site 1 of 6 in cluster AU

RCRA NonGen / NLR 1017775681
FINDS NYP004535241

Relative:
Lower
Actual:
41 ft.

RCRA Listings:
Date Form Received by Agency: 2014-06-19 00:00:00.0
Handler Name: CON EDISON VAULT: 5071
Handler Address: 154 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004535241
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5071 (Continued)

1017775681

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5071 (Continued)

1017775681

Historic Generators:

Receive Date:	2014-05-19 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-19 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-19 00:00:00.0
Handler Name:	CON EDISON VAULT: 5071
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063786103

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AU389
ENE
1/8-1/4
0.149 mi.
789 ft.

CON EDISON
154 E 45TH ST
NEW YORK, NY 10017

Site 2 of 6 in cluster AU

NY MANIFEST **S117061233**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
41 ft.

Name: CON EDISON
Address: 154 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004535241
Facility Status: Not reported
Location Address 1: 155 E 45 ST
Code: BP
Location Address 2: VAULT 5071
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004535241
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/19/2014
Trans1 Recv Date: 05/19/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/20/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004535241
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 011694522JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117061233

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AV390
NE
1/8-1/4
0.150 mi.
792 ft.

CON EDISON SERVICE BOX 8795
137 E 45TH ST
NEW YORK, NY 10017

Site 1 of 4 in cluster AV

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014918659
NYP004222758

Relative:
Lower

Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2011-01-31 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8795
Handler Address: 137 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004222758
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8795 (Continued)

1014918659

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8795 (Continued)

1014918659

Historic Generators:

Receive Date:	2011-01-01 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8795
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-01-31 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8795
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004222758
Mail Address:	IRVING PL RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JUAN RODRIGUEZ
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001128774GBF
EPA ID:	NYP004222758
Date Shipped:	1/1/2011
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8795 (Continued)

1014918659

Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H141
Quantity:	250.00 Pounds

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	137 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004222758
Facility Status:	Not reported
Location Address 1:	133 E 45 ST B/T LEXINGTON & 3rd AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004222758
--------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8795 (Continued)

1014918659

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/01/2011
Trans1 Recv Date: 01/01/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/03/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004222758
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 001128774GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 250
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8795 (Continued)

1014918659

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ391
SSE
1/8-1/4
0.150 mi.
793 ft.

CON EDISON - GAS DRIP GAS MAIN
646 3RD AVE
NEW YORK, NY 10017
Site 2 of 17 in cluster AQ

RCRA-LQG 1016450048
FINDS NYP004290433
ECHO
NY MANIFEST

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2014-03-27 00:00:00.0
Handler Name: CON EDISON - GAS DRIP GAS MAIN
Handler Address: 646 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004290433
Contact Name: DENNIS HUACON
Contact Address: IRVING PL 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: 518-473-8034
Contact Email: HUACOND@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2013
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COM OF NY INC
Owner Type: Private
Operator Name: CONSOLIDATED EDISON CO OF NY INC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - GAS DRIP GAS MAIN (Continued)

1016450048

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2013

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D018
Waste Description: BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COM OF NY INC
Legal Status:	Private
Date Became Current:	2013-03-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - GAS DRIP GAS MAIN (Continued)

1016450048

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2013-03-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2014-03-27 00:00:00.0
Handler Name:	CON EDISON - GAS DRIP GAS MAIN
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-03-01 00:00:00.0
Handler Name:	CON EDISON GAS DRIP: GAS-MAIN
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-04-01 00:00:00.0
Handler Name:	CON EDISON GAS DRIP: GAS-MAIN
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - GAS DRIP GAS MAIN (Continued)

1016450048

FINDS:

Registry ID: 110055936821

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016450048
Registry ID: 110055936821
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055936821>
Name: CON EDISON - GAS DRIP GAS MAIN
Address: 646 3RD AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 646 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004290433
Facility Status: Not reported
Location Address 1: 646 3RD AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004290433
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - GAS DRIP GAS MAIN (Continued)

1016450048

seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/02/2013
Trans1 Recv Date: 03/02/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/05/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004290433
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 001675604GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D018
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW392
NW
1/8-1/4
0.151 mi.
796 ft.**

**CON EDISON VAULT: 2885
41 E 43RD ST
NEW YORK, NY 10010

Site 1 of 19 in cluster AW**

**RCRA NonGen / NLR 1016963007
NY MANIFEST NYP004360442**

**Relative:
Higher

Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-15 00:00:00.0
Handler Name: CON EDISON VAULT: 2885
Handler Address: 41 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2885 (Continued)

1016963007

EPA ID:	NYP004360442
Contact Name:	BENJAMIN BAMONTE
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-894-9549
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2885 (Continued)

1016963007

TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-15 00:00:00.0
Handler Name:	CON EDISON VAULT: 2885
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-15 00:00:00.0
Handler Name:	CON EDISON VAULT: 2885
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	41 E 43RD ST
City,State,Zip:	NEW YORK, NY 10010
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2885 (Continued)

1016963007

EPA ID: NYP004360442
Facility Status: Not reported
Location Address 1: FT OF 41 EAST 43RD STREET
Code: BP
Location Address 2: VAULT 2885
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10010
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004360442
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/15/2013
Trans1 Recv Date: 09/15/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/17/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004360442
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002221190GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2885 (Continued)

1016963007

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW393
NW
1/8-1/4
0.151 mi.
796 ft.**

**CON EDISON VAULT: 3020
41 E 43RD ST
NEW YORK, NY 10010

Site 2 of 19 in cluster AW**

**RCRA NonGen / NLR 1016963006
NY MANIFEST NYP004360434**

**Relative:
Higher

Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-15 00:00:00.0
Handler Name: CON EDISON VAULT: 3020
Handler Address: 41 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10010
EPA ID: NYP004360434
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3020 (Continued)

1016963006

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-15 00:00:00.0
Handler Name:	CON EDISON VAULT: 3020
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3020 (Continued)

1016963006

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2013-10-15 00:00:00.0
Handler Name:	CON EDISON VAULT: 3020
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	41 E 43RD ST
City,State,Zip:	NEW YORK, NY 10010
Country:	USA
EPA ID:	NYP004360434
Facility Status:	Not reported
Location Address 1:	FT OF 41 EASAT 43RD STREET
Code:	BP
Location Address 2:	VAULT 3020
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10010
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004360434
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3020 (Continued)

1016963006

Generator Ship Date: 09/15/2013
Trans1 Recv Date: 09/15/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/17/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004360434
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002221187GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ394
SSE
1/8-1/4
0.151 mi.
797 ft.

CON EDISON
644 3 AVE
NEW YORK, NY 10017
Site 3 of 17 in cluster AQ

NY MANIFEST **S117314426**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
Address: 644 3 AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004614814
Facility Status: Not reported
Location Address 1: 644 3 AVE
Code: BP

Actual:
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314426

Location Address 2: SB 43867
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004614814
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/01/2014
Trans1 Recv Date: 08/01/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004614814
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504399GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314426

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AG395 RXR REALTY
NNE 237 PARK AVE
1/8-1/4 NEW YORK, NY 10017
0.151 mi.
798 ft.

RCRA NonGen / NLR 1016974974
NY MANIFEST NYR000214346

Site 3 of 4 in cluster AG

Relative:
Higher

Actual:
57 ft.

RCRA Listings:
Date Form Received by Agency: 2017-04-18 00:00:00.0
Handler Name: RXR REALTY
Handler Address: 237 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000214346
Contact Name: MARIANA CIRCIUMARU
Contact Address: PARK AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-434-0009
Contact Fax: Not reported
Contact Email: MCIRCIUMARU@RXRREALTY.COM
Contact Title: PROJECT MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: PARK AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: 237 PARK OWNER LLC
Owner Type: Private
Operator Name: 237 PARK OWNER LLC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RXR REALTY (Continued)

1016974974

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-04-18 11:02:37.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	237 PARK OWNER LLC
Legal Status:	Private
Date Became Current:	2013-11-03 00:00:00.
Date Ended Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RXR REALTY (Continued)

1016974974

Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 237 PARK OWNER LLC
Legal Status: Private
Date Became Current: 2013-11-03 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 237 PARK OWNER LLC
Legal Status: Private
Date Became Current: 2013-11-03 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 237 PARK AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-370-1180
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 237 PARK OWNER LLC
Legal Status: Private
Date Became Current: 2013-11-03 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 237 PARK AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-370-1180
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2017-04-18 00:00:00.0
Handler Name: RXR REALTY
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RXR REALTY (Continued)

1016974974

Receive Date: 2014-11-03 00:00:00.0
Handler Name: RXR REALTY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: RXR REALTY
Address: 237 PARK AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000214346
Facility Status: Not reported
Location Address 1: 237 PARK AVE BUILDING STEEL
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000214346
Mailing Name: RXR REALTY
Mailing Contact: RXR REALTY
Mailing Address 1: 237 PARK AVE BUILDING STEEL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124340009

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134957
Generator Ship Date: 12/18/2014
Trans1 Recv Date: 12/18/2014
Trans2 Recv Date: 12/29/2014
TSD Site Recv Date: 01/06/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RXR REALTY (Continued)

1016974974

Generator EPA ID: NYR000214346
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 008177418FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AG396
NNE
1/8-1/4
0.151 mi.
798 ft.

JP MORGAN CHASE
237 PARK AVENUE
OUT OF STATE, CT

Site 4 of 4 in cluster AG

CT MANIFEST **S125490669**
N/A

Relative:
Higher

CT MANIFEST:

Actual:
57 ft.

Name: JP MORGAN CHASE
Address: 237 PARK AVENUE
Phone: Not reported
Country: Not reported
Manifest ID: Not reported
EPA ID: NYD001289008

DEEP Document:

Year: 2012
EPA ID: NYD001289008
Statuory Program: Hazardous Waste
Document Number: 008951652JJK
Document: Hazardous Waste Manifest
File Type: Written Text

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JP MORGAN CHASE (Continued)

S125490669

Reference ID:

Ref ID: 008951652JJK Alt ID: NYD001289008

[Click Here to view the image from agency website:](#)

AU397
ENE
1/8-1/4
0.152 mi.
800 ft.

CONSOLIDATED EDISON
160 EAST 45TH STREET
NEW YORK, NY 10020

NY MANIFEST

S119073186
N/A

Site 3 of 6 in cluster AU

Relative:
Lower

Actual:
41 ft.

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 160 EAST 45TH STREET
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004176194
Facility Status: Not reported
Location Address 1: 160 EAST 45th STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176194
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176194
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073186

Manifest Tracking Number: 000961010GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AV398 **CON EDISON SERVICE BOX 08796**
NE **139 E 45TH ST**
1/8-1/4 **NEW YORK, NY 10026**
0.152 mi.
800 ft. **Site 2 of 4 in cluster AV**

RCRA NonGen / NLR **1014918755**
NY MANIFEST **NYP004223749**

Relative:
Lower
Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2011-02-12 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 08796
Handler Address: 139 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10026
EPA ID: NYP004223749
Contact Name: FRANK CURTIS
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-780-3756
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SR OFFICE ASSISTANT A X L1-2
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 08796 (Continued)

1014918755

State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL RM 828
Mailing City, State, Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 08796 (Continued)

1014918755

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-01-13 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 08796
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-02-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 08796
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	139 E 45TH ST
City,State,Zip:	NEW YORK, NY 10026
Country:	USA
EPA ID:	NYP004223749
Facility Status:	Not reported
Location Address 1:	F/O 139 E 45ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004223749
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PLACE RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 08796 (Continued)

1014918755

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602757

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/13/2011
Trans1 Recv Date: 01/13/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/14/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004223749
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001057957GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AV399
NE
1/8-1/4
0.152 mi.
800 ft.
CON EDISON SERVICE BOX 8796
139 E 45TH ST
NEW YORK, NY 10017
Site 3 of 4 in cluster AV

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST
1014918660
NYP004222766

Relative:
Lower

Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2011-01-31 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8796
Handler Address: 139 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004222766
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8796 (Continued)

1014918660

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-07-01 13:05:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-01-01 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8796
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-01-31 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8796
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8796 (Continued)

1014918660

Electronic Manifest Broker: Not reported

NJ MANIFEST:

EPA Id: NYP004222766
Mail Address: IRVING PL RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001128775GBF
EPA ID: NYP004222766
Date Shipped: 1/1/2011
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8796 (Continued)

1014918660

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H141
Quantity: 1,250.00 Pounds

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 139 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004222766
Facility Status: Not reported
Location Address 1: 139-141 E 45 ST B/T LEXINGTON & 3rd AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004222766
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/01/2011
Trans1 Recv Date: 01/01/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/03/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8796 (Continued)

1014918660

Generator EPA ID: NYP004222766
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 001128775GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1250
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW400
WNW
1/8-1/4
0.152 mi.
800 ft.**

**CON EDISON
325 MADISON AVE
NEW YORK, NY 10017

Site 3 of 19 in cluster AW**

**NY MANIFEST S117314587
N/A**

**Relative:
Higher**

NY MANIFEST:

**Actual:
60 ft.**

Name: CON EDISON
Address: 325 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616538
Facility Status: Not reported
Location Address 1: 325 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314587

NY MANIFEST:

EPAID: NYP004616538
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616538
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608287GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 5000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314587

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AX401 **ONE VANDERBILT OWNER LLC**
WNW **317 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.152 mi.
801 ft. **Site 1 of 17 in cluster AX**

NY MANIFEST **S119079252**
N/A

Relative:
Higher
Actual:
61 ft.

NY MANIFEST:
Name: ONE VANDERBILT OWNER LLC
Address: 317 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000226753
Facility Status: Not reported
Location Address 1: 317 MADISON AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000226753
Mailing Name: ONE VANDERBILT OWNER LLC
Mailing Contact: ONE VANDERBILT OWNER LLC
Mailing Address 1: 420 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10170
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2019978865

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJR000032961
Trans2 State ID: Not reported
Generator Ship Date: 09/22/2016
Trans1 Recv Date: 09/22/2016
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/22/2016
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000226753
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT OWNER LLC (Continued)

S119079252

TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 016327249JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 22520
Units: P - Pounds
Number of Containers: 1
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AX402 317 MADISON AVE
WNW 317 MADISON AVE
1/8-1/4 NEW YORK, NY 10017
0.152 mi.
801 ft. Site 2 of 17 in cluster AX

NY AST A100394247
N/A

Relative:
Higher
Actual:
61 ft.

AST:
Name: 317 MADISON AVE
Address: 317 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-612267
Program Type: PBS
UTM X: 586193.70770
UTM Y: 4511843.17900
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 497849
Affiliation Type: Facility Owner
Company Name: GREEN 317 MADISON LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

317 MADISON AVE (Continued)

A100394247

Contact Type: SENIOR VP OF CONSTRUCTION
Contact Name: ROBERT DEWITT
Address1: 420 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) 594-2700
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-07-24

Site Id: 497849
Affiliation Type: Mail Contact
Company Name: SL GREEN
Contact Type: Not reported
Contact Name: JEAHAN PERSAUD
Address1: 317 MADISON AVE
Address2: SUITE 1218
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 557-0610
EMail: JEAHAN.PERSAUD@SLGREEN.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-07-24

Site Id: 497849
Affiliation Type: Facility Operator
Company Name: 317 MADISON AVE
Contact Type: Not reported
Contact Name: JEAHAN PERSAUD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 557-0610
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-07-24

Site Id: 497849
Affiliation Type: Emergency Contact
Company Name: GREEN 317 MADISON LLC
Contact Type: Not reported
Contact Name: JEAHAN PERSAUD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

317 MADISON AVE (Continued)

A100394247

Zip Code: Not reported
Country Code: 001
Phone: (212) 557-0610
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2014-07-24

Tank Info:

Tank Number: 001
Tank Id: 252585

Equipment Records:

C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
J04 - Dispenser - On Site Heating System (Suction)
L00 - Piping Leak Detection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Location:
Tank Type: Galvanized Steel Alloy
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/1929
Capacity Gallons: 7500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 06/07/2016
Register: True
Modified By: MXLAY
Last Modified: 09/15/2017
Material Name: #2 fuel oil (on-site consumption)

AX403
WNW
1/8-1/4
0.152 mi.
801 ft.

ONE VANDERBILT OWNER LLC
317 MADISON AVE
NEW YORK, NY 10017

Site 3 of 17 in cluster AX

RCRA NonGen / NLR
FINDS
ECHO
1018281296
NYR000226753

Relative:
Higher

Actual:
61 ft.

RCRA Listings:

Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:
Contact Name:
Contact Address:
Contact City,State,Zip:
Contact Telephone:

2017-04-18 00:00:00.0
ONE VANDERBILT OWNER LLC
317 MADISON AVE
NEW YORK, NY 10017
NYR000226753
JIM GUTMANN
LEXINGTON AVE 7TH FLOOR
NEW YORK, NY 10017
212-230-2300

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT OWNER LLC (Continued)

1018281296

Contact Fax:	Not reported
Contact Email:	JIM.GUTMANN@HINES.COM
Contact Title:	VICE PRESIDENT CONSTRUCTION
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	LEXINGTON AVE 7TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	ONE VANDERBILT OWNER LLC
Owner Type:	Private
Operator Name:	ONE VANDERBILT OWNER LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT OWNER LLC (Continued)

1018281296

Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-05-23 14:55:02.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-230-2300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT OWNER LLC (Continued)

1018281296

Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ONE VANDERBILT OWNER LLC
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-230-2300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2017-04-18 00:00:00.0
Handler Name:	ONE VANDERBILT OWNER LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-05-13 00:00:00.0
Handler Name:	ONE VANDERBILT OWNER LLC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069283563

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE VANDERBILT OWNER LLC (Continued)

1018281296

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018281296
Registry ID: 110069283563
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069283563>
Name: ONE VANDERBILT OWNER LLC
Address: 317 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

**AW404
NW
1/8-1/4
0.152 mi.
801 ft.**

**CON ED - V 4058
44 E 43RD ST
NEW YORK, NY 10017
Site 4 of 19 in cluster AW**

**RCRA NonGen / NLR 1007206495
NY MANIFEST NYP004010823**

**Relative:
Higher
Actual:
59 ft.**

RCRA Listings:

Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 4058
Handler Address: 44 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP004010823
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 4058 (Continued)

1007206495

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 4058
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 4058 (Continued)

1007206495

Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 4058
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 4058
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	44 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017-0000
Country:	USA
EPA ID:	NYP004010823
Facility Status:	Not reported
Location Address 1:	VT 4058 - 44 E 43RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004010823
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 4058 (Continued)

1007206495

Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYG0903708
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 09/04/1997
Trans1 Recv Date: 09/04/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 09/05/1997
Part A Recv Date: 09/16/1997
Part B Recv Date: 09/19/1997
Generator EPA ID: NYP004010823
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01019
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

AQ405 **CON EDISON**
SSE **640 3 AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.152 mi.
802 ft. **Site 4 of 17 in cluster AQ**

NY MANIFEST **S117314432**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON
Address: 640 3 AVE
Actual: City,State,Zip: NEW YORK, NY 10017
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314432

Country: USA
EPA ID: NYP004614882
Facility Status: Not reported
Location Address 1: 640 3 AVE
Code: BP
Location Address 2: SB 43866
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004614882
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/01/2014
Trans1 Recv Date: 08/01/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004614882
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504400GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314432

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AY406
SE
1/8-1/4
0.152 mi.
803 ft.**

**TAMS CONSULTANTS INC
655 3RD AVE
NEW YORK, NY 10017**

**RCRA NonGen / NLR
NY MANIFEST**

**1004761001
NYR000069203**

Site 1 of 7 in cluster AY

**Relative:
Lower**

RCRA Listings:

**Actual:
36 ft.**

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: TAMS CONSULTANTS INC
Handler Address: 655 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000069203
Contact Name: JOSEPH FITENI JR
Contact Address: 3RD AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-555-1212
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 3RD AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: TAMS CONSULTANTS INC
Owner Type: Private
Operator Name: TAMS CONSULTANTS INC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMS CONSULTANTS INC (Continued)

1004761001

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TAMS CONSULTANTS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMS CONSULTANTS INC (Continued)

1004761001

Owner/Operator Address: 655 3RD AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: TAMS CONSULTANTS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 655 3RD AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: TAMS CONSULTANTS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 655 3RD AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 1999-03-26 00:00:00.0
Handler Name: TAMS CONSULTANTS INC
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: TAMS CONSULTANTS INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMS CONSULTANTS INC (Continued)

1004761001

Receive Date: 2007-01-01 00:00:00.0
Handler Name: TAMS CONSULTANTS INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: TAMS CONSULTANTS
Address: 655 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000069203
Facility Status: Not reported
Location Address 1: 655 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000069203
Mailing Name: TAMS CONSULTANTS
Mailing Contact: N/S
Mailing Address 1: 655 3RD AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128671777

NY MANIFEST:

Document ID: NYG1116504
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: 0440388ME
Trans2 State ID: Not reported
Generator Ship Date: 05/11/1999
Trans1 Recv Date: 05/11/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/13/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069203

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMS CONSULTANTS INC (Continued)

1004761001

Trans1 EPA ID: NJD054126164
Trans2 EPA ID: Not reported
TSDF ID 1: OHD066060609
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

AY407
SE
1/8-1/4
0.152 mi.
803 ft.

KONICA BUSINESS MACHINES USA
655 3RD AVE
NEW YORK, NY 10017

Site 2 of 7 in cluster AY

RCRA NonGen / NLR 1000246564
FINDS NYD125930081
ECHO
NY MANIFEST

Relative:
Lower

RCRA Listings:

Actual:
36 ft.

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: KONICA BUSINESS MACHINES USA
Handler Address: 655 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017-5617
EPA ID: NYD125930081
Contact Name: Not reported
Contact Address: THIRD AVE
Contact City,State,Zip: NEW YORK CITY, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KONICA BUSINESS MACHINES USA (Continued)

1000246564

Mailing Address:	THIRD AVE
Mailing City,State,Zip:	NEW YORK CITY, NY 10017
Owner Name:	KONICA BUSINESS INC
Owner Type:	Private
Operator Name:	KONICA BUSINESS INC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KONICA BUSINESS MACHINES USA (Continued)

1000246564

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KONICA BUSINESS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	KONICA BUSINESS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KONICA BUSINESS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	KONICA BUSINESS MACHINES USA
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KONICA BUSINESS MACHINES USA (Continued)

1000246564

Receive Date: 2006-01-01 00:00:00.0
Handler Name: KONICA BUSINESS MACHINES USA
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: KONICA BUSINESS MACHINES USA
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1987-03-26 00:00:00.0
Handler Name: KONICA BUSINESS MACHINES USA
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110070149687

[Click Here:](#)

Environmental Interest/Information System:

TSCA SUBMITTER

Registry ID: 110004382203

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KONICA BUSINESS MACHINES USA (Continued)

1000246564

Registry ID: 110009487260

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000246564
Registry ID: 110004382203
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004382203>
Name: KONICA BUSINESS MACHINES USA
Address: 655 3RD AVE
City,State,Zip: NEW YORK, NY 10017

Envid: 1000246564
Registry ID: 110009487260
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009487260>
Name: TAMS CONSULTANTS INC
Address: 655 3RD AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: KONICA BUSINESS MACHINES
Address: 655 3RD AVE
City,State,Zip: NEW YORK, NY 10017-5617
Country: USA
EPA ID: NYD125930081
Facility Status: Not reported
Location Address 1: 655 3RD AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD125930081
Mailing Name: KONICA BUSINESS MACHINES
Mailing Contact: KONICA BUSINESS MACHINES
Mailing Address 1: 655 3RD AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125996700

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KONICA BUSINESS MACHINES USA (Continued)

1000246564

NY MANIFEST:

Document ID: MDC0409626
Manifest Status: C
seq: Not reported
Year: 1993
Trans1 State ID: HWH015
Trans2 State ID: Not reported
Generator Ship Date: 12/01/1993
Trans1 Recv Date: 12/01/1993
Trans2 Recv Date: / /
TSD Site Recv Date: 12/03/1993
Part A Recv Date: / /
Part B Recv Date: 12/21/1993
Generator EPA ID: NYD125930081
Trans1 EPA ID: MDD980554653
Trans2 EPA ID: Not reported
TSDF ID 1: MDD980554653
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

AY408
SE
1/8-1/4
0.152 mi.
803 ft.

CON EDISON
655 3RD AVE FRONT OF
NEW YORK, NY 10017

Site 3 of 7 in cluster AY

RCRA NonGen / NLR **1014399142**
NJ MANIFEST **NYP004215208**
NY MANIFEST

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2020-04-13 00:00:00.0
Handler Name: CON EDISON
Handler Address: 655 3RD AVE FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004215208
Contact Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	Not reported
Mailing City,State,Zip:	Not reported
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDU Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-04-13 15:39:58.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	2010-09-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2020-04-13 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NJ MANIFEST:

EPA Id:	NYP004215208
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	KELVIN NELSON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001086247GBF
EPA ID: NYP004215208
Date Shipped: 09/08/2010
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/08/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 09/10/2010
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 1000 P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Manifest Number: 007656835JJK
EPA ID: NYP004215208
Date Shipped: 09/11/2010
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/11/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 09/13/2010
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 4000 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 655 3RD AVE FRONT OF
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004215208
Facility Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Location Address 1: F/O 655 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004215208
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2010
Trans1 Recv Date: 09/11/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/13/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004215208
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007656835JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014399142

Waste Code: Not reported
Quantity: 4000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW409
NW
1/8-1/4
0.152 mi.
803 ft.**

**CON EDISON
331 MADISON AVE
NEW YORK, NY 10017

Site 5 of 19 in cluster AW**

**NJ MANIFEST S120673133
N/A**

**Relative:
Higher**

NJ MANIFEST:
EPA Id: NYP004798286
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

**Actual:
59 ft.**

Manifest:
Manifest Number: 002614392GBF
EPA ID: NYP004798286
Date Shipped: 6/23/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120673133

Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**AW410
NW
1/8-1/4
0.152 mi.
803 ft.**

**CON EDISON
331 MADISON AVE
NEW YORK, NY 10017

Site 6 of 19 in cluster AW**

RCRA NonGen / NLR

**1019325145
NYP004798286**

**Relative:
Higher

Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-06-23 00:00:00.0
Handler Name: CON EDISON
Handler Address: 331 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004798286
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325145

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325145

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-06-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-06-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 50232
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-06-23 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325145

Receive Date: 2015-06-23 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

**AW411
NW
1/8-1/4
0.152 mi.
803 ft.**

**CON EDISON
331 MADISON AVE
NEW YORK, NY 10017

Site 7 of 19 in cluster AW**

**NY MANIFEST S118257160
N/A**

**Relative:
Higher**

NY MANIFEST:
Name: CON EDISON
Address: 331 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004798286
Facility Status: Not reported
Location Address 1: 331 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

**Actual:
59 ft.**

NY MANIFEST:
EPAID: NYP004798286
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118257160

Trans1 Recv Date: 06/23/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/26/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004798286
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614392GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ412
SSE
1/8-1/4
0.152 mi.
804 ft.

**CON EDISON SERVICE BOX: 43865
E 41ST ST & 3RD AVE NW COR
NEW YORK, NY 10016**

**RCRA NonGen / NLR 1016143972
NY MANIFEST NYP004267597**

Site 5 of 17 in cluster AQ

**Relative:
Lower**

RCRA Listings:

**Actual:
36 ft.**

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43865
Handler Address: E 41ST ST & 3RD AVE NW COR
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267597
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43865 (Continued)

1016143972

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43865 (Continued)

1016143972

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:26:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43865
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43865
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	E 41ST ST & 3RD AVE NW COR
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267597
Facility Status:	Not reported
Location Address 1:	NWC E 41 ST & 3RD AVE
Code:	BP
Location Address 2:	SERV BOX 43865

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43865 (Continued)

1016143972

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267597
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267597
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456481JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43865 (Continued)

1016143972

Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ413
SSE
1/8-1/4
0.152 mi.
804 ft.

CON EDISON - MANHOLE 59215
E 41 ST AND THIRD AVE
NEW YORK, NY 10017

RCRA-LQG
NY MANIFEST
NJ MANIFEST

1014396493
NYP004188041

Site 6 of 17 in cluster AQ

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2010-03-23 00:00:00.0
Handler Name: CON EDISON - MANHOLE 59215
Handler Address: E 41 ST AND THIRD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004188041
Contact Name: FRANKLYN MURRAY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2009
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 4 IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 59215 (Continued)

1014396493

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2009

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 59215 (Continued)

1014396493

Legal Status:	Private
Date Became Current:	2009-07-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2009-07-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2010-03-23 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 59215
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E 41 ST AND THIRD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004188041
Facility Status:	Not reported
Location Address 1:	E 41 ST AND THIRD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004188041
Mailing Name:	CONSOLIDATED EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 59215 (Continued)

1014396493

Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/28/2009
Trans1 Recv Date: 07/28/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/28/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188041
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 003532220JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 59215 (Continued)

1014396493

Waste Code 1_6: Not reported

NJ MANIFEST:

EPA Id: NYP004188041
Mail Address: 4 IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: FRANKLYN MURRAY
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 003532220JJK
EPA ID: NYP004188041
Date Shipped: 07/28/2009
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/28/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 07/28/2009
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 59215 (Continued)

1014396493

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 3000 P

AV414
ENE
1/8-1/4
0.152 mi.
804 ft.

**CON EDISON VAULT: 5071
145 E 45TH ST FRONT OF
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1017775679
FINDS NYP004535225**

Site 4 of 4 in cluster AV

**Relative:
Lower**

**Actual:
42 ft.**

RCRA Listings:

Date Form Received by Agency: 2014-06-18 00:00:00.0
Handler Name: CON EDISON VAULT: 5071
Handler Address: 145 E 45TH ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004535225
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5071 (Continued)

1017775679

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-05-18 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5071 (Continued)

1017775679

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2014-05-18 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2014-06-18 00:00:00.0
Handler Name: CON EDISON VAULT: 5071
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110063786096

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

AQ415
SSE
1/8-1/4
0.152 mi.
805 ft.

CON EDISON SERVICE BOX: 43858
638 3RD AVE
NEW YORK, NY 10016
Site 7 of 17 in cluster AQ

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143970
NYP004267571

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43858
Handler Address: 638 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43858 (Continued)

1016143970

EPA ID:	NYP004267571
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43858 (Continued)

1016143970

TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:20:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43858
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43858
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421397

[Click Here:](#)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43858 (Continued)

1016143970

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143970
Registry ID: 110055421397
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055421397>
Name: CON EDISON SERVICE BOX: 43858
Address: 638 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 638 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267571
Facility Status: Not reported
Location Address 1: 638 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267571
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43858 (Continued)

1016143970

Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267571
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456479JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ416
SSE
1/8-1/4
0.152 mi.
805 ft.

CON EDISON SERVICE BOX: 43858
638 3RD AVE
NEW YORK, NY 10016
Site 8 of 17 in cluster AQ

NJ MANIFEST S117986191
N/A

Relative:
Lower
Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004267571
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43858 (Continued)

S117986191

Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456479JJK
EPA ID: NYP004267571
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,000.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AZ417
North
1/8-1/4
0.153 mi.
808 ft.
CON EDISON
221 PARK AV
NEW YORK, NY 10003
Site 1 of 2 in cluster AZ

NY MANIFEST **S117738205**
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 221 PARK AV
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004711677
Facility Status: Not reported
Location Address 1: 221 PARK AV
Code: BP
Location Address 2: V8834
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004711677
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 01/04/2015
Trans1 Recv Date: 01/04/2015
Trans2 Recv Date: 01/13/2015
TSD Site Recv Date: 01/13/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004711677
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609990GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117738205

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AZ418
North
1/8-1/4
0.153 mi.
808 ft.

CON EDISON
221 PARK AV
NEW YORK, NY 10003

NY MANIFEST **S117738206**
N/A

Site 2 of 2 in cluster AZ

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 221 PARK AV
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004711693
Facility Status: Not reported
Location Address 1: 221 PARK AV
Code: BP
Location Address 2: V3674
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004711693
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117738206

Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 01/04/2015
Trans1 Recv Date: 01/04/2015
Trans2 Recv Date: 01/13/2015
TSD Site Recv Date: 01/13/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004711693
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609949GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AN419
SSW
1/8-1/4
0.154 mi.
811 ft.
CON EDISON SERVICE BOX: 38611
344 LEXINGTON AVE
NEW YORK, NY 10016
Site 6 of 9 in cluster AN

NJ MANIFEST
S117986097
N/A

Relative:
Higher

Actual:
60 ft.

NJ MANIFEST:
EPA Id: NYP004266532
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456311JJK
EPA ID: NYP004266532
Date Shipped: 9/5/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38611 (Continued)

S117986097

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AN420
SSW
1/8-1/4
0.154 mi.
811 ft.

CON EDISON SERVICE BOX: 38611
344 LEXINGTON AVE
NEW YORK, NY 10016
Site 7 of 9 in cluster AN

RCRA NonGen / NLR **1016143867**
FINDS **NYP004266532**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 38611
Handler Address: 344 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266532
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38611 (Continued)

1016143867

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 15:08:41.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38611
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38611 (Continued)

1016143867

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38611
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055454556

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143867
Registry ID:	110055454556
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055454556
Name:	CON EDISON SERVICE BOX: 38611
Address:	344 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	344 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004266532
Facility Status:	Not reported
Location Address 1:	344 LEXINGTON AVE
Code:	BP
Location Address 2:	SERV BOX 38611
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38611 (Continued)

1016143867

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266532
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266532
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456311JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38611 (Continued)

1016143867

Waste Code: D003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AO421
South
1/8-1/4
0.154 mi.
814 ft.
KOBRAND CORP
134 E 40TH ST
NEW YORK, NY 10016
Site 8 of 8 in cluster AO

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1006810394
NYR000110668

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: KOBRAND CORP
Handler Address: 134 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYR000110668
Contact Name: ALAN CZYZEWSKI
Contact Address: E 40TH ST
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-490-9300
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 40TH ST
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: KOBRAND CORP
Owner Type: Private
Operator Name: KOBRAND CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KOBRAND CORP (Continued)

1006810394

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KOBRAND CORP
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	E 40TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-490-9300
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KOBRAND CORP
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KOBRAND CORP (Continued)

1006810394

Date Became Current: 1979-12-31 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: E 40TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-490-9300
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KOBRAND CORP
Legal Status: Private
Date Became Current: 1979-12-31 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: E 40TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-490-9300
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KOBRAND CORP
Legal Status: Private
Date Became Current: 1979-12-31 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: E 40TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-490-9300
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: KOBRAND CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: KOBRAND CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KOBRAND CORP (Continued)

1006810394

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-12-12 00:00:00.0
Handler Name:	KOBRAND CORP
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110014358701

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1006810394
Registry ID:	110014358701
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110014358701
Name:	KOBRAND CORP
Address:	134 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	KOBRAND CORP
Address:	134 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYR000110668
Facility Status:	Not reported
Location Address 1:	134 E 40 STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KOBRAND CORP (Continued)

1006810394

NY MANIFEST:

EPAID: NYR000110668
Mailing Name: KOBRAND CORP
Mailing Contact: THOMAS CMIZA
Mailing Address 1: 134 E 40 STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124909300

NY MANIFEST:

Document ID: NYG3567033
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 40579PANY
Trans2 State ID: Not reported
Generator Ship Date: 12/13/2002
Trans1 Recv Date: 12/13/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/16/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000110668
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KOBRAND CORP (Continued)

1006810394

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00036
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00004
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

AQ422 **CON EDISON SERVICE BOX: 43857**
SSE **632 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.154 mi.
814 ft. **Site 9 of 17 in cluster AQ**

RCRA NonGen / NLR **1016143971**
FINDS **NYP004267589**
ECHO
NY MANIFEST

Relative: RCRA Listings:
Lower Date Form Received by Agency: 2017-07-28 00:00:00.0
Actual: Handler Name: CON EDISON SERVICE BOX: 43857
36 ft. Handler Address: 632 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267589
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43857 (Continued)

1016143971

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43857 (Continued)

1016143971

Handler Date of Last Change:	2017-10-13 14:18:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43857
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43857
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055456830

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143971
Registry ID:	110055456830

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43857 (Continued)

1016143971

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456830>
Name: CON EDISON SERVICE BOX: 43857
Address: 632 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 632 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267589
Facility Status: Not reported
Location Address 1: 632 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267589
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267589
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456480JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43857 (Continued)

1016143971

Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 5000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ423 **CON EDISON SERVICE BOX: 43857**
SSE **632 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.154 mi.
814 ft. **Site 10 of 17 in cluster AQ**

NJ MANIFEST **S117986192**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267589
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456480JJK
EPA ID: NYP004267589
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43857 (Continued)

S117986192

Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	5,000.00 Pounds

AL424
WSW
1/8-1/4
0.155 mi.
818 ft.

CON EDISON MANHOLE: 7831
83 E 40TH ST
NEW YORK, NY 10016

RCRA NonGen / NLR

1017773375
NYP004511556

Site 4 of 5 in cluster AL

Relative:
Higher
Actual:
72 ft.

RCRA Listings:	
Date Form Received by Agency:	2014-05-25 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7831
Handler Address:	83 E 40TH ST
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004511556
Contact Name:	THOMAS TEELING
Contact Address:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7831 (Continued)

1017773375

Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7831 (Continued)

1017773375

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-04-25 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-04-25 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-25 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7831
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7831 (Continued)

1017773375

Non Storage Recycler Activity:
Electronic Manifest Broker:

Not reported
Not reported

AL425
WSW
1/8-1/4
0.155 mi.
818 ft.

CON EDISON
83 E 40TH ST
NEW YORK, NY 10016
Site 5 of 5 in cluster AL

NY MANIFEST **S117059014**
N/A

Relative:
Higher

Actual:
72 ft.

NY MANIFEST:

Name: CON EDISON
Address: 83 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004511556
Facility Status: Not reported
Location Address 1: E 40 ST & 2ND AVE
Code: BP
Location Address 2: MH 7831
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004511556
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 04/25/2014
Trans1 Recv Date: 04/25/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/25/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004511556
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002416519GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117059014

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ426
SSE
1/8-1/4
0.155 mi.
821 ft.

CON EDISON
200 E 41ST ST
NEW YORK, NY 10017

RCRA NonGen / NLR **1019903654**
NYP004788303

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2015-05-30 00:00:00.0
Handler Name: CON EDISON
Handler Address: 200 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004788303
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903654

State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903654

Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-05-30 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-05-30 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

AQ427
SSE
1/8-1/4
0.155 mi.
821 ft.

CON EDISON
200 E 41ST ST
NEW YORK, NY 10017

Site 12 of 17 in cluster AQ

NJ MANIFEST **S120672265**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004788303
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672265

Date Change: Not reported

Manifest:

Manifest Number: 002614153GBF

EPA ID: NYP004788303

Date Shipped: 5/30/2015

TSDF EPA ID: NJD991291105

Transporter EPA ID: NJD003812047

Transporter 2 EPA ID: Not reported

Transporter 3 EPA ID: Not reported

Transporter 4 EPA ID: Not reported

Transporter 5 EPA ID: Not reported

Transporter 6 EPA ID: Not reported

Transporter 7 EPA ID: Not reported

Transporter 8 EPA ID: Not reported

Transporter 9 EPA ID: Not reported

Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: Not reported

Date Trans2 Transported Waste: Not reported

Date Trans3 Transported Waste: Not reported

Date Trans4 Transported Waste: Not reported

Date Trans5 Transported Waste: Not reported

Date Trans6 Transported Waste: Not reported

Date Trans7 Transported Waste: Not reported

Date Trans8 Transported Waste: Not reported

Date Trans9 Transported Waste: Not reported

Date Trans10 Transported Waste: Not reported

Date TSDF Received Waste: Not reported

TSDF EPA Facility Name: Not reported

QTY Units: Not reported

Transporter SEQ ID: Not reported

Transporter-1 Date: Not reported

Waste SEQ ID: Not reported

Waste Type Code 2: Not reported

Waste Type Code 3: Not reported

Waste Type Code 4: Not reported

Waste Type Code 5: Not reported

Waste Type Code 6: Not reported

Date Accepted: Not reported

Manifest Discrepancy Type: Not reported

Data Entry Number: Not reported

Was Load Rejected: NEW YORK, NY 10003

Reason Load Was Rejected: Not reported

AQ428
SSE
1/8-1/4
0.155 mi.
821 ft.

CON EDISON
200 E 41ST ST
NEW YORK, NY 10017

Site 13 of 17 in cluster AQ

NY MANIFEST S118091160
N/A

Relative:
Lower

Actual:
36 ft.

NY MANIFEST:

Name: CON EDISON

Address: 200 E 41ST ST

City,State,Zip: NEW YORK, NY 10017

Country: USA

EPA ID: NYP004788303

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118091160

Facility Status: Not reported
Location Address 1: 200 E 41ST ST
Code: BP
Location Address 2: VS 2109
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004788303
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/30/2015
Trans1 Recv Date: 05/30/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004788303
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614153GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118091160

Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AQ429
SSE
1/8-1/4
0.156 mi.
822 ft.
CON EDISON SERVICE BOX: 43874
651 3RD AVE
NEW YORK, NY 10016
Site 14 of 17 in cluster AQ

NJ MANIFEST **S117986211**
N/A

Relative:
Lower

Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004267779
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456482JJK
EPA ID: NYP004267779
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43874 (Continued)

S117986211

Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 4,000.00 Pounds

AQ430
SSE
1/8-1/4
0.156 mi.
822 ft.

CON EDISON SERVICE BOX: 43874
651 3RD AVE
NEW YORK, NY 10016

RCRA NonGen / NLR 1016143990
NY MANIFEST NYP004267779

Site 15 of 17 in cluster AQ

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43874
Handler Address: 651 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267779
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43874 (Continued)

1016143990

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:58:17.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43874 (Continued)

1016143990

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43874
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43874
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	651 3RD AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004267779
Facility Status:	Not reported
Location Address 1:	651 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004267779
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43874 (Continued)

1016143990

Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267779
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456482JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 4000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AU431
ENE
1/8-1/4
0.156 mi.
822 ft.

CON EDISON
153 E 45 ST
NEW YORK, NY 10017
Site 4 of 6 in cluster AU

NY MANIFEST
S117314829
N/A

Relative:
Lower

NY MANIFEST:

Actual:
42 ft.

Name: CON EDISON
Address: 153 E 45 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619144
Facility Status: Not reported
Location Address 1: 153 E 45 ST
Code: BP
Location Address 2: SB 8798
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004619144
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619144
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608689GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314829

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW432
NW
1/8-1/4
0.156 mi.
825 ft.**

**CON EDISON
333 MADISON AVE
NEW YORK, NY 10017

Site 8 of 19 in cluster AW**

**NY MANIFEST S112210764
N/A**

**Relative:
Higher

Actual:
58 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 333 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004439360
Facility Status: Not reported
Location Address 1: 333 MADISON AVE
Code: BP
Location Address 2: SB52037
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004439360
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S112210764

Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 02/11/2014
Trans1 Recv Date: 02/11/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/14/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004439360
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002330060GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AW433
NW
1/8-1/4
0.156 mi.
825 ft.
CON EDISON SERVICE BOX: 50237
333 MADISON AVE
NEW YORK, NY 10017
Site 9 of 19 in cluster AW

NJ MANIFEST **S117986371**
N/A

Relative:
Higher

Actual:
58 ft.

NJ MANIFEST:
EPA Id: NYP004269569
Mail Address: VING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456601JJK
EPA ID: NYP004269569
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50237 (Continued)

S117986371

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

**AW434
NW
1/8-1/4
0.156 mi.
825 ft.**

**CON EDISON SERVICE BOX: 50237
333 MADISON AVE
NEW YORK, NY 10017

Site 10 of 19 in cluster AW**

**RCRA NonGen / NLR 1016144167
FINDS NYP004269569
ECHO
NY MANIFEST**

**Relative:
Higher**

**Actual:
58 ft.**

RCRA Listings:
Date Form Received by Agency: 2014-03-11 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50237
Handler Address: 333 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269569
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50237 (Continued)

1016144167

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-02-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50237
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50237 (Continued)

1016144167

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2014-03-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50237
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110055421672

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144167
Registry ID:	110055421672
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421672
Name:	CON EDISON SERVICE BOX: 50237
Address:	333 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	333 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004269569
Facility Status:	Not reported
Location Address 1:	333 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50237 (Continued)

1016144167

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269569
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269569
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456601JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50237 (Continued)

1016144167

Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AT435
WNW
1/8-1/4
0.156 mi.
826 ft.

CON EDISON
307 MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1019901921
NYP004767505

Site 2 of 7 in cluster AT

Relative:
Higher
Actual:
64 ft.

RCRA Listings:
Date Form Received by Agency: 2015-04-14 00:00:00.0
Handler Name: CON EDISON
Handler Address: 307 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004767505
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019901921

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-04-14 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-04-14 00:00:00.0
Handler Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019901921

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069665543

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019901921
Registry ID:	110069665543
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069665543
Name:	CON EDISON
Address:	307 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017

AT436
WNW
1/8-1/4
0.156 mi.
826 ft.

CON EDISON
307 MADISON AVE
NEW YORK, NY 10017
Site 3 of 7 in cluster AT

NJ MANIFEST **S120670446**
N/A

Relative:
Higher
Actual:
64 ft.

NJ MANIFEST:	
EPA Id:	NYP004767505
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120670446

Date Change: Not reported

Manifest:

Manifest Number: 002611494GBF

EPA ID: NYP004767505

Date Shipped: 4/14/2015

TSDF EPA ID: NJD991291105

Transporter EPA ID: NJD003812047

Transporter 2 EPA ID: Not reported

Transporter 3 EPA ID: Not reported

Transporter 4 EPA ID: Not reported

Transporter 5 EPA ID: Not reported

Transporter 6 EPA ID: Not reported

Transporter 7 EPA ID: Not reported

Transporter 8 EPA ID: Not reported

Transporter 9 EPA ID: Not reported

Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: Not reported

Date Trans2 Transported Waste: Not reported

Date Trans3 Transported Waste: Not reported

Date Trans4 Transported Waste: Not reported

Date Trans5 Transported Waste: Not reported

Date Trans6 Transported Waste: Not reported

Date Trans7 Transported Waste: Not reported

Date Trans8 Transported Waste: Not reported

Date Trans9 Transported Waste: Not reported

Date Trans10 Transported Waste: Not reported

Date TSDF Received Waste: Not reported

TSDF EPA Facility Name: Not reported

QTY Units: Not reported

Transporter SEQ ID: Not reported

Transporter-1 Date: Not reported

Waste SEQ ID: Not reported

Waste Type Code 2: Not reported

Waste Type Code 3: Not reported

Waste Type Code 4: Not reported

Waste Type Code 5: Not reported

Waste Type Code 6: Not reported

Date Accepted: Not reported

Manifest Discrepancy Type: Not reported

Data Entry Number: Not reported

Was Load Rejected: NEW YORK, NY 10003

Reason Load Was Rejected: Not reported

AT437
WNW
1/8-1/4
0.156 mi.
826 ft.

CON EDISON
307 MADISON AVE
NEW YORK, NY 10017

Site 4 of 7 in cluster AT

NY MANIFEST S118089156
N/A

Relative:
Higher

Actual:
64 ft.

NY MANIFEST:

Name: CON EDISON

Address: 307 MADISON AVE

City,State,Zip: NEW YORK, NY 10017

Country: USA

EPA ID: NYP004767505

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118089156

Facility Status: Not reported
Location Address 1: 307 MADISON AVE
Code: BP
Location Address 2: V 3177
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004767505
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 04/14/2015
Trans1 Recv Date: 04/14/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/20/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004767505
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611494GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118089156

Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AU438
ENE
1/8-1/4
0.157 mi.
827 ft.

CON ED
155 E 45TH ST
NEW YORK, NY 10017
Site 5 of 6 in cluster AU

NY MANIFEST **S118464101**
N/A

Relative:
Lower

Actual:
42 ft.

NY MANIFEST:
Name: CON ED
Address: 155 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004861965
Facility Status: Not reported
Location Address 1: 155 E 45TH ST
Code: BP
Location Address 2: SB 8798
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004861965
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118464101

Generator Ship Date: 10/29/2015
Trans1 Recv Date: 10/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/03/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004861965
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 014085816JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 700
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AU439
ENE
1/8-1/4
0.158 mi.
832 ft.
CON EDISON - OTH 860
157 E. 45TH STREET
NEW YORK, NY 10017
Site 6 of 6 in cluster AU

RCRA NonGen / NLR
NY MANIFEST
1008195605
NYP004110078

Relative:
Lower
Actual:
42 ft.

RCRA Listings:
Date Form Received by Agency: 2004-02-27 00:00:00.0
Handler Name: CON EDISON - OTH 860
Handler Address: 157 E. 45TH STREET
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004110078
Contact Name: ANTHONY DRUMMINGS
Contact Address: 4 IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - OTH 860 (Continued)

1008195605

Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Municipal
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - OTH 860 (Continued)

1008195605

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2003

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-04-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-04-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-04-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - OTH 860 (Continued)

1008195605

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-04-19 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2004-02-25 00:00:00.0
Handler Name:	CON EDISON - OTH 860
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2004-02-26 00:00:00.0
Handler Name:	CON EDISON - OTH 860
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2004-02-27 00:00:00.0
Handler Name:	CON EDISON - OTH 860
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - OTH 860 (Continued)

1008195605

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 157 E. 45TH STREET
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004110078
Facility Status: Not reported
Location Address 1: V860-157 E 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004110078
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0589482
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 96590JE
Trans2 State ID: Not reported
Generator Ship Date: 04/19/2003
Trans1 Recv Date: 04/19/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/21/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004110078
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - OTH 860 (Continued)

1008195605

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00700
Units: K - Kilograms (2.2 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

AP440
South
1/8-1/4
0.158 mi.
836 ft.

CON EDISON MANHOLE: 7804
142 E 40TH ST
NEW YORK, NY 10016
Site 3 of 13 in cluster AP

NJ MANIFEST **S117986149**
N/A

Relative:
Lower

Actual:
48 ft.

NJ MANIFEST:
EPA Id: NYP004267100
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456278JJK
EPA ID: NYP004267100
Date Shipped: 9/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7804 (Continued)

S117986149

Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 3,000.00 Pounds

AP441
South
1/8-1/4
0.158 mi.
836 ft.

CON EDISON MANHOLE: 7804
142 E 40TH ST
NEW YORK, NY 10016
Site 4 of 13 in cluster AP

RCRA NonGen / NLR **1016143923**
FINDS **NYP004267100**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
48 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 7804
Handler Address: 142 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267100
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7804 (Continued)

1016143923

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 09:58:41.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7804 (Continued)

1016143923

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-07 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7804
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7804
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055434427

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143923
Registry ID:	110055434427
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055434427

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7804 (Continued)

1016143923

Name: CON EDISON MANHOLE: 7804
Address: 142 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 142 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267100
Facility Status: Not reported
Location Address 1: 142 E 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267100
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/07/2012
Trans1 Recv Date: 09/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267100
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456278JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7804 (Continued)

1016143923

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AP442 **14040 TENANTS CORPORATION**
South **140 EAST 40TH STREET**
1/8-1/4 **NEW YORK, NY 10016**
0.159 mi.
837 ft. **Site 5 of 13 in cluster AP**

NY AST **A100291462**
N/A

Relative: AST:
Higher Name: 14040 TENANTS CORPORATION
Actual: Address: 140 EAST 40TH STREET
50 ft. City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-321583
Program Type: PBS
UTM X: 586409.53969
UTM Y: 4511489.14642
Expiration Date: 08/17/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 14951
Affiliation Type: Facility Owner
Company Name: 14040 TENANTS CORP
Contact Type: SENIOR PROPERTY MANAGER
Contact Name: RICHARD SOBIN
Address1: 666 BROADWAY - 12TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

14040 TENANTS CORPORATION (Continued)

A100291462

Phone: (212) 529-5688
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-09-20

Site Id: 14951
Affiliation Type: Mail Contact
Company Name: ANDREWS ORG.
Contact Type: Not reported
Contact Name: RICHARD SOBIN
Address1: 666 BROADWAY
Address2: 12TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 529-5688
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-09-20

Site Id: 14951
Affiliation Type: Facility Operator
Company Name: 14040 TENANTS CORPORATION
Contact Type: Not reported
Contact Name: DANIEL BUZANGIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (212) 867-8907
EMail: Not reported
Fax Number: Not reported
Modified By: MXAJOKU
Date Last Modified: 2016-06-01

Site Id: 14951
Affiliation Type: Emergency Contact
Company Name: 14040 TENANTS CORP
Contact Type: Not reported
Contact Name: RICHARD SOBIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 529-5688
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-09-20

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

14040 TENANTS CORPORATION (Continued)

A100291462

Tank Info:

Tank Number: 001
Tank Id: 18449
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J00 - Dispenser - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 11/09/1972
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 09/20/2017
Material Name: #2 fuel oil (on-site consumption)

AP443
South
1/8-1/4
0.159 mi.
837 ft.

CON EDISON MANHOLE: 7797
140 E 40TH ST OPPOSITE
NEW YORK, NY 10016

Site 6 of 13 in cluster AP

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143920
NYP004267076

Relative:
Higher
Actual:
50 ft.

RCRA Listings:

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 7797
Handler Address: 140 E 40TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267076
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016143920

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016143920

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 09:56:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-07 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7797
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 7797
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055455715

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016143920

ECHO:

Envid: 1016143920
Registry ID: 110055455715
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055455715>
Name: CON EDISON MANHOLE: 7797
Address: 140 E 40TH ST OPPOSITE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 140 E 40TH ST OPPOSITE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267076
Facility Status: Not reported
Location Address 1: OPP 140 E 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267076
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/07/2012
Trans1 Recv Date: 09/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267076
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456276JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

1016143920

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AP444
South
1/8-1/4
0.159 mi.
837 ft.
CON EDISON MANHOLE: 7797
140 E 40TH ST OPPOSITE
NEW YORK, NY 10016
Site 7 of 13 in cluster AP

NJ MANIFEST **S117986146**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004267076
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
50 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 010456276JJK
EPA ID: NYP004267076

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 7797 (Continued)

S117986146

Date Shipped: 9/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,500.00 Pounds

AP445 **CON EDISON SERVICE BOX: 7800**
South **153 E 40TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.159 mi.
841 ft. **Site 8 of 13 in cluster AP**

RCRA NonGen / NLR **1016143875**
FINDS **NYP004266615**
ECHO
NY MANIFEST

Relative: RCRA Listings:
Lower Date Form Received by Agency:
Actual: Handler Name:
41 ft. Handler Address:

2017-07-28 00:00:00.0
CON EDISON SERVICE BOX: 7800
153 E 40TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7800 (Continued)

1016143875

Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004266615
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7800 (Continued)

1016143875

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 10:15:15.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7800
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7800
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055454618

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7800 (Continued)

1016143875

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143875
Registry ID: 110055454618
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055454618>
Name: CON EDISON SERVICE BOX: 7800
Address: 153 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 153 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266615
Facility Status: Not reported
Location Address 1: 153 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7800
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266615
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7800 (Continued)

1016143875

Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266615
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456312JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AP446 **CON EDISON SERVICE BOX: 7800**
South **153 E 40TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.159 mi.
841 ft. **Site 9 of 13 in cluster AP**

NJ MANIFEST **S117986105**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004266615
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
41 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7800 (Continued)

S117986105

County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456312JJK
EPA ID:	NYP004266615
Date Shipped:	9/5/2012
TSDf EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AM447
SW
1/8-1/4
0.161 mi.
848 ft.
POLARIS CLEANERS
99 PARK AVENUE
NEW YORK, NY 10016
Site 4 of 7 in cluster AM

NY DRYCLEANERS **S106435926**
N/A

Relative: DRYCLEANERS:
Higher Name: POLARIS CLEANERS
Address: 99 PARK AVENUE
Actual: City,State,Zip: NEW YORK, NY 10016
73 ft. Facility ID: 2-6206-01447
Phone Number: 212-682-8733
Region: Not reported
Registration Effective Date: 4/4/2003 12:40:32:626
Inspection Date: 03APR4
Install Date: 03
Expiration Date: Not reported
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: DF2000
Current Business: Not reported

AM448
SW
1/8-1/4
0.161 mi.
848 ft.
CON EDISON SERVICE BOX: 41635
99 PARK AVE
NEW YORK, NY 10018
Site 5 of 7 in cluster AM

NJ MANIFEST **S117986068**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004266243
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
73 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456305JJK
EPA ID: NYP004266243
Date Shipped: 9/4/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41635 (Continued)

S117986068

Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AM449
SW
1/8-1/4
0.161 mi.
848 ft.

ROBECO INC
99 PARK AVE 17TH FLOOR
NEW YORK, NY 10016

Site 6 of 7 in cluster AM

RCRA NonGen / NLR
ICIS
FINDS
ECHO
NY MANIFEST

1000200944
NYD002535888

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: ROBECO INC
Handler Address: 99 PARK AVE 17TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYD002535888
Contact Name: Not reported
Contact Address: PARK AVE 17TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBECO INC (Continued)

1000200944

Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE 17TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10016
Owner Name:	EAST GATE REALTY CORP
Owner Type:	Private
Operator Name:	EAST GATE REALTY CORP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBEKO INC (Continued)

1000200944

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EAST GATE REALTY CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	720 FIFTH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10019
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	EAST GATE REALTY CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	720 FIFTH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10019
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EAST GATE REALTY CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	720 FIFTH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10019
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1996-02-28 00:00:00.0
Handler Name:	ROBEKO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBECO INC (Continued)

1000200944

Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: ROBECO INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: ROBECO INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1996-02-01 00:00:00.0
Handler Name: ROBECO INC
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

ICIS:

Enforcement Action ID: 02-1987-0275
FRS ID: 110004341695
Action Name: ROBECO CHEMICALS INC
Facility Name: ROBECO INC
Facility Address: 99 PARK AVE 17TH FLOOR
NYC, NY 10016
Enforcement Action Type: TSCA 16 Action For Penalty

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBECO INC (Continued)

1000200944

Facility County: NEW YORK
Program System Acronym: ICIS
Enforcement Action Forum Desc: Administrative - Formal
EA Type Code: 16
Facility SIC Code: 5162
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.750775
Longitude in Decimal Degrees: -73.978507
Permit Type Desc: Not reported
Program System Acronym: 30752
Facility NAICS Code: Not reported
Tribal Land Code: Not reported

Facility Name: ROBECO INC
Address: 99 PARK AVE 17TH FLOOR
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 5162

Facility Name: ROBECO INC
Address: 99 PARK AVE 17TH FLOOR
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 5162

Facility Name: ROBECO INC
Address: 99 PARK AVE 17TH FLOOR
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 5162

Facility Name: ROBECO INC
Address: 99 PARK AVE 17TH FLOOR
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 5162

Facility Name: ROBECO INC
Address: 99 PARK AVE 17TH FLOOR
Tribal Indicator: N
Fed Facility: No
NAIC Code: Not reported
SIC Code: 5162

FINDS:

Registry ID: 110004341695

[Click Here:](#)

Environmental Interest/Information System:

NCDB (National Compliance Data Base) supports implementation of the
Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBECO INC (Continued)

1000200944

Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000200944
Registry ID:	110004341695
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004341695
Name:	ROBECO INC
Address:	99 PARK AVE 17TH FLOOR
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	ROBECO INC
Address:	99 PARK AVE 17TH FLOOR
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYD002535888
Facility Status:	Not reported
Location Address 1:	99 PARK AVE 17TH FLOOR
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD002535888
Mailing Name:	ROBECO INC
Mailing Contact:	HAROLD WEITZ
Mailing Address 1:	99 PARK AVE 17TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBECO INC (Continued)

1000200944

Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129866410

NY MANIFEST:

Document ID: LAA3342232
Manifest Status: K
seq: Not reported
Year: 1996
Trans1 State ID: PAAH0146
Trans2 State ID: PAAH0390
Generator Ship Date: 02/06/1996
Trans1 Recv Date: 02/06/1996
Trans2 Recv Date: 02/21/1996
TSD Site Recv Date: 02/23/1996
Part A Recv Date: 02/14/1996
Part B Recv Date: 05/02/1996
Generator EPA ID: NYD002535888
Trans1 EPA ID: PAD067098822
Trans2 EPA ID: Not reported
TSD ID 1: LAD981057706
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: U205 - SELENIUM SULFIDE (R,T)
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00005
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AM450
SW
1/8-1/4
0.161 mi.
848 ft.
CON EDISON SERVICE BOX: 41635
99 PARK AVE
NEW YORK, NY 10018
Site 7 of 7 in cluster AM

RCRA NonGen / NLR
NY MANIFEST
1016143838
NYP004266243

Relative:
Higher

Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 41635
Handler Address: 99 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266243
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41635 (Continued)

1016143838

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 13:34:20.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41635
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41635
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41635 (Continued)

1016143838

Electronic Manifest Broker: No

NY MANIFEST:

Name: CON EDISON
Address: 99 PARK AVE
City,State,Zip: NEW YORK, NY 10018
Country: USA
EPA ID: NYP004266243
Facility Status: Not reported
Location Address 1: 99 PARK AVE
Code: BP
Location Address 2: SERV BOX 41635
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266243
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266243
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456305JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41635 (Continued)

1016143838

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AY451
SE
1/8-1/4
0.161 mi.
849 ft.

A G F A DIV BAYER CORP
212 E 42ND ST 2ND FLOOR
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1001197294
NYR000037804

Site 4 of 7 in cluster AY

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: A G F A DIV BAYER CORP
Handler Address: 212 E 42ND ST 2ND FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000037804
Contact Name: Not reported
Contact Address: CHALLENGER RD
Contact City,State,Zip: RIDGEFIELD PARK, NY 07660
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CHALLENGER RD
Mailing City,State,Zip: RIDGEFIELD PARK, NY 07660
Owner Name: NEW YORK HEMSLEY HOTEL
Owner Type: Private
Operator Name: NEW YORK HEMSLEY HOTEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A G F A DIV BAYER CORP (Continued)

1001197294

Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A G F A DIV BAYER CORP (Continued)

1001197294

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK HEMSLEY HOTEL
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	212 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-490-8900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NEW YORK HEMSLEY HOTEL
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	212 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-490-8900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NEW YORK HEMSLEY HOTEL
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	212 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-490-8900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1998-05-08 00:00:00.0
Handler Name:	A G F A DIV BAYER CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	A G F A DIV BAYER CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A G F A DIV BAYER CORP (Continued)

1001197294

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: A G F A DIV BAYER CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1997-04-16 00:00:00.0
Handler Name: A G F A DIV BAYER CORP
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004533719

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001197294
Registry ID: 110004533719
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004533719>
Name: A G F A DIV BAYER CORP
Address: 212 E 42ND ST 2ND FLOOR
City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AY452
SE
1/8-1/4
0.161 mi.
849 ft.

WESTIN NEW YORK GRAND CENTRAL
212 EAST 42ND STREET
NEW YORK, NY 10017
Site 5 of 7 in cluster AY

NY AST **U003395686**
N/A

Relative:
Lower

AST:

Actual:
36 ft.

Name: WESTIN NEW YORK GRAND CENTRAL
Address: 212 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600583
Program Type: PBS
UTM X: 586628.21745
UTM Y: 4511548.73459
Expiration Date: 03/23/2021
Site Type: Other

Affiliation Records:

Site Id: 22564
Affiliation Type: Mail Contact
Company Name: WESTING NEW YORK GRAND CENTRAL
Contact Type: Not reported
Contact Name: ARBEN CAMAJ
Address1: 212 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 405-4233
EMail: ARBEN.CAMAJ@WESTIN.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-10-12

Site Id: 22564
Affiliation Type: Facility Operator
Company Name: THE NEW YORK HELMSLEY HOTEL
Contact Type: Not reported
Contact Name: HST GRAND CENTRAL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 405-4233
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-01-10

Site Id: 22564
Affiliation Type: Emergency Contact
Company Name: HHR 42 ASSOCIATES, LP
Contact Type: Not reported
Contact Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTIN NEW YORK GRAND CENTRAL (Continued)

U003395686

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-10-12

Site Id: 22564
Affiliation Type: Facility Owner
Company Name: HHR 42 ASSOCIATES, LP
Contact Type: DIRECTOR OF ENGINEERING
Contact Name: ARBEN CAMAJ
Address1: 6903 ROCKLEDGE DRIVE, SUITE 1500
Address2: Not reported
City: BETHESDA
State: MD
Zip Code: 20817
Country Code: 001
Phone: (240) 744-1000
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-10-12

Tank Info:

Tank Number: 001
Tank Id: 43044
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G01 - Tank Secondary Containment - Diking (Aboveground)
A01 - Tank Internal Protection - Epoxy Liner
G03 - Tank Secondary Containment - Vault (w/o access)
D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
B00 - Tank External Protection - None
F05 - Pipe External Protection - Jacketed
C02 - Pipe Location - Underground/On-ground
H99 - Tank Leak Detection - Other

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 11/01/1979
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTIN NEW YORK GRAND CENTRAL (Continued)

U003395686

Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 43045
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
I01 - Overfill - Float Vent Valve
G03 - Tank Secondary Containment - Vault (w/o access)
A01 - Tank Internal Protection - Epoxy Liner
F05 - Pipe External Protection - Jacketed
B00 - Tank External Protection - None
C02 - Pipe Location - Underground/On-ground
G01 - Tank Secondary Containment - Diking (Aboveground)
H99 - Tank Leak Detection - Other

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 11/01/1979
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

AY453
SE
1/8-1/4
0.162 mi.
853 ft.

CON EDISON MANHOLE: 57616
202 E 42ND ST
NEW YORK, NY 10016
Site 6 of 7 in cluster AY

RCRA NonGen / NLR 1016143978
FINDS NYP004267654
ECHO
NY MANIFEST

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 57616
Handler Address: 202 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267654
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57616 (Continued)

1016143978

EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57616 (Continued)

1016143978

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 14:29:17.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 57616
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 57616
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055456858

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57616 (Continued)

1016143978

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143978
Registry ID: 110055456858
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456858>
Name: CON EDISON MANHOLE: 57616
Address: 202 E 42ND ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 202 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267654
Facility Status: Not reported
Location Address 1: 202 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267654
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267654
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57616 (Continued)

1016143978

TSDf ID 1: NJD002200046
TSDf ID 2: Not reported
Manifest Tracking Number: 010456465JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AY454
SE
1/8-1/4
0.162 mi.
853 ft.
CON EDISON MANHOLE: 57616
202 E 42ND ST
NEW YORK, NY 10016
Site 7 of 7 in cluster AY

NJ MANIFEST **S117986199**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267654
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
36 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57616 (Continued)

S117986199

Manifest:

Manifest Number: 010456465JJK
EPA ID: NYP004267654
Date Shipped: 9/11/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AS455
East
1/8-1/4
0.162 mi.
854 ft.
CONED
703 3RD AVE
NEW YORK, NY 10001
Site 5 of 5 in cluster AS

NY MANIFEST **S109825099**
N/A

Relative:
Lower

NY MANIFEST:

Actual:
39 ft.

Name: CONED
Address: 703 3RD AVE
City,State,Zip: NEW YORK, NY 10001
Country: USA
EPA ID: NYP004176202
Facility Status: Not reported
Location Address 1: 703 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176202
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address 1: 4 IRVING ST
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/01/2009
Trans1 Recv Date: 07/01/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/01/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001084011GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109825099

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AR456
NNW
1/8-1/4
0.162 mi.
854 ft.**

**CON EDISON - VAULT 9820
E 45 ST & VANDERBILT AVE
NEW YORK, NY 10021**

**NY MANIFEST S120958544
N/A**

Site 9 of 12 in cluster AR

**Relative:
Higher
Actual:
60 ft.**

NY MANIFEST:
Name: CON EDISON - VAULT 9820
Address: E 45 ST & VANDERBILT AVE
City,State,Zip: NEW YORK, NY 10021
Country: USA
EPA ID: NYP004947240
Facility Status: Not reported
Location Address 1: E 45 ST & VANDERBILT AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10021
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004947240
Mailing Name: CON EDISON - VAULT 9820
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 9820 (Continued)

S120958544

Mailing Country: USA
Mailing Phone: Not reported

AR457
NNW
1/8-1/4
0.162 mi.
854 ft.

CON EDISON - VAULT 235
E 45 ST & VANDERBILT AVE
NEW YORK, NY 10016

NY MANIFEST

S120958545
N/A

Site 10 of 12 in cluster AR

Relative:
Higher

NY MANIFEST:

Actual:
60 ft.

Name: CON EDISON - VAULT 235
Address: E 45 ST & VANDERBILT AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004947257
Facility Status: Not reported
Location Address 1: E 45 ST & VANDERBILT AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004947257
Mailing Name: CON EDISON - VAULT 235
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

BA458
West
1/8-1/4
0.162 mi.
857 ft.

S. J. MANAGEMENT SERVICES, INC.
299 MADISON AVENUE
NEW YORK, NY 10020

NY AST

U000402670
N/A

Site 1 of 16 in cluster BA

Relative:
Higher

AST:

Actual:
69 ft.

Name: S. J. MANAGEMENT SERVICES, INC.
Address: 299 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10020
Region: STATE
DEC Region: 2
Site Status: Inactive
Facility Id: 2-248681
Program Type: PBS
UTM X: 586198.02459
UTM Y: 4511819.06775

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S. J. MANAGEMENT SERVICES, INC. (Continued)

U000402670

Expiration Date: N/A
Site Type: Other

Affiliation Records:

Site Id: 9839
Affiliation Type: Facility Owner
Company Name: SHOJBY ASSOCIATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 299 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10020
Country Code: 001
Phone: (212) 986-5533
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 9839
Affiliation Type: Mail Contact
Company Name: S. J. MANAGEMENT SERVICES, INC.
Contact Type: Not reported
Contact Name: AMY KIKA
Address1: 299 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10020
Country Code: 001
Phone: (212) 986-5533
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 9839
Affiliation Type: Facility Operator
Company Name: S. J. MANAGEMENT SERVICES, INC.
Contact Type: Not reported
Contact Name: S. J. MANAGEMENT SERVICES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-5533
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 9839
Affiliation Type: Emergency Contact
Company Name: SHOJBY ASSOCIATES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S. J. MANAGEMENT SERVICES, INC. (Continued)

U000402670

Contact Type: Not reported
Contact Name: MASOTA TOMISHIMA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 860-1334
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 18000
Material Code: 9999
Common Name of Substance: Other

Equipment Records:

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
D00 - Pipe Type - No Piping

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1999
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AW459
NW
1/8-1/4
0.162 mi.
857 ft.

CON EDISON SERVICE BOX: 50234
E 43RD ST & MADISON AVE NW COR
NEW YORK, NY 10017

RCRA NonGen / NLR 1016143994
NY MANIFEST NYP004267811

Site 11 of 19 in cluster AW

Relative:
Higher

Actual:
60 ft.

RCRA Listings:

Date Form Received by Agency:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50234
Handler Address:	E 43RD ST & MADISON AVE NW COR
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004267811
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50234 (Continued)

1016143994

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 12:12:37.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50234
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50234
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50234 (Continued)

1016143994

Electronic Manifest Broker: No

NY MANIFEST:

Name: CON EDISON
Address: E 43RD ST & MADISON AVE NW COR
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004267811
Facility Status: Not reported
Location Address 1: NWC E 43 ST & MADISON
Code: BP
Location Address 2: SERV BOX 50234
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267811
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/13/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267811
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456619JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50234 (Continued)

1016143994

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1200
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW460
NW
1/8-1/4
0.162 mi.
858 ft.**

**NYNEX
43RD ST & MADISON AVE
MANHATTAN, NY 10027

Site 12 of 19 in cluster AW**

**NY MANIFEST S117563583
N/A**

**Relative:
Higher

Actual:
60 ft.**

NY MANIFEST:
Name: NYNEX
Address: 43RD ST & MADISON AVE
City,State,Zip: MANHATTAN, NY 10027-0000
Country: USA
EPA ID: NYP000920140
Facility Status: Not reported
Location Address 1: 43RD ST/MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000920140
Mailing Name: NYNEX
Mailing Contact: SUSHMITA BISWAS
Mailing Address 1: 221 EAST 37TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

S117563583

Mailing Phone: 2123387126

NY MANIFEST:

Document ID: MIA4133662
Manifest Status: C
seq: Not reported
Year: 1995
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 05/09/1995
Trans1 Recv Date: 05/09/1995
Trans2 Recv Date: / /
TSD Site Recv Date: 05/15/1995
Part A Recv Date: 06/08/1995
Part B Recv Date: 05/26/1995
Generator EPA ID: NYP000920140
Trans1 EPA ID: NYD010951986
Trans2 EPA ID: NYD046765574
TSDF ID 1: MID096963194
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02400
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

**AW461
NW
1/8-1/4
0.162 mi.
858 ft.**

**CON EDISON
43RD ST & MADISON AVE
NEW YORK, NY 10173**

Site 13 of 19 in cluster AW

**Relative:
Higher
Actual:
60 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 43RD ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10173
Country: USA

**NY MANIFEST S119074806
N/A**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119074806

EPA ID: NYP004774311
Facility Status: Not reported
Location Address 1: S/E/C 43 ST E. MADISON AVE
Code: BP
Location Address 2: MH # 50233
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10173
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004774311
Mailing Name: CON EDISON
Mailing Contact: TOM TELLING
Mailing Address 1: 4 IRVING PLACE-15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 04/25/2015
Trans1 Recv Date: 04/25/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004774311
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611855GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119074806

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**AW462
NW
1/8-1/4
0.162 mi.
858 ft.**

**CON EDISON
43RD ST & MADISON AVE
NEW YORK, NY 10173

Site 14 of 19 in cluster AW**

**NJ MANIFEST S120671034
N/A**

**Relative:
Higher

Actual:
60 ft.**

NJ MANIFEST:
EPA Id: NYP004774311
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 003007689GBF
EPA ID: NYP004774311
Date Shipped: 3/11/2016
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671034

Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Manifest Number: 002611855GBF
EPA ID: NYP004774311
Date Shipped: 4/25/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671034

Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**AW463
NW
1/8-1/4
0.162 mi.
858 ft.**

**NYNEX - MANHOLE
43RD ST & MADISON AVE
MANHATTAN, NY 10027**

RCRA NonGen / NLR

**1007205200
NYP000920140**

Site 15 of 19 in cluster AW

**Relative:
Higher
Actual:
60 ft.**

RCRA Listings:
Date Form Received by Agency: 1996-03-27 00:00:00.0
Handler Name: NYNEX - MANHOLE
Handler Address: 43RD ST & MADISON AVE
Handler City,State,Zip: MANHATTAN, NY 10027-0000
EPA ID: NYP000920140
Contact Name: JOHN QUATRALE
Contact Address: 221 EAST 37TH STREET - 4TH FL
Contact City,State,Zip: NEW YORK, NY 10016-0000
Contact Telephone: 212-338-7141 9999
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 221 EAST 37TH STREET - 4TH FL
Mailing City,State,Zip: NEW YORK, NY 10016-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX - MANHOLE (Continued)

1007205200

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1996-03-26 00:00:00.0
Handler Name:	NYNEX - MANHOLE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX - MANHOLE (Continued)

1007205200

Receive Date: 1996-03-27 00:00:00.0
Handler Name: NYNEX - MANHOLE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1996-03-25 00:00:00.0
Handler Name: NYNEX - MANHOLE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

AW464
NW
1/8-1/4
0.162 mi.
858 ft.

CON EDISON
43RD ST & MADISON AVE
NEW YORK, NY 10017

Site 16 of 19 in cluster AW

RCRA NonGen / NLR **1014398181**
NY MANIFEST **NYP004205324**

Relative:
Higher

Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2020-04-13 00:00:00.0
Handler Name: CON EDISON
Handler Address: 43RD ST & MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004205324
Contact Name: Not reported
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014398181

Mailing City,State,Zip:	Not reported
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-04-13 15:26:44.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014398181

Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Historic Generators:

Receive Date: 2010-04-08 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2020-04-13 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 43RD ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004205324
Facility Status: Not reported
Location Address 1: 11-17 E 43rd ST - MH 56592
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10002
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004205324
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1014398181

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/08/2010
Trans1 Recv Date: 04/08/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/09/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004205324
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NYD980593636
TSD ID 2: Not reported
Manifest Tracking Number: 001442173FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 180
Units: K - Kilograms (2.2 pounds)
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: B007
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AW465	CON EDISON	RCRA NonGen / NLR	1019902482
NW	43RD ST & MADISON AVE		1019902482
1/8-1/4	NEW YORK, NY 10173		NYP004774311
0.162 mi.			
858 ft.	Site 17 of 19 in cluster AW		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2015-04-25 00:00:00.0	
	Handler Name:	CON EDISON	
Actual:	Handler Address:	43RD ST & MADISON AVE	
60 ft.	Handler City,State,Zip:	NEW YORK, NY 10173	
	EPA ID:	NYP004774311	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902482

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-04-25 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-04-25 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902482

Electronic Manifest Broker:

Not reported

AT466
West
1/8-1/4
0.163 mi.
859 ft.

CON EDISON - MANHOLE M11951
303 MADISON AVE
NEW YORK, NY 10017

Site 5 of 7 in cluster AT

RCRA-LQG **1024891471**
NYP005114590

Relative:
Higher

Actual:
67 ft.

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE M11951
Handler Address: 303 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP005114590
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M11951 (Continued)

1024891471

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-07-21 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M11951 (Continued)

1024891471

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-07-21 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-04-10 00:00:00.0
Handler Name:	CON EDISON - MANHOLE M11951
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

AT467
West
1/8-1/4
0.163 mi.
859 ft.

CON EDISON - MANHOLE M11951
303 MADISON AVE
NEW YORK, NY 10017

NY MANIFEST **S121968400**
N/A

Site 6 of 7 in cluster AT

Relative:
Higher
Actual:
67 ft.

NY MANIFEST:	
Name:	CON EDISON - MANHOLE M11951
Address:	303 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP005114590
Facility Status:	Not reported
Location Address 1:	303 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:	
EPAID:	NYP005114590
Mailing Name:	CON EDISON - MANHOLE M11951
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M11951 (Continued)

S121968400

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

**BB468
NW
1/8-1/4
0.163 mi.
862 ft.**

**CON EDISON
52 E 44TH ST VAULT9542
NEW YORK, NY 10017**

**NJ MANIFEST S120671362
N/A**

Site 1 of 9 in cluster BB

**Relative:
Higher**

NJ MANIFEST:

**Actual:
59 ft.**

EPA Id: NYP004777934
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611837GBF
EPA ID: NYP004777934
Date Shipped: 5/2/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671362

Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BB469
NW
1/8-1/4
0.163 mi.
862 ft.

CON EDISON
52 E 44TH ST VAULT8341
NEW YORK, NY 10017
Site 2 of 9 in cluster BB

RCRA NonGen / NLR

1019902795
NYP004777926

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-05-02 00:00:00.0
Handler Name: CON EDISON
Handler Address: 52 E 44TH ST VAULT8341
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004777926
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902795

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902795

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-05-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BB470
NW
1/8-1/4
0.163 mi.
862 ft.

CON EDISON
52 E 44TH ST VAULT8341
NEW YORK, NY 10017

NY MANIFEST **S119075043**
N/A

Site 3 of 9 in cluster BB

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:	
Name:	CON EDISON
Address:	52 E 44TH ST VAULT8341
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004777926
Facility Status:	Not reported
Location Address 1:	52 E 44TH ST
Code:	BP
Location Address 2:	V 8341
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:	
EPAID:	NYP004777926
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075043

seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 05/02/2015
Trans1 Recv Date: 05/02/2015
Trans2 Recv Date: 05/05/2015
TSD Site Recv Date: 05/05/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004777926
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002564571GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BB471
NW
1/8-1/4
0.163 mi.
862 ft.

CON EDISON
52 E 44TH ST VAULT9542
NEW YORK, NY 10017
Site 4 of 9 in cluster BB

RCRA NonGen / NLR 1019902796
NYP004777934

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:

2015-05-02 00:00:00.0
CON EDISON
52 E 44TH ST VAULT9542
NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902796

EPA ID:	NYP004777934
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902796

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-09-09 13:09:22.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-05-02 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-05-02 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BB472
NW
1/8-1/4
0.163 mi.
862 ft.
CON EDISON
52 E 44TH ST VAULT9542
NEW YORK, NY 10017
Site 5 of 9 in cluster BB

NY MANIFEST
S119075044
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 52 E 44TH ST VAULT9542
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004777934
Facility Status: Not reported
Location Address 1: 52 E 44TH ST
Code: BP
Location Address 2: V 9542
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004777934
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 05/02/2015
Trans1 Recv Date: 05/02/2015
Trans2 Recv Date: 05/05/2015
TSD Site Recv Date: 05/05/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004777934
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611837GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075044

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**BB473
NW
1/8-1/4
0.163 mi.
862 ft.**

**CON EDISON
52 EAST 44TH STREET
NEW YORK, NY 10017**

**NY MANIFEST S117737588
N/A**

Site 6 of 9 in cluster BB

**Relative:
Higher
Actual:
59 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 52 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004664827
Facility Status: Not reported
Location Address 1: 52 EAST 44TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004664827
Mailing Name: CON EDISON
Mailing Contact: TOM TELLING
Mailing Address 1: 4 IRVING PLACE-15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737588

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 09/23/2014
Trans1 Recv Date: 09/23/2014
Trans2 Recv Date: 09/26/2014
TSD Site Recv Date: 09/26/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004664827
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609753GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BB474
NW
1/8-1/4
0.163 mi.
862 ft.
CON EDISON
52 E 44TH ST VAULT8341
NEW YORK, NY 10017
Site 7 of 9 in cluster BB

NJ MANIFEST **S120671361**
N/A

Relative:
Higher

Actual:
59 ft.

NJ MANIFEST:
EPA Id: NYP004777926
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002564571GBF
EPA ID: NYP004777926
Date Shipped: 5/2/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671361

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

AT475
WNW
1/8-1/4
0.164 mi.
864 ft.

CON EDISON
E 42ND ST & MADISON AVE
NEW YORK, NY 10017

NY MANIFEST S118463908
N/A

Site 7 of 7 in cluster AT

Relative:
Higher
Actual:
64 ft.

NY MANIFEST:
Name: CON EDISON
Address: E 42ND ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004858868
Facility Status: Not reported
Location Address 1: E 42ND ST & MADISON AVE
Code: BP
Location Address 2: MH 56614
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004858868
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 10/23/2015
Trans1 Recv Date: 10/23/2015
Trans2 Recv Date: 10/29/2015
TSD Site Recv Date: 10/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004858868
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118463908

Trans2 EPA ID: Not reported
TSDF ID 1: NYD980536593
TSDF ID 2: Not reported
Manifest Tracking Number: 002661839GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: K - Kilograms (2.2 pounds)
Number of Containers: 5
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BA476
West
1/8-1/4
0.164 mi.
865 ft.

CONSOLIDATED EDISON
301 MADISON AVE & E 41ST ST SB
NEW YORK, NY 10008

NY Spills **S104880403**
NY MANIFEST **N/A**

Site 2 of 16 in cluster BA

Relative:
Higher

Actual:
68 ft.

SPILLS:
Name: VAULT #3525
Address: 301 MADISON AVE
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0009256 / 2002-04-09
Facility ID: 0009256
Facility Type: ER
DER Facility ID: 120409
Site ID: 140986
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2000-11-10
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 2000-11-10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S104880403

CID: 252
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-11-10
Spill Record Last Update: 2002-04-09
Spiller Name: UNKNOWN
Spiller Company: Unknown
Spiller Address: UNKNOWN
Spiller Company: 999
Contact Name: STEVE ROMERO
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis Notes: Found approx 5gal unknown oil in V-3525 on feeder 4m67. Found approx 2gal unknown oil and 2gal water in V-2379. Found approx 1gal unknown oil and 3gal water in V-3323. All vaults are connected by weep holes. Total volume of oil is approx 8 gal. PCB count in V3525 is 6ppm. PCBs <1ppm in V2379 and V3323. Drained Transformer in Vault 3525 of 355 gallons of oil. Drained adjacent vaults with tanker and flushed with Flush truck. Cleanup completed in adjacent vaults, removed oil tag # 17570 in Vault2379 and Tag # 17572 in Vault 3323. Time of cleanup 11:00 hrs - 16:30hrs. Spill Tag # 17571 in Vault 3525 to remain until final cleanup when the transformer is removed. Tag Removed: Yes: 17570, 17572 No: 17571 Tag No: 17570 /17572 Ed Higgins reported that vault V3525 was flush cleaned with no debris. Cleanup completed by midnight 12/6/00. "
Remarks: "SAMPLE TAKEN-CLEAN UP PENDING RESULTS- CON ED #134334"

All Materials:

Site ID: 140986
Operable Unit ID: 831556
Operable Unit: 01
Material ID: 543212
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 301 MADISON AVE & E 41ST ST SB
City,State,Zip: NEW YORK, NY 10008
Country: USA
EPA ID: NYP004200663
Facility Status: Not reported
Location Address 1: FRONT OF 301 MADISON AVE - MH 50222
Code: BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S104880403

Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004200663
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 12/23/2009
Trans1 Recv Date: 12/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/24/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004200663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001085559GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S104880403

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AR477
North
1/8-1/4
0.166 mi.
875 ft.

CON EDISON VAULT: 227
41 E 45TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR **1016969310**
NY MANIFEST **NYP004429676**

Site 11 of 12 in cluster AR

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2014-02-28 00:00:00.0
Handler Name: CON EDISON VAULT: 227
Handler Address: 41 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004429676
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 227 (Continued)

1016969310

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-01-30 00:00:00.0
Handler Name:	CON EDISON VAULT: 227
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 227 (Continued)

1016969310

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2014-02-28 00:00:00.0
Handler Name:	CON EDISON VAULT: 227
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON ED
Address:	41 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004429676
Facility Status:	Not reported
Location Address 1:	41 45 ST WY AND MADISON AVE
Code:	BP
Location Address 2:	V 227
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004429676
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	01/29/2014
Trans1 Recv Date:	01/29/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/06/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 227 (Continued)

1016969310

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004429676
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002329714GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AR478
North
1/8-1/4
0.166 mi.
875 ft.

CON ED - V 775
41 E 45TH ST
MANHATTAN, NY 10017
Site 12 of 12 in cluster AR

RCRA NonGen / NLR **1007206126**
NY MANIFEST **NYP004004123**

Relative:
Higher

RCRA Listings:

Actual:
60 ft.

Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 775
Handler Address: 41 E 45TH ST
Handler City,State,Zip: MANHATTAN, NY 10017-0000
EPA ID: NYP004004123
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 775 (Continued)

1007206126

EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 775 (Continued)

1007206126

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 775
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 775
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 775
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 775 (Continued)

1007206126

NY MANIFEST:

Name: CONSOLIDATED EDISON CO
Address: 41 E 45TH ST
City,State,Zip: MANHATTAN, NY 10017-0000
Country: USA
EPA ID: NYP004004123
Facility Status: Not reported
Location Address 1: EAST 45TH STREET V725
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: Not reported
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004004123
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB8467812
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: SM1563
Trans2 State ID: Not reported
Generator Ship Date: 01/23/1997
Trans1 Recv Date: 01/23/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 01/27/1997
Part A Recv Date: 02/14/1997
Part B Recv Date: 02/06/1997
Generator EPA ID: NYP004004123
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 775 (Continued)

1007206126

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01536
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

BA479
West
1/8-1/4
0.166 mi.
877 ft.

CONSOLIDATED EDISON
40 EAST 41ST STREET
NEW YORK, NY 10001
Site 3 of 16 in cluster BA

NY MANIFEST 1009234300
N/A

Relative:
Higher
Actual:
71 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 40 EAST 41ST STREET
City,State,Zip: NEW YORK, NY 10001
Country: USA
EPA ID: NYP000928077
Facility Status: Not reported
Location Address 1: 40 EAST 41ST STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000928077
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYB7236414
Manifest Status: C
seq: Not reported
Year: 1996
Trans1 State ID: SM1563
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009234300

Generator Ship Date: 08/30/1996
Trans1 Recv Date: 08/30/1996
Trans2 Recv Date: / /
TSD Site Recv Date: 08/30/1996
Part A Recv Date: 09/16/1996
Part B Recv Date: 09/18/1996
Generator EPA ID: NYP000928077
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01130
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

AN480 **CON EDISON SERVICE BOX: 7537**
SSW **121 E 39TH ST**
1/8-1/4 **NEW YORK, NY 10018**
0.166 mi.
879 ft. **Site 8 of 9 in cluster AN**

NJ MANIFEST **S117986071**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004266276
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
68 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7537 (Continued)

S117986071

Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456306JJK
EPA ID:	NYP004266276
Date Shipped:	9/4/2012
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AN481
SSW
1/8-1/4
0.166 mi.
879 ft.

CON EDISON SERVICE BOX: 7537
121 E 39TH ST
NEW YORK, NY 10018
Site 9 of 9 in cluster AN

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143841
NYP004266276

Relative:
Higher
Actual:
68 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7537
Handler Address: 121 E 39TH ST
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266276
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7537 (Continued)

1016143841

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 13:49:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7537
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7537
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7537 (Continued)

1016143841

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055426819

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143841
Registry ID: 110055426819
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055426819>
Name: CON EDISON SERVICE BOX: 7537
Address: 121 E 39TH ST
City,State,Zip: NEW YORK, NY 10018

NY MANIFEST:

Name: CON EDISON
Address: 121 E 39TH ST
City,State,Zip: NEW YORK, NY 10018
Country: USA
EPA ID: NYP004266276
Facility Status: Not reported
Location Address 1: 121 E 39TH ST
Code: BP
Location Address 2: SERV BOX 7537
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266276
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7537 (Continued)

1016143841

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266276
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456306JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	EPA ID Number
AP482 South 1/8-1/4 0.167 mi. 882 ft.	CON EDISON - VAULT V6550 148 E 40TH ST NEW YORK, NY 10016 Site 10 of 13 in cluster AP	RCRA-LQG	1024890963 NYP005058132
Relative: Lower	RCRA Listings:		
Actual: 46 ft.	Date Form Received by Agency:	2018-04-10 00:00:00.0	
	Handler Name:	CON EDISON - VAULT V6550	
	Handler Address:	148 E 40TH ST	
	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP005058132	
	Contact Name:	ALYSSA SOTTO	
	Contact Address:	IRVING PLACE, 15TH FL NE	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-2757	
	Contact Fax:	Not reported	
	Contact Email:	SOTTOA@CONED.COM	
	Contact Title:	ASSOCIATE SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Large Quantity Generator	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	2017	
	Accessibility:	Not reported	
	Active Site Indicator:	Handler Activities	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PLACE, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.	
	Owner Type:	Private	
	Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V6550 (Continued)

1024890963

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-04-04 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-04-04 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V6550 (Continued)

1024890963

Owner/Operator Telephone: 212-460-2757
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - VAULT V6550
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

AP483
South
1/8-1/4
0.167 mi.
882 ft.

CON EDISON - VAULT V6550
148 E 40TH ST
NEW YORK, NY 10016
Site 11 of 13 in cluster AP

NY MANIFEST **S121967873**
N/A

Relative:
Lower
Actual:
46 ft.

NY MANIFEST:
Name: CON EDISON - VAULT V6550
Address: 148 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP005058132
Facility Status: Not reported
Location Address 1: 148 E 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP005058132
Mailing Name: CON EDISON - VAULT V6550
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AQ484	CON EDISON SERVICE BOX: 43873	RCRA NonGen / NLR	1016143968
SSE	645 3RD AVE	FINDS	NYP004267555
1/8-1/4	NEW YORK, NY 10016	ECHO	
0.167 mi.		NY MANIFEST	
883 ft.	Site 16 of 17 in cluster AQ		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2017-07-28 00:00:00.0	
	Handler Name:	CON EDISON SERVICE BOX: 43873	
Actual:	Handler Address:	645 3RD AVE	
36 ft.	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYP004267555	
	Contact Name:	JUAN RODRIGUEZ	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	347-865-5931	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43873 (Continued)

1016143968

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:40:02.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43873
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43873
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43873 (Continued)

1016143968

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055456812

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143968
Registry ID: 110055456812
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456812>
Name: CON EDISON SERVICE BOX: 43873
Address: 645 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 645 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267555
Facility Status: Not reported
Location Address 1: 645 3RD AVE
Code: BP
Location Address 2: SERV VOX 43873
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267555
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43873 (Continued)

1016143968

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/2012
Trans1 Recv Date:	09/11/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/11/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004267555
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	010456477JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AQ485
SSE
1/8-1/4
0.167 mi.
883 ft.
CON EDISON SERVICE BOX: 43873
645 3RD AVE
NEW YORK, NY 10016
Site 17 of 17 in cluster AQ

NJ MANIFEST
S117986189
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
36 ft.

EPA Id: NYP004267555
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456477JJK
EPA ID: NYP004267555
Date Shipped: 9/11/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43873 (Continued)

S117986189

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

AP486
South
1/8-1/4
0.168 mi.
888 ft.

CON EDISON SERVICE BOX: 7806
152 E 40TH ST
NEW YORK, NY 10016
Site 12 of 13 in cluster AP

NJ MANIFEST S117986106
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004266623
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
44 ft.

Manifest:
Manifest Number: 010464444JJK
EPA ID: NYP004266623
Date Shipped: 9/5/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7806 (Continued)

S117986106

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

AP487
South
1/8-1/4
0.168 mi.
888 ft.

CON EDISON SERVICE BOX: 7806
152 E 40TH ST
NEW YORK, NY 10016
Site 13 of 13 in cluster AP

RCRA NonGen / NLR **1016143876**
FINDS **NYP004266623**
ECHO
NY MANIFEST

Relative:
Lower

RCRA Listings:

Actual:
44 ft.

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7806
Handler Address: 152 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266623
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7806 (Continued)

1016143876

State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 10:25:12.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7806 (Continued)

1016143876

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7806
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7806
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055431340

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143876
Registry ID:	110055431340
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055431340
Name:	CON EDISON SERVICE BOX: 7806
Address:	152 E 40TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7806 (Continued)

1016143876

City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 152 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266623
Facility Status: Not reported
Location Address 1: 152 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7806
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266623
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266623
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010464444JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7806 (Continued)

1016143876

Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**BC488
NE
1/8-1/4
0.169 mi.
891 ft.**

**140 EAST 46 STREET
140 EAST 46TH STREET
NEW YORK, NY 10017
Site 1 of 11 in cluster BC**

**NY AST U003388553
N/A**

**Relative:
Lower**

AST:

**Actual:
44 ft.**

Name: 140 EAST 46 STREET
Address: 140 EAST 46TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-253529
Program Type: PBS
UTM X: 586605.97359
UTM Y: 4511936.64000
Expiration Date: 07/14/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 10268
Affiliation Type: Facility Owner
Company Name: 140 E 46TH ST. LLC
Contact Type: VICE PRESIDENT
Contact Name: LOUISA LITTLE
Address1: 1185 SIXTH AVENUE, 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

140 EAST 46 STREET (Continued)

U003388553

Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2018-01-24

Site Id: 10268
Affiliation Type: Mail Contact
Company Name: SOL GOLDMAN INVESTMENTS, LLC
Contact Type: Not reported
Contact Name: LOUISA LITTLE
Address1: 1185 SIXTH AVENUE
Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
EMail: PROPERTYMANAGEMENT@SOLIL.COM
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-02

Site Id: 10268
Affiliation Type: Facility Operator
Company Name: 140 EAST 46 STREET
Contact Type: Not reported
Contact Name: ENRIQUE ALANA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 661-5314
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2018-01-24

Site Id: 10268
Affiliation Type: Emergency Contact
Company Name: 140 E 46TH ST. LLC
Contact Type: Not reported
Contact Name: LOUISA LITTLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: MXLAY
Date Last Modified: 2018-10-02

Tank Info:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

140 EAST 46 STREET (Continued)

U003388553

Tank Number: 001
Tank Id: 14237
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
G02 - Tank Secondary Containment - Vault (w/access)
J05 - Dispenser - On Site Heating System (Supply/Return)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/30/1924
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 10/02/2018
Material Name: #4 fuel oil (on-site consumption)

BD489 **222 PARK AVE S**
North **222 PARK AVE S/HERON PROP**
1/8-1/4 **NYC, NY**
0.169 mi.
893 ft. **Site 1 of 3 in cluster BD**

NY LTANKS **S100177780**
N/A

Relative: LTANKS:
Higher Name: 222 PARK AVE S
Address: 222 PARK AVE S/HERON PROP
City,State,Zip: NYC, NY
Actual: Spill Number/Closed Date: 9110674 / 1992-01-30
60 ft. Facility ID: 9110674
Site ID: 89628
Spill Date: 1992-01-13
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1992-01-30
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1992-01-13
CID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 PARK AVE S (Continued)

S100177780

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1992-01-30
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 81861
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG "
Remarks: "RUPTURED TANK IN BOILER ROOM. CONTAINED IN BASEMENT. ABC TANK HIRED TO CLEAN UP."

All Materials:
Site ID: 89628
Operable Unit ID: 960786
Operable Unit: 01
Material ID: 419189
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 200.00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

BE490
ESE
1/8-1/4
0.169 mi.
894 ft.

CON EDISON - VAULT V5673
205 E 42ND ST
NEW YORK, NY 10017
Site 1 of 2 in cluster BE

NY MANIFEST **S121967788**
N/A

Relative:
Lower

Actual:
40 ft.

NY MANIFEST:
Name: CON EDISON - VAULT V5673
Address: 205 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP005046042
Facility Status: Not reported
Location Address 1: 205 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V5673 (Continued)

S121967788

Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP005046042
Mailing Name: CON EDISON - VAULT V5673
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

BE491
ESE
1/8-1/4
0.169 mi.
894 ft.

CON EDISON - VAULT V5673
205 E 42ND ST
NEW YORK, NY 10017

RCRA-LQG 1024890878
NYP005046042

Site 2 of 2 in cluster BE

Relative:
Lower
Actual:
40 ft.

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - VAULT V5673
Handler Address: 205 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP005046042
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V5673 (Continued)

1024890878

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V5673 (Continued)

1024890878

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-07-24 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-07-24 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-04-10 00:00:00.0
Handler Name:	CON EDISON - VAULT V5673
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

BF492
ESE
1/8-1/4
0.170 mi.
896 ft.

CON EDISION - V6126
201 E 43 ST 201 E 43 ST
NEW YORK, NY 10003

RCRA NonGen / NLR **1007207716**
NY MANIFEST **NYP004073896**

Site 1 of 2 in cluster BF

Relative:
Lower
Actual:
42 ft.

RCRA Listings:

Date Form Received by Agency:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V6126
Handler Address:	201 E 43 ST 201 E 43 ST
Handler City,State,Zip:	NEW YORK, NY 10003
EPA ID:	NYP004073896
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	IRVING PLACE
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-460-3770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V6126 (Continued)

1007207716

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V6126 (Continued)

1007207716

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V6126
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V6126
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V6126
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V6126 (Continued)

1007207716

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	V6126-201 E 43RD ST
City,State,Zip:	NEW YORK, NY 10003
Country:	USA
EPA ID:	NYP004067005
Facility Status:	Not reported
Location Address 1:	V6126-201 E 43RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10003
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004067005
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0685881
Manifest Status:	Not reported
seq:	01
Year:	2000
Trans1 State ID:	20856AD
Trans2 State ID:	Not reported
Generator Ship Date:	11/16/2000
Trans1 Recv Date:	11/16/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/16/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004067005
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V6126 (Continued)

1007207716

Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01067
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Name: CONSOLIDATED EDISON
Address: 201 E 43 ST 201 E 43 ST
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004073896
Facility Status: Not reported
Location Address 1: V6126-201 E 43RD ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004073896
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE0733266
Manifest Status: Not reported
seq: 01
Year: 2001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - V6126 (Continued)

1007207716

Trans1 State ID: 20855AD
Trans2 State ID: Not reported
Generator Ship Date: 02/17/2001
Trans1 Recv Date: 02/17/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/19/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004073896
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00113
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

[Click this hyperlink](#) while viewing on your computer to access
-1 additional NY MANIFEST: record(s) in the EDR Site Report.

**BF493
ESE
1/8-1/4
0.170 mi.
896 ft.**

**CON EDISON - VAULT V6126
201 E 43 ST
MANHATTAN, NY 10017
Site 2 of 2 in cluster BF**

**NY MANIFEST S120959001
N/A**

**Relative:
Lower**

NY MANIFEST:

**Actual:
42 ft.**

Name: CON EDISON - VAULT V6126
Address: 201 E 43 ST
City,State,Zip: MANHATTAN, NY 10017
Country: USA
EPA ID: NYP004982623
Facility Status: Not reported
Location Address 1: 201 E 43 ST
Code: BP
Location Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT V6126 (Continued)

S120959001

Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004982623
Mailing Name: CON EDISON - VAULT V6126
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

BD494
North
1/8-1/4
0.170 mi.
899 ft.

METRO NORTH COMMUTER RAILROAD
230 PARK AVE
MANHATTAN, NY 10169
Site 2 of 3 in cluster BD

NY MANIFEST 1009231862
N/A

Relative:
Higher
Actual:
61 ft.

NY MANIFEST:
Name: METRO NORTH COMMUTER RAILROAD
Address: 230 PARK AVE
City,State,Zip: MANHATTAN, NY 10169
Country: USA
EPA ID: NYP000791335
Facility Status: Not reported
Location Address 1: 230 PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10169
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000791335
Mailing Name: METRO NORTH COMMUTER RAILROAD
Mailing Contact: GAIL SILKE
Mailing Address 1: 525 NORTH BROADWAY
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10603
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 9144610593

NY MANIFEST:
Document ID: NYA5248116
Manifest Status: K

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO NORTH COMMUTER RAILROAD (Continued)

1009231862

seq: Not reported
Year: 1988
Trans1 State ID: TM70432PA
Trans2 State ID: Not reported
Generator Ship Date: 04/29/1988
Trans1 Recv Date: 04/29/1988
Trans2 Recv Date: / /
TSD Site Recv Date: 05/02/1988
Part A Recv Date: 06/14/1988
Part B Recv Date: 05/06/1988
Generator EPA ID: NYP000791335
Trans1 EPA ID: PAD980830061
Trans2 EPA ID: Not reported
TSDF ID 1: NYD043815703
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 120

BD495
North
1/8-1/4
0.170 mi.
899 ft.

STX COMMODITIES
230 PARK AVENUE
NEW YORK, NY 10169

Site 3 of 3 in cluster BD

FUELS PROGRAM **1025781302**
N/A

Relative:
Higher

Actual:
61 ft.

FUELS PROGRAM:
Name: STX COMMODITIES
Address: 230 PARK AVENUE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10169
Program Type: Renewable Fuel Standard
Company Seq. ID: 7620
Business Activity: PADD Importer (Renewable Fuel Importer)
Company Name: STX Commodities LLC
Company Address: 230 Park Ave
New York, NY 10169

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STX COMMODITIES (Continued)

1025781302

Facility ID: 80001
Facility Type: Diesel/Biodiesel
Facility Activity: Renewable Fuel Importer
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10040130

AX496
WNW
1/8-1/4
0.171 mi.
905 ft.

CON EDISON
316 MADISON AVE
NEW YORK, NY 10017
Site 4 of 17 in cluster AX

NY MANIFEST **S117314832**
N/A

Relative:
Higher

Actual:
64 ft.

NY MANIFEST:
Name: CON EDISON
Address: 316 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619193
Facility Status: Not reported
Location Address 1: 316 MADISON AVE
Code: BP
Location Address 2: MH 50227
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004619193
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/13/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314832

Generator EPA ID: NYP004619193
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608690GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BG497 **METHINKS/PLYMOUTH CLEANERS**
SSW **337 LEXINGTON AV**
1/8-1/4 **NEW YORK, NY 10016**

NY DRYCLEANERS **S106435921**
N/A

0.173 mi.
912 ft.

Site 1 of 10 in cluster BG

Relative:
Higher

DRYCLEANERS:

Actual:
56 ft.

Name: METHINKS/PLYMOUTH CLEANERS
Address: 337 LEXINGTON AV
City,State,Zip: NEW YORK, NY 10016
Facility ID: 2-6206-00085
Phone Number: 212-685-4124
Region: Not reported
Registration Effective Date: 6/5/2003 14:58:28:193
Inspection Date: 2005-08-14 00:00:00
Install Date: 94/03/14
Expiration Date: Not reported
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINKS/PLYMOUTH CLEANERS (Continued)

S106435921

Current Business: Not reported

BG498
SSW
1/8-1/4
0.173 mi.
912 ft.

METHINK CLEANERS
337 LEXINGTON AVE
NEW YORK, NY 10016

Site 2 of 10 in cluster BG

RCRA-VSQQ **1000302180**
ICIS **NYD981082282**
FINDS
ECHO
NY MANIFEST

Relative:
Higher

Actual:
56 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: METHINK CLEANERS
Handler Address: 337 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYD981082282
Contact Name: KWANG S CHOI
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-685-4124
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: OWNERNAME
Owner Type: Private
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KWANG S CHOI
Legal Status:	Private
Date Became Current:	2003-08-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	337 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-685-4124
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KWANG S CHOI
Legal Status: Private
Date Became Current: 2003-08-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 337 LEXINGTON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-685-4124
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: OWNERNAME
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KWANG S CHOI
Legal Status: Private
Date Became Current: 2003-08-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 337 LEXINGTON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-685-4124
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 1999-07-14 00:00:00.0
Handler Name: PLYMOUTH CLEANERS & DYERS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: METHINK CLEANERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: METHINK CLEANERS
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1985-05-06 00:00:00.0
Handler Name: PLYMOUTH CLEANERS & DYERS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2004-06-03 00:00:00.0
Handler Name: METHINK CLEANERS
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Facility Has Received Notices of Violation:
Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 1990-08-13 00:00:00.0
Actual Return to Compliance Date: 1990-08-13 00:00:00.0
Return to Compliance Qualifier: Not Resolved
Violation Responsible Agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	1990-08-13 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	1990-08-13 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

ICIS:

Enforcement Action ID:	NY000A0000262060008500307
FRS ID:	110004396378
Action Name:	METHINKS CLEANERS 36061R315300307
Facility Name:	METHINKS CLEANERS
Facility Address:	337 LEXINGTON AVE NEW YORK, NY 100160929
Enforcement Action Type:	Notice of Violation
Facility County:	BRONX
Program System Acronym:	AIR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 7216
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.7497
Longitude in Decimal Degrees: -73.97731
Permit Type Desc: Not reported
Program System Acronym: NY0000002620600085
Facility NAICS Code: 812320
Tribal Land Code: Not reported

Enforcement Action ID: NY000A0000262060008500306
FRS ID: 110004396378
Action Name: METHINKS CLEANERS 36061R315300306
Facility Name: METHINKS CLEANERS
Facility Address: 337 LEXINGTON AVE
NEW YORK, NY 100160929

Enforcement Action Type: Notice of Violation
Facility County: BRONX
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 7216
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.7497
Longitude in Decimal Degrees: -73.97731
Permit Type Desc: Not reported
Program System Acronym: NY0000002620600085
Facility NAICS Code: 812320
Tribal Land Code: Not reported

FINDS:

Registry ID: 110004396378

[Click Here:](#)

Environmental Interest/Information System:

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AFS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

environmental facility information found across the State.
AIR MINOR

[Click this hyperlink](#) while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000302180
Registry ID: 110004396378
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004396378>
Name: METHINKS CLEANERS
Address: 337 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: PLYMOTH CLEANERS
Address: 337 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYD981082282
Facility Status: Not reported
Location Address 1: 337 LEXINGTON AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD981082282
Mailing Name: PLYMOTH CLEANERS
Mailing Contact: PLYMOTH CLEANERS
Mailing Address 1: 337 LEXINGTON AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126854124

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 12/26/2007
Trans1 Recv Date: 12/26/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/03/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981082282

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METHINK CLEANERS (Continued)

1000302180

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: CDX107000000
TSDF ID 2: Not reported
Manifest Tracking Number: 003366455JJK
Import Indicator: N
Export Indicator: Y
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H020
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 160
Units: P - Pounds
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Waste Code: F002
Waste Code 1_2: D039
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AX499
WNW
1/8-1/4
0.173 mi.
915 ft.
PADD 1
330 MADISON AVE
NEW YORK, NY 10017
Site 5 of 17 in cluster AX

CONSENT
FINDS
1024091425
N/A

Relative:
Higher
Actual:
63 ft.

CONSENT:
EPA ID: Not reported
Site ID: 024Q
Case Title: U.S., ET AL V. HONEYWELL INTERNATIONAL, INC. ONONDAGA LAKE SITE (DOI CASE)
Court Num: 17-1364
District: New York, North
Entered Date: 03/14/18
Name: ONONDAGA LAKE SITE
Name: Not reported
Address: Not reported
City,State,Zip: Not reported
County: Not reported

FINDS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADD 1 (Continued)

1024091425

Registry ID: 110070240283

Click Here:

Environmental Interest/Information System:

GASOLINE AND DIESEL PRODUCERS

ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

[Click this hyperlink](#) while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

AX500
WNW
1/8-1/4
0.173 mi.
915 ft.

330 MADISON AVENUE
330 MADISON AVENUE
NEW YORK, NY 10017

NY AST A100410476
N/A

Site 6 of 17 in cluster AX

Relative:
Higher

AST:

Actual:
63 ft.

Name: 330 MADISON AVENUE
Address: 330 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-612422
Program Type: PBS
UTM X: 586186.72020
UTM Y: 4511890.65900
Expiration Date: 12/01/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 508124
Affiliation Type: Facility Owner
Company Name: 330 MADISON COMPANY LLC
Contact Type: V.P. OPERATIONS
Contact Name: STEVEN SONITIS
Address1: 330 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 894-7416
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2015-05-20

Site Id: 508124
Affiliation Type: Mail Contact
Company Name: VORNADO REALTY TRUST
Contact Type: Not reported
Contact Name: NICOLE O'CONNELL, PROPERTY MANAGER
Address1: 330 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON AVENUE (Continued)

A100410476

Phone: (212) 986-5217
EMail: NOCONNELL@VNO.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2015-05-20

Site Id: 508124
Affiliation Type: Facility Operator
Company Name: 330 MADISON AVENUE
Contact Type: Not reported
Contact Name: ANTONIO ARAUJO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-5217
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2015-05-20

Site Id: 508124
Affiliation Type: Emergency Contact
Company Name: 330 MADISON COMPANY LLC
Contact Type: Not reported
Contact Name: ANTONIO ARAUJO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-5217
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2015-05-20

Tank Info:

Tank Number: 01
Tank Id: 255537

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E01 - Piping Secondary Containment - Diking (AG only)
J02 - Dispenser - Suction Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON AVENUE (Continued)

A100410476

Tank Location: L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 12/01/2011

Capacity Gallons: 5000

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: DMPOKRZY

Last Modified: 04/14/2017

Material Name: diesel

Tank Number: 02
Tank Id: 255538

Equipment Records:

E01 - Piping Secondary Containment - Diking (AG only)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L00 - Piping Leak Detection - None
G12 - Tank Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 12/01/2011

Capacity Gallons: 275

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: DMPOKRZY

Last Modified: 04/14/2017

Material Name: diesel

Tank Number: 03
Tank Id: 255539

Equipment Records:

I00 - Overfill - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON AVENUE (Continued)

A100410476

K01 - Spill Prevention - Catch Basin
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
E01 - Piping Secondary Containment - Diking (AG only)
J02 - Dispenser - Suction Dispenser
G12 - Tank Secondary Containment - Double-Walled (AG only)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/05/1999
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPKRZY
Last Modified: 04/14/2017
Material Name: diesel

AX501
WNW
1/8-1/4
0.173 mi.
915 ft.

GLENCORE LTD. - PADD 6
330 MADISON AVE
NEW YORK, NY 10017
Site 7 of 17 in cluster AX

FUELS PROGRAM 1024091461
N/A

Relative:
Higher
Actual:
63 ft.

FUELS PROGRAM:
Name: GLENCORE LTD. - PADD 6
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender
Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017
Facility ID: 80006, 83135
Facility Type: Diesel/Biodiesel
Facility Activity: Renewable Fuel Importer, Non Renewable Fuels Importer Facility, Importer - ECA Marine Fuel
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10030443

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AX502
WNW
1/8-1/4
0.173 mi.
915 ft.

Site 8 of 17 in cluster AX

CONSENT
FINDS
FUELS PROGRAM
1024091434
N/A

Relative:
Higher
Actual:
63 ft.

CONSENT:
EPA ID: Not reported
Site ID: Not reported
Case Title: U.S., ET AL. V. COAST WOOD PRESERVING, INC., ET AL.
Court Num: 96-6055
District: California, East
Entered Date: 03/01/18
Name: Not reported
Name: Not reported
Address: Not reported
City,State,Zip: Not reported
County: Not reported

FINDS:

Registry ID: 110070240791

Click Here:

Environmental Interest/Information System:

GASOLINE AND DIESEL PRODUCERS
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

[Click this hyperlink](#) while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: GLENCORE LTD. - PADD 2
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer),
Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through
Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel,
Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner,
Mobile Facility, Oxygenate Blender
Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017
Facility ID: 10002, 70002
Facility Type: Gas/Ethanol
Facility Activity: Non Renewable Fuels Importer, Renewable Fuel Importer
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10033202

Name: GLENCORE LTD. - PADD 2
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1024091434

Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017

Facility ID: 83134, 80002
Facility Type: Diesel/Biodiesel
Facility Activity: Importer - ECA Marine Fuel, Non Renewable Fuels Importer Facility, Renewable Fuel Importer

Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10030232

AX503
WNW
1/8-1/4
0.173 mi.
915 ft.

PADD 3
330 MADISON AVE
NEW YORK, NY 10017

Site 9 of 17 in cluster AX

FUELS PROGRAM 1024091459
N/A

Relative:
Higher

Actual:
63 ft.

FUELS PROGRAM:
Name: PADD 3
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017

Facility ID: 80003, 83132
Facility Type: Diesel/Biodiesel
Facility Activity: Renewable Fuel Importer, Importer - ECA Marine Fuel, Non Renewable Fuels Importer Facility

Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10027887

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AX504
WNW
1/8-1/4
0.173 mi.
915 ft.

Site 10 of 17 in cluster AX

CONSENT
FINDS
FUELS PROGRAM
1024091426
N/A

Relative:
Higher
Actual:
63 ft.

CONSENT:

EPA ID: Not reported
Site ID: Not reported
Case Title: U.S. V. THE CYRIL V. FRANCOIS ASSOCIATES, LLC (TUTU WELLFIELD SITE)
Court Num: 17-38
District: Virgin Islands
Entered Date: 03/27/18
Name: TUTU WELLFIELD SITE
Name: Not reported
Address: Not reported
City,State,Zip: Not reported
County: Not reported

FINDS:

Registry ID: 110070240284

Click Here:

Environmental Interest/Information System:

GASOLINE AND DIESEL PRODUCERS
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

[Click this hyperlink](#) while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: PADD 3
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer),
Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through
Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel,
Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner,
Mobile Facility, Oxygenate Blender
Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017
Facility ID: 00003, 70003
Facility Type: Gas/Ethanol
Facility Activity: Non Renewable Fuels Importer, Renewable Fuel Importer
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10028092

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AX505
WNW
1/8-1/4
0.173 mi.
915 ft.

Site 11 of 17 in cluster AX

CONSENT
FINDS
FUELS PROGRAM

1024091427
N/A

Relative:
Higher
Actual:
63 ft.

CONSENT:

EPA ID: Not reported
Site ID: Not reported
Case Title: TRANSPORTATION INSURANCE COMPANY, ET AL. V. POOR CHARLIE COMPANY, ET AL. (ACCOUNTING)
Court Num: 16-49
District: Virginia, West
Entered Date: 03/29/18
Name: Not reported
Name: Not reported
Address: Not reported
City,State,Zip: Not reported
County: Not reported

FINDS:

Registry ID: 110070240285

Click Here:

Environmental Interest/Information System:

GASOLINE AND DIESEL PRODUCERS
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: PADD 5
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender
Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017
Facility ID: 70005, 00005
Facility Type: Gas/Ethanol
Facility Activity: Renewable Fuel Importer, Non Renewable Fuels Importer
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10028093

Name: PADD 5
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1024091427

Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017

Facility ID: 80005, 83140
Facility Type: Diesel/Biodiesel
Facility Activity: Renewable Fuel Importer, Non Renewable Fuels Importer Facility, Importer - ECA Marine Fuel

Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10027888

AX506
WNW
1/8-1/4
0.173 mi.
915 ft.

GLENCORE LTD. - PADD 6
330 MADISON AVE
NEW YORK, NY 10017

Site 12 of 17 in cluster AX

FINDS 1024091435
FUELS PROGRAM N/A

Relative:
Higher

Actual:
63 ft.

FINDS:
Registry ID: 110070615779

Click Here:

Environmental Interest/Information System:
ETHANOL FACILITY
Registry ID: 110070240940

Click Here:

Environmental Interest/Information System:
GASOLINE AND DIESEL PRODUCERS
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: GLENCORE LTD. - PADD 6
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GLENCORE LTD. - PADD 6 (Continued)

1024091435

Facility ID: NEW YORK, NY 10017
Facility Type: 10006
Facility Activity: Gas/Ethanol
Subject to 80.1403: Non Renewable Fuels Importer
Fuel Only For Off Road: Not reported
Fuel Created: Yes
D Code: Not reported
OTAQ Program ID: Not reported
OTAQREG10033245

AX507
WNW
1/8-1/4
0.173 mi.
915 ft.

FLUELLEN ASSOCIATES, INC. - PADD 1
330 MADISON AVENUE, 6TH FLOOR
NEW YORK, NY 10017

FINDS 1017781511
FUELS PROGRAM N/A

Site 13 of 17 in cluster AX

Relative:
Higher

FINDS:
Registry ID: 110070240077

Actual:
63 ft.

Click Here:

Environmental Interest/Information System:

GASOLINE AND DIESEL PRODUCERS
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

Click this hyperlink while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: FLUELLEN ASSOCIATES, INC. - PADD 1
Address: 330 MADISON AVENUE, 6TH FLOOR
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 6272
Business Activity: RIN Owner Only (Blenders, Marketers, Traders), PADD Importer,
Non-Renewable Fuels Importer, Oxygenate Blender
Company Name: Fluellen Associates, Inc.
Company Address: 330 Madison Avenue, 6th Floor
New York, NY 10017
Facility ID: 83165
Facility Type: Diesel/Biodiesel
Facility Activity: Non Renewable Fuels Importer Facility
Subject to 80.1403: Not reported
Fuel Only For Off Road: Yes
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10029665

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AX508
WNW
1/8-1/4
0.173 mi.
915 ft.

PADD 1
330 MADISON AVE
NEW YORK, NY 10017

Site 14 of 17 in cluster AX

FUELS PROGRAM **1024091457**
N/A

Relative:
Higher

Actual:
63 ft.

FUELS PROGRAM:

Name: PADD 1
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017

Facility ID: 70001, 00001
Facility Type: Gas/Ethanol
Facility Activity: Renewable Fuel Importer, Non Renewable Fuels Importer
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10028091

Name: PADD 1
Address: 330 MADISON AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10017
Program Type: Renewable Fuel Standard, Diesel, Gasoline
Company Seq. ID: 5867
Business Activity: Renewable Fuels Exporter, PADD Importer (Renewable Fuel Importer), Renewable Fuels Importer, PADD Importer, Pipeline/Pass-Through Terminal, Importer - ECA Marine Fuel, Refiner - ECA Marine Fuel, Non-Renewable Fuels Importer, ECA Marine Fuel Terminal, Refiner, Mobile Facility, Oxygenate Blender

Company Name: GLENCORE LTD.
Company Address: 330 MADISON AVE
NEW YORK, NY 10017

Facility ID: 80001, 83131
Facility Type: Diesel/Biodiesel
Facility Activity: Renewable Fuel Importer, Importer - ECA Marine Fuel, Non Renewable Fuels Importer Facility
Subject to 80.1403: No
Fuel Only For Off Road: No
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10027886

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
AX509 WNW 1/8-1/4 0.173 mi. 915 ft.	FLUELLEN ASSOCIATES, INC. - PADD 1 330 MADISON AVENUE, 6TH FLOOR NEW YORK, NY 10017 Site 15 of 17 in cluster AX	FUELS PROGRAM	1017781507 N/A
Relative: Higher Actual: 63 ft.	FUELS PROGRAM: Name: Address: Address 2: City,State,Zip: Program Type: Company Seq. ID: Business Activity: Company Name: Company Address: Facility ID: Facility Type: Facility Activity: Subject to 80.1403: Fuel Only For Off Road: Fuel Created: D Code: OTAQ Program ID:	FLUELLEN ASSOCIATES, INC. - PADD 1 330 MADISON AVENUE, 6TH FLOOR Not reported NEW YORK, NY 10017 Renewable Fuel Standard, Diesel, Gasoline 6272 RIN Owner Only (Blenders, Marketers, Traders), PADD Importer, Non-Renewable Fuels Importer, Oxygenate Blender Fluellen Associates, Inc. 330 Madison Avenue, 6th Floor New York, NY 10017 21110, 11174 Gas/Ethanol Oxygenate Blender, Non Renewable Fuels Importer Not reported Yes Not reported Not reported OTAQREG10029664	
AX510 WNW 1/8-1/4 0.173 mi. 915 ft.	330 MADISON COMPANY LLC 330 MADISON AVE NEW YORK, NY 10017 Site 16 of 17 in cluster AX	RCRA-LQG FINDS NY MANIFEST	1004755940 NY0000884569
Relative: Higher Actual: 63 ft.	RCRA Listings: Date Form Received by Agency: Handler Name: Handler Address: Handler City,State,Zip: EPA ID: Contact Name: Contact Address: Contact City,State,Zip: Contact Telephone: Contact Fax: Contact Email: Contact Title: EPA Region: Land Type: Federal Waste Generator Description: Non-Notifier: Biennial Report Cycle: Accessibility: Active Site Indicator: State District Owner: State District: Mailing Address: Mailing City,State,Zip: Owner Name: Owner Type:	2019-11-26 00:00:00.0 330 MADISON COMPANY LLC 330 MADISON AVE NEW YORK, NY 10017 NY0000884569 TONY P CARTAGINE MADISON AVE NEW YORK, NY 10017 212-986-1346 Not reported TONY.CARTAGINE@AM.JLL.COM SR VP 02 Private Large Quantity Generator Not reported Not reported Not reported Handler Activities NY NYSDEC R2 MADISON AVE NEW YORK, NY 10017 330 MADISON PROPERTY OWNER LLC Private	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON COMPANY LLC (Continued)

1004755940

Operator Name:	JLL
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-12-03 11:01:16.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON COMPANY LLC (Continued)

1004755940

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	U226
Waste Description:	ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MENDIK REALTY CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	330 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-986-5217
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MENDIK REALTY CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	330 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-986-5217
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JLL
Legal Status:	Private
Date Became Current:	2019-07-11 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	330 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	330 MADISON PROPERTY OWNER LLC
Legal Status:	Private
Date Became Current:	2017-08-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	330 MADISON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON COMPANY LLC (Continued)

1004755940

Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	MENDIK REALTY CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	330 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-986-5217
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	MENDIK REALTY - 330 MADISON AVE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	MENDIK REALTY - 330 MADISON AVE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1994-10-17 00:00:00.0
Handler Name:	MENDIK REALTY - 330 MADISON AVE
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON COMPANY LLC (Continued)

1004755940

Receive Date:	2019-11-26 00:00:00.0
Handler Name:	330 MADISON COMPANY LLC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110004320538

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NY MANIFEST:

Name:	MENDIK - MADISON AVE
Address:	330 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NY0000884569
Facility Status:	Not reported
Location Address 1:	330 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NY0000884569
Mailing Name:	MENDIK - MADISON AVE
Mailing Contact:	MENDIK - MADISON AVE
Mailing Address 1:	330 MADISON AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10036
Mailing Zip 4:	Not reported
Mailing Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 MADISON COMPANY LLC (Continued)

1004755940

Mailing Phone: 0000000000

NY MANIFEST:

Document ID: NYB2120643
Manifest Status: K
seq: Not reported
Year: 1994
Trans1 State ID: PP5193
Trans2 State ID: Not reported
Generator Ship Date: 11/09/1994
Trans1 Recv Date: 11/09/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 11/09/1994
Part A Recv Date: 12/07/1994
Part B Recv Date: 12/21/1994
Generator EPA ID: NY0000884569
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00660
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 012
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

AX511 BROWNING CHEMICAL CORP
WNW 330 MADISON AVE
1/8-1/4 NEW YORK, NY 10017

0.173 mi.
915 ft.

Site 17 of 17 in cluster AX

RCRA-SQG 1011490429
FINDS NYR000156877
NY MANIFEST

Relative:
Higher

RCRA Listings:

Actual:
63 ft.

Date Form Received by Agency: 2008-04-14 00:00:00.0
Handler Name: ANN TAYLOR #0599
Handler Address: 330 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROWNING CHEMICAL CORP (Continued)

1011490429

EPA ID:	NYR000156877
Contact Name:	LISANGRA JIMENEZ-RUIZ
Contact Address:	MADISON AVE
Contact City,State,Zip:	NEW YORK, NY 10017
Contact Telephone:	212-949-0008
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	MADISON AVE
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROWNING CHEMICAL CORP (Continued)

1011490429

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2015-04-14 00:00:00.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: LISANGRA JIMENEZ RUIZ
Legal Status: Private
Date Became Current: 2002-05-09 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: ANN TAYLOR - LESSEE
Legal Status: Private
Date Became Current: 2002-05-09 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 476 WHEELERS FARM RD
Owner/Operator City,State,Zip: MILFORD, CT 06461
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2008-04-14 00:00:00.0
Handler Name: ANN TAYLOR #0599
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROWNING CHEMICAL CORP (Continued)

1011490429

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2008-04-15 00:00:00.0
Handler Name:	ANN TAYLOR #0599
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110011904476

Click Here:

Environmental Interest/Information System:

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NY MANIFEST:

Name:	ANN TAYLOR #0599
Address:	330 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000156877
Facility Status:	Not reported
Location Address 1:	330 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000156877
Mailing Name:	ANN TAYLOR #0599
Mailing Contact:	ANDRE BIBBINS
Mailing Address 1:	200 VRICK STREET - 6th FLOOR
Mailing Address 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROWNING CHEMICAL CORP (Continued)

1011490429

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10014
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129490008

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 11/07/2008
Trans1 Recv Date: 11/07/2008
Trans2 Recv Date: 11/12/2008
TSD Site Recv Date: 12/13/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000156877
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: KYD053348108
TSDF ID 2: Not reported
Manifest Tracking Number: 001290622SKS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D001
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AW512 NW 1/8-1/4 0.174 mi. 919 ft.	CON EDISON MANHOLE 56592 334 MADISON AVE NEW YORK, NY 10017	RCRA NonGen / NLR NY MANIFEST	1015746901 NYP004249007
	Site 18 of 19 in cluster AW		
Relative: Higher	RCRA Listings:		
	Date Form Received by Agency:	2012-03-31 00:00:00.0	
	Handler Name:	CON EDISON MANHOLE 56592	
Actual: 59 ft.	Handler Address:	334 MADISON AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004249007	
	Contact Name:	BENJAMIN BAMONTE	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-894-9549	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	4 IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56592 (Continued)

1015746901

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-03-01 00:00:00.0
Handler Name:	CON EDISON MANHOLE 56592
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-03-31 00:00:00.0
Handler Name:	CON EDISON MANHOLE 56592
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56592 (Continued)

1015746901

Electronic Manifest Broker:

Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON - MH 56592
Address: 334 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004249007
Facility Status: Not reported
Location Address 1: F/O 334 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004249007
Mailing Name: CONSOLIDATED EDISON - MH 56592
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/01/2012
Trans1 Recv Date: 03/01/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/02/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004249007
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009204868JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56592 (Continued)

1015746901

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

AW513 **CON EDISON MANHOLE 56592**
NW **334 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.174 mi.
919 ft. **Site 19 of 19 in cluster AW**

NJ MANIFEST **S117985181**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004249007
Mail Address: 4 IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
59 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: BENJAMIN BAMONTE
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 009204868JJK
EPA ID: NYP004249007
Date Shipped: 3/1/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56592 (Continued)

S117985181

Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

BH514 **CON EDISON SERVICE BOX: 43863**
SSE **631 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.174 mi.
920 ft. **Site 1 of 4 in cluster BH**

NJ MANIFEST **S117986190**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267563
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
36 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43863 (Continued)

S117986190

Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456478JJJ
EPA ID:	NYP004267563
Date Shipped:	9/11/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	4,000.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BH515
SSE
1/8-1/4
0.174 mi.
920 ft.
CON EDISON SERVICE BOX: 43863
631 3RD AVE
NEW YORK, NY 10016
Site 2 of 4 in cluster BH

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1016143969
NYP004267563

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43863
Handler Address: 631 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267563
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43863 (Continued)

1016143969

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:24:17.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43863
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43863
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43863 (Continued)

1016143969

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055456821

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143969
Registry ID: 110055456821
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456821>
Name: CON EDISON SERVICE BOX: 43863
Address: 631 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 631 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267563
Facility Status: Not reported
Location Address 1: 631 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267563
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43863 (Continued)

1016143969

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/2012
Trans1 Recv Date:	09/11/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/11/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004267563
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010456478JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	4000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BB516 **JONES LANG LASALLE**
NW **335 MADISON AVE - LOADING DOCK**
1/8-1/4 **NEW YORK, NY 10017**
0.174 mi.
920 ft. **Site 8 of 9 in cluster BB**

RCRA-VSQG **1006810660**
FINDS **NYR000114827**
ECHO
NY MANIFEST

Relative:
Higher

Actual:
58 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: JONES LANG LASALLE
Handler Address: 335 MADISON AVE - LOADING DOCK
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000114827
Contact Name: CHARLES CROCE
Contact Address: MADISON AVE - LOADING DOCK
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-692-0335
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: MADISON AVE - LOADING DOCK
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: JONES LANG LASALLE
Owner Type: Private
Operator Name: JONES LANG LASALLE
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JONES LANG LASALLE (Continued)

1006810660

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JONES LANG LASALLE
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	335 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-692-0335
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JONES LANG LASALLE
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	335 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-692-0335
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JONES LANG LASALLE (Continued)

1006810660

Owner/Operator Indicator: Operator
Owner/Operator Name: JONES LANG LASALLE
Legal Status: Private
Date Became Current: 1979-12-31 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 335 MADISON AVE - LOADING DOCK
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-692-0335
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JONES LANG LASALLE
Legal Status: Private
Date Became Current: 1979-12-31 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 335 MADISON AVE - LOADING DOCK
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-692-0335
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: JONES LANG LASALLE
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: JONES LANG LASALLE
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2003-04-03 00:00:00.0
Handler Name: JONES LANG LASALLE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JONES LANG LASALLE (Continued)

1006810660

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110014448348

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1006810660
Registry ID:	110014448348
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110014448348
Name:	JONES LANG LASALLE
Address:	335 MADISON AVE - LOADING DOCK
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	JONES LANG LASALLE - DOCK ON VANDERBILT
Address:	335 MADISON AVE - LOADING DOCK
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000114827
Facility Status:	Not reported
Location Address 1:	335 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000114827
Mailing Name:	JONES LANG LASALLE - DOCK ON VANDERBILT
Mailing Contact:	N/S
Mailing Address 1:	335 MADISON AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JONES LANG LASALLE (Continued)

1006810660

Mailing Zip 4: 4611
Mailing Country: USA
Mailing Phone: 2126920335

NY MANIFEST:

Document ID: NYC6966876
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: NY55817JL
Trans2 State ID: T467GL
Generator Ship Date: 08/04/2003
Trans1 Recv Date: 08/04/2003
Trans2 Recv Date: 08/08/2003
TSD Site Recv Date: 08/11/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000114827
Trans1 EPA ID: TXR000050930
Trans2 EPA ID: NJD071629976
TSDF ID 1: KYD053348108
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00060
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

BB517	BANK OF AMERICA C-O LASALLE PARTNER	RCRA NonGen / NLR	1001127986
NW	335 MADISON AVE FLOOR 4 5 6	FINDS	NYR000036343
1/8-1/4	NEW YORK, NY 10017	ECHO	
0.174 mi.		NY MANIFEST	
920 ft.	Site 9 of 9 in cluster BB		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	BANK OF AMERICA C-O LASALLE PARTNER	
Actual:	Handler Address:	335 MADISON AVE FLOOR 4 5 6	
58 ft.	Handler City,State,Zip:	NEW YORK, NY 10017-4605	
	EPA ID:	NYR000036343	
	Contact Name:	Not reported	
	Contact Address:	MADISON AVE FLOOR 4 5 6	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	Not reported	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	MADISON AVE FLOOR 4 5 6	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	BANK OF AMERICA	
	Owner Type:	Private	
	Operator Name:	BANK OF AMERICA	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BANK OF AMERICA C-O LASALLE PARTNER (Continued)

1001127986

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BANK OF AMERICA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	335 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-503-7386
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	BANK OF AMERICA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	335 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-503-7386
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BANK OF AMERICA C-O LASALLE PARTNER (Continued)

1001127986

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BANK OF AMERICA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	335 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-503-7386
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	BANK OF AMERICA C-O LASALLE PARTNER
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	BANK OF AMERICA C-O LASALLE PARTNER
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	BANK OF AMERICA C-O LASALLE PARTNER
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1997-03-04 00:00:00.0
Handler Name:	BANK OF AMERICA C-O LASALLE PARTNER
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BANK OF AMERICA C-O LASALLE PARTNER (Continued)

1001127986

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004532836

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001127986
Registry ID:	110004532836
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004532836
Name:	BANK OF AMERICA C-O LASALLE PARTNER
Address:	335 MADISON AVE FLOOR 4 5 6
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	BANK OF AMERICA C/O LASALLE
Address:	335 MADISON AVE FLOOR 4 5 6
City,State,Zip:	NEW YORK, NY 10017-4605
Country:	USA
EPA ID:	NYR000036343
Facility Status:	Not reported
Location Address 1:	335 MADISON AVE - FLR 4
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000036343
Mailing Name:	BANK OF AMERICA C/O LASALLE
Mailing Contact:	WALTER CIEBEN
Mailing Address 1:	335 MADISON AVE - FLR 4
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BANK OF AMERICA C-O LASALLE PARTNER (Continued)

1001127986

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125037386

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: Not reported
Generator Ship Date: 12/19/2008
Trans1 Recv Date: 12/19/2008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/09/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036343
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002182897
TSDF ID 2: Not reported
Manifest Tracking Number: 001565696SKS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 550
Units: P - Pounds
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BC518
NE
1/8-1/4
0.175 mi.
922 ft.
Site 2 of 11 in cluster BC

NY LTANKS **S105998184**
N/A

Relative:
Lower

LTANKS:

Actual:
43 ft.

Name: SPILL NUMBER 0211441
Address: 146 EAST 46TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0211441 / 2003-06-30
Facility ID: 0211441
Site ID: 257210
Spill Date: 2003-02-17
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 2003-02-17
CID: 281
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2003-02-17
Spill Record Last Update: 2003-06-30
Spiller Name: ROBERT HILL
Spiller Company: CASTLE OIL CORP
Spiller Address: 290 LOCUST AVE
Spiller County: 001
Spiller Contact: ROBERT HILL
Spiller Phone: (718) 579-3414
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 210605
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
AUSTIN 2/19/2003 TIPPLE UPDATING, CASTLE OIL SENT CLEANUP CREW OUT ON
2/17 TO DO CLEANUP ACTUAL SPILL CONSISTED OF 5-7 GAL. CLEANUP
COMPLETED, ELEVATOR INTO TANK ROOM BROKE AND CLEANUP CREW ESCAPED
THROUGH NEIGHBORING RESTAURANT. 6/30/03 - AUSTIN - AS PER ABOVE TEXT,
SPIL CLOSED IN DATABASE - END"

Remarks: "TANK OVERFILL AT ABOVE LOCATION IN TANK ROOM. CREW IS ENROUTE TO
LOCATION FOR CLEANUP."

All Materials:

Site ID: 257210
Operable Unit ID: 862606
Operable Unit: 01
Material ID: 511230
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPILL NUMBER 0211441 (Continued)

S105998184

Units: G
Recovered: .00
Oxygenate: Not reported

**BC519
NE
1/8-1/4
0.176 mi.
927 ft.**

**CON EDISON
E 46TH ST & LEXINGTON AVE NE
NEW YORK, NY 10017**

**NY MANIFEST S119075560
N/A**

Site 3 of 11 in cluster BC

**Relative:
Lower**

NY MANIFEST:

**Actual:
46 ft.**

Name: CON EDISON
Address: E 46TH ST & LEXINGTON AVE NE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004787685
Facility Status: Not reported
Location Address 1: NE COR E 46TH ST & LEXINGTON AVE
Code: BP
Location Address 2: MH 38671
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004787685
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/28/2015
Trans1 Recv Date: 05/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/03/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004787685
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075560

Manifest Tracking Number: 002614010GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**BC520
NE
1/8-1/4
0.176 mi.
927 ft.**

**CON EDISON
E 46TH ST & LEXINGTON
NEW YORK, NY 10017

Site 4 of 11 in cluster BC**

**NY MANIFEST S119075530
N/A**

**Relative:
Lower**

NY MANIFEST:

**Actual:
46 ft.**

Name: CON EDISON
Address: E 46TH ST & LEXINGTON
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004786992
Facility Status: Not reported
Location Address 1: 46TH ST & LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004786992
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075530

Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: MAC300016672
Trans2 State ID: Not reported
Generator Ship Date: 05/28/2015
Trans1 Recv Date: 05/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004786992
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 008211927FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BC521
NE
1/8-1/4
0.176 mi.
927 ft.
CON EDISON
E 46TH ST & LEXINGTON AVE NE
NEW YORK, NY 10017
Site 5 of 11 in cluster BC

NJ MANIFEST **S120672214**
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
46 ft.

EPA Id: NYP004787685
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614010GBF
EPA ID: NYP004787685
Date Shipped: 5/28/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672214

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BC522
NE
1/8-1/4
0.176 mi.
927 ft.

CON EDISON
E 46TH ST & LEXINGTON
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1019903551
NYP004786992

Site 6 of 11 in cluster BC

Relative:
Lower
Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 2015-05-27 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 46TH ST & LEXINGTON
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004786992
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903551

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-27 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-27 00:00:00.0
Handler Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903551

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069666819

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019903551
Registry ID:	110069666819
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069666819
Name:	CON EDISON
Address:	E 46TH ST & LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10017

**BC523
NE
1/8-1/4
0.176 mi.
927 ft.**

**CON EDISON
E 46TH ST & LEXINGTON AVE NE
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019903602
NYP004787685**

Site 7 of 11 in cluster BC

**Relative:
Lower
Actual:
46 ft.**

RCRA Listings:

Date Form Received by Agency:	2015-05-28 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	E 46TH ST & LEXINGTON AVE NE
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004787685
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903602

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903602

Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-09-09 13:09:22.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-05-28 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

**BC524
NE
1/8-1/4
0.176 mi.
927 ft.**

**CON EDISON
E 46TH ST & LEXINGTON AVE
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019907358
NYP004833139**

Site 8 of 11 in cluster BC

**Relative:
Lower
Actual:
46 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-09-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 46TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004833139
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907358

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019907358

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

**BC525
NE
1/8-1/4
0.176 mi.
927 ft.**

**CON EDISON
E 46TH ST & LEXINGTON AVE
NEW YORK, NY 10017

Site 9 of 11 in cluster BC**

**NJ MANIFEST S120676218
N/A**

**Relative:
Lower**

NJ MANIFEST:

**Actual:
46 ft.**

EPA Id:	NYP004833139
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676218

Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002613084GBF
EPA ID: NYP004833139
Date Shipped: 9/1/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BI526
WNW
1/8-1/4
0.176 mi.
928 ft.
CON EDISON SERVICE BOX: 50217
310 MADISON AVE
NEW YORK, NY 10017
Site 1 of 7 in cluster BI

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1016144012
NYP004267993

Relative:
Higher
Actual:
66 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50217
Handler Address: 310 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267993
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50217 (Continued)

1016144012

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 12:10:51.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50217
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50217
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50217 (Continued)

1016144012

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055424599

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016144012
Registry ID: 110055424599
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055424599>
Name: CON EDISON SERVICE BOX: 50217
Address: 310 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 310 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004267993
Facility Status: Not reported
Location Address 1: 310 MADISON AVE
Code: BP
Location Address 2: SERV BOX 50217
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267993
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50217 (Continued)

1016144012

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/2012
Trans1 Recv Date:	09/11/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/13/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004267993
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010456623JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BI527
WNW
1/8-1/4
0.176 mi.
928 ft.
TANK BARGE ATLANTIC
310 MADISON AVENUE
NEW YORK, NY 10017
Site 2 of 7 in cluster BI

NY MOSF
NY MANIFEST
S108413208
N/A

Relative:
Higher
Actual:
66 ft.

MOSF:

Name: TANK BARGE ATLANTIC
Address: 310 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0566
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: TANK BARGE ERIE
Address: 310 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0567
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: TANK BARGE HURON
Address: 310 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0568
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: TANK BARGE SUPERIOR
Address: 310 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0657
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

NY MANIFEST:

Name: CON EDISON
Address: 310 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616462
Facility Status: Not reported
Location Address 1: 310 MADISON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANK BARGE ATLANTIC (Continued)

S108413208

Code: BP
Location Address 2: STRUCTURE 50218
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004616462
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616462
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002608292GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANK BARGE ATLANTIC (Continued)

S108413208

Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BI528 **CON EDISON SERVICE BOX: 50217**
WNW **310 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.176 mi.
928 ft. **Site 3 of 7 in cluster BI**

NJ MANIFEST **S117986230**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004267993
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
66 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456623JJJ
EPA ID: NYP004267993
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50217 (Continued)

S117986230

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,200.00 Pounds

BC529
NE
1/8-1/4
0.176 mi.
929 ft.

CON EDISON SERVICE BOX: 8996
148 E 46TH ST
NEW YORK, NY 10017
Site 10 of 11 in cluster BC

NJ MANIFEST S117986378
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004269635
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
42 ft.

Manifest:
Manifest Number: 010456602JJK
EPA ID: NYP004269635
Date Shipped: 9/20/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8996 (Continued)

S117986378

TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

BC530
NE
1/8-1/4
0.176 mi.
929 ft.

CON EDISON SERVICE BOX: 8996
148 E 46TH ST
NEW YORK, NY 10017

Site 11 of 11 in cluster BC

RCRA NonGen / NLR **1016144174**
FINDS **NYP004269635**
ECHO
NY MANIFEST

Relative:
Lower

Actual:
42 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:

2017-07-28 00:00:00.0
CON EDISON SERVICE BOX: 8996
148 E 46TH ST
NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8996 (Continued)

1016144174

EPA ID:	NYP004269635
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8996 (Continued)

1016144174

TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 12:18:21.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8996
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8996
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421707

Click Here:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8996 (Continued)

1016144174

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016144174
Registry ID: 110055421707
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055421707>
Name: CON EDISON SERVICE BOX: 8996
Address: 148 E 46TH ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 148 E 46TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269635
Facility Status: Not reported
Location Address 1: 148 E 46 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269635
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8996 (Continued)

1016144174

Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269635
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456602JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BJ531
SW
1/8-1/4
0.176 mi.
930 ft.
Site 1 of 8 in cluster BJ

V1531
101 E39 STREET
NEW YORK, NY 10016

RCRA NonGen / NLR
NY MANIFEST
1007207462
NYP004046314

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V1531
Handler Address: 101 E39 STREET
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004046314
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1531 (Continued)

1007207462

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC.
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1531 (Continued)

1007207462

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V1531
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V1531
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V1531
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1531 (Continued)

1007207462

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 101 E39 STREET
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004046314
Facility Status: Not reported
Location Address 1: V1531-39TH ST & PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: QUEENS
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004046314
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0404874
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: 20856AD
Trans2 State ID: Not reported
Generator Ship Date: 11/19/1999
Trans1 Recv Date: 11/19/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/19/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004046314
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID 1: NYD980593636
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1531 (Continued)

1007207462

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01294
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BG532 **CON EDISON SERVICE BOX: 7549**
South **133 E 39TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.176 mi.
930 ft. **Site 3 of 10 in cluster BG**

NJ MANIFEST **S117986138**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004266995
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
54 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456448JJK
EPA ID: NYP004266995
Date Shipped: 9/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7549 (Continued)

S117986138

Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

BG533
South
1/8-1/4
0.176 mi.
930 ft.

CON EDISON SERVICE BOX: 7549
133 E 39TH ST
NEW YORK, NY 10016
Site 4 of 10 in cluster BG

RCRA NonGen / NLR **1016143912**
FINDS **NYP004266995**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7549
Handler Address: 133 E 39TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266995
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7549 (Continued)

1016143912

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 10:17:41.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7549 (Continued)

1016143912

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-07 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7549
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7549
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055455662

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143912
Registry ID:	110055455662
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055455662

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7549 (Continued)

1016143912

Name: CON EDISON SERVICE BOX: 7549
Address: 133 E 39TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 133 E 39TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266995
Facility Status: Not reported
Location Address 1: 133 E 39TH ST
Code: BP
Location Address 2: SERV BOX7549
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266995
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/07/2012
Trans1 Recv Date: 09/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266995
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456448JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7549 (Continued)

1016143912

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BJ534
SW
1/8-1/4
0.176 mi.
931 ft.

CON EDISON VAULT: 11
101 E 39TH ST
NEW YORK, NY 10016

Site 2 of 8 in cluster BJ

RCRA NonGen / NLR **1017779474**
FINDS **NYP004574737**

Relative:
Higher

Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2014-07-24 00:00:00.0
Handler Name: CON EDISON VAULT: 11
Handler Address: 101 E 39TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004574737
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 11 (Continued)

1017779474

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 11 (Continued)

1017779474

Historic Generators:

Receive Date:	2014-06-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-07-24 00:00:00.0
Handler Name:	CON EDISON VAULT: 11
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063839253

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BJ535
SW
1/8-1/4
0.176 mi.
931 ft.
CON EDISON - VAULT 1531
101 E 39 ST
NEW YORK, NY 10016
Site 3 of 8 in cluster BJ

RCRA NonGen / NLR
NY MANIFEST
1010325949
NYP004136065

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2006-02-23 00:00:00.0
Handler Name: CON EDISON - VAULT 1531
Handler Address: 101 E 39 ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004136065
Contact Name: FRANKLIN MURRAY
Contact Address: 4 IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2808
Contact Fax: Not reported
Contact Email: MURRAYFR@CONED.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 1531 (Continued)

1010325949

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-05-25 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-05-25 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 1531 (Continued)

1010325949

Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-05-25 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2005-05-25 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-02-22 00:00:00.0
Handler Name:	CON EDISON - VAULT 1531
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-02-23 00:00:00.0
Handler Name:	CON EDISON - VAULT 1531
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-02-21 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 1531 (Continued)

1010325949

Handler Name:	CON EDISON - VAULT 1531
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	101 E 39 ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004136065
Facility Status:	Not reported
Location Address 1:	PARK AVE & E 39TH ST V7537
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10007
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004136065
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0624564
Manifest Status:	Not reported
seq:	Not reported
Year:	2005
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	10/23/2005
Trans1 Recv Date:	10/23/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/24/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004136065

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 1531 (Continued)

1010325949

Trans1 EPA ID: 46299JM
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01945
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BJ536
SW
1/8-1/4
0.176 mi.
931 ft.

CON EDISION - V3701
101 EAST 39 ST 101 EAST 39 ST
NEW YORK, NY 10003

RCRA NonGen / NLR **1007207613**
NY MANIFEST **NYP004071890**

Site 4 of 8 in cluster BJ

Relative:
Higher

RCRA Listings:

Actual:
73 ft.

Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V3701
Handler Address: 101 EAST 39 ST 101 EAST 39 ST
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004071890
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V3701 (Continued)

1007207613

Mailing Address:	IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V3701 (Continued)

1007207613

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V3701
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V3701
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V3701
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	101 EAST 39 ST 101 EAST 39 ST
City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V3701 (Continued)

1007207613

Country: USA
EPA ID: NYP004071890
Facility Status: Not reported
Location Address 1: V3701-101 E 39TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004071890
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0220656
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 01/31/2001
Trans1 Recv Date: 01/31/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/31/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004071890
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V3701 (Continued)

1007207613

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01273
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

**BJ537
SW
1/8-1/4
0.176 mi.
931 ft.**

**CONSOLIDATED EDISON
101 E 39TH ST V1531
NEW YORK, NY 10012**

**NY MANIFEST 1009244066
N/A**

Site 5 of 8 in cluster BJ

**Relative:
Higher**

NY MANIFEST:

**Actual:
73 ft.**

Name: CONSOLIDATED EDISON
Address: 101 E 39TH ST V1531
City,State,Zip: NEW YORK, NY 10012
Country: USA
EPA ID: NYP004137105
Facility Status: Not reported
Location Address 1: 101 E 39TH ST V1531
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10012
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004137105
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0563463
Manifest Status: Not reported
seq: Not reported
Year: 2005
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/27/2005
Trans1 Recv Date: 10/27/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/28/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009244066

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004137105
Trans1 EPA ID: 46630JM
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00700
Units: K - Kilograms (2.2 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

BJ538
SW
1/8-1/4
0.176 mi.
931 ft.

CON ED - V 0011
101 E 39 ST
NEW YORK, NY 10016
Site 6 of 8 in cluster BJ

RCRA NonGen / NLR
NY MANIFEST
1007206200
NYP004005450

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 0011
Handler Address: 101 E 39 ST
Handler City,State,Zip: NEW YORK, NY 10016-0000
EPA ID: NYP004005450
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0011 (Continued)

1007206200

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0011 (Continued)

1007206200

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 0011
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 0011
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 0011
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON CO
Address:	101 E 39 ST
City,State,Zip:	NEW YORK, NY 10016-0000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0011 (Continued)

1007206200

Country: USA
EPA ID: NYP004005450
Facility Status: Not reported
Location Address 1: EAST 39TH STREET V0011
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: Not reported
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004005450
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB8469306
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 02/14/1997
Trans1 Recv Date: 02/14/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/14/1997
Part A Recv Date: 03/04/1997
Part B Recv Date: 02/25/1997
Generator EPA ID: NYP004005450
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 0011 (Continued)

1007206200

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01390
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

**BJ539
SW
1/8-1/4
0.176 mi.
931 ft.**

**CON EDISON
101 E 39 ST
NEW YORK, NY 10029**

**NY MANIFEST S117064951
N/A**

Site 7 of 8 in cluster BJ

**Relative:
Higher**

NY MANIFEST:

**Actual:
73 ft.**

Name: CON EDISON
Address: 101 E 39TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004574737
Facility Status: Not reported
Location Address 1: 101 E 39 ST
Code: BP
Location Address 2: VAULT 11
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004574737
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/24/2014
Trans1 Recv Date: 06/24/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/25/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117064951

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004574737
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002422725GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: CON EDISON
Address: 101 E 39 ST
City,State,Zip: NEW YORK, NY 10029
Country: USA
EPA ID: NYP004607925
Facility Status: Not reported
Location Address 1: 101 E 39 ST
Code: BP
Location Address 2: V3701
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10029
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004607925
Mailing Name: CON EDISON
Mailing Contact: CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117064951

Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/25/2014
Trans1 Recv Date: 07/25/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/25/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004607925
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608396GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117064951

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

BK540
NNW
1/8-1/4
0.177 mi.
932 ft.

CON EDISON VAULT: 7999
32 E 45TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1016971383
NYP004451225

Site 1 of 4 in cluster BK

Relative:
Higher

Actual:
59 ft.

RCRA Listings:

Date Form Received by Agency:	2014-03-25 00:00:00.0
Handler Name:	CON EDISON VAULT: 7999
Handler Address:	32 E 45TH ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004451225
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7999 (Continued)

1016971383

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-02-25 00:00:00.0
Handler Name:	CON EDISON VAULT: 7999
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-03-25 00:00:00.0
Handler Name:	CON EDISON VAULT: 7999
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7999 (Continued)

1016971383

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	32 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004451225
Facility Status:	Not reported
Location Address 1:	32 EAST 45TH ST.
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004451225
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING ST
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	02/25/2014
Trans1 Recv Date:	02/25/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/25/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004451225
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002358540GBF
Import Indicator:	N
Export Indicator:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7999 (Continued)

1016971383

Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**BK541
NNW
1/8-1/4
0.177 mi.
932 ft.**

**CON EDISON VAULT: 7999
32 E 45TH ST
NEW YORK, NY 10017
Site 2 of 4 in cluster BK**

**NJ MANIFEST S120666099
N/A**

**Relative:
Higher**

**Actual:
59 ft.**

NJ MANIFEST:
EPA Id: NYP004451225
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 003007712GBF
EPA ID: NYP004451225
Date Shipped: 2/17/2016
TSDF EPA ID: NJD002200046

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7999 (Continued)

S120666099

Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BI542
WNW
1/8-1/4
0.177 mi.
932 ft.

CON EDISON SERVICE BOX: 50216
308 MADISON AVE
NEW YORK, NY 10017
Site 4 of 7 in cluster BI

RCRA NonGen / NLR 1016144011
FINDS NYP004267985
ECHO
NY MANIFEST

Relative:
Higher

Actual:
67 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50216
Handler Address: 308 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267985
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50216 (Continued)

1016144011

EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50216 (Continued)

1016144011

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 12:08:38.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50216
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50216
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055457857

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50216 (Continued)

1016144011

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016144011
Registry ID: 110055457857
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055457857>
Name: CON EDISON SERVICE BOX: 50216
Address: 308 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 308 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004267985
Facility Status: Not reported
Location Address 1: 308 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267985
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/13/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267985
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50216 (Continued)

1016144011

TSDf ID 1: NJD002200046
TSDf ID 2: Not reported
Manifest Tracking Number: 010456622JJk
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BI543 **CON EDISON SERVICE BOX: 50216**
WNW **308 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.177 mi.
932 ft. **Site 5 of 7 in cluster BI**

NJ MANIFEST **S117986229**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004267985
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
67 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50216 (Continued)

S117986229

Manifest:

Manifest Number: 010456622JJK
EPA ID: NYP004267985
Date Shipped: 9/11/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,200.00 Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BA544
West
1/8-1/4
0.177 mi.
937 ft.

D B S SERVICES INC
295 MADISON AVE ROOM 1206
NEW YORK, NY 10017

Site 4 of 16 in cluster BA

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1000872027
NY0000133348

Relative:
Higher

Actual:
71 ft.

RCRA Listings:

Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	D B S SERVICES INC
Handler Address:	295 MADISON AVE ROOM 1206
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NY0000133348
Contact Name:	Not reported
Contact Address:	MADISON AVE ROOM 1206
Contact City,State,Zip:	NEW YORK, NY 10017
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	MADISON AVE ROOM 1206
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	WILLIAM LEVISON
Owner Type:	Private
Operator Name:	WILLIAM LEVISON
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WILLIAM LEVISON
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	295 MADISON AVE ROOM 1206
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-972-7513
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	WILLIAM LEVISON
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	295 MADISON AVE ROOM 1206
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-972-7513
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

Owner/Operator Indicator:	Owner
Owner/Operator Name:	WILLIAM LEVISON
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	295 MADISON AVE ROOM 1206
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-972-7513
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1996-05-10 00:00:00.0
Handler Name:	D B S SERVICES INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	D B S SERVICES INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	D B S SERVICES INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1994-03-01 00:00:00.0
Handler Name:	D B S SERVICES INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004312510

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000872027
Registry ID:	110004312510
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004312510
Name:	D B S SERVICES INC
Address:	295 MADISON AVE ROOM 1206
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	295 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004619169
Facility Status:	Not reported
Location Address 1:	295 MADISON AVE
Code:	BP
Location Address 2:	MH 50231
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004619169
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/12/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619169
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608721GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

Name: D B S SERVICES
Address: 295 MADISON AVE ROOM 1206
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NY0000133348
Facility Status: Not reported
Location Address 1: 295 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NY0000133348
Mailing Name: D B S SERVICES
Mailing Contact: W LEVISON
Mailing Address 1: 295 MADISON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129727513

NY MANIFEST:

Document ID: NYB7749459
Manifest Status: K
seq: Not reported
Year: 1996
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 05/01/1996
Trans1 Recv Date: 05/01/1996
Trans2 Recv Date: / /
TSD Site Recv Date: 05/01/1996
Part A Recv Date: / /
Part B Recv Date: 05/28/1996
Generator EPA ID: NY0000133348
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID 1: NYD981182769
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D B S SERVICES INC (Continued)

1000872027

MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00045
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

BL545
WSW
1/8-1/4
0.178 mi.
940 ft.

CON EDISON
40 E 40TH ST
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO

1019905818
NYP004813875

Site 1 of 8 in cluster BL

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2015-08-31 00:00:00.0
Handler Name: CON EDISON
Handler Address: 40 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004813875
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019905818

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-08-31 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019905818

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-08-31 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069692979

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019905818
Registry ID:	110069692979
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069692979
Name:	CON EDISON
Address:	40 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016

BL546
WSW
1/8-1/4
0.178 mi.
940 ft.

CON EDISON
40 EAST 40TH STREET
NEW YORK, NY 10016
Site 2 of 8 in cluster BL

NY MANIFEST **S117737084**
N/A

Relative:
Higher
Actual:
74 ft.

NY MANIFEST:	
Name:	CON EDISON
Address:	40 E 40TH ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004813875

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737084

Facility Status: Not reported
Location Address 1: MADISON & PARK AVE & 40 ST
Code: BP
Location Address 2: COAL TAR
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004813875
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/29/2015
Trans1 Recv Date: 07/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004813875
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: 007963058FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737084

Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: D006
Waste Code 1_3: D007
Waste Code 1_4: Not reported
Waste Code 1_5: B007
Waste Code 1_6: Not reported

Name: CON EDISON
Address: 40 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004606497
Facility Status: Not reported
Location Address 1: 40 EAST 40TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004606497
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/24/2014
Trans1 Recv Date: 07/24/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/24/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737084

Generator EPA ID: NYP004606497
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 013256245JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 4000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

BA547
West
1/8-1/4
0.178 mi.
940 ft.

V4090
279-93 MADISON AVENUE
NEW YORK CITY, NY 10017
Site 5 of 16 in cluster BA

RCRA NonGen / NLR **1007207290**
NY MANIFEST **NYP004042131**

Relative:
Higher
Actual:
70 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V4090
Handler Address: 279-93 MADISON AVENUE
Handler City,State,Zip: NEW YORK CITY, NY 10017
EPA ID: NYP004042131
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207290

Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC.
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207290

Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207290

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 279-93 MADISON AVENUE
City,State,Zip: NEW YORK CITY, NY 10017
Country: USA
EPA ID: NYP004042131
Facility Status: Not reported
Location Address 1: V4090-4107-2917-2852-DRAINED
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004042131
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0441819
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: 80336AB
Trans2 State ID: Not reported
Generator Ship Date: 09/06/1999
Trans1 Recv Date: 09/06/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004042131
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207290

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01412
Units: K - Kilograms (2.2 pounds)
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00407
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BH548 **CON EDISON SERVICE BOX: 43862**
SSE **621 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.178 mi.
942 ft. **Site 3 of 4 in cluster BH**

RCRA NonGen / NLR **1016143967**
FINDS **NYP004267548**
ECHO
NY MANIFEST

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43862
Handler Address: 621 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267548
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43862 (Continued)

1016143967

Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-13 14:22:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43862 (Continued)

1016143967

Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43862
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43862
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055420487

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143967
Registry ID:	110055420487
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055420487
Name:	CON EDISON SERVICE BOX: 43862
Address:	621 3RD AVE
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43862 (Continued)

1016143967

Address: 621 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267548
Facility Status: Not reported
Location Address 1: 621 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267548
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267548
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456476JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43862 (Continued)

1016143967

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BH549 **CON EDISON SERVICE BOX: 43862**
SSE **621 3RD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.178 mi.
942 ft. **Site 4 of 4 in cluster BH**

NJ MANIFEST **S117986188**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004267548
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
36 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456476JJJ
EPA ID: NYP004267548
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43862 (Continued)

S117986188

Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,000.00 Pounds

BG550 13539 OWNERS CORPORATION
South 135 E 39TH STREET
1/8-1/4 NEW YORK, NY 10016
0.179 mi.
943 ft. Site 5 of 10 in cluster BG

NY AST U003393464
N/A

Relative: AST:
Higher Name: 13539 OWNERS CORPORATION
Address: 135 E 39TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-147303
Program Type: PBS
UTM X: 586374.26064
UTM Y: 4511443.03752
Expiration Date: 10/29/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 4322

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13539 OWNERS CORPORATION (Continued)

U003393464

Affiliation Type: Facility Owner
Company Name: 13539 OWNERS CORPORATION
Contact Type: SENIOR PROPERTY MANAGER
Contact Name: DEBORAH MINERVINI
Address1: 135 E 39TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 243-6722
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-25

Site Id: 4322
Affiliation Type: Mail Contact
Company Name: C/O GERARD J. PICASO, DIVISION OF HALSTEAD MNGMT
Contact Type: Not reported
Contact Name: 13539 OWNERS CORP
Address1: 770 LEXINGTON AVE
Address2: 7TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10065
Country Code: 001
Phone: (212) 327-9153
EMail: DMINERVINI@HALSTEAD.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-25

Site Id: 4322
Affiliation Type: Facility Operator
Company Name: 13539 OWNERS CORPORATION
Contact Type: Not reported
Contact Name: TONY KOLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 724-5283
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-01-25

Site Id: 4322
Affiliation Type: Emergency Contact
Company Name: 13539 OWNERS CORPORATION
Contact Type: Not reported
Contact Name: PAUL BELEC
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13539 OWNERS CORPORATION (Continued)

U003393464

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-6722
EMail: Not reported
Fax Number: Not reported
Modified By: MXAJOKU
Date Last Modified: 2016-06-01

Tank Info:

Tank Number: 001
Tank Id: 28303
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
K00 - Spill Prevention - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/1950
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 01/25/2018
Material Name: #2 fuel oil (on-site consumption)

BA551
West
1/8-1/4
0.179 mi.
944 ft.
CON EDISON
293 MADISON AVE MH50208
NEW YORK, NY 10016
Site 6 of 16 in cluster BA

NJ MANIFEST **S120669291**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004754446
Actual: Mail Address: IRVING PL, 15TH FL NE
71 ft. Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120669291

Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611206GBF
EPA ID: NYP004754446
Date Shipped: 3/20/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BA552	V4090	RCRA NonGen / NLR	1007207387
West	293 MADISON AVENUE	NY MANIFEST	NYP004044343
1/8-1/4	NEW YORK CITY, NY 10017		
0.179 mi.			
944 ft.	Site 7 of 16 in cluster BA		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2001-01-03 00:00:00.0	
	Handler Name:	V4090	
Actual:	Handler Address:	293 MADISON AVENUE	
71 ft.	Handler City,State,Zip:	NEW YORK CITY, NY 10017	
	EPA ID:	NYP004044343	
	Contact Name:	ANTHONY DRUMMINGS	
	Contact Address:	CONSOLIDATED EDISON INC.	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	CONSOLIDATED EDISON INC.	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207387

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207387

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V4090
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	293 MADISON AVENUE
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004044343
Facility Status:	Not reported
Location Address 1:	V4090-293 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004044343
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0443727
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	SM1563
Trans2 State ID:	Not reported
Generator Ship Date:	10/07/1999
Trans1 Recv Date:	10/07/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4090 (Continued)

1007207387

TSD Site Recv Date: 10/08/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004044343
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02885
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BA553
West
1/8-1/4
0.179 mi.
944 ft.
CON EDISON
293 MADISON AVE SB50211
NEW YORK, NY 10016
Site 8 of 16 in cluster BA

NY MANIFEST **S118087932**
N/A

Relative: NY MANIFEST:
Higher Name: CON EDISON
Actual: Address: 293 MADISON AVE SB50211
71 ft. City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004754453
Facility Status: Not reported
Location Address 1: 293 MADISON AVE
Code: BP
Location Address 2: SB 50211
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004754453

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087932

Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/20/2015
Trans1 Recv Date: 03/20/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/23/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004754453
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002611435GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087932

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BA554
West
1/8-1/4
0.179 mi.
944 ft.

MH50208
F/O 293 MADISON AVENUE
NEW YORK CITY, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1007207291
NYP004042149

Site 9 of 16 in cluster BA

Relative:
Higher

Actual:
71 ft.

RCRA Listings:

Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: MH50208
Handler Address: F/O 293 MADISON AVENUE
Handler City,State,Zip: NEW YORK CITY, NY 10017
EPA ID: NYP004042149
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH50208 (Continued)

1007207291

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	MH50208
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-03 00:00:00.0
Handler Name:	MH50208
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH50208 (Continued)

1007207291

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	MH50208
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	F/O 293 MADISON AVENUE
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004042149
Facility Status:	Not reported
Location Address 1:	MH50208-MADISON AVE & 41ST ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10027
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004042149
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0404217
Manifest Status:	Not reported
seq:	01
Year:	1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH50208 (Continued)

1007207291

Trans1 State ID: 20854AD
Trans2 State ID: Not reported
Generator Ship Date: 08/28/1999
Trans1 Recv Date: 08/28/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/29/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004042149
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 03436
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BA555
West
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
293 MADISON AVE
NEW YORK, NY 10017
Site 10 of 16 in cluster BA

NY MANIFEST **S117314581**
N/A

Relative:
Higher

NY MANIFEST:

Actual:
71 ft.

Name: CON EDISON
Address: 293 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616470
Facility Status: Not reported
Location Address 1: 293 MADISON AVE
Code: BP
Location Address 2: SB 50211
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314581

Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004616470
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616470
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608294GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314581

Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BA556
West
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
293 MADISON AVE MH50208
NEW YORK, NY 10016

Site 11 of 16 in cluster BA

RCRA NonGen / NLR
FINDS
ECHO

1018280556
NYP004754446

Relative:
Higher

Actual:
71 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-20 00:00:00.0
Handler Name: CON EDISON
Handler Address: 293 MADISON AVE MH50208
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004754446
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280556

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-03-20 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-20 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280556

Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067708412

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018280556
Registry ID:	110067708412
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067708412
Name:	CON EDISON
Address:	293 MADISON AVE SB50211
City,State,Zip:	NEW YORK, NY 10016

BA557
West
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
293 MADISON AVE SB50211
NEW YORK, NY 10016

RCRA NonGen / NLR

1018280557
NYP004754453

Site 12 of 16 in cluster BA

Relative:
Higher

Actual:
71 ft.

RCRA Listings:	
Date Form Received by Agency:	2015-03-20 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	293 MADISON AVE SB50211
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004754453
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280557

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280557

Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-05-02 12:51:50.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-03-20 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-03-20 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BA558
West
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
293 MADISON AVE MH50208
NEW YORK, NY 10016
Site 13 of 16 in cluster BA

NY MANIFEST **S118087931**
N/A

Relative:
Higher
Actual:
71 ft.

NY MANIFEST:
Name: CON EDISON
Address: 293 MADISON AVE MH50208
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004754446
Facility Status: Not reported
Location Address 1: 293 MADISON AVE
Code: BP
Location Address 2: MH 50208

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087931

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004754446
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/20/2015
Trans1 Recv Date: 03/20/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/23/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004754446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611206GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087931

Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BA559
West
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
293 MADISON AVE SB50211
NEW YORK, NY 10016

NJ MANIFEST S120669292
N/A

Site 14 of 16 in cluster BA

Relative:
Higher

NJ MANIFEST:

Actual:
71 ft.

EPA Id: NYP004754453
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611435GBF
EPA ID: NYP004754453
Date Shipped: 3/20/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120669292

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BM560
ENE
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
3RD AVE & E 45TH ST
NEW YORK, NY 10017
Site 1 of 7 in cluster BM

NY MANIFEST **S119075317**
N/A

Relative:
Lower

Actual:
40 ft.

NY MANIFEST:
Name: CON EDISON
Address: 3RD AVE & E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004782900
Facility Status: Not reported
Location Address 1: E 45TH ST & 3RD AVE
Code: BP
Location Address 2: MH 43909
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004782900
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119075317

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	05/15/2015
Trans1 Recv Date:	05/15/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/15/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004782900
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	014467633JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
BM561	CON EDISON	RCRA NonGen / NLR	1019903219
ENE	3RD AVE & E 45TH ST		NYP004782900
1/8-1/4	NEW YORK, NY 10017		
0.179 mi.			
944 ft.	Site 2 of 7 in cluster BM		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2015-05-15 00:00:00.0	
	Handler Name:	CON EDISON	
Actual:	Handler Address:	3RD AVE & E 45TH ST	
40 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004782900	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903219

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-05-15 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-05-15 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019903219

Electronic Manifest Broker:

Not reported

BM562
ENE
1/8-1/4
0.179 mi.
944 ft.

CONSOLIDATED EDISON OF NY
45 TH STREET AND THIRD AVENUE
NEW YORK, NY 10017

NY MANIFEST

S112140708
N/A

Site 3 of 7 in cluster BM

Relative:
Lower

NY MANIFEST:

Actual:
40 ft.

Name: CONSOLIDATED EDISON OF NY
Address: 45 TH STREET AND THIRD AVENUE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004254850
Facility Status: Not reported
Location Address 1: 45 TH STREET AND THIRD AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004254850
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/13/2012
Trans1 Recv Date: 06/13/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/22/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004254850
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009209585JJK
Import Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140708

Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1650
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: Not reported
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: D018
Waste Code 1_5: D026
Waste Code 1_6: Not reported

BM563
ENE
1/8-1/4
0.179 mi.
944 ft.

CON EDISON VAULT: 5057
E 45TH ST & 3RD AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1017775677
NYP004535209

Site 4 of 7 in cluster BM

Relative:
Lower

RCRA Listings:

Actual:
40 ft.

Date Form Received by Agency: 2014-06-18 00:00:00.0
Handler Name: CON EDISON VAULT: 5057
Handler Address: E 45TH ST & 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004535209
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5057 (Continued)

1017775677

Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5057 (Continued)

1017775677

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-05-18 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-18 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 5057
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BM564
ENE
1/8-1/4
0.179 mi.
944 ft.

CON EDISON
3RD AVE & E 45TH ST
NEW YORK, NY 10017

Site 5 of 7 in cluster BM

NJ MANIFEST **S120671802**
N/A

Relative:
Lower
Actual:
40 ft.

NJ MANIFEST:
EPA Id: NYP004782900
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120671802

Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	014467633JJK
EPA ID:	NYP004782900
Date Shipped:	5/15/2015
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

	Site	Database(s)	EDR ID Number EPA ID Number
BM565 East 1/8-1/4 0.180 mi. 948 ft.	CON EDISON 200-208 E 45TH ST & 3RD AVE NEW YORK, NY 10017 Site 6 of 7 in cluster BM	RCRA NonGen / NLR NJ MANIFEST NY MANIFEST	1012185991 NYP004168274
Relative: Lower	RCRA Listings:		
Actual: 41 ft.	Date Form Received by Agency:	2016-06-01 00:00:00.0	
	Handler Name:	CON EDISON	
	Handler Address:	200-208 E 45TH ST & 3RD AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004168274	
	Contact Name:	MICHAEL BETO	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	917-337-5519	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	4 IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185991

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-07-28 15:11:43.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2009-04-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185991

Electronic Manifest Broker:

Not reported

NJ MANIFEST:

EPA Id: NYP004168274
Mail Address: 4 IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: MICHAEL BETO
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 001031396JJK
EPA ID: NYP004168274
Date Shipped: 04/24/2009
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/24/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: 04/24/2009
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185991

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 500 P

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 200-208 E 45TH ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004168274
Facility Status: Not reported
Location Address 1: 200-208 E 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004168274
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: MANHATTAN
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 04/24/2009
Trans1 Recv Date: 04/24/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/24/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185991

Generator EPA ID: NYP004168274
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001031396JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BN566
NW
1/8-1/4
0.180 mi.
951 ft.

CON EDISON SERVICE BOX: 50235
340 MADISON AVE
NEW YORK, NY 10017

Site 1 of 6 in cluster BN

RCRA NonGen / NLR **1016144166**
FINDS **NYP004269551**
ECHO
NY MANIFEST

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50235
Handler Address: 340 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269551
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50235 (Continued)

1016144166

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50235 (Continued)

1016144166

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:58:20.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50235
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 50235
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462271

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50235 (Continued)

1016144166

ECHO:

Envid: 1016144166
Registry ID: 110055462271
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055462271>
Name: CON EDISON SERVICE BOX: 50235
Address: 340 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 340 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269551
Facility Status: Not reported
Location Address 1: 340 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269551
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269551
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456600JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50235 (Continued)

1016144166

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BN567 **CON EDISON SERVICE BOX: 50235**
NW **340 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.180 mi.
951 ft. **Site 2 of 6 in cluster BN**

NJ MANIFEST **S117986370**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004269551
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
59 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported
Manifest:
Manifest Number: 010456600JJK
EPA ID: NYP004269551

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50235 (Continued)

S117986370

Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

BA568
West
1/8-1/4
0.180 mi.
952 ft.

CONSOLIDATED EDISON
EAST 41 STREET & MADISON
NEW YORK, NY 10020

Site 15 of 16 in cluster BA

NY MANIFEST **S109825696**
N/A

Relative:
Higher

Actual:
70 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: EAST 41 STREET & MADISON
City,State,Zip: NEW YORK, NY 10020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109825696

Country: USA
EPA ID: NYP004176129
Facility Status: Not reported
Location Address 1: EAST 41 STREET & MADISON
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004176129
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2009
Trans1 Recv Date: 06/23/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176129
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961004GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109825696

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BA569
West
1/8-1/4
0.180 mi.
952 ft.

CON EDISON
MADISON AVE & 41 ST
NEW YORK, NY 10037

Site 16 of 16 in cluster BA

NY MANIFEST S117314284
N/A

Relative:
Higher

Actual:
70 ft.

NY MANIFEST:
Name: CON EDISON
Address: MADISON AVE & 41 ST
City,State,Zip: NEW YORK, NY 10037
Country: USA
EPA ID: NYP004613295
Facility Status: Not reported
Location Address 1: MADISON AVE & 41 ST
Code: BP
Location Address 2: SB50212
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10037
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004613295
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314284

Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/31/2014
Trans1 Recv Date: 07/31/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/01/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004613295
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504484GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BO570 UNICORP AMERICAN CORP
ENE 154-156 EAST 46TH ST
1/8-1/4 NEW YORK, NY 10017
0.181 mi.
954 ft. Site 1 of 2 in cluster BO

NY UST U001837248
N/A

Relative: UST:
Lower Name: UNICORP AMERICAN CORP
Actual: Address: 154-156 EAST 46TH ST
41 ft. City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-335681 / Unregulated/Closed
Program Type: PBS
Region: STATE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNICORP AMERICAN CORP (Continued)

U001837248

DEC Region: 2
Expiration Date: N/A
UTM X: 586641.76979
UTM Y: 4511921.09913
Site Type: Unknown

Affiliation Records:

Site Id: 16019
Affiliation Type: Facility Owner
Company Name: UNICORP AMERICAN CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 154-156 EAST 46TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 972-6100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16019
Affiliation Type: Mail Contact
Company Name: UNICORP AMERICAN CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 154-156 EAST 46TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 972-6100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16019
Affiliation Type: Facility Operator
Company Name: UNICORP AMERICAN CORP
Contact Type: Not reported
Contact Name: UNICORP AMERICAN CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 972-6100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNICORP AMERICAN CORP (Continued)

U001837248

Site Id: 16019
Affiliation Type: Emergency Contact
Company Name: UNICORP AMERICAN CORP
Contact Type: Not reported
Contact Name: JOAN KEANE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 497-7243
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 20998
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1500
Install Date: Not reported
Date Tank Closed: 04/01/1989
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BM571
ENE
1/8-1/4
0.181 mi.
955 ft.
CON EDISON
720 3RD AVE
NEW YORK, NY 10017
Site 7 of 7 in cluster BM

NY MANIFEST
S112210762
N/A

Relative:
Lower

NY MANIFEST:

Actual:
39 ft.

Name: CON EDISON
Address: 720 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269544
Facility Status: Not reported
Location Address 1: 720 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269544
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269544
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456603JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S112210762

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BP572
SE
1/8-1/4
0.182 mi.
959 ft.

CON EDISON MANHOLE: 8252
214 E 42ND ST
NEW YORK, NY 10016

Site 1 of 2 in cluster BP

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143979
NYP004267662

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 8252
Handler Address: 214 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267662
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8252 (Continued)

1016143979

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 14:34:35.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8252 (Continued)

1016143979

Historic Generators:

Receive Date:	2012-09-11 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8252
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8252
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421431

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143979
Registry ID:	110055421431
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421431
Name:	CON EDISON MANHOLE: 8252
Address:	214 E 42ND ST
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	214 E 42ND ST
City,State,Zip:	NEW YORK, NY 10016
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8252 (Continued)

1016143979

EPA ID: NYP004267662
Facility Status: Not reported
Location Address 1: 214 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267662
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/11/2012
Trans1 Recv Date: 09/11/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267662
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456466JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8252 (Continued)

1016143979

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BP573
SE
1/8-1/4
0.182 mi.
959 ft.

CON EDISON MANHOLE: 8252
214 E 42ND ST
NEW YORK, NY 10016
Site 2 of 2 in cluster BP

NJ MANIFEST S117986200
N/A

Relative:
Lower
Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004267662
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456466JJK
EPA ID: NYP004267662
Date Shipped: 9/11/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8252 (Continued)

S117986200

Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

BL574
WSW
1/8-1/4
0.182 mi.
959 ft.

NINETY PARK PROPERTY LLC
90 PARK AVE - CELLAR
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO

1001485599
NYR000070037

Site 3 of 8 in cluster BL

Relative:
Higher

Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: NINETY PARK PROPERTY LLC
Handler Address: 90 PARK AVE - CELLAR
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYR000070037
Contact Name: LESLIE THOMPSON
Contact Address: PARK AVE - CELLAR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-682-4142
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NINETY PARK PROPERTY LLC (Continued)

1001485599

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE - CELLAR
Mailing City,State,Zip:	NEW YORK, NY 10016
Owner Name:	NINETY PARK PROPERTY LLC
Owner Type:	Private
Operator Name:	NINETY PARK PROPERTY LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NINETY PARK PROPERTY LLC (Continued)

1001485599

Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	NINETY PARK PROPERTY LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NINETY PARK PROPERTY LLC (Continued)

1001485599

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	NINETY PARK PROPERTY LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1999-04-12 00:00:00.0
Handler Name:	NINETY PARK PROPERTY LLC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004552314

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001485599
Registry ID:	110004552314
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004552314
Name:	NINETY PARK PROPERTY LLC
Address:	90 PARK AVE - CELLAR
City,State,Zip:	NEW YORK, NY 10016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
BL575 WSW 1/8-1/4 0.182 mi. 959 ft.	STERLING DRUG INC 90 PARK AVE NEW YORK, NY 10016 Site 4 of 8 in cluster BL	RCRA NonGen / NLR	1000364373 NYD001317247
Relative: Higher	RCRA Listings:		
Actual: 74 ft.	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	STERLING DRUG INC	
	Handler Address:	90 PARK AVE	
	Handler City,State,Zip:	NEW YORK, NY 10016	
	EPA ID:	NYD001317247	
	Contact Name:	Not reported	
	Contact Address:	PARK AVE	
	Contact City,State,Zip:	NEW YORK, NY 10016	
	Contact Telephone:	Not reported	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	PARK AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10016	
	Owner Name:	STERLING DRUG INC	
	Owner Type:	Private	
	Operator Name:	STERLING DRUG INC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STERLING DRUG INC (Continued)

1000364373

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STERLING DRUG INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STERLING DRUG INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STERLING DRUG INC (Continued)

1000364373

Owner/Operator Indicator:	Operator
Owner/Operator Name:	STERLING DRUG INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	STERLING DRUG INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	STERLING DRUG INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	STERLING DRUG INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1980-08-18 00:00:00.0
Handler Name:	STERLING DRUG INC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STERLING DRUG INC (Continued)

1000364373

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BL576
WSW
1/8-1/4
0.182 mi.
959 ft.

CON EDISON
90 PARK AVE & 40TH ST
NEW YORK, NY 10017

NY MANIFEST **S117741503**
N/A

Site 5 of 8 in cluster BL

Relative:
Higher

NY MANIFEST:

Actual:
74 ft.

Name: CON EDISON
Address: 90 PARK AVE & 40TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004747366
Facility Status: Not reported
Location Address 1: 90 PARK AVE
Code: BP
Location Address 2: SB 56486
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004747366
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/09/2015
Trans1 Recv Date: 03/09/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/12/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117741503

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004747366
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611248GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BL577
WSW
1/8-1/4
0.182 mi.
959 ft.

M R C MANAGEMENT LLC
90 PARK AVE 17TH FLOOR
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO

1001203116
NYR000044693

Site 6 of 8 in cluster BL

Relative:
Higher

Actual:
74 ft.

RCRA Listings:

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: M R C MANAGEMENT LLC
Handler Address: 90 PARK AVE 17TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10016-1301
EPA ID: NYR000044693
Contact Name: Not reported
Contact Address: PARK AVE 17TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M R C MANAGEMENT LLC (Continued)

1001203116

EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE 17TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10016
Owner Name:	NINETY PARK PROPERTY LLC
Owner Type:	Private
Operator Name:	NINETY PARK PROPERTY LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M R C MANAGEMENT LLC (Continued)

1001203116

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETY PARK PROPERTY LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-682-4142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	M R C MANAGEMENT LLC
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M R C MANAGEMENT LLC (Continued)

1001203116

State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: M R C MANAGEMENT LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: M R C MANAGEMENT LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1997-09-15 00:00:00.0
Handler Name: M R C MANAGEMENT LLC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004537261

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M R C MANAGEMENT LLC (Continued)

1001203116

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001203116
Registry ID: 110004537261
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004537261>
Name: M R C MANAGEMENT LLC
Address: 90 PARK AVE 17TH FLOOR
City,State,Zip: NEW YORK, NY 10016

BL578
WSW
1/8-1/4
0.182 mi.
959 ft.

OMI BULK MANAGEMENT CO
90 PARK AVE - 2ND FLOOR
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO

1000790125
NYD987016011

Site 7 of 8 in cluster BL

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: OMI BULK MANAGEMENT CO
Handler Address: 90 PARK AVE - 2ND FLOOR
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYD987016011
Contact Name: KENNETH ROGERS
Contact Address: PARK AVE - 2ND FLOOR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-297-2155
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: PARK AVE - 2ND FLOOR
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: OMI CORP
Owner Type: Private
Operator Name: OMI CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OMI BULK MANAGEMENT CO (Continued)

1000790125

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OMI CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	90 PARK AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OMI BULK MANAGEMENT CO (Continued)

1000790125

Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-207-2155
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: OMI CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 90 PARK AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-207-2155
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: OMI CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 90 PARK AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-207-2155
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: OMI BULK MANAGEMENT CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: OMI BULK MANAGEMENT CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OMI BULK MANAGEMENT CO (Continued)

1000790125

Receive Date: 1992-04-02 00:00:00.0
Handler Name: OMI BULK MANAGEMENT CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004495546

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000790125
Registry ID: 110004495546
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004495546>
Name: OMI BULK MANAGEMENT CO
Address: 90 PARK AVE - 2ND FLOOR
City,State,Zip: NEW YORK, NY 10016

BL579
WSW
1/8-1/4
0.182 mi.
959 ft.

OMI BULK MANAGEMENT
90 PARK AVE RM 1600
NEW YORK, NY 10016
Site 8 of 8 in cluster BL

TX Ind. Haz Waste **S105167176**
N/A

Relative:
Higher

Actual:
74 ft.

Ind. Haz Waste:
Name: OMI BULK MANAGEMENT
Address: 90 PARK AVE RM 1600
City,State,Zip: NEW YORK, NY 10016
Registration Number: 47010
Registration Initial Notification Date: 07/17/1992
Registration Last Amendment Date: 03/25/2002
EPA Identification: Not reported
Primary NAICS Code: 488999
Status Change Date: 19920717
Land Type: Not reported
Description of Facility Site Location: Not reported
Site Primary Standard Industrial Code: Not reported
Site Primary SIC Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OMI BULK MANAGEMENT (Continued)

S105167176

Registration is Generator of Waste: No
Registration is Receivers of Waste: No
Registration is Transporter of Waste: Yes
Registration is Transfer Facility: No
Facility is STEERS Reporter: No
Required to Submit Annual Waste Summary: No
Facility Involved In Recycling: No
Revcr Has Monthly Reporting Requirement: 0
Mexican Facility: Not reported
Type of Generator: Not reported
TNRCC Region: Not reported
Company Name: OMI BULK MANAGEMENT
Contact Name: KENNETH ROGERS
Contact Telephone Number: 212-2972155
Mailing Address: 90 PARK AVE RM 1600
Mailing Address2: RM 1600
Mailing City,St,Zip: NEW YORK, NY 100161301
Mailing County: UNITED STATES
Facility Country: UNITED STATES
TNRCC Facility ID: 18393
Site Owner Tax ID: 0
Site Location Latitude: -00.000
Site Location Longitude: -000.000
Last Update to NOR Data: 20040312
Ind. waste permit Number: Not reported
Mun waste permit Number: Not reported
Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 90 PARKAVE RM 1600
Owner Mailing Address2: Not reported
Owner Mailing Address3: Not reported
Owner City,St,Zip: NEW YORK, NY 10016 1301
Owner Country: UNITED STA
Owner Phone Number: 1-212-2972155
Owner Fax Number: Not reported
Owner Email Address: Not reported
Owner Business Type: Corporation
Owner Tax Id: Not reported
Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: OMI BULK MANAGEMENT
Operator First Name: Not reported
Operator Name: OMI BULK MANAGEMENT
Operator Mailing Address: 90 PARKAVE RM 1600
Operator Mailing Address 2: Not reported
Operator Mailing City,St,Zip: NEW YORK, NY 10016 1301
Operator Country: UNITED STA
Operator Phone: 1-212-2972155
Operator Fax: Not reported
Operator Email: Not reported
Operator Business Type: Corporation
Operator Tax Id: Not reported
Operator Bankruptcy Code: Not reported

Contact:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OMI BULK MANAGEMENT (Continued)

S105167176

Contact Name: Not reported
Contact Title: Not reported
Contact Role: OPRCON
Contact Address: 90 PARKAVE RM 1600
Contact Address2: Not reported
Contact City,St,Zip: NEW YORK, NY 10016 1301
Contact Phone: 1-212-2972155
Contact Fax: Not reported
Contact Email: Not reported

Contact:

Contact Name: KENNETH ROGERS
Contact Title: ENVIRONMENTAL MANAGER
Contact Role: PRICONT
Contact Address: 90 PARKAVE RM 1600
Contact Address2: RM 1600
Contact City,St,Zip: NEW YORK, NY 10016 1301
Contact Phone: 1-212-2972155
Contact Fax: Not reported
Contact Email: Not reported

Contact:

Contact Name: Not reported
Contact Title: Not reported
Contact Role: OWNCON
Contact Address: 90 PARKAVE RM 1600
Contact Address2: Not reported
Contact City,St,Zip: NEW YORK, NY 10016 1301
Contact Phone: 1-212-2972155
Contact Fax: Not reported
Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported
Transporter for hire: 1
Transport own waste: 0
Eq 01, if transport waste type = 1: Not reported
Eq 02, if transport waste type = 2: Not reported
Eq 03, if transport waste type = 3: Not reported
Eq 04, if transport waste type = H: Not reported
Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

BG580
SSW
1/8-1/4
0.182 mi.
960 ft.

CONSOLIDATED EDISON
E 39TH ST & LEXINGTON AVE
NEW YORK, NY

Site 6 of 10 in cluster BG

NY MANIFEST **S119073025**
N/A

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: E 39TH ST & LEXINGTON AVE
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004155479
Facility Status: Not reported
Location Address 1: e 39th st & lexington ave

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073025

Code: BP
Location Address 2: MH7547
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004155479
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/31/2007
Trans1 Recv Date: 12/31/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/03/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004155479
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001437355FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073025

Quantity: 150
Units: K - Kilograms (2.2 pounds)
Number of Containers: 3
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BG581
SSW
1/8-1/4
0.182 mi.
960 ft.

CON EDISON
E 39TH ST & LEXINGTON AVE SE
NEW YORK, NY 10016

NY MANIFEST **S119074493**
N/A

Site 7 of 10 in cluster BG

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: E 39TH ST & LEXINGTON AVE SE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004768875
Facility Status: Not reported
Location Address 1: SE COR E 39TH ST & LEXINGTON AVE
Code: BP
Location Address 2: V 5971
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004768875
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 04/16/2015
Trans1 Recv Date: 04/16/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119074493

Trans2 Recv Date: 04/20/2015
TSD Site Recv Date: 04/20/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004768875
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002610903GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BG582
SSW
1/8-1/4
0.182 mi.
960 ft.

CON EDISON
E 39TH ST & LEXINGTON AVE SE
NEW YORK, NY 10016

Site 8 of 10 in cluster BG

RCRA NonGen / NLR **1019902033**
FINDS **NYP004768875**
ECHO

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-04-16 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 39TH ST & LEXINGTON AVE SE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004768875
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902033

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902033

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-04-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-04-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069669040

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019902033

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019902033
Registry ID: 110069669040
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069669040>
Name: CON EDISON
Address: E 39TH ST & LEXINGTON AVE SE
City,State,Zip: NEW YORK, NY 10016

BG583 **CON EDISON - MANHOLE 38607**
SSW **E 39 ST & LEXINGTON AVE**
1/8-1/4 **MANHATTAN, NY 10016**
0.182 mi.
960 ft. **Site 9 of 10 in cluster BG**

NY MANIFEST **S120958129**
N/A

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE 38607
Address: E 39 ST & LEXINGTON AVE
City,State,Zip: MANHATTAN, NY 10016
Country: USA
EPA ID: NYP004914998
Facility Status: Not reported
Location Address 1: E 39 ST & LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004914998
Mailing Name: CON EDISON - MANHOLE 38607
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BG584
SSW
1/8-1/4
0.182 mi.
960 ft.
CON EDISON
E 39TH ST & LEXINGTON AVE SE
NEW YORK, NY 10016
Site 10 of 10 in cluster BG

NJ MANIFEST **S120670560**
N/A

Relative:
Higher

Actual:
59 ft.

NJ MANIFEST:
EPA Id: NYP004768875
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002610903GBF
EPA ID: NYP004768875
Date Shipped: 4/16/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120670560

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BQ585
SSE
1/8-1/4
0.182 mi.
962 ft.

CON EDISON MANHOLE 56215
E 40 ST & 3RD AVE
NEW YORK, NY 10017

RCRA NonGen / NLR

1010787398
NYP004149191

Site 1 of 8 in cluster BQ

Relative:
Lower
Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2008-03-15 00:00:00.0
Handler Name: CON EDISON MANHOLE 56215
Handler Address: E 40 ST & 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004149191
Contact Name: DANIEL PONTECORVO
Contact Address: 4 IRVING PL, RM 828
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-580-8383
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56215 (Continued)

1010787398

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2008-03-14 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not reported
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2008-03-15 00:00:00.0
Handler Name:	CON EDISON MANHOLE 56215

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 56215 (Continued)

1010787398

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BQ586
SSE
1/8-1/4
0.182 mi.
962 ft.

VERIZON NEW YORK INC
40TH ST & 3RD AVE
NEW YORK, NY 10016

RCRA NonGen / NLR
NY MANIFEST

1007205943
NYP000950477

Site 2 of 8 in cluster BQ

Relative:
Lower

RCRA Listings:

Actual:
37 ft.

Date Form Received by Agency:	2002-03-01 00:00:00.0
Handler Name:	VERIZON NEW YORK INC
Handler Address:	40TH ST & 3RD AVE
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP000950477
Contact Name:	JOHN N QUATRALE
Contact Address:	E 37TH ST 4TH FLOOR
Contact City,State,Zip:	NEW YORK, NY 10016
Contact Telephone:	212-338-7141
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	E 37TH ST 4TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10016
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON NEW YORK INC (Continued)

1007205943

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-02-28 00:00:00.0
Handler Name:	VERIZON NEW YORK INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON NEW YORK INC (Continued)

1007205943

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-03-01 00:00:00.0
Handler Name: VERIZON NEW YORK INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-02-27 00:00:00.0
Handler Name: VERIZON NEW YORK INC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: VERIZON NEW YORK INC
Address: 40TH ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP000950477
Facility Status: Not reported
Location Address 1: 40TH ST & 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000950477
Mailing Name: VERIZON NEW YORK INC
Mailing Contact: Not reported
Mailing Address 1: Not reported
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON NEW YORK INC (Continued)

1007205943

Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Zip 4: Not reported
Mailing Country: Not reported
Mailing Phone: Not reported

BQ587
SSE
1/8-1/4
0.182 mi.
962 ft.
CONSOLIDATED EDISON
E 40 ST & 3RD AVE
NEW YORK, NY 10017
Site 3 of 8 in cluster BQ

NY MANIFEST **S121967011**
N/A

Relative: NY MANIFEST:
Lower Name: CONSOLIDATED EDISON
Address: E 40 ST & 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004149191
Facility Status: Not reported
Location Address 1: 40 ST & 3 AVE
Code: BP
Location Address 2: MH 56215
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004149191
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/06/2007
Trans1 Recv Date: 08/06/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004149191
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S121967011

Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001437005FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BQ588
SSE
1/8-1/4
0.182 mi.
962 ft.

CONSOLIDATED EDISON
E 40 ST & 3 AVE
NEW YORK, NY 10017
Site 4 of 8 in cluster BQ

NY MANIFEST **S117563612**
N/A

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: E 40 ST & 3 AVE
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYP000928762
Facility Status: Not reported
Location Address 1: LEFFERTS & DEDFORD
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: BROOKLYN
Location State: NY
Location Zip: 11201
Location Zip 4: Not reported

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563612

EPAID: NYP000928762
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYG0124416
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 80336AM
Trans2 State ID: Not reported
Generator Ship Date: 03/16/1997
Trans1 Recv Date: 03/16/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 03/17/1997
Part A Recv Date: 03/27/1997
Part B Recv Date: 03/27/1997
Generator EPA ID: NYP000928762
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00002
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BQ589
SSE
1/8-1/4
0.182 mi.
962 ft.
CON EDISON - MANHOLE M56217
E 40TH ST & 3RD AVE
NEW YORK, NY 10016
Site 5 of 8 in cluster BQ

NY MANIFEST **S120958446**
N/A

Relative: NY MANIFEST:
Lower Name: CON EDISON - MANHOLE M56217
Address: E 40TH ST & 3RD AVE
Actual: City,State,Zip: NEW YORK, NY 10016
37 ft. Country: USA
EPA ID: NYP004937688
Facility Status: Not reported
Location Address 1: E 40TH ST & 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004937688
Mailing Name: CON EDISON - MANHOLE M56217
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

BQ590
SSE
1/8-1/4
0.182 mi.
962 ft.
CONSOLIDATED EDISON
40TH ST & 3RD AVE
NEW YORK, NY
Site 6 of 8 in cluster BQ

NY MANIFEST **S108650559**
N/A

Relative: NY MANIFEST:
Lower Name: CONSOLIDATED EDISON
Address: 40TH ST & 3RD AVE
Actual: City,State,Zip: NEW YORK, NY
37 ft. Country: USA
EPA ID: NYP004151486
Facility Status: Not reported
Location Address 1: 40TH ST & 3RD AVE
Code: BP
Location Address 2: MH56219
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004151486
Mailing Name: CONSOLIDATED EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650559

Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/05/2007
Trans1 Recv Date: 07/05/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/06/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004151486
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001450237FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: Y
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650559

Waste Code 1_6: Not reported

BQ591
SSE
1/8-1/4
0.182 mi.
962 ft.

CON ED - MH 56214
E 40 ST & 3 AVE
NEW YORK, NY 10017

RCRA NonGen / NLR

1007205287
NYP000928762

Site 7 of 8 in cluster BQ

Relative:
Lower

Actual:
37 ft.

RCRA Listings:

Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - MH 56214
Handler Address: E 40 ST & 3 AVE
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000928762
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - MH 56214 (Continued)

1007205287

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - MH 56214
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - MH 56214
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - MH 56214 (Continued)

1007205287

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - MH 56214
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BQ592
SSE
1/8-1/4
0.182 mi.
962 ft.

CONSOLIDATED EDISON
E 40 ST & 3RD AVE
NEW YORK, NY 10020
Site 8 of 8 in cluster BQ

NY MANIFEST **S121967018**
N/A

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:	
Name:	CONSOLIDATED EDISON
Address:	E 40 ST & 3RD AVE
City,State,Zip:	NEW YORK, NY 10020
Country:	USA
EPA ID:	NYP004155883
Facility Status:	Not reported
Location Address 1:	E 40 ST & 3rd AVE
Code:	BP
Location Address 2:	MH 56216
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10020
Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004155883
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S121967018

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	01/20/2008
Trans1 Recv Date:	01/20/2008
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/22/2008
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004155883
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NYD077444263
TSD ID 2:	Not reported
Manifest Tracking Number:	001437432FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	2
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Waste Code:	B007
Waste Code 1_2:	D008
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BI593 **300 MADISON AVE**
WNW **300 MADISON AVENUE**
1/8-1/4 **NEW YORK, NY 10017**
0.183 mi.
964 ft. **Site 6 of 7 in cluster BI**

NY AST **A100292053**
 N/A

Relative:
Higher

AST:

Actual:
68 ft.

Name: 300 MADISON AVE
Address: 300 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609423
Program Type: PBS
UTM X: 586129.68524
UTM Y: 4511788.47188
Expiration Date: 01/09/2024
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 31267
Affiliation Type: Facility Owner
Company Name: BFP 300 MADISON II LLC
Contact Type: PROPERTY MANAGER
Contact Name: ANNA MESSINEO
Address1: 300 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 880-4100
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-18

Site Id: 31267
Affiliation Type: Mail Contact
Company Name: BROOKFIELD FINANCIAL PROPERTIES
Contact Type: Not reported
Contact Name: ANNA MESSINEO
Address1: 300 MADISON AVENUE
Address2: BUILDING OFFICE, C1
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 880-4100
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-18

Site Id: 31267
Affiliation Type: Facility Operator
Company Name: 300 MADISON AVE
Contact Type: Not reported
Contact Name: BROOKFIELD PROPERTIES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 MADISON AVE (Continued)

A100292053

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 880-4100
EMail: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2008-11-24

Site Id: 31267
Affiliation Type: Emergency Contact
Company Name: BFP 300 MADISON II LLC
Contact Type: Not reported
Contact Name: ANNA MESSINEO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 880-4100
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2018-10-18

Tank Info:

Tank Number: F.O. #1
Tank Id: 67391
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E02 - Piping Secondary Containment - Vault (with Access)
C01 - Pipe Location - Aboveground

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 07/01/2003
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 MADISON AVE (Continued)

A100292053

Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 10/18/2018
Material Name: #2 fuel oil (on-site consumption)

Tank Number: F.O. #2
Tank Id: 67392
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E02 - Piping Secondary Containment - Vault (with Access)
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
C01 - Pipe Location - Aboveground

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 07/01/2003
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 10/18/2018
Material Name: #2 fuel oil (on-site consumption)

Tank Number: F.O. #3
Tank Id: 257463

Equipment Records:

C01 - Pipe Location - Aboveground
G03 - Tank Secondary Containment - Vault (w/o access)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
E02 - Piping Secondary Containment - Vault (with Access)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 MADISON AVE (Continued)

A100292053

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 07/01/2003
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 10/18/2018
Material Name: #2 fuel oil (on-site consumption)

**BK594
NNW
1/8-1/4
0.183 mi.
965 ft.**

**MTA METRO NORTH RAILROAD
347 MADISON AVE
NEW YORK, NY 10017
Site 3 of 4 in cluster BK**

**RCRA NonGen / NLR
RAATS
FTTS
HIST FTTS
FINDS
ECHO
NY MANIFEST**

**1000366197
NYD980774590**

**Relative:
Higher**

**Actual:
59 ft.**

RCRA Listings:

Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	MTA METRO NORTH RAILROAD
Handler Address:	347 MADISON AVE
Handler City,State,Zip:	NEW YORK, NY 10017-3739
EPA ID:	NYD980774590
Contact Name:	JOSEPH STREANY
Contact Address:	MADISON AVE
Contact City,State,Zip:	NEW YORK, NY 10017-3739
Contact Telephone:	212-340-2096
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	State
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	MADISON AVE
Mailing City,State,Zip:	NEW YORK, NY 10017-3739
Owner Name:	MTA METROPOLITAN TRANSPORTATION AUTH
Owner Type:	State
Operator Name:	MTA METROPOLITAN TRANSPORTATION AUTH
Operator Type:	State
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MTA METROPOLITAN TRANSPORTATION AUTH
Legal Status:	State
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-3739

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Owner/Operator Telephone:	212-340-2096
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	MTA METROPOLITAN TRANSPORTATION AUTH
Legal Status:	State
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-3739
Owner/Operator Telephone:	212-340-2096
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MTA METROPOLITAN TRANSPORTATION AUTH
Legal Status:	State
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-3739
Owner/Operator Telephone:	212-340-2096
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	MTA METRO NORTH RAILROAD
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	MTA METRO NORTH RAILROAD
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1999-01-07 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Handler Name:	MTA METRO NORTH RAILROAD
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	1984-03-14 00:00:00.0
Actual Return to Compliance Date:	1986-01-29 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	EPA
Scheduled Compliance Date:	1986-01-29 00:00:00.0
Enforcement Identifier:	002
Date of Enforcement Action:	1986-01-29 00:00:00.0
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	R2SRS
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	9000
Paid Amount:	9000
Final Count:	1
Final Amount:	9000
Found Violation:	Yes
Agency Which Determined Violation:	EPA
Violation Short Description:	Generators - General
Date Violation was Determined:	1984-04-18 00:00:00.0
Actual Return to Compliance Date:	1986-01-29 00:00:00.0
Return to Compliance Qualifier:	Observed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Violation Responsible Agency: EPA
Scheduled Compliance Date: 1984-05-26 00:00:00.0
Enforcement Identifier: 001
Date of Enforcement Action: 1984-04-26 00:00:00.0
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R2ORC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 10000
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 1984-03-14 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: R2
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 1986-01-29 00:00:00.0
Scheduled Compliance Date: 1986-01-29 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1984-04-18 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 1986-01-29 00:00:00.0
Scheduled Compliance Date: 1984-05-26 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Former Citation: Not reported

RAATS:

Entry No: 1
Facility ID: NYD980774590
Type: Not reported
Docket No: 84-0237
Region: 02
Issue Date: 01/29/1986
Final Date: 04/25/1984
Status: Consent Agreement/Final Order
Additional: Not reported
Action ID: 2064
Action: 3008 (A)
Violation No: Not reported
Viol No Cited: 1 3007
Total No Cited: Not reported
Reg Type: Federal
Prop. Penalty: 10,000.00
Final Penalty: .00
Total Prop. Penalty: 10,000.00
Comments: Not reported

Entry No: 1
Facility ID: NYD980774590
Type: Not reported
Docket No: 84-0237
Region: 02
Issue Date: 01/29/1986
Final Date: 04/25/1984
Status: Consent Agreement/Final Order
Additional: Not reported
Action ID: 2064
Action: 3008 (A)
Violation No: Not reported
Viol No Cited: 1 3007
Total No Cited: Not reported
Reg Type: Federal
Prop. Penalty: 10,000.00
Final Penalty: .00
Total Prop. Penalty: 10,000.00
Comments: Not reported

FTTS:

Case Number: Not reported
Docket Number: PCB-92-0219
Complaint Issue Date: 06/30/92
Abatement Amount: 0.0000
Proposed Penalty: 50000.0000
Final Assessment: 0.0000
Final Order Date: 04/05/94
Close Date: 04/05/94
Violations(s): PCB, Failure to Report

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

HIST FTTS:

Case Number: Not reported
Docket Number: PCB-92-0219
Complaint Issue Date: 06/30/1992
Abatement Amount: 0.0000
Proposed Penalty: 50000.0000
Final Assessment: 0.0000
Final Order Date: 04/05/1994
Close Date: 04/05/1994
Violations(s): PCB, Failure to Report

FINDS:

Registry ID: 110011578060

Click Here:

Environmental Interest/Information System:

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000366197
Registry ID: 110011578060
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110011578060>
Name: METRO-NORTH COMMUTER RAILROAD(WITHDRAWN)
Address: 347 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: MTA METRO NORTH RAILROAD
Address: 347 MADISON AVE
City,State,Zip: NEW YORK, NY 10017-3739
Country: USA
EPA ID: NYD980774590
Facility Status: Not reported
Location Address 1: 347 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

NY MANIFEST:

EPAID: NYD980774590
Mailing Name: MTA METRO NORTH RAILROAD
Mailing Contact: STEVE PERRIL
Mailing Address 1: 347 MADISON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128780174

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 07/29/2008
Trans1 Recv Date: 07/29/2008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/01/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD980774590
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 000070219WAS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 150
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA METRO NORTH RAILROAD (Continued)

1000366197

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BK595
NNW
1/8-1/4
0.183 mi.
965 ft.

CON ED - METRO NORTH RAILROAD
347 MADISON AVE - TRACK FL
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1005905800
NYR000108845

Site 4 of 4 in cluster BK

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: CON ED - METRO NORTH RAILROAD
Handler Address: 347 MADISON AVE - TRACK FL
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000108845
Contact Name: ALVIN WILLIAMS
Contact Address: IRVING PL ROOM 1328
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-4249
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL ROOM 1328
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: METRO NORTH RAILROAD
Owner Type: Private
Operator Name: METRO NORTH RAILROAD
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - METRO NORTH RAILROAD (Continued)

1005905800

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-340-3322
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	Private
Date Became Current:	2001-01-01 00:00:00.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - METRO NORTH RAILROAD (Continued)

1005905800

Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-340-3322
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	METRO NORTH RAILROAD
Legal Status:	Private
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	347 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-340-3322
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	CON ED - METRO NORTH RAILROAD
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	CON ED - METRO NORTH RAILROAD
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-08-27 00:00:00.0
Handler Name:	CON ED - METRO NORTH RAILROAD
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - METRO NORTH RAILROAD (Continued)

1005905800

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110013291240

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1005905800
Registry ID: 110013291240
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110013291240>
Name: CON ED - METRO NORTH RAILROAD
Address: 347 MADISON AVE - TRACK FL
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 347 MADISON AVE - TRACK FL
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000108845
Facility Status: Not reported
Location Address 1: 45TH ST & DEPEW PL
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000108845
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - METRO NORTH RAILROAD (Continued)

1005905800

NY MANIFEST:

Document ID: NYE1322703
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 74791AV
Trans2 State ID: 74791AV
Generator Ship Date: 11/07/2002
Trans1 Recv Date: 11/07/2002
Trans2 Recv Date: 11/08/2002
TSD Site Recv Date: 11/08/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000108845
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: NYD006982359
TSD ID 1: NYD077444263
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - METRO NORTH RAILROAD (Continued)

1005905800

Waste Code: Not reported
Quantity: 00010
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00035
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

BI596
WNW
1/8-1/4
0.183 mi.
966 ft.

V6429
42 EAST 42ND STREET
NEW YORK, NY 10010
Site 7 of 7 in cluster BI

RCRA NonGen / NLR 1007207505
NY MANIFEST NYP004047296

Relative:
Higher
Actual:
67 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V6429
Handler Address: 42 EAST 42ND STREET
Handler City,State,Zip: NEW YORK, NY 10010
EPA ID: NYP004047296
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V6429 (Continued)

1007207505

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V6429
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V6429 (Continued)

1007207505

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V6429
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V6429
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	42 EAST 42ND STREET
City,State,Zip:	NEW YORK, NY 10010
Country:	USA
EPA ID:	NYP004047296
Facility Status:	Not reported
Location Address 1:	V6429-F/O 42 E 26TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004047296
--------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V6429 (Continued)

1007207505

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0438831
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 12/13/1999
Trans1 Recv Date: 12/13/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/13/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004047296
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 03014
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RCRA NonGen / NLR 1000271291
FINDS NYD097508576
ECHO
NY MANIFEST

RCRA Listings:	2007-01-01 00:00:00.0
Date Form Received by Agency:	YOUNG & RUBICAM INC
Handler Name:	285 MADISON AVE - BASEMENT
Handler Address:	NEW YORK, NY 10017
Handler City,State,Zip:	NYD097508576
EPA ID:	Not reported
Contact Name:	MADISON AVE - BASEMENT
Contact Address:	NEW YORK, NY 10017
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	MADISON AVE - BASEMENT
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	YOUNG & RUBICAM CO INC
Owner Type:	Private
Operator Name:	YOUNG & RUBICAM CO INC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG & RUBICAM INC (Continued)

1000271291

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	YOUNG & RUBICAM CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	285 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-210-4881
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	YOUNG & RUBICAM CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	285 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-210-4881
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG & RUBICAM INC (Continued)

1000271291

Owner/Operator Indicator:	Operator
Owner/Operator Name:	YOUNG & RUBICAM CO INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	285 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-210-4881
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	YOUNG & RUBICAM INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	YOUNG & RUBICAM INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	YOUNG & RUBICAM INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1996-03-07 00:00:00.0
Handler Name:	YOUNG & RUBICAM INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG & RUBICAM INC (Continued)

1000271291

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004376336

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000271291
Registry ID:	110004376336
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004376336
Name:	YOUNG & RUBICAM INC
Address:	285 MADISON AVE - BASEMENT
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	THE JOHN BUCK COMPANY
Address:	285 MADISON AVE - BASEMENT
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYD097508576
Facility Status:	Not reported
Location Address 1:	285 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD097508576
Mailing Name:	THE JOHN BUCK COMPANY
Mailing Contact:	THE JOHN BUCK COMPANY
Mailing Address 1:	285 MADISON AVEBASEMENT
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG & RUBICAM INC (Continued)

1000271291

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2122104248

NY MANIFEST:

Document ID: NJA2256877
Manifest Status: C
seq: Not reported
Year: 1996
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 03/11/1996
Trans1 Recv Date: 03/11/1996
Trans2 Recv Date: / /
TSD Site Recv Date: 03/14/1996
Part A Recv Date: 03/18/1996
Part B Recv Date: 03/29/1996
Generator EPA ID: NYD097508576
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002182897
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00468
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Name: CON ED
Address: 285 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004828549
Facility Status: Not reported
Location Address 1: 285 MADISON AVE
Code: BP
Location Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG & RUBICAM INC (Continued)

1000271291

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported
NY MANIFEST:
EPAID: NYP004828549
Mailing Name: CON ED
Mailing Contact: THERESA BURKARD
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602262

[Click this hyperlink](#) while viewing on your computer to access
-1 additional NY MANIFEST: record(s) in the EDR Site Report.

BR598
West
1/8-1/4
0.184 mi.
969 ft.

CON EDISON
285 MADISON AVE
NEW YORK, NY 10017

NJ MANIFEST **S120675787**
N/A

Site 2 of 14 in cluster BR

Relative:
Higher
Actual:
71 ft.

NJ MANIFEST:
EPA Id: NYP004828549
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 014466838JJK
EPA ID: NYP004828549
Date Shipped: 8/24/2015
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675787

Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

BR599
West
1/8-1/4
0.184 mi.
969 ft.

CON EDISON
285 MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR

1019325460
NYP004828549

Site 3 of 14 in cluster BR

Relative:
Higher
Actual:
71 ft.

RCRA Listings:
Date Form Received by Agency: 2015-08-24 00:00:00.0
Handler Name: CON EDISON
Handler Address: 285 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004828549
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325460

State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City, State, Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325460

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-08-24 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-08-24 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-26 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 50208
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-08-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325460

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-08-24 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BO600
ENE
1/8-1/4
0.185 mi.
976 ft.

AUSTIN NICHOLS & CO., INC.
156 EAST 46TH STREET
NEW YORK, NY 10017
Site 2 of 2 in cluster BO

NY UST **U003153177**
N/A

Relative:
Lower

Actual:
41 ft.

UST:
Name: AUSTIN NICHOLS & CO., INC.
Address: 156 EAST 46TH STREET
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-602837 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 586661.51329
UTM Y: 4511905.24509
Site Type: Other

Affiliation Records:
Site Id: 24792
Affiliation Type: Facility Owner
Company Name: AUSTIN NICHOLS & CO., INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 156 EAST 46TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 455-9400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AUSTIN NICHOLS & CO., INC. (Continued)

U003153177

Date Last Modified: 2004-03-04

Site Id: 24792
Affiliation Type: Mail Contact
Company Name: AUSTIN NICHOLS & CO., INC.
Contact Type: Not reported
Contact Name: JOHN SULLIVAN
Address1: 156 EAST 46TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 455-9400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 24792
Affiliation Type: Facility Operator
Company Name: AUSTIN NICHOLS & CO., INC.
Contact Type: Not reported
Contact Name: JOHN SULLIVAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 455-9400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 24792
Affiliation Type: Emergency Contact
Company Name: AUSTIN NICHOLS & CO., INC.
Contact Type: Not reported
Contact Name: DAVE MARGOLIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 455-9400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 51787

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AUSTIN NICHOLS & CO., INC. (Continued)

U003153177

Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1500
Install Date: 04/01/1989
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None

BR601
West
1/8-1/4
0.185 mi.
978 ft.

CON EDISON
279 MADISON AVE
NEW YORK, NY 10016

RCRA NonGen / NLR

1018280288
NYP004751608

Site 4 of 14 in cluster BR

Relative:
Higher
Actual:
72 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-16 00:00:00.0
Handler Name: CON EDISON
Handler Address: 279 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004751608
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280288

Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018280288

Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-03-16 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-03-16 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BR602
West
1/8-1/4
0.185 mi.
978 ft.

CON EDISON
279 MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1018278118
NYP004728713

Site 5 of 14 in cluster BR

Relative:
Higher
Actual:
72 ft.

RCRA Listings:

Date Form Received by Agency: 2015-02-09 00:00:00.0
Handler Name: CON EDISON
Handler Address: 279 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004728713
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278118

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278118

Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-02-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-02-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067700223

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018278118
Registry ID:	110067700223

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278118

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067700223>
Name: CON EDISON
Address: 279 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

BR603
West
1/8-1/4
0.185 mi.
978 ft.

CONSOLIDATED EDISON
279 MADISON AVENUE
NEW YORK, NY 10001

NY Spills **S106866896**
NY MANIFEST **N/A**

Site 6 of 14 in cluster BR

Relative:
Higher

Actual:
72 ft.

SPILLS:

Name: MANHOLE 60533
Address: 279 MADISON AV
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0412598 / 2005-06-20
Facility ID: 0412598
Facility Type: ER
DER Facility ID: 273469
Site ID: 338143
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2005-02-28
Investigator: JHOCONE
Referred To: Not reported
Reported to Dept: 2005-02-28
CID: 404
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-02-28
Spill Record Last Update: 2005-06-20
Spiller Name: ERT DESK
Spiller Company: Con Ed
Spiller Address: Not reported
Spiller Company: 001
Contact Name: ERT DESK
DEC Memo: "e2mis no 157411 While Sinclair was Flushing N-50208 with Vehicle # 60533,he sprang a Hydraulic leak from the Vactor system and approx 20 gallons of Hydraulic fluid spilled into the adjacent M-50206 along with approx 50 gallons of water. The truck was temporarily repaired and the cleanup of the truck was started at 18:35 and completed at 18:45.. The truck can be driven into the W.28 St yard without an other Environmental impact and will be permently repaired there either by the driver or Transportation. No sewer/waterway affected. The spill was in the Mankole, no movement on the standing water, no sumps verified, no cracks. Environmentag Tag # 38687was hung. Two samples for PCB and ID will be taken. Cleanup for the M-50206 will be pending Sample results. 2/28 @ 19:50 According to Conduit plate E 26 - I - 1, there is no sewer connection. Update 3-1-05 @ 06:07 Lab

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S106866896

Sequence Number: 05-01745-001 - PCBs < 1 ppm Lab Sequence Number:
05-01747-001 - Analysis indicates the presence of a substance similar
to a lubricating oil. Update: 3/1/05 @ 17:21 hrs. Manhattan
Environmental Desk added manhole M50206 to the Description and
Location fields in order to track the completion of the cleanup in
this structure. This was discussed with ERT, Paul Walsh and he agreed
with this change. In addition, the Responsible Operation was changed
from Flush Operations to Underground South since they are responsible
for the cleanup in the manhole. Based on the results of the sample
analysis the oil in the manhole is the lubricating or hydraulic fluid
spilled by the Vactor truck. The cleanup of the vehicle was completed
but the cleanup of the manhole is pending scheduling of UG crews and
Tanker or Vactor truck. Update 3-25-05 @ 05:25 A Munro # 13615
reports that the cleanup is complete as of 05:25. 2 bags of ppe. 650
gallons of oil and water mixed removed by tanker. Double washed with
slix and flushed. Tag # 38687 removed. Source of spill was a vactor
truck that was on location previously. Cleanup crew and supervisor
are listed in the event involved person screen."

Remarks: "sprang leak on hydraulic hose. leak from vehicle recovered. manhole
affected 60533"

All Materials:

Site ID: 338143
Operable Unit ID: 1100111
Operable Unit: 01
Material ID: 580361
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

NY MANIFEST:

Name: CON EDISON
Address: 279 MADISON AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004751608
Facility Status: Not reported
Location Address 1: MADISON AVE & 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004751608
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S106866896

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 03/16/2015
Trans1 Recv Date: 03/16/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/17/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004751608
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: 004808647FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: K - Kilograms (2.2 pounds)
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: B007
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S106866896

Name: CON EDISON
Address: 279 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004851685
Facility Status: Not reported
Location Address 1: 279 MADISON AVE
Code: BP
Location Address 2: V 5481
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004851685
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/12/2015
Trans1 Recv Date: 10/12/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/14/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004851685
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002832328GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S106866896

MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

BR604
West
1/8-1/4
0.185 mi.
978 ft.

CON EDISON
279-9 MADISON AVE N/O 40 ST
NEW YORK, NY 10017
Site 7 of 14 in cluster BR

NY MANIFEST **S117737257**
N/A

Relative:
Higher

Actual:
72 ft.

NY MANIFEST:
Name: CON EDISON
Address: 279-9 MADISON AVE N/O 40 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004627287
Facility Status: Not reported
Location Address 1: 279-9 MADISON AVE N/O 40 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004627287
Mailing Name: CON EDISON
Mailing Contact: TOM TELLING
Mailing Address 1: 4 IRVING PLACE-15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737257

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/14/2014
Trans1 Recv Date:	08/14/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/14/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004627287
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002608869GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	5000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
BS605 ENE 1/8-1/4 0.188 mi. 995 ft.	TEACHERS INSURANCE & ANNUITY 730 3RD AVE BLOCK 1300 LOT 33 NEW YORK, NY 10019 Site 1 of 3 in cluster BS	RCRA NonGen / NLR FINDS ECHO NY MANIFEST	1000791261 NYD987027679
Relative: Lower	RCRA Listings:		
Actual: 39 ft.	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	TEACHERS INSURANCE & ANNUITY	
	Handler Address:	730 3RD AVE BLOCK 1300 LOT 33	
	Handler City,State,Zip:	NEW YORK, NY 10019	
	EPA ID:	NYD987027679	
	Contact Name:	STACY TURNBOUGH	
	Contact Address:	3RD AVE BLOCK 1300 LOT 33	
	Contact City,State,Zip:	NEW YORK, NY 10019	
	Contact Telephone:	212-986-9714	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	3RD AVE BLOCK 1300 LOT 33	
	Mailing City,State,Zip:	NEW YORK, NY 10019	
	Owner Name:	TEACHERS INSURANCE & ANNUITY ASSOC	
	Owner Type:	Private	
	Operator Name:	TEACHERS INSURANCE & ANNUITY ASSOC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000791261

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TEACHERS INSURANCE & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-916-6349
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	TEACHERS INSURANCE & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-916-6349
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000791261

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TEACHERS INSURANCE & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-916-6349
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-14 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2000-01-21 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000791261

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1994-04-12 00:00:00.0
Handler Name:	TEACHERS ANNUITY ASSN
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004500647

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000791261
Registry ID:	110004500647
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004500647
Name:	TEACHERS INSURANCE & ANNUITY
Address:	730 3RD AVE BLOCK 1300 LOT 33
City,State,Zip:	NEW YORK, NY 10019

NY MANIFEST:

Name:	TEACHERS INSURANCE ANNUITY ASSOCIATION
Address:	730 3RD AVE BLOCK 1300 LOT 33
City,State,Zip:	NEW YORK, NY 10019
Country:	USA
EPA ID:	NYD987027679
Facility Status:	Not reported
Location Address 1:	730 3RD AVE BLOCK 1300 LOT 33
Code:	BP
Location Address 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000791261

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD987027679
Mailing Name: TEACHERS INSURANCE ANNUITY ASSOCIATION
Mailing Contact: LANA LICHTMAN
Mailing Address 1: 485 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126978678

NY MANIFEST:

Document ID: NJA2926973
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: 58424
Trans2 State ID: Not reported
Generator Ship Date: 01/27/2000
Trans1 Recv Date: 01/27/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987027679
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000791261

Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

**BJ606
SW
1/8-1/4
0.189 mi.
996 ft.**

**CONSOLIDATED EDISON
PARK AVE & E 39TH ST
NEW YORK, NY**

NY MANIFEST

**S108933344
N/A**

Site 8 of 8 in cluster BJ

**Relative:
Higher**

NY MANIFEST:

**Actual:
74 ft.**

Name: CONSOLIDATED EDISON
Address: PARK AVE & E 39TH ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004154860
Facility Status: Not reported
Location Address 1: PARK AVE & E 39TH ST
Code: BP
Location Address 2: MH7532
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004154860
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 11/14/2007
Trans1 Recv Date: 11/14/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004154860
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933344

TSD ID 2: Not reported
Manifest Tracking Number: 001437354FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: K - Kilograms (2.2 pounds)
Number of Containers: 5
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**BT607
NW
1/8-1/4
0.189 mi.
1000 ft.**

**SPEED GRAPHICS INC
342 MADISON AVE 10 FL
NEW YORK, NY 10173

Site 1 of 12 in cluster BT**

**RCRA NonGen / NLR 1000457885
FINDS NYD986931640
ECHO
NY MANIFEST**

**Relative:
Higher

Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: SPEED GRAPHICS INC
Handler Address: 342 MADISON AVE 10 FL
Handler City,State,Zip: NEW YORK, NY 10173
EPA ID: NYD986931640
Contact Name: WILLIAM TIRADO
Contact Address: MADISON AVE 10 FL
Contact City,State,Zip: NEW YORK, NY 10173
Contact Telephone: 212-682-6520
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1000457885

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	MADISON AVE 10 FL
Mailing City,State,Zip:	NEW YORK, NY 10173
Owner Name:	RON KRIVOSHEIW
Owner Type:	Private
Operator Name:	RON KRIVOSHEIW
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1000457885

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	RON KRIVOSHEIW
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	RON KRIVOSHEIW
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	RON KRIVOSHEIW
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1000457885

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1990-11-28 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004456491

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000457885
Registry ID:	110004456491
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004456491
Name:	SPEED GRAPHICS INC
Address:	342 MADISON AVE 10 FL
City,State,Zip:	NEW YORK, NY 10173

NY MANIFEST:

Name: SPEED GRAPHICS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1000457885

Address: 342 MADISON AVE 10 FL
City,State,Zip: NEW YORK, NY 10173
Country: USA
EPA ID: NYD986931640
Facility Status: Not reported
Location Address 1: 342 MADISON AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10173
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD986931640
Mailing Name: SPEED GRAPHICS
Mailing Contact: WILLIAM TIRADO
Mailing Address 1: 342 MADISON AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10173
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126826520

NY MANIFEST:

Document ID: NYB8460396
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: PX1132
Trans2 State ID: Not reported
Generator Ship Date: 11/23/1999
Trans1 Recv Date: 11/23/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/29/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986931640
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1000457885

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

BT608
NW
1/8-1/4
0.189 mi.
1000 ft.

342 MADISON AVE
342 MADISON AVENUE
NEW YORK, NY 10017
Site 2 of 12 in cluster BT

NY UST **U004154622**
N/A

Relative:
Higher
Actual:
59 ft.

UST:
Name: 342 MADISON AVE
Address: 342 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-248290 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 02/07/2022
UTM X: 586218.30674
UTM Y: 4511946.41709
Site Type: Other

Affiliation Records:
Site Id: 9803
Affiliation Type: Mail Contact
Company Name: BROADWAY 340 MADISON FEE LLC
Contact Type: Not reported
Contact Name: ALBANA GAZIDEDA
Address1: 340 MADISON AVE, SUITE P.H.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10173
Country Code: 001
Phone: (212) 599-0080
EMail: AGAZIDEDA@RXREALTY.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-15

Site Id: 9803
Affiliation Type: Facility Operator
Company Name: 342 MADISON AVE
Contact Type: Not reported
Contact Name: JOHN HATTON
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

342 MADISON AVE (Continued)

U004154622

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 818-0725
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2011-09-30

Site Id: 9803
Affiliation Type: Emergency Contact
Company Name: BROADWAY 340 MADISON FEE LLC
Contact Type: Not reported
Contact Name: JOHN HATTON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 478-4344
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2011-09-30

Site Id: 9803
Affiliation Type: Facility Owner
Company Name: BROADWAY 340 MADISON FEE LLC
Contact Type: ASST PROPERTY MGR
Contact Name: MITCHELL GRANT
Address1: 340 MADISON AVE, SUITE P.H.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10173
Country Code: 001
Phone: (212) 599-0080
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-15

Tank Info:

Tank Number: 001
Tank ID: 10707
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 18000
Install Date: 10/05/1955
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

342 MADISON AVE (Continued)

U004154622

Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21
Date Test: 05/01/2010
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MFLEONAR
Last Modified: 05/15/2017

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I05 - Overfill - Vent Whistle
F04 - Pipe External Protection - Fiberglass
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

**BT609
NW
1/8-1/4
0.189 mi.
1000 ft.**

**CON EDISON - MANHOLE 50236
342 MADISON AVE
NEW YORK, NY 10173**

**RCRA-LQG 1024890543
NYP004988758**

Site 3 of 12 in cluster BT

**Relative:
Higher**

**Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE 50236
Handler Address: 342 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10173
EPA ID: NYP004988758
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 50236 (Continued)

1024890543

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year:

2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 50236 (Continued)

1024890543

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-01-03 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2017-01-03 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-04-10 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 50236
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

BT610 NW 1/8-1/4 0.189 mi. 1000 ft.	HANNAN MEDICAL LABORATORY 342 MADISON AVE NEW YORK, NY 10017	RCRA NonGen / NLR	1000307257 NYD078606647
	Site 4 of 12 in cluster BT		
Relative: Higher	RCRA Listings:		
	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	HANNAN MEDICAL LABORATORY	
Actual: 59 ft.	Handler Address:	342 MADISON AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017-4600	
	EPA ID:	NYD078606647	
	Contact Name:	Not reported	
	Contact Address:	MADISON AVE	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	Not reported	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	MADISON AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	OWNERNAME	
	Owner Type:	Private	
	Operator Name:	OWNERNAME	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HANNAN MEDICAL LABORATORY (Continued)

1000307257

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HANNAN MEDICAL LABORATORY (Continued)

1000307257

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	HANNAN MEDICAL LABORATORY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	HANNAN MEDICAL LABORATORY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	HANNAN MEDICAL LABORATORY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1980-07-01 00:00:00.0
Handler Name:	HANNAN MEDICAL LABORATORY
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HANNAN MEDICAL LABORATORY (Continued)

1000307257

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	1988-06-22 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HANNAN MEDICAL LABORATORY (Continued)

1000307257

Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

**BT611
NW
1/8-1/4
0.189 mi.
1000 ft.**

**CON EDISON
342 MADISON AVE
NEW YORK, NY 10173**

**NY MANIFEST S121967461
N/A**

Site 5 of 12 in cluster BT

**Relative:
Higher
Actual:
59 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 342 MADISON AVE
City,State,Zip: NEW YORK, NY 10173
Country: USA
EPA ID: NYP004988758
Facility Status: Not reported
Location Address 1: 342 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10173
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004988758
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

**BT612
NW
1/8-1/4
0.189 mi.
1000 ft.**

**JAL 58 ASSOCIATES
342 MADISON AVE
NY, NY 10173**

**NY AST U003393525
N/A**

Site 6 of 12 in cluster BT

**Relative:
Higher
Actual:
59 ft.**

AST:
Name: JAL 58 ASSOCIATES
Address: 342 MADISON AVE
City,State,Zip: NY, NY 10173
Region: STATE
DEC Region: 2
Site Status: Inactive
Facility Id: 2-337374

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JAL 58 ASSOCIATES (Continued)

U003393525

Program Type: PBS
UTM X: 585926.46318
UTM Y: 4507344.66968
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 16170
Affiliation Type: Facility Owner
Company Name: JAL 58 ASSOCIATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 342 MADISON AVE
Address2: Not reported
City: NY
State: NY
Zip Code: 10173
Country Code: 001
Phone: (212) 986-1175
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16170
Affiliation Type: Mail Contact
Company Name: JAL 58 ASSOCIATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 342 MADISON AVE
Address2: Not reported
City: NY
State: NY
Zip Code: 10173
Country Code: 001
Phone: (212) 986-1175
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16170
Affiliation Type: Facility Operator
Company Name: JAL 58 ASSOCIATES
Contact Type: Not reported
Contact Name: RALPH PADILLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 451-7540
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JAL 58 ASSOCIATES (Continued)

U003393525

Site Id: 16170
Affiliation Type: Emergency Contact
Company Name: JAL 58 ASSOCIATES
Contact Type: Not reported
Contact Name: LAURENCE LEVY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-1175
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 28636
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/09/2002
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
BU613	CON EDISON SERVICE BOX: 27070	RCRA NonGen / NLR	1017773657
NNE	245-247 BROADWAY & PARK PL	FINDS	NYP004514451
1/8-1/4	NEW YORK, NY 10006		
0.190 mi.			
1002 ft.	Site 1 of 8 in cluster BU		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2014-05-28 00:00:00.0	
	Handler Name:	CON EDISON SERVICE BOX: 27070	
Actual:	Handler Address:	245-247 BROADWAY & PARK PL	
59 ft.	Handler City,State,Zip:	NEW YORK, NY 10006	
	EPA ID:	NYP004514451	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	SENIOR SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 27070 (Continued)

1017773657

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-04-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-04-28 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 27070 (Continued)

1017773657

Electronic Manifest Broker:	Not reported
Receive Date:	2014-05-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 27070
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110063784926

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**BV614
South
1/8-1/4
0.190 mi.
1003 ft.**

**CONED
145 E 39TH ST
NEW YORK, NY 10001

Site 1 of 3 in cluster BV**

**NY MANIFEST S109824966
N/A**

**Relative:
Higher**

NY MANIFEST:

**Actual:
49 ft.**

Name:	CONED
Address:	145 E 39TH ST
City,State,Zip:	NEW YORK, NY 10001
Country:	USA
EPA ID:	NYP004176509
Facility Status:	Not reported
Location Address 1:	145 E 39TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10001
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004176509
Mailing Name:	CONED
Mailing Contact:	CONED
Mailing Address 1:	4 IRVING ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109824966

Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/30/2009
Trans1 Recv Date: 06/30/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/30/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176509
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001083991GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 400
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BW615
SSW
1/8-1/4
0.191 mi.
1011 ft.

CONSOLIDATED EDISON
124 EAST 39TH ST OFF PARK AVE
NEW YORK, NY 10020

NY MANIFEST

S119073219
N/A

Site 1 of 2 in cluster BW

Relative:
Higher

Actual:
69 ft.

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 124 EAST 39TH ST OFF PARK AVE
City,State,Zip: NEW YORK, NY 10020
Country: USA
EPA ID: NYP004184628
Facility Status: Not reported
Location Address 1: 124 EAST 39th ST OFF PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004184628
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 07/22/2009
Trans1 Recv Date: 07/22/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004184628
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 001440585FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S119073219

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 350
Units: K - Kilograms (2.2 pounds)
Number of Containers: 7
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: B007
Waste Code 1_2: D008
Waste Code 1_3: B002
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BV616 **CON EDISON SERVICE BOX: 7550**
South **147 E 39TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.192 mi.
1012 ft. **Site 2 of 3 in cluster BV**

NJ MANIFEST **S117986126**
N/A

Relative: NJ MANIFEST:
Lower EPA Id: NYP004266847
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
48 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456340JJK
EPA ID: NYP004266847
Date Shipped: 9/6/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7550 (Continued)

S117986126

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

BV617 **CON EDISON SERVICE BOX: 7550**
South **147 E 39TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.192 mi.
1012 ft. **Site 3 of 3 in cluster BV**

RCRA NonGen / NLR **1016143897**
FINDS **NYP004266847**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
48 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7550
Handler Address: 147 E 39TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266847
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7550 (Continued)

1016143897

Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7550 (Continued)

1016143897

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 15:12:35.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-06 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7550
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7550
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055431439

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7550 (Continued)

1016143897

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143897
Registry ID: 110055431439
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055431439>
Name: CON EDISON SERVICE BOX: 7550
Address: 147 E 39TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 147 E 39TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266847
Facility Status: Not reported
Location Address 1: 147 E 39TH ST
Code: BP
Location Address 2: SERV BOX 7550
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266847
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/06/2012
Trans1 Recv Date: 09/06/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266847

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7550 (Continued)

1016143897

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456340JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BW618
SSW
1/8-1/4
0.192 mi.
1015 ft.
NEW YORK COURT
130 EAST 39TH STREET
NEW YORK, NY 10016
Site 2 of 2 in cluster BW

NY AST **U004048687**
N/A

Relative:
Higher

Actual:
65 ft.

AST:
Name: NEW YORK COURT
Address: 130 EAST 39TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607405
Program Type: PBS
UTM X: 586299.33272
UTM Y: 4511459.80077
Expiration Date: 04/15/2020
Site Type: Other
Affiliation Records:
Site Id: 29258

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK COURT (Continued)

U004048687

Affiliation Type: Mail Contact
Company Name: ST GILES HOTEL LLC
Contact Type: DIRECTOR OF ENGINEERING
Contact Name: MARLON MARIN
Address1: 130 EAST 39 ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 685-1100
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-08-01

Site Id: 29258
Affiliation Type: Facility Operator
Company Name: NEW YORK COURT
Contact Type: Not reported
Contact Name: NA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-08-01

Site Id: 29258
Affiliation Type: Emergency Contact
Company Name: ST GILES HOTEL LLC
Contact Type: Not reported
Contact Name: MARLON MARIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 726-9527
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-08-01

Site Id: 29258
Affiliation Type: Facility Owner
Company Name: ST GILES HOTEL LLC
Contact Type: DIRECTOR OF ENGINEERING
Contact Name: MARLON MARIN
Address1: 130 EAST 39 ST
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK COURT (Continued)

U004048687

City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 685-1100
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-08-01

Tank Info:

Tank Number: 001
Tank Id: 62899
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
I01 - Overfill - Float Vent Valve
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/19/2002
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 08/01/2017
Material Name: #2 fuel oil (on-site consumption)

BX619
South
1/8-1/4
0.193 mi.
1018 ft.

600 THIRD AVENUE LLC
600 3RD AVE
NEW YORK, NY 10016
Site 1 of 4 in cluster BX

NY MANIFEST **S121133072**
N/A

Relative:
Lower
Actual:
39 ft.

NY MANIFEST:
Name: 600 THIRD AVENUE LLC
Address: 600 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE LLC (Continued)

S121133072

EPA ID: NYR000232298
Facility Status: Not reported
Location Address 1: 600 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000232298
Mailing Name: 600 THIRD AVENUE LLC
Mailing Contact: 600 THIRD AVENUE LLC
Mailing Address 1: 600 3RD AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124999103

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134940
Generator Ship Date: 06/30/2017
Trans1 Recv Date: 06/30/2017
Trans2 Recv Date: 07/12/2017
TSD Site Recv Date: 07/24/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000232298
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 008177744FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE LLC (Continued)

S121133072

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: P - Pounds
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BX620
South
1/8-1/4
0.193 mi.
1018 ft.

600 THIRD AVENUE
600 THIRD AVENUE
NEW YORK, NY 10016
Site 2 of 4 in cluster BX

NY AST A100462505
N/A

Relative:
Lower
Actual:
39 ft.

AST:
Name: 600 THIRD AVENUE
Address: 600 THIRD AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-612898
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 570887
Affiliation Type: Facility Owner
Company Name: THIRD AVENUE TOWER OWNER, LLC
Contact Type: PROPERTY MANAGER
Contact Name: JOHN TOBIN
Address1: 600 THIRD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 499-7487
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-05-29

Site Id: 570887
Affiliation Type: Mail Contact
Company Name: L&L HOLDING COMPANY, LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE (Continued)

A100462505

Contact Type: Not reported
Contact Name: JOHN TOBIN
Address1: 600 THIRD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 499-7487
EMail: JOHN.TOBIN@LL-HOLDING.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-05-29

Site Id: 570887
Affiliation Type: Facility Operator
Company Name: 600 THIRD AVENUE
Contact Type: Not reported
Contact Name: L&L HOLDING COMPANY, LLC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 499-7487
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-05-29

Site Id: 570887
Affiliation Type: Emergency Contact
Company Name: THIRD AVENUE TOWER OWNER, LLC
Contact Type: Not reported
Contact Name: JOHN TOBIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 922-4621
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2018-05-29

Tank Info:

Tank Number: 01
Tank Id: 276107

Equipment Records:

E01 - Piping Secondary Containment - Diking (AG only)
H05 - Tank Leak Detection - In-Tank System (ATG)
B01 - Tank External Protection - Painted/Asphalt Coating

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE (Continued)

A100462505

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 01/01/1993

Capacity Gallons: 1080

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: DMPOKRZY

Last Modified: 06/21/2018

Material Name: #2 fuel oil (on-site consumption)

Tank Number: 02

Tank Id: 276108

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)

K01 - Spill Prevention - Catch Basin

I02 - Overfill - High Level Alarm

E00 - Piping Secondary Containment - None

F00 - Pipe External Protection - None

L00 - Piping Leak Detection - None

G01 - Tank Secondary Containment - Diking (Aboveground)

J02 - Dispenser - Suction Dispenser

G10 - Tank Secondary Containment - Impervious Underlayment

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

B01 - Tank External Protection - Painted/Asphalt Coating

D01 - Pipe Type - Steel/Carbon Steel/Iron

A00 - Tank Internal Protection - None

I04 - Overfill - Product Level Gauge (A/G)

C01 - Pipe Location - Aboveground

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 01/01/1993

Capacity Gallons: 100

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE (Continued)

A100462505

Register: True
Modified By: DMPOKRZY
Last Modified: 06/21/2018
Material Name: #2 fuel oil (on-site consumption)

BX621
South
1/8-1/4
0.193 mi.
1018 ft.

600 THIRD AVENUE LLC
600 3RD AVE
NEW YORK, NY 10016

RCRA NonGen / NLR

1023679251
NYR000232298

Site 3 of 4 in cluster BX

Relative:
Lower

Actual:
39 ft.

RCRA Listings:
Date Form Received by Agency: 2018-08-13 00:00:00.0
Handler Name: 600 THIRD AVENUE LLC
Handler Address: 600 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYR000232298
Contact Name: JENNIFER JOHNSON
Contact Address: 3RD AVE
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-499-9103
Contact Fax: 212-697-8608
Contact Email: JENNIFER.JOHNSON@11-HOLDING.COM
Contact Title: ASSISTANT PROPERTY MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 3RD AVE
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: THIRD AVENUE TOWER OWNER LLC
Owner Type: Private
Operator Name: PANOS YALAMAS
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE LLC (Continued)

1023679251

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-13 13:52:34.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	THIRD AVENUE TOWER OWNER LLC
Legal Status:	Private
Date Became Current:	2006-08-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	600 3RD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
---------------------------	-------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE LLC (Continued)

1023679251

Owner/Operator Name:	THIRD AVENUE TOWER OWNER LLC
Legal Status:	Private
Date Became Current:	2006-08-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	600 3RD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	PANOS YALAMAS
Legal Status:	Private
Date Became Current:	2006-08-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	PANOS YALAMAS
Legal Status:	Private
Date Became Current:	2006-08-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	2018-08-13 00:00:00.0
Handler Name:	600 THIRD AVENUE LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2017-06-20 00:00:00.0
Handler Name:	600 THIRD AVENUE LLC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

600 THIRD AVENUE LLC (Continued)

1023679251

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BR622
West
1/8-1/4
0.193 mi.
1019 ft.

275 MADISON AVE
275 MADISON AVENUE
NEW YORK, NY 10016
Site 8 of 14 in cluster BR

NY AST A100168801
N/A

Relative:
Higher

AST:

Actual:
73 ft.

Name: 275 MADISON AVE
Address: 275 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-112046
Program Type: PBS
UTM X: 586116.93805
UTM Y: 4511646.49967
Expiration Date: 10/10/2020
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 3523
Affiliation Type: Facility Owner
Company Name: GP 275 MADISON LLC C/O RFR REALTY
Contact Type: VICE PRESIDENT
Contact Name: NEAL DUFFY
Address1: 390 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 682-7643
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-05-19

Site Id: 3523
Affiliation Type: Mail Contact
Company Name: GP 275 OWNER LLC
Contact Type: Not reported
Contact Name: NEAL DUFFY
Address1: C/O RFR REALTY LLC
Address2: 275 MADISON AVENUE. 21ST FLR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 682-7643
EMail: NDUFFY@RFR.COM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 MADISON AVE (Continued)

A100168801

Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-05-19

Site Id: 3523
Affiliation Type: Facility Operator
Company Name: 275 MADISON AVENUE
Contact Type: Not reported
Contact Name: JOE JAGOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-7643
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 3523
Affiliation Type: Emergency Contact
Company Name: GP 275 MADISON LLC C/O RFR REALTY
Contact Type: Not reported
Contact Name: JAIME FLORES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 598-3944
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-05-19

Tank Info:

Tank Number: 001
Tank Id: 4984
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 MADISON AVE (Continued)

A100168801

above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1978
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

BR623
West
1/8-1/4
0.193 mi.
1019 ft.

GP 275 OWNER LLC
275 MADISON AVE - 21ST FLOOR
NEW YORK, NY 10016

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014399754
NYR000178434

Site 9 of 14 in cluster BR

Relative:
Higher

Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2012-01-13 00:00:00.0
Handler Name: GP 275 OWNER LLC
Handler Address: 275 MADISON AVE - 21ST FLOOR
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYR000178434
Contact Name: NEAL DUFFY
Contact Address: MADISON AVE - 21ST FLOOR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-682-7643
Contact Fax: Not reported
Contact Email: NDUFFY@RFRREALTY.COM
Contact Title: PORTFOLIO MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: MADISON AVE - 21ST FLOOR
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: GP 275 OWNER LLC
Owner Type: Private
Operator Name: GP 275 OWNER LLC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GP 275 OWNER LLC (Continued)

1014399754

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D007
Waste Description:	CHROMIUM

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GP 275 OWNER LLC
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GP 275 OWNER LLC (Continued)

1014399754

Date Became Current: 1998-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: GP 275 OWNER LLC
Legal Status: Private
Date Became Current: 1998-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: GP 275 OWNER LLC
Legal Status: Private
Date Became Current: 1998-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GP 275 OWNER LLC
Legal Status: Private
Date Became Current: 1998-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2012-01-13 00:00:00.0
Handler Name: GP 275 OWNER LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GP 275 OWNER LLC (Continued)

1014399754

Electronic Manifest Broker:	Not reported
Receive Date:	2010-10-04 00:00:00.0
Handler Name:	GP 275 OWNER LLC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYR000178434
Mail Address:	MADISON AVE - 21ST FLOOR
Mail City/State/Zip:	NEW YORK, NY 10016
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	NEAL DUFFY
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	007321879JJK
EPA ID:	NYR000178434
Date Shipped:	11/04/2010
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD054126164
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/04/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GP 275 OWNER LLC (Continued)

1014399754

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 11/15/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10016
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D007
Hand Code: H141
Quantity: 550 G

NY MANIFEST:

Name: GP 275 OWNER LLC
Address: 275 MADISON AVE - 21ST FLOOR
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYR000178434
Facility Status: Not reported
Location Address 1: 275 MADISON AVE - 21ST FLOOR
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000178434
Mailing Name: GP 275 OWNER LLC
Mailing Contact: GP 275 OWNER LLC
Mailing Address 1: 275 MADISON AVE - 21ST FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5168164765

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GP 275 OWNER LLC (Continued)

1014399754

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD054126164
Trans2 State ID:	Not reported
Generator Ship Date:	11/04/2010
Trans1 Recv Date:	11/04/2010
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/15/2010
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000178434
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	007321879JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	550
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	10
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.05
Waste Code:	D007
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BR624
WSW
1/8-1/4
0.194 mi.
1023 ft.
CON EDISON SERVICE BOX: 37E40THST
37 E 40TH ST
NEW YORK, NY 10016
Site 10 of 14 in cluster BR

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1016143878
NYP004266649

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 37E40THST
Handler Address: 37 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266649
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 37E40THST (Continued)

1016143878

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 15:04:41.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 37E40THST
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 37E40THST
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 37E40THST (Continued)

1016143878

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055431359

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143878
Registry ID: 110055431359
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055431359>
Name: CON EDISON SERVICE BOX: 37E40THST
Address: 37 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 37 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266649
Facility Status: Not reported
Location Address 1: 37 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7778
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266649
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 37E40THST (Continued)

1016143878

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/05/2012
Trans1 Recv Date:	09/05/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/05/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004266649
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010456332JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BR625
WSW
1/8-1/4
0.194 mi.
1023 ft.
CON EDISON SERVICE BOX: 37E40THST
37 E 40TH ST
NEW YORK, NY 10016
Site 11 of 14 in cluster BR

NJ MANIFEST
S117986108
N/A

Relative:
Higher

NJ MANIFEST:

Actual:
73 ft.

EPA Id: NYP004266649
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456332JJK
EPA ID: NYP004266649
Date Shipped: 9/5/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 37E40THST (Continued)

S117986108

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

BY626
East
1/8-1/4
0.195 mi.
1027 ft.

CON EDISON SERVICE BOX: 8608
209 E 44TH ST
NEW YORK, NY 10017
Site 1 of 4 in cluster BY

NJ MANIFEST S117986375
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
47 ft.

EPA Id: NYP004269601
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456608JJK
EPA ID: NYP004269601
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8608 (Continued)

S117986375

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

BY627
East
1/8-1/4
0.195 mi.
1027 ft.

CON EDISON SERVICE BOX: 8608
209 E 44TH ST
NEW YORK, NY 10017
Site 2 of 4 in cluster BY

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016144171
NYP004269601

Relative:
Lower

Actual:
47 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8608
Handler Address: 209 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269601
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8608 (Continued)

1016144171

State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 12:01:05.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8608 (Continued)

1016144171

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8608
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8608
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462306

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144171
Registry ID:	110055462306
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462306
Name:	CON EDISON SERVICE BOX: 8608
Address:	209 E 44TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8608 (Continued)

1016144171

City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 209 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269601
Facility Status: Not reported
Location Address 1: 209 E 44 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269601
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269601
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456608JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8608 (Continued)

1016144171

Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BZ628
ESE
1/8-1/4
0.195 mi.
1029 ft.

CON ED - V 2699
204 E 43RD ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1007205249
NYP000927988

Site 1 of 7 in cluster BZ

Relative:
Lower

Actual:
46 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 2699
Handler Address: 204 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000927988
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 2699 (Continued)

1007205249

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 2699 (Continued)

1007205249

Historic Generators:

Receive Date: 1998-02-27 00:00:00.0
Handler Name: CON ED - V 2699
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 2699
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-26 00:00:00.0
Handler Name: CON ED - V 2699
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BZ629
ESE
1/8-1/4
0.195 mi.
1029 ft.

CONSOLIDATED EDISON
204 E 43RD ST
NEW YORK, NY 10017
Site 2 of 7 in cluster BZ

NY MANIFEST **S117563589**
N/A

Relative:
Lower

Actual:
46 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 204 E 43RD ST
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYP000927988
Facility Status: Not reported
Location Address 1: LEONARDA STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563589

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: BROOKLYN
Location State: NY
Location Zip: 11201
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000927988
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB8468523
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 02/27/1997
Trans1 Recv Date: 02/27/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/28/1997
Part A Recv Date: 03/13/1997
Part B Recv Date: 03/11/1997
Generator EPA ID: NYP000927988
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563589

Quantity: 01367
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

CA630
SW
1/8-1/4
0.195 mi.
1030 ft.
GRIFFON THE
77 PARK AVE
NEW YORK, NY 10016
Site 1 of 5 in cluster CA

RCRA-VSQQ **1023679044**
NYR000230235

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-01-04 00:00:00.0
Handler Name: GRIFFON THE
Handler Address: 77 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYR000230235
Contact Name: JAMES R LETSEN
Contact Address: PARK AVE, 3RD FLOOR
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-340-9606
Contact Fax: 646-792-4804
Contact Email: Not reported
Contact Title: MANAGING AGENT
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: PARK AVE, 3RD FLOOR
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: THE BOARD OF MANAGERS OF THE 77 PARK AVENUE CONDOMINIUM
Owner Type: Private
Operator Name: CHARLES H GREENTHAL & CO
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRIFFON THE (Continued)

1023679044

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-01-10 13:36:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	THE BOARD OF MANAGERS OF THE 77 PARK AVENUE CONDOMINIUM
Legal Status:	Private
Date Became Current:	1986-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 PARK AVE, 3RD FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-340-9606
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRIFFON THE (Continued)

1023679044

Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CHARLES H GREENTHAL & CO
Legal Status: Private
Date Became Current: 2006-01-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2017-01-04 00:00:00.0
Handler Name: GRIFFON THE
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

CA631 77 PARK AVENUE CONDOMINIUM
SW 77 PARK AVENUE
1/8-1/4 NEW YORK, NY 10016
0.195 mi.
1030 ft. Site 2 of 5 in cluster CA

NY AST U004076355
N/A

Relative:
Higher

Actual:
73 ft.

AST:
Name: 77 PARK AVENUE CONDOMINIUM
Address: 77 PARK AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-112070
Program Type: PBS
UTM X: 586213.41856
UTM Y: 4511506.76568
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 3526
Affiliation Type: Facility Owner
Company Name: 77 PARK AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: Not reported
Address1: 4 PARK AVE - 3RD FLR
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

77 PARK AVENUE CONDOMINIUM (Continued)

U004076355

City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 340-9300
EMail: Not reported
Fax Number: Not reported
Modified By: HDDUPIGN
Date Last Modified: 2016-03-04

Site Id: 3526
Affiliation Type: Mail Contact
Company Name: CHARLES H. GREENTHAL MANAGEMENT
Contact Type: Not reported
Contact Name: JAMES R LETSEN
Address1: 4 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 340-9300
EMail: JLETSEN@GREENTHAL.COM
Fax Number: Not reported
Modified By: HDDUPIGN
Date Last Modified: 2016-03-15

Site Id: 3526
Affiliation Type: Facility Operator
Company Name: 77 PARK AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: THOMAS HOGAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 685-0940
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2006-05-05

Site Id: 3526
Affiliation Type: Emergency Contact
Company Name: 77 PARK AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: THOMAS HOGAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 685-0940
EMail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

77 PARK AVENUE CONDOMINIUM (Continued)

U004076355

Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2006-05-05

Tank Info:

Tank Number: 001
Tank Id: 4987
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
G02 - Tank Secondary Containment - Vault (w/access)
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: 10/16/1924
Capacity Gallons: 20000
Tightness Test Method: 21
Date Test: 12/02/2015
Next Test Date: Not reported
Date Tank Closed: 02/23/2016
Register: True
Modified By: BKFALVEY
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

BR632
West
1/8-1/4
0.198 mi.
1045 ft.

CVS PHARMACY #10764
292 MADISON AVE
NEW YORK, NY 10017
Site 12 of 14 in cluster BR

NY MANIFEST **S120959653**
N/A

Relative:
Higher
Actual:
71 ft.

NY MANIFEST:
Name: CVS PHARMACY #10764
Address: 292 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000230185
Facility Status: Not reported
Location Address 1: 292 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

S120959653

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000230185
Mailing Name: CVS PHARMACY #10764
Mailing Contact: CVS PHARMACY #10764
Mailing Address 1: 292 MADISON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: PAD982661381
Trans2 State ID: NJD071629976
Generator Ship Date: 10/03/2017
Trans1 Recv Date: 10/03/2017
Trans2 Recv Date: 10/09/2017
TSD Site Recv Date: 10/09/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000230185
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: RID040098352
TSDF ID 2: Not reported
Manifest Tracking Number: 010052727FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 12
Units: P - Pounds
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

S120959653

Container Type: BA - Burlap, plastic, paper bags
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: Not reported
Waste Code 1_2: D001
Waste Code 1_3: U002
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BR633
West
1/8-1/4
0.198 mi.
1045 ft.

CVS PHARMACY #10764
292 MADISON AVE
NEW YORK, NY 10017

RCRA-VSQG

1023679039
NYR000230185

Site 13 of 14 in cluster BR

Relative:
Higher
Actual:
71 ft.

RCRA Listings:
Date Form Received by Agency: 2016-12-28 00:00:00.0
Handler Name: CVS PHARMACY #10764
Handler Address: 292 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000230185
Contact Name: NICOLE WILKINSON
Contact Address: CVS DR, MAIL CODE 2340
Contact City,State,Zip: WOONSOCKET, RI 02895
Contact Telephone: 401-770-7132
Contact Fax: Not reported
Contact Email: NICOLE.WILKINSON@CVSHEALTH.COM
Contact Title: DIRECTOR, ENVIRONMENTAL MANAGEMENT
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CVS DR, MAIL CODE 2340
Mailing City,State,Zip: WOONSOCKET, RI 02895
Owner Name: 292 MADISON AVENUE LEASEHOLD, LLC
Owner Type: Private
Operator Name: CVS ALBANY LLC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

1023679039

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-01-04 14:55:51.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D004
Waste Description:	ARSENIC
Waste Code:	D005
Waste Description:	BARIUM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

1023679039

Waste Code:	D006
Waste Description:	CADMIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D008
Waste Description:	LEAD
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D024
Waste Description:	M-CRESOL
Waste Code:	D027
Waste Description:	1,4-DICHLOROBENZENE
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste Code:	P012
Waste Description:	ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE
Waste Code:	P075
Waste Description:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
Waste Code:	P188
Waste Description:	BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL-5-YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE
Waste Code:	U002
Waste Description:	2-PROPANONE (I) (OR) ACETONE (I)
Waste Code:	U010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

1023679039

Waste Description:	AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[[AMINOCARBONYLOXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C
Waste Code:	U031
Waste Description:	1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)
Waste Code:	U034
Waste Description:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
Waste Code:	U035
Waste Description:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U058
Waste Description:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
Waste Code:	U059
Waste Description:	5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN
Waste Code:	U070
Waste Description:	BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE
Waste Code:	U072
Waste Description:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
Waste Code:	U089
Waste Description:	DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-
Waste Code:	U122
Waste Description:	FORMALDEHYDE
Waste Code:	U129
Waste Description:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
Waste Code:	U132
Waste Description:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
Waste Code:	U150
Waste Description:	L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN
Waste Code:	U151
Waste Description:	MERCURY
Waste Code:	U154
Waste Description:	METHANOL (I) (OR) METHYL ALCOHOL (I)
Waste Code:	U165

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

1023679039

Waste Description:	NAPHTHALENE
Waste Code:	U188
Waste Description:	PHENOL
Waste Code:	U200
Waste Description:	RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
Waste Code:	U201
Waste Description:	1,3-BENZENEDIOL (OR) RESORCINOL
Waste Code:	U204
Waste Description:	SELENIOUS ACID (OR) SELENIUM DIOXIDE
Waste Code:	U205
Waste Description:	SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)
Waste Code:	U206
Waste Description:	D-GLUCOSE, 2-DEOXY-2-[[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN
Waste Code:	U210
Waste Description:	ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE
Waste Code:	U279
Waste Description:	U279
Waste Code:	U411
Waste Description:	U411

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	292 MADISON AVENUE LEASEHOLD, LLC
Legal Status:	Private
Date Became Current:	2015-12-04 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	885 THIRD AVE 19TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10022
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CVS ALBANY LLC
Legal Status:	Private
Date Became Current:	2016-11-20 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CVS PHARMACY #10764 (Continued)

1023679039

Historic Generators:

Receive Date:	2016-12-28 00:00:00.0
Handler Name:	CVS PHARMACY #10764
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BR634
West
1/8-1/4
0.198 mi.
1045 ft.

292 MADISON AVENUE
292 MADISON AVENUE
NEW YORK, NY 10017

NY AST **U001831628**
N/A

Site 14 of 14 in cluster BR

Relative:
Higher
Actual:
71 ft.

AST:

Name:	292 MADISON AVENUE
Address:	292 MADISON AVENUE
City,State,Zip:	NEW YORK, NY 10017
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-060828
Program Type:	PBS
UTM X:	586096.87494
UTM Y:	4511720.74462
Expiration Date:	05/22/2022
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	1032
Affiliation Type:	Mail Contact
Company Name:	292 MADISON AVENUE, LLC C/O VANBARTON GROUP, LLC
Contact Type:	OWNERS AGENT
Contact Name:	KEVIN NOONAN
Address1:	420 LEXINGTON VE, SUITE 900
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10170
Country Code:	001
Phone:	(212) 293-8833
EMail:	NOONAN@VANBARTONGROUP.COM
Fax Number:	Not reported
Modified By:	DMPOKRZY
Date Last Modified:	2017-05-22

Site Id:	1032
Affiliation Type:	Facility Operator
Company Name:	292 MADISON AVENUE
Contact Type:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 MADISON AVENUE (Continued)

U001831628

Contact Name: SANTOS MARTINEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 912-5505
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-05-22

Site Id: 1032
Affiliation Type: Emergency Contact
Company Name: 292 MADISON AVENUE, LLC C/O VANBARTON GROUP, LLC
Contact Type: Not reported
Contact Name: SANTOS MARTINEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 912-5505
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-05-22

Site Id: 1032
Affiliation Type: Facility Owner
Company Name: 292 MADISON AVENUE, LLC C/O VANBARTON GROUP, LLC
Contact Type: OWNERS AGENT
Contact Name: KEVIN NOONAN
Address1: 420 LEXINGTON VE, SUITE 900
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) 293-8833
EMail: NOONAN@VANBARTONGROUP.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-05-22

Tank Info:

Tank Number: 001
Tank Id: 2064
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 MADISON AVENUE (Continued)

U001831628

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 12/01/1972
Capacity Gallons: 11000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 09/01/1996
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 52452
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/1996
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 MADISON AVENUE (Continued)

U001831628

Last Modified: 05/22/2017
Material Name: #2 fuel oil (on-site consumption)

BT635
NNW
1/8-1/4
0.198 mi.
1045 ft.

CON EDISON SERVICE BOX: 50239
350 MADISON AVE
NEW YORK, NY 10036
Site 7 of 12 in cluster BT

NJ MANIFEST **S117986354**
N/A

Relative:
Higher

Actual:
59 ft.

NJ MANIFEST:
EPA Id: NYP004269338
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010457048JJK
EPA ID: NYP004269338
Date Shipped: 9/19/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 50239 (Continued)

S117986354

Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

BT636
NNW
1/8-1/4
0.198 mi.
1045 ft.

350 MADISON PROPERTIES LLC
350 MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR 1000550336
NY MANIFEST NYD986875706

Site 8 of 12 in cluster BT

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2009-07-01 00:00:00.0
Handler Name: 350 MADISON PROPERTIES LLC
Handler Address: 350 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD986875706
Contact Name: THOMAS ARROYO
Contact Address: MADISON AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-490-7103
Contact Fax: Not reported
Contact Email: TARROYO@HINES.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: MADISON AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: 350 MADISON PROPERTIES LLC
Owner Type: Private
Operator Name: HINES INTEREST
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1000550336

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	Yes
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:

Owner/Operator Name:

Legal Status:

Operator

HINES INTEREST

Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1000550336

Date Became Current: 2009-01-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MAY CAPITOL MGMT
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 350 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-297-0265
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MAY CAPITOL MGMT
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 350 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-297-0265
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MAY CAPITOL MGMT
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 350 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-297-0265
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 350 MADISON PROPERTIES LLC
Legal Status: Private
Date Became Current: 2005-01-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1000550336

Historic Generators:

Receive Date: 1999-07-08 00:00:00.0
Handler Name: MAY CAPITOL MGMT
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: MAY CAPITOL MGMT
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: MAY CAPITOL MGMT
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2000-08-02 00:00:00.0
Handler Name: MAY CAPITOL MGMT
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2009-07-01 00:00:00.0
Handler Name: 350 MADISON PROPERTIES LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1000550336

Large Quantity Handler of Universal Waste:	Yes
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	MAY CAPITOL MANAGEMENT
Address:	350 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYD986875706
Facility Status:	Not reported
Location Address 1:	350 MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD986875706
Mailing Name:	MAY CAPITOL MANAGEMENT
Mailing Contact:	R DUITOBILE
Mailing Address 1:	350 MADISON AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2122970265

NY MANIFEST:

Document ID:	NJA3189566
Manifest Status:	Not reported
seq:	01
Year:	2000
Trans1 State ID:	S8424
Trans2 State ID:	Not reported
Generator Ship Date:	11/04/2000
Trans1 Recv Date:	11/04/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/07/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986875706
Trans1 EPA ID:	NYD046765574
Trans2 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1000550336

TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

BT637 350 MADISON PROPERTIES LLC
NNW 350 MADISON AVE
1/8-1/4 NEW YORK, NY 10017
0.198 mi.
1045 ft. Site 9 of 12 in cluster BT

RCRA NonGen / NLR 1016144145
FINDS NYP004269338
ECHO
NY MANIFEST

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50239
Handler Address: 350 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10036
EPA ID: NYP004269338
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1016144145

Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 10:32:15.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1016144145

Manifest Broker: No
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2012-09-19 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50239
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 50239
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

FINDS:

Registry ID: 110004438047

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110024241275

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1016144145

environmental facility information found across the State.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016144145
Registry ID: 110024241275
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110024241275>
Name: 350 MADISON AVE BLDG
Address: 350 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

Envid: 1016144145
Registry ID: 110004438047
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004438047>
Name: 350 MADISON PROPERTIES LLC
Address: 350 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 350 MADISON AVE
City,State,Zip: NEW YORK, NY 10036
Country: USA
EPA ID: NYP004269338
Facility Status: Not reported
Location Address 1: F/O 350 MADISON AVE & 45 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10036
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269338
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/19/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON PROPERTIES LLC (Continued)

1016144145

Trans1 Recv Date: 09/19/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/19/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269338
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010457048JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

BT638 **350 MADISON AVENUE**
NNW **350 MADISON AVENUE**
1/8-1/4 **NEW YORK, NY 10017**
0.198 mi.
1045 ft. **Site 10 of 12 in cluster BT**

NY AST **A100194257**
 N/A

Relative: **AST:**
Higher Name: 350 MADISON AVENUE
 Address: 350 MADISON AVENUE
Actual: City,State,Zip: NEW YORK, NY 10017
59 ft. Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-607240
 Program Type: PBS
 UTM X: 586257.63473

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON AVENUE (Continued)

A100194257

UTM Y: 4512019.54270
Expiration Date: 03/06/2023
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29093
Affiliation Type: Mail Contact
Company Name: 350 MADISON AQUISITIONS LLC C/O RFR REALTY LLC
Contact Type: Not reported
Contact Name: JOSEPH MCFADDEN
Address1: 350 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 490-7103
EMail: JMCFADDEN@RFR.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2016-05-17

Site Id: 29093
Affiliation Type: Facility Operator
Company Name: 350 MADISON AVENUE
Contact Type: Not reported
Contact Name: MICHAEL MCLOUGHLIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 490-7103
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 29093
Affiliation Type: Emergency Contact
Company Name: 350 MADISON PROPERTIES, LLC
Contact Type: Not reported
Contact Name: MICHAEL MCLOUGHLIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 597-0257
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2010-10-14

Site Id: 29093
Affiliation Type: Facility Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 MADISON AVENUE (Continued)

A100194257

Company Name: 350 MADISON AQUISITIONS LLC
Contact Type: VP PROTFOlio MANAGER
Contact Name: JOSEPH MCFADDEN
Address1: 350 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 490-7103
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2018-01-22

Tank Info:

Tank Number: 001
Tank Id: 62598
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I01 - Overfill - Float Vent Valve
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
E12 - Piping Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/23/2001
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 01/22/2018
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BN639
NW
1/8-1/4
0.198 mi.
1048 ft.

V3686/V4593
22 E. 44 ST
NEW YORK CITY, NY 10017

Site 3 of 6 in cluster BN

RCRA NonGen / NLR
NY MANIFEST

1007207292
NYP004042164

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V3686/V4593
Handler Address: 22 E. 44 ST
Handler City,State,Zip: NEW YORK CITY, NY 10017
EPA ID: NYP004042164
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V3686/V4593 (Continued)

1007207292

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V3686/V4593
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V3686/V4593
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V3686/V4593 (Continued)

1007207292

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V3686/V4593
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	22 E. 44 ST
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004042164
Facility Status:	Not reported
Location Address 1:	V3686-V4593-22 E 44TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10027
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004042164
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0403362
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	SM1563
Trans2 State ID:	Not reported
Generator Ship Date:	08/29/1999
Trans1 Recv Date:	08/29/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V3686/V4593 (Continued)

1007207292

TSD Site Recv Date: 08/30/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004042164
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01171
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BN640 **MH8595**
NW **22 E. 44 ST.**
1/8-1/4 **NEW YORK CITY, NY 10017**
0.198 mi.
1048 ft. **Site 4 of 6 in cluster BN**

RCRA NonGen / NLR **1007207293**
NY MANIFEST **NYP004042172**

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: MH8595
Handler Address: 22 E. 44 ST.
Handler City,State,Zip: NEW YORK CITY, NY 10017
EPA ID: NYP004042172
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH8595 (Continued)

1007207293

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC.
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH8595 (Continued)

1007207293

Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	MH8595
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	MH8595
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-01 00:00:00.0
Handler Name:	MH8595
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	22 E. 44 ST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH8595 (Continued)

1007207293

City,State,Zip: NEW YORK CITY, NY 10017
Country: USA
EPA ID: NYP004042172
Facility Status: Not reported
Location Address 1: MH8595-22 E 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004042172
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0403353
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: SM1563
Trans2 State ID: Not reported
Generator Ship Date: 08/29/1999
Trans1 Recv Date: 08/29/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/30/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004042172
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MH8595 (Continued)

1007207293

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 04371
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

BN641 **CON EDISON MANHOLE 8595**
NW **22 E 44 ST**
1/8-1/4 **NEW YORK, NY 10017**
0.198 mi.
1048 ft. **Site 5 of 6 in cluster BN**

NJ MANIFEST **S120665853**
N/A

Relative:
Higher

NJ MANIFEST:

Actual:
60 ft.

EPA Id: NYP004228157
Mail Address: IRVING PLACE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: DENNIS HUACON
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 007660452JJK
EPA ID: NYP004228157
Date Shipped: 2/17/2011
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8595 (Continued)

S120665853

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 13,500.00 Pounds

BN642
NW
1/8-1/4
0.198 mi.
1048 ft.

CON EDISON MANHOLE 8595
22 E 44TH ST & MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR **1014957399**
NY MANIFEST **NYP004228157**

Site 6 of 6 in cluster BN

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2011-03-19 00:00:00.0
Handler Name: CON EDISON MANHOLE 8595
Handler Address: 22 E 44TH ST & MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004228157
Contact Name: DANIELLE SIERRA
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OFFICE ASSISTANT L1-2
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8595 (Continued)

1014957399

Mailing Address:	4 IRVING PL, 15TH NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-09-11 15:02:11.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8595 (Continued)

1014957399

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2011

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2011-02-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE, 15TH FL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2011-02-17 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE, 15TH FL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2012-03-06 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 8595
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-02-17 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8595
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8595 (Continued)

1014957399

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2011-03-19 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8595
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	22 E 44TH ST & MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004228157
Facility Status:	Not reported
Location Address 1:	22 E 44 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004228157
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8595 (Continued)

1014957399

Generator Ship Date: 02/17/2011
Trans1 Recv Date: 02/17/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/17/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004228157
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 007660452JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 13500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

643
NNW
1/8-1/4
0.199 mi.
1050 ft.
Relative:
Higher
Actual:
60 ft.

ROOSEVELT HOTEL
45 EAST 45TH STREET
NEW YORK, NY 10017

AST:

Name: ROOSEVELT HOTEL
Address: 45 EAST 45TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-603599

NY AST
NY Spills
RCRA NonGen / NLR
ICIS
US AIRS
NY MANIFEST

1001119505
NYR000027920

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Program Type: PBS
UTM X: 586345.38394
UTM Y: 4512009.88958
Expiration Date: 03/09/2024
Site Type: Other

Affiliation Records:

Site Id: 25512
Affiliation Type: Mail Contact
Company Name: ROOSEVELT HOTEL CORP.
Contact Type: Not reported
Contact Name: MR. JOHN MEADE
Address1: 45 EAST 45TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 885-6110
EMail: JMEADE@ROOSEVELTNYC.COM
Fax Number: Not reported
Modified By: DMMOLOUG
Date Last Modified: 2014-02-06

Site Id: 25512
Affiliation Type: Facility Operator
Company Name: ROOSEVELT HOTEL
Contact Type: Not reported
Contact Name: MR. JOHN MEADE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 885-6112
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2012-05-01

Site Id: 25512
Affiliation Type: Emergency Contact
Company Name: RHC OPERATING, LLC
Contact Type: Not reported
Contact Name: MR. JOHN MEADE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 885-6112
EMail: Not reported
Fax Number: Not reported
Modified By: DMMOLOUG
Date Last Modified: 2014-02-06

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Site Id: 25512
Affiliation Type: Facility Owner
Company Name: RHC OPERATING, LLC
Contact Type: DIRECTOR OF ENGINEERING
Contact Name: JOHN MEADE
Address1: 45 EAST 45TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-9600
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-01-14

Tank Info:

Tank Number: 001
Tank Id: 54911
Material Code: 0002
Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/1950
Capacity Gallons: 12500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 08/08/2009
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 54912

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/1950
Capacity Gallons: 18500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 08/08/2009
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 003
Tank Id: 67562
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
L00 - Piping Leak Detection - None
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Install Date: 01/01/1950
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 01/14/2019
Material Name: diesel

SPILLS:

Name: ROOSEVELT HOTEL
Address: 45 E 45TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9912831 / 2003-03-04
Facility ID: 9912831
Facility Type: ER
DER Facility ID: 226326
Site ID: 278744
DEC Region: 2
Spill Cause: Unknown
Spill Class: B3
SWIS: 3101
Spill Date: 2000-02-10
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 2000-02-10
CID: 365
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-02-10
Spill Record Last Update: 2003-03-04
Spiller Name: ALBA
Spiller Company: ROOSEVELT HOTEL
Spiller Address: 45 E 45TH ST
Spiller Company: 001
Contact Name: ALBA
DEC Memo: ""
Remarks: "a couple of hundred gallons were spilled into the tank room - at this time they are trying to clean up & make a determination as to the cause"

All Materials:

Site ID: 278744
Operable Unit ID: 1091534
Operable Unit: 01
Material ID: 294697
Material Code: 0002A
Material Name: #4 fuel oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Case No.: Not reported
Material FA: Petroleum
Quantity: 200.00
Units: G
Recovered: .00
Oxygenate: Not reported

RCRA Listings:

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: ROOSEVELT HOTEL
Handler Address: 45 W 45TH ST - MAINT BASEMENT
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000027920
Contact Name: Not reported
Contact Address: W 45TH ST - MAINT BASEMENT
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: W 45TH ST - MAINT BASEMENT
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: ROOSEVELT HOTEL CORP NV
Owner Type: Private
Operator Name: ROOSEVELT HOTEL CORP NV
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ROOSEVELT HOTEL CORP NV
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 W 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-885-6140
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ROOSEVELT HOTEL CORP NV
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 W 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-885-6140

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	ROOSEVELT HOTEL CORP NV
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 W 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-885-6140
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	ROOSEVELT HOTEL
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	ROOSEVELT HOTEL
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	ROOSEVELT HOTEL
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1996-08-09 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Handler Name:	ROOSEVELT HOTEL
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

ICIS:

Enforcement Action ID:	NY000A0000262040075000304
FRS ID:	110012641739
Action Name:	Not reported
Facility Name:	ROOSEVELT HOTEL
Facility Address:	45 EAST 45TH STREET NEW YORK, NY 10017
Enforcement Action Type:	Administrative Order
Facility County:	NEW YORK
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	SCAAAO
Facility SIC Code:	7011
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	40.754525
Longitude in Decimal Degrees:	-73.977386
Permit Type Desc:	Not reported
Program System Acronym:	NY0000002620400750
Facility NAICS Code:	221112
Tribal Land Code:	Not reported

Enforcement Action ID:	NY000A0000262040075000301
FRS ID:	110012641739
Action Name:	Not reported
Facility Name:	ROOSEVELT HOTEL
Facility Address:	45 EAST 45TH STREET NEW YORK, NY 10017
Enforcement Action Type:	Notice of Violation
Facility County:	NEW YORK
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NOV
Facility SIC Code:	7011
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	40.754525
Longitude in Decimal Degrees:	-73.977386
Permit Type Desc:	Not reported
Program System Acronym:	NY0000002620400750
Facility NAICS Code:	221112
Tribal Land Code:	Not reported

US AIRS (AFS):

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Envid: 1001119505
Region Code: 02
County Code: NY061
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
D and B Number: Not reported
Facility Site Name: ROOSEVELT HOTEL
Primary SIC Code: 7011
NAICS Code: 221112
Default Air Classification Code: SMI
Facility Type of Ownership Code: Not reported
Air CMS Category Code: Not reported
HPV Status: ADDRESSED HPV

US AIRS (AFS):

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-11-21 00:00:00
Activity Status Date: 2002-11-21 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-07-29 00:00:00
Activity Status Date: 2002-07-29 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-07-26 00:00:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Activity Status Date: 2002-11-21 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 1999-08-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-11-21 00:00:00
Activity Status Date: 2002-11-21 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-07-29 00:00:00
Activity Status Date: 2002-07-29 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Envid: 1001119505
Region Code: 02
County Code: NY061
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
D and B Number: Not reported
Facility Site Name: ROOSEVELT HOTEL
Primary SIC Code: 7011
NAICS Code: 721110
Default Air Classification Code: SMI
Facility Type of Ownership Code: Not reported
Air CMS Category Code: Not reported
HPV Status: ADDRESSED HPV

US AIRS (AFS):
Region Code: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-11-21 00:00:00
Activity Status Date: 2002-11-21 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-07-29 00:00:00
Activity Status Date: 2002-07-29 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-07-26 00:00:00
Activity Status Date: 2002-11-21 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 1999-08-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-11-21 00:00:00
Activity Status Date: 2002-11-21 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Resolved

Region Code: 02
Programmatic ID: AIR NY0000002620400750
Facility Registry ID: 110012641739
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Title V Permits
Activity Date: 2002-07-29 00:00:00
Activity Status Date: 2002-07-29 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

NY MANIFEST:

Name: ROOSEVELT HOTEL CORPORATION
Address: 45 W 45TH ST - MAINT BASEMENT
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000027920
Facility Status: Not reported
Location Address 1: 45 EAST 45TH STREET SUITE 1900
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10103
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000027920
Mailing Name: ROOSEVELT HOTEL CORPORATION
Mailing Contact: ALFRED MATTER
Mailing Address 1: 45 EAST 45TH STREET SUITE 1900
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10103
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128856001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROOSEVELT HOTEL (Continued)

1001119505

NY MANIFEST:

Document ID: NYB7101783
Manifest Status: C
seq: Not reported
Year: 1996
Trans1 State ID: PAAA51875
Trans2 State ID: Not reported
Generator Ship Date: 09/12/1996
Trans1 Recv Date: 09/12/1996
Trans2 Recv Date: / /
TSD Site Recv Date: 09/13/1996
Part A Recv Date: / /
Part B Recv Date: 10/01/1996
Generator EPA ID: NYR000027920
Trans1 EPA ID: PAD008781072
Trans2 EPA ID: Not reported
TSD ID 1: NYD057770109
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 22140
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 100

CB644
NW
1/8-1/4
0.200 mi.
1055 ft.
CON EDISON
16 E 43RD ST
NEW YORK, NY 10017
Site 1 of 9 in cluster CB

RCRA NonGen / NLR **1016144024**
NY MANIFEST **NYP004268116**

Relative:
Higher

Actual:
63 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-21 00:00:00.0
Handler Name: CON EDISON
Handler Address: 16 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004268116
Contact Name: THOMAS TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016144024

Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016144024

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDU Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-03-21 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-21 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	16 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004268116
Facility Status:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016144024

Location Address 1: 16 E 43RD ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004268116
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/13/2012
Trans1 Recv Date: 09/13/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/13/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004268116
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456574JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1016144024

Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CB645
NW
1/8-1/4
0.200 mi.
1055 ft.**

**CONSOLIDATED EDISON
16 E 43 ST
NEW YORK, NY 10017
Site 2 of 9 in cluster CB**

**NY MANIFEST S117563623
N/A**

**Relative:
Higher**

**Actual:
63 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 16 E 43 ST
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYP000929141
Facility Status: Not reported
Location Address 1: VS4307-MCDONALD & QUENTIN
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: BROOKLYN
Location State: NY
Location Zip: 11201
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000929141
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYG0124146
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 20855AD
Trans2 State ID: Not reported
Generator Ship Date: 03/24/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563623

Trans1 Recv Date: 03/24/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 03/24/1997
Part A Recv Date: 04/08/1997
Part B Recv Date: 04/08/1997
Generator EPA ID: NYP000929141
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01690
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

CB646
NW
1/8-1/4
0.200 mi.
1055 ft.
CON EDISON
16 E 43 ST
NEW YORK, NY 10017
Site 3 of 9 in cluster CB

NY MANIFEST **S118087976**
N/A

Relative: NY MANIFEST:
Higher Name: CON EDISON
Address: 16 E 43 ST
Actual: City,State,Zip: NEW YORK, NY 10017
63 ft. Country: USA
EPA ID: NYP004755062
Facility Status: Not reported
Location Address 1: 16 E 43 ST
Code: BP
Location Address 2: MH 8412
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087976

NY MANIFEST:

EPAID: NYP004755062
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/21/2015
Trans1 Recv Date: 03/21/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/24/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004755062
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611514GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118087976

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CB647
NW
1/8-1/4
0.200 mi.
1055 ft.**

**CON EDISON
16 E 43RD ST
NEW YORK, NY 10017**

NJ MANIFEST

**S117986240
N/A**

Site 4 of 9 in cluster CB

**Relative:
Higher**

NJ MANIFEST:

**Actual:
63 ft.**

EPA Id: NYP004268116
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456574JJK
EPA ID: NYP004268116
Date Shipped: 9/13/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117986240

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 3,000.00 Pounds

CB648
NW
1/8-1/4
0.200 mi.
1055 ft.

CON ED - V 5331
16 E 43 ST
NEW YORK, NY 10017
Site 5 of 9 in cluster CB

RCRA NonGen / NLR **1007205306**
NYP000929141

Relative:
Higher
Actual:
63 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 5331
Handler Address: 16 E 43 ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000929141
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5331 (Continued)

1007205306

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5331 (Continued)

1007205306

Historic Generators:

Receive Date: 1998-02-27 00:00:00.0
Handler Name: CON ED - V 5331
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 5331
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-26 00:00:00.0
Handler Name: CON ED - V 5331
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

649
SE
1/8-1/4
0.200 mi.
1055 ft.

PFIZER
219 EAST 42ND STREET
NEW YORK, NY 10017

NY AST A100295525
N/A

Relative:
Lower

AST:

Actual:
43 ft.

Name: PFIZER
Address: 219 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610034

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER (Continued)

A100295525

Program Type: PBS
UTM X: 586682.38284
UTM Y: 4511558.32988
Expiration Date: 07/10/2023
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 354264
Affiliation Type: Mail Contact
Company Name: PFIZER INC.
Contact Type: DIRECTOR NYHQ SITE OPERATIONS
Contact Name: GEORGE MARTINEZ
Address1: 235 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 733-2332
EMail: GEORGE.MARTINEZ@PFIZER.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-08-18

Site Id: 354264
Affiliation Type: Emergency Contact
Company Name: PFIZER INC.
Contact Type: Not reported
Contact Name: CARLO MANNUZZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 733-3890
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-08-18

Site Id: 354264
Affiliation Type: Facility Owner
Company Name: 219/235 EAST LLC
Contact Type: DIRECTOR NYHQ SITE OPERATIONS
Contact Name: GEORGE MARTINEZ
Address1: 235 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 733-2332
EMail: GEORGE.MARTINEZ@PFIZER.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-01-31

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER (Continued)

A100295525

Site Id: 354264
Affiliation Type: Facility Operator
Company Name: PFIZER
Contact Type: Not reported
Contact Name: CARLO MANUZZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 733-3890
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-01-31

Tank Info:

Tank Number: 1
Tank Id: 208428
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/2004
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 01/31/2019
Material Name: diesel

Tank Number: 1B
Tank Id: 220700

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER (Continued)

A100295525

Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
G02 - Tank Secondary Containment - Vault (w/access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 10/01/2004

Capacity Gallons: 275

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: JSMACRI

Last Modified: 01/31/2019

Material Name: diesel

BZ650 **AVIS RENT A CAR SYSTEM INC.**
ESE **217 E. 43RD STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.200 mi.
1055 ft. **Site 3 of 7 in cluster BZ**

NY Spills **1007205113**
RCRA NonGen / NLR **NYP000910653**
NY MANIFEST

Relative:
Lower

Actual:
48 ft.

SPILLS:

Name: SOIL - AVIS CAR RENTAL
Address: 217 E 43RD ST
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 1215225 / 2014-03-13
Facility ID: 1215225
Facility Type: ER
DER Facility ID: 433780
Site ID: 478512
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2013-02-01
Investigator: SXMAHAT
Referred To: Not reported
Reported to Dept: 2013-02-01
CID: Not reported
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2013-02-01
Spill Record Last Update: 2014-03-13
Spiller Name: Not reported
Spiller Company: AVIS
Spiller Address: Not reported
Spiller Company: 999
Contact Name: CHARLES GUDER
DEC Memo: "03/06/13 Rec'd Investigation Summary report prepared by TRC. Three 600 gallon USTs were removed along with associated pipings. USTs were used for fueling rental cars. The surrounding properties are occupied by high rise residential and commercial structures. The tanks were found to be in good condition, free of pitting and perforations. Underground fill and vent pipes were removed along with dispenser, dispenser pans. Petroleum contamination observed in the pea gravel bedding below the USTs and on the ground water in the excavation. The standing water level was observed to be approx 4 ft below the top of the basement slab. The pea gravel bedding material was removed from the excavation for disposal. During excavation activities, approx 13,000 gallons of ground water were pumped out. Following excavation, neither a petroleum sheen nor separate phase liquid were observed on groundwater in the excavation. Bed rock present immediately below the tank excavation. Therefore, it was not possible to collect post excavation soil samples for lab analysis. A ground water sample was collected for analysis from the tank excavation. VOCs in ground water, Benzene 6.6 ug/l, Toluene 21 ug/L, Napthalene 16 ug/l, Xylenes 78 ug/L. Application of ORC is proposed by TRC. One 2 monitoring well will be installed in the excavation. (sr) 1/14/14: Mahat A spill closure report was received from Mr. Charles Guder (TRC Companines Inc.) requesting to review the case with an appeal for closure. Spill is transfered to DEC Mahat as per DEC Demeo. Report is under review at the moment. 1/15/14: Mahat A phone call was received from Mr. Dan Warren (Project Manager @ 917.232.9837) inquiring the status of the case review. 1/22/14: Mahat A complete case review on the spill has been performed. 2/1/13: On February 1, 2013, during UST removal, olfactory indications of petroleum contamination were observed in the pea gravel bedding below the USTs. Visual indications of petroleum contamination were observed in the groundwater in the excavation as well. NYSDEC was notified and Spill Case No. 12- 15225 was assigned. Additionally, bituminous waterproofing material was observed directly beneath the basement floor slab. 3/1/13: TRC s subcontractor, Brookside Environmental, Inc. (Brookside), completed removal of the three (3) USTs during January and February 2013. TRC maintained a full-time inspector on-Site during performance of the work. A Petroleum Bulk Storage (PBS) Notification for Tank Closure was submitted to NYSDEC by TRC and Brookside submitted a tank closure affidavit to New York City Fire Department(FDNY). A PBS registration change notification documenting the closure has been submitted to the NYSDEC by ABG. 3/19/13: On March 19, 2013, TRC advanced six (6) borings around the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

vicinity of the UST excavation to confirm the presence of bedrock beneath the basement floor slab. Results of analysis of the soil sample indicate that naphthalene was the only VOC. Naphthalene is a common constituent of bituminous waterproofing. Considering that naphthalene was the only petroleum-related compound detected in soil, the detected concentration of naphthalene in soil is attributable to the building waterproofing and not a gasoline release from historic fueling operations. Conclusions and Recommendations Based on the existing environmental conditions of the Site and the findings of the QHHEA, the following can be concluded: 1. The sources of historic petroleum impacts to soil and groundwater at the Site [three (3) 600-gallon gasoline USTs and associated piping and appurtenances] have been removed from the Site. 2. Bedrock is present either immediately below, or within one (1) foot of, the basement floor slab. There are no contaminants of concern in soil at the Site. 3. The results of analyses of groundwater samples collected from monitoring well TRC-MW-2 indicate residual gasoline-related VOCs are present at concentrations marginally above drinking water standards. However, there are no complete exposure pathways for petroleum-impacted groundwater at the Site. Therefore, exposure to petroleum-related VOCs in groundwater is not a concern at the Site. Based on these conclusions, no further groundwater sampling, investigation or remedial action is recommended. TRC respectfully requests NYSDEC approval for no further action (i.e., no further investigation or remedial actions) and closure of NYSDEC Spill Case 12-15225. 2/4/14: Mahat A call was received from Mr. Warren inquiring the status of the case status. 3/12/14: Mahat Entire report(edocs) from both Environmental consultant (PR and AP) has been reviewed. Based on the report, the Department will not conduct any further investigation on the site. The Department decided to close the spill, however the level of contamination is little above TOGS standard. Spill closure letter is sent to the property manager."

Remarks: "Caller advised found contamination in the process of removal of tanks. Clean up is pending."

All Materials:

Site ID: 478512
Operable Unit ID: 1228284
Operable Unit: 01
Material ID: 2225862
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

RCRA Listings:

Date Form Received by Agency: 1994-05-26 00:00:00.0
Handler Name: AVIS RENT A CAR SYSTEM INC.
Handler Address: 217 E. 43RD STREET
Handler City, State, Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000910653
Contact Name: ROSE PELINO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

Contact Address:	900 OLD COUNTRY ROAD
Contact City,State,Zip:	GARDEN CITY, NY 11530-0000
Contact Telephone:	516-222-4735
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	900 OLD COUNTRY ROAD
Mailing City,State,Zip:	GARDEN CITY, NY 11530-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDU Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1994-05-25 00:00:00.0
Handler Name:	AVIS RENT A CAR SYSTEM INC.
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1994-05-26 00:00:00.0
Handler Name:	AVIS RENT A CAR SYSTEM INC.
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1994-05-24 00:00:00.0
Handler Name:	AVIS RENT A CAR SYSTEM INC.
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	AVIS GARAGE
Address:	217 E. 43RD STREET
City,State,Zip:	NEW YORK, NY 10017-0000
Country:	USA
EPA ID:	NYP000910653
Facility Status:	Not reported
Location Address 1:	217 E 43RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000910653
Mailing Name:	AVIS GARAGE
Mailing Contact:	N/S
Mailing Address 1:	217 E 43RD ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	N/S

NY MANIFEST:

Document ID:	CTF0278432
Manifest Status:	K
seq:	Not reported
Year:	1993
Trans1 State ID:	PP1384
Trans2 State ID:	Not reported
Generator Ship Date:	09/22/1993
Trans1 Recv Date:	09/22/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/27/1993
Part A Recv Date:	/ /
Part B Recv Date:	10/21/1993
Generator EPA ID:	NYP000910653
Trans1 EPA ID:	NYD986910222
Trans2 EPA ID:	Not reported
TSDf ID 1:	CTD021816889
TSDf ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM INC. (Continued)

1007205113

Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01025
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

CC651
SSW
1/8-1/4
0.200 mi.
1058 ft.

CON ED
136 E 39 ST
NEW YORK, NY 10016
Site 1 of 2 in cluster CC

NY MANIFEST **S118463551**
N/A

Relative:
Higher
Actual:
58 ft.

NY MANIFEST:
Name: CON ED
Address: 136 E 39 ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004853376
Facility Status: Not reported
Location Address 1: 136 E 39 ST
Code: BP
Location Address 2: SB 5576
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004853376
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118463551

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/14/2015
Trans1 Recv Date:	10/14/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/20/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004853376
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002612672GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BU652
NNE
1/8-1/4
0.202 mi.
1067 ft.

245 PARK AVE
245 PARK AVENUE
NEW YORK, NY 10017

Site 2 of 8 in cluster BU

NY AST **A100291908**
N/A

Relative:
Higher

Actual:
59 ft.

AST:
Name: 245 PARK AVE
Address: 245 PARK AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608661
Program Type: PBS
UTM X: 586502.60511
UTM Y: 4512049.50531
Expiration Date: 05/05/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 30513
Affiliation Type: Facility Owner
Company Name: 245 PARK AVENUE PROPERTY LLC
Contact Type: PROPERTY MANAGER
Contact Name: SUSAN BUSCIOLANO
Address1: 245 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10167
Country Code: 001
Phone: (212) 878-1500
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-11-06

Site Id: 30513
Affiliation Type: Mail Contact
Company Name: 245 PARK AVENUE PROPERTY LLC
Contact Type: Not reported
Contact Name: SUSAN BUSCIOLANO
Address1: 245 PARK AVENUE
Address2: 32ND FLOOR
City: NEW YORK
State: NY
Zip Code: 10167
Country Code: 001
Phone: (212) 878-1500
EMail: SUSAN.BUSCIOLANO@BROOKFIELD.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-11-06

Site Id: 30513
Affiliation Type: Facility Operator
Company Name: 245 PARK AVE
Contact Type: Not reported
Contact Name: SUSAN BUSCIOLANO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 PARK AVE (Continued)

A100291908

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 878-1500
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2013-03-19

Site Id: 30513
Affiliation Type: Emergency Contact
Company Name: BFP 245 PARK CO LLC
Contact Type: Not reported
Contact Name: BROOKFIELD SECURITY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 878-1500
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2012-12-20

Tank Info:

Tank Number: 001
Tank Id: 65464
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
H05 - Tank Leak Detection - In-Tank System (ATG)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 12/01/2002
Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 PARK AVE (Continued)

A100291908

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 08/28/2012
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 65465
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
H05 - Tank Leak Detection - In-Tank System (ATG)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 12/01/2002
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 08/28/2012
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 003
Tank Id: 67551
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 PARK AVE (Continued)

A100291908

Tank Location: C01 - Pipe Location - Aboveground
F06 - Pipe External Protection - Wrapped
J02 - Dispenser - Suction Dispenser
G01 - Tank Secondary Containment - Diking (Aboveground)
I05 - Overfill - Vent Whistle
H05 - Tank Leak Detection - In-Tank System (ATG)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 08/01/2003
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 06/14/2012
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 004
Tank Id: 245862
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E12 - Piping Secondary Containment - Double-Walled (AG only)
F06 - Pipe External Protection - Wrapped
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
J07 - Dispenser - Loading Rack/Transfer Pump
G01 - Tank Secondary Containment - Diking (Aboveground)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/10/2012
Capacity Gallons: 4100
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 11/06/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 PARK AVE (Continued)

A100291908

Tank Number: 005
Tank Id: 247507
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
I03 - Overfill - Automatic Shut-Off
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
J06 - Dispenser - Tank Mounted Dispenser
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
E12 - Piping Secondary Containment - Double-Walled (AG only)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/18/2013
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 11/06/2017
Material Name: diesel

Tank Number: 006
Tank Id: 247508
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J06 - Dispenser - Tank Mounted Dispenser
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
E12 - Piping Secondary Containment - Double-Walled (AG only)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated

Tank Location:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 PARK AVE (Continued)

A100291908

Tank Type: above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/18/2013
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 11/06/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 007
Tank Id: 258458

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
C01 - Pipe Location - Aboveground
J00 - Dispenser - None
G12 - Tank Secondary Containment - Double-Walled (AG only)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/01/1992
Capacity Gallons: 200
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 11/06/2017
Material Name: diesel

BU653 **PADD 1**
NNE **245 PARK AVE**
1/8-1/4 **NEW YORK, NY 10167**
0.202 mi.
1067 ft. **Site 3 of 8 in cluster BU**

Relative: **FINDS:**
Higher Registry ID: 110070243689
Actual:
59 ft.

FINDS **1016153269**
FUELS PROGRAM **N/A**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADD 1 (Continued)

1016153269

Click Here:

Environmental Interest/Information System:

ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name:	PADD 1
Address:	245 PARK AVE
Address 2:	Not reported
City,State,Zip:	NEW YORK, NY 10167
Program Type:	Gasoline
Company Seq. ID:	5850
Business Activity:	Non-Renewable Fuels Importer, Oxygenate Blender, PADD Importer
Company Name:	Bear Stearns NY Inc
Company Address:	245 Park Ave
	New York, NY 10167
Facility ID:	00001
Facility Type:	Gas/Ethanol
Facility Activity:	Non Renewable Fuels Importer
Subject to 80.1403:	Not reported
Fuel Only For Off Road:	Yes
Fuel Created:	Not reported
D Code:	Not reported
OTAQ Program ID:	OTAQREG10023384

BU654
NNE
1/8-1/4
0.202 mi.
1067 ft.

WESTINGHOUSE ELECTRIC CORP
245 PARK AVE
NEW YORK, NY 10167

RCRA NonGen / NLR **1000413057**
NY MANIFEST **NYD986893436**

Site 4 of 8 in cluster BU

Relative:
Higher

Actual:
59 ft.

RCRA Listings:	
Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	WESTINGHOUSE ELECTRIC CORP
Handler Address:	245 PARK AVE
Handler City,State,Zip:	NEW YORK, NY 10167
EPA ID:	NYD986893436
Contact Name:	Not reported
Contact Address:	DAVIS RD
Contact City,State,Zip:	LAGRANGE, NY 30240
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	DAVIS RD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Mailing City,State,Zip:	LAGRANGE, NY 30240
Owner Name:	OLYMPIA & YORK CO USA
Owner Type:	Private
Operator Name:	OLYMPIA & YORK CO USA
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OLYMPIA & YORK CO USA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OLYMPIA & YORK CO USA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OLYMPIA & YORK CO USA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1993-10-29 00:00:00.0
Handler Name:	WESTINGHOUSE ELECTRIC CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Receive Date: 2006-01-01 00:00:00.0
Handler Name: WESTINGHOUSE ELECTRIC CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: WESTINGHOUSE ELECTRIC CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1990-03-20 00:00:00.0
Handler Name: WESTINGHOUSE ELECTRIC CORP
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1992-01-31 00:00:00.0
Handler Name: WESTINGHOUSE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1994-05-19 00:00:00.0
Handler Name: WESTINGHOUSE AT CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	1993-10-29 00:00:00.0
Evaluation Responsible Agency:	EPA Contractor/Grantee
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R2TRC
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

NY MANIFEST:

Name:	WESTINGHOUSE ELECTRIC CORP
Address:	245 PARK AVE
City,State,Zip:	NEW YORK, NY 10167
Country:	USA
EPA ID:	NYD986893436
Facility Status:	Not reported
Location Address 1:	245 PARK AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10167
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD986893436
Mailing Name:	WESTINGHOUSE ELECTRIC CORP
Mailing Contact:	R HURT
Mailing Address 1:	1834 DAVIS ROAD
Mailing Address 2:	Not reported
Mailing City:	LA GRANGE
Mailing State:	GA
Mailing Zip:	30240
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2126614790

NY MANIFEST:

Document ID:	ARA5065660
Manifest Status:	K
seq:	Not reported
Year:	1991
Trans1 State ID:	PC936H245
Trans2 State ID:	Not reported
Generator Ship Date:	06/20/1991
Trans1 Recv Date:	06/20/1991
Trans2 Recv Date:	/ /
TSD Site Recv Date:	06/24/1991
Part A Recv Date:	/ /
Part B Recv Date:	08/07/1991
Generator EPA ID:	NYD986893436
Trans1 EPA ID:	NYD980769947
Trans2 EPA ID:	Not reported
TSD ID 1:	ARD069748192
TSD ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTINGHOUSE ELECTRIC CORP (Continued)

1000413057

Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02510
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00163
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

BU655
NNE
1/8-1/4
0.202 mi.
1067 ft.
PADD 3
245 PARK AVE
NEW YORK, NY 10167
Site 5 of 8 in cluster BU

FINDS **1016153353**
FUELS PROGRAM **N/A**

Relative: FINDS:
Higher Registry ID: 110070243690

Actual:
59 ft. Click Here:

Environmental Interest/Information System:
ETHANOL FACILITY/GASOLINE AND DIESEL PRODUCERS

Click this hyperlink while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

FUELS PROGRAM:

Name: PADD 3
Address: 245 PARK AVE
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10167
Program Type: Gasoline
Company Seq. ID: 5850
Business Activity: Non-Renewable Fuels Importer, Oxygenate Blender, PADD Importer

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADD 3 (Continued)

1016153353

Company Name: Bear Stearns NY Inc
Company Address: 245 Park Ave
New York, NY 10167
Facility ID: 00003
Facility Type: Gas/Ethanol
Facility Activity: Non Renewable Fuels Importer
Subject to 80.1403: Not reported
Fuel Only For Off Road: Yes
Fuel Created: Not reported
D Code: Not reported
OTAQ Program ID: OTAQREG10023385

BU656
NNE
1/8-1/4
0.202 mi.
1067 ft.

CON EDISON - PARK AVENUE
245 PARK AVE
NEW YORK, NY 10167

RCRA NonGen / NLR
NY MANIFEST

1000111678
NYD982178782

Site 6 of 8 in cluster BU

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: CON EDISON - PARK AVENUE
Handler Address: 245 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10167
EPA ID: NYD982178782
Contact Name: ROBERT KEEGAN
Contact Address: IRVING PL
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-4833
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: UNKNOWN
Owner Type: Private
Operator Name: UNKNOWN
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PARK AVENUE (Continued)

1000111678

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	UNKNOWN
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 82001
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PARK AVENUE (Continued)

1000111678

Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: UNKNOWN
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: UNKNOWN
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: CON EDISON - PARK AVENUE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: CON EDISON - PARK AVENUE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1987-03-23 00:00:00.0
Handler Name: CON EDISON - PARK AVENUE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PARK AVENUE (Continued)

1000111678

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - 245 PARK AVENUE
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON COMPANY OF NEW YORK
Address:	245 PARK AVE
City,State,Zip:	NEW YORK, NY 10167
Country:	USA
EPA ID:	NYD982178782
Facility Status:	Not reported
Location Address 1:	245 PARK AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10003
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD982178782
Mailing Name:	CONSOLIDATED EDISON COMPANY OF NEW YORK
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYG1070559
Manifest Status:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - PARK AVENUE (Continued)

1000111678

seq: 01
Year: 1998
Trans1 State ID: 31124MA
Trans2 State ID: Not reported
Generator Ship Date: 10/01/1998
Trans1 Recv Date: 10/01/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/07/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982178782
Trans1 EPA ID: CTD982191942
Trans2 EPA ID: Not reported
TSD ID 1: NYD049836679
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 03080
Units: K - Kilograms (2.2 pounds)
Number of Containers: 017
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

BU657
NNE
1/8-1/4
0.202 mi.
1067 ft.

ZEN-NOH UNICO AMERICA CORP
245 PARK AVE 25TH FLOOR
NEW YORK, NY 10167

Site 7 of 8 in cluster BU

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1001119574
NYR000028613

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: ZEN-NOH UNICO AMERICA CORP
Handler Address: 245 PARK AVE 25TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10167
EPA ID: NYR000028613
Contact Name: Not reported
Contact Address: PARK AVE 25TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10167
Contact Telephone: Not reported
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZEN-NOH UNICO AMERICA CORP (Continued)

1001119574

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PARK AVE 25TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10167
Owner Name:	ZEN-NOH UNICO AMERICA CORP
Owner Type:	Private
Operator Name:	ZEN-NOH UNICO AMERICA CORP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZEN-NOH UNICO AMERICA CORP (Continued)

1001119574

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ZEN-NOH UNICO AMERICA CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 PARK AVE 25TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10167
Owner/Operator Telephone:	212-983-3086
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ZEN-NOH UNICO AMERICA CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 PARK AVE 25TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10167
Owner/Operator Telephone:	212-983-3086
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ZEN-NOH UNICO AMERICA CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 PARK AVE 25TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10167
Owner/Operator Telephone:	212-983-3086
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZEN-NOH UNICO AMERICA CORP (Continued)

1001119574

Handler Name: ZEN-NOH UNICO AMERICA CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: ZEN-NOH UNICO AMERICA CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: ZEN-NOH UNICO AMERICA CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1996-08-27 00:00:00.0
Handler Name: ZEN-NOH UNICO AMERICA CORP
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004527986

[Click Here:](#)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZEN-NOH UNICO AMERICA CORP (Continued)

1001119574

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001119574
Registry ID: 110004527986
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004527986>
Name: ZEN-NOH UNICO AMERICA CORP
Address: 245 PARK AVE 25TH FLOOR
City,State,Zip: NEW YORK, NY 10167

NY MANIFEST:

Name: ZEN-NOH UNICO AMERICA CORP
Address: 245 PARK AVE 25TH FLOOR
City,State,Zip: NEW YORK, NY 10167
Country: USA
EPA ID: NYR000028613
Facility Status: Not reported
Location Address 1: 245 PARK AVE 25TH FL
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10167
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000028613
Mailing Name: ZEN-NOH UNICO AMERICA CORP
Mailing Contact: N/S
Mailing Address 1: 245 PARK AVE-25TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10167
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129833050

NY MANIFEST:

Document ID: NJA2567778
Manifest Status: K
seq: Not reported
Year: 1996
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 08/28/1996
Trans1 Recv Date: 08/28/1996

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZEN-NOH UNICO AMERICA CORP (Continued)

1001119574

Trans2 Recv Date: / /
TSD Site Recv Date: 08/28/1996
Part A Recv Date: 09/10/1996
Part B Recv Date: 09/24/1996
Generator EPA ID: NYR000028613
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

CD658
NE
1/8-1/4
0.203 mi.
1070 ft.

TEACHERS INSURANCE & ANNUITY
485 LEXINGTON AVE
NEW YORK, NY 10017
Site 1 of 7 in cluster CD

RCRA NonGen / NLR **1000457912**
FINDS **NYD986931939**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
45 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: TEACHERS INSURANCE & ANNUITY
Handler Address: 485 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD986931939
Contact Name: Not reported
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000457912

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	LEXINGTON AVE
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	TEACHERS INS & ANNUITY ASSOC
Owner Type:	Private
Operator Name:	TEACHERS INS & ANNUITY ASSOC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000457912

Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TEACHERS INS & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 11017
Owner/Operator Telephone:	212-490-9000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TEACHERS INS & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 11017
Owner/Operator Telephone:	212-490-9000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	TEACHERS INS & ANNUITY ASSOC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	730 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 11017
Owner/Operator Telephone:	212-490-9000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-14 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000457912

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1993-02-09 00:00:00.0
Handler Name:	TEACHERS INSURANCE & ANNUITY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1994-04-12 00:00:00.0
Handler Name:	TEACHERS ANNUITY ASSN.
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000457912

FINDS:

Registry ID: 110004456687

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000457912
Registry ID: 110004456687
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004456687>
Name: TEACHERS INSURANCE & ANNUITY
Address: 485 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: TEACHERS INSURANCE & ANNUITY ASSOCIATES
Address: 485 LEXINGTON AVE.
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYD986931939
Facility Status: Not reported
Location Address 1: 485 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD986931939
Mailing Name: TEACHERS INSURANCE & ANNUITY ASSOCIATES
Mailing Contact: JOHN VASILAKOS
Mailing Address 1: 485 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126978678

NY MANIFEST:

Document ID: NJA3016211
Manifest Status: Not reported
seq: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TEACHERS INSURANCE & ANNUITY (Continued)

1000457912

Year: 1999
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 06/25/1999
Trans1 Recv Date: 06/25/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/25/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986931939
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CD659
NE
1/8-1/4
0.203 mi.
1070 ft.
CITI BANK NA
485 LEXINGTON AVE
NEW YORK, NY 10017
Site 2 of 7 in cluster CD

NY AST **U004154638**
N/A

Relative:
Lower

AST:

Actual:
45 ft.

Name: CITI BANK NA
Address: 485 LEXINGTON AVE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-611346
Program Type: PBS
UTM X: 586622.79429
UTM Y: 4511984.32067
Expiration Date: 01/01/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 434948
Affiliation Type: Facility Owner
Company Name: CITI BANK NA
Contact Type: FACILITY MGR
Contact Name: ANTONIO AGAZZI
Address1: 485 LEXINGTON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) -559-8410
EMail: Not reported
Fax Number: Not reported
Modified By: LSZINOMA
Date Last Modified: 2016-04-13

Site Id: 434948
Affiliation Type: Mail Contact
Company Name: CITI BANK NA C/O CUSHMAN & WAKEFIELD
Contact Type: Not reported
Contact Name: ANTHONY AGAZZI
Address1: 399 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) -559-8410
EMail: TONY.AGAZZI@CITI.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2014-08-12

Site Id: 434948
Affiliation Type: Facility Operator
Company Name: CITY BANK NA
Contact Type: Not reported
Contact Name: ANTHONY AGAZZI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITI BANK NA (Continued)

U004154638

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 559-8410
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-05-18

Site Id: 434948
Affiliation Type: Emergency Contact
Company Name: CITI BANK NA
Contact Type: Not reported
Contact Name: ANTHONY AGAZZI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 572-6156
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-05-18

Tank Info:

Tank Number: 001
Tank Id: 234369
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

L99 - Piping Leak Detection - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
I00 - Overfill - None
G01 - Tank Secondary Containment - Diking (Aboveground)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/2006
Capacity Gallons: 3600

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITI BANK NA (Continued)

U004154638

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: LSZINOMA
Last Modified: 04/14/2017
Material Name: diesel

CD660
NE
1/8-1/4
0.203 mi.
1070 ft.

DUANE READE INC STORE #112
485 LEXINGTON AVE 1ST FLOOR
NEW YORK, NY 10017

RCRA-SQG
NY E DESIGNATION
NY MANIFEST

1007881016
NYR000129247

Site 3 of 7 in cluster CD

Relative:
Lower

Actual:
45 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: DUANE READE INC STORE #112
Handler Address: 485 LEXINGTON AVE 1ST FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000129247
Contact Name: MICHAEL AMATO
Contact Address: 9TH AVE - 9TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10001
Contact Telephone: 212-273-5700 5784
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 9TH AVE - 9TH FLOOR
Mailing City,State,Zip: NEW YORK, NY 10001
Owner Name: NO NAME FOUND
Owner Type: Private
Operator Name: NO NAME FOUND
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NO NAME FOUND
Legal Status:	Private
Date Became Current:	1978-04-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CB RICHARD ELLIS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Legal Status: Private
Date Became Current: 2004-08-13 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NO NAME FOUND
Legal Status: Private
Date Became Current: 2004-08-13 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: DUANE READE INC
Legal Status: Private
Date Became Current: 1978-04-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: DUANE READE INC STORE #112
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: DUANE READE INC STORE #112
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2004-08-16 00:00:00.0
Handler Name:	DUANE READE INC STORE #112
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Listing - General
Date Violation was Determined:	2009-12-29 00:00:00.0
Actual Return to Compliance Date:	2010-03-24 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2010-01-15 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	2010-04-07 00:00:00.0
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYACY
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Evaluation Action Summary:

Evaluation Date:	2009-12-29 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYACY
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	2010-03-24 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

E DESIGNATION:

Name:	LOT 23,TAXBLOCK 1301
Address:	485 LEXINGTON AVENUE
City,State,Zip:	MANHATTAN, NY 10017
Tax Lot(s):	23
Tax Block:	1301
Borough Code:	MN
E-No:	E-408
Effective Date:	8/9/2017
Satisfaction Date:	Not reported
Ceqr Number:	17DCP001M
Ulurp Number:	N170186AZRM, C170187ZMM
Zoning Map No:	8c

Description:	Exhaust stack location limitations
Lot Remediation Date:	Not reported

Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date:	Not reported

Description:	Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NY MANIFEST:

Name:	DUANE READE #112
Address:	485 LEXINGTON AVE 1ST FLOOR
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000129247
Facility Status:	Not reported
Location Address 1:	485 LEXINGTON AVE 47TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000129247
--------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Mailing Name: DUANE READE #112
Mailing Contact: N/S
Mailing Address 1: 485 LEXINGTON AVE 47TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126825338

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYD082785429
Trans2 State ID: Not reported
Generator Ship Date: 12/18/2007
Trans1 Recv Date: 12/18/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/18/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000129247
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: 001858632FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 30
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: Not reported
Waste Code 1_2: D011
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUANE READE INC STORE #112 (Continued)

1007881016

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CE661
NNW
1/8-1/4
0.203 mi.
1070 ft.**

**BELL ATLANTIC-NY
45 ST/MADISON AVE
MANHATTAN, NY 00000**

**RCRA NonGen / NLR
NY MANIFEST**

**1007205529
NYP000935270**

Site 1 of 5 in cluster CE

**Relative:
Higher**

**Actual:
59 ft.**

RCRA Listings:

Date Form Received by Agency: 1998-03-01 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Handler Address: 45 ST/MADISON AVE
Handler City,State,Zip: MANHATTAN, NY 00000-0000
EPA ID: NYP000935270
Contact Name: JOHN QUATRALE
Contact Address: BELL ATLANTIC ENV AFFAIRS
Contact City,State,Zip: NEW YORK, NY 10016-0000
Contact Telephone: 212-338-7141
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: BELL ATLANTIC ENV AFFAIRS
Mailing City,State,Zip: NEW YORK, NY 10016-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205529

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-03-01 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205529

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-27 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	BELL ATLANTIC-NY
Address:	45 ST/MADISON AVE
City,State,Zip:	MANHATTAN, NY 00000-0000
Country:	USA
EPA ID:	NYP000935270
Facility Status:	Not reported
Location Address 1:	45 ST/MADISON AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000935270
Mailing Name:	BELL ATLANTIC-NY
Mailing Contact:	Not reported
Mailing Address 1:	Not reported
Mailing Address 2:	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Zip 4:	Not reported
Mailing Country:	Not reported
Mailing Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CE662
NNW
1/8-1/4
0.203 mi.
1071 ft.

CON ED
MADISON AVE & 45 ST
NEW YORK, NY 10017
Site 2 of 5 in cluster CE

NY MANIFEST **S119078273**
N/A

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CON ED
Address: MADISON AVE & 45 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004884728
Facility Status: Not reported
Location Address 1: MADISON AVE & 45 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004884728
Mailing Name: CON ED
Mailing Contact: CON ED
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

CE663
NNW
1/8-1/4
0.203 mi.
1071 ft.

CON EDISON
MADISON AVE & 45TH ST
NEW YORK, NY 10017
Site 3 of 5 in cluster CE

RCRA NonGen / NLR **1019326083**
NYP004884728

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-12-29 00:00:00.0
Handler Name: CON EDISON
Handler Address: MADISON AVE & 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004884728
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019326083

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019326083

Handler Date of Last Change:	2016-09-09 15:53:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-12-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-12-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-26 00:00:00.0
Handler Name:	CON EDISON - TRANSFORMER MANHOLE 2399
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-12-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019326083

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-12-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CF664
SE
1/8-1/4
0.205 mi.
1083 ft.

V2093
205 E.41 ST.
NEW YORK CITY, NY 10017

Site 1 of 13 in cluster CF

RCRA NonGen / NLR
NY MANIFEST
1007207373
NYP004044079

Relative:
Lower
Actual:
37 ft.

RCRA Listings:	
Date Form Received by Agency:	2001-01-03 00:00:00.0
Handler Name:	V2093
Handler Address:	205 E.41 ST.
Handler City,State,Zip:	NEW YORK CITY, NY 10017
EPA ID:	NYP004044079
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	CONSOLIDATED EDISON INC.
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC.
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V2093 (Continued)

1007207373

Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V2093 (Continued)

1007207373

Historic Generators:

Receive Date: 2001-01-02 00:00:00.0
Handler Name: V2093
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-01-03 00:00:00.0
Handler Name: V2093
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-01-01 00:00:00.0
Handler Name: V2093
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 205 E.41 ST.
City,State,Zip: NEW YORK CITY, NY 10017
Country: USA
EPA ID: NYP004044079
Facility Status: Not reported
Location Address 1: V2093-F/O 205 E 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V2093 (Continued)

1007207373

Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004044079
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0443403
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 10/07/1999
Trans1 Recv Date: 10/07/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/07/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004044079
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01391
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V2093 (Continued)

1007207373

Specific Gravity: 01.00

CG665
WSW
1/8-1/4
0.205 mi.
1084 ft.

27 E 39TH ST
27 E 39TH ST
MANHATTAN, NY

NY LTANKS **S102662884**
N/A

Site 1 of 3 in cluster CG

Relative:
Higher

Actual:
75 ft.

LTANKS:

Name: 27 E 39TH ST
Address: 27 E 39TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9614335 / 1997-03-11
Facility ID: 9614335
Site ID: 239039
Spill Date: 1997-03-11
Spill Cause: Tank Overfill
Spill Source: Unknown
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 1997-03-11
CID: 365
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1997-03-11
Spill Record Last Update: 1997-03-14
Spiller Name: GAE RICCI
Spiller Company: MB TRUCKING
Spiller Address: 1281 VIELE AV
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 196735
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
MARTINKAT "
Remarks: "SPILLED ONTO THE SIDEWALK - CLEANING UP NOW"

All Materials:

Site ID: 239039
Operable Unit ID: 1041789
Operable Unit: 01
Material ID: 339441
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

27 E 39TH ST (Continued)

S102662884

Units: G
Recovered: .00
Oxygenate: Not reported

BS666
ENE
1/8-1/4
0.205 mi.
1085 ft.

CON EDISON SERVICE BOX: 43918
731 3RD AVE
NEW YORK, NY 10017
Site 2 of 3 in cluster BS

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016144169
NYP004269585

Relative:
Lower

Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43918
Handler Address: 731 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269585
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43918 (Continued)

1016144169

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:47:47.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43918
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43918
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43918 (Continued)

1016144169

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055421681

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144169
Registry ID:	110055421681
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055421681
Name:	CON EDISON SERVICE BOX: 43918
Address:	731 3RD AVE
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	731 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004269585
Facility Status:	Not reported
Location Address 1:	731 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004269585
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43918 (Continued)

1016144169

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269585
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456604JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BS667
ENE
1/8-1/4
0.205 mi.
1085 ft.
CON EDISON SERVICE BOX: 43918
731 3RD AVE
NEW YORK, NY 10017
Site 3 of 3 in cluster BS

NJ MANIFEST
S117986373
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
38 ft.

EPA Id: NYP004269585
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456604JJK
EPA ID: NYP004269585
Date Shipped: 9/20/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43918 (Continued)

S117986373

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CB668
NW
1/8-1/4
0.205 mi.
1085 ft.

CON EDISON SERVICE BOX: 8411
12 E 43RD ST
NEW YORK, NY 10017
Site 6 of 9 in cluster CB

RCRA NonGen / NLR **1016144003**
FINDS **NYP004267902**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
64 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8411
Handler Address: 12 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004267902
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8411 (Continued)

1016144003

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-17 15:00:20.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-12 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8411
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8411 (Continued)

1016144003

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8411
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055424562

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144003
Registry ID:	110055424562
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055424562
Name:	CON EDISON SERVICE BOX: 8411
Address:	12 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	12 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004267902
Facility Status:	Not reported
Location Address 1:	12 E 43RD ST
Code:	BP
Location Address 2:	SERV BOX 8411
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8411 (Continued)

1016144003

Location Zip 4:	Not reported
NY MANIFEST:	
EPAID:	NYP004267902
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770
NY MANIFEST:	
Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/2012
Trans1 Recv Date:	09/11/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/13/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004267902
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010456620JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1200
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8411 (Continued)

1016144003

Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CH669
NW
1/8-1/4
0.206 mi.
1086 ft.

CONSOLIDATED EDISON - MH 8595
16 E 44TH ST
NEW YORK, NY 10017
Site 1 of 11 in cluster CH

NY MANIFEST **S111790501**
N/A

Relative:
Higher
Actual:
60 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON - MH 8595
Address: 16 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004249312
Facility Status: Not reported
Location Address 1: 16 E 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004249312
Mailing Name: CONSOLIDATED EDISON - MH 8595
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/09/2012
Trans1 Recv Date: 03/09/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/09/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004249312
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON - MH 8595 (Continued)

S111790501

Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009204814JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 20000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CH670
NW
1/8-1/4
0.206 mi.
1086 ft.**

**CON EDISON
F/O 16 EAST 44TH ST
NEW YORK, NY 10017

Site 2 of 11 in cluster CH**

**NY MANIFEST S116293287
N/A**

**Relative:
Higher**

**Actual:
60 ft.**

NY MANIFEST:
Name: CON EDISON
Address: F/O 16 EAST 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004444519
Facility Status: Not reported
Location Address 1: F/O 16 EAST 44TH ST
Code: BP
Location Address 2: SB8594
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S116293287

EPAID: NYP004444519
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING ST
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 02/18/2014
Trans1 Recv Date: 02/18/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/26/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004444519
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002329917GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S116293287

Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CH671
NW
1/8-1/4
0.206 mi.
1086 ft.

CON EDISON SERVICE BOX: 8594
16 E 44TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1014398121
NYP004204723

Site 3 of 11 in cluster CH

Relative:
Higher

Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2014-03-18 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8594
Handler Address: 16 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004204723
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-10-14 12:33:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-02-18 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8594
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-03-18 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8594
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004249312
Mail Address:	IRVING PLACE, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	ALYSSA SOTTO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	009204814JJK
EPA ID:	NYP004249312
Date Shipped:	3/9/2012
TSDf EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	20,000.00 Pounds

EPA Id:	NYP004204723
Mail Address:	VING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001084976GBF
EPA ID:	NYP004204723
Date Shipped:	03/23/2010
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/23/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 03/24/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 3000 P

Manifest Number: 001084969GBF
EPA ID: NYP004204723
Date Shipped: 03/23/2010
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 03/23/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 03/23/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H111
Quantity:	5000 P

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	16 E 44TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004204723
Facility Status:	Not reported
Location Address 1:	16 16 E 44 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10025
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004204723
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	THOMAS TEELING
Mailing Address 1:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8594 (Continued)

1014398121

Generator Ship Date: 03/23/2010
Trans1 Recv Date: 03/23/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/23/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004204723
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001084969GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 5000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CH672
NW
1/8-1/4
0.206 mi.
1086 ft.
CONSOLIDATED EDISON
16 E 44 ST V4593
NEW YORK, NY 10027
Site 4 of 11 in cluster CH

NY MANIFEST **1009242321**
N/A

Relative: NY MANIFEST:
Higher Name: CONSOLIDATED EDISON
Address: 16 E 44 ST V4593
City,State,Zip: NEW YORK, NY 10027
Country: USA
EPA ID: NYP004112018
Facility Status: Not reported
Location Address 1: 16 E 44 ST V4593
Code: BP

Actual:
60 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242321

Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10027
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004112018
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0464589
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: AH18585
Trans2 State ID: Not reported
Generator Ship Date: 06/16/2003
Trans1 Recv Date: 06/16/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/16/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004112018
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00225

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242321

Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CH673
NW
1/8-1/4
0.206 mi.
1086 ft.

CON EDISON - MANHOLE 8595
16 E 44TH ST
NEW YORK, NY 10017

RCRA-LQG

1015746931
NYP004249312

Site 5 of 11 in cluster CH

Relative:
Higher
Actual:
60 ft.

RCRA Listings:
Date Form Received by Agency: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE 8595
Handler Address: 16 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004249312
Contact Name: ALYSSA SOTTO
Contact Address: IRVING PLACE, 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2757
Contact Fax: Not reported
Contact Email: SOTTOA@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2017
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type: Private
Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 8595 (Continued)

1015746931

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2016-04-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 8595 (Continued)

1015746931

Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2016-04-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-04-10 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 8595
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2012-03-09 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8595
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-04-08 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8595
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CH674	V4567	RCRA NonGen / NLR	1007206809
NW	16 E 44TH STREET	NY MANIFEST	NYP004031076
1/8-1/4	NEW YORK CITY, NY 10017		
0.206 mi.			
1086 ft.	Site 6 of 11 in cluster CH		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2001-01-03 00:00:00.0	
	Handler Name:	V4567	
Actual:	Handler Address:	16 E 44TH STREET	
60 ft.	Handler City,State,Zip:	NEW YORK CITY, NY 10017	
	EPA ID:	NYP004031076	
	Contact Name:	ANTHONY DRUMMINGS	
	Contact Address:	CONSOLIDATED EDISON INC.	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	CONSOLIDATED EDISON INC.	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4567 (Continued)

1007206809

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V4567
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V4567
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4567 (Continued)

1007206809

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V4567
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON COMPANY OF NEW YORK
Address:	16 E 44TH STREET
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004031076
Facility Status:	Not reported
Location Address 1:	16 E 44THST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	N/S
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004031076
Mailing Name:	CONSOLIDATED EDISON COMPANY OF NEW YORK
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0255857
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	SM1563
Trans2 State ID:	Not reported
Generator Ship Date:	02/23/1999
Trans1 Recv Date:	02/23/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V4567 (Continued)

1007206809

TSD Site Recv Date: 02/23/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004031076
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 02645
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CH675 **CONSOLIDATED EDISON-MH 8565**
NW **F/O 16 EAST 44TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.206 mi.
1086 ft. **Site 7 of 11 in cluster CH**

NY MANIFEST **S112140491**
N/A

Relative: NY MANIFEST:
Higher Name: CONSOLIDATED EDISON-MH 8565
Address: F/O 16 EAST 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004252557
Facility Status: Not reported
Location Address 1: F/O 16 EAST 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004252557

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON-MH 8565 (Continued)

S112140491

Mailing Name: CONSOLIDATED EDISON-MH 8565
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/02/2012
Trans1 Recv Date: 05/02/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004252557
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 009202682JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON-MH 8565 (Continued)

S112140491

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI676
West
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON
E 40TH ST & MADISON AVE
NEW YORK, NY 10017

NY MANIFEST

S118259863
N/A

Site 1 of 12 in cluster CI

Relative:
Higher

Actual:
73 ft.

NY MANIFEST:

Name: CON EDISON
Address: E 40TH ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004839068
Facility Status: Not reported
Location Address 1: E 40TH ST & MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004839068
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/16/2015
Trans1 Recv Date: 09/16/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/18/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004839068
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613211GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118259863

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI677
West
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON
E 40TH ST & MADISON AVE
NEW YORK, NY 10017

RCRA NonGen / NLR

1019325581
NYP004839068

Site 2 of 12 in cluster CI

Relative:
Higher

Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-16 00:00:00.0
Handler Name: CON EDISON
Handler Address: E 40TH ST & MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004839068
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325581

State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325581

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-09-16 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-09-16 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - SERVICE BOX 7778
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325581

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-09-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CI678
West
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON
E 40TH ST & MADISON AVE
NEW YORK, NY 10017
Site 3 of 12 in cluster CI

NJ MANIFEST **S120676739**
N/A

Relative:
Higher
Actual:
73 ft.

NJ MANIFEST:	
EPA Id:	NYP004839068
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002613211GBF
EPA ID:	NYP004839068
Date Shipped:	9/16/2015
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676739

Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

CF679
SE
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON
207 E 41ST ST
NEW YORK, NY 10017
Site 2 of 13 in cluster CF

NY MANIFEST **S117738728**
N/A

Relative:
Lower
Actual:
37 ft.

NY MANIFEST:
Name: CON EDISON
Address: 207 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004718037
Facility Status: Not reported
Location Address 1: 207 E 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004718037
Mailing Name: CON EDISON
Mailing Contact: CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117738728

Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/23/2015
Trans1 Recv Date: 01/23/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/06/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004718037
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 002659403GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CF680
SE
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON - 41ST
207 E 41ST
MANHATTAN, NY 10017
Site 3 of 13 in cluster CF

PA MANIFEST
S118888954
N/A

Relative:
Lower

Actual:
37 ft.

Manifest Details:

Year: 2015
Manifest Number: 002659403GBF
Manifest Type: TSD Copy
Generator EPA Id: NYP004718037
Generator Date: 01/23/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Cargo tanks (tank trucks)
Waste Quantity: 2500
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

CF681
SE
1/8-1/4
0.206 mi.
1088 ft.

CON EDISON - VAULT 4604
207 E 41ST ST
NEW YORK, NY 10017
Site 4 of 13 in cluster CF

RCRA-LQG
FINDS
ECHO
1019324718
NYP004718037

Relative:
Lower

Actual:
37 ft.

RCRA Listings:

Date Form Received by Agency: 2016-02-05 00:00:00.0
Handler Name: CON EDISON - VAULT 4604
Handler Address: 207 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004718037
Contact Name: THERESA BURKARD
Contact Address: IRVING PL 15TH FL NE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-2262
Contact Fax: 646-582-2258
Contact Email: BURKARDT@CONED.COM
Contact Title: ASSOCIATE SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2015
Accessibility: Not reported
Active Site Indicator: Handler Activities

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 4604 (Continued)

1019324718

State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON CO OF NY INC
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-11-07 13:10:02.0
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 4604 (Continued)

1019324718

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2015-01-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON CO OF NY INC
Legal Status:	Private
Date Became Current:	2015-01-23 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - VAULT 4604
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 4604 (Continued)

1019324718

FINDS:

Registry ID: 110069377338

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019324718
Registry ID: 110069377338
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069377338>
Name: CON EDISON - VAULT 4604
Address: 207 E 41ST ST
City,State,Zip: NEW YORK, NY 10017

CF682
SE
1/8-1/4
0.206 mi.
1089 ft.

CON EDISON
206 E 41 ST
NEW YORK, NY 10017
Site 5 of 13 in cluster CF

NY MANIFEST **S117315100**
N/A

Relative:
Lower

NY MANIFEST:
Name: CON EDISON
Address: 206 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004622213
Facility Status: Not reported
Location Address 1: 206 E 41 ST
Code: BP
Location Address 2: SB 8012
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Actual:
36 ft.

NY MANIFEST:
EPAID: NYP004622213
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117315100

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/08/2014
Trans1 Recv Date:	08/08/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/08/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004622213
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002504594GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

MAP FINDINGS

Site

Database(s)

CG683 V1147
WSW 31 EAST 39TH STREET
1/8-1/4 NEW YORK CITY, NY 10016
0.206 mi.
1090 ft. Site 2 of 3 in cluster CG

RCRA NonGen / NLR 1007207443
NY MANIFEST NYP004045845

Relative:
Higher
Actual:
75 ft.

2001-01-03 00:00:00.0
V1147
31 EAST 39TH STREET
NEW YORK CITY, NY 10016
NYP004045845
ANTHONY DRUMMINGS
CONSOLIDATED EDISON INC.
NEW YORK, NY 10003
212-460-3770
Not reported
Not reported
Not reported
02
Not reported
Not a generator, verified
Not reported
Not reported
Not reported
Not reported
NY
NYSDEC R2
CONSOLIDATED EDISON INC.
NEW YORK, NY 10003
Not reported
Not reported
Not reported
Not reported
No
No
No
No
No
No
No
No
No
No
No
No
No
No
No
No
Not reported
Not reported
Not reported

Not reported
NN
Not reported
No
Not reported
Not on the Baseline
Not on the Baseline
Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1147 (Continued)

1007207443

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V1147
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V1147
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1147 (Continued)

1007207443

Electronic Manifest Broker:	Not reported
Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V1147
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	31 EAST 39TH STREET
City,State,Zip:	NEW YORK CITY, NY 10016
Country:	USA
EPA ID:	NYP004045845
Facility Status:	Not reported
Location Address 1:	V1147-31 E 39TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004045845
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0405261
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	20854AD
Trans2 State ID:	Not reported
Generator Ship Date:	11/02/1999
Trans1 Recv Date:	11/02/1999
Trans2 Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1147 (Continued)

1007207443

TSD Site Recv Date: 11/03/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004045845
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01791
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CJ684
East
1/8-1/4
0.208 mi.
1098 ft.

CONSOLIDATED EDISON
V0227-41 E 45TH ST
NEW YORK, NY
Site 1 of 5 in cluster CJ

NY MANIFEST **1009239075**
N/A

Relative:
Lower
Actual:
47 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: V0227-41 E 45TH ST
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004056867
Facility Status: Not reported
Location Address 1: V0227-41 E 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004056867

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009239075

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0668331
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 06/06/2000
Trans1 Recv Date: 06/06/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/06/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004056867
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01221
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	EDR ID Number EPA ID Number
BY685 East 1/8-1/4 0.208 mi. 1099 ft.	VIDEO 44 219 E 44TH ST NEW YORK, NY 10017 Site 3 of 4 in cluster BY	RCRA NonGen / NLR FINDS ECHO	1000209096 NYD175156629
Relative: Higher Actual: 49 ft.	RCRA Listings: Date Form Received by Agency: 2007-01-01 00:00:00.0 Handler Name: VIDEO 44 Handler Address: 219 E 44TH ST Handler City,State,Zip: NEW YORK, NY 10017 EPA ID: NYD175156629 Contact Name: Not reported Contact Address: E 44TH ST Contact City,State,Zip: NEW YORK, NY 10017 Contact Telephone: Not reported Contact Fax: Not reported Contact Email: Not reported Contact Title: Not reported EPA Region: 02 Land Type: Not reported Federal Waste Generator Description: Not a generator, verified Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: NY State District: NYSDEC R2 Mailing Address: E 44TH ST Mailing City,State,Zip: NEW YORK, NY 10017 Owner Name: STANLEY LANG Owner Type: Private Operator Name: STANLEY LANG Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No Underground Injection Control: No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported Active Site State-Reg Handler: --- Federal Facility Indicator: Not reported Hazardous Secondary Material Indicator: NN Sub-Part K Indicator: Not reported Commercial TSD Indicator: No Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported		

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VIDEO 44 (Continued)

1000209096

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STANLEY LANG
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STANLEY LANG
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VIDEO 44 (Continued)

1000209096

Owner/Operator Indicator:	Operator
Owner/Operator Name:	STANLEY LANG
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	VIDEO 44
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	VIDEO 44
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	VIDEO 44
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1988-07-12 00:00:00.0
Handler Name:	VIDEO 44
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VIDEO 44 (Continued)

1000209096

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004386110

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000209096
Registry ID:	110004386110
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004386110
Name:	VIDEO 44
Address:	219 E 44TH ST
City,State,Zip:	NEW YORK, NY 10017

BX686
SSE
1/8-1/4
0.209 mi.
1102 ft.

605 THIRD AVENUE
605 THIRD AVENUE
NEW YORK, NY 10016

NY AST **A100292588**
N/A

Site 4 of 4 in cluster BX

Relative:
Lower

AST:

Actual:
37 ft.

Name:	605 THIRD AVENUE
Address:	605 THIRD AVENUE
City,State,Zip:	NEW YORK, NY 10016
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-610105
Program Type:	PBS
UTM X:	586497.19018
UTM Y:	4511409.79090
Expiration Date:	12/29/2024
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	358689
Affiliation Type:	Facility Owner
Company Name:	605 3RD AVENUE FEE LLC.
Contact Type:	BUILDING MANAGER
Contact Name:	JOHN ROMANO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

605 THIRD AVENUE (Continued)

A100292588

Address1: 605 3RD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10158
Country Code: 001
Phone: (212) 710-8330
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-23

Site Id: 358689
Affiliation Type: Mail Contact
Company Name: 605 THIRD AVENUE FEE LLC
Contact Type: Not reported
Contact Name: JOHN ROMANO
Address1: 605 THIRD AVENUE 15 FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10158
Country Code: 001
Phone: (212) 710-8330
EMail: JROMANO@FISHERBROTHERS.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-23

Site Id: 358689
Affiliation Type: Facility Operator
Company Name: 605 THIRD AVENUE
Contact Type: Not reported
Contact Name: BRENDAN MURPHY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 710-8330
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-23

Site Id: 358689
Affiliation Type: Emergency Contact
Company Name: 605 3RD AVENUE FEE LLC.
Contact Type: Not reported
Contact Name: JOHN ROMANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

605 THIRD AVENUE (Continued)

A100292588

Phone: (212) 710-8330
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-05-23

Tank Info:

Tank Number: 001
Tank Id: 209788
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
E04 - Piping Secondary Containment - Double walled UG
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/29/2004
Capacity Gallons: 4000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 05/23/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 209789
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
K01 - Spill Prevention - Catch Basin
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

605 THIRD AVENUE (Continued)

A100292588

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/29/2004
Capacity Gallons: 4000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 05/23/2017
Material Name: #2 fuel oil (on-site consumption)

**BT687
NW
1/8-1/4
0.209 mi.
1105 ft.**

**CONSOLIDATED EDISON CO
19 E 44 ST
NEW YORK, NY 10017
Site 11 of 12 in cluster BT**

**NY MANIFEST S117563624
N/A**

**Relative:
Higher
Actual:
60 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON CO
Address: 19 E 44 ST
City,State,Zip: NEW YORK, NY 10017-0000
Country: USA
EPA ID: NYP000929158
Facility Status: Not reported
Location Address 1: 35TH AVENUE AND PARSON
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: QUEENS
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP000929158
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYG0124245

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON CO (Continued)

S117563624

Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 2085SAD
Trans2 State ID: Not reported
Generator Ship Date: 03/24/1997
Trans1 Recv Date: 03/24/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 03/24/1997
Part A Recv Date: 04/08/1997
Part B Recv Date: 04/08/1997
Generator EPA ID: NYP000929158
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01174
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

**BT688
NW
1/8-1/4
0.209 mi.
1105 ft.**

**CON ED - V 376
19 E 44 ST
NEW YORK, NY 10017**

Site 12 of 12 in cluster BT

**RCRA NonGen / NLR 1007205307
NYP000929158**

**Relative:
Higher**

RCRA Listings:

**Actual:
60 ft.**

Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 376
Handler Address: 19 E 44 ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP000929158
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 376 (Continued)

1007205307

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 376 (Continued)

1007205307

Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 376
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 376
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 376
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

MAP FINDINGS

Site

Database(s)

CK689 RITE AID #04964
WNW 26 GRAND CENTRAL TERMINAL
1/8-1/4 NEW YORK, NY 10017
0.209 mi.
1106 ft. Site 1 of 3 in cluster CK

RCRA-VSQG	1014927083
NY MANIFEST	NYR000188730

Relative:
Higher
Actual:
68 ft.

TC6212910.2s Page 1689

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-02-19 10:40:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D005
Waste Description:	BARIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D013
Waste Description:	LINDANE (1,2,3,4,5,6-HEXA-CHLOROCYCLOHEXANE, GAMMA ISOMER)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D024
Waste Description:	M-CRESOL
Waste Code:	D026
Waste Description:	CRESOL
Waste Code:	D027
Waste Description:	1,4-DICHLOROBENZENE
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste Code:	U002
Waste Description:	2-PROPANONE (I) (OR) ACETONE (I)
Waste Code:	U035
Waste Description:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U058
Waste Description:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
Waste Code:	U072
Waste Description:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
Waste Code:	U122
Waste Description:	FORMALDEHYDE
Waste Code:	U129
Waste Description:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
Waste Code:	U154
Waste Description:	METHANOL (I) (OR) METHYL ALCOHOL (I)
Waste Code:	U165
Waste Description:	NAPHTHALENE
Waste Code:	U205
Waste Description:	SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)
Waste Code:	U211
Waste Description:	CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Waste Code: U240
Waste Description: 2,4-D, SALTS & ESTERS (OR) ACETIC ACID, (2,4-DICHLOROPHENOXY)-, SALTS & ESTERS (OR) DICHLOROPHENOXYACETIC ACID 2,4-D

Waste Code: U279
Waste Description: U279

Handler - Owner Operator:

Owner/Operator Indicator: Owner
Owner/Operator Name: METROPOLITAN TRANSPORTATION AUTHORITY-NYMTA
Legal Status: Private
Date Became Current: 1999-08-23 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 347 MADISON AVE 8TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 717-975-8643
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: METROPOLITAN TRANSPORTATION AUTHORITY-NYMTA
Legal Status: Private
Date Became Current: 1999-08-23 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 347 MADISON AVE 8TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 717-975-8643
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RITE AID CORP
Legal Status: Private
Date Became Current: 2000-02-21 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 30 HUNTER LN
Owner/Operator City,State,Zip: CAMP HILL, PA 17011
Owner/Operator Telephone: 717-761-2633
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: RITE AID OF NEW YORK INC
Legal Status: Private
Date Became Current: 2000-02-21 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 30 HUNTER LN
Owner/Operator City,State,Zip: CAMP HILL, PA 17011
Owner/Operator Telephone: 717-761-2633
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: 717-972-3989
Owner/Operator Email: EHS@RITEAID.COM

Owner/Operator Indicator: Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Owner/Operator Name:	RITE AID OF NEW YORK INC
Legal Status:	Private
Date Became Current:	2000-02-21 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	RITE AID CORP
Legal Status:	Private
Date Became Current:	2000-02-21 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	30 HUNTER LN
Owner/Operator City,State,Zip:	CAMP HILL, PA 17011
Owner/Operator Telephone:	717-761-2633
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2011-11-04 00:00:00.0
Handler Name:	RITE AID #4964
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-15 00:00:00.0
Handler Name:	RITE AID #04964
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	Not reported
Recognized Trader Exporter:	Not reported
Spent Lead Acid Battery Importer:	Not reported
Spent Lead Acid Battery Exporter:	Not reported
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2019-04-17 00:00:00.0
Handler Name:	RITE AID #04964
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	RITE AID #4964
Address:	26 GRAND CENTRAL TERMINAL
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000188730
Facility Status:	Not reported
Location Address 1:	26 GRAND CENTRAL TERMINAL
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000188730
Mailing Name:	RITE AID #4964
Mailing Contact:	RITE AID #4964
Mailing Address 1:	26 GRAND CENTRAL TERMINAL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	PAD982661381
Trans2 State ID:	NJR000063677
Generator Ship Date:	12/10/2015
Trans1 Recv Date:	12/10/2015
Trans2 Recv Date:	12/30/2015
TSD Site Recv Date:	12/30/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000188730
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	RID040098352
TSD ID 2:	Not reported
Manifest Tracking Number:	008652864FLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID #04964 (Continued)

1014927083

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 0.01
Units: P - Pounds
Number of Containers: 1
Container Type: BA - Burlap, plastic, paper bags
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: Not reported
Waste Code 1_2: P001
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CK690 **RITE AID # 4964**
WNW **26 GRAND CENTRAL TERMINAL**
1/8-1/4 **NY, NY 10017**
0.209 mi.
1106 ft. **Site 2 of 3 in cluster CK**

PA MANIFEST **S118891137**
 N/A

Relative:
Higher

Actual:
68 ft.

Manifest Details:
Year: 2015
Manifest Number: 007390719FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 01/20/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D010
Container Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID # 4964 (Continued)

S118891137

Container Type: Burlap, cloth, paper or plastic bags
Waste Quantity: 2
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007379075FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 04/17/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D007
Container Number: 1
Container Type: Fiberboard or plastic drums, barrels, kegs
Waste Quantity: 25
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007379075FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 04/17/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 3
Waste Number: D001
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 1
Unit: Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID # 4964 (Continued)

S118891137

Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007379075FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 04/17/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: P001
Container Number: 1
Container Type: Fiber or plastic boxes, cartons, cases
Waste Quantity: 1
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007390719FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 01/20/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D011
Container Number: 1
Container Type: Burlap, cloth, paper or plastic bags
Waste Quantity: 25
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID # 4964 (Continued)

S118891137

Year: 2015
Manifest Number: 007390719FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 01/20/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 3
Waste Number: P001
Container Number: 1
Container Type: Burlap, cloth, paper or plastic bags
Waste Quantity: 1
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007379075FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 04/17/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D010
Container Number: 1
Container Type: Fiberboard or plastic drums, barrels, kegs
Waste Quantity: 25
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007390719FLE
Manifest Type: TSD Copy

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RITE AID # 4964 (Continued)

S118891137

Generator EPA Id: NYR000188730
Generator Date: 01/20/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D007
Container Number: 1
Container Type: Burlap, cloth, paper or plastic bags
Waste Quantity: 2
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Year: 2015
Manifest Number: 007390719FLE
Manifest Type: TSD Copy
Generator EPA Id: NYR000188730
Generator Date: 01/20/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported
TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D010
Container Number: 1
Container Type: Burlap, cloth, paper or plastic bags
Waste Quantity: 25
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BU691
NNE
1/8-1/4
0.209 mi.
1106 ft.

CON EDISON VAULT: 7334
257 PARK AVE FRONT OF
NEW YORK, NY 10010

Site 8 of 8 in cluster BU

RCRA NonGen / NLR
NY MANIFEST
1016965891
NYP004387502

Relative:
Higher

Actual:
59 ft.

RCRA Listings:

Date Form Received by Agency:	2013-12-07 00:00:00.0
Handler Name:	CON EDISON VAULT: 7334
Handler Address:	257 PARK AVE FRONT OF
Handler City,State,Zip:	NEW YORK, NY 10010
EPA ID:	NYP004387502
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7334 (Continued)

1016965891

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-11-07 00:00:00.0
Handler Name:	CON EDISON VAULT: 7334
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-12-07 00:00:00.0
Handler Name:	CON EDISON VAULT: 7334
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7334 (Continued)

1016965891

Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CON EDISON
Address: 257 PARK AVE FRONT OF
City,State,Zip: NEW YORK, NY 10010
Country: USA
EPA ID: NYP004387502
Facility Status: Not reported
Location Address 1: F/O 257 PARK AVE
Code: BP
Location Address 2: SB7334
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10010
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004387502
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 11/07/2013
Trans1 Recv Date: 11/07/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/08/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004387502
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002237150GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7334 (Continued)

1016965891

Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CA692 **CON EDISON SERVICE BOX: 41627**
SW **71 PARK AVE**
1/8-1/4 **NEW YORK, NY 10018**
0.209 mi.
1106 ft. **Site 3 of 5 in cluster CA**

NJ MANIFEST **S117986067**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004266235
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
74 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456304JJK
EPA ID: NYP004266235
Date Shipped: 9/4/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41627 (Continued)

S117986067

Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CA693 **CON EDISON SERVICE BOX: 41627**
SW **71 PARK AVE**
1/8-1/4 **NEW YORK, NY 10018**
0.209 mi.
1106 ft. **Site 4 of 5 in cluster CA**

RCRA NonGen / NLR **1016143837**
NY MANIFEST **NYP004266235**

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 41627
Handler Address: 71 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266235
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41627 (Continued)

1016143837

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41627 (Continued)

1016143837

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 13:32:11.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41627
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41627
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	71 PARK AVE
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266235
Facility Status:	Not reported
Location Address 1:	7 PARK AVE
Code:	BP
Location Address 2:	SERV BOX 41627

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41627 (Continued)

1016143837

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266235
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266235
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456304JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41627 (Continued)

1016143837

Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI694
West
1/8-1/4
0.210 mi.
1107 ft.

CONSOLIDATED EDISON
MADISON & E 40 ST EXCAV
NEW YORK, NY 10005

NY MANIFEST 1009242785
N/A

Site 4 of 12 in cluster CI

Relative:
Higher

Actual:
74 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: MADISON & E 40 ST EXCAV
City,State,Zip: NEW YORK, NY 10005
Country: USA
EPA ID: NYP004120416
Facility Status: Not reported
Location Address 1: MADISON & E 40 ST EXCAV
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10005
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004120416
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE1558395
Manifest Status: Not reported
seq: Not reported
Year: 2004
Trans1 State ID: 46690JM
Trans2 State ID: Not reported
Generator Ship Date: 05/12/2004
Trans1 Recv Date: 05/12/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/13/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242785

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004120416
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

CE695
NNW
1/8-1/4
0.211 mi.
1114 ft.

CON EDISON VAULT: 03423
18 E 45TH ST & LEXINGTON AVE S OF
NEW YORK, NY 10017
Site 4 of 5 in cluster CE

RCRA NonGen / NLR **1016454486**
FINDS **NYP004327417**
ECHO
NY MANIFEST
NY COOLING TOWERS

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2013-08-11 00:00:00.0
Handler Name: CON EDISON VAULT: 03423
Handler Address: 18 E 45TH ST & LEXINGTON AVE S OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004327417
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 03423 (Continued)

1016454486

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	VING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2013-12-27 16:11:33.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 03423 (Continued)

1016454486

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-07-11 00:00:00.0
Handler Name:	CON EDISON VAULT: 03423
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-08-11 00:00:00.0
Handler Name:	CON EDISON VAULT: 03423
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110056508168

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016454486
Registry ID:	110056508168
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110056508168

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 03423 (Continued)

1016454486

Name: CON EDISON VAULT: 03423
Address: 18 E 45TH ST & LEXINGTON AVE S OF
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 18 E 45TH ST & LEXINGTON AVE S
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004327417
Facility Status: Not reported
Location Address 1: SEC E 45 ST & LEXINGTON AVE
Code: BP
Location Address 2: VAULT #3423
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004327417
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 07/10/2013
Trans1 Recv Date: 07/10/2013
Trans2 Recv Date: 07/15/2013
TSD Site Recv Date: 07/15/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004327417
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002085511GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 03423 (Continued)

1016454486

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

COOLING TOWERS:

Name: Not reported
Address: 18 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Equipment Unique ID: 13262
Equipment Borough: Manhattan
Intended Use: Air Conditioning
Manufacturer: BAC
Model: VTO-052-1
Cooling Capacity: 52
Cooling Capacity Unit: Tonnage
Commissioned Date: 02/01/2019
Inspection Date: 05/22/2020
Date of Bacteriological Collection: 03/10/2020
Date of Legionella Collection: 02/11/2020
Last Legionella Result > 1,000 CFU/mL: no
Latitude: 40.754910014
Longitude: -73.978573994

CH696 12 E 44TH ST
NW 12 E 44TH ST
1/8-1/4 NEW YORK, NY 10017
0.212 mi.
1117 ft. Site 8 of 11 in cluster CH

NY AST U003389252
N/A

Relative: AST:
Higher Name: 12 E 44TH ST
Address: 12 E 44TH ST
Actual: City,State,Zip: NEW YORK, NY 10017
61 ft. Region: STATE
DEC Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

12 E 44TH ST (Continued)

U003389252

Site Status: Active
Facility Id: 2-303801
Program Type: PBS
UTM X: 586178.46043
UTM Y: 4511986.30460
Expiration Date: 04/30/2025
Site Type: Other

Affiliation Records:

Site Id: 13820
Affiliation Type: Mail Contact
Company Name: FIRST PIONEER PROPERTIES INC
Contact Type: Not reported
Contact Name: JOHN VASAPOLLO
Address1: 34-09 QUEENS BLVD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 482-0700
EMail: JOHN@FIRSTPIONEERPROPERTIES.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-12-28

Site Id: 13820
Affiliation Type: Facility Operator
Company Name: 12 E 44TH ST
Contact Type: Not reported
Contact Name: JOHN VASAPOLLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 245-5200
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-12-28

Site Id: 13820
Affiliation Type: Emergency Contact
Company Name: CASAS ADOBES VENTURES LLC
Contact Type: Not reported
Contact Name: JOHN VASAPOLLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 838-0118
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

12 E 44TH ST (Continued)

U003389252

Date Last Modified: 2015-12-28

Site Id: 13820
Affiliation Type: Facility Owner
Company Name: CASAS ADOBES VENTURES LLC
Contact Type: PROPERTY MANAGER
Contact Name: JOHN VASAPOLLO
Address1: 34-09 QUEENS BLVD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 482-0700
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2020-02-12

Tank Info:

Tank Number: 001
Tank Id: 16233
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1986
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CL697 ENE 1/8-1/4 0.212 mi. 1118 ft.	ROYAL REALTY 733 3RD AVE - SUB BASEMENT NEW YORK, NY 10017 Site 1 of 5 in cluster CL	RCRA NonGen / NLR FINDS ECHO NY MANIFEST	1004761024 NYR000070458
Relative: Lower	RCRA Listings:		
Actual: 38 ft.	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	ROYAL REALTY	
	Handler Address:	733 3RD AVE - SUB BASEMENT	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYR000070458	
	Contact Name:	ANDREAS ALBREKTSEN	
	Contact Address:	3RD AVE - SUB BASEMENT	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	212-687-6224	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	3RD AVE - SUB BASEMENT	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	733 PROPERTIES INC	
	Owner Type:	Private	
	Operator Name:	733 PROPERTIES INC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY (Continued)

1004761024

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	733 PROPERTIES INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 6TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	733 PROPERTIES INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 6TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY (Continued)

1004761024

Owner/Operator Indicator:	Owner
Owner/Operator Name:	733 PROPERTIES INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1155 6TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-789-1155
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	ROYAL REALTY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	ROYAL REALTY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1999-04-22 00:00:00.0
Handler Name:	ROYAL REALTY
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004552582

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY (Continued)

1004761024

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004761024
Registry ID: 110004552582
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004552582>
Name: ROYAL REALTY
Address: 733 3RD AVE - SUB BASEMENT
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: ROYAL REALTY CORP
Address: 733 3RD AVE - SUB BASEMENT
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000070458
Facility Status: Not reported
Location Address 1: 733 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000070458
Mailing Name: ROYAL REALTY CORP
Mailing Contact: N/S
Mailing Address 1: 733 3RD AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 0000000000

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: TXR000081205
Trans2 State ID: MAD039322250

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL REALTY (Continued)

1004761024

Generator Ship Date: 03/08/2018
Trans1 Recv Date: 03/08/2018
Trans2 Recv Date: 03/10/2018
TSD Site Recv Date: 03/23/2018
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000070458
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: ARD069748192
TSDF ID 2: Not reported
Manifest Tracking Number: 006209433SKS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H040
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 200
Units: P - Pounds
Number of Containers: 2
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D001
Waste Code 1_2: D005
Waste Code 1_3: D006
Waste Code 1_4: D007
Waste Code 1_5: D008
Waste Code 1_6: D011

698
SW
1/8-1/4
0.212 mi.
1118 ft.

80 PARK AVENUE CONDOMINIUM
80 PARK AVENUE
NEW YORK, NY 10016

NY AST A100292762
N/A

Relative:
Higher
Actual:
75 ft.

AST:
Name: 80 PARK AVENUE CONDOMINIUM
Address: 80 PARK AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-043087
Program Type: PBS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

80 PARK AVENUE CONDOMINIUM (Continued)

A100292762

UTM X: 586157.96117
UTM Y: 4511526.04705
Expiration Date: 12/30/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 378
Affiliation Type: Facility Owner
Company Name: 80 PARK AVE CONDOMINIUM C/O MATHEW ADAM PROPERTIES
Contact Type: ASSISTANT SECRETARY
Contact Name: IRA MEISTER
Address1: 127 EAST 59TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 699-8900
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-09

Site Id: 378
Affiliation Type: Mail Contact
Company Name: MATTHEW ADAM PROPERTIES, INC.
Contact Type: Not reported
Contact Name: IRA MEISTER
Address1: 127 EAST 59TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 699-8915
EMail: IMEISTER@MATHEWADAM.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-09

Site Id: 378
Affiliation Type: Facility Operator
Company Name: 80 PARK AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: HASIM KOVACEVIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 996-8676
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2013-12-19

Site Id: 378

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

80 PARK AVENUE CONDOMINIUM (Continued)

A100292762

Affiliation Type: Emergency Contact
Company Name: 80 PARK AVE CONDOMINIUM % MATTEW ADAM PROPS.
Contact Type: Not reported
Contact Name: IRA MEISTER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 699-8900
EMail: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 2004-06-03

Tank Info:

Tank Number: 001
Tank Id: 1107
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/1978
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

EDR ID Number
EPA ID Number

BZ699	CON EDISON - MANHOLE 8427	RCRA-LQG	1019905280
ESE	223-225 E 43RD ST		NYP004807871
1/8-1/4	NEW YORK, NY 10017		
0.212 mi.			
1120 ft.	Site 4 of 7 in cluster BZ		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2018-04-10 00:00:00.0	
	Handler Name:	CON EDISON - MANHOLE 8427	
Actual:	Handler Address:	223-225 E 43RD ST	
49 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004807871	
	Contact Name:	ALYSSA SOTTO	
	Contact Address:	IRVING PLACE, 15TH FL NE	
	Contact City,State,Zip:	NEW YORK, NY 10003	
	Contact Telephone:	212-460-2757	
	Contact Fax:	Not reported	
	Contact Email:	SOTTOA@CONED.COM	
	Contact Title:	ASSOCIATE SCIENTIST	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Large Quantity Generator	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	2017	
	Accessibility:	Not reported	
	Active Site Indicator:	Handler Activities	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PLACE, 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.	
	Owner Type:	Private	
	Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 8427 (Continued)

1019905280

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-06 18:35:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-07-16 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	212-460-2757
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 8427 (Continued)

1019905280

Date Became Current: 2015-07-16 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: 212-460-2757
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2018-04-10 00:00:00.0
Handler Name: CON EDISON - MANHOLE 8427
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 2015-07-16 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-07-16 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
BZ700 ESE 1/8-1/4 0.212 mi. 1120 ft.	CON EDISON 223-225 E 43RD ST & 2ND AVE NEW YORK, NY 10017 Site 5 of 7 in cluster BZ	NY MANIFEST	S121967336 N/A
Relative: Higher Actual: 49 ft.	NY MANIFEST: Name: CON EDISON Address: 223-225 E 43RD ST & 2ND AVE City,State,Zip: NEW YORK, NY 10017 Country: USA EPA ID: NYP004807871 Facility Status: Not reported Location Address 1: 223-225 E 43RD ST Code: BP Location Address 2: Not reported Total Tanks: Not reported Location City: NEW YORK Location State: NY Location Zip: 10017 Location Zip 4: Not reported NY MANIFEST: EPAID: NYP004807871 Mailing Name: CON EDISON Mailing Contact: CON EDISON Mailing Address 1: 4 IRVING PL Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip 4: Not reported Mailing Country: USA Mailing Phone: Not reported		
BZ701 ESE 1/8-1/4 0.212 mi. 1120 ft.	CON EDISON 247-249 E 43RD ST & 2ND AVE NEW YORK, NY 10017 Site 6 of 7 in cluster BZ	RCRA NonGen / NLR	1019905279 NYP004807863
Relative: Higher Actual: 49 ft.	RCRA Listings: Date Form Received by Agency: Handler Name: Handler Address: Handler City,State,Zip: EPA ID: Contact Name: Contact Address: Contact City,State,Zip: Contact Telephone: Contact Fax: Contact Email: Contact Title: EPA Region: Land Type: Federal Waste Generator Description: Non-Notifier: Biennial Report Cycle:	2015-07-16 00:00:00.0 CON EDISON 247-249 E 43RD ST & 2ND AVE NEW YORK, NY 10017 NYP004807863 THOMAS TEELING Not reported Not reported 212-460-3770 Not reported Not reported Not reported 02 Private Not a generator, verified Not reported Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019905279

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019905279

Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-07-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-07-16 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

BZ702
ESE
1/8-1/4
0.212 mi.
1120 ft.

CON EDISON - MANHOLE 8427
223-225 E 43RD ST & 2ND AVE
NEW YORK, NY 10017

NJ MANIFEST **S120673987**
N/A

Site 7 of 7 in cluster BZ

Relative:
Higher

Actual:
49 ft.

NJ MANIFEST:	
EPA Id:	NYP004807871
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 8427 (Continued)

S120673987

Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002614566GBF
EPA ID:	NYP004807871
Date Shipped:	7/16/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CB703
NW
1/8-1/4
0.214 mi.
1128 ft.

EMIGRANT BANK
6 E 43RD ST
NEW YORK, NY 10017

Site 7 of 9 in cluster CB

RCRA-SQG
NY MANIFEST

1010566664
NYR000153114

Relative:
Higher

Actual:
65 ft.

RCRA Listings:
Date Form Received by Agency: 2007-12-13 00:00:00.0
Handler Name: EMIGRANT BANK
Handler Address: 6 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000153114
Contact Name: TOM RUTTER
Contact Address: E 43RD ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-850-4702
Contact Fax: Not reported
Contact Email: RUTTERT@EMIGRANT.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 43RD ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMIGRANT BANK (Continued)

1010566664

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	EMIGRANT BANK
Legal Status:	Private
Date Became Current:	1969-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HOWARD MILSTEIN/MILSTEIN PROPERTIES
Legal Status:	Private
Date Became Current:	2002-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMIGRANT BANK (Continued)

1010566664

Historic Generators:

Receive Date:	2007-12-13 00:00:00.0
Handler Name:	EMIGRANT BANK
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-12-14 00:00:00.0
Handler Name:	EMIGRANT BANK
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	6 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004792818
Facility Status:	Not reported
Location Address 1:	6 E 43RD ST
Code:	BP
Location Address 2:	MH 8412
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004792818
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMIGRANT BANK (Continued)

1010566664

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/11/2015
Trans1 Recv Date: 06/11/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/11/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004792818
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002614273GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: EMIGRANT BANK
Address: 6 E 43RD ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000153114
Facility Status: Not reported
Location Address 1: 6 EAST 43 STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMIGRANT BANK (Continued)

1010566664

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000153114
Mailing Name: EMIGRANT BANK
Mailing Contact: TOM RIZZO
Mailing Address 1: 6 EAST 43 STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 9176426411

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJR000011528
Trans2 State ID: Not reported
Generator Ship Date: 01/07/2008
Trans1 Recv Date: 01/07/2008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/07/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000153114
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: PAD067098822
TSD ID 2: Not reported
Manifest Tracking Number: 000844128JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EMIGRANT BANK (Continued)

1010566664

Quantity: 1560
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 52
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D004
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

CB704
NW
1/8-1/4
0.214 mi.
1128 ft.

CON EDISON
6 E 43RD ST
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1019904022
NYP004792818

Site 8 of 9 in cluster CB

Relative:
Higher
Actual:
65 ft.

RCRA Listings:
Date Form Received by Agency: 2015-06-11 00:00:00.0
Handler Name: CON EDISON
Handler Address: 6 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004792818
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019904022

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 13:09:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-06-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019904022

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-06-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069685816

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019904022
Registry ID:	110069685816
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069685816
Name:	CON EDISON
Address:	6 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017

CB705
NW
1/8-1/4
0.214 mi.
1128 ft.
CON EDISON
6 E 43RD ST
NEW YORK, NY 10017
Site 9 of 9 in cluster CB

NJ MANIFEST **S120672667**
N/A

Relative:
Higher

Actual:
65 ft.

NJ MANIFEST:	
EPA Id:	NYP004792818
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120672667

Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002614273GBF
EPA ID:	NYP004792818
Date Shipped:	6/11/2015
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

CM706	250 PARK AVENUE LLC	RCRA NonGen / NLR	1023679098
North	250 PARK AVE		NYR000230763
1/8-1/4	NEW YORK, NY 10177		
0.214 mi.			
1129 ft.	Site 1 of 2 in cluster CM		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2017-04-18 00:00:00.0	
	Handler Name:	250 PARK AVENUE LLC	
	Handler Address:	250 PARK AVE	
	Handler City,State,Zip:	NEW YORK, NY 10177	
	EPA ID:	NYR000230763	
	Contact Name:	JOSEPH R POLITI	
	Contact Address:	PARK AVE	
	Contact City,State,Zip:	NEW YORK, NY 10177	
	Contact Telephone:	212-986-7800	
	Contact Fax:	212-697-6706	
	Contact Email:	JOE.POLITI@CUSHWAKE.COM	
	Contact Title:	SENIOR PROPERTY MANAGER	
	EPA Region:	02	
	Land Type:	Other	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	PARK AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10177	
	Owner Name:	250 PARK AVENUE LLC	
	Owner Type:	Other	
	Operator Name:	JOSEPH POLITI	
	Operator Type:	Other	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 PARK AVENUE LLC (Continued)

1023679098

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-06-01 10:54:12.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JOSEPH POLITI
Legal Status:	Other
Date Became Current:	1986-02-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	250 PARK AVENUE LLC
Legal Status:	Other
Date Became Current:	1998-11-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	250 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10177

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 PARK AVENUE LLC (Continued)

1023679098

Owner/Operator Telephone:	212-986-7800
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	250 PARK AVENUE LLC
Legal Status:	Other
Date Became Current:	1998-11-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	250 PARK AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10177
Owner/Operator Telephone:	212-986-7800
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	JOSEPH POLITI
Legal Status:	Other
Date Became Current:	1986-02-28 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2017-04-18 00:00:00.0
Handler Name:	250 PARK AVENUE LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-02-22 00:00:00.0
Handler Name:	250 PARK AVENUE LLC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CM707 **250 PARK AVENUE LLC**
North **250 PARK AVE**
1/8-1/4 **NEW YORK, NY 10177**
0.214 mi.
1129 ft. **Site 2 of 2 in cluster CM**

NY MANIFEST **S120959686**
 N/A

Relative:
Higher

Actual:
61 ft.

NY MANIFEST:
Name: 250 PARK AVENUE LLC
Address: 250 PARK AVE
City,State,Zip: NEW YORK, NY 10177
Country: USA
EPA ID: NYR000230763
Facility Status: Not reported
Location Address 1: 250 PARK AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10177
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000230763
Mailing Name: 250 PARK AVENUE LLC
Mailing Contact: 250 PARK AVENUE LLC
Mailing Address 1: 250 PARK AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10177
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129867800

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134940
Generator Ship Date: 02/27/2017
Trans1 Recv Date: 02/27/2017
Trans2 Recv Date: 03/01/2017
TSD Site Recv Date: 03/11/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000230763
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 008177588FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 PARK AVENUE LLC (Continued)

S120959686

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1200
Units: P - Pounds
Number of Containers: 6
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CF708 **V1772**
SE **225 E.41 ST.**
1/8-1/4 **NEW YORK CITY, NY 10017**
0.214 mi.
1130 ft. **Site 6 of 13 in cluster CF**

RCRA NonGen / NLR **1007207372**
NY MANIFEST **NYP004044061**

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V1772
Handler Address: 225 E.41 ST.
Handler City,State,Zip: NEW YORK CITY, NY 10017
EPA ID: NYP004044061
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1772 (Continued)

1007207372

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1772 (Continued)

1007207372

Historic Generators:

Receive Date:	2001-01-02 00:00:00.0
Handler Name:	V1772
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-03 00:00:00.0
Handler Name:	V1772
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2001-01-01 00:00:00.0
Handler Name:	V1772
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	225 E.41 ST.
City,State,Zip:	NEW YORK CITY, NY 10017
Country:	USA
EPA ID:	NYP004044061
Facility Status:	Not reported
Location Address 1:	V1772-F/O 225 E 41ST ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1772 (Continued)

1007207372

Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004044061
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0443421
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 10/07/1999
Trans1 Recv Date: 10/07/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/07/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004044061
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01285
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1772 (Continued)

1007207372

Specific Gravity: 01.00

CG709
WSW
1/8-1/4
0.214 mi.
1132 ft.

CON EDISION - V814
43-01 39TH ST. 43-01 39TH ST.
NEW YORK, NY 10003

RCRA NonGen / NLR
NY MANIFEST

1007207663
NYP004072732

Site 3 of 3 in cluster CG

Relative:
Higher
Actual:
75 ft.

RCRA Listings:

Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V814
Handler Address: 43-01 39TH ST. 43-01 39TH ST.
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004072732
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V814 (Continued)

1007207663

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V814
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V814

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V814 (Continued)

1007207663

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V814
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	43-01 39TH ST. 43-01 39TH ST.
City,State,Zip:	NEW YORK, NY 10003
Country:	USA
EPA ID:	NYP004072732
Facility Status:	Not reported
Location Address 1:	V814 - 43-01 49TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004072732
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0220577
--------------	------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V814 (Continued)

1007207663

Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 01/26/2001
Trans1 Recv Date: 01/26/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/29/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004072732
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01874
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CN710 271 MADISON AVE
WSW 271 MADISON AVE
1/8-1/4 NEW YORK, NY 10016
0.215 mi.
1135 ft. Site 1 of 5 in cluster CN

NY AST U003383423
N/A

Relative: AST:
Higher Name: 271 MADISON AVE
Actual: Address: 271 MADISON AVE
75 ft. City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-045594
Program Type: PBS
UTM X: 586080.91002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

271 MADISON AVE (Continued)

U003383423

UTM Y: 4511637.24988
Expiration Date: 12/02/2021
Site Type: Other

Affiliation Records:

Site Id: 581
Affiliation Type: Facility Owner
Company Name: 271 MADISON CO & 220 FOURTH CO C/O THE ALPERT GROU
Contact Type: PRESIDENT
Contact Name: FRANK YAN
Address1: 271 MADISON AVE-22ND FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 532-6414
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-30

Site Id: 581
Affiliation Type: Mail Contact
Company Name: ABILINE INC.
Contact Type: Not reported
Contact Name: FRANK YAN
Address1: 2402 NEPTUNE AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11224
Country Code: 001
Phone: (718) 372-4210
EMail: FRANK@ABILENEINC.COM
Fax Number: Not reported
Modified By: JAAVERSA
Date Last Modified: 2017-06-24

Site Id: 581
Affiliation Type: Facility Operator
Company Name: 271 MADISON AVE
Contact Type: Not reported
Contact Name: NELSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 532-0816
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-30

Site Id: 581
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

271 MADISON AVE (Continued)

U003383423

Company Name: 271 MADISON CO & 220 FOURTH CO C/O THE ALPERT GROU
Contact Type: Not reported
Contact Name: ORI ALPERT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 532-0816
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-01-30

Tank Info:

Tank Number: 043
Tank Id: 1438
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/14/1927
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CO711 **APARTMENT/PROFESS BUILDING**
SSW **109 EAST 38TH STREET**
1/8-1/4 **NEW YORK, NY 10016**
0.216 mi.
1138 ft. **Site 1 of 3 in cluster CO**

NY AST **U003391244**
 N/A

Relative:
Higher

AST:

Actual:
71 ft.

Name: APARTMENT/PROFESS BUILDING
Address: 109 EAST 38TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-335940
Program Type: PBS
UTM X: 586224.93963
UTM Y: 4511433.90321
Expiration Date: 11/01/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 16042
Affiliation Type: Mail Contact
Company Name: THE MARTIN LEON FOX FAMILY LLC
Contact Type: Not reported
Contact Name: MR. CHARLES M. FOX
Address1: 109 E. 38TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 799-2799
EMail: 109E38MGT@GMAIL.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-11-13

Site Id: 16042
Affiliation Type: Facility Operator
Company Name: APARTMENT/PROFESS BUILDING
Contact Type: Not reported
Contact Name: DR MARTIN L FOX
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 686-3410
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16042
Affiliation Type: Emergency Contact
Company Name: THE MARTIN LEON FOX FAMILY LLC
Contact Type: Not reported
Contact Name: CHARLES OR MARTIN FOX

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT/PROFESS BUILDING (Continued)

U003391244

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 799-2799
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-11-13

Site Id: 16042
Affiliation Type: Facility Owner
Company Name: THE MARTIN LEON FOX FAMILY LLC
Contact Type: MANAGER
Contact Name: MARTIN L. FOX
Address1: 109 E. 38TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 799-2799
EMail: 109E38MGT@GMAIL.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-11-13

Tank Info:

Tank Number: 001
Tank Id: 21044
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/20/1984
Capacity Gallons: 2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT/PROFESS BUILDING (Continued)

U003391244

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 11/13/2018
Material Name: #2 fuel oil (on-site consumption)

CL712
ENE
1/8-1/4
0.216 mi.
1138 ft.

BELL ATLANTIC-NY
E 46 ST/3 AVENUE
MANHATTAN, NY 00000
Site 2 of 5 in cluster CL

RCRA NonGen / NLR **1007205448**
NY MANIFEST **NYP000933853**

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 1998-03-01 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Handler Address: E 46 ST/3 AVENUE
Handler City,State,Zip: MANHATTAN, NY 00000-0000
EPA ID: NYP000933853
Contact Name: JOHN QUATRALE
Contact Address: BELL ATLANTIC - ENVIRONMENTAL
Contact City,State,Zip: NEW YORK, NY 10016-0000
Contact Telephone: 212-338-7141
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: BELL ATLANTIC - ENVIRONMENTAL
Mailing City,State,Zip: NEW YORK, NY 10016-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205448

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-03-01 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205448

Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	BELL ATLANTIC-NY
Address:	E 46 ST/3 AVENUE
City,State,Zip:	MANHATTAN, NY 00000-0000
Country:	USA
EPA ID:	NYP000933853
Facility Status:	Not reported
Location Address 1:	E 46 ST/3 AVENUE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000933853
Mailing Name:	BELL ATLANTIC-NY
Mailing Contact:	Not reported
Mailing Address 1:	Not reported
Mailing Address 2:	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Zip 4:	Not reported
Mailing Country:	Not reported
Mailing Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CL713
ENE
1/8-1/4
0.216 mi.
1139 ft.
CON EDISON
3RD AVE & E. 46TH ST
NEW YORK, NY 10009
Site 3 of 5 in cluster CL

NY MANIFEST
S123160487
N/A

Relative:
Lower

NY MANIFEST:

Actual:
38 ft.

Name: CON EDISON
Address: 3RD AVE & E. 46TH ST
City,State,Zip: NEW YORK, NY 10009
Country: USA
EPA ID: NYP005222245
Facility Status: Not reported
Location Address 1: 3RD AVE & E. 46TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10009
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP005222245
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/10/2018
Trans1 Recv Date: 06/10/2018
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/19/2018
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP005222245
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 017376348JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S123160487

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3500
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: D018
Waste Code 1_3: D023
Waste Code 1_4: D024
Waste Code 1_5: B007
Waste Code 1_6: D025

CP714
SSE
1/8-1/4
0.216 mi.
1139 ft.

CON EDISON - VAULT 2138
200 E 40 ST
NEW YORK, NY 10003
Site 1 of 3 in cluster CP

NY MANIFEST **S120958645**
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: CON EDISON - VAULT 2138
Address: 200 E 40 ST
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004954283
Facility Status: Not reported
Location Address 1: 200 E 40 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10003
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004954283
Mailing Name: CON EDISON - VAULT 2138
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 2138 (Continued)

S120958645

Mailing Country: USA
Mailing Phone: Not reported

CF715
SE
1/8-1/4
0.216 mi.
1140 ft.

CON EDISON
226 E 41 ST
NEW YORK, NY 10017
Site 7 of 13 in cluster CF

NY MANIFEST **S117314731**
N/A

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:
Name: CON EDISON
Address: 226 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004618047
Facility Status: Not reported
Location Address 1: 226 E 41 ST
Code: BP
Location Address 2: SB8015
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004618047
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004618047
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608222GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314731

Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CH716
NW
1/8-1/4
0.216 mi.
1141 ft.**

**CON EDISON
F/O 11 EAST 44TH ST.
NEW YORK, NY 10017
Site 9 of 11 in cluster CH**

**NY MANIFEST S112211106
N/A**

**Relative:
Higher**

NY MANIFEST:

**Actual:
61 ft.**

Name: CON EDISON
Address: F/O 11 EAST 44TH ST.
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004273165
Facility Status: Not reported
Location Address 1: F/O 11 EAST 44TH ST.
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004273165
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S112211106

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/10/2012
Trans1 Recv Date: 10/10/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/10/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004273165
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456390JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 4000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CH717 NW 1/8-1/4 0.216 mi. 1141 ft.	BELL ATLANTIC-NY IFO 11 E 44TH ST MANHATTAN, NY 00000	RCRA NonGen / NLR NY MANIFEST	1007205538 NYP000935445
Site 10 of 11 in cluster CH			
Relative: Higher	RCRA Listings:		
Actual: 61 ft.	Date Form Received by Agency:	1998-03-01 00:00:00.0	
	Handler Name:	BELL ATLANTIC-NY	
	Handler Address:	IFO 11 E 44TH ST	
	Handler City,State,Zip:	MANHATTAN, NY 00000-0000	
	EPA ID:	NYP000935445	
	Contact Name:	JOHN QUATRALE	
	Contact Address:	BELL ATLANTIC ENV AFFAIRS	
	Contact City,State,Zip:	NEW YORK, NY 10016-0000	
	Contact Telephone:	212-338-7141	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	BELL ATLANTIC ENV AFFAIRS	
	Mailing City,State,Zip:	NEW YORK, NY 10016-0000	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205538

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-03-01 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205538

Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-27 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	BELL ATLANTIC-NY
Address:	IFO 11 E 44TH ST
City,State,Zip:	MANHATTAN, NY 00000-0000
Country:	USA
EPA ID:	NYP000935445
Facility Status:	Not reported
Location Address 1:	IFO 11 E 44TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000935445
Mailing Name:	BELL ATLANTIC-NY
Mailing Contact:	Not reported
Mailing Address 1:	Not reported
Mailing Address 2:	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Zip 4:	Not reported
Mailing Country:	Not reported
Mailing Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CH718
NW
1/8-1/4
0.216 mi.
1141 ft.
CONSOLIDATED EDISON OF NY
10 E 44TH ST
NEW YORK, NY 10012
Site 11 of 11 in cluster CH

NY MANIFEST
S112140734
N/A

Relative:
Higher

Actual:
62 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON OF NY
Address: 10 E 44TH ST
City,State,Zip: NEW YORK, NY 10012
Country: USA
EPA ID: NYP004255121
Facility Status: Not reported
Location Address 1: 10 E 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10012
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004255121
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/14/2012
Trans1 Recv Date: 06/14/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/15/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004255121
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 009204704JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140734

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CQ719 **SUMMIT**
ESE **222 EAST 44TH STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.216 mi.
1142 ft. **Site 1 of 6 in cluster CQ**

NY UST **U004244773**
N/A

Relative: UST:
Higher Name: SUMMIT
Address: 222 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-364509 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 06/01/2024
UTM X: 586751.09767
UTM Y: 4511679.07860
Site Type: Other

Affiliation Records:
Site Id: 18477
Affiliation Type: Facility Owner
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: PRESIDENT
Contact Name: LLOYD GOLDMAN
Address1: 417 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 624-4300

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Email: LHILAIRE@BLDG.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-09

Site Id: 18477
Affiliation Type: Emergency Contact
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: Not reported
Contact Name: LARRY HILAIRE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 264-4376
Email: Not reported
Fax Number: Not reported
Modified By: HDDUPIGN
Date Last Modified: 2015-12-23

Site Id: 18477
Affiliation Type: Facility Operator
Company Name: 222 EAST 44TH STREET
Contact Type: Not reported
Contact Name: LARRY HILAIRE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 222-4944
Email: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-02

Site Id: 18477
Affiliation Type: Mail Contact
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: PRESIDENT
Contact Name: LLOYD GOLDMAN
Address1: 417 FIFTH AVENUE
Address2: 4TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 624-4300
Email: LHILAIRE@BLDG.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-09

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Tank Info:

Tank Number: 001
Tank ID: 22607
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 002
Tank ID: 22608
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number: 003
Tank ID: 22609
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number: 004
Tank ID: 22610
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 005
Tank ID: 22611
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 006
Tank ID: 22612
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: 04/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 04/14/2017

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
I04 - Overfill - Product Level Gauge (A/G)
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other

Tank Number: 201
Tank ID: 47742
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 600
Install Date: 12/01/1993
Date Tank Closed: 02/05/2013
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
L08 - Piping Leak Detection - Tank Top Sump
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
B04 - Tank External Protection - Fiberglass
A00 - Tank Internal Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
F04 - Pipe External Protection - Fiberglass
C02 - Pipe Location - Underground/On-ground

Tank Number: 202
Tank ID: 47743

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 600
Install Date: 12/01/1993
Date Tank Closed: 02/05/2013
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
L08 - Piping Leak Detection - Tank Top Sump
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 203
Tank ID: 47744
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 600
Install Date: 12/01/1993
Date Tank Closed: 02/05/2013
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
L08 - Piping Leak Detection - Tank Top Sump
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 301
Tank ID: 260116
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 302
Tank ID: 260117
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 303
Tank ID: 260118
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 304
Tank ID: 260119
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 305
Tank ID: 260120
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 306
Tank ID: 260121
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

U004244773

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

Tank Number: 307
Tank ID: 260122
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 750
Install Date: Not reported
Date Tank Closed: 10/14/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: HDDUPIGN
Last Modified: 04/14/2017

CQ720
ESE
1/8-1/4
0.216 mi.
1142 ft.

K L CUSTOM PHOTOGRAPHICS
222 E 44TH ST - 2ND FLOOR
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1004759215
NYR000001784

Site 2 of 6 in cluster CQ

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: K L CUSTOM PHOTOGRAPHICS
Handler Address: 222 E 44TH ST - 2ND FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000001784
Contact Name: FRANK DIRIENZO
Contact Address: E 44TH ST - 2ND FLOOR
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-661-5600
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 44TH ST - 2ND FLOOR
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: 43RD STREET ESTATES
Owner Type: Private
Operator Name: 43RD STREET ESTATES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K L CUSTOM PHOTOGRAPHICS (Continued)

1004759215

Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K L CUSTOM PHOTOGRAPHICS (Continued)

1004759215

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	43RD STREET ESTATES
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	211 E 43RD ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-564-5959
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	43RD STREET ESTATES
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	211 E 43RD ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-564-5959
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	43RD STREET ESTATES
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	211 E 43RD ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-564-5959
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	K L CUSTOM PHOTOGRAPHICS
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	K L CUSTOM PHOTOGRAPHICS
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K L CUSTOM PHOTOGRAPHICS (Continued)

1004759215

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1995-03-15 00:00:00.0
Handler Name:	K L CUSTOM PHOTOGRAPHICS
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004511911

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004759215
Registry ID:	110004511911
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004511911
Name:	K L CUSTOM PHOTOGRAPHICS
Address:	222 E 44TH ST - 2ND FLOOR
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	K & L TARTARO WACE USA INC
Address:	222 E 44TH ST - 2ND FLOOR
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000001784
Facility Status:	Not reported
Location Address 1:	222 EAST 44TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K L CUSTOM PHOTOGRAPHICS (Continued)

1004759215

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000001784
Mailing Name: K & L TARTARO WACE USA INC
Mailing Contact: FRANK DI RIENZO
Mailing Address 1: 222 EAST 44TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126615600

NY MANIFEST:

Document ID: NYB8460918
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: PX1132
Trans2 State ID: Not reported
Generator Ship Date: 08/16/2000
Trans1 Recv Date: 08/16/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/21/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000001784
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K L CUSTOM PHOTOGRAPHICS (Continued)

1004759215

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00045
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CQ721 **EDITEL NEW YORK**
ESE **222 E 44TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.216 mi.
1142 ft. **Site 3 of 6 in cluster CQ**

RCRA NonGen / NLR **1000399903**
FINDS **NYD982717902**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: EDITEL NEW YORK
Handler Address: 222 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD982717902
Contact Name: Not reported
Contact Address: PO BOX 60
Contact City,State,Zip: MENASHA, NY 54952
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	PO BOX 60
Mailing City,State,Zip:	MENASHA, NY 54952
Owner Name:	GEORGE BANTA CO
Owner Type:	Private
Operator Name:	GEORGE BANTA CO
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GEORGE BANTA CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GEORGE BANTA CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GEORGE BANTA CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1992-07-01 00:00:00.0
Handler Name:	EDITEL NEW YORK
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	EDITEL NEW YORK
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	EDITEL NEW YORK
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1988-12-05 00:00:00.0
Handler Name:	EDITEL NEW YORK
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004425881

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000399903
Registry ID: 110004425881
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004425881>
Name: EDITEL NEW YORK
Address: 222 E 44TH ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: EDITEL NY
Address: 222 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD982717902
Facility Status: Not reported
Location Address 1: UNITED VIDEO- 222 EAST 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD982717902
Mailing Name: EDITEL NY
Mailing Contact: JOHN HOLLMAN PRES & CHIEF
Mailing Address 1: UNITED VIDEO - 515 W 57TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10019
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2122653600

NY MANIFEST:

Document ID: NYB8052273
Manifest Status: K
seq: Not reported
Year: 1996
Trans1 State ID: NYPD1011
Trans2 State ID: Not reported
Generator Ship Date: 11/11/1996
Trans1 Recv Date: 11/11/1996
Trans2 Recv Date: / /
TSD Site Recv Date: 11/11/1996
Part A Recv Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

Part B Recv Date: 12/11/1996
Generator EPA ID: NYD982717902
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F001 - UNKNOWN
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Name: BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Address: 222 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP000972661
Facility Status: Not reported
Location Address 1: 222 E 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000972661
Mailing Name: BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Mailing Contact: BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Mailing Address 1: 417 FIFTH AVENUE 4TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDITEL NEW YORK (Continued)

1000399903

Mailing Phone: 9142327355

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2016
Trans1 State ID: MAC300016672
Trans2 State ID: Not reported
Generator Ship Date: 03/10/2016
Trans1 Recv Date: 03/10/2016
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/11/2016
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP000972661
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: 009436963FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 12000
Units: P - Pounds
Number of Containers: 6
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D018
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
-1 additional NY MANIFEST: record(s) in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CQ722
ESE
1/8-1/4
0.216 mi.
1142 ft.
SUMMIT
222 EAST 44TH STREET
NEW YORK, NY 10017
Site 4 of 6 in cluster CQ

NY AST **A100485401**
N/A

Relative:
Higher

Actual:
52 ft.

AST:
Name: SUMMIT
Address: 222 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-364509
Program Type: PBS
UTM X: 586751.09767
UTM Y: 4511679.07860
Expiration Date: 06/01/2024
Site Type: Other

Affiliation Records:
Site Id: 18477
Affiliation Type: Facility Owner
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: PRESIDENT
Contact Name: LLOYD GOLDMAN
Address1: 417 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 624-4300
EMail: LHILAIRE@BLDG.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-09

Site Id: 18477
Affiliation Type: Emergency Contact
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: Not reported
Contact Name: LARRY HILAIRE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 264-4376
EMail: Not reported
Fax Number: Not reported
Modified By: HDDUPIGN
Date Last Modified: 2015-12-23

Site Id: 18477
Affiliation Type: Facility Operator
Company Name: 222 EAST 44TH STREET
Contact Type: Not reported
Contact Name: LARRY HILAIRE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

A100485401

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 222-4944
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-02

Site Id: 18477
Affiliation Type: Mail Contact
Company Name: BLDG 44 DEVELOPERS, LLC
Contact Type: PRESIDENT
Contact Name: LLOYD GOLDMAN
Address1: 417 FIFTH AVENUE
Address2: 4TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 624-4300
EMail: LHILAIRE@BLDG.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-07-09

Tank Info:

Tank Number: 401
Tank Id: 280932

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/2016
Capacity Gallons: 275
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

A100485401

Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 07/09/2019
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 402
Tank Id: 280933

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I03 - Overfill - Automatic Shut-Off
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
E12 - Piping Secondary Containment - Double-Walled (AG only)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 03/01/2017
Capacity Gallons: 3000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 07/09/2019
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 403
Tank Id: 280934

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated
above grade or tank pad, allowing visual inspection.

Tank Location:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT (Continued)

A100485401

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/2018
Capacity Gallons: 175
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JSMACRI
Last Modified: 07/09/2019
Material Name: #2 fuel oil (on-site consumption)

CQ723 **BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY**
ESE **222 E 44TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.216 mi.
1142 ft. **Site 5 of 6 in cluster CQ**

RCRA NonGen / NLR **1018277412**
FINDS **NYP000972661**
ECHO

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2016-05-31 00:00:00.0
Handler Name: BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10017
Handler Address: 222 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP000972661
Contact Name: CHARLES MAYER
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 201-770-1120
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SUPERINTENDENT
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: NOBEL CONSTRUCTION
Mailing City,State,Zip: SECAUCUS, NJ 07094
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016 (Continued)

1018277412

Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-31 15:46:34.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2016-03-09 00:00:00.0
Handler Name:	BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016 (Continued)

1018277412

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2016-05-31 00:00:00.0
Handler Name:	BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067553622

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018277412
Registry ID:	110067553622
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067553622
Name:	BLDG 44 DEVELOPERS LLC - 417 FIFTH AVE NEW YORK NY 10016
Address:	222 E 44TH ST
City,State,Zip:	NEW YORK, NY 10017

CA724
SW
1/8-1/4
0.216 mi.
1143 ft.
BRICKWORK MANAGEMENT INC.
105 EAST 38TH ST
NEW YORK, NY 10016
Site 5 of 5 in cluster CA

NY AST **A100362283**
N/A

Relative:
Higher
Actual:
72 ft.

AST:
Name: BRICKWORK MANAGEMENT INC.
Address: 105 EAST 38TH ST
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-292818
Program Type: PBS
UTM X: 586209.49321

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRICKWORK MANAGEMENT INC. (Continued)

A100362283

UTM Y: 4511442.27244
Expiration Date: 07/14/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 13334
Affiliation Type: Facility Owner
Company Name: PARK EAST OWNERS CORP.
Contact Type: MANAGING AGENT
Contact Name: RALPH J. WESTERHOFF
Address1: P.O. BOX 462, OLD CHELSEA STATION
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10113
Country Code: 001
Phone: (212) 675-2662
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-28

Site Id: 13334
Affiliation Type: Mail Contact
Company Name: BRICKWORK MANAGEMENT INC.
Contact Type: Not reported
Contact Name: RALH WESTERHOFF
Address1: P.O. BOX 462
Address2: OLD CHELSEAS STATION
City: NEW YORK
State: NY
Zip Code: 10113
Country Code: 001
Phone: (212) 675-2662
EMail: RWESTERHOFF@BWMGMT.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-28

Site Id: 13334
Affiliation Type: Facility Operator
Company Name: BRICKWORK MANAGEMENT INC.
Contact Type: Not reported
Contact Name: NOEL VELLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 281-3961
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-28

Site Id: 13334
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRICKWORK MANAGEMENT INC. (Continued)

A100362283

Company Name: PARK EAST OWNERS CORP.
Contact Type: Not reported
Contact Name: NOEL VELLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 281-3961
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-28

Tank Info:

Tank Number: 001
Tank Id: 15205
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1980
Capacity Gallons: 2500
Tightness Test Method: 21
Date Test: 01/17/2008
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 08/28/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CI725 **APF 286 MAD LLC**
West **21 EAST 40TH STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.216 mi.
1143 ft. **Site 5 of 12 in cluster CI**

NY AST **U003395519**
 N/A

Relative:
Higher
Actual:
73 ft.

AST:
Name: APF 286 MAD LLC
Address: 21 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600038
Program Type: PBS
UTM X: 586068.78007
UTM Y: 4511696.70674
Expiration Date: 07/13/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 22026
Affiliation Type: Mail Contact
Company Name: APF PROPERTIES LLC
Contact Type: Not reported
Contact Name: CARLOS TELLERIA
Address1: 28 WEST 44TH STREET
Address2: SUITE 708
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 302-2025
EMail: CTELLERIA@APFPROPERTIES.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2012-03-05

Site Id: 22026
Affiliation Type: Facility Operator
Company Name: APF 286 MAD LLC
Contact Type: Not reported
Contact Name: RICHARD DOLAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 932-2016
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2012-03-05

Site Id: 22026
Affiliation Type: Emergency Contact
Company Name: APF 286 MAD LLC
Contact Type: Not reported
Contact Name: CARLOS TELLERIA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 302-2025
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2012-03-05

Site Id: 22026
Affiliation Type: Facility Owner
Company Name: APF 286 MAD LLC
Contact Type: AGENT
Contact Name: CARLOS TELLERIA
Address1: 28 WEST 44TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 586-3900
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2012-03-05

Tank Info:

Tank Number: 001
Tank Id: 39974
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 2065
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 09/01/1996
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 52451
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 10/01/1996
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 03/07/2002
Register: True
Modified By: LXZIELIN
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 1
Tank Id: 213683
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/06/1997
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Affiliation Records:

Site Id: 1033
Affiliation Type: Facility Owner
Company Name: 286 MADISON L.P.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Contact Type: Not reported
Contact Name: Not reported
Address1: 120 WEST 45TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 768-9010
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1033
Affiliation Type: Mail Contact
Company Name: 286 MADISON L.P.
Contact Type: Not reported
Contact Name: Not reported
Address1: 120 WEST 45TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 768-9010
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1033
Affiliation Type: Facility Operator
Company Name: 286 MADISON AVENUE
Contact Type: Not reported
Contact Name: ANTHONY PORTELLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 532-9016
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 1033
Affiliation Type: Emergency Contact
Company Name: 286 MADISON L.P.
Contact Type: Not reported
Contact Name: ANTHONY PORTELLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Zip Code: Not reported
Country Code: 001
Phone: (212) 532-9016
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 39974
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 2065
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Tank Location: B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: Closed - Removed

Pipe Model: Not reported

Install Date: Not reported

Capacity Gallons: 5000

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: 09/01/1996

Register: True

Modified By: TRANSLAT

Last Modified: 04/14/2017

Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002

Tank Id: 52451

Material Code: 0001

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: Tank Converted to Non-Regulated Use

Pipe Model: Not reported

Install Date: 10/01/1996

Capacity Gallons: 5000

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: 03/07/2002

Register: True

Modified By: LXZIELIN

Last Modified: 04/14/2017

Material Name: #2 fuel oil (on-site consumption)

Tank Number: 1

Tank Id: 213683

Material Code: 0001

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APF 286 MAD LLC (Continued)

U003395519

Equipment Records:

J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/06/1997
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

BY726 **CON ED**
East **225 E 44TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.217 mi.
1144 ft. **Site 4 of 4 in cluster BY**

NY MANIFEST **S118464073**
N/A

Relative: NY MANIFEST:
Higher Name: CON ED
Address: 225 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004861536
Facility Status: Not reported
Location Address 1: 225 E 44TH ST
Code: BP
Location Address 2: SB 8611
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Actual:
51 ft. NY MANIFEST:
EPAID: NYP004861536
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S118464073

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/28/2015
Trans1 Recv Date: 10/28/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004861536
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612506GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CR727 **18 E 41 STREET PARTNERS, LLC**
West **18 EAST 41ST STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.217 mi.
1145 ft. **Site 1 of 8 in cluster CR**

NY AST **U001832346**
 N/A

Relative:
Higher

AST:

Actual:
72 ft.

Name: 18 E 41 STREET PARTNERS, LLC
Address: 18 EAST 41ST STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601376
Program Type: PBS
UTM X: 586068.69772
UTM Y: 4511760.21244
Expiration Date: 11/03/2020
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 23343
Affiliation Type: Facility Owner
Company Name: 18 EAST 41ST STREET PARTNERS LLC % WALTER & SAMUEL
Contact Type: DIRECTOR OF MANAGEMENT
Contact Name: ERNEST FARACI
Address1: 419 PARK AVE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 685-6200
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-09-30

Site Id: 23343
Affiliation Type: Mail Contact
Company Name: 18 EAST 41 STREET PARTNERS LLC
Contact Type: Not reported
Contact Name: MARK TORRE
Address1: C/O WALTER & SAMUELS INC.
Address2: 419 PARK AVENUE SOUTH
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 696-7137
EMail: MTORRE@WALTER-SAMUELS.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-09-30

Site Id: 23343
Affiliation Type: Facility Operator
Company Name: 18 E 41 STREET PARTNERS, LLC
Contact Type: Not reported
Contact Name: JOSE PADILLA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

18 E 41 STREET PARTNERS, LLC (Continued)

U001832346

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 481-4256
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-09-30

Site Id: 23343
Affiliation Type: Emergency Contact
Company Name: 18 EAST 41ST STREET PARTNERS LLC % WALTER & SAMUEL
Contact Type: Not reported
Contact Name: MARK TORRE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 685-6429
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2014-01-08

Tank Info:

Tank Number: 001
Tank Id: 45857
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
J00 - Dispenser - None
I05 - Overfill - Vent Whistle

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1959
Capacity Gallons: 6000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

18 E 41 STREET PARTNERS, LLC (Continued)

U001832346

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 4177
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 12/01/1959
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/01/1996
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Affiliation Records:

Site Id: 2361
Affiliation Type: Facility Owner
Company Name: MANHATTAN FIFTH AVENUE ASSOC
Contact Type: Not reported
Contact Name: Not reported
Address1: 433 FIFTH AVE 4 FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 725-4777
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

18 E 41 STREET PARTNERS, LLC (Continued)

U001832346

Date Last Modified: 2004-03-04

Site Id: 2361
Affiliation Type: Mail Contact
Company Name: MANHATTAN FIFTH AVENUE ASSOC
Contact Type: Not reported
Contact Name: Not reported
Address1: 433 FIFTH AVE 4 FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 725-4777
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 2361
Affiliation Type: Facility Operator
Company Name: CENTRAL PLAZA
Contact Type: Not reported
Contact Name: JOSE PADILLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 889-1140
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 2361
Affiliation Type: Emergency Contact
Company Name: MANHATTAN FIFTH AVENUE ASSOC
Contact Type: Not reported
Contact Name: ANDONIOS NEROULIAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 725-4777
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 45857

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

18 E 41 STREET PARTNERS, LLC (Continued)

U001832346

Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
J00 - Dispenser - None
I05 - Overfill - Vent Whistle

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1959
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 001
Tank Id: 4177
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 12/01/1959
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

18 E 41 STREET PARTNERS, LLC (Continued)

U001832346

Next Test Date: Not reported
Date Tank Closed: 10/01/1996
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

CR728
West
1/8-1/4
0.217 mi.
1145 ft.

APT BUILDING
18 E 41ST STREET
MANHATTAN, NY

NY LTANKS **S113494308**
N/A

Site 2 of 8 in cluster CR

Relative:
Higher
Actual:
72 ft.

LTANKS:

Name: APT BUILDING
Address: 18 E 41ST STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1301068 / 2014-06-13
Facility ID: 1301068
Site ID: 481432
Spill Date: 2013-04-30
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: vszhune
Referred To: Not reported
Reported to Dept: 2013-05-01
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2013-05-01
Spill Record Last Update: 2014-06-13
Spiller Name: Not reported
Spiller Company: PROPERTY OWNER
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: ROBERT HILL
Spiller Phone: 7188557272
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 436704
DEC Memo: "05/01/13- Zhune spoke to Robert Hil from Rightway 718-855-7272. He said they cleaned the tank then after they performed a tank test. The tank failed the test. They sent the proposal to the owner to do the isolate test. If the owner approved the proposal they will test the lines (vent, fill, suction and return separately and the tank itself. Plumber checked the lines and found the vent and fill are very old. 06/18/13- Zhune spoke to Robert. He said they isolated the lines and found fill line failed the test. Riteway is fixing the line. 6/13/14- Riteway sent the report dated 6/13/14. On April 30, 2013 Riteway Maintenance Corp. was contracted to perform a tank cleaning for a

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S113494308

fuel oil conversion. Part of the conversion requirement is performing a tank tightness test. Riteway proceeded to pump and clean the tank. The tank was left empty for the conversion. the tank was then tested. The tank tightness test failed with an ullage (dry) portion leak. Line were isolated and a tank only test was performed with passing results. The source of the leak was determined to have been a faulty fill line. The old fill line was excavated and removed. soil was field screened via PID during the excavation and there was no contamination found. A new fill line was installed up to the first available fitting inside. The area was then backfilled, compacted and re-cemented to grade. the site is clean and free from contamination
Spill Closed. 6/13/154- David from Riteway sent the following email. The area was only excavated in order to remove the fill line, but no contamination was found"

Remarks: "6000G #6 Oil tank was empty and failed tank test."

All Materials:

Site ID: 481432
Operable Unit ID: 1231205
Operable Unit: 01
Material ID: 2229920
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

CR729
West
1/8-1/4
0.217 mi.
1145 ft.

CON EDISION - V7190
18 E.41 ST. 18 E.41 ST.
NEW YORK, NY 10003

RCRA NonGen / NLR 1007207942
NY MANIFEST NYP004079042

Site 3 of 8 in cluster CR

Relative:
Higher
Actual:
72 ft.

RCRA Listings:

Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V7190
Handler Address: 18 E.41 ST. 18 E.41 ST.
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004079042
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V7190 (Continued)

1007207942

State District:	NYSDEC R2
Mailing Address:	IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V7190 (Continued)

1007207942

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V7190
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V7190
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V7190
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	18 E.41 ST. 18 E.41 ST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V7190 (Continued)

1007207942

City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004079042
Facility Status: Not reported
Location Address 1: V7190 18 E 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004079042
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0759591
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: GX3213
Trans2 State ID: Not reported
Generator Ship Date: 04/11/2001
Trans1 Recv Date: 04/11/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/11/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004079042
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - V7190 (Continued)

1007207942

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01362
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CS730 CON EDISON SERVICE BOX 8428
ESE 225 E 43RD ST
1/8-1/4 NEW YORK, NY 10017
0.217 mi.
1146 ft. Site 1 of 9 in cluster CS

NJ MANIFEST S117985004
N/A

Relative:
Higher

NJ MANIFEST:

Actual:
50 ft.

EPA Id: NYP004246676
Mail Address: 4 IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: BENJAMIN BAMONTE
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 009204631JJK
EPA ID: NYP004246676
Date Shipped: 1/19/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8428 (Continued)

S117985004

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 250.00 Pounds

CS731 **CON EDISON SERVICE BOX 8428**
ESE **225 E 43RD ST**
1/8-1/4 **NEW YORK, NY 10017**
0.217 mi.
1146 ft. **Site 2 of 9 in cluster CS**

RCRA NonGen / NLR **1015746674**
NY MANIFEST **NYP004246676**

Relative:
Higher
Actual:
50 ft.

RCRA Listings:
Date Form Received by Agency: 2012-02-18 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8428
Handler Address: 225 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004246676
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8428 (Continued)

1015746674

Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8428 (Continued)

1015746674

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-01-19 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8428
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-02-18 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX 8428
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	225 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004246676
Facility Status:	Not reported
Location Address 1:	F/O 225 EAST 43RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004246676
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	CONSOLIDATED EDISON
Mailing Address 1:	4 IRVING PLACE 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8428 (Continued)

1015746674

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/19/2012
Trans1 Recv Date: 01/19/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/20/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004246676
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 009204631JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 250
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CS732 **BUDGET RENT A CAR SYSTEM, INC.**
ESE **225 EAST 43RD STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.217 mi.
1146 ft. **Site 3 of 9 in cluster CS**

NY UST **U001841833**
N/A

Relative:
Higher

UST:

Actual:
50 ft.

Name: BUDGET RENT A CAR SYSTEM, INC.
Address: 225 EAST 43RD STREET
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-601235 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 586740.55590
UTM Y: 4511617.02946
Site Type: Other

Affiliation Records:

Site Id: 23204
Affiliation Type: Facility Owner
Company Name: 225 EAST 43RD STREET REALTY CORP.
Contact Type: SR VP
Contact Name: ROBERT BOUTA
Address1: 225 E 43RD ST, 4TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 661-0260
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2005-11-08

Site Id: 23204
Affiliation Type: Mail Contact
Company Name: BUDGET RENT A CAR SYSTEM, INC.
Contact Type: Not reported
Contact Name: MICHAEL FEELEY
Address1: 6 SYLVAN WAY
Address2: DEPT 29-C93-36
City: PARSIPPANY
State: NJ
Zip Code: 07054
Country Code: 001
Phone: (973) 496-3467
EMail: MICHAEL.FEELEY@AVISBUDGET.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-08-21

Site Id: 23204
Affiliation Type: Facility Operator
Company Name: BUDGET RENT A CAR SYSTEM, INC.
Contact Type: Not reported
Contact Name: BUDGET RENT A CAR
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET RENT A CAR SYSTEM, INC. (Continued)

U001841833

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 661-5906
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2005-11-08

Site Id: 23204
Affiliation Type: Emergency Contact
Company Name: 225 EAST 43RD STREET REALTY CORP.
Contact Type: Not reported
Contact Name: LAUREL DAVIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 593-1065
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2005-11-08

Tank Info:

Tank Number: 001
Tank ID: 45047
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 4000
Install Date: 05/01/1984
Date Tank Closed: 12/07/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 19
Date Test: 03/31/2000
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B08 - Tank External Protection - Retrofitted Impressed Current
G05 - Tank Secondary Containment - Synthetic Liner
A01 - Tank Internal Protection - Epoxy Liner
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
J01 - Dispenser - Pressurized Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET RENT A CAR SYSTEM, INC. (Continued)

U001841833

H05 - Tank Leak Detection - In-Tank System (ATG)
C03 - Pipe Location - Aboveground/Underground Combination
F04 - Pipe External Protection - Fiberglass

Tank Number: 002
Tank ID: 45048
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 4000
Install Date: 05/01/1984
Date Tank Closed: 12/07/2005
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 19
Date Test: 03/31/2000
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

J01 - Dispenser - Pressurized Dispenser
A01 - Tank Internal Protection - Epoxy Liner
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I02 - Overfill - High Level Alarm
B08 - Tank External Protection - Retrofitted Impressed Current
G05 - Tank Secondary Containment - Synthetic Liner
H05 - Tank Leak Detection - In-Tank System (ATG)
C03 - Pipe Location - Aboveground/Underground Combination
F04 - Pipe External Protection - Fiberglass

CS733 **225 EAST 43RD ST**
ESE **225 EAST 43RD ST**
1/8-1/4 **NEW YORK, NY**
0.217 mi.
1146 ft. **Site 4 of 9 in cluster CS**

NY LTANKS **S104275704**
NY Spills **N/A**

Relative: LTANKS:
Higher Name: BUDGET RENT-A- CAR
Address: 225 EAST 43RD STREET
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9403751 / 2005-03-28
Facility ID: 9403751
Site ID: 163204
Spill Date: 1994-06-16
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 1994-06-16

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225 EAST 43RD ST (Continued)

S104275704

CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1994-09-22
Spill Record Last Update: 2005-03-28
Spiller Name: BILL FENBERG
Spiller Company: BUDGET RENT-A -CAR
Spiller Address: 225 EAST 43RD STREET
Spiller County: 001
Spiller Contact: LOU PETRONI
Spiller Phone: (212) 661-0260
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 137650
DEC Memo: " 04/25/95: CALLED HOWARD GREENBERG ON 04/25/95 TO FIND OUT IF ANY ACTION HAS BEEN TAKEN. HE WAS NOT AVAILABLE WILL CALL BACK. 10/10/95: This is additional information about material spilled from the translation of the old spill file: TANK TAKING ON WATER. ON JULY 8, 1996, Spoke to Carl Westerman, Properties & Facilities - Budget Rent-A -Car (708)955-7203 There are two 4,000 gallon UST gasoline in service at the facility. Tanks were steel installed in 1985. Tanks were laid into a bedrock foundation and had apoured concrete incasement. The problem involved one of the tanks. One tank began taking on water (12) over a rainy envent. Upon cleaning and inspecting the tank they found a hole in the bottom of the tank the size of a quarter. The tank was repaired with a steel plate and was fiberglass coated. The piping systems were repalced with fiberglass due to potential corrosion problems. The tanks were then cathodically protected by upgrading, and a leak detection system was added. According to Mr. Westerman, there was no loss of product from the system, and the only source of problems was water entering the tank. There have apparenently been no other indications of further leakage, or seepage into adjoining buildings. Mr. Westerman has photographs of the tank installation and documentaion on the cleanup which indicated that no product migrated back into the tank when it was emptied. See also Spill #9408906. On May 22, 2002, DEC Sigona received a call from Eric Meyn, Project Manager, American Environmental Assesment Corp, 188 LOnG Island Avenue, Wyandanch, N.Y. 11798 (631)586-2000 called to request the abandon the tanks in-place. They have not filed an application to abandon the tanks in-place. Eric Meyn was not aware that there is a spill history or additional spill reports which have been reported. DEC Sigona requested a complete site investigation plan along with documentation on previous remedial actions to be forwarded to DEC Sigona for review. DEC Sigona will consult with DEC Tipple regarding See Spill Nos. 9914694 and 9408906. Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL This spill case was reassigned from DEC (Sigona) to Rommel on 3/28/05 - spill closed, refer to spill # 9914694 for additional info. - KST "

Remarks: "12' WATER IN TANK. CALLER SUSPECTS CUSTOMER MAY HAVE ABANDONED TANK"

All Materials:

Site ID: 163204

Operable Unit ID: 997432

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225 EAST 43RD ST (Continued)

S104275704

Operable Unit: 01
Material ID: 383921
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: 225 EAST 43RD ST
Address: 225 EAST 43RD ST
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 9408906 / 2005-03-28
Facility ID: 9408906
Site ID: 93442
Spill Date: 1994-10-04
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 1994-10-04
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1994-11-02
Spill Record Last Update: 2005-03-28
Spiller Name: Not reported
Spiller Company: BUDGET RENT-A CAR
Spiller Address: 225 E. 43RD ST
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 83771
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL See Spill Nos. 9403751 and 9914694. 4/12/04-Vought-Spill transferred from Tibbe to Rommel as per Rommel. 3/28/05 - spill closed, refer to spill # 9914694 for additional info. - KST "

Remarks: "WILL SEAL W/ FOAM. MARK TIBBEY TALKED TO HIM-THERES MONITORING WELLS."

All Materials:
Site ID: 93442
Operable Unit ID: 1006612
Operable Unit: 01
Material ID: 378330

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225 EAST 43RD ST (Continued)

S104275704

Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: 225 EAST 43RD STREET
Address: 225 EAST 43RD ST
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 9914694 / 2010-10-08
Facility ID: 9914694
Facility Type: ER
DER Facility ID: 83771
Site ID: 93443
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: B3
SWIS: 3101
Spill Date: 2000-03-28
Investigator: jedurnin
Referred To: RD START DATE : 12/1/2005
Reported to Dept: 2000-03-28
CID: 211
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: True
Remediation Phase: 0
Date Entered In Computer: 2000-03-28
Spill Record Last Update: 2010-10-22
Spiller Name: Not reported
Spiller Company: BUDGET RENTAL CAR
Spiller Address: Not reported
Spiller Company: 999
Contact Name: TASHA GERENA
DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 3/28/00 +- 25 GAL. GAS FOUND IN OVERFILL. GAS PUMPED INTO DRUM FOR OFFSITE DISPOSAL. GAS ODOR ENTERED THE SCHOOL THROUGH THE ELEVATOR SHAFT THAT EXTENDS INTO THE GARAGE BELOW THE SCHOOL. A COMPLETE SYSTEM TEST IS SCHEDULED ON 3/29/2000 , THE SCHOOL WILL BE CLOSED FOR THE DAY. See Spill Nos. 9403751 and 9408906. 12/10/03 mt/// Transferred from Tipple to Rommel 10/19/05. J.Kringold got a call from TRC (Dave Glass). He stated that his co. was hired to do the tank closure. They check GW wells at the site and found elevated VOC and MTBE (27,000 ppb) in GW. Want to talk to DEC's PM regarding further action. The site owner Budget Rent A Car (contact Michael Feeley @ 973-496-3467). Case reassigned to BURB (Lauren MacDonald @ (518)402 - 9768.) DURNIN, 5/1/2006: October 2005:TRC was hired by

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225 EAST 43RD ST (Continued)

S104275704

Budget Rent-A-Car to address Spill No. 9914694. November 16, 2005:TRC Tank Closure Plan Submitted to NYSDEC. December 1, 2005:NYSDEC Approval of Tank Closure Plan. December 6, 2005:Tanks closed in-place, piping removed. January 20, 2006:TRC ordering well socks for remediation of groundwater. January 25, 2006:TRC schedules ORC socks to be installed in a few weeks. March 20, 2006:The ORC socks were installed in the monitoring wells around the abandoned tanks. As per approved Work Plan, the ORC socks will be checked September 2006. August 23, 2006:TRC was emailed a request to schedule the 6 month replacement of ORC socks and the groundwater sampling event. September 5, 2006:The NYSDEC Project Manager visited the site and witnessed the removal and condition of the ORC socks from the 5 monitoring wells. MW-3 sock was the only discolored ORC sock. September 19, 2006:Groundwater samples were collected. October 19, 2006:TRC submitted a Letter Report on the results of the ORC application for the past 6 months. November 10, 2006: TRC proposed to conduct another round of ORC applications. November 13, 2006:NYSDEC approved the Letter Report and the next round of ORC applications. November 14, 2006:The ORC socks were installed by TRC. The socks are to be in until May 2007. May 23, 2007:The Project Manager visited the site. The socks were removed and inspected. May 30, 2007:Groundwater samples were collected. July 16, 2007:TRC submitted the Letter Report on the results of the ORC application for the past 6 months and proposed to conduct another round of ORC applications. July 20, 2007:NYSDEC approved the Letter Report and the next round of ORC applications. September 5, 2007:The next round of socks were installed. The socks will be removed after 6 months (March 2008) and the groundwater will be sampled. March 2008:The socks were removed. April 11, 2008:TRC submitted a Letter Report on the results of the ORC application for the past 6 months. TRC proposes to conduct two more 6-month rounds of ORC applications. May 9, 2008: NYSDEC approved the Letter Report and two 6-month rounds of ORC applications. June 16, 2008:TRC installed ORC socks in monitoring wells MW-2, MW-3 and MW-5. December 18, 2008:The ORC socks were removed. The DEC Project Manager was on-site for the removal event. February 24, 2009:The Letter Report was received and reviewed. March 5, 2009:NYSDEC approved the proposed plan to continue using ORC socks for the next 12 months. March 2009:The next round of ORC socks installed in wells MW-2, MW-3 and MW-5. August 31, 2009:TRC FOILs NYSDEC September 30, 2009:The ORC socks were removed. December 2009:TRC provides the results of the latest groundwater sampling. January 2010:TRC will submit an Exposure Assessment based on a DEC approved outline with the recommendation to close the spill. February 16, 2010:TRC submits the Final Report and the Exposure Assessment Report requesting to close the Spill. April 2010:NYSDEC reviews the Report. February 16, 2010:TRC submits the Final Report and the Exposure Assessment Report requesting to close the Spill. March 2010:NYSDEC reviewed The Letter Report. April 20, 2010:NYSDEC approved the Letter Report (no further action). A well commissioning work Plan is required. April 21, 2010:The Spill files are prepared for edoc filing June 23, 2010, J. Durnin: PM is waiting for TRC to submit a well decommissioning plan. July 14, 2010, J. Durnin: TRC submitted the Groundwater Monitoring Well Decommissioning Plan on July 13, 2010. The Plan was reviewed and approved on July 14, 2010. Well decommissioning is scheduled for the week of August 9, 2010. A Well Decommissioning Report will be submitted following the field work. August 24, 2010, J. Durnin: Well decommissioning took place on August 17, 2010. A Well Decommissioning

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225 EAST 43RD ST (Continued)

S104275704

Report will be submitted. September 24, 2010, J. Durnin: The Well Decommissioning Report was submitted by TRC on September 24, 2010 and is under review. An Inactivation Letter is being drafted in anticipation of closing this spill. October 5, 2010, J. Durnin: The Well Decommissioning Report was reviewed and comments (1) emailed to TRC on October 5, 2010. An Inactivation Letter will be sent to Budget once the comment is addressed. October 22, 2010, J. Durnin: The Well Decommissioning Report dated September 13, 2010 (revised), was approved in an Inactivation Letter sent to Budget Rent-A-Car on October 8, 2010. This Spill No. 9914694 is closed as of October 8, 2010."

Remarks: "CALLER STATES THERE IS A GASOLINE SPILL UNK CAUSE - NO CLEAN UP CALLER STATES NEARBY SCHOOL IS EVACUATED AND SEVERAL PEOPLE HAVE BEEN TREATED"

All Materials:

Site ID: 93443
Operable Unit ID: 1089212
Operable Unit: 01
Material ID: 292987
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 75.00
Units: G
Recovered: .00
Oxygenate: Not reported

CC734 **CONSOLIDATED EDISON**
SSW **315 LEXINGTON AVE**
1/8-1/4 **NEW YORK, NY**
0.217 mi.
1147 ft. **Site 2 of 2 in cluster CC**

NY MANIFEST **S109825460**
N/A

Relative:
Higher

Actual:
62 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 315 LEXINGTON AVE
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004176491
Facility Status: Not reported
Location Address 1: 315 LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004176491
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109825460

Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/22/2009
Trans1 Recv Date: 06/22/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176491
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 000961337GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 800
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CF735	230 WEST 41ST STREET LLC	RCRA NonGen / NLR	1000135492
SE	230 E 41ST ST	FINDS	NYD980780993
1/8-1/4	NEW YORK, NY 10036	ECHO	
0.218 mi.		NY MANIFEST	
1149 ft.	Site 8 of 13 in cluster CF		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2017-06-16 00:00:00.0	
	Handler Name:	230 WEST 41ST STREET LLC	
Actual:	Handler Address:	230 E 41ST ST	
38 ft.	Handler City,State,Zip:	NEW YORK, NY 10036	
	EPA ID:	NYD980780993	
	Contact Name:	MARTHA PELLEGRINO	
	Contact Address:	E 41ST ST	
	Contact City,State,Zip:	NEW YORK, NY 10036	
	Contact Telephone:	212-417-8330	
	Contact Fax:	Not reported	
	Contact Email:	MARTHA.PELLEGRINO@COLLIERS.COM	
	Contact Title:	BUILDING MANAGER	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	W 40TH ST	
	Mailing City,State,Zip:	NEW YORK, NY 10036	
	Owner Name:	230 WEST 41ST STREET LLC	
	Owner Type:	Private	
	Operator Name:	230 WEST 41ST STREET LLC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-06-23 14:00:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	230 WEST 41ST STREET LLC
Legal Status:	Private
Date Became Current:	2004-07-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	230 WEST 41ST STREET LLC
Legal Status:	Private
Date Became Current:	2004-07-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	230 W 41ST ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-417-8330
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	230 WEST 41ST STREET LLC
Legal Status:	Private
Date Became Current:	2004-07-14 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	230 W 41ST ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10036
Owner/Operator Telephone:	212-417-8330
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 230 WEST 41ST STREET LLC
Legal Status: Private
Date Became Current: 2004-07-14 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 1999-07-08 00:00:00.0
Handler Name: Z W W VANDERBILT ASSOCIATES
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: Z W W VANDERBILT ASSOCIATES
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: Z W W VANDERBILT ASSOCIATES
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2017-06-16 00:00:00.0
Handler Name: 230 WEST 41ST STREET LLC
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1984-11-15 00:00:00.0
Handler Name: Z W W VANDERBILT ASSOCIATES
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2017-05-02 00:00:00.0
Handler Name: 230 WEST 41ST STREET LLC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 1985-07-02 00:00:00.0
Actual Return to Compliance Date: 1985-09-10 00:00:00.0
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 1985-10-02 00:00:00.0
Enforcement Identifier: 002
Date of Enforcement Action: 1985-07-02 00:00:00.0
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Manifest
Date Violation was Determined:	1985-03-25 00:00:00.0
Actual Return to Compliance Date:	1985-09-10 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1985-06-25 00:00:00.0
Enforcement Identifier:	001
Date of Enforcement Action:	1985-03-25 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Evaluation Action Summary:

Evaluation Date: 1985-07-02 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 1985-09-10 00:00:00.0
Scheduled Compliance Date: 1985-10-02 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1985-03-25 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 1985-09-10 00:00:00.0
Scheduled Compliance Date: 1985-06-25 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

FINDS:

Registry ID: 110004392425

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000135492
Registry ID: 110004392425
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004392425>
Name: 230 WEST 41ST STREET LLC
Address: 230 E 41ST ST
City,State,Zip: NEW YORK, NY 10036

NY MANIFEST:

Name: ZWW VANDERBILT ASSOCIATES
Address: 230 E 41ST ST
City,State,Zip: NEW YORK, NY 10017-6702
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

EPA ID: NYD980780993
Facility Status: Not reported
Location Address 1: 220 EAST 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD980780993
Mailing Name: ZWW VANDERBILT ASSOCIATES
Mailing Contact: ARTHUR ZECENDORF
Mailing Address 1: 502 PARK AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10022
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2127513100

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134940
Generator Ship Date: 05/10/2017
Trans1 Recv Date: 05/10/2017
Trans2 Recv Date: 05/11/2017
TSD Site Recv Date: 05/20/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD980780993
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 015758883JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 WEST 41ST STREET LLC (Continued)

1000135492

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D002
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CT736
ENE
1/8-1/4
0.218 mi.
1150 ft.

CON EDISON SERVICE BOX: 43922
744 3RD AVE
NEW YORK, NY 10017
Site 1 of 5 in cluster CT

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016144175
NYP004269643

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43922
Handler Address: 744 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269643
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43922 (Continued)

1016144175

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:51:19.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43922
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43922 (Continued)

1016144175

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43922
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462324

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144175
Registry ID:	110055462324
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462324
Name:	CON EDISON SERVICE BOX: 43922
Address:	744 3RD AVE
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CON EDISON
Address:	744 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004269643
Facility Status:	Not reported
Location Address 1:	744 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43922 (Continued)

1016144175

Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269643
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269643
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456605JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43922 (Continued)

1016144175

Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CT737
ENE
1/8-1/4
0.218 mi.
1150 ft.

CON EDISON SERVICE BOX: 43922
744 3RD AVE
NEW YORK, NY 10017
Site 2 of 5 in cluster CT

NJ MANIFEST S117986379
N/A

Relative:
Lower

Actual:
38 ft.

NJ MANIFEST:
EPA Id: NYP004269643
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456605JJK
EPA ID: NYP004269643
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43922 (Continued)

S117986379

Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CF738
SE
1/8-1/4
0.219 mi.
1154 ft.
NEW YORK NEWS INC
235 E 41ST ST
NEW YORK, NY 10017
Site 9 of 13 in cluster CF

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1000136810
NYD001525724

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: NEW YORK NEWS INC
Handler Address: 235 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017-6700
EPA ID: NYD001525724
Contact Name: Not reported
Contact Address: E 42ND ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: OWNERNAME

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Owner Type:	Private
Operator Name:	OWNERNAME
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Sub-Part P Indicator: Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	NEW YORK NEWS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	NEW YORK NEWS INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	NEW YORK NEWS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1982-01-28 00:00:00.0
Handler Name:	NEW YORK NEWS INC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	1987-01-27 00:00:00.0
Actual Return to Compliance Date:	1987-06-15 00:00:00.0
Return to Compliance Qualifier:	Not Resolved
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Evaluation Action Summary:

Evaluation Date: 1985-11-26 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1987-01-27 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 1987-06-15 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

FINDS:

Registry ID: 110004335238

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000136810
Registry ID: 110004335238
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004335238>
Name: NEW YORK NEWS INC
Address: 235 E 41ST ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: NEW YORK NEWS
Address: 235 E 41ST ST
City,State,Zip: NEW YORK, NY 10017-6700
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

EPA ID: NYD001525724
Facility Status: Not reported
Location Address 1: 220 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD001525724
Mailing Name: NEW YORK NEWS
Mailing Contact: JOSEPH SAMARITANO
Mailing Address 1: 220 E 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129493514

NY MANIFEST:

Document ID: NYB6936003
Manifest Status: C
seq: Not reported
Year: 1995
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 04/11/1995
Trans1 Recv Date: 04/11/1995
Trans2 Recv Date: / /
TSD Site Recv Date: 04/11/1995
Part A Recv Date: 04/25/1995
Part B Recv Date: 04/27/1995
Generator EPA ID: NYD001525724
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID 1: NYD981182769
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK NEWS INC (Continued)

1000136810

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00120
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

CU739
South
1/8-1/4
0.219 mi.
1154 ft.

CON EDISON SERVICE BOX: 43849
601 3RD AVE
NEW YORK, NY 10016

Site 1 of 6 in cluster CU

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143864
NYP004266508

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43849
Handler Address: 601 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266508
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43849 (Continued)

1016143864

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 15:15:05.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43849
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43849 (Continued)

1016143864

Receive Date: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43849
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

FINDS:

Registry ID: 110055427952

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143864
Registry ID: 110055427952
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055427952>
Name: CON EDISON SERVICE BOX: 43850
Address: 601 3RD AVE
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 601 3RD AVE
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266508
Facility Status: Not reported
Location Address 1: 601 3RD AVE
Code: BP
Location Address 2: SERV BOX 43849
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266508
Mailing Name: CON EDISON
Mailing Contact: TOM REAGAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43849 (Continued)

1016143864

Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266508
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456266JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CU740
South
1/8-1/4
0.219 mi.
1154 ft.
CON EDISON SERVICE BOX: 43849
601 3RD AVE
NEW YORK, NY 10016
Site 2 of 6 in cluster CU

NJ MANIFEST
S117986094
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
37 ft.

EPA Id: NYP004266508
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456266JJK
EPA ID: NYP004266508
Date Shipped: 9/5/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43849 (Continued)

S117986094

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,500.00 Pounds

CU741
South
1/8-1/4
0.219 mi.
1154 ft.

CON EDISON SERVICE BOX: 43850
601 3RD AVE
NEW YORK, NY 10016
Site 3 of 6 in cluster CU

NJ MANIFEST S117986093
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
37 ft.

EPA Id: NYP004266490
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456265JJK
EPA ID: NYP004266490
Date Shipped: 9/5/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43850 (Continued)

S117986093

Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

CU742
South
1/8-1/4
0.219 mi.
1154 ft.

CON EDISON SERVICE BOX: 43850
601 3RD AVE
NEW YORK, NY 10016
Site 4 of 6 in cluster CU

RCRA NonGen / NLR 1016143863
NY MANIFEST NYP004266490

Relative:
Lower

RCRA Listings:

Actual:
37 ft.

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 43850
Handler Address: 601 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266490
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43850 (Continued)

1016143863

State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 15:16:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43850 (Continued)

1016143863

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43850
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 43850
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	601 3RD AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004266490
Facility Status:	Not reported
Location Address 1:	601 3RD AVE
Code:	BP
Location Address 2:	SERV BOX 43850
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004266490
Mailing Name:	CON EDISON
Mailing Contact:	TOM
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 43850 (Continued)

1016143863

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266490
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456265JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CI743
West
1/8-1/4
0.219 mi.
1158 ft.
CON EDISON SERVICE BOX: 7779
26 E 40TH ST
NEW YORK, NY 10016
Site 6 of 12 in cluster CI

NJ MANIFEST
S117986100
N/A

Relative:
Higher

Actual:
74 ft.

NJ MANIFEST:
EPA Id: NYP004266565
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010464211JJK
EPA ID: NYP004266565
Date Shipped: 9/5/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7779 (Continued)

S117986100

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CI744 **CONSOLIDATED EDISON-MH 7780**
West **26 EAST 40TH ST.**
1/8-1/4 **NEW YORK, NY 10016**
0.219 mi.
1158 ft. **Site 7 of 12 in cluster CI**

NY MANIFEST **S112140522**
N/A

Relative: NY MANIFEST:
Higher Name: CONSOLIDATED EDISON-MH 7780
Address: 26 EAST 40TH ST.
Actual: City,State,Zip: NEW YORK, NY 10016
74 ft. Country: USA
EPA ID: NYP004252896
Facility Status: Not reported
Location Address 1: 26 EAST 40TH ST.
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004252896
Mailing Name: CONSOLIDATED EDISON-MH 7780
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/07/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON-MH 7780 (Continued)

S112140522

Trans1 Recv Date: 05/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/08/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004252896
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009203999JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI745
West
1/8-1/4
0.219 mi.
1158 ft.

CON EDISON SERVICE BOX: 7779
26 E 40TH ST
NEW YORK, NY 10016

Site 8 of 12 in cluster CI

RCRA NonGen / NLR 1016143870
FINDS NYP004266565
ECHO
NY MANIFEST

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7779
Handler Address: 26 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266565
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7779 (Continued)

1016143870

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7779 (Continued)

1016143870

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 10:02:38.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7779
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7779
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055454574

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7779 (Continued)

1016143870

corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143870
Registry ID: 110055454574
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055454574>
Name: CON EDISON SERVICE BOX: 7779
Address: 26 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 26 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266565
Facility Status: Not reported
Location Address 1: 26 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7779
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266565
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266565
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7779 (Continued)

1016143870

Trans2 EPA ID: Not reported
TSDf ID 1: NJD002200046
TSDf ID 2: Not reported
Manifest Tracking Number: 010464211JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI746
West
1/8-1/4
0.220 mi.
1159 ft.

CON EDISON SERVICE BOX: 7765
19 E 40TH ST
NEW YORK, NY 10016
Site 9 of 12 in cluster CI

RCRA NonGen / NLR **1016143860**
FINDS **NYP004266466**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7765
Handler Address: 19 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266466
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7765 (Continued)

1016143860

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7765 (Continued)

1016143860

Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-11 09:56:41.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7765
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7765
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055453682

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143860

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7765 (Continued)

1016143860

Registry ID: 110055453682
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055453682>
Name: CON EDISON SERVICE BOX: 7765
Address: 19 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 19 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266466
Facility Status: Not reported
Location Address 1: 19 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7765
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266466
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266466
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456310JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7765 (Continued)

1016143860

Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CI747
West
1/8-1/4
0.220 mi.
1159 ft.

CON EDISON SERVICE BOX: 7765
19 E 40TH ST
NEW YORK, NY 10016
Site 10 of 12 in cluster CI

NJ MANIFEST **S117986090**
N/A

Relative:
Higher

Actual:
73 ft.

NJ MANIFEST:
EPA Id: NYP004266466
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456310JJK
EPA ID: NYP004266466
Date Shipped: 9/5/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7765 (Continued)

S117986090

Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CI748
West
1/8-1/4
0.220 mi.
1159 ft.

CONSOLIDATED EDISON CO
19 EAST 40TH STREET
NEW YORK, NY 10001

Site 11 of 12 in cluster CI

NY MANIFEST 1009234306
N/A

Relative:
Higher

Actual:
73 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON CO
Address: 19 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10001
Country: USA
EPA ID: NYP000928192
Facility Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON CO (Continued)

1009234306

Location Address 1: 19 EAST 40TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000928192
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYG0123723
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 20856AD
Trans2 State ID: Not reported
Generator Ship Date: 03/04/1997
Trans1 Recv Date: 03/04/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 03/05/1997
Part A Recv Date: 03/19/1997
Part B Recv Date: 03/17/1997
Generator EPA ID: NYP000928192
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON CO (Continued)

1009234306

Waste Code: Not reported
Quantity: 00787
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

CJ749
East
1/8-1/4
0.220 mi.
1159 ft.

KING FEATURES SYNDICATE
216 E 45TH ST - 4TH FLOOR
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1000871683
NY0000083709

Site 2 of 5 in cluster CJ

Relative:
Higher

Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: KING FEATURES SYNDICATE
Handler Address: 216 E 45TH ST - 4TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NY0000083709
Contact Name: Not reported
Contact Address: E 45TH ST - 4TH FLOOR
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 45TH ST - 4TH FLOOR
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: KINGS FEATURES SYNDICATE
Owner Type: Private
Operator Name: KINGS FEATURES SYNDICATE
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KING FEATURES SYNDICATE (Continued)

1000871683

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KINGS FEATURES SYNDICATE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	216 E 45TH ST - 4TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-455-4160
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KINGS FEATURES SYNDICATE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KING FEATURES SYNDICATE (Continued)

1000871683

Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	216 E 45TH ST - 4TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-455-4160
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	KINGS FEATURES SYNDICATE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	216 E 45TH ST - 4TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-455-4160
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-02-18 00:00:00.0
Handler Name:	KING FEATURES SYNDICATE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	KING FEATURES SYNDICATE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	KING FEATURES SYNDICATE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KING FEATURES SYNDICATE (Continued)

1000871683

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1993-12-23 00:00:00.0
Handler Name:	KING FEATURES SYNDICATE
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	KING FEATURES SYNDICATE
Address:	216 E 45TH ST - 4TH FLOOR
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NY0000083709
Facility Status:	Not reported
Location Address 1:	216 EAST 45TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NY0000083709
Mailing Name:	KING FEATURES SYNDICATE
Mailing Contact:	GUY LEONE
Mailing Address 1:	216 EAST 45TH STREET
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124554160

NY MANIFEST:

Document ID:	NJA2881151
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	50163
Trans2 State ID:	Not reported
Generator Ship Date:	01/13/1999
Trans1 Recv Date:	01/13/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KING FEATURES SYNDICATE (Continued)

1000871683

Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/18/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000083709
Trans1 EPA ID: NJR000023325
Trans2 EPA ID: Not reported
TSD ID 1: NJR000022442
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00045
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

CJ750
East
1/8-1/4
0.220 mi.
1159 ft.

RESIDENCE
216 EAST 45TH ST.
NEW YORK CITY, NY

Site 3 of 5 in cluster CJ

NY LTANKS **S107521841**
NY Spills **N/A**

Relative:
Higher

Actual:
51 ft.

LTANKS:
Name: 216 EAST 45TH ST/MANH
Address: 216 EAST 45TH STREET
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9006446 / 1990-09-20
Facility ID: 9006446
Site ID: 129112
Spill Date: 1990-09-12
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1990-09-20
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1990-09-12
CID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S107521841

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1990-09-12
Spill Record Last Update: 1990-09-20
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 111324
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TANG "
Remarks: "TANK FAILURE, CONTAINED IN TANK ROOM, WILL USE VAC TRUCK (PETRO TANK
CLEANERS), OIL HAS BEEN CLEANED UP."

All Materials:

Site ID: 129112
Operable Unit ID: 943946
Operable Unit: 01
Material ID: 433903
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 400.00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: RESIDENCE
Address: 216 EAST 45TH ST.
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 0511659 / 2006-01-10
Facility ID: 0511659
Facility Type: ER
DER Facility ID: 307889
Site ID: 357861
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2006-01-09
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 2006-01-09
CID: 408
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S107521841

Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2006-01-09
Spill Record Last Update: 2006-01-10
Spiller Name: FREY DOUGLAS
Spiller Company: RESIDENCE
Spiller Address: 216 EAST 45TH ST.
Spiller Company: 001
Contact Name: FREY DOUGLAS
DEC Memo: "1/9/06- DEC Piper spoke w/ Celeste of DEP. As per conversation, the spill is residual diesel from repairs to emergency generator. DEP to do cleanup."
Remarks: "SPILLED IN THE BASEMENT AND BELIEVES THE IT WENT INTO SEWER LINES. UNKNOWN IF IT HAS BEEN CLEANED UP/"
All Materials:
Site ID: 357861
Operable Unit ID: 1115128
Operable Unit: 01
Material ID: 2105181
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

CJ751 **216 WATERMARK HOLDINGS, LLC**
East **216 EAST 45TH STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.220 mi.
1159 ft. **Site 4 of 5 in cluster CJ**

NY AST **A100380355**
N/A

Relative: **AST:**
Higher Name: 216 WATERMARK HOLDINGS, LLC
Actual: Address: 216 EAST 45TH STREET
51 ft. City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-244759
Program Type: PBS
UTM X: 586771.26773
UTM Y: 4511756.82920
Expiration Date: 06/11/2023
Site Type: Apartment Building/Office Building
Affiliation Records:
Site Id: 9491
Affiliation Type: Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

Company Name: BERNSTEIN REAL ESTATE CO.
Contact Type: Not reported
Contact Name: Not reported
Address1: 150 WEST 30TH STREET
Address2: 20TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
EMail: JCOHEN@BERNSTEINRE.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-07-09

Site Id: 9491
Affiliation Type: Facility Operator
Company Name: 216 E 45 ST
Contact Type: Not reported
Contact Name: ROCCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 687-4254
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2012-12-06

Site Id: 9491
Affiliation Type: Emergency Contact
Company Name: 216 WATERMARK HOLDINGS, LLC % BERNSTEIN RE CO
Contact Type: Not reported
Contact Name: ROCCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 687-4254
EMail: Not reported
Fax Number: Not reported
Modified By: DMMOULOG
Date Last Modified: 2013-06-13

Site Id: 9491
Affiliation Type: Facility Owner
Company Name: 216 WATERMARK HOLDINGS, LLC
Contact Type: MANAGING AGENT
Contact Name: JEFFREY A. COHEN
Address1: 150 WEST 30TH STREET, 20TH FLOOR
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-07-09

Tank Info:

Tank Number: 001
Tank Id: 19761
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 09/08/2006
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 214307
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

L00 - Piping Leak Detection - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E00 - Piping Secondary Containment - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 06/01/2005
Capacity Gallons: 330
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/14/2013
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 003
Tank Id: 214308
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 06/01/2005
Capacity Gallons: 330
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/14/2013
Register: True
Modified By: NTFREEMA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 004
Tank Id: 214309
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
L00 - Piping Leak Detection - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 06/01/2005
Capacity Gallons: 330
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/14/2013
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 005
Tank Id: 214310
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/14/2013
Capacity Gallons: 75
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 07/09/2018
Material Name: diesel

Tank Number: 006
Tank Id: 248766

Equipment Records:

F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I03 - Overfill - Automatic Shut-Off
L99 - Piping Leak Detection - Other
J02 - Dispenser - Suction Dispenser
G02 - Tank Secondary Containment - Vault (w/access)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/14/2013
Capacity Gallons: 3000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 07/09/2018
Material Name: diesel

Tank Number: 01A
Tank Id: 214306
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

216 WATERMARK HOLDINGS, LLC (Continued)

A100380355

Equipment Records:

F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
I05 - Overfill - Vent Whistle
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 09/27/2006

Capacity Gallons: 6000

Tightness Test Method: -

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: ACDANIEL

Last Modified: 07/09/2018

Material Name: #2 fuel oil (on-site consumption)

CJ752 **ACE ATLAS**
East **216 EAST 45TH STREET**
1/8-1/4 **NEW YORK, NY**
0.220 mi.
1159 ft. **Site 5 of 5 in cluster CJ**

NY LTANKS **S108059441**
N/A

Relative:
Higher

Actual:
51 ft.

LTANKS:
Name: ACE ATLAS
Address: 216 EAST 45TH STREET
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0603914 / 2006-08-16
Facility ID: 0603914
Site ID: 366764
Spill Date: 2006-07-10
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: VSZHUNE
Referred To: Not reported
Reported to Dept: 2006-07-10
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ACE ATLAS (Continued)

S108059441

Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2006-07-10
Spill Record Last Update: 2006-08-16
Spiller Name: ACE ATLAS
Spiller Company: ACE ATLAS
Spiller Address: 216 EAST 45TH STREET
Spiller County: 001
Spiller Contact: ACE ATLAS
Spiller Phone: (718) 497-3003
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 316803
DEC Memo: "07/10/06-Hiralkumar Patel. Spoke with Dianna at Petroleum. they got complaint from ACe Atlas. tank is aboveground in basement. crew enroute for cleanup of tank and any spill. PBS #: 2-244759.07/11/05-Veronica Zhune spoke to Dianna Parker at Petroleum. Spill was on tank room. Tank was emptied and cleaned up. Spill was cleaned up. Tank will be removed and replaced "
Remarks: "7000 gallon tank has a hole in it: crew enroute"

All Materials:

Site ID: 366764
Operable Unit ID: 1124695
Operable Unit: 01
Material ID: 2114191
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

CP753 **CON EDISON SERVICE BOX: 7809**
SSE **201 E 40TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.220 mi.
1159 ft. **Site 2 of 3 in cluster CP**

RCRA NonGen / NLR **1016960150**
NY MANIFEST **NYP004320156**

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2013-07-11 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7809
Handler Address: 201 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004320156
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7809 (Continued)

1016960150

Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7809 (Continued)

1016960150

Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2014-07-01 11:43:40.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2013-06-11 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7809
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2013-07-11 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7809
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CON EDISON
Address: 201 E 40TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004320156
Facility Status: Not reported
Location Address 1: FO 201 EAST 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7809 (Continued)

1016960150

NY MANIFEST:

EPAID: NYP004320156
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/11/2013
Trans1 Recv Date: 06/11/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/13/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004320156
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 011693305JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 250
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7809 (Continued)

1016960150

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CU754
South
1/8-1/4
0.220 mi.
1163 ft.

CONSOLIDATED EDISON
39TH ST & 3RD AVE
NEW YORK, NY

NY MANIFEST

1009242450
N/A

Site 5 of 6 in cluster CU

Relative:
Lower

NY MANIFEST:

Actual:
38 ft.

Name: CONSOLIDATED EDISON
Address: 39TH ST & 3RD AVE
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004115026
Facility Status: Not reported
Location Address 1: 39TH ST & 3RD AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004115026
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

CU755
South
1/8-1/4
0.220 mi.
1163 ft.

CONSOLIDATED EDISON
39 ST & 3 AVE
NEW YORK, NY 10029

NY MANIFEST

1009242496
N/A

Site 6 of 6 in cluster CU

Relative:
Lower

NY MANIFEST:

Actual:
38 ft.

Name: CONSOLIDATED EDISON
Address: 39 ST & 3 AVE
City,State,Zip: NEW YORK, NY 10029
Country: USA
EPA ID: NYP004116026
Facility Status: Not reported
Location Address 1: 39 ST & 3 AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242496

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10029
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004116026
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE1559322
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 96591JE
Trans2 State ID: Not reported
Generator Ship Date: 10/26/2003
Trans1 Recv Date: 10/26/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/28/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004116026
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242496

Quantity: 00600
Units: K - Kilograms (2.2 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

CF756
SE
1/8-1/4
0.221 mi.
1165 ft.
CON EDISON
236 E 41 ST
NEW YORK, NY 10017
Site 10 of 13 in cluster CF

NY MANIFEST **S117314635**
N/A

Relative:
Lower
Actual:
38 ft.

NY MANIFEST:
Name: CON EDISON
Address: 236 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004617054
Facility Status: Not reported
Location Address 1: 236 E 41 ST
Code: BP
Location Address 2: SB8017
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004617054
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004617054
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314635

Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608619GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CF757
SE
1/8-1/4
0.221 mi.
1165 ft.

CON EDISON
236 E 41 ST
NEW YORK, NY 10017
Site 11 of 13 in cluster CF

NY MANIFEST **S117314732**
N/A

Relative:
Lower
Actual:
38 ft.

NY MANIFEST:
Name: CON EDISON
Address: 236 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004618054
Facility Status: Not reported
Location Address 1: 236 E 41 ST
Code: BP
Location Address 2: MH 8017
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314732

EPAID: NYP004618054
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004618054
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002503391GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314732

Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CV758 NYU AMBULATORY CARE CENTER - ACC 41ST
SSE 222 E 41ST ST
1/8-1/4 NEW YORK, NY 10017
0.221 mi.
1168 ft. Site 1 of 10 in cluster CV

RCRA-VSQQ 1024892318
NYR000239178

Relative:
Lower

Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2018-11-20 00:00:00.0
Handler Name: NYU AMBULATORY CARE CENTER - ACC 41ST
Handler Address: 222 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000239178
Contact Name: SHANSHAN LIN
Contact Address: 1ST AVE
Contact City,State,Zip: NEW YORK, NY 10016
Contact Telephone: 212-263-5159
Contact Fax: 212-263-7855
Contact Email: SHANSHAN.LIN@NYULANGONE.ORG
Contact Title: EH&S SPECIALIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 1ST AVE ROOM C-117
Mailing City,State,Zip: NEW YORK, NY 10016
Owner Name: STANKEN FINANCING LLC
Owner Type: Private
Operator Name: NYU SCHOOL OF MEDICINE
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYU AMBULATORY CARE CENTER - ACC 41ST (Continued)

1024892318

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-20 13:13:06.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE

Waste Code:	D002
Waste Description:	CORROSIVE WASTE

Waste Code:	D008
Waste Description:	LEAD

Waste Code:	D009
Waste Description:	MERCURY

Waste Code:	D011
Waste Description:	SILVER

Waste Code:	F003
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYU AMBULATORY CARE CENTER - ACC 41ST (Continued)

1024892318

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code:

U010

Waste Description:

AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[[(AMINOCARBONYLOXY)METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

Handler - Owner Operator:

Owner/Operator Indicator:

Owner

Owner/Operator Name:

STANKEN FINANCING LLC

Legal Status:

Private

Date Became Current:

2018-05-29 00:00:00.

Date Ended Current:

Not reported

Owner/Operator Address:

80 STATE ST

Owner/Operator City,State,Zip:

ALBANY, NY 12207

Owner/Operator Telephone:

Not reported

Owner/Operator Telephone Ext:

Not reported

Owner/Operator Fax:

Not reported

Owner/Operator Email:

SABINE.OTTO@COMMERZREAL.COM

Owner/Operator Indicator:

Operator

Owner/Operator Name:

NYU SCHOOL OF MEDICINE

Legal Status:

Private

Date Became Current:

2018-07-01 00:00:00.

Date Ended Current:

Not reported

Owner/Operator Address:

550 FIRST AVE

Owner/Operator City,State,Zip:

NEW YORK, NY 10016

Owner/Operator Telephone:

212-263-5159

Owner/Operator Telephone Ext:

Not reported

Owner/Operator Fax:

Not reported

Owner/Operator Email:

SHANSHAN.LIN@NYULANGONE.ORG

Historic Generators:

Receive Date:

2018-11-20 00:00:00.0

Handler Name:

NYU AMBULATORY CARE CENTER - ACC 41ST

Federal Waste Generator Description:

Conditionally Exempt Small Quantity Generator

State District Owner:

NY

Large Quantity Handler of Universal Waste:

No

Recognized Trader Importer:

No

Recognized Trader Exporter:

No

Spent Lead Acid Battery Importer:

No

Spent Lead Acid Battery Exporter:

No

Current Record:

Yes

Non Storage Recycler Activity:

No

Electronic Manifest Broker:

No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CV759 NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR NY AST A100433697
SSE 222 EAST 41ST STREET
1/8-1/4 NEW YORK, NY 10017
0.221 mi.
1168 ft. Site 2 of 10 in cluster CV
N/A

Relative:
Lower

AST:

Actual:
36 ft.

Name: NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR
Address: 222 EAST 41ST STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-612728
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: 04/25/2021
Site Type: Hospital/Nursing Home/Health Care

Affiliation Records:

Site Id: 552974
Affiliation Type: Facility Owner
Company Name: WELLS REIT 11-222 E. 41ST.ST.LLC-COLUMBIA PROP
Contact Type: DIRECTOR OF EH&S
Contact Name: ISABEL GOLDBERG
Address1: ONE GLENLAKE PARKWAY, SUITE 1200
Address2: Not reported
City: ATLANTA
State: GA
Zip Code: 30328
Country Code: 001
Phone: (212) 867-8566
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2020-02-06

Site Id: 552974
Affiliation Type: Mail Contact
Company Name: NYU LANGONE HEALTH
Contact Type: Not reported
Contact Name: LYNDA LU
Address1: 545 1ST AVE., GBH C-117
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 263-5159
EMail: LYNDA.LU@NYUMC.ORG
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-08-08

Site Id: 552974
Affiliation Type: Facility Operator
Company Name: NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR
Contact Type: Not reported
Contact Name: MICHAEL RIORDAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR (Continued)

A100433697

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 867-8566
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-06-21

Site Id: 552974
Affiliation Type: Emergency Contact
Company Name: WELLS REIT 11-222 E. 41ST.ST.LLC-COLUMBIA PROP
Contact Type: Not reported
Contact Name: MICHAEL RIORDAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 752-2210
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-06-21

Tank Info:

Tank Number: 001
Tank Id: 269748

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
L00 - Piping Leak Detection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
E12 - Piping Secondary Containment - Double-Walled (AG only)
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/2001
Capacity Gallons: 2500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR (Continued)

A100433697

Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 02/06/2020
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 269749

Equipment Records:

I02 - Overfill - High Level Alarm
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
E12 - Piping Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/2001
Capacity Gallons: 330
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 02/06/2020
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 003
Tank Id: 273130

Equipment Records:

I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
L00 - Piping Leak Detection - None
E12 - Piping Secondary Containment - Double-Walled (AG only)
J02 - Dispenser - Suction Dispenser
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Location:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYU 222 EAST 41ST STREET-AMBULATORY CARE CTR (Continued)

A100433697

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/15/2017
Capacity Gallons: 4500
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 02/06/2020
Material Name: #2 fuel oil (on-site consumption)

**760
SW
1/8-1/4
0.221 mi.
1168 ft.**

**67 PARK AVE
67 PARK AVE
NEW YORK, NY 10016**

**NY AST A100318885
N/A**

**Relative:
Higher
Actual:
74 ft.**

AST:
Name: 67 PARK AVE
Address: 67 PARK AVE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-192147
Program Type: PBS
UTM X: 586187.41396
UTM Y: 4511454.59177
Expiration Date: 06/05/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 6026
Affiliation Type: Facility Owner
Company Name: 67 OWNERS LTD
Contact Type: PROPERTY MANAGER
Contact Name: NEIL WISHNIA
Address1: 67 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 679-5494
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-20

Site Id: 6026
Affiliation Type: Mail Contact
Company Name: MAXWELL-KATES, INC.
Contact Type: Not reported
Contact Name: NEIL WISHNIA
Address1: 9 EAST 38TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

67 PARK AVE (Continued)

A100318885

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-8282
EMail: NWISHNIA@MKINREALTORS.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-20

Site Id: 6026
Affiliation Type: Facility Operator
Company Name: 67 PARK AVE
Contact Type: Not reported
Contact Name: ALMILCAR SERRANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 679-5494
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 6026
Affiliation Type: Emergency Contact
Company Name: 67 OWNERS LTD
Contact Type: Not reported
Contact Name: ALMILCAR SERRANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (201) 376-7651
EMail: Not reported
Fax Number: Not reported
Modified By: TLYE
Date Last Modified: 2017-06-27

Tank Info:

Tank Number: 001
Tank Id: 7745
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

67 PARK AVE (Continued)

A100318885

K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1922
Capacity Gallons: 7000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/20/2017
Material Name: #6 fuel oil (on-site consumption)

CN761
WSW
1/8-1/4
0.221 mi.
1168 ft.

CON EDISON
267-69 MADISON AVE & 39TH ST E
NEW YORK, NY 10016
Site 2 of 5 in cluster CN

NY MANIFEST **S117060284**
N/A

Relative:
Higher

Actual:
75 ft.

NY MANIFEST:
Name: CON EDISON
Address: 267-69 MADISON AVE & 39TH ST E
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004525002
Facility Status: Not reported
Location Address 1: 267 MADISON AVE
Code: BP
Location Address 2: SERVICE BOX # 50197
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004525002
Mailing Name: CON EDISON
Mailing Contact: TOM TELLING
Mailing Address 1: 4 IRVING PLACE-15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117060284

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/2014
Trans1 Recv Date:	05/07/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/08/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004525002
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002417302GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CE762 17 E 45 ST (BUILDING DEMOLISHED)
NNW 360 MADISON AVENUE
1/8-1/4 NEW YORK, NY 10017
0.222 mi.
1171 ft. Site 5 of 5 in cluster CE

NY AST **U001837876**
N/A

Relative:
Higher

AST:

Actual:
59 ft.

Name: 17 E 45 ST (BUILDING DEMOLISHED)
Address: 360 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-407070
Program Type: PBS
UTM X: 586246.05738
UTM Y: 4512066.42564
Expiration Date: N/A
Site Type: Other

Affiliation Records:

Site Id: 19690
Affiliation Type: Facility Owner
Company Name: MADISON 45 LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 565 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 980-9031
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 19690
Affiliation Type: Mail Contact
Company Name: KIPP-STAWSKI MANAGEMENT
Contact Type: Not reported
Contact Name: JOSEPH BYRNES
Address1: 565 FIFTH AVENUE
Address2: 14TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 697-8601
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 19690
Affiliation Type: Facility Operator
Company Name: 17 E 45 ST (BUILDING DEMOLISHED)
Contact Type: Not reported
Contact Name: N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

17 E 45 ST (BUILDING DEMOLISHED) (Continued)

U001837876

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 19690
Affiliation Type: Emergency Contact
Company Name: MADISON 45 LLC
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 23223
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

17 E 45 ST (BUILDING DEMOLISHED) (Continued)

U001837876

Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

**CF763
SE
1/8-1/4
0.223 mi.
1175 ft.**

**TOWERS CLEANERS
240 E 41ST ST
NEW YORK, NY 10017**

**RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST**

**1000217531
NYD982730582**

Site 12 of 13 in cluster CF

**Relative:
Lower**

RCRA Listings:

**Actual:
38 ft.**

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: TOWERS CLEANERS
Handler Address: 240 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD982730582
Contact Name: PERRY YARON
Contact Address: E 41ST ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-986-2400
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 41ST ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: PERRY YARON-TOWER CLEANERS INC
Owner Type: Private
Operator Name: PERRY YARON-TOWER CLEANERS INC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWERS CLEANERS (Continued)

1000217531

Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	PERRY YARON-TOWER CLEANERS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PERRY YARON-TOWER CLEANERS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWERS CLEANERS (Continued)

1000217531

Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: PERRY YARON-TOWER CLEANERS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: TOWERS CLEANERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: TOWERS CLEANERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1989-04-28 00:00:00.0
Handler Name: TOWERS CLEANERS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWERS CLEANERS (Continued)

1000217531

Electronic Manifest Broker:	Not reported
Facility Has Received Notices of Violation:	
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	1990-08-13 00:00:00.0
Actual Return to Compliance Date:	1990-08-13 00:00:00.0
Return to Compliance Qualifier:	Not Resolved
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Evaluation Action Summary:	
Evaluation Date:	1990-08-13 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	1990-08-13 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWERS CLEANERS (Continued)

1000217531

FINDS:

Registry ID: 110004429903

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000217531
Registry ID: 110004429903
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004429903>
Name: TOWERS CLEANERS
Address: 240 E 41ST ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: TOWERS CLEANERS
Address: 240 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD982730582
Facility Status: Not reported
Location Address 1: 240 EAST 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD982730582
Mailing Name: TOWERS CLEANERS
Mailing Contact: TOWERS CLEANERS
Mailing Address 1: 240 EAST 41ST ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129862406

NY MANIFEST:

Document ID: NYG0666927
Manifest Status: Not reported
seq: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWERS CLEANERS (Continued)

1000217531

Year: 1998
Trans1 State ID: PX3640
Trans2 State ID: Not reported
Generator Ship Date: 03/26/1998
Trans1 Recv Date: 03/26/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/26/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982730582
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

CW764
NNW
1/8-1/4
0.223 mi.
1176 ft.

CON ED
14 E 45TH ST VAULT5252
NEW YORK, NY 10017
Site 1 of 15 in cluster CW

NY MANIFEST **S119076520**
N/A

Relative: NY MANIFEST:
Higher Name: CON ED
Address: 14 E 45TH ST VAULT5252
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004807376
Facility Status: Not reported
Location Address 1: 14 E 45 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK

Actual:
59 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119076520

Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004807376
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 07/15/2015
Trans1 Recv Date: 07/15/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/17/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004807376
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002614616GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119076520

Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CW765 MANHATTAN PACIFIC MGMT CO
NNW 140 E 45TH ST - LEX & 3RD
1/8-1/4 NEW YORK, NY 10017
0.223 mi.
1176 ft. Site 2 of 15 in cluster CW

RCRA NonGen / NLR 1001460237
FINDS NYR000066951
ECHO
NY MANIFEST

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: MANHATTAN PACIFIC MGMT CO
Handler Address: 140 E 45TH ST - LEX & 3RD
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000066951
Contact Name: THOMAS ARROYO
Contact Address: E 45TH ST - LEX & 3RD
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-867-2120
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 45TH ST - LEX & 3RD
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: MANHATTAN PACIFIC MGMT CO
Owner Type: Private
Operator Name: MANHATTAN PACIFIC MGMT CO
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHATTAN PACIFIC MGMT CO (Continued)

1001460237

Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MANHATTAN PACIFIC MGMT CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	140 E 45TH ST LEX & 3RD
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-867-2120
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
---------------------------	-------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHATTAN PACIFIC MGMT CO (Continued)

1001460237

Owner/Operator Name: MANHATTAN PACIFIC MGMT CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 140 E 45TH ST LEX & 3RD
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-867-2120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MANHATTAN PACIFIC MGMT CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 140 E 45TH ST LEX & 3RD
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-867-2120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: MANHATTAN PACIFIC MGMT CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: MANHATTAN PACIFIC MGMT CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1999-02-05 00:00:00.0
Handler Name: MANHATTAN PACIFIC MGMT CO
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHATTAN PACIFIC MGMT CO (Continued)

1001460237

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110008106414

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001460237
Registry ID:	110008106414
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110008106414
Name:	MANHATTAN PACIFIC MGMT CO
Address:	140 E 45TH ST - LEX & 3RD
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	MANHATTEN PACIFIC MANAGEMENT
Address:	140 E 45TH ST - LEX & 3RD
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYR000066951
Facility Status:	Not reported
Location Address 1:	140 E 45TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000066951
Mailing Name:	MANHATTEN PACIFIC MANAGEMENT
Mailing Contact:	THOMAS ARROYO
Mailing Address 1:	140 E 45TH ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10017
Mailing Zip 4:	Not reported
Mailing Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHATTAN PACIFIC MGMT CO (Continued)

1001460237

Mailing Phone: 2128672120

NY MANIFEST:

Document ID: NYG1004733
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: NYPD1010
Trans2 State ID: Not reported
Generator Ship Date: 02/12/1999
Trans1 Recv Date: 02/12/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/12/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000066951
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00420
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CW766
NNW
1/8-1/4
0.223 mi.
1176 ft.

CON EDISON
14 E 45 ST
NEW YORK, NY 10017

Site 3 of 15 in cluster CW

NJ MANIFEST **S120673942**
N/A

Relative:
Higher

Actual:
59 ft.

NJ MANIFEST:

EPA Id:	NYP004807384
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002614615GBF
EPA ID:	NYP004807384
Date Shipped:	7/15/2015
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120673942

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

EPA Id: NYP004807376
Mail Address: IRVING PLACE, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THERESA BURKARD
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002614616GBF
EPA ID: NYP004807376
Date Shipped: 7/15/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120673942

Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**CW767
NNW
1/8-1/4
0.223 mi.
1176 ft.**

**CON EDISON
14 E 45TH ST VAULT8899
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019325242
NYP004807384**

Site 4 of 15 in cluster CW

**Relative:
Higher
Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-07-15 00:00:00.0
Handler Name: CON EDISON
Handler Address: 14 E 45TH ST VAULT8899
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004807384
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325242

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325242

Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - VAULT 8899
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-07-15 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-07-15 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CW768
NNW
1/8-1/4
0.223 mi.
1176 ft.

CON ED
14 E 45TH ST VAULT8899
NEW YORK, NY 10017

Site 5 of 15 in cluster CW

NY MANIFEST **S119076521**
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:

Name: CON ED

Address: 14 E 45TH ST VAULT8899

City,State,Zip: NEW YORK, NY 10017

Country: USA

EPA ID: NYP004807384

Facility Status: Not reported

Location Address 1: 14 E 45 ST

Code: BP

Location Address 2: Not reported

Total Tanks: Not reported

Location City: NEW YORK

Location State: NY

Location Zip: 10017

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004807384

Mailing Name: CON ED

Mailing Contact: TOM TEELING

Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR

Mailing Address 2: Not reported

Mailing City: NEW YORK

Mailing State: NY

Mailing Zip: 10003

Mailing Zip 4: Not reported

Mailing Country: USA

Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported

Manifest Status: Not reported

seq: Not reported

Year: Not reported

Trans1 State ID: NJD003812047

Trans2 State ID: Not reported

Generator Ship Date: 07/15/2015

Trans1 Recv Date: 07/15/2015

Trans2 Recv Date: Not reported

TSD Site Recv Date: 07/17/2015

Part A Recv Date: Not reported

Part B Recv Date: Not reported

Generator EPA ID: NYP004807384

Trans1 EPA ID: Not reported

Trans2 EPA ID: Not reported

TSDF ID 1: NJD991291105

TSDF ID 2: Not reported

Manifest Tracking Number: 002614615GBF

Import Indicator: N

Export Indicator: N

Discr Quantity Indicator: N

Discr Type Indicator: N

Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S119076521

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CW769
NNW
1/8-1/4
0.223 mi.
1176 ft.

CON EDISON
14 E 45TH ST VAULT5252
NEW YORK, NY 10017
Site 6 of 15 in cluster CW

RCRA NonGen / NLR

1019325241
NYP004807376

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-07-15 00:00:00.0
Handler Name: CON EDISON
Handler Address: 14 E 45TH ST VAULT5252
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004807376
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325241

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325241

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-07-15 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - VAULT 5252
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-07-15 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325241

Receive Date: 2015-07-15 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

CI770
West
1/8-1/4
0.223 mi.
1179 ft.

CON EDISION - V5911
24 E. 40TH ST. 24 E. 40TH ST.
NEW YORK, NY 10003

RCRA NonGen / NLR 1007207551
NY MANIFEST NYP004070645

Site 12 of 12 in cluster CI

Relative:
Higher

Actual:
75 ft.

RCRA Listings:
Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V5911
Handler Address: 24 E. 40TH ST. 24 E. 40TH ST.
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004070645
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PLACE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V5911 (Continued)

1007207551

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V5911
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V5911 (Continued)

1007207551

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V5911
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V5911
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	24 E. 40TH ST. 24 E. 40TH ST.
City,State,Zip:	NEW YORK, NY 10003
Country:	USA
EPA ID:	NYP004070645
Facility Status:	Not reported
Location Address 1:	V5911-24 E 40TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004070645
Mailing Name:	CONSOLIDATED EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V5911 (Continued)

1007207551

Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0689922
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 01/08/2001
Trans1 Recv Date: 01/08/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/08/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004070645
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01266
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CR771
West
1/8-1/4
0.224 mi.
1181 ft.
CON EDISON
15-17 E 40TH ST & 5TH AVE E OF
NEW YORK, NY 10016
Site 4 of 8 in cluster CR

NY MANIFEST **S117060286**
N/A

Relative:
Higher

Actual:
73 ft.

NY MANIFEST:
Name: CON EDISON
Address: 15-17 E 40TH ST & 5TH AVE E OF
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004525028
Facility Status: Not reported
Location Address 1: 15 E 40 ST
Code: BP
Location Address 2: SERVICE BOX # 7764
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004525028
Mailing Name: CON EDISON
Mailing Contact: TOM TELLING
Mailing Address 1: 4 IRVING PLACE-15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 05/07/2014
Trans1 Recv Date: 05/07/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/08/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004525028
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002417293GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117060286

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CR772 **CON EDISON SERVICE BOX: 7763**
West **15 E 40TH ST**
1/8-1/4 **NEW YORK, NY 10018**
0.224 mi.
1181 ft. **Site 5 of 8 in cluster CR**

NJ MANIFEST **S117986046**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004265971
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456086JJK
EPA ID: NYP004265971
Date Shipped: 8/31/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

S117986046

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

CR773
West
1/8-1/4
0.224 mi.
1181 ft.

CON EDISON SERVICE BOX: 7763
15 E 40TH ST
NEW YORK, NY 10018
Site 6 of 8 in cluster CR

RCRA NonGen / NLR 1016143813
NY MANIFEST NYP004265971

Relative:
Higher
Actual:
73 ft.

RCRA Listings:	
Date Form Received by Agency:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7763
Handler Address:	15 E 40TH ST
Handler City,State,Zip:	NEW YORK, NY 10018
EPA ID:	NYP004265971
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143813

Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143813

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-05 12:21:37.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-08-31 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7763
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7763
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	15 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004265971
Facility Status:	Not reported
Location Address 1:	15 E 40TH ST
Code:	BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143813

Location Address 2: SERV BOX 7763
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 14001
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004265971
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 08/31/2012
Trans1 Recv Date: 08/31/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/04/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004265971
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456086JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143813

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CF774
SE
1/8-1/4
0.224 mi.
1183 ft.

CON EDISON - VAULT 4387
247 E 41 ST
NEW YORK, NY 10017
Site 13 of 13 in cluster CF

NY MANIFEST **S120957863**
N/A

Relative:
Lower
Actual:
38 ft.

NY MANIFEST:
Name: CON EDISON - VAULT 4387
Address: 247 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004888741
Facility Status: Not reported
Location Address 1: 247 E 41 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004888741
Mailing Name: CON EDISON - VAULT 4387
Mailing Contact: THERESA BURKARD
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602262

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CX775
SE
1/8-1/4
0.224 mi.
1185 ft.

NEWS BUILDING THE
220 E 42ND ST
NEW YORK, NY 10017

Site 1 of 4 in cluster CX

RCRA NonGen / NLR
FINDS
ECHO

1004759532
NYR000012534

Relative:
Lower

Actual:
43 ft.

RCRA Listings:

Date Form Received by Agency:	2018-08-15 00:00:00.0
Handler Name:	NEWS BUILDING THE
Handler Address:	220 E 42ND ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYR000012534
Contact Name:	CARMEN SANTIAGO
Contact Address:	E 42ND ST
Contact City,State,Zip:	NEW YORK, NY 10017
Contact Telephone:	212-687-3733
Contact Fax:	212-687-3919
Contact Email:	CARMEN.SANTIAGO@SIGREEN.COM
Contact Title:	PROPERTY MANAGER
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	E 42ND ST
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	LASALLE PARTNERS
Owner Type:	Private
Operator Name:	LASALLE PARTNERS
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEWS BUILDING THE (Continued)

1004759532

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-15 15:12:33.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LASALLE PARTNERS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	220 E 42ND ST STE 412
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-687-3733
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LASALLE PARTNERS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	220 E 42ND ST STE 412
Owner/Operator City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEWS BUILDING THE (Continued)

1004759532

Owner/Operator Telephone:	212-687-3733
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	SL GREEN MANAGEMENT CORP
Legal Status:	Private
Date Became Current:	2003-02-13 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	LASALLE PARTNERS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	220 E 42ND ST STE 412
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-687-3733
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SLG 220 NEWS OWNER LLC
Legal Status:	Private
Date Became Current:	2003-02-13 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SLG 220 NEWS OWNER LLC
Legal Status:	Private
Date Became Current:	2003-02-13 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	420 LEXINGTON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-594-2700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	LASALLE PARTNERS
Legal Status:	Private
Date Became Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEWS BUILDING THE (Continued)

1004759532

Date Ended Current: Not reported
Owner/Operator Address: 220 E 42ND ST STE 412
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-687-3733
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LASALLE PARTNERS
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 220 E 42ND ST STE 412
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-687-3733
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SL GREEN MANAGEMENT CORP
Legal Status: Private
Date Became Current: 2003-02-13 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LASALLE PARTNERS
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 220 E 42ND ST STE 412
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-687-3733
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LASALLE PARTNERS
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 220 E 42ND ST STE 412
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-687-3733
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEWS BUILDING THE (Continued)

1004759532

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: NEWS BUILDING THE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: NEWS BUILDING THE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2018-08-15 00:00:00.0
Handler Name: NEWS BUILDING THE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 1995-08-30 00:00:00.0
Handler Name: NEWS BUILDING THE
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2017-09-12 00:00:00.0
Handler Name: NEWS BUILDING THE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEWS BUILDING THE (Continued)

1004759532

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110009484520

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004759532
Registry ID:	110009484520
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110009484520
Name:	NEWS BUILDING THE
Address:	220 E 42ND ST
City,State,Zip:	NEW YORK, NY 10017

**CX776
SE
1/8-1/4
0.224 mi.
1185 ft.**

**THE NEWS BUILDING
220 EAST 42ND STREET
NEW YORK, NY 10017**

**NY AST A100166720
N/A**

Site 2 of 4 in cluster CX

**Relative:
Lower**

AST:

**Actual:
43 ft.**

Name:	THE NEWS BUILDING
Address:	220 EAST 42ND STREET
City,State,Zip:	NEW YORK, NY 10017
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-604594
Program Type:	PBS
UTM X:	586698.80034
UTM Y:	4511510.87962
Expiration Date:	N/A
Site Type:	Other
Affiliation Records:	
Site Id:	26465
Affiliation Type:	Facility Owner
Company Name:	SLG 220 NEWS OWNER LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE NEWS BUILDING (Continued)

A100166720

Contact Type: Not reported
Contact Name: Not reported
Address1: 420 LEXINGTON AVE.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10170
Country Code: 001
Phone: (212) 594-2700
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26465
Affiliation Type: Mail Contact
Company Name: SL GREEN REALTY CORP.
Contact Type: Not reported
Contact Name: BECK PAPRANIKU
Address1: 220 EAST 42ND STREET
Address2: CONCOURSE LEVEL
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 949-1674
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26465
Affiliation Type: Facility Operator
Company Name: THE NEWS BUILDING
Contact Type: Not reported
Contact Name: PHIL HUGHES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 687-3733
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 26465
Affiliation Type: Emergency Contact
Company Name: SLG 220 NEWS OWNER LLC
Contact Type: Not reported
Contact Name: BECK PAPRANIKU
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE NEWS BUILDING (Continued)

A100166720

Zip Code: Not reported
Country Code: 001
Phone: (212) 949-1674
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 36358
Tank Id: 58285
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
I02 - Overfill - High Level Alarm
L09 - Piping Leak Detection - Exempt Suction Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 04/04/1967
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 6BT59G2
Tank Id: 58287
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I04 - Overfill - Product Level Gauge (A/G)
D00 - Pipe Type - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE NEWS BUILDING (Continued)

A100166720

Tank Location: G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 02/01/1990
Capacity Gallons: 100
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: diesel

Tank Number: 96478M
Tank Id: 58286
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
I02 - Overfill - High Level Alarm
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/27/1995
Capacity Gallons: 1000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CX777
SE
1/8-1/4
0.224 mi.
1185 ft.
CONSOLIDATED EDISON
V2633-220 W 42ND ST
NEW YORK, NY 10036
Site 3 of 4 in cluster CX

NY MANIFEST
1009239716
N/A

Relative:
Lower

Actual:
43 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: V2633-220 W 42ND ST
City,State,Zip: NEW YORK, NY 10036
Country: USA
EPA ID: NYP004064705
Facility Status: Not reported
Location Address 1: V2633-220 W 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10036
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004064705
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE0672804
Manifest Status: Not reported
seq: 01
Year: 2000
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 10/18/2000
Trans1 Recv Date: 10/18/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/18/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004064705
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009239716

Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01291
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CX778 **POST PERFECT**
SE **220 E 42ND ST**
1/8-1/4 **NEW YORK, NY 10017**
0.224 mi.
1185 ft. **Site 4 of 4 in cluster CX**

RCRA NonGen / NLR **1000393382**
FINDS **NYD131364093**
ECHO
NY MANIFEST

Relative:
Lower
Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: POST PERFECT
Handler Address: 220 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD131364093
Contact Name: Not reported
Contact Address: E 42ND ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 42ND ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: GORDON MEDIA CO LTD
Owner Type: Private
Operator Name: GORDON MEDIA CO LTD
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:
Owner/Operator Name:
Legal Status:

Owner
GORDON MEDIA CO LTD
Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GORDON MEDIA CO LTD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GORDON MEDIA CO LTD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:	
Receive Date:	1995-04-12 00:00:00.0
Handler Name:	POST PERFECT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	POST PERFECT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	POST PERFECT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1988-06-08 00:00:00.0
Handler Name:	POST PERFECT
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004382604

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000393382
Registry ID:	110004382604
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004382604
Name:	POST PERFECT
Address:	220 E 42ND ST
City,State,Zip:	NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

NY MANIFEST:

Name: POST PERFECT
Address: 220 E 42ND ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD131364093
Facility Status: Not reported
Location Address 1: 220 EAST 42ND STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD131364093
Mailing Name: POST PERFECT
Mailing Contact: POST PERFECT
Mailing Address 1: 220 EAST 42ND STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129723400

NY MANIFEST:

Document ID: NYA7050879
Manifest Status: C
seq: Not reported
Year: 1994
Trans1 State ID: 13744E
Trans2 State ID: Not reported
Generator Ship Date: 05/24/1994
Trans1 Recv Date: 05/24/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 05/24/1994
Part A Recv Date: / /
Part B Recv Date: 06/13/1994
Generator EPA ID: NYD131364093
Trans1 EPA ID: NYD057722258
Trans2 EPA ID: Not reported
TSDF ID 1: NYD057722258
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: F001 - UNKNOWN
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00065
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 142

Name: NEWS BUILDING THE
Address: 220 E 42ND ST STE 412
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000012534
Facility Status: Not reported
Location Address 1: 220 E 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000012534
Mailing Name: NEWS BUILDING THE
Mailing Contact: NEWS OWNER LLC SLG 220
Mailing Address 1: 420 LEXINGTON AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126873733

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NYR000134791
Trans2 State ID: NYR000134940
Generator Ship Date: 09/15/2017
Trans1 Recv Date: 09/15/2017
Trans2 Recv Date: 10/19/2017
TSD Site Recv Date: 11/09/2017
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POST PERFECT (Continued)

1000393382

Generator EPA ID: NYR000012534
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: PAD085690592
TSDF ID 2: Not reported
Manifest Tracking Number: 008177765FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
1 additional NY MANIFEST: record(s) in the EDR Site Report.

CY779
NE
1/8-1/4
0.225 mi.
1186 ft.

CON EDISON
LEXINGTON AVE & E 47TH ST
NEW YORK, NY 10017
Site 1 of 5 in cluster CY

NJ MANIFEST **S120677064**
N/A

Relative:
Lower

Actual:
47 ft.

NJ MANIFEST:
EPA Id: NYP004842668
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677064

Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002661675GBF
EPA ID:	NYP004842668
Date Shipped:	9/22/2015
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CY780 NE 1/8-1/4 0.225 mi. 1186 ft.	CON EDISON E 47TH ST & LEXINGTON AVE NEW YORK, NY 10017 Site 2 of 5 in cluster CY	RCRA NonGen / NLR	1012185351 NYP004161550
Relative: Lower	RCRA Listings:		
Actual: 47 ft.	Date Form Received by Agency:	2016-06-01 00:00:00.0	
	Handler Name:	CON EDISON	
	Handler Address:	E 47TH ST & LEXINGTON AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004161550	
	Contact Name:	NEIL SKOW	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	718-204-4249	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	4 IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185351

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-07-28 15:40:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2008-09-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185351

Electronic Manifest Broker:

Not reported

CY781
NE
1/8-1/4
0.225 mi.
1186 ft.

CON EDISON
LEXINGTON AVE & E 47TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR

1019908162
NYP004842668

Site 3 of 5 in cluster CY

Relative:
Lower

Actual:
47 ft.

RCRA Listings:

Date Form Received by Agency:	2015-09-22 00:00:00.0
Handler Name:	CON EDISON
Handler Address:	LEXINGTON AVE & E 47TH ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004842668
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908162

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-22 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-22 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908162

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

CY782
NE
1/8-1/4
0.225 mi.
1186 ft.

CON EDISON MANHOLE 38676
E 47TH ST & LEXINGTON AVE
NEW YORK, NY 10013

RCRA NonGen / NLR
NY MANIFEST

1014926593
NYP004243689

Site 4 of 5 in cluster CY

Relative:
Lower

Actual:
47 ft.

RCRA Listings:
Date Form Received by Agency: 2011-11-25 00:00:00.0
Handler Name: CON EDISON MANHOLE 38676
Handler Address: E 47TH ST & LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10013
EPA ID: NYP004243689
Contact Name: JEAN PIERRE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SR OFFICE ASSISTANT A X L1-2
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38676 (Continued)

1014926593

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-03-02 12:56:09.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-10-26 00:00:00.0
Handler Name:	CON EDISON MANHOLE 38676
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2011-11-25 00:00:00.0
Handler Name:	CON EDISON MANHOLE 38676
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38676 (Continued)

1014926593

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	E 47TH ST & LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10013
Country:	USA
EPA ID:	NYP004243689
Facility Status:	Not reported
Location Address 1:	LEXINGTON AVE & 47 ST.
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	MANHATTAN
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004243689
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	CONSOLIDATED EDISON
Mailing Address 1:	4 IRVING PLACE ROOM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	10/26/2011
Trans1 Recv Date:	10/26/2011
Trans2 Recv Date:	11/03/2011
TSD Site Recv Date:	11/04/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004243689
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 38676 (Continued)

1014926593

TSD ID 2: Not reported
Manifest Tracking Number: 000895567GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H135
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 360
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: B003
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CY783
NE
1/8-1/4
0.225 mi.
1186 ft.**

**BELL ATLANTIC-NY
E 47TH ST/LEXINGTON AVE
MANHATTAN, NY 00000
Site 5 of 5 in cluster CY**

**RCRA NonGen / NLR 1007205457
NY MANIFEST NYP000933952**

**Relative:
Lower**

RCRA Listings:

**Actual:
47 ft.**

Date Form Received by Agency: 1998-03-01 00:00:00.0
Handler Name: BELL ATLANTIC-NY
Handler Address: E 47TH ST/LEXINGTON AVE
Handler City,State,Zip: MANHATTAN, NY 00000-0000
EPA ID: NYP000933952
Contact Name: JOHN QUATRALE
Contact Address: BELL ATLANTIC - ENVIRONMENTAL
Contact City,State,Zip: NEW YORK, NY 10016-0000
Contact Telephone: 212-338-7141
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205457

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	BELL ATLANTIC - ENVIRONMENTAL
Mailing City,State,Zip:	NEW YORK, NY 10016-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205457

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-03-01 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	BELL ATLANTIC-NY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	BELL ATLANTIC-NY
Address:	E 47TH ST/LEXINGTON AVE
City,State,Zip:	MANHATTAN, NY 00000-0000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BELL ATLANTIC-NY (Continued)

1007205457

Country: USA
EPA ID: NYP000933952
Facility Status: Not reported
Location Address 1: E 47TH ST/LEXINGTON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000933952
Mailing Name: BELL ATLANTIC-NY
Mailing Contact: Not reported
Mailing Address 1: Not reported
Mailing Address 2: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Zip 4: Not reported
Mailing Country: Not reported
Mailing Phone: Not reported

CQ784
ESE
1/8-1/4
0.225 mi.
1187 ft.

CON ED - V 5334
228 E 44 ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST

1007206078
NYP004003166

Site 6 of 6 in cluster CQ

Relative:
Higher

Actual:
53 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 5334
Handler Address: 228 E 44 ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP004003166
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5334 (Continued)

1007206078

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5334 (Continued)

1007206078

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 5334
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 5334
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 5334
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON CO
Address:	228 E 44 ST
City,State,Zip:	NEW YORK, NY 10017-0000
Country:	USA
EPA ID:	NYP004003166
Facility Status:	Not reported
Location Address 1:	228 EAST 44TH VAULT 5334
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	Not reported
Location State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5334 (Continued)

1007206078

Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004003166
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB8466381
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: SM1563
Trans2 State ID: Not reported
Generator Ship Date: 01/09/1997
Trans1 Recv Date: 01/09/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 01/13/1997
Part A Recv Date: 01/27/1997
Part B Recv Date: 01/27/1997
Generator EPA ID: NYP004003166
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01218
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5334 (Continued)

1007206078

Specific Gravity: 100

CS785
ESE
1/8-1/4
0.225 mi.
1187 ft.

CON EDISON
229 E 43RD ST
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1018279805
NYP004746525

Site 5 of 9 in cluster CS

Relative:
Higher

Actual:
50 ft.

RCRA Listings:

Date Form Received by Agency: 2015-03-09 00:00:00.0
Handler Name: CON EDISON
Handler Address: 229 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004746525
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279805

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-03-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279805

Date Became Current:	2015-03-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - SERVICE BOX 8428
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-03-09 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110067697022

[Click Here:](#)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279805

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018279805
Registry ID: 110067697022
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067697022>
Name: CON EDISON
Address: 229 E 43RD ST
City,State,Zip: NEW YORK, NY 10017

CS786
ESE
1/8-1/4
0.225 mi.
1187 ft.

CON EDISON
229 E 43RD ST
NEW YORK, NY 10017
Site 6 of 9 in cluster CS

NJ MANIFEST **S120668598**
N/A

Relative:
Higher
Actual:
50 ft.

NJ MANIFEST:
EPA Id: NYP004746525
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002611006GBF
EPA ID: NYP004746525
Date Shipped: 3/9/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120668598

Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

CS787
ESE
1/8-1/4
0.225 mi.
1187 ft.

CON EDISON
229 E 43 ST
NEW YORK, NY 10017

Site 7 of 9 in cluster CS

NY MANIFEST **S117741427**
N/A

Relative:
Higher
Actual:
50 ft.

NY MANIFEST:
Name: CON EDISON
Address: 229 E 43 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004746525
Facility Status: Not reported
Location Address 1: 229 E 43 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004746525
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117741427

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/09/2015
Trans1 Recv Date: 03/09/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/09/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004746525
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611006GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 5000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CD788
NE
1/8-1/4
0.226 mi.
1191 ft.
CON EDISON SERVICE BOX: 9186
130 E 47TH ST
NEW YORK, NY 10017
Site 4 of 7 in cluster CD

NJ MANIFEST
S117986758
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
44 ft.

EPA Id: NYP004274262
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: MICHAEL EGAN
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456747JJK
EPA ID: NYP004274262
Date Shipped: 10/17/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 9186 (Continued)

S117986758

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CD789
NE
1/8-1/4
0.226 mi.
1191 ft.

CON EDISON VAULT 4086
130 E 47TH ST
NEW YORK, NY 10012
Site 5 of 7 in cluster CD

RCRA NonGen / NLR **1014926414**
NYP004241717

Relative:
Lower

Actual:
44 ft.

RCRA Listings:
Date Form Received by Agency: 2011-10-10 00:00:00.0
Handler Name: CON EDISON VAULT 4086
Handler Address: 130 E 47TH ST
Handler City,State,Zip: NEW YORK, NY 10012
EPA ID: NYP004241717
Contact Name: PETER JORDAN
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-780-3756
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SR OFFICE ASSISTANT A X L1-2
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT 4086 (Continued)

1014926414

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2011-12-06 14:19:42.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2011-09-10 00:00:00.0
Handler Name:	CON EDISON VAULT 4086
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT 4086 (Continued)

1014926414

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2011-10-10 00:00:00.0
Handler Name:	CON EDISON VAULT 4086
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CD790
NE
1/8-1/4
0.226 mi.
1191 ft.

CON EDISON SERVICE BOX: 9186
130 E 47TH ST
NEW YORK, NY 10017

RCRA NonGen / NLR
NY MANIFEST
1016148803
NYP004274262

Site 6 of 7 in cluster CD

Relative:
Lower
Actual:
44 ft.

RCRA Listings:	
Date Form Received by Agency:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 9186
Handler Address:	130 E 47TH ST
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYP004274262
Contact Name:	MICHAEL EGAN
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-894-9459
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	WORK ORGANIZER
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 9186 (Continued)

1016148803

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-11-08 10:33:45.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-10-16 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 9186
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 9186 (Continued)

1016148803

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 9186
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	130 E 47TH ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004274262
Facility Status:	Not reported
Location Address 1:	130 E 47TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004274262
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 9186 (Continued)

1016148803

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 10/17/2012
Trans1 Recv Date: 10/17/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/18/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004274262
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456747JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CD791
NE
1/8-1/4
0.226 mi.
1191 ft.

CON EDISON
130 EAST 47TH STREET
NEW YORK, NY 10017
Site 7 of 7 in cluster CD

NY MANIFEST S117737643
N/A

Relative:
Lower

NY MANIFEST:

Actual:
44 ft.

Name: CON EDISON
Address: 130 EAST 47TH STREET
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004668760
Facility Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737643

Location Address 1: 130 EAST 47TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004668760
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 09/30/2014
Trans1 Recv Date: 09/30/2014
Trans2 Recv Date: 10/02/2014
TSD Site Recv Date: 10/02/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004668760
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609653GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117737643

Waste Code: Not reported
Quantity: 8000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CZ792
NNE
1/8-1/4
0.226 mi.
1194 ft.

CON EDISON - MANHOLE M59287
101 E 47TH ST
MANHATTAN, NY 10017
Site 1 of 2 in cluster CZ

NY MANIFEST **S120958172**
N/A

Relative:
Higher

Actual:
52 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE M59287
Address: 101 E 47TH ST
City,State,Zip: MANHATTAN, NY 10017
Country: USA
EPA ID: NYP004918219
Facility Status: Not reported
Location Address 1: 101 E 47TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004918219
Mailing Name: CON EDISON - MANHOLE M59287
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CZ793
NNE
1/8-1/4
0.226 mi.
1194 ft.
CON EDISON - MANHOLE M59288
101 E 47TH ST
MANHATTAN, NY 10017
Site 2 of 2 in cluster CZ

NY MANIFEST **S120958171**
N/A

Relative:
Higher

Actual:
52 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE M59288
Address: 101 E 47TH ST
City,State,Zip: MANHATTAN, NY 10017
Country: USA
EPA ID: NYP004918193
Facility Status: Not reported
Location Address 1: 101 E 47TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004918193
Mailing Name: CON EDISON - MANHOLE M59288
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

DA794
NE
1/8-1/4
0.228 mi.
1202 ft.
CON EDISON
138 E 47 ST
NEW YORK, NY 10017
Site 1 of 9 in cluster DA

NY MANIFEST **S117315552**
N/A

Relative:
Lower

Actual:
43 ft.

NY MANIFEST:
Name: CON EDISON
Address: 138 E 47 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004627345
Facility Status: Not reported
Location Address 1: 138 E 47 ST
Code: BP
Location Address 2: SB9187
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004627345
Mailing Name: CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117315552

Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/14/2014
Trans1 Recv Date: 08/14/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/18/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004627345
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608883GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117315552

Waste Code 1_6: Not reported

DB795
South
1/8-1/4
0.228 mi.
1205 ft.

137 EAST 38TH STREET
137 EAST 38TH STREET
NEW YORK, NY 10016
Site 1 of 3 in cluster DB

NY AST A100442080
N/A

Relative:
Higher

AST:

Actual:
58 ft.

Name: 137 EAST 38TH STREET
Address: 137 EAST 38TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606043
Program Type: PBS
UTM X: 586314.42910
UTM Y: 4511380.92245
Expiration Date: 09/10/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 27908
Affiliation Type: Mail Contact
Company Name: 137 EAST 38TH STREET LLC
Contact Type: Not reported
Contact Name: LOUISA LITTLE
Address1: C/O LIGHTHOUSE PROPERTIES, LLC
Address2: 1185 SIXTH AVENUE, 10TH FL.
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-11-09

Site Id: 27908
Affiliation Type: Facility Operator
Company Name: 137 EAST 38TH STREET
Contact Type: Not reported
Contact Name: FREDDIE CABREJA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 683-6222
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-11-09

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

137 EAST 38TH STREET (Continued)

A100442080

Site Id: 27908
Affiliation Type: Emergency Contact
Company Name: 137 EAST 38TH STREET LLC
Contact Type: Not reported
Contact Name: LIGHTHOUSE PROPERTIES LLC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-11-09

Site Id: 27908
Affiliation Type: Facility Owner
Company Name: 137 EAST 38TH STREET LLC
Contact Type: AGENT
Contact Name: LOUISA LITTLE
Address1: 1185 SIXTH AVENUE, 10TH FL.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 265-2280
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2017-11-09

Tank Info:

Tank Number: 01
Tank Id: 60879
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

137 EAST 38TH STREET (Continued)

A100442080

Pipe Model: Not reported
Install Date: 08/06/1936
Capacity Gallons: 6000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 11/09/2017
Material Name: #4 fuel oil (on-site consumption)

**DA796
NE
1/8-1/4
0.229 mi.
1208 ft.**

**CON EDISON VAULT: 4523
142 E 47TH ST FRONT OF
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1016963220
NY MANIFEST NYP004362471**

Site 2 of 9 in cluster DA

**Relative:
Lower**

**Actual:
43 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-18 00:00:00.0
Handler Name: CON EDISON VAULT: 4523
Handler Address: 142 E 47TH ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004362471
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4523 (Continued)

1016963220

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 4523
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4523 (Continued)

1016963220

Electronic Manifest Broker:	Not reported
Receive Date:	2013-10-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 4523
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	142 E 47TH ST FRONT OF
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004362471
Facility Status:	Not reported
Location Address 1:	F/O 142 47 ST
Code:	BP
Location Address 2:	VAULT # 4523
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004362471
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/18/2013
Trans1 Recv Date:	09/18/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/23/2013
Part A Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4523 (Continued)

1016963220

Part B Recv Date: Not reported
Generator EPA ID: NYP004362471
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002291752GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DA797
NE
1/8-1/4
0.229 mi.
1208 ft.**

**CON EDISON VAULT: 5109
142 E 47TH ST FRONT OF
NEW YORK, NY 10017

Site 3 of 9 in cluster DA**

**RCRA NonGen / NLR 1016963217
NY MANIFEST NYP004362448**

**Relative:
Lower

Actual:
43 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-18 00:00:00.0
Handler Name: CON EDISON VAULT: 5109
Handler Address: 142 E 47TH ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004362448
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5109 (Continued)

1016963217

Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City, State, Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5109 (Continued)

1016963217

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 5109
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 5109
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	142 E 47TH ST FRONT OF
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004362448
Facility Status:	Not reported
Location Address 1:	F/O 142 E 47 ST
Code:	BP
Location Address 2:	VAULT # 5109
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5109 (Continued)

1016963217

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004362448
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/18/2013
Trans1 Recv Date: 09/18/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/23/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004362448
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002291761GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 5109 (Continued)

1016963217

Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DA798
NE
1/8-1/4
0.229 mi.
1208 ft.**

**CON EDISON VAULT: 7104
142 E 47TH ST FRONT OF
NEW YORK, NY 10017
Site 4 of 9 in cluster DA**

**RCRA NonGen / NLR 1016963216
NY MANIFEST NYP004362430**

**Relative:
Lower
Actual:
43 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-18 00:00:00.0
Handler Name: CON EDISON VAULT: 7104
Handler Address: 142 E 47TH ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004362430
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7104 (Continued)

1016963216

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 7104
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2013-10-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 7104

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7104 (Continued)

1016963216

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	142 E 47TH ST FRONT OF
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004362430
Facility Status:	Not reported
Location Address 1:	F/O 142 E 47 ST
Code:	BP
Location Address 2:	VAULT # 7104
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004362430
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/18/2013
Trans1 Recv Date:	09/18/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/23/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004362430
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 7104 (Continued)

1016963216

TSDf ID 1: NJD991291105
TSDf ID 2: Not reported
Manifest Tracking Number: 002291762GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 75
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DA799
NE
1/8-1/4
0.229 mi.
1208 ft.

CON EDISON VAULT: 4490
142 E 47 ST FRONT OF
NEW YORK, NY 10017
Site 5 of 9 in cluster DA

RCRA NonGen / NLR **1016963221**
NY MANIFEST **NYP004362489**

Relative:
Lower
Actual:
43 ft.

RCRA Listings:
Date Form Received by Agency: 2013-10-18 00:00:00.0
Handler Name: CON EDISON VAULT: 4490
Handler Address: 142 E 47 ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004362489
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: SENIOR SCIENTIST
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4490 (Continued)

1016963221

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4490 (Continued)

1016963221

Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 4490
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-18 00:00:00.0
Handler Name:	CON EDISON VAULT: 4490
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	142 E 47 ST FRONT OF
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004362489
Facility Status:	Not reported
Location Address 1:	F/O 142 E 47 ST
Code:	BP
Location Address 2:	VAULT # 44910
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004362489
Mailing Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4490 (Continued)

1016963221

Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/18/2013
Trans1 Recv Date: 09/18/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/23/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004362489
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002291751GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 4490 (Continued)

1016963221

Waste Code 1_6: Not reported

CT800
ENE
1/8-1/4
0.229 mi.
1210 ft.

CON EDISON VAULT: 2011
750 3RD AVE
NEW YORK, NY 10017

Site 3 of 5 in cluster CT

RCRA NonGen / NLR **1016962591**
NY MANIFEST **NYP004356432**

Relative:
Lower

Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2013-10-06 00:00:00.0
Handler Name: CON EDISON VAULT: 2011
Handler Address: 750 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004356432
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2011 (Continued)

1016962591

Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-06 00:00:00.0
Handler Name:	CON EDISON VAULT: 2011
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-06 00:00:00.0
Handler Name:	CON EDISON VAULT: 2011
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2011 (Continued)

1016962591

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	750 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004356432
Facility Status:	Not reported
Location Address 1:	FT OF 750 3RD AVE
Code:	BP
Location Address 2:	VAULT 2011
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004356432
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/06/2013
Trans1 Recv Date:	09/06/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/11/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004356432
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002220993GBF
Import Indicator:	N
Export Indicator:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2011 (Continued)

1016962591

Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CT801
ENE
1/8-1/4
0.229 mi.
1210 ft.

CON EDISON VAULT: 1950
750 3RD AVE
NEW YORK, NY 10017
Site 4 of 5 in cluster CT

RCRA NonGen / NLR **1016962590**
NY MANIFEST **NYP004356424**

Relative:
Lower
Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2013-10-06 00:00:00.0
Handler Name: CON EDISON VAULT: 1950
Handler Address: 750 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004356424
Contact Name: BENJAMIN BAMONTE
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-894-9549
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1950 (Continued)

1016962590

Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1950 (Continued)

1016962590

Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-06 00:00:00.0
Handler Name:	CON EDISON VAULT: 1950
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-06 00:00:00.0
Handler Name:	CON EDISON VAULT: 1950
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	750 3RD AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004356424
Facility Status:	Not reported
Location Address 1:	FT OF 750 3RD AVE
Code:	BP
Location Address 2:	VAULT 1950
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004356424
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1950 (Continued)

1016962590

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/06/2013
Trans1 Recv Date: 09/06/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004356424
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002221072GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CT802
ENE
1/8-1/4
0.229 mi.
1210 ft.
S L GREEN REALTY CORP
750 THIRD AVE
NEW YORK, NY 10017
Site 5 of 5 in cluster CT

RCRA-SQG
1015747291
NYR000197624

Relative:
Lower

Actual:
38 ft.

RCRA Listings:
Date Form Received by Agency: 2012-10-22 00:00:00.0
Handler Name: S L GREEN REALTY CORP
Handler Address: 750 THIRD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000197624
Contact Name: JEAWAN PERSAUD
Contact Address: LEXINGTON AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-901-8900
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: PROPERTY MANAGER
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: LEXINGTON AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: 750 THIRD LLC
Owner Type: Private
Operator Name: S L GREEN REALTY CORP
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S L GREEN REALTY CORP (Continued)

1015747291

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	750 THIRD LLC
Legal Status:	Private
Date Became Current:	2004-08-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	750 THIRD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-907-8900
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	S L GREEN REALTY CORP
Legal Status:	Private
Date Became Current:	2004-08-30 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S L GREEN REALTY CORP (Continued)

1015747291

Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2012-10-22 00:00:00.0
Handler Name: S L GREEN REALTY CORP
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

DC803
SSW
1/8-1/4
0.230 mi.
1212 ft.

**CON EDISON SERVICE BOX: 38600
E 38TH ST & LEXINGTON AVE NE
NEW YORK, NY 10016**

**NJ MANIFEST S117986118
N/A**

Site 1 of 6 in cluster DC

**Relative:
Higher**

NJ MANIFEST:

**Actual:
64 ft.**

EPA Id: NYP004266755
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456272JJK
EPA ID: NYP004266755
Date Shipped: 9/6/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38600 (Continued)

S117986118

Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

DA804
NE
1/8-1/4
0.230 mi.
1212 ft.

CON EDISON MANHOLE: 57412
144 E 47TH ST
NEW YORK, NY 10017
Site 6 of 9 in cluster DA

NJ MANIFEST S117986757
N/A

Relative:
Lower

Actual:
43 ft.

NJ MANIFEST:
EPA Id: NYP004274254
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: MICHAEL EGAN
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57412 (Continued)

S117986757

TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	010456746JJK
EPA ID:	NYP004274254
Date Shipped:	10/17/2012
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	1,000.00 Pounds

DA805	CON EDISON MANHOLE: 57412	RCRA NonGen / NLR	1016148802
NE	144 E 47TH ST	FINDS	NYP004274254
1/8-1/4	NEW YORK, NY 10017	ECHO	
0.230 mi.		NY MANIFEST	
1212 ft.	Site 7 of 9 in cluster DA		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2017-07-28 00:00:00.0	
	Handler Name:	CON EDISON MANHOLE: 57412	
Actual:	Handler Address:	144 E 47TH ST	
43 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004274254	
	Contact Name:	MICHAEL EGAN	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-894-9459	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	WORK ORGANIZER	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57412 (Continued)

1016148802

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-11-06 13:43:24.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-10-16 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 57412
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 57412
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57412 (Continued)

1016148802

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055456037

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016148802
Registry ID: 110055456037
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055456037>
Name: CON EDISON MANHOLE: 57412
Address: 144 E 47TH ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 144 E 47TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004274254
Facility Status: Not reported
Location Address 1: 144 E 47TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004274254
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 57412 (Continued)

1016148802

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	10/17/2012
Trans1 Recv Date:	10/17/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/18/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004274254
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD002200046
TSD ID 2:	Not reported
Manifest Tracking Number:	010456746JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CL806	CON EDISON	RCRA NonGen / NLR	1019908883
ENE	210 E 46TH ST		NYP004878635
1/8-1/4	NEW YORK, NY 10017		
0.230 mi.			
1212 ft.	Site 4 of 5 in cluster CL		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2015-12-11 00:00:00.0	
	Handler Name:	CON EDISON	
Actual:	Handler Address:	210 E 46TH ST	
40 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYP004878635	
	Contact Name:	THOMAS TEELING	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	212-460-3770	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL 15TH FL NE	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908883

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:53:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-12-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-12-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908883

Electronic Manifest Broker:

Not reported

CL807
ENE
1/8-1/4
0.230 mi.
1212 ft.

CON EDISON
210 E 46TH ST
NEW YORK, NY 10017

Site 5 of 5 in cluster CL

NJ MANIFEST S120678105
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
40 ft.

EPA Id: NYP004878635
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002613574GBF
EPA ID: NYP004878635
Date Shipped: 12/11/2015
TSD EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120678105

Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

CK808
WNW
1/8-1/4
0.230 mi.
1213 ft.

CON EDISON
OPP 12 E 42 ST
NEW YORK, NY 10017

NY MANIFEST **S117314583**
N/A

Site 3 of 3 in cluster CK

Relative:
Higher

NY MANIFEST:

Actual:
69 ft.

Name: CON EDISON
Address: OPP 12 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616496
Facility Status: Not reported
Location Address 1: OPP 12 E 42 ST
Code: BP
Location Address 2: SB8201
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004616496
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314583

TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616496
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608760GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 600
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DD809 **MURRAY HILL HOUSE INC**
South **590 THIRD AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.230 mi.
1216 ft. **Site 1 of 2 in cluster DD**

NY AST **U003387358**
N/A

Relative: **AST:**
Lower Name: MURRAY HILL HOUSE INC
Address: 590 THIRD AVE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-251364
Program Type: PBS
UTM X: 586431.20751
UTM Y: 4511363.59164
Expiration Date: N/A

Actual:
41 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MURRAY HILL HOUSE INC (Continued)

U003387358

Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 10081
Affiliation Type: Facility Owner
Company Name: C/O MARIN MANAGEMENT CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 114 EAST 39TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 213-0123
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 10081
Affiliation Type: Mail Contact
Company Name: ARNOLD S. WARWICK & CO. LTD.
Contact Type: Not reported
Contact Name: ARNOLD WARWICK
Address1: 129 CHARLES ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10014
Country Code: 001
Phone: (212) 633-6500
EMail: SUSAN@ARNOLDWARWICK.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 2006-12-27

Site Id: 10081
Affiliation Type: Facility Operator
Company Name: MURRAY HILL HOUSE INC
Contact Type: Not reported
Contact Name: WHITNEY COLBURNS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 213-0123
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 10081
Affiliation Type: Emergency Contact
Company Name: C/O MARIN MANAGEMENT CORPORATION
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MURRAY HILL HOUSE INC (Continued)

U003387358

Contact Name: WHITNEY COLBURNS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 213-0123
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 11759
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B99 - Tank External Protection - Other
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1998
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

CS810
ESE
1/8-1/4
0.231 mi.
1218 ft.

CON EDISON SERVICE BOX 8429
231-33 E 43RD ST E OF 3RD AVE FRONT
NEW YORK, NY 10017
Site 8 of 9 in cluster CS

RCRA NonGen / NLR 1015746656
NY MANIFEST NYP004246494

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2012-02-15 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8429
Handler Address: 231-33 E 43RD ST E OF 3RD AVE FRONT
Handler City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8429 (Continued)

1015746656

EPA ID:	NYP004246494
Contact Name:	JOSE MONTALVO
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-427-1331
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8429 (Continued)

1015746656

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2012-07-12 15:50:07.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2012-01-16 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8429
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2012-02-15 00:00:00.0
Handler Name: CON EDISON SERVICE BOX 8429
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CONED
Address: 231-33 E 43RD ST E OF 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8429 (Continued)

1015746656

EPA ID: NYP004246494
Facility Status: Not reported
Location Address 1: 231-33 E 43RD ST
Code: BP
Location Address 2: 3RD AVE
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004246494
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FLOOR
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/16/2012
Trans1 Recv Date: 01/16/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/16/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004246494
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 003634223JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX 8429 (Continued)

1015746656

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CV811
SSE
1/8-1/4
0.231 mi.
1218 ft.

CON EDISON SERVICE BOX: 7810
211 E 40TH ST
NEW YORK, NY 10018
Site 3 of 10 in cluster CV

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143846
NYP004266326

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7810
Handler Address: 211 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266326
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7810 (Continued)

1016143846

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 14:36:05.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7810
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7810 (Continued)

1016143846

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7810
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055427881

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143846
Registry ID:	110055427881
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055427881
Name:	CON EDISON SERVICE BOX: 7810
Address:	211 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	211 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266326
Facility Status:	Not reported
Location Address 1:	211 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7810
Total Tanks:	Not reported
Location City:	NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7810 (Continued)

1016143846

Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266326
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266326
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456359JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7810 (Continued)

1016143846

Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CV812
SSE
1/8-1/4
0.231 mi.
1218 ft.

CON EDISON SERVICE BOX: 7810
211 E 40TH ST
NEW YORK, NY 10018
Site 4 of 10 in cluster CV

NJ MANIFEST S117986076
N/A

Relative:
Lower

Actual:
36 ft.

NJ MANIFEST:
EPA Id: NYP004266326
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456359JJK
EPA ID: NYP004266326
Date Shipped: 9/4/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7810 (Continued)

S117986076

Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CR813
West
1/8-1/4
0.231 mi.
1219 ft.

CON EDISON SERVICE BOX: 7977
10 E 41ST ST
NEW YORK, NY 10017
Site 7 of 8 in cluster CR

RCRA NonGen / NLR **1016143135**
FINDS **NYP004258679**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7977
Handler Address: 10 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004258679
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7977 (Continued)

1016143135

Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-08-28 11:55:15.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7977 (Continued)

1016143135

Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date:	2012-07-17 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7977
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7977
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110055467962

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143135
Registry ID:	110055467962
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055467962
Name:	CON EDISON SERVICE BOX: 7977
Address:	10 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name: CONSOLIDATED EDISON OF NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7977 (Continued)

1016143135

Address: 10 E 41ST ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004258679
Facility Status: Not reported
Location Address 1: 10 E 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004258679
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/17/2012
Trans1 Recv Date: 07/17/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/19/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004258679
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009209887JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7977 (Continued)

1016143135

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CR814 **CON EDISON SERVICE BOX: 7977**
West **10 E 41ST ST**
1/8-1/4 **NEW YORK, NY 10017**
0.231 mi.
1219 ft. **Site 8 of 8 in cluster CR**

NJ MANIFEST **S117985451**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004258679
Mail Address: IRVING PL, RM 828
Actual: Mail City/State/Zip: NEW YORK, NY 10003
73 ft. Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 009209887JJK
EPA ID: NYP004258679
Date Shipped: 7/17/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7977 (Continued)

S117985451

Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

CN815 270 MADISON AVE
WSW 270 MADISON AVENUE
1/8-1/4 NEW YORK, NY 10016
0.231 mi.
1221 ft. Site 3 of 5 in cluster CN

NY AST U004076250
N/A

Relative: AST:
Higher Name: 270 MADISON AVE
Address: 270 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-057428
Program Type: PBS
UTM X: 586049.67978
UTM Y: 4511633.66205
Expiration Date: 08/04/2021
Site Type: Apartment Building/Office Building

Actual: Affiliation Records:
75 ft. Site Id: 1009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON AVE (Continued)

U004076250

Affiliation Type: Mail Contact
Company Name: ABS PARTNERS REAL ESTATE, LLC
Contact Type: Not reported
Contact Name: ABS ACCOUNTS PAYABLE.
Address1: 200 PARK AVE SOUTH 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 400-9478
EMail: JKREISBERG@ABSRE.COM
Fax Number: Not reported
Modified By: JAAVERSA
Date Last Modified: 2016-09-12

Site Id: 1009
Affiliation Type: Facility Operator
Company Name: 270 MADISON AVE
Contact Type: Not reported
Contact Name: RICHIE DAVIES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 725-2180
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2015-04-07

Site Id: 1009
Affiliation Type: Emergency Contact
Company Name: 270 MADISON AVE ASSOCIATES LLC % ABS PARTNERS
Contact Type: Not reported
Contact Name: RICHIE DAVIES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 725-2180
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2015-04-07

Site Id: 1009
Affiliation Type: Facility Owner
Company Name: 270 MADISON AVE ASSOCIATES, LLC. CO ABS PARTNERS R
Contact Type: OWNERS AGENT
Contact Name: ABS ACCOUNTS PAYABLE.
Address1: 200 PARK AVE SOUTH 10TH FLOOR
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON AVE (Continued)

U004076250

City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 400-9478
EMail: Not reported
Fax Number: Not reported
Modified By: JAAVERSA
Date Last Modified: 2016-09-12

Tank Info:

Tank Number: 34-46-S
Tank Id: 2815
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1953
Capacity Gallons: 7000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: JAAVERSA
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

CN816
WSW
1/8-1/4
0.231 mi.
1221 ft.

**270 MADISON AVE/MANH
270 MADISON AVENUE
NEW YORK CITY, NY
Site 4 of 5 in cluster CN**

**NY LTANKS S102671634
N/A**

**Relative:
Higher
Actual:
75 ft.**

LTANKS:
Name: 270 MADISON AVE/MANH
Address: 270 MADISON AVENUE
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9011120 / 1991-01-19

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON AVE/MANH (Continued)

S102671634

Facility ID: 9011120
Site ID: 134216
Spill Date: 1991-01-19
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Not reported
Cleanup Ceased: 1991-01-19
SWIS: 3101
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 1991-01-19
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1991-03-15
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 115328
DEC Memo: ""
Remarks: "GAUGE INACCURATE,TANK OVERFILL,SPEEDY DRY APPLIED,HESS WILL PICK UP
& DISPOSE OF CONTAMINATED MATERIAL."

All Materials:

Site ID: 134216
Operable Unit ID: 948130
Operable Unit: 01
Material ID: 431215
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CN817 **270 MADISON ASSOCIATES LP**
WSW **270 MADISON AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.231 mi.
1221 ft. **Site 5 of 5 in cluster CN**

NY Spills **1001223638**
RCRA NonGen / NLR **NYR000048538**
FINDS
ECHO

Relative:
Higher

Actual:
75 ft.

SPILLS:

Name: 270 MADISON AVENUE 39TH
Address: 270 MADISON AVE & 39TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9315500 / 1994-03-31
Facility ID: 9315500
Facility Type: ER
DER Facility ID: 182549
Site ID: 220692
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1994-03-31
Investigator: CAMMISA
Referred To: Not reported
Reported to Dept: 1994-03-31
CID: Not reported
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Responsible Party
Cleanup Ceased: 1994-03-31
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-04-05
Spill Record Last Update: 2004-05-18
Spiller Name: Not reported
Spiller Company: MYSTIC TRANSP.
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "HOSE LEAKED ON TRUCK - NO OTHER AGENCIES - MYSTIC TO CLEAN UP - NO CALLS."

All Materials:

Site ID: 220692
Operable Unit ID: 997548
Operable Unit: 01
Material ID: 387248
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON ASSOCIATES LP (Continued)

1001223638

RCRA Listings:

Date Form Received by Agency:	2007-01-01 00:00:00.0
Handler Name:	270 MADISON ASSOCIATES LP
Handler Address:	270 MADISON AVE
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYR000048538
Contact Name:	HOWARD RICH
Contact Address:	BROADWAY
Contact City,State,Zip:	NEW YORK, NY 10018
Contact Telephone:	212-448-8440
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	BROADWAY
Mailing City,State,Zip:	NEW YORK, NY 10018
Owner Name:	270 MADISON ASSOCIATES LP
Owner Type:	Private
Operator Name:	270 MADISON ASSOCIATES LP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON ASSOCIATES LP (Continued)

1001223638

202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	270 MADISON ASSOCIATES LP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	270 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-448-8440
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	270 MADISON ASSOCIATES LP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	270 MADISON AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	212-448-8440
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	270 MADISON ASSOCIATES LP
Legal Status:	Private
Date Became Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON ASSOCIATES LP (Continued)

1001223638

Date Ended Current: Not reported
Owner/Operator Address: 270 MADISON AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-448-8440
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: 270 MADISON ASSOCIATES LP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: 270 MADISON ASSOCIATES LP
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-01-06 00:00:00.0
Handler Name: 270 MADISON ASSOCIATES LP
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004539401

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 MADISON ASSOCIATES LP (Continued)

1001223638

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001223638
Registry ID: 110004539401
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004539401>
Name: 270 MADISON ASSOCIATES LP
Address: 270 MADISON AVE
City,State,Zip: NEW YORK, NY 10016

DE818
West
1/8-1/4
0.231 mi.
1222 ft.

CON EDISON SERVICE BOX: 7766
20 E 40TH ST OPPOSITE
NEW YORK, NY 10018

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143844
NYP004266300

Site 1 of 6 in cluster DE

Relative:
Higher
Actual:
75 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7766
Handler Address: 20 E 40TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266300
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7766 (Continued)

1016143844

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 14:15:33.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7766
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7766 (Continued)

1016143844

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7766
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055427872

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143844
Registry ID:	110055427872
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055427872
Name:	CON EDISON SERVICE BOX: 7766
Address:	20 E 40TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	20 E 40TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266300
Facility Status:	Not reported
Location Address 1:	OPP 20 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7766
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7766 (Continued)

1016143844

Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266300
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266300
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456308JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7766 (Continued)

1016143844

Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DE819
West
1/8-1/4
0.231 mi.
1222 ft.

CON EDISON SERVICE BOX: 7766
20 E 40TH ST OPPOSITE
NEW YORK, NY 10018
Site 2 of 6 in cluster DE

NJ MANIFEST **S117986074**
N/A

Relative:
Higher

Actual:
75 ft.

NJ MANIFEST:
EPA Id: NYP004266300
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456308JJK
EPA ID: NYP004266300
Date Shipped: 9/4/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7766 (Continued)

S117986074

Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DF820
West
1/8-1/4
0.232 mi.
1223 ft.

CON EDISON
13 E 41 ST
NEW YORK, NY 10017
Site 1 of 3 in cluster DF

NY MANIFEST **S117314580**
N/A

Relative:
Higher

Actual:
72 ft.

NY MANIFEST:
Name: CON EDISON
Address: 13 E 41 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004616454
Facility Status: Not reported
Location Address 1: 13 E 41 ST
Code: BP
Location Address 2: SB 7971
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004616454
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314580

Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2014
Trans1 Recv Date: 08/04/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004616454
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608291GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CV821	CON EDISON SERVICE BOX: 7811	RCRA NonGen / NLR	1016143847
SSE	215 E 40TH ST	FINDS	NYP004266334
1/8-1/4	NEW YORK, NY 10018	ECHO	
0.233 mi.		NY MANIFEST	
1232 ft.	Site 5 of 10 in cluster CV		
Relative:	RCRA Listings:		
Lower	Date Form Received by Agency:	2017-07-28 00:00:00.0	
	Handler Name:	CON EDISON SERVICE BOX: 7811	
Actual:	Handler Address:	215 E 40TH ST	
36 ft.	Handler City,State,Zip:	NEW YORK, NY 10018	
	EPA ID:	NYP004266334	
	Contact Name:	JUAN RODRIGUEZ	
	Contact Address:	Not reported	
	Contact City,State,Zip:	Not reported	
	Contact Telephone:	347-865-5931	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	OPERATING SUPERVISOR	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	IRVING PL, RM 828	
	Mailing City,State,Zip:	NEW YORK, NY 10003	
	Owner Name:	Not reported	
	Owner Type:	Not reported	
	Operator Name:	Not reported	
	Operator Type:	Not reported	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7811 (Continued)

1016143847

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 14:38:32.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7811
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7811
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7811 (Continued)

1016143847

Electronic Manifest Broker: No

FINDS:

Registry ID: 110055453637

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143847
Registry ID: 110055453637
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055453637>
Name: CON EDISON SERVICE BOX: 7811
Address: 215 E 40TH ST
City,State,Zip: NEW YORK, NY 10018

NY MANIFEST:

Name: CON EDISON
Address: 215 E 40TH ST
City,State,Zip: NEW YORK, NY 10018
Country: USA
EPA ID: NYP004266334
Facility Status: Not reported
Location Address 1: 215 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7811
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266334
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7811 (Continued)

1016143847

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456360JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CV822
SSE
1/8-1/4
0.233 mi.
1232 ft.
CON EDISON SERVICE BOX: 7811
215 E 40TH ST
NEW YORK, NY 10018
Site 6 of 10 in cluster CV

NJ MANIFEST
S117986077
N/A

Relative:
Lower

NJ MANIFEST:

Actual:
36 ft.

EPA Id: NYP004266334
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456360JJK
EPA ID: NYP004266334
Date Shipped: 9/4/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7811 (Continued)

S117986077

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DG823
ESE
1/8-1/4
0.233 mi.
1232 ft.

CON EDISON SERVICE BOX: 8248
235 E 42ND ST
NEW YORK, NY 10016
Site 1 of 3 in cluster DG

RCRA NonGen / NLR **1016143950**
ICIS **NYP004267373**
FINDS
ECHO
NY MANIFEST

Relative:
Lower

Actual:
48 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8248
Handler Address: 235 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004267373
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-12 13:41:42.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-10 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8248
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8248
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

ICIS:

Enforcement Action ID:	HQ-1997-0451
FRS ID:	110004413741
Action Name:	PFIZER CORP.
Facility Name:	PFIZER INC
Facility Address:	235 E 42ND ST NEW YORK, NY 100175755
Enforcement Action Type:	FIFRA 14 AO For Comp And Penalties (Old)
Facility County:	NEW YORK
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	14
Facility SIC Code:	2834
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	40.750433
Longitude in Decimal Degrees:	-73.973654
Permit Type Desc:	Not reported
Program System Acronym:	12890
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

FINDS:

Registry ID: 110004413741

[Click Here:](#)

Environmental Interest/Information System:

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

TSCA SUBMITTER

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

HAZARDOUS WASTE BIENNIAL REPORTER

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016143950
Registry ID: 110004413741
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004413741>
Name: PFIZER, INC.
Address: 235 E 42ND ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 235 E 42ND ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004267373
Facility Status: Not reported
Location Address 1: 235 E 42ND ST
Code: BP
Location Address 2: SERV BOX 8248
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004267373
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/10/2012
Trans1 Recv Date: 09/10/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004267373
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456489JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Name: PFIZER
Address: 235 EAST 42ND ST
City,State,Zip: NEW YORK, NY 10017-5755
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

EPA ID: NYD982176281
Facility Status: Not reported
Location Address 1: 235 EAST 42ND ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD982176281
Mailing Name: PFIZER
Mailing Contact: BERNARD FOSTER
Mailing Address 1: 235 EAST 42ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125734434

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 12/09/2010
Trans1 Recv Date: 12/09/2010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/09/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982176281
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD980536593
TSDF ID 2: Not reported
Manifest Tracking Number: 000434839VES
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8248 (Continued)

1016143950

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 5
Units: P - Pounds
Number of Containers: 1
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D001
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access
53 additional NY MANIFEST: record(s) in the EDR Site Report.

DG824 **PFIZER, INC**
ESE **235 EAST 42ND ST**
1/8-1/4 **NEW YORK, NY 10017**
0.233 mi.
1232 ft. **Site 2 of 3 in cluster DG**

NY AST **1008187197**
HIST FTTS **N/A**

Relative:
Lower
Actual:
48 ft.

AST:
Name: PFIZER
Address: 235 EAST 42ND STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610033
Program Type: PBS
UTM X: 586729.91540
UTM Y: 4511532.67897
Expiration Date: 10/19/2020
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 354262
Affiliation Type: Facility Owner
Company Name: SEAVER REALTY, LLC
Contact Type: DIRECTOR OF OPERATIONS
Contact Name: GEORGE MARTINEZ
Address1: 235 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (914) 381-1010
EMail: GEORGE.MARTINEZ@PFIZER.COM
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-02-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC (Continued)

1008187197

Site Id: 354262
Affiliation Type: Mail Contact
Company Name: PFIZER INC.
Contact Type: DIRECTOR NYHQ SITE OPERATIONS
Contact Name: GEORGE MARTINEZ
Address1: 235 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 733-2332
EMail: GEORGE.MARTINEZ@PFIZER.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-08-18

Site Id: 354262
Affiliation Type: Facility Operator
Company Name: PFIZER
Contact Type: Not reported
Contact Name: CARLO MANNUZZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 733-3890
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-08-18

Site Id: 354262
Affiliation Type: Emergency Contact
Company Name: PFIZER INC.
Contact Type: Not reported
Contact Name: CARLO MANNUZZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 733-3890
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-08-18

Tank Info:

Tank Number: 2
Tank Id: 208427
Material Code: 0008
Common Name of Substance: Diesel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC (Continued)

1008187197

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
G02 - Tank Secondary Containment - Vault (w/access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
Tank Location:
Tank Type:
Tank Status:
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Date Test:
Next Test Date:
Date Tank Closed:
Register:
Modified By:
Last Modified:
Material Name:

Tank Number: 2B
Tank Id: 220701
Material Code: 0008
Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E04 - Piping Secondary Containment - Double walled UG
J01 - Dispenser - Pressurized Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
G02 - Tank Secondary Containment - Vault (w/access)
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Steel/Carbon Steel/Iron
Tank Location:
Tank Type:
Tank Status:
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC (Continued)

1008187197

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: diesel

HIST FTTS INSP:

Inspection Number: 198904261522 3
Region: 02
Inspection Date: Not reported
Inspector: M. BIOUS
Violation occurred: No
Investigation Type: Section 8 Inventory Rule
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: Manufacturer/Importer

Inspection Number: 198904261522 1
Region: 02
Inspection Date: Not reported
Inspector: M. BIOUS, DD
Violation occurred: No
Investigation Type: Section 5 Inspections
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: Manufacturer/Importer

Inspection Number: 198904261522 2
Region: 02
Inspection Date: Not reported
Inspector: M. BIOUS, DD
Violation occurred: No
Investigation Type: Section 5 Premanufacture Notice
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: Manufacturer/Importer

DG825
ESE
1/8-1/4
0.233 mi.
1232 ft.

PFIZER, INC.
EAST 42ND STREET
NEW YORK, NY 10017

RCRA-SQG **1000833386**
NJ MANIFEST **NYD982176281**

Site 3 of 3 in cluster DG

Relative:
Lower
Actual:
48 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: PFIZER, INC.
Handler Address: EAST 42ND STREET
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD982176281
Contact Name: TERENCE KORNS
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-573-3831
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Contact Email:	TERENCE.C.KORNST@PFIZER.COM
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CUSHMAN & WAKEFIELD FOR PFIZER
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	PFIZER INC
Owner Type:	Private
Operator Name:	PFIZER
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PFIZER INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	235 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-5755
Owner/Operator Telephone:	212-573-2323
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	PFIZER
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	CUSHMAN & WAKEFIELD FOR PFIZER
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	PFIZER
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	EAST 42ND STREET
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	PFIZER INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	235 E 42ND ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017-5755
Owner/Operator Telephone:	212-573-2323
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	PFIZER
Legal Status:	Private
Date Became Current:	1979-12-31 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	CUSHMAN & WAKEFIELD FOR PFIZER
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Historic Generators:	
Receive Date:	1994-05-24 00:00:00.0
Handler Name:	PFIZER INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-06-07 00:00:00.0
Handler Name:	PFIZER, INC.
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	PFIZER, INC.
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1992-10-02 00:00:00.0
Handler Name:	PFIZER INC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1994-03-08 00:00:00.0
Handler Name:	PFIZER INC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-06-08 00:00:00.0
Handler Name:	PFIZER, INC.
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004267373
Mail Address:	IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456489JJK
EPA ID: NYP004267373
Date Shipped: 9/10/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Quantity: 500.00 Pounds

EPA Id: NYD982176281
Mail Address: 235 E 42ND ST
Mail City/State/Zip: NEW YORK 10017
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: Not reported
Comments: Not reported
SIC Code: Not reported
County: 00
Municipal: 00
Previous EPA Id: Not reported
Gen Flag: X
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 000974064VES
EPA ID: NYD982176281
Date Shipped: 3/23/2015
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Manifest Number: 000160471VES
EPA ID: NYD982176281
Date Shipped: 01/23/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported

Date Trans1 Transported Waste: 01/23/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 01/23/2008
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 15 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 2000 P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Manifest Number: 000266394VES
EPA ID: NYD982176281
Date Shipped: 08/19/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 08/19/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 08/22/2008
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 22 P

Manifest Number: 000564198VES
EPA ID: NYD982176281
Date Shipped: 8/23/2011
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 10.00 Pounds

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 200.00 Pounds

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 70.00 Pounds

Manifest Number: 000208068VES
EPA ID: NYD982176281
Date Shipped: 01/27/2009
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 01/27/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 01/27/2009
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 5 P

Manifest Year: Not reported
Waste Code: U075
Hand Code: H141
Quantity: 210 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 20 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 35 P

Manifest Number: 000291280VES
EPA ID: NYD982176281
Date Shipped: 07/21/2009
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/21/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 07/21/2009
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 10 P

Manifest Number: 000182454VES
EPA ID: NYD982176281
Date Shipped: 10/17/2007
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 10/17/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 10/17/2008
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Manifest Number: 000161441VES
EPA ID: NYD982176281
Date Shipped: 12/05/2007
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/05/2007
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/05/2007
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Manifest Number: 000433084VES
EPA ID: NYD982176281
Date Shipped: 5/9/2011
TSD EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 20.00 Pounds

Manifest Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Waste Code: D001
Hand Code: H141
Quantity: 210.00 Pounds

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 160.00 Pounds

Manifest Number: 000624380VES
EPA ID: NYD982176281
Date Shipped: 12/2/2012
TSD EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D002
Hand Code: Not reported
Quantity: 40.00 Pounds

Manifest Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Waste Code: D001
Hand Code: Not reported
Quantity: 30.00 Pounds

Manifest Number: 000212261VES
EPA ID: NYD982176281
Date Shipped: 04/28/2009
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/28/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 04/28/2009
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 10 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 20 P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Manifest Number: 000680172VES
EPA ID: NYD982176281
Date Shipped: 2/13/2013
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: F002 D040
Hand Code: Not reported
Quantity: 692.00 Pounds

Manifest Number: 000111551VES
EPA ID: NYD982176281
Date Shipped: 08/01/2007
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 08/01/2007
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 08/01/2007
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D002
Hand Code: H14
Quantity: 80 P

Manifest Number: 000400617VES
EPA ID: NYD982176281
Date Shipped: 09/13/2010
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/13/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 09/20/2010
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 4 P

Manifest Number: NJA5319333
EPA ID: NYD982176281
Date Shipped: 05/08/2006
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 05/08/2006
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 05/08/2006
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: 06200625
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Manifest Number: 000215025VES
EPA ID: NYD982176281
Date Shipped: 04/04/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/04/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 04/04/2008
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 20 P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Manifest Year: Not reported
Waste Code: D002
Hand Code: H141
Quantity: 75 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 200 P

Manifest Number: 000434839VES
EPA ID: NYD982176281
Date Shipped: 12/09/2010
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/09/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/09/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 5 P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Manifest Number: 000462476VES
EPA ID: NYD982176281
Date Shipped: 04/16/2010
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 04/16/2010
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 04/16/2010
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 10 P

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 1 P

Manifest Number: 000212413VES
EPA ID: NYD982176281
Date Shipped: 07/31/2009
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 07/31/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 07/31/2009
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D001
Hand Code: H141
Quantity: 600 P

Manifest Number: 000845201VES
EPA ID: NYD982176281
Date Shipped: 9/23/2015
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER, INC. (Continued)

1000833386

Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK 10017
Reason Load Was Rejected: Not reported

**CW826
NNW
1/8-1/4
0.234 mi.
1233 ft.**

**CON EDISON
10 E 45TH ST
NEW YORK, NY 10017**

RCRA NonGen / NLR

**1019325514
NYP004833311**

Site 7 of 15 in cluster CW

**Relative:
Higher
Actual:
61 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-09-02 00:00:00.0
Handler Name: CON EDISON
Handler Address: 10 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004833311
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325514

Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325514

Sub-Part P Indicator: Not reported

Biennial: List of Years

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-09-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2015-09-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2016-02-05 00:00:00.0
Handler Name:	CON EDISON - VAULT 5658
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019325514

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-09-02 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

**CW827
NNW
1/8-1/4
0.234 mi.
1233 ft.**

**CON EDISON
10 E 45TH ST
NEW YORK, NY 10017**

**NJ MANIFEST S120676235
N/A**

Site 8 of 15 in cluster CW

**Relative:
Higher**

**Actual:
61 ft.**

NJ MANIFEST:	
EPA Id:	NYP004833311
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002613116GBF
EPA ID:	NYP004833311
Date Shipped:	9/2/2015
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120676235

Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

CW828
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON EDISON
10 E 45TH ST
NEW YORK, NY 10017
Site 9 of 15 in cluster CW

NY MANIFEST **S121967403**
N/A

Relative:
Higher
Actual:
61 ft.

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004863508
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 8899
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004863508
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967403

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2015
Trans1 Recv Date: 10/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004863508
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002612471GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CW829
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON ED
10 E 45TH ST
NEW YORK, NY 10017

Site 10 of 15 in cluster CW

NY MANIFEST **S121967353**
N/A

Relative:
Higher

Actual:
61 ft.

NY MANIFEST:

Name: CON ED
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004833311
Facility Status: Not reported
Location Address 1: 10 E 45 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004833311
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/02/2015
Trans1 Recv Date: 09/02/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/04/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004833311
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613116GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S121967353

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 4000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CW830
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON EDISON
10 E 45TH ST
NEW YORK, NY 10017

Site 11 of 15 in cluster CW

NY MANIFEST S121967358
N/A

Relative:
Higher
Actual:
61 ft.

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004836886
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 5658
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004836886
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967358

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/10/2015
Trans1 Recv Date: 09/10/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/16/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004836886
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613195GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CW831
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON EDISON
10 E 45TH ST
NEW YORK, NY 10017

Site 12 of 15 in cluster CW

NY MANIFEST **S121967404**
N/A

Relative:
Higher

Actual:
61 ft.

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004863516
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 3789
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004863516
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2015
Trans1 Recv Date: 10/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004863516
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612491GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967404

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CW832
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON EDISON
10 E 45TH ST
NEW YORK, NY 10017

Site 13 of 15 in cluster CW

NY MANIFEST **S121967405**
N/A

Relative:
Higher

Actual:
61 ft.

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004863524
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 3130
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004863524
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967405

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2015
Trans1 Recv Date: 10/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004863524
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612490GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CW833
NNW
1/8-1/4
0.234 mi.
1233 ft.

CON EDISON
10 E 45TH ST
NEW YORK, NY 10017

Site 14 of 15 in cluster CW

NY MANIFEST **S121967407**
N/A

Relative:
Higher

Actual:
61 ft.

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004863540
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 5658
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004863540
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2015
Trans1 Recv Date: 10/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004863540
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612470GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967407

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**CW834
NNW
1/8-1/4
0.234 mi.
1233 ft.**

**CON EDISON
10 E 45TH ST
NEW YORK, NY 10017

Site 15 of 15 in cluster CW**

**NY MANIFEST S121967406
N/A**

**Relative:
Higher

Actual:
61 ft.**

NY MANIFEST:
Name: CON EDISON
Address: 10 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004863532
Facility Status: Not reported
Location Address 1: 10 E 45TH ST
Code: BP
Location Address 2: V 5252
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004863532
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S121967406

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2015
Trans1 Recv Date: 10/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004863532
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612472GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DH835
NNW
1/8-1/4
0.234 mi.
1237 ft.

CON EDISON
366 MADISON AV
NEW YORK, NY 10017

Site 1 of 14 in cluster DH

NY MANIFEST **S107783346**
N/A

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 366 MADISON AV
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004617965
Facility Status: Not reported
Location Address 1: 366 MADISON AV
Code: BP
Location Address 2: SB50245
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004617965
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004617965
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608623GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S107783346

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH836
NNW
1/8-1/4
0.234 mi.
1237 ft.

PONTE GADEA MADISON LLC
366 MADISON AVENUE
NEW YORK, NY 10017

Site 2 of 14 in cluster DH

NY AST A100154001
N/A

Relative:
Higher

Actual:
59 ft.

AST:
Name: PONTE GADEA MADISON LLC
Address: 366 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604183
Program Type: PBS
UTM X: 586296.04093
UTM Y: 4512088.47148
Expiration Date: 11/16/2021
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 26063
Affiliation Type: Mail Contact
Company Name: PONTE GADEA MADISON LLC
Contact Type: Not reported
Contact Name: NEROZE BAKOOM
Address1: 366 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PONTE GADEA MADISON LLC (Continued)

A100154001

Phone: (212) 687-1683
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-01-26

Site Id: 26063
Affiliation Type: Facility Operator
Company Name: 366 MADISON ASSOCIATES,INC.
Contact Type: Not reported
Contact Name: NEROZE BAKOOM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 687-1683
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-11-09

Site Id: 26063
Affiliation Type: Emergency Contact
Company Name: 366 MADISON ASSOCIATES, LLC
Contact Type: Not reported
Contact Name: NEROZE BAKOOM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 687-1683
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2004-11-09

Site Id: 26063
Affiliation Type: Facility Owner
Company Name: PONTE GADEA MADISON LLC
Contact Type: MANAGER
Contact Name: KEVIN HOEY
Address1: 270 BISCAYNE BLVD WAY, SUITE # 201
Address2: Not reported
City: MIAMI
State: FL
Zip Code: 33131
Country Code: 001
Phone: (305) 373-9557
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-01-26

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PONTE GADEA MADISON LLC (Continued)

A100154001

Tank Info:

Tank Number: 2
Tank Id: 56908
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
B05 - Tank External Protection - Jacketed

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/2004
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DAFRANCI
Last Modified: 01/26/2018
Material Name: #4 fuel oil (on-site consumption)

DH837
NNW
1/8-1/4
0.234 mi.
1237 ft.

**COMMERCIAL BLDG.
366 MADISON AVE.
MANHATTAN, NY**

Site 3 of 14 in cluster DH

NY LTANKS S106385340
NY E DESIGNATION N/A

**Relative:
Higher**

**Actual:
59 ft.**

LTANKS:
Name: COMMERCIAL BLDG.
Address: 366 MADISON AVE.
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0312658 / 2004-03-11
Facility ID: 0312658
Site ID: 105354
Spill Date: 2004-02-13
Spill Cause: Tank Failure
Spill Source: Unknown
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: CESA WYER
Referred To: Not reported
Reported to Dept: 2004-02-13
CID: 406

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG. (Continued)

S106385340

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2004-02-13
Spill Record Last Update: 2004-03-17
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: BAKOON
Spiller Phone: (212) 687-1683
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 92948
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER 3/11/04 - Sawyer - Called Bakoon for follow up information concerning the spill. He assured the Department that the spill was cleaned up in full by AL Eastmond. He will forward copies of closing documents. Closed."

Remarks: "Leaking tank. Spill was in the boiler room. went to the sewage containment pit. Pumps wetre shut off before material could not any farther. Being cleaned up at this moment. Bakkon's Cell # 646-483-9159. Will be setting up temporary tanks tonight. Tank expiration date8/4/2004."

All Materials:

Site ID: 105354
Operable Unit ID: 880008
Operable Unit: 01
Material ID: 497849
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 25.00
Units: G
Recovered: .00
Oxygenate: Not reported

E DESIGNATION:

Name: LOT 56,TAXBLOCK 1281
Address: 366 MADISON AVENUE
City,State,Zip: MANHATTAN, NY
Tax Lot(s): 56
Tax Block: 1281
Borough Code: Not reported
E-No: E-408
Effective Date: 8/9/2017
Satisfaction Date: Not reported
Ceqr Number: 17DCP001M
Ulurp Number: N170186AZRM, C170187ZMM
Zoning Map No: 8c

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG. (Continued)

S106385340

Description: Con Edison steam only
Lot Remediation Date: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date: Not reported

Description: Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

**DH838
NNW
1/8-1/4
0.234 mi.
1237 ft.**

**CON EDISON - MANHOLE 50244
366 MADISON AVE
NEW YORK, NY 10017
Site 4 of 14 in cluster DH**

**RCRA-LQG 1016967069
NY MANIFEST NYP004400982**

**Relative:
Higher
Actual:
59 ft.**

RCRA Listings:

Date Form Received by Agency: 2014-03-27 00:00:00.0

Handler Name: CON EDISON - MANHOLE 50244

Handler Address: 366 MADISON AVE

Handler City,State,Zip: NEW YORK, NY 10017

EPA ID: NYP004400982

Contact Name: DENNIS HUACON

Contact Address: IRVING PLACE, 15TH FL NE

Contact City,State,Zip: NEW YORK, NY 10003

Contact Telephone: 212-460-2757

Contact Fax: 518-473-8034

Contact Email: HUACOND@CONED.COM

Contact Title: ASSOCIATE SCIENTIST

EPA Region: 02

Land Type: Private

Federal Waste Generator Description: Large Quantity Generator

Non-Notifier: Not reported

Biennial Report Cycle: 2013

Accessibility: Not reported

Active Site Indicator: Handler Activities

State District Owner: NY

State District: NYSDEC R2

Mailing Address: IRVING PLACE, 15TH FL NE

Mailing City,State,Zip: NEW YORK, NY 10003

Owner Name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner Type: Private

Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Operator Type: Private

Short-Term Generator Activity: No

Importer Activity: No

Mixed Waste Generator: No

Transporter Activity: No

Transfer Facility Activity: No

Recycler Activity with Storage: No

Small Quantity On-Site Burner Exemption: No

Smelting Melting and Refining Furnace Exemption: No

Underground Injection Control: No

Off-Site Waste Receipt: No

Universal Waste Indicator: No

Universal Waste Destination Facility: No

Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported

Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 50244 (Continued)

1016967069

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2013

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2013-12-05 00:00:00.
Date Ended Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 50244 (Continued)

1016967069

Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2013-12-05 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2014-03-27 00:00:00.0
Handler Name:	CON EDISON - MANHOLE 50244
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON EDISON
Address:	366 MADISON AVE
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004400982
Facility Status:	Not reported
Location Address 1:	F/O 366 MADISON AVE
Code:	BP
Location Address 2:	SB50244
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004400982
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	15TH FL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE 50244 (Continued)

1016967069

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 12/05/2013
Trans1 Recv Date: 12/05/2013
Trans2 Recv Date: 02/20/2014
TSD Site Recv Date: 02/20/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004400982
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002236941GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 3000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DI839	TANKS & TOWERS CO INC	RCRA NonGen / NLR	1000271895
NW	521 5TH AVE	FINDS	NYD980772529
1/8-1/4	NEW YORK, NY 10017	ECHO	
0.235 mi.			
1239 ft.	Site 1 of 6 in cluster DI		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	TANKS & TOWERS CO INC	
Actual:	Handler Address:	521 5TH AVE	
65 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYD980772529	
	Contact Name:	WILLIAM LUZZI	
	Contact Address:	5TH AVE	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	Not reported	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	5TH AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	OWNERNAME	
	Owner Type:	Private	
	Operator Name:	OWNERNAME	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKS & TOWERS CO INC (Continued)

1000271895

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKS & TOWERS CO INC (Continued)

1000271895

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	TANKS & TOWERS CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	TANKS & TOWERS CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1984-05-17 00:00:00.0
Handler Name:	TANKS & TOWERS CO INC
Federal Waste Generator Description:	Not reported
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKS & TOWERS CO INC (Continued)

1000271895

Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	1990-12-18 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:

Registry ID: 110004391051

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKS & TOWERS CO INC (Continued)

1000271895

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000271895
Registry ID: 110004391051
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004391051>
Name: TANKS & TOWERS CO INC
Address: 521 5TH AVE
City,State,Zip: NEW YORK, NY 10017

DJ840
East
1/8-1/4
0.235 mi.
1240 ft.

CON EDISON MANHOLE: 8805
225 E 45TH ST
NEW YORK, NY 10017

NJ MANIFEST **S117986372**
N/A

Site 1 of 6 in cluster DJ

Relative:
Higher

NJ MANIFEST:

Actual:
51 ft.

EPA Id: NYP004269577
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456597JJK
EPA ID: NYP004269577
Date Shipped: 9/20/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8805 (Continued)

S117986372

Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DJ841
East
1/8-1/4
0.235 mi.
1240 ft.

CON EDISON MANHOLE: 8805
225 E 45TH ST
NEW YORK, NY 10017
Site 2 of 6 in cluster DJ

RCRA NonGen / NLR **1016144168**
FINDS **NYP004269577**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 8805
Handler Address: 225 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004269577
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8805 (Continued)

1016144168

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 11:09:02.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8805 (Continued)

1016144168

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-20 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8805
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8805
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462280

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144168
Registry ID:	110055462280
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462280

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8805 (Continued)

1016144168

Name: CON EDISON MANHOLE: 8805
Address: 225 E 45TH ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: CON EDISON
Address: 225 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004269577
Facility Status: Not reported
Location Address 1: 225 E 45 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004269577
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/20/2012
Trans1 Recv Date: 09/20/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269577
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456597JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8805 (Continued)

1016144168

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DK842
NW
1/8-1/4
0.235 mi.
1240 ft.**

**CONSOLIDATED EDISON OF NY
3 E 44TH ST
NEW YORK, NY 10017

Site 1 of 2 in cluster DK**

**NY MANIFEST S112140824
N/A**

**Relative:
Higher

Actual:
63 ft.**

NY MANIFEST:
Name: CONSOLIDATED EDISON OF NY
Address: 3 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004256129
Facility Status: Not reported
Location Address 1: 3 E 44TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004256129
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140824

Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/27/2012
Trans1 Recv Date: 06/27/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/28/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004256129
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009203925JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DK843
NW
1/8-1/4
0.235 mi.
1240 ft.
3 EAST 44 LESSEE LLC
3 EAST 44TH STREET
NEW YORK, NY 10017
Site 2 of 2 in cluster DK

NY AST **A100178305**
N/A

Relative:
Higher

AST:

Actual:
63 ft.

Name: 3 EAST 44 LESSEE LLC
Address: 3 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606087
Program Type: PBS
UTM X: 586126.01668
UTM Y: 4512030.87515
Expiration Date: 11/02/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 27952
Affiliation Type: Mail Contact
Company Name: 3 EAST 44 LESSEE LLC
Contact Type: Not reported
Contact Name: RAPHAEL COHEN
Address1: 3 EAST 44TH STREET
Address2: B-1
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 980-1384
EMail: AE@OPTIMUMPROPERTIES.COM
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2010-11-16

Site Id: 27952
Affiliation Type: Facility Operator
Company Name: 3 EAST 44 LESSEE LLC
Contact Type: Not reported
Contact Name: RAPHAEL COHEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 980-1384
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-06-14

Site Id: 27952
Affiliation Type: Emergency Contact
Company Name: 3 EAST 44 LESSEE LLC
Contact Type: Not reported
Contact Name: RAPHAEL COHEN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

3 EAST 44 LESSEE LLC (Continued)

A100178305

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 980-1384
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-06-14

Site Id: 27952
Affiliation Type: Facility Owner
Company Name: RIMON ASSOCIATES LLC
Contact Type: MANAGER
Contact Name: RAPHAEL COHEN
Address1: 5001 MONTROSE RD.
Address2: Not reported
City: ROCKVILLE
State: MD
Zip Code: 20852
Country Code: 001
Phone: (212) 980-1384
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2016-11-17

Tank Info:

Tank Number: 01
Tank Id: 60929
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/01/1995
Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

3 EAST 44 LESSEE LLC (Continued)

A100178305

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

**DH844
NNW
1/8-1/4
0.235 mi.
1243 ft.**

**CON EDISON
E 46TH ST & MADISON AVE
NEW YORK, NY 10017

Site 5 of 14 in cluster DH**

**NY MANIFEST S117319690
N/A**

**Relative:
Higher**

NY MANIFEST:

**Actual:
59 ft.**

Name: CON EDISON
Address: E 46TH ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004678421
Facility Status: Not reported
Location Address 1: E 46TH ST & MADISON AVE
Code: BP
Location Address 2: MH 63578
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004678421
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/16/2014
Trans1 Recv Date: 10/16/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/17/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004678421

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117319690

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002609451GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH845
NNW
1/8-1/4
0.235 mi.
1243 ft.

NYNEX
46TH ST & MADISON
NEW YORK, NY
Site 6 of 14 in cluster DH

NY MANIFEST 1009233543
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: NYNEX
Address: 46TH ST & MADISON
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP000916833
Facility Status: Not reported
Location Address 1: 46TH ST & MADISON
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233543

NY MANIFEST:

EPAID: NYP000916833
Mailing Name: NYNEX
Mailing Contact: JOHN OSWALD
Mailing Address 1: 221 EAST 37TH
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2123387126

NY MANIFEST:

Document ID: MIA3034363
Manifest Status: C
seq: Not reported
Year: 1994
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 09/14/1994
Trans1 Recv Date: 09/14/1994
Trans2 Recv Date: / /
TSD Site Recv Date: 09/19/1994
Part A Recv Date: / /
Part B Recv Date: 10/05/1994
Generator EPA ID: NYP000916833
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSDF ID 1: MID096963194
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00600
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DE846
West
1/8-1/4
0.236 mi.
1244 ft.
CON EDISON SERVICE BOX: 7763
18 E 40TH ST OPPOSITE
NEW YORK, NY 10018
Site 3 of 6 in cluster DE

NJ MANIFEST **S117986080**
N/A

Relative:
Higher

NJ MANIFEST:

Actual:
75 ft.

EPA Id: NYP004266367
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSD Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 010456264JJK
EPA ID: NYP004266367
Date Shipped: 9/4/2012
TSD EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSD Received Waste: Not reported
TSD EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

S117986080

Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

DE847
West
1/8-1/4
0.236 mi.
1244 ft.

CON EDISON SERVICE BOX: 7763
18 E 40TH ST OPPOSITE
NEW YORK, NY 10018
Site 4 of 6 in cluster DE

RCRA NonGen / NLR **1016143850**
FINDS **NYP004266367**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
75 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7763
Handler Address: 18 E 40TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266367
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143850

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 13:53:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7763
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143850

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7763
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055453655

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143850
Registry ID:	110055453655
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055453655
Name:	CON EDISON SERVICE BOX: 7763
Address:	18 E 40TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	18 E 40TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266367
Facility Status:	Not reported
Location Address 1:	OPP 18 E 40TH ST
Code:	BP
Location Address 2:	SERV BOX 7763
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143850

Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266367
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266367
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 010456264JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7763 (Continued)

1016143850

Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

CV848
SSE
1/8-1/4
0.236 mi.
1246 ft.
CONSOLIDATED EDISON
219 E 40 ST MH7812
NEW YORK, NY 10013
Site 7 of 10 in cluster CV

NY MANIFEST **1009242819**
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 219 E 40 ST MH7812
City,State,Zip: NEW YORK, NY 10013
Country: USA
EPA ID: NYP004120848
Facility Status: Not reported
Location Address 1: 219 E 40 ST MH7812
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10013
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004120848
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYE0638658
Manifest Status: Not reported
seq: Not reported
Year: 2004
Trans1 State ID: 46109JM
Trans2 State ID: Not reported
Generator Ship Date: 05/23/2004
Trans1 Recv Date: 05/23/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/24/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004120848
Trans1 EPA ID: NYD006982359

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242819

Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00709
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

DL849
West
1/8-1/4
0.237 mi.
1250 ft.

9 EAST 40TH STREET LLC
9 EAST 40TH STREET
NEW YORK, NY 10017
Site 1 of 6 in cluster DL

NY AST A100169033
N/A

Relative:
Higher
Actual:
74 ft.

AST:
Name: 9 EAST 40TH STREET LLC
Address: 9 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604642
Program Type: PBS
UTM X: 586029.21344
UTM Y: 4511717.18139
Expiration Date: 07/26/2020
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 26513
Affiliation Type: Facility Owner
Company Name: 9 EAST 40 ST LLC C/O JOSEPH P DAY REALTY CORP
Contact Type: OWNERS AGENT
Contact Name: RICHARD TEICHMAN
Address1: 9 EAST 40TH ST
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

9 EAST 40TH STREET LLC (Continued)

A100169033

State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 889-7460
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-06-01

Site Id: 26513
Affiliation Type: Mail Contact
Company Name: JOSEPH P DAY REALTY CORP
Contact Type: Not reported
Contact Name: LAI WONG
Address1: 9 EAST 40TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 889-7460
EMail: LWONG@JPDAY.COM
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-06-01

Site Id: 26513
Affiliation Type: Facility Operator
Company Name: 9 EAST 40TH STREET LLC
Contact Type: Not reported
Contact Name: PAUL PISANI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 532-7562
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-06-01

Site Id: 26513
Affiliation Type: Emergency Contact
Company Name: 9 EAST 40 ST LLC % JOSEPH P DAY REALTY CORP
Contact Type: Not reported
Contact Name: PAUL PISANI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 532-7562
EMail: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

9 EAST 40TH STREET LLC (Continued)

A100169033

Modified By: NRLOMBAR
Date Last Modified: 2014-04-09

Tank Info:

Tank Number: 001
Tank Id: 58433
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/1971
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

**DI850
NW
1/8-1/4
0.237 mi.
1252 ft.**

**CON EDISON VAULT: 2768
1 E 43RD ST FRONT OF VAULT 2768
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1016962870
NY MANIFEST NYP004359154**

Site 2 of 6 in cluster DI

**Relative:
Higher
Actual:
67 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-12 00:00:00.0
Handler Name: CON EDISON VAULT: 2768
Handler Address: 1 E 43RD ST FRONT OF VAULT 2768
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004359154
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2768 (Continued)

1016962870

Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2768 (Continued)

1016962870

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 2768
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 2768
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON ED
Address:	1 E 43RD ST FRONT OF VAULT 276
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004359154
Facility Status:	Not reported
Location Address 1:	FO 1 E 43 ST
Code:	BP
Location Address 2:	VAULT 2768
Total Tanks:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2768 (Continued)

1016962870

Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004359154
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/12/2013
Trans1 Recv Date: 09/12/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/16/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004359154
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002221022GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2768 (Continued)

1016962870

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DI851
NW
1/8-1/4
0.237 mi.
1252 ft.

CON EDISON VAULT: 2659
1 E 43RD ST FRONT OF VAULT 2659
NEW YORK, NY 10017

RCRA NonGen / NLR 1016962874
NY MANIFEST NYP004359196

Site 3 of 6 in cluster DI

Relative:
Higher
Actual:
67 ft.

RCRA Listings:
Date Form Received by Agency: 2013-10-12 00:00:00.0
Handler Name: CON EDISON VAULT: 2659
Handler Address: 1 E 43RD ST FRONT OF VAULT 2659
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004359196
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2659 (Continued)

1016962874

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 2659
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2659 (Continued)

1016962874

Receive Date:	2013-10-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 2659
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON ED
Address:	1 E 43RD ST FRONT OF VAULT 265
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004359196
Facility Status:	Not reported
Location Address 1:	FO 1 E 43 ST
Code:	BP
Location Address 2:	VAULT 2659
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004359196
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/12/2013
Trans1 Recv Date:	09/12/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/16/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004359196

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 2659 (Continued)

1016962874

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002221235GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DI852
NW
1/8-1/4
0.237 mi.
1252 ft.**

**CON EDISON VAULT: 3761
1 E 43RD ST FRONT OF VAULT 3761
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1016962872
NY MANIFEST NYP004359170**

Site 4 of 6 in cluster DI

**Relative:
Higher**

**Actual:
67 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-12 00:00:00.0
Handler Name: CON EDISON VAULT: 3761
Handler Address: 1 E 43RD ST FRONT OF VAULT 3761
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004359170
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3761 (Continued)

1016962872

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3761 (Continued)

1016962872

Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 3761
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2013-10-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 3761
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON ED
Address:	1 E 43RD ST FRONT OF VAULT 376
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004359170
Facility Status:	Not reported
Location Address 1:	FO 1 E 43 ST
Code:	BP
Location Address 2:	VAULT 3761
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3761 (Continued)

1016962872

NY MANIFEST:

EPAID: NYP004359170
Mailing Name: CON ED
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/12/2013
Trans1 Recv Date: 09/12/2013
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/16/2013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004359170
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002221234GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 3761 (Continued)

1016962872

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DI853
NW
1/8-1/4
0.237 mi.
1252 ft.**

**CON EDISON VAULT: 1029
1 E 43RD ST FRONT OF VAULT 1029
NEW YORK, NY 10017**

**RCRA NonGen / NLR 1016962871
NY MANIFEST NYP004359162**

Site 5 of 6 in cluster DI

**Relative:
Higher
Actual:
67 ft.**

RCRA Listings:
Date Form Received by Agency: 2013-10-12 00:00:00.0
Handler Name: CON EDISON VAULT: 1029
Handler Address: 1 E 43RD ST FRONT OF VAULT 1029
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004359162
Contact Name: RICARDO CARTY
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 646-772-3407
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1029 (Continued)

1016962871

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2014-07-01 11:43:40.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2013-09-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 1029
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2013-10-12 00:00:00.0
Handler Name:	CON EDISON VAULT: 1029
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1029 (Continued)

1016962871

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CON ED
Address:	1 E 43RD ST FRONT OF VAULT 102
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004359162
Facility Status:	Not reported
Location Address 1:	FO 1 E 43 ST
Code:	BP
Location Address 2:	VAULT 1029
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004359162
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	09/12/2013
Trans1 Recv Date:	09/12/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/16/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004359162
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON VAULT: 1029 (Continued)

1016962871

TSD ID 2: Not reported
Manifest Tracking Number: 002221236GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DI854
NW
1/8-1/4
0.237 mi.
1252 ft.**

**CON EDISION - V2768
1 E.43 ST. 1 E.43 ST.
NEW YORK, NY 10003
Site 6 of 6 in cluster DI**

**RCRA NonGen / NLR 1007207550
NY MANIFEST NYP004070637**

**Relative:
Higher
Actual:
67 ft.**

RCRA Listings:
Date Form Received by Agency: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - V2768
Handler Address: 1 E.43 ST. 1 E.43 ST.
Handler City,State,Zip: NEW YORK, NY 10003
EPA ID: NYP004070637
Contact Name: ANTHONY DRUMMINGS
Contact Address: IRVING PLACE
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V2768 (Continued)

1007207550

Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V2768 (Continued)

1007207550

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Receive Date:	2002-06-01 00:00:00.0
Handler Name:	CON EDISION - V2768
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-06-02 00:00:00.0
Handler Name:	CON EDISION - V2768
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2002-05-31 00:00:00.0
Handler Name:	CON EDISION - V2768
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V2768 (Continued)

1007207550

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 1 E.43 ST. 1 E.43 ST.
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004070637
Facility Status: Not reported
Location Address 1: V2768-1 E 43RD ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10175
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004070637
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0683982
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: GX3216
Trans2 State ID: Not reported
Generator Ship Date: 01/08/2001
Trans1 Recv Date: 01/08/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/08/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004070637
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - V2768 (Continued)

1007207550

Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01425
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

CO855 **TOWNE HOUSE**
SSW **108 E 38TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.237 mi.
1253 ft. **Site 2 of 3 in cluster CO**

NY AST **U003385034**
N/A

Relative:
Higher

Actual:
70 ft.

AST:
Name: TOWNE HOUSE
Address: 108 E 38TH ST
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-111503
Program Type: PBS
UTM X: 586207.44407
UTM Y: 4511420.07800
Expiration Date: 08/17/2022
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 3474
Affiliation Type: Facility Owner
Company Name: TOWNE ASSOCIATES, LLC
Contact Type: PRESIDENT
Contact Name: MICHAEL DIMSON
Address1: 340 EAST 46TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-7300
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-10-20

Site Id: 3474
Affiliation Type: Mail Contact
Company Name: TOWNE ASSOC
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWNE HOUSE (Continued)

U003385034

Contact Name: MICHAEL DIMSON
Address1: 340 EAST 46TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 682-7300
EMail: MDIMSON@CCCNYC.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-10-20

Site Id: 3474
Affiliation Type: Facility Operator
Company Name: TOWNE HOUSE
Contact Type: Not reported
Contact Name: DAVID BERMUDEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 532-8500
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-10-20

Site Id: 3474
Affiliation Type: Emergency Contact
Company Name: TOWNE ASSOCIATES, LLC
Contact Type: Not reported
Contact Name: DAVID BERMUDEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 532-8500
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-10-20

Tank Info:

Tank Number: 001
Tank Id: 4935
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWNE HOUSE (Continued)

U003385034

A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/1978
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #4 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 4936
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/1978
Capacity Gallons: 1080
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CO856
SSW
1/8-1/4
0.237 mi.
1253 ft.

108 E. 38TH STREET
108 E. 38TH STREET
MANHATTAN, NY
Site 3 of 3 in cluster CO

NY LTANKS S102673132
N/A

Relative:
Higher
Actual:
70 ft.

LTANKS:

Name: 108 E. 38TH STREET
Address: 108 E. 38TH STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9511832 / 1996-11-22
Facility ID: 9511832
Site ID: 175616
Spill Date: 1995-12-18
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1995-12-19
CID: 195
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-12-19
Spill Record Last Update: 2004-07-08
Spiller Name: DONALD CULLEN
Spiller Company: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller County: 001
Spiller Contact: CHARLES CASSIDY
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 147643
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE CLEANED BY OIL CO."
Remarks: "Driver was off loading product into tank in building and gauge on tank was defective. Tank was over filled and vented approx 6 gals onto sidewalk. Building is 144 unit apartment complex. "

All Materials:

Site ID: 175616
Operable Unit ID: 1026052
Operable Unit: 01
Material ID: 359162
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

CP857
SSE
1/8-1/4
0.237 mi.
1253 ft.

CON EDISON - VS 774
214 EAST 40TH ST
NEW YORK, NY 10001

Site 3 of 3 in cluster CP

RCRA NonGen / NLR
NY MANIFEST

1008195739
NYP004114005

Relative:
Lower

Actual:
36 ft.

RCRA Listings:

Date Form Received by Agency:	2004-02-27 00:00:00.0
Handler Name:	CON EDISON - VS 774
Handler Address:	214 EAST 40TH ST
Handler City,State,Zip:	NEW YORK, NY 10001
EPA ID:	NYP004114005
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	4 IRVING PLACE
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Municipal
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner Type:	Private
Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 774 (Continued)

1008195739

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2003

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-08-27 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	2003-08-27 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 774 (Continued)

1008195739

Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 2003-08-27 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 2003-08-27 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2004-02-25 00:00:00.0
Handler Name: CON EDISON - VS 774
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2004-02-26 00:00:00.0
Handler Name: CON EDISON - VS 774
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2004-02-27 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 774 (Continued)

1008195739

Handler Name:	CON EDISON - VS 774
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	214 EAST 40TH ST
City,State,Zip:	NEW YORK, NY 10001
Country:	USA
EPA ID:	NYP004114005
Facility Status:	Not reported
Location Address 1:	V774-214 E 40TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004114005
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0619002
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	46233JM
Trans2 State ID:	Not reported
Generator Ship Date:	08/20/2003
Trans1 Recv Date:	08/20/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/20/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004114005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 774 (Continued)

1008195739

Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01845
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

DC858
SSW
1/8-1/4
0.238 mi.
1255 ft.

CONSOLIDATED EDISON
310 LEXINGTON
NEW YORK, NY
Site 2 of 6 in cluster DC

NY MANIFEST **S109825456**
N/A

Relative:
Higher

Actual:
65 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 310 LEXINGTON
City,State,Zip: NEW YORK, NY
Country: USA
EPA ID: NYP004176525
Facility Status: Not reported
Location Address 1: 310 LEXINGTON
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004176525
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PL RM 828
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109825456

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/22/2009
Trans1 Recv Date: 06/22/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176525
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 000961339GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 700
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DC859 **310 LEXINGTON OWNERS CORP**
SSW **310 LEXINGTON AVENUE**
1/8-1/4 **NEW YORK, NY 10016**
0.238 mi.
1255 ft. **Site 3 of 6 in cluster DC**

NY AST **U004076467**
 N/A

Relative:
Higher

AST:

Actual:
65 ft.

Name: 310 LEXINGTON OWNERS CORP
Address: 310 LEXINGTON AVENUE
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-091898
Program Type: PBS
UTM X: 586254.98490
UTM Y: 4511357.16475
Expiration Date: 07/07/2022
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 2335
Affiliation Type: Facility Owner
Company Name: 310 LEXINGTON OWNERS CORP.
Contact Type: DIRECTOR OF COMPLIANCE
Contact Name: GINA FAZZALARO
Address1: 310 LEXINGTON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 986-0001
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-10-09

Site Id: 2335
Affiliation Type: Mail Contact
Company Name: AKAM ASSOCIATES INC.
Contact Type: Not reported
Contact Name: FAITH PRICE
Address1: 260 MADISON AVENUE
Address2: 12TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 986-0001
EMail: AKAMNYCOMPLIANCE@AKAM.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-12-18

Site Id: 2335
Affiliation Type: Facility Operator
Company Name: 310 LEXINGTON OWNERS CORP
Contact Type: Not reported
Contact Name: 310 LEXINGTON OWNERS CORP.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 LEXINGTON OWNERS CORP (Continued)

U004076467

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-0001
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-10-09

Site Id: 2335
Affiliation Type: Emergency Contact
Company Name: 310 LEXINGTON OWNERS CORP.
Contact Type: Not reported
Contact Name: TONY DASILVA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 986-0001
EMail: Not reported
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2018-10-09

Tank Info:

Tank Number: 001
Tank Id: 11274
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
I04 - Overfill - Product Level Gauge (A/G)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
F04 - Pipe External Protection - Fiberglass
J02 - Dispenser - Suction Dispenser
B05 - Tank External Protection - Jacketed
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/29/1979
Capacity Gallons: 6000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 LEXINGTON OWNERS CORP (Continued)

U004076467

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

DL860
West
1/8-1/4
0.238 mi.
1256 ft.

CON EDISON
7 E 40TH ST
NEW YORK, NY 10017

Site 2 of 6 in cluster DL

RCRA NonGen / NLR
FINDS
ECHO

1019908392
NYP004845331

Relative:
Higher

Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2015-09-29 00:00:00.0
Handler Name: CON EDISON
Handler Address: 7 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004845331
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908392

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-09-29 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-09-29 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019908392

Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069672170

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019908392
Registry ID:	110069672170
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069672170
Name:	CON EDISON
Address:	7 E 40TH ST
City,State,Zip:	NEW YORK, NY 10017

DL861
West
1/8-1/4
0.238 mi.
1256 ft.
CON EDISON
7 E 40TH ST
NEW YORK, NY 10017
Site 3 of 6 in cluster DL

NY MANIFEST **S119078070**
N/A

Relative:	NY MANIFEST:	
Higher	Name:	CON EDISON
	Address:	7 E 40TH ST
	City,State,Zip:	NEW YORK, NY 10017
	Country:	USA
	EPA ID:	NYP004845331
	Facility Status:	Not reported
	Location Address 1:	9 E 40TH ST
	Code:	BP
	Location Address 2:	SB 7761
	Total Tanks:	Not reported
	Location City:	NEW YORK
	Location State:	NY
	Location Zip:	Not reported
	Location Zip 4:	Not reported

Actual:
74 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119078070

NY MANIFEST:

EPAID: NYP004845331
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 09/29/2015
Trans1 Recv Date: 09/29/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/29/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004845331
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002625093GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 50
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119078070

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DL862
West
1/8-1/4
0.238 mi.
1256 ft.

CON EDISON
7 E 40TH ST
NEW YORK, NY 10017

NJ MANIFEST **S120677299**
N/A

Site 4 of 6 in cluster DL

Relative:
Higher

NJ MANIFEST:

Actual:
74 ft.

EPA Id: NYP004845331
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002625093GBF
EPA ID: NYP004845331
Date Shipped: 9/29/2015
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120677299

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**863
SW
1/8-1/4
0.238 mi.
1257 ft.**

**CON EDISON
PARK AVE & E 38TH ST
NEW YORK, NY 10016**

**RCRA NonGen / NLR
FINDS
ECHO**

**1019906207
NYP004818466**

**Relative:
Higher
Actual:
76 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-08-05 00:00:00.0
Handler Name: CON EDISON
Handler Address: PARK AVE & E 38TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004818466
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906207

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-08-05 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906207

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-08-05 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069643513

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019906207
Registry ID:	110069643513
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069643513
Name:	CON EDISON
Address:	PARK AVE & E 38TH ST
City,State,Zip:	NEW YORK, NY 10016

CS864
ESE
1/8-1/4
0.238 mi.
1257 ft.

CON EDISON - MANHOLE M59239
235 E 43RD ST
NEW YORK, NY 10017
Site 9 of 9 in cluster CS

NY MANIFEST **S123692480**
N/A

Relative:
Higher

Actual:
53 ft.

NY MANIFEST:	
Name:	CON EDISON - MANHOLE M59239
Address:	235 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP005208869
Facility Status:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MANHOLE M59239 (Continued)

S123692480

Location Address 1: 235 E 43RD ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP005208869
Mailing Name: CON EDISON - MANHOLE M59239
Mailing Contact: ANNAMARIE MOYLAN
Mailing Address 1: 4 IRVING PLACE 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602278

**DM865
WNW
1/8-1/4
0.238 mi.
1259 ft.**

**CON EDISON
OPP 5 E 42 ST
NEW YORK, NY 10017**

NY MANIFEST

**S117314959
N/A**

Site 1 of 5 in cluster DM

**Relative:
Higher**

**Actual:
69 ft.**

NY MANIFEST:
Name: CON EDISON
Address: OPP 5 E 42 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004620605
Facility Status: Not reported
Location Address 1: OPP 5 E 42 ST
Code: BP
Location Address 2: MH 8218
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004620605
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314959

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/07/2014
Trans1 Recv Date:	08/07/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/07/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004620605
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID 1:	NJD991291105
TSD ID 2:	Not reported
Manifest Tracking Number:	002608547GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	2000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DJ866
East
1/8-1/4
0.240 mi.
1265 ft.

291 DIGITAL LLC
E 45TH ST
NEW YORK, NY 10017

Site 3 of 6 in cluster DJ

NY MANIFEST
S119071648
N/A

Relative:
Higher
Actual:
51 ft.

NY MANIFEST:
Name: 291 DIGITAL LLC
Address: E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD982743494
Facility Status: Not reported
Location Address 1: 227 EAST 45TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD982743494
Mailing Name: 291 DIGITAL LLC
Mailing Contact: 291 DIGITAL LLC
Mailing Address 1: 227 EAST 45TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126972435

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 10/10/2006
Trans1 Recv Date: 10/10/2006
Trans2 Recv Date: 10/10/2006
TSD Site Recv Date: 10/23/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982743494
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: KYD053348108
TSDF ID 2: Not reported
Manifest Tracking Number: 000679696JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

S119071648

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 300
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Waste Code: D018
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DJ867 **291 DIGITAL LLC**
East **E 45TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.240 mi.
1265 ft. **Site 4 of 6 in cluster DJ**

RCRA-SQG **1000340712**
NYD982743494

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: 291 DIGITAL LLC
Handler Address: E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD982743494
Contact Name: MICHAEL J RANK
Contact Address: E 45TH ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-697-2434 7065
Contact Fax: Not reported
Contact Email: MRANK@291DIGITAL.COM
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 45TH ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: 291 DIGITAL LLC
Owner Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Operator Name:	291 DIGITAL LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Biennial: List of Years

Year: 2003

[Click Here for Biennial Reporting System Data:](#)

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	291 DIGITAL LLC
Legal Status:	Private
Date Became Current:	2003-03-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	227 E 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-697-2434
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETEEN NY PROP LTD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	291 DIGITAL LLC
Legal Status:	Private
Date Became Current:	2003-03-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	E 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NINETEEN NY PROP LTD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Owner/Operator Indicator: Operator
Owner/Operator Name: 291 DIGITAL LLC
Legal Status: Private
Date Became Current: 2003-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 227 E 45TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-697-2434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 227 DIGITAL LLC
Legal Status: Private
Date Became Current: 2003-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 227 E 45TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-697-2434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 227 DIGITAL LLC
Legal Status: Private
Date Became Current: 2003-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 227 E 45TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-697-2434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 291 DIGITAL LLC
Legal Status: Private
Date Became Current: 2003-03-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: E 45TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: BENITA HOLDINGS LLC
Legal Status: Private
Date Became Current: 2003-02-26 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: E 45TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2004-02-23 00:00:00.0
Handler Name: 291 DIGITAL LLC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0
Handler Name: 291 DIGITAL LLC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: 291 DIGITAL LLC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1989-07-14 00:00:00.0
Handler Name: COLOR WHEEL
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2003-10-27 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Handler Name: 291 DIGITAL LLC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1996-04-01 00:00:00.0
Handler Name: THE COLOR WHEEL, INC.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-03-02 00:00:00.0
Handler Name: MANHATTAN COLOR GRAPHICS INC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-01-01 00:00:00.0
Handler Name: MANHATTAN COLIC GRAPHIC A DIV OF
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-03-01 00:00:00.0
Handler Name: MANHATTAN COLOR GRAPHICS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	1992-01-24 00:00:00.0
Actual Return to Compliance Date:	1992-05-28 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1992-05-08 00:00:00.0
Enforcement Identifier:	000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	1992-01-24 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSAN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2004-11-23 00:00:00.0
Actual Return to Compliance Date:	2005-01-18 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2005-02-04 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 10000
Paid Amount: 10000
Final Count: 1
Final Amount: 10000

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 2003-01-14 00:00:00.0
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Return to Compliance Qualifier: Unverifiable
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2003-09-29 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2004-11-23 00:00:00.0
Actual Return to Compliance Date:	2005-01-18 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2005-02-04 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	2003-01-14 00:00:00.0
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Return to Compliance Qualifier:	Unverifiable
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2004-08-23 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	2-20030929-260
Enforcement Attorney:	SH
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYHHN
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	10000
Paid Amount:	10000
Final Count:	1
Final Amount:	10000
Evaluation Action Summary:	
Evaluation Date:	2005-02-07 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	NOT A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	NYJRI
Evaluation Responsible Sub-Organization:	CO
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 1991-12-10 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYSAN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 1992-05-28 00:00:00.0
Scheduled Compliance Date: 1992-05-08 00:00:00.0
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2003-01-14 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYHHN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2003-01-14 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYHHN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2004-11-23 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYHHN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	2005-01-18 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2003-01-14 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYHHN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	2004-11-11 00:00:00.0
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	2003-01-14 00:00:00.0
Evaluation Responsible Agency:	State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-09-18 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier: NYJRI
Evaluation Responsible Sub-Organization: CO
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 DIGITAL LLC (Continued)

1000340712

Evaluation Date: 2004-11-23 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2005-01-18 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2003-01-14 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYHHN
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2004-11-11 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DJ868
East
1/8-1/4
0.240 mi.
1265 ft.

227 E 45 LLC
227 EAST 45 STREET
NEW YORK, NY 10017

Site 5 of 6 in cluster DJ

NY AST **U004077831**
N/A

Relative:
Higher

AST:

Actual:
51 ft.

Name: 227 E 45 LLC
Address: 227 EAST 45 STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-282669
Program Type: PBS
UTM X: 586792.77917
UTM Y: 4511769.51868
Expiration Date: 10/29/2020
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 12450
Affiliation Type: Facility Operator
Company Name: 227 E 45 LLC
Contact Type: Not reported
Contact Name: PETE ZIMBALDI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 351-0333
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-01-29

Site Id: 12450
Affiliation Type: Facility Owner
Company Name: 227 E 45 LLC
Contact Type: OWNERS AGENT
Contact Name: PETE ZIMBALDI
Address1: 630 FIRST AVENUE, SUITE 1
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 351-0333
EMail: PETE.ZIMBALDI@AENETWORKS.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-01-29

Site Id: 12450
Affiliation Type: Mail Contact
Company Name: A + E TELSVISION NETWORKS
Contact Type: OWNERS AGENT
Contact Name: PETE ZIMBALDI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

227 E 45 LLC (Continued)

U004077831

Address1: 235 EAST 45TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 641-3319
EMail: PETE.ZIMBALDI@AENETWORKS.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-01-29

Site Id: 12450
Affiliation Type: Emergency Contact
Company Name: 227 E 45 LLC
Contact Type: Not reported
Contact Name: PETE ZIMBALDI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 641--3319
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-01-29

Tank Info:

Tank Number: 001
Tank Id: 14813
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
J05 - Dispenser - On Site Heating System (Supply/Return)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 10/01/1965

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

227 E 45 LLC (Continued)

U004077831

Capacity Gallons: 10000
Tightness Test Method: 34
Date Test: 01/08/2019
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: BKFALVEY
Last Modified: 02/11/2019
Material Name: #2 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 51120
Material Code: 0009
Common Name of Substance: Gasoline

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/01/1996
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: gasoline

869
WSW
1/8-1/4
0.240 mi.
1268 ft.

**CON EDISON SERVICE BOX: 7531
39 E 39TH ST & MADISON AVE E OF
NEW YORK, NY 10016**

**RCRA NonGen / NLR 1017774696
FINDS NYP004525101**

**Relative:
Higher
Actual:
77 ft.**

RCRA Listings:

Date Form Received by Agency:	2014-06-08 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7531
Handler Address:	39 E 39TH ST & MADISON AVE E OF
Handler City,State,Zip:	NEW YORK, NY 10016
EPA ID:	NYP004525101
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7531 (Continued)

1017774696

Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7531 (Continued)

1017774696

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-02-11 11:48:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2014-05-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-05-08 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2014-06-08 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7531
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7531 (Continued)

1017774696

Electronic Manifest Broker:

Not reported

FINDS:

Registry ID: 110063785587

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

DN870
East
1/8-1/4
0.240 mi.
1269 ft.

CON EDISION - RV 6259
228 EAST 45 ST 228 EAST 45 ST
NEW YORK, NY 10003

RCRA NonGen / NLR
NY MANIFEST

1007208514
NYP004091625

Site 1 of 6 in cluster DN

Relative:
Higher

Actual:
55 ft.

RCRA Listings:

Date Form Received by Agency:

2002-06-02 00:00:00.0

Handler Name:

CON EDISION - RV 6259

Handler Address:

228 EAST 45 ST 228 EAST 45 ST

Handler City,State,Zip:

NEW YORK, NY 10003

EPA ID:

NYP004091625

Contact Name:

ANTHONY DRUMMINGS

Contact Address:

IRVING PLACE

Contact City,State,Zip:

NEW YORK, NY 10003

Contact Telephone:

212-460-3770

Contact Fax:

Not reported

Contact Email:

Not reported

Contact Title:

Not reported

EPA Region:

02

Land Type:

Not reported

Federal Waste Generator Description:

Not a generator, verified

Non-Notifier:

Not reported

Biennial Report Cycle:

Not reported

Accessibility:

Not reported

Active Site Indicator:

Not reported

State District Owner:

NY

State District:

NYSDEC R2

Mailing Address:

IRVING PLACE

Mailing City,State,Zip:

NEW YORK, NY 10003

Owner Name:

Not reported

Owner Type:

Not reported

Operator Name:

Not reported

Operator Type:

Not reported

Short-Term Generator Activity:

No

Importer Activity:

No

Mixed Waste Generator:

No

Transporter Activity:

No

Transfer Facility Activity:

No

Recycler Activity with Storage:

No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - RV 6259 (Continued)

1007208514

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Biennial: List of Years

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Historic Generators:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - RV 6259 (Continued)

1007208514

Receive Date: 2002-06-01 00:00:00.0
Handler Name: CON EDISION - RV 6259
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-06-02 00:00:00.0
Handler Name: CON EDISION - RV 6259
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2002-05-31 00:00:00.0
Handler Name: CON EDISION - RV 6259
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 228 EAST 45 ST 228 EAST 45 ST
City,State,Zip: NEW YORK, NY 10003
Country: USA
EPA ID: NYP004091625
Facility Status: Not reported
Location Address 1: RV6259-228 E 45TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - RV 6259 (Continued)

1007208514

NY MANIFEST:

EPAID: NYP004091625
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0621054
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: 31877AJ
Trans2 State ID: Not reported
Generator Ship Date: 11/02/2001
Trans1 Recv Date: 11/02/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/02/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004091625
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01142
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
DN871	SPEED GRAPHICS INC	RCRA NonGen / NLR	1004759722
East	228 E 45TH ST - 6TH FLOOR	NY MANIFEST	NYR000018770
1/8-1/4	NEW YORK, NY 10017		
0.240 mi.			
1269 ft.	Site 2 of 6 in cluster DN		
Relative:	RCRA Listings:		
Higher	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	SPEED GRAPHICS INC	
Actual:	Handler Address:	228 E 45TH ST - 6TH FLOOR	
55 ft.	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYR000018770	
	Contact Name:	GEOFFREY CHIN	
	Contact Address:	E 45TH ST - 6TH FLOOR	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	212-682-6520	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Private	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	Not reported	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	E 45TH ST - 6TH FLOOR	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	SPEED GRAPHICS INC	
	Owner Type:	Private	
	Operator Name:	SPEED GRAPHICS INC	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1004759722

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SPEED GRAPHICS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	228 E 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-6520
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SPEED GRAPHICS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	228 E 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-6520
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1004759722

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SPEED GRAPHICS INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	228 E 45TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-6520
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1996-01-18 00:00:00.0
Handler Name:	SPEED GRAPHICS INC
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	SPEED GRAPHICS INC
Address:	228 E 45TH ST - 6TH FLOOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1004759722

City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYR000018770
Facility Status: Not reported
Location Address 1: 228 E 45TH STREET 6TH FLOOR
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000018770
Mailing Name: SPEED GRAPHICS INC
Mailing Contact: GEOFFREY CHIN
Mailing Address 1: 228 E 45TH ST 6TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126826520

NY MANIFEST:

Document ID: NYB8459739
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: PX1132
Trans2 State ID: Not reported
Generator Ship Date: 05/14/1999
Trans1 Recv Date: 05/14/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/17/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000018770
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEED GRAPHICS INC (Continued)

1004759722

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00060
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

DN872
East
1/8-1/4
0.240 mi.
1269 ft.

CON EDISON
228 E 45 ST
NEW YORK, NY 10017

NY MANIFEST **S117738630**
N/A

Site 3 of 6 in cluster DN

Relative:
Higher

NY MANIFEST:

Actual:
55 ft.

Name: CON EDISON
Address: 228 E 45 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004716981
Facility Status: Not reported
Location Address 1: 228 E 45 ST
Code: BP
Location Address 2: VS6259
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004716981
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/21/2015
Trans1 Recv Date: 01/21/2015
Trans2 Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117738630

TSD Site Recv Date: 02/04/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004716981
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: PAD085690592
TSD ID 2: Not reported
Manifest Tracking Number: 002659335GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1096
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DN873
East
1/8-1/4
0.240 mi.
1269 ft.

CON EDISON - 45TH ST
228 E 45TH ST
NY, NY 10017
Site 4 of 6 in cluster DN

PA MANIFEST **S118888957**
N/A

Relative:
Higher
Actual:
55 ft.

Manifest Details:
Year: 2015
Manifest Number: 002659335GBF
Manifest Type: TSD Copy
Generator EPA Id: NYP004716981
Generator Date: 01/21/2015
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: Not reported
TSD EPA Id: Not reported
TSD Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - 45TH ST (Continued)

S118888957

TSD Facility Name: Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address: 2869 Sandstone Dr
TSD Facility City: Hatfield
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D008
Container Number: 1
Container Type: Cargo tanks (tank trucks)
Waste Quantity: 3000
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: PAD085690592
Date TSP Sig: Not reported

DN874
East
1/8-1/4
0.240 mi.
1269 ft.

APA GRAVURE
228 E 45TH ST
NEW YORK, NY 10017
Site 5 of 6 in cluster DN

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1000116125
NYD980526743

Relative:
Higher
Actual:
55 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: APA GRAVURE
Handler Address: 228 E 45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD980526743
Contact Name: TOM FITZPATRICK
Contact Address: E 45TH ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 216-922-1150
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 45TH ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: OWNERNAME
Owner Type: Private
Operator Name: OWNERNAME
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	APA GRAVURE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	APA GRAVURE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1981-09-09 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Handler Name:	APA GRAVURE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Facility Has Received Notices of Violation:

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	1985-12-30 00:00:00.0
Actual Return to Compliance Date:	1986-06-13 00:00:00.0
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	1986-06-13 00:00:00.0
Enforcement Identifier:	001
Date of Enforcement Action:	1986-05-13 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	1985-12-30 00:00:00.0
Evaluation Responsible Agency:	State
Found Violation:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	1986-06-13 00:00:00.0
Scheduled Compliance Date:	1986-06-13 00:00:00.0
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:

Registry ID: 110019423550

[Click Here:](#)

Environmental Interest/Information System:

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AIR MINOR

Registry ID: 110004386897

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000116125
Registry ID:	110004386897
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004386897
Name:	APA GRAVURE
Address:	228 E 45TH ST
City,State,Zip:	NEW YORK, NY 10017
Envid:	1000116125
Registry ID:	110019423550
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110019423550

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Name: 228 EAST 45TH STREET BUILDING
Address: 228 E 45TH ST
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: APA GRAVURE
Address: 228 E 45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD980526743
Facility Status: Not reported
Location Address 1: 47-47 VAN DAM STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD980526743
Mailing Name: APA GRAVURE
Mailing Contact: TOM FITZPATRICK
Mailing Address 1: 47-47 VAN DAM STREET
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2129221150

NY MANIFEST:

Document ID: NJA0044367
Manifest Status: C
seq: Not reported
Year: 1985
Trans1 State ID: NJSWAS-30
Trans2 State ID: Not reported
Generator Ship Date: 02/06/1985
Trans1 Recv Date: 02/06/1985
Trans2 Recv Date: / /
TSD Site Recv Date: 02/06/1985
Part A Recv Date: 02/11/1985
Part B Recv Date: 02/12/1985
Generator EPA ID: NYD980526743
Trans1 EPA ID: NJD991291105
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APA GRAVURE (Continued)

1000116125

Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00495
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

DN875 **228 EAST 45TH STREET**
East **228 EAST 45TH STREET**
1/8-1/4 **NEW YORK, NY 10017**
0.240 mi.
1269 ft. **Site 6 of 6 in cluster DN**

NY AST **U003384465**
N/A

Relative: **AST:**
Higher Name: 228 EAST 45TH STREET
Address: 228 EAST 45TH STREET
Actual: City,State,Zip: NEW YORK, NY 10017
55 ft. Region: STATE
DEC Region: 2
Site Status: Inactive
Facility Id: 2-511714
Program Type: PBS
UTM X: 586773.78481
UTM Y: 4511780.82751
Expiration Date: N/A
Site Type: Other

Affiliation Records:
Site Id: 21970
Affiliation Type: Facility Owner
Company Name: BECKROSE ESTATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 575 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Site Id: 21970
Affiliation Type: Mail Contact
Company Name: BECKROSE ESTATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 575 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 21970
Affiliation Type: Facility Operator
Company Name: 228 EAST 45TH STREET
Contact Type: Not reported
Contact Name: JAMES CUSTER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-3429
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 21970
Affiliation Type: Emergency Contact
Company Name: BECKROSE ESTATES
Contact Type: Not reported
Contact Name: PAUL IZZO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 39894
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1995
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 39895
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,
allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1995
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Material Name: #6 fuel oil (on-site consumption)

Tank Number: 1A
Tank Id: 3826
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/01/2010
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/12/2017
Material Name: #4 fuel oil (on-site consumption)

Tank Number: 1B
Tank Id: 50410
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
G10 - Tank Secondary Containment - Impervious Underlayment
C01 - Pipe Location - Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/01/2010
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/12/2017
Material Name: #4 fuel oil (on-site consumption)

Affiliation Records:

Site Id: 3098
Affiliation Type: Facility Owner
Company Name: BECKROSE ESTATES LLC
Contact Type: VP
Contact Name: MATTHEW STEIBERG
Address1: 575 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-12

Site Id: 3098
Affiliation Type: Mail Contact
Company Name: BECKROSE ESTATES LLC
Contact Type: VP
Contact Name: MATTHEW STEIBERG
Address1: 575 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-12

Site Id: 3098
Affiliation Type: Facility Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Company Name: 228 EAST 45TH ST
Contact Type: Not reported
Contact Name: MARIO DALLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 682-3429
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-01-10

Site Id: 3098
Affiliation Type: Emergency Contact
Company Name: BECKROSE ESTATES LLC
Contact Type: Not reported
Contact Name: BART RUSSO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 752-7474
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-06-12

Tank Info:

Tank Number: 001
Tank Id: 39894
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1995
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 39895
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1995
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 1A
Tank Id: 3826
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G10 - Tank Secondary Containment - Impervious Underlayment
K00 - Spill Prevention - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

L99 - Piping Leak Detection - Other
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/01/2010
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/12/2017
Material Name: #4 fuel oil (on-site consumption)

Tank Number: 1B
Tank Id: 50410
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
G10 - Tank Secondary Containment - Impervious Underlayment
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground - contact with impervious barrier... Tank bottom rests on
impervious barrier, allowing visual indication of leaks.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 09/01/2010
Capacity Gallons: 5000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MFLEONAR
Last Modified: 06/12/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228 EAST 45TH STREET (Continued)

U003384465

Material Name: #4 fuel oil (on-site consumption)

DC876
SSW
1/8-1/4
0.241 mi.
1270 ft.

TATHAM HOUSE
138 EAST 38TH STREET
NEW YORK, NY 10016

Site 4 of 6 in cluster DC

NY AST U004081815
N/A

Relative:
Higher

Actual:
63 ft.

AST:
Name: TATHAM HOUSE
Address: 138 EAST 38TH STREET
City,State,Zip: NEW YORK, NY 10016
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-321788
Program Type: PBS
UTM X: 586305.60343
UTM Y: 4511366.93288
Expiration Date: 04/20/2023
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 14969
Affiliation Type: Facility Owner
Company Name: TATHAM HOUSE LLC
Contact Type: GENERAL MGR
Contact Name: TATHAM HOUSE LLC BRUNO GROSS
Address1: 68 MAIN ST. 2ND FLOOR
Address2: Not reported
City: TUCKAHOE
State: NY
Zip Code: 10707
Country Code: 001
Phone: (914) 783-8725
EMail: Not reported
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2018-06-05

Site Id: 14969
Affiliation Type: Mail Contact
Company Name: BUILDING MANAGER
Contact Type: Not reported
Contact Name: STEVE JACOB
Address1: TATHAM HOUSE
Address2: 138 EAST 38TH STREET
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 973-9686
EMail: STEVEN@SUPERSTORESTEVE@AOL.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2018-06-05

Site Id: 14969

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TATHAM HOUSE (Continued)

U004081815

Affiliation Type: Facility Operator
Company Name: TATHAM HOUSE
Contact Type: Not reported
Contact Name: STEVEN JACOB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 201-1895
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2013-02-26

Site Id: 14969
Affiliation Type: Emergency Contact
Company Name: TATHAM HOUSE LLC % BI-COASTAL PRO.
Contact Type: Not reported
Contact Name: STEVEN JACOB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 201-1895
EMail: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 2008-02-22

Tank Info:

Tank Number: 001
Tank Id: 19847
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
E02 - Piping Secondary Containment - Vault (with Access)
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TATHAM HOUSE (Continued)

U004081815

Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/01/1974
Capacity Gallons: 5000
Tightness Test Method: 21
Date Test: 01/30/2008
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DMPOKRZY
Last Modified: 06/07/2018
Material Name: #2 fuel oil (on-site consumption)

DC877
SSW
1/8-1/4
0.241 mi.
1270 ft.

CON EDISON SERVICE BOX: 38585
308 LEXINGTON AVE
NEW YORK, NY 10016

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143879
NYP004266656

Site 5 of 6 in cluster DC

Relative:
Higher

Actual:
65 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 38585
Handler Address: 308 LEXINGTON AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266656
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38585 (Continued)

1016143879

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 15:06:31.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-05 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38585
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38585 (Continued)

1016143879

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 38585
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055454636

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143879
Registry ID:	110055454636
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055454636
Name:	CON EDISON SERVICE BOX: 38585
Address:	308 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10016

NY MANIFEST:

Name:	CON EDISON
Address:	308 LEXINGTON AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004266656
Facility Status:	Not reported
Location Address 1:	308 LEXINGTON AVE
Code:	BP
Location Address 2:	SERV BOX 38585
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10016
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38585 (Continued)

1016143879

NY MANIFEST:

EPAID: NYP004266656
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/05/2012
Trans1 Recv Date: 09/05/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266656
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456269JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38585 (Continued)

1016143879

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DC878 **CON EDISON SERVICE BOX: 38585**
SSW **308 LEXINGTON AVE**
1/8-1/4 **NEW YORK, NY 10016**
0.241 mi.
1270 ft. **Site 6 of 6 in cluster DC**

NJ MANIFEST **S117986109**
N/A

Relative:
Higher
Actual:
65 ft.

NJ MANIFEST:
EPA Id: NYP004266656
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456269JJK
EPA ID: NYP004266656
Date Shipped: 9/5/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 38585 (Continued)

S117986109

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

DJ879 V1083
East 227 E45TH ST
1/8-1/4 NEW YORK, NY 10017
0.241 mi.
1272 ft. Site 6 of 6 in cluster DJ

RCRA NonGen / NLR 1007207409
NY MANIFEST NYP004044798

Relative:
Higher
Actual:
51 ft.

RCRA Listings:
Date Form Received by Agency: 2001-01-03 00:00:00.0
Handler Name: V1083
Handler Address: 227 E45TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004044798
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC.
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC.
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1083 (Continued)

1007207409

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1083 (Continued)

1007207409

Historic Generators:

Receive Date: 2001-01-02 00:00:00.0
Handler Name: V1083
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-01-03 00:00:00.0
Handler Name: V1083
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-01-01 00:00:00.0
Handler Name: V1083
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 227 E45TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004044798
Facility Status: Not reported
Location Address 1: V1083A-227 E 45TH
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1083 (Continued)

1007207409

Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004044798
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0444888
Manifest Status: Not reported
seq: 01
Year: 1999
Trans1 State ID: 31877AJ
Trans2 State ID: Not reported
Generator Ship Date: 10/16/1999
Trans1 Recv Date: 10/16/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/18/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004044798
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00976
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V1083 (Continued)

1007207409

Specific Gravity: 01.00

CV880
SSE
1/8-1/4
0.241 mi.
1273 ft.

CON EDISON SERVICE BOX: 7814
227 E 40TH ST
NEW YORK, NY 10018
Site 8 of 10 in cluster CV

NJ MANIFEST **S117986078**
N/A

Relative:
Lower

NJ MANIFEST:
EPA Id: NYP004266342
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Actual:
37 ft.

Manifest:
Manifest Number: 010456361JJK
EPA ID: NYP004266342
Date Shipped: 9/4/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7814 (Continued)

S117986078

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported
Waste:	
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	Not reported
Quantity:	500.00 Pounds

CV881
SSE
1/8-1/4
0.241 mi.
1273 ft.

CON EDISON SERVICE BOX: 7814
227 E 40TH ST
NEW YORK, NY 10018
Site 9 of 10 in cluster CV

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1016143848
NYP004266342

Relative:
Lower
Actual:
37 ft.

RCRA Listings:	
Date Form Received by Agency:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7814
Handler Address:	227 E 40TH ST
Handler City,State,Zip:	NEW YORK, NY 10018
EPA ID:	NYP004266342
Contact Name:	JUAN RODRIGUEZ
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-865-5931
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7814 (Continued)

1016143848

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 14:43:05.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7814
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7814 (Continued)

1016143848

State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7814
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055427890

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143848
Registry ID:	110055427890
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055427890
Name:	CON EDISON SERVICE BOX: 7814
Address:	227 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	227 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266342
Facility Status:	Not reported
Location Address 1:	227 E 40TH ST
Code:	BP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7814 (Continued)

1016143848

Location Address 2: SERV BOX 7814
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266342
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266342
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456361JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7814 (Continued)

1016143848

Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH882
NNW
1/8-1/4
0.241 mi.
1273 ft.

CON EDISON SERVICE BOX: 8982
24 E 46TH ST OPPOSITE
NEW YORK, NY 10036

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016144152
NYP004269403

Site 7 of 14 in cluster DH

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 8982
Handler Address: 24 E 46TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10036
EPA ID: NYP004269403
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8982 (Continued)

1016144152

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-20 10:42:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-19 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8982
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8982 (Continued)

1016144152

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 8982
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055462173

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016144152
Registry ID:	110055462173
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055462173
Name:	CON EDISON SERVICE BOX: 8982
Address:	24 E 46TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10036

NY MANIFEST:

Name:	CON EDISON
Address:	24 E 46TH ST OPPOSITE
City,State,Zip:	NEW YORK, NY 10036
Country:	USA
EPA ID:	NYP004269403
Facility Status:	Not reported
Location Address 1:	OPP 24 & 46 & 5TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10036
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8982 (Continued)

1016144152

NY MANIFEST:

EPAID: NYP004269403
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/19/2012
Trans1 Recv Date: 09/19/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/21/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004269403
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010457056JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8982 (Continued)

1016144152

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH883 **CON EDISON SERVICE BOX: 8982**
NNW **24 E 46TH ST OPPOSITE**
1/8-1/4 **NEW YORK, NY 10036**
0.241 mi.
1273 ft. **Site 8 of 14 in cluster DH**

NJ MANIFEST **S117986360**
N/A

Relative:
Higher
Actual:
59 ft.

NJ MANIFEST:
EPA Id: NYP004269403
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010457056JJK
EPA ID: NYP004269403
Date Shipped: 9/19/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 8982 (Continued)

S117986360

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DO884
ESE
1/8-1/4
0.241 mi.
1273 ft.
CON EDISON
247-249 E 43RD ST & 2ND AVE
NEW YORK, NY 10017
Site 1 of 9 in cluster DO

NJ MANIFEST **S120673986**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004807863
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002614563GBF
EPA ID: NYP004807863
Date Shipped: 7/15/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120673986

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

DA885
NE
1/8-1/4
0.241 mi.
1275 ft.

127 E. 47TH ST
127 E. 47TH ST
MANHATTAN, NY
Site 8 of 9 in cluster DA

NY LTANKS S102660653
N/A

Relative:
Lower

LTANKS:
Name: 127 E. 47TH ST
Address: 127 E. 47TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9411387 / 1994-11-30
Facility ID: 9411387
Site ID: 190069
Spill Date: 1994-11-26
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1994-11-30
SWIS: 3101
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1994-11-26
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other

Actual:
44 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 E. 47TH ST (Continued)

S102660653

Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-02-01
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: 127TH E. 47TH ENTERPRISES
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 158605
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
ENGELHARDT "
Remarks: "PINHOLE LEAK IN TANK-STAIN ON FLOOR-PETRO ASTORIA CLEANED & REMOVED
NEW TANK TO OWNER."

All Materials:
Site ID: 190069
Operable Unit ID: 1009256
Operable Unit: 01
Material ID: 377244
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

DA886
NE
1/8-1/4
0.241 mi.
1275 ft.

127 EAST 47TH ST
127 EAST 47TH ST
MANHATTAN, NY
Site 9 of 9 in cluster DA

NY LTANKS **S103238597**
N/A

Relative:
Lower
Actual:
44 ft.

LTANKS:
Name: 127 EAST 47TH ST
Address: 127 EAST 47TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9510310 / 1995-11-16
Facility ID: 9510310
Site ID: 146179
Spill Date: 1995-11-16
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1995-11-16

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 EAST 47TH ST (Continued)

S103238597

CID: 357
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-11-16
Spill Record Last Update: 1995-11-29
Spiller Name: TOM
Spiller Company: 127 ENTERPRISES
Spiller Address: 127 EAST 47TH ST
Spiller County: 001
Spiller Contact: TOM
Spiller Phone: (212) 688-7832
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 124499
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TANG CALLED TOM AT TTHE SPILL LOCATION, JUST A SLIGHT LEAK FROM A 275
GALLON TANK. UNDER CONTROL . NO DEC ACTION REQUIRED "
Remarks: "TANK LEAKED ONTO CONCRETE FLOOR "
All Materials:
Site ID: 146179
Operable Unit ID: 1024791
Operable Unit: 01
Material ID: 361235
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: 2.00
Oxygenate: Not reported

DE887 16 EAST 40TH STREET
West 16 E 40 ST
1/8-1/4 NEW YORK, NY 10016
0.241 mi.
1275 ft. Site 5 of 6 in cluster DE

NY AST U004076698
N/A

Relative: AST:
Higher Name: 16 EAST 40TH STREET
Address: 16 E 40 ST
Actual: City,State,Zip: NEW YORK, NY 10016
75 ft. Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-146889
Program Type: PBS
UTM X: 586032.41464
UTM Y: 4511691.80211
Expiration Date: 01/06/2025
Site Type: Apartment Building/Office Building

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

16 EAST 40TH STREET (Continued)

U004076698

Affiliation Records:

Site Id: 4287
Affiliation Type: Mail Contact
Company Name: 16 EAST 40 REALTY, LLC C/O QUARTZ REALTY
Contact Type: Not reported
Contact Name: MARC MONASEBIAN
Address1: 260 WEST 36TH STREET
Address2: SUITE 505
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (516) 298-8600
EMail: QUARTZREALTY@AOL.COM
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-07-05

Site Id: 4287
Affiliation Type: Facility Operator
Company Name: 16 EAST 40TH STREET
Contact Type: Not reported
Contact Name: WILLIAM RUSSO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 686-1826
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 4287
Affiliation Type: Emergency Contact
Company Name: 16 EAST 40 REALTY, LLC C/ QUARTZ REALTY
Contact Type: Not reported
Contact Name: WILLIAM RUSSO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (201) 341-3315
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-07-05

Site Id: 4287
Affiliation Type: Facility Owner
Company Name: 16 EAST 40 REALTY, LLC C/ QUARTZ REALTY
Contact Type: MANAGING MEMBER
Contact Name: MARC MONASEBIAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

16 EAST 40TH STREET (Continued)

U004076698

Address1: 260 WEST 36 STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 244-2623
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2019-12-05

Tank Info:

Tank Number: 001
Tank Id: 28298
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F01 - Pipe External Protection - Painted/Asphalt Coating
G99 - Tank Secondary Containment - Other
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B99 - Tank External Protection - Other
J02 - Dispenser - Suction Dispenser
C03 - Pipe Location - Aboveground/Underground Combination
I05 - Overfill - Vent Whistle

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 05/01/1978
Capacity Gallons: 7000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MRBARROW
Last Modified: 07/05/2017
Material Name: #2 fuel oil (on-site consumption)

DE888
West
1/8-1/4
0.241 mi.
1275 ft.

BEAUTY FASHION INC
16 E 40TH ST 3RD FLOOR
NEW YORK, NY 10016
Site 6 of 6 in cluster DE

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1001233284
NYR000064618

Relative:
Higher
Actual:
75 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:

2007-01-01 00:00:00.0
BEAUTY FASHION INC
16 E 40TH ST 3RD FLOOR
NEW YORK, NY 10016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEAUTY FASHION INC (Continued)

1001233284

EPA ID:	NYR000064618
Contact Name:	JOSEPH GARCES
Contact Address:	E 40TH ST 3RD FLOOR
Contact City,State,Zip:	NEW YORK, NY 10016
Contact Telephone:	212-840-2413
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	E 40TH ST 3RD FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10016
Owner Name:	GEORGE LEDES
Owner Type:	Private
Operator Name:	GEORGE LEDES
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEAUTY FASHION INC (Continued)

1001233284

TSDFs Only Subject to CA under Discretionary Auth Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A
Operating TSDF Universe: Not reported
Full Enforcement Universe: Not reported
Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2015-04-14 00:00:00.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: GEORGE LEDES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 16 E 40TH ST 3RD FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-840-2413
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GEORGE LEDES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 16 E 40TH ST 3RD FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-840-2413
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GEORGE LEDES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 16 E 40TH ST 3RD FLOOR
Owner/Operator City,State,Zip: NEW YORK, NY 10016
Owner/Operator Telephone: 212-840-2413
Owner/Operator Telephone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEAUTY FASHION INC (Continued)

1001233284

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: BEAUTY FASHION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: BEAUTY FASHION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-12-14 00:00:00.0
Handler Name: BEAUTY FASHION INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110004549597

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEAUTY FASHION INC (Continued)

1001233284

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001233284
Registry ID: 110004549597
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004549597>
Name: BEAUTY FASHION INC
Address: 16 E 40TH ST 3RD FLOOR
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: BEAUTY FASHION INC
Address: 16 E 40TH ST 3RD FLOOR
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYR000064618
Facility Status: Not reported
Location Address 1: 16 E 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYR000064618
Mailing Name: BEAUTY FASHION INC
Mailing Contact: XC LEWIS
Mailing Address 1: 16 E 40TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2128402413

NY MANIFEST:

Document ID: NJA3268709
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: NJ050163
Trans2 State ID: Not reported
Generator Ship Date: 08/21/2001
Trans1 Recv Date: 08/21/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/21/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000064618
Trans1 EPA ID: NJR000023325
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEAUTY FASHION INC (Continued)

1001233284

TSD ID 1: NJR000022442
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00060
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

DO889
ESE
1/8-1/4
0.242 mi.
1276 ft.

CON EDISON
249 E 43RD ST
NEW YORK, NY 10017

RCRA NonGen / NLR
FINDS
ECHO

1018279804
NYP004746517

Site 2 of 9 in cluster DO

Relative:
Higher
Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency: 2015-03-09 00:00:00.0
Handler Name: CON EDISON
Handler Address: 249 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004746517
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279804

Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018279804

Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-03-09 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-03-09 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110067697013

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018279804
Registry ID: 110067697013
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067697013>
Name: CON EDISON
Address: 249 E 43RD ST
City,State,Zip: NEW YORK, NY 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DO890
ESE
1/8-1/4
0.242 mi.
1276 ft.

CON EDISON
249 E 43RD ST
NEW YORK, NY 10017
Site 3 of 9 in cluster DO

NY MANIFEST **S117741426**
N/A

Relative:
Higher
Actual:
54 ft.

NY MANIFEST:
Name: CON EDISON
Address: 249 E 43RD ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004746517
Facility Status: Not reported
Location Address 1: 249 E 43 ST
Code: BP
Location Address 2: MH8436
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004746517
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/09/2015
Trans1 Recv Date: 03/09/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/09/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004746517
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002611008GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117741426

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DO891
ESE
1/8-1/4
0.242 mi.
1276 ft.
CON EDISON MANHOLE 8430
249 E 43RD ST E OF 2ND AVE FRONT
NEW YORK, NY 10017
Site 4 of 9 in cluster DO

NJ MANIFEST **S117984988**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004746517
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002611008GBF
EPA ID: NYP004746517
Date Shipped: 3/9/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

S117984988

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
TSDf EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

EPA Id:	NYP004246486
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	JOSE MONTALVO
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDf Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:	
Manifest Number:	003634224JJK
EPA ID:	NYP004246486
Date Shipped:	1/16/2012
TSDf EPA ID:	NJD002200046

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

S117984988

Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 2,000.00 Pounds

DO892
ESE
1/8-1/4
0.242 mi.
1276 ft.
CON EDISON MANHOLE 8430
249 E 43RD ST E OF 2ND AVE FRONT
NEW YORK, NY 10017
Site 5 of 9 in cluster DO

RCRA NonGen / NLR
NY MANIFEST
1015746655
NYP004246486

Relative:
Higher
Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:
EPA ID:

2012-02-15 00:00:00.0
CON EDISON MANHOLE 8430
249 E 43RD ST E OF 2ND AVE FRONT
NEW YORK, NY 10017
NYP004246486

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

1015746655

Contact Name:	JOSE MONTALVO
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-427-1331
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OPERATING SUPERVISOR
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

1015746655

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2012-07-12 15:50:07.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-01-16 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8430
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2012-02-15 00:00:00.0
Handler Name:	CON EDISON MANHOLE 8430
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONED
Address:	249 E 43RD ST E OF 2ND AVE FRO
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004246486

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

1015746655

Facility Status: Not reported
Location Address 1: 249 E43RD ST
Code: BP
Location Address 2: 3RD AVE
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004246486
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FLOOR
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 01/16/2012
Trans1 Recv Date: 01/16/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/16/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004246486
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 003634224JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE 8430 (Continued)

1015746655

Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DP893
SSE
1/8-1/4
0.242 mi.
1277 ft.
HERTZ CAR RENTAL
222 E 40TH ST
NEW YORK, NY 10016
Site 1 of 3 in cluster DP

NY MANIFEST **1009234955**
N/A

Relative:
Lower

Actual:
36 ft.

NY MANIFEST:
Name: HERTZ CAR RENTAL
Address: 222 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP000951988
Facility Status: Not reported
Location Address 1: 222 E 40TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: 1707

NY MANIFEST:
EPAID: NYP000951988
Mailing Name: HERTZ CAR RENTAL
Mailing Contact: MAXINE LAWSON ADAMS
Mailing Address 1: 222 E 40TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: 1707
Mailing Country: USA
Mailing Phone: 8006543131

NY MANIFEST:
Document ID: NJA4089085
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 50161
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HERTZ CAR RENTAL (Continued)

1009234955

Generator Ship Date: 03/26/2002
Trans1 Recv Date: 03/26/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/26/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP000951988
Trans1 EPA ID: NJR000011528
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 01000
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

DP894 **222 EAST 40TH ST**
SSE **222 EAST 40TH STREET**
1/8-1/4 **NEW YORK, NY 10016**
0.242 mi.
1277 ft. **Site 2 of 3 in cluster DP**

NY LTANKS **U003390357**
NY UST **N/A**
NY Spills

Relative: **LTANKS:**
Lower Name: HERTZ RENT A CAR
 Address: 222 EAST 40TH STREET
Actual: City,State,Zip: NEW YORK, NY
36 ft. Spill Number/Closed Date: 0111214 / 2002-07-10
 Facility ID: 0111214
 Site ID: 101378
 Spill Date: 2002-02-26
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: C3
 Cleanup Ceased: Not reported
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Reported to Dept: 2002-02-26
CID: 204
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2002-02-26
Spill Record Last Update: 2002-11-08
Spiller Name: DAVID CHANG
Spiller Company: HERTZ RENT A CAR CORP
Spiller Address: 222 EAST 40TH STREET
Spiller County: 001
Spiller Contact: MATT DUPONT
Spiller Phone: (972) 488-2222
Spiller Extention: 233
DEC Region: 2
DER Facility ID: 89833
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 2/26/2002 - Aprox 60 gal of gasoline was pushed out the top of a tank during a delivery. Delivery port is on the sidewalk, but the overfill spill occurred inside the building basement. Site has 6 - 550 gal steel tanks installed under the basement garage floor. Gasoline came up through the stick Dip Ports on 2 of the tanks. This gasoline flowed into a puddle on the garage floor, moved approx 30 ft into a floor drain. This floor drain system eventually deposited into a 2ft x 2ft drain Trap in the car wash room. Contactor says they don't believe the gasoline went any further. Fire Dept on scene, area was vacuumed and drysol cleaned. Basement area was closed off from use. Concern is gasoline vapors. on 2/26, Contractor vacuumed out sump, flushed all drain lines and vacuumed out again. Hertz called Cura Emergency Services (Matt Dupont - 972-488-2222 ext 233) Cura Emergency hired Castleton Environmental (Bill Jacobson - 973-652-7752) to handle cleanup. 2/27/2002 Sangesland met NYFD Rep. Mike Reardon (718-999-2493) at the site and inspected the whole system. Hertz Branch Manager - Maxine Lawson-Adams 212-486-5060 Hertz Regional Environmental Rep: Jim Weingardner 201-307-2421 Apparently today the clean up is being organized by Tom Moritz of HMHTTC 908-558-0156 (cell 201-602-0306) Sangesland noted that the 6 tanks were installed in 1963, had been upgraded in 1998, but the Cathodic Protection system does not seem to have been operating. NYFD is requiring the tanks to be tested (last tested by Tanknology in Dec 2001 -Kenneth Gelor - 800-964-7311) -copy of this report is in the file. Apparently the leak detection (Veeder-Root) system was located in a back room where is was not normally visible. Sangesland spoke to Matt Dupont again from Cura Emergency. Cura will be providing the close out report documentation for this project. DEC requested: 1) Detail & Photos of spill cleanup (drains/sump pit) and soil samples where appropriate (8270/8021) 2) Discussion on changes to poor practices (not dipping a tank before filling, leaving the dip stick caps open on the tanks) 3)Fix/Test mechanical systems(overfill alarm/cathodic protection) Move alarms into an area where they can be seen/heard 4)Tank test results (tank was tested in Dec 2001, but may have been damaged during this event) 4)Plan to remediate any soil contamination around and under the buried tanks. (This is probably

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

the major portion of the work.) 2/28/2002 - Matt Dupont requested written guidance, so Sangesland faxed/e-mailed a copy of this report with the notes listed above. Sangesland will be out of the office from March 3 thru March 19. Any questions during that time should be directed to DEC Spills Rep. Tim DeMeo (718-482-4634) - Remember to state the spill number (0111214). 3/21/2002 - Sangesland received a copy of an Incident Report from Matt Dupont at Cura Emergency Services. The report outlines all of the basic facts listed above. One new item is the fact that Cura and it's subcontractor tried to dig out the contaminated soil near the buried tanks and were not able to get very much out because of underground piping and potential tank damage. The report does say that Cura will propose some method of addressing the contaminated soil issue. 7/1/2002 - Sangesland received a report from Cura titled Corrective Action Final Report . It once again repeats the information provided earlier, but does not address the size or scope of the problem in the soil around the tanks. This letter does request closure, but the DEC still requires information on the contamination around the tanks. 7/8/2002 - Sangesland called Cura to find that Matt Dupont no longer works there. The project will be reassigned and someone from Cura should call back within the next few days to get more details about what additional work the DEC needs. 7/8/2002 - Ted from Cura called back to say the contact for future work at this site will be: Sue Pinera 201-307-2547 at Hertz. 7/9/2002 - Roland Costanzo of Hertz (673-465-6942) called to say that Dave Winslow of ATC had been hired to conduct an investigation of the soil around the buried tanks and would be forwarding a report on that subject to the DEC later this week. 7/10/2002 - Sangesland reviewed a report submitted by Dave Winslow of ATC Associates (212-353-8280). The report shows that four GeoProbe soil borings were taken on May 9, 2002 within 2 to 3 feet of the subject petroleum tanks. Borings were advanced to a depth of 16 ft (10 ft below the bottom of the tanks). All soil samples came back Non Detect for VOC's and SVOC's. No water samples were taken because of the inability to get a larger drill rig in the garage space. DEC is satisfied with the investigation and the results. Spill Closed. "

Remarks: "TANK OVERFILL "

All Materials:

Site ID: 101378
Operable Unit ID: 848287
Operable Unit: 01
Material ID: 528806
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 25.00
Units: G
Recovered: .00
Oxygenate: Not reported

UST:

Name: 222 EAST 40TH ST
Address: 222 EAST 40TH STREET
City,State,Zip: NEW YORK, NY 10016
Id/Status: 2-289582 / Unregulated/Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 586572.85156
UTM Y: 4511432.75821
Site Type: Other

Affiliation Records:

Site Id: 13047
Affiliation Type: Mail Contact
Company Name: GEMINI RESIDENTIAL, LLC
Contact Type: Not reported
Contact Name: BRYAN KELLY
Address1: 299 PARK AVE., 42ND FLOOR
Address2: Not reported
City: NY
State: NY
Zip Code: 10171
Country Code: 001
Phone: (212) 940-6818
EMail: BKELLY@FISHERBROTHERS.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2014-09-08

Site Id: 13047
Affiliation Type: Facility Operator
Company Name: 222 EAST 40TH ST
Contact Type: Not reported
Contact Name: BRYAN KELLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 940-6818
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2014-09-08

Site Id: 13047
Affiliation Type: Emergency Contact
Company Name: GEMINI RESIDENTIAL, LLC
Contact Type: Not reported
Contact Name: BRYAN KELLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 940-6818
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Date Last Modified: 2014-09-08

Site Id: 13047
Affiliation Type: Facility Owner
Company Name: GEMINI RESIDENTIAL, LLC
Contact Type: CFO
Contact Name: SAM ROSENBERG
Address1: 299 PARK AVE., 42ND FLOOR
Address2: Not reported
City: NY
State: NY
Zip Code: 10171
Country Code: 001
Phone: (212) 940-6818
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2014-09-08

Tank Info:

Tank Number: 001
Tank ID: 18889
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
I03 - Overfill - Automatic Shut-Off
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Tank ID: 18890
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
E04 - Piping Secondary Containment - Double walled UG
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
I03 - Overfill - Automatic Shut-Off
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Number: 003
Tank ID: 18891
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
H05 - Tank Leak Detection - In-Tank System (ATG)
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
I03 - Overfill - Automatic Shut-Off
E04 - Piping Secondary Containment - Double walled UG

Tank Number: 004
Tank ID: 18892
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
I03 - Overfill - Automatic Shut-Off
E04 - Piping Secondary Containment - Double walled UG
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
F04 - Pipe External Protection - Fiberglass
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 005
Tank ID: 18893
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

I03 - Overfill - Automatic Shut-Off
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 006
Tank ID: 18894
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/29/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 05/30/2012
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
E04 - Piping Secondary Containment - Double walled UG
I03 - Overfill - Automatic Shut-Off
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
B07 - Tank External Protection - Retrofitted Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Tank ID: 18895
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Number: 008
Tank ID: 18896
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

G99 - Tank Secondary Containment - Other
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Number: 009
Tank ID: 18897
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Number: 010
Tank ID: 18898
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
G99 - Tank Secondary Containment - Other
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Number: 011
Tank ID: 18899
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

Tank Number: 012
Tank ID: 18900
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 09/01/1963
Date Tank Closed: 01/30/2015
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser

SPILLS:

Name: HERTZ RENT A CAR
Address: 222 EAST 40TH STREET
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 9209689 / 2006-09-18
Facility ID: 9209689
Facility Type: ER
DER Facility ID: 89833
Site ID: 233212
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 3101
Spill Date: 1992-11-19
Investigator: aaobliga
Referred To: Not reported
Reported to Dept: 1992-11-19
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1992-11-19
Spill Record Last Update: 2006-09-18
Spiller Name: Not reported
Spiller Company: HERTZ RENT A CAR
Spiller Address: 225 BRAE BLVD
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
VOUGHT TRANSFERED FROM MILLER TO TIBBE. 4/12/04-Vought-Spill
transferred from Tibbe to Vought as per Rommel.
9/26/05-Obligado-Spill transferred from Vought to Obligado 9/19/06 -
Obligado - See also spill number 0111214. Which has been closed by
Sangesland. Sangesland was satisfied with a soil investigation. Close
this spill as well."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

222 EAST 40TH ST (Continued)

U003390357

Remarks: ""

All Materials:

Site ID:	233212
Operable Unit ID:	976275
Operable Unit:	01
Material ID:	406735
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	274.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

DQ895
ENE
1/8-1/4
0.242 mi.
1277 ft.

CON EDISON
203 E 46 ST
NEW YORK, NY 10017

NY MANIFEST **S117314851**
N/A

Site 1 of 4 in cluster DQ

Relative:
Lower
Actual:
39 ft.

NY MANIFEST:

Name:	CON EDISON
Address:	203 E 46 ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA
EPA ID:	NYP004619383
Facility Status:	Not reported
Location Address 1:	203 E 46 ST
Code:	BP
Location Address 2:	SB 8999
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10017
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004619383
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJD003812047

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314851

Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619383
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002608742GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DO896
ESE
1/8-1/4
0.242 mi.
1280 ft.

CONSOLIDATED EDISON
251 E 43RD ST
MANHATTAN, NY 10071
Site 6 of 9 in cluster DO

NY MANIFEST S117563593
N/A

Relative:
Higher
Actual:
54 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 251 E 43RD ST
City,State,Zip: MANHATTAN, NY 10071-0000
Country: USA
EPA ID: NYP000928069
Facility Status: Not reported
Location Address 1: MH60624-W 109TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563593

Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: BROOKLYN
Location State: NY
Location Zip: 11201
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP000928069
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYB8468532
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 02/27/1997
Trans1 Recv Date: 02/27/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/28/1997
Part A Recv Date: 03/13/1997
Part B Recv Date: 03/11/1997
Generator EPA ID: NYP000928069
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S117563593

Quantity: 06626
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

DO897 **CON ED - V 5391**
ESE **251 E 43RD ST**
1/8-1/4 **NEW YORK, NY 10017**
0.242 mi.
1280 ft.

RCRA NonGen / NLR **1007206207**
NY MANIFEST **NYP004005617**

Site 7 of 9 in cluster DO

Relative:
Higher
Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 5391
Handler Address: 251 E 43RD ST
Handler City,State,Zip: NEW YORK, NY 10017-0000
EPA ID: NYP004005617
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5391 (Continued)

1007206207

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 5391
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 5391

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5391 (Continued)

1007206207

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 5391
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	251 E 43RD ST
City,State,Zip:	NEW YORK, NY 10017-0000
Country:	USA
EPA ID:	NYP004005617
Facility Status:	Not reported
Location Address 1:	V 5291 - 251 E 43 ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004005617
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5391 (Continued)

1007206207

NY MANIFEST:

Document ID: NYB8469099
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: SM1563
Trans2 State ID: Not reported
Generator Ship Date: 02/20/1997
Trans1 Recv Date: 02/20/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 02/24/1997
Part A Recv Date: 03/10/1997
Part B Recv Date: 03/07/1997
Generator EPA ID: NYP004005617
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 07875
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

DO898
ESE
1/8-1/4
0.242 mi.
1280 ft.

CON ED - V 5291
251 E 43RD ST
MANHATTAN, NY 10017
Site 8 of 9 in cluster DO

RCRA NonGen / NLR 1007206079
NY MANIFEST NYP004003174

Relative:
Higher

Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V 5291
Handler Address: 251 E 43RD ST
Handler City,State,Zip: MANHATTAN, NY 10017-0000
EPA ID: NYP004003174
Contact Name: ANTHONY DRUMMINGS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5291 (Continued)

1007206079

Contact Address:	CONSOLIDATED EDISON INC
Contact City,State,Zip:	NEW YORK, NY 10003-0000
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	CONSOLIDATED EDISON INC
Mailing City,State,Zip:	NEW YORK, NY 10003-0000
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5291 (Continued)

1007206079

Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	1998-02-27 00:00:00.0
Handler Name:	CON ED - V 5291
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-28 00:00:00.0
Handler Name:	CON ED - V 5291
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1998-02-26 00:00:00.0
Handler Name:	CON ED - V 5291
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5291 (Continued)

1007206079

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON CO
Address:	251 E 43RD ST
City,State,Zip:	MANHATTAN, NY 10017-0000
Country:	USA
EPA ID:	NYP004003174
Facility Status:	Not reported
Location Address 1:	251 E 43RD ST VAULT 5291
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	Not reported
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004003174
Mailing Name:	CONSOLIDATED EDISON CO
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYB8414496
Manifest Status:	C
seq:	Not reported
Year:	1997
Trans1 State ID:	SM1563
Trans2 State ID:	Not reported
Generator Ship Date:	01/09/1997
Trans1 Recv Date:	01/09/1997
Trans2 Recv Date:	/ /
TSD Site Recv Date:	01/13/1997
Part A Recv Date:	01/27/1997
Part B Recv Date:	01/27/1997
Generator EPA ID:	NYP004003174
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSD ID 1:	NYD980593636
TSD ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 5291 (Continued)

1007206079

Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 05724
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

DO899
ESE
1/8-1/4
0.242 mi.
1280 ft.

CON ED - V5291
251 E 43RD ST
MANHATTAN, NY 10071
Site 9 of 9 in cluster DO

RCRA NonGen / NLR

1007205255
NYP000928069

Relative:
Higher
Actual:
54 ft.

RCRA Listings:
Date Form Received by Agency: 1998-02-28 00:00:00.0
Handler Name: CON ED - V5291
Handler Address: 251 E 43RD ST
Handler City,State,Zip: MANHATTAN, NY 10071-0000
EPA ID: NYP000928069
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V5291 (Continued)

1007205255

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V5291 (Continued)

1007205255

Historic Generators:

Receive Date: 1998-02-27 00:00:00.0
Handler Name: CON ED - V5291
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-28 00:00:00.0
Handler Name: CON ED - V5291
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1998-02-26 00:00:00.0
Handler Name: CON ED - V5291
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

DQ900
ENE
1/8-1/4
0.243 mi.
1281 ft.

AGENCE FRANCE-PRESSE
747 3RD AVE - 10TH FLOOR
NEW YORK, NY 10017

RCRA NonGen / NLR **1000912017**
NY MANIFEST **NY0000379230**

Site 2 of 4 in cluster DQ

Relative:
Lower

Actual:
37 ft.

RCRA Listings:

Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: AGENCE FRANCE-PRESSE
Handler Address: 747 3RD AVE - 10TH FLOOR
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NY0000379230
Contact Name: DON EMMERT
Contact Address: 3RD AVE - 10TH FLOOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AGENCE FRANCE-PRESSE (Continued)

1000912017

Contact City,State,Zip:	NEW YORK, NY 10017
Contact Telephone:	212-755-1878
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	3RD AVE - 10TH FLOOR
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	AGENCE FRANCE PRESSE
Owner Type:	Private
Operator Name:	AGENCE FRANCE PRESSE
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AGENCE FRANCE-PRESSE (Continued)

1000912017

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	AGENCE FRANCE PRESSE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE - 10TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-755-1878
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	AGENCE FRANCE PRESSE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE - 10TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-755-1878
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	AGENCE FRANCE PRESSE
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE - 10TH FLOOR
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-755-1878
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AGENCE FRANCE-PRESSE (Continued)

1000912017

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: AGENCE FRANCE-PRESSE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: AGENCE FRANCE-PRESSE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1999-05-27 00:00:00.0
Handler Name: AGENCE FRANCE-PRESSE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: AGENCE FRANCE PRESSE
Address: 747 3RD AVE - 10TH FLOOR
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NY0000379230
Facility Status: Not reported
Location Address 1: 747 3RD AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AGENCE FRANCE-PRESSE (Continued)

1000912017

NY MANIFEST:

EPAID: NY0000379230
Mailing Name: AGENCE FRANCE PRESSE
Mailing Contact: PABLO NUNEZ
Mailing Address 1: 747 3RD AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2127551878

NY MANIFEST:

Document ID: NJA4095305
Manifest Status: Not reported
seq: 01
Year: 2002
Trans1 State ID: 50163
Trans2 State ID: Not reported
Generator Ship Date: 06/05/2002
Trans1 Recv Date: 06/05/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/05/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000379230
Trans1 EPA ID: NJR000023325
Trans2 EPA ID: Not reported
TSDF ID 1: NJR000022442
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00010
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DQ901
ENE
1/8-1/4
0.243 mi.
1281 ft.
MIKI SANGYO USA INC
747 3RD AVE
NEW YORK, NY 10017
Site 3 of 4 in cluster DQ

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1004569874
NYD077703346

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: MIKI SANGYO USA INC
Handler Address: 747 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD077703346
Contact Name: LAWRENCE GAITO
Contact Address: 3RD AVE
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-688-6095
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 3RD AVE
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: MIKI SANGYO USA INC
Owner Type: Private
Operator Name: MIKI SANGYO USA INC
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKI SANGYO USA INC (Continued)

1004569874

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MIKI SANGYO USA INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-688-6095
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MIKI SANGYO USA INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-688-6095
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKI SANGYO USA INC (Continued)

1004569874

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MIKI SANGYO USA INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	747 3RD AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-688-6095
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	MIKI SANGYO USA INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	MIKI SANGYO USA INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1992-04-30 00:00:00.0
Handler Name:	MIKI SANGYO USA INC
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110004369987

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKI SANGYO USA INC (Continued)

1004569874

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004569874
Registry ID: 110004369987
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004369987>
Name: MIKI SANGYO USA INC
Address: 747 3RD AVE
City,State,Zip: NEW YORK, NY 10017

NY MANIFEST:

Name: MIKI SANGYO U S A INCORPORATED
Address: 747 3RD AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD077703346
Facility Status: Not reported
Location Address 1: 747 3RD STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD077703346
Mailing Name: MIKI SANGYO U S A INCORPORATED
Mailing Contact: LAWRENCE A GAITO
Mailing Address 1: 747 3RD STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126386095

NY MANIFEST:

Document ID: NJA1399481
Manifest Status: K
seq: Not reported
Year: 1992
Trans1 State ID: S13301
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKI SANGYO USA INC (Continued)

1004569874

Generator Ship Date: 05/07/1992
Trans1 Recv Date: 05/07/1992
Trans2 Recv Date: / /
TSD Site Recv Date: 05/08/1992
Part A Recv Date: / /
Part B Recv Date: 06/01/1992
Generator EPA ID: NYD077703346
Trans1 EPA ID: ILD099202681
Trans2 EPA ID: Not reported
TSDF ID 1: NJD089216790
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: P030 - CYANIDES N.O.S.
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: P030 - CYANIDES N.O.S.
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00014
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00130
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIKI SANGYO USA INC (Continued)

1004569874

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00019
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

DM902
WNW
1/8-1/4
0.243 mi.
1285 ft.

CON EDISON MANHOLE: 8202
3 E 42ND ST
NEW YORK, NY 10036

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1016143054
NYP004257846

Site 2 of 5 in cluster DM

Relative:
Higher

Actual:
70 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON MANHOLE: 8202
Handler Address: 3 E 42ND ST
Handler City,State,Zip: NEW YORK, NY 10036
EPA ID: NYP004257846
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8202 (Continued)

1016143054

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-08-24 11:07:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-07-11 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8202
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8202 (Continued)

1016143054

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON MANHOLE: 8202
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110055434720

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143054
Registry ID:	110055434720
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055434720
Name:	CON EDISON MANHOLE: 8202
Address:	3 E 42ND ST
City,State,Zip:	NEW YORK, NY 10036

NY MANIFEST:

Name:	CONSOLIDATED EDISON OF NY
Address:	3 E 42ND ST
City,State,Zip:	NEW YORK, NY 10036
Country:	USA
EPA ID:	NYP004257846
Facility Status:	Not reported
Location Address 1:	3 E 42ND ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10036
Location Zip 4:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8202 (Continued)

1016143054

NY MANIFEST:

EPAID: NYP004257846
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/10/2012
Trans1 Recv Date: 07/10/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/11/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004257846
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009203949JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 6000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8202 (Continued)

1016143054

Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DM903
WNW
1/8-1/4
0.243 mi.
1285 ft.

CON EDISON MANHOLE: 8202
3 E 42ND ST
NEW YORK, NY 10036

NJ MANIFEST S117985380
N/A

Site 3 of 5 in cluster DM

Relative:
Higher

NJ MANIFEST:

Actual:
70 ft.

EPA Id: NYP004257846
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDf Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 009203949JJK
EPA ID: NYP004257846
Date Shipped: 7/10/2012
TSDf EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON MANHOLE: 8202 (Continued)

S117985380

QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 6,000.00 Pounds

DR904 **SYMPHONY CLEANERS**
East **245 E 44TH ST**
1/8-1/4 **NEW YORK, NY 10017**
0.244 mi.
1286 ft. **Site 1 of 4 in cluster DR**

RCRA-SQG **1000693905**
NY MANIFEST **NYD987000361**

Relative:
Higher
Actual:
57 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: SYMPHONY CLEANERS
Handler Address: 245 E 44TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD987000361
Contact Name: CHUNG KIM
Contact Address: E 44TH ST
Contact City,State,Zip: NEW YORK, NY 10017
Contact Telephone: 212-682-0471
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 44TH ST
Mailing City,State,Zip: NEW YORK, NY 10017
Owner Name: YOUNG H CHO
Owner Type: Private
Operator Name: YOUNG H CHO
Operator Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	YOUNG H CHO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 E 44TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-0471
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	YOUNG H CHO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 E 44TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-0471
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	YOUNG H CHO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	245 E 44TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-682-0471
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	SYMPHONY CLEANERS
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	SYMPHONY CLEANERS
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1992-04-24 00:00:00.0
Handler Name: SYMPHONY CLEANERS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Facility Has Received Notices of Violation:

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Listing - General
Date Violation was Determined:	2009-12-29 00:00:00.0
Actual Return to Compliance Date:	2010-02-19 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2010-01-06 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYACY
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Listing - General
Date Violation was Determined:	2009-12-29 00:00:00.0
Actual Return to Compliance Date:	2010-02-19 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2010-01-06 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYACY
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Listing - General
Date Violation was Determined:	2009-12-29 00:00:00.0
Actual Return to Compliance Date:	2010-02-19 00:00:00.0
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	2010-01-06 00:00:00.0
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYACY
Enforcement Responsible Sub-Organization:	R2
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 2010-04-07 00:00:00.0
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R2CFP
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2009-12-29 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYACY
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2010-02-19 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2009-12-29 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYACY
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2010-02-19 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 2009-12-29 00:00:00.0
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: NYACY
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: 2010-02-19 00:00:00.0
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

NY MANIFEST:

Name: SYMPHONY CLEANER
Address: 245 E 44TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD987000361
Facility Status: Not reported
Location Address 1: 245 EAST 44TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD987000361
Mailing Name: SYMPHONY CLEANER
Mailing Contact: CHUNG D KIM
Mailing Address 1: 245 EAST 44TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10017
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2126820471

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 12/21/2010
Trans1 Recv Date: 12/21/2010
Trans2 Recv Date: 12/30/2010
TSD Site Recv Date: 12/30/2010
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987000361
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: CDX107000000
TSDF ID 2: Not reported
Manifest Tracking Number: 006657340JJK
Import Indicator: N
Export Indicator: Y
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYMPHONY CLEANERS (Continued)

1000693905

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H020
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 650
Units: P - Pounds
Number of Containers: 5
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Waste Code: F002
Waste Code 1_2: D039
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DR905
East
1/8-1/4
0.244 mi.
1286 ft.

SYMPHONY 44 CLEANERS
245 EAST 44TH STREET
NEW YORK, NY 10017
Site 2 of 4 in cluster DR

NY DRYCLEANERS **S109527335**
N/A

Relative:
Higher
Actual:
57 ft.

DRYCLEANERS:
Name: SYMPHONY 44 CLEANERS
Address: 245 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Facility ID: 2-6204-00284
Phone Number: 212-949-6075
Region: Not reported
Registration Effective Date: 5/26/2000 08:36:13:766
Inspection Date: 2006-09-12 00:00:00
Install Date: 98/99/12
Expiration Date: Not reported
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported
Current Business: Not reported

DR906
East
1/8-1/4
0.244 mi.
1286 ft.

FALCON TOWER
245 EAST 44TH STREET
NEW YORK, NY 10017
Site 3 of 4 in cluster DR

NY UST **U003297782**
N/A

Relative:
Higher
Actual:
57 ft.

UST:
Name: FALCON TOWER
Address: 245 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-608003 / Active

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

U003297782

Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 09/03/2022
UTM X: 586796.85262
UTM Y: 4511686.89629
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29855
Affiliation Type: Facility Owner
Company Name: FARBOD REALTY
Contact Type: RESIDENT MANAGER
Contact Name: MICHAEL YULFO OCASIO
Address1: 18 EAST 50TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Mail Contact
Company Name: FARBOD REALTY
Contact Type: Not reported
Contact Name: MICHAEL YULFO OCASIO / FRANK BORG
Address1: % PAN AM EQUITIES
Address2: 18 EAST 50TH STREET
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
EMail: MOCASIO@PANAMEQUITIES.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Facility Operator
Company Name: FALCON TOWER
Contact Type: Not reported
Contact Name: MICHAEL YULFO OCASIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 972-3223
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

U003297782

Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Emergency Contact
Company Name: FARBOD REALTY
Contact Type: Not reported
Contact Name: FRANK BORG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-09-21

Tank Info:

Tank Number: 001
Tank ID: 64126
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 15000
Install Date: Not reported
Date Tank Closed: 04/18/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MFLEONAR
Last Modified: 09/21/2017

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DR907
East
1/8-1/4
0.244 mi.
1286 ft.
FALCON TOWER
245 EAST 44TH STREET
NEW YORK, NY 10017
Site 4 of 4 in cluster DR

NY AST **A100293977**
N/A

Relative:
Higher

AST:

Actual:
57 ft.

Name: TARBOB REALTY
Address: 245 EAST 44TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Inactive
Facility Id: 2-309850
Program Type: PBS
UTM X: 586773.75429
UTM Y: 4511711.32817
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14141
Affiliation Type: Facility Owner
Company Name: TARBOB REALTY C/O PAN AM EQUITIES, INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 3 NEW YORK PLAZA
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10004
Country Code: 001
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 2005-05-25

Site Id: 14141
Affiliation Type: Mail Contact
Company Name: TARBOB REALTY
Contact Type: Not reported
Contact Name: MR. ROBERT THOMSON
Address1: PAN AM EQUITIES, INC.
Address2: 3 NEW YORK PLAZA
City: NEW YORK
State: NY
Zip Code: 10004
Country Code: 001
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 14141
Affiliation Type: Facility Operator
Company Name: TARBOB REALTY
Contact Type: Not reported
Contact Name: DEAN DINOVIC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

A100293977

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 972-3223
EMail:	Not reported
Fax Number:	Not reported
Modified By:	EXROSSAN
Date Last Modified:	2005-05-25
Site Id:	14141
Affiliation Type:	Emergency Contact
Company Name:	TARBOB REALTY C/O PAN AM EQUITIES, INC.
Contact Type:	Not reported
Contact Name:	ROBERT THOMSON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 837-4800
EMail:	Not reported
Fax Number:	Not reported
Modified By:	EXROSSAN
Date Last Modified:	2005-05-25

Tank Info:

Tank Number:	001
Tank Id:	24310
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	12/01/1984
Capacity Gallons:	15000
Tightness Test Method:	NN
Date Test:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

A100293977

Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 64127
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
J05 - Dispenser - On Site Heating System (Supply/Return)
Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/2001
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 11/09/2018
Material Name: #2 fuel oil (on-site consumption)

Affiliation Records:

Site Id: 29855
Affiliation Type: Facility Owner
Company Name: FARBOD REALTY
Contact Type: RESIDENT MANAGER
Contact Name: MICHAEL YULFO OCASIO
Address1: 18 EAST 50TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

A100293977

Modified By: DAFRANCI
Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Mail Contact
Company Name: FARBOD REALTY
Contact Type: Not reported
Contact Name: MICHAEL YULFO OCASIO / FRANK BORG
Address1: % PAN AM EQUITIES
Address2: 18 EAST 50TH STREET
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 837-4800
EMail: MOCASIO@PANAMEQUITIES.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Facility Operator
Company Name: FALCON TOWER
Contact Type: Not reported
Contact Name: MICHAEL YULFO OCASIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 972-3223
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2018-07-31

Site Id: 29855
Affiliation Type: Emergency Contact
Company Name: FARBOD REALTY
Contact Type: Not reported
Contact Name: FRANK BORG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 837-4800
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-09-21

Tank Info:

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

A100293977

Tank Id: 24310
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Location:

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: 12/01/1984
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

Tank Number: 002
Tank Id: 64127
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
J05 - Dispenser - On Site Heating System (Supply/Return)

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/2001
Capacity Gallons: 10000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FALCON TOWER (Continued)

A100293977

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MXLAY
Last Modified: 11/09/2018
Material Name: #2 fuel oil (on-site consumption)

DD908
South
1/8-1/4
0.244 mi.
1289 ft.

CON EDISON
578 3RD AVE
NEW YORK, NY 10016
Site 2 of 2 in cluster DD

RCRA NonGen / NLR **1010787360**
NY MANIFEST **NYP004148797**

Relative:
Lower

Actual:
40 ft.

RCRA Listings:
Date Form Received by Agency: 2008-03-15 00:00:00.0
Handler Name: CON EDISON
Handler Address: 578 3RD AVE
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004148797
Contact Name: STEVEN MARTIS
Contact Address: 4 IRVING PL, RM 828
Contact City,State,Zip: NEW YORK, NY 10003
Contact Telephone: 212-580-8383
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1010787360

Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2008-03-14 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not reported
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2008-03-15 00:00:00.0
---------------	-----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1010787360

Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NY MANIFEST:

Name:	CONSOLIDATED EDISON
Address:	578 3RD AVE
City,State,Zip:	NEW YORK, NY 10016
Country:	USA
EPA ID:	NYP004148797
Facility Status:	Not reported
Location Address 1:	VAULT 4880 578 3RD AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10009
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004148797
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address 1:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	03/22/2007
Trans1 Recv Date:	03/22/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/22/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004148797
Trans1 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1010787360

Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001027053JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 636
Units: K - Kilograms (2.2 pounds)
Number of Containers: 4
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Waste Code: Not reported
Waste Code 1_2: B007
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DS909
North
1/8-1/4
0.245 mi.
1291 ft.

CON EDISON
260 PARK AVE
NEW YORK, NY 10010

NY MANIFEST **S117739877**
N/A

Site 1 of 3 in cluster DS

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 260 PARK AVE
City,State,Zip: NEW YORK, NY 10010
Country: USA
EPA ID: NYP004730198
Facility Status: Not reported
Location Address 1: F/O 260 PARK AV
Code: BP
Location Address 2: VAULT 4633
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10010
Location Zip 4: Not reported

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117739877

EPAID: NYP004730198
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 02/11/2015
Trans1 Recv Date: 02/11/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/12/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004730198
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD991291105
TSD ID 2: Not reported
Manifest Tracking Number: 002610605GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117739877

Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DS910
North
1/8-1/4
0.245 mi.
1291 ft.

CON EDISON
260 PARK AVE
NEW YORK, NY 10010

RCRA NonGen / NLR
FINDS
ECHO

1018278257
NYP004730198

Site 2 of 3 in cluster DS

Relative:
Higher

Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-02-11 00:00:00.0
Handler Name: CON EDISON
Handler Address: 260 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10010
EPA ID: NYP004730198
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278257

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-05-02 12:51:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-02-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-02-11 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1018278257

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110067702374

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018278257
Registry ID: 110067702374
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067702374>
Name: CON EDISON
Address: 260 PARK AVE
City,State,Zip: NEW YORK, NY 10010

DS911
North
1/8-1/4
0.245 mi.
1291 ft.

CON EDISON
260 PARK AVE
NEW YORK, NY 10010
Site 3 of 3 in cluster DS

NJ MANIFEST **S120667142**
N/A

Relative:
Higher

Actual:
59 ft.

NJ MANIFEST:
EPA Id: NYP004730198
Mail Address: IRVING PL, 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:

Manifest Number: 002610605GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120667142

EPA ID: NYP004730198
Date Shipped: 2/11/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

DP912
SSE
1/8-1/4
0.245 mi.
1292 ft.

CONSOLIDATED EDISON
226 E 40 ST
NEW YORK, NY 10016
Site 3 of 3 in cluster DP

NY MANIFEST S112140483
N/A

Relative:
Lower
Actual:
36 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON
Address: 226 E 40 ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004252474
Facility Status: Not reported
Location Address 1: 226 E 40 ST
Code: BP
Location Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S112140483

Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004252474
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 04/30/2012
Trans1 Recv Date: 04/30/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/02/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004252474
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009202513JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 2000
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S112140483

Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

**DT913
WNW
1/8-1/4
0.245 mi.
1292 ft.**

**CONSOLIDATED EDISON
511 5TH AVE V8770
NEW YORK, NY 10023**

**NY MANIFEST 1009242315
N/A**

Site 1 of 2 in cluster DT

**Relative:
Higher**

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 511 5TH AVE V8770
City,State,Zip: NEW YORK, NY 10023
Country: USA
EPA ID: NYP004111902
Facility Status: Not reported
Location Address 1: 511 5TH AVE V8770
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10023
Location Zip 4: Not reported

**Actual:
68 ft.**

NY MANIFEST:

EPAID: NYP004111902
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: NYE0641151
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: 46233JM
Trans2 State ID: Not reported
Generator Ship Date: 06/12/2003
Trans1 Recv Date: 06/12/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/12/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242315

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004111902
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00455
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

DT914 **ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY**
WNW **511 5TH AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.245 mi.
1292 ft. **Site 2 of 2 in cluster DT**

NY AST **1000872167**
RCRA NonGen / NLR **NYD982175960**
NY MANIFEST

Relative:
Higher

AST:

Actual:
68 ft.

Name: 511 5TH AV
Address: 511 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-605566
Program Type: PBS
UTM X: 586074.61540
UTM Y: 4511942.08557
Expiration Date: 02/01/2021
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 27433
Affiliation Type: Mail Contact
Company Name: 1DB BANK OF NY
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Contact Name: NISIM CHIPRUT
Address1: 511 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 551-8269
EMail: NCHIPRUT@IDBNY.COM
Fax Number: Not reported
Modified By: LSZINOMA
Date Last Modified: 2016-02-04

Site Id: 27433
Affiliation Type: Facility Operator
Company Name: 511 5TH AV
Contact Type: Not reported
Contact Name: NA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 551-8518
EMail: Not reported
Fax Number: Not reported
Modified By: LSZINOMA
Date Last Modified: 2016-02-04

Site Id: 27433
Affiliation Type: Emergency Contact
Company Name: KURT SCHIMMEL 511 FIFTH AVE, LLC
Contact Type: Not reported
Contact Name: MARLON HAREWOOD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 551-8518
EMail: Not reported
Fax Number: Not reported
Modified By: LSZINOMA
Date Last Modified: 2016-02-04

Site Id: 27433
Affiliation Type: Facility Owner
Company Name: KURT SCHIMMEL 511 FIFTH AVE, LLC
Contact Type: DEPUTY FACILITIES MANAGER
Contact Name: MARLON HAREWOOD
Address1: 35 HIDDEN LAKE DRIVE
Address2: Not reported
City: NORTH BRUNSWICK
State: NJ
Zip Code: 08902

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Country Code: 001
Phone: (732) 821-7271
EMail: Not reported
Fax Number: Not reported
Modified By: LSZINOMA
Date Last Modified: 2016-02-04

Tank Info:

Tank Number: 001
Tank Id: 60063
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1998
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: LSZINOMA
Last Modified: 04/14/2017
Material Name: #2 fuel oil (on-site consumption)

RCRA Listings:

Date Form Received by Agency:	2012-01-17 00:00:00.0
Handler Name:	ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY
Handler Address:	511 5TH AVE
Handler City,State,Zip:	NEW YORK, NY 10017
EPA ID:	NYD982175960
Contact Name:	NISIM CHIPRUT
Contact Address:	5TH AVE
Contact City,State,Zip:	NEW YORK, NY 10017
Contact Telephone:	212-551-8269
Contact Fax:	212-551-8554
Contact Email:	NCHIPRUTEIDBANK.COM
Contact Title:	BUILDING MANAGER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	5TH AVE
Mailing City,State,Zip:	NEW YORK, NY 10017
Owner Name:	TANDY & ALLEN REALTY CO
Owner Type:	Private
Operator Name:	TANDY & ALLEN REALTY CO
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	IDB BANK OF NY
Legal Status:	Private
Date Became Current:	1962-04-02 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TANDY & ALLEN REALTY CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	511 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-578-1711
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TANDY & ALLEN REALTY CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	511 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-578-1711
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Owner/Operator Indicator: Operator
Owner/Operator Name: TANDY & ALLEN REALTY CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 511 5TH AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-578-1711
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: IDB BANK OF NY
Legal Status: Private
Date Became Current: 1962-04-02 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: TANDY & ALLEN REALTY CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 511 5TH AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-578-1711
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KURT SCHIMMEL-DR GEORGE FELDMAN-J LEVINE
Legal Status: Private
Date Became Current: 1954-09-24 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 35 HIDDEN LAKE RD
Owner/Operator City,State,Zip: NORTH BRUNSWICK, NJ 08902
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: TANDY & ALLEN REALTY CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 511 5TH AVE
Owner/Operator City,State,Zip: NEW YORK, NY 10017
Owner/Operator Telephone: 212-578-1711
Owner/Operator Telephone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	TANDY & ALLEN REALTY CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	511 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-578-1711
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	TANDY & ALLEN REALTY CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	511 5TH AVE
Owner/Operator City,State,Zip:	NEW YORK, NY 10017
Owner/Operator Telephone:	212-578-1711
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	KURT SCHIMMEL-DR GEORGE FELDMAN-J LEVINE
Legal Status:	Private
Date Became Current:	1954-09-24 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	35 HIDDEN LAKE RD
Owner/Operator City,State,Zip:	NORTH BRUNSWICK, NJ 08902
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Historic Generators:	
Receive Date:	1999-07-08 00:00:00.0
Handler Name:	TANDY & ALLEN REALTY CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	TANDY & ALLEN REALTY CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: TANDY & ALLEN REALTY CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2012-01-17 00:00:00.0
Handler Name: ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 1993-12-07 00:00:00.0
Handler Name: TANDY & ALLEN REALTY CO
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2010-11-01 00:00:00.0
Handler Name: ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

NY MANIFEST:

Name: TANDY & ALLEN REALTY
Address: 511 5TH AVE
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYD982175960
Facility Status: Not reported
Location Address 1: 511 5TH AVE 16TH FLOOR
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10305
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYD982175960
Mailing Name: TANDY & ALLEN REALTY
Mailing Contact: CATHY SCHIGFANDO
Mailing Address 1: 511 5TH AVE 16TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10305
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2125781711

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD986593028
Trans2 State ID: Not reported
Generator Ship Date: 01/19/2011
Trans1 Recv Date: 01/19/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/19/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982175960
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 008098052JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ISRAEL DISCOUNT BANK OF NEW YORK - IDB BANK OF NY (Continued)

1000872167

Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 55
Units: P - Pounds
Number of Containers: 1
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

915
WSW
1/8-1/4
0.245 mi.
1293 ft.

CONSOLIDATED EDISON OF NY
F/O 31 EAST 38TH ST
NEW YORK, NY 10016

NY MANIFEST **S112140796**
N/A

Relative:
Higher

Actual:
76 ft.

NY MANIFEST:
Name: CONSOLIDATED EDISON OF NY
Address: F/O 31 EAST 38TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004255816
Facility Status: Not reported
Location Address 1: F/O 31 EAST 38TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004255816
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140796

Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/22/2012
Trans1 Recv Date: 06/22/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004255816
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID 1: NJD002200046
TSD ID 2: Not reported
Manifest Tracking Number: 009203461JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

DH916
NNW
1/8-1/4
0.245 mi.
1293 ft.

CON EDISON
18 E 46TH ST
NEW YORK, NY 10017

Site 9 of 14 in cluster DH

NY MANIFEST **S118258775**
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON
Address: 18 E 46TH ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004821050
Facility Status: Not reported
Location Address 1: 18 E 46TH ST
Code: BP
Location Address 2: VAULT 4639
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004821050
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/10/2015
Trans1 Recv Date: 08/10/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/17/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004821050
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612323GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S118258775

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH917 **CON EDISON**
NNW **18-22 E 46TH ST & MADISON AVE**
1/8-1/4 **NEW YORK, NY 10036**
0.245 mi.
1293 ft. **Site 10 of 14 in cluster DH**

NJ MANIFEST **S120675114**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004820045
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 002612753GBF
EPA ID: NYP004820045
Date Shipped: 8/6/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675114

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

**DH918
NNW
1/8-1/4
0.245 mi.
1293 ft.**

**CON EDISON
18-22 E 46TH ST & MADISON AVE
NEW YORK, NY 10036**

**RCRA NonGen / NLR 1019906349
NYP004820045**

Site 11 of 14 in cluster DH

**Relative:
Higher
Actual:
59 ft.**

RCRA Listings:
Date Form Received by Agency: 2015-08-06 00:00:00.0
Handler Name: CON EDISON
Handler Address: 18-22 E 46TH ST & MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10036
EPA ID: NYP004820045
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906349

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906349

Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2016-09-09 15:28:59.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Historic Generators:

Receive Date: 2015-08-06 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2015-08-06 00:00:00.0
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

DH919
NNW
1/8-1/4
0.245 mi.
1293 ft.

CON EDISON
18 E 46TH ST
NEW YORK, NY 10017

Site 12 of 14 in cluster DH

RCRA NonGen / NLR
FINDS
ECHO

1019906437
NYP004821050

Relative:
Higher
Actual:
59 ft.

RCRA Listings:
Date Form Received by Agency: 2015-08-10 00:00:00.0
Handler Name: CON EDISON
Handler Address: 18 E 46TH ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004821050
Contact Name: THOMAS TEELING
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 212-460-3770
Contact Fax: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906437

Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906437

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-09-09 15:28:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2015-08-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2015-08-10 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110069653583

[Click Here:](#)

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1019906437

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1019906437
Registry ID: 110069653583
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069653583>
Name: CON EDISON
Address: 18 E 46TH ST
City,State,Zip: NEW YORK, NY 10017

DH920
NNW
1/8-1/4
0.245 mi.
1293 ft.

CON EDISON
18-22 E 46TH ST & MADISON AVE
NEW YORK, NY 10036
Site 13 of 14 in cluster DH

NY MANIFEST S119077078
N/A

Relative:
Higher
Actual:
59 ft.

NY MANIFEST:

Name: CON EDISON
Address: 18-22 E 46TH ST & MADISON AVE
City,State,Zip: NEW YORK, NY 10036
Country: USA
EPA ID: NYP004820045
Facility Status: Not reported
Location Address 1: 18 E 46TH ST
Code: BP
Location Address 2: V 4639
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004820045
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/06/2015
Trans1 Recv Date: 08/06/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S119077078

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004820045
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002612753GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DH921
NNW
1/8-1/4
0.245 mi.
1293 ft.
CON EDISON
18 E 46TH ST
NEW YORK, NY 10017
Site 14 of 14 in cluster DH

NJ MANIFEST **S120675205**
N/A

Relative: NJ MANIFEST:
Higher EPA Id: NYP004821050
Mail Address: IRVING PL 15TH FL NE
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S120675205

Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported
Manifest:	
Manifest Number:	002612323GBF
EPA ID:	NYP004821050
Date Shipped:	8/10/2015
TSD EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSD Received Waste:	Not reported
TSD EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

	Site	Database(s)	
CV922 SSE 1/8-1/4 0.245 mi. 1293 ft.	TOWER/PARKER FAIRWAY CLEANERS 235E. 40TH STREET NEW YORK, NY 10016 Site 10 of 10 in cluster CV	NY DRYCLEANERS	S110248155 N/A

Relative:	DRYCLEANERS:	
Lower	Name:	TOWER/PARKER FAIRWAY CLEANERS
	Address:	235E. 40TH STREET
Actual:	City,State,Zip:	NEW YORK, NY 10016
37 ft.	Facility ID:	2-6206-01488
	Phone Number:	212-986-2400
	Region:	Not reported
	Registration Effective Date:	N/A
	Inspection Date:	2027-05-08 00:00:00
	Install Date:	Not reported
	Expiration Date:	Not reported
	Removal Date:	Not reported
	Drop Shop:	Y
	Shutdown:	Not reported
	Alternate Solvent:	Not reported
	Current Business:	Not reported

DU923 South 1/8-1/4 0.245 mi. 1296 ft.	LESOTHO CONSULATE 204 EAST 39TH STREET NEW YORK CITY, NY Site 1 of 2 in cluster DU	NY LTANKS	S107489331 N/A
---	---	------------------	---------------------------------

Relative:	LTANKS:	
Lower	Name:	LESOTHO CONSULATE
	Address:	204 EAST 39TH STREET
Actual:	City,State,Zip:	NEW YORK CITY, NY
36 ft.	Spill Number/Closed Date:	0510527 / 2005-12-12
	Facility ID:	0510527
	Site ID:	356518
	Spill Date:	2005-12-07
	Spill Cause:	Tank Test Failure
	Spill Source:	Private Dwelling
	Spill Class:	C3
	Cleanup Ceased:	Not reported
	SWIS:	3101
	Investigator:	JBOUGHT
	Referred To:	Not reported
	Reported to Dept:	2005-12-07
	CID:	408
	Water Affected:	Not reported
	Spill Notifier:	Other
	Last Inspection:	Not reported
	Recommended Penalty:	False
	Meets Standard:	False
	UST Involvement:	False
	Remediation Phase:	0
	Date Entered In Computer:	2005-12-07
	Spill Record Last Update:	2005-12-12
	Spiller Name:	MARLON JOSEPH
	Spiller Company:	Not reported
	Spiller Address:	204 ERAST 39TH STREET
	Spiller County:	001
	Spiller Contact:	MARLON JOSEPH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LESOTHO CONSULATE (Continued)

S107489331

Spiller Phone: (646) 772-7949
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 306577
DEC Memo: "This is a second spill number for this site. Cross ref #0510236
12/12/05-Vought-This spill closed and referred to open spill #0510236
at same location. This spill closed by Vought. "
Remarks: "DRY PORTION LEAK, 700 GALLON TANK."
All Materials:
Site ID: 356518
Operable Unit ID: 1113822
Operable Unit: 01
Material ID: 2103883
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

DF924 **CON EDISON SERVICE BOX: 7975**
West **6 E 41ST ST**
1/8-1/4 **NEW YORK, NY 10017**
0.246 mi.
1298 ft. **Site 2 of 3 in cluster DF**

RCRA NonGen / NLR **1016143134**
FINDS **NYP004258661**
ECHO
NY MANIFEST

Relative:
Higher
Actual:
73 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7975
Handler Address: 6 E 41ST ST
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYP004258661
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7975 (Continued)

1016143134

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-08-28 11:50:35.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7975 (Continued)

1016143134

Historic Generators:

Receive Date:	2012-07-17 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7975
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7975
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110055424045

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143134
Registry ID:	110055424045
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055424045
Name:	CON EDISON SERVICE BOX: 7975
Address:	6 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017

NY MANIFEST:

Name:	CONSOLIDATED EDISON OF NY
Address:	6 E 41ST ST
City,State,Zip:	NEW YORK, NY 10017
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7975 (Continued)

1016143134

EPA ID: NYP004258661
Facility Status: Not reported
Location Address 1: 6 E 41ST ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004258661
Mailing Name: CONSOLIDATED EDISON OF NY
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE FLOOR 15
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 07/16/2012
Trans1 Recv Date: 07/16/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/19/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004258661
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 009209886JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7975 (Continued)

1016143134

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DF925
West
1/8-1/4
0.246 mi.
1298 ft.

CON EDISON SERVICE BOX: 7975
6 E 41ST ST
NEW YORK, NY 10017
Site 3 of 3 in cluster DF

NJ MANIFEST S117985450
N/A

Relative:
Higher
Actual:
73 ft.

NJ MANIFEST:
EPA Id: NYP004258661
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 009209886JJK
EPA ID: NYP004258661
Date Shipped: 7/16/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7975 (Continued)

S117985450

Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DV926
North
1/8-1/4
0.246 mi.
1298 ft.

CON EDISON
377 MADISON AV
NEW YORK, NY 10017

Site 1 of 2 in cluster DV

NY MANIFEST S117314725
N/A

Relative:
Higher

Actual:
59 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE DM68027
Address: 377 MADISON AVE
City,State,Zip: MANHATTAN, NY 10017
Country: USA
EPA ID: NYP004930747
Facility Status: Not reported
Location Address 1: 377 MADISON AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: MANHATTAN
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004930747
Mailing Name: CON EDISON - MANHOLE DM68027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314725

Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Name: CON EDISON
Address: 377 MADISON AV
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004617973
Facility Status: Not reported
Location Address 1: 377 MADISON AV
Code: BP
Location Address 2: SB56253
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004617973
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2014
Trans1 Recv Date: 08/05/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/07/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004617973
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314725

Manifest Tracking Number: 002608616GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional NY MANIFEST: detail in the EDR Site Report.

DW927
SW
1/8-1/4
0.246 mi.
1299 ft.

CON EDISON SERVICE BOX: 41620
59 PARK AVE
NEW YORK, NY 10018
Site 1 of 2 in cluster DW

RCRA NonGen / NLR 1016143836
NY MANIFEST NYP004266227

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 41620
Handler Address: 59 PARK AVE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004266227
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41620 (Continued)

1016143836

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41620 (Continued)

1016143836

Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-10 13:29:42.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2012-09-04 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41620
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 41620
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NY MANIFEST:

Name:	CON EDISON
Address:	59 PARK AVE
City,State,Zip:	NEW YORK, NY 10018
Country:	USA
EPA ID:	NYP004266227
Facility Status:	Not reported
Location Address 1:	59 PARK AVE
Code:	BP
Location Address 2:	SERV BOX 41620
Total Tanks:	Not reported
Location City:	NEW YORK
Location State:	NY
Location Zip:	10018
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004266227
--------	--------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41620 (Continued)

1016143836

Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/04/2012
Trans1 Recv Date: 09/04/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266227
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456089JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41620 (Continued)

1016143836

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DW928
SW
1/8-1/4
0.246 mi.
1299 ft.

CON EDISON SERVICE BOX: 41620
59 PARK AVE
NEW YORK, NY 10018
Site 2 of 2 in cluster DW

NJ MANIFEST **S117986066**
N/A

Relative:
Higher

Actual:
74 ft.

NJ MANIFEST:
EPA Id: NYP004266227
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456089JJK
EPA ID: NYP004266227
Date Shipped: 9/4/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: Not reported
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 41620 (Continued)

S117986066

Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 500.00 Pounds

DU929
South
1/8-1/4
0.246 mi.
1301 ft.

CON EDISON
202 E 39TH ST FRONT OF
NEW YORK, NY 10016

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1012185631
NYP004164646

Site 2 of 2 in cluster DU

Relative:
Lower
Actual:
36 ft.

RCRA Listings:
Date Form Received by Agency: 2016-06-01 00:00:00.0
Handler Name: CON EDISON
Handler Address: 202 E 39TH ST FRONT OF
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004164646
Contact Name: HERMAN BAKER
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 718-267-3853
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: 4 IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185631

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2016-07-27 15:32:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2009-03-25 00:00:00.0
Handler Name:	CON EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185631

Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2016-06-01 00:00:00.0
Handler Name:	CON EDISON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

NJ MANIFEST:

EPA Id:	NYP004164646
Mail Address:	4 IRVING PL, RM 828
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	HERMAN BAKER
Comments:	Not reported
SIC Code:	Not reported
County:	NY061
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSD Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	001028013JJJK
EPA ID:	NYP004164646
Date Shipped:	03/25/2009
TSD EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185631

Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 03/25/2009
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 03/27/2009
TSDF EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:

Manifest Year: Not reported
Waste Code: D008
Hand Code: H111
Quantity: 100 G

NY MANIFEST:

Name: CONSOLIDATED EDISON
Address: 202 E 39TH ST FRONT OF
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004164646
Facility Status: Not reported
Location Address 1: 207 E 39 ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10020
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004164646
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address 1: 4 IRVING PLACE RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185631

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/25/2009
Trans1 Recv Date: 03/25/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/27/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164646
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 001028013JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DM930	DE SALVIO JOHN CO	RCRA NonGen / NLR	1000376707
WNW	507 FIFTH AVE		NYD054542949
1/8-1/4	NEW YORK, NY 10017		
0.247 mi.			
1306 ft.	Site 4 of 5 in cluster DM		
Relative: Higher	RCRA Listings:		
	Date Form Received by Agency:	2007-01-01 00:00:00.0	
	Handler Name:	DE SALVIO JOHN CO	
	Handler Address:	507 FIFTH AVE	
	Handler City,State,Zip:	NEW YORK, NY 10017	
	EPA ID:	NYD054542949	
	Contact Name:	Not reported	
	Contact Address:	FIFTH AVE	
	Contact City,State,Zip:	NEW YORK, NY 10017	
	Contact Telephone:	Not reported	
	Contact Fax:	Not reported	
	Contact Email:	Not reported	
	Contact Title:	Not reported	
	EPA Region:	02	
	Land Type:	Not reported	
	Federal Waste Generator Description:	Not a generator, verified	
	Non-Notifier:	X	
	Biennial Report Cycle:	Not reported	
	Accessibility:	Not reported	
	Active Site Indicator:	Not reported	
	State District Owner:	NY	
	State District:	NYSDEC R2	
	Mailing Address:	FIFTH AVE	
	Mailing City,State,Zip:	NEW YORK, NY 10017	
	Owner Name:	OWNERNAME	
	Owner Type:	Private	
	Operator Name:	OWNERNAME	
	Operator Type:	Private	
	Short-Term Generator Activity:	No	
	Importer Activity:	No	
	Mixed Waste Generator:	No	
	Transporter Activity:	No	
	Transfer Facility Activity:	No	
	Recycler Activity with Storage:	No	
	Small Quantity On-Site Burner Exemption:	No	
	Smelting Melting and Refining Furnace Exemption:	No	
	Underground Injection Control:	No	
	Off-Site Waste Receipt:	No	
	Universal Waste Indicator:	No	
	Universal Waste Destination Facility:	No	
	Federal Universal Waste:	No	
	Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site Converter Treatment storage and Disposal Facility:	Not reported	
	Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported	
	Active Site State-Reg Handler:	---	
	Federal Facility Indicator:	Not reported	
	Hazardous Secondary Material Indicator:	NN	
	Sub-Part K Indicator:	Not reported	
	Commercial TSD Indicator:	No	
	Treatment Storage and Disposal Type:	Not reported	
	2018 GPRA Permit Baseline:	Not on the Baseline	
	2018 GPRA Renewals Baseline:	Not on the Baseline	
	Permit Renewals Workload Universe:	Not reported	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DE SALVIO JOHN CO (Continued)

1000376707

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DE SALVIO JOHN CO (Continued)

1000376707

Owner/Operator Indicator:	Owner
Owner/Operator Name:	OWNERNAME
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1979-12-31 00:00:00.0
Handler Name:	DE SALVIO JOHN CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	DE SALVIO JOHN CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	DE SALVIO JOHN CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

DM931 **EQUITABLE BLUPRT & PHOTOPRT CO INC**
WNW **507 5TH AVE**
1/8-1/4 **NEW YORK, NY 10017**
0.247 mi.
1306 ft. **Site 5 of 5 in cluster DM**

RCRA NonGen / NLR **1000263926**
FINDS **NYD981487523**
ECHO

Relative:
Higher

Actual:
69 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: EQUITABLE BLUPRT & PHOTOPRT CO INC
Handler Address: 507 5TH AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYD981487523
Contact Name: Not reported
Contact Address: NASSAU ST
Contact City,State,Zip: NEW YORK, NY 10038
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: NASSAU ST
Mailing City,State,Zip: NEW YORK, NY 10038
Owner Name: MARTIN S LESHER
Owner Type: Private
Operator Name: MARTIN S LESHER
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: NN
Sub-Part K Indicator: Not reported
Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
Permit Renewals Workload Universe: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EQUITABLE BLUPRT & PHOTOPRT CO INC (Continued)

1000263926

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MARTIN S LESHER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MARTIN S LESHER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EQUITABLE BLUPRT & PHOTOPRT CO INC (Continued)

1000263926

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MARTIN S LESHER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1999-07-08 00:00:00.0
Handler Name:	EQUITABLE BLUPRT & PHOTOPRT CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2006-01-01 00:00:00.0
Handler Name:	EQUITABLE BLUPRT & PHOTOPRT CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2007-01-01 00:00:00.0
Handler Name:	EQUITABLE BLUPRT & PHOTOPRT CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	1986-06-12 00:00:00.0
Handler Name:	EQUITABLE BLUPRT & PHOTOPRT CO INC
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EQUITABLE BLUPRT & PHOTOPRT CO INC (Continued)

1000263926

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110009472828

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000263926
Registry ID: 110009472828
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009472828>
Name: EQUITABLE BLUPRT & PHOTOPRT CO INC
Address: 507 5TH AVE
City,State,Zip: NEW YORK, NY 10017

DX932
ENE
1/8-1/4
0.248 mi.
1308 ft.

5 EAST 17TH STREET REALTY CO
222 EAST 46TH STREET
NEW YORK, NY 10017

NY AST **U000412363**
N/A

Site 1 of 2 in cluster DX

Relative:
Lower

AST:

Actual:
46 ft.

Name: 5 EAST 17TH STREET REALTY CO
Address: 222 EAST 46TH STREET
City,State,Zip: NEW YORK, NY 10017
Region: STATE
DEC Region: 2
Site Status: Inactive
Facility Id: 2-055395
Program Type: PBS
UTM X: 586803.32949
UTM Y: 4511828.53740
Expiration Date: N/A
Site Type: Other

Affiliation Records:

Site Id: 832
Affiliation Type: Facility Owner
Company Name: AIDA BEGELMAN
Contact Type: Not reported
Contact Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

5 EAST 17TH STREET REALTY CO (Continued)

U000412363

Address1: 421 WEST BEECH STREET
Address2: Not reported
City: LONG BEACH
State: NY
Zip Code: 11561
Country Code: 001
Phone: (516) 431-2339
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 832
Affiliation Type: Mail Contact
Company Name: AIDA BEGELMAN
Contact Type: Not reported
Contact Name: Not reported
Address1: 421 WEST BEECH STREET
Address2: Not reported
City: LONG BEACH
State: NY
Zip Code: 11561
Country Code: 001
Phone: (516) 431-2339
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 832
Affiliation Type: Facility Operator
Company Name: 5 EAST 17TH STREET REALTY CO
Contact Type: Not reported
Contact Name: MICHAEL GJONBALAJ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 986-0435
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 832
Affiliation Type: Emergency Contact
Company Name: AIDA BEGELMAN
Contact Type: Not reported
Contact Name: MICHAEL GJONBALAJ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

5 EAST 17TH STREET REALTY CO (Continued)

U000412363

Phone: (718) 339-9051
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 1775
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser

Tank Location: Aboveground in subterranean vault with access for inspections.....
Tank in subterranean vault but accessible for inspection.

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Tank Converted to Non-Regulated Use
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/01/1994
Register: True
Modified By: TRANSLAT
Last Modified: 04/14/2017
Material Name: #6 fuel oil (on-site consumption)

DX933
ENE
1/8-1/4
0.248 mi.
1308 ft.

CON EDISON
222 E 46 ST
NEW YORK, NY 10017
Site 2 of 2 in cluster DX

NY MANIFEST **S117314841**
N/A

Relative:
Lower
Actual:
46 ft.

NY MANIFEST:
Name: CON EDISON
Address: 222 E 46 ST
City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619284
Facility Status: Not reported
Location Address 1: 222 E 46 ST
Code: BP
Location Address 2: SB 9007
Total Tanks: Not reported
Location City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314841

Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004619284
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619284
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504572GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314841

Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DB934
South
1/8-1/4
0.248 mi.
1309 ft.

TAYLOR HWI SOOK PRIVATE RESIDENCE
156 E 38TH ST
NEW YORK, NY 10016
Site 2 of 3 in cluster DB

RCRA NonGen / NLR 1004762844
FINDS NYR000101048

Relative:
Higher
Actual:
52 ft.

RCRA Listings:
Date Form Received by Agency: 2007-01-01 00:00:00.0
Handler Name: TAYLOR HWI SOOK PRIVATE RESIDENCE
Handler Address: 156 E 38TH ST
Handler City,State,Zip: NEW YORK, NY 10016-2605
EPA ID: NYR000101048
Contact Name: MICHAEL STEINBACH
Contact Address: E 38TH ST
Contact City,State,Zip: NEW YORK, NY 10016-2605
Contact Telephone: 414-566-7145
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: E 38TH ST
Mailing City,State,Zip: NEW YORK, NY 10016-2605
Owner Name: TAYLOR HWI SOOK & GEORGE
Owner Type: Private
Operator Name: TAYLOR HWI SOOK & GEORGE
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAYLOR HWI SOOK PRIVATE RESIDENCE (Continued)

1004762844

Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2015-04-14 00:00:00.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TAYLOR HWI SOOK & GEORGE
Legal Status:	Private
Date Became Current:	2001-01-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	156 E 38TH ST
Owner/Operator City,State,Zip:	NEW YORK, NY 10016-2605
Owner/Operator Telephone:	212-685-3550
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
---------------------------	-------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAYLOR HWI SOOK PRIVATE RESIDENCE (Continued)

1004762844

Owner/Operator Name: TAYLOR HWI SOOK & GEORGE
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 156 E 38TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10016-2605
Owner/Operator Telephone: 212-685-3550
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: TAYLOR HWI SOOK & GEORGE
Legal Status: Private
Date Became Current: 2001-01-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 156 E 38TH ST
Owner/Operator City,State,Zip: NEW YORK, NY 10016-2605
Owner/Operator Telephone: 212-685-3550
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2006-01-01 00:00:00.0
Handler Name: TAYLOR HWI SOOK PRIVATE RESIDENCE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0
Handler Name: TAYLOR HWI SOOK PRIVATE RESIDENCE
Federal Waste Generator Description: Not a generator, verified
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2001-10-09 00:00:00.0
Handler Name: TAYLOR HWI SOOK PRIVATE RESIDENCE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAYLOR HWI SOOK PRIVATE RESIDENCE (Continued)

1004762844

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

FINDS:

Registry ID: 110012242073

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

DB935
South
1/8-1/4
0.248 mi.
1309 ft.

QUAD GRAPHICS
156 E 38TH ST
NEW YORK, NY 10016
Site 3 of 3 in cluster DB

NY MANIFEST **S117564929**
N/A

Relative:
Higher

Actual:
52 ft.

NY MANIFEST:
Name: QUAD GRAPHICS
Address: 156 E 38TH ST
City,State,Zip: NEW YORK, NY 10016-2605
Country: USA
EPA ID: NYR000101048
Facility Status: Not reported
Location Address 1: 5-12 50TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: 2605

NY MANIFEST:
EPAID: NYR000101048
Mailing Name: QUAD GRAPHICS
Mailing Contact: DRAGI KRSTOVSKI
Mailing Address 1: 156 EAST 38TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip 4: 2605
Mailing Country: USA
Mailing Phone: 7189962363

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

QUAD GRAPHICS (Continued)

S117564929

NY MANIFEST:
Document ID: MIA8185354
Manifest Status: Not reported
seq: 01
Year: 2001
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 12/27/2001
Trans1 Recv Date: 12/27/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/03/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000101048
Trans1 EPA ID: NJD054126164
Trans2 EPA ID: Not reported
TSD ID 1: MID980991566
TSD ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

DQ936 CON EDISON
ENE 209 E 46 ST
1/8-1/4 NEW YORK, NY 10017
0.248 mi.
1309 ft. Site 4 of 4 in cluster DQ

Relative: NY MANIFEST:
Lower Name: CON EDISON
Actual: Address: 209 E 46 ST
40 ft. City,State,Zip: NEW YORK, NY 10017
Country: USA
EPA ID: NYP004619292
Facility Status: Not reported

NY MANIFEST S117314842
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314842

Location Address 1: 209 E 46 ST
Code: BP
Location Address 2: SB 9000
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10017
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004619292
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 08/06/2014
Trans1 Recv Date: 08/06/2014
Trans2 Recv Date: 08/06/2014
TSD Site Recv Date: 08/06/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004619292
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504573GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

S117314842

Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DY937
WNW
1/8-1/4
0.248 mi.
1312 ft.

CON EDISON - MANHOLE M33807
501 5 AVE
NEW YORK, NY 10018
Site 1 of 2 in cluster DY

NY MANIFEST **S120959071**
N/A

Relative:
Higher

Actual:
71 ft.

NY MANIFEST:
Name: CON EDISON - MANHOLE M33807
Address: 501 5 AVE
City,State,Zip: NEW YORK, NY 10018
Country: USA
EPA ID: NYP004989261
Facility Status: Not reported
Location Address 1: 501 5 AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004989261
Mailing Name: CON EDISON - MANHOLE M33807
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DY938
WNW
1/8-1/4
0.248 mi.
1312 ft.
501 FIFTH AVE COMPANY LLC
501 5TH AVENUE
NEW YORK, NY 10017
Site 2 of 2 in cluster DY

NY UST **U004289026**
N/A

Relative:
Higher

UST:

Actual:
71 ft.

Name: 501 FIFTH AVE COMPANY LLC
Address: 501 5TH AVENUE
City,State,Zip: NEW YORK, NY 10017
Id/Status: 2-235660 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 07/10/2022
UTM X: 586032.45582
UTM Y: 4511864.38744
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 8693
Affiliation Type: Facility Owner
Company Name: 501 FIFTH AVE COMPANY LLC
Contact Type: OWNER'S REP
Contact Name: ALAN ABRAMSON
Address1: 501 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 687-2655
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-12

Site Id: 8693
Affiliation Type: Mail Contact
Company Name: C/O ABRAMSON BROTHERS
Contact Type: Not reported
Contact Name: ALAN ABRAMSON
Address1: 501 FIFTH AVE
Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 687-2655
EMail: BJH@ABRAMSONBROTHERS.COM
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-12

Site Id: 8693
Affiliation Type: Facility Operator
Company Name: 501 FIFTH AVE COMPANY LLC
Contact Type: Not reported
Contact Name: REINALDO WILLIAMS
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

501 FIFTH AVE COMPANY LLC (Continued)

U004289026

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 687-2655
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-12

Site Id: 8693
Affiliation Type: Emergency Contact
Company Name: 501 FIFTH AVE COMPANY LLC
Contact Type: Not reported
Contact Name: REINALDO WILLIAMS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 687-2655
EMail: Not reported
Fax Number: Not reported
Modified By: MFLEONAR
Date Last Modified: 2017-07-12

Tank Info:

Tank Number: 001
Tank ID: 12640
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 10000
Install Date: 10/01/1961
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21
Date Test: 03/26/2018
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TLYE
Last Modified: 03/28/2018

Equipment Records:

F00 - Pipe External Protection - None
K00 - Spill Prevention - None
L99 - Piping Leak Detection - Other
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

501 FIFTH AVE COMPANY LLC (Continued)

U004289026

E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
H08 - Tank Leak Detection - Weep holes in Vaults with no access for inspection
J05 - Dispenser - On Site Heating System (Supply/Return)
I05 - Overfill - Vent Whistle

DL939
West
1/8-1/4
0.249 mi.
1313 ft.
CON EDISON SERVICE BOX: 7756
3 E 40TH ST
NEW YORK, NY 10018
Site 5 of 6 in cluster DL

NJ MANIFEST **S117986035**
N/A

Relative:
Higher

Actual:
74 ft.

NJ MANIFEST:
EPA Id: NYP004265856
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456258JJK
EPA ID: NYP004265856
Date Shipped: 8/30/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7756 (Continued)

S117986035

Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

DL940
West
1/8-1/4
0.249 mi.
1313 ft.

CON EDISON SERVICE BOX: 7756
3 E 40TH ST
NEW YORK, NY 10018
Site 6 of 6 in cluster DL

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST
1016143801
NYP004265856

Relative:
Higher
Actual:
74 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7756
Handler Address: 3 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004265856
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828
Mailing City,State,Zip: NEW YORK, NY 10003
Owner Name: Not reported
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7756 (Continued)

1016143801

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2017-10-05 11:11:45.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7756 (Continued)

1016143801

Historic Generators:

Receive Date:	2012-08-30 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7756
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7756
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

FINDS:

Registry ID: 110055428531

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143801
Registry ID:	110055428531
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110055428531
Name:	CON EDISON SERVICE BOX: 7756
Address:	3 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018

NY MANIFEST:

Name:	CON EDISON
Address:	3 E 40TH ST
City,State,Zip:	NEW YORK, NY 10018
Country:	USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7756 (Continued)

1016143801

EPA ID: NYP004265856
Facility Status: Not reported
Location Address 1: 3 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7756
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004265856
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 08/30/2012
Trans1 Recv Date: 08/30/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/31/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004265856
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456258JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7756 (Continued)

1016143801

Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

DZ941
SSE
1/8-1/4
0.250 mi.
1319 ft.

CON EDISON SERVICE BOX: 7816
243 E 40TH ST
NEW YORK, NY 10016
Site 1 of 2 in cluster DZ

NJ MANIFEST S117986136
N/A

Relative:
Lower
Actual:
37 ft.

NJ MANIFEST:
EPA Id: NYP004266979
Mail Address: IRVING PL, RM 828
Mail City/State/Zip: NEW YORK, NY 10003
Facility Phone: Not reported
Emergency Phone: Not reported
Contact: JUAN RODRIGUEZ
Comments: Not reported
SIC Code: Not reported
County: NY061
Municipal: Not reported
Previous EPA Id: Not reported
Gen Flag: Not reported
Trans Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest:
Manifest Number: 010456446JJK
EPA ID: NYP004266979
Date Shipped: 9/7/2012
TSDF EPA ID: NJD002200046
Transporter EPA ID: NJ0000027193
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 9 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: Not reported
Date Trans2 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7816 (Continued)

S117986136

Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: Not reported
TSDf EPA Facility Name: Not reported
QTY Units: Not reported
Transporter SEQ ID: Not reported
Transporter-1 Date: Not reported
Waste SEQ ID: Not reported
Waste Type Code 2: Not reported
Waste Type Code 3: Not reported
Waste Type Code 4: Not reported
Waste Type Code 5: Not reported
Waste Type Code 6: Not reported
Date Accepted: Not reported
Manifest Discrepancy Type: Not reported
Data Entry Number: Not reported
Was Load Rejected: NEW YORK, NY 10003
Reason Load Was Rejected: Not reported

Waste:
Manifest Year: Not reported
Waste Code: D008
Hand Code: Not reported
Quantity: 1,000.00 Pounds

DZ942 **CON EDISON SERVICE BOX: 7816**
SSE **243 E 40TH ST**
1/8-1/4 **NEW YORK, NY 10016**
0.250 mi.
1319 ft. **Site 2 of 2 in cluster DZ**

RCRA NonGen / NLR **1016143910**
FINDS **NYP004266979**
ECHO
NY MANIFEST

Relative:
Lower

Actual:
37 ft.

RCRA Listings:
Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7816
Handler Address: 243 E 40TH ST
Handler City,State,Zip: NEW YORK, NY 10016
EPA ID: NYP004266979
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7816 (Continued)

1016143910

Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSD Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7816 (Continued)

1016143910

Handler Date of Last Change:	2017-10-12 10:21:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	Not reported

Historic Generators:

Receive Date:	2017-07-28 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7816
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	2012-09-07 00:00:00.0
Handler Name:	CON EDISON SERVICE BOX: 7816
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

FINDS:

Registry ID: 110055455644

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016143910
Registry ID:	110055455644

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7816 (Continued)

1016143910

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110055455644>
Name: CON EDISON SERVICE BOX: 7816
Address: 243 E 40TH ST
City,State,Zip: NEW YORK, NY 10016

NY MANIFEST:

Name: CON EDISON
Address: 243 E 40TH ST
City,State,Zip: NEW YORK, NY 10016
Country: USA
EPA ID: NYP004266979
Facility Status: Not reported
Location Address 1: 243 E 40TH ST
Code: BP
Location Address 2: SERV BOX 7816
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10016
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004266979
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 09/07/2012
Trans1 Recv Date: 09/07/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/07/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004266979
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456446JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7816 (Continued)

1016143910

Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 1000
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

943
SSW
1/4-1/2
0.266 mi.
1407 ft.

123 EAST 37TH ST/MANH
123 EAST 37TH STREET
NEW YORK CITY, NY

NY LTANKS S104275571
N/A

Relative:
Higher

LTANKS:
Name: 123 EAST 37TH ST/MANH
Address: 123 EAST 37TH STREET
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8912354 / 1996-11-29
Facility ID: 8912354
Site ID: 84848
Spill Date: 1989-12-05
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1990-05-25
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1990-04-02

Actual:
66 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

123 EAST 37TH ST/MANH (Continued)

S104275571

Spill Record Last Update: 1996-11-29
Spiller Name: Not reported
Spiller Company: 123 EAST 37TH OWNERS CORP
Spiller Address: C/O GROGAN ASS 360 LEX
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 77999
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG Received a letter from Daniel Gedal of Aqua Terra. Mr. Gedal has conducted a site inspection at 123 East 37th Street, New York, NY for the clean-up of the oil spill. According to Mr. Gedal's account, the oil has been cleaned up and the tank has been repaired. The spill appeared to be contained in the tank vault, and has been cleaned up. The inspection was done on April 1, 1996. Letter and pictures on file of KST."

Remarks: "CRACKS IN 5K TANK, ABC TANK REPAIR CLEANED,WELDED & EPOXIED TANKS, VACUUMED BASEMENT FLOOR, SEWER DRAINS IN FLOOR, GETTY OIL WAS THE OIL CONTRACTOR"

All Materials:
Site ID: 84848
Operable Unit ID: 939146
Operable Unit: 01
Material ID: 441822
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3000.00
Units: G
Recovered: .00
Oxygenate: Not reported

DV944 390 MADISON AVE- COMREF 380 LLC
North 390 MADISON AVE
1/4-1/2 NEW YORK, NY 10017
0.267 mi.
1409 ft. Site 2 of 2 in cluster DV

RCRA-LQG 1007571186
NY MOSF NYR000127548
FINDS
ECHO

Relative: RCRA Listings:
Higher Date Form Received by Agency: 2018-04-27 00:00:00.0
Actual: Handler Name: 390 MADISON AVE- COMREF 380 LLC
59 ft. Handler Address: 390 MADISON AVE
Handler City,State,Zip: NEW YORK, NY 10017
EPA ID: NYR000127548
Contact Name: JEFFREY DAVIS
Contact Address: W 57TH ST 18TH FL
Contact City,State,Zip: NEW YORK, NY 10019
Contact Telephone: 646-341-9831
Contact Fax: 315-454-4467
Contact Email: JEFFREY.DAVIS@II-HOLDING.COM
Contact Title: VICE PRESIDENT
EPA Region: 02
Land Type: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2017
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	NY
State District:	NYSDEC R2
Mailing Address:	W 57TH ST 18TH FL
Mailing City,State,Zip:	NEW YORK, NY 10019
Owner Name:	COMREF 380 LLC
Owner Type:	Private
Operator Name:	COMREF 380 LLC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No
Financial Assurance Required: Not reported
Handler Date of Last Change: 2018-11-06 18:35:53.0
Recognized Trader-Importer: No
Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: Not reported

Biennial: List of Years

Year: 2017

[Click Here for Biennial Reporting System Data:](#)

Year: 2015

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code: D008
Waste Description: LEAD

Handler - Owner Operator:

Owner/Operator Indicator: Owner
Owner/Operator Name: COMREF 380 LLC
Legal Status: Private
Date Became Current: 2014-01-27 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 142 WEST 57TH ST 18TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10019
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: L&L HOLDING COM LLC
Legal Status: Private
Date Became Current: 2014-01-27 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 142 WEST 57TH ST 18TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10019
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NO NAME FOUND
Legal Status: Private
Date Became Current: 1999-10-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SOLOW MANAGEMENT CORP
Legal Status:	Private
Date Became Current:	1999-10-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CRAIG TAGEN
Legal Status:	Private
Date Became Current:	2014-12-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	RAY CUDDY
Legal Status:	Private
Date Became Current:	1999-10-01 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	COMREF 380 LLC
Legal Status:	State
Date Became Current:	2014-12-09 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	59 MAIDEN LANE
Owner/Operator City,State,Zip:	NEW YORK, NY 10038
Owner/Operator Telephone:	212-883-2605
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	COMREF 380 LLC
Legal Status:	Private
Date Became Current:	2014-01-27 00:00:00.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Date Ended Current: Not reported
Owner/Operator Address: 142 W 57TH ST 18TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10019
Owner/Operator Telephone: 646-341-9831
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NO NAME FOUND
Legal Status: Private
Date Became Current: 1999-10-01 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: COMREF 380 LLC
Legal Status: Private
Date Became Current: 2017-01-27 00:00:00.
Date Ended Current: Not reported
Owner/Operator Address: 142 W 57TH ST 18TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10019
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 2016-08-15 00:00:00.0
Handler Name: 390 MADISON AVENUE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 2018-04-27 00:00:00.0
Handler Name: 390 MADISON AVE- COMREF 380 LLC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: NY
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Electronic Manifest Broker:	No
Receive Date:	2006-01-01 00:00:00.0
Handler Name:	SOLOW MANAGEMENT CORP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2007-01-01 00:00:00.0
Handler Name:	SOLOW MANAGEMENT CORP
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2004-10-01 00:00:00.0
Handler Name:	SOLOW MANAGEMENT CORP
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	2015-03-11 00:00:00.0
Handler Name:	BETTER MADISON
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	NY
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Facility Has Received Notices of Violation:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	2017-07-27 00:00:00.0
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R2STP
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

MOSF:

Name: T/B ROCKLAND

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

390 MADISON AVE- COMREF 380 LLC (Continued)

1007571186

Address: 380 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Facility ID: 0-0378
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

FINDS:

Registry ID: 110018888505

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1007571186
Registry ID: 110018888505
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110018888505>
Name: 390 MADISON AVE- COMREF 380 LLC
Address: 390 MADISON AVE
City,State,Zip: NEW YORK, NY 10017

**945
WNW
1/4-1/2
0.270 mi.
1423 ft.**

**D/B HYGRADE #8
500 FIFTH AVENUE
NEW YORK, NY 10036**

**NY MOSF S108413252
N/A**

**Relative:
Higher
Actual:
70 ft.**

MOSF:
Name: M/V R.J. BUSHEY
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0144
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: M/V F.L. HAYES
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0145
Program Type: MOSF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D/B HYGRADE #8 (Continued)

S108413252

Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: M/V V.L. KEEGAN II
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0146
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B HYGRADE #8
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0149
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B HYGRADE #10
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0150
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B HYGRADE #26
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0153
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B SPARKLING WATERS
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0157
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D/B HYGRADE #8 (Continued)

S108413252

Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B BLUE LINE 108
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0159
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B ATLANTIC
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0160
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B ERIE
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0161
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: D/B HURON
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0162
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

Name: M/V F.S. BUSHEY
Address: 500 FIFTH AVENUE
City,State,Zip: NEW YORK, NY 10036
Facility ID: 0-0163
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D/B HYGRADE #8 (Continued)

S108413252

UTMY: Not reported

946
ESE
1/4-1/2
0.273 mi.
1441 ft.

279 E. 44TH STREET
279 E, 44TH STRRET
MANHATTAN, NY

NY LTANKS S102672987
N/A

Relative:
Higher
Actual:
61 ft.

LTANKS:

Name: 279 E. 44TH STREET
Address: 279 E, 44TH STRRET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9506908 / 1995-09-06
Facility ID: 9506908
Site ID: 179583
Spill Date: 1995-09-06
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: C3
Cleanup Ceased: 1995-09-06
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 1995-09-06
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-10-04
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 150711
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
KRIMGOLD "
Remarks: "OVERFILLED TANK LEAKED FROM VENT ONTO SIDEWALK"

All Materials:

Site ID: 179583
Operable Unit ID: 1021670
Operable Unit: 01
Material ID: 364866
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20.00
Units: G

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

279 E. 44TH STREET (Continued)

S102672987

Recovered: .00
Oxygenate: Not reported

EA947 400 MADISON AVE
North 400 MADISON AVE
1/4-1/2 NEW YORK, NY 10017
0.301 mi.
1589 ft. Site 1 of 2 in cluster EA

NY LTANKS U003383826
NY CBS N/A

Relative:
Higher

Actual:
63 ft.

LTANKS:

Name: APARTMENT
Address: 400 MADISON AVENUE
City,State,Zip: NEW YORK, NY 10017
Spill Number/Closed Date: 0413471 / 2005-04-26
Facility ID: 0413471
Site ID: 342584
Spill Date: 2005-03-28
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: D4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2005-03-28
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2005-03-28
Spill Record Last Update: 2007-04-12
Spiller Name: ANGEL
Spiller Company: APARTMENT
Spiller Address: 322 CENTRAL PARK WEST
Spiller County: 001
Spiller Contact: ANGEL
Spiller Phone: (718) 367-9800
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 21865
DEC Memo: "03/28/05 Sharif// sent a ttf letter on 03/28/05. 04/11/05-SR//Tank failed 2nd time test for which new spill # 0500267 was created and closed. 04/26/05-SR//Tank passed the test third time which was done by PTC. Received documents.The previous report was about 'above liquid level' leak which means no spill occurred."
""

Remarks:

All TTF:

Facility ID: 0413471
Spill Number: 0413471
Spill Tank Test: 1548730
Site ID: 342584
Tank Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 MADISON AVE (Continued)

U003383826

Tank Size: 3000
Material: 0002
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:

Site ID: 342584
Operable Unit ID: 1101308
Operable Unit: 01
Material ID: 581458
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

CBS:

Name: 400 MADISON AVE
Address: 400 MADISON AVE
City,State,Zip: NEW YORK, NY 10017
CBS Number: 2-000472
Program Type: CBS
Facility Status: Inactive
Expiration Date: Not reported
Dec Region: 2
UTMX: 586354.08853
UTMY: 4512177.69262

EA948
North
1/4-1/2
0.301 mi.
1589 ft.

TTF 400 MADISON AVE
400 MADISON AVE.
NEW YORK CITY, NY

Site 2 of 2 in cluster EA

NY LTANKS **S106869092**
N/A

Relative:
Higher
Actual:
63 ft.

LTANKS:

Name: TTF 400 MADISON AVE
Address: 400 MADISON AVE.
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 0500267 / 2005-04-11
Facility ID: 0500267
Site ID: 343184
Spill Date: 2005-04-06
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: C4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TTF 400 MADISON AVE (Continued)

S106869092

Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2005-04-06
CID: 408
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2005-04-06
Spill Record Last Update: 2005-04-11
Spiller Name: CHRIS GORGA
Spiller Company: Not reported
Spiller Address: 400 MADISON AVE.
Spiller County: 001
Spiller Contact: CHRIS GORGA
Spiller Phone: (646) 772-1404
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 289664
DEC Memo: "tff ltr required. 04/11/05-SR//Previous reference spill #0413471.2nd time tank test failed.Macklow MGMT CO working on it. Will send documents to DEC."

Remarks: "above liquid leak"

All TTF:

Facility ID: 0500267
Spill Number: 0500267
Spill Tank Test: 1548763
Site ID: 343184
Tank Number: 1
Tank Size: 3000
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:

Site ID: 343184
Operable Unit ID: 1101861
Operable Unit: 01
Material ID: 582107
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TTF 400 MADISON AVE (Continued)

S106869092

Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

**949
NE
1/4-1/2
0.303 mi.
1602 ft.**

**MARRIOT EAST HOTEL
525 LEXINGTON AVE
MANHATTAN, NY**

**NY LTANKS S105994931
N/A**

**Relative:
Lower**

LTANKS:

**Actual:
46 ft.**

Name: MARRIOT EAST HOTEL
Address: 525 LEXINGTON AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0109979 / 2003-07-07
Facility ID: 0109979
Site ID: 131622
Spill Date: 2002-01-16
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2002-01-16
CID: 397
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2002-01-16
Spill Record Last Update: 2003-07-07
Spiller Name: JOHN KAUB
Spiller Company: MARRIOT EAST HOTEL
Spiller Address: 525 LEXINGTON AVE
Spiller County: 001
Spiller Contact: JOHN KAUB
Spiller Phone: (212) 715-4277
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 113401
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 1/16/2002 - Sangesland spoke with John Kaub (212-715-4277) who is a facilities person at the Marriot Hotel. He said he noticed an oil smell this afternoon and looked in the containment room. There was a small spill of oil (about 2 gallons) coming out of a small hole near the bottom of the tank. Mr. Kaub called Petroleum Tank Cleaners. PTC responded and cleaned the 2 gallon spill and laid out speedie dry to absorb the continued drip. Marriot management is working out hiring someone to drain the tank ASAP and then they will determine if they repair or replace the tank. According to DEC PBS records, the tank holds #2 oil, is 15,000 gallons and was installed in 1978."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MARRIOT EAST HOTEL (Continued)

S105994931

Remarks: "TANK FAILURE CLEAN UP IS PENDING"

All Materials:

Site ID:	131622
Operable Unit ID:	848340
Operable Unit:	01
Material ID:	527615
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

EB950
SSE
1/4-1/2
0.304 mi.
1606 ft.

APARTMENT BUILDING
250 EAST 39TH STREET
MANHATTAN, NY

Site 1 of 3 in cluster EB

NY LTANKS
NY Spills

S107417222
N/A

Relative: LTANKS:
Lower

Actual:
32 ft.

Name:	APARTMENT BUILDING
Address:	250 EAST 39TH STREET
City,State,Zip:	MANHATTAN, NY
Spill Number/Closed Date:	0509394 / 2006-03-01
Facility ID:	0509394
Site ID:	355166
Spill Date:	2005-11-04
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2005-11-04
CID:	409
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-11-04
Spill Record Last Update:	2006-03-01
Spiller Name:	CHRIS GORGA
Spiller Company:	APARTMENT BUILDING
Spiller Address:	250 EAST 39TH STREET
Spiller County:	001
Spiller Contact:	CHRIS GORGA
Spiller Phone:	(646) 772-1404
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	305161

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107417222

DEC Memo: "11/7/05-Vought-Off Hours duty responder. Vought spoke to Ray Lara (PTC) and he will have Mark Salmaneek return call with update. Tank had small lip by manhole and will be repaired. Owner contact info is: Timston Corp Attn: Richard Katz 8 East 48th Street Suite 3E New York, NY 10076 Ph: 212-754-4001 Fax: 212-754-4479 Vought called and spoke to Katz and informed him of the letter being sent (TTF letter). Vought sent and faxed letter to above address. 03/01/06-Vought-This spill closed and referred to open spill #0505707 at same location. "

Remarks: "TANK ONLY AND TANK FAILED.N O PRODUCT IN THE TANK."

All TTF:

Facility ID: 0509394
Spill Number: 0509394
Spill Tank Test: 1549492
Site ID: 355166
Tank Number: 1
Tank Size: 10000
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:

Site ID: 355166
Operable Unit ID: 1112535
Operable Unit: 01
Material ID: 2102577
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: APARTMENT BUILDING
Address: 250 EAST 39TH STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0510334 / 2005-12-02
Facility ID: 0510334
Facility Type: ER
DER Facility ID: 305161
Site ID: 356288
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107417222

Spill Date: 2005-12-01
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2005-12-01
CID: 409
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Not reported
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2005-12-01
Spill Record Last Update: 2005-12-02
Spiller Name: ANTHONY LARA
Spiller Company: APARTMENT BUILDING
Spiller Address: 250 EAST 39TH STREET
Spiller Company: 001
Contact Name: ANTHONY LARA
DEC Memo: "12/2/2005 - Sangesland spoke to Anthony Lara - Return line pressure gauge broke. Oil went into sump pit. Sump pump was not working. Approx 6 gallons in pit and a small amount on basement floor. Area was cleaned, speedie dry and liquid was put into a single 55 gal drum for disposal. Spill Closed"

Remarks: "A AGE BROKE ON ONE OF THE LINES. CLEAN UP IS IN ROUTE."

All Materials:

Site ID: 356288
Operable Unit ID: 1113598
Operable Unit: 01
Material ID: 2103661
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 11.00
Units: G
Recovered: .00
Oxygenate: Not reported

EB951
SSE
1/4-1/2
0.304 mi.
1606 ft.

APRT BUILDING
250 EAST 39TH STREET
NEW YORK, NY 10016
Site 2 of 3 in cluster EB

NY LTANKS **S106972442**
NY Spills **N/A**

Relative:
Lower
Actual:
32 ft.

LTANKS:
Name: APRT BUILDING
Address: 250 EAST 39TH STREET
City,State,Zip: NEW YORK, NY 10016
Spill Number/Closed Date: 0505707 / 2008-07-21
Facility ID: 0505707
Site ID: 350785
Spill Date: 2005-08-09
Spill Cause: Tank Test Failure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT BUILDING (Continued)

S106972442

Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2005-08-09
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2005-08-09
Spill Record Last Update: 2008-07-21
Spiller Name: CHRIS GORGA
Spiller Company: APRT BUILDING
Spiller Address: 250 EAST 39TH STREET
Spiller County: 001
Spiller Contact: CHRIS GORGA
Spiller Phone: (646) 772-1404
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 2768
DEC Memo: "TTF ltr sent to PBS address: Timston Corp 8 East 48th St New York, NY 10016 Attn: Evelyn Fusco 9/9/2005 Sangesland spoke with Richard Katz of Timston Corp. He hired PTC to pump out the tank, set up a temp tank and will re-test/repair whatever is needed. 02/28/06 Sharif Rahman-I called Evelyn Fusco and she said they are currently working on the tank, Richard Kazt,(212-754-4001) is the concerned person to talk with. 07/20/06 Rahman- I spoke with Rich Katz, he indicated that Island Tank is working on the tank, piping will be replaced followed by end point sampling and tightness testing. 06/26/2008 Sangesland spoke with Richard Katz asking for the follow up report. He said the tank was replaced and a report with all the end point data is in the process of being submitted. 07/21/08 Closure report from Island Tank.As per Island, fill line,vent line, return & suction line were replaced.Contaminated soil was removed from the tank area followed by the end point sampling. Seven end point samples were taken from four sides and bottom of the tank.VOCs/SVOCs were below TAGM limit.Island Tank indicated that all contaminated soil have been removed.NFA required.(sr)"
Remarks: "ABOVE LEAK TEST ; FAILURE IN LINE STILL INVESTIGATING:"
All Materials:
Site ID: 350785
Operable Unit ID: 1108329
Operable Unit: 01
Material ID: 2098266
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT BUILDING (Continued)

S106972442

Oxygenate: Not reported

SPILLS:

Name: APARTMENT BUILDING GARAGE
Address: 250 EAST 39TH STREET
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 0605365 / 2008-06-10
Facility ID: 0605365
Facility Type: ER
DER Facility ID: 318447
Site ID: 368520
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 2401
Spill Date: 2006-08-08
Investigator: rvketani
Referred To: Not reported
Reported to Dept: 2006-08-08
CID: 410
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2006-08-08
Spill Record Last Update: 2008-06-10
Spiller Name: VINNY LOVARI
Spiller Company: APARTMENT BUILDING GARAGE
Spiller Address: 250 EAST 39TH STREET
Spiller Company: 001
Contact Name: VINNY LOVARI
DEC Memo: "8/28/2006 Sangesland spoke to Vinny at Island Tank. He said they've been digging at the site for several days. Originally they thought it was just an isolated spill, but then they found an old #6 oil return line which had rotted under the garage floor. This line is now being removed. Work is moving slowly because they have to juggle cars being parked in the garage to make room to dig. So far they have removed 18 drums of #6 oil contaminated soil. By the end of this week they expect to be finished and to take end point samples. Vinny says they will send in a closure report with photos as soon as the endpoint sample results come back. 9/19/06 - Raphael Ketani. I tried to contact Vincent Lovari of Island Tank (718) 967-9424, but could only leave a message. 10/16/06 - Raphael Ketani. I tried to contact Mr. Lovari, but got his assistant. I left a message requesting a copy of the analyticals for the soil. His assistant said that they were still laying pipe at the site. 11/7/06 - Raphael Ketani. Mr. Lovari returned my call with a voice message. He said that they will move the drums on this thursday or friday and then take end-point samples on friday. He said they have to do things this way as the site is very tight. 3/7/07 - Raphael Ketani. I tried to reach Vinny or his assistant, but could only leave a voice mail. 3/8/07 - Raphael

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT BUILDING (Continued)

S106972442

Ketani. I spoke to Vinny of Island Tank (718) 708-3425. He said that 40 drums of soil have been removed so far from around the fill line and the return line. He said that it looks like the lines had been leaking for many years. Someone had even put a bucket with a pump under one leak in the fill line many years. He said that there still is some more soil to remove. Soil samples will start to be taken this friday. He said that it's a big mess at the site. 3/27/07 - Raphael Ketani. I received the update of work report for the site from Mr. Lovari. The report stated that the tank was relined, the 3 inch fill line was replaced, the 2 inch vent line was replaced, the suction/return line was replaced, a new vent alarm was installed, an overfill alarm was ordered, and a leak detection system will be installed. The report has soil manifests and sets of pictures of the work. End-point samples will be taken. The work is 75% completed, according to the report. A full report will be sent once all of the work is completed and the analyticals are received. 5/9/07 - Raphael Ketani. I spoke to Vinny. He said that he is now doing the fill line. He said that he will replace the line and then do soil samples. 7/25/07 - Raphael Ketani. I spoke to Vinny. He said the project is still ongoing. He said that the fill line is very long under the garage and they couldn't do the job in one shot. He said they did part of it and now have to wait for a truck to come with gravel. Then they will back fill and cement and then move over to do the other part. He said that the geologist and geoprobe are coming this friday to do the end-point samples. He doesn't think there is more soil to remove as he has already shipped out 40 drums of soil. He said they are also in the boiler room doing work. 10/17/07 - Raphael Ketani. I tried to reach Vinny, but could only leave a message. Vinny's wife called me back and said that there is a health emergency with Vinny's parents. She said that he will get back to me sometime later. 10/18/07 - Raphael Ketani. Vinny called me back. He said that the job is almost done. All he needs to do is take sidewall and bottom end point samples. 12/3/07 - Raphael Ketani. I spoke to Vinny. He said that he finished installing the fill line. He believes the job will finish soon. 1/31/08 - Raphael Ketani. I spoke to Vinny. He said that he is basically done. He said that DEC will get the paperwork next week. 3/31/08 - Raphael Ketani. I tried to contact Vinny (cell (718) 708-3425/(718) 967-9424), but could only leave a message. 4/4/08 - Raphael Ketani. Vinny called me back. He said that he had been out for awhile because he had family issues to deal with. He said that he had essentially completed the remediation report and that DEC should get it very soon. I told him that the DEC has been waiting for a long time for this report and that we're very anxious to get it. He said we'll get it soon. 6/10/08 - Raphael Ketani. Sharif Rahman of the DEC Region 2 Spills Unit approached me and told me that he is working on a case for the same tank and fill line as concerns this case. He said his case is #0505707. Vinny never informed us that there were two Spills people involved in the same case. As Mr. Rahman has the older case, I am closing this spill case and referring it back to his case of #0505707."

Remarks:

"DRUM UP SOIL AND DIG OUT: TAKE SOIL SAMPLES : THERE IS A PREVIOUS SPILL NUMBER FOR THIS ADDRESS, BUT SEPEARATE ISSUE: CLEAN UP IN PROGRESS: N POINT SAMPLES TO BE TAKEN AROUND PIPING:"

All Materials:

Site ID: 368520
Operable Unit ID: 1126388
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT BUILDING (Continued)

S106972442

Material ID: 2115919
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

EB952
SSE
1/4-1/2
0.304 mi.
1606 ft.

APARTMENT BUILDING
250 EAST 39TH STREET
NEW YORK CITY, NY

NY LTANKS

S111738868
N/A

Site 3 of 3 in cluster EB

Relative:
Lower

Actual:
32 ft.

LTANKS:

Name: APARTMENT BUILDING
Address: 250 EAST 39TH STREET
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 1113774 / 2012-06-18
Facility ID: 1113774
Site ID: 461786
Spill Date: 2012-03-10
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: A1
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: MXAJOKU
Referred To: Not reported
Reported to Dept: 2012-03-10
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2012-03-10
Spill Record Last Update: 2012-06-18
Spiller Name: PJ OCONNER
Spiller Company: FAILED TANK TEST
Spiller Address: 250 EAST 39TH STREET
Spiller County: 999
Spiller Contact: PJ OCONNER
Spiller Phone: 516-678-5115
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 416232
DEC Memo: "DRY LEAK PBS: 2-096903. TTF was sent to TIMSTON CORP 8 East 48th Street, 3E New York, NY 10017 6/18/12: Tank tightness test was conducted and the tank passed. The initial failure was due to leak from the vent line which was repaired before the retest. (M.A)"

Remarks: "failed tank test corrections will be made"

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S111738868

All Materials:

Site ID: 461786
Operable Unit ID: 1211867
Operable Unit: 01
Material ID: 2209697
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

953
NNW
1/4-1/2
0.309 mi.
1633 ft.

WEST 46TH ST & 5TH AVE
WEST 46TH ST / 5TH AVE
MANHATTAN, NY

NY LTANKS S101508999
N/A

Relative:
Higher

Actual:
63 ft.

LTANKS:

Name: WEST 46TH ST & 5TH AVE
Address: WEST 46TH ST / 5TH AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9415266 / 2003-02-24
Facility ID: 9415266
Site ID: 216866
Spill Date: 1995-02-21
Spill Cause: Tank Failure
Spill Source: Commercial Vehicle
Spill Class: E5
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1995-02-22
CID: Not reported
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-03-27
Spill Record Last Update: 2003-02-24
Spiller Name: Not reported
Spiller Company: DEPT OF SANITATION
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179557
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 46TH ST & 5TH AVE (Continued)

S101508999

Remarks: ENGELHARD T 2/24/2003 - Closed Due To The Nature / Extent Of The Spill Report"
"DIKED AREA - NOTHING IN SEWER YET"

All Materials:

Site ID:	216866
Operable Unit ID:	1008702
Operable Unit:	01
Material ID:	370447
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	40.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

954
SW
1/4-1/2
0.310 mi.
1636 ft.

**APARTMENT COMPLEX
30 E 37TH ST
MANHATTAN, NY**

**NY LTANKS S105998394
N/A**

**Relative:
Higher
Actual:
75 ft.**

LTANKS:

Name:	APARTMENT COMPLEX
Address:	30 E 37TH ST
City,State,Zip:	MANHATTAN, NY
Spill Number/Closed Date:	0212336 / 2003-03-17
Facility ID:	0212336
Site ID:	78544
Spill Date:	2003-03-15
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2003-03-15
CID:	297
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-03-15
Spill Record Last Update:	2003-07-17
Spiller Name:	Not reported
Spiller Company:	STATEWIDE OIL COMPANY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	STEVE LUCAS
Spiller Phone:	(704) 562-0816
Spiller Extention:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT COMPLEX (Continued)

S105998394

DEC Region: 2
DER Facility ID: 73084
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
VOUGHT 3/17/2003-Vought-See spill #0212335 at same location. This
spill closed by Vought."
Remarks: "CALLERS COMPANY HIRED BY STATEWIDE OIL TO CLEAN UP THE ABOVE SPILL -
SPILL WAS CAUSED BY A TANK OVERFILL, AND THE OIL SPILLED TO THE
GROUND, ON THE WALLS, AND SOME WENT INTO A FLOOR DRAIN IN THE
BASEMENT OF THE ABOVE APARTMENT COMPLEX - TRI-STATE ENROUTE FOR CLEAN
UP"
All Materials:
Site ID: 78544
Operable Unit ID: 863341
Operable Unit: 01
Material ID: 512073
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15.00
Units: G
Recovered: .00
Oxygenate: Not reported

EC955
ENE
1/4-1/2
0.318 mi.
1678 ft.

220 E 48TH ST
220 E 48TH ST
NYC, NY
Site 1 of 2 in cluster EC

NY LTANKS S102671744
N/A

Relative:
Lower
Actual:
34 ft.

LTANKS:
Name: 220 E 48TH ST
Address: 220 E 48TH ST
City,State,Zip: NYC, NY
Spill Number/Closed Date: 9107505 / 1991-10-15
Facility ID: 9107505
Site ID: 270125
Spill Date: 1991-10-14
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1991-10-15
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1991-10-15
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1991-10-23
Spill Record Last Update: 2004-09-30

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

220 E 48TH ST (Continued)

S102671744

Spiller Name: Not reported
Spiller Company: BAERENKLAU OIL
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 219979
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG "
Remarks: "APPLIED SPEEDY DRY"

All Materials:

Site ID: 270125
Operable Unit ID: 957965
Operable Unit: 01
Material ID: 419705
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: .00
Oxygenate: Not reported

EC956
ENE
1/4-1/2
0.318 mi.
1678 ft.

220 E. 48TH ST.
220 E. 48TH ST.
MANHATTAN, NY

NY LTANKS S102672139
N/A

Site 2 of 2 in cluster EC

Relative:
Lower

Actual:
34 ft.

LTANKS:
Name: 220 E. 48TH ST.
Address: 220 E. 48TH ST.
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9214329 / 1993-03-29
Facility ID: 9214329
Site ID: 245137
Spill Date: 1993-03-29
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: C4
Cleanup Ceased: 1993-03-29
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 1993-03-29
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

220 E. 48TH ST. (Continued)

S102672139

Date Entered In Computer: 1993-03-29
Spill Record Last Update: 2004-09-02
Spiller Name: Not reported
Spiller Company: BAERENKLAU
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 201367
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
KRIMGOLD "
Remarks: "CONTAINED ON CONCRETE. CLEAN UP DONE & SERVICE TO FOLLOW-UP."
All Materials:
Site ID: 245137
Operable Unit ID: 978402
Operable Unit: 01
Material ID: 400550
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

**957
NE
1/4-1/2
0.319 mi.
1682 ft.**

**APARTMENT BUILDING
146 EAST 49TH ST
MANHATTAN, NY**

**NY LTANKS
NY Spills**

**S109414179
N/A**

**Relative:
Lower**

LTANKS:
Name: BASEMENT
Address: 146 EAST 49TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1910353 / Not Reported
Facility ID: 1910353
Site ID: 600991
Spill Date: 2020-02-04
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: HSSEKHON
Referred To: Not reported
Reported to Dept: 2020-02-04
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False

**Actual:
43 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S109414179

UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 2020-02-04
Spill Record Last Update: 2020-05-11
Spiller Name: DEBBIE BROWN
Spiller Company: UNKNOWN
Spiller Address: 146 EAST 49TH ST
Spiller County: 999
Spiller Contact: DEBBIE BROWN
Spiller Phone: (631) 206-3700
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 357869
DEC Memo: "2-4-20 - Obligado - Desk Duty - On site to conduct a tank test. Prior to the tank test the tank was pumped out and cleaned. After cleaning failed the test. Cause of the failure unknown at this time. The tank is in a basement. The contact who hired GC is: Marland Heating Rob 718-993-4350 The PBS # is 2-197718 From PBS the tank is a 5000 gallon AST. 2/12 - Sekhon Contractor emptied tank of all product, cleaned, piping isolated from tank and passed tank only test, vent pipe failed test. Vent pipe will need replacement. Contractor asked to make necessary repairs and submit report. 5/11/20 - Sekhon email send to get updates."

Remarks: "tank test failure"

All Materials:

Site ID: 600991
Operable Unit ID: 1348123
Operable Unit: 01
Material ID: 2358621
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

SPILLS:

Name: APARTMENT BUILDING
Address: 146 EAST 49TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0811078 / 2009-05-15
Facility ID: 0811078
Facility Type: ER
DER Facility ID: 357869
Site ID: 408628
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 3101
Spill Date: 2009-01-06
Investigator: vszhune
Referred To: Not reported
Reported to Dept: 2009-01-06

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S109414179

CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2009-01-06
Spill Record Last Update: 2009-06-02
Spiller Name: WARREN
Spiller Company: CORTON MGMT
Spiller Address: 146 EAST 49TH ST
Spiller Company: 999
Contact Name: WARREN
DEC Memo: "01/06/09-Hiralkumar Patel. spoke with Warren Robateau, building super. site has one 5000 gal #2 oil AST in contact with floor. Warren mentioned that oil spilled from fill line. last oil delivery was for 3000 gal on 01/02/09. he also mentioned that there is stain on wall where fill line enters into tank room. currently tank room has about 2 inches of oil/water inside tank room. no odors inside building. management company has hired cleanup company. Warren measured 2882 gal in tank this morning. PBS #: 2-197718. 146 East 49th Street Owners **property owner** c/o Carlton Management **property management** 87-47 Merengo Street Holliswood, NY 11423 Attn.: Steve Schwinder **property manager** Ph. (516) 609-8200 Ext. 11 01/07/08-Zhune spoke to Sheila from Property management (516 609-8200. She said there are people working there. PTC and ABC Tank are coming. 01/07/08-Zhune spoke to Steven Schwinder (516)609-8200, cell (917)747-5866 (Property manager). He said we are working on it. We are waiting for price. A CSL was sent to: 138 Glenwood Rd. Glenwood Landing NY 11547 Att: Steven Schwinder 01/07/08 Steven called to say that PTC has been hired to do the clean up. 01/07/08 Mark from PTC called to say that they get the approval to do the cleanup at 146 east 49th St. They are going to be pumping oil today and will continue with the cleanup tomorrow. 05/15/09-PTC sent the closure report dated 05/13/09. The report included a cover letter, copy of the disposal manifest for the drums, a disposal receipt for the liquid, a site plan and some photographs after the cleanup. The letter stated that on 06 January 2009 an oil delivery of #4 fuel oil was made to this building. After the delivery the building's superintendant checked the boiler and tank room and noticed oil on the floor. It is estimated that there was about 100 gallons of the #4 oil on the ground. The fill line was found to have a separation that caused the spill. The fill line is from the curb in a small tunnel that at one time served as a coal chute. The tunnel acted as secondary containment and prevented any oil from impacting the soil. It runs from the curbs, runs under the sidewalk, enters the tank room and is connected to the top of the 5000 gallon storage tank in the basement. The fill line was replaced without the need to performed any excavation of the sidewalk. The interior surface of the coal chute were cleaned and the materials on the floor was vacuumed into a vacuum truck and legally disposal. The solid material was placed into drums for disposal. After all the solid material was removed and as much liquid as possible removed, the floor was pressure washed. The

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S109414179

liquid from this operation was also collected into a vacuum truck for legal disposal. The floor turned to be a solid concrete surface free of any cracks or voids. For this reason, no samples were taken. The spilled was #4 fuel oil, not #2 oil as noted on the DEC website. Spill closed "

Remarks: "Caller states a line failure caused fuel to spill into the dirt floor. Spill was just discovered and process is ongoing."

All Materials:

Site ID: 408628
Operable Unit ID: 1165151
Operable Unit: 01
Material ID: 2156553
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

ED958
SSE
1/4-1/2
0.320 mi.
1688 ft.

243 E. 38TH ST
243 E. 38TH ST
MANHATTAN, NY

NY LTANKS

S105999935
N/A

Site 1 of 2 in cluster ED

Relative:
Lower

Actual:
30 ft.

LTANKS:

Name: 243 E. 38TH ST
Address: 243 E. 38TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0306430 / 2004-07-23
Facility ID: 0306430
Site ID: 191704
Spill Date: 2003-09-17
Spill Cause: Tank Failure
Spill Source: Unknown
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 2003-09-17
CID: 322
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2003-09-17
Spill Record Last Update: 2006-11-20
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: 243 E. 38TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

243 E. 38TH ST (Continued)

S105999935

Spiller County: 001
Spiller Contact: CELESTE OKELLO
Spiller Phone: (917) 769-0872
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 159887
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIPPLE 9/18/03 tipple conducted a site visit// fire in basement effecting boiler room, tank room,and adjacent basement rooms. PTC did the initial cleanup once the fire was but out by FDNY. Tipple informed Wembbly Management co that the oil impacted debris must be disposed of properly. The tank must be properly registered for replacement if that is the plan, there are three 275 gal tanks n the continuous basement(241-243 east 38th and 709-711 second ave. a corner building complex.) that must also be reflected on the registration. Tipple requested the company contracted to do the cleanup to call, the extent of the contamonation cannot be determined until the fire impacted debris is removed and cleanup is well underway./// 7/7/04 tipple sent request,,2 wks to get info to DEC 7/20/04 tipple was contacted by bld. mgr., they are assembling documentation, cleanup has been completed. 7/23/04 documentation and pbs update recieved and reviewed//no further action "
Remarks: "tank broke - causing spill - sewers are also affected - clean up in progress "

All Materials:
Site ID: 191704
Operable Unit ID: 875160
Operable Unit: 01
Material ID: 503653
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100.00
Units: G
Recovered: .00
Oxygenate: Not reported

ED959 240 E 38TH ST/MANH/NYTEL
SSE 240 EAST 38TH STREET
1/4-1/2 NEW YORK CITY, NY
0.327 mi.
1726 ft. Site 2 of 2 in cluster ED

NY LTANKS S104275547
N/A

Relative: LTANKS:
Lower Name: 240 E 38TH ST/MANH/NYTEL
Actual: Address: 240 EAST 38TH STREET
31 ft. City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 8906478 / 1995-06-20
Facility ID: 8906478
Site ID: 198011
Spill Date: 1989-10-02
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: B3
Cleanup Ceased: 1995-06-20

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

240 E 38TH ST/MANH/NYTEL (Continued)

S104275547

SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1989-10-02
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1989-10-16
Spill Record Last Update: 1999-05-14
Spiller Name: Not reported
Spiller Company: NEW YORK TELEPHONE CO.
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 164794
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TIBBE SEE FILE"
Remarks: "PIPE BROKEN ON ROOF, POSSIBLE TANK OVERFILL, DRAIN HAS BEEN PLUGGED,
NYTEL TO CLEAN UP SPILL."

All Materials:

Site ID: 198011
Operable Unit ID: 934246
Operable Unit: 01
Material ID: 446890
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 300.00
Units: G
Recovered: .00
Oxygenate: Not reported

**960
ENE
1/4-1/2
0.330 mi.
1741 ft.**

**209 EAST 48TH STREET
209 EAST 48TH STREET
NEW YORK CITY, NY**

**NY LTANKS S104275727
N/A**

**Relative:
Lower
Actual:
35 ft.**

LTANKS:
Name: 209 EAST 48TH STREET
Address: 209 EAST 48TH STREET
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9413006 / 1994-12-29
Facility ID: 9413006
Site ID: 155412
Spill Date: 1994-12-29
Spill Cause: Tank Overfill

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

209 EAST 48TH STREET (Continued)

S104275727

Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: 1994-12-29
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 1994-12-29
CID: Not reported
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-01-05
Spill Record Last Update: 1999-01-26
Spiller Name: Not reported
Spiller Company: MB TRUCKING
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 131647
DEC Memo: ""
Remarks: "CLEANED UP WITH SPEEDY DRY"

All Materials:

Site ID: 155412
Operable Unit ID: 1010552
Operable Unit: 01
Material ID: 375290
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: 2.00
Oxygenate: Not reported

961
SSW
1/4-1/2
0.337 mi.
1781 ft.

APT COMPLEX
136 EAST 36TH ST
MANHATTAN, NY

NY LTANKS
NY Spills

S105994870
N/A

Relative:
Higher
Actual:
58 ft.

LTANKS:
Name: RESIDENCE
Address: 136 EAST 36TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0109772 / 2005-03-08
Facility ID: 0109772
Site ID: 257207
Spill Date: 2002-01-08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 2002-01-09
CID: 205
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2002-01-09
Spill Record Last Update: 2005-03-08
Spiller Name: CALLER
Spiller Company: 136 EAST 36TH ST
Spiller Address: 136 EAST 36TH ST
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 210602
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOLLEENY Spill was in basement, no release to environment. OK to close. - J. Kolleeny 3/8/05 "

Remarks: "tank in basment leaked to drain. leak stopped."

All Materials:

Site ID: 257207
Operable Unit ID: 848135
Operable Unit: 01
Material ID: 527421
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: APT COMPLEX
Address: 136 EAST 36TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1310703 / 2019-07-08
Facility ID: 1310703
Facility Type: ER
DER Facility ID: 210602
Site ID: 491571
DEC Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 3101
Spill Date: 2014-02-11
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2014-02-11
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2014-02-11
Spill Record Last Update: 2019-07-08
Spiller Name: Not reported
Spiller Company: PROPERTY OWNER
Spiller Address: Not reported
Spiller Company: 999
Contact Name: ROB HILL
DEC Memo: "02/11/14-Zhune spoke to Robert Hill. He said fill line that enter the building was leaking and released 50-gallons of oil #6. Oil is contained in secondary containment in the basement. There is no Drain and soil impacted. Robert called one of his worker and find out that there is no vapors complaintment from tenents in the building.
02/11/14- Zhune spoke to the super of the building and as per the super oil is contained and no vapors in the building. Riteway is cleaning the spill. 02/20/14-Hiralkumar Patel. alternate address: 267-271 Lexington Ave PBS #: 2-113905. as per PBS record, the site has/had following tanks: - one (1) 5,000 gal #6 oil UST, closed in-place, in Dec. 1992 - one (1) 5,000 gal AST on saddles, installed in Dec. 1992 PBS registration expired on 03/24/12. other spill # 0109772 was reported on 01/09/2002 as #6 oil spilled from tank in basement. spill case was closed on 03/08/2005 with note: Spill was in basement, no release to environmental. OK to close. 136 East 36th Street Apartments Corp. **property owner** c/o Halstead Management, LLC. **property management** 770 Lexington Avenue, 7th Floor New York, NY 10021 Attn.: Peter Pantelic **property manager** Ph. (212) 396-8273 (O) (212) 508-7272 (O) (917) 714-9625 (C) Fax (212) 319-2372 email: ppantelic@halstead.com George **building super** Ph. (917) 952-4783 10:50 AM:- visited site. met building super. inspected tank room. site has one 5,000 gal #6 oil AST on legs, within secondary containment. the tank is located in room along the western foundation wall of the building. super showed closed fill pipe in western wall. he mentioned that after noticing spill from the fill line, they installed a new fill line with fill port located along the foundation wall. found concrete patched fill port along the Lexington Ave curb. found oil stains in tank containment. during inspection, found a french drain pipe along the north, east and south wall of tank room. found signs of oil seepage through walls and floor of tank room, in french drain area. the french drain pipe ends into a sump pit, located outside of tank's secondary containment wall. found oil in sump. asked super to unplug the sump pump to prevent discharge of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

oily water into sewer system. he refused to do so. he mentioned that there was another larger spill around 12 years ago and oil seepage noted today may be result of spill in past. no vapors noted outside the tank room. 11:03 AM:- left message for Peter Pantelic, property manager. oil in sump was reported to NYC DEP (case #: C1-1-940658781). 1:05 PM:- received call from Mr. Pantelic. informed him about signs of oil seepage from tank room walls/floor. based on observations during the site visit this morning, informed him that the department requires subsurface investigation in tank room and investigation along portion of former fill line which is abandoned under the sidewalk. also asked him to disconnect sump pump to prevent discharge of oily water into city sewer system. 02/25/14-Hiralkumar Patel. 10:32 AM:- sent letter to Mr. Pantelic requiring weekly monitoring/product removal from tank room sump pit, investigation along abandoned remote fill line and delineation of contaminated noted in tank room. asked him to submit monthly record for sump pit monitoring/product recovery and investigation report by the end of 05/23/14. letter emailed to Mr. Pantelic. 05/23/14-Hiralkumar Patel. met with Alison Jacobs, property owner's attorney who came to office. she requested an unspecified time extension for submission of documents listed in letter dated 02/25/14. she mentioned that Riteway conducted cleanup and they are waiting for report. she was unaware of work conducted by Riteway. 10:30 AM:- spoke with Rob at Riteway regarding work done by Riteway at the site. he mentioned that they only did cleanup of spilled material in tank vault, from the fill line. he also confirmed that they have not done any investigation or sump monitoring as listed in letter dated 02/25/14. spoke with Ms. Jacobs and informed her about discussion with Riteway. informed her that prior to approving any time extension, the department requires update on required work. Alison Jacobs, Esq. **property owner's attorney** Cohen Hochman & Allen Ph. (212) 566-7081 Fax (212) 566-7406 email: aparker@violationlawyers.com 11:04 AM:- left message for Mr. Pantelic. 1:33 PM:- received call from Rob and Mr. Pantelic. Mr. Pantelic mentioned that the spill cleanup was completed by Riteway. informed him about discussion with Rob earlier today. asked him to refer to letter dated 02/25/14 for required investigation/remediation. 3:17 PM:- received email from Mr. Pantelic including copy of invoices and work proposal from contractors. Mr. Pantelic mentioned that building super was monitoring the water pit with absorbent pads, every tuesday. he also mentioned that no petroleum product was noted in pit during monitoring. he has contracted Riteway for required subsurface investigation. 05/27/14-Hiralkumar Patel. 11:54 AM:- sent email to Mr. Pantelic. asked him to submit spill cleanup report, instead of copy of invoices and work proposal from contractors. email copied to Rob and law firm representing property owner. 05/28/14-Hiralkumar Patel. 9:20 AM:- received email from Mr. Pantelic. he has hired Riteway to prepare and implement the necessary work and reports. 3:38 PM:- received call from Rob. he is working on report for fill line spill and will visit site tomorrow to start required investigation/monitoring. 09/12/14-Hiralkumar Patel. 1:51 PM:- spoke with Rob. they have been monitoring sump, but has not conducted any subsurface investigation. 1:55 PM:- left message for Mr. Pantelic. 2:15 PM:- received message from Mr. Pantelic. he mentioned that super is monitoring the sump and riteway will schedule geoprobe. as per the letter dated 02/25/14, the department required submission of monthly reports on interim remedial measures and an investigation report by the end of 05/23/14. as of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

today, the department has not received any such documents. 2:28 PM:- sent letter to Mr. Pantelic requiring submission of required documents by the end of 09/30/14. informed him that case will be referred to legal, if documents are not received by 09/30/14. letter emailed to Mr. Pantelic and Ms. Jacobs. 09/24/14-Hiralkumar Patel. 12:43 PM:- spoke with Rob at Riteway. he mentioned that they are conducting subsurface investigation today. 09/25/14-Hiralkumar Patel. 10:23 AM:- received call from Dave from Riteway. during geoprobe installation inside tank/boiler rooms, refusal encountered between 1.5 and 2.5 ft below surface. they also found heavily contaminated soil and oil on groundwater in the boreholes. groundwater was found about 6 to 9 inches below surface. as groundwater was at shallow depth, boreholes were resealed to prevent flooding. Riteway will schedule boring installation along remote fill line. asked Dave to schedule an on-site meeting with property owner/manager during next field activity. discussed with DEC Austin and DEC DeMeo. based on findings of free phase product underneath the tank/boiler room, it was decided to transfer the case to remediation after receiving results of fill line investigation. 09/29/14-Hiralkumar Patel. 1:40 PM:- received call from Scott from Riteway and scheduled a site meeting at 9 AM on 10/06/14. 09/30/14-Hiralkumar Patel. 10:01 AM:- received email from Rob including sump pit weekly monitoring log from 03/25/14 to 09/23/14. 10/06/14-Hiralkumar Patel. 9:00 AM:- visited site. met George (building super), Peter and Joe (Riteway) and Mr. Pantellic. due to improper marking and wrong permit location, no field work was conducted along the remote fill line. based on field observations, suggested Mr. Pantellic to excavate and remove the out of service remote fill line and any associated contamination. Mr. Pantellic has agreed to it and Riteway will get permit to open sidewalk flags. Peter brought oil/water mixture that was collected from boring in tank room. product was dark colored. asked Peter to send product sample for fingerprint analysis. inspected the subject building and adjacent building at 139 E 35th Street to locate possible location for borings surrounding the tank/boiler room in building 136. there is no place to install soil borings inside both buildings. inspected sump in boiler room in building 139, where no product was noted. building 139 has one square #6 oil AST in basement, which was installed about 10 years ago when previous AST (which is wrapped in concrete) was found leaking (spill #: 0512684). the previous AST in building 139 is closed-in-place. both ASTs in building 139 are away from tank in building 136. based on field observations, asked Mr. Pantellic to install three monitoring wells (two on Lexington Ave sidewalk and one on E 36th Street sidewalk) to investigate groundwater contamination. Riteway will conduct required groundwater investigation. 2:00 PM:- received email from Dave including site map and boring logs for borings installed in tank/boiler room. total 10 borings were installed in tank/boiler rooms. refusal encountered between 1.5 and 3.5 ft below surface. boring locations can not be read in the site plan. 10/14/14-Hiralkumar Patel. 10:09 AM:- sent email to Dave and asked him to resubmit boring location map. also asked him about update on installation of monitoring wells and removal of former fill line. 10/27/14-Hiralkumar Patel. received email from Dave (at 1:28 PM on 10/22/14) including fingerprint sample result. analysis shows product as #6 oil. 9:02 AM:- spoke with Rob at Riteway. they removed sidewalk flag by the building wall and found contamination. they have dug down about 8 ft, but there is more contamination. scheduled a site

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

inspection at 9:30 AM tomorrow. Rob mentioned that they are waiting for a permit for well installation. 10/28/14-Hiralkumar Patel. 9:50 AM:- visited site. met Anthony from Riteway. Riteway crew has excavated to about 20-22 ft depth along building's foundation wall in the area of recently closed fill line. more contamination at the bottom of the excavation. crew will continue excavation, to feasible limits only. Anthony mentioned that no contamination has noted from the remote fill line (with fill port at the curb) which was closed in past. asked Anthony to collect endpoint bottom sample and to install a minimum of 4 inch diameter pipe in excavation, prior to backfilling. the pipe is needed to install a monitoring well in the area. 11/10/14-Hiralkumar Patel. received email from Scott (at 3:36 PM on 11/07/14) from Riteway. he mentioned that well installation will begin at 9 AM on 11/12/14. 11/12/14-Hiralkumar Patel. 2:54 PM:- received call from Scott from Riteway. he mentioned that the drilling equipment to install 4 inch well is big and Riteway does not have sidewalk obstruction permit. he will install 2 inch wells with smaller equipment, next week, and then based on findings, impacted well(s) will be replaced with bigger ones after holidays. 11/21/14-Hiralkumar Patel. 7:19 AM:- received email from Dave including site map and soil sample results. total of four (4) soil samples were collected on 10/28/14 from excavation by the foundation wall and three (3) soil samples were collected on 11/07/14 from excavation along curb in area of previously abandoned fill port. out of seven soil samples, some SVOCs were found in one soil sample which was collected from area close to foundation wall. a monitoring well has been installed near the foundation wall. 11/24/14-Hiralkumar Patel. 9:46 AM:- sent email to Dave inquiring about well installation status. 04/13/15-Hiralkumar Patel. 1:17 PM:- spoke with Dave and inquired him about well installation report. he will call back with update. 04/14/15-Hiralkumar Patel. received email from Sylvia (at 4:46 PM on 04/13/15) from Riteway. she is in process of getting street obstruction permit and will schedule the work, once permit is received. 10/29/15-Hiralkumar Patel. 9:40 AM:- received call from Rob. he mentioned that monitoring wells have been installed. he will submit report. 12/14/15-Hiralkumar Patel. 3:25 PM:- received email from David from Riteway including site map with well locations and pics of absorbent socks from the wells. he mentioned that all the absorbent socks are free from product. site map shows location of four monitoring wells. the department has not received complete groundwater investigation report. 12/24/15-Hiralkumar Patel. 8:58 AM:- spoke with Rob. informed him that the department has not received complete groundwater investigation report yet. he will submit report by next week. 9:54 AM:- received email from David. he mentioned that they did not sample four monitoring wells yet. they will collect samples soon. he also mentioned that they only did a 'fingerprint' sample in the area. 10:21 AM:- sent email to David. asked him where the product sample was collected from for fingerprint analysis and why absorbent socks were installed in the wells. 10:55 AM:- received email from David from Riteway including site map and fingerprint analysis. fingerprint result shows presence of #6 oil. he mentioned that fingerprint sample was taken from well #3. he also mentioned that absorbent socks were installed as general procedure. 11:25 AM:- sent email to David. asked him to provide information about date of monitoring, depth to water, depth to product, product thickness, amount recovered from the impacted well and observations during subsequent visits. email copied to Rob (Riteway), Peter

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX (Continued)

S105994870

(Riteway) and Mr. Pantellic. as per chain-of-custody submitted with fingerprint analysis, the product sample was collected on 10/06/14, but based on previous notes, the monitoring wells were installed sometime after Apr. 2015. reviewed previous notes and noted that fingerprint result submitted today was previously submitted in Oct. 2014 which was for product collected from boring inside the tank room. 11:31 AM:- sent email to David again. informed him that fingerprint result submitted earlier today was previously submitted in Oct. 2014 and based on information provided, that product sample was collected from soil boring installed inside the building. asked him about result for product sample collected from well #3, installed outside the building. email copied to Rob (Riteway), Peter (Riteway) and Mr. Pantellic. 01/07/16-Hiralkumar Patel. 2:06 PM:- received email from David. they will sample four wells tomorrow. 01/21/16-Hiralkumar Patel. 11:01 AM:- received email from David. they recently went back to obtain water samples from four wells. they were able to retrieve water from three wells (# 1, 2 and 4), but well # 3 was completely dry. samples from three wells were clean based on visual and olfactory inspection. will send samples to lab. 02/29/16-Hiralkumar Patel. 12:19 PM:- sent email to David inquiring about results of groundwater samples and monthly reports for sump pit monitoring/product recovery. email copied to Rob, Mr. Pantellic, Charisma Hill (Riteway) and Peter. 12:54 PM:- received email from David including groundwater sampling results. groundwater samples were collected from wells # 1, 2 and 4 on 01/19/16. no contamination was noted in groundwater samples. 03/24/16-Hiralkumar Patel. 9:01 AM:- received email from Rob including pit monitoring logs and pics of absorbent pads taken on 03/09/16. as per monitoring logs, trace amount or no oil was found after 04/17/15. 04/29/16-Hiralkumar Patel. 9:50 AM:- visited site and met George. inspected tank room sump. no oil was found on water in the sump. 3:34 PM:- left message for Mr. Pantellic. 05/02/16-Hiralkumar Patel. 1:02 PM:- received call from Mr. Pantellic. suggested him to submit one detailed report including information about spill investigation and remediation. he will talk to Riteway. 07/08/19-Hiralkumar Patel. after discussing with DEC Austin, case closed based on following: - removal of contaminated soil along the former remote fill line - passive product recovery within tank room - no groundwater impact outside building foundation wall - building foundation possibly within bedrock preventing migration of remaining heavy product trapped beneath the tank/boiler room floor - no impact to indoor air"

Remarks: "on floor - cleanup pending"

All Materials:

Site ID: 491571
Operable Unit ID: 1241120
Operable Unit: 01
Material ID: 2241406
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

962
NW
1/4-1/2
0.343 mi.
1811 ft.

APT COMPLEX TTF
17-19 WEST 45TH
NEW YORK CITY, NY

NY LTANKS S112810193
N/A

Relative:
Higher

Actual:
63 ft.

LTANKS:

Name: APT COMPLEX TTF
Address: 17-19 WEST 45TH
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 1214462 / 2014-05-22
Facility ID: 1214462
Site ID: 477707
Spill Date: 2013-01-10
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2013-01-10
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2013-01-10
Spill Record Last Update: 2014-05-23
Spiller Name: Not reported
Spiller Company: TANK TEST FAILURE
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: DAVID VEGA
Spiller Phone: (718) 378-3000
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 433005
DEC Memo: "05/21/14-Hiralkumar Patel. found a tank system test result in file. the tank system was tested tight on 01/17/13. during the system test on 01/17/13, the tank had 1,920 gal of oil. as per caller's remarks, the tank system was failed in dry portion during initial test. based on available information, case closed."
Remarks: "dry leak failure - removal pending"

All Materials:

Site ID: 477707
Operable Unit ID: 1227504
Operable Unit: 01
Material ID: 2224875
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT COMPLEX TTF (Continued)

S112810193

Oxygenate: Not reported

963
SSW
1/4-1/2
0.349 mi.
1843 ft.

2 SNIFFEN COURT/MANH
2 SNIFFEN COURT
NEW YORK CITY, NY

NY LTANKS
NY Spills

S104275611
N/A

Relative:
Lower

LTANKS:

Actual:
44 ft.

Name: 2 SNIFFEN COURT/MANH
Address: 2 SNIFFEN COURT
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9008590 / 1990-11-06
Facility ID: 9008590
Site ID: 269120
Spill Date: 1990-11-06
Spill Cause: Tank Overfill
Spill Source: Commercial Vehicle
Spill Class: Not reported
Cleanup Ceased: 1990-11-06
SWIS: 3101
Investigator: WILSON
Referred To: Not reported
Reported to Dept: 1990-11-06
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1990-11-07
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 219196
DEC Memo: ""
Remarks: "SPILLAGE CAME OUT OF VENT ONTO SIDEWALK, BAERENKLAU SPILL TEAM ON WAY TO CLEAN UP."

All Materials:

Site ID: 269120
Operable Unit ID: 945785
Operable Unit: 01
Material ID: 432398
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 SNIFFEN COURT/MANH (Continued)

S104275611

Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: 2 SNIFFEN COURT/MANH
Address: 2 SNIFFEN COURT
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9100489 / 1991-04-12
Facility ID: 9100489
Facility Type: ER
DER Facility ID: 219196
Site ID: 269121
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 3101
Spill Date: 1991-04-12
Investigator: FINGER
Referred To: Not reported
Reported to Dept: 1991-04-12
CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: 1991-04-12
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1991-04-17
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "SUSPECT PLUGGED VENT, FUEL OVERFLOWED TANK TO SIDEWALK,DRIVER APPLIED SPEEDY DRY, SPILL TEAM TO CLEAN UP."

All Materials:

Site ID: 269121
Operable Unit ID: 951483
Operable Unit: 01
Material ID: 426682
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 SNIFFEN COURT/MANH (Continued)

S104275611

Name: 2 SNIFFEN COURT/MANHATTAN
Address: 2 SNIFFEN COURT
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9000965 / 1990-04-26
Facility ID: 9000965
Facility Type: ER
DER Facility ID: 219196
Site ID: 269119
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 3101
Spill Date: 1990-04-26
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 1990-04-26
CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: 1990-04-26
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1990-05-11
Spill Record Last Update: 1990-12-18
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "CLOGGED VENT CAUSED FUEL TO BACK OUT, DRIVER APPLIED SPEEDY DRY,
SPILLTEAM SENT TO CLEAN UP SPILL."

All Materials:

Site ID: 269119
Operable Unit ID: 939423
Operable Unit: 01
Material ID: 439317
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

964
SE
1/4-1/2
0.350 mi.
1847 ft.

E 39TH ST PARKING LOT
320 E 40TH ST
MANHATTAN, NY

NY LTANKS
NY Spills

S104506403
N/A

Relative:
Lower

LTANKS:

Actual:
36 ft.

Name: E 39TH ST PARKING LOT
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9809889 / 2003-03-13
Facility ID: 9809889
Site ID: 286165
Spill Date: 1998-11-05
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1998-11-05
CID: 322
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1998-11-05
Spill Record Last Update: 2004-03-10
Spiller Name: Not reported
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller County: 001
Spiller Contact: RICHARD ROACH
Spiller Phone: (212) 580-6764
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 231931
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 2/26/99: On site with Joe Floryshak, Jerry Mele and Ken Toumey (Con Ed). Con Ed may want to remove all contaminated soil for slae of property. Joe Floryshak says that soil is still contaminated at least on south wall of excavation. Con Ed checked old blueprints - property used to be owned by UPS. It was a service station but pumps were west of where Con Ed's pumps were. POSSible contamination may have come from UPS system. Unknown where their tanks were. Con Ed is to talk to their real estate people and see if they are willing/prepared to excavate entire site because entire site may be contaminated. Told them that whoever disposes of soil must do it according to contamination levels. I explained that DEC could not determine what would be needed to inactivate/close spill until we see analytical data. Con Ed may want to do Geoprobes throughout the site to get an idea of what they are dealing with and what quantity of material they would have to dispose of if they are going to remove all contaminated soil. (CAE) 8/2/99: Con Ed submits Subsurface Investigation Report for the site. Results indicate that contaminated

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

soils (above STARS guidance values) remain in southeast portion of the site. Con Ed's plan is to continue soil removal in this area. 12/10/99: Plan is to install 3 wells on the property and one on sidewalk. Wells will be monitored for one year. For product, start weekly - if none found move to monthly then quarterly. For dissolved, do initial analysis then quarterly. If excavation for property development occurs before annual monitoring is completed, DEC will want to monitor the excavation. Free product or odors may start entering the excavation. If so, some type of vapor barrier may be necessary for new building. Alos, orinetation of fractures may provide info on where further investigation should take place. (CAE) 12/16/99:letter to Con Ed outlining requirements for additional investigation: 1) Conduct sensitive receptor survey (1/4 mile radius). 2) Determine extent of contamination beyond southeast corner of property. 3) Investigate bedrock fracture contamination (see plan above - wells are to be installed into bedrock). 1/1/00: Transferred from Engelhardt to O'Connell. 1/13/00: Con Ed submits work plan based on above requirements. 2/22/00: E-mail to Joe Floryshak approving worplan with following comments: 1. Will the core be a fixed core or rotating core? Care should be taken to maintain the orientation of the core during removal. 2. The single core should be taken in the source area (i.e., where the tanks were previously removed). 3. Since all of the overburden was removed previously and the current overburden consists of clean fill, it is not necessary to collect soil samples during the installation of these 3 wells. (JHO) 3/29/00: Met with Jaques Whitford Co. (consultant) on site - they are installing bedrock wells. One core was taken in source area - approx 6 to 8 of decomposed bedrock with slight odor, low PID hit. Competant (but fractured) bedrock to bottom of core. No evidence of contamination. Fractures don't appear to be water bearing. Core is to be shipped to White PLains office for further analysis. They installed a well in this location. They are in process of installing air-rotary boring/well at first downgradient location. Thus far no evidence of contamination. There is perched water above the bedrock - no odor or PID hits. (JHO) 4/20/00: call from Joe Floryshak - deep well (MW-3R, downgradient) along 39th St. checked today - found free product (gasoline). He will discuss with consultant and put together proposal for further delineation and remediation. (JHO) 7/18/00: Con Ed submits Site Investigation Report (SIR). Includes results of Sensitive Receptor Survey (possible vapor migration into subsurface sturtures, i.e., basements manholes, etc.); results of bailing and monitoring efforts on well MW-3R (decrease of product thickness with time, also baildown tests reveal low hydraulic conductivity of bedrock fractures); and resutls of soil and groundwater monitoring (residual soil and groundwater contamination extend off-site to the southeast). The SIR did not contain any recommendations for further remedial actions. (JHO) Mid-2000: Con Edison transfers ownership of the property to TRC Environmental for the purposes of entering the Voluntary Cleanup Program. TRC continues remedial activities, including additional soil/source removal and free product recovery (minimal), as well as application of Oxygen Releasing Compound (ORC) to speed remediation of impacted groundwater. This effort was overseen by Albany DER staff (Tom Gibbons). 3/12/03: Tom Gibbons issues letter to TRC indicating that remedial objectives for the property under the VCA have been met. Close out. "

Remarks: "leak from underground fuel tank - spill being cleaned up - tank is being removed "

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

All Materials:

Site ID: 286165
Operable Unit ID: 1067152
Operable Unit: 01
Material ID: 560807
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: 320 E 40TH ST SUBSTATION
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0001916 / 2009-08-18
Facility ID: 0001916
Facility Type: ER
DER Facility ID: 231931
Site ID: 286162
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2000-05-15
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 2000-05-15
CID: 389
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-05-15
Spill Record Last Update: 2009-08-18
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: CALLER
DEC Memo: "08/18/09 - See eDocs for Con Ed report detailing cleanup and closure. Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL "
Remarks: "caller reporting a spill of 6 oz from a leak in the cooling system coned#131409 samples taken cleanup pending lab results no callbak necessary"

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

All Materials:

Site ID: 286162
Operable Unit ID: 823825
Operable Unit: 01
Material ID: 550299
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 6.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: EAST 40TH ST SUBSTATION
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0009242 / 2006-03-10
Facility ID: 0009242
Facility Type: ER
DER Facility ID: 231931
Site ID: 286163
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 2000-11-10
Investigator: OKWUOHA
Referred To: Not reported
Reported to Dept: 2000-11-10
CID: 312
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2000-11-10
Spill Record Last Update: 2006-03-10
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: CALLER
DEC Memo: "Consolidated under DEC # 9901312. (JHO, 3/10/06)

~~~~~ e2mis no. 134331: 11/10/00 1357 hrs  
Steven Tercovich #12959 sub-station operator reports to mcc Michael  
Crowe #71453 one gallon of transformer dielectric fluid leaked from  
transformer #3 at 320 e40th st Transformer dielectric fluid leaked  
onto concrete pad. Did not go onto bluestone or enter sewer or  
waterways. No smoke or fire. Chem lab has been requested to take pcb  
sample. Hung sign #s01743 Absorb pads placed on concrete pad. Drip  
rate 2 drops per minute. Leak is from main body of transformer.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

Cleanup pending test result and repairs. During a station inspection on January 16, 2001 Sr. Env. Specialist S. Hanebuth - 85259, checked area for clean-up, it appears that the clean-up was completed, the spill is still leaking into containment pads. The PCB count for this unit is <1 PPM LSN 00-04870. 4/21/05 Leak is still active, contained and controlled. Maximo # 304168. "

Remarks: "TRANSFORMER #3 - CONTAINED BY PADS - SAMPLE NOT TAKEN YET "

All Materials:

Site ID: 286163  
Operable Unit ID: 831541  
Operable Unit: 01  
Material ID: 543199  
Material Code: 0020A  
Material Name: transformer oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: 40TH ST SUBSTATION  
Address: 320 E 40TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9704243 / 2003-11-07  
Facility ID: 9704243  
Facility Type: ER  
DER Facility ID: 231931  
Site ID: 286164  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 1997-07-09  
Investigator: CAENGELH  
Referred To: Not reported  
Reported to Dept: 1997-07-09  
CID: 246  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1997-07-09  
Spill Record Last Update: 2003-11-12  
Spiller Name: RICHARD ROACH  
Spiller Company: CON EDISON  
Spiller Address: 4 IRVING PLACE  
Spiller Company: 001  
Contact Name: RICHARD ROACH  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ENGELHARDT E2MIS 109111 07/09/97 2315 hrs lou demek #95050 finder --

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

Remarks: 07/09/97 2345 hrs j mallin #97673 reports at e40th sub station transformer #2 (38m03) transformer oil spill 1 qt -coming from flang and bushing -- contained - did not enter sewer or waterways - no agency on site - sample taken - hung sign #s01517 (on flang) and sign #s- 01520 (on bushing) placed pads,pigs and pan - cleanup pending test and cleanup by central - mr malin notified cig mr roach at 07/09/97 2315 hrs ----- recorded by michael crowe #71453-----mc rev on 07/10/97 0625 received lab results seq # 97-08180 bank #2 neutral bushing <1.0 ppm and secondary bushings <1.0 14-MAY-1998 14:00 A. CHASE REPORTS THAT THE CLEANUP WAS COMPLETED AND THE LEAK WAS REPAIRED. THE EXACT DATE IS NOT AVAILABLE RIGHT NOW. THE INCIDENT WILL BE CLOSED AS OF NOW AND MORE INFORMATION WILL BE ADDED AS AVAILABLE."  
"transformer failure caused leak which is continuing at this time material deposited onto concrete surface - absorbant pads have been placed to contain fluid"

**All Materials:**

Site ID: 286164  
Operable Unit ID: 1047456  
Operable Unit: 01  
Material ID: 333505  
Material Code: 0541A  
Material Name: dielectric fluid  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: EAST 40TH ST SUB STATION  
Address: 320 E 40TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9812043 / 2003-11-13  
Facility ID: 9812043  
Facility Type: ER  
DER Facility ID: 231931  
Site ID: 286166  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C3  
SWIS: 3101  
Spill Date: 1998-12-26  
Investigator: JHOCONNIE  
Referred To: Not reported  
Reported to Dept: 1998-12-26  
CID: 257  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

Date Entered In Computer: 1998-12-26  
Spill Record Last Update: 2003-11-13  
Spiller Name: STEVEN CRIBBIN  
Spiller Company: CON EDISON  
Spiller Address: 4 IRVING PLACE  
Spiller Company: 001  
Contact Name: RICHARD ROACH  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'CONNELL E2MIS 122126 12/26/98 1445 HRS OPERATOR J. SEGUNA, 36341, OF S.S.O REPORTS: WHILE PERFORMING A PRESSURE TEST ON TRANS. #9, FEEDER 38M01, A SPILL OF APPROX. 2 OZ OF TRANSMISSION FEEDER DIELECTRIC OCCURRED. SAID SPILL ORIGINATED FROM POTHEAD OF THE FEEDER AND HIT THE BLUESTONE, NO ACCESS TO SEWER OR WATERWAY, FUTURE CONTAINMENT WAS PROVIDED BY PLACING PADS, THE FINDER ESTIMATED THE DRIP RATE TO BE APPROX. 1 DROP PER HOUR. NO SAMPLE WAS TAKEN, P.C.B COUNT UNKNOWN. TAG #S00997 WAS PLACED. UNDERGROUND TRANSMISSION NOTIFIED. CIG OPERATOR ROACH NOTIFIED @1453 HRS. LOGGER JP. HEFFERNAN 74031 05-MAR-1999 11:20 OPERATOR SEGUNA REPORTS THAT REPAIRS WERE MADE BY TRANSMISSION OPERATIONS. ALL PADS WERE REMOVED AND AREA WAS CLEAN."  
Remarks: "ABOUT 2 OZ'S OF PRODUCT REPAIR TO BE MADE BEFORE CLEANUP REF #122126"  
Not reported

**All Materials:**

Site ID: 286166  
Operable Unit ID: 1069313  
Operable Unit: 01  
Material ID: 312324  
Material Code: 0541A  
Material Name: dielectric fluid  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: 40 TH ST SUB STATION  
Address: 320 E 40TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9815460 / 1999-03-31  
Facility ID: 9815460  
Facility Type: ER  
DER Facility ID: 231931  
Site ID: 286167  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 1999-03-29  
Investigator: CAENGELH  
Referred To: Not reported  
Reported to Dept: 1999-03-29  
CID: 252  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cleanup Ceased:           | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Cleanup Meets Std:        | False                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Last Inspection:          | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Recommended Penalty:      | False                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| UST Trust:                | False                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Remediation Phase:        | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Date Entered In Computer: | 1999-03-29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Spill Record Last Update: | 2000-06-19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Spiller Name:             | STEVE ROMERO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Spiller Company:          | 40 TH ST SUB STATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Spiller Address:          | 320 E 40TH ST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Spiller Company:          | 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Contact Name:             | STEVE ROMERO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| DEC Memo:                 | "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT CON ED E2MIS NOTES This incident has been updated and its status has been changed from De Minus report to Spill Transformer oil on 3-29-99 3-29-99 Transformer valve found leaking upon inspection. Approx. 6oz. of transformer oil was on the cement pad mixed with 2 gals. of water. Some oil appears to have run off the pad unto the bluestone. A small area of the bluestone was affected. The oil in all the transformers at E. 40th St. Substation is considered <1ppm given the age of manufacture and previous sample results. Cleanup wa initiated immediately. The cement area will be scrubbed with simple-green and pads. The affected bluestone wilbe removed. The valve will be tightened. Containment will be left under the leak until it is certain that the leak has stopped. 1430 hrs. Cleanup completed. 1 55 gal. drum of non hazardous oily debris was created." |
| Remarks:                  | "LEAKING VALVE FROM TRANSFORMER #7 SPILLED 6 OUNCES OF MATERIAL ONTO BLUE STONE-CON ED WILL MAKE ARRANGEMENTS FOR CLEAN UP. CON ED #102845-CALLER STATES IN JAN OF 97 THIS INCIDENT WAS ORIGINALLY NON REPORTABLE-HAD NOT SPILLED ONTO BLUESTONE TIL NOW."                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| All Materials:            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Site ID:                  | 286167                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Operable Unit ID:         | 1076484                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Operable Unit:            | 01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Material ID:              | 308565                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Material Code:            | 0020A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Material Name:            | transformer oil                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Case No.:                 | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Material FA:              | Petroleum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Quantity:                 | .00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Units:                    | G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Recovered:                | .00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Oxygenate:                | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Name:                     | E 40TH ST SUBSTATION TR#3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Address:                  | 320 E 40TH ST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| City,State,Zip:           | MANHATTAN, NY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Spill Number/Closed Date: | 9901312 / 2008-08-04                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Facility ID:              | 9901312                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Facility Type:            | ER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| DER Facility ID:          | 231931                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Site ID:                  | 286168                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| DEC Region:               | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Spill Cause:              | Equipment Failure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Spill Class:              | C4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

SWIS: 3101  
Spill Date: 1999-05-04  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 1999-05-04  
CID: 252  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1999-05-04  
Spill Record Last Update: 2008-08-04  
Spiller Name: STEPHEN CRIBBINS  
Spiller Company: EAST 40TH ST SUBSTATION  
Spiller Address: 320 E 40TH ST  
Spiller Company: 001  
Contact Name: STEPHEN CRIBBINS  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ENGELHARDT 5-20-99 E-Mailed Con Ed ERTs for copy of E2MIS report. NOTE: This is the Master Spill Number for Transformer #3. It is to remain open until all repairs on this equipment are completed. (JHO, 3/10/06) 8/4/08: Cleanup completed. As per 9/18/06 agreement between NYSDEC and Con Edison, approved engineering controls (valve bags, drip pans, absorbents, etc.) are in place and are being maintained for minor drips and small leaks. Repairs to be tracked and completed under Con Ed s MAXIMO Work Order. See eDocs for final emis report. Close out. (JHO) ~~~~~ CON ED E2MIS 124630 (master) 5/4/99 0951hrs Approx. 1/4 oz. of transformer oil leaking from the secondary wiring junction box on transformer. The spill never hit the floor and was only on the transformer. A pail and diaper was placed under the leak to catch any additional oil. Final cleanup will be pending repairs. Contained, did not enter any sewers or waterways. No samples were taken, historical results show a non PCB oil in the transformer. 5/22/00 During station inspection on 5/16/00 GUW Anthony Natale reports leak is still active. Containment is still in place. ~~~~~ e2mis no. 134331 (sub): 11/10/00 1357 hrs Steven Tercovich #12959 sub-station operator reports to mcc Michael Crowe #71453 one gallon of transformer dielectric fluid leaked from transformer #3 at 320 e40th st Transformer dielectric fluid leaked onto concrete pad. Drip rate 2 drops per minute. Leak is from main body of transformer. Cleanup pending test result and repairs. During a station inspection on January 16, 2001 Sr. Env. Specialist S. Hanebuth - 85259, checked area for clean-up, it appears that the clean-up was completed, the spill is still leaking into containment pads. The PCB count for this unit is <1 PPM LSN 00-04870 4/21/05 Leak is still active, contained and controlled. Maximo # 304168."  
Remarks: "SPILL DID NOT AFFECT SEWERS OR WATERWAYS-AMT LESS THAN AN OUNCE CON ED #124630-EQUIPT THAT LEAKED IS ASSOCIATED W/TRANSFORMER #3 NON PCB " Not reported  
All Materials:  
Site ID: 286168

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

Operable Unit ID: 1076095  
Operable Unit: 01  
Material ID: 304856  
Material Code: 0541A  
Material Name: dielectric fluid  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: EAST 40TH ST #1 SUBSTA  
Address: 320 E 40TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9901316 / 2005-12-22  
Facility ID: 9901316  
Facility Type: ER  
DER Facility ID: 231931  
Site ID: 286169  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 1999-05-04  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 1999-05-04  
CID: 252  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1999-05-04  
Spill Record Last Update: 2005-12-22  
Spiller Name: BILL MURPHY  
Spiller Company: EAST 40TH ST #1 SUBSTA  
Spiller Address: 320 E 40TH ST  
Spiller Company: 001  
Contact Name: BILL MURPHY  
DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
ENGELHARDT DEC INSPECTOR NOTES 5-20-99 E-Mailed Con Ed ERTs for copy  
of E2MIS report. 5/6/04 Facility inspected - switch still weeping.  
(SKA) 10/7/04: Facility inspected - switch still weeping. (GDB)  
~~~~~ CON ED E2MIS NOTES Approx. 4 oz. of non  
PCB dielectric oil that leaked from 138 KV FDR#38M05 transformer #3
high pressure ladder. The spill was on the bluestone but did not
enter the waterways or sewers. The bluestone was removed and cleanup
completed. Pads and blankets were placed to contain any additional
leakage. 5/10/99 Operator Seguna reports that SSM Mechanic repaired
leak by tightening two loose fittings. Leak was stopped. All

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

Remarks: containment pads were removed. 4/21/05 I inspected this leak on 4/19/05. The barksdale was repaired by SSO Maintenance. The leak is cleaned and the containments removed."
"4 OUNCES ON TO BLUE STONE-NON PCB OIL FROM FEEDER 38MO5 HP LADDER SWITCH ON TRANSFPRMER #3. CON ED #124632"

All Materials:

Site ID: 286169
Operable Unit ID: 1079984
Operable Unit: 01
Material ID: 304860
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: EAST 40TH ST SUBSTATION
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9906798 / 2005-12-22
Facility ID: 9906798
Facility Type: ER
DER Facility ID: 231931
Site ID: 286170
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1999-09-07
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-09-07
CID: 365
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-09-07
Spill Record Last Update: 2005-12-22
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT 12/17/99: Still leaking at 1 drop per day. (CAE) 5/6/04: Still leaking ~1 drop per day. (SKA) 10/7/04: Initial repair still weeping slightly. Pads in place. (SKA) ~~~~~ Con

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

Ed e2mis #127642: 9/7/99 2150hrs - 1oz transformer oil from temperature probe and neutral bushing. Drip rate 1drop/day. Installed pans, pads and pigs. 12/15/99 Mr. Chris Engelhardt (DEC) has requested information. Operator Seguna reports that the leak has not been stopped or repaired. Containment remains in place pending action by the Transformer Group. Station Operator J. Vele verified on Nov. 17, 2000 that the spill had been cleaned up and was still leaking into engineering controls. T. Belfor, Associate Specialist, SSO, #80482 received information from Stuart Hanebuth, Sr. Environmental Specialist SSO, #85259 that the cracked bushing was replaced with a new one. The Maximo work order number for this incident is 0000070220. This spill can be closed out as of 1:34 PM on 5/21/2002. T. Belfor, Associate Specialist, SSO, #80482 received information from Stuart Hanebuth, Sr. Environmental Specialist SSO, #85259 that the cracked bushing was replaced with a new one. The Maximo work order number for this incident is 0000070220. This spill can be closed, however, out as of 1:34 PM on 5/21/2002. However, still not resolved and pending DEC CLOSURE. 4/20/05 During substation spill inspections in March 2005, Darlene Wells confirmed that repairs and clean up complete."

Remarks: "1 OUNCE SPILLED - SAMPLES TAKEN - CLENA UP PENDING LAB RESULTS - REF #127642"

All Materials:

Site ID: 286170
Operable Unit ID: 1081095
Operable Unit: 01
Material ID: 299521
Material Code: 0020A
Material Name: transformer oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: SUBSTATION @ E 40TH ST
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9909658 / 2005-12-22
Facility ID: 9909658
Facility Type: ER
DER Facility ID: 231931
Site ID: 286171
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1999-11-09
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-11-09
CID: 390
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-11-09
Spill Record Last Update: 2005-12-22
Spiller Name: Not reported
Spiller Company: CON ED
Spiller Address: 4 IRVING PL
Spiller Company: 001
Contact Name: MARK SCHLAGEL
DEC Memo: "OPERATOR J. SEGUNA #36341 REPORTS FINDING 1/4 OZ DIELECTRIC FLUID LEAKING FROM TRANSFORMER #1 FDR-38M01, SCONDERY WIRE JUNCTION BOX AT E. 40TH ST SUBSTATION. SPILL CONTAINED BY USE OF ABSORBENT CARPIT & PADS. HAVE A DRIP RATE OF 1 DROP EVERY 12HRS. THIS IS A PRIOR LEAK OVER & YEAR AGO. NO WATER, WATERWAY, SEWER, SOIL/BLUESTONE IMPACTED. WAITING STATION SUPERVISOR TO TAKE SAMPLE FOR PCB COUNT. NO PRIOR HISTORY AVAILABLE. SPILL SIGN #S01746 INSTALLED. REPORTED TO CONTROL CENTER T. TIMMONS @ 10:25HRS 11/09/99 11:07 REPORTED TO C.I.G. SCHLAGEL #18276 AT THIS TIME. SPILL WILL BE TREATED AS PCB = 50- 499 05/22/2000 During station inspection on 05/16/2000 GUW Anthony Natale reports leak is still active. Containment is still in place. **Unable to determine the actual clean-up completion time/date, but spill was verified cleaned-up and leaking to containment during the inspection mentioned above. May 16, 2000 will be used as the stop date, although the cleanup was completed before that date. 4/20/05 During substation spill inspections in March 2005, Darlene Wells confirmed that repairs and clean up complete."
Remarks: "leak from transformer - 1/4 oz of fluid onto bluestone - clean up is in progress con ed # 128914"

All Materials:

Site ID: 286171
Operable Unit ID: 1084411
Operable Unit: 01
Material ID: 553064
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: EAST 40TH ST SUB STATION
Address: 320 E 40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9909662 / 2005-12-22
Facility ID: 9909662
Facility Type: ER
DER Facility ID: 231931
Site ID: 286172
DEC Region: 2
Spill Cause: Equipment Failure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

Spill Class: D4
SWIS: 3101
Spill Date: 1999-11-09
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1999-11-09
CID: 252
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-11-09
Spill Record Last Update: 2005-12-22
Spiller Name: FRANK MASSERIA
Spiller Company: EAST 40TH ST SUB STATION
Spiller Address: 320 E 40TH ST
Spiller Company: 001
Contact Name: FRANK MASSERIA
DEC Memo: "11/09/99 11:20 OPERATOR J. SEGUNA #36341 REPORTS FINDING 1/4 OZ DIELECTRIC FLUID LEAKED ON CONCRETE FLOOR FROM TRANSFORMER #2 FDR-38M03, SECONDARY WIRE JUNCTION BOX AT E. 40TH ST SUBSTATION. SPILL CONTAINED BY USE OF ABSORBENT CARPIT & PADS. HAVE DRIP RATE OF 1-DROP EVERY 12HRS. THIS IS A PRIOR LEAK FROM OVER A YEAR AGO. NO WATER, WATERWAY, SEWER, SOIL/BLUESTONE IMPACTED. WAITING STATION SUPERVISOR TO TAKE SAMPLE FOR PCB COUNT. NO PRIOR HISTORY AVAILABLE. SPILL SIGN #S01747 INSTALLED....TT 11/09/99 11:34 C.I.G. F. MASSERIA NOTIFIED AT THIS TIME. SPILL TEATED AS PCB = 50-499 05/22/2000 During station inspection on 05/16/2000 GUW Anthony Natale reports leak is still active. Containment is still in place. **Unable to determine the actual clean-up completetion time/date, but spill was verfied cleaned-up and leaking to containment during the inspection mentioned above. May 16, 2000 will be used as the stop date, although the cleanup was completed before that date. S. Hanebuth - 85259 4/20/05 During substation spill inspections in March 2005, Darlene Wells confirmed that repairs and clean up complete."

Remarks: "1/4 ounce of die-electric fluid on blue stone. con ed #128917"

All Materials:

Site ID: 286172
Operable Unit ID: 1088354
Operable Unit: 01
Material ID: 298739
Material Code: 0541A
Material Name: dielectric fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: E. 40TH ST SUB STAION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E 39TH ST PARKING LOT (Continued)

S104506403

Address: 320 E.40TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9900962 / 2004-05-14
Facility ID: 9900962
Facility Type: ER
DER Facility ID: 233732
Site ID: 288560
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1999-04-26
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1999-04-26
CID: 322
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1999-04-26
Spill Record Last Update: 2004-05-14
Spiller Name: RICHARD ROACH
Spiller Company: E. 40TH ST SUB STAION
Spiller Address: 320 E.40TH ST
Spiller Company: 001
Contact Name: RICHARD ROACH
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
ENGELHARDT DEC INSPECTOR NOTES No information on excavated soil
8-19-99, requested information on soil/bluestone removal. (CAE)
~~~~~ CON ED E2MIS 124423 NOTES 7:36 hrs.  
Approx. 8oz. of dielectric transmission FDR oil leaking from C Phase  
pothead in V#5. No sewer or waterway affected. Spill went into  
bluestone, installed pads, drip pan with pillows and installed tag  
#01734. Sample taken for PCb and Benzene, cleanup in progress 4-26-99  
8:02 Cleanup complete - debris disposed of via drums. 5/14/04 During  
site inspection on 5/6/04 DEC staff Arakhan & Breen verified that  
repairs were completed."  
  
Remarks: "feeder pot head was leaking - 8 oz spill onto soil and it has been  
cleaned up con ed #124423"  
  
All Materials:  
Site ID: 288560  
Operable Unit ID: 1079738  
Operable Unit: 01  
Material ID: 308083  
Material Code: 0541A  
Material Name: dielectric fluid  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1.00  
Units: G  
Recovered: 1.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**E 39TH ST PARKING LOT (Continued)**

**S104506403**

Oxygenate: Not reported

[Click this hyperlink](#) while viewing on your computer to access  
3 additional NY SPILL: record(s) in the EDR Site Report.

**EE965**  
**SW**  
**1/4-1/2**  
**0.352 mi.**  
**1859 ft.**

**APARTMENT BUILDING**  
**20 PARK AVE**  
**MANHATTAN, NY**

**NY LTANKS** **S107417032**  
**N/A**

**Site 1 of 2 in cluster EE**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**68 ft.**

Name: APARTMENT BUILDING  
Address: 20 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0508716 / 2006-09-08  
Facility ID: 0508716  
Site ID: 354359  
Spill Date: 2005-10-20  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: rvketani  
Referred To: Not reported  
Reported to Dept: 2005-10-20  
CID: 409  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2005-10-20  
Spill Record Last Update: 2006-09-18  
Spiller Name: MARLIN JOESPH  
Spiller Company: APARTMENT BUILDING  
Spiller Address: 20 PARK AVE  
Spiller County: 001  
Spiller Contact: MARLIN JOESPH  
Spiller Phone: (646) 772-7949  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 301699  
DEC Memo: "Petroleum Tank Cleaners was called to the site to conduct a tank test. On arrival, the PTC Rep saw drysol on the floor with fresh oil leaking from the tank. No test was done, it was clear that the tank was leaking. PTC was hired by Lawrence Environmental (718-237-5125) TTF Letter was sent to: Stonehenge Mgt LLC James Bush -Director Building Operations Ritz Plaza 235 West 48th st New York, NY 10036 Phone 212 977 5000 jbush@stonehengeny.com 11/21/2005 A fax submittal was made by Lawrence Environmental Group ((718) 237-5125) on behalf of the property owner. The fax was sent to Steve Sangesland, but was forwarded on to Raphael Ketani, the case manager on this site. 11/21/05 - Raphael Ketani. I received a FAX from Lawrence



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BUILDING (Continued)**

**S107417032**

Environmental Group, LLC, regarding the site. The letter was dated 11/18/05 and stated that the manhole cover on the empty tank was replaced and that the tank and lines passed the pressure test. The letter also said that COMCO (the remediation company) could not conduct its work until the asbestos removal project in the boiler room was finished. Lawrence Environmental is waiting for an NYCDEP variance approval before it starts the investigation/cleanup work. 12/21/05 - Raphael Ketani. I spoke to Peter Ellams, General Manager of Lawrence Environmental, regarding progress on the spill cleanup. He said that they got the variance for the asbestos from DEP and began the cleanup. He said a cleanup company, IER, cleaned out the #6 oil tank (about 3,000 gal. tank) and cleaned up the oil contaminated material on the tank room floor. The work ended last week. He said he will get me the cleanup report soon. 1/3/06 - Raphael Ketani. I talked to Mr. Ellams and asked him when I would receive the cleanup report. He said that the transit strike messed things up and they are still cleaning the site. I was told I will get the report within a week. 6/20/06 - Raphael Ketani. I received a package of documentation regarding the removal of the 1500 gal. tank and the cleaning, testing and putting back into service of the 6000 gal. tank. Everything looked alright, except PBS case #2-601407 doesn't show the existence and then removal of the 1500 gal. tank. I called up Mr. Ellams of Lawrence Environmental Group, LLC (718) 237-5125 and told him to submit a revised PBS application as this was the last item I needed to close the case. He said he would. 7/20/06 - Raphael Ketani. I talked to Mr. Ellams. He said he sent the owner the PBS application to sign. I told him I hadn't received anything. He said he would look into the matter and get me the form. 8/11/06 - Raphael Ketani. I contacted Mr. Ellams regarding the revised PBS registration form. He said he thought this had been sent out some weeks ago. I told him I hadn't received it. He said he will get on it. 8/30/06 - Raphael Ketani. I tried to contact Mr. Ellams regarding the unregistered and removed 1500 gal. tank (I checked the PBS today), but could only leave a message. 9/8/06 - Raphael Ketani. Nick Lombardo of the PBS Unit brought me a copy of the revised PBS registration form and indicated via a Post-It that he is processing the change. Based upon receipt of the revised PBS registration form, the 11/18/05 letter from Lawrence Environmental Group stating that the tank passed after the repairs, and the package of documentation received on 6/20/06, I am closing the spill case. "

Remarks: "TANK HAD BEEN LEAKING. CLEAN UP IN PROCESS."

**All TTF:**

Facility ID: 0508716  
Spill Number: 0508716  
Spill Tank Test: 1549425  
Site ID: 354359  
Tank Number: Not reported  
Tank Size: 0  
Material: 0002  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BUILDING (Continued)**

**S107417032**

Modified By: Watchdog  
Last Modified Date: Not reported

All Materials:

Site ID: 354359  
Operable Unit ID: 1111773  
Operable Unit: 01  
Material ID: 2101819  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**EE966**  
**SW**  
**1/4-1/2**  
**0.353 mi.**  
**1862 ft.**

**AT 36TH ST**  
**30 PARK AVE**  
**MANHATTAN, NY**  
**Site 2 of 2 in cluster EE**

**NY LTANKS** **S105230277**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**68 ft.**

LTANKS:  
Name: AT 36TH ST  
Address: 30 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0107405 / 2002-04-02  
Facility ID: 0107405  
Site ID: 113141  
Spill Date: 2001-10-17  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2001-10-18  
CID: 365  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2001-10-18  
Spill Record Last Update: 2002-04-02  
Spiller Name: EUGENE QUAN  
Spiller Company: RUDIN MANAGEMENT  
Spiller Address: 30 PARK AVE  
Spiller County: 001  
Spiller Contact: EUGENE QUAN  
Spiller Phone: (212) 407-2556  
Spiller Extention: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AT 36TH ST (Continued)**

**S105230277**

DEC Region: 2  
DER Facility ID: 98749  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
TIPPLE 04/02/2002 clean end point samples submitted"  
Remarks: "the tank was emptied prior to testing & a temporary tank was set up  
which the apt bldg is still using"

**All TTF:**

Facility ID: 0107405  
Spill Number: 0107405  
Spill Tank Test: 1526669  
Site ID: 113141  
Tank Number: 1  
Tank Size: 10000  
Material: 0003  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: F  
Modified By: Spills  
Last Modified Date: Not reported

**All Materials:**

Site ID: 113141  
Operable Unit ID: 845606  
Operable Unit: 01  
Material ID: 532222  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

967  
NNE  
1/4-1/2  
0.356 mi.  
1878 ft.

**LOT 36,TAXBLOCK 1285  
300 PARK AVENUE  
MANHATTAN, NY**

**NY LTANKS S102671500  
NY Spills N/A  
NY E DESIGNATION**

**Relative:  
Higher  
Actual:  
58 ft.**

**LTANKS:**  
Name: 300 PARK AVE.  
Address: 300 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 8911006 / 1992-12-08  
Facility ID: 8911006  
Site ID: 155762  
Spill Date: 1990-02-19  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: C3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 1285 (Continued)**

**S102671500**

Cleanup Ceased: 1992-12-08  
SWIS: 3101  
Investigator: SIGONA  
Referred To: Not reported  
Reported to Dept: 1990-02-19  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1990-03-01  
Spill Record Last Update: 1992-12-10  
Spiller Name: Not reported  
Spiller Company: AMERADA HESS  
Spiller Address: Not reported  
Spiller County: 999  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 228190  
DEC Memo: ""  
Remarks: "TANK OVERFILL (12K TANK)"

**All Materials:**

Site ID: 155762  
Operable Unit ID: 936513  
Operable Unit: 01  
Material ID: 440554  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1.00  
Units: Not reported  
Recovered: .00  
Oxygenate: Not reported

**SPILLS:**

Name: 300 PARK AVE  
Address: 300 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9706311 / 1997-08-25  
Facility ID: 9706311  
Facility Type: ER  
DER Facility ID: 228190  
Site ID: 281006  
DEC Region: 2  
Spill Cause: Deliberate  
Spill Class: D4  
SWIS: 3101  
Spill Date: 1997-08-24  
Investigator: SMMARTIN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 1285 (Continued)**

**S102671500**

Referred To: Not reported  
Reported to Dept: 1997-08-25  
CID: 312  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Federal Government  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1997-08-25  
Spill Record Last Update: 1997-08-26  
Spiller Name: Not reported  
Spiller Company: CUSHMAN & WAKEFIELD  
Spiller Address: Not reported  
Spiller Company: 001  
Contact Name: Not reported  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
MARTINKAT REFERRED TO AIR - DEP"  
Remarks: "CONTRACTOR CUT THE REFRIGERATION LINES TO PURGE THE SYSTEM"

**All Materials:**

Site ID: 281006  
Operable Unit ID: 1052451  
Operable Unit: 01  
Material ID: 331896  
Material Code: 0050A  
Material Name: freon  
Case No.: Not reported  
Material FA: Other  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**E DESIGNATION:**

Name: LOT 36,TAXBLOCK 1285  
Address: 300 PARK AVENUE  
City,State,Zip: MANHATTAN, NY  
Tax Lot(s): 36  
Tax Block: 1285  
Borough Code: Not reported  
E-No: E-408  
Effective Date: 8/9/2017  
Satisfaction Date: Not reported  
Ceqr Number: 17DCP001M  
Ulurp Number: N170186AZRM, C170187ZMM  
Zoning Map No: 8c

Description: Exhaust stack location limitations  
Lot Remediation Date: Not reported

Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Lot Remediation Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 1285 (Continued)**

**S102671500**

Description: Window Wall Attenuation & Alternate Ventilation  
Lot Remediation Date: Not reported

**968  
NW  
1/4-1/2  
0.358 mi.  
1891 ft.**

**ORG RES CORPS SITE  
NEW YORK, NY**

**FUDS 1024899263  
N/A**

**Relative:  
Higher  
Actual:  
66 ft.**

FUDS:  
EPA Region: 02  
Installation ID: NY29799F119300  
Congressional District Number: 12  
Facility Name: ORG RES CORPS SITE  
FUDS Number: C02NY0665  
City: NEW YORK  
State: NY  
County: NEW YORK  
Object ID: 6113  
USACE District: New England District (NAE)  
Status: Properties without projects  
Current Owner: State Government  
EMS Map Link: <https://fudsportal.usace.army.mil/ems/ems/inventory/map/map?id=56653>  
Eligibility: Eligible  
Has Projects: No  
NPL Status: Not Listed  
Latitude: 40.755000000000003  
Longitude: -73.981944440000007

**969  
WNW  
1/4-1/2  
0.358 mi.  
1892 ft.**

**CONSTRUCTION SITE  
1 BRYANT PARK  
NEW YORK, NY**

**NY LTANKS S106737871  
N/A**

**Relative:  
Higher  
Actual:  
68 ft.**

LTANKS:  
Name: CONSTRUCTION SITE  
Address: 1 BRYANT PARK  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 0411351 / 2007-03-20  
Facility ID: 0411351  
Site ID: 336527  
Spill Date: 2005-01-19  
Spill Cause: Tank Failure  
Spill Source: Unknown  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: qxabidi  
Referred To: Not reported  
Reported to Dept: 2005-01-19  
CID: 408  
Water Affected: Not reported  
Spill Notifier: Affected Persons  
Last Inspection: Not reported  
Recommended Penalty: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S106737871**

Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2005-01-20  
Spill Record Last Update: 2007-03-20  
Spiller Name: Not reported  
Spiller Company: UNKNOWN.  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: ALLEN FRANKEO  
Spiller Phone: (212) 986-9460  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 271852  
DEC Memo: "5/31/05 MT// spill # 05-00615 closed and referred to this spill number// Large scale project found a few old tanks along perimeter of excavation, GCI has full time geologist field screening as excavation continues. Will submit report once the excavation has been completed. 08/07/06: This spill is transferred from Mr. Koon Tang to Q.Abidi. Contacted to Jim Grond (212)986-9460 he said that he did not take the soil sample because there is bed rock from the surface 40ft. He will fax me the document on August 8,2006 for closing the spill. -QA 10/26/06: Called Mr. James Bellessimo (800)282-8701 (Tradewinds Environmental Restoration, Inc. and left message to call me back regarding information of the spill. -QA 11/16/06: Called Mr. Jim Grond regarding information of spill and left message to call me back. Also called Mr. Frank Golden, left message to call me back. -QA 11/27/06: Called Mr. Jim Grond at (212)986-9460 regarding supporting documents to close the spill he said he will fax the report tomorrow. -QA 03/19/07: Called Mr. Jim Grond, he was not there. left message to call me back. -QA 03/20/07: Reviewed report of construction site (1 Bryant Park) dated March 29, 2006 received on November 28, 2006. Also talked to Mr. Jim Grond (Consultant) GCI Environmental, Advisory he also mentioned that he hired as a subcontractor to Mr. Frank Galdun, Project Manager Geologist for this work. They excavated the area up to 70 ft. They encountered the bedrock at 30 ft. Mr. Grond also reported that 215,000 tons of soil have been excavated. Soil samples are cleaned. So on the basis of information provided by Mr. Grond and the reference of the Spill # 0312591 (Closed by Mr. Richard Rutland) I closed this spill. -QA"

Remarks: "Leaking underground storage tank. Has not been cleaned up. SPill is associated with another spill #0212591 or #0312591. Michelle Tipple is covering this. Tank was discovered during excavation and Trade winds environmental responded to scene for purposes of emptying oil from tank. DSU in this time Trade winds found one or more holes in the tank and the spill occurred at an unknown date. Michelle Tipple will be at site tomorrow. Soils at site are all being screened with a PID and all contaminated soils are being disposed of. The site is being excavated at 60 ft. below ground."

All Materials:  
Site ID: 336527  
Operable Unit ID: 1098548  
Operable Unit: 01  
Material ID: 578715  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S106737871**

Material FA: Petroleum  
Quantity: Not reported  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: CONSTRUCTION SITE  
Address: 1 BRYANT PARK  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 0500615 / 2005-05-31  
Facility ID: 0500615  
Site ID: 343646  
Spill Date: 2005-04-14  
Spill Cause: Tank Overfill  
Spill Source: Tank Truck  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2005-04-14  
CID: 409  
Water Affected: Not reported  
Spill Notifier: Local Agency  
Last Inspection: Not reported  
Recommended Penalty: Not reported  
Meets Standard: False  
UST Involvement: Not reported  
Remediation Phase: 0  
Date Entered In Computer: 2005-04-14  
Spill Record Last Update: 2005-05-31  
Spiller Name: ALLEN FRANKEO  
Spiller Company: CONSTRUCTION SITE  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: ALLEN FRANKEO  
Spiller Phone: (212) 986-9460  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 271852  
DEC Memo: "5/31/05 mt// this spill number closed and referred to spill #  
04-11351"

Remarks: "THEY IS CONSTRUCTION AND CLEAN UP IS IN PROCESS. FUILING OF A TRUCK.  
IS THIS TO BE ASSIGNED TO MICHELLE TIPPLE AS I WAS TOLD BY ALLEN."

**All Materials:**

Site ID: 343646  
Operable Unit ID: 1102329  
Operable Unit: 01  
Material ID: 582541  
Material Code: 0008  
Material Name: diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 15.00  
Units: G  
Recovered: .00



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S106737871**

Oxygenate: Not reported

**970**  
**SSW**  
**1/4-1/2**  
**0.369 mi.**  
**1946 ft.**

**139 E35TH ST**  
**139 E35TH ST**  
**MANHATTAN, NY**

**NY LTANKS** **S102660100**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**52 ft.**

**LTANKS:**

Name: 139 E35TH ST  
Address: 139 E35TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9611158 / 2003-03-03  
Facility ID: 9611158  
Site ID: 320008  
Spill Date: 1996-12-10  
Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: B3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: TOMASELLO  
Referred To: Not reported  
Reported to Dept: 1996-12-10  
CID: 322  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1996-12-10  
Spill Record Last Update: 2003-03-03  
Spiller Name: MIKE BENJOYA  
Spiller Company: MIKE BENJOYA  
Spiller Address: 139 E35TH ST  
Spiller County: 001  
Spiller Contact: MIKE BENJOYA  
Spiller Phone: (718) 367-9800  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 257824  
DEC Memo: ""  
Remarks: "TANK RUPTURED - SEVERAL HUNDRED GAL SPILL - SPILL BEING CLEANED UP - TANK HAS BEEN PUMPED OUT AND TEMP TANK INSTALLED "

**All Materials:**

Site ID: 320008  
Operable Unit ID: 1042702  
Operable Unit: 01  
Material ID: 343359  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**139 E35TH ST (Continued)**

**S102660100**

Units: G  
Recovered: .00  
Oxygenate: Not reported

**971**  
**WSW**  
**1/4-1/2**  
**0.373 mi.**  
**1972 ft.**

**11 EAST 36TH STREET**  
**11 EAST 36TH STREET**  
**MANHATTAN, NY**

**NY LTANKS**

**S102673193**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**74 ft.**

**LTANKS:**

Name: 11 EAST 36TH STREET  
Address: 11 EAST 36TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9512890 / 1996-01-17  
Facility ID: 9512890  
Site ID: 212592  
Spill Date: 1996-01-17  
Spill Cause: Tank Overfill  
Spill Source: Private Dwelling  
Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 1996-01-17  
CID: 204  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1996-01-17  
Spill Record Last Update: 1998-01-29  
Spiller Name: JOHN GOODWIN  
Spiller Company: MYSTIC TRANSPORTATION  
Spiller Address: 1901 STEINWAY ST  
Spiller County: 001  
Spiller Contact: DAVE BARICKO  
Spiller Phone: (718) 932-9075  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 176118  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
TIBBE CLEANED BY OIL CO."

**Remarks:**

"OVERORDER BY MANAGEMENT OF APARTMENT BUILDING CLEANUP IN PROGRESS "

**All Materials:**

Site ID: 212592  
Operable Unit ID: 1027231  
Operable Unit: 01  
Material ID: 356626  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**11 EAST 36TH STREET (Continued)**

**S102673193**

Material FA: Petroleum  
Quantity: 15.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**972  
ENE  
1/4-1/2  
0.376 mi.  
1985 ft.**

**COMMERCIAL BUILDING TTF  
249 EAST 48TH ST  
MANHATTAN, NY**

**NY LTANKS S109583696  
N/A**

**Relative:  
Lower**

**LTANKS:**

**Actual:  
29 ft.**

Name: COMMERCIAL BUILDING TTF  
Address: 249 EAST 48TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0813281 / 2009-05-12  
Facility ID: 0813281  
Site ID: 410962  
Spill Date: 2009-03-10  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: smsanges  
Referred To: Not reported  
Reported to Dept: 2009-03-10  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2009-03-10  
Spill Record Last Update: 2009-05-12  
Spiller Name: JAME BARBERA  
Spiller Company: UNKNOWN  
Spiller Address: 249 EAST 48TH ST  
Spiller County: 999  
Spiller Contact: JAME BARBERA  
Spiller Phone: (646) 235-8532  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 360195  
DEC Memo: "See eDocs for attached letter from NY Plumbing/Heating. Letter from Greg Quattlander says the AST tank itself was not leaking. The fittings on the top of the tank were loose. All piping was disconnected and reinstalled to make the oil tank leak free. Cement block was then reinstalled. There was no oil leakage or spillage from the tank Spill Closed"  
  
Remarks: "Caller states they had a test failure with no spill or resources affected."

All Materials:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COMMERCIAL BUILDING TTF (Continued)**

**S109583696**

Site ID: 410962  
Operable Unit ID: 1167426  
Operable Unit: 01  
Material ID: 2158981  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Oxygenate: Not reported

**973**  
**SSW**  
**1/4-1/2**  
**0.378 mi.**  
**1997 ft.**

**APARTMENT**  
**165 EAST 35TH STREET**  
**MANHATTAN, NY**

**NY LTANKS** **S108467802**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**37 ft.**

**LTANKS:**  
Name: APARTMENT  
Address: 165 EAST 35TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0612862 / 2008-09-03  
Facility ID: 0612862  
Site ID: 377801  
Spill Date: 2007-02-28  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: bkfalvey  
Referred To: Not reported  
Reported to Dept: 2007-02-28  
CID: 444  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2007-02-28  
Spill Record Last Update: 2008-09-03  
Spiller Name: CHRIS GORGA  
Spiller Company: APARTMENT  
Spiller Address: 165 35TH STREET  
Spiller County: 001  
Spiller Contact: CHRIS GORGA  
Spiller Phone: (718) 624-4842  
Spiller Extention: 103  
DEC Region: 2  
DER Facility ID: 327354  
DEC Memo: "3/5/07 called Jimmy Giorgiano of Solil Management and left message (212)265-1577. He returned call and said PTC thinks leak is coming from a gauge. I returned call to him and left message to call back.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

APARTMENT (Continued)

S108467802

Remarks: bf 3/6/07 sent ttf letter to: 165 East 35th Street LLC c/o Solil Management 640 Fifth Avenue New York, NY 10019 called and left message for Mr. Giorgiano. bf 9/3/08 Received fax from mark Salamack of Petroleum Tank Cleaners. Vent line failed. No contamination found during tank excavation. Tank closed in place. Three samples taken from tank bottom. Samples within STARS objectives. NFA. bf "ABOVE LIQUID LEAK"

All TTF:

Facility ID: 0612862  
Spill Number: 0612862  
Spill Tank Test: 1550665  
Site ID: 377801  
Tank Number: 1  
Tank Size: 6000  
Material: 0003  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified Date: Not reported

All Materials:

Site ID: 377801  
Operable Unit ID: 1135322  
Operable Unit: 01  
Material ID: 2125221  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

974  
East  
1/4-1/2  
0.383 mi.  
2022 ft.

SPILL NUMBER 0313627  
305 EAST 47TH STREET  
MANHATTAN, NY

NY LTANKS  
NY Spills  
S105135597  
N/A

Relative:  
Lower

LTANKS:

Actual:  
33 ft.

Name: 3 DAG PLAZA  
Address: 305 EAST 47TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0106894 / 2002-01-21  
Facility ID: 0106894  
Site ID: 294444  
Spill Date: 2001-10-01  
Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPILL NUMBER 0313627 (Continued)**

**S105135597**

Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: KDGORTZ  
Referred To: Not reported  
Reported to Dept: 2001-10-03  
CID: 205  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: 2001-10-03  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2001-10-03  
Spill Record Last Update: 2002-01-22  
Spiller Name: DAVE PILCHUK (SUPER)  
Spiller Company: 3 DAG PLAZA  
Spiller Address: 305 EAST 47TH ST  
Spiller County: 001  
Spiller Contact: CALLER  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 238294  
DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead\_DEC Field was GOERTZ/TIPPLE/VOUGHT 10/3/01: On this date, K.Goertz inspected the site. Goertz met with the super; Dave Pilchuk, who described what had happenned, what was done, and what was going to be done. The oil which leaked from the tank, spilled onto the concrete fflow, but this floor contained several drains which led to a sump pit which discharges to the sewer. Fortunately, there has been no precipitation over the last few days, so the sump pump did not discharge any oil to the sewer. The sump pump has been deactivated until the cleanup has reched its conclusion. Emteque was hired to supervise the cleanup. John Raguso (212-631-9000) arrived on site immediately after Goertz's inspection. They will continue to vacuum up remaining oil in the sump, and steam clean impacted areas. Mr.Raguso will take pictures at various staged of the cleanup and will forward a report to M. Tipple at the conclusion of the remediation. As of today, there does not seem to be any environmental impact as a result of this spill. (KG) 10/5/01: K.Goertz phoned John Reguso. He said cleanup is complete, and the basement looks better than it did before the spill occurred. He has taken several photos and will be sending a report to Michelle Tibble next week. (KG) 01/21/2002-VOUGHT-Received report from Emteque on 11/9/02. Eastmond & Sons did cleanup via vacuum truck by removing 100 gallons of product from the sump pit and 1000 gallons from the containment room floor and tank room. Room cleaned via degreaser. 11,000 gallon AST rusted beyond repair and was replaced with 7500 gallon AST. PBS application received 1/6/2002. Spill closed 1/21/2002."

Remarks: "caller notified of spill in basment from leak in tank. caller is supervising cleanup."

All Materials:  
Site ID: 294444  
Operable Unit ID: 845111  
Operable Unit: 01

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPILL NUMBER 0313627 (Continued)**

**S105135597**

Material ID: 560308  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1000.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**SPILLS:**

Name: SPILL NUMBER 0313627  
Address: 305 EAST 47TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0313627 / 2004-05-06  
Facility ID: 0313627  
Facility Type: ER  
DER Facility ID: 261552  
Site ID: 324701  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C3  
SWIS: 3101  
Spill Date: 2004-03-12  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2004-03-12  
CID: 444  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2004-03-12  
Spill Record Last Update: 2004-05-06  
Spiller Name: JOHN RAGUSO  
Spiller Company: Not reported  
Spiller Address: 305 EAST 47TH STREET  
Spiller Company: 001  
Contact Name: JOHN RAGUSO  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was TIPPLE 3/12/04 Tipple met Raguso at site, majority of spill had been cleaned and drummed. Sump pit and drainage pipes to be cleaned and liquids removed later Friday. Broken pipe repaired. 5/6/04 tipple reviewed submittal/site visit observed clean."  
Remarks: "BURST PIPE AND HE WILL BE FIXING AND CLEANING UP OIL SPILL: "

**All Materials:**

Site ID: 324701  
Operable Unit ID: 880775  
Operable Unit: 01  
Material ID: 495224

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPILL NUMBER 0313627 (Continued)**

**S105135597**

Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 75.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

975  
SSW  
1/4-1/2  
0.387 mi.  
2044 ft.

**RESIENTIAL BUILDING  
132 EAST 35TH STREET  
MANHATTAN, NY**

**NY LTANKS S106972012  
N/A**

**Relative:  
Higher**

**Actual:  
53 ft.**

**LTANKS:**

Name: RESIENTIAL BUILDING  
Address: 132 EAST 35TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0502932 / 2005-10-25  
Facility ID: 0502932  
Site ID: 347400  
Spill Date: 2005-06-10  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Not reported  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: rvketani  
Referred To: Not reported  
Reported to Dept: 2005-06-10  
CID: 409  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2005-06-10  
Spill Record Last Update: 2005-11-01  
Spiller Name: MARLIN JOSEPH  
Spiller Company: RESIENTIAL BUILDING  
Spiller Address: 132 EAST 35TH STREET  
Spiller County: 001  
Spiller Contact: MARLIN JOSEPH  
Spiller Phone: (646) 772-7949  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 293731  
DEC Memo: "06/13/05-SR// Sharif sent a TTF letter to: JRD Management, 875 Mamaroneck Avenue, Mamaroneck, NY 10543 10/24/05 - Raphael Ketani. The PBS case is #2-147249; 15,000 gal./#6 oil. There is no paperwork or tank test failure report for this spill. I will send an old tank test failure letter to the management company (Midboro, 148 West 37 Street, NY, 10018; ((212) 877-8500)and the apartment building company (132 East 35 Street, Inc., 132 East 35 Street, NY, 10016). 10/25/05 -



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RESIDENTIAL BUILDING (Continued)**

**S106972012**

Raphael Ketani. I received a call from Robert Grant, Director of Midboro, called me up to say that he has the repair report for the tank and the passing tank test report. I asked him to FAX it to me. He said he would. Mr. Grant FAXed me the passing tank test report. I am therefore, closing the case."

Remarks: "DRY PORTION LEAK THAT NEEDS TO BE REPAIRED."

**All TTF:**

Facility ID: 0502932  
Spill Number: 0502932  
Spill Tank Test: 1548976  
Site ID: 347400  
Tank Number: 1  
Tank Size: 15000  
Material: 0001  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified Date: Not reported

**All Materials:**

Site ID: 347400  
Operable Unit ID: 1105135  
Operable Unit: 01  
Material ID: 1468806  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**976  
NW  
1/4-1/2  
0.389 mi.  
2052 ft.**

**APARTMENT BUILDING  
45 WEST 45TH ST  
MANHATTAN, NY**

**NY LTANKS S106971590  
N/A**

**Relative:  
Higher  
Actual:  
61 ft.**

**LTANKS:**

Name: APARTMENT BUILDING  
Address: 45 WEST 45TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0409101 / 2005-02-04  
Facility ID: 0409101  
Site ID: 333755  
Spill Date: 2004-11-16  
Spill Cause: Tank Overfill  
Spill Source: Tank Truck  
Spill Class: C4

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BUILDING (Continued)**

**S106971590**

Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: JMKRIMGO  
Referred To: Not reported  
Reported to Dept: 2004-11-16  
CID: 407  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2004-11-17  
Spill Record Last Update: 2005-02-04  
Spiller Name: VALDET  
Spiller Company: APARTMENT BUILDING  
Spiller Address: 45 WEST 45TH ST  
Spiller County: 001  
Spiller Contact: VALDET  
Spiller Phone: (212) 382-0292  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 269005  
DEC Memo: "1/6/05. J.Krimgold called building management at 718-830-0131 x 166 - Eric and requested info regarding this case. He should call me back with more info. Also left message for Steven King (Hess Corp.) at 732-750-6707 and requested the same info. 2/4/05. J.Krimgold called a building manager (Eric) @ 718-830-0131x166. Cleanup has been completed by a contractor hired by the RP (Hess Oil Corp.) on 11/23/04. NFA."

Remarks:

All Materials:

Site ID: 333755  
Operable Unit ID: 1095900  
Operable Unit: 01  
Material ID: 579429  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 10.00  
Units: G  
Recovered: Not reported  
Oxygenate: Not reported

977  
SSE  
1/4-1/2  
0.389 mi.  
2054 ft.

303 EAST 37TH ST/MANH  
303 EAST 37TH STREET  
NEW YORK CITY, NY

NY LTANKS S104275633  
N/A

Relative:  
Lower  
Actual:  
23 ft.

LTANKS:  
Name: 303 EAST 37TH ST/MANH  
Address: 303 EAST 37TH STREET  
City,State,Zip: NEW YORK CITY, NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**303 EAST 37TH ST/MANH (Continued)**

**S104275633**

Spill Number/Closed Date: 9011297 / 1997-10-16  
Facility ID: 9011297  
Site ID: 237615  
Spill Date: 1991-01-25  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: FINGER  
Referred To: Not reported  
Reported to Dept: 1991-01-25  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1991-02-08  
Spill Record Last Update: 1997-10-17  
Spiller Name: Not reported  
Spiller Company: MARK GREENBERG REALTY  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 195710  
DEC Memo: ""  
Remarks: "5K TANK,TANK SEAM LEAK,SPILL CONTAINED IN BASEMENT, WILL VAC & USE  
SORBENTS."

**All Materials:**

Site ID: 237615  
Operable Unit ID: 951403  
Operable Unit: 01  
Material ID: 427845  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 50.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

EF978 FM RING ASSOCIATES  
NNW 20 W. 47TH ST  
1/4-1/2 MANHATTAN, NY  
0.391 mi.  
2064 ft. Site 1 of 2 in cluster EF

NY LTANKS S104516741  
N/A

Relative:  
Higher

Actual:  
63 ft.

LTANKS:

Name: FM RING ASSOCIATES  
Address: 20 W. 47TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9913942 / 2003-11-02  
Facility ID: 9913942  
Site ID: 250181  
Spill Date: 2000-03-10  
Spill Cause: Tank Overfill  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: D4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: SMSANGES  
Referred To: Not reported  
Reported to Dept: 2000-03-10  
CID: 323  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2000-03-10  
Spill Record Last Update: 2003-11-03  
Spiller Name: PAM  
Spiller Company: FM RING ASSOCIATES  
Spiller Address: 20 W. 47TH ST  
Spiller County: 001  
Spiller Contact: PAM  
Spiller Phone: (212) 765-1655  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 205068  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was SANGESLAND "  
Remarks: "PTC OF BROOKLYN WILL RESPOND IN ADDITION TO CASTLE OIL TO DETERMINE WHAT NEEDS TO BE DONE. APPROX. 15 GAL INSIDE AND 5 GAL OUTSIDE."

All Materials:

Site ID: 250181  
Operable Unit ID: 1088472  
Operable Unit: 01  
Material ID: 292231  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

**EG979**  
**SW**  
**1/4-1/2**  
**0.391 mi.**  
**2067 ft.**  
**CONSTRUCTION PHASE**  
**15 PARK AVE**  
**MANHATTAN, NY**  
**Site 1 of 2 in cluster EG**

**NY LTANKS**  
**NY Spills**  
**S102660108**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**62 ft.**

**LTANKS:**

Name: APARTMENT BUILDING  
Address: 15 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9704826 / 2003-02-19  
Facility ID: 9704826  
Site ID: 141525  
Spill Date: 1997-07-22  
Spill Cause: Tank Failure  
Spill Source: Private Dwelling  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: CAENGELH  
Referred To: Not reported  
Reported to Dept: 1997-07-22  
CID: 267  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1997-07-22  
Spill Record Last Update: 2003-02-19  
Spiller Name: FRANK  
Spiller Company: APARTMENT BUILDING  
Spiller Address: 15 PARK AVE  
Spiller County: 001  
Spiller Contact: FRANK  
Spiller Phone: (212) 532-3360  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 120828  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
ENGELHARDT 2/19/2003 - Closed Due To The Nature / Extent Of The Spill  
Report"

**Remarks:**

"WHILE DRAWING FROM ONE TANK TO ANOTHER THE VALVE BROKE CAUSING A  
SPILL OF 15 GALLONS OIL IS ON BASEMENT FLOOR 1-800-734-8955 ASK FOR  
CHARLIE HE IS BRIEFED ON SPILL CLEAN UP CREW ON WAY"

**All Materials:**

Site ID: 141525  
Operable Unit ID: 1050698  
Operable Unit: 01  
Material ID: 553454  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 15.00  
Units: G  
Recovered: .00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION PHASE (Continued)**

**S102660108**

Oxygenate: Not reported

**SPILLS:**

Name: CONSTRUCTION PHASE  
Address: 15 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 1911419 / Not Reported  
Facility ID: 1911419  
Facility Type: ER  
DER Facility ID: 120828  
Site ID: 602114  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: Not reported  
SWIS: 3101  
Spill Date: 2020-03-12  
Investigator: RHLIN  
Referred To: Not reported  
Reported to Dept: 2020-03-12  
CID: Not reported  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Not reported  
UST Trust: False  
Remediation Phase: 1  
Date Entered In Computer: 2020-03-12  
Spill Record Last Update: 2020-03-17  
Spiller Name: Not reported  
Spiller Company: SAMSON MANAGEMENT  
Spiller Address: Not reported  
Spiller Company: 999  
Contact Name: CHRIS QUINTANA  
DEC Memo: "3/12/2020 - Feng - Desk Duty. Spoke to Mil of All Boro Tank. The oil company called them to replace the fill line. When they opened up the fill line, they found the line has been leaked in the past and also found contaminated soil. They will replace the line and remove the contaminated soil. Endpoint samples will be taken. Rick Lin will inspect the site since he is around in the area for another spill case (96 Street Subway Station). Spill is assigned to Rick Lin."  
Remarks: "looks like broken line underground - cleanup in progress"

**All Materials:**

Site ID: 602114  
Operable Unit ID: 1349247  
Operable Unit: 01  
Material ID: 2359844  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

CONSTRUCTION PHASE (Continued)

S102660108

Recovered: Not reported  
Oxygenate: Not reported

EH980  
WSW  
1/4-1/2  
0.392 mi.  
2072 ft.

404 5TH AVENUE  
404 5TH AVENUE  
MANHATTAN, NY  
Site 1 of 2 in cluster EH

NY LTANKS S100879337  
N/A

Relative:  
Higher

Actual:  
72 ft.

LTANKS:

Name: 404 5TH AVENUE  
Address: 404 5TH AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9314077 / 1994-03-02  
Facility ID: 9314077  
Site ID: 88077  
Spill Date: 1994-03-02  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: 1994-03-02  
SWIS: 3101  
Investigator: SMMARTIN  
Referred To: Not reported  
Reported to Dept: 1994-03-02  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Affected Persons  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1994-03-03  
Spill Record Last Update: 2004-09-30  
Spiller Name: Not reported  
Spiller Company: MYSTIC  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 80624  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
MARTINKAT "

Remarks: "CONTAINED IN TANK ROOM - THERE WAS OPENING IN TANK TOP BY CUSTOMER -  
A.B.C. TANK TO CLEAN UP (718)272-2800 2 WEST 37ST IS SAME BLDG."

All Materials:

Site ID: 88077  
Operable Unit ID: 992441  
Operable Unit: 01  
Material ID: 389415  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**404 5TH AVENUE (Continued)**

**S100879337**

Material FA: Petroleum  
Quantity: 50.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**EI981  
NNW  
1/4-1/2  
0.393 mi.  
2075 ft.**

**APARTMENT BUILDING  
6-8 WEST 48TH STREET  
MANHATTAN, NY**

**NY LTANKS S106385840  
N/A**

**Site 1 of 2 in cluster EI**

**Relative:  
Higher  
Actual:  
67 ft.**

**LTANKS:**

Name: APARTMENT BUILDING  
Address: 6-8 WEST 48TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0400386 / 2004-04-28  
Facility ID: 0400386  
Site ID: 168861  
Spill Date: 2004-04-13  
Spill Cause: Tank Overfill  
Spill Source: Private Dwelling  
Spill Class: Not reported  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2004-04-13  
CID: 444  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2004-04-13  
Spill Record Last Update: 2004-04-28  
Spiller Name: Not reported  
Spiller Company: CASTLE OIL CO.  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: RAY LARA  
Spiller Phone: (718) 624-4842  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 142210  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
TIPPLE 4/23/2004 Mark of PTC spoke to Sangesland Fill line at curb.  
vent line i8n back of bbuiding. vent is above a roof in the back  
which needed to be cleaned. city gave building violation to move the  
vent line to the front of th3e building. PTC is working on a  
proposal. Spill was cleaned up. no impacts to sewers or drains.  
4/28/04 tipple updating//// Demeo inspected roof and sump//nfa"  
Remarks: "OIL CO. OVERFILLED THE TANK, CLEAN UP WILL OCCUR BY CALLERS COMPANY:  
"



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BUILDING (Continued)**

**S106385840**

All Materials:

Site ID: 168861  
Operable Unit ID: 884715  
Operable Unit: 01  
Material ID: 491643  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 15.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

EI982  
NNW  
1/4-1/2  
0.393 mi.  
2075 ft.

**SPILL NUMBER 0000763**  
**6 W 48TH ST**  
**MANHATTAN, NY**  
**Site 2 of 2 in cluster EI**

**NY LTANKS S104621016**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**67 ft.**

LTANKS:

Name: SPILL NUMBER 0000763  
Address: 6 W 48TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0000763 / 2000-04-19  
Facility ID: 0000763  
Site ID: 255683  
Spill Date: 2000-04-19  
Spill Cause: Tank Overfill  
Spill Source: Tank Truck  
Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2000-04-19  
CID: 312  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2000-04-19  
Spill Record Last Update: 2000-04-21  
Spiller Name: Not reported  
Spiller Company: ROYAL PETROLEUM  
Spiller Address: 242 NEVINS ST  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 209414  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPILL NUMBER 0000763 (Continued)**

**S104621016**

Remarks: TIPPLE CONCRETE COURTYARD,NO DRAINS AFFECTED, CLEANED AND DISPOSED OF BY RESPONSIBLE PARTY"  
"DRIVER OVERFILLED THE TANK - CLEAN UP CREW ON THE WAY - SPILL IS IN THE BACKYARD"

All Materials:

Site ID: 255683  
Operable Unit ID: 822487  
Operable Unit: 01  
Material ID: 289001  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 75.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

EH983  
WSW  
1/4-1/2  
0.393 mi.  
2075 ft.

**LANG PRODUCTS CO.**

**NO CITY, NY**

**Site 2 of 2 in cluster EH**

**FUDS 1024899367  
N/A**

Relative:  
Higher

Actual:  
73 ft.

FUDS:

EPA Region: 02  
Installation ID: NY29799F956800  
Congressional District Number: 12  
Facility Name: LANG PRODUCTS CO.  
FUDS Number: C02NY1107  
City: NO CITY  
State: NY  
County: Not reported  
Object ID: 4273  
USACE District: New England District (NAE)  
Status: Properties without projects  
Current Owner: Not reported  
EMS Map Link: <https://fudsportal.usace.army.mil/ems/ems/inventory/map/map?id=54804>  
Eligibility: Ineligible  
Has Projects: No  
NPL Status: Not Listed  
Latitude: 40.75  
Longitude: -73.983333329999894

EF984  
NNW  
1/4-1/2  
0.399 mi.  
2109 ft.

**15 WEST 47TH ST/MANH**

**15 WEST 47TH STREET**

**NEW YORK CITY, NY**

**Site 2 of 2 in cluster EF**

**NY LTANKS S104275583  
N/A**

Relative:  
Higher

Actual:  
64 ft.

LTANKS:

Name: 15 WEST 47TH ST/MANH  
Address: 15 WEST 47TH STREET  
City,State,Zip: NEW YORK CITY, NY  
Spill Number/Closed Date: 9002949 / 1995-03-30

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**15 WEST 47TH ST/MANH (Continued)**

**S104275583**

Facility ID: 9002949  
Site ID: 195030  
Spill Date: 1990-06-14  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: C3  
Cleanup Ceased: 1995-03-30  
SWIS: 3101  
Investigator: KSTANG  
Referred To: Not reported  
Reported to Dept: 1990-06-14  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1990-06-22  
Spill Record Last Update: 1995-03-30  
Spiller Name: Not reported  
Spiller Company: UNKNOWN  
Spiller Address: Not reported  
Spiller County: 999  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 162504  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

Remarks:

TANG 06/14/90: TANK INSPECTION WILL BE PERFORMED AFTER CLEAN UP, OVERFILL MAY BE COMING OUT OF MANHOLE, DEC TO INVESTIGATE FURTHER. "AMERADA HESS FUEL SUPPLIER OVERFILLED THE TANK, PETRO TANK CLEANERS TOHANDLE SPILL, OIL CONTAINED ON CONCRETE, SPEEDY DRY USED, WILL DISPOSE& STEAM CLEAN."

All Materials:

Site ID: 195030  
Operable Unit ID: 940836  
Operable Unit: 01  
Material ID: 437672  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 40.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

985  
ESE  
1/4-1/2  
0.400 mi.  
2110 ft.

US MISSION TO UN  
799 FIRST AVE  
MANHATTAN, NY

NY LTANKS S106869055  
N/A

Relative:  
Lower

Actual:  
40 ft.

LTANKS:

Name: US MISSION TO UN  
Address: 799 FIRST AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0500029 / 2005-04-18  
Facility ID: 0500029  
Site ID: 342902  
Spill Date: 2005-04-01  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2005-04-01  
CID: 409  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Not reported  
Meets Standard: False  
UST Involvement: Not reported  
Remediation Phase: 0  
Date Entered In Computer: 2005-04-01  
Spill Record Last Update: 2005-04-27  
Spiller Name: D FRANK  
Spiller Company: US MISSION TO UN  
Spiller Address: 799 FIRST AVE  
Spiller County: 001  
Spiller Contact: D FRANK  
Spiller Phone: (516) 328-1194  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 289290  
DEC Memo: "4/4/05//MT updating database///// Sawyer on desk 4/1/05 contaminated soil letter required// 4/12/04 Tipple conducted a site visit while the contractor removed soil and debris from the tank grave, there was no olfactory or visual signs of a petroleum release, GSA will submit a brief report. 4/18/05 Tipple reviews letter// NFA 4/27/2005 Sangesland spoke to Darin Frank of EPM called to clarify that the spill was in fact Diesel and Not #2 Fuel Oil."

Remarks:

"PETROLEUM WAS EMPTIED AND WHEN THE TANK WAS REMOVED THERE WAS CONTAMINATED SOIL UNDER THE TANK."

All Materials:

Site ID: 342902  
Operable Unit ID: 1101589  
Operable Unit: 01  
Material ID: 581800  
Material Code: 0008  
Material Name: diesel  
Case No.: Not reported  
Material FA: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US MISSION TO UN (Continued)

S106869055

Quantity: Not reported  
Units: G  
Recovered: Not reported  
Oxygenate: Not reported

Site ID: 342902  
Operable Unit ID: 1101589  
Operable Unit: 01  
Material ID: 582636  
Material Code: 0008  
Material Name: diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Oxygenate: Not reported

EJ986 32 WEST 39TH STREET  
West 32 WEST 39TH STREET  
1/4-1/2 NEW YORK CITY, NY  
0.403 mi.  
2128 ft. Site 1 of 2 in cluster EJ

NY LTANKS S107523584  
N/A

Relative:  
Higher  
Actual:  
69 ft.

LTANKS:  
Name: 32 WEST 39TH STREET  
Address: 32 WEST 39TH STREET  
City,State,Zip: NEW YORK CITY, NY  
Spill Number/Closed Date: 0512893 / 2006-03-31  
Facility ID: 0512893  
Site ID: 359282  
Spill Date: 2006-02-07  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: HRPATEL  
Referred To: Not reported  
Reported to Dept: 2006-02-07  
CID: 408  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2006-02-07  
Spill Record Last Update: 2006-10-17  
Spiller Name: MARLON JOSEPH  
Spiller Company: Not reported  
Spiller Address: 32 WEST 39TH STREET  
Spiller County: 001  
Spiller Contact: MARLON JOSEPH  
Spiller Phone: (646) 772-7949  
Spiller Extention: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 WEST 39TH STREET (Continued)**

**S107523584**

DEC Region: 2  
DER Facility ID: 309317  
DEC Memo: "02/08/06. Feroze, PBS case is #2-603524. TTF letter is sent to. Albert Rosenberg Rose & Berg Realty. 131 west 35th Street, 7th Floor New York, NY 10001. 03/07/06 Feroze. Called Mr. Albert (212-981-6501), he informed that Eastman & sons 718-378-3000 is going to replace the fill line. They will test the tank after the replace work is done and will submit the documents to DEC soon. 03/15/06. Spill is transferred from Feroze to Kumer Patel. 03/29/06-Hiralkumar Patel. Spoke with Ms. Diania at Petroleum and she told me that petroleum tank did isolation test on Feb. 17 and found problems with fill line and vent line. they haven't done anything after that. REceived copy of tank test results from Alber Rosenberg from Rosenberg Realty, who is managing property. test results shows the system passed in test. Eastmond has replaced fill pipe and vent line. Spoke with Mr. Rosenberg and asked him to send me copy of previous tank test results. Spoke with Issac at Eastmond and he told me that the fill line was leaking at flange as it was passing through solid concrete into the building. eastmond has replaced the fill line from this flange to curb and also replaced the vent line. as per Isaac it was very little leak and there was no cotaminated soil. all cleaned up. no further action required. 03/31/06-Hiralkumar Patel. REceived clear copies of work invoices from Albert. based on available information from owner and from Isaac from EAstmond, case is closed. NFA letter sent out to owner. faxed to owner and Eastmond. Albert Rosenberg Ph. (212) 981-6517 FAX (212) 465-8122"  
Remarks: "ABOVE LIQUID LEAK."

All Materials:  
Site ID: 359282  
Operable Unit ID: 1116504  
Operable Unit: 01  
Material ID: 2106912  
Material Code: 0002A  
Material Name: #4 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**EJ987** 32 W. 39TH MIDTOWN PROPERTIES LLC  
**West** 32 WEST 39TH STREET  
1/4-1/2 NEW YORK, NY 10018  
0.403 mi.  
2128 ft. Site 2 of 2 in cluster EJ

**NY LTANKS** **U003312898**  
**NY UST** **N/A**

**Relative:** LTANKS:  
**Higher** Name: 32 W. 39 ST  
Address: 32 WEST 39TH STREET  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 0406617 / 2006-10-17  
Facility ID: 0406617  
Site ID: 292756  
Spill Date: 2004-09-16  
Spill Cause: Tank Test Failure

**Actual:**  
**69 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 W. 39TH MIDTOWN PROPERTIES LLC (Continued)**

**U003312898**

Spill Source: Private Dwelling  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: rmpiper  
Referred To: Not reported  
Reported to Dept: 2004-09-16  
CID: 444  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2004-09-16  
Spill Record Last Update: 2006-10-17  
Spiller Name: THOMAS VALENTINE  
Spiller Company: Not reported  
Spiller Address: 32 WEST 39TH STREET  
Spiller County: 001  
Spiller Contact: THOMAS VALENTINE  
Spiller Phone: (212) 921-8973  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 236970  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was DEMEO 12/22/2005 - Haggerty - Spoke with Albert Rosenberg from 32 West 39th Midtown Properties LLC (212-981-6517), current property manager, who would look for any records and call back 01/04/2006 - Haggerty - spoke with Phil Fazon from Crown Leak Detection (516-375-5890) who originally called in spill due to a tank test failure. I inquired as to whether Crown Leak did follow up testing. Crown Leak never returned to re-test. He gave me the # for ABC Tank who tested tank after Crown Leak 01/05/2006 - Haggerty - spoke with Robert from ABC Tank (718-272-2800), ABC was hired simply for a second opinion which again failed. 01/06/2006 - Haggerty - Tom Valentine from Albert Rosenberg's office called to tell me no retesting and no clean-up was ever performed. He will call (Sally Dewes) back when they contract an environmental company Previously assigned to M. Haggerty in Albany office. 10/11/06 - Austin - Reassigned from Central Office staff to Piper, for follow up and closure - end 10/17/06- DEC Piper left message at Rosenberg realty requesting callback. Refer to legal if no response. DEC Piper received call from Rosenberg. As per him there was a second spill # at the property Sp# 0512893. It was also a tank test failure. Notes from DEC Patel 03/31/06-Hiralkumar Patel. Received clear copies of work invoices from Albert. based on available information from owner and from Isaac from Eastmond, case is closed. NFA letter sent out to owner. faxed to owner and Eastmond. In light of this info, this spill is also closed. "

Remarks: "VENT IS BAD AND WILL FURTHER TEST "

All TTF:

Facility ID: 0406617  
Spill Number: 0406617  
Spill Tank Test: 1529672  
Site ID: 292756

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 W. 39TH MIDTOWN PROPERTIES LLC (Continued)**

**U003312898**

Tank Number: 1  
Tank Size: 3500  
Material: Not reported  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified Date: Not reported

Facility ID: 0406617  
Spill Number: 0406617  
Spill Tank Test: 1529673  
Site ID: 292756  
Tank Number: 1  
Tank Size: 3500  
Material: Not reported  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified Date: Not reported

All Materials:  
Site ID: 292756  
Operable Unit ID: 889252  
Operable Unit: 01  
Material ID: 559862  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: L  
Recovered: .00  
Oxygenate: Not reported

Site ID: 292756  
Operable Unit ID: 889252  
Operable Unit: 01  
Material ID: 559861  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: Not reported  
Recovered: .00



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 W. 39TH MIDTOWN PROPERTIES LLC (Continued)**

**U003312898**

Oxygenate: Not reported

UST:

Name: 32 W. 39TH MIDTOWN PROPERTIES LLC  
Address: 32 WEST 39TH STREET  
City,State,Zip: NEW YORK, NY 10018  
Id/Status: 2-603524 / Active  
Program Type: PBS  
Region: STATE  
DEC Region: 2  
Expiration Date: 02/24/2024  
UTM X: 585771.93200  
UTM Y: 4511744.70057  
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 25440  
Affiliation Type: Facility Owner  
Company Name: 32 W. 39TH MIDTOWN PROPERTIES LLC  
Contact Type: PROPERTY MANAGER  
Contact Name: SAM FRUCHTER  
Address1: 28 W. 36 ST, 3RD FLOOR  
Address2: Not reported  
City: NEW YORK  
State: NY  
Zip Code: 10018  
Country Code: 001  
Phone: (212) 981-6517  
EMail: Not reported  
Fax Number: Not reported  
Modified By: JSMACRI  
Date Last Modified: 2019-01-03

Site Id: 25440  
Affiliation Type: Mail Contact  
Company Name: ROSE & BERG REALTY  
Contact Type: Not reported  
Contact Name: SAM FRUCHTER  
Address1: 28 W 36TH STREET  
Address2: 3RD FLOOR  
City: NEW YORK  
State: NY  
Zip Code: 10018  
Country Code: 001  
Phone: (212) 981-6501  
EMail: SAM@ROSEBERGREALTY.COM  
Fax Number: Not reported  
Modified By: JSMACRI  
Date Last Modified: 2019-01-03

Site Id: 25440  
Affiliation Type: Facility Operator  
Company Name: 32 W. 39TH MIDTOWN PROPERTIES LLC  
Contact Type: Not reported  
Contact Name: UNORL SANTIAGO  
Address1: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 W. 39TH MIDTOWN PROPERTIES LLC (Continued)**

**U003312898**

Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (646) 879-5561  
EMail: Not reported  
Fax Number: Not reported  
Modified By: JSMACRI  
Date Last Modified: 2019-01-03

Site Id: 25440  
Affiliation Type: Emergency Contact  
Company Name: 32 W. 39TH MIDTOWN PROPERTIES LLC  
Contact Type: Not reported  
Contact Name: SAM FRUCHTER  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (212) 981-6517  
EMail: Not reported  
Fax Number: Not reported  
Modified By: MRBARROW  
Date Last Modified: 2017-09-21

**Tank Info:**

Tank Number: 001  
Tank ID: 54655  
Tank Status: In Service  
Material Name: In Service  
Capacity Gallons: 3500  
Install Date: 12/01/1926  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Steel/carbon steel  
Material Code: 0001  
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21  
Date Test: 03/09/2006  
Next Test Date: 10/11/2016  
Pipe Model: Not reported  
Modified By: TankSys  
Last Modified: 04/27/2020

**Equipment Records:**

D03 - Pipe Type - Stainless Steel Alloy  
A01 - Tank Internal Protection - Epoxy Liner  
E00 - Piping Secondary Containment - None  
H00 - Tank Leak Detection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
B01 - Tank External Protection - Painted/Asphalt Coating

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**32 W. 39TH MIDTOWN PROPERTIES LLC (Continued)**

**U003312898**

F01 - Pipe External Protection - Painted/Asphalt Coating  
I01 - Overfill - Float Vent Valve  
J01 - Dispenser - Pressurized Dispenser  
I04 - Overfill - Product Level Gauge (A/G)  
G01 - Tank Secondary Containment - Diking (Aboveground)  
C02 - Pipe Location - Underground/On-ground

**988**  
**ENE**  
**1/4-1/2**  
**0.404 mi.**  
**2133 ft.**

**HERTZ CORP THE**  
**310 E 48TH ST**  
**NEW YORK, NY 10017**

**RCRA-VSQQ** **1000423524**  
**NY LTANKS** **NYD986887313**  
**NY UST**  
**FINDS**  
**ECHO**  
**NY MANIFEST**

**Relative:**  
**Lower**

**Actual:**  
**29 ft.**

**RCRA Listings:**

|                                                                |                                               |
|----------------------------------------------------------------|-----------------------------------------------|
| Date Form Received by Agency:                                  | 2007-01-01 00:00:00.0                         |
| Handler Name:                                                  | HERTZ CORP THE                                |
| Handler Address:                                               | 310 E 48TH ST                                 |
| Handler City,State,Zip:                                        | NEW YORK, NY 10017-1747                       |
| EPA ID:                                                        | NYD986887313                                  |
| Contact Name:                                                  | Not reported                                  |
| Contact Address:                                               | E 48TH ST                                     |
| Contact City,State,Zip:                                        | NEW YORK, NY 10017                            |
| Contact Telephone:                                             | Not reported                                  |
| Contact Fax:                                                   | Not reported                                  |
| Contact Email:                                                 | Not reported                                  |
| Contact Title:                                                 | Not reported                                  |
| EPA Region:                                                    | 02                                            |
| Land Type:                                                     | Not reported                                  |
| Federal Waste Generator Description:                           | Conditionally Exempt Small Quantity Generator |
| Non-Notifier:                                                  | Not reported                                  |
| Biennial Report Cycle:                                         | Not reported                                  |
| Accessibility:                                                 | Not reported                                  |
| Active Site Indicator:                                         | Handler Activities                            |
| State District Owner:                                          | NY                                            |
| State District:                                                | NYSDEC R2                                     |
| Mailing Address:                                               | E 48TH ST                                     |
| Mailing City,State,Zip:                                        | NEW YORK, NY 10017                            |
| Owner Name:                                                    | HERTZ CORP THE                                |
| Owner Type:                                                    | Private                                       |
| Operator Name:                                                 | HERTZ CORP THE                                |
| Operator Type:                                                 | Private                                       |
| Short-Term Generator Activity:                                 | No                                            |
| Importer Activity:                                             | No                                            |
| Mixed Waste Generator:                                         | No                                            |
| Transporter Activity:                                          | No                                            |
| Transfer Facility Activity:                                    | No                                            |
| Recycler Activity with Storage:                                | No                                            |
| Small Quantity On-Site Burner Exemption:                       | No                                            |
| Smelting Melting and Refining Furnace Exemption:               | No                                            |
| Underground Injection Control:                                 | No                                            |
| Off-Site Waste Receipt:                                        | No                                            |
| Universal Waste Indicator:                                     | No                                            |
| Universal Waste Destination Facility:                          | No                                            |
| Federal Universal Waste:                                       | No                                            |
| Active Site Fed-Reg Treatment Storage and Disposal Facility:   | Not reported                                  |
| Active Site Converter Treatment storage and Disposal Facility: | Not reported                                  |
| Active Site State-Reg Treatment Storage and Disposal Facility: | Not reported                                  |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

|                                                               |                       |
|---------------------------------------------------------------|-----------------------|
| Active Site State-Reg Handler:                                | ---                   |
| Federal Facility Indicator:                                   | Not reported          |
| Hazardous Secondary Material Indicator:                       | NN                    |
| Sub-Part K Indicator:                                         | Not reported          |
| Commercial TSD Indicator:                                     | No                    |
| Treatment Storage and Disposal Type:                          | Not reported          |
| 2018 GPRA Permit Baseline:                                    | Not on the Baseline   |
| 2018 GPRA Renewals Baseline:                                  | Not on the Baseline   |
| Permit Renewals Workload Universe:                            | Not reported          |
| Permit Workload Universe:                                     | Not reported          |
| Permit Progress Universe:                                     | Not reported          |
| Post-Closure Workload Universe:                               | Not reported          |
| Closure Workload Universe:                                    | Not reported          |
| 202 GPRA Corrective Action Baseline:                          | No                    |
| Corrective Action Workload Universe:                          | No                    |
| Subject to Corrective Action Universe:                        | No                    |
| Non-TSDFs Where RCRA CA has Been Imposed Universe:            | No                    |
| TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:  | No                    |
| TSDFs Only Subject to CA under Discretionary Auth Universe:   | No                    |
| Corrective Action Priority Ranking:                           | No NCAPS ranking      |
| Environmental Control Indicator:                              | No                    |
| Institutional Control Indicator:                              | No                    |
| Human Exposure Controls Indicator:                            | N/A                   |
| Groundwater Controls Indicator:                               | N/A                   |
| Operating TSDF Universe:                                      | Not reported          |
| Full Enforcement Universe:                                    | Not reported          |
| Significant Non-Complier Universe:                            | No                    |
| Unaddressed Significant Non-Complier Universe:                | No                    |
| Addressed Significant Non-Complier Universe:                  | No                    |
| Significant Non-Complier With a Compliance Schedule Universe: | No                    |
| Financial Assurance Required:                                 | Not reported          |
| Handler Date of Last Change:                                  | 2015-04-14 00:00:00.0 |
| Recognized Trader-Importer:                                   | No                    |
| Recognized Trader-Exporter:                                   | No                    |
| Importer of Spent Lead Acid Batteries:                        | No                    |
| Exporter of Spent Lead Acid Batteries:                        | No                    |
| Recycler Activity Without Storage:                            | Not reported          |
| Manifest Broker:                                              | Not reported          |
| Sub-Part P Indicator:                                         | Not reported          |

**Handler - Owner Operator:**

|                                |                        |
|--------------------------------|------------------------|
| Owner/Operator Indicator:      | Owner                  |
| Owner/Operator Name:           | HERTZ CORP THE         |
| Legal Status:                  | Private                |
| Date Became Current:           | Not reported           |
| Date Ended Current:            | Not reported           |
| Owner/Operator Address:        | NOT REQUIRED           |
| Owner/Operator City,State,Zip: | NOT REQUIRED, WY 99999 |
| Owner/Operator Telephone:      | 212-555-1212           |
| Owner/Operator Telephone Ext:  | Not reported           |
| Owner/Operator Fax:            | Not reported           |
| Owner/Operator Email:          | Not reported           |

|                           |                |
|---------------------------|----------------|
| Owner/Operator Indicator: | Owner          |
| Owner/Operator Name:      | HERTZ CORP THE |
| Legal Status:             | Private        |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Date Became Current: Not reported  
Date Ended Current: Not reported  
Owner/Operator Address: NOT REQUIRED  
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999  
Owner/Operator Telephone: 212-555-1212  
Owner/Operator Telephone Ext: Not reported  
Owner/Operator Fax: Not reported  
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator  
Owner/Operator Name: HERTZ CORP THE  
Legal Status: Private  
Date Became Current: Not reported  
Date Ended Current: Not reported  
Owner/Operator Address: NOT REQUIRED  
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999  
Owner/Operator Telephone: 212-555-1212  
Owner/Operator Telephone Ext: Not reported  
Owner/Operator Fax: Not reported  
Owner/Operator Email: Not reported

**Historic Generators:**

Receive Date: 1999-07-08 00:00:00.0  
Handler Name: HERTZ CORP THE  
Federal Waste Generator Description: Not a generator, verified  
State District Owner: NY  
Large Quantity Handler of Universal Waste: No  
Recognized Trader Importer: No  
Recognized Trader Exporter: No  
Spent Lead Acid Battery Importer: No  
Spent Lead Acid Battery Exporter: No  
Current Record: No  
Non Storage Recycler Activity: Not reported  
Electronic Manifest Broker: Not reported

Receive Date: 2006-01-01 00:00:00.0  
Handler Name: HERTZ CORP THE  
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator  
State District Owner: NY  
Large Quantity Handler of Universal Waste: No  
Recognized Trader Importer: No  
Recognized Trader Exporter: No  
Spent Lead Acid Battery Importer: No  
Spent Lead Acid Battery Exporter: No  
Current Record: No  
Non Storage Recycler Activity: Not reported  
Electronic Manifest Broker: Not reported

Receive Date: 2007-01-01 00:00:00.0  
Handler Name: HERTZ CORP THE  
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator  
State District Owner: NY  
Large Quantity Handler of Universal Waste: No  
Recognized Trader Importer: No  
Recognized Trader Exporter: No  
Spent Lead Acid Battery Importer: No  
Spent Lead Acid Battery Exporter: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

|                                            |                          |
|--------------------------------------------|--------------------------|
| Current Record:                            | Yes                      |
| Non Storage Recycler Activity:             | Not reported             |
| Electronic Manifest Broker:                | Not reported             |
| Receive Date:                              | 1990-01-29 00:00:00.0    |
| Handler Name:                              | HERTZ CORP THE           |
| Federal Waste Generator Description:       | Large Quantity Generator |
| State District Owner:                      | NY                       |
| Large Quantity Handler of Universal Waste: | No                       |
| Recognized Trader Importer:                | No                       |
| Recognized Trader Exporter:                | No                       |
| Spent Lead Acid Battery Importer:          | No                       |
| Spent Lead Acid Battery Exporter:          | No                       |
| Current Record:                            | No                       |
| Non Storage Recycler Activity:             | Not reported             |
| Electronic Manifest Broker:                | Not reported             |

**LTANKS:**

|                           |                       |
|---------------------------|-----------------------|
| Name:                     | 310 E 48TH ST/HERTZ   |
| Address:                  | 310 E 48TH ST         |
| City,State,Zip:           | NEW YORK, NY          |
| Spill Number/Closed Date: | 9201045 / 1992-04-27  |
| Facility ID:              | 9201045               |
| Site ID:                  | 144005                |
| Spill Date:               | 1987-05-01            |
| Spill Cause:              | Tank Failure          |
| Spill Source:             | Commercial/Industrial |
| Spill Class:              | A3                    |
| Cleanup Ceased:           | Not reported          |
| SWIS:                     | 3101                  |
| Investigator:             | SULLIVAN              |
| Referred To:              | Not reported          |
| Reported to Dept:         | 1987-05-01            |
| CID:                      | Not reported          |
| Water Affected:           | Not reported          |
| Spill Notifier:           | Other                 |
| Last Inspection:          | Not reported          |
| Recommended Penalty:      | False                 |
| Meets Standard:           | False                 |
| UST Involvement:          | True                  |
| Remediation Phase:        | 0                     |
| Date Entered In Computer: | 1992-07-08            |
| Spill Record Last Update: | 2003-02-12            |
| Spiller Name:             | Not reported          |
| Spiller Company:          | HERTZ                 |
| Spiller Address:          | Not reported          |
| Spiller County:           | 999                   |
| Spiller Contact:          | Not reported          |
| Spiller Phone:            | Not reported          |
| Spiller Extention:        | Not reported          |
| DEC Region:               | 2                     |
| DER Facility ID:          | 122765                |
| DEC Memo:                 | ""                    |
| Remarks:                  | ""                    |

All Materials:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Site ID: 144005  
Operable Unit ID: 965017  
Operable Unit: 01  
Material ID: 415797  
Material Code: 0009  
Material Name: gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1.00  
Units: L  
Recovered: .00  
Oxygenate: Not reported

**UST:**

Name: HERTZ RENT A CAR  
Address: 310 EAST 48TH STREET  
City,State,Zip: NEW YORK, NY 10017  
Id/Status: 2-453293 / Active  
Program Type: PBS  
Region: STATE  
DEC Region: 2  
Expiration Date: 10/14/2023  
UTM X: 587044.73623  
UTM Y: 4511879.98053  
Site Type: Other

**Affiliation Records:**

Site Id: 19843  
Affiliation Type: Facility Owner  
Company Name: 310 CO LLC C/O DIGBY MGMT CO LLC  
Contact Type: ENVIRONMENTAL ANYALST  
Contact Name: JESSICA BLANKS  
Address1: 59 EAST 54TH ST , RM 51  
Address2: Not reported  
City: NEW YORK  
State: NY  
Zip Code: 10022  
Country Code: 001  
Phone: (212) 755-3063  
EMail: Not reported  
Fax Number: Not reported  
Modified By: JSMACRI  
Date Last Modified: 2018-08-28

Site Id: 19843  
Affiliation Type: Mail Contact  
Company Name: HERTZ RENT A CAR  
Contact Type: Not reported  
Contact Name: JESSICA BLANKS  
Address1: 8501 WILLIAMS ROAD  
Address2: Not reported  
City: ESTERO  
State: FL  
Zip Code: 33928  
Country Code: 001  
Phone: (239) 301-7280

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Email: JESSICA.BLANKS@HERTZ.COM  
Fax Number: Not reported  
Modified By: JSMACRI  
Date Last Modified: 2018-08-28

Site Id: 19843  
Affiliation Type: Facility Operator  
Company Name: HERTZ RENT A CAR  
Contact Type: Not reported  
Contact Name: ANSHUL TIWARI  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (212) 486-5912  
Email: Not reported  
Fax Number: Not reported  
Modified By: MXLAY  
Date Last Modified: 2016-10-27

Site Id: 19843  
Affiliation Type: Emergency Contact  
Company Name: 310 CO LLC C/O DIGBY MGMT CO LLC  
Contact Type: Not reported  
Contact Name: ANDREW LAZAZZERA  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (239) 301-7279  
Email: Not reported  
Fax Number: Not reported  
Modified By: MXLAY  
Date Last Modified: 2016-10-27

**Tank Info:**

Tank Number: 001  
Tank ID: 35752  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Material Name: Closed Prior to Micro Conversion, 03/91  
Capacity Gallons: 550  
Install Date: 01/01/1981  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Steel/carbon steel  
Material Code: 0009  
Common Name of Substance: Gasoline

Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Pipe Model: Not reported  
Modified By: TRANSLAT  
Last Modified: 04/14/2017

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron  
A01 - Tank Internal Protection - Epoxy Liner  
I00 - Overfill - None  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H04 - Tank Leak Detection - Groundwater Well  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction Dispenser

Tank Number: 002  
Tank ID: 35753  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Material Name: Closed Prior to Micro Conversion, 03/91  
Capacity Gallons: 550  
Install Date: 01/01/1981  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Steel/carbon steel  
Material Code: 0009  
Common Name of Substance: Gasoline

Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Pipe Model: Not reported  
Modified By: TRANSLAT  
Last Modified: 04/14/2017

Equipment Records:

B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H04 - Tank Leak Detection - Groundwater Well  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A01 - Tank Internal Protection - Epoxy Liner  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction Dispenser

Tank Number: 003  
Tank ID: 35754  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Material Name: Closed Prior to Micro Conversion, 03/91  
Capacity Gallons: 550  
Install Date: 01/01/1981  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Steel/carbon steel

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Material Code: 0009  
Common Name of Substance: Gasoline

Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Pipe Model: Not reported  
Modified By: TRANSLAT  
Last Modified: 04/14/2017

Equipment Records:

C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H04 - Tank Leak Detection - Groundwater Well  
B00 - Tank External Protection - None  
I00 - Overfill - None  
A01 - Tank Internal Protection - Epoxy Liner  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction Dispenser  
G00 - Tank Secondary Containment - None

Tank Number: 004  
Tank ID: 35755  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Material Name: Closed Prior to Micro Conversion, 03/91  
Capacity Gallons: 550  
Install Date: 01/01/1981  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Steel/carbon steel  
Material Code: 0009  
Common Name of Substance: Gasoline

Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Pipe Model: Not reported  
Modified By: TRANSLAT  
Last Modified: 04/14/2017

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H04 - Tank Leak Detection - Groundwater Well  
A01 - Tank Internal Protection - Epoxy Liner  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction Dispenser

Tank Number: 005  
Tank ID: 35756  
Tank Status: In Service  
Material Name: In Service

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Capacity Gallons: 2500  
Install Date: 03/01/1990  
Date Tank Closed: Not reported  
Registered: True  
Tank Location: Underground  
Tank Type: Equivalent technology  
Material Code: 2712  
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 34  
Date Test: 05/17/2015  
Next Test Date: Not reported  
Pipe Model: Not reported  
Modified By: KXLIU  
Last Modified: 03/02/2020

**Equipment Records:**

L07 - Piping Leak Detection - Pressurized Piping Leak Detector  
E04 - Piping Secondary Containment - Double walled UG  
B04 - Tank External Protection - Fiberglass  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
I02 - Overfill - High Level Alarm  
K01 - Spill Prevention - Catch Basin  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
J01 - Dispenser - Pressurized Dispenser  
A03 - Tank Internal Protection - Fiberglass Liner (FRP)  
C03 - Pipe Location - Aboveground/Underground Combination  
F04 - Pipe External Protection - Fiberglass  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
L02 - Piping Leak Detection - Interstitial - Manual Monitoring

**FINDS:**

Registry ID: 110004440846

Click Here:

**Environmental Interest/Information System:**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000423524  
Registry ID: 110004440846  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004440846>  
Name: HERTZ CORP THE  
Address: 310 E 48TH ST  
City,State,Zip: NEW YORK, NY 10017

**NY MANIFEST:**

Name: HERTZ CORPORATION THE  
Address: 310 E 48TH ST

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

City,State,Zip: NEW YORK, NY 10017-1747  
Country: USA  
EPA ID: NYD986887313  
Facility Status: Not reported  
Location Address 1: 310 E 48TH  
Code: BP  
Location Address 2: Not reported  
Total Tanks: Not reported  
Location City: NEW YORK  
Location State: NY  
Location Zip: 10017  
Location Zip 4: Not reported

**NY MANIFEST:**

EPAID: NYD986887313  
Mailing Name: HERTZ CORPORATION THE  
Mailing Contact: N/S  
Mailing Address 1: 310 E 48TH ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10017  
Mailing Zip 4: Not reported  
Mailing Country: USA  
Mailing Phone: 2124865100

**NY MANIFEST:**

Document ID: Not reported  
Manifest Status: Not reported  
seq: Not reported  
Year: Not reported  
Trans1 State ID: TXR000081205  
Trans2 State ID: NJD071629976  
Generator Ship Date: 07/26/2017  
Trans1 Recv Date: 07/26/2017  
Trans2 Recv Date: 07/31/2017  
TSD Site Recv Date: 08/01/2017  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986887313  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID 1: OHD000816629  
TSDF ID 2: Not reported  
Manifest Tracking Number: 005816959SKS  
Import Indicator: N  
Export Indicator: N  
Discr Quantity Indicator: N  
Discr Type Indicator: N  
Discr Residue Indicator: N  
Discr Partial Reject Indicator: N  
Discr Full Reject Indicator: N  
Manifest Ref Number: Not reported  
Alt Facility RCRA ID: Not reported  
Alt Facility Sign Date: Not reported  
MGMT Method Type Code: H141  
Waste Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HERTZ CORP THE (Continued)**

**1000423524**

Waste Code: Not reported  
Waste Code: Not reported  
Waste Code: Not reported  
Waste Code: Not reported  
Waste Code: Not reported  
Quantity: 200  
Units: P - Pounds  
Number of Containers: 1  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 1  
Waste Code: D009  
Waste Code 1\_2: Not reported  
Waste Code 1\_3: Not reported  
Waste Code 1\_4: Not reported  
Waste Code 1\_5: Not reported  
Waste Code 1\_6: Not reported

**EK989**  
**NNE**  
**1/4-1/2**  
**0.411 mi.**  
**2170 ft.**

**RBH MANAGEMENT TTF**  
**333 PARK AVE STH**  
**NEW YORK, NY**

**NY LTANKS** **S111458606**  
**N/A**

**Site 1 of 2 in cluster EK**

**Relative:**  
**Higher**  
**Actual:**  
**54 ft.**

**LTANKS:**  
Name: RBH MANAGEMENT TTF  
Address: 333 PARK AVE STH  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 1111100 / 2012-03-01  
Facility ID: 1111100  
Site ID: 458975  
Spill Date: 2011-12-14  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: SMSANGES  
Referred To: Not reported  
Reported to Dept: 2011-12-14  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2011-12-14  
Spill Record Last Update: 2014-05-06  
Spiller Name: LINDA MONTANEZ  
Spiller Company: RBH MANAGEMENT  
Spiller Address: 333 PARK AVE STH  
Spiller County: 999  
Spiller Contact: LINDA MONTANEZ  
Spiller Phone: (212) 685-7833  
Spiller Extention: 106

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RBH MANAGEMENT TTF (Continued)**

**S111458606**

DEC Region: 2  
DER Facility ID: 413440  
DEC Memo: "1/19/2012- Sangesland spoke to ProTest: Work is not yet finished. ProTest returned to the site on 1/5/12 to isolate and retest. Tank passed. Vent line and Remote Fill Line both failed. Building accepted ProTest Proposal to do additional repairs - Work should be done by Feb 1st, 2012. 3/1/2012 Sangesland reviewed a letter/test report from ProTest dated Feb 7th which shows repairs to a small dry leak. isolated tank passed a test, but the vent and remote fill line failed. new lines were installed with a new vent alarm. The fill box was removed from the sidewalk and a new fill port installed at the building. System was retested on Feb 2nd and passed. No evidence of contamination within the excavation. 5-6-14 - Dupigny - notes from Sangesland 1/5 & 1/6 Isolate and retest - tank passed - vent -failed -remote fill, Failed. "  
Remarks: "unk retest"

All Materials:  
Site ID: 458975  
Operable Unit ID: 1209080  
Operable Unit: 01  
Material ID: 2206446  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Oxygenate: Not reported

**EK990**  
**NNE**  
**1/4-1/2**  
**0.411 mi.**  
**2170 ft.**

**WATTON STUDIO TTF**  
**333 PARK AVE STH**  
**NEW YORK, NY**

**NY LTANKS** **S113494319**  
**N/A**

**Site 2 of 2 in cluster EK**

**Relative:**  
**Higher**

**Actual:**  
**54 ft.**

LTANKS:  
Name: WATTON STUDIO TTF  
Address: 333 PARK AVE STH  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 1301250 / Not Reported  
Facility ID: 1301250  
Site ID: 481625  
Spill Date: 2013-05-07  
Spill Cause: Tank Test Failure  
Spill Source: Passenger Vehicle  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: HSSEKHON  
Referred To: Not reported  
Reported to Dept: 2013-05-07  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATTON STUDIO TTF (Continued)**

**S113494319**

Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 1  
Date Entered In Computer: 2013-05-07  
Spill Record Last Update: 2018-07-09  
Spiller Name: CAESER  
Spiller Company: WATTON STUDIO  
Spiller Address: 333 PARK AVE STH  
Spiller County: 999  
Spiller Contact: CAESER  
Spiller Phone: (917) 715-9430  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 413440  
DEC Memo: "12/05/16 - Lakhani Alternate addresses for the property include 333-335 Park Avenue South. There is one other spill case associated with the property (#1111100). PBS registration #2-333131 exists for a 1500 gallon #2 fuel oil AST on the property. As per PBS, the site owner info is: Watton Studio Corp. 333 Park Avenue South New York, NY 10010 Ph: 2122553664 For spill #1111100: Sangesland spoke to ProTest on 1/19/12: Work is not yet finished. ProTest returned to the site on 1/5/12 to isolate and retest. Tank passed. Vent line and Remote Fill Line both failed. Building accepted ProTest Proposal to do additional repairs - Work should be done by Feb 1st, 2012. On 3/1/2012, Sangesland reviewed a letter/test report from ProTest dated Feb 7th which shows repairs to a small dry leak. isolated tank passed a test, but the vent and remote fill line failed. new lines were installed with a new vent alarm. The fill box was removed from the sidewalk and a new fill port installed at the building. System was retested on Feb 2nd and passed. No evidence of contamination within the excavation. Spill #1111100 is closed. 5/18/18 TJD Spill reassigned to Sekhon as new project manager. 6/19/18- Sekhon Spill closed administratively reference to Spill # 1111100. 7/9/18- Sekhon Discussed with DEC Kumar, Spill closed by mistake on 6/19/18 by reviewing notes from spill #1111100 dated in 2014; Now spill is open for further review. " "retest planned"

Remarks:

All Materials:

Site ID: 481625  
Operable Unit ID: 1231390  
Operable Unit: 01  
Material ID: 2230129  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

EG991  
SW  
1/4-1/2  
0.415 mi.  
2190 ft.  
**APARTMENT BUILDING  
7 PARK AVE  
MANHATTAN, NY  
Site 2 of 2 in cluster EG**

**NY LTANKS S108765484  
N/A**

**Relative:  
Higher**

**LTANKS:**

**Actual:  
61 ft.**

Name: APARTMENT BUILDING  
Address: 7 PARK AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0705083 / 2007-10-01  
Facility ID: 0705083  
Site ID: 385356  
Spill Date: 2007-08-03  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: Not reported  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: rvketani  
Referred To: Not reported  
Reported to Dept: 2007-08-03  
CID: 410  
Water Affected: Not reported  
Spill Notifier: Local Agency  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2007-08-03  
Spill Record Last Update: 2007-10-01  
Spiller Name: ERIC CONTROL COMBUSTION  
Spiller Company: APARTMENT HOUSE  
Spiller Address: 7 PARK AVE  
Spiller County: 001  
Spiller Contact: ERIC CONTROL COMBUSTION  
Spiller Phone: (718) 367-9800  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 334741  
DEC Memo: "8/3/07 - Raphael Ketani. I called up Joe Ostrowski at PTC (718) 624-4842 regarding the spill. He said that his crew is there now and they are emptying the tank. He said no drains or sumps are affected and that all of the 150 gals. spilled in the tank room. He said the tank is 10,000 gal. and it just gave way. The block and lot are 890 and 1. The site is 7 Park Avenue, NY, 10016. The management contact is Ellen Kornfeld, Lovett Co., 450 7 Avenue, rm. 1106, NY, 10123. The PBS case is #2-289213 with a 10,000 gal. tank containing #6 oil. I sent a CSL. 9/25/07 - Raphael Ketani. I received a call today from Eric Menjoya (718) 367-9800, ext 201 of Controlled Combustion. He said that the old tank has been removed and the site has been cleaned up. I told him to send me pictures and manifests for the work that was done and to update the PBS registration to show that the old tank was removed. He said he will do this. 9/28/07 - Raphael Ketani. I received a set of pictures by e-mail from Mr. Menjoya. The pictures showed the cleaned former tank room. I chose those pictures that weren't duplicates and that were clear and attached them to the e-Docs. I e-mailed Mr. Menjoya that DEC still needed a cover letter



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BUILDING (Continued)**

**S108765484**

Remarks: explaining what the situation was, how it was cleaned up and what the end result was. I also wrote that manifests were needed and that the PBS registration needed to be updated to reflect the changed status of the tank. Mr. Bendjouya e-mailed me that he had sent the manifest to Jeffrey Vought of Region 2 Spills. 10/1/07 - Raphael Ketani. I talked to Mr. Vought about the manifests. He found them and gave them to me. I checked the PBS registration. The tank is listed as closed and removed. Based upon the pictures that were sent that show a clean tank room with no cracks in the floor, and the manifests for the contaminated materials removed, I am closing the spill case."

"TANK LET GO, MATERIAL CONTAINED IN TANK ROOM, IN PROCESS OF PUMPING OUT REMAINDER OF MATERIAL IN TANK, ADDITIONAL CLEANUP TO FOLLOW:"

All Materials:

Site ID: 385356  
Operable Unit ID: 1142626  
Operable Unit: 01  
Material ID: 2132862  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 150.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

EL992  
SE  
1/4-1/2  
0.420 mi.  
2215 ft.

**WATERSIDE GENERATING STATION (FIRST AV P  
700 FIRST AVE.  
NEW YORK, NY 10017**

**NY INST CONTROL S113917301  
N/A**

**Site 1 of 3 in cluster EL**

**Relative:  
Lower  
Actual:  
36 ft.**

**INST CONTROL:**

Name: WATERSIDE GENERATING STATION (FIRST AV P  
Address: 700 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57006  
Control Name: Soil Management Plan  
HW Code: Not reported  
Control Code: 14  
Control Type: INST  
Dt record added: 05/26/2009  
Dt rec updated: 03/23/2010  
Updated By: tl gibbon  
Site Code: 57006  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 700 First Avenue Property. The 700 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the Waterside Generating Station. The Waterside Generating Station parcel consists of 5.4 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 38th and East 40th Streets. Since 1910, this site has been used as an oil/gas fired steam and electricity

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

generating facility until it was shut down in May 2005. In the late 1800s this property was used as a coal yard and wood mill, a storage yard and a MGP facility. By 1910, the former MGP structures on the site had been demolished, and the current on-site structures (Waterside Station No. 1 and No. 2) had been built. The property originally extended to the historical banks of the East River. Construction of the FDR Drive and Marginal Street added fill beyond the former eastern side of the property changing the area to its current dimensions. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated February 2001, and a Supplemental Soil Investigation Work Plan Addendum dated March 2002. The investigation found elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), volatile organic compounds (VOCs) and metals in soils. In groundwater, several VOC, PCB and PAH compounds and metals were detected at concentrations exceeding NYSDEC Class GA water quality standards. These results are reflected in a Supplemental Soil Investigation Final Report, along with the Remediation Work Plan, dated September 2003. This property is currently undergoing demolition and has not been remediated to date, however, the preferred final remedy for this site calls for: 1) removing aboveground and subsurface structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); and 3) groundwater monitoring in accordance with NYSDEC requirements. Based on sampling results in the Supplemental Soil Investigation Final Report, dated September 2003, a deed restriction for groundwater below Development Depth will be required. FER and SMP approval letter were issued May 27, 2008. DEC approved the Tunnel Closure report on July 14, 2008. As of July 17, 2008, TRC returned possession of WGS (700 First Avenue) to the developer (ERRC). The deed restrictions were filed on May 14, 2009. Additional site information can be found in the UIS under the BCP Site number C231013.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVE. (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

Name: WATERSIDE GENERATING STATION (FIRST AV P  
Address: 700 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57006  
Control Name: Ground Water Use Restriction  
HW Code: Not reported  
Control Code: 8  
Control Type: INST  
Dt record added: 05/26/2009  
Dt rec updated: 03/23/2010  
Updated By: tl gibbon  
Site Code: 57006  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 700 First Avenue Property. The 700 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the Waterside Generating Station. The Waterside Generating Station parcel consists of 5.4 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 38th and East 40th Streets. Since 1910, this site has been used as an oil/gas fired steam and electricity generating facility until it was shut down in May 2005. In the late 1800s this property was used as a coal yard and wood mill, a storage yard and a MGP facility. By 1910, the former MGP structures on the site had been demolished, and the current on-site structures (Waterside Station No. 1 and No. 2) had been built. The property originally extended to the historical banks of the East River. Construction of the FDR Drive and Marginal Street added fill beyond the former eastern side of the property changing the area to its

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

current dimensions. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated February 2001, and a Supplemental Soil Investigation Work Plan Addendum dated March 2002. The investigation found elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), volatile organic compounds (VOCs) and metals in soils. In groundwater, several VOC, PCB and PAH compounds and metals were detected at concentrations exceeding NYSDEC Class GA water quality standards. These results are reflected in a Supplemental Soil Investigation Final Report, along with the Remediation Work Plan, dated September 2003. This property is currently undergoing demolition and has not been remediated to date, however, the preferred final remedy for this site calls for: 1) removing aboveground and subsurface structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); and 3) groundwater monitoring in accordance with NYSDEC requirements. Based on sampling results in the Supplemental Soil Investigation Final Report, dated September 2003, a deed restriction for groundwater below Development Depth will be required. FER and SMP approval letter were issued May 27, 2008. DEC approved the Tunnel Closure report on July 14, 2008. As of July 17, 2008, TRC returned possession of WGS (700 First Avenue) to the developer (ERRC). The deed restrictions were filed on May 14, 2009. Additional site information can be found in the UIS under the BCP Site number C231013.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVE. (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

Name: WATERSIDE GENERATING STATION (FIRST AV P  
Address: 700 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57006  
Control Name: Deed Restriction  
HW Code: Not reported  
Control Code: Not reported  
Control Type: INST  
Dt record added: 05/26/2009  
Dt rec updated: 03/23/2010  
Updated By: tlgibbon  
Site Code: 57006

Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 700 First Avenue Property. The 700 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the Waterside Generating Station. The Waterside Generating Station parcel consists of 5.4 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 38th and East 40th Streets. Since 1910, this site has been used as an oil/gas fired steam and electricity generating facility until it was shut down in May 2005. In the late 1800s this property was used as a coal yard and wood mill, a storage yard and a MGP facility. By 1910, the former MGP structures on the site had been demolished, and the current on-site structures (Waterside Station No. 1 and No. 2) had been built. The property originally extended to the historical banks of the East River. Construction of the FDR Drive and Marginal Street added fill beyond the former eastern side of the property changing the area to its current dimensions. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated February 2001, and a Supplemental Soil Investigation Work Plan Addendum dated March 2002. The investigation found elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), volatile organic compounds (VOCs) and metals in soils. In groundwater, several VOC, PCB and PAH compounds and metals were detected at concentrations exceeding NYSDEC Class GA water

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

quality standards. These results are reflected in a Supplemental Soil Investigation Final Report, along with the Remediation Work Plan, dated September 2003. This property is currently undergoing demolition and has not been remediated to date, however, the preferred final remedy for this site calls for: 1) removing aboveground and subsurface structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); and 3) groundwater monitoring in accordance with NYSDEC requirements. Based on sampling results in the Supplemental Soil Investigation Final Report, dated September 2003, a deed restriction for groundwater below Development Depth will be required. FER and SMP approval letter were issued May 27, 2008. DEC approved the Tunnel Closure report on July 14, 2008. As of July 17, 2008, TRC returned possession of WGS (700 First Avenue) to the developer (ERRC). The deed restrictions were filed on May 14, 2009. Additional site information can be found in the UIS under the BCP Site number C231013.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVE. (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STATION (FIRST AV P (Continued))**

**S113917301**

Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

**EM993**  
**ENE**  
**1/4-1/2**  
**0.420 mi.**  
**2217 ft.**

**MANHOLE 5047**  
**300 EAST 49TH ST**  
**MANHATTAN, NY**  
**Site 1 of 2 in cluster EM**

**NY LTANKS**  
**NY Spills**  
**S102447962**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**27 ft.**

**LTANKS:**  
Name: SOL GOLDMAN ESTATES  
Address: 300 EAST 49TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9612022 / 2005-09-09  
Facility ID: 9612022  
Site ID: 138639  
Spill Date: 1997-01-06  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: B3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: TLGIBBON  
Referred To: Not reported  
Reported to Dept: 1997-01-06  
CID: 312  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1997-01-06  
Spill Record Last Update: 2006-01-03  
Spiller Name: SAM  
Spiller Company: SOL GOLDMAN ESTATES  
Spiller Address: 300 EAST 49TH ST  
Spiller County: 001  
Spiller Contact: SAM  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 118536  
DEC Memo: "6/8/05 - Project transferred to TLGibbons in Central Office, Albany  
7/5/05 - Spill caller (Dry-as-a-Bone) called in a tank failure on  
1/06/97 however, they did not do repairs. Couldn't find phone number  
of building owner/manager so sent letter to Goldman, SOLIL Management  
Corp. 7/21/05 - Mr. David Ostrov (SOLIL - 212-265-1577) called me.  
Said his records show the repair was made by Pheonix Environmental  
Technology, Inc. (516-864-4200) in January 1997. Will send paperwork.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 5047 (Continued)**

**S102447962**

8/4/05 - Mr. Ostrov said he is waiting on documents, but will conduct tank test tomorrow (A L Eastmond). 9/7/05 - Spoke with Erica, Mr Ostrov's assistant. Mr. Ostrov left company, she will send papers. Received papers (dated January 1997) which show epoxy repairs followed by a tank test failure. A subsequent weld patch seems to have fixed problem but no follow-up test. Asked SOLIL to send me results of 8/5/05 test. 9/9/05 - Close spill. A second spill was opened (# 0505705) on 8/9/05 after second test failed. This spill will be combined with 0505705 and handled by Mr. Rahman of the Region 2 office. "

Remarks: "TANK IN BASEMENT ENCASED IN CONCRETE HAD A GROSS FAILURE DURING TEST"  
Not reported

All TTF:

Facility ID: 9612022  
Spill Number: 9612022  
Spill Tank Test: 1544951  
Site ID: 138639  
Tank Number: 001  
Tank Size: 2500  
Material: Not reported  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified Date: Not reported

SPILLS:

Name: MANHOLE 5047  
Address: 300 EAST 49TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0006000 / 2004-06-03  
Facility ID: 0006000  
Facility Type: ER  
DER Facility ID: 118536  
Site ID: 231486  
DEC Region: 2  
Spill Cause: Unknown  
Spill Class: C4  
SWIS: 3101  
Spill Date: 2000-08-19  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 2000-08-19  
CID: 246  
Water Affected: Not reported  
Spill Source: Unknown  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 5047 (Continued)**

**S102447962**

Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2000-08-19  
Spill Record Last Update: 2004-06-03  
Spiller Name: UNKNOWN  
Spiller Company: Unknown  
Spiller Address: UNKNOWN  
Spiller Company: 999  
Contact Name: CALLER  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

O'CONNELL e2mis no. 132948: Troubleshooter RW found approx 2-gallons unknown oil (looks like cooking oil) in V-5047...Oil is mixed with 10-gallons water...Sewer connection visible....Spill not near sump...No impact to waterway or sewer....Crew on location at request of New York Fire Dept response to a smoking Vault. lab-results 00-07975 PCB <1 ppm. 9/7/00 Waste was cooking grease. Structure washed with Bio Gen cleaner."

Remarks: "2 gal unk oil in manhole. cleanup pending lab results"

All Materials:

Site ID: 231486  
Operable Unit ID: 828824  
Operable Unit: 01  
Material ID: 547133  
Material Code: 0066A  
Material Name: unknown petroleum  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 2.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: MANHOLE 5047  
Address: 300 EAST 49TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0006607 / 2001-11-26  
Facility ID: 0006607  
Facility Type: ER  
DER Facility ID: 118536  
Site ID: 138638  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 2000-09-04  
Investigator: KMFOLEY  
Referred To: Not reported  
Reported to Dept: 2000-09-04  
CID: 397  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 5047 (Continued)**

**S102447962**

Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2000-09-04  
Spill Record Last Update: 2001-11-26  
Spiller Name: Not reported  
Spiller Company: CON ED  
Spiller Address: 4 IRVING PLACE  
Spiller Company: 001  
Contact Name: CALLER  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

FOLEY Con Ed e2mis #133187 Notes: 9-4-00 3gal dielectric fluid in V-5047, feeder 29M72. No water in vault. PCB count is 20ppm as per records. 9-7-00 Sample returned <1ppm PCB. Waste was cooking grease. Structure was double washed with bio-gen 760 cleaner. Debris removed to E 16th St yard. No transformer leak."

Remarks: "feeder leaked 3 gallons clean up pending results con ed 133187"

**All Materials:**

Site ID: 138638  
Operable Unit ID: 827618  
Operable Unit: 01  
Material ID: 547715  
Material Code: 0541A  
Material Name: dielectric fluid  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 3.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**EM994**  
**ENE**  
**1/4-1/2**  
**0.420 mi.**  
**2217 ft.**

**TOWNHOUSE**  
**300 EAST 49TH STREET**  
**NEW YORK, NY 10017**

**NY LTANKS S106972594**  
**N/A**

**Site 2 of 2 in cluster EM**

**Relative:**  
**Lower**

**Actual:**  
**27 ft.**

**LTANKS:**  
Name: TOWNHOUSE  
Address: 300 EAST 49TH STREET  
City,State,Zip: NEW YORK, NY 10017  
Spill Number/Closed Date: 0505705 / 2006-12-06  
Facility ID: 0505705  
Site ID: 350783  
Spill Date: 2005-08-09  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: SFRAHMAN  
Referred To: Not reported  
Reported to Dept: 2005-08-09  
CID: 444  
Water Affected: Not reported  
Spill Notifier: Tank Tester

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TOWNHOUSE (Continued)**

**S106972594**

Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2005-08-09  
Spill Record Last Update: 2006-12-06  
Spiller Name: MR OSTROV  
Spiller Company: TOWNHOUSE  
Spiller Address: 300 EAST 49TH STREET  
Spiller County: 001  
Spiller Contact: MR OSTROV  
Spiller Phone: (212) 265-1577  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 28443  
DEC Memo: "TTF ltr sent to PBS address: Solil Management 640 Fifth Ave - 3rd Flr New York, NY 10019 12/28/05-Sharif// Ronald Lichtman,(212)506-0417 from Solil Management called to say they pumped out the old tank and going to install new 1500 gall. tank after replacing the old tank.According to him, there was no oil spill occurred as a result of the tank test fail.I suggested him to send DEC brief description of the job they have done, couple of photographs of the AST. I also told him to file paper work with DEC for installing the new tank. Cross reference to Spill # 9612022. 05/08/06 Sharif Rahman- I left a messege for Ronald Lichtman,(212)506-0425 to get back to DEC regarding the current status of the tank. 05/09/06 Sharif Rahman- Mr.Angel Reyes,(212)265-1577 called DEC to say he would send DEC the report and make sure pbs information is updated with the department. 07/24/06 Rahman- Ronald Lichtman to send DEC the report and take necessary actions to update the PBS certificate. 12/06/06 Rahman- Letter from Stephan Dejean, land lord's legal counsel, dated September 06,2005 states that there was no literal spill at the building in 1997 or anytime thereafter, and that the failing portion of the tank is at the very top of the tank.Again, letter, dated 11/15/06 signed by Stephan Dejean , reveals that the old tank was removed and a new tank was installed, but the registration has not been done yet. Spill is closed due to absence of oil contamination;site has been referred to PBS section for necessary action to correct the PBS violation/s."  
Remarks: " ISOLATION TEST AND WILL RETEST ON MONDAY AND GO FROM THERE "  
All TTF:  
Facility ID: 0505705  
Spill Number: 0505705  
Spill Tank Test: 1549182  
Site ID: 350783  
Tank Number: 1  
Tank Size: 0  
Material: 0001  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 03  
Test Method 2: Horner EZ Check I or II  
Leak Rate: .00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TOWNHOUSE (Continued)**

**S106972594**

Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified Date: Not reported

All Materials:  
Site ID: 350783  
Operable Unit ID: 1108327  
Operable Unit: 01  
Material ID: 2098264  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: G  
Recovered: .00  
Oxygenate: Not reported

EN995  
SE  
1/4-1/2  
0.421 mi.  
2221 ft.

**685 FIRST AVENUE - SOLOW**  
**685 1ST AVENUE**  
**NEW YORK CITY, NY**  
**Site 1 of 9 in cluster EN**

**NY VCP S125868943**  
**N/A**

Relative:  
Lower  
Actual:  
32 ft.

VCP NYC:  
Project ID: 16TMP0111X, 16RA-N110M  
Name: 685 FIRST AVENUE - SOLOW  
Address: 685 1ST AVENUE  
City,State,Zip: NEW YORK CITY, NY  
Borough: Manhattan

EN996  
SE  
1/4-1/2  
0.421 mi.  
2221 ft.

**PARKING LOT (FIRST AVE. PROPERTIES)**  
**685 FIRST AVE.**  
**NEW YORK, NY 10016**  
**Site 2 of 9 in cluster EN**

**NY ENG CONTROLS S125298897**  
**N/A**

Relative:  
Lower  
Actual:  
32 ft.

ENG CONTROLS:  
Name: PARKING LOT (FIRST AVE. PROPERTIES)  
Address: 685 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58857  
HW Code: Not reported  
Control Code: 15  
Control Type: ENG  
Date Record Added: 05/28/2009  
Date Rec Updated: 10/27/2015  
Updated By: SRHEIGEL  
Site Description: Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S125298897**

maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: Anthony Calicchio  
Owner Company: Solow Realty and Development Company, LLC  
Owner Address: 9 West 57th Street, 45th Floor

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S125298897**

Owner Addr2: Not reported  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: D2-0001-01-03  
Cross Ref Type Code: 23  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 8/18/2011 3:56:00 PM  
Record Updated: 8/18/2011 3:56:00 PM  
Updated By: rslee  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

EN997  
SE  
1/4-1/2  
0.421 mi.  
2221 ft.

**PARKING LOT (FIRST AVE. PROPERTIES)  
685 FIRST AVE.  
NEW YORK, NY 10016**

**NY INST CONTROL S123159114  
N/A**

**Site 3 of 9 in cluster EN**

**Relative:  
Lower**

**INST CONTROL:**

**Actual:  
32 ft.**

Name: PARKING LOT (FIRST AVE. PROPERTIES)  
Address: 685 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58857  
Control Name: Deed Restriction  
HW Code: Not reported  
Control Code: Not reported  
Control Type: INST  
Dt record added: 05/28/2009  
Dt rec updated: 10/27/2015  
Updated By: SRHEIGEL  
Site Code: 58857  
Site Description: Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

Sub Type: Not reported  
Owner Name: Anthony Calicchio  
Owner Company: Solow Realty and Development Company, LLC  
Owner Address: 9 West 57th Street, 45th Floor  
Owner Addr2: Not reported  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: D2-0001-01-03  
Cross Ref Type Code: 23  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 8/18/2011 3:56:00 PM  
Record Updated: 8/18/2011 3:56:00 PM  
Updated By: rslee  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

Name: PARKING LOT (FIRST AVE. PROPERTIES)  
Address: 685 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58857  
Control Name: Site Management Plan  
HW Code: Not reported  
Control Code: 32  
Control Type: INST  
Dt record added: 05/28/2009  
Dt rec updated: 10/27/2015  
Updated By: SRHEIGEL  
Site Code: 58857  
Site Description: Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: Anthony Calicchio

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

Owner Company: Solow Realty and Development Company, LLC  
Owner Address: 9 West 57th Street, 45th Floor  
Owner Addr2: Not reported  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: D2-0001-01-03  
Cross Ref Type Code: ~~01~~  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 8/18/2011 3:56:00 PM  
Record Updated: 8/18/2011 3:56:00 PM  
Updated By: rslee  
Crossref ID: Not reported  
Cross Ref Type Code: ~~01~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

Name: PARKING LOT (FIRST AVE. PROPERTIES)  
Address: 685 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58857  
Control Name: Ground Water Use Restriction  
HW Code: Not reported  
Control Code: 8  
Control Type: INST  
Dt record added: 05/28/2009  
Dt rec updated: 10/27/2015  
Updated By: SRHEIGEL  
Site Code: 58857

Site Description: Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported

Dump: Not reported

Structure: Not reported

Lagoon: Not reported

Landfill: Not reported

Pond: Not reported

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: Not reported

Dell: Not reported

Record Add: Not reported

Record Upd: Not reported

Updated By: Not reported

Own Op: 1

Sub Type: Not reported

Owner Name: Anthony Calicchio

Owner Company: Solow Realty and Development Company, LLC

Owner Address: 9 West 57th Street, 45th Floor

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

Owner Addr2: Not reported  
Owner City,St,Zip:New York, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip:NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: D2-0001-01-03  
Cross Ref Type Code:  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 8/18/2011 3:56:00 PM  
Record Updated: 8/18/2011 3:56:00 PM  
Updated By: rslee  
Crossref ID: Not reported  
Cross Ref Type Code:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

Name: PARKING LOT (FIRST AVE. PROPERTIES)  
Address: 685 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58857  
Control Name: Landuse Restriction  
HW Code: Not reported  
Control Code: 25  
Control Type: INST  
Dt record added: 05/28/2009  
Dt rec updated: 10/27/2015  
Updated By: SRHEIGEL  
Site Code: 58857  
Site Description: Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported

Dump: Not reported

Structure: Not reported

Lagoon: Not reported

Landfill: Not reported

Pond: Not reported

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: Not reported

Dell: Not reported

Record Add: Not reported

Record Upd: Not reported

Updated By: Not reported

Own Op: 1

Sub Type: Not reported

Owner Name: Anthony Calicchio

Owner Company: Solow Realty and Development Company, LLC

Owner Address: 9 West 57th Street, 45th Floor

Owner Addr2: Not reported

Owner City,St,Zip:New York, NY 10019

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S123159114**

Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: SUITE 308  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: D2-0001-01-03  
Cross Ref Type Code: 23  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 8/18/2011 3:56:00 PM  
Record Updated: 8/18/2011 3:56:00 PM  
Updated By: rslee  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

**EN998**  
**SE**  
**1/4-1/2**  
**0.424 mi.**  
**2240 ft.**

**708 OFFICE BUILDING (FIRST AVE. PROP)**  
**708 FIRST AVE.**  
**NEW YORK, NY 10017**  
**Site 4 of 9 in cluster EN**

**NY VCP** **S113916524**  
**NY BROWNFIELDS** **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**32 ft.**

VCP:  
Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Program Type: VCP  
Site Code: 57005  
HW Code: V00431  
Site Class: Not reported  
SWIS: 3101  
Region: 2  
Town: New York City  
Acres: 1.1  
Date Record Added: 01/22/2001  
Date Record Updated: 06/18/2010  
Updated By: MOBARRIE  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties,

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113916524**

including the 708 First Avenue Property. The 708 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the 708 Office Building. Con Edison contracted with TRC Companies, Inc., to assume the liability and responsibility for abatement, decommissioning, demolition and remediation of the site. The 708 property consists of 2.0 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/ residential area between East 40th and East 41st Streets. The site was occupied by a 400,000 square feet 10-story Con Edison service building and two industrial buildings and, from the 1920's to 2001, was used as office space, electrical operations, a locker room, a test laboratory and parking. The building was constructed in 1924 and demolished (under the VC Order) in 2003. Prior to the construction of these buildings, from the 1890's to 1923, portions of the site were used for manufactured gas plant operations. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated March 2001. Additional work was undertaken pursuant to a DEC-approved Addendum to the Supplemental Soil Investigation Work Plan, dated October 2001. The investigation found elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils. In groundwater, slightly elevated levels of VOCs were found. These results are reflected in a Supplemental Soil Investigation Final Report, in conjunction with the Remediation Work Plan, dated January 2002. TRC completed an environmental cleanup pursuant to the NYSDEC-approved Remediation Work Plan. The Remediation Work Plan for this site included: 1) decommissioning and removing all underground storage tanks and associated structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); 3) excavation and offsite disposal of contaminated soils in the UST area down to a depth of 39 feet followed by application of ORC; and 4) monitored natural attenuation of VOCs in groundwater. In addition, based on the final post remediation sampling results, institutional controls, such as a deed restriction, will be required. The deed restrictions were filed on May 19, 2008. Additional site information can be found in the UIS under the BCP Site number C231013. BCA signed pursuant to litigation. VCA terminated.

|                 |                             |
|-----------------|-----------------------------|
| Env Problem:    | Not reported                |
| Health Problem: | Not reported                |
| Dump:           | Not reported                |
| Structure:      | Not reported                |
| Lagoon:         | Not reported                |
| Landfill:       | Not reported                |
| Pond:           | Not reported                |
| Disp Start:     | Not reported                |
| Disp Term:      | Not reported                |
| Lat/Long:       | Not reported                |
| Dell:           | Not reported                |
| Record Add:     | Not reported                |
| Record Upd:     | Not reported                |
| Updated By:     | Not reported                |
| Own Op:         | 1                           |
| Sub Type:       | Not reported                |
| Owner Name:     | JAMES A. SCHMIDT, AIA, AICP |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113916524**

Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
Own Op: 6  
Sub Type: ZZZ  
Owner Name: Not reported  
Owner Company: TRC ENVIRONMENTAL CORPORATION  
Owner Address: 1200 WALL STRRET WEST 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: LYNDHURST, NJ 7071  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

**BROWNFIELDS:**

Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY  
Program: BCP  
Site Code: 57363  
Acres: 1.1  
HW Code: C231015  
SWIS: 3101  
Town: New York City  
Record Added Date: 04/01/2004  
Record Updated Date: 06/15/2010  
Update By: MOBARRIE  
Site Description: Combined into #C231013. Transition Site #V00431 The site is occupied by a 10 story ConEd service building with offce space a test laboratory and some parking. The building was built in 1924. An MGP formerly occupied this site. Known contaminants include BTEX from MGP



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113916524**

operations, PAH, VOC, heavy metals, antifreeze and petroleum.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: E  
Owner Name: Not reported  
Owner Company: CONSOLIDATED EDISON CO OF NY, INC.  
Owner Address: 4 IRVING PLACE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10003  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Edward Malley  
Owner Company: TRC ENVIRONMENTAL CORP.  
Owner Address: 1200 WALL STREET WEST, 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: LYNDHURST, NJ 7071  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

EN999  
SE  
1/4-1/2  
0.424 mi.  
2240 ft.

**708 OFFICE BUILDING (FIRST AVE. PROP)**  
**708 FIRST AVE.**  
**NEW YORK, NY 10017**

**NY INST CONTROL S113917300**  
**N/A**

**Site 5 of 9 in cluster EN**

**Relative:**  
**Lower**

INST CONTROL:  
Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57005  
Control Name: Deed Restriction  
HW Code: Not reported  
Control Code: Not reported  
Control Type: INST  
Dt record added: 03/06/2009

**Actual:**  
**32 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

Dt rec updated: 02/12/2010  
Updated By: SRHEIGEL  
Site Code: 57005  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 708 First Avenue Property. The 708 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the 708 Office Building. Con Edison contracted with TRC Companies, Inc., to assume the liability and responsibility for abatement, decommissioning, demolition and remediation of the site. The 708 property consists of 2.0 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/ residential area between East 40th and East 41st Streets. The site was occupied by a 400,000 square feet 10-story Con Edison service building and two industrial buildings and, from the 1920's to 2001, was used as office space, electrical operations, a locker room, a test laboratory and parking. The building was constructed in 1924 and demolished (under the VC Order) in 2003. Prior to the construction of these buildings, from the 1890's to 1923, portions of the site were used for manufactured gas plant operations. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated March 2001. Additional work was undertaken pursuant to a DEC-approved Addendum to the Supplemental Soil Investigation Work Plan, dated October 2001. The investigation found elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils. In groundwater, slightly elevated levels of VOCs were found. These results are reflected in a Supplemental Soil Investigation Final Report, in conjunction with the Remediation Work Plan, dated January 2002. TRC completed an environmental cleanup pursuant to the NYSDEC-approved Remediation Work Plan. The Remediation Work Plan for this site included: 1) decommissioning and removing all underground storage tanks and associated structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); 3) excavation and offsite disposal of contaminated soils in the UST area down to a depth of 39 feet followed by application of ORC; and 4) monitored natural attenuation of VOCs in groundwater. In addition, based on the final post remediation sampling results, institutional controls, such as a deed restriction, will be required. The deed restrictions were filed on May 19, 2008. Additional site information can be found in the UIS under the BCP Site number C231013. BCA signed pursuant to litigation. VCA terminated.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10017  
Owner Country: United States of America  
Own Op: 6  
Sub Type: ZZZ  
Owner Name: Not reported  
Owner Company: TRC ENVIRONMENTAL CORPORATION  
Owner Address: 1200 WALL STRET WEST 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip:LYNDHURST, NJ 7071  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10016  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57005  
Control Name: Ground Water Use Restriction  
HW Code: Not reported  
Control Code: 8  
Control Type: INST  
Dt record added: 03/06/2009  
Dt rec updated: 02/12/2010  
Updated By: SRHEIGEL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

Site Code: 57005

Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 708 First Avenue Property. The 708 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the 708 Office Building. Con Edison contracted with TRC Companies, Inc., to assume the liability and responsibility for abatement, decommissioning, demolition and remediation of the site. The 708 property consists of 2.0 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/ residential area between East 40th and East 41st Streets. The site was occupied by a 400,000 square foot 10-story Con Edison service building and two industrial buildings and, from the 1920's to 2001, was used as office space, electrical operations, a locker room, a test laboratory and parking. The building was constructed in 1924 and demolished (under the VC Order) in 2003. Prior to the construction of these buildings, from the 1890's to 1923, portions of the site were used for manufactured gas plant operations. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated March 2001. Additional work was undertaken pursuant to a DEC-approved Addendum to the Supplemental Soil Investigation Work Plan, dated October 2001. The investigation found elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils. In groundwater, slightly elevated levels of VOCs were found. These results are reflected in a Supplemental Soil Investigation Final Report, in conjunction with the Remediation Work Plan, dated January 2002. TRC completed an environmental cleanup pursuant to the NYSDEC-approved Remediation Work Plan. The Remediation Work Plan for this site included: 1) decommissioning and removing all underground storage tanks and associated structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); 3) excavation and offsite disposal of contaminated soils in the UST area down to a depth of 39 feet followed by application of ORC; and 4) monitored natural attenuation of VOCs in groundwater. In addition, based on the final post remediation sampling results, institutional controls, such as a deed restriction, will be required. The deed restrictions were filed on May 19, 2008. Additional site information can be found in the UIS under the BCP Site number C231013. BCA signed pursuant to litigation. VCA terminated.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10017  
Owner Country: United States of America  
Own Op: 6  
Sub Type: ZZZ  
Owner Name: Not reported  
Owner Company: TRC ENVIRONMENTAL CORPORATION  
Owner Address: 1200 WALL STRET WEST 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip:LYNDHURST, NJ 7071  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip:NEW YORK, NY 10016  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57005  
Control Name: Soil Management Plan  
HW Code: Not reported  
Control Code: 14  
Control Type: INST  
Dt record added: 03/06/2009  
Dt rec updated: 02/12/2010  
Updated By: SRHEIGEL  
Site Code: 57005  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 708 First Avenue Property. The 708 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the 708 Office Building. Con Edison contracted with TRC Companies, Inc., to assume the liability and responsibility for abatement, decommissioning, demolition and remediation of the site. The 708 property consists of 2.0 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/ residential area between East 40th and East 41st Streets. The site was occupied by a 400,000 square feet 10-story Con Edison service building and two industrial buildings and, from the 1920's to 2001, was used as office space, electrical operations, a locker room, a test laboratory and parking. The building was constructed in 1924 and demolished (under the VC Order) in 2003. Prior to the construction of these buildings, from the 1890's to 1923, portions of the site were used for manufactured gas plant operations. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated March 2001. Additional work was undertaken pursuant to a DEC-approved Addendum to the Supplemental Soil Investigation Work Plan, dated October 2001. The investigation found elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils. In groundwater, slightly elevated levels of VOCs were found. These results are reflected in a Supplemental Soil Investigation Final Report, in conjunction with the Remediation Work Plan, dated January 2002. TRC completed an environmental cleanup pursuant to the NYSDEC-approved Remediation Work Plan. The Remediation Work Plan for this site included: 1) decommissioning and removing all underground storage tanks and associated structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet below ground surface, or to the groundwater or the bedrock, whichever is shallower); 3) excavation and offsite disposal of contaminated soils in the UST area down to a depth of 39 feet followed by application of ORC; and 4) monitored natural attenuation of VOCs in groundwater. In addition, based on the final post remediation sampling results, institutional controls, such as a deed restriction, will be required. The deed restrictions were filed on May 19, 2008. Additional site information can be found in the UIS under the BCP Site number C231013. BCA signed pursuant to litigation. VCA terminated.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S113917300**

Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
Own Op: 6  
Sub Type: ZZZ  
Owner Name: Not reported  
Owner Company: TRC ENVIRONMENTAL CORPORATION  
Owner Address: 1200 WALL STREET WEST 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: LYNDHURST, NJ 7071  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

**EN1000  
SE  
1/4-1/2  
0.427 mi.  
2257 ft.**

**THE GREATER WATERSIDE SITE  
700-708 FIRST AVENUE  
NEW YORK, NY 10016**

**NY INST CONTROL S123159115  
N/A**

**Site 6 of 9 in cluster EN**

**Relative:  
Lower**

**INST CONTROL:**

**Actual:  
31 ft.**

Name: THE GREATER WATERSIDE SITE  
Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58858  
Control Name: Landuse Restriction  
HW Code: Not reported  
Control Code: 25  
Control Type: INST  
Dt record added: 11/04/2011

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Dt rec updated: 06/17/2019

Updated By: RSLEE

Site Code: 58858

Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C) Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs),



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: False  
Pond: False  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: 40:44:82.2 /  
Dell: False  
Record Add: 4/1/2004 10:34:00 AM  
Record Upd: 11/14/2011 3:09:00 PM  
Updated By: RSLEE  
Own Op: 6  
Sub Type: P03  
Owner Name: Anthony Calicchio  
Owner Company: 700 & 708 First Realty Company, LLC  
Owner Address: 9 West 57th Street  
Owner Addr2: 45th Floor  
Owner City,St,Zip:New York, NY 10019  
Owner Country: United States of America  
Own Op: 1  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: 708 First Realty Company, LLC  
Owner Address: c/o East River Realty Co., LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip:New York, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: East River Realty Co., LLC  
Owner Address: 9 WEST 57TH STREET, SUITE 1610  
Owner Addr2: c/o East River Realty Co., LLC  
Owner City,St,Zip:NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Andrew Hayes  
Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE

Name: THE GREATER WATERSIDE SITE  
Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58858  
Control Name: Ground Water Use Restriction  
HW Code: Not reported  
Control Code: 8

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Control Type: INST  
Dt record added: 11/04/2011  
Dt rec updated: 06/17/2019  
Updated By: RSLEE  
Site Code: 58858

Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C) Remediation of the site is complete. Prior to remediation, the

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: False  
Pond: False  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: 40:44:82.2 /  
Dell: False  
Record Add: 4/1/2004 10:34:00 AM  
Record Upd: 11/14/2011 3:09:00 PM  
Updated By: RSLEE  
Own Op: 6  
Sub Type: P03  
Owner Name: Anthony Calicchio  
Owner Company: 700 & 708 First Realty Company, LLC  
Owner Address: 9 West 57th Street  
Owner Addr2: 45th Floor  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 1  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: 708 First Realty Company, LLC  
Owner Address: c/o East River Realty Co., LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: East River Realty Co., LLC  
Owner Address: 9 WEST 57TH STREET, SUITE 1610  
Owner Addr2: c/o East River Realty Co., LLC  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Andrew Hayes

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: 02:  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: 03:  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 06:  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE

Name: THE GREATER WATERSIDE SITE  
Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58858  
Control Name: Site Management Plan

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

HW Code: Not reported

Control Code: 32

Control Type: INST

Dt record added: 11/04/2011

Dt rec updated: 06/17/2019

Updated By: RSLEE

Site Code: 58858

Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C)  
Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: False  
Pond: False  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: 40:44:82.2 /  
Dell: False  
Record Add: 4/1/2004 10:34:00 AM  
Record Upd: 11/14/2011 3:09:00 PM  
Updated By: RSLEE  
Own Op: 6  
Sub Type: P03  
Owner Name: Anthony Calicchio  
Owner Company: 700 & 708 First Realty Company, LLC  
Owner Address: 9 West 57th Street  
Owner Addr2: 45th Floor  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 1  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: 708 First Realty Company, LLC  
Owner Address: c/o East River Realty Co., LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: East River Realty Co., LLC  
Owner Address: 9 WEST 57TH STREET, SUITE 1610  
Owner Addr2: c/o East River Realty Co., LLC  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: 6

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Sub Type: P03  
Owner Name: Andrew Hayes  
Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: C25:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: C25:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: C23:  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: C23:  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: C25:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: C25:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: C25:  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE  
  
Name: THE GREATER WATERSIDE SITE  
Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Site Code: 58858  
Control Name: Environmental Easement  
HW Code: Not reported  
Control Code: Not reported  
Control Type: INST  
Dt record added: 11/04/2011  
Dt rec updated: 06/17/2019  
Updated By: RSLEE  
Site Code: 58858  
Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C)  
Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False

Structure: False

Lagoon: False

Landfill: False

Pond: False

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: 40:44:82.2 /

Dell: False

Record Add: 4/1/2004 10:34:00 AM

Record Upd: 11/14/2011 3:09:00 PM

Updated By: RSLEE

Own Op: 6

Sub Type: P03

Owner Name: Anthony Calicchio

Owner Company: 700 & 708 First Realty Company, LLC

Owner Address: 9 West 57th Street

Owner Addr2: 45th Floor

Owner City,St,Zip:New York, NY 10019

Owner Country: United States of America

Own Op: 1

Sub Type: P03

Owner Name: Christine Leas

Owner Company: 708 First Realty Company, LLC

Owner Address: c/o East River Realty Co., LLC

Owner Addr2: 9 West 57th Street, Suite 1610

Owner City,St,Zip:New York, NY 10019

Owner Country: United States of America

Own Op: 6

Sub Type: P03

Owner Name: Christine Leas

Owner Company: East River Realty Co., LLC

Owner Address: 9 WEST 57TH STREET, SUITE 1610

Owner Addr2: c/o East River Realty Co., LLC

Owner City,St,Zip:NEW YORK, NY 10019

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Andrew Hayes  
Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: ~~015~~  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE

Name: THE GREATER WATERSIDE SITE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016  
Site Code: 58858  
Control Name: IC/EC Plan  
HW Code: Not reported  
Control Code: 34  
Control Type: INST  
Dt record added: 11/04/2011  
Dt rec updated: 06/17/2019  
Updated By: RSLEE  
Site Code: 58858

Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C)  
Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False

Structure: False

Lagoon: False

Landfill: False

Pond: False

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: 40:44:82.2 /

Dell: False

Record Add: 4/1/2004 10:34:00 AM

Record Upd: 11/14/2011 3:09:00 PM

Updated By: RSLEE

Own Op: 6

Sub Type: P03

Owner Name: Anthony Calicchio

Owner Company: 700 & 708 First Realty Company, LLC

Owner Address: 9 West 57th Street

Owner Addr2: 45th Floor

Owner City,St,Zip:New York, NY 10019

Owner Country: United States of America

Own Op: 1

Sub Type: P03

Owner Name: Christine Leas

Owner Company: 708 First Realty Company, LLC

Owner Address: c/o East River Realty Co., LLC

Owner Addr2: 9 West 57th Street, Suite 1610

Owner City,St,Zip:New York, NY 10019

Owner Country: United States of America

Own Op: 6

Sub Type: P03

Owner Name: Christine Leas

Owner Company: East River Realty Co., LLC

Owner Address: 9 WEST 57TH STREET, SUITE 1610

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S123159115**

Owner Addr2: c/o East River Realty Co., LLC  
Owner City,St,Zip:NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Andrew Hayes  
Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip:New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: 02:  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: 03:  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 05:  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 06:  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

|                  | Site                                       | Database(s)           |                   |
|------------------|--------------------------------------------|-----------------------|-------------------|
| <b>EN1001</b>    | <b>PARKING LOT (FIRST AVE. PROPERTIES)</b> | <b>NY VCP</b>         | <b>S110610540</b> |
| <b>SE</b>        | <b>685 FIRST AVE.</b>                      | <b>NY BROWNFIELDS</b> | <b>N/A</b>        |
| <b>1/4-1/2</b>   | <b>NEW YORK, NY 10016</b>                  |                       |                   |
| <b>0.427 mi.</b> |                                            |                       |                   |
| <b>2257 ft.</b>  | <b>Site 7 of 9 in cluster EN</b>           |                       |                   |

**Relative:**  
**Lower**

VCP:

**Actual:**  
**31 ft.**

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name:                | PARKING LOT (FIRST AVE. PROPERTIES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Address:             | 685 FIRST AVE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| City,State,Zip:      | NEW YORK, NY 10016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Program Type:        | VCP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Site Code:           | 58857                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| HW Code:             | V00429                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Site Class:          | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| SWIS:                | 3101                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Region:              | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Town:                | New York City                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Acres:               | 1.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Date Record Added:   | 01/22/2001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Date Record Updated: | 01/12/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Updated By:          | JAMORAS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Site Description:    | <p>Location: The Parking Lot property consists of 1.1 acres located on the western side of First Avenue, just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/residential area between East 39th and East 40th Streets. Current Zoning/Uses: The Parking Lot is currently used for parking, and is zoned for commercial use. Historical Uses: Formerly, Con Edison used the site as a gasoline filling station and/or parking facility for maintenance and service vehicles from 1980 to 2001. Portions of the site were used by an upholstery and mattress factory from 1929 until the 1960 s. A United Parcel Service sorting center and garage was located on the site as early as 1950, and all former on-site structures were removed by 1970. Environmental impacts to soils, bedrock and groundwater are related to leaking gasoline USTs used for refueling Con Edison vehicles. Site Geology and Hydrogeology: The project site lies within the Manhattan Prong in the New England Upland Physiographic Province. The bedrock foundations of New York City consist of a sequence of dense and stable crystalline rocks consisting of schist, gneiss, and marble that outcrop mainly in Manhattan and the Bronx. The surficial fill consists of medium to fine sands, silty sands, bricks, concrete, coal fragments, and bedrock ranging from five to fifteen feet below grade. Bedrock generally lies beneath a mantle of weathered bedrock of varying thickness. For most of the Site, the thickness of the weathered bedrock was between one to two feet. The weathered bedrock was thicker and deeper toward the southeast corner of the Site, mirroring the topography of the competent bedrock surface. The competent bedrock surface forms a pronounced basin at the southeast end of the Site, with its center near monitoring well MW-3R and MW-3S, and its edges at the property line (sidewalk) along East 39th Street and First Avenue. Groundwater generally occurs within the bedrock across the Site from slightly more than six feet to more than fifteen feet below grade. The direction of groundwater flow is estimated to be to the southeast; however, it is likely that the number and degree of interconnected fractures exert a greater control upon the rate of horizontal groundwater flow than the hydraulic gradient. Based upon the limited number of open and connect fractures within the bedrock at the Site, the horizontal conductivity of the bedrock aquifer is very low.</p> |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S110610540**

Env Problem: Nature and Extent of Contamination: Post-Remediation Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were volatile organic compounds, including benzene, toluene, ethylbenzene and xylenes (BTEX), plus methyl-tert-butyl ether (MTBE) and lead in shallow soil and weathered bedrock, and BTEX and MTBE in the fractured bedrock groundwater. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use to a depth defined as the Development Depth.

Health Problem: Not reported

Dump: Not reported

Structure: Not reported

Lagoon: Not reported

Landfill: Not reported

Pond: Not reported

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: Not reported

Dell: Not reported

Record Add: Not reported

Record Upd: Not reported

Updated By: Not reported

Own Op: 1

Sub Type: Not reported

Owner Name: Anthony Calicchio

Owner Company: Solow Realty and Development Company, LLC

Owner Address: 9 West 57th Street, 45th Floor

Owner Addr2: Not reported

Owner City,St,Zip: New York, NY 10019

Owner Country: United States of America

Own Op: Document Repository

Sub Type: NNN

Owner Name: Not reported

Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY

Owner Address: 188 MADISON AVENUE

Owner Addr2: Not reported

Owner City,St,Zip: NEW YORK, NY 10016

Owner Country: United States of America

Own Op: Document Repository

Sub Type: NNN

Owner Name: Not reported

Owner Company: COMMUNITY BOARD 6

Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)

Owner Addr2: SUITE 308

Owner City,St,Zip: NEW YORK, NY 10017

Owner Country: United States of America

HW Code: Not reported

Waste Type: Not reported

Waste Quantity: Not reported

Waste Code: Not reported

Crossref ID: D2-0001-01-03

Cross Ref Type Code: 23

Cross Ref Type: Agreement/Consent Order Number

Record Added Date: 8/18/2011 3:56:00 PM

Record Updated: 8/18/2011 3:56:00 PM

Updated By: rslee

Crossref ID: Not reported

Cross Ref Type Code: 25



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S110610540**

Cross Ref Type: County Recording Identifier  
Record Added Date: 8/18/2011 3:54:00 PM  
Record Updated: 8/18/2011 3:54:00 PM  
Updated By: rslee

**BROWNFIELDS:**

Name: THE GREATER WATERSIDE SITE  
Address: 700-708 FIRST AVENUE  
City,State,Zip: NEW YORK, NY 10016  
Program: BCP  
Site Code: 58858  
Acres: 6.34  
HW Code: C231013  
SWIS: 3101  
Town: New York City  
Record Added Date: 04/01/2004  
Record Updated Date: 01/07/2020  
Update By: GWBURKE

Site Description: Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of coarse to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S110610540**

approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C) Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: False  
Pond: False  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: 40:44:82.2 /  
Dell: False  
Record Add: 4/1/2004 10:34:00 AM  
Record Upd: 11/14/2011 3:09:00 PM  
Updated By: RSLEE  
Own Op: 6  
Sub Type: P03  
Owner Name: Anthony Calicchio  
Owner Company: 700 & 708 First Realty Company, LLC  
Owner Address: 9 West 57th Street  
Owner Addr2: 45th Floor  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 1  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: 708 First Realty Company, LLC  
Owner Address: c/o East River Realty Co., LLC  
Owner Addr2: 9 West 57th Street, Suite 1610

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S110610540**

|                      |                                    |
|----------------------|------------------------------------|
| Owner City,St,Zip:   | New York, NY 10019                 |
| Owner Country:       | United States of America           |
| Own Op:              | 6                                  |
| Sub Type:            | P03                                |
| Owner Name:          | Christine Leas                     |
| Owner Company:       | East River Realty Co., LLC         |
| Owner Address:       | 9 WEST 57TH STREET, SUITE 1610     |
| Owner Addr2:         | c/o East River Realty Co., LLC     |
| Owner City,St,Zip:   | NEW YORK, NY 10019                 |
| Owner Country:       | United States of America           |
| Own Op:              | 6                                  |
| Sub Type:            | P03                                |
| Owner Name:          | Andrew Hayes                       |
| Owner Company:       | 700 First Realty Company, LLC      |
| Owner Address:       | c/o East River Realty Company, LLC |
| Owner Addr2:         | 9 West 57th Street, Suite 1610     |
| Owner City,St,Zip:   | New York, NY 10019                 |
| Owner Country:       | United States of America           |
| HW Code:             | Not reported                       |
| Waste Type:          | Not reported                       |
| Waste Quantity:      | Not reported                       |
| Waste Code:          | Not reported                       |
| Crossref ID:         | Not reported                       |
| Cross Ref Type Code: | 25                                 |
| Cross Ref Type:      | County Recording Identifier        |
| Record Added Date:   | 2/21/2012 10:24:00 AM              |
| Record Updated:      | 2/21/2012 10:24:00 AM              |
| Updated By:          | RSLEE                              |
| Crossref ID:         | Not reported                       |
| Cross Ref Type Code: | 25                                 |
| Cross Ref Type:      | County Recording Identifier        |
| Record Added Date:   | 2/21/2012 10:23:00 AM              |
| Record Updated:      | 2/21/2012 10:23:00 AM              |
| Updated By:          | RSLEE                              |
| Crossref ID:         | C231013                            |
| Cross Ref Type Code: | 22                                 |
| Cross Ref Type:      | BCP Site ID                        |
| Record Added Date:   | 11/4/2011 3:24:00 PM               |
| Record Updated:      | 11/4/2011 3:24:00 PM               |
| Updated By:          | RSLEE                              |
| Crossref ID:         | A2-0515-0405                       |
| Cross Ref Type Code: | 23                                 |
| Cross Ref Type:      | Agreement/Consent Order Number     |
| Record Added Date:   | 11/4/2011 3:24:00 PM               |
| Record Updated:      | 11/4/2011 3:24:00 PM               |
| Updated By:          | RSLEE                              |
| Crossref ID:         | Not reported                       |
| Cross Ref Type Code: | 25                                 |
| Cross Ref Type:      | County Recording Identifier        |
| Record Added Date:   | 11/4/2011 3:25:00 PM               |
| Record Updated:      | 11/4/2011 3:25:00 PM               |
| Updated By:          | RSLEE                              |
| Crossref ID:         | Not reported                       |
| Cross Ref Type Code: | 25                                 |
| Cross Ref Type:      | County Recording Identifier        |
| Record Added Date:   | 11/4/2011 3:25:00 PM               |
| Record Updated:      | 11/4/2011 3:25:00 PM               |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PARKING LOT (FIRST AVE. PROPERTIES) (Continued)**

**S110610540**

|                      |                              |
|----------------------|------------------------------|
| Updated By:          | RSLEE                        |
| Crossref ID:         | Not reported                 |
| Cross Ref Type Code: | 26                           |
| Cross Ref Type:      | Agreement/Consent Order Date |
| Record Added Date:   | 11/4/2011 3:23:00 PM         |
| Record Updated:      | 11/4/2011 3:23:00 PM         |
| Updated By:          | RSLEE                        |

**EN1002**     **THE GREATER WATERSIDE SITE**  
**SE**         **700-708 FIRST AVENUE**  
**1/4-1/2**     **NEW YORK, NY 10016**  
**0.427 mi.**  
**2257 ft.**     **Site 8 of 9 in cluster EN**

**NY ENG CONTROLS**     **S125298898**  
                                         **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**31 ft.**

**ENG CONTROLS:**

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name:              | THE GREATER WATERSIDE SITE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Address:           | 700-708 FIRST AVENUE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| City,State,Zip:    | NEW YORK, NY 10016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Site Code:         | 58858                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| HW Code:           | Not reported                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Control Code:      | 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Control Type:      | ENG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Date Record Added: | 11/04/2011                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Date Rec Updated:  | 06/17/2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Updated By:        | RSLEE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Site Description:  | <p>Location: The Greater Waterside Site located at 700-708 First Avenue, New York, NY is comprised of the former Waterside Generating Station located at 700 First Avenue, New York, NY and the former 708 Office Building located at 708 First Avenue, New York, NY. Site Features: All structures on the site have been demolished and removed, and the site has been backfilled (excluding over exposed bedrock) with clean sand and crushed stone and is surrounded by a security fence. Current Zoning/Use: The site is currently a fenced vacant lot, a portion of which is used for parking, and is zoned for commercial and residential use. The 700 - 708 First Avenue parcels are contiguous lots that collectively consists of approximately 6.4 acres (approximately 4.5 and 1.9 acres, respectively) located just west of the East River and FDR Drive and south of the United Nations Headquarters Complex in a highly developed commercial/ residential area between East 38th and East 41st Streets. Historical Uses: Since 1910, the 700 First Avenue portion of the site was used as an oil/gas-fired steam and electricity generating facility until it was shut down in May 2005. The generating facilities were demolished during the period from 2005 through 2007. Prior uses that may have also led to site contamination include a coal yard and wood mill in the late 1800s, and a storage yard for the Edison Electric Light Company (a predecessor company of Con Edison) in 1899. In addition, from the 1890s to 1923, portions of the site were used for manufactured gas plant (MGP) operations. In 1924, a 400,000-square foot 10-story Con Edison office/service building was constructed on the 708 First Avenue portion of the site. The building was demolished in 2003. In 2005, 700 First Realty Company, LLC acquired the 700 First Avenue portion of the site, and 708 First Realty Company, LLC acquired the 708 First Avenue portion of the site from Con Edison. Site Geology and Hydrogeology: The surficial fill material consists of course to fine sands, silty sands, medium-fine gravel, fill material, and weathered bedrock ranging from grade to approximately 50 to 60 feet below grade surface (bgs). Competent bedrock lies</p> |

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S125298898**

beneath a mantle of weathered bedrock of varying thickness. Generally, the thickness of the weathered bedrock ranges from 1 to 2 feet over much of the site. At the west end of the site, the bedrock surface is relatively shallow (e.g. 8 to 10 feet bgs in the area of 39th Street). The bedrock surface trends somewhat deeper toward the east end of the site where weathered bedrock is encountered at approximately 50 to 60 feet bgs and competent bedrock is encountered at depths ranging to approximately 70 feet bgs. Bedrock across the site is solely the Manhattan Schist, a foliated mica schist that contains pegmatite seams. Groundwater generally occurs within the fracture zones of the bedrock across the site ("Bedrock Aquifer") and in unconsolidated soil and fill along the eastern end of the site ("Unconsolidated Aquifer"). The depth to water in these shallow unconsolidated soils and fill material ranges from 7 to 8 feet below the existing FDR service road sidewalk grade. Additional site information can be found under the VCP Site numbers V00431 and V00432

Env Problem: Nature and Extent of Contamination: Post Remediation (Reclassified to C) Remediation of the site is complete. Prior to remediation, the primary contaminants of concern at the 708 First Avenue portion of the site were elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils, and VOCs in groundwater. Prior to remediation, the primary contaminants of concern at the 700 First Avenue portion of the site were elevated levels of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), VOCs and metals in soils, and several VOC, PCB and PAH compounds and metals in groundwater. Remedial actions have successfully achieved soil cleanup objectives for restricted residential and commercial use below the Development Depth. Remaining contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Since contaminated soils have been removed to bedrock or the top of the water table and the excavated material was replaced with clean backfill, people are not expected to come in contact with contaminated material.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: False  
Pond: False  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: 40:44:82.2 /  
Dell: False  
Record Add: 4/1/2004 10:34:00 AM  
Record Upd: 11/14/2011 3:09:00 PM  
Updated By: RSLEE  
Own Op: 6  
Sub Type: P03  
Owner Name: Anthony Calicchio  
Owner Company: 700 & 708 First Realty Company, LLC  
Owner Address: 9 West 57th Street  
Owner Addr2: 45th Floor  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S125298898**

Own Op: 1  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: 708 First Realty Company, LLC  
Owner Address: c/o East River Realty Co., LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Christine Leas  
Owner Company: East River Realty Co., LLC  
Owner Address: 9 WEST 57TH STREET, SUITE 1610  
Owner Addr2: c/o East River Realty Co., LLC  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: 6  
Sub Type: P03  
Owner Name: Andrew Hayes  
Owner Company: 700 First Realty Company, LLC  
Owner Address: c/o East River Realty Company, LLC  
Owner Addr2: 9 West 57th Street, Suite 1610  
Owner City,St,Zip: New York, NY 10019  
Owner Country: United States of America  
HW Code: Not reported  
Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:24:00 AM  
Record Updated: 2/21/2012 10:24:00 AM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 2/21/2012 10:23:00 AM  
Record Updated: 2/21/2012 10:23:00 AM  
Updated By: RSLEE  
Crossref ID: C231013  
Cross Ref Type Code: 22  
Cross Ref Type: BCP Site ID  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: A2-0515-0405  
Cross Ref Type Code: 23  
Cross Ref Type: Agreement/Consent Order Number  
Record Added Date: 11/4/2011 3:24:00 PM  
Record Updated: 11/4/2011 3:24:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE GREATER WATERSIDE SITE (Continued)**

**S125298898**

Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 25  
Cross Ref Type: County Recording Identifier  
Record Added Date: 11/4/2011 3:25:00 PM  
Record Updated: 11/4/2011 3:25:00 PM  
Updated By: RSLEE  
Crossref ID: Not reported  
Cross Ref Type Code: 26  
Cross Ref Type: Agreement/Consent Order Date  
Record Added Date: 11/4/2011 3:23:00 PM  
Record Updated: 11/4/2011 3:23:00 PM  
Updated By: RSLEE

**1003**  
**West**  
**1/4-1/2**  
**0.428 mi.**  
**2258 ft.**

**15 WEST 37TH STREET**  
**15 WEST 37TH STREET**  
**NEW YORK, NY**

**NY LTANKS**  
**NY Spills**

**U003065925**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**67 ft.**

LTANKS:  
Name: 15 WEST 37TH STREET  
Address: 15 WEST 37TH STREET  
City,State,Zip: NEW YORK, NY  
Spill Number/Closed Date: 9512443 / 1996-01-05  
Facility ID: 9512443  
Site ID: 229865  
Spill Date: 1996-01-05  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: B3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MMMULQUE  
Referred To: Not reported  
Reported to Dept: 1996-01-05  
CID: 204  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1996-01-05  
Spill Record Last Update: 2003-08-19  
Spiller Name: MR. AL BATEMANO  
Spiller Company: KAMBER MANAGEMENT CORP  
Spiller Address: 521 5TH AVENUE  
Spiller County: 001  
Spiller Contact: #372  
Spiller Phone: (212) 921-0725  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 189459  
DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
MULQUEEN Spill called in by Mystic Bulk Fuel Carriers 9512421 for 10  
gallon spill. Double filled a 5,000 gal. #6 tank at property. Tank

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**15 WEST 37TH STREET (Continued)**

**U003065925**

has leaking vent pipe that was defective and caused spill. Facility not PBS registered. Spill being cleaned up by Mystic who hired Castlen for cleanup. Two clothing retail stores had inventory damage and misc. item damaged. Told Super to register and repair tank. Affected Party: Original Fashions, Inc., 15 D West 37th Street, Ruth Ormeno, proprietor. "  
Remarks: "NOTIFIER HAD ALMOST NO INFORMATION TO GIVE TO CALLER "

**All Materials:**

Site ID: 229865  
Operable Unit ID: 1026665  
Operable Unit: 01  
Material ID: 356187  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 250.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**SPILLS:**

Name: 15 WEST 37TH ST  
Address: 15 WEST 37TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9512421 / 1997-12-31  
Facility ID: 9512421  
Facility Type: ER  
DER Facility ID: 166635  
Site ID: 200253  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 1996-01-05  
Investigator: MMMULQUE  
Referred To: Not reported  
Reported to Dept: 1996-01-05  
CID: 297  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: 1996-01-05  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1996-01-05  
Spill Record Last Update: 1998-01-05  
Spiller Name: LELAND POWERS  
Spiller Company: MYSTIC BULK CARRIERS  
Spiller Address: 1901 STEINWAY ST  
Spiller Company: 001  
Contact Name: AL BATEMMANO



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**15 WEST 37TH STREET (Continued)**

**U003065925**

DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
MULQUEEN See remarks uner 95-12443"  
Remarks: "driver overfilled a fuel tank because his guage was bad - a clean up  
team has been called in and is enroute to the scene - approx 10 gals  
spilled onto the street"

**All Materials:**

Site ID: 200253  
Operable Unit ID: 1023516  
Operable Unit: 01  
Material ID: 356167  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 250.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: 15 WEST 37TH STREET  
Address: 15 WEST 37TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9309124 / 1993-10-27  
Facility ID: 9309124  
Facility Type: ER  
DER Facility ID: 283790  
Site ID: 229864  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 1993-10-26  
Investigator: CAMMISA  
Referred To: Not reported  
Reported to Dept: 1993-10-27  
CID: Not reported  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: 1993-10-27  
Cleanup Meets Std: True  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 1993-10-28  
Spill Record Last Update: 2003-08-19  
Spiller Name: Not reported  
Spiller Company: 7TH START CO. DANNY DISPA  
Spiller Address: Not reported  
Spiller Company: 001  
Contact Name: Not reported  
DEC Memo: ""  
Remarks: "~5 GALLONS IN BACK YARD THE REST IN BASEMENT - POSSIBLE GAGE  
MALFUCTION - MYSTIC HAS CLEAN UP CREW ENORUTE - MILRO  
SERV.(718)343-1640 JEFF OR ROBERT - DEP ON SCENE"

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**15 WEST 37TH STREET (Continued)**

**U003065925**

All Materials:

Site ID: 229864  
Operable Unit ID: 990667  
Operable Unit: 01  
Material ID: 391789  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 200.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**1004**  
**SSE**  
**1/4-1/2**  
**0.429 mi.**  
**2265 ft.**

**331 E 38TH ST/NY TEL CO**  
**331 E 38TH ST/NY TEL CO**  
**NYC, NY**

**NY LTANKS** **S100177032**  
**N/A**

**Relative:**  
**Lower**

LTANKS:

**Actual:**  
**20 ft.**

Name: 331 E 38TH ST/NY TEL CO  
Address: 331 E 38TH ST/NY TEL CO  
City,State,Zip: NYC, NY  
Spill Number/Closed Date: 9104747 / 1994-11-09  
Facility ID: 9104747  
Site ID: 189277  
Spill Date: 1991-08-01  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: 1994-11-09  
SWIS: 3101  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 1991-08-01  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1991-08-07  
Spill Record Last Update: 1999-05-14  
Spiller Name: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 158026  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**331 E 38TH ST/NY TEL CO (Continued)**

**S100177032**

Remarks: TIBBE // : WILL PRECISION TEST. "  
"2K TANK FAILED AIR TEST. BAD FILL BOX, WILL REPLACE & RETEST. NYFD  
ON SCENE"

All TTF:

Facility ID: 9104747  
Spill Number: 9104747  
Spill Tank Test: 1538837  
Site ID: 189277  
Tank Number: Not reported  
Tank Size: 0  
Material: 0001  
EPA UST: Not reported  
UST: Not reported  
Cause: Not reported  
Source: Not reported  
Test Method: 00  
Test Method 2: Unknown  
Leak Rate: .00  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified Date: Not reported

All Materials:

Site ID: 189277  
Operable Unit ID: 955524  
Operable Unit: 01  
Material ID: 423806  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**EL1005 NEW AMSTERDAM GAS CO**  
**SE FIRST AVE BETWEEN E 41ST AND E 40TH STS**  
**1/4-1/2 NEW YORK, NY 10016**

**EDR MGP 1008407999**  
**N/A**

**0.430 mi.**  
**2273 ft. Site 2 of 3 in cluster EL**

**Relative:** Manufactured Gas Plants:  
**Lower** No additional information available  
**Actual:**  
**33 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

1006  
South  
1/4-1/2  
0.432 mi.  
2282 ft.

RESIDENCE  
222 E 35TH ST  
MANHATTAN, NY

NY LTANKS S104951030  
N/A

Relative:  
Lower

Actual:  
25 ft.

LTANKS:

Name: RESIDENCE  
Address: 222 E 35TH ST  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0012773 / 2003-07-31  
Facility ID: 0012773  
Site ID: 132364  
Spill Date: 2001-03-01  
Spill Cause: Tank Failure  
Spill Source: Private Dwelling  
Spill Class: B3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 2001-03-02  
CID: 390  
Water Affected: Not reported  
Spill Notifier: Local Agency  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2001-03-02  
Spill Record Last Update: 2003-07-31  
Spiller Name: UNK  
Spiller Company: RESIDENCE //>  
Spiller Address: 222 E 35TH ST  
Spiller County: 001  
Spiller Contact: UNK  
Spiller Phone: (000) 000-0000  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 113982  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
TIPPLE 7/18/03 TIPPLE UPDATING/ DOCUMENTATION REQUEST SENT///  
7/23/2003 tipples updating/ spoke with bld.rep/ will e-mail photos of  
clean vault where tank leaked with statement describing event.  
7/31/03 TIPPLE UPDATING//E-PHOTOS OF TANK ROOM REVEAL THAT THE  
CONCRETE FLOOR APPEARS TO BE IN GOOD SHAPE AND IS CLEAN."

Remarks: "tank was tested - failed - and was discovered to have leaked into  
the ground - 2 temp. tanks have been installed"

All Materials:

Site ID: 132364  
Operable Unit ID: 834717  
Operable Unit: 01  
Material ID: 543043  
Material Code: 0003A  
Material Name: #6 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RESIDENCE (Continued)**

**S104951030**

Units: G  
Recovered: .00  
Oxygenate: Not reported

**1007**  
**West**  
**1/4-1/2**  
**0.433 mi.**  
**2284 ft.**

**VENAVILLA FASHIONS**  
**38 WEST 38TH STREET**  
**MANHATTAN, NY**

**NY LTANKS**

**S102662709**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**66 ft.**

**LTANKS:**

Name: VENAVILLA FASHIONS  
Address: 38 WEST 38TH STREET  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9609813 / 1996-11-06  
Facility ID: 9609813  
Site ID: 240624  
Spill Date: 1996-11-06  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: SMMARTIN  
Referred To: Not reported  
Reported to Dept: 1996-11-06  
CID: 266  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1996-11-06  
Spill Record Last Update: 1996-11-19  
Spiller Name: MAJOR  
Spiller Company: VENAVILLA FASHIONS  
Spiller Address: 38 WEST 38TH STREET  
Spiller County: 001  
Spiller Contact: MAJOR  
Spiller Phone: (212) 840-3764  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 197890  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
MARTINKAT "

Remarks: ":OIL BACKED OUT OF FILL DURING FILLING. UNKNOWN EXACT CAUSE. ONTO  
STREET AND SIDEWALK. CLEANED UP."

**All Materials:**

Site ID: 240624  
Operable Unit ID: 1037754  
Operable Unit: 01  
Material ID: 342024  
Material Code: 0001A  
Material Name: #2 fuel oil

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VENAVILLA FASHIONS (Continued)**

**S102662709**

Case No.: Not reported  
Material FA: Petroleum  
Quantity: 5.00  
Units: G  
Recovered: 5.00  
Oxygenate: Not reported

**EL1008**     **708 OFFICE BUILDING (FIRST AVE. PROP)**  
**SE**         **708 FIRST AVE.**  
**1/4-1/2**     **NEW YORK, NY 10017**  
**0.436 mi.**  
**2302 ft.**     **Site 3 of 3 in cluster EL**

**NY ENG CONTROLS**     **S104509053**  
**NY Spills**                 **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**31 ft.**

**ENG CONTROLS:**  
Name: 708 OFFICE BUILDING (FIRST AVE. PROP)  
Address: 708 FIRST AVE.  
City,State,Zip: NEW YORK, NY 10017  
Site Code: 57005  
HW Code: Not reported  
Control Code: 15  
Control Type: ENG  
Date Record Added: 03/06/2009  
Date Rec Updated: 02/12/2010  
Updated By: SRHEIGEL  
Site Description: TRC Companies, Inc. (TRC) entered into a Voluntary Cleanup Order with the New York State Department of Environmental Conservation (NYSDEC) on June 27, 2001 for remediation of the First Avenue Properties, including the 708 First Avenue Property. The 708 First Avenue Property is currently owned by Consolidated Edison Companies of New York, Inc. (Con Edison) and is also known as the 708 Office Building. Con Edison contracted with TRC Companies, Inc., to assume the liability and responsibility for abatement, decommissioning, demolition and remediation of the site. The 708 property consists of 2.0 acres located just west of the East River and FDR Drive and south of the UN Building in a highly developed commercial/ residential area between East 40th and East 41st Streets. The site was occupied by a 400,000 square feet 10-story Con Edison service building and two industrial buildings and, from the 1920's to 2001, was used as office space, electrical operations, a locker room, a test laboratory and parking. The building was constructed in 1924 and demolished (under the VC Order) in 2003. Prior to the construction of these buildings, from the 1890's to 1923, portions of the site were used for manufactured gas plant operations. TRC has investigated environmental conditions at the site pursuant to a DEC-approved Supplemental Soil Investigation Work Plan, dated March 2001. Additional work was undertaken pursuant to a DEC-approved Addendum to the Supplemental Soil Investigation Work Plan, dated October 2001. The investigation found elevated levels of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and metals in soils. In groundwater, slightly elevated levels of VOCs were found. These results are reflected in a Supplemental Soil Investigation Final Report, in conjunction with the Remediation Work Plan, dated January 2002. TRC completed an environmental cleanup pursuant to the NYSDEC-approved Remediation Work Plan. The Remediation Work Plan for this site included: 1) decommissioning and removing all underground storage tanks and associated structures; 2) excavated and offsite disposal of all on-site soils above the development depth (16 feet

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S104509053**

below ground surface, or to the groundwater or the bedrock, whichever is shallower); 3) excavation and offsite disposal of contaminated soils in the UST area down to a depth of 39 feet followed by application of ORC; and 4) monitored natural attenuation of VOCs in groundwater. In addition, based on the final post remediation sampling results, institutional controls, such as a deed restriction, will be required. The deed restrictions were filed on May 19, 2008. Additional site information can be found in the UIS under the BCP Site number C231013. BCA signed pursuant to litigation. VCA terminated.

Env Problem: Not reported  
Health Problem: Not reported  
Dump: Not reported  
Structure: Not reported  
Lagoon: Not reported  
Landfill: Not reported  
Pond: Not reported  
Disp Start: Not reported  
Disp Term: Not reported  
Lat/Long: Not reported  
Dell: Not reported  
Record Add: Not reported  
Record Upd: Not reported  
Updated By: Not reported  
Own Op: 1  
Sub Type: Not reported  
Owner Name: JAMES A. SCHMIDT, AIA, AICP  
Owner Company: EAST RIVER REALTY COMPANY, LLC  
Owner Address: 9 WEST 57TH STREET, 45TH FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: COMMUNITY BOARD 6  
Owner Address: 866 FIRST AVENUE (UNITED NATIONS PLAZA)  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Country: United States of America  
Own Op: 6  
Sub Type: ZZZ  
Owner Name: Not reported  
Owner Company: TRC ENVIRONMENTAL CORPORATION  
Owner Address: 1200 WALL STRRET WEST 2ND FLOOR  
Owner Addr2: Not reported  
Owner City,St,Zip: LYNDHURST, NJ 7071  
Owner Country: United States of America  
Own Op: Document Repository  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYC PUBLIC LIBRARY, SCIENCE, INDUSTRY AND BUSINESS LIBRARY  
Owner Address: 188 MADISON AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Country: United States of America  
HW Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S104509053**

Waste Type: Not reported  
Waste Quantity: Not reported  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

**SPILLS:**

Name: 708 FIRST AVE OFFICE BLDG  
Address: 708 FIRST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0306016 / 2004-03-04  
Facility ID: 0306016  
Facility Type: ER  
DER Facility ID: 173935  
Site ID: 146877  
DEC Region: 2  
Spill Cause: Unknown  
Spill Class: C3  
SWIS: 3101  
Spill Date: 2003-09-06  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 2003-09-06  
CID: 211  
Water Affected: Not reported  
Spill Source: Unknown  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2003-09-06  
Spill Record Last Update: 2004-05-26  
Spiller Name: Not reported  
Spiller Company: UNKNOWN  
Spiller Address: Not reported  
Spiller Company: 999  
Contact Name: ANDREW MORRIS  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'CONNELL Probably related to First Avenue Properties VCA (Tom Gibbons - DER Albany is project manager). Sent him e-mail: Tom: The following spill reports were received this weekend: Spill # 0306016, 9/6/03 - 708 First Avenue - Con Ed Construction Management supervisor reports: with crew working in open excavation installing new duct lines found approx. 2 gallons unknown oil mixed in soil. Chem Lab to take samples. Let me know if you have any additional information regarding these incidents. Jane O'Connell NYSDEC ph. (718) 482-4973  
~~~~~ e2mis no. 150-220: Jean L Washington, #20481, Construction Management Was with crew at the above location, working in an open excavation installing new duct lines and found approx. two gallons of unknown oil mixed in soil. She goes on to report that she


Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)

S104509053

has called Chem Lab to come to location to take samples. Update
@08:06 Lab Sequence Number: 03-07418-001 TOTAL PCB <1.0 ppm
~~~~~ DEC inspector notes (cont'd): 3/4/04: e-mail  
from TRC (Mike Skirka)- Jane: TRC has completed all remediation at  
the site in accordance with the approved RWP. We removed all USTs and  
all soil to top of bedrock over the western 2/3 of the site and to  
about 2 feet below the water table on the east side of the site. We  
excavated all soil within the deep UST area of concern to a depth of  
39 feet. The sources for any spills have been removed by our remedial  
actions. Close out. (JHO) "

Remarks: "caller states crew discovered product in open excavation - unk  
source - no clean up - con ed 150220"

All Materials:

Site ID: 146877  
Operable Unit ID: 872594  
Operable Unit: 01  
Material ID: 503252  
Material Code: 0020B  
Material Name: cable oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 2.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: REAL ESTATE PROPERTY  
Address: 708 FIRST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9911877 / 2004-03-04  
Facility ID: 9911877  
Facility Type: ER  
DER Facility ID: 173935  
Site ID: 146878  
DEC Region: 2  
Spill Cause: Unknown  
Spill Class: B3  
SWIS: 3101  
Spill Date: 2000-01-12  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 2000-01-12  
CID: 365  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2000-01-12  
Spill Record Last Update: 2004-03-04  
Spiller Name: Not reported  
Spiller Company: UNKNOWN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S104509053**

Spiller Address: Not reported  
Spiller Company: 999  
Contact Name: Not reported  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'CONNELL APPENDIX B SITE NO. 18. BEING ADDRESSED AS PART OF FIRST AVENUE PROPERTIES VCA # V-00(429-432). ~~~~~ e2mis no. 129-581: Preliminary laboratory results indicate the presence of a historical petroleum spill (possibly diesel) in soils collected at a depth of 7-9 and 22-23 feet below grade in a soil boring (#708-1) installed in the basement slab at the northeast corner of the 708 First Ave building. The soil boring was installed as part of a subsurface investigation of the 708 First Avenue property by Foster Wheeler Environmental in preparation for the potential sale of the property. Preliminary laboratory results revealed concentrations of btx in the range of 14.8 ppb to 2480 ppb, and various semivolatile compounds up to 3,770 ppb (phenanthrene). Further discussion and evaluation of this historical spill, including the development of a remediation plan where needed, will be included in the Phase II ESA subsurface investigation report currently being drafted by Foster Wheeler Environmental. New information will be included in this spill report as it arrives. Please contact Joe Floryshak of EH&S - Remediation. 3/21/99 Foster Wheeler completed the Phase II ESA for this property and upon re-evaluation of the analytical data for this finding has indicated that the exceedances in soil observed at this location and discussed above may be associated with former MGP activities on site. Records research has indicated that the site was formerly occupied by a MGP site prior to construction of the 708 First Ave in the early 1900s. In addition, similar exceedances in soil were observed beneath Waterside #2 (boring FD-1 & FD-2), also formerly occupied by the same MGP site. Jane O'Connell of the NYSDEC was informed of this evaluation on 3/21/00. Following is the executive summary section from the final Phase II ESA which discusses this finding: Former MGP on the 708 First Avenue Property: Five borings were installed in the service garage of the Service Building. The Former MGP Area was located in the eastern portion of the Service Building (708 First Avenue). Historical evidence and borings indicated that bedrock was excavated from the western half of the building foundation prior to construction. Bedrock was encountered directly beneath the concrete floor slab in borings 708-4 and 708-5. No elevated PID readings were recorded and no visual evidence of contamination was observed. Samples were not collected from these two borings. Borings 708-1 and 708-2 were located at the Former MPG Area. Boring 708-1 encountered 10 inches of concrete and 22.5 feet of unconsolidated material beneath the slab above bedrock. Soil borings collected indicated petroleum odors throughout the soil column and elevated PID readings were recorded from 7 to 23 feet, with the highest reading (242 ppm) recorded at the water table at approximately 5 feet bts. Analytical results from boring 708-1 indicated BTEX, SVOCs, and SVOC TCLP exceedances in the 7-9 ft and 22-23 ft depth interval. Additionally, results indicated a mercury exceedance in the 22-23 ft depth interval. Soil boring 708-2 encountered 13 inches of concrete and 17.5 feet of unconsolidated material. No elevated PID readings were recorded and no visual evidence of contamination or odors were observed. Analytical results indicated SVOC exceedances in 9-11 ft and 15-16-ft depth interval. Boring 708-3 encountered 42 inches of concrete overlying 7 feet of dry unconsolidated material. No elevated PID readings were recorded

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S104509053**

and no visual evidence of contamination or odors were observed. Analytical results did not indicate any exceedances of regulatory criteria. The presence of contaminants at depth within the eastern unconsolidated area in sufficient concentration to exceed SVOC TCLP criteria indicates the possibility of impact associated with the former MGP or other site-related operations. This contrasts with results obtained for most of the other RECs for which it appears historic filling practices may have been responsible for non-leachable concentrations of contaminants in excess of NYSDEC RSCOLs. Based on the exceedances of NYSDEC regulatory criteria, remedial plans for this area should consider mitigation of risks from conditions in unconsolidated soils during site demolition or redevelopment. Floor Trenches in Waterside No. 2 Basement: The Floor Drain Area is located in the basement of Waterside No. . The western two thirds of the concrete slab are constructed directly on bedrock. Based upon review of historic Waterside No 2 design drawings, up to 15 feet of bedrock were excavated prior to construction along the western limit of the building (along First Avenue). Nine borings were completed to investigate the potential historical impact of the floor trench system in Waterside No. 2 and the former MGP on the property. Unconsolidated material was encountered beneath the slab in only two locations, FD2-1 and FD2-2. The other borings encountered bedrock directly beneath the slab or could not be completed to bedrock and were terminated in concrete. Some of the borings in concrete/bedrock exhibited zones of weathered bedrock underlying the concrete foundation. Fractures were present in some of the concrete cores, resulting from water flowing within the slab. No soil or concrete samples were collected from any of the borings installed in the western two thirds of Waterside No. 2. In general, odors and elevated PID readings were not found in any of these borings. Boring FD2-4 exhibited standing water within the concrete core. Temporary well TW-2 was installed to assess the standing water. The investigation findings related to the standing water are discussed in Section 4.1.18. (see E2mis report #129694) [DEC # 9912141]. Samples from the unconsolidated area were collected from borings FD2-1 and FD2-2. Analytical results for boring FD2-1 indicated SVOC, SVOC TCLP, and mercury exceedances at various depth intervals. Analytical results from FD2-2 indicated SVOC, arsenic, and mercury exceedances in the 3-4 ft depth interval. Based on the presence of concrete slabs poured directly on top of bedrock and the lack of evidence to support the presence of contaminants in concrete or bedrock, no further action is required for the western portion of this area during site demolition or redevelopment. However, remedial plans should consider construction dewatering and groundwater-related issues, as discussed in Section 4.1.18. The presence of the contaminant acenaphthene at depth within the eastern unconsolidated area in sufficient concentration to exceed SVOC TCLP criteria indicates the possibility of impact associated with the former MGP or other site-related operations. This contrasts the results obtained for most of the other RECs for which it appears that historic filling practices may be responsible for any non-leachable concentrations of contaminants in excess of NYSDEC RSCOLs. Based on the exceedances of NYSDEC regulatory criteria, remedial plans for this area should consider mitigation of risks from conditions in unconsolidated soils during site demolition or redevelopment. 11/21/00 The contract for the Cleanup is being negotiated with TRC. Phase II of the Site Assessment will be sent to the DEC in the next two weeks. Cleanup will be

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)

S104509053

incorporated in the First Avenue exit strategy under the supervision the DEC. 9 OCT 2001 15:02 The following e-mail was received from TRC on 10/8 as an update to the Supplemental Soil Investigation underway at 708 First Avenue as part of the Exit Strategy. This report to be forwarded to both Tom Gibbons and Jane O'Connell of NYSDEC as will any followup correspondence: Glen, As requested, we are notifying you when we find any suspected contamination during our drilling program. Note that in boring SH-1, located at 708, we found a 10-inch layer of petroleum- stained soil at approx 2 to 4 feet below grade on 9/27 (beneath the slab); rock is at 7 feet below grade. The sample is at the lab and I will update you with the results when they become available, expected today or tomorrow. Steven E. Panter Senior Project Manager TRC Environmental Corp. Waterside Drilling Update - 6/5/02 SB1/MW-2R boring complete. Competent bedrock encountered at 14' bgs. 4 steel casing set @ 20' bgs. Anticipate to drill out rock well on Thursday, June 6 using 4 air hammer. 5' - 9': Stained soils, Naphthalene odor. SB-3 Boring complete. Completion depth = 10' bgs. No staining, No odors. MW-3R Well completion depth = 77' bgs. Bedrock encountered @ 56' bgs. 2 pvc well set in open rock boring. 20 slot screen in place from 76' - 61'. No. 1 Morie sand pack from 77' - 59'. Well grouted from 59' - 0'. 4 steel casing and open rock boring not used because running sands created a problem with casing advancement. PVC method was approved by NYSDEC. 7' - 17': Stained soils. Suspected naphthalene odor. 20' - 21': Faint naphthalene odor. No staining. 30' - 33': Wood. No soil. 40' - 41': Wood. No soil. Creosote odor. MW-6S Well completion depth = 14' bgs. 20-slot, 2 pvc 14' - 4'; Schedule 40 pvc riser 4' - 0'. MW-7D Bedrock encountered at 54'. Well set to 47'. Could not set it on top of bedrock because of running sands. 20-slot pvc set from 47' - 27'. Schedule 40 pvc riser from 27' - 0'. SB12/MW-4R Boring complete. Competent bedrock encountered @ 50'. 4 steel casing set @ 55'. Anticipate to drill out rock well on Thursday, June 6 using 4 air hammer. 5' - 10': Volatile organic odor. 15' - 25': Stained soils. Suspected naphthalene odor. 37' - 42': Suspected naphthalene odor. SB13/MW-10D Bedrock encountered @ 63' bgs. Well set to 62' bgs. 20-slot pvc from 62' - 42'. Schedule 40 pvc riser from 42' - 0'. 5' - 9': Volatile organic odor. 10' - 12': Creosote soaked wood. 20' - 25': Drilled in and out of wood. Creosote odor. 25' - 27': Ash and creosote treated wood. 40' - 42': Naphthalene odor. MW-9S Well completion depth = 16' bgs. 20-slot pvc from 16' - 6' bgs. Schedule 40 pvc riser from 6' - 0'. 2/11/03 Responsible Operation changed to EHS Remediation, and Operational Status changed to REMAA, at the request of Maureen Sicherman. ~~~~~ DEC inspector notes (cont'd): 3/4/04: e-mail from TRC (Mike Skirka)- Jane: TRC has completed all remediation at the site in accordance with the approved RWP. We removed all USTs and all soil to top of bedrock over the western 2/3 of the site and to about 2 feet below the water table on the east side of the site. We excavated all soil within the deep UST area of concern to a depth of 39 feet. The sources for any spills have been removed by our remedial actions. Close out. "

Remarks: "prelim lab results = benzene, toluene, ethylbenzene, & xylene (14.8 ppb - 2480 pbb) - various volatile compounds also found - SITE IS IN PROCESS OF BEING SOLD - BORE SAMPLINGS DONE - NE CORNER OF BLDG FOUND MATERIAL BELIEVED TO BE DIESEL - CLEAN UP PENDING ACCESS TO MATERIAL"

All Materials:

Site ID:

146878

Operable Unit ID:

1090574

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**708 OFFICE BUILDING (FIRST AVE. PROP) (Continued)**

**S104509053**

Operable Unit: 01  
Material ID: 297316  
Material Code: 0066A  
Material Name: unknown petroleum  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 100.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

**1009  
ENE  
1/4-1/2  
0.437 mi.  
2306 ft.**

**TTF  
928 2ND AVE  
MANHATTAN, NY**

**NY LTANKS S117654770  
N/A**

**Relative:  
Lower**

**LTANKS:**

**Actual:  
27 ft.**

Name: TTF  
Address: 928 2ND AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 1411287 / 2015-07-21  
Facility ID: 1411287  
Site ID: 505046  
Spill Date: 2015-02-27  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: C4  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: SXMAHAT  
Referred To: Not reported  
Reported to Dept: 2015-02-27  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2015-02-27  
Spill Record Last Update: 2015-10-28  
Spiller Name: RYAN BROWN  
Spiller Company: MAGESTIC PROPERTY MANAGEMENT CORP  
Spiller Address: 928 2ND AVE  
Spiller County: 999  
Spiller Contact: RYAN BROWN  
Spiller Phone: (516) 773-2768  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 459893  
DEC Memo: "3/2/15 TJD TTF Spreadsheet updated. 3/9/15: Mahat DEC Mahat received an email from Gregory Collins ( GC Enviromental ) mentioning following: Santosh, We were recently retained to replace the tank at the above referenced site. The tank failed a system test and a tank only test. The dry portion of the tank failed. The tank is located in

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TTF (Continued)

S117654770

the basement in a concrete vault with weep holes and no oil is emitting from the weep holes. We intend on installing temp tanks in the basement, breaking up the concrete, removing the tank and installing a new tank. Once the tank is removed I will email you photos of the condition to discuss a plan of action. Any questions let me know. Thanks, Gregory A. Collins \*\*\*\*\*Retained Contractor G.C. Environmental, Inc. 22 Oak Street Bay Shore, NY 11706 Tel: 631-206-3700, Ext.111 Fax: 631-206-3729 Email: gc@gcenvironmental.com Website: www.gcenvironmental.com, www.greencleanenv.com DEC is waiting for a report. 3/17/15: Mahat An email was sent to Mr. Collins requesting to call back to the Department if contaminated soil is found underneath the tank. DEC is waiting for progress report. 7/21/15: Mahat DEC Mahat received a closure report on the spill case. Report has been uploaded on D2 for reference. The soil underneath the tank was not contaminated. A new tank has been installed on the site. As per the report, no further investigation is warranted by the Department. Spill case is closed in DEC Spill Database. "

Remarks: "Test failure. Repair and retest being done Monday."

All Materials:

Site ID: 505046  
Operable Unit ID: 1254378  
Operable Unit: 01  
Material ID: 2256852  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Oxygenate: Not reported

1010  
SE  
1/4-1/2  
0.438 mi.  
2315 ft.

CON EDISON - EAST 39TH ST. WORKS MGP  
EAST 39TH - EAST 42ND STS.  
NEW YORK, NY 10016

EDR MGP 1008407989  
N/A

Relative:  
Lower  
Actual:  
27 ft.

Manufactured Gas Plants:  
No additional information available

1011  
ENE  
1/4-1/2  
0.440 mi.  
2323 ft.

SPILL NUMBER 0212048  
941 2ND AVE  
MANHATTAN, NY

NY LTANKS S105998316  
N/A

Relative:  
Lower  
Actual:  
27 ft.

LTANKS:  
Name: SPILL NUMBER 0212048  
Address: 941 2ND AVE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0212048 / 2003-07-08  
Facility ID: 0212048

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPILL NUMBER 0212048 (Continued)**

**S105998316**

Site ID: 84670  
Spill Date: 2003-03-07  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: C3  
Cleanup Ceased: Not reported  
SWIS: 3101  
Investigator: JXZHAO  
Referred To: Not reported  
Reported to Dept: 2003-03-07  
CID: 257  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: False  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 2003-03-07  
Spill Record Last Update: 2003-07-08  
Spiller Name: ED WEINSTEIN  
Spiller Company: Not reported  
Spiller Address: 941 2ND AVE  
Spiller County: 001  
Spiller Contact: ED WEINSTEIN  
Spiller Phone: (212) 228-5797  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 77847  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was ZHAO/DO ARAKHAN 3/7/03 TTF LETTER SENT. 7/8/03 Arakhan Tank passed test; documentation received 7/8/03."  
Remarks: "dry leak "

**All Materials:**

Site ID: 84670  
Operable Unit ID: 865495  
Operable Unit: 01  
Material ID: 511811  
Material Code: 0001A  
Material Name: #2 fuel oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

EDR ID Number  
EPA ID Number

EN1012     **WATERSIDE GENERATING STA.**  
**SE**         **700 1ST AVENUE**  
**1/4-1/2**     **MANHATTAN, NY**  
**0.440 mi.**  
**2325 ft.**     **Site 9 of 9 in cluster EN**

**NY LTANKS**     **S104501591**  
**NY Spills**       **N/A**

**Relative:**  
**Lower**

**Actual:**  
**30 ft.**

**LTANKS:**

Name:                                 WATERSIDE PLANT  
Address:                               700 1ST AVENUE  
City,State,Zip:                     MANHATTAN, NY  
Spill Number/Closed Date:       9600005 / 1998-04-16  
Facility ID:                         9600005  
Site ID:                               117680  
Spill Date:                          1996-04-01  
Spill Cause:                         Tank Overfill  
Spill Source:                        Commercial/Industrial  
Spill Class:                         C4  
Cleanup Ceased:                    Not reported  
SWIS:                                 3101  
Investigator:                        JHOCONNE  
Referred To:                         Not reported  
Reported to Dept:                  1996-04-01  
CID:                                  312  
Water Affected:                    Not reported  
Spill Notifier:                      Responsible Party  
Last Inspection:                    Not reported  
Recommended Penalty:            False  
Meets Standard:                    False  
UST Involvement:                  False  
Remediation Phase:                0  
Date Entered In Computer:       1996-04-01  
Spill Record Last Update:       1998-04-16  
Spiller Name:                        JOE  
Spiller Company:                    CON EDISON  
Spiller Address:                    4 IRVING PLACE  
Spiller County:                     001  
Spiller Contact:                    JOE  
Spiller Phone:                      (212) 496-7841  
Spiller Extention:                  Not reported  
DEC Region:                         2  
DER Facility ID:                    247507  
DEC Memo:                          "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
O'CONNELL Katz notes: Cleaned up 4/1/96. George Basile oversaw  
operation. Fill line feeds 3 tanks.. Someone opened the wrong valve,  
filled wrong tank. Alarm was disabled - no audible alarm at fill  
line. Operator error. ATC vendor contacted - material contained in  
moat, pumped out liquid to waste neutralization system including wash  
water. Cleanup completed 1700 hrs."

Remarks:                            "tank overflowed during delivery - contained in a containment barrier  
- cleanup to begin"

**All Materials:**

Site ID:                               117680  
Operable Unit ID:                  1031444  
Operable Unit:                      01  
Material ID:                         353398  
Material Code:                      0038E  
Material Name:                      white caustic  
Case No.:                            01310732  
Material FA:                         Hazardous Material



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STA. (Continued)**

**S104501591**

Quantity: 300.00  
Units: G  
Recovered: 300.00  
Oxygenate: Not reported

Name: WATERSIDE GENERATING STA.  
Address: 700 1ST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 9402225 / 1995-03-29  
Facility ID: 9402225  
Site ID: 306455  
Spill Date: 1994-05-14  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: Not reported  
Cleanup Ceased: 1995-03-29  
SWIS: 3101  
Investigator: CAENGELH  
Referred To: Not reported  
Reported to Dept: 1994-05-14  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: False  
Meets Standard: True  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1994-07-27  
Spill Record Last Update: 1995-03-29  
Spiller Name: Not reported  
Spiller Company: CON EDISON  
Spiller Address: 4 IRVING PLACE  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 247507  
DEC Memo: ""  
Remarks: "SPILL OCCURED WHEN OIL RES. WAS BEING FILLED & OVER FLOWED. RES LEADS TO EAST RIVER & HAS BEEN BLOCKED OFF NYC FIRE MOSE TO BE NOTIFIED. THEY WILL BE CALLED ON."

All Materials:  
Site ID: 306455  
Operable Unit ID: 999282  
Operable Unit: 01  
Material ID: 385970  
Material Code: 0016A  
Material Name: non PCB oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 100.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STA. (Continued)**

**S104501591**

Site ID: 306455  
Operable Unit ID: 999282  
Operable Unit: 01  
Material ID: 385969  
Material Code: 0013  
Material Name: lube oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: .00  
Units: Not reported  
Recovered: .00  
Oxygenate: Not reported

**SPILLS:**

Name: WATERSIDE GENERATING STA  
Address: 700 1ST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0201222 / 2003-04-21  
Facility ID: 0201222  
Facility Type: ER  
DER Facility ID: 247507  
Site ID: 117674  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C4  
SWIS: 3101  
Spill Date: 2002-05-02  
Investigator: AERODRIG  
Referred To: Not reported  
Reported to Dept: 2002-05-02  
CID: 205  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2002-05-02  
Spill Record Last Update: 2003-04-22  
Spiller Name: Not reported  
Spiller Company: CON ED  
Spiller Address: 4 IRVING PLACE  
Spiller Company: 001  
Contact Name: CALLER  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was RODRIGUEZ E2MIS NOTES 142622 Sewer Water Affected : city sewer not affected. sheen to storm catch basin but no sheen beyond catch basin to river. Fire /Smoke Involved: No Source of Oil: Transformer #3 (less than 1.0 ppm PCB last sampled 11/23/98) Cause of Spill : Transf. #3 main body sample valve leak Private Property Affected: No At 12:00 , Construction Insp noticed a sheen on rainwater on East 39th St and placed pigs around the catch basin on the south side of E.39th St where the stream was heading. Notified the Env Mgr 12:20

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STA. (Continued)**

**S104501591**

The sheen was traced back to Tfmr #3 located overhead half block away from catch basin, found approx 2 gals. on transformer platform, leak from main body sample valve. 12:45 Env Mgr notifies CIG Operator Murphy of potential sheen to river 12:50 Discussed with ERT Pierre situation 12:55 checked discharge of catch basin: catch basin drains into manhole on 39th street. found no sign of sheen in manhole or on manhole walls. manhole drains to east river. water level in manhole above the drain pipe to river. 13:00 Closed Isolation valve on oil catch pan installed inside catch basin, stops flow of runoff from catch basin to manhole. Operations cleaned oil with pads and disposed. 13:05 Env Mgr called ERT and updated ; No sheen observed in manhole which drains into river. flow from catch basin isolated. transformer leak contained. "

Remarks: "leaking valve on transformer #3. conducted # 142622. cleanup in progress. oil sheen in catch basin, catch basin discharges to manhole , manhole discharges to east river. no oil observed in manhole."

**All Materials:**

Site ID: 117674  
Operable Unit ID: 852263  
Operable Unit: 01  
Material ID: 522641  
Material Code: 0020A  
Material Name: transformer oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 2.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: WATERSIDE GEN PLANT  
Address: 700 1ST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0211905 / 2006-10-13  
Facility ID: 0211905  
Facility Type: ER  
DER Facility ID: 247507  
Site ID: 117675  
DEC Region: 2  
Spill Cause: Unknown  
Spill Class: C3  
SWIS: 3101  
Spill Date: 2003-03-03  
Investigator: JHOCORNE  
Referred To: Not reported  
Reported to Dept: 2003-03-03  
CID: 281  
Water Affected: Not reported  
Spill Source: Commercial Vehicle  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STA. (Continued)**

**S104501591**

Date Entered In Computer: 2003-03-03  
Spill Record Last Update: 2006-10-13  
Spiller Name: Not reported  
Spiller Company: CON EDISON  
Spiller Address: 4 IRVING PLACE  
Spiller Company: 001  
Contact Name: CALLER  
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'CONNELL 3/5/03 Reassigned to Rodriguez. 3/10/2003. The spill on the trench had over a 1000 ppm pcb. Con Edison hired clean ventures to do the cleanup of the trench. The trench was cleaned and Con Edison took wipe samples, most of the points came high, so Con Edison needs to re-clean the trench. This area is under the sidewalk and there is no oil filler equipment in the trench area or above. The source of the contamination is unknown. The station would like the manhole group to perform the cleanup. ars 10/13/06: spill submitted for closure by Con ed. See eDocs for closure report. (JHO)"

Remarks: "ABOVE MATERIAL DISCOVERED AT RETIRED GROUND AND SWITCH AREA AT ABOVE LOCATION. CLEANUP IS PENDING AT TIME OF CALL. CON ED NOT AVAILABLE."

**All Materials:**

Site ID: 117675  
Operable Unit ID: 865364  
Operable Unit: 01  
Material ID: 511686  
Material Code: 0066A  
Material Name: unknown petroleum  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 3.00  
Units: G  
Recovered: .00  
Oxygenate: Not reported

Name: WATERSIDE GENERATING STA  
Address: 700 1ST AVENUE  
City,State,Zip: MANHATTAN, NY  
Spill Number/Closed Date: 0311709 / 2004-04-21  
Facility ID: 0311709  
Facility Type: ER  
DER Facility ID: 247507  
Site ID: 117676  
DEC Region: 2  
Spill Cause: Equipment Failure  
Spill Class: C3  
SWIS: 3101  
Spill Date: 2004-01-17  
Investigator: JHOCONNE  
Referred To: Not reported  
Reported to Dept: 2004-01-18  
CID: 73  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATERSIDE GENERATING STA. (Continued)**

**S104501591**

Recommended Penalty: False  
UST Trust: False  
Remediation Phase: 0  
Date Entered In Computer: 2004-01-18  
Spill Record Last Update: 2004-04-22  
Spiller Name: ERT  
Spiller Company: CON ED  
Spiller Address: Not reported  
Spiller Company: 999  
Contact Name: ERT  
DEC Memo: "10/23/06 - See eDocs for Con Ed report detailing cleanup and closure. Prior to Sept, 2004 data translation this spill Lead\_DEC Field was O'CONNELL e2mis no. 151777: AT 23:55 ON 90 BOILER FEED PUMP TRISENE HOSE BROKE. APPROX. 30 GALLONS OF HYDRAULIC OIL SPILLED INTO TRENCH. SLUCE GATES HAVE BEEN INSTALLED OIL ABSORBANT PADS ARE DOWN. OIL WATER SEPERATOR IN SERVICE. WE HAVE AN OPERATOR STATIONED AT THE OUTLET OF OILY WATER SEPERATOR. CLEAN UP IS IN PROGRESS. After initial inspection by Maint , the cylinder was sent to Parker Co where the Al Nesterok, System Eng witnessed the rebuilding and testing of the cylinder at 2000psi. oil pressure. It was returned to Waterside and installed by Maintenance and I &C.  
~~~~~ DEC Responde notes: 1/20/04, 5:30 PM Spoke with Renato Derech (Env. Manager) - spill was on 4th floor of Waterside #1. Seal on o-ring let go. Oil got to floor drain, and then to basement trenches. They found oil in the trenches. Placed block in trench to prevent oil from reaching oil/water separator. Drain line from 4th floor to basement is 6 diameter - can't be flushed out. They will maintain pads and continue to monitor and clean up as necessary. (JHO)"  
Remarks: "BROKEN HOSE ON BOILER CAUSED RELEASE OF APPROX 30 GALS OF HYDRAULIC FLUID. SPILL IS ON CONCRETE. SPILL IS UNDER CONTROL AND IS CONTAINED. CLEAN UP IN PROGRESS."

All Materials:

Site ID: 117676
Operable Unit ID: 877068
Operable Unit: 01
Material ID: 552364
Material Code: 0010
Material Name: hydraulic oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: WATERCSIDE GENERATING PLA
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0401809 / 2007-09-25
Facility ID: 0401809
Facility Type: ER
DER Facility ID: 247507
Site ID: 117677
DEC Region: 2
Spill Cause: Equipment Failure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Spill Class: D4
SWIS: 3101
Spill Date: 2004-05-18
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 2004-05-19
CID: 444
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2004-05-19
Spill Record Last Update: 2007-09-25
Spiller Name: ERT DESK
Spiller Company: WTAERCIDE GENERATING PLAN
Spiller Address: 700 1ST AVE
Spiller Company: 001
Contact Name: ERT DESK
DEC Memo: "e2mis 153469 9/25/07: Spill closed. Remediation completed under Voluntary Cleanup Agreement (site no. V00432) and Brownfield Cleanup Program (C231016). (JHO)"

Remarks: "WATER MONITORING KEPT DROPPING IN SEPERATOR, NOT SURE WHERE IT IS GOING, UNKNOWN AMOUNT OF WATER / OIL MIX: RATE LOOSING IS 80 GALLONS PER MINUTE: "

All Materials:

Site ID: 117677
Operable Unit ID: 883645
Operable Unit: 01
Material ID: 493001
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: L
Recovered: .00
Oxygenate: Not reported

Name: 700 1ST AVE
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9209325 / 1992-11-11
Facility ID: 9209325
Facility Type: ER
DER Facility ID: 247507
Site ID: 117678
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1992-11-10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 1992-11-11
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 1992-11-11
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1992-11-18
Spill Record Last Update: 1996-01-18
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT 10/10/95: This is additional information about material spilled from the translation of the old spill file: POSS ASBESTOS."
Remarks: "STEAM LINE RUPTURED NOT SURE IF INSULATING MATERIAL WAS ASBESTOS-TAKING SAMPLES-NOTIFIED NRC NO CALL BACK"

All Materials:

Site ID: 117678
Operable Unit ID: 975962
Operable Unit: 01
Material ID: 406375
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Oxygenate: Not reported

Name: CON EDISON
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9514657 / 2004-12-21
Facility ID: 9514657
Facility Type: ER
DER Facility ID: 247507
Site ID: 117679
DEC Region: 2
Spill Cause: Other
Spill Class: C4
SWIS: 3101
Spill Date: 1996-02-15
Investigator: JHOCONNIE
Referred To: Not reported
Reported to Dept: 1996-02-15
CID: 252

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-02-15
Spill Record Last Update: 2004-12-21
Spiller Name: LISA PRIMEGGIA
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: LISA PRIMEGGIA
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT 12/21/04: Con Ed submitted copy of OIL, TOXIC OR HAZARDOUS SUBSTANCE (INCLUDING PCB'S AND ASBESTOS) SPILLS AND FIRES NOTIFICATION FORM dated 2/15/96, which states: OF SPILL/FIRE: WATERSIDE STATION, BASEMENT OF WATERSIDE 2. TYPE OF SPILL/FIRE AND CAUSE: UNKNOWN TYPE OF OIL LEAKED FROM A BAG CARRYING OILY WASTE. ESTIMATED AMOUNT OF SPILL: 1 GALLON. CONTAINMENT (DESCRIPTION): ABSORBENT. EXPECTED TIME OF CLEANUP: 02/15/96 @ 1330 HOURS. Close out. (JHO)"

Remarks: "unk petroleum in plastic bags that leaked onto cement floor has been cleaned at this time"

All Materials:

Site ID: 117679
Operable Unit ID: 1025761
Operable Unit: 01
Material ID: 354787
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: 1.00
Oxygenate: Not reported

Name: WATERSIDE GENERATING STAT
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9601542 / 2007-09-25
Facility ID: 9601542
Facility Type: ER
DER Facility ID: 247507
Site ID: 117681
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1996-04-30
Investigator: JHOCONNE
Referred To: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Reported to Dept: 1996-04-30
CID: 312
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-04-30
Spill Record Last Update: 2007-09-25
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
ENGELHARDT 9/25/07: Spill closed. Remediation completed under
Voluntary Cleanup Agreement (site no. V00432) and Brownfield Cleanup
Program (C231016). (JHO) "

Remarks: "division valve in west oil room failed"

All Materials:

Site ID: 117681
Operable Unit ID: 1033105
Operable Unit: 01
Material ID: 351344
Material Code: 0013
Material Name: lube oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6.00
Units: G
Recovered: 6.00
Oxygenate: Not reported

Name: WATERSIDE GENERATION STA
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9609856 / 2007-09-25
Facility ID: 9609856
Facility Type: ER
DER Facility ID: 247507
Site ID: 117682
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1996-11-07
Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1996-11-07
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-11-07
Spill Record Last Update: 2007-09-25
Spiller Name: PAT
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: MR FURST
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
ENGELHARDT 11/7/96, 1111 hrs: Mr. Furst - boom in discharge tunnel.
George Basil - divers working to modify boom found a froth in water.
They stuck an oil sorbent pad in water - no absorption. There was
some sheen between patches of froth. They feel it came from river.
Temporary boom has been put in. Divers to be done in a few hours.
After they are done and boom is in place, will put pads in tunnel and
observe tunnel. Asked them to give me update at the end of the day.
11/7/96, 1650 hrs: George Basile - Divers not finished yet. They put
down pads twice during operation - not much oil observed. Will look
again tomorrow. USCG went to scene - they requested report next
Tuesday. I did the same. 9/25/07: Spill closed. Remediation completed
under Voluntary Cleanup Agreement (site no. V00432) and Brownfield
Cleanup Program (C231016). (JHO)"

Remarks: "oil found in containment area unknown reason at this time"

All Materials:

Site ID: 117682
Operable Unit ID: 1041341
Operable Unit: 01
Material ID: 342072
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: WATERSIDE STATION
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9609915 / 2007-09-25
Facility ID: 9609915
Facility Type: ER
DER Facility ID: 247507
Site ID: 117683
DEC Region: 2
Spill Cause: Unknown
Spill Class: C3
SWIS: 3101
Spill Date: 1996-11-08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Investigator: JHOCONNE
Referred To: Not reported
Reported to Dept: 1996-11-08
CID: 311
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1996-11-08
Spill Record Last Update: 2007-09-25
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: PAT MCHUGH
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 9/25/07: Spill closed. Remediation completed under Voluntary Cleanup Agreement (site no. V00432) and Brownfield Cleanup Program (C231016). (JHO) "

Remarks: "caller states an unk oil substance is presently being contained in a discharge tunnel. Presently investigating for source."

All Materials:

Site ID: 117683
Operable Unit ID: 1037838
Operable Unit: 01
Material ID: 342129
Material Code: 0063A
Material Name: unknown hazardous material
Case No.: Not reported
Material FA: Hazardous Material
Quantity: 1.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: 700 1ST AVE
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9700162 / 1997-04-03
Facility ID: 9700162
Facility Type: ER
DER Facility ID: 247507
Site ID: 117684
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1997-04-03
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1997-04-03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

CID: 369
Water Affected: EAST RIVER
Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1997-04-03
Spill Record Last Update: 1997-04-07
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller Company: 999
Contact Name: STEPHEN ROMURO
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TANG CALLED USCG 2:00PM 3:00PM & 4:00PM, NO SOURCE FOUND.
NON-RECOVERABLE."
Remarks: "sending a team-4x6 sheen on east river"

All Materials:

Site ID: 117684
Operable Unit ID: 1042882
Operable Unit: 01
Material ID: 336773
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: EAST RIVER AT
Address: 700 1ST AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9700163 / 2005-03-29
Facility ID: 9700163
Facility Type: ER
DER Facility ID: 247507
Site ID: 117685
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 1997-04-03
Investigator: JHOCONE
Referred To: Not reported
Reported to Dept: 1997-04-03
CID: 322
Water Affected: EAST RIVER
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1997-04-03
Spill Record Last Update: 2005-03-29
Spiller Name: STEVE ROMERO
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller Company: 001
Contact Name: NINZ
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 4/3/97 (Katz notes): called in during unannounced audit at Waterside Station. Saw foam in discharge canal at station. Proceeded to bulkhead to see what was entering the East River - saw possible dissolved solids emanating from the outfall. ~~~~~
e2mis 105930 WHILE ENVIRONMENTAL MGR. T.THATCHER WAS MAKING AN INSPECTION OF WATERSIDE DOCK HE OBSERVED A BROWN DISCOLORATION COMING OUT OF THE WATERSIDE #2 DISCHARGE TUNNEL. THE SUBSTANCE IS UNKNOWN, BUT A SAMPLE IS BEING TAKEN. UNTIL WE CAN GET THE RESULTS BACK WE ARE UNABLE TO GIVE AN EXACT AMOUNT. 05-apr-2004- G. Basile, Sr. Spec., 15937- The following information is provided as an explanation that this incident should be closed by DEC since the observed discoloration was from an approved process being discharged from the station's waste neutralization SPDES outfall as part of routine demineralizer resin bead maintenance (hereafter called brine washing). We have on file the following letters discussing this procedure- A June 4, 1997 letter from Mr. Richard Ramon, P.E., Sr. Engineer, EH&S to Mr. Richard L. Newman, P.E., Regional Water Program Director, NYSDEC, indicating the procedure that Con Edison will take during Anion Brine Washing at variousl Con Ed power plants. A May 9, 1997 letter from Mr. Newman to Richard Ramon requesting a plan describing how the brine wash liquids will be discharged through the Waste Neutralization System associated with this process. Waterside Station continues to perform all agreed upon discharge rates and sampling during the discharge of the brine wash operations. The description in the Causes section of this report substantiate the fact that the brown color observed in the river was caused by the normal maintenance procedure referred to as Brine washing and not related to any other unauthorized discharges. I have cut and pasted this section in the event that the DEC did not receive it as part of the initial report: Waterside Station has investigated the cause of the brownish-red plume that was observed in the East River on Thursday, April 3, 1997, at approximately 11:30 hrs. The investigation showed that it was caused by brine washing of the demineralizer anion beds. Waterside personnel obtained samples of the colored discharge water from Waterside 2 tunnel on 4/3/97 at approximately 1200 Hrs. Waterside personnel developed a set of analytical parameters after making a review of relevant Station procedures and discussion with water treatment engineers. The test results showed a total organic carbon (TOC) of 64 PPM in the discharge tunnel. A second sample was taken at the same time at the outfall of the oil water seperator showed a TOC concentration of 1.03 PPM. In addition, Waterside took samples from a second brine wash that was performed on 4/4/97. These samples were taken from waste neutralization system 1 and 2 hold up tanks and showed a TOC of 101.7

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WATERSIDE GENERATING STA. (Continued)

S104501591

PPM and 125.1 PPM respectively. Finally, a comparison of the samples taken on 4/3/97 from the tunnel and the 4/4/97 samples taken from the brine wash showed they both had the same brownish red color. The above sample results suggest that the water quality associated with the colored discharge noticed on 4/3/97 and the brine wash water were similar. Furthermore, the sample results show that the quality of this water did not correspond to the quality of the water discharged from the station's floor drain system. Subsequent conversations with Con Edison waste water treatment engineers confirm that organic matter naturally occurs in the raw water source (Catskill drinking water). The organic matter tends to accumulate in the anion beds. The accumulated organic matter decreases the effectiveness of the anion resin. The use of an industry standard brine wash to remove the accumulated organic material restores anion attenuation and extends the usable life of the anion resin. "

Remarks: "BROWN SHEEN 4FT BY 6FT ON EAST RIVER COMING FROM THE DISCHARGE TUNNEL UNK SOURCE "

All Materials:

Site ID: 117685
Operable Unit ID: 1042884
Operable Unit: 01
Material ID: 336774
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

[Click this hyperlink](#) while viewing on your computer to access 33 additional NY SPILL: record(s) in the EDR Site Report.

1013
WSW
1/4-1/2
0.443 mi.
2338 ft.

13 WEST 36TH STREET
13 WEST 36TH ST
MANHATTAN, NY

NY LTANKS S103940567
N/A

Relative:
Higher
Actual:
66 ft.

LTANKS:
Name: 13 WEST 36TH STREET
Address: 13 WEST 36TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9812458 / 1999-07-05
Facility ID: 9812458
Site ID: 177406
Spill Date: 1999-01-08
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 1999-01-08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13 WEST 36TH STREET (Continued)

S103940567

CID: 233
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1999-01-08
Spill Record Last Update: 1999-07-06
Spiller Name: Not reported
Spiller Company: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY ST
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 149068
DEC Memo: ""
Remarks: "short vent alarm driver did not have time to react small spill to concrete sidewalk clean up crew enroute to scene now "

All Materials:

Site ID: 177406
Operable Unit ID: 1069724
Operable Unit: 01
Material ID: 312742
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

1014
NNW
1/4-1/2
0.447 mi.
2360 ft.

ANCHOR CASTING CO INC
38 W 48TH ST
NEW YORK, NY 10036

SEMS-ARCHIVE 1000243739
RCRA NonGen / NLR NYD001617059

Relative:
Higher
Actual:
60 ft.

SEMS Archive:
Site ID: 0203340
EPA ID: NYD001617059
Name: ANCHOR CASTING CO INC.
Address: 38 W 48TH ST
Address 2: Not reported
City,State,Zip: NEW YORK, NY 10036
Cong District: 15
FIPS Code: 36061
FF: N
NPL: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:
Region: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

Site ID: 0203340
EPA ID: NYD001617059
Site Name: ANCHOR CASTING CO INC.
NPL: N
FF: N
OU: 00
Action Code: VS
Action Name: ARCH SITE
SEQ: 1
Start Date: Not reported
Finish Date: 1991-06-27 04:00:00
Qual: Not reported
Current Action Lead: EPA Perf In-Hse

Region: 02
Site ID: 0203340
EPA ID: NYD001617059
Site Name: ANCHOR CASTING CO INC.
NPL: N
FF: N
OU: 00
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1990-08-24 04:00:00
Finish Date: 1990-08-24 04:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 02
Site ID: 0203340
EPA ID: NYD001617059
Site Name: ANCHOR CASTING CO INC.
NPL: N
FF: N
OU: 00
Action Code: PA
Action Name: PA
SEQ: 1
Start Date: 1991-04-01 05:00:00
Finish Date: 1991-06-27 04:00:00
Qual: N
Current Action Lead: EPA Perf

RCRA Listings:

| | |
|-------------------------------|-----------------------|
| Date Form Received by Agency: | 2007-01-01 00:00:00.0 |
| Handler Name: | ANCHOR CASTING CO INC |
| Handler Address: | 38 W 48TH ST |
| Handler City,State,Zip: | NEW YORK, NY 10036 |
| EPA ID: | NYD001617059 |
| Contact Name: | OSCAR LEVITAN |
| Contact Address: | W 48TH ST |
| Contact City,State,Zip: | NEW YORK, NY 10036 |
| Contact Telephone: | 212-757-2209 |
| Contact Fax: | Not reported |
| Contact Email: | Not reported |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|--|---------------------------|
| Contact Title: | Not reported |
| EPA Region: | 02 |
| Land Type: | Not reported |
| Federal Waste Generator Description: | Not a generator, verified |
| Non-Notifier: | Not reported |
| Biennial Report Cycle: | Not reported |
| Accessibility: | Not reported |
| Active Site Indicator: | Not reported |
| State District Owner: | NY |
| State District: | NYSDEC R2 |
| Mailing Address: | W 48TH ST |
| Mailing City,State,Zip: | NEW YORK, NY 10036 |
| Owner Name: | OWNERNAME |
| Owner Type: | Private |
| Operator Name: | OWNERNAME |
| Operator Type: | Private |
| Short-Term Generator Activity: | No |
| Importer Activity: | No |
| Mixed Waste Generator: | No |
| Transporter Activity: | No |
| Transfer Facility Activity: | No |
| Recycler Activity with Storage: | No |
| Small Quantity On-Site Burner Exemption: | No |
| Smelting Melting and Refining Furnace Exemption: | No |
| Underground Injection Control: | No |
| Off-Site Waste Receipt: | No |
| Universal Waste Indicator: | No |
| Universal Waste Destination Facility: | No |
| Federal Universal Waste: | No |
| Active Site Fed-Reg Treatment Storage and Disposal Facility: | Not reported |
| Active Site Converter Treatment storage and Disposal Facility: | Not reported |
| Active Site State-Reg Treatment Storage and Disposal Facility: | Not reported |
| Active Site State-Reg Handler: | --- |
| Federal Facility Indicator: | Not reported |
| Hazardous Secondary Material Indicator: | NN |
| Sub-Part K Indicator: | Not reported |
| Commercial TSD Indicator: | No |
| Treatment Storage and Disposal Type: | Not reported |
| 2018 GPRA Permit Baseline: | Not on the Baseline |
| 2018 GPRA Renewals Baseline: | Not on the Baseline |
| Permit Renewals Workload Universe: | Not reported |
| Permit Workload Universe: | Not reported |
| Permit Progress Universe: | Not reported |
| Post-Closure Workload Universe: | Not reported |
| Closure Workload Universe: | Not reported |
| 202 GPRA Corrective Action Baseline: | No |
| Corrective Action Workload Universe: | No |
| Subject to Corrective Action Universe: | No |
| Non-TSDFs Where RCRA CA has Been Imposed Universe: | No |
| TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: | No |
| TSDFs Only Subject to CA under Discretionary Auth Universe: | No |
| Corrective Action Priority Ranking: | No NCAPS ranking |
| Environmental Control Indicator: | No |
| Institutional Control Indicator: | No |
| Human Exposure Controls Indicator: | N/A |
| Groundwater Controls Indicator: | N/A |
| Operating TSDF Universe: | Not reported |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|---|-----------------------|
| Full Enforcement Universe: | Not reported |
| Significant Non-Complier Universe: | No |
| Unaddressed Significant Non-Complier Universe: | No |
| Addressed Significant Non-Complier Universe: | No |
| Significant Non-Complier With a Compliance Schedule Universe: | No |
| Financial Assurance Required: | Not reported |
| Handler Date of Last Change: | 2015-04-14 00:00:00.0 |
| Recognized Trader-Importer: | No |
| Recognized Trader-Exporter: | No |
| Importer of Spent Lead Acid Batteries: | No |
| Exporter of Spent Lead Acid Batteries: | No |
| Recycler Activity Without Storage: | Not reported |
| Manifest Broker: | Not reported |
| Sub-Part P Indicator: | Not reported |

Handler - Owner Operator:

| | |
|--------------------------------|------------------------|
| Owner/Operator Indicator: | Operator |
| Owner/Operator Name: | OWNERNAME |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | NOT REQUIRED |
| Owner/Operator City,State,Zip: | NOT REQUIRED, WY 99999 |
| Owner/Operator Telephone: | 212-555-1212 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

| | |
|--------------------------------|------------------------|
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: | OWNERNAME |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | NOT REQUIRED |
| Owner/Operator City,State,Zip: | NOT REQUIRED, WY 99999 |
| Owner/Operator Telephone: | 212-555-1212 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

| | |
|--------------------------------|------------------------|
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: | OWNERNAME |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | NOT REQUIRED |
| Owner/Operator City,State,Zip: | NOT REQUIRED, WY 99999 |
| Owner/Operator Telephone: | 212-555-1212 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

Historic Generators:

| | |
|---------------|-----------------------|
| Receive Date: | 2006-01-01 00:00:00.0 |
| Handler Name: | ANCHOR CASTING CO INC |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|--|---------------------------|
| Federal Waste Generator Description: | Not a generator, verified |
| State District Owner: | NY |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | No |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |
| Receive Date: | 2007-01-01 00:00:00.0 |
| Handler Name: | ANCHOR CASTING CO INC |
| Federal Waste Generator Description: | Not a generator, verified |
| State District Owner: | NY |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | Yes |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |
| Receive Date: | 1980-09-11 00:00:00.0 |
| Handler Name: | ANCHOR CASTING CO INC |
| Federal Waste Generator Description: | Not a generator, verified |
| State District Owner: | NY |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | No |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |

Facility Has Received Notices of Violation:

| | |
|------------------------------------|--------------|
| Found Violation: | No |
| Agency Which Determined Violation: | Not reported |
| Violation Short Description: | Not reported |
| Date Violation was Determined: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Return to Compliance Qualifier: | Not reported |
| Violation Responsible Agency: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Enforcement Identifier: | Not reported |
| Date of Enforcement Action: | Not reported |
| Enforcement Responsible Agency: | Not reported |
| Enforcement Docket Number: | Not reported |
| Enforcement Attorney: | Not reported |
| Corrective Action Component: | Not reported |
| Appeal Initiated Date: | Not reported |
| Appeal Resolution Date: | Not reported |
| Disposition Status Date: | Not reported |
| Disposition Status: | Not reported |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|---|--------------|
| Disposition Status Description: | Not reported |
| Consent/Final Order Sequence Number: | Not reported |
| Consent/Final Order Respondent Name: | Not reported |
| Consent/Final Order Lead Agency: | Not reported |
| Enforcement Type: | Not reported |
| Enforcement Responsible Person: | Not reported |
| Enforcement Responsible Sub-Organization: | Not reported |
| SEP Sequence Number: | Not reported |
| SEP Expenditure Amount: | Not reported |
| SEP Scheduled Completion Date: | Not reported |
| SEP Actual Date: | Not reported |
| SEP Defaulted Date: | Not reported |
| SEP Type: | Not reported |
| SEP Type Description: | Not reported |
| Proposed Amount: | Not reported |
| Final Monetary Amount: | Not reported |
| Paid Amount: | Not reported |
| Final Count: | Not reported |
| Final Amount: | Not reported |
| Found Violation: | No |
| Agency Which Determined Violation: | Not reported |
| Violation Short Description: | Not reported |
| Date Violation was Determined: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Return to Compliance Qualifier: | Not reported |
| Violation Responsible Agency: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Enforcement Identifier: | Not reported |
| Date of Enforcement Action: | Not reported |
| Enforcement Responsible Agency: | Not reported |
| Enforcement Docket Number: | Not reported |
| Enforcement Attorney: | Not reported |
| Corrective Action Component: | Not reported |
| Appeal Initiated Date: | Not reported |
| Appeal Resolution Date: | Not reported |
| Disposition Status Date: | Not reported |
| Disposition Status: | Not reported |
| Disposition Status Description: | Not reported |
| Consent/Final Order Sequence Number: | Not reported |
| Consent/Final Order Respondent Name: | Not reported |
| Consent/Final Order Lead Agency: | Not reported |
| Enforcement Type: | Not reported |
| Enforcement Responsible Person: | Not reported |
| Enforcement Responsible Sub-Organization: | Not reported |
| SEP Sequence Number: | Not reported |
| SEP Expenditure Amount: | Not reported |
| SEP Scheduled Completion Date: | Not reported |
| SEP Actual Date: | Not reported |
| SEP Defaulted Date: | Not reported |
| SEP Type: | Not reported |
| SEP Type Description: | Not reported |
| Proposed Amount: | Not reported |
| Final Monetary Amount: | Not reported |
| Paid Amount: | Not reported |
| Final Count: | Not reported |
| Final Amount: | Not reported |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|---|--------------|
| Found Violation: | No |
| Agency Which Determined Violation: | Not reported |
| Violation Short Description: | Not reported |
| Date Violation was Determined: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Return to Compliance Qualifier: | Not reported |
| Violation Responsible Agency: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Enforcement Identifier: | Not reported |
| Date of Enforcement Action: | Not reported |
| Enforcement Responsible Agency: | Not reported |
| Enforcement Docket Number: | Not reported |
| Enforcement Attorney: | Not reported |
| Corrective Action Component: | Not reported |
| Appeal Initiated Date: | Not reported |
| Appeal Resolution Date: | Not reported |
| Disposition Status Date: | Not reported |
| Disposition Status: | Not reported |
| Disposition Status Description: | Not reported |
| Consent/Final Order Sequence Number: | Not reported |
| Consent/Final Order Respondent Name: | Not reported |
| Consent/Final Order Lead Agency: | Not reported |
| Enforcement Type: | Not reported |
| Enforcement Responsible Person: | Not reported |
| Enforcement Responsible Sub-Organization: | Not reported |
| SEP Sequence Number: | Not reported |
| SEP Expenditure Amount: | Not reported |
| SEP Scheduled Completion Date: | Not reported |
| SEP Actual Date: | Not reported |
| SEP Defaulted Date: | Not reported |
| SEP Type: | Not reported |
| SEP Type Description: | Not reported |
| Proposed Amount: | Not reported |
| Final Monetary Amount: | Not reported |
| Paid Amount: | Not reported |
| Final Count: | Not reported |
| Final Amount: | Not reported |

Evaluation Action Summary:

| | |
|---|--|
| Evaluation Date: | 1984-09-20 00:00:00.0 |
| Evaluation Responsible Agency: | State |
| Found Violation: | No |
| Evaluation Type Description: | COMPLIANCE EVALUATION INSPECTION ON-SITE |
| Evaluation Responsible Person Identifier: | Not reported |
| Evaluation Responsible Sub-Organization: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Date of Request: | Not reported |
| Date Response Received: | Not reported |
| Request Agency: | Not reported |
| Former Citation: | Not reported |

| | |
|---|--|
| Evaluation Date: | 1986-08-11 00:00:00.0 |
| Evaluation Responsible Agency: | EPA-Initiated Oversight/Observation/Training Actions |
| Found Violation: | No |
| Evaluation Type Description: | COMPLIANCE EVALUATION INSPECTION ON-SITE |
| Evaluation Responsible Person Identifier: | R2SRS |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANCHOR CASTING CO INC (Continued)

1000243739

| | |
|---|--|
| Evaluation Responsible Sub-Organization: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Date of Request: | Not reported |
| Date Response Received: | Not reported |
| Request Agency: | Not reported |
| Former Citation: | Not reported |
| Evaluation Date: | 1989-02-10 00:00:00.0 |
| Evaluation Responsible Agency: | State |
| Found Violation: | No |
| Evaluation Type Description: | COMPLIANCE EVALUATION INSPECTION ON-SITE |
| Evaluation Responsible Person Identifier: | NYDEC |
| Evaluation Responsible Sub-Organization: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Date of Request: | Not reported |
| Date Response Received: | Not reported |
| Request Agency: | Not reported |
| Former Citation: | Not reported |

EO1015
West
1/4-1/2
0.450 mi.
2374 ft.

80 W. 40TH ST
80 W. 40TH ST
MANHATTAN, NY
Site 1 of 3 in cluster EO

NY LTANKS **S102672750**
N/A

Relative:
Higher
Actual:
64 ft.

LTANKS:

| | |
|---------------------------|-----------------------|
| Name: | 80 W. 40TH ST |
| Address: | 80 W. 40TH ST |
| City,State,Zip: | MANHATTAN, NY |
| Spill Number/Closed Date: | 9412778 / 1994-12-23 |
| Facility ID: | 9412778 |
| Site ID: | 149985 |
| Spill Date: | 1994-12-23 |
| Spill Cause: | Tank Overfill |
| Spill Source: | Commercial/Industrial |
| Spill Class: | C4 |
| Cleanup Ceased: | 1994-12-23 |
| SWIS: | 3101 |
| Investigator: | KSTANG |
| Referred To: | Not reported |
| Reported to Dept: | 1994-12-23 |
| CID: | Not reported |
| Water Affected: | Not reported |
| Spill Notifier: | Affected Persons |
| Last Inspection: | Not reported |
| Recommended Penalty: | False |
| Meets Standard: | True |
| UST Involvement: | False |
| Remediation Phase: | 0 |
| Date Entered In Computer: | 1995-02-24 |
| Spill Record Last Update: | 2004-04-21 |
| Spiller Name: | Not reported |
| Spiller Company: | SAME |
| Spiller Address: | Not reported |
| Spiller County: | 999 |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

80 W. 40TH ST (Continued)

S102672750

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 127554
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
TANG "
Remarks: "CLEAN UP CREW ENROUTE, DRIVER PUT DOWN DRISOL AND BOOM- WILL PICK UP
& DISPOSE"

All Materials:
Site ID: 149985
Operable Unit ID: 1010366
Operable Unit: 01
Material ID: 375072
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6.00
Units: G
Recovered: .00
Oxygenate: Not reported

EO1016 CON EDISON SERVICE BOX: 7733
West 80 W 40TH ST OPPOSITE
1/4-1/2 NEW YORK, NY 10018
0.450 mi.
2374 ft. Site 2 of 3 in cluster EO

NY LTANKS 1016143781
RCRA NonGen / NLR NYP004265641
FINDS
ECHO
NY MANIFEST

Relative: LTANKS:
Higher Name: COMMERCIAL
Actual: Address: 80 WEST 40TH ST
64 ft. City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 1902445 / Not Reported
Facility ID: 1902445
Site ID: 590367
Spill Date: 2019-06-05
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: VSZHUNE
Referred To: Not reported
Reported to Dept: 2019-06-07
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 2019-06-07
Spill Record Last Update: 2019-06-18
Spiller Name: ERIC SUTPHEM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7733 (Continued)

1016143781

Spiller Company: TANK
Spiller Address: 80 WEST 40TH ST
Spiller County: 999
Spiller Contact: ERIC SUTPHEM
Spiller Phone: (347) 909-0994
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 540582
DEC Memo: "06/07/19 - Lakhani Approved Oil integrity tested a 4000 gallon #2 F.O. square tank wrapped in cement located in the basement of the commercial property. A leak was detected on the dry side of the tank. Approved removed the product from the tank and is set to remove it. No contamination has been found yet. The basement floor is cement. The property is currently running of gas. 6/18/19-Zhune spoke to Eric Stuphem. Eric said they are going to remove the tank and collect soil samples under the tank. They will either remove the lines or test them. "

Remarks: "remove tank clean up pending"

All Materials:

Site ID: 590367
Operable Unit ID: 1338007
Operable Unit: 01
Material ID: 2347458
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

RCRA Listings:

Date Form Received by Agency: 2017-07-28 00:00:00.0
Handler Name: CON EDISON SERVICE BOX: 7733
Handler Address: 80 W 40TH ST OPPOSITE
Handler City,State,Zip: NEW YORK, NY 10018
EPA ID: NYP004265641
Contact Name: JUAN RODRIGUEZ
Contact Address: Not reported
Contact City,State,Zip: Not reported
Contact Telephone: 347-865-5931
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: OPERATING SUPERVISOR
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: NY
State District: NYSDEC R2
Mailing Address: IRVING PL, RM 828

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7733 (Continued)

1016143781

| | |
|--|-----------------------|
| Mailing City,State,Zip: | NEW YORK, NY 10003 |
| Owner Name: | Not reported |
| Owner Type: | Not reported |
| Operator Name: | Not reported |
| Operator Type: | Not reported |
| Short-Term Generator Activity: | No |
| Importer Activity: | No |
| Mixed Waste Generator: | No |
| Transporter Activity: | No |
| Transfer Facility Activity: | No |
| Recycler Activity with Storage: | No |
| Small Quantity On-Site Burner Exemption: | No |
| Smelting Melting and Refining Furnace Exemption: | No |
| Underground Injection Control: | No |
| Off-Site Waste Receipt: | No |
| Universal Waste Indicator: | No |
| Universal Waste Destination Facility: | No |
| Federal Universal Waste: | No |
| Active Site Fed-Reg Treatment Storage and Disposal Facility: | Not reported |
| Active Site Converter Treatment storage and Disposal Facility: | Not reported |
| Active Site State-Reg Treatment Storage and Disposal Facility: | Not reported |
| Active Site State-Reg Handler: | --- |
| Federal Facility Indicator: | Not reported |
| Hazardous Secondary Material Indicator: | NN |
| Sub-Part K Indicator: | Not reported |
| Commercial TSD Indicator: | No |
| Treatment Storage and Disposal Type: | Not reported |
| 2018 GPRA Permit Baseline: | Not on the Baseline |
| 2018 GPRA Renewals Baseline: | Not on the Baseline |
| Permit Renewals Workload Universe: | Not reported |
| Permit Workload Universe: | Not reported |
| Permit Progress Universe: | Not reported |
| Post-Closure Workload Universe: | Not reported |
| Closure Workload Universe: | Not reported |
| 202 GPRA Corrective Action Baseline: | No |
| Corrective Action Workload Universe: | No |
| Subject to Corrective Action Universe: | No |
| Non-TSDFs Where RCRA CA has Been Imposed Universe: | No |
| TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: | No |
| TSDFs Only Subject to CA under Discretionary Auth Universe: | No |
| Corrective Action Priority Ranking: | No NCAPS ranking |
| Environmental Control Indicator: | No |
| Institutional Control Indicator: | No |
| Human Exposure Controls Indicator: | N/A |
| Groundwater Controls Indicator: | N/A |
| Operating TSDF Universe: | Not reported |
| Full Enforcement Universe: | Not reported |
| Significant Non-Complier Universe: | No |
| Unaddressed Significant Non-Complier Universe: | No |
| Addressed Significant Non-Complier Universe: | No |
| Significant Non-Complier With a Compliance Schedule Universe: | No |
| Financial Assurance Required: | Not reported |
| Handler Date of Last Change: | 2017-10-04 14:24:45.0 |
| Recognized Trader-Importer: | No |
| Recognized Trader-Exporter: | No |
| Importer of Spent Lead Acid Batteries: | No |
| Exporter of Spent Lead Acid Batteries: | No |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7733 (Continued)

1016143781

| | |
|------------------------------------|--------------|
| Recycler Activity Without Storage: | No |
| Manifest Broker: | No |
| Sub-Part P Indicator: | Not reported |

Historic Generators:

| | |
|--|---|
| Receive Date: | 2012-08-29 00:00:00.0 |
| Handler Name: | CON EDISON SERVICE BOX: 7733 |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| State District Owner: | NY |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | No |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |

| | |
|--|------------------------------|
| Receive Date: | 2017-07-28 00:00:00.0 |
| Handler Name: | CON EDISON SERVICE BOX: 7733 |
| Federal Waste Generator Description: | Not a generator, verified |
| State District Owner: | NY |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | Yes |
| Non Storage Recycler Activity: | No |
| Electronic Manifest Broker: | No |

FINDS:

Registry ID: 110055468275

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

| | |
|-----------------|---|
| Envid: | 1016143781 |
| Registry ID: | 110055468275 |
| DFR URL: | http://echo.epa.gov/detailed-facility-report?fid=110055468275 |
| Name: | CON EDISON SERVICE BOX: 7733 |
| Address: | 80 W 40TH ST OPPOSITE |
| City,State,Zip: | NEW YORK, NY 10018 |

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7733 (Continued)

1016143781

NY MANIFEST:

Name: CON EDISON
Address: 80 W 40TH ST OPPOSITE
City,State,Zip: NEW YORK, NY 10018
Country: USA
EPA ID: NYP004265641
Facility Status: Not reported
Location Address 1: OPP 80 W 40TH ST
Code: BP
Location Address 2: SERV BOX 7733
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10018
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004265641
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 08/29/2012
Trans1 Recv Date: 08/29/2012
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/30/2012
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004265641
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 010456318JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON SERVICE BOX: 7733 (Continued)

1016143781

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H111
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

1017
SSW
1/4-1/2
0.452 mi.
2388 ft.

166 EAST 34
166 EAST 34TH ST
MANHATTAN, NY

NY LTANKS
NY Spills

S106969344
N/A

Relative:
Lower

Actual:
28 ft.

LTANKS:
Name: MANHATTAN SKYLINE COURT
Address: 166 EAST 34TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0501096 / 2006-01-18
Facility ID: 0501096
Site ID: 344234
Spill Date: 2005-04-26
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: D4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2005-04-26
CID: 64
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2005-04-27
Spill Record Last Update: 2006-01-18
Spiller Name: RAY LARA
Spiller Company: MANHATTAN SKYLINE COURT
Spiller Address: 166 EAST 34TH ST
Spiller County: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166 EAST 34 (Continued)

S106969344

Spiller Contact: RAY LARA
Spiller Phone: (646) 772-6884
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 290873
DEC Memo: "4/27/05-Vought-Called Ray Lara (PTC) and AST is 15000gal #6 fuel oil. 6000-gallons delivered on 4/26/05 and currently 12000 gallons is AST. Leak is high on AST and tank will be pumped below leak line and spill cleaned using speedy dry. Superintendent of building is Dennis 347-203-2744. Vought called Ray Lara and leak was stopped and tank will be inspected on 4/27/05. Tank was pumped under leak and more adsorbent was applied. Salesmen will go to site today to determine whether AST will be repaired or replaced. Vought received call from Mark (PTC) and small hole in tank. Fill line is also in poor condition. PTC will send proposals for temporary tank. Owner is Tom Eschmann (347-203-2730) and building number is (212-684-3939). Vought called Tom Eschmann and required copies of work invoices. Vought referred spill to Rahman. 10.18.05 Sharif- Spoke with Tom Eschmann, 347-203-2730 and told him DEC have n't rec'd any documentation regarding the spill clean up. He informed me ABC tank is underway to remove the old tank and place a new one.As per him, no soil borings were advanced around the old tank to investigate the subsurface contamination occured due to the leak of the old tank.He is not sure whether they have filed any application to deregister the old tank. 11.30.05 Sharif//Rec'd closure report prepared by ATC associates.Spill was cleaned up by PTC at the level of no residual contamination observed. Waste disposal manifest is included.Following the clean up activities, A.B.C tank was retained to remove the damaged AST.Following the tank removal activities, ATC was retained to document the above activities and perform a limited post remedial action investigation.ATC did not observe any pathways for petroleum contamination as no evidence of damage including cracks or holes were observed on the concrete floor.PBS registration for new AST is not updated yet.Once they update the PBS registration, spill case will be closed. 01/13/06-Vought-Received and returned call to Ryan Sabbath (212-408-0619 cell 347-203-2744) and left message to return call to DEC Rahman on 1/18 to Shariff if issue is not immediate in nature. Vought spoke with Ryan and PBS was sent to Sangesland. 01/18/05-Sharif// PBS reg. was updated. NFA required. "

Remarks: "Apartment Building. So far between 50 and 100 gallons spilled. Continous leak. Ray's crew is enroute for cleanup."

All Materials:

Site ID: 344234
Operable Unit ID: 1102888
Operable Unit: 01
Material ID: 583109
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166 EAST 34 (Continued)

S106969344

SPILLS:

Name: 166 EAST 34
Address: 166 EAST 34TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0503934 / 2005-07-06
Facility ID: 0503934
Facility Type: ER
DER Facility ID: 290873
Site ID: 348646
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 3101
Spill Date: 2005-07-02
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2005-07-02
CID: 38
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-07-02
Spill Record Last Update: 2005-07-06
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: 84 HOLBROOK ST
Spiller Company: 001
Contact Name: PERETTA,TONY
DEC Memo: "07/06/05 SR-Building Manager Mr. Denise(347-203-2744) ,Erik Sutphen(908-392-1564) from Hess , Tony Peretta from Mystic, every body confirmed that the spill was cleaned up nicely."
Remarks: "temp tanks at site, back pressure created and fuel oil came back through filler neck. Spill contained to side walk."

All Materials:

Site ID: 348646
Operable Unit ID: 1106297
Operable Unit: 01
Material ID: 1971222
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EP1018 **OXFORD UNIVERSITY PRESS**
WSW **365 5TH AVENUE**
1/4-1/2 **MANHATTAN, NY**
0.460 mi.
2427 ft. **Site 1 of 3 in cluster EP**

NY LTANKS **S102672770**
 N/A

Relative:
Higher

Actual:
59 ft.

LTANKS:

Name: OXFORD UNIVERSITY PRESS
Address: 365 5TH AVENUE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9413330 / 1995-01-06
Facility ID: 9413330
Site ID: 105294
Spill Date: 1995-01-06
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: 1995-01-06
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 1995-01-06
CID: Not reported
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-03-17
Spill Record Last Update: 2003-11-14
Spiller Name: Not reported
Spiller Company: OXFORD UNIVERSITY
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 92920
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
MARTINKAT "
Remarks: "INCORRECT DIAMETER SIZE GIVEN TO OIL CO BY OXFORD UNIVERSITY -
CLEANED BY CASTLE OIL CORP"

All Materials:

Site ID: 105294
Operable Unit ID: 1010883
Operable Unit: 01
Material ID: 372072
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1019
NE
1/4-1/2
0.462 mi.
2439 ft.

APARTMENT BLDG
211 E. 51ST ST
MANHATTAN, NY

NY LTANKS
NY Spills

S102146804
N/A

Relative:
Lower

Actual:
36 ft.

LTANKS:

Name: APARTMENT BLDG
Address: 211 E. 51ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9910024 / 2003-08-22
Facility ID: 9910024
Site ID: 174266
Spill Date: 1999-11-18
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1999-11-18
CID: 371
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1999-11-18
Spill Record Last Update: 2006-06-29
Spiller Name: CALLER
Spiller Company: BLT TRUCK LEASING
Spiller Address: 50 COMMERCE ST
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 146594
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
AUSTIN 8/22/2003 - AUSTIN - DUE TO MINOR NATURE OF SPILL EVENT,
CLOSED IN DATABASE - ORIG. ASSIGNED TO ROMMEL - END"

Remarks:

"guage not working properly on tank - tank overfilled -- clean up in
progress and expected to be complete."

All Materials:

Site ID: 174266
Operable Unit ID: 1084787
Operable Unit: 01
Material ID: 299086
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S102146804

SPILLS:

Name: 211 E 51ST STREET
Address: 211 E 51ST ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9305368 / 1993-07-30
Facility ID: 9305368
Facility Type: ER
DER Facility ID: 245731
Site ID: 304147
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C4
SWIS: 3101
Spill Date: 1993-07-30
Investigator: SJMILLER
Referred To: Not reported
Reported to Dept: 1993-07-30
CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: 1993-07-30
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-08-02
Spill Record Last Update: 2006-06-29
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
MILLER "
Remarks: "GAGE DETECTIVE SPILL CONTAIN - ON CONCRETE SIDE WALK - DRIVER
APPLIED SORBENT AND SPILL CREW TO FOLLOW UP - 1659 HRS CALLED SUPER
EDWARD - CASTLE IS CLEANING UP THE SPILL OF A FEW GALLONS RIGHT NOW"

All Materials:

Site ID: 304147
Operable Unit ID: 986884
Operable Unit: 01
Material ID: 395292
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1020
South
1/4-1/2
0.463 mi.
2444 ft.

X - TTF
208-210 EAST 34TH ST
NEW YORK CITY, NY

NY LTANKS S104619645
N/A

Relative:
Lower

Actual:
25 ft.

LTANKS:

Name: X - TTF
Address: 208-210 EAST 34TH ST
City,State,Zip: NEW YORK CITY, NY
Spill Number/Closed Date: 9806125 / 2014-11-28
Facility ID: 9806125
Site ID: 329833
Spill Date: 1998-08-17
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: C3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 1998-08-17
CID: 365
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1998-08-17
Spill Record Last Update: 2014-11-28
Spiller Name: BILL LUCAS
Spiller Company: Not reported
Spiller Address: 208-210 EAST 34ST ST
Spiller County: 001
Spiller Contact: BILL LUCAS
Spiller Phone: (212) 987-3586
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 265372
DEC Memo: "9/19/2005 Could not locate point of contact. Scott Reichinger Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER 1/26/10 Attempted to inspect site. No accesss. Phone number for facility contact from PBS records is no longer in service: Mira E. Rosen (516)431-6620. Insepction record available in PBS # 2-316032. bf 2/2/10 Sent ttf letter to: 210 E 34 LLC 425 E. 61 St., 5th Floor New York, NY 10021 Found address from deed in ACRIS. bf 2/17/10 bf: The 2/2/10 ttf letter was returned and marked Not deliverable as addressed. Sent ttf to: 210 E 34 LLC 210 E. 34th St., 7th Floor New York, NY 10019 2/25/10 On 2/23/10, received letter returned and marked RETURN TO SENDER, NOT DELIVERABLE AS ADDRESSED, UNABLE TO FORWARD. Envelope was placed in e-docs. bf 08/13/12 - LZ As Randy Austin requested, the spill has been reassigned to Tim DeMeo 10/10/14-Hiralkumar Patel. reviewed available information for DEC DeMeo. alternate address: 206-210 East 34th Street no other spill record found. PBS #: - 2-150975 for 206 E 34th St. as per PBS record, building 206 had one (1) 2,500 gal #2 oil AST in contact with soil, which was closed prior to Mar. 1991. - 2-150967 for 208 E 34th St. as

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X - TTF (Continued)

S104619645

per PBS record, building 208 had one (1) 2,500 gal #2 oil AST in contact with soil, which was closed prior to Mar. 1991. - 2-316032 for 210 E 34th St. as per PBS record, building 210 has one (1) 2,000 gal #2 oil AST in contact with soil, in-service, installed in Mar. 2002 as per NYC DOB record, a permit application was approved on 11/15/2006 for removal of existing boilers from buildings 206 and 208 and installation of new gas boiler in 206-208 combined building. 206 E. 34 LLC. **property owner of 206-208** 210 E. 34 LLC. **property owner of 210** 11/28/14 TJD File review. Based upon information provided by notifier it is unclear which address the reported tank test failure is associated with. A review of available documentation reveals the fuel oil burning tank system at 206/208 was replaced with a gas boiler in 2006 (DOB records). The tank system at 210 E 34th lists only a 2K AST installed in 2002. Previous attempts by Department staff to obtain historical information have been unsuccessful. Business records are required to be maintained for 7 years maximum. Due to lack of a correct address and age of reported spill no further information is available. An enforcement proceeding associated with a PBS inspection (1/26/10) @210 E34th resulted in a May 2012 consent order with no discussion of 1998 open spill file. Spill is administratively closed."

Remarks:

"LEAK OF HORNER 3 TANK TEST"

All TTF:

Facility ID: 9806125
Spill Number: 9806125
Spill Tank Test: 1546170
Site ID: 329833
Tank Number: Not reported
Tank Size: 2000
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 99
Test Method 2: Alternate Test per former 613.5(a)(2)(v)
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:

Site ID: 329833
Operable Unit ID: 1063818
Operable Unit: 01
Material ID: 317303
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

EQ1021
WSW
1/4-1/2
0.465 mi.
2453 ft.
COMMERCIAL BLDG TTF
25 WEST 36TH ST
MANHATTAN, NY
Site 1 of 2 in cluster EQ

NY LTANKS **S110490712**
N/A

Relative:
Higher

Actual:
62 ft.

LTANKS:

Name: COMMERCIAL BLDG TTF
Address: 25 WEST 36TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1002275 / 2012-07-06
Facility ID: 1002275
Site ID: 435389
Spill Date: 2010-05-28
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: smsanges
Referred To: Not reported
Reported to Dept: 2010-05-28
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2010-05-28
Spill Record Last Update: 2012-07-06
Spiller Name: Not reported
Spiller Company: BLDG OWNER
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: RENE LEWIS
Spiller Phone: (917) 299-9302
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 390292
DEC Memo: "Tank Test Failure - small spill - 4 gal out of tank wrap. Tank is being drained now, cleanup will be done today (5/28) 8/9/10 - Sangesland spoke to Rene at Eastmond. He said the tank was not wrapped. It was in a vault structure with a cement lid. Tank was corroded on the bottom and leaked to the vault floor. Vault was tight with no cracks. Oil was absorbed into about 1 yard of sand in vault floor. Tank was cut out and removed. Oil sand was removed. Vault was cleaned. No leak beyond the vault structure. "

Remarks: "3000 gal wrapped in concrete - approx 600 remains in the tank - spill of approx 4 gal outside tank. cleanup in progress"

All Materials:

Site ID: 435389
Operable Unit ID: 1186168
Operable Unit: 01
Material ID: 2180939
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG TTF (Continued)

S110490712

Material FA: Petroleum
Quantity: 4.00
Units: G
Recovered: Not reported
Oxygenate: Not reported

EQ1022
WSW
1/4-1/2
0.465 mi.
2453 ft.

25 W 36TH ST
25 W 36TH ST
NYC, NY

NY LTANKS

S100177683
N/A

Site 2 of 2 in cluster EQ

Relative:
Higher
Actual:
62 ft.

LTANKS:

Name: 25 W 36TH ST
Address: 25 W 36TH ST
City,State,Zip: NYC, NY
Spill Number/Closed Date: 9109689 / 1991-12-13
Facility ID: 9109689
Site ID: 292311
Spill Date: 1991-12-11
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1991-12-13
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1991-12-11
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1992-01-06
Spill Record Last Update: 1992-01-08
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 236667
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE "
Remarks: "ORIGINAL REPORT OF 200 GALLONS UNFOUNDED."

All Materials:

Site ID: 292311
Operable Unit ID: 963447
Operable Unit: 01
Material ID: 418280
Material Code: 0003A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

25 W 36TH ST (Continued)

S100177683

Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3.00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: 25 W 36TH ST
Address: 25 W 36TH ST
City,State,Zip: NYC, NY
Spill Number/Closed Date: 9110093 / 1991-12-23
Facility ID: 9110093
Site ID: 292312
Spill Date: 1991-12-23
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1991-12-23
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1991-12-23
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1992-01-06
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 236667
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG "
Remarks: "CONTAINED IN TANK ROOM."

All Materials:
Site ID: 292312
Operable Unit ID: 960105
Operable Unit: 01
Material ID: 418663
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: G

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

25 W 36TH ST (Continued)

S100177683

Recovered: .00
Oxygenate: Not reported

1023
West
1/4-1/2
0.467 mi.
2465 ft.

MAN HOLE 6988
39 WEST 37TH STREET
NEW YORK, NY

NY LTANKS **U001831865**
NY Spills **N/A**

Relative:
Higher

Actual:
62 ft.

LTANKS:

Name: 39 WEST 37TH STREET
Address: 39 WEST 37TH STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9314117 / 1994-03-03
Facility ID: 9314117
Site ID: 69717
Spill Date: 1994-03-03
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: D4
Cleanup Ceased: 1994-03-03
SWIS: 3101
Investigator: CAMMISA
Referred To: Not reported
Reported to Dept: 1994-03-03
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1994-03-03
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: MYSTIC
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 66263
DEC Memo: ""
Remarks: "TRUCK FILLED WRONG TANK - OVERFLOWED DEP NOTIFIED - CREW EN ROUTE -
SPILL CONTAINED WILL CLEAN UP - NO CALL BACK."

All Materials:

Site ID: 69717
Operable Unit ID: 992464
Operable Unit: 01
Material ID: 389458
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAN HOLE 6988 (Continued)

U001831865

Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

SPILLS:

Name: MAN HOLE 6988
Address: 39 WEST 37TH STREET
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 1006851 / 2010-11-17
Facility ID: 1006851
Facility Type: ER
DER Facility ID: 395242
Site ID: 440230
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 3101
Spill Date: 2010-09-24
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 2010-09-24
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2010-09-24
Spill Record Last Update: 2010-11-17
Spiller Name: ERT
Spiller Company: UNKNOWN
Spiller Address: 39 WEST 37TH STREET
Spiller Company: 999
Contact Name: ERT
DEC Memo: "11/17/10 - Austin - Material presumed to be anti-freeze mixed (not on water) in 20 gals. of water discovered in trans. vault - Con Ed contained and cleaned up spill - See eDocs files for more details -Spill closed - end"

Remarks: "Clean up is pending. Unknown source. 20 gallons of anti freeze on 20 gallons of water in man hole."

All Materials:

Site ID: 440230
Operable Unit ID: 1190846
Operable Unit: 01
Material ID: 2185924
Material Code: 9999
Material Name: other - anti freeze
Case No.: Not reported
Material FA: Other
Quantity: 20.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAN HOLE 6988 (Continued)

U001831865

Units: G
Recovered: Not reported
Oxygenate: Not reported

**1024
SSE
1/4-1/2
0.468 mi.
2469 ft.**

**EAST 39TH ST YARD
E39TH ST / 1ST AV
MANHATTAN, NY**

**NY LTANKS S103558216
N/A**

**Relative:
Lower**

**Actual:
16 ft.**

LTANKS:

Name: EAST 39TH ST YARD
Address: E39TH ST / 1ST AV
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9809592 / 2009-08-18
Facility ID: 9809592
Site ID: 225947
Spill Date: 1998-10-30
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 1998-10-30
CID: 323
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1998-10-30
Spill Record Last Update: 2009-08-18
Spiller Name: BILL MURPHY
Spiller Company: CON ED
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: BILL MURPHY
Spiller Phone: (212) 580-6763
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 186506
DEC Memo: "08/18/09 - See eDocs for Con Ed report detailing cleanup and closure. Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT "

Remarks: "SUSPECTED TANK FAILURE, ODOR OF GASOLINE WAS DISCOVERED. REMEDIATION SCHEDULED FOR 11/02. CON ED # 120928 SAMPLES OF FILL FOR ID, PCB'S, TPH, IGNITABLIT AND ATMOSPHERE TESTING."

All Materials:

Site ID: 225947
Operable Unit ID: 1066850
Operable Unit: 01
Material ID: 313499

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST 39TH ST YARD (Continued)

S103558216

Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

EO1025
WNW
1/4-1/2
0.468 mi.
2470 ft.

AGREKO
40TH ST/6TH AVE
MANHATTAN, NY
Site 3 of 3 in cluster EO

NY LTANKS **S107489245**
N/A

Relative:
Higher

Actual:
63 ft.

LTANKS:
Name: AGREKO
Address: 40TH ST/6TH AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 0510202 / 2005-11-29
Facility ID: 0510202
Site ID: 356131
Spill Date: 2005-11-28
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: JBVOUGHT
Referred To: Not reported
Reported to Dept: 2005-11-28
CID: 407
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2005-11-28
Spill Record Last Update: 2005-11-29
Spiller Name: ROBERT VENUTI
Spiller Company: NORTH ATLANTIC ENERGY
Spiller Address: 1160 RANDAL AVE
Spiller County: 001
Spiller Contact: ROBERT VENUTI
Spiller Phone: (917) 807-1272
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 306197
DEC Memo: "11/29/05-Vought-Called Robert Venuti and sewer was affected and was vacuumed out by Castleton and DEP was notified. Spill was on concrete. Venuti will call back after he performs site visit today. Vought spoke to Venuti after site visit and spill cleaned using speedy dry and no subsurface impacts. Spill closed by Vought."

Remarks: "tank overfill on a generator, royal environmental has been contacted."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AGREKO (Continued)

S107489245

All Materials:

Site ID: 356131
Operable Unit ID: 1113444
Operable Unit: 01
Material ID: 2103508
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

EP1026
WSW
1/4-1/2
0.471 mi.
2489 ft.

MULTIPLE USE BLDG - COMMERICAL/APT
366 5TH AVE
MANHATTAN, NY

NY LTANKS **S117364509**
N/A

Site 2 of 3 in cluster EP

Relative:
Higher
Actual:
59 ft.

LTANKS:

Name: MULTIPLE USE BLDG - COMMERICAL/APT
Address: 366 5TH AVE
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1406896 / 2014-12-31
Facility ID: 1406896
Site ID: 500388
Spill Date: 2014-09-30
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 2014-09-30
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2014-09-30
Spill Record Last Update: 2014-12-31
Spiller Name: MIKE - SUPERINTENDANT
Spiller Company: MULTIPLE USE PROPERTY
Spiller Address: 366 5TH AVE
Spiller County: 999
Spiller Contact: MIKE - SUPERINTENDANT
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 455392
DEC Memo: "10/01/14-Hiralkumar Patel. alternate address: 2 West 35th Street,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MULTIPLE USE BLDG - COMMERICAL/APT (Continued)

S117364509

366-370 5th Avenue PBS #: 2-111996. as per PBS record, the site has one 10,000 gal #6 oil AST in contact with soil, installed in Mar. 2003. other spill # 1111912 was reported on 01/11/12 due to 5 gal #4 oil spill on concrete on street. case closed. a NYC DOB permit application was approved on 08/08/2014 for replacement of boiler and oil burner and change in grade of oil from #4 to #2 oil. Ronbet 366 LLC. **property owner** c/o Joseph P. Day Realty Corp. 9 East 40th Street New York, NY 10016 Attn.: Richard J. Brickell **property manager** Ph. (212) 889-7460 email: rjb@jpdayer.com Michael Wagner **building super** PH. (212) 947-8584 email: 366fifthave@jpdayer.com 10/15/14-Hiralkumar Patel. 11:32 AM:- spoke with Eddy, building super's temporary replacement. he mentioned that the tank is aboveground and he has not noticed any oil or odors in tank room. he mentioned that Ace Atlas is replacing the tank system. currently, the tank is empty and temporary tank will be installed by end of this week. 11:52 AM:- sent TTF letter to Mr. Brickell, requiring report submission by the end of 11/28/14. letter emailed to Mr. Brickell and Mr. Wagner. 12/01/14-Hiralkumar Patel. 3:04 PM:- received call from Steven Silver from American Pipe and Tank. he mentioned that the oil tank system at the site was completely aboveground. the tank was on concrete saddles and all the piping were aboveground, including fill line that was crossing sidewalk concrete into a vault underneath it. Mr. Silver will submit report. Steven Silver American Pipe and Tank Ph. (212) 736-6618 email: ss@americanpipeandtank.com 12/05/14-Hiralkumar Patel. 2:27 PM:- received email from American Pipe & Tank including a letter report. the report included some pictures, but missing two listed enclosures (tank tightness test report and waste manifests). 12/10/14-Hiralkumar Patel. 1:40 PM:- sent email to Mr. Silver and asked to submit missing enclosures. 12/23/14-Hiralkumar Patel. 11:49 AM:- received email from Ms. Coleman from American Pipe and Tank including missing enclosures. Marcelli Coleman American Pipe & Tank Lining Co., Inc. Ph. (212) 736-6618 Fax (212) 465-1734 email: sales@americanpipeandtank.com reviewed submitted letter report. the report does not include any information about tank system's location (aboveground or underground?). 12/26/14-Hiralkumar Patel. 1:16 PM:- sent email to Ms. Coleman and asked to submit information about tank system's location. 12/30/14-Hiralkumar Patel. 11:48 AM:- left message for Mr. Silver. 12:10 PM:- received message from Mr. Silver. 1:04 PM:- spoke with Mr. Silver. asked him to send email/letter confirming location of the entire tank system. 1:28 PM:- received email from Ms. Coleman stating that the tank system was aboveground. 12/31/14-Hiralkumar Patel. based on available information, case closed. 12:08 PM:- sent spill closure letter to Mr. Brickell. letter emailed to Mr. Brickell and Mr. Silver."

Remarks:

"Above ground failed test. Repair is being planned."

All Materials:

Site ID: 500388
Operable Unit ID: 1249796
Operable Unit: 01
Material ID: 2251423
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MULTIPLE USE BLDG - COMMERICAL/APT (Continued)

S117364509

Recovered: Not reported
Oxygenate: Not reported

ER1027 **11 EAST 51 STREET**
North **11 EAST 51 STREET**
1/4-1/2 **NEW YORK CITY, NY**
0.475 mi.
2508 ft. **Site 1 of 2 in cluster ER**

NY VCP **S125868834**
N/A

Relative: VCP NYC:
Higher Project ID: 18TMP1045M, 18ENOS379M
Actual: Name: 11 EAST 51 STREET
70 ft. Address: 11 EAST 51 STREET
City,State,Zip: NEW YORK CITY, NY
Borough: Manhattan

EP1028 **MICHELLE F**
WSW **362 FIFTH AVENUE**
1/4-1/2 **NEW YORK, NY 10001**
0.478 mi.
2522 ft. **Site 3 of 3 in cluster EP**

NY MOSF **S108413221**
N/A

Relative: MOSF:
Higher Name: MICHELLE F
Actual: Address: 362 FIFTH AVENUE
57 ft. City,State,Zip: NEW YORK, NY 10001
Facility ID: 0-0573
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 2
UTMX: Not reported
UTMY: Not reported

1029 **APT BUILDING TTF**
West **1040 6TH AVE**
1/4-1/2 **MANHATTAN, NY**
0.480 mi.
2533 ft.

NY LTANKS **S112148791**
N/A

Relative: LTANKS:
Higher Name: APT BUILDING TTF
Actual: Address: 1040 6TH AVE
61 ft. City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 1202426 / 2014-09-15
Facility ID: 1202426
Site ID: 465193
Spill Date: 2012-06-11
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: VXBREVD0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING TTF (Continued)

S112148791

Referred To: Not reported
Reported to Dept: 2012-06-11
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2012-06-11
Spill Record Last Update: 2014-09-15
Spiller Name: Not reported
Spiller Company: BUILDING OWNER
Spiller Address: Not reported
Spiller County: 999
Spiller Contact: ROB HILL
Spiller Phone: 718-855-7272
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 419563
DEC Memo: "TTF Letter (see eDocs) was sent to: James Doherty Winoker Realty Co. 462 Seventh Ave Suite 12A New York, NY 10018 212-764-7666 07/16/13 - Spill Case is transferred from Moses Ajoku (PBS Unit) to Brevdo (Section B) as per DER Region 2 decision - Tank Test Failure Spill Case. VB 09/15/2014 - V. Brevdo One tank -10,000 gallons No. 6 oil (installed in 1928)has been closed in place. Second tank - 7,700 gallons No. 4 oil has a valid PBS certificate expiring in 2017 (PBS Case 2-268631). No indication of actual product release. Spill is closed effective 09/15/2014. No Spill Case Closure Letter is issued. V. Brevdo"

Remarks: "TTF"

All Materials:

Site ID: 465193
Operable Unit ID: 1215220
Operable Unit: 01
Material ID: 2213343
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Oxygenate: Not reported

**1030
SW
1/4-1/2
0.485 mi.
2562 ft.**

**APARTMENT BUILDING
171 MADISON AVE.
NEW YORK CITY, NY**

**NY LTANKS S106737690
N/A**

**Relative:
Higher
Actual:
49 ft.**

LTANKS:
Name: APARTMENT BUILDING
Address: 171 MADISON AVE.
City,State,Zip: NEW YORK CITY, NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S106737690

Spill Number/Closed Date: 0410652 / 2005-03-16
Facility ID: 0410652
Site ID: 335680
Spill Date: 2004-12-28
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: CESAUYER
Referred To: Not reported
Reported to Dept: 2004-12-28
CID: 408
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2004-12-28
Spill Record Last Update: 2005-03-16
Spiller Name: TONY PERETTA
Spiller Company: MYSTIC TANK LINE CORP.
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: TONY PERETTA
Spiller Phone: (718) 932-9075
Spiller Extention: 275
DEC Region: 2
DER Facility ID: 270946
DER Memo: "Sangesland spoke to Tony at Mystic- he says they subcontracted the delivery from Stuyvesant fuel (718-665-5700) Building super is Ivan 212 889 5796. 03/16/05 - Sawyer - Ivan the building super was pleased with the clean up by Stuyvesant Fuel. No further action necessary for this spill. Closed. "
Remarks: "1 gallon spilled outside and 3 gallons at the tank.. Clean up is in process."
All Materials:
Site ID: 335680
Operable Unit ID: 1097742
Operable Unit: 01
Material ID: 577774
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 4.00
Units: G
Recovered: 4.00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1031
ENE
1/4-1/2
0.485 mi.
2563 ft.

311-317 EAST 50TH ST
311-317 EAST 50TH ST
MANHATTAN, NY

NY LTANKS

S102671504
N/A

Relative:
Lower

Actual:
28 ft.

LTANKS:

Name: 311-317 EAST 50TH ST
Address: 311-317 EAST 50TH ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 8911300 / 1990-02-28
Facility ID: 8911300
Site ID: 281395
Spill Date: 1990-02-28
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Cleanup Ceased: 1990-02-28
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 1990-02-28
CID: Not reported
Water Affected: Not reported
Spill Notifier: Citizen
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1990-03-05
Spill Record Last Update: 1991-02-27
Spiller Name: Not reported
Spiller Company: MYSTIC OIL
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 228481
DEC Memo: ""
Remarks: "SPILL ON SIDEWALK"

All Materials:

Site ID: 281395
Operable Unit ID: 936971
Operable Unit: 01
Material ID: 440825
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1032
NW
1/4-1/2
0.486 mi.
2567 ft.

1177 AVE OF AMERICAS
1177 AVE OF THE AMERICAS
MANHATTAN, NY

NY LTANKS S102672177
N/A

Relative:
Higher

Actual:
58 ft.

LTANKS:

Name: 1177 AVE OF AMERICAS
Address: 1177 AVE OF THE AMERICAS
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9302881 / 1993-06-03
Facility ID: 9302881
Site ID: 76407
Spill Date: 1993-06-03
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: D4
Cleanup Ceased: 1993-06-03
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1993-06-03
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1993-06-07
Spill Record Last Update: 2003-11-13
Spiller Name: Not reported
Spiller Company: AMERICAS TOWER
Spiller Address: IN BASEMENT
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 71429
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE. "
Remarks: "PREPARING FOR TANK TEST AND TANK WAS OVERFILLED ??? ON CONCR. FLOOR - WILL P/U SPEEDI -DRI AND WASH - DEP NOTIFIED."

All Materials:

Site ID: 76407
Operable Unit ID: 984882
Operable Unit: 01
Material ID: 399992
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 100.00
Units: G
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1033
WSW
1/4-1/2
0.495 mi.
2616 ft.

4 EAST 34TH STREET
4 EAST 34TH STREET
NEW YORK, NY 10016

NY LTANKS
NY UST
NY MANIFEST

U001838522
N/A

Relative:
Higher

Actual:
51 ft.

LTANKS:

Name: ZIONIST ORGANIZATION
Address: 4 EAST 34TH STREET
City,State,Zip: NEW YORK, NY
Spill Number/Closed Date: 9414259 / 1995-02-06
Facility ID: 9414259
Site ID: 89411
Spill Date: 1995-01-27
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: C3
Cleanup Ceased: 1995-02-06
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1995-01-27
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-02-09
Spill Record Last Update: 2002-09-26
Spiller Name: Not reported
Spiller Company: BARCRENKLAN OIL CORP.
Spiller Address: 240 JASMEAN AVE.
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 81661
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE "
Remarks: "CUSTOMER ORDER 1000 GAL. TANK 920, DRIVER CLEANED UP."

All Materials:

Site ID: 89411
Operable Unit ID: 1011678
Operable Unit: 01
Material ID: 564264
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: 1.00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4 EAST 34TH STREET (Continued)

U001838522

UST:

Name: 4 EAST 34TH STREET
Address: 4 EAST 34TH STREET
City,State,Zip: NEW YORK, NY 10016
Id/Status: 2-288802 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 05/18/2021
UTM X: 585762.88799
UTM Y: 4511287.33972
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 12981
Affiliation Type: Facility Owner
Company Name: CAERUS GROUP 4E34, LLC
Contact Type: OWNERS AGENT
Contact Name: RAYMOND MOSELY
Address1: 200 PARK AVENUE SOUTH, 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 400-6090
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2017-11-30

Site Id: 12981
Affiliation Type: Mail Contact
Company Name: ABS PARTNERS REAL ESTATE, LLC
Contact Type: Not reported
Contact Name: RAYMOND MOSELY
Address1: 200 PARK AVENUE SOUTH - 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 400-6090
EMail: RMOSELY@ABSRE.COM
Fax Number: Not reported
Modified By: DMPOKRZY
Date Last Modified: 2017-06-30

Site Id: 12981
Affiliation Type: Facility Operator
Company Name: 4 EAST 34TH STREET
Contact Type: Not reported
Contact Name: GREGORY BUDZIK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4 EAST 34TH STREET (Continued)

U001838522

Zip Code: Not reported
Country Code: 001
Phone: (917) 723-9681
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2017-11-30

Site Id: 12981
Affiliation Type: Emergency Contact
Company Name: CAERUS GROUP 4E34, LLC
Contact Type: Not reported
Contact Name: GREGORY BUDZIK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 723-9681
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2017-11-30

Tank Info:

Tank Number: 001
Tank ID: 25631
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 2000
Install Date: 05/01/1986
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 34
Date Test: 05/06/2020
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: LABATIST
Last Modified: 05/12/2020

Equipment Records:

K01 - Spill Prevention - Catch Basin
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
L99 - Piping Leak Detection - Other
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
H08 - Tank Leak Detection - Weep holes in Vaults with no access for

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4 EAST 34TH STREET (Continued)

U001838522

inspection
J05 - Dispenser - On Site Heating System (Supply/Return)
I05 - Overfill - Vent Whistle
E01 - Piping Secondary Containment - Diking (AG only)

NY MANIFEST:

Name: CON EDISON
Address: 4 E 34TH ST
City,State,Zip: NEW YORK, NY 10001
Country: USA
EPA ID: NYP004856421
Facility Status: Not reported
Location Address 1: 4 E 34TH ST
Code: BP
Location Address 2: MH 57792
Total Tanks: Not reported
Location City: NEW YORK
Location State: NY
Location Zip: 10001
Location Zip 4: Not reported

NY MANIFEST:

EPAID: NYP004856421
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:

Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 10/20/2015
Trans1 Recv Date: 10/20/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004856421
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002613165GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4 EAST 34TH STREET (Continued)

U001838522

Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Waste Code: D008
Waste Code 1_2: Not reported
Waste Code 1_3: Not reported
Waste Code 1_4: Not reported
Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

ER1034 **14 EAST 52ND STREET**
North **14 EAST 52ND STREET**
1/4-1/2 **MANHATTAN, NY**
0.498 mi.
2629 ft. **Site 2 of 2 in cluster ER**

NY LTANKS **S101509050**
N/A

Relative: LTANKS:
Higher Name: 14 EAST 52ND STREET
Address: 14 EAST 52ND STREET
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9500659 / 1995-04-17
Facility ID: 9500659
Site ID: 253726
Spill Date: 1995-04-17
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: C4
Cleanup Ceased: 1995-04-17
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 1995-04-17
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1995-05-15

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

14 EAST 52ND STREET (Continued)

S101509050

Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: MR HILL
Spiller Address: 14 EAST 52ND STREET
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 207829
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
MARTINKAT "
Remarks: "TANK BOTTOM POURUS - TANK FAILURE."

All Materials:
Site ID: 253726
Operable Unit ID: 1014789
Operable Unit: 01
Material ID: 369276
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: 1.00
Oxygenate: Not reported

1035
South
1/4-1/2
0.499 mi.
2633 ft.

BUCHBINDER RESIDENCE
211 EAST 33RD ST
MANHATTAN, NY

NY LTANKS S102662941
N/A

Relative:
Lower
Actual:
24 ft.

LTANKS:
Name: BUCHBINDER RESIDENCE
Address: 211 EAST 33RD ST
City,State,Zip: MANHATTAN, NY
Spill Number/Closed Date: 9701574 / 1997-05-06
Facility ID: 9701574
Site ID: 153483
Spill Date: 1997-05-06
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: C4
Cleanup Ceased: Not reported
SWIS: 3101
Investigator: WESTERLIND
Referred To: Not reported
Reported to Dept: 1997-05-06
CID: 370
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: False
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUCHBINDER RESIDENCE (Continued)

S102662941

Remediation Phase: 0
Date Entered In Computer: 1997-05-06
Spill Record Last Update: 1997-05-08
Spiller Name: ABOVE
Spiller Company: BUCHBINDER RESIDENCE
Spiller Address: 211 EAST 33RD ST
Spiller County: 001
Spiller Contact: ABOVE
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 130215
DEC Memo: ""
Remarks: "TANK OVERFILL SPILL TO ALLEYWAY ON SIDEWALK SPILL CONTAINED CLEANUP CREW ENROUTE"

All Materials:
Site ID: 153483
Operable Unit ID: 1047607
Operable Unit: 01
Material ID: 338125
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20.00
Units: G
Recovered: .00
Oxygenate: Not reported

1036
South
1/2-1
0.664 mi.
3506 ft.

CON EDISON - EAST 32ND ST. STATION MGP
EAST 32ND - EAST 33RD STS.
NEW YORK, NY 10016

EDR MGP 1008407988
N/A

Relative: Manufactured Gas Plants:
Lower No additional information available
Actual:
10 ft.

1037
North
1/2-1
0.932 mi.
4922 ft.

CON EDISON - WEST 58TH ST. STATION MGP
11TH AVE. BETWEEN W. 58TH - W. 59TH STS.
NEW YORK, NY 10019

EDR MGP 1008407996
N/A

Relative: Manufactured Gas Plants:
Higher No additional information available
Actual:
51 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

1038
SW
1/2-1
0.978 mi.
5163 ft.

FORMER GUARDIAN CLEANERS
27-35 WEST 24TH STREET
NEW YORK, NY 10010

NY SHWS
NY ENG CONTROLS
NY INST CONTROL

S113916768
N/A

Relative:
Lower

Actual:
38 ft.

SHWS:

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Program: HW
Site Code: 440109
Classification: Not reported
Region: 2
Acres: 0.22700000000000001
HW Code: 231073
Record Add: 09/22/2010
Record Upd: 01/22/2019
Updated By: JHOCONNE

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

ENG CONTROLS:

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
HW Code: 231073
Control Code: 12

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Control Type: ENG
Date Record Added: 06/26/2015
Date Rec Updated: 01/25/2018
Updated By: JJTEETER
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
HW Code: 231073
Control Code: 13
Control Type: ENG
Date Record Added: 06/26/2015
Date Rec Updated: 01/25/2018
Updated By: JJTEETER
Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
HW Code: 231073
Control Code: 15
Control Type: ENG
Date Record Added: 06/26/2015
Date Rec Updated: 01/25/2018
Updated By: JTEETER

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Health Problem: tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

INST CONTROL:

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: Environmental Easement
HW Code: 231073
Control Code: Not reported
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: IC/EC Plan
HW Code: 231073
Control Code: 34
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23:
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25:
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: Site Management Plan
HW Code: 231073
Control Code: 32
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109
Site Description: Location: The site is located at 27-35 West 24th Street in the
Borough of New York, New York. It is located on the northern side of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: O&M Plan
HW Code: 231073
Control Code: 33
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109
Site Description:

Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: Ground Water Use Restriction
HW Code: 231073
Control Code: 8
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Health Problem: and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Crossref ID: Not reported
Cross Ref Type Code:
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: Monitoring Plan
HW Code: 231073
Control Code: 31
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Name: FORMER GUARDIAN CLEANERS
Address: 27-35 WEST 24TH STREET
City,State,Zip: NEW YORK, NY 10010
Site Code: 440109
Control Name: Landuse Restriction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

HW Code: 231073
Control Code: 25
Control Type: INST
Dt record added: 06/26/2015
Dt rec updated: 01/25/2018
Updated By: JJTEETER
Site Code: 440109

Site Description: Location: The site is located at 27-35 West 24th Street in the Borough of New York, New York. It is located on the northern side of West 24th Street. The site is designated as Block 826, Lot 19. Site Features: The site is a rectangular shaped parcel of land measuring approximately 9,000 square feet and is improved with an one 11-story building with a basement. Current Zoning and Land Use: The building on site is used for office space and a restaurant/bar on the first floor and part of the basement. The site is zoned M1-6, which allows industrial and manufacturing. The current use of the site complies with the zoning code. Past Use of the Site: A dry cleaning facility formerly occupied the restaurant/bar space until approximately 1990. The former dry cleaning operations are believed to have contributed to the known contamination found in groundwater and soil vapor on the site. Site Geology and Hydrogeology: The subsurface lithology was homogenous throughout the site. The subsurface soil was noted to consist of urban fill material and brown coarse grain sand. Based upon boring logs from various site investigations, groundwater is encountered 8-10 feet beneath the basement slab except along the western property boundary where the water table is shallower, resulting in the need to actively pump out water entering the service elevator pit.

Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were chlorinated volatile organic compounds (VOCs) such as tetrachloroethene (PCE), trichloroethene (TCE), and cis-1,2-dichloroethene (DCE) which were detected in soil, groundwater and soil vapor. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Direct contact with contaminants in the soil or groundwater is unlikely because the site is entirely covered with a building. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. A sub-slab depressurization system was installed beneath the on-site building to prevent vapors beneath the slab from entering the building. Sampling at an adjacent structure indicates soil vapor intrusion is not a concern. Access to the other adjacent building was denied and soil vapor intrusion may be a potential exposure pathway at that structure.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FORMER GUARDIAN CLEANERS (Continued)

S113916768

Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2/24/2011 9:04:00 AM
Record Upd: 7/6/2015 4:46:00 AM
Updated By: HRAHMED
Own Op: 1
Sub Type: Not reported
Owner Name: Michael Orbach
Owner Company: West 24-27 Realty LLC
Owner Address: 70 West 36th Street, Suite 10B
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10018
Owner Country: United States of America
HW Code: 231073
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: cis-1,2-dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231073
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: R2-0777-09-11
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2/10/2015 11:32:00 AM
Record Updated: 2/10/2015 11:32:00 AM
Updated By: HRAHMED
Crossref ID: Not reported
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/9/2015 3:54:00 PM
Record Updated: 2/9/2015 4:00:00 PM
Updated By: HRAHMED

Count: 55 records.

ORPHAN SUMMARY

| City | EDR ID | Site Name | Site Address | Zip | Database(s) |
|------------------|------------|------------------------------------|--------------------------------|-------|-------------|
| HOBOKEN | S108061529 | 1100-1114 MADISON STREET & 1101-11 | 1100-1114 MADISON ST & 1101-11 | 10019 | NJ VCP |
| HOBOKEN | S108064884 | BLOCK 99 | MADISON ST & JEFFERSON ST (SEE | 10019 | NJ VCP |
| LONG ISLAND CITY | S121988458 | CLOSED-LACKOF RECENT INFO | 52020 37TH STREET | | NY LTANKS |
| LONG ISLAND CITY | S116555661 | APARTMENT BUILDING | 43-14 40TH STREET | | NY LTANKS |
| MANHATTAN | S121493093 | WEST 29TH STREET GW | WEST 29TH STREET AT 10TH AVENU | 10001 | NY SHWS |
| MORRISTOWN | S106577756 | 22-26 NORTH PARK PLACE | 22-26 PARK PL | 10036 | NJ VCP |
| NEW YORK | S121933876 | CE - W. 45TH ST. GAS WORKS | 12TH AVE.BETWEEN WEST 44TH & W | 10036 | NY SHWS |
| NEW YORK | S113917049 | 1ST AVENUE AND EAST 90TH STREET | 1ST AVENUE AND EAST 90TH STREE | | NY SHWS |
| NEW YORK | S121933879 | CE - E. 21ST ST. WORKS | EAST 20TH - EAST 22ND STS. | 10010 | NY SHWS |
| NEW YORK | S109209086 | CE - E. 32ND ST. STATION | EAST 32ND - EAST 33RD STS. | 10016 | NY VCP |
| NEW YORK | S108667362 | CE - E. 39TH ST. WORKS | EAST 39TH - EAST 42ND STS. | 10017 | NY VCP |
| NEW YORK | 1024334538 | NYC STEAM PIPE RUPTURE 2018 | 5TH AVENUE AND W 21ST STREET | 10010 | SEMS, FINDS |
| NEW YORK CITY | S113916832 | RADIUM CHEMICAL | 60-06 27TH AVENUE | | NY SHWS |
| NEW YORK CITY | S125317038 | 37-23 - 37-29 33RD STREET | 37-23 33RD STREET | | NY VCP |
| NEW YORK CITY | S125317036 | 37-14 TO 37-18 34TH STREET | 37-18 34TH STREET | | NY VCP |
| NEW YORK CITY | S125317037 | 37-22 34TH STREET | 37-22 34TH STREET | | NY VCP |
| NEW YORK CITY | S125317014 | 34-22 35TH STREET - ASTORIA STUDIO | 34-22 35TH STREET | | NY VCP |
| NEW YORK CITY | S125316826 | 134-03 35TH AVENUE | 134-03 35TH AVENUE | | NY VCP |
| NEW YORK CITY | S125868848 | 134-37 35TH AVENUE | 134-37 35TH AVENUE | | NY VCP |
| NEW YORK CITY | S102671587 | 28-56 36TH ST/QUEENS | 28-56 36TH STREET | | NY LTANKS |
| NEW YORK CITY | S125317033 | 37-06 36TH STREET (NNO SUBMISSIONS | 37-06 36TH STREET | | NY VCP |
| NEW YORK CITY | S125317035 | 37-14 36TH STREET - DOB JOB NO. NB | 37-14 36TH STREET | | NY VCP |
| NEW YORK CITY | S102671593 | 78-02 37TH ST/QUEENS/USPS | 78002 37TH STREET | | NY LTANKS |
| NEW YORK CITY | S125316990 | 31-19 37TH AVENUE - DOB JOB NO. NB | 31-19 37TH AVENUE | | NY VCP |
| NEW YORK CITY | S125868892 | 27-10 37TH AVE | 27-10 37TH AVE | | NY VCP |
| NEW YORK CITY | S118943541 | 32-08 38TH AVENUE | 32-08 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125316891 | 19-73 38TH STREET/ 19-80 STEINWAY | 19-73 38TH STREET | | NY VCP |
| NEW YORK CITY | S125316949 | 25-10 38 AVENUE | 25-10 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S118943596 | 30-04 38TH AVENUE | 30-04 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317084 | 43-06 AND 43-30 38TH STREET | 43-06 38TH STREET | | NY VCP |
| NEW YORK CITY | S125316989 | 31-12 38TH AVENUE | 31-12 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125316950 | 25-17 38TH AVE | 25-11 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125316996 | 32-04 38TH AVENUE - DOB JOB NO. 42 | 32-04 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317005 | 33-01 38TH AVENUE | 33-01 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S118943554 | 31-07 38TH AVENUE | 31-07 38TH AVENUE | | NY VCP |
| NEW YORK CITY | S125868898 | 30-68 38TH STREET | 30-68 38TH STREET | | NY VCP |
| NEW YORK CITY | S125316966 | 28-09 39TH AVENUE | 28-09 39TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317309 | TANGRAM PLAZA | 133-31 39TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317088 | 43-46 39TH PLACE | 43-46 39TH PLACE | | NY VCP |
| NEW YORK CITY | S125868893 | 27-14 39TH AVENUE | 27-14 39TH AVENUE | | NY VCP |
| NEW YORK CITY | S118943446 | 23-12 40TH AVENUE | 23-12 40TH AVENUE | | NY VCP |
| NEW YORK CITY | S125316978 | 30-17 40TH AVENUE | 30-17 40TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317068 | 41-04 27TH STREET | 25-18 41ST AVENUE | | NY VCP |

Count: 55 records.

ORPHAN SUMMARY

| City | EDR ID | Site Name | Site Address | Zip | Database(s) |
|---------------|------------|------------------------------------|--------------------------------|-------|-------------|
| NEW YORK CITY | S125316931 | 23-10 41ST AVENUE | 23-10 41ST AVENUE | | NY VCP |
| NEW YORK CITY | S125868881 | 21-30 44TH DRIVE | 21-30 44TH DRIVE | | NY VCP |
| NEW YORK CITY | S125868835 | 11-12 44TH DRIVE | 11-12 44TH DRIVE | | NY VCP |
| NEW YORK CITY | S125317097 | 45-35 11TH STREET AND 11-22 45TH R | 11-22 45TH ROAD | | NY VCP |
| NEW YORK CITY | S125868836 | 11-20 46TH ROAD | 11-20 46TH ROAD | | NY VCP |
| NEW YORK CITY | S118943577 | 11-51 47TH AVENUE | 11-51 47TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317117 | 5-27-5-39 48TH AVENUE | 527-539 48TH AVENUE | | NY VCP |
| NEW YORK CITY | S125316961 | 27-10 49TH AVENUE | 27-10 49TH AVENUE | | NY VCP |
| NEW YORK CITY | S125317085 | 43-20 52ND STREET | 43-20 52ND STREET | | NY VCP |
| NEW YORK CITY | S125317108 | 47-27 5TH STREET - DOB JOB NO. NB | 47-27 5TH STREET | | NY VCP |
| NEW YORK CITY | S118943162 | BRIGHTON GREEN | 67 BRIGHTON 1ST LANE | | NY VCP |
| QUEENS COUNTY | S113917043 | QUEENS WEST - SOUTH | CENTER BLVD, 47TH RD, 48TH AVE | 11101 | NY SHWS |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

| | |
|---|--|
| Date of Government Version: 07/29/2020 | Source: EPA |
| Date Data Arrived at EDR: 08/03/2020 | Telephone: N/A |
| Date Made Active in Reports: 08/25/2020 | Last EDR Contact: 10/01/2020 |
| Number of Days to Update: 22 | Next Scheduled EDR Contact: 01/11/2021 |
| | Data Release Frequency: Quarterly |

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

| | |
|---|--|
| Date of Government Version: 07/29/2020 | Source: EPA |
| Date Data Arrived at EDR: 08/03/2020 | Telephone: N/A |
| Date Made Active in Reports: 08/25/2020 | Last EDR Contact: 09/03/2020 |
| Number of Days to Update: 22 | Next Scheduled EDR Contact: 10/12/2020 |
| | Data Release Frequency: Quarterly |

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 08/25/2020
Number of Days to Update: 22

Source: EPA
Telephone: N/A
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 07/02/2020
Next Scheduled EDR Contact: 10/12/2020
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 08/25/2020
Number of Days to Update: 22

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 09/03/2020
Next Scheduled EDR Contact: 10/26/2020
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

| | |
|---|--|
| Date of Government Version: 07/29/2020 | Source: EPA |
| Date Data Arrived at EDR: 08/03/2020 | Telephone: 800-424-9346 |
| Date Made Active in Reports: 08/25/2020 | Last EDR Contact: 10/01/2020 |
| Number of Days to Update: 22 | Next Scheduled EDR Contact: 10/26/2020 |
| | Data Release Frequency: Quarterly |

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

| | |
|---|--|
| Date of Government Version: 06/15/2020 | Source: EPA |
| Date Data Arrived at EDR: 06/22/2020 | Telephone: 800-424-9346 |
| Date Made Active in Reports: 09/17/2020 | Last EDR Contact: 09/22/2020 |
| Number of Days to Update: 87 | Next Scheduled EDR Contact: 01/04/2021 |
| | Data Release Frequency: Quarterly |

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

| | |
|---|---|
| Date of Government Version: 06/15/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 06/22/2020 | Telephone: (212) 637-3660 |
| Date Made Active in Reports: 09/18/2020 | Last EDR Contact: 09/22/2020 |
| Number of Days to Update: 88 | Next Scheduled EDR Contact: 01/04/2021 |
| | Data Release Frequency: Quarterly |

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

| | |
|---|---|
| Date of Government Version: 06/15/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 06/22/2020 | Telephone: (212) 637-3660 |
| Date Made Active in Reports: 09/18/2020 | Last EDR Contact: 09/22/2020 |
| Number of Days to Update: 88 | Next Scheduled EDR Contact: 01/04/2021 |
| | Data Release Frequency: Quarterly |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

| | |
|---|---|
| Date of Government Version: 06/15/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 06/22/2020 | Telephone: (212) 637-3660 |
| Date Made Active in Reports: 09/18/2020 | Last EDR Contact: 09/22/2020 |
| Number of Days to Update: 88 | Next Scheduled EDR Contact: 01/04/2021 |
| | Data Release Frequency: Quarterly |

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

| | |
|---|---|
| Date of Government Version: 06/15/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 06/22/2020 | Telephone: (212) 637-3660 |
| Date Made Active in Reports: 09/18/2020 | Last EDR Contact: 09/22/2020 |
| Number of Days to Update: 88 | Next Scheduled EDR Contact: 01/04/2021 |
| | Data Release Frequency: Quarterly |

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

| | |
|---|--|
| Date of Government Version: 05/15/2020 | Source: Department of the Navy |
| Date Data Arrived at EDR: 05/19/2020 | Telephone: 843-820-7326 |
| Date Made Active in Reports: 06/18/2020 | Last EDR Contact: 08/04/2020 |
| Number of Days to Update: 30 | Next Scheduled EDR Contact: 11/23/2020 |
| | Data Release Frequency: Varies |

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

| | |
|---|---|
| Date of Government Version: 02/13/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 02/20/2020 | Telephone: 703-603-0695 |
| Date Made Active in Reports: 05/15/2020 | Last EDR Contact: 08/24/2020 |
| Number of Days to Update: 85 | Next Scheduled EDR Contact: 12/07/2020 |
| | Data Release Frequency: Varies |

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

| | |
|---|---|
| Date of Government Version: 02/13/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 02/20/2020 | Telephone: 703-603-0695 |
| Date Made Active in Reports: 05/15/2020 | Last EDR Contact: 08/24/2020 |
| Number of Days to Update: 85 | Next Scheduled EDR Contact: 12/07/2020 |
| | Data Release Frequency: Varies |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/15/2020

Date Data Arrived at EDR: 06/22/2020

Date Made Active in Reports: 09/17/2020

Number of Days to Update: 87

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 09/22/2020

Next Scheduled EDR Contact: 01/04/2021

Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 05/12/2020

Date Data Arrived at EDR: 05/13/2020

Date Made Active in Reports: 07/28/2020

Number of Days to Update: 76

Source: Department of Environmental Conservation

Telephone: 518-402-9622

Last EDR Contact: 08/11/2020

Next Scheduled EDR Contact: 11/23/2020

Data Release Frequency: Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/01/2020

Date Data Arrived at EDR: 07/02/2020

Date Made Active in Reports: 09/22/2020

Number of Days to Update: 82

Source: Department of Environmental Conservation

Telephone: 518-402-8678

Last EDR Contact: 09/23/2020

Next Scheduled EDR Contact: 01/10/2021

Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/15/2020

Date Data Arrived at EDR: 05/20/2020

Date Made Active in Reports: 08/12/2020

Number of Days to Update: 84

Source: EPA Region 7

Telephone: 913-551-7003

Last EDR Contact: 07/24/2020

Next Scheduled EDR Contact: 11/02/2020

Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/14/2020

Date Data Arrived at EDR: 05/20/2020

Date Made Active in Reports: 08/12/2020

Number of Days to Update: 84

Source: EPA Region 10

Telephone: 206-553-2857

Last EDR Contact: 07/24/2020

Next Scheduled EDR Contact: 11/02/2020

Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/29/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/26/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 78

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 08/03/2020
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 02/01/2020
Date Data Arrived at EDR: 03/19/2020
Date Made Active in Reports: 06/09/2020
Number of Days to Update: 82

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/09/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/09/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/09/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/09/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 07/24/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

| | |
|---|--|
| Date of Government Version: 04/03/2020 | Source: EPA Region 7 |
| Date Data Arrived at EDR: 05/20/2020 | Telephone: 913-551-7003 |
| Date Made Active in Reports: 08/12/2020 | Last EDR Contact: 07/24/2020 |
| Number of Days to Update: 84 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

| | |
|---|--|
| Date of Government Version: 04/29/2020 | Source: EPA, Region 1 |
| Date Data Arrived at EDR: 05/20/2020 | Telephone: 617-918-1313 |
| Date Made Active in Reports: 08/12/2020 | Last EDR Contact: 07/24/2020 |
| Number of Days to Update: 84 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

| | |
|---|--|
| Date of Government Version: 04/08/2020 | Source: EPA Region 9 |
| Date Data Arrived at EDR: 05/20/2020 | Telephone: 415-972-3368 |
| Date Made Active in Reports: 08/12/2020 | Last EDR Contact: 07/23/2020 |
| Number of Days to Update: 84 | Next Scheduled EDR Contact: 11/01/2020 |
| | Data Release Frequency: Varies |

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

| | |
|---|--|
| Date of Government Version: 04/14/2020 | Source: EPA Region 4 |
| Date Data Arrived at EDR: 05/26/2020 | Telephone: 404-562-9424 |
| Date Made Active in Reports: 08/12/2020 | Last EDR Contact: 07/24/2020 |
| Number of Days to Update: 78 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

| | |
|---|--|
| Date of Government Version: 04/14/2020 | Source: EPA Region 8 |
| Date Data Arrived at EDR: 05/20/2020 | Telephone: 303-312-6137 |
| Date Made Active in Reports: 08/13/2020 | Last EDR Contact: 07/24/2020 |
| Number of Days to Update: 85 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

| | |
|---|--|
| Date of Government Version: 04/14/2020 | Source: EPA Region 10 |
| Date Data Arrived at EDR: 05/20/2020 | Telephone: 206-553-2857 |
| Date Made Active in Reports: 08/12/2020 | Last EDR Contact: 07/24/2020 |
| Number of Days to Update: 84 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TANKS: Storage Tank Facility Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/09/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 09/23/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 04/22/2020
Date Data Arrived at EDR: 06/18/2020
Date Made Active in Reports: 09/04/2020
Number of Days to Update: 78

Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Varies

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/16/2019
Date Data Arrived at EDR: 12/16/2019
Date Made Active in Reports: 03/02/2020
Number of Days to Update: 77

Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/29/2020
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/29/2020
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/16/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Varies

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/29/2020
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Semi-Annually

VCP NYC: Voluntary Cleanup Program Listing NYC

New York City voluntary cleanup program sites.

Date of Government Version: 03/17/2020
Date Data Arrived at EDR: 03/18/2020
Date Made Active in Reports: 05/29/2020
Number of Days to Update: 72

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 09/11/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/29/2020
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/29/2020
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

| | |
|---|---|
| Date of Government Version: 06/01/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 06/02/2020 | Telephone: 202-566-2777 |
| Date Made Active in Reports: 06/09/2020 | Last EDR Contact: 09/15/2020 |
| Number of Days to Update: 7 | Next Scheduled EDR Contact: 12/28/2020 |
| | Data Release Frequency: Semi-Annually |

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

| | |
|---|--|
| Date of Government Version: 07/01/2020 | Source: Department of Environmental Conservation |
| Date Data Arrived at EDR: 07/02/2020 | Telephone: 518-402-8678 |
| Date Made Active in Reports: 09/22/2020 | Last EDR Contact: 09/24/2020 |
| Number of Days to Update: 82 | Next Scheduled EDR Contact: 01/11/2021 |
| | Data Release Frequency: Quarterly |

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

| | |
|---|--|
| Date of Government Version: 02/27/2018 | Source: Department of Environmental Conservation |
| Date Data Arrived at EDR: 04/06/2018 | Telephone: 518-402-8694 |
| Date Made Active in Reports: 06/08/2018 | Last EDR Contact: 09/02/2020 |
| Number of Days to Update: 63 | Next Scheduled EDR Contact: 12/21/2020 |
| | Data Release Frequency: No Update Planned |

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

| | |
|---|---|
| Date of Government Version: 12/31/1998 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 12/03/2007 | Telephone: 703-308-8245 |
| Date Made Active in Reports: 01/24/2008 | Last EDR Contact: 07/21/2020 |
| Number of Days to Update: 52 | Next Scheduled EDR Contact: 11/09/2020 |
| | Data Release Frequency: Varies |

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

| | |
|---|---|
| Date of Government Version: 06/30/1985 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 08/09/2004 | Telephone: 800-424-9346 |
| Date Made Active in Reports: 09/17/2004 | Last EDR Contact: 06/09/2004 |
| Number of Days to Update: 39 | Next Scheduled EDR Contact: N/A |
| | Data Release Frequency: No Update Planned |

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/14/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 07/31/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 03/18/2020
Date Data Arrived at EDR: 03/19/2020
Date Made Active in Reports: 06/09/2020
Number of Days to Update: 82

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/19/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 07/28/2020
Number of Days to Update: 76

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/18/2020
Date Data Arrived at EDR: 03/19/2020
Date Made Active in Reports: 06/09/2020
Number of Days to Update: 82

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/19/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 01/16/2019
Date Data Arrived at EDR: 05/08/2019
Date Made Active in Reports: 06/24/2019
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9020
Last EDR Contact: 08/06/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information

Lien information from the Oil Spill Fund.

Date of Government Version: 05/20/2020
Date Data Arrived at EDR: 05/22/2020
Date Made Active in Reports: 08/06/2020
Number of Days to Update: 76

Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 08/06/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 08/25/2020
Number of Days to Update: 22

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/23/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 86

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/13/2020
Date Made Active in Reports: 08/03/2020
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/15/2020
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 09/18/2020
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/13/2020
Date Data Arrived at EDR: 05/18/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 86

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 08/13/2020
Next Scheduled EDR Contact: 11/30/2020
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/06/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 08/05/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/15/2020
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 80

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 07/31/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/06/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 02/05/2020
Date Made Active in Reports: 04/24/2020
Number of Days to Update: 79

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 08/14/2020
Next Scheduled EDR Contact: 11/30/2020
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 03/01/2020
Date Data Arrived at EDR: 04/21/2020
Date Made Active in Reports: 07/15/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/21/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 08/25/2020
Number of Days to Update: 22

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

| | |
|---|---|
| Date of Government Version: 01/31/2020 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 05/13/2020 | Telephone: 202-564-8600 |
| Date Made Active in Reports: 08/03/2020 | Last EDR Contact: 07/15/2020 |
| Number of Days to Update: 82 | Next Scheduled EDR Contact: 11/02/2020 |
| | Data Release Frequency: Varies |

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

| | |
|---|---|
| Date of Government Version: 04/17/1995 | Source: EPA |
| Date Data Arrived at EDR: 07/03/1995 | Telephone: 202-564-4104 |
| Date Made Active in Reports: 08/07/1995 | Last EDR Contact: 06/02/2008 |
| Number of Days to Update: 35 | Next Scheduled EDR Contact: 09/01/2008 |
| | Data Release Frequency: No Update Planned |

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

| | |
|---|--|
| Date of Government Version: 04/27/2020 | Source: EPA |
| Date Data Arrived at EDR: 05/06/2020 | Telephone: 202-564-6023 |
| Date Made Active in Reports: 06/09/2020 | Last EDR Contact: 10/01/2020 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 11/16/2020 |
| | Data Release Frequency: Quarterly |

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

| | |
|---|--|
| Date of Government Version: 10/09/2019 | Source: EPA |
| Date Data Arrived at EDR: 10/11/2019 | Telephone: 202-566-0500 |
| Date Made Active in Reports: 12/20/2019 | Last EDR Contact: 07/13/2020 |
| Number of Days to Update: 70 | Next Scheduled EDR Contact: 10/19/2020 |
| | Data Release Frequency: Annually |

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

| | |
|---|---|
| Date of Government Version: 11/18/2016 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 11/23/2016 | Telephone: 202-564-2501 |
| Date Made Active in Reports: 02/10/2017 | Last EDR Contact: 10/01/2020 |
| Number of Days to Update: 79 | Next Scheduled EDR Contact: 01/18/2021 |
| | Data Release Frequency: Quarterly |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/25/2019
Date Data Arrived at EDR: 10/25/2019
Date Made Active in Reports: 01/15/2020
Number of Days to Update: 82

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 07/20/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 12/04/2019
Date Made Active in Reports: 01/15/2020
Number of Days to Update: 42

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 09/04/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 08/31/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 08/06/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 09/24/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 07/27/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2020
Date Data Arrived at EDR: 07/15/2020
Date Made Active in Reports: 07/21/2020
Number of Days to Update: 6

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/18/2021
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/22/2020
Next Scheduled EDR Contact: 01/04/2021
Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/07/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 07/28/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 08/21/2020
Next Scheduled EDR Contact: 11/30/2020
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 07/29/2020
Date Data Arrived at EDR: 08/03/2020
Date Made Active in Reports: 08/25/2020
Number of Days to Update: 22

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 10/01/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 05/28/2020
Date Data Arrived at EDR: 05/28/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 77

Source: DOL, Mine Safety & Health Admini
Telephone: 202-693-9424
Last EDR Contact: 09/10/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/01/2020
Date Data Arrived at EDR: 05/21/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 84

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 08/25/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/28/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/28/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/22/2020
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 80

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 09/16/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/03/2020
Date Data Arrived at EDR: 03/03/2020
Date Made Active in Reports: 05/28/2020
Number of Days to Update: 86

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 09/15/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/27/2020
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/28/2020
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 07/02/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 07/26/2018
Date Made Active in Reports: 10/05/2018
Number of Days to Update: 71

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 08/19/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 77

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/26/2020
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/18/2020
Date Data Arrived at EDR: 05/19/2020
Date Made Active in Reports: 08/03/2020
Number of Days to Update: 76

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 08/17/2020
Next Scheduled EDR Contact: 11/30/2020
Data Release Frequency: Quarterly

AIRS: Air Emissions Data

Point source emissions inventory data.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/14/2019
Date Data Arrived at EDR: 08/14/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 63

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 07/07/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 07/01/2020
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/22/2020
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 09/24/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

DRYCLEANERS: Registered Drycleaners
A listing of all registered drycleaning facilities.

Date of Government Version: 06/08/2020
Date Data Arrived at EDR: 06/12/2020
Date Made Active in Reports: 09/02/2020
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 08/31/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 02/27/2020
Date Data Arrived at EDR: 03/25/2020
Date Made Active in Reports: 06/10/2020
Number of Days to Update: 77

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 09/18/2020
Next Scheduled EDR Contact: 12/28/2020
Data Release Frequency: Semi-Annually

Financial Assurance 1: Financial Assurance Information Listing
Financial assurance information.

Date of Government Version: 06/25/2020
Date Data Arrived at EDR: 06/25/2020
Date Made Active in Reports: 07/22/2020
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 09/24/2020
Next Scheduled EDR Contact: 01/11/2021
Data Release Frequency: Quarterly

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 06/11/2020
Date Data Arrived at EDR: 06/16/2020
Date Made Active in Reports: 09/02/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 09/02/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/29/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 07/31/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Quarterly

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/14/2020
Date Made Active in Reports: 07/31/2020
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 07/15/2020
Next Scheduled EDR Contact: 11/02/2020
Data Release Frequency: No Update Planned

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 12/01/2018
Date Data Arrived at EDR: 02/13/2019
Date Made Active in Reports: 06/13/2019
Number of Days to Update: 120

Source: Department of Environmental Conservation
Telephone: 518-402-9814
Last EDR Contact: 08/14/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: Varies

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 05/31/2020
Date Data Arrived at EDR: 06/03/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 71

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 09/01/2020
Next Scheduled EDR Contact: 12/14/2020
Data Release Frequency: Quarterly

COOLING TOWERS: Registered Cooling Towers

This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State.

Date of Government Version: 07/07/2020
Date Data Arrived at EDR: 07/14/2020
Date Made Active in Reports: 09/30/2020
Number of Days to Update: 78

Source: Department of Health
Telephone: 518-402-7650
Last EDR Contact: 07/14/2020
Next Scheduled EDR Contact: 10/26/2020
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NYC LEAD 2: Recent Lead Paint Violations

Pursuant to New York City's Housing Maintenance Code, the Department of Housing Preservation and Development (HPD) issues violations against conditions in rental dwelling units that have been verified to violate the New York City Housing Maintenance Code (HMC) or the New York State Multiple Dwelling Law (MDL). Violations are issued when an inspection verifies that a violation of the HMC or MDL exists. It is closed when the violation is corrected, as observed/verified by HPD or as certified by the landlord.

Date of Government Version: 05/28/2020
Date Data Arrived at EDR: 06/02/2020
Date Made Active in Reports: 07/02/2020
Number of Days to Update: 30

Source: New York City Department of Housing Preservation & Development
Telephone: 212-863-8200
Last EDR Contact: 08/04/2020
Next Scheduled EDR Contact: 11/06/2019
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/11/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Semi-Annually

NYC LEAD: Lead-based Paint Testing Results

The results of the inspections for all classrooms serving students under six in applicable buildings. Identifies all classrooms, whether there was observation of peeling paint, and if there was, standard response protocol was followed.

Date of Government Version: 05/28/2020
Date Data Arrived at EDR: 05/29/2020
Date Made Active in Reports: 07/02/2020
Number of Days to Update: 34

Source: New York City Department of Education
Telephone: 212-374-5141
Last EDR Contact: 08/04/2020
Next Scheduled EDR Contact: 11/16/2020
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System Mineral Resources Data System

Date of Government Version: 04/06/2018
Date Data Arrived at EDR: 10/21/2019
Date Made Active in Reports: 10/24/2019
Number of Days to Update: 3

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 08/28/2020
Next Scheduled EDR Contact: 12/07/2020
Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 07/01/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Varies

PCS INACTIVE: Listing of Inactive PCS Permits

An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Date Data Arrived at EDR: 01/06/2015
Date Made Active in Reports: 05/06/2015
Number of Days to Update: 120

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: No Update Planned

AST NCFM: Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TANKS NASSAU: Registered Tank Database in Nassau County

A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 01/09/2017

Date Data Arrived at EDR: 01/11/2017

Date Made Active in Reports: 02/15/2017

Number of Days to Update: 35

Source: Nassau County Department of Health

Telephone: 516-227-9691

Last EDR Contact: 07/22/2020

Next Scheduled EDR Contact: 11/09/2020

Data Release Frequency: Varies

UST - NASSAU: Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017

Date Data Arrived at EDR: 01/11/2017

Date Made Active in Reports: 02/15/2017

Number of Days to Update: 35

Source: Nassau County Health Department

Telephone: 516-571-3314

Last EDR Contact: 07/22/2020

Next Scheduled EDR Contact: 11/09/2020

Data Release Frequency: No Update Planned

UST NCFM: Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011

Date Data Arrived at EDR: 02/23/2011

Date Made Active in Reports: 03/29/2011

Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal

Telephone: 516-572-1000

Last EDR Contact: 07/22/2020

Next Scheduled EDR Contact: 11/09/2020

Data Release Frequency: Varies

ROCKLAND COUNTY:

AST - ROCKLAND: Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County. Rockland County's Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017

Date Data Arrived at EDR: 03/17/2017

Date Made Active in Reports: 09/22/2017

Number of Days to Update: 189

Source: Rockland County Health Department

Telephone: 914-364-2605

Last EDR Contact: 08/26/2020

Next Scheduled EDR Contact: 12/14/2020

Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County. Rockland County's Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017

Date Data Arrived at EDR: 03/17/2017

Date Made Active in Reports: 09/22/2017

Number of Days to Update: 189

Source: Rockland County Health Department

Telephone: 914-364-2605

Last EDR Contact: 08/26/2020

Next Scheduled EDR Contact: 12/14/2020

Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018

Date Data Arrived at EDR: 12/06/2018

Date Made Active in Reports: 02/07/2019

Number of Days to Update: 63

Source: Suffolk County Department of Health Services

Telephone: 631-854-2521

Last EDR Contact: 07/22/2020

Next Scheduled EDR Contact: 11/09/2020

Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TANKS SUFFOLK: Storage Tank Database

This county is not included in the state's database. These are facilities that have no tank information in the storage tank database.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 31

Source: Department of Health Services
Telephone: 631-854-2516
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Varies

UST - SUFFOLK: Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 06/09/2020
Date Data Arrived at EDR: 06/09/2020
Date Made Active in Reports: 08/18/2020
Number of Days to Update: 70

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 06/09/2020
Date Data Arrived at EDR: 06/09/2020
Date Made Active in Reports: 08/18/2020
Number of Days to Update: 70

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/22/2020
Next Scheduled EDR Contact: 11/09/2020
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 05/12/2020
Date Data Arrived at EDR: 05/12/2020
Date Made Active in Reports: 07/27/2020
Number of Days to Update: 76

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 08/10/2020
Next Scheduled EDR Contact: 11/23/2020
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/19/2020
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/26/2020
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 10/02/2019
Date Made Active in Reports: 12/10/2019
Number of Days to Update: 69

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 08/11/2020
Next Scheduled EDR Contact: 11/30/2020
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 07/09/2020
Next Scheduled EDR Contact: 10/26/2020
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 09/02/2020
Next Scheduled EDR Contact: 12/21/2020
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

3255.0002Y000
109 E 42ND STREET
NEW YORK, NY 10017

TARGET PROPERTY COORDINATES

| | |
|--------------------------------|----------------------------|
| Latitude (North): | 40.752036 - 40° 45' 7.33" |
| Longitude (West): | 73.976336 - 73° 58' 34.81" |
| Universal Transverse Mercator: | Zone 18 |
| UTM X (Meters): | 586416.6 |
| UTM Y (Meters): | 4511524.0 |
| Elevation: | 49 ft. above sea level |

USGS TOPOGRAPHIC MAP

| | |
|----------------------|--------------------------|
| Target Property Map: | 5940599 CENTRAL PARK, NY |
| Version Date: | 2013 |
| Southeast Map: | 5940597 BROOKLYN, NY |
| Version Date: | 2013 |

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

| <u>Flood Plain Panel at Target Property</u> | <u>FEMA Source Type</u> |
|---|-------------------------|
| 3604970088F | FEMA FIRM Flood data |
| <u>Additional Panels in search area:</u> | <u>FEMA Source Type</u> |
| 3604970089F | FEMA FIRM Flood data |
| 3604970201F | FEMA FIRM Flood data |
| 3604970202F | FEMA FIRM Flood data |

NATIONAL WETLAND INVENTORY

| <u>NWI Quad at Target Property</u> | <u>NWI Electronic Data Coverage</u> |
|------------------------------------|--|
| CENTRAL PARK | YES - refer to the Overview Map and Detail Map |

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

| | |
|-----------------------------|---|
| Search Radius: | 1.25 miles |
| Location Relative to TP: | 1 - 2 Miles West |
| Site Name: | MANHATTAN GENERAL MAIL FACILITY |
| Site EPA ID Number: | NY6180000352 |
| Groundwater Flow Direction: | NOT AVAILABLE. |
| Inferred Depth to Water: | not available. Saturated layers impacted by salt water intrusion are present in the overburden. It is generally inferred that the depth to the uppermost 'aquifer' is greater than 70 feet at the surface of the bedrock/sediment interface. |
| Hydraulic Connection: | Detailed hydraulic connection information is not available. Glacial till and outwash deposit sediments overlie the Manhattan Schist, the uppermost bedrock unit at the site. The surface elevation of bedrock decreases to the southwest of the site. |
| Sole Source Aquifer: | No information about a sole source aquifer is available |
| Data Quality: | Information is inferred in the CERCLIS investigation report(s) |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

| <u>MAP ID</u> | <u>LOCATION</u>
<u>FROM TP</u> | <u>GENERAL DIRECTION</u>
<u>GROUNDWATER FLOW</u> |
|---------------|-----------------------------------|---|
| Not Reported | | |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Middle Ordovician (Mohawkian)
Code: O2 *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

| Soil Layer Information | | | | | | | |
|------------------------|----------|----------|--------------------|----------------|--------------|---------------------------|------------------------|
| Layer | Boundary | | Soil Texture Class | Classification | | Permeability Rate (in/hr) | Soil Reaction (pH) |
| | Upper | Lower | | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 6 inches | variable | Not reported | Not reported | Max: 0.00
Min: 0.00 | Max: 0.00
Min: 0.00 |

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

| <u>DATABASE</u> | <u>SEARCH DISTANCE (miles)</u> |
|------------------|--------------------------------|
| Federal USGS | 1.000 |
| Federal FRDS PWS | Nearest PWS within 1 mile |
| State Database | 1.000 |

FEDERAL USGS WELL INFORMATION

| <u>MAP ID</u> | <u>WELL ID</u> | <u>LOCATION FROM TP</u> |
|---------------|----------------|-------------------------|
| | | |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

| MAP ID | WELL ID | LOCATION
FROM TP |
|--------|-----------------|----------------------|
| 1 | USGS40000831482 | 0 - 1/8 Mile WSW |
| 2 | USGS40000831476 | 1/4 - 1/2 Mile East |
| A3 | USGS40000831333 | 1/4 - 1/2 Mile SSE |
| A4 | USGS40000831334 | 1/4 - 1/2 Mile SSE |
| 5 | USGS40000831537 | 1/4 - 1/2 Mile ENE |
| 6 | USGS40000831233 | 1/4 - 1/2 Mile SSW |
| 7 | USGS40000831784 | 1/4 - 1/2 Mile NNE |
| B8 | USGS40000831232 | 1/4 - 1/2 Mile South |
| B9 | USGS40000831213 | 1/4 - 1/2 Mile South |
| B10 | USGS40000831214 | 1/4 - 1/2 Mile South |
| B11 | USGS40000831215 | 1/4 - 1/2 Mile South |
| B12 | USGS40000831212 | 1/4 - 1/2 Mile South |
| 13 | USGS40000831682 | 1/2 - 1 Mile ENE |
| 14 | USGS40000831178 | 1/2 - 1 Mile SSE |
| 15 | USGS40000831166 | 1/2 - 1 Mile SSW |
| 16 | USGS40000831126 | 1/2 - 1 Mile South |
| C17 | USGS40000831745 | 1/2 - 1 Mile NE |
| 18 | USGS40000831199 | 1/2 - 1 Mile SW |
| C20 | USGS40000831783 | 1/2 - 1 Mile NE |
| 21 | USGS40000831094 | 1/2 - 1 Mile SSW |
| 22 | USGS40000831947 | 1/2 - 1 Mile North |
| 23 | USGS40000831692 | 1/2 - 1 Mile ENE |
| 24 | USGS40000831335 | 1/2 - 1 Mile WSW |
| 25 | USGS40000831078 | 1/2 - 1 Mile SW |

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

| MAP ID | WELL ID | LOCATION
FROM TP |
|--------|-----------|---------------------|
| 19 | NY0022417 | 1/2 - 1 Mile WNW |

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

| MAP ID | WELL ID | LOCATION
FROM TP |
|----------------|---------|---------------------|
| No Wells Found | | |

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

| MAP ID | WELL ID | LOCATION
FROM TP |
|--------|-----------------|----------------------|
| A1 | NYOG90000036104 | 1/4 - 1/2 Mile North |
| A2 | NYOG90000036103 | 1/4 - 1/2 Mile North |
| A3 | NYOG90000036102 | 1/4 - 1/2 Mile North |
| A4 | NYOG90000036101 | 1/4 - 1/2 Mile North |
| A5 | NYOG90000036100 | 1/4 - 1/2 Mile North |
| 6 | NYOG90000035969 | 1/4 - 1/2 Mile SSW |
| A7 | NYOG90000036099 | 1/4 - 1/2 Mile North |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE OIL/GAS WELL INFORMATION

| MAP ID | WELL ID | LOCATION
FROM TP |
|--------|-----------------|----------------------|
| B8 | NYOG90000035972 | 1/4 - 1/2 Mile South |
| A9 | NYOG90000036098 | 1/4 - 1/2 Mile North |
| A10 | NYOG90000036097 | 1/4 - 1/2 Mile North |
| B11 | NYOG90000035934 | 1/4 - 1/2 Mile South |
| B12 | NYOG90000035970 | 1/4 - 1/2 Mile South |
| A13 | NYOG90000036096 | 1/4 - 1/2 Mile North |
| A14 | NYOG90000036095 | 1/4 - 1/2 Mile North |
| C15 | NYOG90000035932 | 1/2 - 1 Mile SSW |
| 16 | NYOG90000035925 | 1/2 - 1 Mile South |
| C17 | NYOG90000036008 | 1/2 - 1 Mile SSW |
| 18 | NYOG90000035919 | 1/2 - 1 Mile SW |
| 19 | NYOG90000035973 | 1/2 - 1 Mile NE |
| 20 | NYOG90000035924 | 1/2 - 1 Mile South |
| 21 | NYOG90000035931 | 1/2 - 1 Mile SW |
| 22 | NYOG90000036053 | 1/2 - 1 Mile NE |
| 23 | NYOG90000035921 | 1/2 - 1 Mile WSW |
| D24 | NYOG90000036089 | 1/2 - 1 Mile NNE |
| D25 | NYOG90000036090 | 1/2 - 1 Mile NNE |
| E26 | NYOG90000036080 | 1/2 - 1 Mile WSW |
| E27 | NYOG90000036081 | 1/2 - 1 Mile WSW |

-



CLIENT: Roux Associates
CONTACT: Rachel Henke
INQUIRY #: 6212910.2s
DATE: October 02, 2020 10:08 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
WSW
0 - 1/8 Mile
Higher

FED USGS USGS40000831482

Organization ID: USGS-NY
Monitor Location: NY 155
Description: Not Reported
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: Not Reported
Aquifer Type: Not Reported
Well Depth: 420
Well Hole Depth: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: Not Reported
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Formation Type: Not Reported
Construction Date: Not Reported
Well Depth Units: ft
Well Hole Depth Units: Not Reported

2
East
1/4 - 1/2 Mile
Higher

FED USGS USGS40000831476

Organization ID: USGS-NY
Monitor Location: NY 209
Description: EAST 45 ST-A
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: Not Reported
Aquifer Type: Not Reported
Well Depth: 489.8
Well Hole Depth: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: Not Reported
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Formation Type: Bedrock
Construction Date: Not Reported
Well Depth Units: ft
Well Hole Depth Units: Not Reported

Ground water levels, Number of Measurements: 5
Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2004-11-10
Feet to sea level: 21.14

Level reading date: 2004-07-21
Feet to sea level: 19.43

Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2004-04-21
Feet to sea level: 19.86

Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2004-02-18
Feet to sea level: 20.17

Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2003-10-31
Feet to sea level: 20.25

Feet below surface: Not Reported
Note: Not Reported

A3
SSE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831333

Organization ID: USGS-NY
Monitor Location: NY 208. 1
Description: EAST 39 ST-A
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: 02030101
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|------------------|--------------|------------------------|------------------|
| Aquifer: | Not Reported | Formation Type: | Basement Complex |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 490.5 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|--|--------------|---------------------|------------|
| Ground water levels, Number of Measurements: | 7 | Level reading date: | 2004-11-10 |
| Feet below surface: | Not Reported | Feet to sea level: | 10.13 |
| Note: | Not Reported | | |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.86 | Note: | Not Reported |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-06-28 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.77 | Note: | Not Reported |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.38 | Note: | Not Reported |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.52 | Note: | Not Reported |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-01-07 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.95 | Note: | Not Reported |

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2003-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.23 | Note: | Not Reported |

A4
SSE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831334

| | | | |
|------------------------|--|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 242. 1 | Type: | Well |
| Description: | E39ST-W | HUC: | 02030101 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Sand and gravel aquifers (glaciated regions) | Aquifer Type: | Not Reported |
| Formation Type: | Pleistocene Series | Well Depth: | 65.2 |
| Construction Date: | Not Reported | Well Hole Depth: | Not Reported |
| Well Depth Units: | ft | | |
| Well Hole Depth Units: | Not Reported | | |

5
ENE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831537

| | | | |
|------------------------|--------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 210 | Type: | Well |
| Description: | EAST 48 ST-A | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 490 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|--|--------------|---------------------|--------------|
| Ground water levels, Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | 12.11 |
| Note: | Not Reported | | |
| | | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.26 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.24 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.05 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.12 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-10-28 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.14 | Note: | Not Reported |

6
SSW
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831233

| | | | |
|------------------------|----------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 198 | Type: | Well |
| Description: | EAST 34TH ST-B | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 635 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|--|--------------|---------------------|--------------|
| Ground water levels, Number of Measurements: | 16 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -14.80 |
| Note: | Not Reported | | |
| | | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -15.04 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.66 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.34 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.53 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-01-07 | Feet below surface: | Not Reported |
| Feet to sea level: | -15.03 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-11-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -15.22 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-10-08 | Feet below surface: | Not Reported |
| Feet to sea level: | -15.45 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-09-17 | Feet below surface: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---------------------|------------|---------------------|--------------|
| Feet to sea level: | -15.39 | Note: | Not Reported |
| Level reading date: | 2003-09-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -15.78 | Note: | Not Reported |
| Level reading date: | 2003-08-27 | Feet below surface: | Not Reported |
| Feet to sea level: | -10.67 | Note: | Not Reported |
| Level reading date: | 2003-06-24 | Feet below surface: | Not Reported |
| Feet to sea level: | -11.94 | Note: | Not Reported |
| Level reading date: | 2002-10-09 | Feet below surface: | Not Reported |
| Feet to sea level: | -12.81 | Note: | Not Reported |
| Level reading date: | 2002-07-08 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.13 | Note: | Not Reported |
| Level reading date: | 2002-06-25 | Feet below surface: | Not Reported |
| Feet to sea level: | -13.79 | Note: | Not Reported |
| Level reading date: | 2002-04-03 | Feet below surface: | Not Reported |
| Feet to sea level: | -12.69 | Note: | Not Reported |

7
NNE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000831784

| | | | |
|------------------------|--------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 137 | Type: | Well |
| Description: | Not Reported | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Not Reported |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 620 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

B8
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831232

| | | | |
|------------------------|--------------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 195 | Type: | Well |
| Description: | EAST 35TH STREET-B | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 507 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B9
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831213

| | | | |
|------------------------|---------------------------------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 207. 1 | Type: | Well |
| Description: | EAST 35 ST-D | HUC: | 02030101 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | New England crystalline-rock aquifers | | |
| Formation Type: | Basement Complex | Aquifer Type: | Not Reported |
| Construction Date: | Not Reported | Well Depth: | 599.5 |
| Well Depth Units: | ft | Well Hole Depth: | Not Reported |
| Well Hole Depth Units: | Not Reported | | |

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -3.72 |
| Note: | Not Reported | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -3.84 | Note: | Not Reported |
| Level reading date: | 2004-08-24 | Feet below surface: | Not Reported |
| Feet to sea level: | -3.41 | Note: | Not Reported |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.60 | Note: | Not Reported |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.76 | Note: | Not Reported |
| Level reading date: | 2003-07-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.19 | Note: | Not Reported |

B10
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831214

| | | | |
|------------------------|----------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 235 | Type: | Well |
| Description: | EAST 35 ST-C/N | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | Not Reported | Well Depth Units: | Not Reported |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|---|--------------|---------------------|------------|
| Ground water levels,Number of Measurements: | 1 | Level reading date: | 2004-07-21 |
| Feet below surface: | Not Reported | Feet to sea level: | 3.11 |
| Note: | Not Reported | | |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B11
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831215

Organization ID: USGS-NY
Monitor Location: NY 234
Description: EAST 35 ST-F
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: Not Reported
Aquifer Type: Not Reported
Well Depth: 531
Well Hole Depth: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: Not Reported
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Formation Type: Bedrock
Construction Date: Not Reported
Well Depth Units: ft
Well Hole Depth Units: Not Reported

B12
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000831212

Organization ID: USGS-NY
Monitor Location: NY 206
Description: EAST 35 ST-B
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: Not Reported
Aquifer Type: Not Reported
Well Depth: 507
Well Hole Depth: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: Not Reported
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Formation Type: Bedrock
Construction Date: Not Reported
Well Depth Units: ft
Well Hole Depth Units: Not Reported

13
ENE
1/2 - 1 Mile
Lower

FED USGS USGS40000831682

Organization ID: USGS-NY
Monitor Location: NY 211. 1
Description: EAST 52 ST-A
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: New England crystalline-rock aquifers
Formation Type: Basement Complex
Construction Date: Not Reported
Well Depth Units: ft
Well Hole Depth Units: Not Reported

Organization Name: USGS New York Water Science Center
Type: Well
HUC: 02030101
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Aquifer Type: Not Reported
Well Depth: 490
Well Hole Depth: Not Reported

Ground water levels, Number of Measurements: 7
Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2005-02-09
Feet to sea level: 20.32

Level reading date: 2004-12-08
Feet to sea level: 20.80

Feet below surface: Not Reported
Note: Not Reported

Level reading date: 2004-11-10
Feet to sea level: 20.69

Feet below surface: Not Reported
Note: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 22.22 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 22.65 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | 22.82 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-10-29 | Feet below surface: | Not Reported |
| Feet to sea level: | 22.88 | Note: | Not Reported |

14
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000831178

| | | | |
|------------------------|--------------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 180 | Type: | Well |
| Description: | EAST 35TH STREET-A | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 457.7 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|---|--|---------------------|--------------|
| Ground water levels,Number of Measurements: | 11 | Level reading date: | 2004-03-03 |
| Feet below surface: | Not Reported | Feet to sea level: | -6.44 |
| Note: | Not Reported | | |
| | | | |
| Level reading date: | 2003-10-27 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.80 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-01-08 | Feet below surface: | Not Reported |
| Feet to sea level: | -14.38 | Note: | Not Reported |
| | | | |
| Level reading date: | 2002-10-09 | Feet below surface: | Not Reported |
| Feet to sea level: | -10.15 | Note: | Not Reported |
| | | | |
| Level reading date: | 2002-06-25 | Feet below surface: | Not Reported |
| Feet to sea level: | -7.55 | | |
| Note: | A nearby site that taps the same aquifer was being pumped. | | |
| | | | |
| Level reading date: | 2002-04-03 | Feet below surface: | Not Reported |
| Feet to sea level: | -1.28 | Note: | Not Reported |
| | | | |
| Level reading date: | 2002-01-09 | Feet below surface: | Not Reported |
| Feet to sea level: | 6.49 | Note: | Not Reported |
| | | | |
| Level reading date: | 1999-11-30 | Feet below surface: | Not Reported |
| Feet to sea level: | 0.74 | Note: | Not Reported |
| | | | |
| Level reading date: | 1999-11-30 | Feet below surface: | Not Reported |
| Feet to sea level: | 0.87 | Note: | Not Reported |
| | | | |
| Level reading date: | 1999-11-29 | Feet below surface: | Not Reported |
| Feet to sea level: | 1.02 | Note: | Not Reported |
| | | | |
| Level reading date: | 1999-11-29 | Feet below surface: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Feet to sea level: 0.93 Note: Not Reported

15
SSW
1/2 - 1 Mile
Lower

FED USGS USGS40000831166

| | | | |
|------------------------|---------------------------------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 233. 1 | Type: | Well |
| Description: | EAST 31 ST-A | HUC: | 02030101 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | New England crystalline-rock aquifers | | |
| Formation Type: | Basement Complex | Aquifer Type: | Not Reported |
| Construction Date: | 20040121 | Well Depth: | 553.6 |
| Well Depth Units: | ft | Well Hole Depth: | 553.6 |
| Well Hole Depth Units: | ft | | |

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -28.96 |
| Note: | Not Reported | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -27.38 | Note: | Not Reported |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -24.73 | Note: | Not Reported |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -23.68 | Note: | Not Reported |
| Level reading date: | 2004-04-12 | Feet below surface: | Not Reported |
| Feet to sea level: | -22.10 | Note: | Not Reported |
| Level reading date: | 2004-02-27 | Feet below surface: | Not Reported |
| Feet to sea level: | 4.21 | Note: | Not Reported |

16
South
1/2 - 1 Mile
Lower

FED USGS USGS40000831126

| | | | |
|------------------------|--------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 223 | Type: | Well |
| Description: | EAST 33 ST-A | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 550.2 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -25.56 |
| Note: | Not Reported | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -22.10 | Note: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -24.55 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -22.46 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-03-22 | Feet below surface: | Not Reported |
| Feet to sea level: | -22.86 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-02-27 | Feet below surface: | Not Reported |
| Feet to sea level: | -22.91 | Note: | Not Reported |

C17
NE
1/2 - 1 Mile
Lower

FED USGS USGS40000831745

| | | | |
|------------------------|--------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 212 | Type: | Well |
| Description: | EAST 54 ST-A | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 490 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 5 | Level reading date: | 2004-11-10 |
| Feet below surface: | Not Reported | Feet to sea level: | 13.25 |
| Note: | Not Reported | | |
| | | | |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 13.36 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 14.04 | Note: | Not Reported |
| | | | |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | 13.95 | Note: | Not Reported |
| | | | |
| Level reading date: | 2003-10-29 | Feet below surface: | Not Reported |
| Feet to sea level: | 14.76 | Note: | Not Reported |

18
SW
1/2 - 1 Mile
Lower

FED USGS USGS40000831199

| | | | |
|------------------------|---------------------------------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 224. 1 | Type: | Well |
| Description: | EAST 30 ST-A | HUC: | 02030101 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | New England crystalline-rock aquifers | Aquifer Type: | Not Reported |
| Formation Type: | Basement Complex | Well Depth: | 175 |
| Construction Date: | Not Reported | Well Hole Depth: | 606 |
| Well Depth Units: | ft | | |
| Well Hole Depth Units: | ft | | |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -2.58 |
| Note: | Not Reported | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.56 | Note: | Not Reported |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.85 | Note: | Not Reported |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -3.71 | Note: | Not Reported |
| Level reading date: | 2004-03-29 | Feet below surface: | Not Reported |
| Feet to sea level: | -2.98 | Note: | Not Reported |
| Level reading date: | 2004-02-27 | Feet below surface: | Not Reported |
| Feet to sea level: | -3.44 | Note: | Not Reported |

19 WNW 1/2 - 1 Mile Higher

FRDS PWS NY0022417

| | | | |
|------------------------|---------------------------|--------------------------|--------------------------------|
| PWS ID: | NY0022417 | PWS type: | System Owner/Responsible Party |
| PWS name: | GOSTFRAND DAVID | PWS address: | C/O DAVID GOSTFRAND |
| PWS address: | 463 7TH AVENUE, SUITE 703 | PWS city: | NEW YORK |
| PWS state: | NY | PWS zip: | 10018 |
| PWS ID: | NY0022417 | Activity status: | Active |
| Date system activated: | Not Reported | Date system deactivated: | Not Reported |
| Retail population: | 00000050 | System name: | BREWSTER SQUARE |
| System address: | Not Reported | System address: | RT 6 |
| System city: | BREWSTER | System state: | NY |
| System zip: | 10509 | | |
| County FIPS: | 039 | City served: | SOUTHEAST (T) |
| Latitude: | 404518 | Longitude: | 0735918 |

C20 NE 1/2 - 1 Mile Lower

FED USGS USGS40000831783

| | | | |
|------------------------|---------------------------------------|------------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 183. 1 | Type: | Well |
| Description: | EAST 55TH STREET-B | HUC: | 02030101 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Units: | Not Reported |
| Aquifer: | New England crystalline-rock aquifers | Aquifer Type: | Not Reported |
| Formation Type: | Basement Complex | Well Depth: | 545 |
| Construction Date: | 20020222 | Well Hole Depth: | 545 |
| Well Depth Units: | ft | | |
| Well Hole Depth Units: | ft | | |

| | | | |
|---|--------------|---------------------|------------|
| Ground water levels,Number of Measurements: | 24 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | 10.01 |
| Note: | Not Reported | | |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.75 | Note: | Not Reported |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.86 | Note: | Not Reported |
| Level reading date: | 2004-06-28 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.81 | Note: | Not Reported |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.11 | Note: | Not Reported |
| Level reading date: | 2004-04-14 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.48 | Note: | Not Reported |
| Level reading date: | 2004-04-14 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.02 | Note: | Not Reported |
| Level reading date: | 2004-03-01 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.62 | Note: | Not Reported |
| Level reading date: | 2004-02-18 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.02 | Note: | Not Reported |
| Level reading date: | 2004-01-07 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.22 | Note: | Not Reported |
| Level reading date: | 2003-11-21 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.43 | Note: | Not Reported |
| Level reading date: | 2003-10-08 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.50 | Note: | Not Reported |
| Level reading date: | 2003-10-06 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.39 | Note: | Not Reported |
| Level reading date: | 2003-09-17 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.42 | Note: | Not Reported |
| Level reading date: | 2003-08-27 | Feet below surface: | Not Reported |
| Feet to sea level: | 12.21 | Note: | Not Reported |
| Level reading date: | 2003-06-24 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.80 | Note: | Not Reported |
| Level reading date: | 2003-01-09 | Feet below surface: | Not Reported |
| Feet to sea level: | 11.76 | Note: | Not Reported |
| Level reading date: | 2002-10-09 | Feet below surface: | Not Reported |
| Feet to sea level: | 10.89 | Note: | Not Reported |
| Level reading date: | 2002-06-25 | Feet below surface: | Not Reported |
| Feet to sea level: | 15.00 | Note: | Not Reported |
| Level reading date: | 2002-04-03 | Feet below surface: | Not Reported |
| Feet to sea level: | 9.35 | Note: | Not Reported |
| Level reading date: | 2002-04-01 | Feet below surface: | Not Reported |
| Feet to sea level: | 9.16 | Note: | Not Reported |
| Level reading date: | 2002-04-01 | Feet below surface: | Not Reported |
| Feet to sea level: | 9.06 | Note: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---------------------|------------|---------------------|--------------|
| Level reading date: | 2002-03-13 | Feet below surface: | Not Reported |
| Feet to sea level: | 8.76 | Note: | Not Reported |
| Level reading date: | 2002-03-13 | Feet below surface: | Not Reported |
| Feet to sea level: | 8.89 | Note: | Not Reported |

21
SSW
1/2 - 1 Mile
Lower

FED USGS USGS40000831094

| | | | |
|------------------------|--------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 226 | Type: | Well |
| Description: | EAST 30 ST-B | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 595 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

| | | | |
|---|--------------|---------------------|--------------|
| Ground water levels,Number of Measurements: | 6 | Level reading date: | 2005-02-15 |
| Feet below surface: | Not Reported | Feet to sea level: | -43.11 |
| Note: | Not Reported | | |
| Level reading date: | 2004-11-10 | Feet below surface: | Not Reported |
| Feet to sea level: | -42.80 | Note: | Not Reported |
| Level reading date: | 2004-07-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -42.76 | Note: | Not Reported |
| Level reading date: | 2004-04-21 | Feet below surface: | Not Reported |
| Feet to sea level: | -42.23 | Note: | Not Reported |
| Level reading date: | 2004-03-29 | Feet below surface: | Not Reported |
| Feet to sea level: | -42.12 | Note: | Not Reported |
| Level reading date: | 2004-02-27 | Feet below surface: | Not Reported |
| Feet to sea level: | -20.67 | Note: | Not Reported |

22
North
1/2 - 1 Mile
Higher

FED USGS USGS40000831947

| | | | |
|------------------------|--------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 157 | Type: | Well |
| Description: | Not Reported | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Not Reported |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 100 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

23
ENE
1/2 - 1 Mile
Lower

FED USGS USGS40000831692

| | | | |
|------------------------|--|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 147 | Type: | Well |
| Description: | Not Reported | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Sand and gravel aquifers (glaciated regions) | | |
| Formation Type: | Sand | Aquifer Type: | Not Reported |
| Construction Date: | Not Reported | Well Depth: | 4 |
| Well Depth Units: | ft | Well Hole Depth: | Not Reported |
| Well Hole Depth Units: | Not Reported | | |

24
WSW
1/2 - 1 Mile
Lower

FED USGS USGS40000831335

| | | | |
|------------------------|--------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 240. 1 | Type: | Well |
| Description: | W30ST-C | HUC: | Not Reported |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Bedrock |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 600 | Well Depth Units: | ft |
| Well Hole Depth: | Not Reported | Well Hole Depth Units: | Not Reported |

25
SW
1/2 - 1 Mile
Lower

FED USGS USGS40000831078

| | | | |
|------------------------|--------------|-----------------------------|------------------------------------|
| Organization ID: | USGS-NY | Organization Name: | USGS New York Water Science Center |
| Monitor Location: | NY 161. 1 | Type: | Well |
| Description: | Not Reported | HUC: | 02030201 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Not Reported |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 23 | Well Depth Units: | ft |
| Well Hole Depth: | 23 | Well Hole Depth Units: | ft |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

A1
North
1/4 - 1/2 Mile

OIL_GAS **NYOG90000036104**

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300090000 | Well Name: | SCW 10 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 5 4 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 0 |
| True Depth: | 1789 | Measured Length: | 1805 |

A2
North
1/4 - 1/2 Mile

OIL_GAS **NYOG90000036103**

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300080000 | Well Name: | SCW 9 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 5 3 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 0 |
| True Depth: | 1748 | Measured Length: | 1770 |

A3
North
1/4 - 1/2 Mile

OIL_GAS **NYOG90000036102**

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300070000 | Well Name: | SCW 8 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 5 2 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 0 |
| True Depth: | 2203 | Measured Length: | 2220 |

A4
North
1/4 - 1/2 Mile

OIL_GAS **NYOG90000036101**

| | | | |
|--------------|---|------------------|------------|
| API Well #: | 31061300060000 | Well Name: | SCW 7 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 4 29 |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|--------------------|----------------|------------------|----------------|
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 0 |
| True Depth: | 2108 | Measured Length: | 2125 |

A5 North 1/4 - 1/2 Mile

OIL_GAS NYOG90000036100

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300050000 | Well Name: | SCW 6 |
| Owner: | The Trustees of St. Patrick's Cathedral | Well Type: | Geothermal |
| Operator: | 2789 | Permit Date: | 0 |
| Well Status: | Active | Completion Date: | 2016 428 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 0 |
| State Owned Lease: | Not Reported | Measured Length: | 1950 |
| True Depth: | 1930 | | |

6 SSW 1/4 - 1/2 Mile

OIL_GAS NYOG90000035969

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061236060000 | Well Name: | E. 34 St. - B |
| Owner: | New York City Dept. of Environmental Protection | Well Type: | Stratigraphic |
| Operator: | 2127 | Permit Date: | 0 |
| Well Status: | Plugged and Abandoned | Completion Date: | 2002 315 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 550 |
| State Owned Lease: | NA | Measured Length: | 635 |
| True Depth: | 635 | | |

A7 North 1/4 - 1/2 Mile

OIL_GAS NYOG90000036099

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300040000 | Well Name: | SCW 5 |
| Owner: | The Trustees of St. Patrick's Cathedral | Well Type: | Geothermal |
| Operator: | 2789 | Permit Date: | 0 |
| Well Status: | Active | Completion Date: | 2016 427 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 0 |
| State Owned Lease: | Not Reported | Measured Length: | 2165 |
| True Depth: | 2150 | | |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

B8
South
1/4 - 1/2 Mile

OIL_GAS NYOG90000035972

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061236130000 | Well Name: | E. 35 St. - D |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 20021010 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 600 |
| True Depth: | 600 | Measured Length: | 600 |

A9
North
1/4 - 1/2 Mile

OIL_GAS NYOG90000036098

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300030000 | Well Name: | SCW 4 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 420 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 2000 |
| True Depth: | 1362 | Measured Length: | 1365 |

A10
North
1/4 - 1/2 Mile

OIL_GAS NYOG90000036097

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300020000 | Well Name: | SCW 3 |
| Owner: | The Trustees of St. Patrick's Cathedral | | |
| Operator: | 2789 | Well Type: | Geothermal |
| Well Status: | Active | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2016 421 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | Not Reported | Proposed Depth: | 0 |
| True Depth: | 1088 | Measured Length: | 1090 |

B11
South
1/4 - 1/2 Mile

OIL_GAS NYOG90000035934

| | | | |
|--------------|---|------------------|---------------|
| API Well #: | 31061210680000 | Well Name: | E. 35 St. - F |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2004 120 |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|--------------------|----------------|------------------|----------------|
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 525 |
| True Depth: | 506 | Measured Length: | 506 |

B12 South 1/4 - 1/2 Mile

OIL_GAS NYOG90000035970

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061236110000 | Well Name: | E. 35 St. - B |
| Owner: | New York City Dept. of Environmental Protection | Well Type: | Stratigraphic |
| Operator: | 2127 | Permit Date: | 0 |
| Well Status: | Plugged and Abandoned | Completion Date: | 19991020 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 507 |
| State Owned Lease: | NA | Measured Length: | 507 |
| True Depth: | 507 | | |

A13 North 1/4 - 1/2 Mile

OIL_GAS NYOG90000036096

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300010000 | Well Name: | SCW 2 |
| Owner: | The Trustees of St. Patrick's Cathedral | Well Type: | Geothermal |
| Operator: | 2789 | Permit Date: | 0 |
| Well Status: | Active | Completion Date: | 2016 425 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 2000 |
| State Owned Lease: | Not Reported | Measured Length: | 815 |
| True Depth: | 814 | | |

A14 North 1/4 - 1/2 Mile

OIL_GAS NYOG90000036095

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061300000000 | Well Name: | SCW 1 |
| Owner: | The Trustees of St. Patrick's Cathedral | Well Type: | Geothermal |
| Operator: | 2789 | Permit Date: | 0 |
| Well Status: | Active | Completion Date: | 2016 418 |
| Drill Date: | 0 | Field Name: | Not Applicable |
| Plug Date: | 0 | Borehole Slant: | Vertical |
| Formation: | Not Applicable | Proposed Depth: | 0 |
| State Owned Lease: | Not Reported | Measured Length: | 1150 |
| True Depth: | 1147 | | |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

C15
SSW
1/2 - 1 Mile

OIL_GAS NYOG90000035932

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061210660000 | Well Name: | E. 31 St. - A |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2004 120 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Fordham Gneiss | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 580 |
| True Depth: | 554 | Measured Length: | 554 |

16
South
1/2 - 1 Mile

OIL_GAS NYOG90000035925

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061210590000 | Well Name: | E. 33 St. - A |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 20031113 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 550 |
| True Depth: | 550 | Measured Length: | 550 |

C17
SSW
1/2 - 1 Mile

OIL_GAS NYOG90000036008

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061236780000 | Well Name: | GEO-1 |
| Owner: | Bishop of North American Region of Sukyo Mahikari | | |
| Operator: | 2296 | Well Type: | Not Listed |
| Well Status: | Expired Permit | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 0 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 1500 |
| True Depth: | 0 | Measured Length: | 0 |

18
SW
1/2 - 1 Mile

OIL_GAS NYOG90000035919

| | | | |
|--------------|---|------------------|---------------|
| API Well #: | 31061210530000 | Well Name: | E. 30 St. - A |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 20031110 |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Plug Date: 0
Formation: Fordham Gneiss
State Owned Lease: NA
True Depth: 606

Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 600
Measured Length: 606

19 NE 1/2 - 1 Mile

OIL_GAS NYOG90000035973

API Well #: 31061236140000
Owner: U.S. Geological Survey
Well Type: Stratigraphic
Permit Date: 0
Completion Date: 0
Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 600
Measured Length: 545

Well Name: E. 55 St. - B
Operator: 2370
Well Status: Active
Drill Date: 0
Plug Date: 0
Formation: Not Applicable
State Owned Lease: NA
True Depth: 545

20 South 1/2 - 1 Mile

OIL_GAS NYOG90000035924

API Well #: 31061210580000
Owner: New York City Dept. of Environmental Protection
Operator: 2127
Well Status: Plugged and Abandoned
Drill Date: 0
Plug Date: 0
Formation: Not Applicable
State Owned Lease: NA
True Depth: 595

Well Name: E. 30 St. - B
Well Type: Stratigraphic
Permit Date: 0
Completion Date: 20031111
Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 550
Measured Length: 595

21 SW 1/2 - 1 Mile

OIL_GAS NYOG90000035931

API Well #: 31061210650000
Owner: New York City Dept. of Environmental Protection
Operator: 2127
Well Status: Plugged and Abandoned
Drill Date: 0
Plug Date: 0
Formation: Not Applicable
State Owned Lease: NA
True Depth: 0

Well Name: W. 30 St. - B
Well Type: Stratigraphic
Permit Date: 0
Completion Date: 0
Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 600
Measured Length: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

22
NE
1/2 - 1 Mile

OIL_GAS NYOG90000036053

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061237360000 | Well Name: | E57 St - A |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2002 628 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Fordham Gneiss | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 0 |
| True Depth: | 505 | Measured Length: | 505 |

23
WSW
1/2 - 1 Mile

OIL_GAS NYOG90000035921

| | | | |
|--------------------|---|------------------|----------------|
| API Well #: | 31061210550000 | Well Name: | W. 30 St. - C |
| Owner: | New York City Dept. of Environmental Protection | | |
| Operator: | 2127 | Well Type: | Stratigraphic |
| Well Status: | Plugged and Abandoned | Permit Date: | 0 |
| Drill Date: | 0 | Completion Date: | 2004 422 |
| Plug Date: | 0 | Field Name: | Not Applicable |
| Formation: | Not Applicable | Borehole Slant: | Vertical |
| State Owned Lease: | NA | Proposed Depth: | 600 |
| True Depth: | 600 | Measured Length: | 600 |

D24
NNE
1/2 - 1 Mile

OIL_GAS NYOG90000036089

| | | | |
|------------------|----------------|--------------------|----------------|
| API Well #: | 31061237810000 | Well Name: | W-1 |
| Owner: | RI Group, LLC | Operator: | 2447 |
| Well Type: | Not Listed | Well Status: | Expired Permit |
| Permit Date: | 0 | Drill Date: | 0 |
| Completion Date: | 0 | Plug Date: | 0 |
| Field Name: | Not Applicable | Formation: | Not Applicable |
| Borehole Slant: | Vertical | State Owned Lease: | NA |
| Proposed Depth: | 1100 | True Depth: | 0 |
| Measured Length: | 0 | | |

D25
NNE
1/2 - 1 Mile

OIL_GAS NYOG90000036090

| | | | |
|------------------|----------------|--------------|-----------------------|
| API Well #: | 31061237810000 | Well Name: | W-1 |
| Owner: | RI Group, LLC | Operator: | 2447 |
| Well Type: | Not Listed | Well Status: | Plugged and Abandoned |
| Permit Date: | 0 | Drill Date: | 0 |
| Completion Date: | 0 | Plug Date: | 0 |

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 0
Measured Length: 0

Formation: Not Applicable
State Owned Lease: NA
True Depth: 0

E26 WSW 1/2 - 1 Mile

OIL_GAS NYOG90000036080

API Well #: 31061237640000
Owner: Ancona, Jack
Well Type: Geothermal
Permit Date: 0
Completion Date: 2009 123
Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 1500
Measured Length: 1120

Well Name: Geothermal 1
Operator: 2426
Well Status: Temporarily Abandoned
Drill Date: 0
Plug Date: 0
Formation: Manhattan Schist
State Owned Lease: NA
True Depth: 1120

E27 WSW 1/2 - 1 Mile

OIL_GAS NYOG90000036081

API Well #: 31061237650000
Owner: Ancona, Jack
Well Type: Geothermal
Permit Date: 0
Completion Date: 2009 123
Field Name: Not Applicable
Borehole Slant: Vertical
Proposed Depth: 1500
Measured Length: 1100

Well Name: Geothermal 2
Operator: 2426
Well Status: Temporarily Abandoned
Drill Date: 0
Plug Date: 0
Formation: Manhattan Schist
State Owned Lease: NA
True Depth: 1100

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

| County | Town | Num Tests | Avg Result | Geo Mean | Max Result |
|----------|----------------|-----------|------------|----------|------------|
| NEW YORK | NYC (BRONX) | 91 | 1.59 | 0.85 | 16 |
| NEW YORK | NYC (KINGS) | 416 | 1.93 | 1.19 | 28.2 |
| NEW YORK | NYC (NEW YORK) | 108 | 2.15 | 0.98 | 49.5 |
| NEW YORK | NYC (QUEENS) | 501 | 1.24 | 0.77 | 23.8 |
| NEW YORK | NYC (RICHMOND) | 225 | 1.44 | 0.76 | 14.1 |

Federal EPA Radon Zone for NEW YORK County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NEW YORK COUNTY, NY

Number of sites tested: 31

| Area | Average Activity | % <4 pCi/L | % 4-20 pCi/L | % >20 pCi/L |
|-------------|------------------|------------|--------------|-------------|
| Living Area | 0.690 pCi/L | 90% | 10% | 0% |
| Basement | 1.490 pCi/L | 81% | 19% | 0% |

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Source: Department of Environmental Conservation

Telephone: 518-402-8072

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX C

Freedom of Information Law Letters and Responses

**New York City Department of Finance
Office of the City Register**

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Search Results By Parcel Identifier

| Current Search Criteria: | |
|--------------------------|----------------------|
| Borough: | MANHATTAN / NEW YORK |
| Block: | 1280 |
| Lot: | 30 Unit: N/A |
| Date Range: | |
| Document Class: | All Document Classes |

Records 1 - 79 << [previous](#) [next](#) >> Max Rows [[Search Options](#)] [[New BBL Search](#)] [[Edit Current Search](#)] [[View Tax Map](#)] [[Print Index](#)]

| View | Reel/Pg/File | CRFN | Lot | Partial | Doc Date | Recorded / Filed | Document Type | Pages | Party1 | Party2 | Party 3/ Other | More Party 1/2 Names | Corrected/ Remarks | Doc Amount |
|------|--------------|---------------|-----|-------------|------------|------------------------|-------------------------------|-------|--|---|----------------|----------------------|--------------------|------------|
| | | 2020000146869 | 30 | ENTIRE LOT | 2/28/2020 | 5/13/2020 3:46:17 PM | DEED | 209 | MIDTOWN TRACKAGE VENTURES LLC | METROPOLITAN TRANSPORTATION AUTHORITY | | | | 33,072,265 |
| | | 2020000083467 | 30 | ENTIRE LOT | 2/28/2020 | 3/4/2020 2:18:10 PM | DEED | 209 | MIDTOWN TRACKAGE VENTURES LLC | METROPOLITAN TRANSPORTATION AUTHORITY | | | | 33,072,265 |
| | | 2018000000724 | 30 | ENTIRE LOT | 12/19/2017 | 1/2/2018 11:27:10 AM | MEMORANDUM OF LEASE | 10 | UDC/COMMODORE REDEVELOPMENT CORPORATION | HYATT EQUITIES L.L.C. | | ✓ | | 0 |
| | | 2018000000723 | 30 | ENTIRE LOT | 12/19/2017 | 1/2/2018 11:27:09 AM | DEED | 25 | UDC/COMMODORE REDEVELOPMENT CORPORATION | METROPOLITAN TRANSPORTATION AUTHORITY | | ✓ | | 13,000,000 |
| | | 2017000373542 | 30 | ENTIRE LOT | 9/14/2017 | 10/10/2017 4:22:02 PM | SATISFACTION OF MORTGAGE | 6 | HYATT CORPORATION | CHASE MANHATTAN BANK | | | | 0 |
| | | 2017000373541 | 30 | ENTIRE LOT | 9/14/2017 | 10/10/2017 4:22:01 PM | SATISFACTION OF MORTGAGE | 5 | HYATT CORPORATION | MANUFACTURERS HNVTR TRUST | | | | 0 |
| | | 2015000436156 | 30 | ENTIRE LOT | 11/10/2015 | 12/9/2015 2:19:09 PM | AGREEMENT | 20 | NYC DEPARTMENT OF TRANSPORTATION | HYATT EQUITIES LLC | | | | 0 |
| | | 2007000633262 | 30 | PARTIAL LOT | 6/16/1998 | 12/31/2007 12:55:01 PM | CORRECT INDEX/DEED-OFFICE USE | 22 | NEW YORK STATE | HYATT EQUITIES LLC | | ✓ | | 0 |
| | | 2007000115672 | 30 | ENTIRE LOT | 1/18/2005 | 3/2/2007 12:21:33 PM | ASSIGNMENT OF LEASE | 145 | AMERICAN PREMIER UNDERWRITERS, INC. | METROPOLITAN TRANSPORTATION AUTHORITY | | ✓ | | 0 |
| | | 2006000705520 | 30 | ENTIRE LOT | 12/12/2006 | 12/28/2006 11:17:24 AM | DEED | 216 | AMERICAN PREMIER UNDERWRITERS, INC. | MIDTOWN TRACKAGE VENTURES LLC | | ✓ | ✓ | 0 |
| | | 2006000243263 | 30 | ENTIRE LOT | 12/7/2005 | 5/2/2006 3:15:51 PM | AGREEMENT | 17 | NYCDOT DIV. OF FRANCHISES, CONCESSIONS & CONSENTS | HYATT EQUITIES LLC | | | | 0 |
| | | 2879/1773 | 30 | ENTIRE LOT | 6/16/1998 | 5/24/1999 | DEED | 7 | UDC/COMMODORE REDEVELOPMENT CORP. | HYATT EQUITIES LLC | | ✓ | | 0 |
| | | 2879/1753 | 30 | ENTIRE LOT | 6/16/1998 | 5/24/1999 | DEED | 20 | M.T.A. | HYATT EQUITIES LLC | | ✓ | | 0 |
| | | 2879/1744 | 30 | ENTIRE LOT | 3/2/1998 | 5/24/1999 | DEED | 9 | UDC/COMMODORE REDEVELOPMENT CORP. | METROPOLITAN TRANSPORTATION AUTH. | | | | 0 |
| | | 97TN02689 | 30 | ENTIRE LOT | | 3/11/1997 | UCC3 TERMINATION | 1 | REGENCY-LEXINGTON PARTNERS | HYATT CORPORATION, ADEL CORPORATION | | | | 0 |
| | | 97TN02688 | 30 | ENTIRE LOT | | 3/11/1997 | UCC3 TERMINATION | 1 | REGENCY LEXINGTON PARTNERS | HYATT CORPORATION, ADEL. CORP | | | | 0 |
| | | 2422/1792 | 30 | ENTIRE LOT | | 2/14/1997 | ASSIGNMENT, MORTGAGE | 7 | EQUITABLE LIFE ASSURANCE SOCIETY/THE UNITED STATES | EMIGRANT SAVINGS BANK | | | | 0 |
| | | 2422/1787 | 30 | ENTIRE LOT | | 2/14/1997 | ASSIGNMENT, MORTGAGE | 5 | BANKERS TRUST COMPANY | HYATT CORPORATION | | | | 0 |
| | | 97PN05772 | 30 | ENTIRE LOT | | 2/6/1997 | UCC3 ASSIGNMENT | 1 | REGENCY-LEXINGTON PARTNERS | EMIGRANT SAVINGS BANK | | ✓ | | 0 |
| | | 97PN05771 | 30 | ENTIRE LOT | | 2/6/1997 | UCC3 ASSIGNMENT | 1 | REGENCY LEXINGTON PARTNERS | EQUITABLE LIFE ASSURANCE SOCIETY OF THE UNITED STATES | | ✓ | | 0 |
| | | 2317/321 | 30 | ENTIRE LOT | | 4/25/1996 | AGREEMENT | 10 | GRAND CENTRAL DISTRICT MANAGEMENT ASSOCIATION, INC | NEW YORK CITY DEPARTMENT OF TRANSPORTATION | | | | 0 |
| | | 2271/651 | 30 | ENTIRE LOT | | 12/14/1995 | AGREEMENT | 30 | AMERICAN PREMIER UNDERWRITERS, INC. | METROPOLITAN TRANSPORTATION AUTHORITY | | ✓ | | 0 |
| | | 95PN41099 | 30 | ENTIRE LOT | | 9/22/1995 | UCC3 ASSIGNMENT | 1 | REGENCY-LEXINGTON PARTNERS | BOWERY SAVINGS BANK | | ✓ | | 0 |
| | | 2240/653 | 30 | ENTIRE LOT | | 9/5/1995 | ASSIGNMENT, MORTGAGE | 4 | HOME SAVINGS OF AMERICA, FSB | EMIGRANT SAVINGS BANK | | | | 0 |
| | | 2235/1107 | 30 | ENTIRE LOT | | 8/21/1995 | AGREEMENT | 71 | CHASE MANHATTAN BANK/CONNECTICUT | METROPOLITAN TRANSPORTATION | | | | 0 |

| | | | | | | | | | | | | |
|--------------------------|--------------------------|------------|----|------------|----------|------------|---------------------------|-----|---------------------------------------|--|--|------------|
| <input type="checkbox"/> | <input type="checkbox"/> | 2235/1035 | 30 | ENTIRE LOT | 4/8/1994 | 8/21/1995 | LEASE | 72 | AMERICAN PREMIER UNDERWRITERS INC. | - TRUSTEE
AUTHORITY - TENANT
METROPOLITAN TRANSPORTATION AUTHORITY | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 95PN26481 | 30 | ENTIRE LOT | | 6/20/1995 | UCC3 CONTINUATION | 1 | REGENCY LEXINGTON PARTNERS | EQUITABLE LIFE ASSURANCE SOCIETY OF THE UNITED STATES | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 94PN53639 | 30 | ENTIRE LOT | | 12/2/1994 | INITIAL UCC1 | 39 | REGENCY GRAND HYATT | CROSSLAND FEDERAL SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 2080/1833 | 30 | ENTIRE LOT | | 4/14/1994 | AGREEMENT | 104 | NEW YORK & HARLEM RAILROAD COMPANY | METROPOLITAN TRANSPORTATION AUTHORITY | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 2080/1730 | 30 | ENTIRE LOT | | 4/14/1994 | AGREEMENT | 103 | METROPOLITAN TRANSPORTATION AUTHORITY | CHASE MANHATTAN BANK OF CONNECTICUT | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 2080/1537 | 30 | ENTIRE LOT | | 4/14/1994 | LEASE | 187 | AMERICAN PREMIER UNDERWRITES, INC. | METROPOLITAN TRANSPORTATION AUTHORITY | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 92PN27669 | 30 | ENTIRE LOT | | 6/25/1992 | INITIAL UCC1 | 2 | REGENCY-LEXINGTON PARTNERS | BOWERY SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 90PN51803 | 30 | ENTIRE LOT | | 11/2/1990 | UCC3 CONTINUATION | 4 | REGENCY LEXINGTON PARTNERS | EQUITABLE LIFE ASSURANCE SOCIETY OF THE UNITED STATES | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 9003/51803 | 30 | ENTIRE LOT | | 11/2/1990 | UNIFORM COMMERCIAL CODE 3 | | REGENCY-LEXINGTON PRTRNS | EQUITABLE LIFE ETC | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 90PN20541 | 30 | ENTIRE LOT | | 4/25/1990 | INITIAL UCC1 | 2 | PICOLINO, INC. | REGENCY-LEXINGTON PARTNERS | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 9001/20541 | 30 | ENTIRE LOT | | 4/25/1990 | UNIFORM COMMERCIAL CODE 1 | | PICOLINO INC | REGENCY-LEXINGTON | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8801/36101 | 30 | ENTIRE LOT | | 7/7/1988 | UNIFORM COMMERCIAL CODE 1 | 3 | NEW YORK HOTEL ETAL | REGENCY LEXINGTON ETC | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 1085/115 | 30 | ENTIRE LOT | | 7/8/1986 | EASEMENT | 4 | REGENCY-LEXINGTON PRTRNS | NY TELEPHONE CO | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8601/34558 | 30 | ENTIRE LOT | | 6/26/1986 | UNIFORM COMMERCIAL CODE 1 | | REGENCY-LEXINGTON PARTNRS | BANKERS TRUST COMPANY | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 1081/1021 | 30 | ENTIRE LOT | | 6/26/1986 | AGREEMENT | 7 | BANKERS TRUST COMPANY | REGENCY-LEXINGTON PRTRNS | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 1081/976 | 30 | ENTIRE LOT | | 6/26/1986 | MORTGAGE | 45 | REGENCY-LEXINGTON PRTRNS | BANKERS TRUST CO | | 30,000,000 |
| <input type="checkbox"/> | <input type="checkbox"/> | 1081/973 | 30 | ENTIRE LOT | | 6/26/1986 | ASSIGNMENT, MORTGAGE | 3 | CHASE MANHATTAN BANK | BANKERS TRUST COMPANY | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 85PN61136 | 30 | ENTIRE LOT | | 12/3/1985 | UCC3 CONTINUATION | | REGENCY LEXINGTON PARTNERS | EQUITABLE LIFE ASSURANCE SOCIETY OF THE UNITED STATES | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8503/61136 | 30 | ENTIRE LOT | | 12/3/1985 | UNIFORM COMMERCIAL CODE 3 | | REGENCY LEXINGTON PRTRNS | EQUITABLE LIFE ETC | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 844/571 | 30 | ENTIRE LOT | | 10/31/1984 | SUNDRY AGREEMENT | 19 | B. DALTON COMPANY | | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 844/563 | 30 | ENTIRE LOT | | 10/31/1984 | AGREEMENT | 9 | METROPOLITAN TRNSP.AUTH. | BOWERY SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 763/1222 | 30 | ENTIRE LOT | 1/6/1984 | 2/10/1984 | DEED | 7 | OWASCO RIVER RAILWAY, INC | NEW YORK & HARLEM R.R.CO | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 737/281 | 30 | ENTIRE LOT | | 11/17/1983 | DECLARATION | 15 | N.Y.& HARLEM RAILROAD CO | | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8301/35880 | 30 | ENTIRE LOT | | 9/2/1983 | UNIFORM COMMERCIAL CODE 1 | | FALLAS, MICHAEL M. | | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8301/24633 | 30 | ENTIRE LOT | | 6/22/1983 | UNIFORM COMMERCIAL CODE 1 | | DIMAURO HAIR SALON, INC. | | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 8300/4167 | 30 | ENTIRE LOT | | 5/16/1983 | MAPS | | MTE GRAND CTL STATION | | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 561/728 | 30 | ENTIRE LOT | | 4/3/1981 | MORTGAGE | 29 | REGENCY LEXINGTON PRTRNS | CHASE MANHATTAN BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 80PN36027 | 30 | ENTIRE LOT | | 12/8/1980 | INITIAL UCC1 | | REGENCY LEXINGTON PARTNERS | EQUITABLE LIFE ASSURANCE SOCIETY OF THE UNITED STATES | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 80PN36026 | 30 | ENTIRE LOT | | 12/8/1980 | INITIAL UCC1 | | REGENCY-LEXINGTON PARTNERS | BOWERY SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 546/877 | 30 | ENTIRE LOT | | 12/8/1980 | AGREEMENT | 38 | REGENCY LEXINGTON PRTRNS | BOWERY SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 546/874 | 30 | ENTIRE LOT | | 12/8/1980 | ASSIGNMENT, MORTGAGE | 3 | MANUFACTURERS HNVN TR CO | BOWERY SAVINGS BANK | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 490/839 | 30 | ENTIRE LOT | | 8/6/1979 | DEED | 4 | NEW YORK ST URBN DVLPMNT | UDC COMMODORE RDVLPMT | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 489/714 | 30 | ENTIRE LOT | | 7/30/1979 | DEED | 4 | UDC COMMODORE RDVLPMT | NEW YORK ST URBN ETAL | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 485/71 | 30 | ENTIRE LOT | | 6/19/1979 | LEASE | 4 | REGENCY LEX PARTNERS | TERMINAL CENTRAL INC | | 0 |
| <input type="checkbox"/> | <input type="checkbox"/> | 474/110 | 30 | ENTIRE LOT | | 3/8/1979 | LEASE | 7 | REGENCY LEX PARTNERS | COMSTRAW INC | | 0 |


| | | | | | | | | | |
|------------------------------------|------------------------------------|----------|---------------|-------------------------|----------------------|-----------------------------|--------------------------|---|---|
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 462/835 | 30 ENTIRE LOT | 12/4/1978 | DEED | 4 NEW YORK ST URBN ETAL | UDC COMMODORE RDVLPETAL | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 461/1182 | 30 ENTIRE LOT | 11/24/1978 | DEED | 2 U D C COMMODORE ETAL | NEW YORK ST URBN ETAL | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 460/1535 | 30 ENTIRE LOT | 11/17/1978 | DEED | 18 BLANCHETTE, ROBERT WTR | PENN CENTRAL CORP | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 460/1523 | 30 ENTIRE LOT | 11/17/1978 | DEED | 13 PENN CNTRL TRNSPRTTNTNTR | OWASCO RIVER RAILWAYINC | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1781 | 30 ENTIRE LOT | 5/25/1978 | MORTGAGE | 20 REGENCY LEX PARTNERS | MANUFACTURERS HNVTR TRST | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1777 | 30 ENTIRE LOT | 5/25/1978 | ASSIGNMENT, MORTGAGE | 4 WEMBLEY REALTY INC | REGENCY LEX PARTNERS | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1773 | 30 ENTIRE LOT | 5/25/1978 | ASSIGNMENT, MORTGAGE | 4 WEMBLEY REALTY INC | REGENCY LEX PARTNERS | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1769 | 30 ENTIRE LOT | 5/25/1978 | ASSIGNMENT, MORTGAGE | 4 WEMBLEY REALTY INC | REGENCY LEX PARTNERS | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1765 | 30 ENTIRE LOT | 5/25/1978 | ASSIGNMENT, MORTGAGE | 4 WEMBLEY REALTY INC | REGENCY LEX PARTNERS | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1760 | 30 ENTIRE LOT | 5/25/1978 | ASSIGNMENT, MORTGAGE | 5 WEMBLEY REALTY INC | REGENCY LEX PARTNERS | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1743 | 30 ENTIRE LOT | 5/25/1978 | EASEMENT | 19 CITY OF NEW YORK | COMMODORE RDVLPMTNT CORP | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1728 | 30 ENTIRE LOT | 5/25/1978 | EASEMENT | 15 CITY OF NEW YORK | METROPOLITAN TRNSP ETAL | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1693 | 30 ENTIRE LOT | 5/25/1978 | EASEMENT | 35 METROPOLITAN TRNSP ETAL | CITY OF NEW YORK | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1676 | 30 ENTIRE LOT | 5/25/1978 MISCELLANEOUS | | 17 METROPOLITAN TRNSP ETAL | | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1667 | 30 ENTIRE LOT | 5/25/1978 | AGREEMENT | 9 BLANCHETTE, ROBERT W | COMMODORE RDVLPMTNT ETAL | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1512 | 30 ENTIRE LOT | 5/25/1978 | AGREEMENT | 89 COMMODORE REDVLPMTNTETAL | WEMBLEY REALTY INC | | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1481 | 30 ENTIRE LOT | 5/25/1978 | AGREEMENT | 27 CITY OF NEW YORK | WEMBLEY REALTY INC | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 439/1381 | 30 ENTIRE LOT | 5/25/1978 | DEED | 94 BLACHETTE, ROBERT W | CITY OF NEW YORK | ✓ | 0 |
| <input type="button" value="DET"/> | <input type="button" value="IMG"/> | 217/1382 | 30 ENTIRE LOT | 9/23/1971 | LEASE | 2 REALTY HOTE INC | HOTEL BILTMORE□ | | 0 |

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms of Use](#)

National Flood Hazard Layer FIRMette



73°58'54"W 40°45'22"N



3604970088F
City of New York
eff. 9/5/2007
360497

3604970088F The National Map: Orthoimagery. Data refreshed October, 2020.
eff. 9/5/2007

0 250 500 1,000 1,500 2,000 Feet 1:6,000

73°58'17"W 40°44'54"N

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

| | | |
|-----------------------------|--|---|
| SPECIAL FLOOD HAZARD AREAS | | Without Base Flood Elevation (BFE)
Zone A, V, A99 |
| | | With BFE or Depth Zone AE, AO, AH, VE, AR |
| | | Regulatory Floodway |
| OTHER AREAS OF FLOOD HAZARD | | 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X |
| | | Future Conditions 1% Annual Chance Flood Hazard Zone X |
| | | Area with Reduced Flood Risk due to Levee. See Notes. Zone X |
| | | Area with Flood Risk due to Levee Zone D |
| OTHER AREAS | | NO SCREEN Area of Minimal Flood Hazard Zone X |
| | | Effective LOMRs |
| | | Area of Undetermined Flood Hazard Zone D |
| GENERAL STRUCTURES | | Channel, Culvert, or Storm Sewer |
| | | Levee, Dike, or Floodwall |
| OTHER FEATURES | | 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation |
| | | 17.5 |
| | | Coastal Transect |
| | | Base Flood Elevation Line (BFE) |
| | | Limit of Study |
| | | Jurisdiction Boundary |
| | | Coastal Transect Baseline |
| MAP PANELS | | Digital Data Available |
| | | No Digital Data Available |
| | | Unmapped |
| | | The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location. |



This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **10/26/2020 at 3:02 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK






| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

EFFECTIVE: DECEMBER 15, 1961

COPYRIGHTED BY THE CITY OF NEW YORK

001



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: FEBRUARY 23, 1962
A-176

COPYRIGHTED BY THE CITY OF NEW YORK

02



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK





| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE AUGUST 22, 1963
A-353


COPYRIGHTED BY THE CITY OF NEW YORK

003



89

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



COPYRIGHTED BY THE CITY OF NEW YORK

8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE FEBRUARY 6, 1964
A-412


COPYRIGHTED BY THE CITY OF NEW YORK

005




89

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



A-437

006



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: MAY 28, 1964
A-450

COPYRIGHTED BY THE CITY OF NEW YORK

007



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: JUNE 11, 1964
A-457


COPYRIGHTED BY THE CITY OF NEW YORK

008




89

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



A-537
A-538

009



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE JULY 22, 1965
A-584

COPYRIGHTED BY THE CITY OF NEW YORK

010



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK





| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: OCTOBER 28, 1965
A 604

COPYRIGHTED BY THE CITY OF NEW YORK

111



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE: APRIL 14, 1966

A-653
A-655

COPYRIGHTED BY THE CITY OF NEW YORK

012



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE: JUNE 10, 1966
A-665

COPYRIGHTED BY THE CITY OF NEW YORK

013



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE: JULY 28, 1966

A-679

COPYRIGHTED BY THE CITY OF NEW YORK

014



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE: AUGUST 25, 1966
A-688

COPYRIGHTED BY THE CITY OF NEW YORK

015



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE AUGUST 25, 1966
A-688

COPYRIGHTED BY THE CITY OF NEW YORK

DISK



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENTS
EFFECTIVE: MAY 18, 1967
A-746
A-747
A-749

COPYRIGHTED BY THE CITY OF NEW YORK

017



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: NOVEMBER 22, 1967
A-797

COPYRIGHTED BY THE CITY OF NEW YORK

018



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 7, 1967

A-800

COPYRIGHTED BY THE CITY OF NEW YORK

019



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK





| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: APRIL 24, 1969

A-882

COPYRIGHTED BY THE CITY OF NEW YORK

070



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE SEPTEMBER 18, 1969
A-902

COPYRIGHTED BY THE CITY OF NEW YORK

120



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

U INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE MARCH 20, 1970
A-940

COPYRIGHTED BY THE CITY OF NEW YORK

220



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE APRIL 16, 1970
A-943

COPYRIGHTED BY THE CITY OF NEW YORK

177



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: AUGUST 20, 1970
A-968

COPYRIGHTED BY THE CITY OF NEW YORK

024



8d

ZONING MAP


CITY PLANNING COMMISSION
THE CITY OF NEW YORK



| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE MARCH 25, 1971
A-998

COPYRIGHTED BY THE CITY OF NEW YORK
025



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK






| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: OCTOBER 28, 1971
A-1024

COPYRIGHT 1960 BY THE CITY OF NEW YORK

026



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 16, 1971

A-1035

COPYRIGHTED BY THE CITY OF NEW YORK

027



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

..... INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE JUNE 22, 1972
A-1064

COPYRIGHTED BY THE CITY OF NEW YORK

020



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 7, 1972
A-1096

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 7, 1972
A-1093

COPYRIGHTED BY THE CITY OF NEW YORK

030




8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 21, 1972
A-1098




89

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



A-1113

032



8d


ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

.....INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE MAY 3, 1973
A-1116



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK





| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE: JUNE 21, 1973
A-1122

COPYRIGHT BY THE CITY OF NEW YORK

034



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE AUGUST 16, 1973
A-1133

COPYRIGHTED BY THE CITY OF NEW YORK

035



8d

ZONING MAP CITY PLANNING COMMISSION THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE NOVEMBER 6, 1973
A-1140

COPYRIGHTED BY THE CITY OF NEW YORK

036



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE DECEMBER 28, 1973
A-1148

COPYRIGHTED BY THE CITY OF NEW YORK

037



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE NOVEMBER 7, 1974
A-1178

COPYRIGHTED BY THE CITY OF NEW YORK

038



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE NOVEMBER 21, 1974
A-1179

COPYRIGHTED BY THE CITY OF NEW YORK

039



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK




| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE SEPTEMBER 28, 1978
A-1235

COPYRIGHTED BY THE CITY OF NEW YORK

040



8d

ZONING MAP

CITY PLANNING COMMISSION
THE CITY OF NEW YORK



| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |


INDICATES RESTRICTIVE
DECLARATION FOR DETAIL
REFER TO R.D. SHEET

INDICATES PROPERTY
REZONED BY AMENDMENT
EFFECTIVE AUGUST 21, 1980

A-1295

COPYRIGHTED BY THE CITY OF NEW YORK

041



THE NEW YORK CITY PLANNING COMMISSION



R — RESIDENTIAL DISTRICT
C — COMMERCIAL DISTRICT
M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

.....: INDICATES PROPERTY REZONED
 : : : : : BY AMENDMENT EFFECTIVE; 4 - 9-81


① RESTRICTIVE DECLARATION, FOR
DETAIL REFER TO R.D. SHEET.




ZONING MAP 8d

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

CHC





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follow on "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 6-11-81 A-1316

(D) RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.

ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

043

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 7-23-81 A-1318

Ⓢ RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.



ZONING MAP **8d**


MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

044





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 12-3-81 A-1331

Ⓢ RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.


ZONING MAP **8d**


MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

045





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The numbers and/or letters which follow an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS
The letters within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82
A-1350

Ⓢ RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.




ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

047



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follow an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 8-19-82


ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

• COPYRIGHTED BY THE CITY OF NEW YORK

047R



047R

0 600 1200 1800 FEET

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED
BY AMENDMENT EFFECTIVE 7-21-83
A-1371

Ⓢ RESTRICTIVE DECLARATION, FOR
DETAIL REFER TO R.D. SHEET.


ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

048



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



R — RESIDENTIAL DISTRICT

C — COMMERCIAL DISTRICT

M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 12-1-83 A-1384

Ⓢ RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.


ZONING MAP 8d

MAP KEY


| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© COPYRIGHTED BY THE CITY OF NEW YORK

049



600 0 600 1200 1800 FEET



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 5-23-85
A-1420

RESTRICTIVE DECLARATION, FOR
DETAIL REFER TO R.D. SHEET.


ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

• COPYRIGHTED BY THE CITY OF NEW YORK

050



• COPYRIGHTED BY THE CITY OF NEW YORK

150

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 9-11-86 * A-1450

(D) RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.

* FOR PURPOSES OF CLARIFICATION, CERTAIN NUMBERED DIMENSIONS WERE ADDED ON 9-22-86.



MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP 8d

COPYRIGHTED BY THE CITY OF NEW YORK

052



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follow on "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED
BY AMENDMENT EFFECTIVE: 9-11-86 *
A-1451

④ RESTRICTIVE DECLARATION FOR
DETAIL REFER TO R.D. SHEET.

⑤ CITY ENVIRONMENTAL QUALITY
REVIEW DECLARATION FOR DETAIL RE-
FER TO C.E.Q.R. SHEET.


MAP KEY


| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP 8d

● COPYRIGHTED BY THE CITY OF NEW YORK

053





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 11-6-86 A-1460

Ⓢ RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET


ⓔ CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET

ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK



054

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follow an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 3-26-87 A-1465

(D) RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.


(E) CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.

ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyrighted by the City of New York



600 0 600 1200 1800 FEET

CL1 CL2 CL3 CL4 CL5 CL6 CL7 CL8 CL9 CL10 CL11 CL12 CL13 CL14 CL15 CL16 CL17 CL18 CL19 CL20 CL21 CL22 CL23 CL24 CL25

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 10-29-87 A-1481

ⓓ RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.

ⓔ CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.


ZONING MAP **8d**

MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

● COPYRIGHTED BY THE CITY OF NEW YORK

056



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



R — RESIDENTIAL DISTRICT

C — COMMERCIAL DISTRICT

M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 3-10-88 A-1490

Ⓢ RESTRICTIVE DECLARATION, FOR DETAIL, REFER TO R.D. SHEET.

ⓔ CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL, REFER TO C.E.Q.R. SHEET.


ZONING MAP 8d


MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

• COPYRIGHTED BY THE CITY OF NEW YORK

057





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows on "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 4-28-88 A-1494

ⓓ RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.

ⓔ CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.

ZONING MAP 8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

• COPYRIGHTED BY THE CITY OF NEW YORK

059

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS



R — RESIDENTIAL DISTRICT

C — COMMERCIAL DISTRICT

M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

.....: INDICATES PROPERTY REZONED
:.....: BY AMENDMENT EFFECTIVE : 1-12-89
A-1515

**(D) RESTRICTIVE DECLARATION, FOR
DETAIL REFER TO R.D. SHEET.**

**(E) CITY ENVIRONMENTAL QUALITY
REVIEW DECLARATION, FOR DETAIL RE-
FER TO C.E.Q.R. SHEET.**


ZONING MAP 8d

| | | |
|-----------------|-----------------|-----------------|
| 8 _a | 8 _c | 9 _a |
| 8 _b | 8 _d | 9 _b |
| 12 _a | 12 _c | 13 _a |

MAP KEY

COPYRIGHTED BY THE CITY OF NEW YORK

22



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The numbers (and/or letter(s)) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 5-4-89 A-1525

ⓓ RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.

ⓔ CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.


ZONING MAP 8d



MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

COPYRIGHTED BY THE CITY OF NEW YORK

060





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The numbers (and/or letters) which follow an "R," "C," or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letters within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE 12-22-90 A-1572 - A-1573

RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET.

CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

| | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|
| C1-1 | C1-2 | C1-3 | C1-4 | C1-5 | C2-1 | C2-2 | C2-3 | C2-4 | C2-5 |
| | | | | | | | | | |



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows on "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE:

* 12-21-93 900607 (A17 MM - A 1654
2-09-94 930156 ZMM A 1668

① RESTRICTIVE DECLARATION
DETAIL REFER TO R.D. SHEET.

② CITY ENVIRONMENTAL QUALITY
REVIEW DECLARATION FOR DETAIL RE-
FER TO C.E.Q.R. SHEET.



MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |


ZONING MAP 8d


© COPYRIGHTED BY THE CITY OF NEW YORK

763



064





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 3-6-96 950323ZMM A1708

(E) CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET
(D) RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.


MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP 8d

© COPYRIGHTED BY THE CITY OF NEW YORK

066



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The numbers and/or letters which follow an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letters within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED BY AMENDMENT EFFECTIVE: 2-11-97
960498ZMM AIT28

(E) CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION, FOR DETAIL REFER TO C.E.Q.R. SHEET.



(D) RESTRICTIVE DECLARATION, FOR DETAIL REFER TO R.D. SHEET.

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP 8d

• COPYRIGHTED BY THE CITY OF NEW YORK



* NOTE: MAP REVISED TO REFLECT CITY MAP CHANGES RE: 900458 NMM EFFECTIVE 10-11-96

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION



MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The number(s) and/or letter(s) which follows on "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.

SPECIAL PURPOSE DISTRICTS

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

INDICATES PROPERTY REZONED

BY AMENDMENT EFFECTIVE: 8-6-98
 980272 ZMM A1759
 980562 ZMM A1765
 980577 ZMM A1766

CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION FOR DETAIL REFER TO C.E.Q.R. SHEET

RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET


MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP 8d

COPYRIGHTED BY THE CITY OF NEW YORK

068



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

MAJOR ZONING CLASSIFICATIONS

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

The numbers and/or letters which follow an "R", "C", or "M" district designation indicates use, bulk, and other controls as described in the text of the Zoning Resolution.



SPECIAL PURPOSE DISTRICTS
The letters within the shaded area designate the special purpose district as described in the text of the Zoning Resolution.

..... INDICATES PROPERTY REZONED
BY AMENDMENT EFFECTIVE: 9-09-99
990453ZMM A1776

(E) CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION FOR DETAIL REFER TO C.E.Q.R. SHEET
(D) RESTRICTIVE DECLARATION FOR DETAIL REFER TO R.D. SHEET




MAP KEY


| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

ZONING MAP **8d**

● COPYRIGHTED BY THE CITY OF NEW YORK

069





ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
 The number(s) and/or letter(s) that follows an **R**, **C**, or **M** district designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R - RESIDENTIAL DISTRICT
- C - COMMERCIAL DISTRICT
- M - MANUFACTURING DISTRICT

ARFA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- *** 12-19-2001 C 01C09 ZMM
- *** 10-31-2001 C 01C52 ZMM
- ** 7-76-2001 C 01C199 ZMY
- * 6-23-2000 C 00C126 ZMM

SPECIAL PURPOSE DISTRICT
 The letter(s) within the shaded area designates the special purpose district and is subject to the text of the Zoning Resolution.

- D - RESTRICTIVE DECLARATION
- E - CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

ZONING MAP **8d**

MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The number(s) and/or letter(s) that follows on **R**, **C**, or **M** district designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R** — RESIDENTIAL DISTRICT
- C** — COMMERCIAL DISTRICT
- M** — MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:
2-27-2002 C 01065' 2MM


SPECIAL PURPOSE DISTRICT
The letter(s) within the shaded area designates the special purpose district and indicates the text of the Zoning Resolution.

- D** — RESTRICTIVE DECLARATION
- E** — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows or R, C or M District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R - RESIDENTIAL DISTRICT
- C - COMMERCIAL DISTRICT
- M - MANUFACTURING DISTRICT

AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- ** 1 19 2005 C 040495(A) ZMM
- * 12-15-2004 C 340495 ZMM
- * 8-12-2004 C 340495 ZMM
- * 8-12-2004 C 340273 ZMC

SPECIAL PURPOSE DISTRICT
The letter(s) within the shaded circle designates the special purpose district and indicates the text of the Zoning Resolution.

- D - RESTRICTIVE DECLARATION
- E - CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION
- 61 - REFERS TO BLOCKS WITH LOTS SUBJECT TO ZONING RESOLUTION E-17. SEE ZONING RESOLUTION E-17 FOR A LIST OF ALL LOTS, BLOCKS AND LOTS.

ZONING MAP


8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyright by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, check the Department of City Planning website at www.dcp.nyc.gov or contact the Zoning Information Desk at (212) 726-3291.



* NOTE: STREETS FOR THE STREET MAP CHANGES C 040707MM AND C 040807MM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.

600 0 600 1200 1800 FEET

G1-1 G1-2 G1-3 G1-4 G1-5 G1-6 G1-7 G1-8 G1-9 G1-10 G1-11 G1-12 G1-13 G1-14 G1-15 G1-16 G1-17 G1-18 G1-19 G1-20 G1-21 G1-22 G1-23 G1-24 G1-25 G1-26 G1-27 G1-28 G1-29 G1-30 G1-31 G1-32 G1-33 G1-34 G1-35 G1-36 G1-37 G1-38 G1-39 G1-40 G1-41 G1-42 G1-43 G1-44 G1-45 G1-46 G1-47 G1-48 G1-49 G1-50 G1-51 G1-52 G1-53 G1-54 G1-55 G1-56 G1-57 G1-58 G1-59 G1-60 G1-61 G1-62 G1-63 G1-64 G1-65 G1-66 G1-67 G1-68 G1-69 G1-70 G1-71 G1-72 G1-73 G1-74 G1-75 G1-76 G1-77 G1-78 G1-79 G1-80 G1-81 G1-82 G1-83 G1-84 G1-85 G1-86 G1-87 G1-88 G1-89 G1-90 G1-91 G1-92 G1-93 G1-94 G1-95 G1-96 G1-97 G1-98 G1-99 G1-100

NOTE: Where no dimensions for zoning district boundaries appear on the zoning map, such dimensions are determined in Article VII, Chapter 2 of the Zoning Resolution.

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows on R, C or M District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R — RESIDENTIAL DISTRICT
- C — COMMERCIAL DISTRICT
- M — MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- **4-26-2005 C 060210 ZMM
- *9-28-2005 C 040488 ZMM
- 5-11-2005 C 050111(A) ZMK

SPECIAL PURPOSE DISTRICT

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

D — RESTRICTIVE DECLARATION

E — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

61 — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEDR DESIGNATION E-137.

62 — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEDR DESIGNATION E-138. REFERS TO APPLICABLE (CEDR) DESIGNATIONS FOR LOT OF ADJACENT BLOCK AND LOTS.

CITY MAP CHANGE(S):

- ◆ AS CORRECTED 12-01-2005



MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map check the Department of City Planning website: <http://www.nyc.gov/html/dcp/html/about/aboutzoning.html> or contact the Zoning Information Desk at (212) 720-9291.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows on **R**, **C** or **M** District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R** — RESIDENTIAL DISTRICT
- C** — COMMERCIAL DISTRICT
- M** — MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- ◆ **4-26-2006 C 060210 ZMM
- *9-28-2005 C 040488 ZMM
- 5-11-2005 C 050111(A) ZMK

SPECIAL PURPOSE DISTRICT

The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

(D) — RESTRICTIVE DECLARATION

(E) — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

(E1) — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEQR DESIGNATION E-137.

(E2) — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEQR DESIGNATION E-138. SEE Z.R.A. APPENDICES (CEQR DECLARATIONS) FOR LIST OF AFFECTED BLOCKS AND LOTS.

CITY MAP CHANGE(S):

- ◆ AS CORRECTED 10-23-2006
- ◆ AS CORRECTED 7-24-2006

ZONING MAP


8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map check the Department of City Planning website: http://www.nyc.gov/html/dcp/html/about/about_zoning.html or contact the Zoning Information Desk at (212) 720-3891.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows on **R**, **C** or **M** District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R** — RESIDENTIAL DISTRICT
- C** — COMMERCIAL DISTRICT
- M** — MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- **4-26-2006 C 060210 ZMM
- *9-28-2005 C 040488 ZMM
- 5-11-2005 C 050111(A) ZMK

SPECIAL PURPOSE DISTRICT
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

- D** — RESTRICTIVE DECLARATION
- E** — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

REFERS TO BLOCKS WITH LOTS SUBJECT TO ZONING DESIGNATION E-137.

REFERS TO BLOCKS WITH LOTS SUBJECT TO ZONING DESIGNATION E-136.

SEE Z.R. APPENDICES (GEOR. DECLARATIONS) FOR LIST OF AFFECTED BLOCK AND LOTS.

CITY MAP CHANGE(S):

- ▲ 11-04-2006 C 040507 MMM
- ◆ AS CORRECTED 3-26-2007

ZONING MAP


8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map check the Department of City Planning website: <http://www.nyc.gov/html/dcp/html/about/zoning.html> or contact the Zoning Information Desk at (212) 726-5291.



NOTE: STREETS FOR THE STREET MAP CHANGE C 040507 MMM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.

NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows on **R, C or M** District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R** — RESIDENTIAL DISTRICT
- C** — COMMERCIAL DISTRICT
- M** — MANUFACTURING DISTRICT

AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- ***3-26-2008 C 070529 ZMM
- **3-26-2008 C 070522 ZMM
- *12-11-2007 C 060372 ZMM
- 11-15-2007 C 000198 ZMM

SPECIAL PURPOSE DISTRICT
The letter(s) in the circle designates the special purpose district as described in the text of the Zoning Resolution.

- D** — RESTRICTIVE DECLARATION
- E** — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION
- (E1)** — REFERS TO BLOCKS WITH LOTS SUBJECT TO CDP DESIGNATION E-137.
- (E2)** — REFERS TO BLOCKS WITH LOTS SUBJECT TO CDP DESIGNATION E-138.
- SEE Z.A. APPENDICES (CDR DECLARATIONS) FOR LIST OF AFFECTED BLOCK AND LOTS.

ZONING MAP

8d




MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 720-3871.



NOTE: STREETS FOR THE STREET MAP CHANGE C 040508MM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.

600 0 600 1200 1800 FEET

C1-1 C1-2 C1-3 C1-4 C1-5 C2-1 C2-2 C2-3 C2-4 C2-5
NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows on **R**, **C**, or **M** District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R** — RESIDENTIAL DISTRICT
- C** — COMMERCIAL DISTRICT
- M** — MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:

- * 2-11-2009 C 070137 ZMM
- 11-13-2008 C 080362 ZMQ

SPECIAL PURPOSE DISTRICT
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

D — RESTRICTIVE DECLARATION

E — CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

E1 — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEQR DESIGNATION E-137

E2 — REFERS TO BLOCKS WITH LOTS SUBJECT TO CEQR DESIGNATION E-138

SEE Z.R. APPENDICES (CEQR DECLARATIONS) FOR LIST OF AFFECTED BLOCK AND LOTS.

ZONING MAP


8d

MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |


© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 726-5261.



NOTE: STREETS FOR THE STREET MAP CHANGE. C 080362 ZMM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.

NOTE: STREETS FOR THE STREET MAP CHANGE. C 080362 ZMM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.



NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.

THE NEW YORK CITY PLANNING COMMISSION

R – RESIDENTIAL DISTRICT

C – COMMERCIAL DISTRICT

M – MANUFACTURING DISTRICT

 SPECIAL PURPOSE DISTRICT
The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

 AREA(S) REZONED

Effective Date(s) of Rezoning:
08-25-2010 C 100047 ZMM

Special Requirements:

For a list of lots subject to CEQR environmental requirements, see APPENDIX C.

For a list of lots subject to "D" restrictive declarations, see APPENDIX D.

For Inclusionary Housing designated areas on this map, see APPENDIX F.

CITY MAP CHANGE(S):

▲ 08-14-2010 C 080276 MMQ


2

MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

⑦ Conscientious for the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 720-3291.



NOTE: Where no dimensions for zoning district boundaries appear on the zoning map, such dimensions are determined by Article VII, Chapter 6 (a portion of District Boundaries) of the Zoning Regulations.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The following zoning districts are shown on this map:
R - RESIDENTIAL DISTRICT
C - COMMERCIAL DISTRICT
M - MANUFACTURING DISTRICT
S - SPECIAL DISTRICT
P - PUBLIC USE DISTRICT
A - AERONAUTICAL DISTRICT
H - HISTORIC DISTRICT
G - GARDEN DISTRICT
T - TRAIL DISTRICT
U - URBAN DISTRICT
V - VILLAGE DISTRICT
W - WATERFRONT DISTRICT
X - XENON DISTRICT
Y - YACHT DISTRICT
Z - ZOO DISTRICT

Effective Date(s) of Rezoning:
1968-1970
1971-1975
1976-1980
1981-1985
1986-1990
1991-1995
1996-2000
2001-2005
2006-2010
2011-2015
2016-2020
2021-2025
2026-2030
2031-2035
2036-2040
2041-2045
2046-2050
2051-2055
2056-2060
2061-2065
2066-2070
2071-2075
2076-2080
2081-2085
2086-2090
2091-2095
2096-2100
2101-2105
2106-2110
2111-2115
2116-2120
2121-2125
2126-2130
2131-2135
2136-2140
2141-2145
2146-2150
2151-2155
2156-2160
2161-2165
2166-2170
2171-2175
2176-2180
2181-2185
2186-2190
2191-2195
2196-2200
2201-2205
2206-2210
2211-2215
2216-2220
2221-2225
2226-2230
2231-2235
2236-2240
2241-2245
2246-2250
2251-2255
2256-2260
2261-2265
2266-2270
2271-2275
2276-2280
2281-2285
2286-2290
2291-2295
2296-2300
2301-2305
2306-2310
2311-2315
2316-2320
2321-2325
2326-2330
2331-2335
2336-2340
2341-2345
2346-2350
2351-2355
2356-2360
2361-2365
2366-2370
2371-2375
2376-2380
2381-2385
2386-2390
2391-2395
2396-2400
2401-2405
2406-2410
2411-2415
2416-2420
2421-2425
2426-2430
2431-2435
2436-2440
2441-2445
2446-2450
2451-2455
2456-2460
2461-2465
2466-2470
2471-2475
2476-2480
2481-2485
2486-2490
2491-2495
2496-2500
2501-2505
2506-2510
2511-2515
2516-2520
2521-2525
2526-2530
2531-2535
2536-2540
2541-2545
2546-2550
2551-2555
2556-2560
2561-2565
2566-2570
2571-2575
2576-2580
2581-2585
2586-2590
2591-2595
2596-2600
2601-2605
2606-2610
2611-2615
2616-2620
2621-2625
2626-2630
2631-2635
2636-2640
2641-2645
2646-2650
2651-2655
2656-2660
2661-2665
2666-2670
2671-2675
2676-2680
2681-2685
2686-2690
2691-2695
2696-2700
2701-2705
2706-2710
2711-2715
2716-2720
2721-2725
2726-2730
2731-2735
2736-2740
2741-2745
2746-2750
2751-2755
2756-2760
2761-2765
2766-2770
2771-2775
2776-2780
2781-2785
2786-2790
2791-2795
2796-2800
2801-2805
2806-2810
2811-2815
2816-2820
2821-2825
2826-2830
2831-2835
2836-2840
2841-2845
2846-2850
2851-2855
2856-2860
2861-2865
2866-2870
2871-2875
2876-2880
2881-2885
2886-2890
2891-2895
2896-2900
2901-2905
2906-2910
2911-2915
2916-2920
2921-2925
2926-2930
2931-2935
2936-2940
2941-2945
2946-2950
2951-2955
2956-2960
2961-2965
2966-2970
2971-2975
2976-2980
2981-2985
2986-2990
2991-2995
2996-3000
3001-3005
3006-3010
3011-3015
3016-3020
3021-3025
3026-3030
3031-3035
3036-3040
3041-3045
3046-3050
3051-3055
3056-3060
3061-3065
3066-3070
3071-3075
3076-3080
3081-3085
3086-3090
3091-3095
3096-3100
3101-3105
3106-3110
3111-3115
3116-3120
3121-3125
3126-3130
3131-3135
3136-3140
3141-3145
3146-3150
3151-3155
3156-3160
3161-3165
3166-3170
3171-3175
3176-3180
3181-3185
3186-3190
3191-3195
3196-3200
3201-3205
3206-3210
3211-3215
3216-3220
3221-3225
3226-3230
3231-3235
3236-3240
3241-3245
3246-3250
3251-3255
3256-3260
3261-3265
3266-3270
3271-3275
3276-3280
3281-3285
3286-3290
3291-3295
3296-3300
3301-3305
3306-3310
3311-3315
3316-3320
3321-3325
3326-3330
3331-3335
3336-3340
3341-3345
3346-3350
3351-3355
3356-3360
3361-3365
3366-3370
3371-3375
3376-3380
3381-3385
3386-3390
3391-3395
3396-3400
3401-3405
3406-3410
3411-3415
3416-3420
3421-3425
3426-3430
3431-3435
3436-3440
3441-3445
3446-3450
3451-3455
3456-3460
3461-3465
3466-3470
3471-3475
3476-3480
3481-3485
3486-3490
3491-3495
3496-3500
3501-3505
3506-3510
3511-3515
3516-3520
3521-3525
3526-3530
3531-3535
3536-3540
3541-3545
3546-3550
3551-3555
3556-3560
3561-3565
3566-3570
3571-3575
3576-3580
3581-3585
3586-3590
3591-3595
3596-3600
3601-3605
3606-3610
3611-3615
3616-3620
3621-3625
3626-3630
3631-3635
3636-3640
3641-3645
3646-3650
3651-3655
3656-3660
3661-3665
3666-3670
3671-3675
3676-3680
3681-3685
3686-3690
3691-3695
3696-3700
3701-3705
3706-3710
3711-3715
3716-3720
3721-3725
3726-3730
3731-3735
3736-3740
3741-3745
3746-3750
3751-3755
3756-3760
3761-3765
3766-3770
3771-3775
3776-3780
3781-3785
3786-3790
3791-3795
3796-3800
3801-3805
3806-3810
3811-3815
3816-3820
3821-3825
3826-3830
3831-3835
3836-3840
3841-3845
3846-3850
3851-3855
3856-3860
3861-3865
3866-3870
3871-3875
3876-3880
3881-3885
3886-3890
3891-3895
3896-3900
3901-3905
3906-3910
3911-3915
3916-3920
3921-3925
3926-3930
3931-3935
3936-3940
3941-3945
3946-3950
3951-3955
3956-3960
3961-3965
3966-3970
3971-3975
3976-3980
3981-3985
3986-3990
3991-3995
3996-4000
4001-4005
4006-4010
4011-4015
4016-4020
4021-4025
4026-4030
4031-4035
4036-4040
4041-4045
4046-4050
4051-4055
4056-4060
4061-4065
4066-4070
4071-4075
4076-4080
4081-4085
4086-4090
4091-4095
4096-4100
4101-4105
4106-4110
4111-4115
4116-4120
4121-4125
4126-4130
4131-4135
4136-4140
4141-4145
4146-4150
4151-4155
4156-4160
4161-4165
4166-4170
4171-4175
4176-4180
4181-4185
4186-4190
4191-4195
4196-4200
4201-4205
4206-4210
4211-4215
4216-4220
4221-4225
4226-4230
4231-4235
4236-4240
4241-4245
4246-4250
4251-4255
4256-4260
4261-4265
4266-4270
4271-4275
4276-4280
4281-4285
4286-4290
4291-4295
4296-4300
4301-4305
4306-4310
4311-4315
4316-4320
4321-4325
4326-4330
4331-4335
4336-4340
4341-4345
4346-4350
4351-4355
4356-4360
4361-4365
4366-4370
4371-4375
4376-4380
4381-4385
4386-4390
4391-4395
4396-4400
4401-4405
4406-4410
4411-4415
4416-4420
4421-4425
4426-4430
4431-4435
4436-4440
4441-4445
4446-4450
4451-4455
4456-4460
4461-4465
4466-4470
4471-4475
4476-4480
4481-4485
4486-4490
4491-4495
4496-4500
4501-4505
4506-4510
4511-4515
4516-4520
4521-4525
4526-4530
4531-4535
4536-4540
4541-4545
4546-4550
4551-4555
4556-4560
4561-4565
4566-4570
4571-4575
4576-4580
4581-4585
4586-4590
4591-4595
4596-4600
4601-4605
4606-4610
4611-4615
4616-4620
4621-4625
4626-4630
4631-4635
4636-4640
4641-4645
4646-4650
4651-4655
4656-4660
4661-4665
4666-4670
4671-4675
4676-4680
4681-4685
4686-4690
4691-4695
4696-4700
4701-4705
4706-4710
4711-4715
4716-4720
4721-4725
4726-4730
4731-4735
4736-4740
4741-4745
4746-4750
4751-4755
4756-4760
4761-4765
4766-4770
4771-4775
4776-4780
4781-4785
4786-4790
4791-4795
4796-4800
4801-4805
4806-4810
4811-4815
4816-4820
4821-4825
4826-4830
4831-4835
4836-4840
4841-4845
4846-4850
4851-4855
4856-4860
4861-4865
4866-4870
4871-4875
4876-4880
4881-4885
4886-4890
4891-4895
4896-4900
4901-4905
4906-4910
4911-4915
4916-4920
4921-4925
4926-4930
4931-4935
4936-4940
4941-4945
4946-4950
4951-4955
4956-4960
4961-4965
4966-4970
4971-4975
4976-4980
4981-4985
4986-4990
4991-4995
4996-5000
5001-5005
5006-5010
5011-5015
5016-5020
5021-5025
5026-5030
5031-5035
5036-5040
5041-5045
5046-5050
5051-5055
5056-5060
5061-5065
5066-5070
5071-5075
5076-5080
5081-5085
5086-5090
5091-5095
5096-5100
5101-5105
5106-5110
5111-5115
5116-5120
5121-5125
5126-5130
5131-5135
5136-5140
5141-5145
5146-5150
5151-5155
5156-5160
5161-5165
5166-5170
5171-5175
5176-5180
5181-5185
5186-5190
5191-5195
5196-5200
5201-5205
5206-5210
5211-5215
5216-5220
5221-5225
5226-5230
5231-5235
5236-5240
5241-5245
5246-5250
5251-5255
5256-5260
5261-5265
5266-5270
5271-5275
5276-5280
5281-5285
5286-5290
5291-5295
5296-5300
5301-5305
5306-5310
5311-5315
5316-5320
5321-5325
5326-5330
5331-5335
5336-5340
5341-5345
5346-5350
5351-5355
5356-5360
5361-5365
5366-5370
5371-5375
5376-5380
5381-5385
5386-5390
5391-5395
5396-5400
5401-5405
5406-5410
5411-5415
5416-5420
5421-5425
5426-5430
5431-5435
5436-5440
5441-5445
5446-5450
5451-5455
5456-5460
5461-5465
5466-5470
5471-5475
5476-5480
5481-5485
5486-5490
5491-5495
5496-5500
5501-5505
5506-5510
5511-5515
5516-5520
5521-5525
5526-5530
5531-5535
5536-5540
5541-5545
5546-5550
5551-5555
5556-5560
5561-5565
5566-5570
5571-5575
5576-5580
5581-5585
5586-5590
5591-5595
5596-5600
5601-5605
5606-5610
5611-5615
5616-5620
5621-5625
5626-5630
5631-5635
5636-5640
5641-5645
5646-5650
5651-5655
5656-5660
5661-5665
5666-5670
5671-5675
5676-5680
5681-5685
5686-5690
5691-5695
5696-5700
5701-5705
5706-5710
5711-5715
5716-5720
5721-5725
5726-5730
5731-5735
5736-5740
5741-5745
5746-5750
5751-5755
5756-5760
5761-5765
5766-5770
5771-5775
5776-5780
5781-5785
5786-5790
5791-5795
5796-5800
5801-5805
5806-5810
5811-5815
5816-5820
5821-5825
5826-5830
5831-5835
5836-5840
5841-5845
5846-5850
5851-5855
5856-5860
5861-5865
5866-5870
5871-5875
5876-5880
5881-5885
5886-5890
5891-5895
5896-5900
5901-5905
5906-5910
5911-5915
5916-5920
5921-5925
5926-5930
5931-5935
5936-5940
5941-5945
5946-5950
5951-5955
5956-5960
5961-5965
5966-5970
5971-5975
5976-5980
5981-5985
5986-5990
5991-5995
5996-6000
6001-6005
6006-6010
6011-6015
6016-6020
6021-6025
6026-6030
6031-6035
6036-6040
6041-6045
6046-6050
6051-6055
6056-6060
6061-6065
6066-6070
6071-6075
6076-6080
6081-6085
6086-6090
6091-6095
6096-6100
6101-6105
6106-6110
6111-6115
6116-6120
6121-6125
6126-6130
6131-6135
6136-6140
6141-6145
6146-6150
6151-6155
6156-6160
6161-6165
6166-6170
6171-6175
6176-6180
6181-6185
6186-6190
6191-6195
6196-6200
6201-6205
6206-6210
6211-6215
6216-6220
6221-6225
6226-6230
6231-6235
6236-6240
6241-6245
6246-6250
6251-6255
6256-6260
6261-6265
6266-6270
6271-6275
6276-6280
6281-6285
6286-6290
6291-6295
6296-6300
6301-6305
6306-6310
6311-6315
6316-6320
6321-6325
6326-6330
6331-6335
6336-6340
6341-6345
6346-6350
6351-6355
6356-6360
6361-6365
6366-6370
6371-6375
6376-6380
6381-6385
6386-6390
6391-6395
6396-6400
6401-6405
6406-6410
6411-6415
6416-6420
6421-6425
6426-6430
6431-6435
6436-6440
6441-6445
6446-6450
6451-6455
6456-6460
6461-6465
6466-6470
6471-6475
6476-6480
6481-6485
6486-6490
6491-6495
6496-6500
6501-6505
6506-6510
6511-6515
6516-6520
6521-6525
6526-6530
6531-6535
6536-6540
6541-6545
6546-6550
6551-6555
6556-6560
6561-6565
6566-6570
6571-6575
6576-6580
6581-6585
6586-6590
6591-6595
6596-6600
6601-6605
6606-6610
6611-6615
6616-6620
6621-6625
6626-6630
6631-6635
6636-6640
6641-6645
6646-6650
6651-6655
6656-6660
6661-6665
6666-6670
6671-6675
6676-6680
6681-6685
6686-6690
6691-6695
6696-6700
6701-6705
6706-6710
6711-6715
6716-6720
6721-6725
6726-6730
6731-6735
6736-6740
6741-6745
6746-6750
6751-6755
6756-6760
6761-6765
6766-6770
6771-6775
6776-6780
6781-6785
6786-6790
6791-6795
6796-6800
6801-6805
6806-6810
6811-6815
6816-6820
6821-6825
6826-6830
6831-6835
6836-6840
6841-6845
6846-6850
6851-6855
6856-6860
6861-6865
6866-6870
6871-6875
6876-6880
6881-6885
6886-6890
6891-6895
6896-6900
6901-6905
6906-6910
6911-6915
6916-6920
6921-6925
6926-6930
6931-6935
6936-6940
6941-6945
6946-6950
6951-6955
6956-6960
6961-6965
6966-6970
6971-6975
6976-6980
6981-6985
6986-6990
6991-6995
6996-7000
7001-7005
7006-7010
7011-7015
7016-7020
7021-7025
7026-7030
7031-7035
7036-7040
7041-7045
7046-7050
7051-7055
7056-7060
7061-7065
7066-7070
7071-7075
7076-7080
7081-7085
7086-7090
7091-7095
7096-7100
7101-7105
7106-7110
7111-7115
7116-7120
7121-7125
7126-7130
7131-7135
7136-7140
7141-7145
7146-7150
7151-7155
7156-7160
7161-7165
7166-7170
7171-7175
7176-7180
7181-7185
7186-7190
7191-7195
7196-7200
7201-7205
7206-7210
7211-7215
7216-7220
7221-7225
7226-7230
7231-7235
7236-7240
7241-7245
7246-7250
7251-7255
7256-7260
7261-7265
7266-7270
7271-7275
7276-7280
7281-7285
7286-7290
7291-7295
7296-7300
7301-7305
7306-7310
7311-7315
7316-7320
7321-7325
7326-7330
7331-7335
7336-7340
7341-7345
7346-7350
7351-7355
7356-7360
7361-7365
7366-7370
7371-7375
7376-7380
7381-7385
7386-7390
7391-7395
7396-7400
7401-7405
7406-7410
7411-7415
7416-7420
7421-7425
7426-7430
7431-7435
74

THE NEW YORK CITY PLANNING COMMISSION

R = RESIDENTIAL DISTRICT
C = COMMERCIAL DISTRICT
M = MANUFACTURING DISTRICT

..... AREA(S) REVIEWED

© 2013 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. WCN 02-200-203

collected and subjected to 100%
acetic anhydride treatment.
ACQUANT C
for 0.100 g of 0.010 (0.000) 100%
acetic anhydride treatment, and
doubled in 10

THE NEW COMEDY

ZONING MAP


8d

MAP KEY

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 720-3201.



NOTE: STREETS FOR THE STREET MAP CHANGE C 04228 MMVA ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT

10 MONTHS

NOTE: Where no alternative for zoning district boundaries appears on the zoning map, the boundaries for the zoning district are the boundaries of the zoning district as shown on the zoning map.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The following zoning classifications are shown on this map:
R - RESIDENTIAL (SINGLE-FAMILY)
C - COMMERCIAL (GENERAL)
M - MANUFACTURING (GENERAL)
S - SPECIAL (SPECIAL USE)
P - PUBLIC (PUBLIC USE)
G - GOVERNMENT (GOVERNMENT USE)
H - HOUSING (HOUSING USE)
I - INDUSTRIAL (INDUSTRIAL USE)
A - AGRICULTURE (AGRICULTURE USE)
U - UTILITIES (UTILITIES USE)
D - DISTRICT (DISTRICT USE)
E - ENVIRONMENTAL (ENVIRONMENTAL USE)
F - FLEXIBLE (FLEXIBLE USE)
J - JUDICIAL (JUDICIAL USE)
K - KIDNEY (KIDNEY USE)
L - LABOR (LABOR USE)
N - NATURE (NATURE USE)
O - OCEAN (OCEAN USE)
P - PARK (PARK USE)
R - RAILROAD (RAILROAD USE)
S - SCHOOL (SCHOOL USE)
T - TRAIL (TRAIL USE)
U - UTILITIES (UTILITIES USE)
V - VETERAN (VETERAN USE)
W - WATER (WATER USE)
X - X-RAY (X-RAY USE)
Y - YACHT (YACHT USE)
Z - ZOO (ZOO USE)

Effective Date(s) of Rezoning:
1968-1970
1971-1975
1976-1980
1981-1985
1986-1990
1991-1995
1996-2000
2001-2005
2006-2010
2011-2015
2016-2020
2021-2025
2026-2030
2031-2035
2036-2040
2041-2045
2046-2050
2051-2055
2056-2060
2061-2065
2066-2070
2071-2075
2076-2080
2081-2085
2086-2090
2091-2095
2096-2100
2101-2105
2106-2110
2111-2115
2116-2120
2121-2125
2126-2130
2131-2135
2136-2140
2141-2145
2146-2150
2151-2155
2156-2160
2161-2165
2166-2170
2171-2175
2176-2180
2181-2185
2186-2190
2191-2195
2196-2200
2201-2205
2206-2210
2211-2215
2216-2220
2221-2225
2226-2230
2231-2235
2236-2240
2241-2245
2246-2250
2251-2255
2256-2260
2261-2265
2266-2270
2271-2275
2276-2280
2281-2285
2286-2290
2291-2295
2296-2300
2301-2305
2306-2310
2311-2315
2316-2320
2321-2325
2326-2330
2331-2335
2336-2340
2341-2345
2346-2350
2351-2355
2356-2360
2361-2365
2366-2370
2371-2375
2376-2380
2381-2385
2386-2390
2391-2395
2396-2400
2401-2405
2406-2410
2411-2415
2416-2420
2421-2425
2426-2430
2431-2435
2436-2440
2441-2445
2446-2450
2451-2455
2456-2460
2461-2465
2466-2470
2471-2475
2476-2480
2481-2485
2486-2490
2491-2495
2496-2500
2501-2505
2506-2510
2511-2515
2516-2520
2521-2525
2526-2530
2531-2535
2536-2540
2541-2545
2546-2550
2551-2555
2556-2560
2561-2565
2566-2570
2571-2575
2576-2580
2581-2585
2586-2590
2591-2595
2596-2600
2601-2605
2606-2610
2611-2615
2616-2620
2621-2625
2626-2630
2631-2635
2636-2640
2641-2645
2646-2650
2651-2655
2656-2660
2661-2665
2666-2670
2671-2675
2676-2680
2681-2685
2686-2690
2691-2695
2696-2700
2701-2705
2706-2710
2711-2715
2716-2720
2721-2725
2726-2730
2731-2735
2736-2740
2741-2745
2746-2750
2751-2755
2756-2760
2761-2765
2766-2770
2771-2775
2776-2780
2781-2785
2786-2790
2791-2795
2796-2800
2801-2805
2806-2810
2811-2815
2816-2820
2821-2825
2826-2830
2831-2835
2836-2840
2841-2845
2846-2850
2851-2855
2856-2860
2861-2865
2866-2870
2871-2875
2876-2880
2881-2885
2886-2890
2891-2895
2896-2900
2901-2905
2906-2910
2911-2915
2916-2920
2921-2925
2926-2930
2931-2935
2936-2940
2941-2945
2946-2950
2951-2955
2956-2960
2961-2965
2966-2970
2971-2975
2976-2980
2981-2985
2986-2990
2991-2995
2996-3000
3001-3005
3006-3010
3011-3015
3016-3020
3021-3025
3026-3030
3031-3035
3036-3040
3041-3045
3046-3050
3051-3055
3056-3060
3061-3065
3066-3070
3071-3075
3076-3080
3081-3085
3086-3090
3091-3095
3096-3100
3101-3105
3106-3110
3111-3115
3116-3120
3121-3125
3126-3130
3131-3135
3136-3140
3141-3145
3146-3150
3151-3155
3156-3160
3161-3165
3166-3170
3171-3175
3176-3180
3181-3185
3186-3190
3191-3195
3196-3200
3201-3205
3206-3210
3211-3215
3216-3220
3221-3225
3226-3230
3231-3235
3236-3240
3241-3245
3246-3250
3251-3255
3256-3260
3261-3265
3266-3270
3271-3275
3276-3280
3281-3285
3286-3290
3291-3295
3296-3300
3301-3305
3306-3310
3311-3315
3316-3320
3321-3325
3326-3330
3331-3335
3336-3340
3341-3345
3346-3350
3351-3355
3356-3360
3361-3365
3366-3370
3371-3375
3376-3380
3381-3385
3386-3390
3391-3395
3396-3400
3401-3405
3406-3410
3411-3415
3416-3420
3421-3425
3426-3430
3431-3435
3436-3440
3441-3445
3446-3450
3451-3455
3456-3460
3461-3465
3466-3470
3471-3475
3476-3480
3481-3485
3486-3490
3491-3495
3496-3500
3501-3505
3506-3510
3511-3515
3516-3520
3521-3525
3526-3530
3531-3535
3536-3540
3541-3545
3546-3550
3551-3555
3556-3560
3561-3565
3566-3570
3571-3575
3576-3580
3581-3585
3586-3590
3591-3595
3596-3600
3601-3605
3606-3610
3611-3615
3616-3620
3621-3625
3626-3630
3631-3635
3636-3640
3641-3645
3646-3650
3651-3655
3656-3660
3661-3665
3666-3670
3671-3675
3676-3680
3681-3685
3686-3690
3691-3695
3696-3700
3701-3705
3706-3710
3711-3715
3716-3720
3721-3725
3726-3730
3731-3735
3736-3740
3741-3745
3746-3750
3751-3755
3756-3760
3761-3765
3766-3770
3771-3775
3776-3780
3781-3785
3786-3790
3791-3795
3796-3800
3801-3805
3806-3810
3811-3815
3816-3820
3821-3825
3826-3830
3831-3835
3836-3840
3841-3845
3846-3850
3851-3855
3856-3860
3861-3865
3866-3870
3871-3875
3876-3880
3881-3885
3886-3890
3891-3895
3896-3900
3901-3905
3906-3910
3911-3915
3916-3920
3921-3925
3926-3930
3931-3935
3936-3940
3941-3945
3946-3950
3951-3955
3956-3960
3961-3965
3966-3970
3971-3975
3976-3980
3981-3985
3986-3990
3991-3995
3996-4000
4001-4005
4006-4010
4011-4015
4016-4020
4021-4025
4026-4030
4031-4035
4036-4040
4041-4045
4046-4050
4051-4055
4056-4060
4061-4065
4066-4070
4071-4075
4076-4080
4081-4085
4086-4090
4091-4095
4096-4100
4101-4105
4106-4110
4111-4115
4116-4120
4121-4125
4126-4130
4131-4135
4136-4140
4141-4145
4146-4150
4151-4155
4156-4160
4161-4165
4166-4170
4171-4175
4176-4180
4181-4185
4186-4190
4191-4195
4196-4200
4201-4205
4206-4210
4211-4215
4216-4220
4221-4225
4226-4230
4231-4235
4236-4240
4241-4245
4246-4250
4251-4255
4256-4260
4261-4265
4266-4270
4271-4275
4276-4280
4281-4285
4286-4290
4291-4295
4296-4300
4301-4305
4306-4310
4311-4315
4316-4320
4321-4325
4326-4330
4331-4335
4336-4340
4341-4345
4346-4350
4351-4355
4356-4360
4361-4365
4366-4370
4371-4375
4376-4380
4381-4385
4386-4390
4391-4395
4396-4400
4401-4405
4406-4410
4411-4415
4416-4420
4421-4425
4426-4430
4431-4435
4436-4440
4441-4445
4446-4450
4451-4455
4456-4460
4461-4465
4466-4470
4471-4475
4476-4480
4481-4485
4486-4490
4491-4495
4496-4500
4501-4505
4506-4510
4511-4515
4516-4520
4521-4525
4526-4530
4531-4535
4536-4540
4541-4545
4546-4550
4551-4555
4556-4560
4561-4565
4566-4570
4571-4575
4576-4580
4581-4585
4586-4590
4591-4595
4596-4600
4601-4605
4606-4610
4611-4615
4616-4620
4621-4625
4626-4630
4631-4635
4636-4640
4641-4645
4646-4650
4651-4655
4656-4660
4661-4665
4666-4670
4671-4675
4676-4680
4681-4685
4686-4690
4691-4695
4696-4700
4701-4705
4706-4710
4711-4715
4716-4720
4721-4725
4726-4730
4731-4735
4736-4740
4741-4745
4746-4750
4751-4755
4756-4760
4761-4765
4766-4770
4771-4775
4776-4780
4781-4785
4786-4790
4791-4795
4796-4800
4801-4805
4806-4810
4811-4815
4816-4820
4821-4825
4826-4830
4831-4835
4836-4840
4841-4845
4846-4850
4851-4855
4856-4860
4861-4865
4866-4870
4871-4875
4876-4880
4881-4885
4886-4890
4891-4895
4896-4900
4901-4905
4906-4910
4911-4915
4916-4920
4921-4925
4926-4930
4931-4935
4936-4940
4941-4945
4946-4950
4951-4955
4956-4960
4961-4965
4966-4970
4971-4975
4976-4980
4981-4985
4986-4990
4991-4995
4996-5000
5001-5005
5006-5010
5011-5015
5016-5020
5021-5025
5026-5030
5031-5035
5036-5040
5041-5045
5046-5050
5051-5055
5056-5060
5061-5065
5066-5070
5071-5075
5076-5080
5081-5085
5086-5090
5091-5095
5096-5100
5101-5105
5106-5110
5111-5115
5116-5120
5121-5125
5126-5130
5131-5135
5136-5140
5141-5145
5146-5150
5151-5155
5156-5160
5161-5165
5166-5170
5171-5175
5176-5180
5181-5185
5186-5190
5191-5195
5196-5200
5201-5205
5206-5210
5211-5215
5216-5220
5221-5225
5226-5230
5231-5235
5236-5240
5241-5245
5246-5250
5251-5255
5256-5260
5261-5265
5266-5270
5271-5275
5276-5280
5281-5285
5286-5290
5291-5295
5296-5300
5301-5305
5306-5310
5311-5315
5316-5320
5321-5325
5326-5330
5331-5335
5336-5340
5341-5345
5346-5350
5351-5355
5356-5360
5361-5365
5366-5370
5371-5375
5376-5380
5381-5385
5386-5390
5391-5395
5396-5400
5401-5405
5406-5410
5411-5415
5416-5420
5421-5425
5426-5430
5431-5435
5436-5440
5441-5445
5446-5450
5451-5455
5456-5460
5461-5465
5466-5470
5471-5475
5476-5480
5481-5485
5486-5490
5491-5495
5496-5500
5501-5505
5506-5510
5511-5515
5516-5520
5521-5525
5526-5530
5531-5535
5536-5540
5541-5545
5546-5550
5551-5555
5556-5560
5561-5565
5566-5570
5571-5575
5576-5580
5581-5585
5586-5590
5591-5595
5596-5600
5601-5605
5606-5610
5611-5615
5616-5620
5621-5625
5626-5630
5631-5635
5636-5640
5641-5645
5646-5650
5651-5655
5656-5660
5661-5665
5666-5670
5671-5675
5676-5680
5681-5685
5686-5690
5691-5695
5696-5700
5701-5705
5706-5710
5711-5715
5716-5720
5721-5725
5726-5730
5731-5735
5736-5740
5741-5745
5746-5750
5751-5755
5756-5760
5761-5765
5766-5770
5771-5775
5776-5780
5781-5785
5786-5790
5791-5795
5796-5800
5801-5805
5806-5810
5811-5815
5816-5820
5821-5825
5826-5830
5831-5835
5836-5840
5841-5845
5846-5850
5851-5855
5856-5860
5861-5865
5866-5870
5871-5875
5876-5880
5881-5885
5886-5890
5891-5895
5896-5900
5901-5905
5906-5910
5911-5915
5916-5920
5921-5925
5926-5930
5931-5935
5936-5940
5941-5945
5946-5950
5951-5955
5956-5960
5961-5965
5966-5970
5971-5975
5976-5980
5981-5985
5986-5990
5991-5995
5996-6000
6001-6005
6006-6010
6011-6015
6016-6020
6021-6025
6026-6030
6031-6035
6036-6040
6041-6045
6046-6050
6051-6055
6056-6060
6061-6065
6066-6070
6071-6075
6076-6080
6081-6085
6086-6090
6091-6095
6096-6100
6101-6105
6106-6110
6111-6115
6116-6120
6121-6125
6126-6130
6131-6135
6136-6140
6141-6145
6146-6150
6151-6155
6156-6160
6161-6165
6166-6170
6171-6175
6176-6180
6181-6185
6186-6190
6191-6195
6196-6200
6201-6205
6206-6210
6211-6215
6216-6220
6221-6225
6226-6230
6231-6235
6236-6240
6241-6245
6246-6250
6251-6255
6256-6260
6261-6265
6266-6270
6271-6275
6276-6280
6281-6285
6286-6290
6291-6295
6296-6300
6301-6305
6306-6310
6311-6315
6316-6320
6321-6325
6326-6330
6331-6335
6336-6340
6341-6345
6346-6350
6351-6355
6356-6360
6361-6365
6366-6370
6371-6375
6376-6380
6381-6385
6386-6390
6391-6395
6396-6400
6401-6405
6406-6410
6411-6415
6416-6420
6421-6425
6426-6430
6431-6435
6436-6440
6441-6445
6446-6450
6451-6455
6456-6460
6461-6465
6466-6470
6471-6475
6476-6480
6481-6485
6486-6490
6491-6495
6496-6500
6501-6505
6506-6510
6511-6515
6516-6520
6521-6525
6526-6530
6531-6535
6536-6540
6541-6545
6546-6550
6551-6555
6556-6560
6561-6565
6566-6570
6571-6575
6576-6580
6581-6585
6586-6590
6591-6595
6596-6600
6601-6605
6606-6610
6611-6615
6616-6620
6621-6625
6626-6630
6631-6635
6636-6640
6641-6645
6646-6650
6651-6655
6656-6660
6661-6665
6666-6670
6671-6675
6676-6680
6681-6685
6686-6690
6691-6695
6696-6700
6701-6705
6706-6710
6711-6715
6716-6720
6721-6725
6726-6730
6731-6735
6736-6740
6741-6745
6746-6750
6751-6755
6756-6760
6761-6765
6766-6770
6771-6775
6776-6780
6781-6785
6786-6790
6791-6795
6796-6800
6801-6805
6806-6810
6811-6815
6816-6820
6821-6825
6826-6830
6831-6835
6836-6840
6841-6845
6846-6850
6851-6855
6856-6860
6861-6865
6866-6870
6871-6875
6876-6880
6881-6885
6886-6890
6891-6895
6896-6900
6901-6905
6906-6910
6911-6915
6916-6920
6921-6925
6926-6930
6931-6935
6936-6940
6941-6945
6946-6950
6951-6955
6956-6960
6961-6965
6966-6970
6971-6975
6976-6980
6981-6985
6986-6990
6991-6995
6996-7000
7001-7005
7006-7010
7011-7015
7016-7020
7021-7025
7026-7030
7031-7035
7036-7040
7041-7045
7046-7050
7051-7055
7056-7060
7061-7065
7066-7070
7071-7075
7076-7080
7081-7085
7086-7090
7091-7095
7096-7100
7101-7105
7106-7110
7111-7115
7116-7120
7121-7125
7126-7130
7131-7135
7136-7140
7141-7145
7146-7150
7151-7155
7156-7160
7161-7165
7166-7170
7171-7175
7176-7180
7181-7185
7186-7190
7191-7195
7196-7200
7201-7205
7206-7210
7211-7215
7216-7220
7221-7225
7226-7230
7231-7235
7236-7240
7241-7245
7246-7250
7251-7255
7256-7260
7261-7265
7266-7270
7271-7275
7276-7280
7281-7285
7286-7290
7291-7295
7296-7300
7301-7305
7306-7310
7311-7315
7316-7320
7321-7325
7326-7330
7331-7335
7336-7340
7341-7345
7346



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The following table lists the major zoning classifications and their general purposes. For more information, see the Zoning Resolution and the Zoning Map.

R - RESIDENTIAL
C - COMMERCIAL
M - MANUFACTURING

Special Requirements:
For more information, see the Zoning Resolution and the Zoning Map.

Effective Date(s) of Rezoning:

For more information, see the Zoning Resolution and the Zoning Map.

Special Requirements:

For more information, see the Zoning Resolution and the Zoning Map.

ZONING MAP


8d

MAP KEY


| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyright by the City of New York

NOTE: Zoning information shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website at www.nyc.gov/planning or contact the Zoning Information Desk at (212) 720-3331.



NOTE: STREETS FOR THE STREET MAP CHANGE. C. AREA MAPS ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE. NUMBER TO LOCATE ZONING DISTRICT BOUNDARIES.



NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VI, Chapter 6, Location of District Boundaries of the Zoning Resolution.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
R - RESIDENTIAL
C - COMMERCIAL
M - MANUFACTURING
S - SPECIAL USE
P - PARK
G - GENERAL
H - HIGH DENSITY
I - INDUSTRIAL
J - JETPORT
K - KAYAKING
L - LANDSCAPE ARCHITECTURE
N - NATURE
O - OFFICE
Q - QUARTERS
R - RESIDENTIAL
S - SPECIAL USE
T - TRADING
U - UNIVERSITY
V - VETERANS
W - WATERFRONT
X - XENOTRANSPLANTATION
Y - YACHTING
Z - ZOOLOGICAL

Effective Date(s) of Rezoning:
1968
1970
1972
1974
1976
1978
1980
1982
1984
1986
1988
1990
1992
1994
1996
1998
2000
2002
2004
2006
2008
2010
2012
2014
2016
2018
2020
2022
2024
2026
2028
2030
2032
2034
2036
2038
2040
2042
2044
2046
2048
2050
2052
2054
2056
2058
2060
2062
2064
2066
2068
2070
2072
2074
2076
2078
2080
2082
2084
2086
2088
2090
2092
2094
2096
2098
2100
2102
2104
2106
2108
2110
2112
2114
2116
2118
2120
2122
2124
2126
2128
2130
2132
2134
2136
2138
2140
2142
2144
2146
2148
2150
2152
2154
2156
2158
2160
2162
2164
2166
2168
2170
2172
2174
2176
2178
2180
2182
2184
2186
2188
2190
2192
2194
2196
2198
2200
2202
2204
2206
2208
2210
2212
2214
2216
2218
2220
2222
2224
2226
2228
2230
2232
2234
2236
2238
2240
2242
2244
2246
2248
2250
2252
2254
2256
2258
2260
2262
2264
2266
2268
2270
2272
2274
2276
2278
2280
2282
2284
2286
2288
2290
2292
2294
2296
2298
2300
2302
2304
2306
2308
2310
2312
2314
2316
2318
2320
2322
2324
2326
2328
2330
2332
2334
2336
2338
2340
2342
2344
2346
2348
2350
2352
2354
2356
2358
2360
2362
2364
2366
2368
2370
2372
2374
2376
2378
2380
2382
2384
2386
2388
2390
2392
2394
2396
2398
2400
2402
2404
2406
2408
2410
2412
2414
2416
2418
2420
2422
2424
2426
2428
2430
2432
2434
2436
2438
2440
2442
2444
2446
2448
2450
2452
2454
2456
2458
2460
2462
2464
2466
2468
2470
2472
2474
2476
2478
2480
2482
2484
2486
2488
2490
2492
2494
2496
2498
2500
2502
2504
2506
2508
2510
2512
2514
2516
2518
2520
2522
2524
2526
2528
2530
2532
2534
2536
2538
2540
2542
2544
2546
2548
2550
2552
2554
2556
2558
2560
2562
2564
2566
2568
2570
2572
2574
2576
2578
2580
2582
2584
2586
2588
2590
2592
2594
2596
2598
2600
2602
2604
2606
2608
2610
2612
2614
2616
2618
2620
2622
2624
2626
2628
2630
2632
2634
2636
2638
2640
2642
2644
2646
2648
2650
2652
2654
2656
2658
2660
2662
2664
2666
2668
2670
2672
2674
2676
2678
2680
2682
2684
2686
2688
2690
2692
2694
2696
2698
2700
2702
2704
2706
2708
2710
2712
2714
2716
2718
2720
2722
2724
2726
2728
2730
2732
2734
2736
2738
2740
2742
2744
2746
2748
2750
2752
2754
2756
2758
2760
2762
2764
2766
2768
2770
2772
2774
2776
2778
2780
2782
2784
2786
2788
2790
2792
2794
2796
2798
2800
2802
2804
2806
2808
2810
2812
2814
2816
2818
2820
2822
2824
2826
2828
2830
2832
2834
2836
2838
2840
2842
2844
2846
2848
2850
2852
2854
2856
2858
2860
2862
2864
2866
2868
2870
2872
2874
2876
2878
2880
2882
2884
2886
2888
2890
2892
2894
2896
2898
2900
2902
2904
2906
2908
2910
2912
2914
2916
2918
2920
2922
2924
2926
2928
2930
2932
2934
2936
2938
2940
2942
2944
2946
2948
2950
2952
2954
2956
2958
2960
2962
2964
2966
2968
2970
2972
2974
2976
2978
2980
2982
2984
2986
2988
2990
2992
2994
2996
2998
3000
3002
3004
3006
3008
3010
3012
3014
3016
3018
3020
3022
3024
3026
3028
3030
3032
3034
3036
3038
3040
3042
3044
3046
3048
3050
3052
3054
3056
3058
3060
3062
3064
3066
3068
3070
3072
3074
3076
3078
3080
3082
3084
3086
3088
3090
3092
3094
3096
3098
3100
3102
3104
3106
3108
3110
3112
3114
3116
3118
3120
3122
3124
3126
3128
3130
3132
3134
3136
3138
3140
3142
3144
3146
3148
3150
3152
3154
3156
3158
3160
3162
3164
3166
3168
3170
3172
3174
3176
3178
3180
3182
3184
3186
3188
3190
3192
3194
3196
3198
3200
3202
3204
3206
3208
3210
3212
3214
3216
3218
3220
3222
3224
3226
3228
3230
3232
3234
3236
3238
3240
3242
3244
3246
3248
3250
3252
3254
3256
3258
3260
3262
3264
3266
3268
3270
3272
3274
3276
3278
3280
3282
3284
3286
3288
3290
3292
3294
3296
3298
3300
3302
3304
3306
3308
3310
3312
3314
3316
3318
3320
3322
3324
3326
3328
3330
3332
3334
3336
3338
3340
3342
3344
3346
3348
3350
3352
3354
3356
3358
3360
3362
3364
3366
3368
3370
3372
3374
3376
3378
3380
3382
3384
3386
3388
3390
3392
3394
3396
3398
3400
3402
3404
3406
3408
3410
3412
3414
3416
3418
3420
3422
3424
3426
3428
3430
3432
3434
3436
3438
3440
3442
3444
3446
3448
3450
3452
3454
3456
3458
3460
3462
3464
3466
3468
3470
3472
3474
3476
3478
3480
3482
3484
3486
3488
3490
3492
3494
3496
3498
3500
3502
3504
3506
3508
3510
3512
3514
3516
3518
3520
3522
3524
3526
3528
3530
3532
3534
3536
3538
3540
3542
3544
3546
3548
3550
3552
3554
3556
3558
3560
3562
3564
3566
3568
3570
3572
3574
3576
3578
3580
3582
3584
3586
3588
3590
3592
3594
3596
3598
3600
3602
3604
3606
3608
3610
3612
3614
3616
3618
3620
3622
3624
3626
3628
3630
3632
3634
3636
3638
3640
3642
3644
3646
3648
3650
3652
3654
3656
3658
3660
3662
3664
3666
3668
3670
3672
3674
3676
3678
3680
3682
3684
3686
3688
3690
3692
3694
3696
3698
3700
3702
3704
3706
3708
3710
3712
3714
3716
3718
3720
3722
3724
3726
3728
3730
3732
3734
3736
3738
3740
3742
3744
3746
3748
3750
3752
3754
3756
3758
3760
3762
3764
3766
3768
3770
3772
3774
3776
3778
3780
3782
3784
3786
3788
3790
3792
3794
3796
3798
3800
3802
3804
3806
3808
3810
3812
3814
3816
3818
3820
3822
3824
3826
3828
3830
3832
3834
3836
3838
3840
3842
3844
3846
3848
3850
3852
3854
3856
3858
3860
3862
3864
3866
3868
3870
3872
3874
3876
3878
3880
3882
3884
3886
3888
3890
3892
3894
3896
3898
3900
3902
3904
3906
3908
3910
3912
3914
3916
3918
3920
3922
3924
3926
3928
3930
3932
3934
3936
3938
3940
3942
3944
3946
3948
3950
3952
3954
3956
3958
3960
3962
3964
3966
3968
3970
3972
3974
3976
3978
3980
3982
3984
3986
3988
3990
3992
3994
3996
3998
4000
4002
4004
4006
4008
4010
4012
4014
4016
4018
4020
4022
4024
4026
4028
4030
4032
4034
4036
4038
4040
4042
4044
4046
4048
4050
4052
4054
4056
4058
4060
4062
4064
4066
4068
4070
4072
4074
4076
4078
4080
4082
4084
4086
4088
4090
4092
4094
4096
4098
4100
4102
4104
4106
4108
4110
4112
4114
4116
4118
4120
4122
4124
4126
4128
4130
4132
4134
4136
4138
4140
4142
4144
4146
4148
4150
4152
4154
4156
4158
4160
4162
4164
4166
4168
4170
4172
4174
4176
4178
4180
4182
4184
4186
4188
4190
4192
4194
4196
4198
4200
4202
4204
4206
4208
4210
4212
4214
4216
4218
4220
4222
4224
4226
4228
4230
4232
4234
4236
4238
4240
4242
4244
4246
4248
4250
4252
4254
4256
4258
4260
4262
4264
4266
4268
4270
4272
4274
4276
4278
4280
4282
4284
4286
4288
4290
4292
4294
4296
4298
4300
4302
4304
4306
4308
4310
4312
4314
4316
4318
4320
4322
4324
4326
4328
4330
4332
4334
4336
4338
4340
4342
4344
4346
4348
4350
4352
4354
4356
4358
4360
4362
4364
4366
4368
4370
4372
4374
4376
4378
4380
4382
4384
4386
4388
4390
4392
4394
4396
4398
4400
4402
4404
4406
4408
4410
4412
4414
4416
4418
4420
4422
4424
4426
4428
4430
4432
4434
4436
4438
4440
4442
4444
4446
4448
4450
4452
4454
4456
4458
4460
4462
4464
4466
4468
4470
4472
4474
4476
4478
4480
4482
4484
4486
4488
4490
4492
4494
4496
4498
4500
4502
4504
4506
4508
4510
4512
4514
4516
4518
4520
4522
4524
4526
4528
4530
4532
4534
4536
4538
4540
4542
4544
4546
4548
4550
4552
4554
4556
4558
4560
4562
4564
4566
4568
4570
4572
4574
4576
4578
4580
4582
4584
4586
4588
4590
4592
4594
4596
4598
4600
4602
4604
4606
4608
4610
4612
4614
4616
4618
4620
4622
4624
4626
4628
4630
4632
4634
4636
4638
4640
4642
4644
4646
4648
4650
4652
4654
4656
4658
4660
4662
4664
4666
4668
4670
4672
4674
4676
4678
4680
4682
4684
4686
4688
4690
4692
4694
4696
4698
4700
4702
4704
4706
4708
4710
4712
4714
4716
4718
4720
4722
4724
4726
4728
4730
4732
4734
4736
4738
4740
4742
4744
4746
4748
4750
4752
4754
4756
4758
4760
4762
4764
4766
4768
4770
4772
4774
4776
4778
4780
4782
4784
4786
4788
4790
4792
4794
4796
4798
4800
4802
4804
4806
4808
4810
4812
4814
4816
4818
4820
4822
4824
4826
4828
4830
4832
4834
4836
4838
4840
4842
4844
4846
4848
4850
4852
4854
4856
4858
4860
4862
4864
4866
4868
4870
4872
4874
4876
4878
4880
4882
4884
4886
4888
4890
4892
4894
4896
4898
4900
4902
4904
4906
4908
4910
4912
4914
4916
4918
4920
4922
4924
4926
4928
4930
4932
4934
4936
4938
4940
4942
4944
4946
4948
4950
4952
4954
4956
4958
4960
4962
4964
4966
4968
4970
4972
4974
4976
4978
4980
4982
4984
4986
4988
4990
4992
4994
4996
4998
5000
5002
5004
5006
5008
5010
5012
5014
5016
5018
5020
5022
5024
5026
5028
5030
5032
5034
5036
5038
5040
5042
5044
5046
5048
5050
5052
5054
5056
5058
5060
5062
5064
5066
5068
5070
5072
5074
5076
5078
5080
5082
5084
5086
5088
5090
5092
5094
5096
5098
5100
5102
5104
5106
5108
5110
5112
5114
5116
5118
5120
5122
5124
5126
5128
5130
5132
5134
5136
5138
5140
5142
5144
5146
5148
5150
5152
5154
5156
5158
5160
5162
5164
5166
5168
5170
5172
5174
5176
5178
5180
5182
5184
5186
5188
5190
5192
5194
5196
5198
5200
5202
5204
5206
5208
5210
5212
5214
5216
5218
5220
5222
5224
5226
5228
5230
5232
5234
5236
5238
5240
5242
5244
5246
5248
5250
5252
5254
5256
5258
5260
5262
5264
5266
5268
5270
5272
5274
5276
5278
5280
5282
5284
5286
5288
5290
5292
5294
5296
5298
5300
5302
5304
5306
5308
5310
5312
5314
5316
5318
5320
5322
5324
5326
5328
5330
5332
5334
5336
5338
5340
5342
5344
5346
5348
5350
5352
5354
5356
5358
5360
5362
5364
5366
5368
5370
5372
5374
5376
5378
5380
5382
5384
5386
5388
5390
5392
5394
5396
5398
5400
5402
5404
5406
5408
5410
5412
5414
5416
5418
5420
5422
5424
5426
5428
5430
5432
5434
5436
5438
5440
5442
5444
5446
5448
5450
5452
5454
5456
5458
5460
5462
5464
5466
5468
5470
5472
5474
5476
5478
5480
5482
5484
5486
5488
5490
5492
5494
5496
5498
5500
5502
5504
5506
5508
5510
5512
5514
5516
5518
5520
5522
5524
5526
5528
5530
5532
5534
5536
5538
5540
5542
5544
5546
5548
5550
5552
5554
5556
5558
5560
5562
5564
5566
5568
5570
5572
5574
5576
5578
5580
5582
5584
5586
5588
5590
5592
5594
5596
5598
5600
5602
5604
5606
5608
5610
5612
5614
5616
5618
5620
5622
5624
5626
5628
5630
5632
5634
5636
5638
5640
5642
5644
5646
5648
5650
5652
5654
5656
5658
5660
5662
5664
5666
5668
5670
5672
5674
5676
5678
5680
5682
5684
5686
5688
5690
5692
5694
5696
5698
5700
5702
5704
5706
5708
5710
5712
5714
5716
5718
5720
5722
5724
5726
5728
5730
5732
5734
5736
5738
5740
5742
5744
5746
5748
5750
5752
5754
5756
5758
5760
5762
5764
5766
5768
5770
5772
5774
5776
5778
5780
5782
5784
5786
5788
5790
5792
5794
5796
5798
5800
5802
5804
5806
5808
5810
5812
5814
5816
5818
5820
5822
5824
5826
5828
5830
5832
5834
5836
5838
5840
5842
5844
5846
5848
5850
5852
5854
5856
5858
5860
5862
5864
5866
5868
5870
5872
5874
5876
5878
5880
5882
5884
5886
5888
5890
5892
5894
5896
5898
5900
5902
5904
5906
5908
5910
5912
5914
5916
5918
5920
5922
5924
5926
5928
5930
5932
5934
5936
5938
5940
5942
5944
5946
5948
5950
5952
5954
5956
5958
5960
5962
5964
5966
5968
5970
5972
59

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The numeric(s) and/or letter(s) that follows an R, C, or M District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R - RESIDENTIAL DISTRICT
- C - COMMERCIAL DISTRICT
- M - MANUFACTURING DISTRICT
- SPECIAL PURPOSE DISTRICT
The numeric(s) and/or letter(s) that follows an S designation indicates the special purpose district as designated in the text of the Zoning Resolution.
- AREA(S) REZONED

Effective Date(s) of Rezoning:
08-08-2018 C-170350 7MA

Special Requirements:

For a list of rules subject to C.O.M. environmental requirements, see APPENDIX C.
For a list of lots subject to 70' restrictive dedications, see APPENDIX D.
For Individually Hearing designated and Mandatory/Inclusively Hearing green on this map, see APPENDIX F.

ZONING MAP

8d




MAP KEY

| | | |
|-----|-----|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyright by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/dcp/planning or contact the Zoning Information Desk at (212) 312-3531.



THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The number(s) and/or letter(s) that follows an R, Q or M District designation indicates use, bulk and other controls as described in the text of the Zoning Regulation.

RESIDENTIAL DISTRICT

C = COMMERCIAL DISTRICT

M = MANUFACTURING; FICTITIOUS

SPECIAL PURPOSE DISTRICT
(The letter(s) within the shaded
area designates the special purpose
district as described in the text
of the Zoning Resolution.)

AREA(S) REFONET)

Effective Date(s) of Rezoning:

4-09-2019 C 1804B 2MM

Special Requirements:

For a list of lots subject to (L)GN environmental requirements, see appendix C.

For Inclusionary Housing designated areas and Mandatory Inclusionary Housing areas on this map, see APPENDIX F.


ZONING MAP

8d

| | | |
|-----|-----------|-----|
| 8a | 8c | 9a |
| 8b | 8d | 9b |
| 12a | 12c | 13a |

Copyrighted by the City of New York.

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 770-3261.



Metadata for Historical Zoning Maps:

Source:

These PDF maps were created from the set of past versions of each of the 126 zoning maps in the Technical Review Division's archive. This set includes map versions for each zoning map beginning with the original 1961 issue of the Zoning Resolution and ending with the current zoning map as posted in the Zoning section of the Department of City Planning website: www.nyc.gov/planning.

Scanning and Creation of Adobe PDF copies:

Maps in this archive from 1961 through Update #2 of the Zoning Resolution in 2003 are scans of actual printed zoning map. From Update #3 (2005) onwards, maps are direct PDF copies of the map revisions as printed in updates to the Zoning Resolution.

Notes on conversion of Amendment Numbers to CP (City Planning) or ULURP numbers:

On earlier zoning maps, an Amendment Number (e.g. A-629) is used to identify the area that has been rezoned. Commission reports and sketch maps for rezonings are referenced solely by CP or ULURP numbers. In order to request copies of reports or sketch maps it is necessary to know the CP or ULURP number. A conversion table (ANumber-CPNumberConversion.pdf) is available to translate the "A" numbers listed on the actual zoning maps to their corresponding CP or ULURP numbers. Use of the Amendment Number to identify zoning map changes has been discontinued.

Copyright:

These maps are copyrighted by the City of New York. This is indicated in the space below the map legend on each map.

Contact Info:

NYC Department of City Planning
22 Reade Street, RM 3N
New York, NY 10007
212.720.3505 phone
zoning_gis@planning.nyc.gov



600 0 600 1200 1800 FEET

NOTE: STREETS FOR THE STREET MAP CHANGE C 040508 MMM ARE SHOWN ON THIS MAP PRIOR TO BECOMING EFFECTIVE IN ORDER TO LOCATE ZONING DISTRICT BOUNDARIES.

C1-1 C1-2 C1-3 C1-4 C1-5 C2-1 C2-2 C2-3 C2-4 C2-5

NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.

Digital Tax Map - New York City Dept. of Finance (10/26/2020)

| | | | |
|---------------|-------------------------------|-------------|------------------------------------|
| | Borough Boundary | C50 | Condo Flag/Condo Number |
| | Tax Block Boundary | A50 | Air Right Flag/Lot Number |
| 50 | Tax Block Number | S50 | Subterranean Right Flag/Lot Number |
| | Tax Lot Boundary | R | REUC Flag |
| 50 | Tax Lot Number | | Under Water Tax Lot Boundary |
| -50- | Condo FKA Tax Lot Number | | Other Boundary |
| 50.5 | Tax Lot Dimension | | Possession Hook |
| +/-5.5 | Approximate Tax Lot Dimension | Misc | Miscellaneous Text |
| | Condo Units Range Label | | Small Tax Lot Dimension |
| | Building Footprint | | Surface Water |

| | | |
|----------------------------------|--------------------|-----|
| MANHATTAN Block: 1280 Lot: 30 | | |
| - Additional Tax Lot Information | | |
| Tax Lot | | |
| ACRIS | Effective Tax Year | |
| View | | N/A |
| REUC | | |
| REUC No. | Effective Tax Year | |
| 913 | | N/A |
| 913-E6 | | N/A |
| M27-E14 | | N/A |
| M27-E14.1 | | N/A |
| | | |

MANHATTAN Block: 1280 Lot: 30

- Building & Property Information

Borough: MANHATTAN **Block:** 1280 **Lot:** 30
Police Precinct: 14
Owner: NYC TRANSIT

Address: 109 EAST 42 STREET 10017

Lot Area: 57282 sf

Lot Frontage: 275' **Lot Depth:** 208.33

Year Built: 1919 N/A

Number of Buildings: 1

Number of Floors: 26

Gross Floor Area: 1,028,194 sf (estimated)

Residential Units: 0 **Total # of Units:** 13

Land Use: Commercial and Office Buildings

Zoning: C5-3

Commercial Overlay:

Zoning Map #: [8D](#)

Dept. of City Planning, PLUTO 19v1 © 2019 and other city agency sources

Links to More Information

[Address Translator](#)

[Building Profile](#)

[Building Registration/Violation](#)

[DCP Zoning Map 8D](#)

[DOHMH Rat Information Portal](#)

[Tax and Property Records](#)



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

107 EAST 42 STREET

EAST 42 STREET 107 - 129

LEXINGTON AVENUE 406 - 412

MANHATTAN 10017

Health Area : 4800

Census Tract : 92

Community Board : 105

Buildings on Lot : 1

BIN# 1035383

Tax Block : 1280

Tax Lot : 30

Condo : NO

Vacant : NO

[View DCP Addresses...](#)

[Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[Pre - BIS PA](#)

[View Certificates of Occupancy](#)

Cross Street(s): DE PEW PLACE, LEXINGTON AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: YES

UB Restricted: NO

Environmental Restrictions: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

HPD Multiple Dwelling: Yes

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: MID - MIDTOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, Coastal Erosion Hazard Area, or Special Flood Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: H1-HOTELS

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

| | Total | Open |
|-------------------------------------|-------|------|
| Complaints | 20 | 0 |
| Violations-DOB | 335 | 18 |
| Violations-OATH/ECB | 69 | 1 |
| Jobs/Filings | 264 | |
| ARA / LAA Jobs | 6 | |
| Total Jobs | 270 | |
| Actions | 591 | |

OR Enter Action Type:

OR Select from List:

AND

[Elevator Records](#)

[Electrical Applications](#)

[Permits In-Process / Issued](#)

[Illuminated Signs Annual Permits](#)

[Plumbing Inspections](#)

[Open Plumbing Jobs / Work Types](#)

[Facades](#)

[Marquee Annual Permits](#)

[Boiler Records](#)

[DEP Boiler Information](#)


[Crane Information](#)

[After Hours Variance Permits](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

109 EAST 42 STREET

Legend



Transit, Roads, Reference Features

Roads, ferries, commuter rail, neighborhood names

- Roads
- Major Roads
- Interstate Highways
- Tunnels
- NYC subway routes and stations
- Neighborhood/Town Labels
- County Boundaries
- Ferry
- Commuter Rail

Parks, Playgrounds, & Open Space

- Parks & Public Lands
- Forested Areas (NJ)
- Community Gardens
- School property with garden
- Playgrounds
- Green Spaces Along Streets
- Golf Courses
- Baseball/Soccer/Football Fields
- Tennis/Basketball/Handball Courts & Tracks
- Cemeteries

Land Use

- Block/Lot Boundaries
- (Building footprints in gray)

(Not all items in the legend may be visible on the map.)



This map was created using the Open Accessible Space Information System (OASIS) website, licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 3.0 United States License](https://creativecommons.org/licenses/by-nc-sa/3.0/us/). Visit www.oasisnyc.net for the latest information about data sources and notes about how the maps were developed. Contact oasisnyc@gc.cuny.edu with questions or comments. OASIS is developed and maintained by the [Center for Urban Research](https://www.cuny.edu/center-for-urban-research/), CUNY Graduate Center.

Location Report

Property Information (1)

109 EAST 42 STREET, MANHATTAN 10017

Commercial / Office Building

Owner: NYC TRANSIT

Block: 1280 **Lot:** 30

Property Characteristics:

Lot Area: 57,282 sq ft (275' x 208.33')

of Buildings: 1 **Year built:** 1919

Building frontage: 275' (Building frontage along the street measured in feet.)

of floors: 26 **Building Area:** 1,028,194 sq ft

Total Units: 13 **Residential Units:** 0

Primary zoning: C5-3 **Commercial Overlay:** None

Floor Area Ratio: 17.95

Max. Allowable Residential FAR: 10

Max. Allowable Commercial FAR: 15

Max. Allowable Facility FAR: 15

The Maximum Allowable Floor Area Ratios are exclusive of bonuses for plazas, plaza-connected open areas, arcades or other amenities.

FAR may depend on street widths or other characteristics. Contact [City Planning Dept.](#) for latest information.

MORE INFO:

- **Zoning Map #:** [8d](#) ([how to read](#) NYC zoning maps)
- **Historical Zoning Maps:** [8d](#)
- [NYC Dept. of Buildings](#)
- [Property transaction records](#) (**NB:** buildings w/condos may not show transaction results)
- [NYC Dept. of Finance Assessment Roll](#)
- [NYC HPD data](#)
- [NYC Planning's ZoLa application](#)
- [NYC Digital Tax Map](#)
- [NYC zoning guide](#)
- [NYC Watershed Resources](#)

OASIS shortcut to this property:

<http://www.oasisnyc.net/printmap.aspx?zoomto=lot:1012800030>

Source: MapPLUTO Tax Block & Tax Lot files from the New York City Department of City Planning, 2018 (ver. 18v1).

Mannahatta (1)

Stewards (1)

Updated stewardship data [coming soon](#) (as of 2017).

NB: Stewards are civic groups that help take care of New York, not necessarily property owners.

[Liberation deàà..](#)

Feedback? [Email Us.](#)

[Stewards with large turfs \(not mapped\)](#)

Community District (1)

Manhattan 5 Community District Information

Chairperson: Vikki Babero

District Manager: Mr. Wally Rubin

Address: 450 7th Avenue, Rm. 2109, New York, NY, 10123

Phone: 212-465-0907 **Email:** office@cb5.org

Website: <http://www.cb5.org>

Meeting Information: Meetings are held at various locations in the CB area.

[Go to District Profile](#) by NYC Dept. of City Planning

Political Districts (5)

NYC Council: [District 4](#)

NYS Assembly: [District 073](#)

NYS Senate: [District 27](#)

US House of Representatives: [District 12](#)


US Senate: [New York](#)



U.S. Fish and Wildlife Service

National Wetlands Inventory

Wetlands



October 26, 2020

Wetlands

| | | | | | |
|--|--------------------------------|--|-----------------------------------|--|----------|
| | Estuarine and Marine Deepwater | | Freshwater Emergent Wetland | | Lake |
| | Estuarine and Marine Wetland | | Freshwater Forested/Shrub Wetland | | Other |
| | | | Freshwater Pond | | Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



- **You are here:** [EPA Home](#)
- [Envirofacts](#)
- Search Results

Search Results

[Home](#)

[Multisystem Search](#)

[Topic Searches](#)

[System Data Searches](#)

[About the Data](#)

[Data Downloads](#)

[Widgets](#)

[Services](#)


[Mobile](#)

[Other Datasets](#)

Envirofacts Links

Search Results for:

109 E 42nd St, New York, 10017



The facility list below is based upon the facilities that are visible with the map above. To refine your search to a more targeted area of interest, please visit the [Envirofacts Multisystem Search Form](#). To search Envirofacts via an i your results in [EnviroMapper for Envirofacts](#)

List of EPA-Regulated Facilities in Envirofacts










| <div><div>Copy</div><div>CSV</div><div>Excel</div><div>PDF</div><div>Print</div></div> | | | | | | | | | |
|--|-----|-------|----|------|-----|----------|---------|-----------------------------|-----|
| <div>Showing 1 to 60 of 60 entries</div> <div>FirstPrevious1NextLast</div> <div>Show100▼entries</div> <div>Search:</div> | | | | | | | | | |
| FACILITY INFORMATION | AFS | ACRES | BR | SEMS | GHG | PCS/ICIS | RADInfo | RCRAInfo | TRI |
| AMERICAN HOME PRODUCTS CORP
685 THIRD AVE
NEW YORK, NY 10017
Latitude: 40.751566
Longitude: -73.97386
<div>Summary Report</div> <div>Facility Report</div> <div>Compliance Report</div> | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| CON ED - V 290
130 E 43RD ST
MANHATTAN,
NY 10017-0000
Latitude:
40.751935
Longitude:
-73.97513
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON ED - V 3108
116 E 41 ST
NEW YORK, NY
10017-0000
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISION - M8242
150 E. 42ND ST.
150 E. 42ND ST
NEW YORK, NY
10017-5612
Latitude:
40.751245
Longitude:
-73.975505
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISION - MH 38626
S/W 41 ST &
LEXINGTON ST
S/W 4 NEW
YORK, NY 10003
Latitude:
40.750791
Longitude:
-73.976557
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
110 E 41ST ST
NEW YORK, NY
10017
Latitude:
40.751168
Longitude:
-73.977457
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
122 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.751635
Longitude:
-73.976405
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
126 E 41ST ST
NEW YORK, NY
10017
Latitude:
40.75078
Longitude:
-73.97654
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
131 E 41ST ST
NEW YORK, NY
10017
Latitude:
40.75076
Longitude:
-73.976493
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
150 E 44TH ST
NEW YORK, NY
10017
Latitude:
40.75232
Longitude:
-73.9741
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
160 E 44TH ST E
OF LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75233
Longitude:
-73.97412
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
3RD AVE & E
42ND ST NEW
YORK, NY 10017
Latitude:
40.75079
Longitude:
-73.97442
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
E 41ST & PARK
AVE NEW
YORK, NY 10017
Latitude:
40.75141
Longitude:
-73.97803
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
E 42ND ST &
PARK AVE 136
FEET NEW
YORK, NY 10017
Latitude:
40.7521
Longitude:
-73.97752
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
E 44TH ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75274
Longitude:
-73.9751
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON -
MH 07991
EAST 41ST AND
PARK AVE NEW
YORK, NY 10017
Latitude:
40.75141
Longitude:
-73.97803
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON -
395
LEXINGTON
AVE
395
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75183
Longitude:
-73.97577
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS  | ACRES  | BR  | SEMS  | GHG  | PCS/ICIS  | RADInfo  | RCRAInfo  | TRI  |
|--|--|--|---|---|--|---|--|---|--|
| CON EDISON -
MANHOLE
M8242
170 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.751096
Longitude:
-73.975155
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON -
SERVICE BOX
8227
122 E 42 ST
NEW YORK, NY
10017
Latitude:
40.751635
Longitude:
-73.976405
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON -
SERVICE BOX
8230
122 E 42 ST
NEW YORK, NY
10017
Latitude:
40.751635
Longitude:
-73.976405
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |
| CON EDISON
MANHOLE
43876
E 42ND ST &
3RD AVE NEW
YORK, NY 10017
Latitude:
40.75079
Longitude:
-73.97442
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
MANHOLE
43883
3RD AVE & E
42ND ST NEW
YORK, NY 10017
Latitude:
40.75079
Longitude:
-73.97442
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
MANHOLE
56305
117 E 41ST ST
NEW YORK, NY
10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
MANHOLE:
8213
E 42ND ST &
PARK AVE NEW
YORK, NY 10017
Latitude:
40.7521
Longitude:
-73.97752
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|-----------------------------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
NYC STEAM
EXPLOSION
LEXINGTON
AVENUE
BETWEEN
42ND AND 41ST
NEW YORK, NY
10017
Latitude:
40.75078
Longitude:
-73.97654
Summary Report
Facility Report
Compliance Report | | | | View Report | | | | | |
| CON EDISON
OTHER -
SPECIFY: 10102
661 3RD AVE
NEW YORK, NY
10017
Latitude:
40.750855
Longitude:
-73.974373
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
SERVICE BOX
8001
143 E 41ST ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75078
Longitude:
-73.97654
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
SERVICE BOX:
12062
123 PARK AVE
FRONT OF
NEW YORK, NY
10035
Latitude:
40.75144
Longitude:
-73.97801
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
SERVICE BOX:
12063
131 PARK AVE
FRONT OF
NEW YORK, NY
10035
Latitude:
40.751514
Longitude:
-73.977959
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
SERVICE BOX:
7993
104 E 41ST ST
NEW YORK, NY
10017
Latitude:
40.751313
Longitude:
-73.977801
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|---|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
SERVICE BOX:
8227
116 E 42ND ST
& LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75147
Longitude:
-73.97602
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
SERVICE BOX:
8230
122-26 E 42ND
ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75147
Longitude:
-73.97602
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
TRANSFORMER
MANHOLE:
2394
E 41ST ST &
PARK AVE NEW
YORK, NY 10013
Latitude:
40.75141
Longitude:
-73.97803
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
TRANSFORMER
VAULT: V2160
150 PARK AVE
NEW YORK, NY
10017
Latitude:
40.751823
Longitude:
-73.978045
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 2239
117 E 41ST ST V
2239 NEW
YORK, NY 10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 3571
117 E 41ST ST
FRONT OF V
3571 NEW
YORK, NY 10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 3584
117 E 41ST ST
FRONT OF V
3584 NEW
YORK, NY 10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
VAULT: 3730
117 E 41ST ST
FRONT OF V
3730 NEW
YORK, NY 10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 3841
117 E 41ST ST
FRONT OF V
3841 NEW
YORK, NY 10017
Latitude:
40.751022
Longitude:
-73.977113
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 5071
145 E 45TH ST
FRONT OF
NEW YORK, NY
10017
Latitude:
40.75305
Longitude:
-73.97389
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 5619
E 44TH ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75274
Longitude:
-73.9751
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| CON EDISON
VAULT: 9199
425
LEXINGTON
AVE VAULT
9199 NEW
YORK, NY 10017
Latitude:
40.752429
Longitude:
-73.975329
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CON EDISON
VAULT: 9710
425
LEXINGTON
AVE VAULT
9710 NEW
YORK, NY 10017
Latitude:
40.752429
Longitude:
-73.975329
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| CVS
PHARMACY
#7019
150 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.751245
Longitude:
-73.975505
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| EXC10017
42ND STREET
100` W/O
LEXINGTON
NEW YORK
CITY, NY 10017
Latitude:
40.75147
Longitude:
-73.97602
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|-----------------------------|--------|-------|------------|-----------|-----------------------------|-------|
| GRAND
CENTRAL
STATION
GRAND
CENTRAL
STATION 89 E
42ND ST NEW
YORK, NY 10017
Latitude:
40.752267
Longitude:
-73.977924
Summary Report
Facility Report
Compliance Report | | | View Report | | | | | | |
| GRAND
CENTRAL
TERMINAL
105 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.752016
Longitude:
-73.977318
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| MANHATTAN
PACIFIC MGMT
CO
140 E 45TH ST -
LEX & 3RD
NEW YORK, NY
10017
Latitude:
40.753045
Longitude:
-73.973935
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| METRO NORTH
RAILROAD
GRAND
CENTRAL
TERMINAL
15 VANDERBILT
AVENUE NEW
YORK, NY
10017-3815
Latitude:
40.752953
Longitude:
-73.977977
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| MOBIL OIL
CORP
150 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.751245
Longitude:
-73.975505
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| MTA NYCT -
GRAND
CENTRAL STA 3
LINE
42ND ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.751455
Longitude:
-73.976074
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|-----------------------------|-------|
| MTA PID
STAIRCASE
INSTALLATION
125 PARK AVE
NEW YORK, NY
10017
Latitude:
40.75147
Longitude:
-73.97799
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| NIPPON PAINT
CORP
675 THIRD AVE
NEW YORK, NY
10017-5704
Latitude:
40.75117
Longitude:
-73.97414
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| NYC DEP
43RD ST &
LEXINGTON
AVE NEW
YORK, NY 10017
Latitude:
40.75212
Longitude:
-73.97556
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |
| NYCDOT
BRIDGES BIN
2246550
PARK AVE
VIADUCT OVER
42ND ST NEW
YORK, NY 10017
Latitude:
40.75221
Longitude:
-73.977974
Summary Report
Facility Report
Compliance Report | | | | | | | | View Report | |

| FACILITY INFORMATION | AFS ⓘ | ACRES ⓘ | BR ⓘ | SEMS ⓘ | GHG ⓘ | PCS/ICIS ⓘ | RADInfo ⓘ | RCRAInfo ⓘ | TRI ⓘ |
|--|-------|---------|------|--------|-------|------------|-----------|------------|-------|
| SUMITOMO
SEIKA
AMERICA
150 E 42ND ST
NEW YORK, NY
10017
Latitude:
40.751245
Longitude:
-73.975505
Summary Report
Facility Report
Compliance Report | | | | | | | | | |

Total Number of Facilities Displayed: 60

[Return to more topical information](#)



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

LISA J. PINO, M.A., J.D.
Executive Deputy Commissioner

October 28, 2020

Adam Nasiatka
Roux Associates
209 Shafter Street
Islandia, NY 11749

FOIL #: 20-10-414
RE: 109 East 42nd Street, Manhattan, NY

Dear Mr. Nasiatka:

This will acknowledge receipt of your request for records under the Freedom of Information Law (FOIL), received by this office on October 26, 2020.

Your request has been forwarded to the appropriate Department program area(s) to identify documents that are responsive to your request and which may be made available pursuant to all applicable provisions of the Freedom of Information Law.

A determination as to whether your request is granted or denied will be reached in approximately 20 business days or we will notify you in writing if the responsible program area(s) should require additional time to locate, assemble, and review documents that may be responsive to your request.

Please note that, pursuant to Article 6 of the Public Officers Law, a charge may be applied to your request, including the actual cost of the medium used to respond to your Freedom of Information Law request and/or other related costs. When responsive records have been identified, you will be informed of any cost and how payment should be made.

Sincerely,

A handwritten signature in black ink, appearing to read "Rosemarie Hewig". The signature is fluid and cursive, with a large initial "R" and "H".

Rosemarie Hewig, Esq.
Records Access Officer

RH/sjp

From: noreply@its.ny.gov
To: [Adam Nasiatka](#)
Subject: FOIL Request Confirmation from Open FOIL NY
Date: Monday, October 26, 2020 2:38:23 PM

This message originated outside your organization. Please use caution!

Thank you for submitting your FOIL request through Open FOIL NY.

Here is your Open FOIL NY confirmation information for future reference:

[NASIATKA_DOH_20201026143814155](#)

INFORMATION SUBMITTED:

| | |
|---|---|
| Records Requested From | Department of Health |
| Short Title | Phase I ESA Documents of Interest |
| Description | Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990. |
| Uploaded Files | |
| FOIL Response Format | Email |
| If fees apply, please contact me if costs will be greater than | \$25 |

Your FOIL request has been forwarded to the organization(s) you selected, and the respective Records Access Officer will contact you directly for further processing of your request. Please allow up to five business days for such communication(s). For your convenience, here is additional contact

information:

Department of Health

Corning Tower

Room 2364

Albany, NY 12237-0044

From: [New York DEC Support](#)
To: [Adam Nasiatka](#)
Subject: FOIL Request :: W074423-102620
Date: Monday, October 26, 2020 3:04:30 PM

This message originated outside your organization. Please use caution!

Dear Adam:

Thank you for your Freedom of Information Law (FOIL) request. Your request has been received and is being processed. Your request was received in this office on 10/26/2020 and given the reference number FOIL #W074423-102620 for tracking purposes. You may expect the Department's response to your request no later than **11/24/2020**.

Record Requested: Phase I ESA Documents of Interest Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990.

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed. Again, thank you for using the FOIL Center.

Please note that due to the COVID-19 outbreak, DEC may be experiencing staffing shortages and some records custodians may be working remotely. This may result in a delayed response time to your FOIL request. We appreciate your understanding and cooperation.

https://mycushelp.com/NEWYORKDEC/_rs/RequestLogin.aspx

New York State Department of Environmental Conservation, Record Access Office

Track the issue status and respond at:

https://newyorkdec.mycushelp.com/webapp/_rs/RequestEdit.aspx?rid=74423

From: noreply@its.ny.gov
To: [Adam Nasiatka](#)
Subject: FOIL Request Confirmation from Open FOIL NY
Date: Monday, October 26, 2020 2:38:08 PM

This message originated outside your organization. Please use caution!

Thank you for submitting your FOIL request through Open FOIL NY.

Here is your Open FOIL NY confirmation information for future reference:

[NASIATKA_DEC_20201026143754999](#)

INFORMATION SUBMITTED:

| | |
|---|---|
| Records Requested From | Department of Environmental Conservation |
| Short Title | Phase I ESA Documents of Interest |
| Description | Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990. |
| Uploaded Files | |
| FOIL Response Format | Email |
| If fees apply, please contact me if costs will be greater than | \$25 |

Your FOIL request has been forwarded to the organization(s) you selected, and the respective Records Access Officer will contact you directly for further processing of your request. Please allow up to five business days for such communication(s). For your convenience, here is additional contact

information:

Department of Environmental Conservation
625 Broadway

Albany, NY 12233-1500

From: [New York DEC Support](#)
To: [Adam Nasiatka](#)
Subject: Freedom of Information Law Request :: W074423-102620
Date: Tuesday, November 3, 2020 9:11:04 AM

This message originated outside your organization. Please use caution!

--- Please respond above this line ---



Region 2 - Long Island City
P: (718) 482-4912 | F:
www.dec.ny.gov

RE: PUBLIC RECORDS REQUEST of 10/26/2020, Reference # W074423-102620

Date: 11/03/2020

Dear Mr. Adam Nasiatka,

I write in response to your Freedom of Information Law (FOIL) request seeking:

Phase I ESA Documents of Interest

Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990.

Please be advised that a diligent search of the files maintained by DEC produced no responsive records.

If you believe you have been unlawfully denied access to responsive records, you have the right to appeal. Any such appeal must be submitted in writing and within thirty (30) days of the date of this email. Appeals must be directed to:

FOIL Appeals Officer
Office of General Counsel
New York State Department of Environmental Conservation
625 Broadway, 14th Floor
Albany, NY 12233-1500

Your FOIL request is now closed. If I can be of further assistance, please contact me at (718) 482-4912 and reference FOIL #W074423-102620, or simply reply to this email. Thank you.

Sincerely,

Region 2 FOIL Coordinator

From: noreply@its.ny.gov
To: [Adam Nasiatka](#)
Subject: FOIL Request Confirmation from Open FOIL NY
Date: Tuesday, November 17, 2020 11:46:21 AM

This message originated outside your organization. Please use caution!

Thank you for submitting your FOIL request through Open FOIL NY.

Here is your Open FOIL NY confirmation information for future reference:

[NASIATKA_DEC_20201117114607199](#)

INFORMATION SUBMITTED:

| | |
|---|---|
| Records Requested From | Department of Environmental Conservation |
| Short Title | NY SPILL #0010574 |
| Description | NY SPILL #0010574 Need all information related to the above spill case. We are working on the Grand Hyatt Hotel project (90 story redevelopment) and need all information, maps, remediation information related to the above-referenced spill. |
| Uploaded Files | |
| FOIL Response Format | Email |
| If fees apply, please contact me if costs will be greater than | \$25 |

Your FOIL request has been forwarded to the organization(s) you selected, and the respective Records Access Officer will contact you directly for further processing of your request. Please allow up to five business days for such communication(s). For your convenience, here is additional contact information:

Department of Environmental Conservation
625 Broadway

Albany, NY 12233-1500

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Request FOIL-2020-826-04123 Acknowledged
Date: Wednesday, November 4, 2020 11:31:16 AM

This message originated outside your organization. Please use caution!

The Department of Environmental Protection (DEP) has **acknowledged** your FOIL request [FOIL-2020-826-04123](#).

You can expect a response on or about Wednesday, April 28, 2021.

Additional Information:

On March 7, 2020, New York State Governor Andrew Cuomo declared a state of Emergency in New York through Executive Order No. 202. Due to this health emergency, the response to your request is anticipated to take between 90 and 120 days.

Please visit [FOIL-2020-826-04123](#) to view additional information and take any necessary action.

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Request FOIL-2020-826-04123 Submitted to Department of Environmental Protection (DEP)
Date: Monday, October 26, 2020 2:38:44 PM

This message originated outside your organization. Please use caution!

Your request FOIL-2020-826-04123 has been successfully submitted to the Department of Environmental Protection (DEP). The details of your request are shown below.

Request Title: Phase I ESA Documents of Interest: Permits, haz materials, cleanups

Request Description: Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990.

Requester's Contact Information

Name:

Adam Nasiatka

Title:

Not provided

Organization:

Roux Associates

Email:

anasiatka@rouxinc.com

Phone Number:

(631) 630-2356

Fax Number:

Not provided

Street Address (line 1):

209 Shafter Street

Street Address (line 2):

Not provided

City:

Islandia

State:

NY

Zip Code:

11749

You can view the request and take any necessary action at the following webpage:

<https://a860-openrecords.nyc.gov/request/view/FOIL-2020-826-04123>.

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Request FOIL-2020-057-14084 Acknowledged
Date: Monday, October 26, 2020 2:47:05 PM

This message originated outside your organization. Please use caution!

The New York City Fire Department (FDNY) has **acknowledged** your FOIL request [FOIL-2020-057-14084](#).

You can expect a response on or about Thursday, December 3, 2020.

Please visit [FOIL-2020-057-14084](#) to view additional information and take any necessary action.

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Request FOIL-2020-057-14084 Closed
Date: Monday, October 26, 2020 2:52:02 PM

This message originated outside your organization. Please use caution!

The New York City Fire Department (FDNY) has **closed** your FOIL request [FOIL-2020-057-14084](#) for the following reasons:

- Your request under the Freedom of Information Law (FOIL) has been fulfilled and the documents you requested have been emailed to you.

You may appeal the decision to deny access to material that was redacted in part or withheld in entirety by contacting the agency's FOIL Appeals Officer:
FDNYFOIL.Appeals@fdny.nyc.gov within 30 days.

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Request FOIL-2020-057-14084 Submitted to New York City Fire Department (FDNY)
Date: Monday, October 26, 2020 2:39:23 PM

This message originated outside your organization. Please use caution!

Your request FOIL-2020-057-14084 has been successfully submitted to the New York City Fire Department (FDNY). The details of your request are shown below.

Request Title: Phase I ESA Documents of Interest: Permits, haz materials, cleanups

Request Description: Fuel Tank Special Report (Environmental Assessment Report)

Request Type: Fuel Tank Special Report (Environmental Assessment Report)

Fuel Tank Special Report (Environmental Assessment Report)

Submission Method: Online/At Home

Description of Records: Phase I ESA Documents of Interest Phase I ESA Documents of Interest Any environmental documents that would be relevant pursuant a Phase I ESA including but not limited to: Phase I Environmental Site Assessments, Phase II Environmental Site Assessments, drainage structure investigations, drainage structure remediation, environmental permitting and compliance, UST and AST records, tank investigations or removal reports, hazardous waste or petroleum storage/ records, etc for the following property: 109 East 42nd Street, Manhattan, NY (New York (Manhattan) Block 1280, Lot 30) the Site is currently occupied by the Grand Hyatt Hotel. The Site was historically the Commodore Hotel (circa 1919) which was renovated in 1990.

Building Address: 109 East 42nd Street, New York, NY

Borough: Manhattan

Account Info: 209 Shafter Street

Incident Date:

Requester's Contact Information

Name:

Adam Nasiatka

Title:

Not provided

Organization:

Roux Associates

Email:

anasiatka@rouxinc.com

Phone Number:

(631) 630-2356

Fax Number:

Not provided

Street Address (line 1):

209 Shafter Street

Street Address (line 2):

Not provided

City:

Islandia

State:

NY

Zip Code:

11749

You can view the request and take any necessary action at the following webpage:

<https://a860-openrecords.nyc.gov/request/view/FOIL-2020-057-14084>.

From: donotreply@records.nyc.gov
To: [Adam Nasiatka](#)
Subject: [OpenRecords] Response Added to FOIL-2020-057-14084 - File
Date: Monday, October 26, 2020 2:49:15 PM

This message originated outside your organization. Please use caution!

The New York City Fire Department (FDNY) has responded to your FOIL request [FOIL-2020-057-14084](#) with the following file(s).

The file(s) listed below will be accessible to the public on the OpenRecords portal in 20 business days (Wednesday, November 25, 2020).

Tank report: [EMERG GEN. Tank Acct.02210383.pdf](#)
FDNY Building Information Profile: [107-129 EAST 42 STREET.pdf](#)

Please visit [FOIL-2020-057-14084](#) to view additional information and take any necessary action.



FDNY Building Information Profile

10/26/20 14:43:56

Bin: 1035383

Total AKA Found: 2

| BLOCK | LOT | BIN | LHND | HHND | STREET NAME | BOROUGH |
|-------|------|---------|------|------|------------------|-----------|
| 01280 | 0030 | 1035383 | 107 | 129 | EAST 42 STREET | MANHATTAN |
| 01280 | 0030 | 1035383 | 406 | 412 | LEXINGTON AVENUE | MANHATTAN |

Summary

Num Siam Sprinkler : 00

Sprinkler Type :

Num Siam Standpipe : 03

Sprinkler Type : Combination

Last BISP Insp Date : 07/21/2014

Last BISP Insp Status : Abatement

Num of Violation Notices : 8

Num of Violation Order : 11

Has BISP Asbestos Abatement : Yes

Accounts

| FPREV Permit Accounts | | | | | | |
|-----------------------|--------------------------|------|-----|----------------|--------------------------|--|
| Acct # | Owner Name | Do # | PFX | Last Insp Date | Last Insp Stat | |
| 30001184 | 109 EAST 42ND STREET | 98 | AA | 01/05/2010 | NOV AND VIO(NOV NO HOLD) | |
| 30062608 | 109 EAST 42ND STREET | 98 | AA | 04/15/2010 | NOV AND VIO(NOV NO HOLD) | |
| 30275051 | 109 EAST 42ND STREET | 98 | AA | 12/02/2010 | NOV AND VIO(NOV NO HOLD) | |
| 31091697 | 109 EAST 42ND STREET | 98 | AA | 05/19/2011 | NOV AND VIO(NOV NO HOLD) | |
| 20041844 | A & E STORES INC | 03 | P | 09/25/2019 | NOV AND VIO(NOV NO HOLD) | |
| 01499268 | BALLROOM KITCHEN | 29 | A | 10/05/2017 | NOV(FIELD) | |
| 20041869 | CAPITAL ONE BANK NA | 03 | P | 10/17/2019 | NOV(HOLD) | |
| 33140336 | CHIEF FIRE PREVENTION | 98 | AA | 06/06/2013 | NOV AND VIO(NOV NO HOLD) | |
| 20042016 | CHRISTI SOTHERS LTD | 03 | P | 11/07/2019 | NOV(HOLD) | |
| 37322252 | EURO MECHANICAL INC | 50 | S | 10/23/2017 | PASS | |
| 37267283 | GLOBAL HYATT CORPORATION | 98 | AA | 08/29/2017 | NOV AND VIO(NOV NO HOLD) | |
| 34117580 | GRAND HAYATTE | 34 | T | 02/25/2014 | PASS | |
| 33308065 | GRAND HYATT | 98 | AA | 12/19/2013 | NOV AND VIO(NOV NO HOLD) | |
| 34154575 | GRAND HYATT | 34 | T | 02/19/2016 | PASS | |
| 26170506 | GRAND HYATT HOTEL | 34 | T | 10/24/2006 | NOV(FIELD) | |
| 30146732 | GRAND HYATT HOTEL | 98 | AA | 08/12/2010 | NOV(HOLD) | |
| 35239243 | GRAND HYATT HOTEL | 48 | AA | 03/01/2016 | NOV(FIELD) | |
| 36034668 | GRAND HYATT HOTEL | 45 | G | 12/13/2017 | PASS | |
| 38160768 | GRAND HYATT HOTEL | 29 | A | 02/10/2020 | PASS | |
| 38160776 | GRAND HYATT HOTEL | 29 | A | 02/10/2020 | PASS | |
| 87094991 | GRAND HYATT HOTEL | 37 | B | 05/30/2019 | NOV(HOLD) | |
| 89010490 | GRAND HYATT HOTEL | 36 | B | 10/05/2020 | NOV(FIELD) | |



Bin: 1035383

Accounts

FPREV Permit Accounts

| Acct # | Owner Name | Do # | PFX | Last Insp Date | Last Insp Stat |
|----------|--------------------------|------|-----|----------------|-----------------------------|
| 90026147 | GRAND HYATT HOTEL | 03 | R | 10/09/2019 | NOV(HOLD) |
| 25169277 | GRAND HYATT HOTEL MEZZAN | 35 | G | 09/07/2018 | PASS |
| 36035269 | GRAND HYATT HOTEL-2 MEZZ | 45 | G | 12/11/2017 | PASS |
| 36034759 | GRAND HYATT HOTEL-PASTRY | 45 | G | 01/26/2016 | PASS |
| 36035541 | GRAND HYATT HOTEL-PCP | 45 | G | 12/11/2017 | PASS |
| 36035806 | GRAND HYATT HOTEL-RMSRV2 | 45 | G | 01/26/2016 | PASS |
| 31106503 | GRAND HYATT HOTELL 2F | 29 | A | 02/13/2020 | PASS |
| 25043712 | GRAND HYATT NEW YORK | 34 | N | 05/11/2005 | PASS |
| 26153783 | GRAND HYATT NEW YORK | 34 | N | 12/05/2006 | PASS |
| 26188805 | GRAND HYATT NEW YORK | 34 | N | 12/05/2006 | PASS |
| 28112704 | GRAND HYATT NEW YORK | 94 | G | 02/10/2020 | |
| 35394287 | GRAND HYATT NEW YORK | 34 | N | 01/06/2017 | NOV(FIELD) |
| 36250405 | GRAND HYATT NEW YORK | 34 | T | 09/08/2016 | NOV(FIELD) |
| 33113796 | GRAND HYATT NY | 98 | AA | 05/09/2013 | NOV AND VIO(NOV NO
HOLD) |
| 35007806 | GRAND HYATT NY | 98 | AA | 01/13/2015 | NOV AND VIO(NOV NO
HOLD) |
| 26022871 | GRAND HYATT NY HOTEL | 98 | AA | 07/30/2013 | NOV(FIELD) |
| 36035780 | GRAND HYYATT HOTEL-RMSVR | 45 | G | 12/11/2017 | PASS |
| 33290974 | GRANT ENGINEERING CONSUL | 98 | AA | 11/20/2013 | NOV AND VIO(NOV NO
HOLD) |
| 38160800 | GRNAD HYATT-4TH FL | 29 | A | 07/31/2018 | NOV(FIELD) |
| 28053510 | HYATT CORP | 34 | N | 02/18/2009 | PASS |
| 31128622 | HYATT EQUITIES | 98 | AA | 07/08/2011 | NOV AND VIO(NOV NO
HOLD) |
| 32172363 | HYATT EQUITIES | 34 | N | 07/18/2012 | PASS |
| 32335044 | HYATT EQUITIES | 34 | N | 03/12/2015 | NOV(FIELD) |
| 23014384 | HYATT EQUITIES LLC | 34 | N | 06/24/2003 | PASS |
| 32234809 | HYATT EQUITIES LLC | 34 | T | 01/25/2013 | PASS |
| 34128421 | HYATT EQUITIES LLC | 34 | T | 09/08/2016 | NOV(FIELD) |
| 32172355 | HYATT EQUITIES, LLC | 34 | N | 03/12/2015 | NOV(FIELD) |
| 31055619 | HYATT EQUITIES,LLC | 34 | N | 05/05/2011 | PASS |
| 35203355 | HYATT HOTEL | 34 | N | 03/19/2015 | NOV(FIELD) |
| 02086353 | HYATT HOTEL CORP. | 03 | P | 10/09/2019 | NOV(HOLD) |
| 02210383 | HYATT HOTEL CORP. | 03 | R | 10/09/2019 | NOV(HOLD) |
| 26126490 | HYATT HOTELS CORP | 03 | S | 10/09/2019 | NOV(HOLD) |
| 26128397 | HYATT HOTELS CORP | 03 | P | 10/09/2019 | NOV(HOLD) |
| 32267080 | HYATT(MAIN BALL RM-4FL) | 35 | G | 09/07/2018 | PASS |
| 32267056 | HYATT(R00M SERVICE-2FL) | 35 | G | 09/07/2018 | PASS |
| 32267122 | HYATT/BALL RM PASTRY-4FL | 35 | G | 09/07/2018 | PASS |
| 37309424 | HYDRONIC CONCEPTS NY PLU | 50 | A | 10/10/2017 | PASS |
| 91077669 | LINDY'S REST | 35 | G | 10/31/1994 | NOV(HOLD) |
| 32193559 | MARDI GRAS FESTIVAL PROD | 98 | AA | 07/05/2012 | NOV AND VIO(NOV NO
HOLD) |



Bin: 1035383

Accounts

FPREV Permit Accounts

| Acct # | Owner Name | Do # | PFX | Last Insp Date | Last Insp Stat |
|----------|-------------------------|------|-----|----------------|----------------|
| 33061201 | RITE AID #04964 | 03 | R | 11/29/2018 | PASS |
| 31106297 | ROOM SERVICE KITCHEN | 29 | A | 09/03/2020 | NOV(FIELD) |
| 38163838 | THE GRAND HYATT LLC | 36 | E | 09/21/2019 | PASS |
| 37302767 | UNITED STRUCTURAL WORKS | 50 | S | 10/04/2017 | PASS |

NOV

FPREV Violation Notices

| Owner Name | NOV Num | Issue Date | Vio LawNum | Vio LawDesc | Vio Disposition | Disp Date |
|----------------------|-----------|------------|------------|--|---------------------------|------------|
| GRAND HYATT HOTEL | 11126016P | 03/06/2009 | RULE 20 | FAILED TO CONDUCT REQUIR TEST/INSPECTION | DEFAULT | 04/27/2009 |
| | | | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | DEFAULT | 04/27/2009 |
| | | | RULE 19 | FAILED TO PROVIDE REQUIR AFFIDAVIT/PLANS | DISMISSED | 05/25/2011 |
| GRAND HYATT HOTEL | 11208991J | 04/08/2011 | RULE 20 | FAILED TO CONDUCT REQUIR TEST/INSPECTION | FOUND GUILTY AT A HEARING | 05/25/2011 |
| | | | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | FOUND GUILTY AT A HEARING | 05/25/2011 |
| | | | RULE 17 | FAILED TO OBTAIN CERTIFICATE OF FITNESS | DEFAULT | 04/14/2014 |
| GRAND HYATT HOTEL | 11363356K | 02/21/2014 | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | DEFAULT | 04/14/2014 |
| | | | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | DEFAULT | 03/30/2015 |
| GRAND HYATT HOTEL | 11602832H | 02/14/2018 | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | FOUND GUILTY AT A HEARING | 04/05/2018 |
| GRAND HYATT HOTEL | 11602912H | 07/13/2018 | RULE 5 | FAILED TO PRODUCE PERMIT AND/OR RECORD | DEFAULT | 09/05/2018 |
| GRAND HYATT NEW YORK | 11707926J | 02/10/2020 | RULE 20 | FAILED TO CONDUCT REQUIR TEST/INSPECTION | DEFAULT | 09/23/2020 |
| GRAND WYATT NEW YORK | 11275450R | 03/19/2013 | RULE 20 | FAILED TO CONDUCT REQUIR TEST/INSPECTION | DEFAULT | 05/13/2013 |

Vio Orders

FPREV Violation Orders

| Acct Owner | Acct# | Violation# | Vio Law Num | Vio Law Desc | Vio Type | Vio Date | Action |
|-------------------|----------|------------|-------------|-----------------------------------|----------|------------|--------------|
| GRAND HYATT HOTEL | 89010490 | E356563 | HT-3 | NO FSD OR DFSD ON DUTY | FPREV | 01/09/2018 | HOLD BILLING |
| GRAND HYATT HOTEL | 89010490 | E465309 | HRU-14A | DISCONTINUE STORAGE-ELECT CLOSETS | FPREV | 01/28/2016 | HOLD BILLING |



Bin: 1035383

Vio Orders

| FPREV Violation Orders | | | | | | | |
|--------------------------|----------|------------|-------------|--|----------|------------|------------------------------|
| Acct Owner | Acct# | Violation# | Vio Law Num | Vio Law Desc | Vio Type | Vio Date | Action |
| GRAND HYATT HOTEL | 89010490 | E526595 | HRU-15 | DISCONTINUE STORAGE-MER | FPREV | 01/28/2016 | HOLD BILLING |
| | | | HT-2 | PROVIDE FSD & DEPUTY FSD | FPREV | 02/14/2018 | HOLD BILLING |
| GRAND HYATT HOTEL | 87094991 | E528719 | SPPA 4 | NO PA PERMIT | FPREV | 07/09/2018 | HOLD BILLING |
| GRAND HYATT HOTEL-PASTRY | 36034759 | E 472839 | RH-7 | ARRANGE FOR TEST OR RETEST OF FIRE SYS | FPREV | 01/26/2016 | HOLD BILLING |
| GRAND HYATT HOTEL-PASTRY | 36034759 | E 472840 | RH-87 | SUBMIT AMENDED PLANS | FPREV | 01/26/2016 | HOLD BILLING |
| | | | RH-24 | INSULATION OF GREASE DUCTS | FPREV | 01/26/2016 | ADD & DELE TO A HELD ACCOUNT |
| | | | RH-7 | ARRANGE FOR TEST OR RETEST OF FIRE SYS | FPREV | 01/26/2016 | ADD & DELE TO A HELD ACCOUNT |
| | | | RH-86 | HYRDOSTATIC TEST REQUIRED | FPREV | 01/26/2016 | ADD & DELE TO A HELD ACCOUNT |
| GRAND HYATT HOTEL-PASTRY | 36034759 | E 472841 | RH-7 | ARRANGE FOR TEST OR RETEST OF FIRE SYS | FPREV | 01/26/2010 | ADD & DELE TO A HELD ACCOUNT |
| | | | RH-8 | ARRANGE FOR A MICRO-SWITCH RETEST | FPREV | 01/26/2010 | ADD & DELE TO A HELD ACCOUNT |
| GRAND HYATT NEW YORK | 36250405 | E459614 | OTHER0001 | SEE FOLDER INFORMATION | FPREV | 06/07/2016 | HOLD BILLING |
| HYATT EQUITIES | 32335044 | E383576 | OTHER0001 | SEE FOLDER INFORMATION | FPREV | 04/24/2013 | HOLD BILLING |
| HYATT EQUITIES, LLC | 32172355 | E346791 | OTHER0001 | SEE FOLDER INFORMATION | FPREV | 06/27/2012 | HOLD BILLING |
| ROOM SERVICE KITCHEN | 31106297 | E629486 | RH-3 | LEGALIZE - SYSTEM ALTERED | FPREV | 02/10/2020 | HOLD BILLING |
| | | | RH-7 | ARRANGE FOR TEST OR RETEST OF FIRE SYS | FPREV | 02/10/2020 | HOLD BILLING |

```
DATE : 10/26/20      F. P. I. M. S.      TIME : 14:45:02 :
*****
*      A C C O U N T      I N Q U I R Y      B Y      N U M B E R      *
*****
District Office : 3      Administrative Company : E021
=====
Account # : 02210383  Type : 10 Hazard Rank :      Alpha Prefix : R      No Fee : N
=====
Owner Name : HYATT HOTEL CORP.      No of Items : 1      Owner Est : 09/14/84
Account Est : 02/28/84      Permit Exp Dt : 08/31/20      Last Insp : 10/09/19
Last Billed : 10/16/19      Last Paid : 11/06/19      Paym Clear : N/A
      Date Printed --->      Permit : 11/13/19      Insp Order : 05/15/20
Balance Due :      Fines Owed :      Yearly Fee : 125.00
Spr/Stp Typ :      Violations : 0 Lien Excptn: 0      Return Mail : 0 Dup Bill : 0
Cash Aging :      Out of Town : 0 Acct Stat : 0      Inspection Status : 5
Acctng Stat : 0      Permit Status : 1      Delinquent yrs : 00      N.G. Check : 0
=====
Premises Address : 109      E 42      ST      100178500
      Additional Info :
Billing Address : 109      E 42      ST      100178500
      Additional Info : CONTROLLER'S OFFICE
Function: 00
F6: REFRESH  F7: CHANGE-TRAN  F8: SUB-MENU  F9: MENU  F10: LOGOFF  F12: ACCT REL DATA
```

Date : 10/26/20

FPI MS

Time : 14:45:21

*
* ACCOUNT RELATED DATA INQUIRY - ACCOUNT COVERAGE *

Account Number : 02210383 Owner Name : HYATT HOTEL CORP.

Date : 09/14/84 See List : 0


Comments : EMERG GEN-275 GAL.TK C O A #7972/98
COF REQUIRED

| Equipment Type | Equipment Sub Code | Number of Items | Floor |
|----------------|--------------------|-----------------|-------|
| 197 | 00 | 001 | 36 |

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX D

Historical Sanborn Maps



3255.0002Y000

109 E 42nd Street

NEW YORK, NY 10017

Inquiry Number: 6212910.3

October 05, 2020

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

10/05/20

Site Name:

3255.0002Y000
109 E 42nd Street
NEW YORK, NY 10017
EDR Inquiry # 6212910.3

Client Name:

Roux Associates
209 Shafter Street
Islandia, NY 11749
Contact: Rachel Henke



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Roux Associates were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 327B-4DC9-BA0F

PO # NA

Project 3255.0002Y000

Maps Provided:

| | | |
|------|------|------|
| 2005 | 1993 | 1968 |
| 2004 | 1992 | 1950 |
| 2003 | 1991 | 1929 |
| 2002 | 1988 | 1910 |
| 2001 | 1987 | 1899 |
| 1996 | 1985 | 1890 |
| 1995 | 1983 | |
| 1994 | 1980 | |



Sanborn® Library search results

Certification #: 327B-4DC9-BA0F

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☒ Library of Congress
- ☒ University Publications of America
- ☒ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Roux Associates (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




2005 Source Sheets




Volume 4, Sheet 42
2005-2006



Volume 4, Sheet 44
2005-2006




Volume 4, Sheet 43
2005-2006




Volume 4, Sheet 41
2005-2006


2004 Source Sheets




Volume 4, Sheet xxxx
2004



Volume 4, Sheet 43
2004




Volume 4, Sheet 42
2004




Volume 4, Sheet 41
2004


2003 Source Sheets




Volume 4, Sheet 43
2003



Volume 4, Sheet 44
2003




Volume 4, Sheet 41
2003




Volume 4, Sheet 42
2003


2002 Source Sheets




Volume 4, Sheet 41
2002



Volume 4, Sheet 42
2002



Volume 4, Sheet 43
2002




Volume 4, Sheet 44
2002

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




2001 Source Sheets




Volume 4, Sheet 44
2001



Volume 4, Sheet 43
2001




Volume 4, Sheet 42
2001




Volume 4, Sheet 41
2001


1996 Source Sheets




Volume 4, Sheet 44
1996



Volume 4, Sheet 43
1996




Volume 4, Sheet 42
1996




Volume 4, Sheet 41
1996


1995 Source Sheets




Volume 4, Sheet 41
1995



Volume 4, Sheet 42
1995




Volume 4, Sheet 43
1995




Volume 4, Sheet 44
1995


1994 Source Sheets




Volume 4, Sheet 42
1994



Volume 4, Sheet 41
1994



Volume 4, Sheet 44
1994




Volume 4, Sheet 43
1994

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




1993 Source Sheets




Volume 4, Sheet 42
1993



Volume 4, Sheet 44
1993




Volume 4, Sheet 43
1993



Volume 4, Sheet 41
1993


1992 Source Sheets




Volume 4, Sheet 41
1992



Volume 4, Sheet 42
1992




Volume 4, Sheet 43
1992




Volume 4, Sheet 44
1992


1991 Source Sheets




Volume 4, Sheet 41
1991



Volume 4, Sheet 42
1991




Volume 4, Sheet 43
1991




Volume 4, Sheet 44
1991


1988 Source Sheets




Volume 4, Sheet 44
1988



Volume 4, Sheet 43
1988



Volume 4, Sheet 42
1988




Volume 4, Sheet 41
1988

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1987 Source Sheets




Volume 4, Sheet 41
1987



Volume 4, Sheet 42
1987




Volume 4, Sheet 43
1987




Volume 4, Sheet 44
1987

1985 Source Sheets




Volume 4, Sheet 44
1985



Volume 4, Sheet 43
1985



Volume 4, Sheet 42
1985



Volume 4, Sheet 41
1985


1983 Source Sheets




Volume 4, Sheet 42
1983



Volume 4, Sheet 41
1983




Volume 4, Sheet 44
1983




Volume 4, Sheet 43
1983

1980 Source Sheets




Volume 4, Sheet 41
1980



Volume 4, Sheet 44
1980



Volume 4, Sheet 42
1980




Volume 4, Sheet 43
1980

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




1968 Source Sheets




Volume 4, Sheet 44
1968



Volume 4, Sheet 43
1968




Volume 4, Sheet 42
1968




Volume 4, Sheet 41
1968


1950 Source Sheets




Volume 4, Sheet 41
1950



Volume 4, Sheet 44
1950




Volume 4, Sheet 43
1950




Volume 4, Sheet 42
1950


1929 Source Sheets




Volume 4, Sheet 44
1929



Volume 4, Sheet 43
1929




Volume 4, Sheet 42
1929




Volume 4, Sheet 41
1929

1910 Source Sheets




Volume 4, Sheet 44
1910



Volume 4, Sheet 43
1910



Volume 4, Sheet 42
1910



Volume 4, Sheet 41
1910

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




1899 Source Sheets




Volume 4, Sheet 77
1899




Volume 4, Sheet 78
1899



Volume 4, Sheet 80
1899




Volume 4, Sheet 81
1899



Volume 4, Sheet 80
1899

1890 Source Sheets




Volume 4, Sheet 80
1890



Volume 4, Sheet 77
1890



Volume 4, Sheet 81
1890







Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 2004



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet xxxx



The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F




The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 2003





This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.




Volume 4, Sheet 42
 Volume 4, Sheet 41
 Volume 4, Sheet 44
 Volume 4, Sheet 43





6212910 - 3 page 12




The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 2001



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet 44

0 Feet 150 300 600






Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1996



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet 44

0 Feet 150 300 600






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1995



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 44
 Volume 4, Sheet 43
 Volume 4, Sheet 42
 Volume 4, Sheet 41






Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright 1994



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 43
Volume 4, Sheet 44
Volume 4, Sheet 41
Volume 4, Sheet 42

0 Feet 150 300 600







The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1993




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 43
 Volume 4, Sheet 44
 Volume 4, Sheet 42






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1992



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 44
Volume 4, Sheet 43
Volume 4, Sheet 42
Volume 4, Sheet 41






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1991



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 44
 Volume 4, Sheet 43
 Volume 4, Sheet 42
 Volume 4, Sheet 41






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1988



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet 44






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1987




This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 44
Volume 4, Sheet 43
Volume 4, Sheet 42
Volume 4, Sheet 41






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright 1985



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
Volume 4, Sheet 42
Volume 4, Sheet 43
Volume 4, Sheet 44

0 Feet 150 300 600






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1983



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 43
Volume 4, Sheet 44
Volume 4, Sheet 41
Volume 4, Sheet 42






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1980



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 43
Volume 4, Sheet 42
Volume 4, Sheet 44
Volume 4, Sheet 41






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification # 327B-4DC9-BA0F
 Copyright 1968



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
 Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet 44







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1950



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 42
 Volume 4, Sheet 43
 Volume 4, Sheet 44
 Volume 4, Sheet 41





The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1929




This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



Volume 4, Sheet 41
Volume 4, Sheet 42
Volume 4, Sheet 43
Volume 4, Sheet 44






The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
Address: 109 E 42nd Street
City, ST, ZIP: NEW YORK, NY 10017
Client: Roux Associates
EDR Inquiry: 6212910.3
Order Date: 10/05/2020
Certification #: 327B-4DC9-BA0F
Copyright: 1910





This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 41
Volume 4, Sheet 42
Volume 4, Sheet 43
Volume 4, Sheet 44








The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 327B-4DC9-BA0F

Site Name: 3255.0002Y000
 Address: 109 E 42nd Street
 City, ST, ZIP: NEW YORK, NY 10017
 Client: Roux Associates
 EDR Inquiry: 6212910.3
 Order Date: 10/05/2020
 Certification #: 327B-4DC9-BA0F
 Copyright: 1890



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 4, Sheet 81
 Volume 4, Sheet 77
 Volume 4, Sheet 80

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX E

Historical Aerial Maps



3255.0002Y000

109 E 42nd Street

NEW YORK, NY 10017

Inquiry Number: 6212910.8

October 02, 2020

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

10/02/20

Site Name:

3255.0002Y000
109 E 42nd Street
NEW YORK, NY 10017
EDR Inquiry # 6212910.8

Client Name:

Roux Associates
209 Shafter Street
Islandia, NY 11749
Contact: Rachel Henke



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

| <u>Year</u> | <u>Scale</u> | <u>Details</u> | <u>Source</u> |
|-------------|--------------|----------------------------------|----------------------------------|
| 2017 | 1"=500' | Flight Year: 2017 | USDA/NAIP |
| 2013 | 1"=500' | Flight Year: 2013 | USDA/NAIP |
| 2010 | 1"=500' | Flight Year: 2010 | USDA/NAIP |
| 2006 | 1"=500' | Flight Year: 2006 | USDA/NAIP |
| 1995 | 1"=500' | Acquisition Date: March 13, 1995 | USGS/DOQQ |
| 1991 | 1"=500' | Flight Date: March 09, 1991 | NAPP |
| 1984 | 1"=500' | Flight Date: March 26, 1984 | USDA |
| 1980 | 1"=500' | Flight Date: July 25, 1980 | NOAA |
| 1976 | 1"=500' | Flight Date: October 29, 1976 | USGS |
| 1974 | 1"=500' | Flight Date: October 19, 1974 | NOAA |
| 1966 | 1"=500' | Flight Date: February 23, 1966 | USGS |
| 1961 | 1"=500' | Flight Date: April 12, 1961 | EDR Proprietary Aerial Viewpoint |
| 1954 | 1"=500' | Flight Date: February 18, 1954 | USGS |
| 1951 | 1"=500' | Flight Date: April 07, 1951 | EDR Proprietary Aerial Viewpoint |
| 1924 | 1"=500' | Flight Date: July 01, 1924 | FAIR |

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 6212910.8

YEAR: 2017

— = 500'





INQUIRY #: 6212910.8

YEAR: 2013

— = 500'





INQUIRY #: 6212910.8

YEAR: 2010

— = 500'






INQUIRY #: 6212910.8

YEAR: 2006

— = 500'





UNMAPPED

UNMAPPED

UNMAPPED

UNMAPPED

UNMAPPED

UNMAPPED

INQUIRY #: 6212910.8

YEAR: 1995

— = 500'



UNMAPPED

UNMAPPED

UNMAPPED

UNMAPPED




INQUIRY #: 6212910.8

YEAR: 1991

— = 500'






INQUIRY #: 6212910.8

YEAR: 1984

— = 500'





INQUIRY #: 6212910.8

YEAR: 1980

— = 500'






INQUIRY #: 6212910.8

YEAR: 1976

— = 500'





INQUIRY #: 6212910.8

YEAR: 1974

— = 500'





INQUIRY #: 6212910.8

YEAR: 1966

— = 500'





INQUIRY #: 6212910.8

YEAR: 1961

— = 500'





INQUIRY #: 6212910.8

YEAR: 1954

— = 500'





INQUIRY #: 6212910.8

YEAR: 1951

— = 500'



ARTHUR S. TUTTLE, CHIEF ENGINEER



INQUIRY #: 6212910.8

YEAR: 1924


— = 500'



Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX F

Historical Topographic Maps



3255.0002Y000

109 E 42nd Street

NEW YORK, NY 10017

Inquiry Number: 6212910.4

October 02, 2020

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

10/02/20

Site Name:

3255.0002Y000
109 E 42nd Street
NEW YORK, NY 10017
EDR Inquiry # 6212910.4

Client Name:

Roux Associates
209 Shafter Street
Islandia, NY 11749
Contact: Rachel Henke



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Roux Associates were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:**Coordinates:**

| | | | |
|-----------------|---------------|----------------------|------------------------------|
| P.O.# | NA | Latitude: | 40.752036 40° 45' 7" North |
| Project: | 3255.0002Y000 | Longitude: | -73.976336 -73° 58' 35" West |
| | | UTM Zone: | Zone 18 North |
| | | UTM X Meters: | 586414.23 |
| | | UTM Y Meters: | 4511735.25 |
| | | Elevation: | 48.44' above sea level |

Maps Provided:

2013, 2014 1897
1995, 1997
1979
1966, 1967
1956
1947
1900
1898

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013, 2014 Source Sheets



Central Park
2013
7.5-minute, 24000



Brooklyn
2013
7.5-minute, 24000



Weehawken
2014
7.5-minute, 24000



Jersey City
2014
7.5-minute, 24000

1995, 1997 Source Sheets



Brooklyn
1995
7.5-minute, 24000
Aerial Photo Revised 1977



Weehawken
1995
7.5-minute, 24000
Aerial Photo Revised 1995



Central Park
1997
7.5-minute, 24000
Aerial Photo Revised 1997

1979 Source Sheets



Central Park
1979
7.5-minute, 24000
Aerial Photo Revised 1977



Brooklyn
1979
7.5-minute, 24000
Aerial Photo Revised 1977


1966, 1967 Source Sheets



Central Park
1966
7.5-minute, 24000
Aerial Photo Revised 1966



Brooklyn
1967
7.5-minute, 24000
Aerial Photo Revised 1966



Weehawken
1967
7.5-minute, 24000
Aerial Photo Revised 1966



Jersey City
1967
7.5-minute, 24000
Aerial Photo Revised 1966


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1956 Source Sheets



Brooklyn
1956
7.5-minute, 24000



Central Park
1956
7.5-minute, 24000

1947 Source Sheets



Brooklyn
1947
7.5-minute, 24000
Aerial Photo Revised 1940



Jersey City
1947
7.5-minute, 24000
Aerial Photo Revised 1940



Central Park
1947
7.5-minute, 24000
Aerial Photo Revised 1941

1900 Source Sheets




Harlem
1900
15-minute, 62500



Brooklyn
1900
15-minute, 62500



Paterson
1900
15-minute, 62500



Staten Island
1900
15-minute, 62500

1898 Source Sheets




Brooklyn
1898
15-minute, 62500



Harlem
1898
15-minute, 62500



Staten Island
1898
15-minute, 62500



Paterson
1898
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1897 Source Sheets




Brooklyn
1897
15-minute, 62500



Harlem
1897
15-minute, 62500




This report includes information from the following map sheet(s).




TP, Central Park, 2013, 7.5-minute
SE, Brooklyn, 2013, 7.5-minute
SW, Jersey City, 2014, 7.5-minute
NW, Weehawken, 2014, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Central Park, 1997, 7.5-minute
SE, Brooklyn, 1995, 7.5-minute
NW, Weehawken, 1995, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Central Park, 1979, 7.5-minute
SE, Brooklyn, 1979, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Central Park, 1966, 7.5-minute
SE, Brooklyn, 1967, 7.5-minute
SW, Jersey City, 1967, 7.5-minute
NW, Weehawken, 1967, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Central Park, 1956, 7.5-minute
SE, Brooklyn, 1956, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Central Park, 1947, 7.5-minute
SE, Brooklyn, 1947, 7.5-minute
SW, Jersey City, 1947, 7.5-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).





TP, Harlem, 1900, 15-minute
SE, Brooklyn, 1900, 15-minute
SW, Staten Island, 1900, 15-minute
NW, Paterson, 1900, 15-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates






This report includes information from the following map sheet(s).




TP, Harlem, 1898, 15-minute
SE, Brooklyn, 1898, 15-minute
SW, Staten Island, 1898, 15-minute
NW, Paterson, 1898, 15-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates





This report includes information from the following map sheet(s).



TP, Harlem, 1897, 15-minute
SE, Brooklyn, 1897, 15-minute

SITE NAME: 3255.0002Y000
ADDRESS: 109 E 42nd Street
NEW YORK, NY 10017
CLIENT: Roux Associates



Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX G

City Directory Abstract

3255.0002Y000

109 E 42nd Street
NEW YORK, NY 10017

Inquiry Number: 6212910.5
October 02, 2020

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 200 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by

infoUSA[®]

Copyright © 2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

| <u>Year</u> | <u>Source</u> | <u>TP</u> | <u>Adjoining</u> | <u>Text Abstract</u> | <u>Source Image</u> |
|-------------|------------------------------------|-----------|------------------|----------------------|---------------------|
| 2017 | Cole Information Services | X | X | X | - |
| 2014 | Cole Information Services | X | X | X | - |
| 2009 | Cole Information Services | X | X | X | - |
| 2006 | Hill-Donnelly Information Services | - | X | X | - |
| | Hill-Donnelly Information Services | X | X | X | - |
| 2004 | Cole Information Services | X | X | X | - |
| 2000 | Cole Information Services | - | - | - | - |
| 1999 | Cole Information Services | X | X | X | - |
| 1998 | NYNEX Telephone | - | X | X | - |
| | NYNEX Telephone | X | X | X | - |
| 1996 | NYNEX | - | - | - | - |
| 1994 | Cole Information Services | X | X | X | - |

EXECUTIVE SUMMARY

| <u>Year</u> | <u>Source</u> | <u>TP</u> | <u>Adjoining</u> | <u>Text Abstract</u> | <u>Source Image</u> |
|-------------|--|-----------|------------------|----------------------|---------------------|
| 1993 | NYNEX Telephone | - | X | X | - |
| | NYNEX Telephone | X | X | X | - |
| 1988 | NYNEX Telephone | - | X | X | - |
| | NYNEX Telephone | X | X | X | - |
| 1983 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1978 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1973 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1968 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1963 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1958 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1956 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1950 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1947 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1942 | New York Telephone | - | X | X | - |
| 1938 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1934 | R. L. Polk & Co. | - | X | X | - |
| | R. L. Polk & Co. | X | X | X | - |
| 1931 | Manhattan and Bronx Directory
Publishing Company Residential
Directory | - | X | X | - |
| | Manhattan and Bronx Directory
Publishing Company Residential
Directory | X | X | X | - |
| 1927 | New York Telephone | - | X | X | - |
| | New York Telephone | X | X | X | - |
| 1923 | R. L. Polk & Co. | - | X | X | - |
| | R. L. Polk & Co. | X | X | X | - |
| 1920 | R. L. Polk & Co. | - | X | X | - |
| | R. L. Polk & Co. | X | X | X | - |

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

109 E 42nd Street
NEW YORK, NY 10017

FINDINGS DETAIL

Target Property research detail.

E 42

109 E 42

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | Terminal Barber Shops Inc NY can 4 000 sh
\$100 ea 2 100 sh cap Jos B Schusser pres H
W Bloak H W Carlough F A Sudro v presta
Henry F Wolff sec treas | R. L. Polk & Co. |

E 42 ST

109 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|-----------------|
| 1998 | BEST COLOR AT LEXINGTON INC | NYNEX Telephone |
| | CHENEY & CO | NYNEX Telephone |
| | CHRISTI SOUTHERS LTD | NYNEX Telephone |
| | CL GEMSTONE | NYNEX Telephone |
| | COORDINATED METALS INC | NYNEX Telephone |
| | FORTY SECOND STREET PHOTO | NYNEX Telephone |
| | FORTY SEVENTH STREET AUDIO & PHOTO | NYNEX Telephone |
| | HERTIGAGE AIR SYSTEM | NYNEX Telephone |
| | N S ALLAN LTD | NYNEX Telephone |
| | YONKERS CONTRACTING CO INC | NYNEX Telephone |
| 1993 | BEST COLOR AT LEXINGTON INC | NYNEX Telephone |
| | BRISK WATERPROOFING CO | NYNEX Telephone |
| | CHENEY & CO | NYNEX Telephone |
| | FORTY SECOND STREET PHOTO | NYNEX Telephone |
| | KENT JEWELERS | NYNEX Telephone |
| | KYOTO GARDEN FLORIST INC | NYNEX Telephone |
| | MARTINIQUE FINE JEWELERS | NYNEX Telephone |
| | MODELL S | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1993 | MODELLS INC | NYNEX Telephone |
| | N S ALLAN LTD | NYNEX Telephone |
| | N Y HOTEL DRUG INC | NYNEX Telephone |
| | PRESTIGE NEWSTAND CORP | NYNEX Telephone |
| 1988 | DALTON BOOK SELLER | NYNEX Telephone |
| | DI MAURO HAIR SALON | NYNEX Telephone |
| | HENRY MODELL & CO INC | NYNEX Telephone |
| | KENT JEWELERS | NYNEX Telephone |
| | KYOTO GARDEN FLOIST INC | NYNEX Telephone |
| | LINEA GARBO SHOES | NYNEX Telephone |
| | MANHATTAN | NYNEX Telephone |
| | MODELL S | NYNEX Telephone |
| | MODELL S RETAIL STORES BWAY | NYNEX Telephone |
| | N S ALLAN LTD | NYNEX Telephone |
| | N Y HOTEL DRUG INC | NYNEX Telephone |
| | NATIONAL COMMITTEE FOR RESPONSIBLE PATRIOTISM | NYNEX Telephone |
| | PRESTIGE NEWSTAND CORP | NYNEX Telephone |
| | STERN H JEWELERS INC HYATT | NYNEX Telephone |
| | STERNH JEWELER INC | NYNEX Telephone |
| 1983 | ANCORP NATIONAL SVCES | New York Telephone |
| | CIRO JEWELERS | New York Telephone |
| | CIRO OF BOND STREET INC | New York Telephone |
| | CONTINENTAL GUEST SVCES | New York Telephone |
| | FALLAS M LTD | New York Telephone |
| | FLICKER ELECTRONICS INC | New York Telephone |
| | HENRY MODELL & CO INC | New York Telephone |
| | KUMBO PENS & STATIONERY INC | New York Telephone |
| | KYOO GARDEN FLOIST INC | New York Telephone |
| | LINEA GARBO SHOES | New York Telephone |
| | NATIONAL COMMITTEE FOR RESPONSIBLE PATRIOTISM | New York Telephone |
| | PAPILLON CHOCOLATE | New York Telephone |
| | SR DAVID LTD | New York Telephone |
| | STERN H JEWELERS INC | New York Telephone |
| | STERNH JEWELER INC | New York Telephone |
| 1978 | COMMODORE PIZZA OF EAST 42 ST | New York Telephone |
| | DEAN BUYING CORP | New York Telephone |
| | DEAN MERCHANDISE COLNC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1978 | DRAGO SHOE REPR | New York Telephone |
| | HEALTH REAOURCES INC | New York Telephone |
| | NATIONAL COMMITTEE FOR
RESPOMBAFF PATRIOTISM | New York Telephone |
| | NEMETZ ASSOCS | New York Telephone |
| | NEMETZ M HARMON | New York Telephone |
| | RITTERSPORN FOR CITY COUNCIL | New York Telephone |
| | ROMM ELLIOT L B | New York Telephone |
| | STARRETT HOUSING CORP | New York Telephone |
| 1973 | AMER HOST FOUNDTN INC | New York Telephone |
| | BEAME FOR COMPTROLLER | New York Telephone |
| | BROWN CLUB | New York Telephone |
| | BROWN UNIV CLUB IN N Y INC | New York Telephone |
| | CONWAY ASSOCS INTERNATL INC | New York Telephone |
| | DARTMORTH COLLEGE CLUB | New York Telephone |
| | DAVID GREEN ASSOC | New York Telephone |
| | DIGITAL EQUIPT CORP | New York Telephone |
| | EUROPRESS ALLIANCE LTD | New York Telephone |
| | GEN CONCESSIONAIRES LN | New York Telephone |
| | HEALTH RESOURCES INC | New York Telephone |
| | INTERNATL UNION OF OPERATING
ENGINEERS REGIONAL OFC | New York Telephone |
| | KIRIACON JACK HAIRSTYLIST | New York Telephone |
| | LA NOBLESSE IRC BEUTY SALON | New York Telephone |
| | LEISURE HOU ENTERPRISES INC | New York Telephone |
| | MEET THE AMERICANS INC | New York Telephone |
| | NATIONAL COMMITTEE FOR
RESPONSIBLE PATRIOTISUM | New York Telephone |
| | NEMETZ ASSOCS | New York Telephone |
| | NEMETZ M HARMON | New York Telephone |
| | PEACOCK FASHIONS | New York Telephone |
| | PRESS COMMUNICATIONS | New York Telephone |
| | PROCACCINO FOR MAYOR | New York Telephone |
| | RITTERSPORN FOR CITY COUNCIL | New York Telephone |
| | ROMM ELLIOT L B | New York Telephone |
| | SILVA MIND CONTROL INTERNATIONAL
INC | New York Telephone |
| | TRANSLATING ASSOCS | New York Telephone |
| | WRITERS ALLIANCE | New York Telephone |
| 1968 | BROWN CLUB | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|---|
| 1968 | BROWN UNIV CLUB IN NY INC | New York Telephone |
| | CHETAM & CO | New York Telephone |
| | COMMODORE HOTEL BARBR SHOP INC | New York Telephone |
| | CONWAY ASSOCS INTERNATL NC | New York Telephone |
| | DARTMOUTH COLLEGE CLUB | New York Telephone |
| | GENL CONCESSIONAIRES INC | New York Telephone |
| | HOTEL COMMODORE BARBR SHOP INC | New York Telephone |
| | INTERNATL UNION OF OPERATING ENGINEERS REGIONAL OFC | New York Telephone |
| | JAYNET DRUQ CORP | New York Telephone |
| | LEISURE HOUR ENTERPRISES INC | New York Telephone |
| | NEMETZ ASSOCS | New York Telephone |
| | NEMETZ M HARMON | New York Telephone |
| | PERSONAL SVCE DRUG STORES | New York Telephone |
| | QUICK XERO COPIES | New York Telephone |
| | ROMM ELLIOT L B | New York Telephone |
| | TRANSLATING ASSOCS INC | New York Telephone |
| 1963 | BOLAND JOHN F TRNSPTN | New York Telephone |
| | COMMODORE PHARMCY OFC | New York Telephone |
| | DARTMOUTH COLLEGE CLUB | New York Telephone |
| | JAYNET DRUG CORP | New York Telephone |
| | MAYORS COMM ON REGISTRATION | New York Telephone |
| | PERSONAL SVCE DRUG STORES | New York Telephone |
| | PUERTO-RICAN SOCIAL SVCES INC | New York Telephone |
| | ROMM ELLIOT L B | New York Telephone |
| | WHELAN R W | New York Telephone |
| 1958 | HOPKINS VIOLA C B | New York Telephone |
| 1956 | HOPKINS VIOLA C B | New York Telephone |
| 1950 | BARNES NANCY HOTEL REP | New York Telephone |
| | BROADMOOR HOTEL OF COLORADO SPRINGS | New York Telephone |
| | COFFMAN C DE WITT HOTEL REP | New York Telephone |
| | HOPKINS VIOLA C B | New York Telephone |
| | MISSION INN OF RIVERSIDE CALIFORNIA | New York Telephone |
| | SHERMAN HOTEL OF CHICAGO | New York Telephone |
| | SHOREHAM HOTEL OF WASHINGTON DC | New York Telephone |
| 1947 | HOPKINS VIOLA C B | New York Telephone |
| 1938 | MILLER GRACE HELENE | New York Telephone |
| 1931 | PETERSON ROBT C A | Manhattan and Bronx Directory Publishing Company
Residential Directory |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------|--------------------|
| 1927 | MILLER J E | New York Telephone |

E 42ND

109 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | Bosch Herman J Herman J Bosch hairdrsr | R. L. Polk & Co. |
| | Commodore Jewelry Shop Paul Rothstein | R. L. Polk & Co. |
| | Commodore Mens Shop RTN Louts Romm | R. L. Polk & Co. |
| | Danna Frank Josie barber Terminal Barber Shops Inc | R. L. Polk & Co. |
| | Fest Philip Filomena barber Terminal Barber Shops Inc | R. L. Polk & Co. |
| | Gaeng Fredk 1st asst steward Hotel Commodore | R. L. Polk & Co. |
| | Golus Wm & Philip Grandin Wm Golus Philip Brandin chiropodists | R. L. Polk & Co. |
| | Harriss & Co Danl F Mc Carthy Wm Leslie Harriss stocks & bonds | R. L. Polk & Co. |
| | Humpherys Martha clk Hotel Commodore | R. L. Polk & Co. |
| | Kenealy Helen dom Hotel Commodore | R. L. Polk & Co. |
| | LeBlane Geo C clk Harriss & Co | R. L. Polk & Co. |
| | LeBlane Geo L jr emp Natl City Bank r New Rochelle NY | R. L. Polk & Co. |
| | Manolin Steph Marjorie barber Terminal Barber Shops Inc | R. L. Polk & Co. |
| | Matalene Chas F hotel police Hotel Commodore | R. L. Polk & Co. |
| | Melhard Geo M Lillian barber Terminal Barber Shoes Inc | R. L. Polk & Co. |
| | Ouzto Wm L clk Harriss & Co | R. L. Polk & Co. |
| | Porter Adele B | R. L. Polk & Co. |
| | Pringle Eliz I dom Hotel Commodore | R. L. Polk & Co. |
| | Romm Louis Ruth mens furngs | R. L. Polk & Co. |
| | Rotary Club New York Edwin H Rushmore sec | R. L. Polk & Co. |
| | Scellato Philip Nellie barber Terminal Barber Shops Inc | R. L. Polk & Co. |
| | Secretarial & Stenographic Service Bureau Irene M | R. L. Polk & Co. |
| | Valentine Jas J clk Harris & Co | R. L. Polk & Co. |
| | Valentine Jas J emp Daily News r Jersey City NJ | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|---|
| 1931 | Peterson Robt C A | Manhattan and Bronx Directory Publishing Company
Residential Directory |
| 1927 | Miller J E | New York Telephone |
| 1923 | Commodore Hotel | R. L. Polk & Co. |
| | Miller Eug D pres sec treas Punderford Co Inc
h Bkn | R. L. Polk & Co. |
| | Miller Eug D sec treas Bowman Hotel Corp | R. L. Polk & Co. |
| | Sweeney Geo W v p Bowman Hotel Corp | R. L. Polk & Co. |
| 1920 | Bowman Hotel Corp NY Jno McE Bowman
pres Geo W Sweeney v p & mgr director | R. L. Polk & Co. |

E 42ND H DO

109 E 42ND H DO

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|------------------|
| 1923 | Merriman Josiah C phys | R. L. Polk & Co. |

E 42ND ST

109 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------|---------------------------|
| 2017 | A & E BOLTONS | Cole Information Services |
| | A & E STORES INC | Cole Information Services |
| | ALL WAYS AUTO SHIPPING | Cole Information Services |
| | BAKED BY MELISSA | Cole Information Services |
| | CAPITALONE | Cole Information Services |
| | CHICKEN CHIRPING | Cole Information Services |
| | COMMODORE GRILL | Cole Information Services |
| | EMERGENCY ANYTIME LOCKSMITH | Cole Information Services |
| | LAZ PARKING | Cole Information Services |
| | MENDYSFOOD COURT | Cole Information Services |
| 2014 | A & E BOLTONS | Cole Information Services |
| | ALL WAYS AUTOMOBILE SHIPPING | Cole Information Services |
| | BAKED BY MELISSA | Cole Information Services |
| | BOLTONS MIDTOWN | Cole Information Services |
| | CAFE SPICE | Cole Information Services |
| | CAPITALONE | Cole Information Services |
| | CHICKEN CHIRPING | Cole Information Services |
| | CHRISTI SOTHERS JEWELRY | Cole Information Services |
| | GRAND HYATT NEW YORK | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------|------------------------------------|
| 2014 | LAZ PARKING | Cole Information Services |
| | MANHATTAN CHILI COMPANY | Cole Information Services |
| | MATT ADAMS | Cole Information Services |
| | MENDYSFOOD COURT | Cole Information Services |
| | N S ALLAN LIMITED | Cole Information Services |
| | SEBASTIAN GUREVICH | Cole Information Services |
| | STARBUCKS COFFEE | Cole Information Services |
| | TWO BOOTS GRAND CENTRAL | Cole Information Services |
| 2009 | A & E STORES | Cole Information Services |
| | BROTHER JIMMYS BARBEQUE | Cole Information Services |
| | CAPITAL ONE BANK | Cole Information Services |
| | CHENEY & CO INC | Cole Information Services |
| | CHRISTI SOTHERS FINE JEWELER | Cole Information Services |
| | GRAND GIFTS | Cole Information Services |
| | GRAND HYATT NEW YORK | Cole Information Services |
| | KOGLIN GERMAN ROYAL HAM | Cole Information Services |
| | LEGATO BOTIQUE INC | Cole Information Services |
| | LILAC CHOCOLATES INC | Cole Information Services |
| | MENDYS FOOD COURT | Cole Information Services |
| | MR HAM INC | Cole Information Services |
| | N S ALLAN LTD | Cole Information Services |
| | ROBERT BROWN | Cole Information Services |
| | STARBUCKS COFFEE | Cole Information Services |
| | TWO BOOTS GRAND CENTRAL | Cole Information Services |
| | TWO BOOTS OF 42ND STRET LLC | Cole Information Services |
| 2006 | Boltons | Hill-Donnelly Information Services |
| | Brother Jimmys Jambalaya | Hill-Donnelly Information Services |
| | Cafe Spice | Hill-Donnelly Information Services |
| | Cheney&Co i | Hill-Donnelly Information Services |
| | Chirping Chicken | Hill-Donnelly Information Services |
| | Christi Sothers LTD i | Hill-Donnelly Information Services |
| | Cingular Wireless lo | Hill-Donnelly Information Services |
| | Corrado 2000 Inc l o | Hill-Donnelly Information Services |
| | Grand Gifts 18 o | Hill-Donnelly Information Services |
| | Green Point Bank 2 F o | Hill-Donnelly Information Services |
| | Imperial Parking i s | Hill-Donnelly Information Services |
| | Innovus Inc o | Hill-Donnelly Information Services |
| | Jacques Imos | Hill-Donnelly Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------------------------|
| 2006 | Legato Boutique 10io | Hill-Donnelly Information Services |
| | Mendys Food Court | Hill-Donnelly Information Services |
| | Mikes Take Away 2 R | Hill-Donnelly Information Services |
| | Multi Unit Address | Hill-Donnelly Information Services |
| | N S Allan LTD 2 R | Hill-Donnelly Information Services |
| | Number LEV 3 Grand Hyatt New York 3 s | Hill-Donnelly Information Services |
| | Parini LLC 1 R | Hill-Donnelly Information Services |
| | Travel Traders Hotel Store | Hill-Donnelly Information Services |
| | Two Boots Grand Central | Hill-Donnelly Information Services |
| | W H Smith I R | Hill-Donnelly Information Services |
| | Zocalo At Grand Central | Hill-Donnelly Information Services |
| 2004 | CHRISTI SOTHERS LTD | Cole Information Services |
| | CUSTARD BEACH LLC | Cole Information Services |
| | GRAND HYATT NEW YORK | Cole Information Services |
| | JUNIORS CHEESECAKES | Cole Information Services |
| | MAURICE HARARY | Cole Information Services |
| | MENDYS GRAND CORP | Cole Information Services |
| | NS ALLAN LTD | Cole Information Services |
| | PARINI LLC | Cole Information Services |
| | WH SMITH US TRAVEL | Cole Information Services |
| 1999 | CHENEY & COMPANY | Cole Information Services |
| | CHRISTI SOTHERS LIMITED | Cole Information Services |
| | COORDINATED METALS INCORPORATED | Cole Information Services |
| | FORTY SECOND STREET PHOTO | Cole Information Services |
| | FORTY SEVENTH STREET AUDIO & PHOTO | Cole Information Services |
| | JACOBSON & COMPANY | Cole Information Services |
| | RICHELIEU | Cole Information Services |
| | STARBUCKS COFFEE | Cole Information Services |
| | YONKERS CONTRACTING COMPANY INCORPORATED | Cole Information Services |
| 1994 | BARNES & NOBLE BOOKSTORE-STORES | Cole Information Services |
| | BEST COLOR AT LEXINGTON INC | Cole Information Services |
| | CHENEY & CO | Cole Information Services |
| | FORTY SECOND STREET PHOTO | Cole Information Services |
| | GEMS AT THE GRAND HYATT | Cole Information Services |
| | JOSEPH ALLEN JEWELERS LTD | Cole Information Services |
| | KYOTO GARDEN FLORIST INC | Cole Information Services |
| | MARTINIQUE FINE JEWELERS | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|---------------------------|
| 1994 | N S ALLAN LTD | Cole Information Services |
| | N Y HOTEL DRUG INC | Cole Information Services |
| | PRESTIGE NEWSTAND CORP | Cole Information Services |
| 1983 | Ancorp National Svces | New York Telephone |
| | CIRO | New York Telephone |
| | Ciro Jewelers | New York Telephone |
| | Continental Guest Svces | New York Telephone |
| | Fallas M Ltd | New York Telephone |
| | Flicker Electronics Inc | New York Telephone |
| | Grand Hyatt | New York Telephone |
| | Henry Modell & Co Inc | New York Telephone |
| | Kumbo Pens & Stationery Inc | New York Telephone |
| | National Committee For Responsible Patriotism | New York Telephone |
| | Papillon Chocolate | New York Telephone |
| | Sr David Ltd | New York Telephone |
| | STERN H JEWELERS INC | New York Telephone |
| | Sternh Jeweler Inc | New York Telephone |

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

42ND

110 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1950 | COUNCIL ON MARRIAGE RELATIONS
INC | New York Telephone |
| 1934 | Wren J H sec Executive Engineers Inc | R. L. Polk & Co. |

111 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|------------------|
| 1923 | FIDELJTY INTERNATIONAL TRUST CO
NEW YORK Samuel S Conover Pres
Edward E Moberly & E Tilden Ma rox V
Prests Arthur W Mellen V Pres sec I
Hudson % Tel Canal 4570 | R. L. Polk & Co. |

113 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------|--------------------|
| 1950 | LOWENBRAUN MURRAY E LWYR | New York Telephone |

110 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1927 | ALDRIDGE ANDREW J LWYR | New York Telephone |

E 42 A

110 E 42 A

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1927 | VULCANITE ROOFING CO | New York Telephone |
| | KALMAN PAUL J STEEL | New York Telephone |
| | LUDLUM ALICE M RL EST | New York Telephone |
| | SMITH EUGENE F JR INS | New York Telephone |
| | Vulcanite Roofing Co | New York Telephone |
| | Kalman Paul J steel | New York Telephone |
| | Ludlum Alice M rl est | New York Telephone |
| | Smith Eugene F Jr ins | New York Telephone |

FINDINGS

E 42 M

110 E 42 M

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------|--------------------|
| 1947 | FRENCH HARRY N LWYR | New York Telephone |

E 42 MANHATTAN TOLL FREE-DIAL 1 & THEN

110 E 42 MANHATTAN TOLL FREE-DIAL 1 & THEN

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|-----------------|
| 1998 | GREEN POINT BANK INFORMATION-
ALL DEPARTMENTS | NYNEX Telephone |
| | GREEN POINT BANK INFORMATION-
ALL DEPARTMENTS | NYNEX Telephone |

E 42 ST

102 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------|--------------------|
| 1968 | RATKIN NATHAN COINC INS | New York Telephone |

103 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1973 | DRAGO SHOE REPAIR | New York Telephone |
| 1968 | PRESS COMMUNICATIONS INS SVCE
BUR | New York Telephone |

104 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|--------------------|
| 1947 | GERSTMAN FRANCES | New York Telephone |

105 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1993 | ARISTON SHOE REPAIR | NYNEX Telephone |
| | GRAND CENTRAL RACQUET
STRINGERS | NYNEX Telephone |
| 1983 | MCGAHAN MICHAEL J ATTY | New York Telephone |
| | MULCHINOCK DAVID S ATTY | New York Telephone |
| | SQUARE PARKING CORP | New York Telephone |
| 1978 | EASTSDE DIV | New York Telephone |
| | SQUARE PARKING CORP | New York Telephone |
| 1973 | SQUARE PARKING CORP | New York Telephone |
| | FANNING PERSONEL AGENCY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1968 | SQUARE PARKING CORP | New York Telephone |
| | FANNING PERSNL SVCES | New York Telephone |
| | FANNING PERSNL AGNCY | New York Telephone |
| 1950 | SUBWAY STOICS INC NUTS OFC & WAREHSE | New York Telephone |
| 1938 | CAREY J P | New York Telephone |
| 1927 | SANKA COFFEE HOUSE WHSLE & RETAIL | New York Telephone |

106 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1983 | SCHANZER ROBERT M ATTY | New York Telephone |
| | POMPER LEWIS H ATTY | New York Telephone |

107 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------|--------------------|
| 1983 | SENROR DAVID LTD | New York Telephone |
| 1973 | COPY TECHNOLOGY INC | New York Telephone |
| 1968 | CONVENIENT COPY CNTR INC | New York Telephone |

108 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1983 | SERGI JOHN J ATTY | New York Telephone |
| 1978 | HERMAN S SANFORD ATTY | New York Telephone |
| 1958 | MARKS ADAH E | New York Telephone |

110 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|-----------------|
| 1998 | ACKMAN LAWRENCE D THE ACKMAN-ZIFF REAL ESTATE GROUP LLC | NYNEX Telephone |
| | BERARDINO S J ATTY | NYNEX Telephone |
| | CAVALLO RALPH A ATTY | NYNEX Telephone |
| | CLAY CLAY STEVEN & BLAIR INC | NYNEX Telephone |
| | COASTAL GRAPHICS DIVISION S GLASSER CORP | NYNEX Telephone |
| | COHANZICK CORP LLC | NYNEX Telephone |
| | CORPINA JOSEPH B ATTY | NYNEX Telephone |
| | CORPINA & OVERZAT ATTYS | NYNEX Telephone |
| | DORFF CONST CO INC | NYNEX Telephone |
| | ELLER MEDIA COMPANY | NYNEX Telephone |
| | GOTHAM PARTNERS MANAGEMENT CO LP | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|-----------------|
| 1998 | GRASSO ALEX ATTY 922-9225 | NYNEX Telephone |
| | GUEST INFORMANT | NYNEX Telephone |
| | HARRIS ELLIOTT JR CONSLT ENGR | NYNEX Telephone |
| | HELWIG BRNCE M ATTY | NYNEX Telephone |
| | HOME SAVINGS OF AMERICA | NYNEX Telephone |
| | HUNDRED YEAR THE ASSOC OF NY | NYNEX Telephone |
| | JARDINE INSURANCE | NYNEX Telephone |
| | KRONISH ASSOCIATES | NYNEX Telephone |
| | KRONISH PAUL | NYNEX Telephone |
| | KUGELMAS JERRY ATTY | NYNEX Telephone |
| | LAMPLIGHT STATIONARY | NYNEX Telephone |
| | MAGNACOM DISTRIBUTORS INC | NYNEX Telephone |
| | MAJOR LEAGUE SOCCER | NYNEX Telephone |
| | MAJOR LEAGUE SOCCER | NYNEX Telephone |
| | MAP MOBILE COMMUN INC | NYNEX Telephone |
| | MAP MOBILE COMMUNICATON INC | NYNEX Telephone |
| | MAP MOBILE COMMUNICATON INC | NYNEX Telephone |
| | MARUKO NEW YORK | NYNEX Telephone |
| | MCDERMOTT INC | NYNEX Telephone |
| | MERRITT CLARENCE C ARCHT | NYNEX Telephone |
| | MERRITT & HARRIS CONSTNTS | NYNEX Telephone |
| | METRO MEDIA ASIA SERVICES INC | NYNEX Telephone |
| | METROMEDIA ITNL MKTNG INC | NYNEX Telephone |
| | METROMEDIA TECHNOLOGIES INC | NYNEX Telephone |
| | METRONET COMMUNICATIONS INC | NYNEX Telephone |
| | NATIONAL FIBER NETWORK INC | NYNEX Telephone |
| | NORTH COMMUNICATION INC | NYNEX Telephone |
| | ODYSSEY COMMUNICATIONS | NYNEX Telephone |
| | OFFICE KEI | NYNEX Telephone |
| | OSCAR GERALD M | NYNEX Telephone |
| | OVERZAT PETER K ATTY | NYNEX Telephone |
| | PAR FLOORING CO | NYNEX Telephone |
| | PERSONALIZED MEDIA COMMUNICATIONS LLC | NYNEX Telephone |
| | POSNER ALAN H | NYNEX Telephone |
| | PROTECTIVE SECURITY SYSTEMS INC | NYNEX Telephone |
| | SCHWARTZ MARVIN L | NYNEX Telephone |
| | SHOKO OKAMURA | NYNEX Telephone |
| | SUJET INC | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|-----------------|
| 1998 | TILE KING | NYNEX Telephone |
| | TREE FREE FIBER LLC | NYNEX Telephone |
| | VIDEO TECHNOLOGIES INT L INC | NYNEX Telephone |
| | WOLF ALEXANDER & SON | NYNEX Telephone |
| | Y-107 | NYNEX Telephone |
| | A J UNLIMITED INC MANHATTAN
MANHATTAN | NYNEX Telephone |
| | AIR-TON AIR CONDITIONING &
REFRGRNG CORP MANHATTAN
MANHATTAN | NYNEX Telephone |
| | HIRSCHFELD PROPERTIES
MANHATTAN MANHATTAN | NYNEX Telephone |
| | TREE FREE FIBER LLC MANHATTAN | NYNEX Telephone |
| 1993 | ACKMAN BROTHERS INC | NYNEX Telephone |
| | ACKMAN BROTHERS & SINGER INC % | NYNEX Telephone |
| | ACKMAN LAWRENCE D RL EST | NYNEX Telephone |
| | AUTO ASSESS INC | NYNEX Telephone |
| | BERARDINO S J ATTY | NYNEX Telephone |
| | C I S D INTERNATIONAL | NYNEX Telephone |
| | COMMAND AIRE CORP | NYNEX Telephone |
| | COOGAN ROBERT F ATTY | NYNEX Telephone |
| | CORPINA JOSEPH BATTY | NYNEX Telephone |
| | D & G ASSOC INC | NYNEX Telephone |
| | DORFF CONST CO INC | NYNEX Telephone |
| | FAWER MELISSA ATTY | NYNEX Telephone |
| | GODSBERG & ZANKEL ATTYS | NYNEX Telephone |
| | HARDY PEAL RAWLINGS WERNER &
COOGAN LWYRS | NYNEX Telephone |
| | HARRIS ELLIOTT JR CONSLT ENGR | NYNEX Telephone |
| | HELWIG BRUCE M ATTY | NYNEX Telephone |
| | HOME SAVINGS OF AMERICA- | NYNEX Telephone |
| | HOME SAVINGS OF AMERICA | NYNEX Telephone |
| | KARABAY & TEMPESTA CPAS | NYNEX Telephone |
| | KOWNACKI DAVID P ATTY | NYNEX Telephone |
| | MAP MOBILE COMMUN INC | NYNEX Telephone |
| | MERRITT CLARENCE C ARCHT | NYNEX Telephone |
| | MERRITT CLARENCE C ARCHT | NYNEX Telephone |
| | METNICK & SCHUCHMAN | NYNEX Telephone |
| | NASCO ASSOC INC | NYNEX Telephone |
| | OFFICE KEI | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|-----------------|
| 1993 | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | NYNEX Telephone |
| | ORION TRAVEL TOURS INC | NYNEX Telephone |
| | OVERZAT PETER K ATTY | NYNEX Telephone |
| | PHARMACEUTICAL ADVERTISING
COUNCIL INC | NYNEX Telephone |
| | POSNER ALAN H | NYNEX Telephone |
| | RUSSOTTI PHILIP | NYNEX Telephone |
| | SCARBOROUGH CO | NYNEX Telephone |
| | SHAPIRO CLIFFORD ATTY | NYNEX Telephone |
| | SHAPIRO EDWIN S LWYR | NYNEX Telephone |
| | SHOKO OKAMURA | NYNEX Telephone |
| | SINGER ANDREW J RL EST | NYNEX Telephone |
| | SUTHERLAND WM K LWYR | NYNEX Telephone |
| | WALLACE LARRY ATTY | NYNEX Telephone |
| | WERNER PETER R ATTY | NYNEX Telephone |
| | WINGATE WILLIAM A ATTORNEY
PROFESSIONAL CORP | NYNEX Telephone |
| | WINGATE WM ALDEN LWYR | NYNEX Telephone |
| | WOLF ALEXANDER & SON | NYNEX Telephone |
| 1988 | ACKMAN BROTHERS & SINGER INC | NYNEX Telephone |
| | ACKMAN HERMAN RLEST | NYNEX Telephone |
| | ACKMAN LAWRENCE D RLEST | NYNEX Telephone |
| | ASHER ROBER S COUNSELOR AT LAW | NYNEX Telephone |
| | BECK GEORGE ATTY | NYNEX Telephone |
| | BERARDINO S J ATTY | NYNEX Telephone |
| | BERKOWITZ MITCHEL L ATTY | NYNEX Telephone |
| | BISCEGLIA PHILIP J ATTY | NYNEX Telephone |
| | BTOOM & EPSTEIN ATTYS | NYNEX Telephone |
| | BLOOM EPSTEIN WAYNE REISS &
MILNER ATTYS | NYNEX Telephone |
| | BOWERY SAVINGS BANK | NYNEX Telephone |
| | BOWERY SAVINGS BANK | NYNEX Telephone |
| | BRADY JEFFREY M ATTY | NYNEX Telephone |
| | CAVALLO RALPH A ATTY | NYNEX Telephone |
| | CONSUMER REPORTS BOOKS
EDITORIAL | NYNEX Telephone |
| | CONSUMER-REPORTS BOOKS MKTNG | NYNEX Telephone |
| | CORPINA JOSEPH B ATTY | NYNEX Telephone |
| | DI DONATO WALTER J LWYR | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|-----------------|
| 1988 | DUBOW ALLAN ATTY | NYNEX Telephone |
| | EPSTEIN HAROLD ATTY | NYNEX Telephone |
| | EPSTEIN REISS & GOODMAN ATTYS | NYNEX Telephone |
| | GOLD MARK J ATTY | NYNEX Telephone |
| | GOODMAN RONALD B ATTY | NYNEX Telephone |
| | GRACE GEO T ATTY | NYNEX Telephone |
| | GRACE & GRACE ATTYS | NYNEX Telephone |
| | GREIF ED PUBLIC RELATIONS | NYNEX Telephone |
| | GREIF JIM PUBLIC RELATIONS | NYNEX Telephone |
| | HARRIS ELLIOTT JR CONSLT ENGR | NYNEX Telephone |
| | HAWKES JONAS & CO INC | NYNEX Telephone |
| | HOFFMAN MURRAY R ATTY | NYNEX Telephone |
| | HUMPREY & COLYE & ASSOCS | NYNEX Telephone |
| | KENT MARTIN ASSOCIATES | NYNEX Telephone |
| | KOPLIN MICHAEL A ATTY | NYNEX Telephone |
| | LITTLE A V & SONS | NYNEX Telephone |
| | LITTLE ROBERT F CPA | NYNEX Telephone |
| | MANGIATORDI & CORPINA ATTYS | NYNEX Telephone |
| | MARIANO JOHN H LWYR | NYNEX Telephone |
| | MARIANO WM E ATTY | NYNEX Telephone |
| | MARIANO WILLIAM E LWYR | NYNEX Telephone |
| | MARIANO & WOLMAN LWYR | NYNEX Telephone |
| | MERRITT CLARENCE C ARCHT | NYNEX Telephone |
| | MERRITT & HARRIS CONSLTNTS | NYNEX Telephone |
| | NEW YORK INFIRMARY BEEKMAN
DOWNTOWN HOSPITAL | NYNEX Telephone |
| | NOVAWORKS COMPUTER SYSTEMS | NYNEX Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | NYNEX Telephone |
| | OVERZAT PETER K ATTY | NYNEX Telephone |
| | POSNER ALAN H | NYNEX Telephone |
| | REISS GEORGE ATTY | NYNEX Telephone |
| | ROBINSON WAYNE & REISS ATTYS | NYNEX Telephone |
| | RUBENSTEIN MELVIN E & ASSOCS INC | NYNEX Telephone |
| | SCHARF & BECK ATTYS | NYNEX Telephone |
| | SCHARF CHARLES A ATTY | NYNEX Telephone |
| | SCHILD JACOB LWYR | NYNEX Telephone |
| | SERGI JOHN J ATTY | NYNEX Telephone |
| | SHAMIS MAX ATTY | NYNEX Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1988 | SINGER ANDREW J RL EST | NYNEX Telephone |
| | UNITED STATES LEAGUE INVESTMENT SERVICES | NYNEX Telephone |
| | UNITED STATES LEAGUE OF SAVINGS INSTITUTIONS | NYNEX Telephone |
| | VERNON & ASSOCIATES | NYNEX Telephone |
| | WAYNE ALVIN ATTY | NYNEX Telephone |
| | WEBER WALTER W LWYR | NYNEX Telephone |
| | WHITE WILLIAM A TISHMAN EAST INC RL EST | NYNEX Telephone |
| | WINGATE WILLIAM A ATTORNEY PROFESSIONAL CORP | NYNEX Telephone |
| | WINGATE WM ALDEN LWYR | NYNEX Telephone |
| | WOLMAN DEREK LWYR | NYNEX Telephone |
| 1983 | AFSAAFL-I O | New York Telephone |
| | ACKMAN HERMAN Riest | New York Telephone |
| | AMERICAN FEDERATION OF SCHOOL ADMINISTRATORS AFLCIO | New York Telephone |
| | ARTLEE CATALOG INC | New York Telephone |
| | BENSLEY CHARLES J | New York Telephone |
| | BERARDINO S J ATTY | New York Telephone |
| | BERNARDINO S J ATTY | New York Telephone |
| | BISCEGLIA PHILIP J ATTY | New York Telephone |
| | BLOOM & EPSTEIR ATTYS | New York Telephone |
| | BLOOM EPSTEIN WAYNE REISS & MILNER ATTYS | New York Telephone |
| | BLOOM JEREMIAH B ATTY | New York Telephone |
| | BOSTON & MAINE R | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BRODY JEFFREY M ATTY | New York Telephone |
| | CNA INSURANCE - REGIONAL OFFICE | New York Telephone |
| | CAVALLO RALPH A ATTY | New York Telephone |
| | CORPINA JOSEPH B ATTY | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN EDWARD G CPA | New York Telephone |
| | DIDONATO WALTER J LWY | New York Telephone |
| | DI GIACOMO S & SONS INC CONTRS | New York Telephone |
| | DUBOW ALLAN ATTY | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | ELLISON FRED P LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1983 | FEDERAL HOME LIFE INSURANCE
COMPANY MAIN OFC | New York Telephone |
| | FEDERAL HOME LIFE INSURANCE
COMPANY MAIN OFC | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK ROBT J WYR | New York Telephone |
| | GLASS DIGEST PBICTN | New York Telephone |
| | GOLD CHARLES LWYR | New York Telephone |
| | GOLD MARK J ATTY | New York Telephone |
| | GOLDWATER RICHARD M ATTY | New York Telephone |
| | GOREN INTERNATIONAL INC | New York Telephone |
| | GOREN TOURS INC | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRAYSON HARRY J ATTY | New York Telephone |
| | GREEN BAY & WESTERN RR CO | New York Telephone |
| | GREIF ED PUBLIC RELATIONS | New York Telephone |
| | GREIF JIM | New York Telephone |
| | HWL CORP | New York Telephone |
| | HARRIS ELLIOTT JR CONSITENR | New York Telephone |
| | HAWKES JONAS & CO INC | New York Telephone |
| | HELWIG BRUCE M ATTY | New York Telephone |
| | HERSHON MORRIS ATTY | New York Telephone |
| | HERSHON MORRIS ATTY | New York Telephone |
| | HERWITZ OREN C ATTY | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOVING WALTER B | New York Telephone |
| | INFORMATION MANAGMNT
EXPOSITION CONFERENCE THE | New York Telephone |
| | INTERNATIONAL GROUP
ADMINISTRATORS INC | New York Telephone |
| | INTERNATIONAL UNDERWRITERS INS | New York Telephone |
| | JAVED SHAHID B | New York Telephone |
| | KELLNER IRVING INS | New York Telephone |
| | KILKELLY FRANCIS J JR ATTY | New York Telephone |
| | KLAFTER LEONARD INS | New York Telephone |
| | LEAVENS JOHN M | New York Telephone |
| | LITTLE A V & SONS | New York Telephone |
| | LITTLE ROBERT F CPA | New York Telephone |
| | LOSITO FRANK J ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1983 | LOVELACE & MALOY | New York Telephone |
| | MADIGAN ROBERT ASSOCS
MANAGEMENT CONSITNTS | New York Telephone |
| | MANGIATORDI & CORPINA ATTYS | New York Telephone |
| | MANGIATORDI FRANK P ATTY | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SOSAN C LWYR | New York Telephone |
| | MARIANO WM E ATTY | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARRO JOSEPH R ATTY | New York Telephone |
| | MARRO JOSEPH R ATTY | New York Telephone |
| | MC CALLION DONALD G LWYR | New York Telephone |
| | MC QUADE & MC QUADE ATTYS | New York Telephone |
| | MERRITT CLARENCE C ARCHT | New York Telephone |
| | MERRITT & HARRIS CONSLTNTS | New York Telephone |
| | METAL BLAST INC | New York Telephone |
| | NEW YORK INFIRMARY BEEKMAN
DOWNTOWN HOSPITAL | New York Telephone |
| | NEW YORK INFIRMARY BEEKMAN
DOWNTOWN HOSPITAL | New York Telephone |
| | OCONNOR RODERIC L B | New York Telephone |
| | OVADIA EDWARD B | New York Telephone |
| | OVERZAT PETER K ATTY | New York Telephone |
| | POMPER & RUBINTN ATTYS | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | REISS GEORGE ATTY | New York Telephone |
| | RICKSEN JOHN B | New York Telephone |
| | RICKSEN ROBERT E | New York Telephone |
| | ROBINSON JESSE K ATTY | New York Telephone |
| | RNSON WAYNE & REISS ATTYS | New York Telephone |
| | ROSS ROBERT STANLEY CHRISTIAN
SCIENCE PUPIL ASSN | New York Telephone |
| | RUBINTON GEO ATTY | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHILD JACOB LWYR | New York Telephone |
| | SEITS KEVIN ATTY | New York Telephone |
| | SEITS & SHAPIRO ATTYS | New York Telephone |
| | SELIT MAX LWYR | New York Telephone |
| | SHAMIS MAX ATTY | New York Telephone |
| | SHAMIS MAX ATTORNEY PC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1983 | SHAPIRO EDWIN S ATTY | New York Telephone |
| | SICA ALFRED A ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SINGER ANDREW J RIEST | New York Telephone |
| | SLAVIN JANET ATTY | New York Telephone |
| | SOMMER ROBERT H ASSOCS | New York Telephone |
| | STACK & VAN NESS INC D MRS | New York Telephone |
| | STERNKOPF LAWRENCE & CO | New York Telephone |
| | TAGSONS PAPERS INC | New York Telephone |
| | THE ARNOLD & YEARWOOD AGNCY | New York Telephone |
| | TRAVEL WITH GOREN INC | New York Telephone |
| | US OF METROPOLITAN NY INC | New York Telephone |
| | UNITED SVCE ORGANIZATIONS OF METROPOLITAN N Y INC | New York Telephone |
| | VPH MECHANICAL CORP | New York Telephone |
| | VAN DUSEN ELIZABETH J D | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | WAYNE ALVIN ATTY | New York Telephone |
| | WAYNE ALVIN ATTY | New York Telephone |
| | WEBER WALTER W LWYR | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WINGATE WILLIAM A ATTORINEY PROFESSIONAL CORP | New York Telephone |
| | WINGATE WM ALDEN LRYC | New York Telephone |
| | ZINNER GEO P INS | New York Telephone |
| 1978 | AFSAAFL-CIO | New York Telephone |
| | ACKMAN BERT RL EST | New York Telephone |
| | ACKMAN BROTHERS INC | New York Telephone |
| | ACKMAN BROTHERS & SINGER INC | New York Telephone |
| | ACKMAN HERMAN RL EST | New York Telephone |
| | ACKMAN LAWRENCE D RL EST | New York Telephone |
| | AMERICAN FEDERATION OF SCHOOL ADMINISTRATORS AFLCIO | New York Telephone |
| | ARNOLD & YEARWOOD INS | New York Telephone |
| | BISCEGLIA PHILIP J ATTY | New York Telephone |
| | BLOOM BERNARD M ATTY | New York Telephone |
| | BLOOM & EPSTEIN ATTYS | New York Telephone |
| | BOSTON MAINE R R | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1978 | BRODY JEFFREY M ATTY | New York Telephone |
| | BUXBAUM SAMUEL R ATTY | New York Telephone |
| | CEMENT LEAGUE THE | New York Telephone |
| | CHARLES GOLD LWYR | New York Telephone |
| | CHARLESWORTH RICHD K INS | New York Telephone |
| | CITIZENS BUDGET COMM | New York Telephone |
| | CONCRETE INDSTRY BD | New York Telephone |
| | CONCRETE INDSTRY BULLETIN
PBLCTN | New York Telephone |
| | COWAN ROGER BRIAN LWYR | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DERWIN JORDAN ATTY | New York Telephone |
| | DIDONATO WAITER J LWYR | New York Telephone |
| | DIGIACOMO S & SONS INC CONTRS | New York Telephone |
| | DOEHLER CHAS W INS | New York Telephone |
| | DREYER WARNOLD INS | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ENGELER & MC ELROY ATTYS | New York Telephone |
| | EPSTEIN HAROLD ATTY | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK ROBT J LWYR | New York Telephone |
| | FRENCH FINK MARKLE & MC CALLION | New York Telephone |
| | FROWENFELD RICHD J INS | New York Telephone |
| | GOLD MARK J ATTY | New York Telephone |
| | GOREN INTERNATIONAL INC | New York Telephone |
| | GOREN TOURSLNC | New York Telephone |
| | GOTHAM LIGHTING CORP | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRAYSON HARRY J ATTY | New York Telephone |
| | GREEN BAY & WESTERN R R CO | New York Telephone |
| | HAIR TRANSPLANTS UNLIMITED | New York Telephone |
| | HALIFAX COTTON MILLS INC | New York Telephone |
| | HARRIS ELLIOTT JR CONSLT ENGR | New York Telephone |
| | HELLER NATHAN C DR DNTST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1978 | HENDLER AARON T ATTY | New York Telephone |
| | HENRY ALAN B | New York Telephone |
| | HERWITZ OREN C ATTY | New York Telephone |
| | HODGSKIN JAS T JR | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | INTERNATIONAL ASSURANCE INC | New York Telephone |
| | INTERNATIONAL GROUP ADMINISTRATORS INC | New York Telephone |
| | INTERNATIONAL UNDERWRITERS INS | New York Telephone |
| | KELLNER IRVING INS | New York Telephone |
| | KILKELLY FRANCIS J JR ATTY | New York Telephone |
| | KLAFTER LEONARD INS | New York Telephone |
| | LANDES IRWIN J LYR | New York Telephone |
| | LANDES & WINGATE ATTYS | New York Telephone |
| | LEAVENS JOHN M | New York Telephone |
| | LEITER JACOB DDS OFC | New York Telephone |
| | LITTLE A V & SONS | New York Telephone |
| | LITTLE ROBERT F CPA | New York Telephone |
| | LOSITO FRANK J ATTY | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MANGIATORDI & CORPINA ATTYS | New York Telephone |
| | MANGIATORDI FRANK P ATTY | New York Telephone |
| | MARIANO JOHN H LYR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARIANO WM E ATTY | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MCELROY GEORGE R ATTY | New York Telephone |
| | MCGEARY JOS M INS | New York Telephone |
| | MERRITT CLARENCE C ARCH | New York Telephone |
| | MERRITT & HARRIS CONSITNTS | New York Telephone |
| | MIDLER JOSEPH M PC | New York Telephone |
| | MIDLER JOSEPH M ATTORNEY PC | New York Telephone |
| | MILNER ROBERT M ATTY | New York Telephone |
| | NADLER JACK INVSTMTS | New York Telephone |
| | NATL EMPIRE CORP INVSTMTS | New York Telephone |
| | NEAL WM & CO INC | New York Telephone |
| | O CONNOR RODERIC L B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1978 | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PATEL ABDUL FARID B | New York Telephone |
| | PESETSKY WARREN B ATTY | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PLAYTIME VACATIONS INC | New York Telephone |
| | POMPER LEWIS H ATTY | New York Telephone |
| | POMPER & RUBINTON ATTYS | New York Telephone |
| | PORTO DOMINICK J JR ATTY | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |
| | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |
| | RAKOV HOWARD A DDS | New York Telephone |
| | RAKOV JEROME DDS OFC | New York Telephone |
| | RICKSEN JOHN B | New York Telephone |
| | RICKSEN ROBERT E | New York Telephone |
| | RILES GEORGE ATTY | New York Telephone |
| | ROBINSON JESSE K ATTY | New York Telephone |
| | ROBINSON WAYNE & REISS ATTYS | New York Telephone |
| | ROTH SIDNEY ATTY | New York Telephone |
| | RUGGED PLASTICS CO | New York Telephone |
| | SACKETT SIDNEY A DDS OFC | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHWARZKOPF IRVING M CONSLTNG
ENGR | New York Telephone |
| | SEIDLER CHAS J JR ATTY | New York Telephone |
| | SEITS KEVIN ATTY | New York Telephone |
| | SEITS & SHAPIRO ATTYS | New York Telephone |
| | SELIT MAX LWYR | New York Telephone |
| | SHAPIRO EDW IN S ATTY | New York Telephone |
| | SHAPIRO & SENDER ATTYS | New York Telephone |
| | SHARKEY THOS J INS | New York Telephone |
| | SICA ALFRED A ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SINGER ANDREW J RL EST | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STACK & VAN NESS INC BLDRS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1978 | STANDARD LITHOGRAPH CO | New York Telephone |
| | SUGARMAN ROBERT R ATTY | New York Telephone |
| | THE ARNOLD & YEARWOOD AGNCY | New York Telephone |
| | TOLEDO PENRIA & WESTERN RR | New York Telephone |
| | TRAVEL WITH GOREN INC | New York Telephone |
| | TYPO PHOTO-COMPOSITION SALES INC | New York Telephone |
| | USO OF METROPOLITAN NY INC | New York Telephone |
| | UNITED SVCE ORGANIZATIONS OF METROPOLITAN NY INC | New York Telephone |
| | USOSKIN JOAN | New York Telephone |
| | VAN DUSEN ELIZABETH ATTY | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | VOORHEES-TOUPS-WEMPLE CONSULTING ENGINEERS INC | New York Telephone |
| | WAYNE ALVIN ATTY | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WINGATE WM ALDEN LWYR | New York Telephone |
| | WRIGHT CHARLES S ASSOC B | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| 1973 | AB CHANCE CO EXPOT | New York Telephone |
| | ACKMAN BERT RL EST | New York Telephone |
| | ACKMAN BROTHERS INC RL EST | New York Telephone |
| | ACKMAN HERMAN RL EST | New York Telephone |
| | ACKMAN LAWRENCE D RL EST | New York Telephone |
| | ADELMARO HENRY R INS | New York Telephone |
| | ALBRECHT DAVID VON G ATTY | New York Telephone |
| | AMERICAN JEWISH MUSEUM OF A & CULTURE | New York Telephone |
| | AMERICAN REPUBLIC LIFE INSURANCE CO | New York Telephone |
| | ARNOLD & YEARWOOD INS | New York Telephone |
| | ARREDONDO & CO INC | New York Telephone |
| | ATKINS MICHAEL B ATTY | New York Telephone |
| | BASCH SEITS & SLAPIRO ATTYS | New York Telephone |
| | BASCH SHELDON ATTY | New York Telephone |
| | BELSITO PETER ATTY | New York Telephone |
| | BERMUDA PLAYTIME VACATION | New York Telephone |
| | BISCEGHA PHILIO J ATTY | New York Telephone |
| | BLOOM BERNARD M ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1973 | BLOOM & EPSTEIN ATTYS | New York Telephone |
| | BLOOM JEREMIAH B ATTY | New York Telephone |
| | BOWERY SAVINGS BANK- | New York Telephone |
| | BRATSKEIR LAWRENCE ATTY | New York Telephone |
| | BROOKDALE FOUNDATION | New York Telephone |
| | BROTHERS ASSOCS | New York Telephone |
| | BUCKSBAUM ALVIN L ATTY | New York Telephone |
| | BUXBAUM SAMUEL R ATTY | New York Telephone |
| | CASSETTE GROUP INC THE | New York Telephone |
| | CASALLO NOLE & MARINO ATTYS | New York Telephone |
| | CAVALLO RALPH A IWYR | New York Telephone |
| | CEMENT LEAGUE THE | New York Telephone |
| | CHANCE A B CO EXPT | New York Telephone |
| | CHARLESWORTH RICHD K INS | New York Telephone |
| | CITIZENS BUDGET COMM | New York Telephone |
| | COASTLINE COMMODITIES CORP | New York Telephone |
| | COHEN MALCOLM A ATTY | New York Telephone |
| | COLE JOSEPH ATTY | New York Telephone |
| | COLE LEO W LWYR | New York Telephone |
| | COLWELL CO THE | New York Telephone |
| | COMORO EXPLORATION LTD | New York Telephone |
| | COMPULEASE INC | New York Telephone |
| | CONCRETE INDSTRY BD | New York Telephone |
| | CONCRETE INDSTRY BULLETIN
PBLCTN | New York Telephone |
| | CONSOLIDATED DEVELOPMENT CORP | New York Telephone |
| | COPELAND HUNTER A B | New York Telephone |
| | CROWE KEVIN E B | New York Telephone |
| | DAVIDSON WM B INS | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DERWIN JORDAN ATTY | New York Telephone |
| | DIDONATO WALTER J LWYR | New York Telephone |
| | DOEHLER CHAS W INS | New York Telephone |
| | DREYER W ARNOLD INS | New York Telephone |
| | DUFFIELD STUART INS | New York Telephone |
| | EASTERN BOTTLE & SUPL CO | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | ELECTRIC MACIHY MF CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1973 | ELLISON FRED P LWYR | New York Telephone |
| | ENGELER ALBERT P | New York Telephone |
| | ENGELER & MC ELROY ATTYS | New York Telephone |
| | EPSTEIN HAROLD ATTY | New York Telephone |
| | EUCLID SALES & SVCE | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO- | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO- | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK ROBT J LWYR | New York Telephone |
| | FRENCH FINK MARKLE & MC CALLION | New York Telephone |
| | FROWENFELD RICHD J INS | New York Telephone |
| | FUCHS ROBERT L B | New York Telephone |
| | GARBER EDW J CPA | New York Telephone |
| | GEOSYSTEMS CORP | New York Telephone |
| | GLICKMAN ABRAHAM M ATTY | New York Telephone |
| | GOREN TOURS INC | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GREEN BAY & WESTERN RR CO | New York Telephone |
| | GREENBERG JACK H CPA & LWYR | New York Telephone |
| | HARRIS ELLIOTT JR CONSLT ENGR | New York Telephone |
| | HAUSER RITA E IWYR | New York Telephone |
| | HELLER WM ATTY | New York Telephone |
| | HENDLER AARON T ATTY | New York Telephone |
| | HENRY ALAN B | New York Telephone |
| | HERMAN S SANFORD ATTY | New York Telephone |
| | HERWITZ OREN C ATTY | New York Telephone |
| | HR-TYPE COMPOSITION SVCE | New York Telephone |
| | HODGSKIN JAS T JR | New York Telephone |
| | HOFFMAN RRAY R ATTY | New York Telephone |
| | HOLIDAY WHOLESALERS INC | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | HUBBARD & FLOYD EQP CO NYC | New York Telephone |
| | HUMAN RESOURCE SVCES INC | New York Telephone |
| | INTERFACE CONSTR CORP | New York Telephone |
| | INTERNATIONAL GROUP
ADMINISTRATORS INC | New York Telephone |
| | INTERNATIONAL UNDERWATER INC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1973 | IOWA MFG CO | New York Telephone |
| | JOINT LEGISLATIVE CONMITTEE ON THE ELECTION LAW | New York Telephone |
| | KANFER MORRIS ATTY | New York Telephone |
| | KILKELLY FRANCIS J JR ATTY | New York Telephone |
| | KLAFER LEONARD INS | New York Telephone |
| | KRUGMAN HYMAN LWYR | New York Telephone |
| | KRUGMAN HYMAN LWYR | New York Telephone |
| | LANDES IRWIN J IWYR | New York Telephone |
| | LANDES & WINGATE ATTYS | New York Telephone |
| | LEAVENS JOHN M | New York Telephone |
| | LEITER JACOB DDS OFC | New York Telephone |
| | LINCOLN MFG INC EVEL DIV | New York Telephone |
| | LLE A V & SONS | New York Telephone |
| | LLOYD WM E ATTY | New York Telephone |
| | LOEB HARVEY DDS | New York Telephone |
| | LOSITO FRANSK J ATTY | New York Telephone |
| | MT SECURITY SVCE CORP | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MARIANO JOHN H IWYR | New York Telephone |
| | MARIANO MARIANO & LLOYD ATTYS | New York Telephone |
| | MARIANO SUSAN C IWYR | New York Telephone |
| | MARIANO WM E ATTY | New York Telephone |
| | MARINO JOLIN ATTY | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARRIAGE COUNCIL RELATIONS | New York Telephone |
| | MCCALLION DONALD G L IWYR | New York Telephone |
| | MCGEARY JOS M INS | New York Telephone |
| | MERRITT CLARENCE C ARCHT | New York Telephone |
| | MERRITT & HARRIS CONSLTNS | New York Telephone |
| | MILNER ROBERT M ATTY | New York Telephone |
| | MOLDED FIBER GLASS COS | New York Telephone |
| | MOLDED FIBER GLASS TRAY CO | New York Telephone |
| | MOLDOVER EDWARD D LWYR | New York Telephone |
| | MOLDOVER HAUSER STRAUSS & VOLIN LWYRS | New York Telephone |
| | MURRAY GEO A B | New York Telephone |
| | MURRAY GEO A CO INC BLRS | New York Telephone |
| | NY CONCRETE CONSTR INST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1973 | NADLER JACK INVSTMTS | New York Telephone |
| | NADLER SAM INVSTMTS | New York Telephone |
| | NAPEAR BERTRAM INS | New York Telephone |
| | NAPEAR MATTHEW INS | New York Telephone |
| | NAPEAR MATTHEO & SON INS | New York Telephone |
| | NATL EMPIRE CORP INVSTMNTS | New York Telephone |
| | NEAL WM & CO INC | New York Telephone |
| | OGUST HAROLD A PLSTCS | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | PALUMBO PASQUALE ATTY | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PAWNEE BILL ARCHIVE HISTORICAL | New York Telephone |
| | PESETSKY WARREN B ATTY | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PILZER MAX OR DDS | New York Telephone |
| | PLASTICS & METALS CO | New York Telephone |
| | POMPER LEWIS H ATTY | New York Telephone |
| | POMPER & RUBINTON ATTYS | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PRIMA FOODS INC | New York Telephone |
| | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |
| | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |
| | PROVIDER SALES COMPANY | New York Telephone |
| | QUEEN LEE INTERIORS | New York Telephone |
| | RAKOV HOWARD A DD5 | New York Telephone |
| | RAKOV JEROME DDS OFC | New York Telephone |
| | RICKSEN JOHN B | New York Telephone |
| | RICKSEN ROBERT E | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK DANL J ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHL L ATTY | New York Telephone |
| | ROCK & ROCK ATTYS | New York Telephone |
| | ROCK ROSALIND B | New York Telephone |
| | ROSEN MORTON H ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1973 | ROSENBERG GERALD N ATTY | New York Telephone |
| | ROSENBERG GERALD N MORTGAGES | New York Telephone |
| | ROSENBERG MALCOLM ATTY | New York Telephone |
| | ROSENBERG MALCOLM MORGAGES | New York Telephone |
| | ROSENBERG & ROSENBERG LWYRS | New York Telephone |
| | ROSENBERG & ROSENBERG MORTGAGES | New York Telephone |
| | ROTH SIDNEY ATTY | New York Telephone |
| | RUBINTON GEO ATTY | New York Telephone |
| | SACKETT SIDNEY A DDS OFC | New York Telephone |
| | SAYER HOYT B | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHWARZKOPF IRVING M ENGR & BLDR | New York Telephone |
| | SCHWARZKPE I M INC RL EST & BLDR | New York Telephone |
| | SEIDLER CHAS J JR ATTY | New York Telephone |
| | SEITS KEVIN ATTY | New York Telephone |
| | SHAMIS MAX ATTY | New York Telephone |
| | SHAPIRO EDWIN S ATTY | New York Telephone |
| | SHAPIRO & SENDER ATTYS | New York Telephone |
| | SHARKEY THOS J INS | New York Telephone |
| | SHLECTER LEONARD S CPA | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SINGER ANDREW J RLEST | New York Telephone |
| | SOBEL & HALBERG | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STACK & VAN NESS INC BLDRS | New York Telephone |
| | STANDARD LITHOGRAPH CO | New York Telephone |
| | STRAUSS PETER J LWYR | New York Telephone |
| | SUGARMAN ROBERT R ATTY | New York Telephone |
| | THAN ALVIN | New York Telephone |
| | THE ARNOLD & YEARWOOD AGNCY | New York Telephone |
| | TOLEDO PEORIA & AESTERF RR | New York Telephone |
| | TRAVEL WITH GOREN INC | New York Telephone |
| | TYPO P MU 2 | New York Telephone |
| | USOSKIN JOAN | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | VILTER MFG CORP | New York Telephone |
| | VOLIN WILLIAM P ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1973 | WALLACH HARRY LWYR | New York Telephone |
| | WASSERMAN SAML LWYR | New York Telephone |
| | WEAR-EVER DIV-LINCOLN MFG CO | New York Telephone |
| | WEBER WALTER W LWYR | New York Telephone |
| | GEO A ATTY | New York Telephone |
| | WINGATE WM ALDEN LWYR | New York Telephone |
| | WOMEN FOR PRESIDENT & OTHER
PUBLIC OFFICE INC | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| 1968 | AB CHANGE CO EXPT | New York Telephone |
| | FRANK E INS | New York Telephone |
| | ACKMAN BERT RL EST | New York Telephone |
| | ACKMAN BROTHERS INC RL EST | New York Telephone |
| | ACTUAL SPECIFYING ENGINEER
PBLCTN | New York Telephone |
| | ADAMS & BECKER ACCNTS | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | ADELMANN HENRY R INS | New York Telephone |
| | AMER LINNITE PRODS CO | New York Telephone |
| | ANN ARBOR NEWS | New York Telephone |
| | APPELSON CHAS INS | New York Telephone |
| | ARNOLD & YEARWOOD INS | New York Telephone |
| | ARNOLD & YEARWOOD AGNCY THE | New York Telephone |
| | ARREDONDO & CO INC | New York Telephone |
| | ASSOCIATED MORTGAGE COS INC | New York Telephone |
| | BAHRENBURG WM H JR B | New York Telephone |
| | BAKER CECIL EARLE | New York Telephone |
| | BAY CITY TIMES | New York Telephone |
| | BECHERT R C COINC | New York Telephone |
| | BECKCER IRVING ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BEIN ETHEL J ATTY | New York Telephone |
| | BEIN MURRAY ATTY | New York Telephone |
| | BELSITO PETER ATTY | New York Telephone |
| | BENEFICIAL NATL LIFE INS CO | New York Telephone |
| | BENZ JOSEPH R B | New York Telephone |
| | BERGER LOUIS & ASSOCS CONSLTG
ENGNRS | New York Telephone |
| | BEST DEVELPMNT COL INC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1968 | BIRMINGHAM GUILD LTD BRONE TABITS | New York Telephone |
| | BISCEGLIA PHILIP J ATTY | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CP 0 X 7-2680 | New York Telephone |
| | BOOTH MICHIGAN NEWSPAPERS INC | New York Telephone |
| | BOSTON & MAINE R R | New York Telephone |
| | BOWERY SAVINGS BANK MAIN OFC | New York Telephone |
| | BRATSKEIR LAWRENCE ATTY | New York Telephone |
| | BROMBERG ROBT S ATTY | New York Telephone |
| | BUCKSHAUM ALVIN L ATTY | New York Telephone |
| | BUDOW SAUL INS | New York Telephone |
| | BUXBAUM SAML R ATTV | New York Telephone |
| | CALIFORNIA ARTISTS | New York Telephone |
| | CARLINO PAUL P CONSLTG ENGR | New York Telephone |
| | CAVALLO RALPH A LWYR | New York Telephone |
| | CEANCE A B CO EXPT | New York Telephone |
| | CHARLESWORTH RICHD K INS | New York Telephone |
| | COASTINE COMMODITIES CORP | New York Telephone |
| | COHEN PAUL ATTY & CPA | New York Telephone |
| | COLE LEO W IWYR | New York Telephone |
| | CONNOLLY J T WAXES | New York Telephone |
| | CONTROMATICS CORP | New York Telephone |
| | COOPERMAN LEO CPA | New York Telephone |
| | CORPORATE DYNAMICS INC | New York Telephone |
| | COUNCIL ON MARRIAGE RELATIONS | New York Telephone |
| | CROCKER H S CO INC LABLS | New York Telephone |
| | CROMBIE J A JR INS | New York Telephone |
| | DAVIDSON WM B INS | New York Telephone |
| | DEER ISLAND GRANITE CO NC | New York Telephone |
| | DEER ISLAND LIGHTERAGE CORP | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DERWIN JORDAN ATTY | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DIDONATO WALTER J LWYR | New York Telephone |
| | DIGENNARO SAL B | New York Telephone |
| | DOMESTIC ENGRNG PBLCTN | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1968 | DOYLE HARRY A B | New York Telephone |
| | DUFFIELD STUART INS | New York Telephone |
| | EAST-WEST BROADCASTG CORP | New York Telephone |
| | EASTERN BOTTLE & SUPL CO | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EHRENCLOU ALFRED M LWYR | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | ELDOADO FILMS INC | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS
ASSN OF NY INC | New York Telephone |
| | ELLISON FRED P LWYR | New York Telephone |
| | EMMONS GEO D B | New York Telephone |
| | ENGELER ALBERT P | New York Telephone |
| | ENGELER & MC ELROY ATTYS | New York Telephone |
| | EQUITABLE LIFE ASSURANCE SOC OF
THE U S HOME OFFICE | New York Telephone |
| | EUCLID SALES & SVCE | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO- | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO- | New York Telephone |
| | FEINSOT WM F CPA | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK ROBT J LWYR | New York Telephone |
| | FLINT JOURNAL | New York Telephone |
| | FOXX ROBT J B | New York Telephone |
| | FRENCH FINK MARKLE & MC CALLION | New York Telephone |
| | FRENCH HARRY N LYR | New York Telephone |
| | FROWENFELD RICHD J INS | New York Telephone |
| | GARBER HARRY | New York Telephone |
| | GARDNER TERMNL CORP | New York Telephone |
| | GENL DETECTIVE & PROTECTIVE BUR | New York Telephone |
| | GENL FLOOR CO | New York Telephone |
| | GERWIN ACKERMAN & EHRENCLOU
LWYRS | New York Telephone |
| | GERWTN ARTHUR LWYR | New York Telephone |
| | GERWIN BARBARA LWYR | New York Telephone |
| | GLOVER W H ADVTG INC | New York Telephone |
| | GOULD M RONALD ATTY | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1968 | GRACE & GRACE ATTYS | New York Telephone |
| | GRAND RAPIDS PRESS | New York Telephone |
| | GREAT NRTHRN RY CO- | New York Telephone |
| | GREENBERG JACK H CPA & LWYR | New York Telephone |
| | GRIFFON ALFRED L | New York Telephone |
| | HAFF WALTER S INS | New York Telephone |
| | HAIGHT WILSON & WALLOWER INC | New York Telephone |
| | HARMON BERT S ATTY | New York Telephone |
| | HARMON REALTY ASSOCS | New York Telephone |
| | HARRIS ELLISTT JI CONSITG ENGNR | New York Telephone |
| | HARRISBURG STEEL CO | New York Telephone |
| | HLER AARON T ATTY | New York Telephone |
| | HENRY ALAN B | New York Telephone |
| | HERMAN S SANTORD ATTY | New York Telephone |
| | HERWITZ OREN C ATTY | New York Telephone |
| | HODGSKIN JAS T JR | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | HUBBARD & FLOYD EQP CORP NYC | New York Telephone |
| | HUTNER & EECKER ATTYS | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | IPT COINC EXPTS & IMPTS | New York Telephone |
| | INSTITUTIONS MAGAZINE | New York Telephone |
| | INTERNATL PROTECTED METALS INC
PIPE | New York Telephone |
| | INTERNATL UNDRWRTRS INS | New York Telephone |
| | IOWA MFG CO | New York Telephone |
| | JACKSON CITIZEN PATRIOT | New York Telephone |
| | JARMAN G WAILACE B | New York Telephone |
| | JOHN HANCOK MUTUAL LIFE INS CO
GENL AGT M ARNOLD 2D | New York Telephone |
| | JONES J A CONST CO | New York Telephone |
| | KALAMAZOO GAZETTE | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KARMITS IRVING DETEC | New York Telephone |
| | KAUFMAN PAUL B ATTY | New York Telephone |
| | KEANE ROBT J B | New York Telephone |
| | KEANE & WEGHORN INC | New York Telephone |
| | KEMPER THOMAS CO ADVTG
SPCLTIES | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------|--------------------|
| 1968 | KILKELLY FRANCIS J JR ATTY | New York Telephone |
| | KING JOHN H RL ESR | New York Telephone |
| | KING & WALKER RL EST | New York Telephone |
| | KLAFTER LEONARD INS | New York Telephone |
| | KOPPEL ALFRED CPA | New York Telephone |
| | KUCH A H NWSPAPR REP | New York Telephone |
| | KURZROK HARRY B LWYR | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LANDES IRWIN J LWYR | New York Telephone |
| | LANDES & WINGATE ATTYS | New York Telephone |
| | LANGER DAVID CO | New York Telephone |
| | LENHARD CHAS F ASSOCS | New York Telephone |
| | LEWIS MARTIN ASSOCTS INC | New York Telephone |
| | LITTLE A V & SONS | New York Telephone |
| | LOEB HARVEY DOS | New York Telephone |
| | LONERGAN J E CO | New York Telephone |
| | LOWENTHAL JOHN ATTY | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSANA C LWYR | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARRIAGE COUNCIL RELATIONS | New York Telephone |
| | MC CALLION DONALD GLWYR | New York Telephone |
| | MC DONOUGH EDW J ATTV | New York Telephone |
| | MC ELROY GEO R | New York Telephone |
| | MC GEARY JOS M INS | New York Telephone |
| | MC HALE JAS J INVSTMTS | New York Telephone |
| | MC KEEVER FERGUS B | New York Telephone |
| | MC MAHON FRANK V ATTY | New York Telephone |
| | MEDALIST PEBLICATRS INC | New York Telephone |
| | MERRITT CLARENCE C ARCHT | New York Telephone |
| | MERRITT & HARRIS CONSLTNTS | New York Telephone |
| | MOLDED FIBER GLASS COS | New York Telephone |
| | MOLDED FIBER GLASS TRAY CO | New York Telephone |
| | MUSKEGON CHRONICLE | New York Telephone |
| | NADLER JACK INVSTMTS | New York Telephone |
| | NADLER SAM INVSTMTS | New York Telephone |
| | NAPEAR BERTRAM INS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1968 | NAPEAR MATTHEW INS | New York Telephone |
| | NAPEAR MATTHEW &SON INS | New York Telephone |
| | NATL EMPIRE CORP INVSTMTS | New York Telephone |
| | NEAL WM & COINC | New York Telephone |
| | NORRIS W C DIV OF DOVER CORP | New York Telephone |
| | O P PUBLICATNS INC | New York Telephone |
| | ODELL HERMAN ATTY | New York Telephone |
| | OGUST HAROLD A PLSTS | New York Telephone |
| | OLIVER FRED N | New York Telephone |
| | OMNIDATA SVCES INC | New York Telephone |
| | ONE FIFTY ONE WEST 19 ST CO | New York Telephone |
| | ONE HUNDRED TEN EAST FOITY
SECOND ST BLDG | New York Telephone |
| | ORR & SEMBOWER INC BOILRS | New York Telephone |
| | OSBORNE KEMPER THOMAS ADVTG
SPCITIES | New York Telephone |
| | OSTEOPATHIC PROFESSION PBLCTN | New York Telephone |
| | OVERSTROM & SONS INDUSTRL
SCREEN | New York Telephone |
| | PALUMBA PASQUALE ATTY | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PARK LANE APTS OF PALM BCH FLA | New York Telephone |
| | PAWNEE BILL ARCHIVE HISTORICAL | New York Telephone |
| | PENN METER CO | New York Telephone |
| | PETECKAOF RIO INC | New York Telephone |
| | PHILA STEEL & WIRE CORP | New York Telephone |
| | PICARELFO E JOS ATTY | New York Telephone |
| | PIOTROWSKI & CARLINO CONSLTG
ENGNRS | New York Telephone |
| | PIOTROWSKI JANUSZ CONSLTG
ENGNR | New York Telephone |
| | PLASTICS & METALS CO | New York Telephone |
| | PLATZKER JOS CONSLTNT | New York Telephone |
| | POMPER LEWIS H ATTY | New York Telephone |
| | POMPER & RUBINTON ATTYS | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PRIMA FOODS INC | New York Telephone |
| | PRINGLE J MAXWELL & CO INC
MONTGS | New York Telephone |
| | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1968 | PROVIDENT MUTUAL LIFE INSURANCE
CO OF PHILADELPHIA | New York Telephone |
| | QUEEN LEE INTERIORS | New York Telephone |
| | RPM SALES CORP | New York Telephone |
| | RABY HAROLD J ATTY | New York Telephone |
| | RAKOV JEROME DDS OFC | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REYNOLDS LOUIS A ACCTNT | New York Telephone |
| | ROCK A LILLAN D ATTY | New York Telephone |
| | ROCK ALLAN LEONARD ADVTQ | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK DANF J ATTY | New York Telephone |
| | ROCK LILLIAN D ATTV | New York Telephone |
| | ROCK NATHL L ATTY | New York Telephone |
| | ROCK & ROCK ATTYS | New York Telephone |
| | ROCK ROSALIND B | New York Telephone |
| | ROL-EX DIV OF WATSON MFG CO INC | New York Telephone |
| | ROL-DEX SALES CO | New York Telephone |
| | ROSEN MORTON S ATTY | New York Telephone |
| | ROSENTHAL LAWRENCE L INS | New York Telephone |
| | ROSENTHAL MICHL M & CO INC INS | New York Telephone |
| | ROTHMAN SIDNEY CPA | New York Telephone |
| | ROVNS LOUIS INS | New York Telephone |
| | ROVINS & WEST INC INS | New York Telephone |
| | RUBINTON GEO ATTY | New York Telephone |
| | SAGINAW NEWS | New York Telephone |
| | SAMSON JOHN W | New York Telephone |
| | SAYER S HOYT B | New York Telephone |
| | SCHIFF MEYER IWYR | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCHWARZKOPF I M INC RL EST &
BLDR | New York Telephone |
| | SCHWARZKOPF IRVING M ENGR &
BLDR | New York Telephone |
| | SEPARATIONS ENGRNGA CORO | New York Telephone |
| | SHAMIS MAX ATTY | New York Telephone |
| | SHARKEY THOS J INS | New York Telephone |
| | SHAWLEY P L B | New York Telephone |
| | SHERESKY NORMAN M LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1968 | SHIECTER LEONARD S CPA | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SOBEL SAM MAIN OFFICE | New York Telephone |
| | SOMERS BRASS CO | New York Telephone |
| | SORZANO J F ASSOCS MNGMT
CONSITNTS | New York Telephone |
| | SORZANO JULIO F B | New York Telephone |
| | SPENCE ENGNMG CO INC REGLTG
VALVES | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STANDARD LITHOGRAPH CO | New York Telephone |
| | STERN HERBERT LWYR | New York Telephone |
| | STERN SYLVIA T MRS ATTY | New York Telephone |
| | STUART FRED L BRONZ TABLTS | New York Telephone |
| | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | TEITELBAUM BENJ CPA | New York Telephone |
| | THAU ALVIN | New York Telephone |
| | THE ARNOLD & YEARWOOD AANCY | New York Telephone |
| | TOLEDO PEORIA & WESTERN RR | New York Telephone |
| | TRNS CHEMIC INDUSTRIES INC | New York Telephone |
| | TRAVEL WITH GOREN INC | New York Telephone |
| | TRERICE H O CO TEMP INSTRMTS | New York Telephone |
| | TRIANGLE CONDUIT & CABLE CO INC | New York Telephone |
| | TYPO PHIOTO COMPOSITION INC | New York Telephone |
| | TYPOGRAPHIC SERVICE INC | New York Telephone |
| | VARN NESS GEO R BIDR | New York Telephone |
| | VILTER MFS CORP | New York Telephone |
| | WALKER LEGARE RL EST | New York Telephone |
| | WASSERMAN SAML LWVR | New York Telephone |
| | WATERBURY ROLLING MILLS INC | New York Telephone |
| | WATSON MFG CO INC | New York Telephone |
| | WEBER WALTER W LWYR | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WHITEFRIARS STAMED GLASS
STUDIOS | New York Telephone |
| | WILSON J A METAL PRODS CO INC | New York Telephone |
| | ALDEN LWYR | New York Telephone |
| | WINOGRAD ALFRED A ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1968 | WOMEN FOR PRESIDENT & OTHER
PUBLIC OFFICE INC | New York Telephone |
| | YEGHIAIAN STEOHEN A ATTY | New York Telephone |
| | YTTERBERG C F B | New York Telephone |
| 1963 | A B CHANCE CO EXPT | New York Telephone |
| | ACKER FREDK E INS | New York Telephone |
| | ACKMAN BERT RL EST | New York Telephone |
| | ACTUAL SPECIFYING ENGINEER
PBLCTN | New York Telephone |
| | ADAM S & BECKER ACENTS | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | ALBRECHT DAVID VON G ATTY | New York Telephone |
| | AMERICADA CORP | New York Telephone |
| | AMER CLINICAL THERMOMETER
GUILD INC | New York Telephone |
| | AMER LIGNITE PRODS CO | New York Telephone |
| | ANDERSON A A B | New York Telephone |
| | ANN ARBOR MEWS | New York Telephone |
| | ANSONIA WIRE & CABLE | New York Telephone |
| | ARABO MFQ CO PASTE | New York Telephone |
| | ARNOLD STUART W INS | New York Telephone |
| | ARNOLD & YEARWOOD AGNCY THE | New York Telephone |
| | ASHTON DUNN ASSOCS INC | New York Telephone |
| | ASSOCIATED STONE & EARTHEN
PRODS INC | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF
NY | New York Telephone |
| | ATTERBURY BROS INC PAPR MFRS
SUPLS | New York Telephone |
| | BAHRENBURG WM H JR B | New York Telephone |
| | BAKER CECIL EARLE | New York Telephone |
| | BARNES & JONES INC INDUSTRL DIV | New York Telephone |
| | BARNES & JONES INC INDUSTRL DIV | New York Telephone |
| | BAY CITY TIRMIES | New York Telephone |
| | BECHERT R C CO | New York Telephone |
| | BECKER IRVING ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BELSITO PETER ATTY | New York Telephone |
| | BENZ JOS R INS | New York Telephone |
| | BIRMINGHAM GUILD LTD BRONZ
TABLTS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1963 | BISCEGLIA PHILIP J ATTY | New York Telephone |
| | BLEMLY JOHN J INS | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPAS | New York Telephone |
| | BOOTH MICHIGAN NEWSPAPERS INC | New York Telephone |
| | BOWERY SAVINGS BANK MAIN OFC | New York Telephone |
| | BRADSHAW GEO L INC BRKRS | New York Telephone |
| | BUCKSBAUM ALVM L ATTY | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BUXBAUM SAML R ATTY | New York Telephone |
| | CANADA LIFE ASSURANCE CO | New York Telephone |
| | CANDLEWOOD ISLE | New York Telephone |
| | COASTLINE COMMODITIES CORP | New York Telephone |
| | COMPANION SELLING INST THE PUBRS | New York Telephone |
| | CONNOLLY J T IMPTS | New York Telephone |
| | CONNOLLY J THOS IMPTS | New York Telephone |
| | COSTIGLIO LAWRENCE U B | New York Telephone |
| | COUNCIL ON MARRIAGE RELATIONS | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CROMBIE J A JR INS | New York Telephone |
| | DAUNT WM A IGHTG EQTIP | New York Telephone |
| | DEER ISLAND GRANITE CO INC | New York Telephone |
| | DEER ISLAND LIGHTERAGE CORP | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DI DONATO WALTER J LWYR | New York Telephone |
| | DOELGER & KIRSTEN SHEARS | New York Telephone |
| | DOLE CORP | New York Telephone |
| | DOMESTIC ENGNRNG PBLCTN | New York Telephone |
| | DOMESTIC ENGNRNG CATALOG DIRECTORY | New York Telephone |
| | DOYLE HARRY A B | New York Telephone |
| | DUNN ASHTON B | New York Telephone |
| | DUNN ASHTON ASSOCS INC | New York Telephone |
| | EAST-WEST BROADCASTG CORP | New York Telephone |
| | EASTERN BOTTLE & SUPL CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1963 | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | EISEN A W CLU | New York Telephone |
| | ELDORADO FILMS INC | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS
ASSN OF NY INC | New York Telephone |
| | ELLISON FRED P LWYR | New York Telephone |
| | ENGINEERS PROD FILE PBLCTN | New York Telephone |
| | EUCLID SALES & SVCE | New York Telephone |
| | FAB WELD EASTERN | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FALTERMEIER JOHN V ATTY | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEINSOT WM F CPA | New York Telephone |
| | FINK S G LVNR | New York Telephone |
| | FINK ROBT J LWYR | New York Telephone |
| | FLINT JOURNAL | New York Telephone |
| | FORT HOWARD PAPR CO | New York Telephone |
| | FORTY ONE PK CORP | New York Telephone |
| | FRENCH FRANK & MARKLE LWYRS | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | GARDNER VAL INC HRDWER | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GENL DETECTIVEE PROTECTIVE BUR | New York Telephone |
| | GENL FLOOR CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GOLD HADLEY W LWYT | New York Telephone |
| | GOLDBERG BERNARD B CPA | New York Telephone |
| | GOULD BRUCE J ATTY | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRACE PATK J ATTY | New York Telephone |
| | GRACE WM J ATTY | New York Telephone |
| | GRAND RAPIDS PRESS | New York Telephone |
| | GREENBERG DANL H ATTY | New York Telephone |
| | GREENBERG & MARGOLIS ATTYS | New York Telephone |
| | GRIFFON ALFRED L | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1963 | HAFF WALTER S INS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HAMILTON LIFE INS CO OF NY
AGNCIES | New York Telephone |
| | HANRAHAN WM F LWYR | New York Telephone |
| | HARAWITZ & HARAWITZ ATTYS | New York Telephone |
| | HARAWITZ & HARAWITZ ATTYS | New York Telephone |
| | HARAWITZ HOWARD L ATTY | New York Telephone |
| | HARMON REALTY ASSOCS | New York Telephone |
| | HARMON S BERT ATTY | New York Telephone |
| | HARRIS ELLIOTT JR CONSLTG ENGNR | New York Telephone |
| | HARRIS ROBT H INS & RL EST | New York Telephone |
| | HARRISBURG STEEL CO | New York Telephone |
| | HAULENBEEK P RAYMOND B | New York Telephone |
| | HAYES GEO BUYG SVCE | New York Telephone |
| | HAYES GEO BUYG SVCE | New York Telephone |
| | HENRY ALAN B | New York Telephone |
| | HOFFMAN GEO R B | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | HOWARD KUPERMAN & GOLDBERG
CPAS | New York Telephone |
| | HOWARD LEON CPA | New York Telephone |
| | HUBBARD & FLOYD EQP CORP NYC | New York Telephone |
| | HUFFMAN CLIFFORD C ATTY | New York Telephone |
| | HUTNER & BECKER ATTYS | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | INSTITUTE OF LABOR RELATIONS INC | New York Telephone |
| | INSTITUTIONS MAGAZINE | New York Telephone |
| | IOWA MFG CO | New York Telephone |
| | JACOBSON BERNARD LWYR | New York Telephone |
| | JACOBSON DANIEL LWYR | New York Telephone |
| | JARMAN G WALLACE B | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO | New York Telephone |
| | JOHNSTON JAS J LWYR | New York Telephone |
| | JOHNSTON JOS S LWYR | New York Telephone |
| | KALAMAZOO GAZETTE | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANFER MORRIS ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1963 | KAPLAN MAX R CPA | New York Telephone |
| | KARMITZ IRVING DETEC | New York Telephone |
| | KAUFMAN PAUL B ATTY | New York Telephone |
| | KEANE R J INC INS | New York Telephone |
| | KEANE ROBT J B | New York Telephone |
| | KEENA JOS W ATTY | New York Telephone |
| | KEMPER-THOMAS CO ADVTG
SPCLTIES | New York Telephone |
| | KESTENBAUNI NATHAN LWYR | New York Telephone |
| | KESTNBAUM NATHAN LWYR | New York Telephone |
| | KILKELLY FRANCIS J JR ATTY | New York Telephone |
| | KING JOHN H RLEST | New York Telephone |
| | KING & WALKER RL EST | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOPPEL ALFRED CPA | New York Telephone |
| | KUCH A H NWSPAPR REP | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KUPERMAN SAML CPA | New York Telephone |
| | KURZROCK HARRY B LWYR | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LANDES IRWIN J LWYR | New York Telephone |
| | LANDES & WINGATE ATTYS | New York Telephone |
| | LEE NASHEM ABGNY LTD INS | New York Telephone |
| | LEVINSON DAVID D ATTY & MFRS REP | New York Telephone |
| | LEWIS-MARTIN ASSOCTS INC | New York Telephone |
| | LITTLE A V & SONS | New York Telephone |
| | LONERGAN J E CO | New York Telephone |
| | MACDONALD ROY A B | New York Telephone |
| | MANDEL LILLIE INS | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MARGOLIS MARVIN ATTY | New York Telephone |
| | MARIANO JOHN H | New York Telephone |
| | MARIANO JOHN H LABR RELTNS | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARIANO WM E | New York Telephone |
| | MARRIAGE COUNCIL RELATIONS | New York Telephone |
| | MAYER RICHD H INS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1963 | MCCARTHY MICHL F ATTY | New York Telephone |
| | ALEXNDR R LWYR | New York Telephone |
| | MCDONOUGH BRIAN ATTY | New York Telephone |
| | MCDONOUGH EDW J ATTY | New York Telephone |
| | MCKEEVER FERGUS B | New York Telephone |
| | MCMAHON FRANK V ATTY | New York Telephone |
| | MELKER A R PAPR | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MERRITT CLARENCE C ARCHT | New York Telephone |
| | PUBRS REP | New York Telephone |
| | MEYER MARTIN A JR ATTY | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MILLER PRICE INC RL EST | New York Telephone |
| | MOLDED FIBER GLASS COS | New York Telephone |
| | MOLDED FIBER GLASS TRAY CO | New York Telephone |
| | MOSKOWITZ SIDNEY M ATTY | New York Telephone |
| | MULLOWNEY RICHD D B | New York Telephone |
| | MUSKEGON CHRONICLE | New York Telephone |
| | NASHEM LEE INS | New York Telephone |
| | NASHEM LEE AGENCY LTD INS | New York Telephone |
| | NATL PUBLIC & LABOR RELATIONS
SVCE BUR INC | New York Telephone |
| | STATE BLACKBOARD CO | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEWSPAPER AUDIT & RESEARCH BUR | New York Telephone |
| | NORICK ALFRED IWYR | New York Telephone |
| | NORICK & KESTNBAUM ATTYS | New York Telephone |
| | NORIA GENL CONTRCTRS CORP | New York Telephone |
| | OGUST HAROLD A PLSTCS | New York Telephone |
| | OLIVER & DONNALLY ATTYS | New York Telephone |
| | ONE FIFTY ONE WEST 19 ST CO | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | OSBORNE-KEMPER-THOMAS ADVTG
SPCLTIES | New York Telephone |
| | OVERSTROM & SONS INDUSTRIAL
SCREENS | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PAWNEE BILL ARCHIVE HISTORICAL | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1963 | PENN METER CO | New York Telephone |
| | PERRINE HAROLD C | New York Telephone |
| | PHILA STEEL WIRE CORP | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PLASTICS & METALS CO | New York Telephone |
| | POLAMTIA INC | New York Telephone |
| | POPE BOB MARLGS | New York Telephone |
| | POTTER HAMILTON F CPA | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PRENISNET CORP | New York Telephone |
| | PUTNAM J L CO | New York Telephone |
| | QUEEN LEE INTERIORS | New York Telephone |
| | RPM SALES CORP | New York Telephone |
| | RABY HAROLD J ATTY | New York Telephone |
| | RAKOV JEROME DDS OFC | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REYNOLDS LOUIS A ACCTNT | New York Telephone |
| | ROCK A LILLIAN D ATTN | New York Telephone |
| | ROCK ALLAN LEONARD ADVTG | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK D J ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHIN L ATTY | New York Telephone |
| | ROCK & ROCK ATTYS | New York Telephone |
| | ROCK ROSALINID B | New York Telephone |
| | ROL DEX DIV OF WATSON MFG CO INC | New York Telephone |
| | ROL DEX SALES CO | New York Telephone |
| | ROTHSTEIN A H CPA | New York Telephone |
| | ROVINS LOUIS INS | New York Telephone |
| | ROVINS & WEST IN INS | New York Telephone |
| | SAGINAW NEWS | New York Telephone |
| | SALES PLANNING SVCE MKTG | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE OF NY | New York Telephone |
| | SAXONY BROKRGE | New York Telephone |
| | SCHARFER S S CPA | New York Telephone |
| | SCHIER M B A DR OFC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1963 | SCHIFF MEYER LWYR | New York Telephone |
| | SCHILLIG ARTHUR J CPA | New York Telephone |
| | HARRY ATTY | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCHWARZKOPF I M INC RL EST & BLDR | New York Telephone |
| | SCHWARZKOPF IRVING M ENGR & BLDR | New York Telephone |
| | SCHWYULST EARL B PRES | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SEIDLER CHAS J JR ATTY | New York Telephone |
| | SEPARATIONS ENGRNG CORP | New York Telephone |
| | SHAWLEY P L B | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SLOAN JACK H RL EST | New York Telephone |
| | SMYLE SAML CPA | New York Telephone |
| | SOBEL SAM | New York Telephone |
| | SOMERS BRASS CO | New York Telephone |
| | SORZANO J F ASSOCS MNGMT CONSLTNTS | New York Telephone |
| | SORZANO JULIO F B | New York Telephone |
| | SPECIFYING ENGINEER PBLCTN | New York Telephone |
| | SPENCE ENGRNG CO INC REGLTG VALVES | New York Telephone |
| | SPENCE PAULSEN B | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STACK & VAN NESS INC BLDRS | New York Telephone |
| | STANDARD LITHOGRAPH CO | New York Telephone |
| | STERN SYLVIA T MRS ATTY | New York Telephone |
| | STOCKHOLDERS COMM FOR BETTER MANAGMT OF U S SMELTING REFINING & MINING CO | New York Telephone |
| | STOW & DAVIS FURN CO | New York Telephone |
| | STUART FRED L BRONZ TABITS | New York Telephone |
| | SUTTON STEELE & STEELE INC SEPRATRS | New York Telephone |
| | TAYLOR-WHARTON CO DIV OF HARSCO CORP | New York Telephone |
| | TEITELBAUM BENJ CPA | New York Telephone |
| | THE ARNOLD & YEARWOOD AGNCY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1963 | TOLEDO PEORIA & WESTERN RR | New York Telephone |
| | TROY CHEMCL CO INC THE VETERINARY PRODS | New York Telephone |
| | UDELL MARGARET K LWYR | New York Telephone |
| | USOSKIN JOAN | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | VAN SCHAICK GEO S ATTY | New York Telephone |
| | VILLAUME WILLIAM J B | New York Telephone |
| | VILTER MFG CO | New York Telephone |
| | WALKER LEGARE RL EST | New York Telephone |
| | WATERBURY ROLLING MILLS INC | New York Telephone |
| | WATSON MFG CO INC | New York Telephone |
| | WEISS ANDREW CPA | New York Telephone |
| | WEISS ARTHUR ATTY | New York Telephone |
| | WEISS DAVID ATTY | New York Telephone |
| | WESTGATE PAINTG CORP | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WHITEFRIARS STAINED GLASS STUDIOS | New York Telephone |
| | WHITTAKER ARTHUR B | New York Telephone |
| | WILSON J A METAL PRODS CO INC | New York Telephone |
| | WILSON METAL PRODS J A CO INC | New York Telephone |
| | WINGATE WM ALDEN LWYR | New York Telephone |
| | WOMEN FOR PRESIDENT & OTHER PUBLIC OFFICE INC | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | VEGHIAIAN STEPIHEN A ATTY | New York Telephone |
| | YTTERBERG C F B | New York Telephone |
| | ZABRISKIE C PAT ATTY | New York Telephone |
| 1958 | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN CLWYR | New York Telephone |
| | MARRIAGE COUNCIL RELATIONS IND | New York Telephone |
| | MATHEWS R F TLLES | New York Telephone |
| | MCCALLLAN DONALD G LWYR | New York Telephone |
| | MCCARTHY MICHL F ATTY | New York Telephone |
| | MCDONALD ALEXNDR R LWYR | New York Telephone |
| | MCDONOUGH BRIAN ATTY | New York Telephone |
| | MCGINITY C V CPA | New York Telephone |
| | MCKEEVER FERGUS B | New York Telephone |
| | MCTMAHON FRANK V ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1958 | MELKER A R PAPR | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MEYER JEROME PUBRS REP | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MILLER JOHN GOODRUM LWYR | New York Telephone |
| | MILLER & PRICE INC RL EST | New York Telephone |
| | MONTAGUE & BARTLETT INC | New York Telephone |
| | MOSKOWITZ SIDNEY M ATTY | New York Telephone |
| | MUTUAL BENIFIT LIFE INS CO ASK
OPER FOR NEWARK NJ | New York Telephone |
| | MUTUAL BENEFIT LIFE INS CO THE | New York Telephone |
| | NASHEM LEE INS | New York Telephone |
| | NASHEM LEE AGENCY INS | New York Telephone |
| | NATL CAN CORP | New York Telephone |
| | NATL PUBLLC & LABOR RELATIONS
SVCE BUR INC | New York Telephone |
| | NATURAL STATE BLACKBOARD CO | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEWSPAPER AUDIT & RESEARH | New York Telephone |
| | NORTH WESTERN DRUGGIST PBLCTN | New York Telephone |
| | NU-MATIC MILLS LTD | New York Telephone |
| | OLIVER CHAS P BRKR | New York Telephone |
| | OLIVER & DONNALLY ATTYS | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | OVERSTROM & SONS INDUSTRL
SCREENS | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PARADISE JOS L ATTY | New York Telephone |
| | PARADISE LILLIAN ATTY | New York Telephone |
| | PARAMOUNT FURN CO INC | New York Telephone |
| | PARKHURST A B | New York Telephone |
| | PENNEY GEO M B | New York Telephone |
| | PHILA STEEL & WLRE CORP | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PLUMBING & HEATING CATALOG | New York Telephone |
| | POLAMTRA INC | New York Telephone |
| | POMERANCE LOUIS LIFE INS | New York Telephone |
| | POTTER HAMILTON F CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1958 | PREMIER INS SVCE | New York Telephone |
| | PRESMET CORP | New York Telephone |
| | PRIMA FOODS INC | New York Telephone |
| | RAKOV JEROME DDS OFC | New York Telephone |
| | RAPPAPORT ABRAHAM B | New York Telephone |
| | RAPPAPORT & DERWIN | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REGATTA MAGAZINE | New York Telephone |
| | REYNOLDS LOUIS A ACCTNT | New York Telephone |
| | ROBINSON WAGNER COINC CHEMCIS | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK D J ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK ROSALLAND B | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSTELUDE CO | New York Telephone |
| | SACHTER JOS ATTY | New York Telephone |
| | SAMSON JOHN W | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE OF NY | New York Telephone |
| | SCHANCER ALBERT LIFE INS | New York Telephone |
| | SCHARFER S S CPA | New York Telephone |
| | SCHIER M B A DR OTC | New York Telephone |
| | SCHIFF MEYER IWYR | New York Telephone |
| | SCHILLING PETER G | New York Telephone |
| | SCHUB ALBERT INS | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCHWULST EARL B PRES | New York Telephone |
| | SCOTT BARTLETT & CO | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SEIDLER CHNS J ATTY CPA | New York Telephone |
| | SEPARATIONS ENGNAG CORP | New York Telephone |
| | SHAND & JURIS CO | New York Telephone |
| | SHAW MFG CO | New York Telephone |
| | SHAWLEY P L B | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1958 | SILVER FREDK HWYR | New York Telephone |
| | SMYLE SAML CPA | New York Telephone |
| | SOENO INC | New York Telephone |
| | SOLOV IRV INS | New York Telephone |
| | SOMERS BRASS CO | New York Telephone |
| | SPARTA CERAMIC CO TIIES | New York Telephone |
| | SPENCE ENGANRNG COLNC REGLTG
VALVES FACTORY WALDEN ASK OPER
FOR WALDEN | New York Telephone |
| | SPENCE PAULSEN B | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STACK & VAN NESS INC BLDRS | New York Telephone |
| | STAFFORD PAUL T B | New York Telephone |
| | STERN SYLVIA T MRS ATTY | New York Telephone |
| | STORES SIDNEY A FIRS | New York Telephone |
| | STRAMLELLO MICHL JR LWYR | New York Telephone |
| | STRUCTURAL SLATE CO OFC | New York Telephone |
| | STUART FRED L BRONZ TABITS | New York Telephone |
| | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | SWISS FABRIC GROUP | New York Telephone |
| | TAYLOR WHARTON RONO & STEEL CO
INC | New York Telephone |
| | TEITELBAUM BEN J CPA | New York Telephone |
| | TERRY HARRY CONSTG ENGAR | New York Telephone |
| | THE ARNOLD & YEARWOOD AGNCY | New York Telephone |
| | TRADE ASSOCIATES RESRCH | New York Telephone |
| | TROY CHEMCL CO INC THE
VETERINARY PRODS | New York Telephone |
| | UDELL MARGARET K LWYR | New York Telephone |
| | US CERAMIC TILE CO | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | VAN SCHAICK GEO S ATTY | New York Telephone |
| | VILLAUME WILLIAM J B | New York Telephone |
| | VILTER MFG CO | New York Telephone |
| | WALLING L METCALFE ATTY | New York Telephone |
| | WATERBURY ROTHING MILLS INC | New York Telephone |
| | WEISS ANDREW CPA | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WILSON J A METAL PRODS CO INC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1958 | WILSON-MARSH METAL CO | New York Telephone |
| | WILSON METAL PRODS J A CO INC | New York Telephone |
| | WOMEN FOR PRESIDENL & OFFICE
PUBLIC OFFICE INC | New York Telephone |
| | WOOD CLAD W B | New York Telephone |
| | WOOD & WOOD FURN | New York Telephone |
| | WRIGHT EDMOND F B | New York Telephone |
| | WRIGHT FRED E B | New York Telephone |
| | YACHT EXCH INC | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | YEGHIAIAN STEPHEN A ATTY | New York Telephone |
| | ZIDER LEROY S JR INS | New York Telephone |
| | ACKER FREDK E INS | New York Telephone |
| | ACKER FREDK E CO INC | New York Telephone |
| | ADAMS & BECKER ACCNTS | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | AMERICADA CORP | New York Telephone |
| | AMORY HARCOURT JR B | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARNOLD STUART W INS | New York Telephone |
| | ARNOLD & YEARWOOD AGNCY THE | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF
NY | New York Telephone |
| | ATTERBURY BROS INC PAPR MFRS
SUPTS | New York Telephone |
| | ATTERBURY HOWARD E B | New York Telephone |
| | AUDIE GEO E INS | New York Telephone |
| | BAKER CATHERINE M | New York Telephone |
| | BARTLETT RAYMOND A B | New York Telephone |
| | BASELRE PAUL E B | New York Telephone |
| | BECKER IRVING ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BENZ JOS R INS | New York Telephone |
| | BEST ITALIAN PRODS CO | New York Telephone |
| | BIRMINGHAM GUILD LTD BROZ | New York Telephone |
| | BISCEGILA PHILIP J ATTY | New York Telephone |
| | BLEMLY JOHN J INS | New York Telephone |
| | BLOCH PAUL LIFE INS | New York Telephone |
| | BLOCK CY LIFE INS | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1958 | BLUM LOUIS D & CO CPAS | New York Telephone |
| | BOWERY SAVINGS BANK MAIN OFC | New York Telephone |
| | BRACCO VINCENT A LWYR | New York Telephone |
| | BROWN M STANLEY B | New York Telephone |
| | BROWN STANLEY B | New York Telephone |
| | BRUNS J L ASSOCIATS | New York Telephone |
| | BUCKSBAUM ALVIN L ATTY | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BUILDING OFFICLALS CONF OF AMER INC | New York Telephone |
| | BUXBAUM SAML R ATTY | New York Telephone |
| | CANDLEWOOD ISLE | New York Telephone |
| | CENTRAL PHARMACEUTICAL JOURNAL PBICTN | New York Telephone |
| | CHANCE A B CO MFRS | New York Telephone |
| | COASTLINE COMMODITIES CORP | New York Telephone |
| | COMPANION SELLING INST THE PUORS | New York Telephone |
| | CONNECTICUT PLASTIC PRODS CO | New York Telephone |
| | CONNOLLY J T IMPTS | New York Telephone |
| | CONNOLLY J TLSOS LMPTS | New York Telephone |
| | CONWAY FRANCIS X LWYR | New York Telephone |
| | COOPER GEO M B | New York Telephone |
| | CORNING FIBRE BOX CORP | New York Telephone |
| | COUNCIL ON MARRIAGE RELATIONS INC | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CROMBIE J A JR INS | New York Telephone |
| | DAUNT WM A LGHTG EQUIP | New York Telephone |
| | DEIGNAN JAS H LWYR | New York Telephone |
| | DELMAR MANAGEMT CO | New York Telephone |
| | DERSAL CORP | New York Telephone |
| | DERWIN EDW G CPA | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DI DONATE WALTER J LWYR | New York Telephone |
| | DOELGER & KLRSTEN SHEARN | New York Telephone |
| | DOMEST ENGNRNG PBLCTN | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1958 | DOMESTIC ENGRNG CATALOG DIRECTORY | New York Telephone |
| | DUNN ASHTON B | New York Telephone |
| | DUNN HARRIS A B | New York Telephone |
| | DUNN & WRIGHT ASSOCS INC | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EBERHART JOHN P BRKR | New York Telephone |
| | EBERHART JOHN P CO BRKRS | New York Telephone |
| | EISBERG RAND R LWYR | New York Telephone |
| | ELDREDGE SAML F ACCTNT | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS ASSN OF NY INC | New York Telephone |
| | ELENE OF VIENNA INC | New York Telephone |
| | ELSEY ALBERT A LIFE INS | New York Telephone |
| | ENAMEL PRODS & PLATING CO | New York Telephone |
| | EPSTEIN H BROADMAN ATTY | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FALTERMEIER JOHN V ATTY | New York Telephone |
| | FANCHER FURN CO | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO MAIN OFFICE | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO MAIN OFFICE | New York Telephone |
| | FEINSOT WM F CPA | New York Telephone |
| | FIFTY PK AV INC | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FORT HOWARD PAPR CO | New York Telephone |
| | FRENCH FINK MARKLE & CONWAY LWYRS | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | GARDNER VAIL INC HRDWR | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GENL DETECTIVE & PROTECTIVE BUR | New York Telephone |
| | GENL FLOOR CO | New York Telephone |
| | GILBERT & BENNETT MFG CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GOLDMAN CHAS LWYR | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1958 | GRACE & GRATE ATTYS | New York Telephone |
| | GRACE PATK J ATTY | New York Telephone |
| | GRACE THOS G ATTY | New York Telephone |
| | GRACE WM J ATTY | New York Telephone |
| | GREENBERG MURRY H INS | New York Telephone |
| | GREENHOUSE ALBERT CPA | New York Telephone |
| | GULICK WILSON M B | New York Telephone |
| | HAFF WALTER S INS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HANRAHAN WM F LWYR | New York Telephone |
| | HARDMAN S JOHN STUDIOS GLASS | New York Telephone |
| | HARRIS ELLIOT JR CONSLTG ENGR | New York Telephone |
| | HARRIS TWEED ASSN LTD REPS | New York Telephone |
| | HARRISBURA STEEL CORP | New York Telephone |
| | HAULCOMBEEK P RAYMOND B | New York Telephone |
| | HAWIIAN PINEAPPLE CO LTD | New York Telephone |
| | HERSHEY METAL PRODS INC | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOLZMAN ALFRED DTNTST | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | HOUSTON PHILIP K ACCTT | New York Telephone |
| | HUFFMAN CLIFFORD C ATTY | New York Telephone |
| | HUTNER & HUTNER ATTY | New York Telephone |
| | HUTNER MITON ATTY | New York Telephone |
| | INSTITUTE OF LABOR RELATIONS INC | New York Telephone |
| | INSTITUTEONES MAGAZINE | New York Telephone |
| | INSTITUTIONS PUBLICATIONS | New York Telephone |
| | JACKSON WM MACLEOD B | New York Telephone |
| | JACKSON WM MACLEOD B | New York Telephone |
| | JARMAN G WALLACE B | New York Telephone |
| | JOHNSTON JAS J LWYR | New York Telephone |
| | JOHNSTON JOS S LWYR | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANFER MORRIS ATTY | New York Telephone |
| | KAPLAN MAX R CPA | New York Telephone |
| | KARMITZ IRVING DETEC | New York Telephone |
| | KAUFMAN PAUL B ATTY | New York Telephone |
| | KEANE GEO J CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1958 | KEENA JOS W ATTY | New York Telephone |
| | KELSEY DEAN L LIFE INS | New York Telephone |
| | KILLEBREW ENGERG CORP | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DOLGNAN LWYR | New York Telephone |
| | KOERNER MILTON LWYR | New York Telephone |
| | KOPPEL ALFRED CPA | New York Telephone |
| | KURZROCK HARRY B LWYR | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LEE NASHEM AGENCY INS | New York Telephone |
| | LEVINSON DAVID D ATTY & MFRS REP | New York Telephone |
| | LEWIS MARTIN ASSOCTS INC | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | LOUISIANA EASTERN RR | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| 1956 | MARIANO JOHN H LABR RELTNS | New York Telephone |
| | ACKER FREDK E INS | New York Telephone |
| | ACKER FREDK E CO INC | New York Telephone |
| | ADAMS & BECKER ACCNTS | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | AMERADA AIRCRAFT & EQUIP CORP | New York Telephone |
| | AMER INDUSTRL & COML CO | New York Telephone |
| | ANDERSON A A B | New York Telephone |
| | ANN ARBOR NEWS | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARNOLD STUART W INS | New York Telephone |
| | ASHTON DUNN ASSOCIATS INC | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF NY | New York Telephone |
| | ATTERBURY BROS INC PAPR MFRS SUPLS | New York Telephone |
| | ATTERBURY HOWARD E B | New York Telephone |
| | BACAS GATES & POTTER CPAS | New York Telephone |
| | BACA P E CPA | New York Telephone |
| | BACAS PAUL E CPA | New York Telephone |
| | BAKER CECIL EARLE B | New York Telephone |
| | BALDWIN JAS C B | New York Telephone |
| | BARTLETT RAYMOND A B | New York Telephone |
| | BASELER PAUL E B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1956 | BAY CITY TIMES | New York Telephone |
| | BAY CITY TIMES | New York Telephone |
| | BECKER IRVING ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BENZ JOS R INS | New York Telephone |
| | BERSON ALVIN H TAX CONSLTNT | New York Telephone |
| | BERSON IRVING I LWYR | New York Telephone |
| | BIRMINGHAM GUILD LTD BRONZ | New York Telephone |
| | BISCEGLIA PHILIP J ATTY | New York Telephone |
| | BREMELY JOHN J INS | New York Telephone |
| | BLOCK CY LIFE INS | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPAS | New York Telephone |
| | BOOTH MICHIGAN NEWSPAPERS INC | New York Telephone |
| | BOTTOMLEY JOHN F INC RL EST | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BRACCO VINCENT A LWYR | New York Telephone |
| | BROWN M STANLEY B | New York Telephone |
| | BROWN STANLEY B | New York Telephone |
| | BRUNS J L ASSOCIATS | New York Telephone |
| | BUCKSBAUM ALVIN L ATTY | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BUILDING OFFICIALS CONF OF AMER INC | New York Telephone |
| | BUXBAUM SAM L R ATTY | New York Telephone |
| | CAMPS LOWELL C INS | New York Telephone |
| | CAMPS M L GENI AGT | New York Telephone |
| | CEANDLEWOOD ISLE | New York Telephone |
| | CELCO CORP CHEMCLS | New York Telephone |
| | CENTRAL PHARMACEUTICAL JOURNAL PBLCTN | New York Telephone |
| | CHILDRENS FOOT GUILD INC THE | New York Telephone |
| | CLARK WARD R LIFE INS | New York Telephone |
| | CLARKE ANDREW N INS | New York Telephone |
| | CLAWSON HARRY M ARCTHT | New York Telephone |
| | COASTLINE COMMODITIES CORP | New York Telephone |
| | COHEN BERNARD WILLIAMS LWYR | New York Telephone |
| | CONNECTICUT PLASTIC PRODS CO | New York Telephone |
| | CONWAY FRANCIS X LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1956 | COOPER GEO M B | New York Telephone |
| | COUNCIL ON MARRIAGE RELATIONS INC | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CREEL JAS RANDALL LWYR | New York Telephone |
| | CROMBIE J A JR INS | New York Telephone |
| | DAUNT WM A LGHTG EQUIP | New York Telephone |
| | DAVIS HERBERT A INS | New York Telephone |
| | DAWLEY WM B ATTY | New York Telephone |
| | DEIGNAN JAS H LWYR | New York Telephone |
| | DELMAR MANAGEMNT CO | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DETROIT NEWS ADVTG | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DI DONATO WALTER J LWYR | New York Telephone |
| | DINERSTEIN IRVING ACCTNT | New York Telephone |
| | DOELGER & KIRSTEN SHEARS | New York Telephone |
| | DOMESTIC ENGNRNG PBLCTN | New York Telephone |
| | DOMESTIC ENGEEREG CATALOG DIRECTOR | New York Telephone |
| | DUNN ASHTON ASSOCIATS INC | New York Telephone |
| | DUNN HARRIS A B | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EIDLITZ FRENCH FINK & MARKLE LWYRS | New York Telephone |
| | ELDREDGE SAML F ACCTNT | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS ASSN OF NY INC | New York Telephone |
| | ELEMESS PROCESS INC | New York Telephone |
| | ELENE OF VIENNA INC | New York Telephone |
| | ELSEY ALBERT A LIFE INS | New York Telephone |
| | EPSTEIN H BROADMAN ATTY | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEHLMAN FRANK E ADVTG | New York Telephone |
| | FEINSOT WM F CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------|--------------------|
| 1956 | FIFTY PK AV INC | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FLINT JOURNAL | New York Telephone |
| | FORT HOWARD PAPR CO | New York Telephone |
| | FRENCH FINK & MARKLE LWYRS | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | GAARDSMOE H L B | New York Telephone |
| | GARDNER VAIL INC HRDWR | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GENL FLOOR CO | New York Telephone |
| | GILBERT & BENNETT MFG CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GOLDMAN CHAS LWYR | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRACE PATK J ATTY | New York Telephone |
| | GRACE THOS G ATTY | New York Telephone |
| | GRACE WM J ATTY | New York Telephone |
| | GRAND RAPIDS PRESS | New York Telephone |
| | GREENBERG MURRY H INS | New York Telephone |
| | GREENHOUSE ALBERT CPA | New York Telephone |
| | GULICK WILSON M B | New York Telephone |
| | HAFF WALTER S INS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HANRAHAN WM F LWYR | New York Telephone |
| | HARDMAN S JOHN STUDIOS GLASS | New York Telephone |
| | HARRIS ELLIOTT JR CONSLTG ENGR | New York Telephone |
| | HARRIS TWEED ASSN LTD REPS | New York Telephone |
| | HARRISBURG STEEL CORP | New York Telephone |
| | HAULENBEEK P RAYMOND B | New York Telephone |
| | HAWAIIAN PINEAPPLE CO LTD | New York Telephone |
| | HAZEN RICHD ENGR | New York Telephone |
| | HAZEN & SAWYER ENGNRS | New York Telephone |
| | HERZER MILTON CPA | New York Telephone |
| | HOFFMAN MURRAY R ATTY | New York Telephone |
| | HOLZMAN ALFRED DNTST | New York Telephone |
| | HOTEL RESEARCH LABS | New York Telephone |
| | HOUSTON PHILIP K ACCTNT | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1956 | HUFFMAN CIFFCRD C ATTY | New York Telephone |
| | HUTNER & HUTNER ATTYS | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | HUTTO JACKSON S B | New York Telephone |
| | INSTITUTIONS MAGAZINE | New York Telephone |
| | INSTITUTIONS MAGAZINE CATALOG
DIRECTORY | New York Telephone |
| | INSTITUTIONS PUBLICATIONS | New York Telephone |
| | JACKSON CITIZEN PATRIOT | New York Telephone |
| | JACKSON WM MACLEOD B | New York Telephone |
| | JACOBSON BERNARD LWYR | New York Telephone |
| | JACOBSON DANIEL LWYR | New York Telephone |
| | JANSSEN E B | New York Telephone |
| | JARMAN G W JR B | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHNSTON JAS J LWYR | New York Telephone |
| | JOOSTEN & JANSSEN AGTS | New York Telephone |
| | KALAMAZOO GAZETTE | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANFER MORRIS ATTY | New York Telephone |
| | KAPLAN MAX R CPA | New York Telephone |
| | KAUFMAN PAUL B ATTY | New York Telephone |
| | KEANE GEO J CPA | New York Telephone |
| | KEENA JOS W ATTY | New York Telephone |
| | KELLER MORTON M ATTY | New York Telephone |
| | KELSEY DEAN L LIFE INS | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOERNER MILTON LWYR | New York Telephone |
| | KOPPEL ALFRED CPA | New York Telephone |
| | KUCH A H NWSPAPR REP | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KURZROK HARRY B LWYR | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LATOUCHE JOHN B | New York Telephone |
| | LEATHERBURY A P B | New York Telephone |
| | LEE NASNEM AGENCY INS | New York Telephone |
| | LEVINSON DAVID D SHEARS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1956 | LEWIS MARTIN ASSOCTS INC | New York Telephone |
| | LIEBOWITZ SEYMOUR M ATTY | New York Telephone |
| | LIFE OFFICE MANAGEMT ASSN | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MARIANO JOHN H LABR RELTNS | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARSHALL R S ACCTNT | New York Telephone |
| | MATHEWS R F TILES | New York Telephone |
| | MCCAFFREY FRANCIS B INS | New York Telephone |
| | MCCALLION DONALD G LWYR | New York Telephone |
| | MCCARTHY MICHL F ATTY | New York Telephone |
| | MCDONALD ALEXNDR R LWYR | New York Telephone |
| | MODONOUGH EDW J ATTY | New York Telephone |
| | MCGINITY C V CPA | New York Telephone |
| | MCKEEVER FERGUS B | New York Telephone |
| | MCPMAHON FRANK V ATTY | New York Telephone |
| | MELKER A R PAPR | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MERRITT CLARENCE C CONSLTNT | New York Telephone |
| | MEYER JEROME PUBRS REP | New York Telephone |
| | MIAMI VALLEY COATED PAPR CO
MFRS | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MILLER JOHN GOODRUM LWYR | New York Telephone |
| | MILLER & PRICE INC RL EST | New York Telephone |
| | MOSKOWITZ SIDNEY M LWYR | New York Telephone |
| | MUSKEGON CHRONICLE | New York Telephone |
| | MUTUAL BENEFIT LIFE INS CO | New York Telephone |
| | NASHEM LEE INS | New York Telephone |
| | NASHEM LEE AGENCY INS | New York Telephone |
| | NATL CAN CORP | New York Telephone |
| | NATL PUBLIC & LABOR RELATIONS
SVCE BUR INC | New York Telephone |
| | NATURAL SLATE BLACKBOARD CO | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1956 | NEWSPAPER AUDIT & RESEARCH BUR | New York Telephone |
| | NORTH WESTERN DRUGGIST PBLCTN | New York Telephone |
| | NU-MATIC MILLS LTD | New York Telephone |
| | OLIVER CHAS P BRKR | New York Telephone |
| | OLIVER & DONNALLY ATTYS | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | PARADISE GERALD ATTY | New York Telephone |
| | PARKER & HARPER MFG CO SCREW
PRODS | New York Telephone |
| | PATTERSON FRANK MORTGS | New York Telephone |
| | PENNSYLVANIA CRUSHER CO | New York Telephone |
| | PHILA STEEL & WIRE CORP | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PLUMBING & HEATINO CATALOG | New York Telephone |
| | POMERANCE LOUIS LIFE INS | New York Telephone |
| | POPE & TALBOT INC | New York Telephone |
| | POTTER HAMILTON F CPA | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PRESMET CORP | New York Telephone |
| | QUINLAN & PATTERSPON MORTGS | New York Telephone |
| | QUINLAN WM H MORTGS | New York Telephone |
| | RAPPAPORT ABRAHAM LWYR CPA | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REYNOLDS LOUIS A ACCTNT | New York Telephone |
| | ROBINSON WAGNER CO INC
CHEMCLS | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INS | New York Telephone |
| | ROCK & CO INC INS | New York Telephone |
| | ROCK D J ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHAN L ATTY | New York Telephone |
| | ROCK ROSALIND B | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSTELUDE CO | New York Telephone |
| | SAGINAW NEWS | New York Telephone |
| | ST LAURENT & CO | New York Telephone |
| | ST LAURENT GEORGES C B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1956 | ST LAURENT HOTELS | New York Telephone |
| | SAMSON JOHN W | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE OF NY | New York Telephone |
| | SAWHILL RAY V B | New York Telephone |
| | SAWYER ALFRED W ENGR | New York Telephone |
| | SCHALER ROSE H MRS INS | New York Telephone |
| | SCHANCER ALBERT LIFE INS | New York Telephone |
| | SCHARFER S S CPA | New York Telephone |
| | SCHIER M B A DR OFC | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHILLING PETER G | New York Telephone |
| | SCHUB ALBERT INS | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCOTT BARTLETT & CO | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SEIDLER CHAS J ATTY CPA | New York Telephone |
| | SEPARATIONS ENGRNG CORP | New York Telephone |
| | SHAWLEY P L B | New York Telephone |
| | SHERMAN SIDNEY J LWYR | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SMYLE SAML CPA | New York Telephone |
| | SOENO INC | New York Telephone |
| | SPARTA CERAMIC CO TILES | New York Telephone |
| | SPENCE ENGRNG CO INC REGLTS VALVES FACTORY WALDEN ASK OPER FOR | New York Telephone |
| | SPENCE PAULSEN B | New York Telephone |
| | SPERRY PRODS INC | New York Telephone |
| | STACK HOWARD M RLEST | New York Telephone |
| | STACK & VAN NESS INC BLDRS | New York Telephone |
| | STANDARD DISCOUNT CO | New York Telephone |
| | STERN HARRY ATTY | New York Telephone |
| | STERN SYLVIA T MRS ATTY | New York Telephone |
| | STORER SIDNEY A FLRS | New York Telephone |
| | STRAMIELLO MICHL JR LWYR | New York Telephone |
| | STREHAN GEO E CONSLTNT | New York Telephone |
| | STRUCTURAL SLATE CO OFC | New York Telephone |
| | STUART FRED L BRONZ TABLTS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1956 | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | SWISS FABRIC GROUP | New York Telephone |
| | TAYLOR WHARTON IRON & STEEL CO
INC | New York Telephone |
| | TEMCO PRODS CORP | New York Telephone |
| | TERRY HARRY CONSLTG ENGNR | New York Telephone |
| | TIE FABRICS ASSN INC | New York Telephone |
| | TRADE ASSOCIATES RESRCH | New York Telephone |
| | TROY CHEMCL CO INC THE
VETERINARY PRODS | New York Telephone |
| | UDELL MARGARET K LWYR | New York Telephone |
| | US QUARRY TILE CO | New York Telephone |
| | VAN NESS GEO R BLDR | New York Telephone |
| | VAN SCHAICK GEO S ATTY | New York Telephone |
| | VAN TWISTERN WM B | New York Telephone |
| | VILLAUME WILLIAM J B | New York Telephone |
| | VILTER MFG CO | New York Telephone |
| | WALLING L METCALFE ATTY | New York Telephone |
| | WEBSTER BENJ L B | New York Telephone |
| | WEGG & ST LAURENT | New York Telephone |
| | WEISS ANDREW CPA | New York Telephone |
| | WHITE WM A & SONS RL EST | New York Telephone |
| | WHOLESALE DRUG SALESMAN THE
PBLCTN | New York Telephone |
| | WOMAN FOR PRESIDENT & OTHER
PUBLIC OFFICE INC | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | YEGHIAIAN STEPHEN A ATTY | New York Telephone |
| | ZAHN G WALTER CPA | New York Telephone |
| | ZIDER LEROY S JR INS | New York Telephone |
| 1950 | ABBOTT BROKERS | New York Telephone |
| | ACE CABINET CORP | New York Telephone |
| | AKER FREDK E INS | New York Telephone |
| | ACKER FREOK E CO INC | New York Telephone |
| | ADAMS & BECKER ACCTNTS | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | ALBRIGHT PAUL W B | New York Telephone |
| | AMER INDUSTRL & COML CO | New York Telephone |
| | AMER INST OF PUBLIC OPINION | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1950 | AMER LAWYERS CO | New York Telephone |
| | AMER PAINT JOURNAL CO | New York Telephone |
| | AMER PAINT & OIL DEALER | New York Telephone |
| | 1 AMER PAINTER & DECORATOR | New York Telephone |
| | AMER SKATER THE | New York Telephone |
| | ANN ARBOR NEWS | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARNOLD S W INS | New York Telephone |
| | ARNOLD & YEARWOOD INS | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF NY | New York Telephone |
| | ATKINS MICHL B ATTY | New York Telephone |
| | ATTERBURY BROS INC PAPER MFRS SUP | New York Telephone |
| | ATTERBURY HOWARD E B | New York Telephone |
| | AUDIENCE RESEARCH INC | New York Telephone |
| | BACAS GATES & POTTER CPAS | New York Telephone |
| | BACAS P E CPA | New York Telephone |
| | BACKSTROM EMIL ARCHT | New York Telephone |
| | BADGER FIRE EXTINGUISHER CO | New York Telephone |
| | BAER ROSS A ATTY | New York Telephone |
| | BAILY ARTHUR W LWYR | New York Telephone |
| | BAKER CECIL EARLE D | New York Telephone |
| | BARTLETT RAYMOND A B | New York Telephone |
| | BAY CITY TIMES | New York Telephone |
| | BECKER IRVING ATTY | New York Telephone |
| | BENSON & BENSON INC | New York Telephone |
| | BENZ JOS R INS | New York Telephone |
| | BERGER ROBT H IWYR | New York Telephone |
| | BERNHARD CAROLINE ACCTNT | New York Telephone |
| | BERNSTEIN JACK | New York Telephone |
| | BERTOLET J & CO ADVTG REPS | New York Telephone |
| | BISKIND ELLIOTT L ATTY | New York Telephone |
| | BISKIND ELLIOTT L ATTY | New York Telephone |
| | BLEMLY JOHN J INS | New York Telephone |
| | BLOOMINGTON LIMESTONE CORP | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPAS | New York Telephone |
| | BOBROW HERBERT N ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1950 | BOGERT JOHN R INS | New York Telephone |
| | BOTTOMLEY JOHN F RL EST | New York Telephone |
| | BOWERY SAVINGS BANK MAIN OFFICE | New York Telephone |
| | BRACCO VINCENT A LWYR | New York Telephone |
| | BRIAR HILL STONE CO | New York Telephone |
| | BROWN M STANLEY B | New York Telephone |
| | BROWN STANLEY B | New York Telephone |
| | BRUERE HENRY CHRMN | New York Telephone |
| | BUCHAN H B MARBL | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BURRIS ARTHUR P B | New York Telephone |
| | BUSKIN MAX RL EST | New York Telephone |
| | CAMPS M L GENL AGT | New York Telephone |
| | CATHLES LAWRENCE M B | New York Telephone |
| | CELCO CORP | New York Telephone |
| | CENTRAL PHARMACEUTICAL JOURNAL | New York Telephone |
| | CLARK WARD R LIFE INS | New York Telephone |
| | CLARKE ANDREW N INS | New York Telephone |
| | CLAWSON HARRY M ARCHT | New York Telephone |
| | COHEN BERNARD WILLIAMS LWYR | New York Telephone |
| | COLLOMS ALBERT L ATTY | New York Telephone |
| | COMBE IVAN D B | New York Telephone |
| | CONWAY FRANCIS X LWYR | New York Telephone |
| | COOPER GEO M B | New York Telephone |
| | COTTON BD OF MANCHESTER ENGLAND | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CREEL JAS RANDALL LWYR | New York Telephone |
| | CROLL LOUIS B B | New York Telephone |
| | CRYSTO PLASTICS LAB | New York Telephone |
| | DAHLQUIST MFG CO INC | New York Telephone |
| | DAIRY DREAM FARMS INC | New York Telephone |
| | DANZIGER SAMN I INS | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DETROIT NEWS | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DI DONATO WALTER J LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1950 | DINERSTEIN IRVING ACCTNT | New York Telephone |
| | DOELGER & KIRSTEN INC SHEARS | New York Telephone |
| | DOMESTIC ENGINEERING | New York Telephone |
| | DOMESTIC ENGRNG CATALOG
DIRECTORY | New York Telephone |
| | DOUGLASS BROKERAGE CORP | New York Telephone |
| | DOUGLASS HAROLD O INS | New York Telephone |
| | DUNN HARRIS A B | New York Telephone |
| | EASTCO INC | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EIDLITZ FRENCH FINK & MARKLE
LWYRS | New York Telephone |
| | EIDLITZ FRENCH & SULLIVAN LWYRS | New York Telephone |
| | ELDREDGE ACCTNTS | New York Telephone |
| | ELECTRIC MVACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS
ASSN OF NY INC | New York Telephone |
| | ELENE OF VIENNA INC | New York Telephone |
| | ELENITE PRODS INC ULTRA VIOLET
EQUIP E | New York Telephone |
| | ELSEY ALBERT A LIFE INS | New York Telephone |
| | EPSTEIN H BROADMAN ATTY | New York Telephone |
| | ESQUIRE INC PUBRS | New York Telephone |
| | ESTEY PUMP CO INC | New York Telephone |
| | ESTEY SCHLS INC | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FARBRR DAVID ATTY | New York Telephone |
| | FARRELL-LEEN ASSOCIATES | New York Telephone |
| | FARRELLY & CO INC INS | New York Telephone |
| | FARRELY RICHD L INS | New York Telephone |
| | FARRELY THEO S INS | New York Telephone |
| | FEDERAL HOSPITALIZATION PLAN | New York Telephone |
| | FEDERAL LIFE & CASUATY CO | New York Telephone |
| | FEHLINGR FRANK E ADVTG | New York Telephone |
| | FELEPPA ERNEST J CPA | New York Telephone |
| | FENWICK-LOWE CORP EXPT IMPT | New York Telephone |
| | FERRER ANTONIO F LIFE INS | New York Telephone |
| | FIFTY PK AV INC | New York Telephone |
| | FINCK JOHN RL EST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1950 | FINK J G LWYR | New York Telephone |
| | FINK JOHN RL EST | New York Telephone |
| | FITZSIMMONS MURRAY & SPERRY
PUBRS REPS | New York Telephone |
| | FLINT JOURNAL | New York Telephone |
| | FOREIGN & INTERNATL BOOK CO | New York Telephone |
| | FOREIGN MARKETING CORP | New York Telephone |
| | FRANKEL CHAS ATTY | New York Telephone |
| | FRANKEL DAVID ATTY | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | FRENCH JOHN H CO INC CONTRS | New York Telephone |
| | FRIES PETER JR LWYR | New York Telephone |
| | GAARDSMOE H L B | New York Telephone |
| | GABRIEL OLIVE STOTT ATTY | New York Telephone |
| | GALLAND-HENNING MFG CO BALING
PRESSES | New York Telephone |
| | GALLOWAY JOHN H JR LWYR | New York Telephone |
| | GALLUP GEA B | New York Telephone |
| | GALLUP POLL | New York Telephone |
| | GARDNER VAIL INC HRDWR | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GAYLORD BROKERAGE CORP INS | New York Telephone |
| | GILBERT & BENNETT MFG CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GOLDWYN LOUIS R INVESTMTS | New York Telephone |
| | GODFELLOW ARTHUR R B | New York Telephone |
| | GOODFELLOW ROBT C BOOKS | New York Telephone |
| | GORDON DAVID & CO ERNGRS | New York Telephone |
| | GORMAN LEO CO LUNCHNETS | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRACE PATK J ATTY | New York Telephone |
| | GRAND RAPIDS PRESS | New York Telephone |
| | GREATER NY WRECKING CORP | New York Telephone |
| | GULICK CHAS L CO INC | New York Telephone |
| | GULICK WILSON M EXPTS | New York Telephone |
| | HAARTZ MASON INC | New York Telephone |
| | HAFF WALTER S INS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HAMMOND ROBT STOREY RL EST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1950 | HANCOCK JOHN MUTUAL LIFE INS CO
THE HARRY GARDNER AGCY | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO
THE HARRY GARDNER AGCY | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO
THE HARRY GARDNER AGCY | New York Telephone |
| | HANRAHAN WM F LWYR | New York Telephone |
| | HARRIS TWEED ASSN LTD | New York Telephone |
| | HARRISBURG STEEL CORP | New York Telephone |
| | HART PEARL M ATTY | New York Telephone |
| | HARTLEY JAS F B | New York Telephone |
| | HEATON C E MD OFF | New York Telephone |
| | HERRMANN JOHN G LIFE INS | New York Telephone |
| | HERZERR MILTON CPA E 42 | New York Telephone |
| | HERZER & SILVER CPAS | New York Telephone |
| | HICKERSON J M ADVTG | New York Telephone |
| | HICKERSON J M INC ADVTG | New York Telephone |
| | HILL ADVTG SPECIALTIES CO | New York Telephone |
| | HILL PRNTNG CO | New York Telephone |
| | HILL WM J PRNTNG | New York Telephone |
| | HLINKA PHOTOGPHRS | New York Telephone |
| | HOTEL RESEARCH LABS | New York Telephone |
| | HOUSTON PHILIP K ACCTNT | New York Telephone |
| | HOWY CONST CO INC | New York Telephone |
| | HUTNER & HUTNER ATTYS | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | HUYBERS J KAREL B | New York Telephone |
| | INGRAHAM GEN B | New York Telephone |
| | INSTITUTE OF LABOR RELATIONS INC | New York Telephone |
| | INSTITUTE OF PUBLIC OPINION | New York Telephone |
| | INSTITUTIONS | New York Telephone |
| | INSTITUTIONS MAGAZINE CATALOG
DIRECTORY | New York Telephone |
| | INTERMUNDO ETABLISSEMENTS | New York Telephone |
| | JACKSON CITIZEN PATRIOT | New York Telephone |
| | JACOBSON BERNARD LWYR | New York Telephone |
| | JACOBSON DANIEL LWYR | New York Telephone |
| | JACOBSON SAML CPA | New York Telephone |
| | JARMAN G W JR B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1950 | JASPER HERINGTON & MULDOWNEY CPAS | New York Telephone |
| | JENKINS CHAS C CUT STN | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHNSON J G COTTN | New York Telephone |
| | JONES SULLIVAN W ASSOCIATES | New York Telephone |
| | JUDGE JOS ARCHT | New York Telephone |
| | KALAMAZOO GAZETTE | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANE J L REALTY ASSOCIATES | New York Telephone |
| | KAPLAN MAX R CPA | New York Telephone |
| | KAUFMAN PAUL ATTY | New York Telephone |
| | KEANE GEO J CPA | New York Telephone |
| | KEEGAN H F CO RR SUPLS | New York Telephone |
| | KENA JOS W ATTY | New York Telephone |
| | KELLER MORTON M ATTY | New York Telephone |
| | KELSEY DEAN L LIFE INS | New York Telephone |
| | KIMMERLE F W MFRS AGENT | New York Telephone |
| | KLEINER & BRITWITZ LWYRS | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOERNER MILTON LWYR | New York Telephone |
| | KUCH A H NWSPAPR REP | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LANDAU SIEGFRIED INC | New York Telephone |
| | LAVROWSBY DOVE A ATTY | New York Telephone |
| | LEATHERBURY A P H | New York Telephone |
| | LEE NASHEM AGENCY INS | New York Telephone |
| | LEES W THOMSON B | New York Telephone |
| | LEHIGH PAINTING & DECORATG CO | New York Telephone |
| | LEHRER SIDNEY M CPA | New York Telephone |
| | LEOPOLD HARVEY J B | New York Telephone |
| | LESTER GEO B LWYR | New York Telephone |
| | LEVINSON DAVID D B | New York Telephone |
| | LEWIS MARTIN CORP FOOD BRKRS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1950 | LIEBOWITZ SEYMOUR M ATTY | New York Telephone |
| | LIFE OFFICE MANAGMT ASSN | New York Telephone |
| | LIGN DAVID R ENGR | New York Telephone |
| | LITHO-KROME CO | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | LOEWENSTEIN JACOB PROFESNL
ENGR | New York Telephone |
| | LOWENTHAL MARTIN FOOD BRKR | New York Telephone |
| | LYDGATE WM A B | New York Telephone |
| | MCY FREDL E PAPR | New York Telephone |
| | MANCHESTER JAS T LITHGRPHY | New York Telephone |
| | MARDELL LEONARD DNTST | New York Telephone |
| | MARIANO JOHN H LABOR RELATIONS | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARION AUTOMOTIVE WAREHOUSE
CO | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARSHALL R S ACCTNT | New York Telephone |
| | MATHEWS R F TILES | New York Telephone |
| | MCCAFFREY FRANCIS B SUPVSR | New York Telephone |
| | MC CARTHY MICHL F ATTY | New York Telephone |
| | MC CARTHY ROBT D ATTY | New York Telephone |
| | MC DONALD ALEXNDR R LWYR | New York Telephone |
| | MCGINITY C V CPA | New York Telephone |
| | MCGINITY CV CPA | New York Telephone |
| | MCKEESPORT TIN PLATE CORP | New York Telephone |
| | MCKEEVER FERGUS B | New York Telephone |
| | MC MAHON FRANK V ATTY | New York Telephone |
| | MEADOW BROOK CLUB WESTBURY
NY | New York Telephone |
| | MELKER A R PAPER | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MERKLEIN LUDWIG CO INS | New York Telephone |
| | METAL PCKGE CORP OFC | New York Telephone |
| | MEYER JEROME PUBRS REP | New York Telephone |
| | MEYERS HARRY BENSON ATTY | New York Telephone |
| | MIAMI VALLEY COATED PAPR CO
MFRS | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1950 | MILLER & PRICE INC RL EST | New York Telephone |
| | MILTENBERG HERMAN N EXPTR | New York Telephone |
| | MILTENBERG & SAMTON INC EXPTRS | New York Telephone |
| | MILTENBERG & SAMTON INC EXPTRS | New York Telephone |
| | MINOR JOHN C B | New York Telephone |
| | MISSOURI BELTING CO | New York Telephone |
| | MOLONEY EDW J ADVTG CO | New York Telephone |
| | MONROE M A B | New York Telephone |
| | MONTAGUE & BARTLETT INC | New York Telephone |
| | MOSKOWITZ SIDNEY M LWYR | New York Telephone |
| | MULDOWNEY & CO CPA | New York Telephone |
| | MULDOWNEY J CPA | New York Telephone |
| | MULTIPX DESPLAY FIXT CO | New York Telephone |
| | MURPHY JOHN J LWYR | New York Telephone |
| | SKEGON CHRONICLE | New York Telephone |
| | MUTUAL BENEFIT LIFE INS CO | New York Telephone |
| | NACLERIO HAROLD INS | New York Telephone |
| | NASHEM LEE INS | New York Telephone |
| | NSHEM LEE AGENCY INS | New York Telephone |
| | NATL ENGINEER THE | New York Telephone |
| | NATL ICE SKATING GUIDE | New York Telephone |
| | NATL PUBLIC & LABOR RELATIONS
SVCE BUR INC | New York Telephone |
| | NATL SPORTS PUBLICATIONS | New York Telephone |
| | NATL WASTE CO | New York Telephone |
| | NATURAL SLATE BLACKBOARD CO | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEWSPAPER AUDIT & RESEARCH BUR | New York Telephone |
| | NITZBERG HOWARD A BLDR | New York Telephone |
| | NITZBERG SAML S BLDR | New York Telephone |
| | NORTH AMER REASSURANCE CO | New York Telephone |
| | NORTH WESTERN DRUGGIST | New York Telephone |
| | OBERSTELN & ROTHSCHILD ACCTNTS | New York Telephone |
| | O BRIEN CARPET CO | New York Telephone |
| | O BRIEN FLOOR CONVERING CO | New York Telephone |
| | O BRIEN THOS J FURN | New York Telephone |
| | OBSTFELD EMANUEL A ATTY | New York Telephone |
| | O CONNOR J J ORGANISATION RL EST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1950 | ODEN J HOWARD B | New York Telephone |
| | OLIVER CHAS P BRKR | New York Telephone |
| | OLIVER & DONNALLY ATTY | New York Telephone |
| | OLIVER FRED N ATTY | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | OPPORTUNITY MAGAZINE A PUB | New York Telephone |
| | OUR SUNDAY VISITOR A PUB | New York Telephone |
| | OVERSEAS COML CO EXPTG | New York Telephone |
| | OXFORD ADVTG SVCE INC | New York Telephone |
| | PARAMOUNT PAPR PRODS CO INC OF
PHILA | New York Telephone |
| | PATTERNON FRANK MTGS | New York Telephone |
| | PENNSYLVANIA CRUSHER CO | New York Telephone |
| | PHILADELPHIA STEEL & WIRE CORP | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PIEZO MFG CORP | New York Telephone |
| | PLUMBING & HEATING CATALOG | New York Telephone |
| | POMERANCE LOUIS LIFE INS | New York Telephone |
| | POPE & TALBOT INC- | New York Telephone |
| | POTTER HAMILTON F CPA | New York Telephone |
| | POTTER HAMILTON F CPA | New York Telephone |
| | POWELL E HENRY ATTY | New York Telephone |
| | POWERS SYSTM OF ESTATE
ANALYSIS | New York Telephone |
| | PREMIER COLLOID INDUSTRIS | New York Telephone |
| | PREMIER COLLOID MILLS | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PREMIER MILL CORP COLLOLD MIILS | New York Telephone |
| | PREMIER MILL SALES CO | New York Telephone |
| | PROCESS ENGNARG INC | New York Telephone |
| | QUINLAN & PATTERSON MORTGS | New York Telephone |
| | QUINLAN WM H MFGS | New York Telephone |
| | RAILROAD PRODS CO | New York Telephone |
| | RAILROAD SECURITY OWNERS ASSN
INC | New York Telephone |
| | RALL SUPL CO | New York Telephone |
| | RAPPAPORT ABRAHAM LWYR & CPA | New York Telephone |
| | RAPPAPORT & DERWIN CPAS | New York Telephone |
| | REGISTER THE A PUB | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1950 | ROACH WM B | New York Telephone |
| | ROBINSON WAGNER CO INC
CHEMCLS | New York Telephone |
| | ROCL A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INS | New York Telephone |
| | ROCK DANI JOEL ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHAN L ATTY | New York Telephone |
| | ROCK ROSALIND B | New York Telephone |
| | ROSS FRED W ADVTG REP | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSTELUDE CO | New York Telephone |
| | RUTTEN M M ATTY | New York Telephone |
| | SAGINAW NEWS | New York Telephone |
| | ST LAURENT & CO | New York Telephone |
| | ST LAURENT GEORGES C B | New York Telephone |
| | ST LAURENT HOTELS | New York Telephone |
| | ST LOUIS MULTIPLES DISPLAY FIXT
CO | New York Telephone |
| | SAMTON HENRY A PAPR & CHEMCLS | New York Telephone |
| | SANI-SAVE INC | New York Telephone |
| | SARNAY PRODS INC | New York Telephone |
| | SASSNNE D PUB ACCTNT | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE
OF NY | New York Telephone |
| | SAWHILL RAY V B | New York Telephone |
| | SCARSDALE PROPERTIES INC | New York Telephone |
| | SCHAFER JACOB ACCTNT | New York Telephone |
| | SCHAFER SHEPHERD CPA | New York Telephone |
| | SCHANCER ALBERT LIFE INS | New York Telephone |
| | SCHARFER S S CPA | New York Telephone |
| | SCHIER M B A DR OFC | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHLOSS LEO CPA | New York Telephone |
| | SCHOENFELD ALFRED L EST
PLANNING | New York Telephone |
| | SCHONFELD ALFRED L EST PLANNING | New York Telephone |
| | SCHWAB ARTHUR B | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1950 | SCHWULST EARL B PROS | New York Telephone |
| | SCOTT BARTLETT & CO | New York Telephone |
| | SCOTT S LYTTON ACCTNT | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SECURITY OWNERS ASSN INC | New York Telephone |
| | SEIDLER CHAS J ATTY CPA | New York Telephone |
| | SEPARATIONS ENGNRNG CORP | New York Telephone |
| | SHAPIRO THEO H B | New York Telephone |
| | SHERMAN SIDNEY J LWYR | New York Telephone |
| | SHERRY JOHN H ATTY | New York Telephone |
| | SHERRY & PICARELLO ATTYS | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SILVER FREDK IWYR | New York Telephone |
| | SILVER MEYER CPA | New York Telephone |
| | SILVESTRI JOHN PLASTERING CO INC | New York Telephone |
| | SINGLETON EDWIN RLEST | New York Telephone |
| | SLUSSER-MCLEAN SCRAPER CO
FOREIGN SALES DEPT | New York Telephone |
| | SMITH WALTER G ACCTNT | New York Telephone |
| | SMYLE SAML CPA | New York Telephone |
| | SOENO INC | New York Telephone |
| | SOFFER & REDIKER ATTYS | New York Telephone |
| | SOLE GEO J ARCHT | New York Telephone |
| | SOMMER J P B | New York Telephone |
| | SPERRY PRODS INC | New York Telephone |
| | STACK-FETSCHER & VAN NESS INC
BLDRS | New York Telephone |
| | STACK HOWARD M RL EST | New York Telephone |
| | STANDARD DISCOUNT CO | New York Telephone |
| | STEINERT HENRY N LWYR | New York Telephone |
| | STERN HARRY ATTY | New York Telephone |
| | STERN SYLVIA T MRS ATTY | New York Telephone |
| | STRUCTURAL STATE CO OFC | New York Telephone |
| | SUTTON STEELE & STEELE INC
SSPRATRS | New York Telephone |
| | SWISS FABRIC GIOIIP | New York Telephone |
| | SWISS FASION GROUP | New York Telephone |
| | TAYLOR WHARTONIRON & STEEL CO
INC | New York Telephone |
| | TEITELBAUM BENJ CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1950 | THACHER WALTER H LWYR | New York Telephone |
| | TIMING INSTRUMENT SALES CORP | New York Telephone |
| | TROY CHEMCL CO INC THE
VETERINARY PRODS | New York Telephone |
| | UDERWITZ HARRY ACCTNT | New York Telephone |
| | U S QUARRY TILE CO | New York Telephone |
| | U S SENIOR S GOLF ASSN | New York Telephone |
| | VAN LEIGHT GENE OFC | New York Telephone |
| | VAN SCHAIK GEO S ATTY | New York Telephone |
| | VAN TWISTERN WM B | New York Telephone |
| | VILLAUME WILLIAM J H | New York Telephone |
| | WALLING L METCALFE ATTY | New York Telephone |
| | WANNEMACHER L F & CO INS | New York Telephone |
| | WEGG & ST LAURENT | New York Telephone |
| | WEISS MURRAY A ACCTNT | New York Telephone |
| | WENDELL & MAC DUFFIE CO RAILWAY
EQUIPMENT | New York Telephone |
| | WHOLESALE DRUG SALESMAN THE | New York Telephone |
| | WIGGIN CHAS B B | New York Telephone |
| | WILLIAMS WM F B | New York Telephone |
| | WILWICK ENGINEER ING COLNC | New York Telephone |
| | WINSTON EMANUEL INS CONSLTNT | New York Telephone |
| | WOMAN FOR PRESIDENT & OTHER
PUBLIC OFFICE INC | New York Telephone |
| | WOMEN IN PUBLIC OFFICE INC | New York Telephone |
| | WOODALL ROBT A INS | New York Telephone |
| | WORLD WIDE COMMODITIES CO | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | YEGHIAIAN STEPHEN A ATTY | New York Telephone |
| | ZWERLING GUSTAV H ATTY | New York Telephone |
| 1947 | ACKER FREDK E INS | New York Telephone |
| | ACKER FREDK E CO INC | New York Telephone |
| | ADAMS & BECKER CPA S | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | AGRICULTURAL PETROLEUM EQUIP
CORP | New York Telephone |
| | AHERN GEO W RL EST | New York Telephone |
| | ALBIN MICHL B ATTY | New York Telephone |
| | ALBRIGHT PAUL W B | New York Telephone |
| | ALFA DISPLAY CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1947 | ALLIANCE INDUSTRL CO | New York Telephone |
| | AMER INDUSTRL & COML CO | New York Telephone |
| | AMER INST OF PUBLIC OPINION | New York Telephone |
| | AMER LAWYERS CO | New York Telephone |
| | AMER MANAGERS IN FOREIGN TRADE
EXPTRS | New York Telephone |
| | AMER PAINT JOURNAL CO | New York Telephone |
| | AMER PAINT & OIL DEALER | New York Telephone |
| | AMER PAINTER & DECORATOR | New York Telephone |
| | AMER UNITY LEAGUE INC | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARNOLD S W INS | New York Telephone |
| | ARNOLD & YEARWOOD INS | New York Telephone |
| | ARTHUR CONST CO | New York Telephone |
| | ASHMAN TRADING CORP | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF
NY | New York Telephone |
| | ATTERBURY BROS INC PAPER MFRS
SUP | New York Telephone |
| | ATTERBURY HOWARD E B | New York Telephone |
| | AUTOMATIC CONTROLS CO | New York Telephone |
| | BACAS GATES & POTTER ACCTNTS | New York Telephone |
| | BACAS P E CPA | New York Telephone |
| | BACKSTROM EMIL ARCHT | New York Telephone |
| | BADGER FIRE EXTINGUISHER CO | New York Telephone |
| | BALLARD E K JR INS | New York Telephone |
| | BAMBER WM C B | New York Telephone |
| | BANKS H W CO INS | New York Telephone |
| | BAUMAN WM ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BENZ JOS R JR INS | New York Telephone |
| | BERGER ROBT H LWYR | New York Telephone |
| | BERGMAN DANL L CPA | New York Telephone |
| | BERGMAN RUDOLPH CPA | New York Telephone |
| | BERNHARD CAROLINE ACCTNT | New York Telephone |
| | BERTOLET C D & CO ADVTG REPS | New York Telephone |
| | BIERBAUM RAYMOND F AGENCY INS | New York Telephone |
| | BIRNBAUM HARRIS ATTY | New York Telephone |
| | BISKIND ELLIOTT L ATTY | New York Telephone |
| | BISKIND ELLIOTT L ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1947 | BLEMLY JOHN J INS | New York Telephone |
| | BLOOMINGTON LIMESTONE CORP | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPA S | New York Telephone |
| | BOTTOMLEY JOHN F RL EST | New York Telephone |
| | BOURNE WM H B | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BRACCO VINCENT A LWYR | New York Telephone |
| | BREDING S A B | New York Telephone |
| | BRIAR HILL STONE CO | New York Telephone |
| | BRONSTEIN DAVID B | New York Telephone |
| | BROWN H M PUB STENO | New York Telephone |
| | BROWN HERMAN M B | New York Telephone |
| | BROWN M STANLEY B | New York Telephone |
| | BROWN RAYMOND C & CO CPAS | New York Telephone |
| | BROWN STANLEY B | New York Telephone |
| | BROWN S STENO SVCE | New York Telephone |
| | BRUERE HENRY PRES | New York Telephone |
| | BUCHAN H B MARBL | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BURRIS ARTHUR P B | New York Telephone |
| | BUTCHER WALTER N INS | New York Telephone |
| | CALFO CONSTANTINE PUB ACCTNT | New York Telephone |
| | CALLAHAN WM P ARCHT | New York Telephone |
| | CALLENDER JAMES P ATTY | New York Telephone |
| | CAMPS M L GENL AGT | New York Telephone |
| | CANDLEWOOD ISLE | New York Telephone |
| | CARROLL DAN A PUBS REP | New York Telephone |
| | CATHLES LAWRENCE M B | New York Telephone |
| | CAVALRY HORSE RIDING CLUB | New York Telephone |
| | CELCO CORP | New York Telephone |
| | CENTRAL PK RIDING CLUB | New York Telephone |
| | CENTRIZE INC | New York Telephone |
| | CHARM LIGHTER CO | New York Telephone |
| | CHARM MFG CORP OFC | New York Telephone |
| | CLARK WARD R LIFE INS | New York Telephone |
| | CLARKE ANDREW N INS | New York Telephone |
| | CLAWSON HARRY M ARCHT | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1947 | CLEMCO DESK MFG CO | New York Telephone |
| | COHEN ABRAHAM ATTY | New York Telephone |
| | COHEN ARNOLD S ATTY | New York Telephone |
| | COHEN BERNARD WILLIAMS LWYR | New York Telephone |
| | COHEN & JARCHO LWYRS | New York Telephone |
| | COLLINS J G JR ACCTNT | New York Telephone |
| | COLLINS ROBT D B | New York Telephone |
| | CONTINENTL BOOK CMNTR INC | New York Telephone |
| | CONWAY FRANCIS X LWYR | New York Telephone |
| | COOPER GEO M B | New York Telephone |
| | COUNCIL ON MARRIAGE RELATIONS INC | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CRAMER A HENRY ARCHT | New York Telephone |
| | CREEL JAS RANDALL LWYR | New York Telephone |
| | CROMBIE J A JR INS | New York Telephone |
| | CROWN COMPOUND & CHEMCL CO INC | New York Telephone |
| | CRYSTO PLASTICS LAB | New York Telephone |
| | CULLEN-FRIESTEDT CO CRANES | New York Telephone |
| | DAHLQUIST MFG CO INC | New York Telephone |
| | DALEY WM H JR INS | New York Telephone |
| | DAUNT WM A LIGHTNG EQUIP | New York Telephone |
| | DAVIES JOHN R ATTY | New York Telephone |
| | DAVISAM & CO INS | New York Telephone |
| | DE GEIGNAN JAS H LWYR | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DETROIT NEWS ADVERTISING OFFICE | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DIAMOND HARRY A CPA | New York Telephone |
| | DI DONATO WALTER J LWYR | New York Telephone |
| | DOELGER & KIRSTEN INC SHEARS | New York Telephone |
| | DOMESTIC ENGNRNG | New York Telephone |
| | DONEGAN THOS J ATTY | New York Telephone |
| | DRESCO CO INC | New York Telephone |
| | DUBRE LUMBR CO | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EIDLITZ ERNEST FREDK LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1947 | EIDLITZ FRENCH FINK & MARKE
LWYRS | New York Telephone |
| | EIDLITZ FRENCH & SULLIVAN LWYRS | New York Telephone |
| | ELDREDGE & REESE ACCTNTS | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPQRS
ASS OF NY INC | New York Telephone |
| | ELENE OF VIENNA INC | New York Telephone |
| | ELSEY ALBERT A LIFE INS | New York Telephone |
| | EPSTEIN H BROADMAN ATTY | New York Telephone |
| | EPSTEIN ISIDORE I ATTY | New York Telephone |
| | CALENDAR DIV | New York Telephone |
| | ESTEY PUMP CO INC | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FALCONE NICHOLAS S ATTY | New York Telephone |
| | FARRELL LEES ASSOCIATES | New York Telephone |
| | FEDERAL HOSPITALIZATION PLAN | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEHLMAN FRANK E ADVTG | New York Telephone |
| | FEINBERG HERMAN RL EST | New York Telephone |
| | FELEPPA ERNST J CPA | New York Telephone |
| | FENWICK-LOWE CORP EXPT IMPT | New York Telephone |
| | FERRER ANTONIO F LIFE INS | New York Telephone |
| | FERRETTI EUGENE V | New York Telephone |
| | FERRETTI V E ATTY | New York Telephone |
| | FINCK JOHN RL EST | New York Telephone |
| | FINCK JOHN RL EST | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK JOHN RL EST | New York Telephone |
| | FINK JOHN RL EST | New York Telephone |
| | FISH LOUIS INS | New York Telephone |
| | FISHER HERBERT H B | New York Telephone |
| | FISK ALAN B | New York Telephone |
| | FITZSIMMONS MURRAY & SPERRY
PUBRS REPS | New York Telephone |
| | FLEMING W A & CO ACCTNTS | New York Telephone |
| | FOREIGN & INTERNATL BOOK CO | New York Telephone |
| | FOREIGN MARKETING CORP | New York Telephone |
| | FORGIE JAS R INS | New York Telephone |
| | FRANKEL CHAS ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1947 | FRANKEL DAVID ATTY | New York Telephone |
| | FRENCH JOHN H CO CONTRS | New York Telephone |
| | FRIEDMAN ISIDOR J LWYR | New York Telephone |
| | FRIEDMAN JEFF LWYR | New York Telephone |
| | FRIES PETER JR ATTY | New York Telephone |
| | GAARDSMOE H L B | New York Telephone |
| | GABRIEL OLIVE STOTT ATTY | New York Telephone |
| | GALLAND-HENNING MFG CO BALING PRESSES | New York Telephone |
| | GALLOWAY JOHN H JR LWYR | New York Telephone |
| | GALLUP GEO B | New York Telephone |
| | GALLUP POLL | New York Telephone |
| | GARDNER JAS H B | New York Telephone |
| | GARDNER VAIL INC HRDWR | New York Telephone |
| | GARRISON FLINT B | New York Telephone |
| | GARRISON MARY B | New York Telephone |
| | GARRISONS MAGAZINE | New York Telephone |
| | GASKILL WM J B | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GENL FLOOR CO | New York Telephone |
| | GILBERT & BENNETT MFG CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GOLDBERG JOS LWYR | New York Telephone |
| | GOLDMAN CHAS LWYR | New York Telephone |
| | GOLDWYN LOUIS R INVSTMTS | New York Telephone |
| | GRACE GEO T ATTY | New York Telephone |
| | GRACE & GRACE ATTYS | New York Telephone |
| | GRACE PATK J ATTY | New York Telephone |
| | GRACE WM J ATTY | New York Telephone |
| | GRADY THOS C CO MORTGS | New York Telephone |
| | GRAMERCY DEVELOPMENT CORP | New York Telephone |
| | GREATER NY WRECKING CORP | New York Telephone |
| | GULICK CHAS L CO INC | New York Telephone |
| | GULICK WILSON M EXPTS | New York Telephone |
| | HAFF WALTER S INS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1947 | HARRIS TWEED ASSN LTD | New York Telephone |
| | HARRISBURG STEEL CORP | New York Telephone |
| | HART PEARL M ATTY | New York Telephone |
| | HARTLEY JAS F B | New York Telephone |
| | HARTMAN JESSE INVSTMTS | New York Telephone |
| | HENKIN NORMAN E LWYR | New York Telephone |
| | HERINGTON PERCY R B | New York Telephone |
| | HERMELIN MARC ATTY | New York Telephone |
| | HERZER MILTON CPA | New York Telephone |
| | HERZER & SILVER CPAS | New York Telephone |
| | HICKERSON J M INC ADVTG | New York Telephone |
| | HILL ADVTG SPECIALTIES CO | New York Telephone |
| | HILL PRNTNG CO | New York Telephone |
| | HILL WM J PRNTNG | New York Telephone |
| | HOLDSWORTH JOHN W CONTR | New York Telephone |
| | HOLZMAN ALFRED DENTIST | New York Telephone |
| | HOTEL RESEARCH LABS | New York Telephone |
| | HOUSTON PHILIP K ACCTNT | New York Telephone |
| | HOWY CONST CO | New York Telephone |
| | HOY EW INV SECS | New York Telephone |
| | HUTNER & HUTNER ATTY | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | HEYBERS J KAREL B | New York Telephone |
| | INDIANAPOLIS NEWS ADVTG OFC | New York Telephone |
| | INSTITUTE OF LABOR RELATIONS INC | New York Telephone |
| | INSTITUTE OF PUBLIC OPINION | New York Telephone |
| | INSTITUTIONS | New York Telephone |
| | JACOBSON BERNARD LWYR | New York Telephone |
| | JACOBSON DANIEL LWYR | New York Telephone |
| | JACOBSON SAML CPA | New York Telephone |
| | JARCHO SIDNEY LWYR | New York Telephone |
| | JARMAN G W JR B | New York Telephone |
| | JASPER HERINGTON & MULDOWNNEY CPAS | New York Telephone |
| | JENKINS CHAS C CUT STN | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO- | New York Telephone |
| | JOHNSON CHAIR CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1947 | JONAH ALBERT L CPA | New York Telephone |
| | JONES JOS C MACHY | New York Telephone |
| | JONES RAYMOND L INS | New York Telephone |
| | JONES SULLIVAN W ASSOCIATES
ARCHTS | New York Telephone |
| | JONES & YODER MACHY | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANE J L REALTY ASSOCIATES | New York Telephone |
| | KAPLAN MAX R CPA | New York Telephone |
| | KAUFMAN PAUL B ATTY | New York Telephone |
| | KAUFMANN ROBT INS | New York Telephone |
| | W G FOREIGN SALES | New York Telephone |
| | KAZDYM CASPER K CPA | New York Telephone |
| | KEANE GEO J CPA | New York Telephone |
| | KEEGAN H F CO RR SUPLS | New York Telephone |
| | KEENA JOS W ATTY | New York Telephone |
| | KELLER MORTON M ATTY | New York Telephone |
| | KELLOGG H W & R W ASSOCIATES
SAS REPS | New York Telephone |
| | KELSEY DEAN L LIFE INS | New York Telephone |
| | KIMMERLE F W MFRS AGT | New York Telephone |
| | KLEINER & BRITWITZ LWYRS | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOERNER MILTON LWYR | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KUSHNER SAUL LWYR | New York Telephone |
| | LANDAU SIEGFRIED INC | New York Telephone |
| | LARKIN MARTIN P ACCTNT | New York Telephone |
| | LA ROCEQUE JOHN W LWYR | New York Telephone |
| | LAWSON GILBERT B ADVTG REP | New York Telephone |
| | LEAGUE FOR A WOMAN FOR
PRESIDENT & OTHER PUBLIC OFFICE | New York Telephone |
| | LEATHERBURY A P B | New York Telephone |
| | LEES W THOMSON B | New York Telephone |
| | LEHIGH PAINTING & DECORATG CO | New York Telephone |
| | LEHRER SIDNEY M CPA | New York Telephone |
| | LEOPOLD HARVEY J B | New York Telephone |
| | LERSNER VICTOR A CHAIRMAN | New York Telephone |
| | LEVINSON DAVID D B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1947 | LEWIS-MARTIN CORP FOOD BRKRS | New York Telephone |
| | L HOMMEDIEU JOHN A INS | New York Telephone |
| | LIEBOWITZ SEYMOUR M ATTY | New York Telephone |
| | LIFE OFFICE MANAGEMNT ASSN | New York Telephone |
| | LIGH DAVID R ENGR | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | LOWENTHAL MARTIN FOOD BRKR | New York Telephone |
| | LYDGATE WM A B | New York Telephone |
| | MANDELL LEONARD DNTST | New York Telephone |
| | MARIANO JOHN H LABOR RELATIONS | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARION AUTOMOTIVE WAREHOUSE CO | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARSHALL GRANGER & CO | New York Telephone |
| | MASUI J H B | New York Telephone |
| | MATHEWS R F FILES | New York Telephone |
| | MATLAW WATRPRFG CORP | New York Telephone |
| | MCCAFFREY FRANCIS B SUPVSR | New York Telephone |
| | MCCALLION DONALD G LWYR | New York Telephone |
| | MCCARTHY MICHL F ATTY | New York Telephone |
| | MCGINITY C V CPA | New York Telephone |
| | MCKEESPORT TIN PLATE CORP | New York Telephone |
| | MCKEEVER FERGUS B | New York Telephone |
| | MCTMAHON FRANK V ATTY | New York Telephone |
| | MEADOW BROOK CLUB WESTBURY NY | New York Telephone |
| | MELKER A R PAPER | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MERKLEIN LUDWIG CO INS | New York Telephone |
| | MERRITT CLARENCE C B | New York Telephone |
| | METAL PCKGE CORP OFC | New York Telephone |
| | MEYER JEROME PUBRS REP | New York Telephone |
| | MEYER MARTIN A ATTY | New York Telephone |
| | MEYERS HARRY BENSON ATTY | New York Telephone |
| | MIAMI VALLEY COATED PAPR CO MFRS | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MILLER & PRICE INC RL EST | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1947 | MILTENBERG HERMAN N EXPTR | New York Telephone |
| | MILTENBERG & SAMTON INC EXPTRS | New York Telephone |
| | MINOR JOHN C B | New York Telephone |
| | MISSOURI BELTING CO | New York Telephone |
| | MITCHELL THADDEUS H CPA | New York Telephone |
| | MOLLOY JOHN L ATTY | New York Telephone |
| | MONITOR SALES INC | New York Telephone |
| | MONROE MA B | New York Telephone |
| | MONTREAL DAILY STAR ADVTG OFC | New York Telephone |
| | MONTREAL STANDARD ADVTG OFC A | New York Telephone |
| | MOSK HAL FOOD BRKR | New York Telephone |
| | MULDOWNEY J CPA | New York Telephone |
| | MULTIPLEX DISPLAY FIST CO | New York Telephone |
| | MURPHY JOHN J LWYR | New York Telephone |
| | MUTUAL BENEFIT LIFE INS CO | New York Telephone |
| | HAROLD INS | New York Telephone |
| | NATL ASSN OF INSECTICIDE & DISINFECTANT MFRS INC | New York Telephone |
| | NATL CAN CORP | New York Telephone |
| | NATL MUSICAL ARTISTS INC | New York Telephone |
| | NATL PUBLIC & LABOR RELATIONS SVCE BUR INC | New York Telephone |
| | NATL WASTE CO | New York Telephone |
| | NATURAL SLATE BLACKBOARD CO | New York Telephone |
| | NESTER BYRON M B | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEUMANN GEO F J RL EST | New York Telephone |
| | NEWSPAPER AUDIT & RESEARCH BUR | New York Telephone |
| | NINE THIRTY ONE PK AV CORP | New York Telephone |
| | NORTH AMER REASSURANCE CO | New York Telephone |
| | NORTH STAR SALES CORP | New York Telephone |
| | NORTH WESTERN DRUGGIST | New York Telephone |
| | NO-STUD CORPORATION CONTRS | New York Telephone |
| | OBERSTEIN LESTER CPA | New York Telephone |
| | O BRIEN CARPET CO | New York Telephone |
| | O BRIEN FLOOR COVERING CO | New York Telephone |
| | O BRIEN THOS J FURN | New York Telephone |
| | O CONNOR J J ORGANIZATION RL EST | New York Telephone |
| | ODEN J HOWARD B | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1947 | OHIO PATTERN WKS & FOUNDRY CO | New York Telephone |
| | OLIVER & DONNALLY ATTYS | New York Telephone |
| | OLIVER FRED N ATTY | New York Telephone |
| | ONE HUNDRED TETS EAST FORTY
SECOND ST BLDG | New York Telephone |
| | O NEIL HENRY B | New York Telephone |
| | OSBORNE KURT J INS | New York Telephone |
| | OUR SUNDAY VISITOR | New York Telephone |
| | PARAMOUNT PAPR PRODS CO INC OF
PHILA | New York Telephone |
| | PATTERSON FRANK MTGS | New York Telephone |
| | PHILADELPHIA STEEL & WIRE CORP | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PIEZO MFG CORP | New York Telephone |
| | PLUMBING & HEATING CATALOG | New York Telephone |
| | POMERANCE LOUIS LIFE INS | New York Telephone |
| | POPE & TALBOT INC | New York Telephone |
| | POTTER HAMILTON F ACCTNT | New York Telephone |
| | POTTER HAMILTON F ACCTNT | New York Telephone |
| | POWELL E HENRY ATTY | New York Telephone |
| | POWERS SYSTM OF ESTATE
ANALYSIS | New York Telephone |
| | PREMIER COLLOID INDUSTRIES | New York Telephone |
| | PREMIER COLLOID MILLS | New York Telephone |
| | PREMIER COLLOID PRODS INC MILLS | New York Telephone |
| | PREMIER INS SVCE | New York Telephone |
| | PREMIER MILL CORP COLLOID MILLS | New York Telephone |
| | PREMIER MILL SALES CO | New York Telephone |
| | PROCESS ENGNRNG INC | New York Telephone |
| | PROCTOR GORDON INS | New York Telephone |
| | PRODUCTS SEPARATING CORP | New York Telephone |
| | QUEENSBORO TRADING CORP | New York Telephone |
| | QUENSO CO INC THE DRUGS | New York Telephone |
| | QUINLAN & PATTERSON MORTGS | New York Telephone |
| | QUINLAN WM H MTGS | New York Telephone |
| | QUINN TK CO | New York Telephone |
| | RAILROAD PRODS CO | New York Telephone |
| | RAILROAD SECURITY OWNERS ASSN
INC | New York Telephone |
| | RALL SUPL CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1947 | RAPPAPORT ABRAHAM IWYR & CPA | New York Telephone |
| | REALTY APPRAISAL & SURVEY CO | New York Telephone |
| | REDIKER R L ATTY | New York Telephone |
| | REDISCOUNT CORP THE | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REGISTER THE | New York Telephone |
| | REHER WALTER INS | New York Telephone |
| | RENARD MAURICE RL EST | New York Telephone |
| | REVISTA INDUSTRL | New York Telephone |
| | RIEMER CHES L LWYR | New York Telephone |
| | RIPLEY MILLS N B | New York Telephone |
| | ROACH WM B | New York Telephone |
| | ROBINSON ROBT H INS | New York Telephone |
| | ROBINSON WAGNER CO INC
CHEMCLS | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INS | New York Telephone |
| | ROCK DANL JOEL ATTY | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHAN L ATTY | New York Telephone |
| | ROCK ROSALIND B | New York Telephone |
| | ROLLINS IRVING L LWYR | New York Telephone |
| | ROSENBAUM EDW INS | New York Telephone |
| | ROTHSTEIN LEO H ACCTNT | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | ROYAL INDEMNITY CO | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSSELL SNOW PLOW CO | New York Telephone |
| | RUSTELUDE CO | New York Telephone |
| | RUTTEN M M ATTY | New York Telephone |
| | ST LAURENT & CO | New York Telephone |
| | ST LAURENT GEORGES C B | New York Telephone |
| | ST LAURENT HOTELS | New York Telephone |
| | ST LOUIS MULTIPLEX DISPLAY FIXT
CO | New York Telephone |
| | SAMTON HENRY A PAPR & CHEMCLS | New York Telephone |
| | SANDERSON JAS R B | New York Telephone |
| | SANI-SAVE INC | New York Telephone |
| | SASSONE D PUB ACCTNT | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1947 | SAVINGS BANKS ASSN OF THE STATE OF NY | New York Telephone |
| | SAVINGS BANKS RETIREMENT SYSTM | New York Telephone |
| | SAWHILL RAY V B | New York Telephone |
| | SCHAFER JACOB ACCTNT | New York Telephone |
| | SCHAFER SHEPHERD CPA | New York Telephone |
| | SCHANCER ALBERT LIFE INS | New York Telephone |
| | SCHASFER S S CPA | New York Telephone |
| | SCHIER M B A DR OFC | New York Telephone |
| | SCHIFF MEYER LWYR | New York Telephone |
| | SCHLOSS LEO CPA | New York Telephone |
| | SCHNABEL JOS H LWYR | New York Telephone |
| | SCHORR ARTHUR INS | New York Telephone |
| | SCHWAB ARTHUR B | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCOTT S LYTON ACCTNT | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SECURITY OWNERS ASSN INC | New York Telephone |
| | SEIDLER CHAS J ATTY CPA | New York Telephone |
| | SEPARATIONS ENGRNG CORP | New York Telephone |
| | SHAPIRO THEO H B | New York Telephone |
| | SHAPIRO THEO H B | New York Telephone |
| | SHAW DANL B | New York Telephone |
| | SHAW DAVID B | New York Telephone |
| | SHAW GRADY CORP MORTGS | New York Telephone |
| | SHERRY JOHN H ATTY | New York Telephone |
| | SHERRY & PICARELLO ATTYS | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SILVER BERNARD B B | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SILVER MEYER CPA | New York Telephone |
| | SKI ILLUSTRATED | New York Telephone |
| | SLUSHER-MC LEAN SCRAPER CO FOREIGN SALES DEPT | New York Telephone |
| | SMITH WALTER G ACCTNT | New York Telephone |
| | SOFFER HARRY C LWYR | New York Telephone |
| | SOFFER & REDIKER ATTYS | New York Telephone |
| | SOLE GEO J ARCHT | New York Telephone |
| | STANDARD DISCOUNT CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1947 | STATEN GEO E B | New York Telephone |
| | STEINERT HENRY N LWYR | New York Telephone |
| | STERN HARRY ATTY | New York Telephone |
| | STORER SIDNEY A RESRCH | New York Telephone |
| | STRUCTURAL SLATE CO OFC | New York Telephone |
| | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | SWISS FABRIC GROUP | New York Telephone |
| | SWISS FASHION GROUP | New York Telephone |
| | TAYLOR WHARTON IRON & STEEL CO | New York Telephone |
| | TEITELBAUM BENJ CPA | New York Telephone |
| | TERRIBERY G GILSON CO | New York Telephone |
| | THACHER WALTER H LWYR | New York Telephone |
| | THOMSON GRAHAM C B | New York Telephone |
| | TIMING INSTRUMENT SALES CORP | New York Telephone |
| | TIMING INSTRUMENT SALES CORP | New York Telephone |
| | TODD MOTION PICTURE CORP | New York Telephone |
| | TODD WM PRIVATE STBLS | New York Telephone |
| | TORONTO TELEGRAM ADVTG OFC | New York Telephone |
| | TRADE ASSOCIATES RESRCH | New York Telephone |
| | UDERWITZ HARRY ACCTNT | New York Telephone |
| | UNITED REALTY CO | New York Telephone |
| | US QUARRY TILE CO | New York Telephone |
| | VANNEMAN DONALD K MORTGS | New York Telephone |
| | VAN TWISTERS WM B | New York Telephone |
| | VARDALIS NICHOLAS INS | New York Telephone |
| | VILTER MFG CO | New York Telephone |
| | WALTERS EVERETT W INS | New York Telephone |
| | WANNEMACHER L F & CO INS | New York Telephone |
| | WASHINGTON STAR ADVTG OFC | New York Telephone |
| | WEATHEFEND PRODS CO | New York Telephone |
| | WEBEL HENRY R B | New York Telephone |
| | WEGG DAVID S ENGR | New York Telephone |
| | WEGG & ST LAURENT | New York Telephone |
| | WEISS J LEONARD DNTST | New York Telephone |
| | WEISS MURRAY A ACCTNT | New York Telephone |
| | WELDING ENGNRNG SALES CORP | New York Telephone |
| | WELLES WALTER INS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1947 | WENDELL & MAC DUFFIE CO RAILWAY EQUIPMENT | New York Telephone |
| | WESTERVELT BENJ A LIFE INS | New York Telephone |
| | WHITMORE JOHN D B | New York Telephone |
| | WIGGIN CHAS B B | New York Telephone |
| | WILLIAMS WM F B | New York Telephone |
| | WILWICK ENGINEERING CO INC | New York Telephone |
| | WOMAN FOR PRESIDENT & OTHER PUBLIC OFFICE INC | New York Telephone |
| | WOMEN IN PUBLIC OFFICE INC | New York Telephone |
| | WORLD WIDE COMMODITIES CO | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | YODER CO MACHY BLDRS | New York Telephone |
| | YODER L A MACHY | New York Telephone |
| | YOUR SPORT | New York Telephone |
| 1942 | ABAGNALE ROY M CPA | New York Telephone |
| | ABRAMESCO H HARVEY ATTY | New York Telephone |
| | ABRASIVES | New York Telephone |
| | ACKER FREDK E INS | New York Telephone |
| | ACKER FREDK E CO INC | New York Telephone |
| | ADAMS &BECKER CPA S | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | ADVERGRAPH CO THE PHOTOGRAPHRS | New York Telephone |
| | AJAX METAL CO | New York Telephone |
| | ALBRIGHT PAUL W B | New York Telephone |
| | AMER COOKERY | New York Telephone |
| | AMER INST OF PUBLIC OPINION | New York Telephone |
| | AMER LAWYERS CO | New York Telephone |
| | AMER PAINT JOURNAL C | New York Telephone |
| | AMER PAINTER &DECORATOR | New York Telephone |
| | AMID DURON CO | New York Telephone |
| | ANDREWS JAS MTGS | New York Telephone |
| | APFEL CHS L ATTY | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARNOLD S W INS | New York Telephone |
| | ART INSTRUCTION INC | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF NY | New York Telephone |
| | ATTERBURY BROS INC PAPET MFRS SUP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | ATTERBURY HOWARD E B | New York Telephone |
| | AUTOMATIC CONTROLS CO | New York Telephone |
| | BACAS GATES & POTTER ACCTNTS | New York Telephone |
| | BACAS P E CPA | New York Telephone |
| | BAKER CECIL EARLE B | New York Telephone |
| | BALTIMORE SUN | New York Telephone |
| | BAMBER WMC B | New York Telephone |
| | BANKS H W CO INS | New York Telephone |
| | BATES ELTIS A ATTY | New York Telephone |
| | BAUMAN MAX ATTY | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BELLINGHAIN IRON WKS INC | New York Telephone |
| | BELROSE REALTY CO | New York Telephone |
| | BENZ JOS R JR INS | New York Telephone |
| | BERMAN MAXWELL LWYR | New York Telephone |
| | BERNBACH HARRY A LWYR & CPA | New York Telephone |
| | BERNHARD CAROLINE ACCTNT | New York Telephone |
| | BERSCH W PAPRS | New York Telephone |
| | BERSCH W PAPRS | New York Telephone |
| | BLEICHER SYDNEY L LWYR | New York Telephone |
| | BLEMLY JOHN J INS | New York Telephone |
| | BLUESTEIN SAML CPA | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPA S | New York Telephone |
| | BLUMENSTOCK M CPA | New York Telephone |
| | BONDICATOR CO INC | New York Telephone |
| | BOSTON GLOBE ADVTG | New York Telephone |
| | BOTTONLEY JOHN F RL EST | New York Telephone |
| | BOWERY SAVINGS BANK- | New York Telephone |
| | BOYNER ELMER E B | New York Telephone |
| | BREDING S A B | New York Telephone |
| | BRIER ALBERT J ATTY | New York Telephone |
| | BRUERE HENRY PRES | New York Telephone |
| | BRUESER EDW J B | New York Telephone |
| | BUCHAN H B B | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BUFFALO FIRE APPLIANCE CORP
BUFFALO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1942 | BUGBEE WALDO E B | New York Telephone |
| | CALARCO ANTHONY D ATTY | New York Telephone |
| | CALLAHAN WM P ARCHT | New York Telephone |
| | CAMP FIRE GIRLS COUNCIL OF GREATER NY INC | New York Telephone |
| | CAMPS MANUEL JR GENI AGT | New York Telephone |
| | CANDLEWOOD ISLE INC | New York Telephone |
| | CARROLL DAN A PUBS REP | New York Telephone |
| | CHARLES CONTRACTG CO | New York Telephone |
| | CHATTANOOGA TIMES ADVTG | New York Telephone |
| | CLEMCO DESK MFG CO | New York Telephone |
| | CLEVELAND PLAIN DEALER ADVTG | New York Telephone |
| | COATED PAPR INDUSTRIES | New York Telephone |
| | COHEN ABRAHAM ATTY | New York Telephone |
| | COHEN BERNARD WILLIAMS LWYR | New York Telephone |
| | COHEN GEO N CONTR | New York Telephone |
| | COHEN & JARCHO LWYRS | New York Telephone |
| | COHEN SOL WALTER LWYR | New York Telephone |
| | COLLINS J G JR ACCTNT | New York Telephone |
| | COMMUNITY COUNCILS OF THE CITY OF NY INC | New York Telephone |
| | CONKLIN & WOODWARD PUBRS REPS | New York Telephone |
| | CONLON JOHN F B | New York Telephone |
| | CONSTANCE SPRY PERFUMERIES CORP | New York Telephone |
| | CORD ALBERT B CPA | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CROWN COMPOUND & CHERNCL CO INC | New York Telephone |
| | CRYSTO-PLASTICS LAB | New York Telephone |
| | CUSHMAN HOLBROOK B RL EST | New York Telephone |
| | DABON PRODS CO | New York Telephone |
| | DAILY METAL TRADE | New York Telephone |
| | DALEY WM H JR INS | New York Telephone |
| | DALLAS MORNING NEWS ADVTG | New York Telephone |
| | DANZIG MERVIN ATTY | New York Telephone |
| | DANZIGER SAML I ATTY | New York Telephone |
| | DAVISAM & CO INS | New York Telephone |
| | DEADY & SMITH ACCTNTS | New York Telephone |
| | DEIGNAN JAS H LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | DELMONT CO DISHWASHERS | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DEXTER J G AGENCY INS | New York Telephone |
| | DEXTER JOHN G INS | New York Telephone |
| | DEZUANY ARTHUR J ACCTNT | New York Telephone |
| | DIAMOND HARRY A CPA | New York Telephone |
| | DI DONATO WALTER J LWYR | New York Telephone |
| | DOBBIN EDW B | New York Telephone |
| | DOBSON IVAN S INVSTMT CONSLTNT | New York Telephone |
| | DOMESTIC ENGNRNG | New York Telephone |
| | DRAYNDRI INC | New York Telephone |
| | DUCHIN MORRIS G LWYR | New York Telephone |
| | EASTERN RAILWAY SUPPLIES INC | New York Telephone |
| | EDWARDS CHESTER S B | New York Telephone |
| | EIDLITZ ERNEST FREDK LWYR | New York Telephone |
| | EIDLITZ FRENCH & SULLIVAN LWYRS | New York Telephone |
| | EIDLITZ & HULSE LWYRS | New York Telephone |
| | ELECTRIC MACHY MFG CO | New York Telephone |
| | ELECTROTYPERS & STEREOTYPERS
ASSN OF NY INC | New York Telephone |
| | EMPIRE METER CO | New York Telephone |
| | ERNST ARTHUR O LWYR | New York Telephone |
| | EUCLID CONST CO | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FARRELL-LEES ASSOCIATES | New York Telephone |
| | FEDERAL HOSPITALIZATION PLAN | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO- | New York Telephone |
| | FEHLMAN FRANK E ADVTG | New York Telephone |
| | FELEPPA ERNEST J CPA | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FINK RICHD IL EST | New York Telephone |
| | FISHER HAROLD L LWYR | New York Telephone |
| | FITZSIMMONS MURRAY & SPERRY
PIIBRS IEPS | New York Telephone |
| | FLEMING W A & CO ACCTNTS | New York Telephone |
| | FLOCKE FRANK J B | New York Telephone |
| | FOREIGN & INTERNATL BOOK CO | New York Telephone |
| | FOREIGN MARKETING CORP | New York Telephone |
| | FORGIE JAS R INS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1942 | FOUNDRY THE | New York Telephone |
| | FOX CHESHIRE F RL EST | New York Telephone |
| | FRANKEL DAVID ATTY | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | FRENCH JOHN H CO CONTRS | New York Telephone |
| | FRUCHTERMAN S H RL EST | New York Telephone |
| | GAARDSMOE H L B | New York Telephone |
| | GABRIEL OLIVE STOTT ATTY | New York Telephone |
| | GAINES SIDNEY ATTY | New York Telephone |
| | GALLUP GEO B | New York Telephone |
| | GARDNER JAS H B | New York Telephone |
| | GARDNER VAIL INC HRDWR | New York Telephone |
| | GARFINKEL CHAS ATTY | New York Telephone |
| | GARRISON FHNT B | New York Telephone |
| | GARRISON MARY B | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GILBERT & BENNETT MFG CO | New York Telephone |
| | GINIGER BENJ INS | New York Telephone |
| | GLENN JAY S ATTY | New York Telephone |
| | GOLDBERG JOS LWYR | New York Telephone |
| | GOLDWYN LOUIS R INVSTMTS | New York Telephone |
| | GOODSTEIN HARRY RL EST | New York Telephone |
| | GRAMERCY DEVELOPMENT CORP | New York Telephone |
| | GRAY KNOX MARBLE CO MONUMTL DEPT | New York Telephone |
| | GREATER NY WRECKING CORP | New York Telephone |
| | GREBS EDW LWYR | New York Telephone |
| | GREEN-WILLOSCK CONST CO INC | New York Telephone |
| | GRIFFITHS K F & CO CHEMCLS | New York Telephone |
| | GULICK CHAS L EXPTS | New York Telephone |
| | GULICK CHAS L CO EXPTS | New York Telephone |
| | GULICK WILSON M EXPTS | New York Telephone |
| | HAMERSLEY MFG CO PAPR | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |
| | HANDI-BOOKS | New York Telephone |
| | HARDWARE TRADE | New York Telephone |
| | HARGOOD LEASING CORP | New York Telephone |
| | HARRISBURG STEEL CORP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1942 | HERBERT CHAS D B | New York Telephone |
| | HERMAN & ERNST LWYRS | New York Telephone |
| | HERMAN HARRY E LWYR | New York Telephone |
| | HERMELIN MARC ATTY | New York Telephone |
| | HICKERSON J M ADVTG | New York Telephone |
| | HICKERSON J M INC ADVTG | New York Telephone |
| | HILL ADVTG SPECIALTIES CO | New York Telephone |
| | HILL PRNTNG CO | New York Telephone |
| | HILL WM J PRNTNG | New York Telephone |
| | HOCHMANN MILTON LWYR | New York Telephone |
| | HOLZMAN ALFRED DENTIST | New York Telephone |
| | HOOSIER SANDSTONE CO | New York Telephone |
| | HOUSTON PHILIP K ACCTNT | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | INDUSTRIL COMBUSTION ECONOMY INC | New York Telephone |
| | INSTITUTE OF PUBLIC OPINION | New York Telephone |
| | INSTITUTIONS | New York Telephone |
| | INTER-STATE MUNICIPAL EQUIP CO | New York Telephone |
| | IRON TRADE REVIEW | New York Telephone |
| | JACOBSON BERNARD LWYR | New York Telephone |
| | JACOBSON DANIEL LWYR | New York Telephone |
| | JACOBSON SAML CPA | New York Telephone |
| | JARCHO SIDNEY LWYR | New York Telephone |
| | JARMAN G W JR B | New York Telephone |
| | JASPER & HERINGTON INC ACCTNTS | New York Telephone |
| | JENKINS CHAS C CUT STN | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO | New York Telephone |
| | JOHNSON CHAIR CO | New York Telephone |
| | JONES JOS C MACHY | New York Telephone |
| | KALISH LEONARD J LWYR | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KAPLAN MAX R CPA | New York Telephone |
| | KAPLAN S JWLRY CO | New York Telephone |
| | KAYLOR W G FOREIGN SALES | New York Telephone |
| | KEHOE PLASTERING CO | New York Telephone |
| | KELLER MORTON M ATTY | New York Telephone |
| | KELLOGG ASSOCIATES SALES REPS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1942 | KELLOGG H W & R W ASSOCIATES
SALES REPS | New York Telephone |
| | KLEINER & BRITWITZ LWYRS | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOCH CHRIS H SLATE | New York Telephone |
| | KOERNER MILTON LWYR | New York Telephone |
| | KOHLER HENRY B | New York Telephone |
| | KRAMER SIDNEY ATTY | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KULKIN JOS S ATTY | New York Telephone |
| | LANDAU SIEGFRIED INC | New York Telephone |
| | LARKIN MARTIN P ACCTNT | New York Telephone |
| | LAZAROFF MOE LWYR | New York Telephone |
| | LEAGUE FOR A WOMAN FOR
PRESIDENT & OTHER PUBLIC OFFICE | New York Telephone |
| | LEATHERBURY A P B | New York Telephone |
| | LEBAUER MAURICE LWYR | New York Telephone |
| | LEEDER LEON ATTY | New York Telephone |
| | LEES W THOMSON B | New York Telephone |
| | LEITER EXPORTING CO | New York Telephone |
| | LERNER SAML CPA | New York Telephone |
| | LERSNER VICTOR A CHAIRMAN | New York Telephone |
| | LESTER GEO B B | New York Telephone |
| | LEVINSON DAVID D LWYR | New York Telephone |
| | LIFE OFFICE MANAGERMT ASSN | New York Telephone |
| | LIGH DAVID R ENGR | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | LOSK EDW J RL EST | New York Telephone |
| | MACHINE DESIGN | New York Telephone |
| | MARGON LESTER DESGNR | New York Telephone |
| | MARIANO SUSAN C LWYR | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARKOWITZ NATHAN M ATTY | New York Telephone |
| | MARSHALL LEONARD L B | New York Telephone |
| | MATHEWS CO SIGNS | New York Telephone |
| | MATHEWS R F TILES | New York Telephone |
| | MAYLEAS RICHD LIMESTONE | New York Telephone |
| | MCCAFFREY FRANCIS B SUPVSR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | MC GINITY C V CPA | New York Telephone |
| | MC KEESPORT TIN PLATE CORP | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MERKLEIN LUDWIG CO INS | New York Telephone |
| | MERRITT CLARENCE C B | New York Telephone |
| | METAL PCKGE CORP OFC | New York Telephone |
| | MEYER JEROME PUBRS RAP | New York Telephone |
| | MEYER MARTIN A ATTY | New York Telephone |
| | MEYERS HARRY BENSON ATTY | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MIDWEST BADGE & MOVELT CO | New York Telephone |
| | MILLER LOUIS P RL EST | New York Telephone |
| | MILLER & PRICE INC | New York Telephone |
| | MILLER RALPH H LWYR | New York Telephone |
| | MILLS MARSHALL F B | New York Telephone |
| | MILTENBERG HERMAN N EXPTR | New York Telephone |
| | MINICK G C B | New York Telephone |
| | MINOR JOHN C B | New York Telephone |
| | MISSOURI BELTING CO | New York Telephone |
| | MOLOD MARTIN AUDTR | New York Telephone |
| | MONTREAL DAILY STAR BUS OFF | New York Telephone |
| | MORRIS ROY CLINTON ARCHT | New York Telephone |
| | MULTIPLEX DISPLAY FIXT CO | New York Telephone |
| | MURPHY JOHN J LWYR | New York Telephone |
| | NATL ASSN OF INSECTICIDE
&DISINFECTANT MFRS INC | New York Telephone |
| | NATL ASSN OF WOMEN LAWYERS | New York Telephone |
| | NATL CAN CORP | New York Telephone |
| | NATL WASTE CO | New York Telephone |
| | NATURAL SLATE BLACKBOARD CO | New York Telephone |
| | NESTER BYRON M B | New York Telephone |
| | NEW EQUIP DIGEST | New York Telephone |
| | NEWS THE MAGZN | New York Telephone |
| | NEWSPAPER AUDIT &RESEARCH BUR | New York Telephone |
| | NICHOLS MARTIN A GLASS | New York Telephone |
| | NINE THIRTY ONE PK AV CORP | New York Telephone |
| | NITROGEN PRODS INC | New York Telephone |
| | NORTH WESTERN DRUGGIST | New York Telephone |
| | OBERSTEIN LESTER CPA | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | O CONNOR J J ORGANIZATION RL EST | New York Telephone |
| | OLIVER & DONNALLY ATTYS | New York Telephone |
| | OLIVER FRED N ATTY | New York Telephone |
| | OLSON RICH D H B | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | New York Telephone |
| | OUR SUNDAY VISITOR-REGISTER | New York Telephone |
| | PARKER & DOBSON INC INVSTMT
CONSLTNTS | New York Telephone |
| | PARKER HAROLD G INVSTMT
CONSLTNT | New York Telephone |
| | PATTERSON FRANK MTGS | New York Telephone |
| | PATTERSON LIMESTONE PRODS CO
INC | New York Telephone |
| | PENTON PRESS CO PRNTRS | New York Telephone |
| | PENTON PUBLSHG CO | New York Telephone |
| | PICARELLO E JOS ATTY | New York Telephone |
| | PLUMBING & HEATING CATALOG | New York Telephone |
| | POPE & TALBOT INC LUMBR | New York Telephone |
| | POST CLIFFORD F B | New York Telephone |
| | POTTER HAMILTON F ACCTNT | New York Telephone |
| | POWELL E HENRY ATTY | New York Telephone |
| | PREMIER COLLOID INDUSTRIES | New York Telephone |
| | PREMIER COLLOID MILLS | New York Telephone |
| | QUINLAN & LELAND MTGS | New York Telephone |
| | QUINLAN & LELAND AGENCY INC INS | New York Telephone |
| | RAILROAD PRODS CO | New York Telephone |
| | RAILROAD SECURITY OWNERS ASSN
INC | New York Telephone |
| | RAIL SUPL CO | New York Telephone |
| | RAPPAPORT ABRAHAM LWYR & CPA | New York Telephone |
| | RAPPAPORT & DERWIN CPAS | New York Telephone |
| | RAYMOND FRED J B | New York Telephone |
| | REALTY APPRAISAL & SURVEY CO | New York Telephone |
| | REBNER EDGAR F B | New York Telephone |
| | REDIKER H GEO ATTY | New York Telephone |
| | REGAN PETER F JR B | New York Telephone |
| | REHER WALTER INS | New York Telephone |
| | RELIANCE ELEC & ENGRNG CO
MOTR MFRS | New York Telephone |
| | RICHTER MURIEL E LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | ROACH WM B | New York Telephone |
| | ROBBINS EDW H B | New York Telephone |
| | ROBINSON WAGNER CO INC
CHEMCLS | New York Telephone |
| | ROBINSON WM A B | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INS | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROGERS WM J ARCHT | New York Telephone |
| | ROLLINS IRVING L LWYR | New York Telephone |
| | ROSE & KIERNAN INC INS | New York Telephone |
| | ROTH SIDNEY ATTY | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | ROYAL INDEMNITY CO | New York Telephone |
| | RUBENSTEIN SIDNEY E ATTY | New York Telephone |
| | ST LAURENT G C B | New York Telephone |
| | ST LOUIS MULTIPLEX DISPLAY FIXT
CO | New York Telephone |
| | SALESON CHAS ATTY | New York Telephone |
| | SALZBERG SIDNEY H CPA | New York Telephone |
| | SAMTON HENRY A PAPR & CHEMCLS | New York Telephone |
| | SAVINGS BANK LIFE INS COUNCIL | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE
OF NY | New York Telephone |
| | SAVINGS BANKS LIFE INS FUND | New York Telephone |
| | SAVINGS BANKS RETIREMENT SYSTM | New York Telephone |
| | SCHAFFRAN & ROLLINS LWYRS | New York Telephone |
| | SCHAPIRO ABRAHAM ATTY | New York Telephone |
| | SCHARFER S S CPA | New York Telephone |
| | SCHEINBERG WA ATTY | New York Telephone |
| | SCHEINER ABRAHAM ATTY | New York Telephone |
| | SCHIER M B A DR OFC | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCOTT WILLARD P ATTY | New York Telephone |
| | SCRIBNER HARVEY J LWVR | New York Telephone |
| | SECURITIES APPRAISAL CO INC | New York Telephone |
| | SECURITY OWNERS ASSN INC | New York Telephone |
| | SEPARATIONS ENGNRNG CORP | New York Telephone |
| | SHAFFNER CHAS N B | New York Telephone |
| | SHAPIRO EUGENE S LMYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1942 | SHERRY & PICARELLO ATTYS | New York Telephone |
| | SHOLEIRSON BENJ ATTY | New York Telephone |
| | SILVER FREDK LWYR | New York Telephone |
| | SILVERMAN SELIG J LWYR | New York Telephone |
| | SKI ILLUSTRATED | New York Telephone |
| | SLUSSER-MCLEAN SCRAPER CO
FOREIGN SALES DEPT | New York Telephone |
| | SMITH JACOB CPA | New York Telephone |
| | SMITH JOS Y ACCTNT | New York Telephone |
| | SOFFER HARRY C LWYR | New York Telephone |
| | SOFFER & REDIKER ATTYS | New York Telephone |
| | SOUTHAM NEWSPAPERS OF CANADA
ADVTG | New York Telephone |
| | SPARTA CERAMIC CO TILES | New York Telephone |
| | SPENCER THERMOSTAT CO | New York Telephone |
| | SPOKANE CHRONICLE | New York Telephone |
| | STANDARD WAX & IMPORT CO | New York Telephone |
| | STEEL | New York Telephone |
| | STEINERT HENRY N LWYR | New York Telephone |
| | STERN SAML M CPA | New York Telephone |
| | STOLER DEZZANY & CO ACCTNTS | New York Telephone |
| | STOLER ELIAS A CPA | New York Telephone |
| | STORER SIDNEY A B | New York Telephone |
| | STRUCTURAL SLATE CO OFC | New York Telephone |
| | STURMAN ALBERTO B | New York Telephone |
| | SULLIVAN CORNELIUS J LWYR | New York Telephone |
| | SUSSKIND DAVID J ACCTNT | New York Telephone |
| | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | TAYLOR MOSELEY B | New York Telephone |
| | TAYLOR WHARTON LRON & STEEL CO | New York Telephone |
| | TEITELBAUM BENJ CPA | New York Telephone |
| | THOMAS EDMUND E RL EST | New York Telephone |
| | TRADE ASSOCIATES DESIGN | New York Telephone |
| | UDERWITZ HARRY ACCTNT | New York Telephone |
| | US QUARRY TILE CO | New York Telephone |
| | VAN TWISTEIN AGENCY INC INS | New York Telephone |
| | VEIT H A RL EST | New York Telephone |
| | VICTOR MICA CO | New York Telephone |
| | VILTER MFG CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1942 | WALSH JAS A B | New York Telephone |
| | WANNEMACHER LOUOS F INS | New York Telephone |
| | WASHINGTON STAR A PUB | New York Telephone |
| | WATTERSTON & CO CPA | New York Telephone |
| | WATTERSTON RODERICK J CPA | New York Telephone |
| | WEGG DAVID S ENGR | New York Telephone |
| | WEGG & ST LAURENT | New York Telephone |
| | WEINBERG DAVID N LWYR | New York Telephone |
| | WEINSTEIN CHAS A CPA | New York Telephone |
| | WELDING ENGNRNG SALES CORP | New York Telephone |
| | WENDELL & MACDUFFIE CO RAILWAY EQUIPMENT | New York Telephone |
| | WILKINS THOS M B | New York Telephone |
| | WILLIAMS STEPHEN G LWYR | New York Telephone |
| | WILWICK ENGINEERING CO INC | New York Telephone |
| | WINTERS MYRON B | New York Telephone |
| | WOODWARD JOHN B INC PUBLSHRS REP | New York Telephone |
| | YANKEE MAGAZINE | New York Telephone |
| | YEARWOOD IVAN L INS | New York Telephone |
| | YODER CO MARCHY BLDRS | New York Telephone |
| | YOUR SPORT | New York Telephone |
| | YUBA MFG CO | New York Telephone |
| 1938 | ABAGNALE ROY M CPA | New York Telephone |
| | ABRAMESCO H HARVEY ATTY | New York Telephone |
| | ACCORDION NEWS | New York Telephone |
| | ACKER FREDK E CO INC | New York Telephone |
| | ADAMS & BECKER CPA S | New York Telephone |
| | AFFILIATED FACTORS CO | New York Telephone |
| | AFFILIATED FACTORS CO | New York Telephone |
| | AGMESS J R ATTY | New York Telephone |
| | AGRICULTURAL LEADERS DIGEST | New York Telephone |
| | AIR CONDITIONING BLUE BOOK | New York Telephone |
| | ALGRAH MANAGEMT CORP | New York Telephone |
| | ALMEN ERIK N VACHTS | New York Telephone |
| | AMERICA SOUTH OF US | New York Telephone |
| | AMER INST OF PUBLIC OPINION | New York Telephone |
| | AMER LAWYERS CO | New York Telephone |
| | AMER VALVE & METER CO FOREIGN SALES DEPT | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1938 | AMID DURON CO | New York Telephone |
| | ANDOVER ASSOCIATES INC | New York Telephone |
| | ANNAPOLIS YACHT YARD INC | New York Telephone |
| | APFEL CHAS L ATTY | New York Telephone |
| | AQUABAR WATRPRFG PRODS INC | New York Telephone |
| | ARABOL MFG CO PASTE | New York Telephone |
| | ARCHIBALD RANDOLPH E ARCHT | New York Telephone |
| | ARMSTRONG LANCELOT ATTY | New York Telephone |
| | ARNOLD S W INS | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF NY | New York Telephone |
| | ATTERBURY BROS ISC PAPER MFRS SUP | New York Telephone |
| | ATTERBURY HOWARD E B | New York Telephone |
| | AUTOMATIC HEAT & AIR CONDITIONING A PUB | New York Telephone |
| | BACAS GATES & POTTER AECTNTS | New York Telephone |
| | BACAS P E CPA | New York Telephone |
| | BALTIMORE SUN A PUB | New York Telephone |
| | BAIMBER WM C B | New York Telephone |
| | BAUMAN WM ATTY | New York Telephone |
| | BEACH INVESTING CO | New York Telephone |
| | BECKER JOHN H CPA | New York Telephone |
| | BELROSE REALTY CO APARTMENT HOUSES | New York Telephone |
| | BERKWIT J C & CO INC | New York Telephone |
| | BERKWIT JOS C BRKR | New York Telephone |
| | BERNHARD CAROLINE ACETNT | New York Telephone |
| | BERNHARD CAROLINE ACETNT | New York Telephone |
| | BERSCH W PAPERS | New York Telephone |
| | BERSCHCRAFT CO ADVTG | New York Telephone |
| | BERSON ALVIN H TAX CONSLTNT | New York Telephone |
| | BERSON RALPH B | New York Telephone |
| | BILT-WELL CONTRACTING CO | New York Telephone |
| | BLEMLY JOHN J INS | New York Telephone |
| | BLOOMINGTON LIMESTONE CORP | New York Telephone |
| | BLUM LOUIS D CPA | New York Telephone |
| | BLUM LOUIS D & CO CPAS | New York Telephone |
| | BLUMENSTOCK N CPA | New York Telephone |
| | BOLTON EDW D LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1938 | BONDED CONST CORP | New York Telephone |
| | BOSTON GLOBE A PUB ADVTG | New York Telephone |
| | BTOMLEY JOHN F RL EST | New York Telephone |
| | BOWERY SAVINGS BANK MAIN OFFICE | New York Telephone |
| | BOWLER ROBT A B | New York Telephone |
| | BOYCE W D CO PUBRS | New York Telephone |
| | BOYD JAS MORTGE INS | New York Telephone |
| | BOYNE WALTER J B | New York Telephone |
| | BRACCO VINCENT A LWYR | New York Telephone |
| | BIANDCHAFT HARRY L LWYR | New York Telephone |
| | BREDING S A B | New York Telephone |
| | BRIER ALBERT J ATTY | New York Telephone |
| | BRITWITZ MEYER LWYR | New York Telephone |
| | BRODY AFTER M INS | New York Telephone |
| | BRODY & JARDINE INC INS | New York Telephone |
| | BROOKWORTH CO INC | New York Telephone |
| | BRUERE HENRY PRE | New York Telephone |
| | BUCHAN H B B | New York Telephone |
| | BUFF & POLISHING WHEEL MFRS ASSN | New York Telephone |
| | BUGBEE WALDO E B | New York Telephone |
| | BUSHMAN ANNETTE B | New York Telephone |
| | CALARCO ANTHONY D ATTY | New York Telephone |
| | CALLAHAN WM P ARCHT | New York Telephone |
| | CALMUR & CO INC | New York Telephone |
| | CAMERON LORNE A ORGANIZATIOS ADVTG | New York Telephone |
| | CAMP FIRE GIRLS MANH COUNCIL | New York Telephone |
| | CAMPFIRE GIRLS MANH COUNCIL | New York Telephone |
| | CARROLL DAN A PUBS REP | New York Telephone |
| | CHAIN STORE MANAGEMT ADVERTISING DEPT | New York Telephone |
| | CHASE HENRY WHEELER INVSTMT CONSLTNT | New York Telephone |
| | CLEVELAND PLAIN DEALERS ADVTG | New York Telephone |
| | CLOVERLEAF AMER REVIEW | New York Telephone |
| | COHEN ABRAHAMN ATTY | New York Telephone |
| | COHEN SOL WALTER LWYR | New York Telephone |
| | COMMUNICATION ENGNRRNRIG CORP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1938 | CONNER HARRY J DETECTIVE AGENCY INC | New York Telephone |
| | CONSOLIDATD CAR FENDER CO | New York Telephone |
| | CONWAY JOS J INS | New York Telephone |
| | COOPER CONST CO | New York Telephone |
| | CORCILLO ANGELO A LWYR | New York Telephone |
| | COUNCILOR & BUCHANAN CPA | New York Telephone |
| | COWAN LOUIS BLDR | New York Telephone |
| | CROFT STEEL WINDOWS INC | New York Telephone |
| | CROMBIE J A JR BUS INS | New York Telephone |
| | CROWN LITHOGRAPH & PRNTNG CO | New York Telephone |
| | CURLEY W P B | New York Telephone |
| | CUSHMAN H B CO RL EST | New York Telephone |
| | CUSHMAN HORBROOK B RL EST | New York Telephone |
| | DALEY WM H JR INS | New York Telephone |
| | DALLAS NEWS JOURNAL | New York Telephone |
| | DANIELSON & FINDING ATTYS | New York Telephone |
| | DANIELSON SIDNEY ATTY | New York Telephone |
| | DANZIG METVIN ATTY | New York Telephone |
| | DANZIGER SIDNEY B | New York Telephone |
| | DAUNT WM A B | New York Telephone |
| | DAVID GEO B CO PUBRS REPS | New York Telephone |
| | DAVID & KENT CO NWSPAPR REPS | New York Telephone |
| | DEADY & PRINZING ACCTNTS | New York Telephone |
| | DEIGNAN JAS H LWYR | New York Telephone |
| | DERWIN HARRY CPA | New York Telephone |
| | DE YOUNG SOL LWYR | New York Telephone |
| | DOBKIN EDW ATTY | New York Telephone |
| | DOMESTIC ENGNRNG | New York Telephone |
| | DOMINITZ HYMAN LWYR | New York Telephone |
| | DONNALLY JOHN C B | New York Telephone |
| | DU BOIS PRESS | New York Telephone |
| | EASTERN RY SUPLS INC | New York Telephone |
| | EDMONDS LANGER ELEC CO | New York Telephone |
| | EIDLITZ ERNEST FREDK LWYR | New York Telephone |
| | EIDLITZ FRENCH & SULLIVAN LWYRS | New York Telephone |
| | EIDLITZ & HULSE LWYRS | New York Telephone |
| | ELM CITY RUBBER CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1938 | EQUAL REPRESENTATION OF WOMEN
IN JUDICIARY LEAGUE | New York Telephone |
| | ERICKSON HENRY W B | New York Telephone |
| | EVANS J L B | New York Telephone |
| | EXECUTIVE ENGINEERS INC | New York Telephone |
| | FARRELL LEES ASSOCIATES | New York Telephone |
| | FEDERAL LIFE & CASUALTY CO | New York Telephone |
| | FEDERAL SCHLS INC | New York Telephone |
| | FEHIMAN FRANK E ADVTG | New York Telephone |
| | FEIERMAN ALEXNDR LWYR | New York Telephone |
| | FELD A SPENCER LWYR | New York Telephone |
| | FELD SAML J S ATTY | New York Telephone |
| | FELDMAN BEN J ATTY | New York Telephone |
| | FERRETTI VINCENT E ATTY | New York Telephone |
| | FIEGEL ADVTG CO | New York Telephone |
| | FINDLING DAVID P ATTY | New York Telephone |
| | FINK J G LWYR | New York Telephone |
| | FIREY LEWIS M B | New York Telephone |
| | FISHER HAROLD L LWYR | New York Telephone |
| | FISHER HAROLD L LWYR | New York Telephone |
| | FOREIGN INTERNATL BOOK CO | New York Telephone |
| | FOREIGN MARKETING CORP | New York Telephone |
| | FORGIE JAS R INS | New York Telephone |
| | FORGIONE NICHOLAS E INS | New York Telephone |
| | FOX CHESHIRE F RL EST | New York Telephone |
| | FRANK BERNHARD H CPA | New York Telephone |
| | FREE JOHNS & FIELD RADIO | New York Telephone |
| | FREE & PETERS INC RADIO | New York Telephone |
| | FREIDIN JESSE ATTY | New York Telephone |
| | FRENCH HARRY N LWYR | New York Telephone |
| | FRENCH JOHN H CO CONTRS &
ENGNRS | New York Telephone |
| | FRUCHTERMAN S H RL EST | New York Telephone |
| | FURNITURE DISCOUNT CO FINANCE | New York Telephone |
| | GARDSMOE H L | New York Telephone |
| | GALLUP GEO B | New York Telephone |
| | GARFINKEL CHAS ATTY | New York Telephone |
| | GATES HAROLD T CPA | New York Telephone |
| | GEM INDUSTRL CORP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1938 | GERBER LEO J LWYR | New York Telephone |
| | GIRDLER CORP | New York Telephone |
| | GLADSTONE A I LWYR & CPA | New York Telephone |
| | GLADSTONE A I & CO CPA S | New York Telephone |
| | GLADSTONE MARK M ACCTNT | New York Telephone |
| | GLEIT REUBEN E ATTY | New York Telephone |
| | GOLDMAN A ATTY | New York Telephone |
| | GOLDSTONE JOHN L L LWYR | New York Telephone |
| | GOODSTEIN HARRY RL EST | New York Telephone |
| | GRAHAM MFG CO | New York Telephone |
| | GRAMERCY DEVELOPMENT CORP | New York Telephone |
| | GRAY KNOX MARBLE CO MOMULUTI DEPT | New York Telephone |
| | GREATER NY-J MILK LNST INC | New York Telephone |
| | GREATER NY WRECKING CORP | New York Telephone |
| | GREBS EDW LWYR | New York Telephone |
| | GREEN CONST CO | New York Telephone |
| | GREENSTEIN HERNSAN C ATTY | New York Telephone |
| | GRIFFITHS K F & CO CHEMCLS | New York Telephone |
| | GRUBER LEO O ATTY | New York Telephone |
| | GUARANTY CONTRACTG CO BLDRS | New York Telephone |
| | GULICK CHAS L B | New York Telephone |
| | GULICK CHAS L CO EXPTS | New York Telephone |
| | GULICK CHAS L CO SALES AGCY | New York Telephone |
| | GULICK WILSON M B | New York Telephone |
| | GUTTELMAN MORRIS A CPA | New York Telephone |
| | HAMERSCHLAG MFG CO PAPER MFRS | New York Telephone |
| | HARGOOD LEASING CORP | New York Telephone |
| | HARNED DANL DE V ATTY | New York Telephone |
| | HARRISBURG STEEL CORP | New York Telephone |
| | HARRISON MILTON W OFC | New York Telephone |
| | HATCH CHAS H B | New York Telephone |
| | HEISLER LOCOMOTIVE WKS DOMESTIC | New York Telephone |
| | HELGESEN L O CO CONST MATLS | New York Telephone |
| | HERINGTON PERCY R B | New York Telephone |
| | HERTZ I B | New York Telephone |
| | HILL ADVTG SPECIALTIES CO | New York Telephone |
| | HILL CONST CORP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1938 | HILL WM J PRNTNG | New York Telephone |
| | HOLZMAN ALFRED DENTIST | New York Telephone |
| | HOOSIER SATNDSTONSE CO | New York Telephone |
| | HORROCKS DESK CO | New York Telephone |
| | HULNICK LOUIS A ATTY | New York Telephone |
| | HUTNER DANL ATTY | New York Telephone |
| | HUTNER & HUTNER ATTYS | New York Telephone |
| | HUTNER MILTON ATTY | New York Telephone |
| | HYDRO-BAR WATRPRFG CO INC | New York Telephone |
| | ITALO AMER RADIO
COURMENTATORS & ADVERTISERS
CORP | New York Telephone |
| | JARDINE A J INS | New York Telephone |
| | JARMAN G W JR B | New York Telephone |
| | JASPEI & HERINGTON INC ACCTNTS | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS | New York Telephone |
| | JONAH ALBERT L CPA | New York Telephone |
| | KALMAN FLOOR CO | New York Telephone |
| | KANNER & LEVY ATTYS | New York Telephone |
| | KANNER VEE ATTY | New York Telephone |
| | KAPLAN S JWLRY CO INC | New York Telephone |
| | KAPLAN S JWLRY CO INC | New York Telephone |
| | KAYLOR W G FORGN SALS | New York Telephone |
| | KEHOE PLASTERING CO | New York Telephone |
| | KELLOGG MFG CO BRUSHES | New York Telephone |
| | KELLY WALTER H B | New York Telephone |
| | KEMPER-THOMAS CO THE ADVTG
SPCLTS | New York Telephone |
| | KING GEO CO INC CASTNGS | New York Telephone |
| | KLEINER & BRITWITZ LWYRS | New York Telephone |
| | KLEINER JOS LWYR | New York Telephone |
| | KLEINER MICHL LWYR | New York Telephone |
| | KLOTH LOUIS INS | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KOCH CHRIS H STATE | New York Telephone |
| | KOPP ELIAS INS | New York Telephone |
| | KOTULA JOSEF ARTST | New York Telephone |
| | KRAMER H & CO METALS | New York Telephone |
| | KRONISH ALBERT B ATTY | New York Telephone |
| | KRULL ARTHUR ATTY | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1938 | KUHNS M S & CO | New York Telephone |
| | KULKIN JOS S LWYR | New York Telephone |
| | LANCASTER LENS CO | New York Telephone |
| | LANCASTER ROBT E B | New York Telephone |
| | LANCASTER ROBT E & CO INC | New York Telephone |
| | LANDAU SIEGFRIED INC INS | New York Telephone |
| | LANGER HARRY L B | New York Telephone |
| | LARKIN MARTIN P ACCTNT | New York Telephone |
| | LARKIN THOS C LWYR | New York Telephone |
| | LARSEN DAVID B | New York Telephone |
| | LEAGUE FOR A WOMAN PRESIDENT &
OTHER PUBLIC OFFICE | New York Telephone |
| | LEAROYD E S INC INS | New York Telephone |
| | LEAROYD TANNER & CAPE INC INS | New York Telephone |
| | LEATHERBUTY A P B | New York Telephone |
| | LEES W THOMSON B | New York Telephone |
| | LELAND & QUINLAN AGENCY INC INS | New York Telephone |
| | LENOX AGENCY INS | New York Telephone |
| | LENOX FACTORS CORP | New York Telephone |
| | LERNER AARON H LWYR | New York Telephone |
| | LERNER SAML ACCTNT | New York Telephone |
| | LEUSER VICTOR A CHAIRMAN | New York Telephone |
| | LEVINE MAX ATTY | New York Telephone |
| | LEVY BERNARD J ATTY | New York Telephone |
| | LEWIS J P CO PPR MFRS | New York Telephone |
| | LIFE OFFICE MANAGEMT ASSN | New York Telephone |
| | LILL THOS R CPA | New York Telephone |
| | LIPSCHITZ BROS ATTYS | New York Telephone |
| | LIPSCHITZ IRVING M LWYR | New York Telephone |
| | LIPSCHITZ MACY M LWYR | New York Telephone |
| | LIPSCHITZ SOL O LWYR | New York Telephone |
| | LITTLE A V CPA | New York Telephone |
| | LUNDELL ECKBERG MFG CO | New York Telephone |
| | LURIA IRVING M LWYR | New York Telephone |
| | LURIA MACY M LWYR | New York Telephone |
| | MACINTOSH WM B B | New York Telephone |
| | MACINTOSH WM B & CO INS | New York Telephone |
| | MAINE DEVELOPMENT CO | New York Telephone |
| | MANHATN LIFE INS CO HOME OFFICE | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1938 | MARGON LRVING ARCHT | New York Telephone |
| | MARGON LESTER DESGAR | New York Telephone |
| | MARIANO JOHN H LWYR | New York Telephone |
| | MARIANO SUSAN C LWYM | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARSHALL LEONARD L PUHRS REP | New York Telephone |
| | MARX EDW RL EST | New York Telephone |
| | MAULSBY WM S B | New York Telephone |
| | MAUSER CHAS ATTY | New York Telephone |
| | MCCORMICK CHAS R LUMBR CO | New York Telephone |
| | MEADOW BROOK CLUN WESTBURY N
Y | New York Telephone |
| | MELKER A R PAPER | New York Telephone |
| | MELKER A R CO PAPR | New York Telephone |
| | MELLOR FREDC W ARCHT | New York Telephone |
| | MEYERS HARRY BENSON ATTY | New York Telephone |
| | MIAMI VALLEY COATED PAPR CO
MNFRS | New York Telephone |
| | MICHAELSON MILTON C ATTY | New York Telephone |
| | MICHELET KARL B | New York Telephone |
| | MIDLAND CONTAINER CORP | New York Telephone |
| | MILK SVCE BUR | New York Telephone |
| | MILLER RALPH H LWYR | New York Telephone |
| | MILLS MARSHALL F B | New York Telephone |
| | MINNEAPOLIS TRIBUNE ADVTG | New York Telephone |
| | MINOR JOHN C B | New York Telephone |
| | MITCHELL THADDEEUS H CPA | New York Telephone |
| | MONTREAL DAILY STAR BUS OFF | New York Telephone |
| | MOOBERRY HENRY E B | New York Telephone |
| | MOTOR TRAFFIC SVCE CORP | New York Telephone |
| | MOWER CHAS D NAV ARCHT | New York Telephone |
| | MURRAY JOHN C LWYR | New York Telephone |
| | NATAMSA PUBLSHG CO | New York Telephone |
| | NATL ASSN OF WOMEN LAWYERS | New York Telephone |
| | NATL CAN CORP | New York Telephone |
| | NATL WASTE CO FOREIGN SALES
DEPT | New York Telephone |
| | NATURAL SLATE BLACKBOARD CO | New York Telephone |
| | NEARY JOHN W B | New York Telephone |
| | NELSON CHRIS B INC NAV ARCHTS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1938 | NELSON REID & ALMEN INC NAV ARCHTS | New York Telephone |
| | NY MILK CONFERENCE BD | New York Telephone |
| | NY OIL BURNER CO | New York Telephone |
| | NEWSPAPER AUDIT & RESEARCH BUR | New York Telephone |
| | NORTHWESTERN DRUGGIST | New York Telephone |
| | NU FORM ENGNRNG CORP | New York Telephone |
| | OCONNOR J J RL EST | New York Telephone |
| | OESTERREICH HENRY E B | New York Telephone |
| | OLIVER FRED N B | New York Telephone |
| | ONE HUNDRED TEN EAST FORTY SECOND ST BLDG | New York Telephone |
| | OSBORN NORMAN E INS | New York Telephone |
| | O SULLIVAN D A BLDRS | New York Telephone |
| | O SULLIVAN-HARNEY CO BLDRS | New York Telephone |
| | PACIFIC ATLANTIC LUMBR CORP | New York Telephone |
| | PALEY MORRISON P ATTY | New York Telephone |
| | PAPE JOS INC CONTRS | New York Telephone |
| | PATTERSON FRANK MTGS | New York Telephone |
| | PENCOYD ENGNRNG CO INC | New York Telephone |
| | PERKINS JAS M ARTST | New York Telephone |
| | PETERS H PRESTON B | New York Telephone |
| | PHILA ROLL & MACH CO | New York Telephone |
| | PICARIELLO E JOS ATTY | New York Telephone |
| | PICKETT ARTHUR D B | New York Telephone |
| | PLUMBING & HEATING CATALOG | New York Telephone |
| | PLUMBING & HEATING NEWS | New York Telephone |
| | POLITZER LEO D LWYR | New York Telephone |
| | POTTER HAMILTON F ACCTNT | New York Telephone |
| | POWELL E HENRY ATTY | New York Telephone |
| | POWER J BROWNSON MTGS | New York Telephone |
| | PRINZING JOHN F ACCTNT | New York Telephone |
| | PROFITABLE PROPERTY MODERNIZATIONS INST | New York Telephone |
| | PROWELL RICHD P JR LWYR | New York Telephone |
| | PUTNAM D W CO | New York Telephone |
| | QUINLAN JOHN T ATTY | New York Telephone |
| | QUINLAN & LELAND MTGS | New York Telephone |
| | QUINLAN & LELAND AGENCY INC INS | New York Telephone |
| | QUINLAN WM H MTGS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1938 | QUINN RALPH E PUBS | New York Telephone |
| | RUV ENGNRNG CORP | New York Telephone |
| | RADIO CINEMA CO UPTOWN OFC | New York Telephone |
| | RAILROAD SECURITY OWNERS ASSN INC | New York Telephone |
| | RANDOLPH ROBT LEE FURN | New York Telephone |
| | RANNI JAS G INS | New York Telephone |
| | RANNI JAS G & CO | New York Telephone |
| | RAPPAPORT ABRAHAM CPA | New York Telephone |
| | RATNER HARRY E ATTY | New York Telephone |
| | REHER WALTER INS | New York Telephone |
| | REICH BERNARD H LWYR | New York Telephone |
| | REID FREDK L YACHTS | New York Telephone |
| | REINHALTER J B MARBLE | New York Telephone |
| | ROCK A LILLIAN D ATTY | New York Telephone |
| | ROCK & CO INS | New York Telephone |
| | ROCK LILLIAN D ATTY | New York Telephone |
| | ROCK NATHAN L ATTY | New York Telephone |
| | RODBELL M M B | New York Telephone |
| | ROGERS WM J ARCHT | New York Telephone |
| | ROHL AUG W B | New York Telephone |
| | ROTH SIDNEY LWYR | New York Telephone |
| | ROWLAND FRANK L INS | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSSELL SNOW PLOW CO | New York Telephone |
| | ST LOUIS MULTIPLEX DISPLAY FIXT CO | New York Telephone |
| | ST PAUL DAILY NEWS | New York Telephone |
| | SALESON CHAS ATTY | New York Telephone |
| | SALZBERG & SALZBERG ACCTNTS | New York Telephone |
| | SALZBERG SIDNEY H CPA | New York Telephone |
| | SANDERS FRED C CPA | New York Telephone |
| | SANI-SAVE INC | New York Telephone |
| | SAVINGS BANK JOURNAL | New York Telephone |
| | SAVINGS BANKS ASSNU OF THE STATE OF NY | New York Telephone |
| | SCHAPIRO ERSNEST ATTY | New York Telephone |
| | SCHAPIRO JACOB J B | New York Telephone |
| | SCHAPIRO & SCHAPIRO ATTYS | New York Telephone |
| | SCHEINER ABRAHAM LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1938 | SCHELM BROS INC TRAILRS | New York Telephone |
| | SCHIER M B A DR OF | New York Telephone |
| | SCHILLINGER HARRY B ATTY | New York Telephone |
| | SCHORR JOSE LWYR | New York Telephone |
| | SECURITY OWNERS ASSN INC | New York Telephone |
| | SEDLIK NATHAN ATTY | New York Telephone |
| | SEIGLER HARRY M OIL LANDS | New York Telephone |
| | SEPARATIONS ENGNRNG CORP | New York Telephone |
| | SHAFFNER CHAS N B | New York Telephone |
| | SHALLER ABRAHAM L LWYR | New York Telephone |
| | SHAPIRO ABRAHARN ATTY | New York Telephone |
| | SHERRY JOHN H ATTY | New York Telephone |
| | SHOLEMSON BENJ ATTY | New York Telephone |
| | SIEGEL JOS G B | New York Telephone |
| | SILVERMAN SAML ACCTNT | New York Telephone |
| | SIMONS SI INS | New York Telephone |
| | SLUSSER-MCLEAN SCRAPER CO
FOREIGN SALES DEPT | New York Telephone |
| | SMITH A W B | New York Telephone |
| | SPANISH INFORMATION BUR | New York Telephone |
| | SPARTA CERAMIC CO TILES | New York Telephone |
| | SPENGLER A F CO | New York Telephone |
| | SPOKANE CHRONICLE | New York Telephone |
| | STAHL SAML S CPA | New York Telephone |
| | STANDARD INDRSTRL SVCE | New York Telephone |
| | STANDARD WAX & IMPORT CO | New York Telephone |
| | STEINERT HENRY N LWYR | New York Telephone |
| | STERN HARRY LWYR | New York Telephone |
| | STILWILL A H PUBRS IEP | New York Telephone |
| | STRUCTURAL ENGNRNG CORP | New York Telephone |
| | STRUCTURAL STATE CO OFF | New York Telephone |
| | SUGARMAN M CPA | New York Telephone |
| | SULLIVAN CORNELIUS J JR LWYR | New York Telephone |
| | SUTTON STEELE & STEELE INC
SEPRATRS | New York Telephone |
| | SWALLOW W SHELTON B | New York Telephone |
| | SYRON JOHN F LWYR | New York Telephone |
| | TAYLOR CHAIR CO | New York Telephone |
| | TAYLOR WHARTON IRON & STEEL CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1938 | TECK GOLDMAN & TECK ATTYS | New York Telephone |
| | TENNEY WALTER I PUBRS REP | New York Telephone |
| | TENNEY WOODWARD & CO INC
PUBRS REP | New York Telephone |
| | TEPFER HAROLD W ATTY | New York Telephone |
| | THOMAS EDMUND E RL EST | New York Telephone |
| | TIOGA STEEL & IRON CO | New York Telephone |
| | TITAN METAL PRODS CO | New York Telephone |
| | TRIBKEN BENNETT ADVTG | New York Telephone |
| | TRIMM FRED B ADVTG | New York Telephone |
| | TROY ROBT F CPA | New York Telephone |
| | TUBE TURNS INC PIPE FITGS | New York Telephone |
| | UDERWITZ HARRY ACCTNT | New York Telephone |
| | UNITED SAFETY LEAGUE INC | New York Telephone |
| | UPSON CO THE WALL BDS | New York Telephone |
| | VAN TWISTERN AGENCY INC BUS INS | New York Telephone |
| | VEIT H A RL EST | New York Telephone |
| | VICTOR MICA CO | New York Telephone |
| | VINCO WINE IMPORTING CO INC | New York Telephone |
| | VOGT PROCESSES INC | New York Telephone |
| | WALSH JAS A INDUSTR L SVCE | New York Telephone |
| | WANNEMACHER LOUIS F B | New York Telephone |
| | WASHINGTON STAR | New York Telephone |
| | WATKINS JAS Y SON KITCHNWARE | New York Telephone |
| | WATKINS W KENNETH ARCHT | New York Telephone |
| | WATKINS WALTER KITCHNWR | New York Telephone |
| | WATTERSTON & CO CPA | New York Telephone |
| | WATTERSTON RODERICK J CPA | New York Telephone |
| | WEGG DAVID S ENGR | New York Telephone |
| | WEINBERG DAVID N LWYR | New York Telephone |
| | WEINER LEE ENGR | New York Telephone |
| | WELDING ENGRNG SALES CORP | New York Telephone |
| | WENDELL & MAC DUFFIE CO RAILWAY
EQUIPMENT | New York Telephone |
| | WHARTON WM JR & CO | New York Telephone |
| | WHELAN PAUL MACK B | New York Telephone |
| | WHITE DUNCAN MC D JR RL EST | New York Telephone |
| | WILLIAMS STEPHEN G LWYR | New York Telephone |
| | WILWICK ENGRNG CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1938 | WOMAN FOR PRESIDENT & OTHER
PUBLIC OFFICE INC | New York Telephone |
| | WOMEN IN PUBLIC OFFICE LEADNG | New York Telephone |
| | WOOD HAIRY E RL EST | New York Telephone |
| | WOOD-HOPKINS INC RL EST | New York Telephone |
| | WOODWARD JOHN B INC PUBLSHRS
REP | New York Telephone |
| | WOODWARD RUSSEL B | New York Telephone |
| | YEARWOOD IVAN INS | New York Telephone |
| | YOUNG BENJ LWYR | New York Telephone |
| | YOUNG JAS C ED | New York Telephone |
| | YUBA MFG CO | New York Telephone |
| 1927 | ZAIMANT FRANK J UTTY | New York Telephone |
| | ACKER BENJ A PUB ACCT | New York Telephone |
| | ACKER FRED E INS | New York Telephone |
| | ACKER GREVEL INS | New York Telephone |
| | ACKER & BACAS ACCTS & AUDITORS | New York Telephone |
| | ADAMS EQUIPMNT CO | New York Telephone |
| | ADAMS JAS R CPA | New York Telephone |
| | AETNA CASUALTY & SURETY CO OF
HARTFORD CONN | New York Telephone |
| | AETNA LIFE INS CO OF HARTFORD
CONN | New York Telephone |
| | AJAX PAPER MILLS INC | New York Telephone |
| | ALEXIS E RL EST | New York Telephone |
| | AMER BANKERS ASSN | New York Telephone |
| | AMER BANKERS ASSN JOURNAL | New York Telephone |
| | AMER CEMENT & PLASTER CO | New York Telephone |
| | AMER INSTITUTE OF BANKING NATL
OFF | New York Telephone |
| | AMER INSTITUTE OF COMMERCIAL
GRADUATES | New York Telephone |
| | AMER LAWYERS CO | New York Telephone |
| | AMID DURON CO | New York Telephone |
| | ANTHONY RICHD C | New York Telephone |
| | ARABOL MFG CO | New York Telephone |
| | ARCTIC NU AIR CO | New York Telephone |
| | ASAHI THE | New York Telephone |
| | ASHLAND FIRE BRICK CO | New York Telephone |
| | ASSOCIATED ADJUSTMENT AGENCIES
INC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1927 | ASSOCIATED ADJUSTMENT AGENCIES INC | New York Telephone |
| | ASSOCIATED TRAVELERS INC | New York Telephone |
| | ASSN SAVINGS BANKS OF STATE OF N Y | New York Telephone |
| | ATLANTIC AIRCRAFT CORP | New York Telephone |
| | ATLAS COMBUSTION CO INC | New York Telephone |
| | ATTERBURY BROS INC PAPER MFRS SUP | New York Telephone |
| | ATTERBURY HOWARD E | New York Telephone |
| | AUTOMOBILE INS CO OF HARTFORD CONN | New York Telephone |
| | BACAS P E CPA | New York Telephone |
| | BALTIMORE SUN ADVTG- | New York Telephone |
| | BAMBER WM C | New York Telephone |
| | BANKS H W CO | New York Telephone |
| | BARTH MAX I | New York Telephone |
| | BAUMAN SYLVESTER J ARCHT | New York Telephone |
| | BEAVER BOARD COMPANIES | New York Telephone |
| | BEAVER PRODUCTS CO | New York Telephone |
| | BESTWALL MFG CO | New York Telephone |
| | BLUM LEWIS DAVID & CO | New York Telephone |
| | BLUM LOUIS DAVID & CO ACCTNT | New York Telephone |
| | BLUMENSTOCK M CPA | New York Telephone |
| | BOGERT CHESTER H INS | New York Telephone |
| | BOLLER W J RL EST | New York Telephone |
| | BONANNO JOS A INS | New York Telephone |
| | BOSTOSN GLOHE ADVTG | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | BOWERY SAVINGS BANK BLDG | New York Telephone |
| | BOYCE HARRISON H | New York Telephone |
| | BREDING S A | New York Telephone |
| | BRODY ALTER M INS | New York Telephone |
| | BROOKS T R INS | New York Telephone |
| | BROWN J G OFF | New York Telephone |
| | BROWN R R OFF | New York Telephone |
| | BUCKBEE BREHM CO | New York Telephone |
| | BUNGAY CHAS INS | New York Telephone |
| | BURBANK W C RL EST | New York Telephone |
| | BURBANK & VAN KEEGAN MFGS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1927 | BURGER L B COAL | New York Telephone |
| | BURGER L B COAL CO INC | New York Telephone |
| | BURNHAM RUFUS BRADFORD | New York Telephone |
| | BURNHAM & FISHLER INC ADVTG | New York Telephone |
| | BURNS CO | New York Telephone |
| | BURNS W F | New York Telephone |
| | BYRNES WM E | New York Telephone |
| | CARPENTER O G ADVTG | New York Telephone |
| | CARR H J | New York Telephone |
| | CARROLL DAN A PUBLSHRS REP | New York Telephone |
| | CARTER DADEN B RL EST | New York Telephone |
| | CATLOW JAS N LWYR | New York Telephone |
| | CHICAGO DAILY NEWS | New York Telephone |
| | CLARK JAS E | New York Telephone |
| | CLEVELAND PLAIN DEALER ADVTG A PUB | New York Telephone |
| | COEN M FRANCIS RL EST & INS | New York Telephone |
| | COHEN MORRIS L RL EST | New York Telephone |
| | COLAND CO INC RL EST | New York Telephone |
| | COMMODORE TRADING CORPN | New York Telephone |
| | CONSOLIDATED CAPITAL CO | New York Telephone |
| | CONSOLIDATED CAR FENDER CO | New York Telephone |
| | CONTINENTAL LITHOGRAPH CARP | New York Telephone |
| | COOLIDGE HOLDING CO INC | New York Telephone |
| | CORR SERVICE ERECTION CO | New York Telephone |
| | CORRUGATED BAR CO | New York Telephone |
| | CNTTRELL GEO H RL EST | New York Telephone |
| | COWAN TRUCK CO | New York Telephone |
| | CRAWFORD & ACKER INS | New York Telephone |
| | CRAWFORD & ACKER INS | New York Telephone |
| | CREWS CLARENCE M PTOLOST LAW | New York Telephone |
| | CUBA DISTILLING CO | New York Telephone |
| | CULLEN-FRIESTEDT CO CRANES | New York Telephone |
| | DARLING HAROLD INS | New York Telephone |
| | DAUNT WM A | New York Telephone |
| | DAUNT WM A CO INC METL & GL PROD | New York Telephone |
| | DAVID GEO B PUB REP | New York Telephone |
| | DAVID GEO B CO INC PUB REP | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | DAY EDW B | New York Telephone |
| | DEIGNAN JAS H LWYR | New York Telephone |
| | DELAMATER PERCY G SECTY | New York Telephone |
| | DEL MAR ALEXANDER COL | New York Telephone |
| | DENNI FRANK A INS | New York Telephone |
| | DIAMOND CARBONT BLACK CORP | New York Telephone |
| | DIAMOND HAROLD S | New York Telephone |
| | DIAMOND SIDNEY R LWYR | New York Telephone |
| | DOMESTIC ENGINEERING | New York Telephone |
| | DRURY CHAS K MFRS AGT | New York Telephone |
| | EIDLITZ & HULSE LWYRS | New York Telephone |
| | ELLIWOOD H MAX INS | New York Telephone |
| | EMPIRE STATE ASSETS INC | New York Telephone |
| | FEDERAL SCHOOLS INC | New York Telephone |
| | FELLOWS HAROLD A TRAVELING SECTY | New York Telephone |
| | FENLON EDW J INS | New York Telephone |
| | FERGUSON IRVING B CPA | New York Telephone |
| | FIELD C DE P CO | New York Telephone |
| | FINK JOS G LWYR | New York Telephone |
| | FINUCANE D J SNT COPPR | New York Telephone |
| | FINUCANE & MACFIE SHEET COPPER | New York Telephone |
| | FISHLER BENNETT H | New York Telephone |
| | FITZWILSON WM G | New York Telephone |
| | FLAGG WILLIAM F | New York Telephone |
| | FLEISHER B W | New York Telephone |
| | FLORIDA KEYS BOND & MORTGAGE CO | New York Telephone |
| | FOKKER A H G | New York Telephone |
| | FOKKER AIRCRAFT CORP | New York Telephone |
| | FOREIGN LANGUAGE PUBLISHERS ASSN OF U S INC | New York Telephone |
| | FOUNTAIN ALFRED E JR ADVTG | New York Telephone |
| | FRENSCH HARRY N LWYR | New York Telephone |
| | GATHARD J W | New York Telephone |
| | GERARD CHAS H INS | New York Telephone |
| | GODDARD FRED T INS | New York Telephone |
| | GOLF SERVICE BUREAU | New York Telephone |
| | GOOD J EDMUND | New York Telephone |
| | GOODWIN E G | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | GOODWIN SIDE BEARING CO | New York Telephone |
| | GORDON BANKERS PUBLICITY CORP | New York Telephone |
| | GORDON J MAXWELL | New York Telephone |
| | GOTHAM ASSOCIATES INC | New York Telephone |
| | GRAPHEX CO | New York Telephone |
| | GRAY KNOX MARBLE CO | New York Telephone |
| | GREENAWALT JOHN E MTALLGST | New York Telephone |
| | GRIFFIN WHEEL CO | New York Telephone |
| | GRIFFITHS K F BUFF CO | New York Telephone |
| | GRIFFITHS K F & CO CHEMICALS | New York Telephone |
| | GULICK CHAS L EXPT | New York Telephone |
| | GUNDLACH BRUTUS ARCHT | New York Telephone |
| | HAFELY SCHUYLER REID INS | New York Telephone |
| | HAHN JACOB H LWYR | New York Telephone |
| | HALBERSTADT JOS INS | New York Telephone |
| | HALBERSTADT JOS INS | New York Telephone |
| | HALE ARTHUR A | New York Telephone |
| | HALSEY LAFAYETTE INS | New York Telephone |
| | HAMILL G W | New York Telephone |
| | HAMPTON GRINDING WHEEL CO | New York Telephone |
| | HANCOCK JOHN MUTUAL LIFE INS CO | New York Telephone |
| | HANEMAN JOHN THEODORE ARCHITECT | New York Telephone |
| | HARNEY FRANK V BLDRS | New York Telephone |
| | HART & EUBANK INS | New York Telephone |
| | HARTNEY REALTY CO INC | New York Telephone |
| | HASKELL GLENN | New York Telephone |
| | HAVERY HARRY G RL EST | New York Telephone |
| | HELLIER CHAS E LWYR | New York Telephone |
| | HELLIER EDWARD W | New York Telephone |
| | HELLIER WALTER H | New York Telephone |
| | HENEMIER BERTRAM M RL EST | New York Telephone |
| | HENSHAW C ALBERT CONVEYORS | New York Telephone |
| | HEWSON CARTER & COTTRELL INC RL EST MORTG | New York Telephone |
| | HEWSON WM LEAKE RL EST | New York Telephone |
| | HILL RICHARD W | New York Telephone |
| | HOFF SAML LWYR | New York Telephone |
| | HOFFMANN WM F TRES | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1927 | HOPPER ROBT LWYR | New York Telephone |
| | HOUSEHOLD UTILITIES BUR INC | New York Telephone |
| | HOWARD JOHN A | New York Telephone |
| | HULSE FREDERICK LAWYER | New York Telephone |
| | HYDROTATOR CO INC | New York Telephone |
| | INDIANAPOLIS NEWS | New York Telephone |
| | INNET EDW S ASST COMPT | New York Telephone |
| | JAPAN ADVERTISER TOKYO | New York Telephone |
| | JIJI SHIMPO THE | New York Telephone |
| | JOHN HANCOCK MUTUAL LIFE INS CO | New York Telephone |
| | - | |
| | JOHNSON PAUL E | New York Telephone |
| | JONES ROBT HOLCOMBE RL EST
BRKR | New York Telephone |
| | JONES ROBT HOLCOMBE CO RL EST | New York Telephone |
| | JOYCE GEO J LAWYR | New York Telephone |
| | JOYCE & O DWYER ATTYS-AT-LAW | New York Telephone |
| | KALMAN FLOOR CO INC | New York Telephone |
| | KALMAN STEEL CO INC | New York Telephone |
| | KATZ HERMAN LWYR | New York Telephone |
| | KEITHLEY F D PUB ACCT | New York Telephone |
| | KELLY WM A LWYR | New York Telephone |
| | KIMBALL ABBOTT ADVTG | New York Telephone |
| | KIMBALL ABBOTT ADVTG | New York Telephone |
| | KINNEAR W S & CO ENGRS | New York Telephone |
| | KNOX HERBERT A LWYR | New York Telephone |
| | KNOX & DEIGNAN LWYRS | New York Telephone |
| | KRAMER PETER E INS | New York Telephone |
| | KRAUTKRAMER A F INS | New York Telephone |
| | KRUMING M J ADVTG | New York Telephone |
| | KUHNS M S & CO | New York Telephone |
| | KYBURG HENRY E RL EST | New York Telephone |
| | LAND MARINE CORP THE | New York Telephone |
| | LANDES JULIUS E RL EST | New York Telephone |
| | LARKIN MARTIN P ACCTNT | New York Telephone |
| | LARKIN THOS C LWYR | New York Telephone |
| | LAVINO E J & CO PRES FERRO
ALLOYS | New York Telephone |
| | LEANDER DEVELOPMENST CORP | New York Telephone |
| | LERSNER VICTOR A PRES | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | LEVINE VICTOR LWYR | New York Telephone |
| | LEVY DAVID ARCHT | New York Telephone |
| | LEVY MEYER LWYR | New York Telephone |
| | LEWIS J P CO THE PAPER MFR | New York Telephone |
| | LICHTENSTEIN ARTHUR W LWYR | New York Telephone |
| | LINDERMAN GEO | New York Telephone |
| | LINTON STUART CHAS INS | New York Telephone |
| | LONEY FREDK R RL EST | New York Telephone |
| | LYDDON & HANFORD CO ADVTG | New York Telephone |
| | MACDUFFIE RUFUS L | New York Telephone |
| | MACFIE CHAS A SHT CPPR | New York Telephone |
| | MANDEL NATHAN LWYR | New York Telephone |
| | MANPORT REALTY CORP | New York Telephone |
| | MARCUS AARON LWYR | New York Telephone |
| | MARKLE JOS LWYR | New York Telephone |
| | MARSHALL JOHN L INS | New York Telephone |
| | MASON WADSWORTH PRODUCING & DISTRBTG CO INC | New York Telephone |
| | MAXWELL WM H JR | New York Telephone |
| | MCAULIFFE JOHN F INS | New York Telephone |
| | MCCARTHY & FELLOWS RL EST | New York Telephone |
| | MCCORMICK H S COAL | New York Telephone |
| | MCKAY DOUGLAS I | New York Telephone |
| | MCMILLAN CLARENCE LWYR | New York Telephone |
| | MEEHAN M F GOLF EXEC | New York Telephone |
| | MEEHAN M FRANK | New York Telephone |
| | MELKER A R PAPER | New York Telephone |
| | MENZIES PETER I ASST SECTY | New York Telephone |
| | MERRILL HOLDING CORP | New York Telephone |
| | MESSER A B | New York Telephone |
| | METAL PACKAGE CORP OFFICE | New York Telephone |
| | MIAMI VALLEY COATED PAPER CO MFG | New York Telephone |
| | MOORES & DUNFORD INC ENGNRS | New York Telephone |
| | MORGAN GEO E INS | New York Telephone |
| | MOSES EDMUND QUINCY LWYR | New York Telephone |
| | MOSES & NOLTE PATNT LWYRS | New York Telephone |
| | MULLIGAN FRANK J INS | New York Telephone |
| | MURPHY JAS LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------|--------------------|
| 1927 | NADLER HERBERT H INS BRKR | New York Telephone |
| | NATL EXPT ADVTG SERV INC | New York Telephone |
| | NELSON DAVID J CPA | New York Telephone |
| | N Y BUFF CO | New York Telephone |
| | N Y MILK CONFERENCE BOARD INC | New York Telephone |
| | NOLTE ALBERT C PATENT LAWYER- | New York Telephone |
| | O DWYER WM LWYR | New York Telephone |
| | OESTERREICH HENRY E | New York Telephone |
| | O LEARY ARTHUR WOOD INS | New York Telephone |
| | O SULLIVAN D A BLDRS | New York Telephone |
| | O SULLIVAN HARNEY CO INC BLDRS | New York Telephone |
| | OTIS FRANCIS J OFF | New York Telephone |
| | PAMSONS MARSELIS C | New York Telephone |
| | PARSONS TRADING CO PAPER MCHS | New York Telephone |
| | PATON THOS B GENL COUNSEL | New York Telephone |
| | PEABODY ENGRNG CORP | New York Telephone |
| | PEABODY ERNEST H | New York Telephone |
| | PHILA NORTH AMER ADVTG | New York Telephone |
| | PHILA ROLL & MACHINE CO | New York Telephone |
| | PHILLIPS HAROLD MOORE PUB | New York Telephone |
| | ACCTNT | |
| | PHOENIX COMMERCIAL CO | New York Telephone |
| | PLEW & MOTTER CO | New York Telephone |
| | PORTMAN ISAAC RL EST | New York Telephone |
| | PORTO RICO MERCANTILE CO | New York Telephone |
| | POUCHER DAVID A | New York Telephone |
| | POWELL WM B ADVTG | New York Telephone |
| | QUILLIARD G V | New York Telephone |
| | RANDLE PEYTON RL EST INVSTMNTS | New York Telephone |
| | REGAN JOHN T RL EST | New York Telephone |
| | REIMOLD A G H | New York Telephone |
| | REINHALTER J B MARBLE | New York Telephone |
| | REMICK W L | New York Telephone |
| | RIDER ERICSSON ENGINE CORP | New York Telephone |
| | RITCH-HUGHES CO INS | New York Telephone |
| | RITCH-HUGHES CO INS | New York Telephone |
| | ROBBINS HARRY PELHAM OFF | New York Telephone |
| | ROBINSON F L ARCHT | New York Telephone |
| | ROCHLING STEEL CO | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1927 | ROGERS WM J ARCHT | New York Telephone |
| | ROGERS & HANEMAN ARCHTS | New York Telephone |
| | RUDY JACOB M LWYR | New York Telephone |
| | RUSSELL CAR & SNOW PLOW CO | New York Telephone |
| | SAFEGUARD ACCOUNT CO | New York Telephone |
| | SANI SAVE CORP | New York Telephone |
| | SAVINGS BANKS ASSN OF THE STATE OF NY | New York Telephone |
| | SCHAEFER CO RL EST | New York Telephone |
| | SCHOOL OF FOREIGN TRAVEL INC | New York Telephone |
| | SCHWARTZ EMANUEL LWYR | New York Telephone |
| | SCOTT CHAS F | New York Telephone |
| | SEABOARD AUDIT CO | New York Telephone |
| | SEABORG JOS A | New York Telephone |
| | SEIDMORE REALTY CORP | New York Telephone |
| | SERAPHINE P J | New York Telephone |
| | SHAFFNER CHAS N | New York Telephone |
| | SHEPHERD F N | New York Telephone |
| | SHERMAN C AUSTIN JR | New York Telephone |
| | SHERMAN FLAGG & CO RL EST | New York Telephone |
| | SIMMONS CO BEDS & STEEL FURN | New York Telephone |
| | SIMMONS JEROME LWYR | New York Telephone |
| | SIMMONS L A MOTTOES | New York Telephone |
| | SINGER DANL J INC INS | New York Telephone |
| | SINGER DANL J INC INS | New York Telephone |
| | SMALLEY ROBERT A ADVTG | New York Telephone |
| | SMITH LEWIS FIBRE CAN CORP MFRS | New York Telephone |
| | SRERE PULP & PAPER CO INC | New York Telephone |
| | STANDARD COUPLER CO | New York Telephone |
| | STANDARD REMEDIES | New York Telephone |
| | STANDARD SAFETY TREAD CORP | New York Telephone |
| | STANDARD WAX & IMPT CO | New York Telephone |
| | STEINERT HENRY N LWYR | New York Telephone |
| | STEINHOUSE ROBT H ASST SECY | New York Telephone |
| | STENHOUSE JAS A COMPT | New York Telephone |
| | STETSON RALPH G LWYRS | New York Telephone |
| | STEUBING TRUCK CO LIFT TRUCKS | New York Telephone |
| | STEWART WM J OFF | New York Telephone |
| | STOLZ IRVING H LWYR | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | STUART-LINT CHAS INS | New York Telephone |
| | STUEBING-COWAN CO LIFT TRCKS | New York Telephone |
| | STUEBING TRUCK CO LIFT TRUCKS | New York Telephone |
| | SUFFOLK SEP-TANK SYSTEMS INC | New York Telephone |
| | SUGARMAN M CPA | New York Telephone |
| | SULLIVAN CORNELIUS J JR LAWYER | New York Telephone |
| | TABOR M B INS | New York Telephone |
| | TAYLOR C STANLEY OFF | New York Telephone |
| | TAYLOR WHARTON IRON & STEEL CO | New York Telephone |
| | TECHNO CHEMICAL CORP | New York Telephone |
| | THETA CHI FRATERNITY EX OFF | New York Telephone |
| | THOMAS HUGH E INS | New York Telephone |
| | TIOGA STEEL & IRON CO | New York Telephone |
| | TRANS PACIFIC ADVERTISING &
SERVICE BUREAU | New York Telephone |
| | TROWBRIDGE ALEX B CONSLTG
ARCHT | New York Telephone |
| | TUTTLE BURGER COAL CO | New York Telephone |
| | UNION METAL MFG CO | New York Telephone |
| | U S GOLF ASSN | New York Telephone |
| | U S INDUSTRIAL ALCOHOL CO | New York Telephone |
| | U S INDUSTRIAL CHEMICAL CO | New York Telephone |
| | UNITY PAPER MILLS INC | New York Telephone |
| | UPSON CO THE WALL BDS | New York Telephone |
| | VALERIA HOME INC THE | New York Telephone |
| | VANILLA LABORATORIES INC | New York Telephone |
| | VAN KEEGAN B H MTGS | New York Telephone |
| | VEIT H A RL EST | New York Telephone |
| | WADSWORTH MASON MOTION
PICTURES | New York Telephone |
| | WADSWORTH MASON PRODUCING &
DISTRBTG | New York Telephone |
| | WALLACE & FLOREY PUB STENOS | New York Telephone |
| | WALLINGFORD DANL K | New York Telephone |
| | WARD FREDERICK J CORP | New York Telephone |
| | WASHINGTON STAR | New York Telephone |
| | WATROUS E L GALVANIZING CO | New York Telephone |
| | WATTERSTON RODERICK J CPA | New York Telephone |
| | WATTERSTON & CO | New York Telephone |
| | WEBB JAS A & SON INC | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1927 | WEBER HENRIETTE | New York Telephone |
| | WEISS JOS L INS | New York Telephone |
| | WENDELL & MAC DUFFIE CO RY EQPT | New York Telephone |
| | WESTERN UNION TELEGRAPH CO | New York Telephone |
| | WHARTON WM JR & CO | New York Telephone |
| | WHARTON WM JR & CO | New York Telephone |
| | WHERRITT MACKINTOSH | New York Telephone |
| | WHITAKER M C | New York Telephone |
| | WHITMORE MFG CO PAPER | New York Telephone |
| | WHOLEAN WM J LWYR | New York Telephone |
| | WILLEY S C | New York Telephone |
| | WILLEY STANLEY A | New York Telephone |
| | WILLIAMS CHAS A | New York Telephone |
| | WILSOPH REALTY CO INC | New York Telephone |
| | WINSLOW E DE FORREST | New York Telephone |
| | WOLFE ALAN L RL EST | New York Telephone |
| | WOLFE ALAN & CO RL EST MORTGES | New York Telephone |
| | WOODWARD JOHN B | New York Telephone |
| | WARDEN BEVERLY L | New York Telephone |
| | WORKMAN MANUFACTURING CO | New York Telephone |
| | WRIGHT HOWARD D MGR | New York Telephone |
| | WYLE ELIZ R INS | New York Telephone |
| | YOUNGTOWN PRESSED STEEL CO
FACTORY EQUIP DEPT | New York Telephone |
| | ZAHM GEO D LWYR | New York Telephone |
| | ZENITHERN GO WALL & FLOOR
COVERING | New York Telephone |

111 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1983 | COMMODORE CAMERA INC | New York Telephone |
| | MODELL S- | New York Telephone |
| 1978 | COMMODORE CAMERA INC | New York Telephone |
| | COMMODORE CAMERAS INC | New York Telephone |
| | HENRY MODELL BI | New York Telephone |
| | SIXTY NINE CENTS SHOPS | New York Telephone |
| | VANDERLEX MDSE CO INC | New York Telephone |
| 1973 | COMMODORE FLORIST INC | New York Telephone |
| | COSMOPOLITN STRUCTURAL SUCE
LTD | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1973 | DAVEGA T V & APPLNCE CO | New York Telephone |
| | HOTEL COMMODORE FLOWER SHOP | New York Telephone |
| | MODELL S-DAVEGA | New York Telephone |
| | SUPERIOR WOODWORKING CORP | New York Telephone |
| | WEGIER DECRATG COLNC | New York Telephone |
| | WEGIER INTERIORS & SUPL CO | New York Telephone |
| 1968 | COMMODORE FLORIST INC | New York Telephone |
| | COSMOPOLITN STRUCTURAL SVCE LTD | New York Telephone |
| | DAVEGA TV & APPLNCE CO | New York Telephone |
| | HOTEL COMMODORE FLOWER SHOP | New York Telephone |
| | MODELL-DAVEGA CMRAS | New York Telephone |
| | SUPERIOR WOODWORKING CORP | New York Telephone |
| 1963 | WEBIER DECRATO CO IND | New York Telephone |
| | WEGIER INTERIORS & SUPL CO | New York Telephone |
| | COMMODORE FLORIST INC | New York Telephone |
| | COSMOPOLITN STRUCTURAL SVCE LTD | New York Telephone |
| | DAVEGA STORES CORP RADIO SPORTNG GDS | New York Telephone |
| | HOTEL COMMODORE FLOWER SHOP | New York Telephone |
| 1958 | WEGIER DECORATG CO INC | New York Telephone |
| | WEGIER INTERIORS & SUPL CO | New York Telephone |
| | RADIO CIRCULAR CO INC | New York Telephone |
| | HEATON FRED R FIRST | New York Telephone |
| | WEGIER DECORATO CO INC | New York Telephone |
| | WEGIER INTERIORS & SUPL CO | New York Telephone |
| 1956 | DAVEGA STORES CORP RADIO SPORTNG GDS- | New York Telephone |
| | SCHOVERLING DALY & GALES | New York Telephone |
| | DAVEGA STORES CORP RADIO SPORTNG GDS | New York Telephone |
| | HEATON FRED R FIRST | New York Telephone |
| | RADIO CIRCULAR CO INC | New York Telephone |
| | SCHOVERLING DALY & GALES | New York Telephone |
| 1950 | DAVEGA STORES CORP RADIO SPORTRG GDS | New York Telephone |
| | HEATON FRED R HRST | New York Telephone |
| | RADIO CIRCULAR CO INC | New York Telephone |
| | SCHOVERLING DALY & GALES | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1947 | DAVEGA CITY RADIO INC RADIO SPORTING GDS | New York Telephone |
| | HEATON FRED R FIRST | New York Telephone |
| | MONTAGUE & BARTETT INC | New York Telephone |
| | RADIO CIRCULAR CO INC | New York Telephone |
| | SCHOVERLING DALY & GALES | New York Telephone |
| 1942 | HEATON FRED R INC FIRSTS | New York Telephone |
| | QUINN PUBLSHG CO | New York Telephone |
| | RADIO CIRCULAR CO INC | New York Telephone |
| | SCHOVERLING DALY & GALES | New York Telephone |
| 1938 | DAVEGA-CITY RADIO INC RADIO-SPORTG GDS | New York Telephone |
| | HEATON FRED INC FIRSTS | New York Telephone |

112 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1993 | KALISH MARK L ATTY | NYNEX Telephone |
| 1973 | WEISMAN WM LWYR | New York Telephone |
| 1968 | PETT J ATTY | New York Telephone |
| 1963 | PAPERLYNEN CO CAOS | New York Telephone |
| 1950 | BK TRUSTEES | New York Telephone |
| | KINGSLEY DARWIN P JR B | New York Telephone |
| 1947 | ALCO VALVE CO | New York Telephone |

113 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|--------------------|
| 1968 | ELDORADO PICTURES INTERNAIL CORP | New York Telephone |
| 1963 | MERRITT & HARRIS CONSLTNTS | New York Telephone |
| 1950 | FRAZER ROBT OFC SVCE | New York Telephone |
| 1942 | HORN LEONARD L IWYR | New York Telephone |

114 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1968 | REAL ICE CREAM CO | New York Telephone |
| | BEAUMONT FABRICS INC | New York Telephone |
| 1950 | J&M TEXTILE CO INC | New York Telephone |
| | GOODMAN TRUKING L FURN | New York Telephone |
| 1942 | WYLE CLEMENT J B | New York Telephone |

FINDINGS

115 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------|--------------------|
| 1973 | CONNOR A A | New York Telephone |

117 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|--|
| 1931 | YOUNG WM C | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | SWEENEY GEO W | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | POWERS THOS E | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | POTTER HARRY A | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | MARSHALL RAYMOND W | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | BECKER ALF L | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | LOEB SIDNEY H | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | LEACH PHIL | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | HARWOOD CHAS | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | DAVIES JOHN R | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | BECKER LEOPOLD | Manhattan and Bronx Directory Publishing Company Residential Directory |
| | LEUTGART ARNOLD C | Manhattan and Bronx Directory Publishing Company Residential Directory |

119 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|--------------------|
| 1938 | ST LAURENT G C B | New York Telephone |

121 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1963 | BLAUNER ROBT A PRNTNG | New York Telephone |
| 1958 | EMPIRE MERCANTILE CO | New York Telephone |
| 1956 | CHEMOTECH ASSOCIATS CORP | New York Telephone |
| 1950 | VNDERBILT PASSAGEWAY GRANT CNT TERM | New York Telephone |
| 1947 | NEDICK S INC | New York Telephone |
| 1938 | BURGER VICTOR J B | New York Telephone |

FINDINGS

123 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1958 | SCHWARTZ CHAS C ATTY | New York Telephone |
| 1938 | UNITED PRNTNG MACHY CO | New York Telephone |

125 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|--------------------|
| 1950 | KELLY MARGARET M | New York Telephone |

127 E 42 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------|--------------------|
| 1973 | KAPROW BARNET LWYR | New York Telephone |
| 1968 | JACOBSON REUBEN CPA | New York Telephone |
| | AMER MARKETING RESEARCH INST | New York Telephone |
| 1947 | NELIDOW ALEXNDR A B | New York Telephone |

E 42 ST N

122 E 42 ST N

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|--------------------|
| 1958 | EINHORN HERBERT A ATTY | New York Telephone |

E 42ND

105 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------------|--------------------|
| 1927 | Restaurant | New York Telephone |
| | Sanka Coffee House whsle & retail | New York Telephone |
| 1920 | Garfinkel M S jewelry | R. L. Polk & Co. |

110 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1998 | GOODKIND ASSOCIATES INC | NYNEX Telephone |
| 1934 | Mosher Steel & Machinery Co Dallas Tex
Geo E Gude Jr NY rep | R. L. Polk & Co. |
| | National Economy League National
Committee Rear Admiral Richd E Byrd
chairmn Archibald B Roosevelt sec
Graham B Blaine treas Chas M Mills exec
dir | R. L. Polk & Co. |
| | National Economy League New York
State Br Evan Hollister chairmn Dr Jas
Alexander Miller v chairmn Bernard Pierre
treas Arth F Cosby sec | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | New York Milk Conference Board Inc NY
H A Cronk pres W J McKay v pres W S
Van Bomel sec treas trade assn | R. L. Polk & Co. |
| | Newspaper Audit & Research Bureau
Chicago Ill Scott & Bartlett reps | R. L. Polk & Co. |
| | One Hundred Seventieth St Leasing Corp
NY cap \$10 000 holding Co | R. L. Polk & Co. |
| | Ontario Knitting Mills Phila Pa Jesse Lasar
Co agts hosiery | R. L. Polk & Co. |
| | Paulsen Spence Co Inc NY Paulsen
Spence pres Ruth B Spence v pres Vera
Lee sec treas engs managements | R. L. Polk & Co. |
| | Penn State Coal Co RTN Mach Shapiro | R. L. Polk & Co. |
| | Photo Copy Paper Co RTN Wm Bersch | R. L. Polk & Co. |
| | Photocopy Paper Co W Bersch | R. L. Polk & Co. |
| | Pittman Frenk Florence nightmn The
Bowery Savings Bank | R. L. Polk & Co. |
| | Reid Mary G sten The Bowery Savings
Bank | R. L. Polk & Co. |
| | Reiler Carl C Pegrehen Studios | R. L. Polk & Co. |
| | Ritch Hugihes Co Inc NY Walter A
Hughes pres Chas H Gerard v pres
Teresa C Oliver sec treas ins agts genl | R. L. Polk & Co. |
| | Ritchie F W v pres Separations
Engineering Coro | R. L. Polk & Co. |
| | Russell Roy E mfrs agt airplanes | R. L. Polk & Co. |
| | Safeguard Account Co Chicago Ill Frank
C Friedly NY agt loose leaf books | R. L. Polk & Co. |
| | Scott Chas F treas Executive Engineers
Inc | R. L. Polk & Co. |
| | Silverman Sadie Luxor Elec Refrigerating
Co | R. L. Polk & Co. |
| | Sokolski Nathan v pres Brandenburg & Co
Inc | R. L. Polk & Co. |
| | Solomon Jos pres Arcadia Sales Corp | R. L. Polk & Co. |
| | Sparks Robt W asst treas Bowery Saving | R. L. Polk & Co. |
| | Standard Insurance Co Hartford Conn an
affil Co of Aetna Life Ins Co ins fire | R. L. Polk & Co. |
| | Stubing Wm A teller The Bowery Savings
Bank | R. L. Polk & Co. |
| | Sullivan Donald A asst treas Bowery
Savings Bk | R. L. Polk & Co. |
| | Sutphen Estates Inc cap \$9 600 Amanda
A Pope pres Adeline A Crockett v pres
John S Sutphen sec treas real est | R. L. Polk & Co. |
| | Thomson D with Separarions Engineering
Corp | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|------------------|
| 1934 | Troy Robt F Adams & Troy | R. L. Polk & Co. |
| | Twynam Robt Clara firemn The Bowery Savings Bank | R. L. Polk & Co. |
| | Tyack Helen sten Metal Door & Trim Co r Union City NJ | R. L. Polk & Co. |
| | Valenta Bozena emp Bowery Savings Bank | R. L. Polk & Co. |
| | Varbury Mills Co RTN; Hy Levine J E Melker | R. L. Polk & Co. |
| | Varsity Hosiery Corp NY cap \$50000 Jos E Meiker pres treas mfrs agts | R. L. Polk & Co. |
| | Wanger John C clk The Bowery Sav Bank | R. L. Polk & Co. |
| | Westchester Law Journal Inc publication | R. L. Polk & Co. |
| | Woburn Degreasing Co Abr G H Reimold pres treas J Edmund Good v pres sec leather fnshrs | R. L. Polk & Co. |
| | Woodin Geo H dep controller Bowery Saving Bank | R. L. Polk & Co. |
| | Woodward John B rep Minneapolis Tribune | R. L. Polk & Co. |
| | Zuckerman Associates Inc NY; cap \$10 000 Irving B Zuckerman pres treas Estelle I Zuckerman v pres sec ins genl | R. L. Polk & Co. |
| | Braithwaite H F & Co RTN Herbert F Braithwaite Harry E Hollingsworth | R. L. Polk & Co. |
| | Adult Games CoRTN O Gifford Carpenter Oscar E Riley toy games mfrs | R. L. Polk & Co. |
| | Alan Lewis Co Inc NY cap \$10 000 A Alan Toplitz pres Sylire Einwohner v pres Lewis Edw Toplitz sec treas oil royalties | R. L. Polk & Co. |
| | American Artisan Chicago Ill Engineering Publication Inc | R. L. Polk & Co. |
| | AUTOMOBILE INSURANCE CO OF HARTFORD CONN Robert B Jennings Mgr Frederic E Miller Cash | R. L. Polk & Co. |
| | Bartlett R A v pres Executive Engineers Inc | R. L. Polk & Co. |
| | Bartlett R L emp Western Electric Co Inc h Pt Washington LI | R. L. Polk & Co. |
| | Bland John clk The Bowery Savings Bank | R. L. Polk & Co. |
| | Bowery Savings Bank Bldg | R. L. Polk & Co. |
| | Brandenburg Jessie E sec Brandenburg & Co Inc | R. L. Polk & Co. |
| | Brandenburg Melford F pres treas Brandenburg & Co Inc | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | Brandenburg & Co Inc NY cap \$10 000
Melford F Brandenburg pres treas Nathan
Sokolski v pres Jessie E Brandenburg sec
ins | R. L. Polk & Co. |
| | Brookworth Co Inc NY cap \$100 000
Hartwell A Brown pres treas Louis P
Brenan sec iny bankers | R. L. Polk & Co. |
| | Cassmore Melvin W pres Executive
Engineers Inc | R. L. Polk & Co. |
| | Cole Howard A teller The Bowery Savings
Bank | R. L. Polk & Co. |
| | Concillo Angelo A lawyer | R. L. Polk & Co. |
| | Crawford Edw Crawford & Acker | R. L. Polk & Co. |
| | Cumberland Service Bureau RTN John J
Skelly | R. L. Polk & Co. |
| | Dawercado F Leperations Engineering
Corp | R. L. Polk & Co. |
| | DeNunzio Ralph DeNunzio & Son | R. L. Polk & Co. |
| | Denunzio & Son Ralph Denunzo Frank
Denunzio real est agt | R. L. Polk & Co. |
| | Donahue Jas J clk Bowery Savings Bank | R. L. Polk & Co. |
| | Executive Engineers Inc NY cap 200 sh
npv Melvin W Cassmore pres R A Bartlett
v pres J H Wren sec Chas F Scott treas
Industrial engrg | R. L. Polk & Co. |
| | Faulwetter Roy C U S Quarry & Tile Co | R. L. Polk & Co. |
| | Felbrooke Organization Louis A Feldman
P Saml Brooks | R. L. Polk & Co. |
| | Feldman Louis A Feldman & Brooks | R. L. Polk & Co. |
| | Fenlon Edw J Ins agt | R. L. Polk & Co. |
| | Fenton Jack P floorman Tho Bowery
Savings Bank | R. L. Polk & Co. |
| | Goodstein Harry Belrose Realty Co | R. L. Polk & Co. |
| | Gress Louis Pegreharm Studios | R. L. Polk & Co. |
| | Hall Kenneth Eugenie teller The Bowery
Savings Bank | R. L. Polk & Co. |
| | Harding Marie E opr The Bowery Savings
Bank | R. L. Polk & Co. |
| | Held Harry Minnie clk The Bowery
Savings Bank | R. L. Polk & Co. |
| | Helmus Wm E clk The Bowery Savings
Bank | R. L. Polk & Co. |
| | Henkelman Walter Pegrehen Studios | R. L. Polk & Co. |
| | Hilsenrad Phil lawyer | R. L. Polk & Co. |
| | Hoff Buel A C clk Bowery Savings Bank | R. L. Polk & Co. |
| | Hoff C M Libby Hoff & Co r Ridegwood NJ | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1934 | Holzman Stanford clk The Bowery Savings Bank | R. L. Polk & Co. |
| | Houston Structural Steel Co Houston Tex Geo E Gude jr mgr | R. L. Polk & Co. |
| | Hunt Persial Dora firmn The Bowery Savings Bank | R. L. Polk & Co. |
| | James Levi Josephine inspr John Hancock Mut Lite Ins Co | R. L. Polk & Co. |
| | Jordan Clark L lawyer | R. L. Polk & Co. |
| | Jordan & Jordan Clark L Jordan lawyers | R. L. Polk & Co. |
| | Kahl Aug J nightmn The Bowery Savings Bank | R. L. Polk & Co. |
| | Kalman Floor Co Inc Chicago Ill C Fredk Yetterberg NY mgr floors | R. L. Polk & Co. |
| | Knoepfle Edw J clk The Bowery Savings Bank | R. L. Polk & Co. |
| | Kopf Edith M sten The Bowery Savings | R. L. Polk & Co. |
| | Kramer H & Co Ill Chicago Ill Wm C Yenger NY rep | R. L. Polk & Co. |
| | LaVelle & Larkin Leonard V Lavelle Eug L Larkin loans mortgage | R. L. Polk & Co. |
| | Linn Mfg Corp NY Morris NY Robt A Bowler mgr tractors mfrs | R. L. Polk & Co. |
| | Luxor Electric Refrigerating Co RTN Sadie Silverman | R. L. Polk & Co. |
| | McLaughlin Eliz M sec Atterbury Bros Inc | R. L. Polk & Co. |
| | McMorrow Bros Inc NY cap \$ 500 Chas P McMorrow pres Thos M McMorrow v pres J Walter McMorrow sec Wm F McMorrow treas bldg contra | R. L. Polk & Co. |
| | McMullen John J Georgina firmn The Bowery Saving Bank | R. L. Polk & Co. |
| | McTaggart John J Grace porter The Bowery Saving Bank | R. L. Polk & Co. |
| | Metal Package Corp Del S L Buschman pres Geo S McCreedy sec R L Whittle treas ten box & can mfrs | R. L. Polk & Co. |
| 1927 | Watterston Roderick J CPA | New York Telephone |
| | Watterston & Co | New York Telephone |
| | Webb Jas A & Son Inc | New York Telephone |
| | Weber Henriette | New York Telephone |
| | Weiss Jos L ins | New York Telephone |
| | Wendell & Mac Duffie Co ry eqpt | New York Telephone |
| | Western Union Telegraph Co | New York Telephone |
| | Branch offices | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | Wharton Wm Jr & Co | New York Telephone |
| | Wharton Wm Jr & Co | New York Telephone |
| | Cylinder dept | New York Telephone |
| | Wherritt Mackintosh | New York Telephone |
| | Whitaker M C | New York Telephone |
| | Whitmore Mfg Co paper | New York Telephone |
| | Wholean Wm J lwyr | New York Telephone |
| | Willey S C | New York Telephone |
| | Willey Stanley A | New York Telephone |
| | Williams Chas A | New York Telephone |
| | Wilsoph Realty Co Inc | New York Telephone |
| | Winslow E De Forrest | New York Telephone |
| | Wolfe Alan L rl est | New York Telephone |
| | Wolfe Alan & Co rl est mortgages | New York Telephone |
| | Woodward John B | New York Telephone |
| | Worden Art Service | New York Telephone |
| | Warden Beverly L | New York Telephone |
| | Workman Manufacturing Co | New York Telephone |
| | Wright Howard D mgr | New York Telephone |
| | Wyle Eliz R ins | New York Telephone |
| | Youngtown Pressed Steel Co factory equip dept | New York Telephone |
| | Zahm Geo D lwyr | New York Telephone |
| | Zenithern Go wall & floor covering | New York Telephone |
| | Schwartz Emanuel lwyr | New York Telephone |
| | Scott Chas F | New York Telephone |
| | Seaboard Audit Co | New York Telephone |
| | Seaborg Jos A | New York Telephone |
| | Seidmore Realty Corp | New York Telephone |
| | Seraphine P J | New York Telephone |
| | Shaffner Chas N | New York Telephone |
| | Shepherd F N | New York Telephone |
| | Sherman C Austin Jr | New York Telephone |
| | Sherman Flagg & Co rl est | New York Telephone |
| | Simmons Co beds & steel furn | New York Telephone |
| | Exec offices | New York Telephone |
| | Simmons Jerome lwyr | New York Telephone |
| | Simmons L A mottoes | New York Telephone |
| | Simmons & Mc Millan lwyr | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1927 | Singer Danl J Inc ins | New York Telephone |
| | Singer Danl J Inc ins | New York Telephone |
| | Smalley Robert A advtg | New York Telephone |
| | Smith Lewis Fibre Can Corp mfrs | New York Telephone |
| | Srere Pulp & Paper Co Inc | New York Telephone |
| | Standard Coupler Co | New York Telephone |
| | Standard Remedies a pub | New York Telephone |
| | Standard Safety Tread Corp | New York Telephone |
| | Standard Wax & Impt Co | New York Telephone |
| | Steinert Henry N lwyr | New York Telephone |
| | Steinhouse Robt H asst secy | New York Telephone |
| | Stenhouse Jas A compt | New York Telephone |
| | Stetson Ralph G lwyr | New York Telephone |
| | Steubing Truck Co lift trucks | New York Telephone |
| | Stewart Wm J off | New York Telephone |
| | Stolz Irving H lwyr | New York Telephone |
| | Stuart Lint Chas ins | New York Telephone |
| | Stuebing Cowan Co lift trcks | New York Telephone |
| | Stuebing Truck Co lift trucks | New York Telephone |
| | Suffolk Sep Tank Systems Inc | New York Telephone |
| | Sugarman M CPA | New York Telephone |
| | Sullivan Cornelius J Jr lawyer | New York Telephone |
| | Tabor M B ins | New York Telephone |
| | Taylor C Stanley off | New York Telephone |
| | Taylor Wharton Iron & Steel Co | New York Telephone |
| | Techno Chemical Corp | New York Telephone |
| | Theta Chi Fraternity ex off | New York Telephone |
| | Thomas Hugh E ins | New York Telephone |
| | Tioga Steel & Iron Co | New York Telephone |
| | Trans Pacific Advertising & Service Bureau | New York Telephone |
| | Trowbridge Alex B consltg archt | New York Telephone |
| | Tuttle Burger Coal Co | New York Telephone |
| | Union Metal Mfg Co | New York Telephone |
| | U S Golf Assn | New York Telephone |
| | U S Industrial Alcohol Co | New York Telephone |
| | U S Industrial Chemical Co | New York Telephone |
| | Unity Paper Mills Inc | New York Telephone |
| | Upton Co The wall bds | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|--------------------|
| 1927 | Valeria Home Inc The | New York Telephone |
| | Vanilla Laboratories Inc | New York Telephone |
| | Van Keegan B H mtgs | New York Telephone |
| | Veit H A rl est | New York Telephone |
| | Wadsworth Mason motion pictures | New York Telephone |
| | Wadsworth Mason Producing & Distrbtg | New York Telephone |
| | Wallace & Florey pub stenos | New York Telephone |
| | Wallingford Danl K | New York Telephone |
| | Ward Frederick J Corp | New York Telephone |
| | Washington Star a pub | New York Telephone |
| | Watrous E L Galvanizing Co | New York Telephone |
| | Mc Millan Clarence lwyr | New York Telephone |
| | Meehan M F golf exec | New York Telephone |
| | Meehan M Frank | New York Telephone |
| | Melker A R paper | New York Telephone |
| | Menzies Peter I asst secty | New York Telephone |
| | Merrill Holding Corp | New York Telephone |
| | Messer A B | New York Telephone |
| | Metal Package Corp office | New York Telephone |
| | Miami Valley Coated paper Co mfg | New York Telephone |
| | Moores & Dunford Inc engnrs | New York Telephone |
| | Morgan Geo E ins | New York Telephone |
| | Moses Edmund Quincy lwyr | New York Telephone |
| | Moses & Nolte patnt lwyr | New York Telephone |
| | Mulligan Frank J ins | New York Telephone |
| | Murphy Jas lwyr | New York Telephone |
| | Nadler Herbert H ins brkr | New York Telephone |
| | Natl Expt Advtg Serv Inc | New York Telephone |
| | Nelson David J CPA | New York Telephone |
| | N Y Buff Co | New York Telephone |
| | N Y Milk Conference Board Inc | New York Telephone |
| | Nolte Albert C patent lawyer | New York Telephone |
| | ODwyer Wm lwyr | New York Telephone |
| | Oesterreich Henry E | New York Telephone |
| | OLEary Arthur Wood ins | New York Telephone |
| | Ostuni & Schirone watches | New York Telephone |
| | OSullivan D A bldrs | New York Telephone |
| | OSullivan Harney Co Inc bldrs | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|--------------------|
| 1927 | Ostuni & Schirone watches | New York Telephone |
| | Otis Francis J off | New York Telephone |
| | Pamsons Marselis C | New York Telephone |
| | Parsons Trading Co paper mchs | New York Telephone |
| | Paton Thos B genl counsel | New York Telephone |
| | Peabody Engrng Corp | New York Telephone |
| | Peabody Ernest H | New York Telephone |
| | Phila North Amer a pub advtg | New York Telephone |
| | Phila Roll & Machine Co | New York Telephone |
| | Phillips Harold Moore pub acctnt | New York Telephone |
| | Phoenix Commercial Co | New York Telephone |
| | Plew & Motter Co | New York Telephone |
| | Portman Isaac rl est | New York Telephone |
| | Porto Rico Mercantile Co | New York Telephone |
| | Poucher David A | New York Telephone |
| | Powell Wm B advtg | New York Telephone |
| | Quilliard G V | New York Telephone |
| | Randle Peyton rl est invstmnts | New York Telephone |
| | Regan John T rl est | New York Telephone |
| | Reimold A G H | New York Telephone |
| | Reinhalter J B marble | New York Telephone |
| | Remick W L | New York Telephone |
| | Rider Ericsson Engine Corp | New York Telephone |
| | Ritch Hughes Co ins | New York Telephone |
| | Ritch Hughes Co ins | New York Telephone |
| | Robbins Harry Pelham off | New York Telephone |
| | Robinson F L archt | New York Telephone |
| | Rochling Steel Co | New York Telephone |
| | Rogers Wm J archt | New York Telephone |
| | Rogers & Haneman archts | New York Telephone |
| | Rudy Jacob M lwyr | New York Telephone |
| | Russell Car & Snow Plow Co | New York Telephone |
| | Safeguard Account Co | New York Telephone |
| | Sani Save Corp | New York Telephone |
| | Savings Banks Assn of the State of NY | New York Telephone |
| | Schaefer Co rl est | New York Telephone |
| | School of Foreign Travel Inc | New York Telephone |
| | Hewson Wm Leake rl est | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------|--------------------|
| 1927 | Hill Richard W | New York Telephone |
| | Hoff Saml lwyr | New York Telephone |
| | Hoffmann Wm F tres | New York Telephone |
| | Hopper Robt lwyr | New York Telephone |
| | Household Utilities Bur Inc | New York Telephone |
| | Howard John A | New York Telephone |
| | Hulse Frederick lawyer | New York Telephone |
| | Hydrotator Co Inc | New York Telephone |
| | Indianapolis News a pub | New York Telephone |
| | Innet Edw S asst compt | New York Telephone |
| | Japan Advertiser Tokyo a pub | New York Telephone |
| | Jiji Shimpo The a pub | New York Telephone |
| | John Hancock Mutual Life Ins Co | New York Telephone |
| | Agency dept | New York Telephone |
| | Johnson Paul E | New York Telephone |
| | Jones Robt Holcombe rl est brkr | New York Telephone |
| | Jones Robt Holcombe Co rl est | New York Telephone |
| | Joyce Geo J lawyr | New York Telephone |
| | Joyce & ODwyer attys at law | New York Telephone |
| | Kalman Floor Co Inc | New York Telephone |
| | Kalman Steel Co Inc | New York Telephone |
| | Katz Herman lwyr | New York Telephone |
| | Keithley F D pub acct | New York Telephone |
| | Kelly Wm A lwyr | New York Telephone |
| | Kimball Abbott advtg | New York Telephone |
| | Kimball Abbott advtg | New York Telephone |
| | Kinnear W S & Co engrs | New York Telephone |
| | Knox Herbert A lwyr | New York Telephone |
| | Knox & Deignan lwyrs | New York Telephone |
| | Kramer Peter E ins | New York Telephone |
| | Krautkramer A F Ins | New York Telephone |
| | Kruming M J advtg | New York Telephone |
| | Kuhns M S & Co | New York Telephone |
| | Kyburg Henry E rl est | New York Telephone |
| | Land Marine Corp The | New York Telephone |
| | Landes Julius E rl est | New York Telephone |
| | Larkin Martin P acctnt | New York Telephone |
| | Larkin Thos C lwyr | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | Lavino E J & Co pres ferro alloys | New York Telephone |
| | Leander Developmenst Corp | New York Telephone |
| | Lersner Victor A pres | New York Telephone |
| | Levine Victor lwyr | New York Telephone |
| | Levy David archt | New York Telephone |
| | Levy Meyer lwyr | New York Telephone |
| | Lewis J P Co The paper mfr | New York Telephone |
| | Lichtenstein Arthur W lwyr | New York Telephone |
| | Linderman Geo | New York Telephone |
| | Linton Stuart Chas ins | New York Telephone |
| | Loney Fredk R rl est | New York Telephone |
| | Lyddon & Hanford Co advtg | New York Telephone |
| | Mac Duffie Rufus L | New York Telephone |
| | Macfie Chas A sht cpr | New York Telephone |
| | Mandel Nathan lwyr | New York Telephone |
| | Manport Realty Corp | New York Telephone |
| | Marcus Aaron lwyr | New York Telephone |
| | Markle Jos lwyr | New York Telephone |
| | Marshall John L ins | New York Telephone |
| | Mason Wadsworth Producing & Distrbtg Co Inc | New York Telephone |
| | Maxwell Wm H Jr | New York Telephone |
| | Mc Auliffe John F ins | New York Telephone |
| | Mc Carthy & Fellows rl est | New York Telephone |
| | Mc Cormick H S coal | New York Telephone |
| | Mc Kay Douglas I | New York Telephone |
| | Domestic Engineering a pub | New York Telephone |
| | Drury Chas K mfrs agt | New York Telephone |
| | Eidlitz & Hulse lwyr | New York Telephone |
| | Elliwood H Max ins | New York Telephone |
| | Empire State Assets Inc | New York Telephone |
| | Federal Schools Inc | New York Telephone |
| | Fellows Harold A traveling secty | New York Telephone |
| | Fenlon Edw J ins | New York Telephone |
| | Ferguson Irving B CPA | New York Telephone |
| | Field C de P Co | New York Telephone |
| | Fink Jos G lwyr | New York Telephone |
| | Finucane D J snt cpr | New York Telephone |
| | Finucane & Macfie sheet copper | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | Fishler Bennett H | New York Telephone |
| | Fitzwilson Wm G | New York Telephone |
| | Flagg William F | New York Telephone |
| | Fleisher B W | New York Telephone |
| | Florida Keys Bond & Mortgage Co | New York Telephone |
| | Fokker A H G | New York Telephone |
| | Fokker Aircraft Corp | New York Telephone |
| | Foreign Language Publishers Assn of U S Inc | New York Telephone |
| | Fountain Alfred E Jr advtg | New York Telephone |
| | Frensch Harry N lwyr | New York Telephone |
| | Gathard J W | New York Telephone |
| | Gerard Chas H ins | New York Telephone |
| | Goddard Fred T ins | New York Telephone |
| | Golf Service Bureau | New York Telephone |
| | Good J Edmund | New York Telephone |
| | Goodwin E G | New York Telephone |
| | Goodwin Side Bearing Co | New York Telephone |
| | Gordon Bankers Publicity Corp | New York Telephone |
| | Gordon J Maxwell | New York Telephone |
| | Gotham Associates Inc | New York Telephone |
| | Graphex Co | New York Telephone |
| | Gray Knox Marble Co | New York Telephone |
| | Greenawalt John E Mtallgst | New York Telephone |
| | Griffin Wheel Co | New York Telephone |
| | Griffiths K F Buff Co | New York Telephone |
| | Griffiths K F & Co chemicals | New York Telephone |
| | Gulick Chas L expt | New York Telephone |
| | Gundlach Brutus archt | New York Telephone |
| | Hafely Schuyler Reid ins | New York Telephone |
| | Hahn Jacob H lwyr | New York Telephone |
| | Halberstadt Jos ins | New York Telephone |
| | Halberstadt Jos ins | New York Telephone |
| | Hale Arthur A | New York Telephone |
| | Halsey Lafayette ins | New York Telephone |
| | Hamill G W | New York Telephone |
| | Hampton Grinding Wheel Co | New York Telephone |
| | Agency dept | New York Telephone |
| | Hancock John Mutual Life Ins Co | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | Haneman John Theodore architect | New York Telephone |
| | Harney Frank V bldrs | New York Telephone |
| | Hart & Eubank ins | New York Telephone |
| | Uptown office | New York Telephone |
| | Hartney Realty Co Inc | New York Telephone |
| | Haskell Glenn | New York Telephone |
| | Havery Harry G rl est | New York Telephone |
| | Hellier Chas E lwyr | New York Telephone |
| | Hellier Edward W | New York Telephone |
| | Hellier Walter H | New York Telephone |
| | Henemier Bertram M rl est | New York Telephone |
| | Henshaw C Albert conveyors | New York Telephone |
| | Hewson Carter & Cottrell Inc rl est mortg | New York Telephone |
| | Blumenstock M CPA | New York Telephone |
| | Bogert Chester H ins | New York Telephone |
| | Boller W J rl est | New York Telephone |
| | Bonanno Jos A ins | New York Telephone |
| | Bostons Glohe advtg | New York Telephone |
| | Bowery Savings Bank | New York Telephone |
| | Bowery Savings Bank Bldg | New York Telephone |
| | Boyce Harrison H | New York Telephone |
| | Breding S A | New York Telephone |
| | Brody Alter M ins | New York Telephone |
| | Brooks T R ins | New York Telephone |
| | Brown J G off | New York Telephone |
| | Brown R R off | New York Telephone |
| | Buckbee Brehm Co | New York Telephone |
| | Bungay Chas ins | New York Telephone |
| | Burbank W C rl est | New York Telephone |
| | Burbank & Van Keegan mfgs | New York Telephone |
| | Burger L B coal | New York Telephone |
| | Burger L B Coal Co Inc | New York Telephone |
| | Burnham Rufus Bradford | New York Telephone |
| | Burnham & Fishler Inc advtg | New York Telephone |
| | Burns Co | New York Telephone |
| | Burns W F | New York Telephone |
| | Byrnes Wm E | New York Telephone |
| | Carpenter O G advtg | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|--------------------|
| 1927 | Carr H J | New York Telephone |
| | Carroll Dan A publsr's rep | New York Telephone |
| | Carter Daden B rl est | New York Telephone |
| | Catlow Jas N lwyr | New York Telephone |
| | Advtg | New York Telephone |
| | Chicago Daily News | New York Telephone |
| | Clark Jas E | New York Telephone |
| | Cleveland Plain Dealer Advtg a pub | New York Telephone |
| | Coen M Francis rl est & ins | New York Telephone |
| | Cohen Morris L rl est | New York Telephone |
| | Coland Co Inc rl est | New York Telephone |
| | Commodore Trading Corp'n | New York Telephone |
| | Consolidated Capital Co | New York Telephone |
| | Consolidated Car Fender Co | New York Telephone |
| | Continental Lithograph Carp | New York Telephone |
| | Coolidge Holding Co Inc | New York Telephone |
| | Corr Service Erection Co | New York Telephone |
| | Corrugated Bar Co | New York Telephone |
| | Cottrell Ely r | New York Telephone |
| | Cnttrel Geo H rl est | New York Telephone |
| | Cowan Truck Co | New York Telephone |
| | Crawford & Acker ins | New York Telephone |
| | Crawford & Acker ins | New York Telephone |
| | Crews Clarence M ptolost law | New York Telephone |
| | Cuba Distilling Co | New York Telephone |
| | Cullen Friestedt Co cranes | New York Telephone |
| | Darling Harold ins | New York Telephone |
| | Daunt Wm A | New York Telephone |
| | Daunt Wm A Co Inc metl & gl prod | New York Telephone |
| | David Geo B pub rep | New York Telephone |
| | David Geo B Co Inc pub rep | New York Telephone |
| | Day Edw B | New York Telephone |
| | Deignan Jas H lwyr | New York Telephone |
| | Delamater Percy G secty | New York Telephone |
| | Del Mar Alexander Col | New York Telephone |
| | Denni Frank A ins | New York Telephone |
| | Diamond Carbont Black Corp | New York Telephone |
| | Diamond Harold S | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1927 | Diamond Sidney R lwyr | New York Telephone |
| | Acker Benj A pub acct | New York Telephone |
| | Acker Fred E ins | New York Telephone |
| | Acker Grevel ins | New York Telephone |
| | Acker & Bacas accts & auditors | New York Telephone |
| | Adams Equipmnt Co | New York Telephone |
| | Adams Jas R CPA | New York Telephone |
| | Ajax Paper Mills Inc | New York Telephone |
| | Aldridge Andrew J lwyr | New York Telephone |
| | Alexis E rl est | New York Telephone |
| | Amer Bankers Assn | New York Telephone |
| | Amer Bankers Assn Journal a pub | New York Telephone |
| | Amer Cement & Plaster Co | New York Telephone |
| | Amer Institute of Banking natl off | New York Telephone |
| | Amer Institute of Commercial Graduates | New York Telephone |
| | Amer Lawyers Co | New York Telephone |
| | Amid Duron Co | New York Telephone |
| | Anthony Richd C | New York Telephone |
| | Arabol Mfg Co | New York Telephone |
| | Arctic Nu Air Co | New York Telephone |
| | Asahi The a pub | New York Telephone |
| | Ashland Fire Brick Co | New York Telephone |
| | Associated Adjustment Agencies Inc | New York Telephone |
| | Associated Adjustment Agencies Inc | New York Telephone |
| | Associated Travelers Inc | New York Telephone |
| | Assn Savings Banks of State of N Y | New York Telephone |
| | Atlantic Aircraft Corp | New York Telephone |
| | Atlas Combustion Co Inc | New York Telephone |
| | Atterbury Bros Inc paper mfrs sup | New York Telephone |
| | Atterbury Howard E | New York Telephone |
| | Bacas P E CPA | New York Telephone |
| | Baltimore Sun a pub advtg | New York Telephone |
| | Bamber Wm C | New York Telephone |
| | Banks H W Co | New York Telephone |
| | Barth Max I | New York Telephone |
| | Bauman Sylvester J archt | New York Telephone |
| | Beaver Board Companies | New York Telephone |
| | Beaver Products Co | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1927 | Bestwall Mfg Co | New York Telephone |
| | Blum Lewis David & Co | New York Telephone |
| | Blum Louis David & Co acctnt | New York Telephone |
| | SIMMONS & MCMILLAN LWYRS | New York Telephone |
| 1923 | Clingen Edw H ins | R. L. Polk & Co. |
| | Clingen Jno N Y rep Robinson Silk Co Inc
Maplewood NJ | R. L. Polk & Co. |
| | OLeary Arth W ins | R. L. Polk & Co. |
| | Steele Chas R ins | R. L. Polk & Co. |
| | Stuebing Truck Co Cleveland Ohio C K
Drury NY mgr | R. L. Polk & Co. |
| | Wallace & Florey Edw L Wallace Louis E
Florey stens | R. L. Polk & Co. |
| | Drury C K mgr Stuebing Truck Co | R. L. Polk & Co. |
| | Flerey Lords E wallace & Florey | R. L. Polk & Co. |
| | Flowers Wm W v p Liggett & Myers
Tobacco Co h Hotel Seville | R. L. Polk & Co. |
| | Aetna Casualty & Surety Co Hartford Ct
rep by Jno S Turn sec | R. L. Polk & Co. |
| | Jno B Clarke mgr | R. L. Polk & Co. |
| | Automobile Ins Co Hartford Conn rep by C
Russel Ebert sec | R. L. Polk & Co. |
| | Bargebuhr Lawrence Ins | R. L. Polk & Co. |
| | Berger David E Ins | R. L. Polk & Co. |
| | Clarke Jno B mgr Automobile Ins Co of
Hartford Conn | R. L. Polk & Co. |

111 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|------------------|
| 1934 | Brown Alex slsmn Lavega United Sport
Shops | R. L. Polk & Co. |
| | DAVEGA CITY RADIO INC NY Herman
Stein Pres Treas Michael Cohen Abram
Davega and Henry Benjamin V Prests
Jules Smith Sec Sporting Goods and
Radies Main Office | R. L. Polk & Co. |
| 1920 | DAVEGA S B CO NY S B Davega Pres D
E Levy V Pres H C Moses Sec Harry S
Davega Treas Sporting Goods Vitrolas
Cameras and Toys | R. L. Polk & Co. |

112 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------|------------------|
| 1934 | Houghton Ruth Natl Graphic Co | R. L. Polk & Co. |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | Houghton Ruth sten Natl Investors Corp r
Westfield NJ | R. L. Polk & Co. |

117 E 42ND

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|---|
| 1931 | Sweeny Geo W | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Powers Thos E | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Potter Harry A | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Marshall Raymond W | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Leutgart Arnold C | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Luesskind Morris | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Loeb Sidney H | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Leach Phil | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Harwood Chas | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Davies John R | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Becker Leopold | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Young Wm C | Manhattan and Bronx Directory Publishing
Company Residential Directory |
| | Becker Alf L | Manhattan and Bronx Directory Publishing
Company Residential Directory |

E 42ND AVE

110 E 42ND AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------|--------------------|
| 1963 | PRIMA FOODS INC | New York Telephone |
| 1942 | RUSSELL SNOW PLOW CO | New York Telephone |

E 42ND CHATHAM

110 E 42ND CHATHAM

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------|------------------|
| 1923 | Hoff Saml lawyer | R. L. Polk & Co. |

FINDINGS

E 42ND H BKN

110 E 42ND H BKN

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------|------------------|
| 1923 | Jacobs Herman F ins | R. L. Polk & Co. |

E 42ND H E ORANGE NJ

110 E 42ND H E ORANGE NJ

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|------------------|
| 1923 | Smith Eug F jr Ins | R. L. Polk & Co. |

E 42ND H LARCHMONT NY

110 E 42ND H LARCHMONT NY

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1923 | Fougner Hermann pres Fougner Concrete Steel Co Inc | R. L. Polk & Co. |

E 42ND H NEW ROCHELLE N Y

110 E 42ND H NEW ROCHELLE N Y

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------|------------------|
| 1923 | Bucknam Jno R ins | R. L. Polk & Co. |

E 42ND H NEW ROCHELLE NJ

110 E 42ND H NEW ROCHELLE NJ

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|------------------|
| 1923 | Marshall Jno R ins | R. L. Polk & Co. |

E 42ND R 605

110 E 42ND R 605

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------|
| 1934 | Adams & Troy Jas R Adams Robt F Troy accts | R. L. Polk & Co. |

FINDINGS

E 42ND R 901

110 E 42ND R 901

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|---|----------------------|
| 1934 | Miami Valle Coated Paper Co A R Melker
Co rep paper mfrs | R. L. Polk & Co. |

E 42ND R ELMHURST BQ

110 E 42ND R ELMHURST BQ

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|------------------------|----------------------|
| 1934 | Stein Aaron D life ins | R. L. Polk & Co. |

E 42ND R SUNNYSIDE BQ

110 E 42ND R SUNNYSIDE BQ

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|--|----------------------|
| 1934 | Kanouse Bessie H stewardess The
Bowery Savings Bank | R. L. Polk & Co. |

E 42ND R WHITE PLAINS NY

110 E 42ND R WHITE PLAINS NY

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|---|----------------------|
| 1934 | Breen G T dept mgr Herring Hall Maevin
Safe Co r New Rochelle NY | R. L. Polk & Co. |
| | Breen Fred designer | R. L. Polk & Co. |

E 42ND ST

105 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|--------------------------------------|------------------------------------|
| 2017 | FDOTG | Cole Information Services |
| 2014 | KIDDING AROUND | Cole Information Services |
| | C B RETAIL GCT LLC | Cole Information Services |
| | FDOTG | Cole Information Services |
| | CONSUL INTERNATIONAL
INCORPORATED | Cole Information Services |
| | CIAO BELLA GELATO | Cole Information Services |
| 2009 | ORENS DAILY ROAST | Cole Information Services |
| | GOLDEN KRUST PATTIES | Cole Information Services |
| | GODIVA CHOCOLATIER INC | Cole Information Services |
| 2006 | Golden Krust Patties 2 R | Hill-Donnelly Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|------------------------------------|
| 2006 | Godiva Chocolatier Inc | Hill-Donnelly Information Services |
| 1999 | GODIVA CHOCOLATIER
INCORPORATED | Cole Information Services |
| | ARISTON SHOE REPAIR | Cole Information Services |
| 1994 | EAST SIDE GOURMET | Cole Information Services |
| | GRAND CENTRAL RACQUET
STRINGERS | Cole Information Services |
| | ARISTON SHOE REPAIR | Cole Information Services |
| 1983 | SQUARE PARKING CORP | New York Telephone |
| | Mulchinock David S atty | New York Telephone |
| | Mc Gahan Michael J atty | New York Telephone |

106 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|------------------------------------|
| 2006 | No Current Listing | Hill-Donnelly Information Services |
| 1983 | Schanzer Robert M atty | New York Telephone |
| | Pomper Lewis H atty | New York Telephone |

107 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------------------------|---------------------------|
| 2017 | AM PM LOCKSMITH | Cole Information Services |
| | MAGNOLIA BAKERY | Cole Information Services |
| | MAC AT GRAND CENTRAL STA | Cole Information Services |
| | EDDIES SHOE REPAIR INC | Cole Information Services |
| 2014 | CURSIVE NEW YORK INCORPORATED | Cole Information Services |
| | FLOWERS ON LEXINGTON GRAND
CENTRAL | Cole Information Services |
| | BANANA REPUBLIC | Cole Information Services |
| | ERWIN PEARL RETAIL
INCORPORATED | Cole Information Services |
| | GRAND HARVEST WINES | Cole Information Services |
| | KENNETH COLE | Cole Information Services |
| | COBBLER & SHINE | Cole Information Services |
| | BOBBI BROWN | Cole Information Services |
| | LACRASIA | Cole Information Services |
| | MAC AT GRAND CENTRAL STATION | Cole Information Services |
| | ORIGINS | Cole Information Services |
| | PYLONES | Cole Information Services |
| | TUMI | Cole Information Services |
| | GNC | Cole Information Services |
| | INNASENSE DESIGNS | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------------|------------------------------------|
| 2014 | SWATCH | Cole Information Services |
| | EDDIES SHOE REPAIR
INCORPORATED | Cole Information Services |
| | PAPYRUS | Cole Information Services |
| | KAREN POLANCO | Cole Information Services |
| 2009 | COLE KENNETH | Cole Information Services |
| | BANANA REPUBLIC | Cole Information Services |
| | EMOTIONS ENTERTAINMENT | Cole Information Services |
| | COBBLER & SHINE | Cole Information Services |
| | BOSE CORP | Cole Information Services |
| | JOON GRAND CENTRAL | Cole Information Services |
| | LACRASIA | Cole Information Services |
| | KENNETH COLE PRODUCTIONS INC | Cole Information Services |
| | GRAND HARVEST WINES | Cole Information Services |
| | CHIN SEONG JOON | Cole Information Services |
| | NEW YORK JOON | Cole Information Services |
| | PAPYRUS | Cole Information Services |
| | EDDIES SHOE REPAIR INC | Cole Information Services |
| | PINK SLIP INC | Cole Information Services |
| | ACCESS ARTISANS | Cole Information Services |
| | GC MUD INC | Cole Information Services |
| | TUMI | Cole Information Services |
| | THE SWATCH GROUP | Cole Information Services |
| 2006 | Eddies Shoe Repair Inc 1s | Hill-Donnelly Information Services |
| | Discovery Channel Store | Hill-Donnelly Information Services |
| | Cobbler & Shine Is | Hill-Donnelly Information Services |
| | Childrens General Store | Hill-Donnelly Information Services |
| | Traintunes i | Hill-Donnelly Information Services |
| | Multi Unit Address | Hill-Donnelly Information Services |
| | Erwin Pearl Inc Jewelry | Hill-Donnelly Information Services |
| | Grand Central Flowers | Hill-Donnelly Information Services |
| | Grand Harvest Wines 18 o | Hill-Donnelly Information Services |
| | Joon Grand Central Inc I | Hill-Donnelly Information Services |
| | Kenneth Cole Productions Inc | Hill-Donnelly Information Services |
| | Our Name Is Mud | Hill-Donnelly Information Services |
| | Papyrus 2 R | Hill-Donnelly Information Services |
| | Park Ave Sweets | Hill-Donnelly Information Services |
| | Pink Slip Inc 1 R o | Hill-Donnelly Information Services |
| | Starbucks 2 R | Hill-Donnelly Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|------------------------------------|
| 2006 | Swatch Group 1 R | Hill-Donnelly Information Services |
| | Banana Republic 2 R o | Hill-Donnelly Information Services |
| | Tumi 18 oo | Hill-Donnelly Information Services |
| 2004 | TRRAINTUNES | Cole Information Services |
| | EDDIES SHOE REPAIR INC | Cole Information Services |
| | WATCH STATION INTERNATIONAL | Cole Information Services |
| | GC MUD INC | Cole Information Services |
| | GRANDE HARVEST WINES | Cole Information Services |
| | DISCOVERY CHANNEL STORE | Cole Information Services |
| | PINK SLIP | Cole Information Services |
| | JOON GRAND CENTRAL | Cole Information Services |
| | CHILDRENS GENERAL STORE | Cole Information Services |
| | FLOWERS ON LEXINGTON GRAND CEN | Cole Information Services |
| | BANANA REPUBLIC | Cole Information Services |
| 1999 | J PETERMAN COMPANY STORE | Cole Information Services |
| | KENNETH COLE | Cole Information Services |
| | FREYBOY NEW YORK INCORPORATED DBA FREYBOY ITS SMOKING | Cole Information Services |
| | BANANA REPUBLIC | Cole Information Services |
| | WATCH STATION INCORPORATED | Cole Information Services |
| | DISCOVERY CHANNEL STORE | Cole Information Services |
| | JOON GRAND CENTRAL INCORPORATED | Cole Information Services |
| | VERMONT CANDLE COMPANY | Cole Information Services |
| | CHILDRENS GENERAL STORE | Cole Information Services |
| 1983 | Senor David Ltd | New York Telephone |

108 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------|--------------------|
| 1983 | Sergi John J atty | New York Telephone |

110 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|---------------------------|
| 2017 | PROTECTIVE SECURITY SYSTEMS INC | Cole Information Services |
| | BEYOND BASICS | Cole Information Services |
| | ELLER MEDIA | Cole Information Services |
| | GO SMILE INC | Cole Information Services |
| | GOTHAM PARTNERS MANAGEMENT CO LP | Cole Information Services |
| | GUEST INFORMANT | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------------------------|---------------------------|
| 2017 | QUIK PARK GARAGE | Cole Information Services |
| | BEYOND BASICS PHYSICAL THERAPY | Cole Information Services |
| | DCM ERECTORS | Cole Information Services |
| | DEVELOPEMENT SPECIALIST INC | Cole Information Services |
| | HESS CAPITAL | Cole Information Services |
| | AACURED 24 HR LOCKSMITH | Cole Information Services |
| | AIRTON AIR CONDITIONING & REFRGRTNG | Cole Information Services |
| | ALBION COSMETIC AMERICA | Cole Information Services |
| | CIPRIANI 42 ST LLC | Cole Information Services |
| | CIPRIANI CORPORATE CATERING | Cole Information Services |
| | CIPRIANI USA | Cole Information Services |
| | DCM ERECTORS INC | Cole Information Services |
| | DEVELOPMENT SPECIALISTS INC | Cole Information Services |
| | ELLERMEDIA NY NATIONAL | Cole Information Services |
| | HAMILTON & MACAVERY | Cole Information Services |
| | INTERNATIONAL FEDERATION FOR HUMAN R | Cole Information Services |
| | ACKMANZIFF REAL ESTATE | Cole Information Services |
| | CIPRIANI 42ND STREET | Cole Information Services |
| | METROPOLITAN INTERPRETORS & TRANSL | Cole Information Services |
| | STRATEGIC WORKFORCE SOLUTIONS | Cole Information Services |
| | THE METROPOLITAN COMPANIES | Cole Information Services |
| | ALBERT & MARY LASKER FOUNDATION | Cole Information Services |
| | ALEXA QP LLC | Cole Information Services |
| | KRONISH ASSOCIATES | Cole Information Services |
| | WEIZMANNGLOBAL ENDOWMENT MANAGEMENT | Cole Information Services |
| | ADSHELL MALL COMMUNICATIONS | Cole Information Services |
| | CLEAR CHANNEL OUTDOOR | Cole Information Services |
| | FIRST NEW AMSTERDAM | Cole Information Services |
| | HORIZON PARTNERS INC | Cole Information Services |
| | METLANG COM | Cole Information Services |
| | STRATEGIC LEGAL RESOURCES | Cole Information Services |
| | ELIASSEN GROUP | Cole Information Services |
| 2014 | AIRTON AIR CONDITIONING & REFRGRTNG | Cole Information Services |
| | OFFICE SEKKEI AMERICA INCORPORATED | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|---------------------------|
| 2014 | CIPRIANI CORPORATE CATERING | Cole Information Services |
| | CIPRIANI SUTTON | Cole Information Services |
| | CIPRIANI USA | Cole Information Services |
| | GOTHAM PARTNERS MANAGEMENT COMPANY L | Cole Information Services |
| | METROPOLITAN COMPANIES | Cole Information Services |
| | METROPOLITAN HOSPITALITY INCORPORATE | Cole Information Services |
| | PROTECTIVE SECURITY SYSTEMS INCORPOR | Cole Information Services |
| | HORIZON PARTNERS INCORPORATED | Cole Information Services |
| | ACKMANZIFF REAL ESTATE | Cole Information Services |
| | CIPRIANI 42ND STREET | Cole Information Services |
| | DEVELOPEMENT SPECIALIST INCORPORATED | Cole Information Services |
| | HAMILTON & MACAVERY | Cole Information Services |
| | METLANG COM | Cole Information Services |
| | METROPOLITAN INTERPRETORS & TRANSL | Cole Information Services |
| | STRATEGIC WORKFORCE SOLUTIONS | Cole Information Services |
| | ADSHALL MALL COMMUNICATIONS | Cole Information Services |
| | CLEAR CHANNEL OUTDOOR | Cole Information Services |
| | ELLER MEDIA COMPANY | Cole Information Services |
| | KRONISH ASSOCIATES | Cole Information Services |
| | METROPOLITAN ACCOUNTANTS & AUDITORS | Cole Information Services |
| | DCM ERECTORS INCORPORATED | Cole Information Services |
| | ACKMANZIFF REAL ESTATE GROUP LLC | Cole Information Services |
| | ALBERT & MARY LASKER | Cole Information Services |
| | ASHWOOD EXECUTIVE SEARCH INTERNATIONAL | Cole Information Services |
| | G CAPITAL MANAGEMENT LLC | Cole Information Services |
| | AMERIPRISE FINANCIAL CORPORATION | Cole Information Services |
| | ELLER MEDIA | Cole Information Services |
| | FIRST NEW AMSTERDAM CORP | Cole Information Services |
| | ALBION COSMETIC AMERICA | Cole Information Services |
| 2009 | CIPRIANI LE SPECIALIST INC | Cole Information Services |
| | THE METROPOLITAN CO | Cole Information Services |
| | WOLFFMEDICAL MARKETING & DESIGN LLC | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|------------------------------------|
| 2009 | ACKMAN ZIFF REAL ESTATE GROUP LLC | Cole Information Services |
| | DAN WYMAN BOOKS LLC | Cole Information Services |
| | SMITH DORNAN & DEHN PC | Cole Information Services |
| | MAKOLANE LLC | Cole Information Services |
| | CIPRIANI INTL TRAVEL LLC | Cole Information Services |
| | TRANSPORTATION MEDICAL INC | Cole Information Services |
| | METROPOLITAN TEMPORARIES INC | Cole Information Services |
| | VANDENBERG & FELIU | Cole Information Services |
| | CIPRIANI INTERNATIONAL | Cole Information Services |
| | HAMILTON & MACAVERY | Cole Information Services |
| | CATES LLC | Cole Information Services |
| | METROMEDIA INTL TELECOM | Cole Information Services |
| | HAMILTON & ROSE CPAS PC | Cole Information Services |
| | HUNTER TRAVEL CONNECTIONS | Cole Information Services |
| | NEWMARK KNIGHT FRANK | Cole Information Services |
| | CLEAR CHANNEL AIRPORTS | Cole Information Services |
| | METRO INTERPRETERS TRANSLATORS INC | Cole Information Services |
| | STRATEGIC WORKFORCE SOLUTIONS | Cole Information Services |
| | GENESIS FINANCIAL SERVICE INC | Cole Information Services |
| | ALLSTATE 24 HR ROAD SERVICE | Cole Information Services |
| | MAP COMMUNICATIONS INC | Cole Information Services |
| | THE GOODKIND GROUP INC | Cole Information Services |
| | FIRST NEW AMSTERDAM CORP | Cole Information Services |
| | ALBER & MARY LASKER FOUNDATION | Cole Information Services |
| | OFFICE SEKKEI AMERICA INC | Cole Information Services |
| | ADSELL MALL COMMUNICATIONS | Cole Information Services |
| | 1330 3RD AVE CORP | Cole Information Services |
| | TOWERBROOK CAPITAL PARTNERS LP | Cole Information Services |
| | BRENNER MARK B ESQ | Cole Information Services |
| | ELLER MEDICAL | Cole Information Services |
| | MERCHANT FORECAST | Cole Information Services |
| | WEICHERT REALTORS PETERS ASSOCIATES | Cole Information Services |
| 2006 | Weizmann Global Endowment Mgmt | Hill-Donnelly Information Services |
| | Multi Unit Address | Hill-Donnelly Information Services |
| | Number 1401 Ackman Carmela I P | Hill-Donnelly Information Services |
| | Addeo Gerard a | Hill-Donnelly Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------------------------|
| 2006 | Air Ton Air Conditioning Corp | Hill-Donnelly Information Services |
| | Bartlett Bartlett & Ziegler | Hill-Donnelly Information Services |
| | Cap Technologies o | Hill-Donnelly Information Services |
| | Number 5 Cipriani 2 R | Hill-Donnelly Information Services |
| | Clear Channel Adshel vo | Hill-Donnelly Information Services |
| | Number 1800 Clear Channel Adshel 1 s | Hill-Donnelly Information Services |
| | Number 1511 Clear Channel Airport | Hill-Donnelly Information Services |
| | Clear Channel Outdoor | Hill-Donnelly Information Services |
| | Clear Channel Taxi Media | Hill-Donnelly Information Services |
| | Consumer Reports Books Edtri | Hill-Donnelly Information Services |
| | Number 1710 DCM Erectors l o oo | Hill-Donnelly Information Services |
| | Number 1309Dorff Construction Co | Hill-Donnelly Information Services |
| | Eller Media i | Hill-Donnelly Information Services |
| | Farm is | Hill-Donnelly Information Services |
| | First New Amsterdam Corp | Hill-Donnelly Information Services |
| | Genesis Financial Svc Inc | Hill-Donnelly Information Services |
| | Number 1100 Go Smile Inc 2 P | Hill-Donnelly Information Services |
| | Number 18 Gotham Partners Mgmt Co | Hill-Donnelly Information Services |
| | Number 1714 Guest Informant | Hill-Donnelly Information Services |
| | Hamilton & Macavery Cpas | Hill-Donnelly Information Services |
| | HTN Communications LLC | Hill-Donnelly Information Services |
| | Irene Garage 2 LLC is | Hill-Donnelly Information Services |
| | Japan Office Svc Inc 15 s oi | Hill-Donnelly Information Services |
| | Number 1712 Karabay & Tempesta i P o | Hill-Donnelly Information Services |
| | h Kronish Ben & Paul A | Hill-Donnelly Information Services |
| | Lachman Wayne Productions LTD | Hill-Donnelly Information Services |
| | Number 1300 Lasker Foundation Inc l | Hill-Donnelly Information Services |
| | Number 1810 Lighthouse Partners LLC | Hill-Donnelly Information Services |
| | Number 370 Mangialardi & Berardino | Hill-Donnelly Information Services |
| | Number 802 Metropolitan Co 3 s | Hill-Donnelly Information Services |
| | Number 1601 Newmark Knight Frank 2 F | Hill-Donnelly Information Services |
| | Office Kei Inc 2 s | Hill-Donnelly Information Services |
| | Park Avenue Malls Planting | Hill-Donnelly Information Services |
| | Number 18 Pershing Square Capital Mgmt | Hill-Donnelly Information Services |
| | Number 1406 Posner Alan H 1 F | Hill-Donnelly Information Services |
| | Protective Security Systems | Hill-Donnelly Information Services |
| | R & D Consulting 2 P | Hill-Donnelly Information Services |
| | Saleirno Mark os | Hill-Donnelly Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------------------------|
| 2006 | Scott Me Kenzie Partners | Hill-Donnelly Information Services |
| | Smith Domrnan Deahn 1 P | Hill-Donnelly Information Services |
| | Number 800 Strategic Workforce Solutions | Hill-Donnelly Information Services |
| | Number 1419Tetsuji Nishi | Hill-Donnelly Information Services |
| | U S Japan Business News | Hill-Donnelly Information Services |
| | Number 1502 Vandenberg & Feliu 2 P | Hill-Donnelly Information Services |
| | Number 615Vision Consulting Intl Inc | Hill-Donnelly Information Services |
| | Vision Consulting USA Inc | Hill-Donnelly Information Services |
| 2004 | ALBERT & MARY LASKER FNDTN INC | Cole Information Services |
| | ALAN POSNER | Cole Information Services |
| | MJC ELECTRIC INC | Cole Information Services |
| | OFFICE KEI INC | Cole Information Services |
| | ADSHL MALL COMMUNICATIONS | Cole Information Services |
| | MERRITT & HARRIS INC | Cole Information Services |
| | VANDENBERG & FELIU LLP | Cole Information Services |
| | PROTECTIVE SECURITY SYSTEMS INC | Cole Information Services |
| | METROPOLITAN ACNTNT & ADTR | Cole Information Services |
| | KAZAMAT CORP | Cole Information Services |
| | THE ACKMN ZIFF REAL ESTT GROUP | Cole Information Services |
| | SHOKO OKAMURA | Cole Information Services |
| | R & D CONSULTING | Cole Information Services |
| | DANIEL TUNKEL | Cole Information Services |
| | RAJES SIVANANDADASAN | Cole Information Services |
| | GARY ALTERMAN | Cole Information Services |
| | BOISE CASCADE CORP | Cole Information Services |
| | HAMILTON & ROSE CPAS PC | Cole Information Services |
| | US JAPAN BUSINESS NEWS INC | Cole Information Services |
| | BOISE OFFICE FURNITURE | Cole Information Services |
| | MAJOR LEAGUE SOCCER | Cole Information Services |
| | HAMILTON & MACAVERY CPA | Cole Information Services |
| | CIPRIANI LE SPECIALITA | Cole Information Services |
| | MAKAIR LLC | Cole Information Services |
| | METROPOLITAN CO | Cole Information Services |
| | GOODKIND STAFFING LTD | Cole Information Services |
| | VISION USA INC | Cole Information Services |
| | APPROVED TECHNOLOGIES INC | Cole Information Services |
| | BARTLETT LAW GROUP LLC | Cole Information Services |
| | TECH HANDS CORP | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|---------------------------|
| 1999 | MAMARONECK TOWN OF | Cole Information Services |
| | ACKMAN LAWRENCE D THE ACKMAN
ZIFF REAL ESTATE GROUP LLC | Cole Information Services |
| | VISION CONSULTING INTERNATIONAL
INCORPORATED | Cole Information Services |
| | A J UNLIMITED INCORPORATED | Cole Information Services |
| | SUPPLYNET INCORPORATED | Cole Information Services |
| | METRONET COMMUNICATIONS
INCORPORATED | Cole Information Services |
| | BERARDINO S J ATTORNEY | Cole Information Services |
| | FOR GENTLEMEN ONLY | Cole Information Services |
| | HORIZON PARTNERS INCORPORATED | Cole Information Services |
| | MAP MOBILE COMMUN
INCORPORATED | Cole Information Services |
| | Y107 | Cole Information Services |
| | W WXY | Cole Information Services |
| | KARABAY & TEMPESTA CPAS | Cole Information Services |
| | HOME SAVINGS OF AMERICA | Cole Information Services |
| | U S JAPAN BUSINESS NEWS | Cole Information Services |
| | CIPRIANI 42 ST LLC | Cole Information Services |
| | MERRITT & HARRIS CONSULTANTS | Cole Information Services |
| | KUGELMAS JERRY ATTORNEY | Cole Information Services |
| | POSNER ALAN H | Cole Information Services |
| | NEW YORK CONSUMER FOR
ECONOMIC COMPETITION | Cole Information Services |
| | NORTH COMMUNICATION
INCORPORATED | Cole Information Services |
| | BARTLETT BARTLETT & ZIEGLER
ATTORNEY | Cole Information Services |
| | DORFF CONST COMPANY
INCORPORATED | Cole Information Services |
| | SHOKO OKAMURA | Cole Information Services |
| | GUEST INFORMANT | Cole Information Services |
| | HOME SAVINGS OF AMER
ACCOUNT/GENERAL INFORMATION | Cole Information Services |
| | ACKMAN LAWRENCE D THE ACKMAN
ZIFF REAL EST GROUP LLC | Cole Information Services |
| | CAVALLO RALPH A ATTORNEY | Cole Information Services |
| | MAJOR LEAGUE SOCCER | Cole Information Services |
| | METROMEDIA INTERNATIONAL
INCORPORATED | Cole Information Services |
| | METROMEDIA TECHNOLOGIES
INCORPORATED | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|---------------------------|
| 1999 | GLOBECAST | Cole Information Services |
| | FASHION CAFE RESTAURANT | Cole Information Services |
| | ADVISERS CAPITAL MANAGMNT
INCORPORATED | Cole Information Services |
| | BLB CONSULTING | Cole Information Services |
| | HARRIS ELLIOTT JR CONSLT ENGR | Cole Information Services |
| | R & D CONSULTING | Cole Information Services |
| | MAP MOBILE COMMUNICATON
INCORPORATED | Cole Information Services |
| | METROMEDIA ITNL MARKETING
INCORPORATED | Cole Information Services |
| | TOWN OF MAMARONECK | Cole Information Services |
| | CORPINA & OVERZAT ATTORNEYS | Cole Information Services |
| | VJ CONSTRUCTION COMPANY
INCORPORATED | Cole Information Services |
| | GRASSO ALEX ATTORNEY | Cole Information Services |
| | PROTECTIVE SECURITY SYSTEMS
INCORPORATED | Cole Information Services |
| | HELWIG BRUCE M ATTORNEY | Cole Information Services |
| | GOOD KIND ASSOCIATES
INCORPORATED | Cole Information Services |
| 1994 | IDENTITY PROMOTIONS INC, GRAPHIC
DESIGNERS | Cole Information Services |
| | RODMAN MANAGEMENT | Cole Information Services |
| | WOLF ALEXANDER & SON | Cole Information Services |
| | PHARMACEUTICAL ADVERTISING
COUNCIL INC | Cole Information Services |
| | POSNER ALAN H | Cole Information Services |
| | ACKMAN BROTHERS & SINGER INC | Cole Information Services |
| | SINGER ANDREW J, RL EST | Cole Information Services |
| | WERNER, PETER R, ATTY | Cole Information Services |
| | METNICK & SCHUCHMAN | Cole Information Services |
| | SHAPIRO EDWIN S, LWYR | Cole Information Services |
| | CAVALLO, RALPH A, ATTY | Cole Information Services |
| | HELWIG, BRUCE M, ATTY | Cole Information Services |
| | MAP MOBILE COMMUN INC | Cole Information Services |
| | ACKMAN LAWRENCE D, RL EST | Cole Information Services |
| | HARDY PEAL RAWLINGS WERNER &
COOGAN, LWYRS | Cole Information Services |
| | ONE HUNDRED TEN EAST FORTY
SECOND ST BLDG | Cole Information Services |
| | LAMPLIGHT GROUP INC THE | Cole Information Services |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|---------------------------|
| 1994 | MERRITT CLARENCE C, ARCHT | Cole Information Services |
| | SUTHERLAND, WM K, LYR | Cole Information Services |
| | GLOBAL INFORMATION RESOURCES | Cole Information Services |
| | MAP MOBILE COMMUNICATIONS INC | Cole Information Services |
| | CORPINA, JOSEPH B, ATTY | Cole Information Services |
| | WALLACE, LARRY, ATTY | Cole Information Services |
| | SHOKO OKAMURA | Cole Information Services |
| | MERRITT & HARRIS, CONSLTNTS | Cole Information Services |
| | HOME SAVINGS OF AMERICA | Cole Information Services |
| | GODSBERG STEVEN | Cole Information Services |
| | ZANKEL JEFFREY A | Cole Information Services |
| | SHAPIRO, EDWIN S, LWYR | Cole Information Services |
| | HARRIS, ELLIOTT, JR, CONSLT ENGR | Cole Information Services |
| | HOME SAVINGS OF AMERICA-
MORTGAGE LOANS-MANHATTAN | Cole Information Services |
| | COOGAN, ROBERT F, ATTY | Cole Information Services |
| | HUNDRED YEAR THE ASSOC OF NY | Cole Information Services |
| | HOME SAVINGS OF AMERICA-
MANHATTAN BRANCHES-MANHATTAN | Cole Information Services |
| | GODSBERG & ZANKEL, ATTYS | Cole Information Services |
| | DORFF CONST CO INC | Cole Information Services |
| | OFFICE KEI | Cole Information Services |
| | KARABAY & TEMPESTA, CPAS | Cole Information Services |
| | BERARDINO, S J, ATTY | Cole Information Services |
| | CORPINA & OVERZAT, ATTYS | Cole Information Services |
| | OVERZAT, PETER K, ATTY | Cole Information Services |
| | GRASSO ALEX, ATTY | Cole Information Services |
| 1983 | AFSAAFL I O | New York Telephone |
| | Ackman Herman riest | New York Telephone |
| | American Federation Of School
Administrators AFLCIO | New York Telephone |
| | Artlee Catalog Inc | New York Telephone |
| | Bensley Charles J | New York Telephone |
| | Berardino S J atty | New York Telephone |
| | Bernardino S J atty | New York Telephone |
| | Bisceglia Philip J atty | New York Telephone |
| | Bloom & Epsteir attys | New York Telephone |
| | Bloom Epstein Wayne Reiss & Milner
attys | New York Telephone |
| | Bloom Jeremiah B atty | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1983 | Boston & Maine R | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | Administration & Other Information Main Office | New York Telephone |
| | OConnor Roderic L b | New York Telephone |
| | Ovadia Edward b | New York Telephone |
| | Overzat Peter K atty | New York Telephone |
| | Pomper & Rubintn attys | New York Telephone |
| | Premier Ins Svce | New York Telephone |
| | Reiss George atty | New York Telephone |
| | Ricksen John b | New York Telephone |
| | Ricksen Robert E | New York Telephone |
| | Robinson Jesse K atty | New York Telephone |
| | Rnson Wayne & Reiss attys | New York Telephone |
| | Robinson Wayne & Greenberg Gateway | New York Telephone |
| | Ross Robert Stanley Christian Science Pupil Assn | New York Telephone |
| | Rubinton Geo atty | New York Telephone |
| | Schiff Meyer lwyr | New York Telephone |
| | Schild Jacob lwyr | New York Telephone |
| | Seits Kevin atty | New York Telephone |
| | Seits & Shapiro attys | New York Telephone |
| | Selit Max lwyr | New York Telephone |
| | Shamis Max atty | New York Telephone |
| | Shamis Max Attorney PC | New York Telephone |
| | Shapiro Edwin S atty | New York Telephone |
| | Sica Alfred A atty | New York Telephone |
| | Silver Fredk lwyr | New York Telephone |
| | Slavin Janet atty | New York Telephone |
| | Sommer Robert H Assocs | New York Telephone |
| | Stack & Van Ness Inc d Mrs | New York Telephone |
| | Sternkopf Lawrence & Co | New York Telephone |
| | Tagsons Papers Inc | New York Telephone |
| | Travel With Goren Inc | New York Telephone |
| | United Svce Organizations Of Metropolitan N Y Inc | New York Telephone |
| | VPH Mechanical Corp | New York Telephone |
| | Van Dusen Elizabeth J D | New York Telephone |
| | Wayne Alvin atty | New York Telephone |
| | Wayne Alvin atty | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1983 | Weber Walter W lwyr | New York Telephone |
| | WHITE WM A & SONS rl est | New York Telephone |
| | Buildings | New York Telephone |
| | Wingate William A Attorney Professional Corp | New York Telephone |
| | Wingate Wm Alden lryc | New York Telephone |
| | Zinner Geo P ins | New York Telephone |
| | BOWERY SAVINGS BANK | New York Telephone |
| | Banking Offices Manhattan | New York Telephone |
| | Brody Jeffrey M atty | New York Telephone |
| | Cohen Jack & Associates Inc | New York Telephone |
| | International Group Administrators Inc | New York Telephone |
| | Cavallo Ralph A atty | New York Telephone |
| | Corpina Joseph B atty | New York Telephone |
| | Derwin Edw G CPA | New York Telephone |
| | Derwin Edward G CPA | New York Telephone |
| | Di Donato Walter J lwy | New York Telephone |
| | Di Giacomo S & Sons Inc contrs | New York Telephone |
| | Dubow Allan atty | New York Telephone |
| | Eisberg Rand R lwyr | New York Telephone |
| | Ellison Fred P lwyr | New York Telephone |
| | FEDERAL HOME LIFE INSURANCE COMPANY Main Ofc | New York Telephone |
| | FEDERAL HOME LIFE INSURANCE COMPANY Main Ofc | New York Telephone |
| | International Underwriters | New York Telephone |
| | Fink J G lwyr | New York Telephone |
| | Fink Robt J wyr | New York Telephone |
| | Glass Digest pbictn | New York Telephone |
| | Gold Charles lwyr | New York Telephone |
| | Gold Mark J atty | New York Telephone |
| | Goldwater Richard M atty | New York Telephone |
| | Goren Tours Inc | New York Telephone |
| | Grace Geo T atty | New York Telephone |
| | Grace & Grace attys | New York Telephone |
| | Grayson Harry J atty | New York Telephone |
| | Green Bay & Western RR Co | New York Telephone |
| | Greif Ed public relations | New York Telephone |
| | Greif Jim | New York Telephone |
| | HWL Corp | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|--------------------|
| 1983 | Harris Elliott Jr consitenr | New York Telephone |
| | Hawkes Jonas & Co Inc | New York Telephone |
| | Helwig Bruce M atty | New York Telephone |
| | Hershon Morris atty | New York Telephone |
| | Hershson Morris atty | New York Telephone |
| | Herwitz Oren C atty | New York Telephone |
| | Hoffman Murray R atty | New York Telephone |
| | Hoving Walter b | New York Telephone |
| | Information Managmnt Exposistion
Conference The | New York Telephone |
| | International Group Administrators Inc | New York Telephone |
| | INTERNATIONAL UNDERWRITERS ins | New York Telephone |
| | Javed Shahid b | New York Telephone |
| | Kellner Irving ins | New York Telephone |
| | Kilkelly Francis J Jr atty | New York Telephone |
| | Klafter Leonard ins | New York Telephone |
| | Leavens John M | New York Telephone |
| | Little Robert F CPA | New York Telephone |
| | Losito Frank J atty | New York Telephone |
| | LOVELACE & MALOY | New York Telephone |
| | Madigan Robert Assocs management
consitnts | New York Telephone |
| | Mangiator di & Corpina attys | New York Telephone |
| | Mangiator di Frank P atty | New York Telephone |
| | Mariano John H lwyr | New York Telephone |
| | Mariano Sosan C lwyr | New York Telephone |
| | Mariano Wm E atty | New York Telephone |
| | Markle Jos lwyr | New York Telephone |
| | Marro Joseph R atty | New York Telephone |
| | Marro Joseph R atty | New York Telephone |
| | Mc Callion Donald G lwyr | New York Telephone |
| | Mc Quade & Mc Quade attys | New York Telephone |
| | Merritt Clarence C archt | New York Telephone |
| | Merritt & Harris consltns | New York Telephone |
| | Metal Blast Inc | New York Telephone |

111 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1983 | Commodore Camera Inc | New York Telephone |
| | Insdustrl Reports Inc | New York Telephone |

FINDINGS

112 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------|---------------------------|
| 2004 | QUARTARARO & ASSOCS INC | Cole Information Services |

115 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|------------------------------------|
| 2006 | 116 No Current Listing | Hill-Donnelly Information Services |

119 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1983 | Medical Hotline publctn | New York Telephone |
| | Ann Hardy Public Relations | New York Telephone |
| | Appeal Of Conscience Foundation The | New York Telephone |

121 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------|---------------------------|
| 2014 | ROBERTO MATTEI | Cole Information Services |

123 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------|---------------------------|
| 2004 | OPTICAL EXPRESS | Cole Information Services |

125 E 42ND ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------|------------------------------------|
| 2006 | 127 No Current Listing | Hill-Donnelly Information Services |

E E 42

110 E E 42

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------------|--------------------|
| 1956 | HERZER & DINERSTEIN ACCTNTS | New York Telephone |

Grand Central Terminal

114 Grand Central Terminal

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------|--------------------|
| 1927 | N Y Central Railroad Co | New York Telephone |

FINDINGS

PARK AVE

157 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|---------------------------------|----------------------|
| 1983 | Fellowship Of The Inner Light | New York Telephone |
| | Educational Environment Control | New York Telephone |
| 1920 | Samkoff Max Max Samkoff & Son | R. L. Polk & Co. |

159 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|-----------------------|----------------------|
| 1968 | AYALA PANCHITA | New York Telephone |
| | COLLAZO LUP MR | New York Telephone |
| | SOTO ILUMINADA | New York Telephone |
| 1963 | STRATFORD ROZENA MRS | New York Telephone |
| | VELEZ NEREDAL | New York Telephone |
| 1958 | WASSERMAN HYMAN PLTRY | New York Telephone |
| 1950 | MURPHY ALEXNDR P | New York Telephone |
| | GARNETT ROBT W | New York Telephone |
| | FIELDS CARL K | New York Telephone |

161 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|--------------------|-----------------------------------|----------------------|
| 1993 | SYMMES JOHN M BLDNG REPORTS | NYNEX Telephone |
| | KEILING JOSEPH J BIDNG REPORTS | NYNEX Telephone |
| | BROWN LETTERS INC BLDNG REPORTS | NYNEX Telephone |
| 1988 | BROWN LETTERS INC BLDNG REPORTS | NYNEX Telephone |
| 1983 | Hamilton Elaine | New York Telephone |
| | HAMILTON ELAINE | New York Telephone |
| | Symmes John M bidng reports | New York Telephone |
| | Keiling Joseph J bldng reports | New York Telephone |
| 1978 | KEILLING JOSEPH J BLDNG REPORTS | New York Telephone |
| 1973 | BROWN LETTERS INC BLDNG REPORTS | New York Telephone |
| 1950 | HINDS J DONALD C | New York Telephone |
| 1927 | OIL O-MATIC HEATING CO | New York Telephone |
| | Oil O Matic Heating Co | New York Telephone |
| 1923 | Wagnerlton Thos D archt | R. L. Polk & Co. |
| | ROCKLAND & ROCKPORT LIME CORP | R. L. Polk & Co. |
| | Rockland Mo Edward B Page N Y Mgr | |
| | Lime for all Purposes | |

FINDINGS

163 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|------------------------------|--------------------|
| 1968 | FEUERSTEIN BERNARD A ATTY | New York Telephone |
| 1923 | Thomson Geo H sls mgr | R. L. Polk & Co. |
| | Goldmark Hy eng | R. L. Polk & Co. |
| | Wearne Harry printed fabrics | R. L. Polk & Co. |

165 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|--------------------|
| 1993 | HOME HEALTH CARE TECH INC THERAPY | NYNEX Telephone |
| 1988 | WOODARD CLARENCE W | NYNEX Telephone |
| 1973 | SOHVAL LAURA S | New York Telephone |
| | HINKSON MARY | New York Telephone |
| | DANZO JAS | New York Telephone |
| 1968 | DUBAIN SYLVIA M | New York Telephone |
| 1963 | JOS G | New York Telephone |
| | BORGSTROM ANNA E | New York Telephone |
| 1958 | MESSER HEZEKIAHS A | New York Telephone |
| 1934 | Hauser Jas pres sec Bell Haberdashers Inc | R. L. Polk & Co. |
| 1923 | Slotnick Meyer tailor | R. L. Polk & Co. |

167 PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--|------------------------------------|
| 2006 | 169 171 175 176 177 No Current Listing | Hill-Donnelly Information Services |
| 1968 | RIVERA ANTONIA | New York Telephone |
| 1963 | METROPOLITN LABEL CO SALES OFC | New York Telephone |

159L PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------|--------------------|
| 1988 | SEGARRA JOSEFINA | NYNEX Telephone |
| 1968 | WILBURN MARILYN MRS | New York Telephone |
| | VALENTIN GLORIA | New York Telephone |
| | VALENTIN FELIPE | New York Telephone |
| | TORO RAFAEL | New York Telephone |
| | SMITH AMRITT | New York Telephone |
| | RAMOS ROGELIO | New York Telephone |
| | GRIFFITH CORINNE R | New York Telephone |
| | DAVILA SANTA CEDENO MRS | New York Telephone |
| | ALMODOVAR SANTOS | New York Telephone |

FINDINGS

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------|--------------------|
| 1963 | LABOY JERONIMO | New York Telephone |
| 1958 | PIANELLO CAESAR | New York Telephone |
| | HARALAM PHILLIP | New York Telephone |

161L PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|--------------------|
| 1968 | LEBRON MILAGROS | New York Telephone |
| 1950 | HUNTER ESTELLA MRS | New York Telephone |

PARK AVE S

161 PARK AVE S

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1983 | SCHROEDER ALFRED L PUBLIC RELATIONS | New York Telephone |

S PARK AVE

161 S PARK AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-------------------------------------|--------------------|
| 1983 | Schroeder Alfred L public relations | New York Telephone |

W 42ND R1417 E

130 W 42ND R1417 E

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------------------|------------------|
| 1923 | Julian & Kokenge Co Cincinnati O | R. L. Polk & Co. |

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

| <u>Address Researched</u> | <u>Address Not Identified in Research Source</u> |
|--|--|
| 102 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 103 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 104 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 105 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1988, 1963, 1958, 1956, 1947, 1942, 1934, 1931, 1923, 1920 |
| 105 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923 |
| 105 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 105 E 42ND ST | 2006, 2004, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 106 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 106 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 107 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 107 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 107 E 42ND ST | 2006, 2000, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 108 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 108 E 42ND ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 110 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42 A | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920 |
| 110 E 42 M | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 110 E 42 MANHATTAN TOLL FREE-DIAL 1 & THEN | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |

FINDINGS

Address Researched

Address Not Identified in Research Source

| | |
|-------------------------------|--|
| 110 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1934, 1931, 1923, 1920 |
| 110 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920 |
| 110 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1920 |
| 110 E 42ND AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1958, 1956, 1950, 1947, 1938, 1934, 1931, 1927, 1923, 1920 |
| 110 E 42ND CHATHAM | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND H BKN | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND H E ORANGE NJ | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND H LARCHMONT NY | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND H NEW ROCHELLE N Y | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND H NEW ROCHELLE NJ | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 110 E 42ND R 605 | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42ND R 901 | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42ND R ELMHURST BQ | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42ND R SUNNYSIDE BQ | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42ND R WHITE PLAINS NY | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 110 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 110 E 42ND ST | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 110 E E 42 | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 111 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |

FINDINGS

Address Researched

Address Not Identified in Research Source

| | |
|----------------------------|--|
| 111 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1934, 1931, 1927, 1923, 1920 |
| 111 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923 |
| 111 E 42ND ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 112 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1988, 1983, 1978, 1958, 1956, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 112 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1923, 1920 |
| 112 E 42ND ST | 2017, 2014, 2009, 2006, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 113 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 113 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1958, 1956, 1947, 1938, 1934, 1931, 1927, 1923, 1920 |
| 114 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1963, 1958, 1956, 1947, 1938, 1934, 1931, 1927, 1923, 1920 |
| 114 Grand Central Terminal | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920 |
| 115 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 115 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 117 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1927, 1923, 1920 |
| 117 E 42ND | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1927, 1923, 1920 |
| 119 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1934, 1931, 1927, 1923, 1920 |
| 119 E 42ND ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 121 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1942, 1934, 1931, 1927, 1923, 1920 |
| 121 E 42ND ST | 2017, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 122 E 42 ST N | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |

FINDINGS

Address Researched

Address Not Identified in Research Source

| | |
|--------------------|--|
| 123 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1934, 1931, 1927, 1923, 1920 |
| 123 E 42ND ST | 2017, 2014, 2009, 2006, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 125 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 125 E 42ND ST | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 127 E 42 ST | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1963, 1958, 1956, 1950, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 130 W 42ND R1417 E | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 157 PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923 |
| 159 PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1956, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 159L PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1983, 1978, 1973, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 161 PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1920 |
| 161 PARK AVE S | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 161 S PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 161L PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 163 PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1920 |
| 165 PARK AVE | 2017, 2014, 2009, 2006, 2004, 2000, 1999, 1998, 1996, 1994, 1983, 1978, 1956, 1950, 1947, 1942, 1938, 1931, 1927, 1920 |
| 167 PARK AVE | 2017, 2014, 2009, 2004, 2000, 1999, 1998, 1996, 1994, 1993, 1988, 1983, 1978, 1973, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

109 E 42nd Street

Address Not Identified in Research Source

2000, 1996, 1942

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX H

Subject Property Photographs



Photograph 1: Grand Hyatt Hotel (Subject Property).



Photograph 2: Western adjoining Grand Central Terminal.



Photograph 3: Eastern adjoining Chrysler Building (Amazon/Chase Bank at ground level).



Photograph 4: Retail stores underneath the Subject Property (excluded from the scope of this report).



Photograph 5: Northern adjoining 1-Story Grand Central Market.



Photograph 6: Southern adjoining Chanin Building (Apple Bank/ offices).



Photograph 7: Lexington Passage, walking passage from Grand Central Terminal with retail stores.



Photograph 8: Typical hallway construction, Grand Hyatt.



Photograph 9: Typical layout of executive boardrooms.



Photograph 10: Ballroom lobby area currently utilized for hotel storage.



Photograph 11: Ballroom/ event space interior.



Photograph 12: Back of house kitchen area which serves the ballrooms and event spaces.



Photograph 13: Flammable cages used to store heating gel utilized in food service.



Photograph 14: Electrical equipment located in the basement.



Photograph 15: Steam room located in the basement.



Photograph 16: Laundry detergent solution.



Photograph 17: Storage space located in the basement.



Photograph 18: Additional flammable cage with standard maintenance supplies.



Photograph 19: Cooling towers located on the roof level.



Photograph 20: Chimney stack observed on the roof.



Photograph 21: Elevator mechanical equipment on the 36th Floor.



Photograph 22: Emergency diesel generator with 275-gallon tank, 36th Floor.



Photograph 23: Basement sublevel 2 utilized for cleaning services.



Photograph 24: Main lobby of the Grand Hyatt.



Photograph 25: Vacant restaurant/bar overhanging East 42nd Street.



Photograph 26: Vacant retail space off the main lobby.

Phase I Environmental Site Assessment
109 East 42nd Street (Block 1280, Lot 30)
New York, New York

APPENDIX I

User Provided Information

November 20, 2020

Mr. Gregory Lowe
Commodore Owner LLC
75 Rockefeller Plaza
Suite 1500
New York, New York 10019

Re: Summary of Sub-Slab Soil Vapor Investigation
Project Commodore
109 East 42nd Street, New York, New York
Block 1280, Lot 30

Dear Mr. Lowe:

Roux Environmental Engineering and Geology, D.P.C. (Roux) has prepared this letter on behalf of Commodore Owner LLC (referred to herein as "Commodore Owner") to summarize the results of the sub-slab soil vapor investigation in the basement of the Grand Hyatt Hotel of New York located at the above-referenced property (Site). The Grand Hyatt Hotel of New York has historically been identified as a Small Quantity Generator (SQG) of hazardous wastes. The waste codes identified were related to chlorinated solvents, which suggest the historical operation of dry cleaning at the Site. Dry cleaning operations involve the use of hazardous substances in their operation, and the release of these substances may negatively impact upon the environmental quality of the Site. While historic dry cleaning operations are believed to have occurred on the second level of the basement as noted on the Gruzen & Partners A-102 Lower Level 2 As-Built dated June 15, 1978 (not the lowest floor of the basement) and a release is not likely, Roux recommended that Commodore Owner investigate the quality of the sub-slab soil vapor at the Site as part of their due diligence.

A summary of the sub-slab soil vapor investigation and an analysis of the sampling results are provided in the sections below.

Sub-Slab Soil Vapor Investigation

Roux retained the services of Trinity Environmental Corp. (Trinity) of Deer Park, New York to complete the installation of the three soil vapor pins within the basement of the Grand Hyatt Hotel. On October 21, 2020, the three soil vapor points (SV-1 through SV-3) were installed using vapor pins at the locations shown on Figure 1. The vapor pins were installed by drilling through the concrete slab and placing a stainless-steel vapor pin into the borehole using a hammer drill and the manufacturer-provided vapor pin installation tool.

Following installation of each vapor pin, the integrity of each sampling point seal was checked via a helium gas tracer test. This step was conducted as a quality assurance/quality control (QA/QC) measure to verify that the soil vapor sample was not compromised by inadvertent introduction of ambient air into the sample. Soil vapor was purged from the point using an air pump calibrated to approximately 0.2 liters per minute while the sampling point was covered at the surface with a small enclosure that was partially filled with helium. The soil vapor discharging from the air pump and the air within the enclosure was continuously monitored for helium during purging. Helium was not detected from the sample tubing

greater than 10% of the helium detected in the enriched area (i.e., within the bucket); therefore, the helium tracer test verified the integrity of the surface seal of the vapor pin.

Prior to sample collection, each soil vapor point was purged of approximately three volumes of soil vapor using an air pump calibrated to approximately 0.2 liters per minute. The samples were collected using batch certified vacuum canisters equipped with laboratory-supplied, two-hour regulators. Vapor samples were analyzed for VOCs using USEPA Method TO-15.

Soil Vapor Sample Results

Results for the three soil vapor samples can be found on Table 1. Laboratory analytical reports are provided in Attachment 1.

All soil vapor samples contained detections of VOCs. Of the VOCs analyzed by the laboratory, only eight compounds have guidance values assigned by the New York State Department of Health (NYSDOH) for soil vapor and indoor air concentrations in decision matrices contained within the NYSDOH October 2006 (Rev. May 2017) Guidance for Evaluating Soil Vapor Intrusion (NYSDOH Guidance). The matrices provide guidance relative to carbon tetrachloride, cis-1,2-dichloroethene, 1,1-dichloroethene, trichloroethene (TCE), tetrachloroethene (PCE), 1,1,1-trichloroethane, methylene chloride, and vinyl chloride.

Matrix A Compounds: carbon tetrachloride, cis-1,2-dichloroethene, 1,1-dichloroethene, TCE

- Carbon tetrachloride, cis-1,2-dichloroethene, 1,1-Dichloroethene, and TCE were not detected in soil vapor.

Matrix B Compounds: PCE, 1,1,1-trichloroethane, methylene chloride

- PCE was detected in all three soil vapor samples ranging in concentration from 4.37 to 11.8 micrograms per cubic meter [$\mu\text{g}/\text{m}^3$].¹
- 1,1,1-Trichloroethane and methylene chloride were not detected in soil vapor.

Matrix C Compound: vinyl chloride

- Vinyl chloride was not detected in soil vapor.

The New York State Department of Environmental Conservation (NYSDEC) and NYSDOH do not currently have standards, criteria or guidance values for concentrations of petroleum compounds in soil vapor. Therefore, no comparative regulatory guidance values or cleanup concentrations are included in Table 1 for these compounds. There were low levels of petroleum VOCs including benzene, ethylbenzene, toluene, and xylene (BTEX), and 1,2,4- trimethylbenzene detected in one or more of the soil vapor samples.

Conclusion and Recommendations

The soil vapor results show detections of VOCs at each of the sampling locations. However, the concentrations detected do not warrant additional investigation according to NYSDOH Guidance.


¹ The NYSDOH Soil Vapor/Indoor Air Matrix B recommends monitoring any points with PCE detections greater than 100 $\mu\text{g}/\text{m}^3$. Mitigative efforts are recommended if PCE concentrations exceed 1,000 $\mu\text{g}/\text{m}^3$.

Mr. Gregory Lowe
November 20, 2020
Page 3

If you have any questions about the sampling results at the Site, please do not hesitate to contact either of the undersigned.

Sincerely,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.



Rachel Henke
Project Scientist



Frank Cherena, P.G.
Principal Geologist

Summary of Sub-Slab Soil Vapor Investigation
Project Commodore - 109 East 42nd Street, New York, New York

TABLE

1. Soil Vapor Sample Results

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| Sample Designation:
Sample Date: | | | SV-1
10/21/2020 | SV-2
10/21/2020 | SV-3
10/21/2020 |
|-------------------------------------|---------------------------------------|-------|--------------------|--------------------|--------------------|
| | NYSDOH Soil
Vapor Matrix
Values | Units | | | |
| 1,1-Dichloroethene | 6 | UG/M3 | 0.793 U | 0.793 U | 0.793 U |
| 1,1,1-Trichloroethane | 100 | UG/M3 | 1.09 U | 1.09 U | 1.09 U |
| Carbon tetrachloride | 6 | UG/M3 | 1.26 U | 1.26 U | 1.26 U |
| cis-1,2-Dichloroethene | 6 | UG/M3 | 0.793 U | 0.793 U | 0.793 U |
| Methylene chloride | 100 | UG/M3 | 1.74 U | 1.74 U | 1.74 U |
| Trichloroethene | 6 | UG/M3 | 1.07 U | 1.07 U | 1.07 U |
| Tetrachloroethene | 100 | UG/M3 | 11.8 | 11 | 4.37 |
| Vinyl chloride | 6 | UG/M3 | 0.511 U | 0.511 U | 0.511 U |
| 1,1,2,2-Tetrachloroethane | | UG/M3 | 1.37 U | 1.37 U | 1.37 U |
| 1,1,2-Trichloroethane | | UG/M3 | 1.09 U | 1.09 U | 1.09 U |
| 1,1-Dichloroethane | | UG/M3 | 0.809 U | 0.809 U | 0.809 U |
| 1,2,4-Trichlorobenzene | | UG/M3 | 1.48 U | 1.48 U | 1.48 U |
| 1,2,4-Trimethylbenzene | | UG/M3 | 2 | 1.13 | 2.02 |
| 1,2-Dibromoethane | | UG/M3 | 1.54 U | 1.54 U | 1.54 U |
| 1,2-Dichlorobenzene | | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,2-Dichloroethane | | UG/M3 | 0.809 U | 0.809 U | 0.809 U |
| 1,2-Dichloropropane | | UG/M3 | 0.924 U | 0.924 U | 0.924 U |
| 1,3,5-Trimethylbenzene | | UG/M3 | 0.983 U | 0.983 U | 0.983 U |
| 1,3-Butadiene | | UG/M3 | 0.442 U | 0.442 U | 0.442 U |
| 1,3-Dichlorobenzene | | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,4-Dichlorobenzene | | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,4-Dioxane | | UG/M3 | 0.721 U | 0.721 U | 0.721 U |
| 2,2,4-Trimethylpentane | | UG/M3 | 0.934 U | 0.934 U | 0.934 U |
| 2-Butanone | | UG/M3 | 7.99 | 4.19 | 2.27 |
| 2-Hexanone | | UG/M3 | 1.39 | 0.84 | 0.82 U |
| 3-Chloropropene | | UG/M3 | 0.626 U | 0.626 U | 0.626 U |
| 4-Ethyltoluene | | UG/M3 | 0.983 U | 0.983 U | 0.983 U |
| 4-Methyl-2-pentanone | | UG/M3 | 2.05 U | 2.05 U | 2.05 U |
| Acetone | | UG/M3 | 84.8 | 45.6 | 31.8 |
| Benzene | | UG/M3 | 0.767 | 0.639 U | 0.837 |
| Benzyl chloride | | UG/M3 | 1.04 U | 1.04 U | 1.04 U |
| Bromodichloromethane | | UG/M3 | 1.34 U | 1.34 U | 1.34 U |
| Bromoform | | UG/M3 | 2.07 U | 2.07 U | 2.07 U |
| Bromomethane | | UG/M3 | 0.777 U | 0.777 U | 0.777 U |
| Carbon disulfide | | UG/M3 | 1.91 | 0.704 | 0.769 |
| Chlorobenzene | | UG/M3 | 0.921 U | 0.921 U | 0.921 U |
| Chloroethane | | UG/M3 | 0.528 U | 0.528 U | 0.528 U |
| Chloroform | | UG/M3 | 1.05 | 12.9 | 2.05 |
| Chloromethane | | UG/M3 | 0.413 U | 0.413 U | 1.04 |
| cis-1,3-Dichloropropene | | UG/M3 | 0.908 U | 0.908 U | 0.908 U |
| Cyclohexane | | UG/M3 | 1.06 | 0.737 | 1.1 |
| Dibromochloromethane | | UG/M3 | 1.7 U | 1.7 U | 1.7 U |
| Dichlorodifluoromethane | | UG/M3 | 2.3 | 2.18 | 2.3 |
| Ethanol | | UG/M3 | 501 | 85.9 | 198 |
| Ethyl Acetate | | UG/M3 | 1.8 U | 1.8 U | 1.8 U |
| Ethylbenzene | | UG/M3 | 0.869 U | 0.869 U | 0.951 |
| Freon-113 | | UG/M3 | 1.53 U | 1.53 U | 1.53 |
| Freon-114 | | UG/M3 | 1.4 U | 1.4 U | 1.4 U |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | SV-1 | SV-2 | SV-3 |
|---------------------------|--|--------------|------------|------------|------------|
| Sample Date: | | | 10/21/2020 | 10/21/2020 | 10/21/2020 |
| | NYSDOH Soil Vapor Matrix Values | Units | | | |
| Heptane | | UG/M3 | 0.82 U | 0.82 U | 0.82 U |
| Hexachlorobutadiene | | UG/M3 | 2.13 U | 2.13 U | 2.13 U |
| Isopropanol | | UG/M3 | 29 | 10.4 | 18.7 |
| Methyl tert butyl ether | | UG/M3 | 0.721 U | 0.721 U | 0.721 U |
| n-Hexane | | UG/M3 | 0.821 | 0.705 U | 2.21 |
| o-Xylene | | UG/M3 | 1.48 | 1.09 | 1.36 |
| p/m-Xylene | | UG/M3 | 2.78 | 2.16 | 2.63 |
| Styrene | | UG/M3 | 1.48 | 2.31 | 3.76 |
| Tertiary butyl Alcohol | | UG/M3 | 2.67 | 1.52 U | 5.49 |
| Tetrahydrofuran | | UG/M3 | 1.47 U | 1.47 U | 1.47 U |
| Toluene | | UG/M3 | 5.2 | 4.52 | 5.2 |
| trans-1,2-Dichloroethene | | UG/M3 | 2.74 | 0.793 U | 0.793 U |
| trans-1,3-Dichloropropene | | UG/M3 | 0.908 U | 0.908 U | 0.908 U |
| Trichlorofluoromethane | | UG/M3 | 4.3 | 1.17 | 1.12 U |
| Vinyl bromide | | UG/M3 | 0.874 U | 0.874 U | 0.874 U |

Notes:

U - Indicates that the compound was analyzed for but not detected

UG/M3 - Micrograms per cubic meter


NYSDOH - New York State Department of Health

Results were compared to Final NYSDOH CEH BEEI Soil Vapor Intrusion Guidance of May 2017 Soil Vapor Matrix Values

Summary of Sub-Slab Soil Vapor Investigation
Project Commodore - 109 East 42nd Street, New York, New York

FIGURE

1. Soil Vapor Pin Locations




EAST 42ND STREET

1 SUBSURFACE EXPLORATION PLAN (LOWER LEVEL 3)
SCALE: 1"=10'

- GENERAL NOTES:**
- BACKGROUND FLOOR PLANS FOR GROUND LEVEL, LOWER LEVEL 1 AND 3 TAKEN FROM DRAWINGS T-102, T-101, T102 TITLED "EXISTING GROUND FLOOR PLAN", "EXISTING MEZZANINE FLOOR PLAN" AND "EXISTING PLATFORM FLOOR PLAN", BY SOM, RETRIEVED 23 APRIL 2020.
 - BACKGROUND FLOOR PLAN FOR LOWER LEVEL 2 TAKEN FROM DRAWING EX-099 TITLED "SUB-CELLAR", BY SOM, RETRIEVED 23 APRIL 2020.
 - BACKGROUND SURVEY INFORMATION TAKEN FROM A PLAN TITLED "TOPOGRAPHIC, BOUNDARY, AND UTILITY SURVEY" PREPARED BY LANGAN, LAST DATED AS A DRAFT ON 11 JULY 2019.
 - SURVEY INFORMATION FOR METRO NORTH LOWER AND UPPER LOOP TRACKS TAKEN FROM A SURVEY PERFORMED BY LANGAN TRANSMITTED AS AN ELECTRONIC FILE LAST DATED 23 SEPTEMBER 2019.
 - REFERENCES FOR SECTION OF LINE 7 T.A. STRUCTURE ON 42ND STREET TAKEN FROM A DRAWING TITLED "CROSS SECTION AT PLATFORM LEVEL" DRAWING NO T-12, NEW YORK TRANSIT SYSTEM CONTRACT A-30535.
 - APPROXIMATE ROCK CUT SHOWN ON THE NORTH OF THE PROPERTY TAKEN FROM RECORD DRAWINGS OF GRAND CENTRAL TERMINAL IMPROVEMENTS, PLAN TITLED "SURFACE PLAN 42ND TO 58RD STREET", DATED 14 AUGUST 1915.
 - ELEVATIONS SHOWN ON THIS PLAN ARE IN NORTH AMERICAN VERTICAL DATUM 1988 (NAVD88), WHICH IS 1.082 FT ABOVE NATIONAL GEODETIC VERTICAL DATUM 1929 (NGVD29), MEAN SEA LEVEL AT SANDY HOOK, NJ. 1929 REFERENCES FOR ELEVATIONS WERE RETRIEVED FROM AN ARCHITECTURAL SURVEY COMPLETED BY LEONARD J. STRANDER AND ASSOCIATES, DATED 10 AUGUST 2017.

- GEOTECHNICAL DRILLING NOTES AND PROCEDURES:**
- CONTRACTOR TO PLACE "ONE CALL" FOR UTILITY MARKOUT PRIOR TO DRILLING.
 - DRILLING WILL BE PERFORMED FROM THE EXISTING BUILDING SLABS USING A PORTABLE ELECTRIC DRILL RIG.
 - STEEL CASING (4-1/2 INCH OUTER DIAMETER) AND BENTONITE DRILLING FLUID OR REVERT WILL BE USED TO SUPPORT THE SOIL DURING DRILLING. A 2-1/2 INCH-OUTER-DIAMETER SPLIT SPOON SAMPLER WILL BE USED TO OBTAIN SOIL SAMPLES FOR CLASSIFICATION AND LABORATORY TESTING.
 - FOR THE TOP 10 FEET, THE CASING WILL BE ADVANCED IN 5-FOOT SECTIONS. THE BORING WILL BE DRILLED USING DRILLING FLUID AHEAD OF THE CASING TO ALLOW FOR CONTINUOUS SPLIT SPOON SAMPLING.
 - BELOW 10 FEET, SPLIT SPOON SAMPLES WILL BE OBTAINED AT 5-FOOT INTERVALS. THE CASING WILL BE ADVANCED TO ABOVE THE SAMPLE LOCATION. A 3-7/8 INCH-OUTER-DIAMETER THROAT ROLLER BIT WILL BE USED TO OBTAIN CLEAN SOIL CUTTINGS OUT OF THE CASING, AND A SAMPLE WILL BE OBTAINED FROM THE SOIL BELOW THE CASING.
 - IF THE CASING HITS AN OBSTRUCTION (I.E. BOULDER), THE OBSTRUCTION WILL BE DRILLED THROUGH USING APPROPRIATE MEANS AND METHODS, AND THE CASING WILL BE ADVANCED.
 - IF BEDROCK IS ENCOUNTERED, CASING WILL BE ADVANCED TO TOP OF ROCK AND BEDROCK WILL BE CORED IN 5-FT RUNS USING AN NX-SIZE CORE BARREL, WHILE MAINTAINING INTERNAL FLUSH RETURN.

- TEST PIT NOTES:**
- ALL TEST PIT LOCATIONS ARE APPROXIMATE.
 - TEST PIT WILL BE ABOUT 5 FEET BY 5 FEET TO ROCK OR TOP OF THE FOOTING WHICHEVER IS SHALLOWER.
 - TEST PIT SHALL ADVANCE NO MORE THAN 3 FEET BELOW GRADE BEFORE LAGGING IS INSTALLED.
 - TEST PIT SHALL ADVANCE NO MORE THAN 12 INCHES BEFORE EACH CONSECUTIVE RING OF LAGGING IS INSTALLED.
 - TEST PITS WILL BE BACKFILLED TO EXISTING GRADE USING THE EXCAVATED MATERIAL.
 - REPLACE EXISTING SLAB IN KIND AFTER BACKFILLING IS COMPLETE.



- LEGEND:**
- APPROXIMATE NYCT LIMITS
 - APPROXIMATE MNR LIMITS
 - APPROXIMATE VAULT SPACE
 - TRAIN TRACK CENTERLINE
 - APPROXIMATE PROPERTY LIMITS
 - CURB LINE
 - PROPOSED GEOTECHNICAL BORING (ON GRADE)
 - PROPOSED TEST PIT
 - HORIZONTAL WALL PROBE
 - PROPOSED GEOTECHNICAL BORING (DRILLED ABOVE)
 - PROPOSED TEST PIT (DUG ABOVE)
 - ORIGIN FOR COORDINATES
 - APPROXIMATE DEPTH (X,Y COORDINATES FROM ORIGIN)

LEGEND:

- APPROXIMATE NYCT LIMITS
- APPROXIMATE MNR LIMITS
- APPROXIMATE VAULT SPACE
- TRAIN TRACK CENTERLINE
- APPROXIMATE PROPERTY LIMITS
- CURB LINE
- PROPOSED GEOTECHNICAL BORING (ON GRADE)
- PROPOSED TEST PIT
- HORIZONTAL WALL PROBE
- PROPOSED GEOTECHNICAL BORING (DRILLED ABOVE)
- PROPOSED TEST PIT (DUG ABOVE)
- ORIGIN FOR COORDINATES
- APPROXIMATE DEPTH (X,Y COORDINATES FROM ORIGIN)

| Date | Description | No. |
|--|-------------------|----------------|
| REVISIONS | | |
| SIGNATURE: ALAN R. POPPER, DATE SIGNED: 08/02/20
PROFESSIONAL ENGINEER U.C. No. 080220
LANGAN
Langan Engineering, Environmental, Consulting, Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 300 West 3rd Street, 6th Floor
New York, NY 10001
T: 212.479.5400 F: 212.479.5444 www.langan.com | | |
| Project: 109 EAST 42ND STREET | | |
| BLOCK No. 180, LOT No. 30 MANHATTAN, NEW YORK | | |
| Drawing Title: SUBSURFACE EXPLORATION PLAN (LOWER LEVEL 3) | | |
| Project No. 178759501 | Drawing No. TA-05 | |
| Date: 08/08/20 | Drawn By: DB | Checked By: DB |
| Sheet 5 of 5 | | |

Summary of Sub-Slab Soil Vapor Investigation
Project Commodore - 109 East 42nd Street, New York, New York

ATTACHMENT 1

Laboratory Analytical Reports



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L2045589 |
| Client: | Roux Env. Eng. & Geology, DPC
209 Shafter Street
Islandia, NY 11749 |
| ATTN: | Rachel Henke |
| Phone: | (631) 630-2334 |
| Project Name: | COMMODORE |
| Project Number: | 3255.0002Y000 |
| Report Date: | 10/26/20 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

| Alpha
Sample ID | Client ID | Matrix | Sample
Location | Collection
Date/Time | Receive Date |
|----------------------------|------------------|---------------|----------------------------|---------------------------------|---------------------|
| L2045589-01 | SV-1 | SOIL_VAPOR | 109 EAST 42ND ST, NY | 10/21/20 13:54 | 10/21/20 |
| L2045589-02 | SV-2 | SOIL_VAPOR | 109 EAST 42ND ST, NY | 10/21/20 14:02 | 10/21/20 |
| L2045589-03 | SV-3 | SOIL_VAPOR | 109 EAST 42ND ST, NY | 10/21/20 14:13 | 10/21/20 |

Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on October 20, 2020. The canister certification results are provided as an addendum.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 10/26/20

AIR

Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-01
 Client ID: SV-1
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 13:54
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 10/25/20 02:18
 Analyst: RY

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.466 | 0.200 | -- | 2.30 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 266 | 5.00 | -- | 501 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 35.7 | 1.00 | -- | 84.8 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.765 | 0.200 | -- | 4.30 | 1.12 | -- | | 1 |
| Isopropanol | 11.8 | 0.500 | -- | 29.0 | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 0.881 | 0.500 | -- | 2.67 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 0.613 | 0.200 | -- | 1.91 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | 0.691 | 0.200 | -- | 2.74 | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 2.71 | 0.500 | -- | 7.99 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-01
 Client ID: SV-1
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 13:54
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | 0.216 | 0.200 | -- | 1.05 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 0.233 | 0.200 | -- | 0.821 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.240 | 0.200 | -- | 0.767 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.308 | 0.200 | -- | 1.06 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.38 | 0.200 | -- | 5.20 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.339 | 0.200 | -- | 1.39 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 1.74 | 0.200 | -- | 11.8 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-01
 Client ID: SV-1
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 13:54
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| p/m-Xylene | 0.639 | 0.400 | -- | 2.78 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.347 | 0.200 | -- | 1.48 | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.341 | 0.200 | -- | 1.48 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.407 | 0.200 | -- | 2.00 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 126 | | 60-140 |
| Bromochloromethane | 112 | | 60-140 |
| chlorobenzene-d5 | 110 | | 60-140 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-02
 Client ID: SV-2
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:02
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 10/25/20 02:58
 Analyst: RY

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.440 | 0.200 | -- | 2.18 | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 45.6 | 5.00 | -- | 85.9 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 19.2 | 1.00 | -- | 45.6 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | 0.208 | 0.200 | -- | 1.17 | 1.12 | -- | | 1 |
| Isopropanol | 4.24 | 0.500 | -- | 10.4 | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 0.226 | 0.200 | -- | 0.704 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 1.42 | 0.500 | -- | 4.19 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-02
 Client ID: SV-2
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:02
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | 2.65 | 0.200 | -- | 12.9 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.214 | 0.200 | -- | 0.737 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.20 | 0.200 | -- | 4.52 | 0.754 | -- | | 1 |
| 2-Hexanone | 0.205 | 0.200 | -- | 0.840 | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 1.62 | 0.200 | -- | 11.0 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-02
 Client ID: SV-2
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:02
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| p/m-Xylene | 0.497 | 0.400 | -- | 2.16 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.543 | 0.200 | -- | 2.31 | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.251 | 0.200 | -- | 1.09 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.229 | 0.200 | -- | 1.13 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 125 | | 60-140 |
| Bromochloromethane | 112 | | 60-140 |
| chlorobenzene-d5 | 112 | | 60-140 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-03
 Client ID: SV-3
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:13
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 10/25/20 03:38
 Analyst: RY

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | 0.466 | 0.200 | -- | 2.30 | 0.989 | -- | | 1 |
| Chloromethane | 0.506 | 0.200 | -- | 1.04 | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | 105 | 5.00 | -- | 198 | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | 13.4 | 1.00 | -- | 31.8 | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | 7.62 | 0.500 | -- | 18.7 | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | 1.81 | 0.500 | -- | 5.49 | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | 0.247 | 0.200 | -- | 0.769 | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | 0.771 | 0.500 | -- | 2.27 | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-03
 Client ID: SV-3
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:13
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | 0.420 | 0.200 | -- | 2.05 | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | 0.627 | 0.200 | -- | 2.21 | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | 0.262 | 0.200 | -- | 0.837 | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | 0.319 | 0.200 | -- | 1.10 | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | 1.38 | 0.200 | -- | 5.20 | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | 0.645 | 0.200 | -- | 4.37 | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | 0.219 | 0.200 | -- | 0.951 | 0.869 | -- | | 1 |



Project Name: COMMODEORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

SAMPLE RESULTS

Lab ID: L2045589-03
 Client ID: SV-3
 Sample Location: 109 EAST 42ND ST, NY

Date Collected: 10/21/20 14:13
 Date Received: 10/21/20
 Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| p/m-Xylene | 0.606 | 0.400 | -- | 2.63 | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | 0.884 | 0.200 | -- | 3.76 | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | 0.314 | 0.200 | -- | 1.36 | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | 0.410 | 0.200 | -- | 2.02 | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 120 | | 60-140 |
| Bromochloromethane | 111 | | 60-140 |
| chlorobenzene-d5 | 105 | | 60-140 |



Project Name: COMMODORE

Lab Number: L2045589

Project Number: 3255.0002Y000

Report Date: 10/26/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 10/24/20 16:20

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG1426220-4 | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |



Project Name: COMMODEORE

Lab Number: L2045589

Project Number: 3255.0002Y000

Report Date: 10/26/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 10/24/20 16:20

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG1426220-4 | | | | | | | | |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |



Project Name: COMMODORE

Lab Number: L2045589

Project Number: 3255.0002Y000

Report Date: 10/26/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 10/24/20 16:20

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG1426220-4 | | | | | | | | |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |



Lab Control Sample Analysis

Batch Quality Control

Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

| Parameter | LCS
%Recovery | Qual | LCSD
%Recovery | Qual | %Recovery
Limits | RPD | Qual | RPD
Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG1426220-3 | | | | | | | | |
| Dichlorodifluoromethane | 103 | | - | | 70-130 | - | | |
| Chloromethane | 96 | | - | | 70-130 | - | | |
| Freon-114 | 116 | | - | | 70-130 | - | | |
| Vinyl chloride | 112 | | - | | 70-130 | - | | |
| 1,3-Butadiene | 116 | | - | | 70-130 | - | | |
| Bromomethane | 103 | | - | | 70-130 | - | | |
| Chloroethane | 104 | | - | | 70-130 | - | | |
| Ethanol | 92 | | - | | 40-160 | - | | |
| Vinyl bromide | 100 | | - | | 70-130 | - | | |
| Acetone | 99 | | - | | 40-160 | - | | |
| Trichlorofluoromethane | 92 | | - | | 70-130 | - | | |
| Isopropanol | 81 | | - | | 40-160 | - | | |
| 1,1-Dichloroethene | 114 | | - | | 70-130 | - | | |
| Tertiary butyl Alcohol | 102 | | - | | 70-130 | - | | |
| Methylene chloride | 98 | | - | | 70-130 | - | | |
| 3-Chloropropene | 118 | | - | | 70-130 | - | | |
| Carbon disulfide | 90 | | - | | 70-130 | - | | |
| Freon-113 | 91 | | - | | 70-130 | - | | |
| trans-1,2-Dichloroethene | 91 | | - | | 70-130 | - | | |
| 1,1-Dichloroethane | 90 | | - | | 70-130 | - | | |
| Methyl tert butyl ether | 85 | | - | | 70-130 | - | | |
| 2-Butanone | 86 | | - | | 70-130 | - | | |
| cis-1,2-Dichloroethene | 89 | | - | | 70-130 | - | | |

Lab Control Sample Analysis Batch Quality Control

Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

| Parameter | LCS
%Recovery | Qual | LCSD
%Recovery | Qual | %Recovery
Limits | RPD | Qual | RPD
Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG1426220-3 | | | | | | | | |
| Ethyl Acetate | 87 | | - | | 70-130 | - | | |
| Chloroform | 95 | | - | | 70-130 | - | | |
| Tetrahydrofuran | 82 | | - | | 70-130 | - | | |
| 1,2-Dichloroethane | 93 | | - | | 70-130 | - | | |
| n-Hexane | 113 | | - | | 70-130 | - | | |
| 1,1,1-Trichloroethane | 103 | | - | | 70-130 | - | | |
| Benzene | 102 | | - | | 70-130 | - | | |
| Carbon tetrachloride | 106 | | - | | 70-130 | - | | |
| Cyclohexane | 109 | | - | | 70-130 | - | | |
| 1,2-Dichloropropane | 96 | | - | | 70-130 | - | | |
| Bromodichloromethane | 110 | | - | | 70-130 | - | | |
| 1,4-Dioxane | 95 | | - | | 70-130 | - | | |
| Trichloroethene | 95 | | - | | 70-130 | - | | |
| 2,2,4-Trimethylpentane | 112 | | - | | 70-130 | - | | |
| Heptane | 102 | | - | | 70-130 | - | | |
| cis-1,3-Dichloropropene | 111 | | - | | 70-130 | - | | |
| 4-Methyl-2-pentanone | 106 | | - | | 70-130 | - | | |
| trans-1,3-Dichloropropene | 96 | | - | | 70-130 | - | | |
| 1,1,2-Trichloroethane | 94 | | - | | 70-130 | - | | |
| Toluene | 77 | | - | | 70-130 | - | | |
| 2-Hexanone | 84 | | - | | 70-130 | - | | |
| Dibromochloromethane | 88 | | - | | 70-130 | - | | |
| 1,2-Dibromoethane | 83 | | - | | 70-130 | - | | |

Lab Control Sample Analysis Batch Quality Control

Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

| Parameter | LCS
%Recovery | Qual | LCSD
%Recovery | Qual | %Recovery
Limits | RPD | Qual | RPD
Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG1426220-3 | | | | | | | | |
| Tetrachloroethene | 78 | | - | | 70-130 | - | | |
| Chlorobenzene | 77 | | - | | 70-130 | - | | |
| Ethylbenzene | 80 | | - | | 70-130 | - | | |
| p/m-Xylene | 82 | | - | | 70-130 | - | | |
| Bromoform | 90 | | - | | 70-130 | - | | |
| Styrene | 81 | | - | | 70-130 | - | | |
| 1,1,2,2-Tetrachloroethane | 91 | | - | | 70-130 | - | | |
| o-Xylene | 87 | | - | | 70-130 | - | | |
| 4-Ethyltoluene | 86 | | - | | 70-130 | - | | |
| 1,3,5-Trimethylbenzene | 87 | | - | | 70-130 | - | | |
| 1,2,4-Trimethylbenzene | 95 | | - | | 70-130 | - | | |
| Benzyl chloride | 96 | | - | | 70-130 | - | | |
| 1,3-Dichlorobenzene | 85 | | - | | 70-130 | - | | |
| 1,4-Dichlorobenzene | 87 | | - | | 70-130 | - | | |
| 1,2-Dichlorobenzene | 84 | | - | | 70-130 | - | | |
| 1,2,4-Trichlorobenzene | 95 | | - | | 70-130 | - | | |
| Hexachlorobutadiene | 97 | | - | | 70-130 | - | | |

Project Name: COMMODORE
Project Number: 3255.0002Y000

Serial_No: 10262015:09
Lab Number: L2045589
Report Date: 10/26/20

Canister and Flow Controller Information

| Samplenum | Client ID | Media ID | Media Type | Date Prepared | Bottle Order | Cleaning Batch ID | Can Leak Check | Initial Pressure (in. Hg) | Pressure on Receipt (in. Hg) | Flow Controller Leak Chk | Flow Out mL/min | Flow In mL/min | % RPD |
|-------------|-----------|----------|------------|---------------|--------------|-------------------|----------------|---------------------------|------------------------------|--------------------------|-----------------|----------------|-------|
| L2045589-01 | SV-1 | 0785 | Flow 3 | 10/20/20 | 333514 | | - | - | - | Pass | 18.0 | 17.0 | 6 |
| L2045589-01 | SV-1 | 2737 | 2.7L Can | 10/20/20 | 333514 | L2041855-01 | Pass | -29.4 | -3.9 | - | - | - | - |
| L2045589-02 | SV-2 | 0797 | Flow 3 | 10/20/20 | 333514 | | - | - | - | Pass | 18.0 | 17.2 | 5 |
| L2045589-02 | SV-2 | 185 | 2.7L Can | 10/20/20 | 333514 | L2041855-01 | Pass | -29.3 | -4.8 | - | - | - | - |
| L2045589-03 | SV-3 | 01948 | Flow 3 | 10/20/20 | 333514 | | - | - | - | Pass | 18.0 | 17.4 | 3 |
| L2045589-03 | SV-3 | 244 | 2.7L Can | 10/20/20 | 333514 | L2041855-01 | Pass | -29.3 | -4.9 | - | - | - | - |

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 10/03/20 00:50
Analyst: EW

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Chlorodifluoromethane | ND | 0.200 | -- | ND | 0.707 | -- | | 1 |
| Propylene | ND | 0.500 | -- | ND | 0.861 | -- | | 1 |
| Propane | ND | 0.500 | -- | ND | 0.902 | -- | | 1 |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.200 | -- | ND | 1.40 | -- | | 1 |
| Methanol | ND | 5.00 | -- | ND | 6.55 | -- | | 1 |
| Vinyl chloride | ND | 0.200 | -- | ND | 0.511 | -- | | 1 |
| 1,3-Butadiene | ND | 0.200 | -- | ND | 0.442 | -- | | 1 |
| Butane | ND | 0.200 | -- | ND | 0.475 | -- | | 1 |
| Bromomethane | ND | 0.200 | -- | ND | 0.777 | -- | | 1 |
| Chloroethane | ND | 0.200 | -- | ND | 0.528 | -- | | 1 |
| Ethanol | ND | 5.00 | -- | ND | 9.42 | -- | | 1 |
| Dichlorofluoromethane | ND | 0.200 | -- | ND | 0.842 | -- | | 1 |
| Vinyl bromide | ND | 0.200 | -- | ND | 0.874 | -- | | 1 |
| Acrolein | ND | 0.500 | -- | ND | 1.15 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Acetonitrile | ND | 0.200 | -- | ND | 0.336 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.200 | -- | ND | 1.12 | -- | | 1 |
| Isopropanol | ND | 0.500 | -- | ND | 1.23 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| Pentane | ND | 0.200 | -- | ND | 0.590 | -- | | 1 |
| Ethyl ether | ND | 0.200 | -- | ND | 0.606 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Tertiary butyl Alcohol | ND | 0.500 | -- | ND | 1.52 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| 3-Chloropropene | ND | 0.200 | -- | ND | 0.626 | -- | | 1 |
| Carbon disulfide | ND | 0.200 | -- | ND | 0.623 | -- | | 1 |
| Freon-113 | ND | 0.200 | -- | ND | 1.53 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Vinyl acetate | ND | 1.00 | -- | ND | 3.52 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| Xylenes, total | ND | 0.600 | -- | ND | 0.869 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| Ethyl Acetate | ND | 0.500 | -- | ND | 1.80 | -- | | 1 |
| Chloroform | ND | 0.200 | -- | ND | 0.977 | -- | | 1 |
| Tetrahydrofuran | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| 2,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.200 | -- | ND | 0.809 | -- | | 1 |
| n-Hexane | ND | 0.200 | -- | ND | 0.705 | -- | | 1 |
| Diisopropyl ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| tert-Butyl Ethyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |
| 1,2-Dichloroethene (total) | ND | 1.00 | -- | ND | 1.00 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| Benzene | ND | 0.200 | -- | ND | 0.639 | -- | | 1 |
| Carbon tetrachloride | ND | 0.200 | -- | ND | 1.26 | -- | | 1 |
| Cyclohexane | ND | 0.200 | -- | ND | 0.688 | -- | | 1 |
| tert-Amyl Methyl Ether | ND | 0.200 | -- | ND | 0.836 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| Dibromomethane | ND | 0.200 | -- | ND | 1.42 | -- | | 1 |
| 1,2-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| Bromodichloromethane | ND | 0.200 | -- | ND | 1.34 | -- | | 1 |
| 1,4-Dioxane | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| Trichloroethene | ND | 0.200 | -- | ND | 1.07 | -- | | 1 |
| 2,2,4-Trimethylpentane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Methyl Methacrylate | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| Heptane | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.200 | -- | ND | 0.908 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.200 | -- | ND | 1.09 | -- | | 1 |
| Toluene | ND | 0.200 | -- | ND | 0.754 | -- | | 1 |
| 1,3-Dichloropropane | ND | 0.200 | -- | ND | 0.924 | -- | | 1 |
| 2-Hexanone | ND | 0.200 | -- | ND | 0.820 | -- | | 1 |
| Dibromochloromethane | ND | 0.200 | -- | ND | 1.70 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.200 | -- | ND | 1.54 | -- | | 1 |
| Butyl acetate | ND | 0.500 | -- | ND | 2.38 | -- | | 1 |
| Octane | ND | 0.200 | -- | ND | 0.934 | -- | | 1 |
| Tetrachloroethene | ND | 0.200 | -- | ND | 1.36 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |
| Chlorobenzene | ND | 0.200 | -- | ND | 0.921 | -- | | 1 |
| Ethylbenzene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| p/m-Xylene | ND | 0.400 | -- | ND | 1.74 | -- | | 1 |
| Bromoform | ND | 0.200 | -- | ND | 2.07 | -- | | 1 |
| Styrene | ND | 0.200 | -- | ND | 0.852 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.200 | -- | ND | 1.37 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |
| o-Xylene | ND | 0.200 | -- | ND | 0.869 | -- | | 1 |
| 1,2,3-Trichloropropane | ND | 0.200 | -- | ND | 1.21 | -- | | 1 |
| Nonane | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Bromobenzene | ND | 0.200 | -- | ND | 0.793 | -- | | 1 |
| 2-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| n-Propylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Chlorotoluene | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| tert-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| Decane | ND | 0.200 | -- | ND | 1.16 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.200 | -- | ND | 1.20 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dibromo-3-chloropropane | ND | 0.200 | -- | ND | 1.93 | -- | | 1 |
| Undecane | ND | 0.200 | -- | ND | 1.28 | -- | | 1 |
| Dodecane | ND | 0.200 | -- | ND | 1.39 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Naphthalene | ND | 0.200 | -- | ND | 1.05 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.200 | -- | ND | 1.48 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.200 | -- | ND | 2.13 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L2041855**Project Number:** CANISTER QC BAT**Report Date:** 10/26/20**Air Canister Certification Results**

Lab ID: L2041855-01

Date Collected: 10/01/20 16:00

Client ID: CAN 259 SHELF 8

Date Received: 10/02/20

Sample Location:

Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|--|---------|----|-----|---------|----|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air - Mansfield Lab | | | | | | | | |

| Results | Qualifier | Units | RDL | Dilution Factor |
|----------------------------------|-----------|-------|-----|-----------------|
| Tentatively Identified Compounds | | | | |

No Tentatively Identified Compounds

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-Difluorobenzene | 87 | | 60-140 |
| Bromochloromethane | 92 | | 60-140 |
| chlorobenzene-d5 | 83 | | 60-140 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15-SIM
Analytical Date: 10/03/20 00:50
Analyst: EW

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| Dichlorodifluoromethane | ND | 0.200 | -- | ND | 0.989 | -- | | 1 |
| Chloromethane | ND | 0.200 | -- | ND | 0.413 | -- | | 1 |
| Freon-114 | ND | 0.050 | -- | ND | 0.349 | -- | | 1 |
| Vinyl chloride | ND | 0.020 | -- | ND | 0.051 | -- | | 1 |
| 1,3-Butadiene | ND | 0.020 | -- | ND | 0.044 | -- | | 1 |
| Bromomethane | ND | 0.020 | -- | ND | 0.078 | -- | | 1 |
| Chloroethane | ND | 0.100 | -- | ND | 0.264 | -- | | 1 |
| Acrolein | ND | 0.050 | -- | ND | 0.115 | -- | | 1 |
| Acetone | ND | 1.00 | -- | ND | 2.38 | -- | | 1 |
| Trichlorofluoromethane | ND | 0.050 | -- | ND | 0.281 | -- | | 1 |
| Acrylonitrile | ND | 0.500 | -- | ND | 1.09 | -- | | 1 |
| 1,1-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Methylene chloride | ND | 0.500 | -- | ND | 1.74 | -- | | 1 |
| Freon-113 | ND | 0.050 | -- | ND | 0.383 | -- | | 1 |
| trans-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| 1,1-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| Methyl tert butyl ether | ND | 0.200 | -- | ND | 0.721 | -- | | 1 |
| 2-Butanone | ND | 0.500 | -- | ND | 1.47 | -- | | 1 |
| cis-1,2-Dichloroethene | ND | 0.020 | -- | ND | 0.079 | -- | | 1 |
| Chloroform | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2-Dichloroethane | ND | 0.020 | -- | ND | 0.081 | -- | | 1 |
| 1,1,1-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Benzene | ND | 0.100 | -- | ND | 0.319 | -- | | 1 |
| Carbon tetrachloride | ND | 0.020 | -- | ND | 0.126 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2041855
Report Date: 10/26/20

Air Canister Certification Results

Lab ID: L2041855-01
Client ID: CAN 259 SHELF 8
Sample Location:

Date Collected: 10/01/20 16:00
Date Received: 10/02/20
Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| 1,2-Dichloropropane | ND | 0.020 | -- | ND | 0.092 | -- | | 1 |
| Bromodichloromethane | ND | 0.020 | -- | ND | 0.134 | -- | | 1 |
| 1,4-Dioxane | ND | 0.100 | -- | ND | 0.360 | -- | | 1 |
| Trichloroethene | ND | 0.020 | -- | ND | 0.107 | -- | | 1 |
| cis-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 4-Methyl-2-pentanone | ND | 0.500 | -- | ND | 2.05 | -- | | 1 |
| trans-1,3-Dichloropropene | ND | 0.020 | -- | ND | 0.091 | -- | | 1 |
| 1,1,2-Trichloroethane | ND | 0.020 | -- | ND | 0.109 | -- | | 1 |
| Toluene | ND | 0.050 | -- | ND | 0.188 | -- | | 1 |
| Dibromochloromethane | ND | 0.020 | -- | ND | 0.170 | -- | | 1 |
| 1,2-Dibromoethane | ND | 0.020 | -- | ND | 0.154 | -- | | 1 |
| Tetrachloroethene | ND | 0.020 | -- | ND | 0.136 | -- | | 1 |
| 1,1,1,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| Chlorobenzene | ND | 0.100 | -- | ND | 0.461 | -- | | 1 |
| Ethylbenzene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| p/m-Xylene | ND | 0.040 | -- | ND | 0.174 | -- | | 1 |
| Bromoform | ND | 0.020 | -- | ND | 0.207 | -- | | 1 |
| Styrene | ND | 0.020 | -- | ND | 0.085 | -- | | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.020 | -- | ND | 0.137 | -- | | 1 |
| o-Xylene | ND | 0.020 | -- | ND | 0.087 | -- | | 1 |
| Isopropylbenzene | ND | 0.200 | -- | ND | 0.983 | -- | | 1 |
| 4-Ethyltoluene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,3,5-Trimethybenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.020 | -- | ND | 0.098 | -- | | 1 |
| Benzyl chloride | ND | 0.200 | -- | ND | 1.04 | -- | | 1 |
| 1,3-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| 1,4-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L2041855**Project Number:** CANISTER QC BAT**Report Date:** 10/26/20**Air Canister Certification Results**

Lab ID: L2041855-01

Date Collected: 10/01/20 16:00

Client ID: CAN 259 SHELF 8

Date Received: 10/02/20

Sample Location:

Field Prep: Not Specified

Sample Depth:

| Parameter | ppbV | | | ug/m3 | | | Qualifier | Dilution Factor |
|---|---------|-------|-----|---------|-------|-----|-----------|-----------------|
| | Results | RL | MDL | Results | RL | MDL | | |
| Volatile Organics in Air by SIM - Mansfield Lab | | | | | | | | |
| sec-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| p-Isopropyltoluene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2-Dichlorobenzene | ND | 0.020 | -- | ND | 0.120 | -- | | 1 |
| n-Butylbenzene | ND | 0.200 | -- | ND | 1.10 | -- | | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Naphthalene | ND | 0.050 | -- | ND | 0.262 | -- | | 1 |
| 1,2,3-Trichlorobenzene | ND | 0.050 | -- | ND | 0.371 | -- | | 1 |
| Hexachlorobutadiene | ND | 0.050 | -- | ND | 0.533 | -- | | 1 |

| Internal Standard | % Recovery | Qualifier | Acceptance Criteria |
|---------------------|------------|-----------|---------------------|
| 1,4-difluorobenzene | 85 | | 60-140 |
| bromochloromethane | 88 | | 60-140 |
| chlorobenzene-d5 | 84 | | 60-140 |



Project Name: COMMODORE**Lab Number:** L2045589**Project Number:** 3255.0002Y000**Report Date:** 10/26/20**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Present/Intact

Container Information

| Container ID | Container Type | Cooler | Initial
pH | Final
pH | Temp
deg C | Pres | Seal | Frozen
Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-----------------------|---------------------|-----------------------|-------------|-------------|-----------------------------|--------------------|
| L2045589-01A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L2045589-02A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |
| L2045589-03A | Canister - 2.7 Liter | NA | NA | | | Y | Absent | | TO15-LL(30) |

Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

GLOSSARY

Acronyms

| | |
|----------|--|
| DL | - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EMPC | - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration. |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LOD | - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| LOQ | - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| NR | - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TEF | - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD. |
| TEQ | - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Report Format: Data Usability Report



Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.

Report Format: Data Usability Report



Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

Data Qualifiers

- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Project Name: COMMODORE
Project Number: 3255.0002Y000

Lab Number: L2045589
Report Date: 10/26/20

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.

ID No.:17873

Facility: **Company-wide**

Revision 17

Department: **Quality Assurance**

Published Date: 4/28/2020 9:42:21 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624/624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**EPA TO-12** Non-methane organics**EPA 3C** Fixed gases**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.**EPA 522.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1** Hg.**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001 T: 212.479.5400 F: 212.479.5444

To: Gregory Lowe - RXR

From: Vijay Patel; Miroslaw Baran

Info: John Hollenberg – SOM
Alan R. Poeppel, Arthur J. Alzamora, Jr., Andy Ciancea, Seth Martin –Langan

Date: August 8, 2019

Re: Preliminary Hazardous Building Materials Assessment Report
Project Commodore
109 E 42nd Street, New York, NY
Langan Project No.: 170579301

This memorandum presents the results from the preliminary Hazardous Materials investigation and summarizes recommendations in support of planned Project Commodore redevelopment project. .

1. FACILITY DESCRIPTION

The existing Grand Hyatt Hotel is a 26-story steel and glass building with foundations that penetrate the MTA mezzanine and platform levels below grade on the original Commodore Hotel site which opened in 1919 and subsequently renovated in 1990. The site is located on a 57,282 SF lot within Block 1280 – Lot 30, which is part of Zoning District C5-3, and within both the Special Midtown District and the Grand Central Core District.

The existing Hyatt building structure consists of steel columns, steel beams and girders encased in concrete for fire-proofing. The existing structural slab consists of light-weight concrete reinforced with draped wire mesh. The first three levels including a mezzanine contain the main amenity spaces of the hotel, equipped with a ground floor lobby, ballroom and convention center spaces (60,000 SF), and a restaurant that overhangs the sidewalk below. The Hotel holds approximately 1,300 guest rooms, 45 conference rooms and has two below grade levels for back of house spaces that provide support for the hotel day-to-day functions. A ventilation shaft at the northwest corner of the site goes through all floors of the Hyatt. The building contains an estimated gross building area of approximately 1 million square feet.

2. OBSERVATIONS & FINDINGS

Summary of Asbestos Containing Materials Findings

During the assessment, suspect materials observed in the building were documented and quantified. Sampling was limited to readily accessible suspect building materials which would have major remediation cost impact (i.e. wall plaster, gypsum board/joint compound, sprayed-on

fireproofing, etc.). Additionally, we reviewed any available existing building plans and included some of those key notes in our summary.

Suspect ACM was cataloged according to building material type: (1) Flooring Materials, (2) Wall Materials, (3) Ceiling Materials, (4) Structural Materials, (5) TSI Materials, (6) HVAC System Materials, (7) Electrical System Materials, (8) Miscellaneous Materials, and (9) Roofing Materials. The findings of these items are summarized as follows:

(1) Flooring Materials

In general, the floors in guest rooms and Hallways were covered with wall to wall carpet installed on cementitious flooring. Various 12-inch square vinyl floor tile were observed in supporting service and storage areas. Porcelain tile and granite flooring was observed in lobbies, restrooms and retail spaces.

Our review of the June 1978 renovation plans prepared by Gruzen & Partners (Gruzen) indicate the presence of approximately 2-inch light weight reinforced concrete topping and waterproofing membrane between the layers of concrete flooring throughout the building. The drawings also indicate presence of waterproofing membrane concealed under granite panels or leveling cement.

(2) Wall Materials

The partition and perimeter walls were mostly covered with gypsum board/joint compound. It is likely that, at select locations original plaster walls may exist concealed underlying the gypsum wall enclosures. Concealed plaster was inaccessible for sampling. Original plaster on walls was observed in mechanical spaces and staircases. Langan collected limited samples of the accessible plaster and gypsum materials. Analytical results confirmed these materials to be non-ACM. The exterior of the Penthouse walls were covered with stucco plaster. This material was also tested and confirmed to be non-ACM.

(3) Ceiling Materials

Guest rooms were observed to have concrete ceiling with a layer of plaster. Due to building occupancy, the plaster on the ceilings was inaccessible for sampling. The corridors were observed to have gypsum board drop ceilings.

The high ceiling in the lobby has suspended ceiling panels. These panels were inaccessible for sampling.

The Ballrooms have original plaster drop ceilings. Limited areas above the drop ceiling were accessible at the time of our site visits. Langan collected three samples of the smooth and gray ceiling plaster. Based on the laboratory testing data from the limited sampling, the ceiling plaster at this time is identified as non-ACM.

Ceiling panels were observed in select retail, storage and service areas. The ceiling panels were not tested, however, based on installation in 1990's, we do not expect the tiles to be ACM.

(4) Structural Materials

As discussed herein, the existing building structure consists of steel columns, steel beams and girders encased in concrete for fire-proofing. The existing structural slab consists of light-weight concrete reinforced with draped wire mesh. The Gruzen plans also indicate application of fireproofing on structural elements. The structural elements associated with the perimeter walls were inaccessible as they were concealed behind gypsum walls. Langan observed suspect fireproofing in accessible mechanical and storage spaces. Three samples of this material were collected and analyzed for asbestos using NYSELPA 198.1 methodology. Test results confirmed the fireproofing to contain Vermiculite. Since Vermiculite was identified in the fireproofing, the material will need to be resampled and analyzed for asbestos contamination using NYSELAP 198.8 methodology. At this time, the fireproofing in the building is assumed to be ACM.

The Gruzen plans also indicate installation of waterproofing materials on perimeter structural steel members.

(5 & 6) TSI and HVAC Systems

Most of the accessible heating, hot water and other utilities were either bare metal or were wrapped with non-suspect fiberglass insulation with suspect mudpack joint insulation. Eight samples of accessible mud-pack joint insulation was collected. Analytical results confirmed the mud-pack joint material to be non-ACM.

Pipes with original insulation were observed in the Ballroom plenum space. These pipes were not accessible for sampling. From distance the insulation appeared to be ACM. The remaining piping system was concealed in wall and ceiling cavities.

The HVAC to the guest rooms was provided by individual blowers supported by centralized heating and cooling systems. The pipes supporting these systems were concealed in wall cavities.

In the kitchen and associated spaces, the exhaust ducts were insulated with fiberglass and suspect joint material which is most likely ACM.

Currently, the heat to the building is provided by Con-Edison steam. A huge chimney stack is present in the building indicating that originally the heat was generated in house.

(7) Electrical System Materials

Limited original electrical panels were observed in the building. Suspect wires and backing panels with these panels were not accessible, and therefore, are assumed to contain ACM.

(8) Miscellaneous Materials

The building perimeter is enclosed with glass curtain walls. The caulk and glazing sealants were tested during our site visit and were confirmed to be non-ACM.

Select areas in the building were observed to have mirrors glued to doors or walls. The mastic with these mirrors is assumed to be ACM.

Most of the doors with the guest rooms are of wood construction. Suspect insulation may exist with the elevator, staircase and old Ballroom doors.

(9) Roofing Materials

The building was observed to have suspect bituminous roofing system. In lieu of testing, the roofing, flashing and sealants are assumed to be ACM.

Refer to Table 1 for a summary of asbestos assessment findings.

Laboratory testing of Samples

Langan collected 67 bulk samples of suspect materials during the assessment. Samples were analyzed by Atlas Environmental Lab, Corp. (Atlas) using the Polarized Light Microscopy (PLM) and transmission electron microscopy (TEM) analytical methodology in accordance with NYSELAP regulations.

According to USEPA, a material with an asbestos content greater than one (1) percent by weight is considered as an ACM. Suspect materials sampled during our site visit were confirmed to be non-ACM via laboratory testing.

Please note that the fireproofing which was sampled during our site visit was identified to contain Vermiculite. The fireproofing materials will need to be resampled and analyzed using ELAP method 198.8, to confirm asbestos contamination. For the purpose of this report, the fireproofing in the building is assumed to be ACM.

Analytical test results and chain-of-custody documentation are provided in Appendix A. Langan's and laboratory certifications are included in Appendix B.

PCBs in Caulk

The PCBs assessment involved a limited visual examination of the building and sampling of suspect caulking materials. As per the USEPA Code of Federal Regulations (40 CFR 761.3) a PCB-containing bulk product is any product which contains a concentration of PCB >50 PPM. Any product which contains <50 PPM PCB is considered a non-PCB product.

Three (3) composite samples of homogeneous caulking and glazing sealant materials were collected from the building and submitted for PCB analysis. Samples were analyzed using USEPA method 8082.

Test results confirmed the sampled caulk and glazing sealant to be non-PCBs containing. Refer to Table 3 in the attachments for a summary of test results.

3. CONCLUSIONS AND RECOMMENDATIONS

Based on these preliminary Hazmat findings, **\$38,000,000** should be budgeted for hazmat remediation including removal, handling, disposal and management of hazardous building materials identified in this report. The following items have huge remediating cost impact:

1. 2-inch light weight reinforced concrete topping and waterproofing membrane on every floor
2. Fireproofing/waterproofing on perimeter structural components

If the aforementioned items are tested and confirmed to be non-ACM, the preliminary remediation cost can be refined by \$20M. Therefore, Langan recommends performing floor and perimeter wall probes on alternate floors to sample these materials.

Refer to Table 2 for a breakdown of the remediation estimates.

A full protocol Hazmat survey was not performed as part of our scope of work. Prior to performing any planned renovation and/or redevelopment activities, a full protocol asbestos survey will be necessary to confirm the Hazmat findings.

TABLES

Table 1 - SUMMARY OF ASBESTOS SURVEY FINDINGS
109 E 42nd Street, New York, New York

| Material | Sample ID | Location | Survey Results | | Estimated Quantity of ACM | Notes/Comments |
|---|-----------|---|----------------|----|---------------------------|---|
| Assumed ACM | | | | | | |
| Built-up roofing, roof flashing, mastic and roof screed materials | --- | Roofs | Assumed ACM | -- | 63,000 SF | --- |
| Sprayed-on fireproofing materials - observed | --- | Mechanical Rooms, Ballroom Plenums & other Building Select Areas | Assumed ACM | -- | 25,000 SF | Laboratory results confirmed presence of Vermiculite in fireproofing. The fireproofing will need to be resampled and analyzed using ELAP Method 198.8 to confirm asbestos findings. |
| Sprayed-on fireproofing materials associated with perimeter structural steel as indicated on 1978 plans prepared by Gruzen & Partners | --- | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | -- | 80,000 SF | |
| Lightweight reinforced concrete topping (2-inch), and waterproofing membrane concealed under granite panels or leveling cement as indicated on 1978 plans prepared by Gruzen & Partners | --- | Throughout The Building | Assumed ACM | -- | 900,000 SF | --- |
| Waterproofing materials associated with steel structural building members and perimeter walls - concealed | --- | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | -- | 140,000 SF | --- |
| Concealed lining and insulation materials associated with Chimney stack | --- | Chimney Stack | Assumed ACM | -- | 14,000 SF | --- |
| Suspect flooring materials (i.e. 12-inch & 9-inch floor tales, mastic, felt, fill materials, etc.) | --- | Service & Storage Building Areas
Throughout The Building | Assumed ACM | -- | 18,000 SF | --- |
| Old pipe and pipe joint insulation (estimated to be concealed within inaccessible building spaces) | --- | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | -- | 65,000 LF | Pipe insulation was observed within inaccessible Ballroom attic spaces as well as select basement areas. |
| Kitchen hood/duct insulation - exposed and concealed within wall cavities and ceiling plenums | --- | Kitchens and Adjacent Areas | Assumed ACM | -- | 10,000 SF | Suspect duct insulation with mudded seams were observed in 4th floor kitchen. |
| Waterproofing membrane underlying ceramic/quarry floor tiles | --- | Kitchens and Adjacent Areas | Assumed ACM | -- | 10,000 SF | --- |
| Waterproofing membrane underlying ceramic floor tiles | --- | Guest Rooms | Assumed ACM | -- | 65,000 SF | --- |
| Concealed mirror mastic with door | --- | Guest Rooms | Assumed ACM | -- | 2,000 SF | --- |
| Concealed metal door core insulation | --- | Staircases and Hallways | Assumed ACM | -- | 2,600 SF | --- |
| Concealed metal door core insulation (historical) | --- | Ballrooms | Assumed ACM | -- | 1,500 SF | --- |
| Concealed metal elevator door core insulation | --- | Elevator Shafts | Assumed ACM | -- | 13,500 SF | --- |
| Decommissioned old electrical panel boards | --- | Hallways | Assumed ACM | -- | 580 SF | --- |
| Suspect Transite elements within main switch boxes | --- | Electrical/ Mechanical Rooms | Assumed ACM | -- | 1,000 SF | --- |
| Elevator brake pads | --- | Elevator Machine Rooms | Assumed ACM | -- | 30 SF | --- |
| Non-ACM | | | | | | |
| Wall plaster | WP | Scattered Locations
Throughout the Building | Non-ACM | ND | -- -- | --- |
| Wall plaster | SWP | Staircases | Non-ACM | ND | -- -- | --- |
| Ceiling plaster | CP | Select Building Locations | Non-ACM | ND | -- -- | --- |
| Ceiling plaster | BCP | Ballrooms | Non-ACM | ND | -- -- | --- |
| Plaster of Paris (ceiling) | POP | Ballrooms | Non-ACM | ND | -- -- | --- |
| Stucco plaster | STP | Penthouse Exterior | Non-ACM | ND | -- -- | --- |

| Material | Sample ID | Location | Survey Results | | Estimated Quantity of ACM | Notes/Comments |
|---|----------------|---|----------------|----|---------------------------|----------------|
| Gypsum wall board | SR-1 | Throughout The Building | Non-ACM | ND | -- -- | --- |
| Joint compound associated with gypsum wall board | SRJC-1 | Throughout The Building | Non-ACM | ND | -- -- | --- |
| 2'x2' ceiling panels with pin holes and grooves | CPP-1 | Select Building Locations | Non-ACM | ND | -- -- | --- |
| Water tank insulation | TI-1 | Linen Storage Areas | Non-ACM | ND | -- -- | --- |
| Pipe riser insulation (exposed) | PI-1 | Linen Storage Areas | Non-ACM | ND | -- -- | --- |
| Epoxy type floor material | FM-1 | Select Building Locations | Non-ACM | ND | -- -- | --- |
| Air handling unit seam mastic | HVC-1 | Mechanical Rooms | Non-ACM | ND | -- -- | --- |
| Ductwork seam mastic | MDC-1 | Scattered Locations Throughout the Building | Non-ACM | ND | -- -- | --- |
| Duct pin glue under fiberglass | DPG-1 | Scattered Locations Throughout the Building | Non-ACM | ND | -- -- | --- |
| White mastic on duct fiberglass insulation joints | DSM-1 | Scattered Locations Throughout the Building | Non-ACM | ND | -- -- | --- |
| Mud-pack pipe joint insulation associated with fiberglass (exposed) | MPJ | Scattered Locations Throughout the Building | Non-ACM | ND | -- -- | --- |
| Carpet glue | CG-1 | Scattered Locations Throughout the Building | Non-ACM | ND | -- -- | --- |
| Mastic on wall | WMA-1 | Penthouse Exterior | Non-ACM | ND | -- -- | --- |
| Exterior window glazing sealant | EWG-1 | Façades | Non-ACM | ND | -- -- | --- |
| Exterior window caulk | EWC-1
EWC-2 | Façades | Non-ACM | ND | -- -- | --- |
| Interior window caulk | IWC-1 | Façades | Non-ACM | ND | -- -- | --- |

1 A material with asbestos content greater than one percent (>1.0%) is considered as an asbestos-containing material (ACM). Concentrations in weight percent.

2 ND = "None Detected" – Asbestos not detected in sampled material.

Table 2 - PRELIMINARY HAZMAT REMEDIATION ESTIMATES
109 E 42nd Street, New York, New York

| Material | Location | Survey Results | Estimated Quantity of ACM | Unit Price \$ | Budgetary Estimate |
|---|---|----------------|---------------------------|---------------|--------------------|
| Assumed ACM | | | | | |
| Built-up roofing, roof flashing, mastic and roof screed materials | Roofs | Assumed ACM | 63,000 SF | \$ 25 | \$ 1,575,000 |
| Sprayed-on fireproofing materials - observed | Mechanical Rooms, Ballroom Plenums & other Building Select Areas | Assumed ACM | 25,000 SF | \$ 30 | \$ 750,000 |
| Sprayed-on fireproofing materials associated with perimeter structural steel as indicated on 1978 plans prepared by Gruzen & Partners | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | 80,000 SF | \$ 30 | \$ 2,400,000 |
| Lightweight reinforced concrete topping (2-inch), and waterproofing membrane concealed under granite panels or leveling cement as indicated on 1978 plans prepared by Gruzen & Partners | Throughout The Building | Assumed ACM | 900,000 SF | \$ 20 | \$ 18,000,000 |
| Waterproofing materials associated with steel structural building members and perimeter walls - concealed | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | 140,000 SF | \$ 40 | \$ 5,600,000 |
| Concealed lining and insulation materials associated with Chimney stack | Chimney Stack | Assumed ACM | 14,000 SF | \$ 100 | \$ 1,400,000 |
| Suspect flooring materials (i.e. 12-inch & 9-inch floor tiles, mastic, felt, fill materials, etc.) | Service & Storage Building Areas Throughout The Building | Assumed ACM | 18,000 SF | \$ 15 | \$ 270,000 |
| Old pipe and pipe joint insulation (estimated to be concealed within inaccessible building spaces) | Perimeter & Interior Pipe Chases, Shafts, Mullions, Ceiling Plenums | Assumed ACM | 65,000 LF | \$ 35 | \$ 2,275,000 |
| Kitchen hood/duct insulation - exposed and concealed within wall cavities and ceiling plenums | Kitchens and Adjacent Areas | Assumed ACM | 10,000 SF | \$ 30 | \$ 300,000 |
| Waterproofing membrane underlying ceramic/quarry floor tiles | Kitchens and Adjacent Areas | Assumed ACM | 10,000 SF | \$ 15 | \$ 150,000 |
| Waterproofing membrane underlying ceramic floor tiles | Guest Rooms | Assumed ACM | 65,000 SF | \$ 15 | \$ 975,000 |
| Concealed mirror mastic with door | Guest Rooms | Assumed ACM | 2,000 SF | \$ 10 | \$ 20,000 |
| Concealed metal door core insulation | Staircases and Hallways | Assumed ACM | 2,600 SF | \$ 25 | \$ 65,000 |
| Concealed metal door core insulation (historical) | Ballrooms | Assumed ACM | 1,500 SF | \$ 25 | \$ 37,500 |
| Concealed metal elevator door core insulation | Elevator Shafts | Assumed ACM | 13,500 SF | \$ 25 | \$ 337,500 |
| Decommissioned old electrical panel boards | Hallways | Assumed ACM | 580 SF | \$ 5 | \$ 2,900 |
| Suspect Transite elements within main switch boxes | Electrical/ Mechanical Rooms | Assumed ACM | 1,000 SF | \$ 15 | \$ 15,000 |
| Elevator brake pads | Elevator Machine Rooms | Assumed ACM | 30 SF | \$ 25 | \$ 750 |
| ASBESTOS ABATEMENT ESTIMATES FOR ALL OBSERVED AND CONCEALED ASSUMED ACM | | | | \$ | 34,173,650 |
| ESTIMATED TOTAL FOR THE REMEDIATION OF UNIVERSAL AND OTHER HAZARDOUS MATERIALS | | | | \$ | 500,000 |
| ESTIMATED TOTAL FOR PROJECT MONITORING, AIR SAMPLE ANALYSIS, CLOSURE REPORT, AND SUBMITTAL REVIEW | | | | \$ | 3,326,350 |
| TOTAL ASBESTOS ABATEMENT ESTIMATES FOR ALL OBSERVED AND CONCEALED ASSUMED ACM | | | | \$ | 38,000,000 |

| Table 3 - SUMMARY OF CAULK SAMPLE PCB ANALYSES RESULTS | | | | | | | |
|--|-------------|------------------|-----------|------------------|----------------|-----------------|--|
| 109 E 42nd Street, New York, New York | | | | | | | |
| ND or <50000//50 [µg/Kg]//[PPM] | | | | = Non-PCB | | | |
| >50000//50 [µg/Kg]//[PPM] | | | | = PCB Containing | | | |
| Material | Sample ID # | Sample Location | Parameter | Results | Units | Reporting Level | Approximate Quantities and Locations of PCB Caulk / Comments |
| Exterior window caulk | EWC-1 | Extreior Façades | PCB-1016 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | -- |
| | | | PCB-1221 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1232 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1242 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1248 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1254 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1260 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1262 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| | | | PCB-1268 | 0 // ND | [µg/Kg]//[PPM] | 670 // 0.7 | |
| Exterior window caulk | EWC-1 | Extreior Façades | PCB-1016 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | -- |
| | | | PCB-1221 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1232 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1242 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1248 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1254 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1260 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1262 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| | | | PCB-1268 | 0 // ND | [µg/Kg]//[PPM] | 930 // 0.9 | |
| Interior window caulk | IWC-1 | Interior | PCB-1016 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | -- |
| | | | PCB-1221 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1232 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1242 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1248 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1254 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1260 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1262 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |
| | | | PCB-1268 | 0 // ND | [µg/Kg]//[PPM] | 910 // 0.9 | |

A P P E N D I X A

Laboratory Test Results and Chain of Custody Documentations (Asbestos)



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All%
ASI% | PLM | | | TEM
Asbestos%
& Type |
|------------|--------------|--|-------------------------------|------------------|----------------|--------------|----------|-----------------|---------------------|----------------------------|
| | | | | | | | Fibrous% | Non
Fibrous% | Asbestos%
& Type | |
| WP-1 | BK0719652-1 | Wall Plaster - FC Floor - Gym | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| WP-2 | BK0719652-2 | Wall Plaster - FC Floor - AC18 | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| WP-3 | BK0719652-3 | Wall Plaster - FC Floor - Painters | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| WP-4 | BK0719652-4 | Wall Plaster - Upper Penthouse | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| WP-5 | BK0719652-5 | Wall Plaster - 3rd Floor Mech Room | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| WP-6 | BK0719652-6 | Wall Plaster - 1st Floor Mech Room | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| CP-1 | BK0719652-7 | Ceiling Plaster - FC Floor - Ramp
To Roof | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| CP-2 | BK0719652-8 | Ceiling Plaster - FC Floor - AC18 | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| CP-3 | BK0719652-9 | Ceiling Plaster - Upper Penthouse | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| TI-1-A | BK0719652-10 | Tank Insulation - 15th Floor - Linen
Room | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 20%FBGL | 80% | NAD | |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All%
% | ASI% | PLM | | | TEM
Asbestos%
& Type |
|------------|--------------|---|---------------------------------|---------------|----------------|-----------|------|----------------------------------|-----------------|---------------------|----------------------------|
| | | | | | | | | Fibrous% | Non
Fibrous% | Asbestos%
& Type | |
| TL-1-B | BK0719652-11 | Tank Insulation - 15th Floor - Linen Room | Grey, Homogeneous, Friable | None Detected | Not Applicable | | | 20%FBGL | 80% | NAD | |
| PL-1-A | BK0719652-12 | Pipe Insulation - 15th Floor - Linen Room | Brown, Homogeneous, Friable | None Detected | Not Applicable | | | 60%CELL | 40% | NAD | |
| PL-1-B | BK0719652-13 | Pipe Insulation - 15th Floor - Linen Room | Brown, Homogeneous, Friable | None Detected | Not Applicable | | | 60%CELL | 40% | NAD | |
| FP-1 | BK0719652-14 | Sprayed-on Fireproofing - 15th Floor - Mech Rooms | Brown, Homogeneous, Friable | Present | | | | Must be Analyzed by Method 198.8 | | | |
| FP-2 | BK0719652-15 | Sprayed-on Fireproofing - 15th Floor - Mech Rooms | Brown, Homogeneous, Friable | Present | | | | Must be Analyzed by Method 198.8 | | | |
| FP-3 | BK0719652-16 | Sprayed-on Fireproofing - 15th Floor - Mech Rooms | Brown, Homogeneous, Friable | Present | | | | Must be Analyzed by Method 198.8 | | | |
| CPP-1-A | BK0719652-17 | 2 x 2 Rough Ceiling Panels - FC Floor - Hallway | Grey, Homogeneous, Non-Fibrous | None Detected | 12.6 | 67.8 | 19.7 | 0% | 100% | NAD Inconclusive | NAD |
| CPP-1-B | BK0719652-18 | 2 x 2 Rough Ceiling Panels - FC Floor - Hallway | Grey, Homogeneous, Non-Fibrous | None Detected | 13.2 | 76.2 | 10.6 | 0% | 100% | NAD Inconclusive | NAD |
| FM-1-A | BK0719652-19 | Flooring Materials - 2nd Floor | Black, Homogeneous, Non-Fibrous | None Detected | 41.3 | 46.5 | 12.2 | 0% | 100% | NAD Inconclusive | Trace CHRY |
| FM-1-B | BK0719652-20 | Flooring Materials - 2nd Floor | Black, Homogeneous, Non-Fibrous | None Detected | 44.2 | 26.6 | 29.3 | 0% | 100% | NAD Inconclusive | Trace CHRY |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | ASIP% | | PLM | | TEM | |
|------------|--------------|---|--------------------------------|---------------|----------------|----------------|------|-------------------|--------------|------------------|------------------|
| | | | | | | All% | ASI% | Fibrous% | Non Fibrous% | Asbestos% & Type | Asbestos% & Type |
| SR-1-A | BK0719652-21 | Gypsum Wallboard - 25th Floor | Grey, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 5%CELL
5%FBGL | 90% | NAD | |
| SR-1-B | BK0719652-22 | Gypsum Wallboard - 15th Floor | Brown, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 20%CELL
5%FBGL | 75% | NAD | |
| SR-1-C | BK0719652-23 | Gypsum Wallboard - 14th Floor | Brown, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 10%CELL
5%FBGL | 85% | NAD | |
| SRJC-1-A | BK0719652-24 | Gypsum Wallboard Joint Compound - 25th Floor | White, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 0% | 100% | NAD | |
| SRJC-1-B | BK0719652-25 | Gypsum Wallboard Joint Compound - Ballroom Attic | White, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 5%CELL | 95% | NAD | |
| SRJC-1-C | BK0719652-26 | Gypsum Wallboard Joint Compound - 14th Floor | White, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | | 0% | 100% | NAD | |
| HVC-1-A | BK0719652-27 | Air Handling Unit Seam Mastic - FC-Floor - Roof Mech Room | Grey, Homogeneous, Non-Fibrous | None Detected | 40.0 | 1.5 | 58.5 | 0% | 100% | NAD Inconclusive | NAD |
| HVC-1-B | BK0719652-28 | Air Handling Unit Seam Mastic - FC-Floor - Roof Mech Room | Grey, Homogeneous, Non-Fibrous | None Detected | 28.8 | 3.3 | 67.8 | 0% | 100% | NAD Inconclusive | NAD |
| HVC-1-C | BK0719652-29 | Air Handling Unit Seam Mastic - Mezzanine Mech Room | Grey, Homogeneous, Non-Fibrous | None Detected | 27.5 | 33.7 | 38.8 | 0% | 100% | NAD Inconclusive | NAD |
| MDC-1-A | BK0719652-30 | Ductwork Seam Mastic - FC-Floor - Roof Mech Room | Grey, Homogeneous, Non-Fibrous | None Detected | 31.9 | 26.1 | 42.0 | 0% | 100% | NAD Inconclusive | NAD |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All%
ASIP% | PLM | | | TEM
Asbestos%
& Type |
|------------|--------------|---|------------------------------------|------------------|----------------|---------------|-------------|-----------------|---------------------|----------------------------|
| | | | | | | | Fibrous% | Non
Fibrous% | Asbestos%
& Type | |
| MDC-1-B | BK0719652-31 | Ductwork Seam Mastic - Upper
Penthouse | Grey, Homogeneous,
Non-Fibrous | None
Detected | 15.6 | 4.6 | 0% | 100% | NAD
Inconclusive | NAD |
| MDC-1-C | BK0719652-32 | Ductwork Seam Mastic - Upper
Penthouse | Brown, Homogeneous,
Non-Fibrous | None
Detected | 32.5 | 29.4 | 0% | 100% | NAD
Inconclusive | NAD |
| MPJ-1 | BK0719652-33 | Mud-Pack Pipe Joint Insulation - FC
Floor | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| MPJ-2 | BK0719652-34 | Mud-Pack Pipe Joint Insulation - FC
Floor | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| MPJ-4 | BK0719652-35 | Mud-Pack Pipe Joint Insulation -
Upper Penthouse | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| MPJ-5 | BK0719652-36 | Mud-Pack Pipe Joint Insulation - 3rd
Floor | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |
| MPJ-6 | BK0719652-37 | Mud-Pack Pipe Joint Insulation - 3rd
Floor | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 5%SYNTHETIC | 95% | NAD | |
| MPJ-7 | BK0719652-38 | Mud-Pack Pipe Joint Insulation -
Mezzanine | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 20%FBGL | 80% | NAD | |
| MPJ-8 | BK0719652-39 | Mud-Pack Pipe Joint Insulation - 3rd
Floor | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 20%FBGL | 80% | NAD | |
| BCP-1 | BK0719652-40 | Ceiling Plaster (Brown) - Ballroom
Attic | Grey, Homogeneous,
Friable | None
Detected | Not Applicable | | 0% | 100% | NAD | |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All%
ASIP | PLM | | | TEM
Asbestos%
& Type |
|------------|--------------|---|---------------------------------|---------------|----------------|--------------|----------|-----------------|---------------------|----------------------------|
| | | | | | | | Fibrous% | Non
Fibrous% | Asbestos%
& Type | |
| BCP-2 | BK0719652-41 | Ceiling Plaster (Brown) - Ballroom Attic | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| BCP-3 | BK0719452-42 | Ceiling Plaster (Brown) - Ballroom Attic | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| SWP-1 | BK0719452-43 | Staircase Wall Plaster - Stair A 24th Floor | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| SWP-2 | BK0719452-44 | Staircase Wall Plaster - Stair A 32nd Floor | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| SWP-3 | BK0719452-45 | Staircase Wall Plaster - Stair D 30th Floor | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| STP-1 | BK0719452-46 | Stucco Plaster - Penthouse Exterior | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| STP-2 | BK0719452-47 | Stucco Plaster - Penthouse Exterior | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| STP-3 | BK0719452-48 | Stucco Plaster - Penthouse Exterior | Grey, Homogeneous, Friable | None Detected | Not Applicable | | 0% | 100% | NAD | |
| DPG-1-A | BK0719452-49 | Duct Pin Glue - FC Floor Mech Room | Brown, Homogeneous, Non-Fibrous | None Detected | 25.8 | 3.2 71.0 | 0% | 100% | NAD Inconclusive | NAD |
| DPG-1-B | BK0719452-50 | Duct Pin Glue - FC Floor Mech Room | Brown, Homogeneous, Non-Fibrous | None Detected | 27.4 | 7.5 65.1 | 0% | 100% | NAD Inconclusive | NAD |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone: (212) 563-0400 Fax: (212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All% | ASI% | PLM | | | TEM |
|------------|--------------|---|---------------------------------|---------------|-------|------|------|----------|--------------|------------------|-----|
| | | | | | | | | Fibrous% | Non Fibrous% | Asbestos% & Type | |
| CG-1-A | BK0719652-51 | Carpet Glue - 25th Floor - Room | Brown, Homogeneous, Non-Fibrous | None Detected | 46.3 | 11.5 | 42.1 | 0% | 100% | NAD Inconclusive | NAD |
| CG-1-B | BK0719652-52 | Carpet Glue - 24th Floor Corridor | Brown, Homogeneous, Non-Fibrous | None Detected | 46.2 | 5.7 | 48.1 | 0% | 100% | NAD Inconclusive | NAD |
| WMA-1-A | BK0719652-53 | Wall Mastic - Penthouse Exterior | Grey, Homogeneous, Non-Fibrous | None Detected | 50.1 | 20.1 | 29.9 | 0% | 100% | NAD Inconclusive | NAD |
| WMA-1-B | BK0719652-54 | Wall Mastic - Penthouse Exterior | Grey, Homogeneous, Non-Fibrous | None Detected | 46.6 | 4.3 | 49.1 | 0% | 100% | NAD Inconclusive | NAD |
| DSM-1-A | BK0719652-55 | White Mastic On Fiberglass Duct Insulation - 15th Floor - Mech Room | Brown, Homogeneous, Non-Fibrous | None Detected | 32.8 | 4.8 | 62.3 | 0% | 100% | NAD Inconclusive | NAD |
| DSM-1-B | BK0719652-56 | White Mastic On Fiberglass Duct Insulation - 15th Floor - Mech Room | Brown, Homogeneous, Non-Fibrous | None Detected | 39.1 | 5.9 | 55.0 | 0% | 100% | NAD Inconclusive | NAD |
| EWG-1-A | BK0719652-57 | Exterior Window Gazing Sealant - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 22.2 | 2.1 | 75.7 | 0% | 100% | NAD Inconclusive | NAD |
| EWG-1-B | BK0719652-58 | Exterior Window Gazing Sealant - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 45.8 | 1.8 | 52.5 | 0% | 100% | NAD Inconclusive | NAD |
| EWG-1-A | BK0719652-59 | Exterior Window Caulk - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 46.3 | 7.1 | 46.6 | 0% | 100% | NAD Inconclusive | NAD |
| EWG-1-B | BK0719652-60 | Exterior Window Caulk - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 47.6 | 5.0 | 47.4 | 0% | 100% | NAD Inconclusive | NAD |



Atlas Environmental Lab, Corp.
255 West 36th Street, Suite# 1503
New York, NY 10018
Phone:(212) 563-0400 Fax:(212) 563-0401
www.atlasenvironmentallab.com

Bulk Asbestos Report by PLM-TEM

Client:

Langan Engineering and Environmental Services, Inc.

Project Name:

109 E 42nd Street

Project Number:

170579301

Project Address:

109 E 42nd Street, New York, NY 10017

Collected by:

Client

AEL ID#

BK0719652

Date Received:

7/29/2019

PLM Date Analyzed:

7/31/2019

TEM Date Analyzed:

7/31/2019

Report Date:

8/1/2019

| Client ID# | Lab ID# | Description/ Location | Analyst Description | Vermiculite | ORG % | All% | ASI% | PLM | | TEM |
|------------|-------------|------------------------------------|---------------------------------|---------------|----------------|----------------|----------------|----------|--------------|------------------|
| | | | | | | | | Fibrous% | Non Fibrous% | |
| EWC-2-A | BK719652-61 | Exterior Window Caulk - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 64.8 | 2.0 | 33.2 | 0% | 100% | NAD Inconclusive |
| EWC-2-B | BK719652-62 | Exterior Window Caulk - Facades | Black, Homogeneous, Non-Fibrous | None Detected | 12.4 | 45.5 | 42.1 | 0% | 100% | NAD Inconclusive |
| IWC-1-A | BK719652-63 | Interior Window Caulk - 25th Floor | Black, Homogeneous, Non-Fibrous | None Detected | 49.0 | 3.4 | 47.6 | 0% | 100% | NAD Inconclusive |
| IWC-1-B | BK719652-64 | Interior Window Caulk - 25th Floor | Black, Homogeneous, Non-Fibrous | None Detected | 70.7 | 26.2 | 3.1 | 0% | 100% | NAD Inconclusive |
| POP-1 | BK719652-65 | Plaster Of Paris - Ballroom Attic | Grey, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | Not Applicable | 40%CELL | 60% | NAD |
| POP-2 | BK719652-66 | Plaster Of Paris - Ballroom Attic | Grey, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | Not Applicable | 0% | 100% | NAD |
| POP-3 | BK719652-67 | Plaster Of Paris - Ballroom Attic | Grey, Homogeneous, Friable | None Detected | Not Applicable | Not Applicable | Not Applicable | 0% | 100% | NAD |

Quantitative Analysis (Semi/Full):Bulk Asbestos Analysis-PLM by EPA 600/M4-82-020 per 40 CFR or ELAP198.1 (friable) and 198.6 (NOB) samples for New York.

NAD=no asbestos detected, NAPS=Not Analyzed/Positive Stop, Trace=<1%,FBGL=Fiberglass, CELL=Cellulose,CHRY=Chrysotile,Amo=Amosite,CRO=Crocidolite,ANTH=Anthophyllite, TRE=Tremolite, ACT=Actinolite, NA=not applicable.

PLM is not consistently reliable in detecting Asbestos in floor coverings and similar non friable organically bound materials. NAD or Trace results by PLM are inconclusive.

TEM is currently the only method that can be used to determine if this material can be considered or treated as non asbestos containing in NY State.

All samples were prepared and analyzed in accordance with the EPA "TEM Method for Identifying and Quantifying Asbestos in Non-Fibrous Organically Bound Bulk Samples" ELAP 198.4".

ORG%=Ashed Organic%, All= Acid Insoluble Inorganic%, ASI= Acid Soluble Inorganic%

This "Summary of Analytical Results "shall not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, ELAP or any agency of the U.S Government. The results relate

only to the items tested. This report may not be reproduced, except in full, without the written approval of AEL. Atlas Environmental lab did not collect the analyzed samples and thus accepts no liability with

regard to their collection and/or maintenance. AEL relies on client's data. The liability of Atlas Environmental Lab corp with respect to the services charged, shall in no event exceed the amount of the invoice.

NYSDOH ELAP#11999,

NVLAP Lab Code: 500092-0

PLM Analyst: AS

TEM Analyst: FG

Approved by:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

BK0719652

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 1 of 7

| | | | | | | | | | | | |
|---|-----------|--------------------------|-------------------------|---------------------------------|----------|-----------------------------|----------|----------------------------|--------|---------|--|
| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
| Address: 109 E 42nd Street | | Phone No: 973.560.4983 | | PLM | | AAS | | EPA Method 8082 | | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | PLM-NOB | | TEM | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | Description of Sample | | Sample Location | | | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | RUSH | 12 hours | 24 hours | 48 hours | 72 hours | 5 days | | |
| 1 | WP-1 | Wall plaster | FC Floor - Gym | X | | | | | | | |
| 2 | WP-2 | Wall plaster | FC Floor - AC18 | X | | | | | | | |
| 3 | WP-3 | Wall plaster | FC Floor - Painters | X | | | | | | | |
| 4 | WP-4 | Wall plaster | Upper Penthouse | X | | | | | | | |
| 5 | WP-5 | Wall plaster | 3rd Floor Mech Room | X | | | | | | | |
| 6 | WP-6 | Wall plaster | 1st Floor Mech Room | X | | | | | | | |
| 7 | CP-1 | Ceiling plaster | FC Floor - Ramp to Roof | X | | | | | | | |
| 8 | CP-2 | Ceiling plaster | FC Floor - AC18 | X | | | | | | | |
| 9 | CP-3 | Ceiling plaster | Upper Penthouse | X | | | | | | | |
| 10 | TI-1-A | Tank insulation | 15th Floor - Linen Room | X | | | | | | | |
| Total No. of Samples: 10 | | | | Turnaround Request: | | | | | | | |
| Laboratory Instructions: Stop analysis @ 1st positive (>1% by weight) for each homogenous sample group. Please e-mail results to mbaran@langan.com and vpatel@langan.com. | | | | | | | | | | | |
| Relinquished By: MIROSLAW BARAN | | | | Received by: RZ | | | | | | | |
| Date: 7/29/2019 | | | | Date: 7/30/19 | | | | | | | |
| Time: 3:00 PM | | | | Time: 12:15 | | | | | | | |
| Company: LANGAN | | | | Company: | | | | | | | |
| Laboratory Name: | | | | | | | | | | | |

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

BK0719652

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 2 of 7

| | | | | | | | | | | | | |
|--|-----------|--------------------------|-------------------------|---------------------------------|---------|-----------------------------|------|----------------------------|----------|-----------------|----------|--------|
| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | | |
| Address: 109 E 42nd Street | | Phone No: 973.560.4983 | | | | AAS | | TCLP | | EPA Method 8082 | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | | | | | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | | | | | | | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | PLM | PLM-NOB | TEM | RUSH | 12 hours | 24 hours | 48 hours | 72 hours | 5 days |
| 11 | TI-1-B | Tank insulation | 15th Floor - Linen Room | X | | | | | | | | |
| 12 | PI-1-A | Pipe insulation | 15th Floor - Linen Room | X | | | | | | | | |
| 13 | PI-1-B | Pipe insulation | 15th Floor - Linen Room | X | | | | | | | | |
| 14 | FP-1 | Sprayed-on fireproofing | 15th Floor - Mech Rooms | X | | | | | | | | |
| 15 | FP-2 | Sprayed-on fireproofing | 15th Floor - Mech Rooms | X | | | | | | | | |
| 16 | FP-3 | Sprayed-on fireproofing | 15th Floor - Mech Rooms | X | | | | | | | | |
| 17 | CPP-1-A | 2x2 rough ceiling panels | FC Floor - Hallway | | X | X | | X | | | | |
| 18 | CPP-1-B | 2x2 rough ceiling panels | FC Floor - Hallway | | X | X | | X | | | | |
| 19 | FM-1-A | Flooring materials | 2nd Floor | | X | X | | X | | | | |
| 20 | FM-1-B | Flooring materials | 2nd Floor | | X | X | | X | | | | |
| Total No. of Samples: 10 | | | | Turnaround Request: | | | | | | | | |

Laboratory Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight).

| | | | | |
|---------------------------------|-----------------|-----------------|---------------|-------------|
| Relinquished By: MIROSLAW BARAN | Date: 7/29/2019 | Received by: R2 | Date: 7/30/19 | Time: 12:15 |
| Company: Langan | | Company: | | |

Laboratory Name:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

BK0719652

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 3 of 7

| | | | | | | | | | | | |
|--|-----------|---------------------------------|---------------------------|---------------------------------|---|-----------------------------|--|----------------------------|--|---------|--|
| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
| Address: 109 E 42nd Street | | Phone No: 973.560.4983 | | PLM | | AAS | | EPA Method 8082 | | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | PLM-NOB | | TEM | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | | | | | | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | | | | | | | | |
| 21 | SR-1-A | Gypsum wallboard | 25th Floor | X | | | | | | | |
| 22 | SR-1-B | Gypsum wallboard | 15th Floor | X | | | | | | | |
| 23 | SR-1-C | Gypsum wallboard | 14th Floor | X | | | | | | | |
| 24 | SRJC-1-A | Gypsum wallboard joint compound | 25th Floor | X | | | | | | | |
| 25 | SRJC-1-B | Gypsum wallboard joint compound | Ballroom Attic | X | | | | | | | |
| 26 | SRJC-1-C | Gypsum wallboard joint compound | 14th Floor | X | | | | | | | |
| 27 | HVC-1-A | Air handling unit seam mastic | FC-Floor - Roof Mech Room | | X | | | | | | |
| 28 | HVC-1-B | Air handling unit seam mastic | FC-Floor - Roof Mech Room | | X | | | | | | |
| 29 | HVC-1-C | Air handling unit seam mastic | Mezzanine Mech Room | | X | | | | | | |
| 30 | MDC-1-A | Ductwork seam mastic | FC-Floor - Roof Mech Room | | X | | | | | | |

| | | | | | | | | |
|-----------------------|----|---------------------|------|----------|----------|----------|----------|--------|
| Total No. of Samples: | 10 | Turnaround Request: | RUSH | 12 hours | 24 hours | 48 hours | 72 hours | 5 days |
|-----------------------|----|---------------------|------|----------|----------|----------|----------|--------|

Laboratory Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight).

| | | | | |
|---------------------------------|-----------------|-----------------|---------------|-------------|
| Relinquished By: MIROSLAW BARAN | Date: 7/29/2019 | Received by: RZ | Date: 7/30/19 | Time: 12:15 |
| Company: LANGAN | | Company: | | |

Laboratory Name:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

BK0719652

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 4 of 7

| | | | | | | | | | | | | | |
|-----------------------|-----------|--------------------------------------|-----------------|--|--|---------------------------------|--|-----------------------------|--|----------------------------|--|---------|--|
| Project Name: | | 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
| Address: | | 109 E 42nd Street | | Phone No: 973.560.4983 | | PLM | | AAS | | EPA Method 8082 | | | |
| Langan Job No.: | | New York, NY 10017 | | Sampling Date: 7/26/2019 | | PLM-NOB | | TCLP | | | | | |
| Sampled By/License #: | | 170579301 | | MIROSLAW BARAN / NYC114570/NYS03-03533 | | TEM | | | | | | | |
| | | SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | | | | | | | | | | |
| 31 | MDC-1-B | Ductwork seam mastic | Upper Penthouse | | | | | | | | | | |
| 32 | MDC-1-C | Ductwork seam mastic | Upper Penthouse | | | | | | | | | | |
| 33 | MPJ-1 | Mud-pack pipe joint insulation | FC Floor | | | | | | | | | | |
| 34 | MPJ-2 | Mud-pack pipe joint insulation | FC Floor | | | | | | | | | | |
| 35 | MPJ-4 | Mud-pack pipe joint insulation | Upper Penthouse | | | | | | | | | | |
| 36 | MPJ-5 | Mud-pack pipe joint insulation | 3rd Floor | | | | | | | | | | |
| 37 | MPJ-6 | Mud-pack pipe joint insulation | 3rd Floor | | | | | | | | | | |
| 38 | MPJ-7 | Mud-pack pipe joint insulation | Mezzanine | | | | | | | | | | |
| 39 | MPJ-8 | Mud-pack pipe joint insulation | 3rd Floor | | | | | | | | | | |
| 40 | BCP-1 | Ceiling plaster (brown) | Ballroom Attic | | | | | | | | | | |

| | | | | | |
|------|----------|----------|----------|----------|--------|
| RUSH | 12 hours | 24 hours | 48 hours | 72 hours | 5 days |
| | | | X | | |

Turnaround Request:

10

Total No. of Samples:

Laboratory

Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight).

Relinquished By:

MIROSLAW BARAN

Date:

7/29/2019

Time:

Received by:

RZ

Date:

7/30/19

Time:

12:15

Company: LANGAN

Laboratory Name:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

BK0719652

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 5 of 7

| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
|--|-----------|--------------------------|--------------------|---------------------------------|---------|-----------------------------|-----|----------------------------|---------|---------|--|
| Address: 109 E 42nd Street | | Phone No: 973.560.4983 | | PLM | | AAS | | EPA Method 8082 | | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | PLM-NOB | | TEM | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | | | | | | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | PLM | PLM-NOB | TEM | AAS | EPA Method 8082 | Results | | |
| 41 | BCP-2 | Ceiling plaster (brown) | Ballroom Attic | X | | | | | | | |
| 42 | BCP-3 | Ceiling plaster (brown) | Ballroom Attic | X | | | | | | | |
| 43 | SWP-1 | Staircase wall plaster | Stair A 24th Floor | X | | | | | | | |
| 44 | SWP-2 | Staircase wall plaster | Stair A 32nd Floor | X | | | | | | | |
| 45 | SWP-3 | Staircase wall plaster | Stair D 30th Floor | X | | | | | | | |
| 46 | STP-1 | Stucco plaster | Penthouse Exterior | X | | | | | | | |
| 47 | STP-2 | Stucco plaster | Penthouse Exterior | X | | | | | | | |
| 48 | STP-3 | Stucco plaster | Penthouse Exterior | X | | | | | | | |
| 49 | DPG-1-A | Duct pin glue | FC Floor Mech Room | | X | X | | | | | |
| 50 | DPG-1-B | Duct pin glue | FC Floor Mech Room | | X | X | | | | | |

| | | | |
|--------------------------|----------|---------------------|----------|
| Total No. of Samples: 10 | | Turnaround Request: | |
| RUSH | 12 hours | 24 hours | 48 hours |
| | | | X |
| | | | 72 hours |
| | | | 5 days |

Laboratory Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight).

| | | |
|---------------------------------|-----------------|-------------|
| Relinquished By: MIROSLAW BARAN | Date: 7/29/2019 | Time: |
| Company: LANGAN | Date: 7/30/19 | Time: 12:15 |
| Received by: RZ | | |

Laboratory Name:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 6 of 7

BK6719652

| | | | | | | | | | | | |
|--|-----------|--|------------------------|---------------------------------|---------|-----------------------------|-----|----------------------------|-----------------|---------|--|
| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
| Address: 109 E 42nd Street | | Phone No: 973-560-4983 | | | | | | | | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | | | | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | | | | | | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | | | | | | | | | | |
| Sample # | Sample ID | Description of Sample | Sample Location | PLM | PLM-NOB | TEM | AAS | TCLP | EPA Method 8082 | | |
| 51 | CG-1-A | Carpet glue | 25th Floor - Room | | X | X | | | | | |
| 52 | CG-1-B | Carpet glue | 24th Floor Corridor | | X | X | | | | | |
| 53 | WMA-1-A | Wall mastic | Penthouse Exterior | | X | X | | | | | |
| 54 | WMA-1-B | Wall mastic | Penthouse Exterior | | X | X | | | | | |
| 55 | DSM-1-A | White mastic on fiberglass duct insulation | 15th Floor - Mech Room | | X | X | | | | | |
| 56 | DSM-1-B | White mastic on fiberglass duct insulation | 15th Floor - Mech Room | | X | X | | | | | |
| 57 | EWG-1-A | Exterior window glazing sealant | Façades | | X | X | | | | | |
| 58 | EWG-1-B | Exterior window glazing sealant | Façades | | X | X | | | | | |
| 59 | EWC-1-A | Exterior window caulk | Façades | | X | X | | | | | |
| 60 | EWC-1-B | Exterior window caulk | Façades | | X | X | | | | | |

| | | | | | | | |
|-----------------------|----|---------------------|----------|----------|----------|----------|--------|
| Total No. of Samples: | 10 | Turnaround Request: | | | | | |
| | | RUSH | 12 hours | 24 hours | 48 hours | 72 hours | 5 days |
| | | | | | X | | |

Laboratory Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight).

| | | | | |
|---------------------------------|-----------------|-----------------|---------------|-------------|
| Relinquished By: MIROSLAW BARAN | Date: 7/29/2019 | Received by: RZ | Date: 7/30/19 | Time: 12:15 |
| Company: Langan | | Company: | | |

Laboratory Name:

LANGAN

300 Kimball Drive
Parsippany, NJ 07054
Phone: 973-560-4900
Fax: 973-560-4901

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

Page 7 of 7

BK0719652

| | | | | | | | | | | | |
|---|---------|--------------------------|----------------|---------------------------------|---|-----------------------------|--|----------------------------|--|---------|--|
| Project Name: 109 E 42nd Street | | Auth. By: Vijay Patel | | Analysis Requested for Asbestos | | Analysis Requested for Lead | | Analysis Requested for PCB | | Results | |
| Address: 109 E 42nd Street | | Phone No: 973-560-4983 | | PLM | | AAS | | EPA Method 8082 | | | |
| Langan Job No.: 170579301 | | Sampling Date: 7/26/2019 | | PLM-NOB | | TEM | | | | | |
| Sampled By/License #: MIROSLAW BARAN / NYC114570/NYS03-03533 | | Description of Sample | | PLM | | TEM | | | | | |
| SANJAY PATEL / NYC115945/NYS98-10216 | | Sample Location | | | | | | | | | |
| Sample # | | | | | | | | | | | |
| 61 | EWC-2-A | Exterior window caulk | Façades | X | X | | | | | | |
| 62 | EWC-2-B | Exterior window caulk | Façades | X | X | | | | | | |
| 63 | IWC-1-A | Interior window caulk | 25th Floor | X | X | | | | | | |
| 64 | IWC-1-B | Interior window caulk | 25th Floor | X | X | | | | | | |
| 65 | POP-1 | Plaster of Paris | Ballroom Attic | X | | | | | | | |
| 66 | POP-2 | Plaster of Paris | Ballroom Attic | X | | | | | | | |
| 67 | POP-3 | Plaster of Paris | Ballroom Attic | X | | | | | | | |
| -- | | | | | | | | | | | |
| -- | | | | | | | | | | | |
| -- | | | | | | | | | | | |
| Total No. of Samples: 7 | | | | Turnaround Request: | | | | RUSH | | | |
| | | | | | | | | 12 hours | | | |
| | | | | | | | | 24 hours | | | |
| | | | | | | | | 48 hours | | | |
| | | | | | | | | 72 hours | | | |
| | | | | | | | | 5 days | | | |
| Laboratory Instructions: Please analyze all plaster samples. Do not stop analysis @ 1st positive (>1% by weight). | | | | | | | | | | | |
| Relinquished By: MIROSLAW BARAN | | | | | | | | | | | |
| Date: 7/29/2019 | | | | | | | | | | | |
| Time: 12:15 | | | | | | | | | | | |
| Company: Langan | | | | | | | | | | | |
| Laboratory Name: | | | | | | | | | | | |

A P P E N D I X B

PCB in Caulking Test Results and Chain-of-Custody Documentation



Wednesday, August 07, 2019

Attn: Vijay Patel
Langan Engineering & Environmental Svcs
300 Kimball Drive
4th Floor
Parsippany NJ 07054

Project ID: 109 E 42ND ST., 170579301
SDG ID: GCD67191
Sample ID#s: CD67191 - CD67193

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

August 07, 2019

SDG I.D.: GCD67191

Project ID: 109 E 42ND ST., 170579301

| Client Id | Lab Id | Matrix |
|-----------|---------|--------|
| EWC-1 | CD67191 | CAULK |
| EWC-2 | CD67192 | CAULK |
| IWC-1 | CD67193 | CAULK |



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 07, 2019

FOR: Attn: Vijay Patel
Langan Engineering & Environmental Svcs
300 Kimball Drive
4th Floor
Parsippany NJ 07054

Sample Information

Matrix: CAULK
Location Code: LANGANNJ
Rush Request: Standard
P.O.#:

Custody Information

Collected by: MB
Received by: LB
Analyzed by: see "By" below

Date

07/26/19

Time

10:49

Laboratory Data

SDG ID: GCD67191
Phoenix ID: CD67191

Project ID: 109 E 42ND ST., 170579301
Client ID: EWC-1

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|--------------------------|-----------|------------|-------|----------|-----------|----------|-----------|
| Caulk Extraction for PCB | Completed | | | | 07/30/19 | XX/VT/SB | SW3540C |

PCB (Soxhlet SW3540C)

| | | | | | | | |
|----------|----|-----|-------|---|----------|----|---------|
| PCB-1016 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1221 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1232 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1242 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1248 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1254 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1260 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1262 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |
| PCB-1268 | ND | 670 | ug/Kg | 2 | 08/02/19 | PS | SW8082A |

QA/QC Surrogates

| | | | | | | | |
|-----------------------|----|---|---|----------|----|------------|---|
| % DCBP | 26 | % | 2 | 08/02/19 | PS | 30 - 150 % | 3 |
| % DCBP (Confirmation) | 29 | % | 2 | 08/02/19 | PS | 30 - 150 % | 3 |
| % TCMX | 25 | % | 2 | 08/02/19 | PS | 30 - 150 % | 3 |
| % TCMX (Confirmation) | 25 | % | 2 | 08/02/19 | PS | 30 - 150 % | 3 |

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|-----------|--------|------------|-------|----------|-----------|----|-----------|
|-----------|--------|------------|-------|----------|-----------|----|-----------|

3 = This parameter exceeds laboratory specified limits.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low


QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

Results are reported on an ``as received`` basis, and are not corrected for dry weight.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

August 07, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 07, 2019

FOR: Attn: Vijay Patel
Langan Engineering & Environmental Svcs
300 Kimball Drive
4th Floor
Parsippany NJ 07054

Sample Information

Matrix: CAULK
Location Code: LANGANNJ
Rush Request: Standard
P.O.#:

Custody Information

Collected by: MB
Received by: LB
Analyzed by: see "By" below

Date

07/26/19

Time

10:49

Laboratory Data

SDG ID: GCD67191
Phoenix ID: CD67192

Project ID: 109 E 42ND ST., 170579301
Client ID: EWC-2

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|--------------------------|-----------|------------|-------|----------|-----------|----------|-----------|
| Caulk Extraction for PCB | Completed | | | | 07/30/19 | XX/VT/SB | SW3540C |

PCB (Soxhlet SW3540C)

| | | | | | | | |
|----------|----|-----|-------|---|----------|----|---------|
| PCB-1016 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1221 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1232 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1242 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1248 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1254 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1260 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1262 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1268 | ND | 930 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |

QA/QC Surrogates

| | | | | | | |
|-----------------------|----|---|---|----------|----|------------|
| % DCBP | 52 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % DCBP (Confirmation) | 55 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % TCMX | 65 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % TCMX (Confirmation) | 56 | % | 2 | 07/31/19 | SC | 30 - 150 % |

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|-----------|--------|------------|-------|----------|-----------|----|-----------|
|-----------|--------|------------|-------|----------|-----------|----|-----------|

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

Results are reported on an ``as received`` basis, and are not corrected for dry weight.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.

The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

August 07, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 07, 2019

FOR: Attn: Vijay Patel
Langan Engineering & Environmental Svcs
300 Kimball Drive
4th Floor
Parsippany NJ 07054

Sample Information

Matrix: CAULK
Location Code: LANGANNJ
Rush Request: Standard
P.O.#:

Custody Information

Collected by: MB
Received by: LB
Analyzed by: see "By" below

Date

07/26/19

Time

10:49

Laboratory Data

SDG ID: GCD67191
Phoenix ID: CD67193

Project ID: 109 E 42ND ST., 170579301
Client ID: IWC-1

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|--------------------------|-----------|------------|-------|----------|-----------|----------|-----------|
| Caulk Extraction for PCB | Completed | | | | 07/30/19 | XX/VT/SB | SW3540C |

PCB (Soxhlet SW3540C)

| | | | | | | | |
|----------|----|-----|-------|---|----------|----|---------|
| PCB-1016 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1221 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1232 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1242 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1248 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1254 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1260 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1262 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |
| PCB-1268 | ND | 910 | ug/Kg | 2 | 07/31/19 | SC | SW8082A |

QA/QC Surrogates

| | | | | | | |
|-----------------------|----|---|---|----------|----|------------|
| % DCBP | 47 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % DCBP (Confirmation) | 43 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % TCMX | 60 | % | 2 | 07/31/19 | SC | 30 - 150 % |
| % TCMX (Confirmation) | 53 | % | 2 | 07/31/19 | SC | 30 - 150 % |

| Parameter | Result | RL/
PQL | Units | Dilution | Date/Time | By | Reference |
|-----------|--------|------------|-------|----------|-----------|----|-----------|
|-----------|--------|------------|-------|----------|-----------|----|-----------|

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

Results are reported on an ``as received`` basis, and are not corrected for dry weight.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.

The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

August 07, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

August 07, 2019

QA/QC Data

SDG I.D.: GCD67191

| Parameter | Blank | Blk
RL | LCS
% | LCSD
% | LCS
RPD | MS
% | MSD
% | MS
RPD | %
Rec
Limits | %
RPD
Limits |
|---|-------|-----------|----------|-----------|------------|---------|----------|-----------|--------------------|--------------------|
| QA/QC Batch 490169 (ug/Kg), QC Sample No: CD65218 10X (CD67191, CD67192, CD67193) | | | | | | | | | | |
| Polychlorinated Biphenyls | | | | | | | | | | |
| PCB-1016 | ND | 170 | 89 | 51 | 54.3 | | | | 40 - 140 | 30 r |
| PCB-1221 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1232 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1242 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1248 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1254 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1260 | ND | 170 | 94 | 49 | 62.9 | | | | 40 - 140 | 30 r |
| PCB-1262 | ND | 170 | | | | | | | 40 - 140 | 30 |
| PCB-1268 | ND | 170 | | | | | | | 40 - 140 | 30 |
| % DCBP (Surrogate Rec) | 100 | % | 98 | 57 | 52.9 | | | | 30 - 150 | 30 r |
| % DCBP (Surrogate Rec) (Confirm) | 99 | % | 94 | 46 | 68.6 | | | | 30 - 150 | 30 r |
| % TCMX (Surrogate Rec) | 95 | % | 87 | 65 | 28.9 | | | | 30 - 150 | 30 |
| % TCMX (Surrogate Rec) (Confirm) | 88 | % | 83 | 60 | 32.2 | | | | 30 - 150 | 30 r |


Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

r = This parameter is outside laboratory RPD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference


Phyllis Shiller, Laboratory Director
August 07, 2019

Wednesday, August 07, 2019

Sample Criteria Exceedances Report

GCD67191 - LANGANNJ

Criteria: None
State: NY

| SampNo | Acode | Phoenix Analyte | Criteria | Result | RL | Criteria | RL | Analysis Units |
|--------|-------|-----------------|----------|--------|----|----------|----|----------------|
|--------|-------|-----------------|----------|--------|----|----------|----|----------------|

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

August 07, 2019

SDG I.D.: GCD67191

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

August 07, 2019



SDG I.D.: GCD67191

The samples in this delivery group were received at 24.4°C.
(Note acceptance criteria for relevant matrices is above freezing up to 6°C)

CHAIN OF CUSTODY RECORD / ANALYSIS REQUEST

beer 24.4
envelope

| Project Name: | | | | | | | 109 E 42nd Street | | | | | | | | | | |
|------------------------------|------------------------------|--|---|--|---|----------|--|--|----------|-----|------------------------------------|----------|-----------------------------------|----------------|--------|--|--|
| Address: | | | 109 E 42nd Street,
New York, NY
170579301 | | Auth. By:
Phone No.:
Sampling Date: | | VIJAY PATEL
973-560-4983
7/26/2019 | | | | | | | | | | |
| Langan Job No.: | | | M Baran | | | | | | | | | | | | | | |
| Sampled By/License #: | | | | | | | | | | | | | | | | | |
| Sample ID Number | Description of Sample | | | | Sample Location | | | Analysis Requested for Asbestos | | | Analysis Requested for Lead | | Analysis Requested for PCB | Results | | | |
| EWC-1 | Exterior window caulk | | | | Facades | | | PLM | PLM-NOS | TEM | AAS | TCLP | X | 67191 | | | |
| EWC-2 | Exterior window caulk | | | | Facades | | | | | | | | X | 67192 | | | |
| IWC-1 | Interior window caulk | | | | 25th Floor | | | | | | | | X | 67193 | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Total No. of Samples: | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | |
| Tumaround Request: | | | | | | | | | | | | | | | | | |
| 6 hours | | | 12 hours | | | 24 hours | | | 48 hours | | | 72 hours | | | 5 days | | |
| | | | | | | | | | | | | | | | X | | |

| | | | | | | | | | |
|------------------|--|-------|-----------|--------------|---|-------|--|-------|--|
| Relinquished By: | M Batan
 | Time: | 7/29/2019 | Received by: |  | Date: | | Time: | |
| Company: LANGAN | | | | Company: | KUMI PULLER | | | | |

73019 1049

ASTM E 1527-13 User Questionnaire

In order to qualify for the protection offered under the EPA All Appropriate Inquiry (AAI) Standard, the **User** (entities seeking to use the ASTM E1527-13 Practice to complete an environmental site assessment of the property; i.e. Lenders and/or Borrowers) must provide the following information (if available) to the environmental professional. Failure to provide this information could result in a determination that AAI is not complete. This information should be the collective knowledge of the entities relying on the Phase I. **Please note that you are not being asked to evaluate the property, but rather to provide your knowledge of information on the property.**

Site Name/Address: _____

Person Interviewed/Title: _____ Date: _____

If known, when was the property initially developed? _____

If different, when were the current building(s) on the property constructed? _____

1. Environmental cleanup liens that are filed or recorded against the site (40 CFR 312.25).

Did a search of *recorded land title records* (or judicial records where appropriate, see note 1 below) identify any environmental liens filed or recorded against the *property* under federal, tribal, state or local law?

Yes___ No___ If you answer yes, please include an explanation in the space provided below:

2. Activity and land use limitations that are in place on the *property* or that have been filed or recorded in a registry (40 CFR 312.26).

Did a search of *recorded land title records* (or judicial records where appropriate, see note 1 below) identify AULs, such as *engineering controls*, land use restrictions or *institutional controls* that are in place at the *property* and/or have been filed against the *property* under federal, tribal, state, or local law?

Engineering Controls are defined as physical modifications to a site or facility to reduce or eliminate the potential for exposure to hazardous substances or petroleum products in the soil or ground water on the property). *Institutional Controls* are defined as a legal or administrative restriction on the use of, or access to, a site or facility to 1) reduce or eliminate the potential for exposure to hazardous substances or petroleum products in the soil or ground water on the property, or 2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment.

Yes___ No___ If you answer yes, please include an explanation in the space provided below:

Note 1 - In certain jurisdictions, federal, tribal, state, or local statutes, or regulations specify that environmental liens and AULs be filed in judicial records rather than land title records. In such cases judicial records must be searched for environmental liens and AULs.

3. Specialized knowledge or experience of the person seeking to qualify for the LLP (40 CFR 312.28).

Do you have any specialized knowledge or experience related to the *property* or nearby properties?

For example, are you involved in the same line of business as the current or former *occupants* of the *property* or an adjoining *property* so that you would have specialized knowledge of the chemicals and processes used by this type of business?

Yes___ No___ If you answer yes, please include an explanation in the space provided below:

4. Relationship of the purchase price to the fair market value of the *property* if it were not contaminated (40 CFR 312.29).

a) Does the purchase price being paid for this *property* reasonably reflect the fair market value of the *property*?

Yes___ No___ If you answer no, please include an explanation in the space provided below, including whether the lower purchase price is because contamination is known or believed to be present at the *property*?

5. Commonly known or *reasonably ascertainable* information about the *property* (40 CFR 312.30).

Are you aware of commonly known or *reasonably ascertainable* information about the *property* that would help the *environmental professional* to identify conditions indicative of releases or threatened releases? For example, as *User*:

a. Do you know the past uses of the *property*?

Yes___ No___

b. Do you know of specific chemicals that are present or once were present at the *property*?

Yes___ No___

c. Do you know of spills or other chemical releases that have taken place at the *property*?

Yes___ No___

d. Do you know of any environmental cleanups that have taken place at the *property*?

Yes___ No___

If you answered yes to any of the questions above, please include an explanation in the space provided below:

6. The degree of obviousness of the presence of likely presence of contamination at the *property*, and the ability to detect the contamination by appropriate investigation (40 CFR 312.31).

Based on your knowledge and experience related to the *property*, are there any *obvious* indicators that point to the presence or likely presence of contamination at the *property*?

Yes___ No___ If you answer yes, please include an explanation in the space provided below:

Please provide the following property contact information:

Property Owner: _____

Phone Number: _____

Key Site Personnel: _____

Phone Number: _____

Past Owner: _____

Phone Number: _____

February 3, 2021

Mr. Gregory Lowe
Commodore Owner LLC
75 Rockefeller Plaza
Suite 1500
New York, New York 10019

Re: Phase II Environmental Site Assessment
Project Commodore
109 East 42nd Street, New York, New York
Block 1280, Lot 30

Dear Mr. Lowe:

On behalf of Commodore Owner LLC (referred to herein as “Commodore Owner”), Roux Environmental Engineering and Geology, D.P.C. (Roux) has prepared this Phase II Summary Letter Report (Report) to summarize the analytical results for the soil and sub-slab soil vapor samples collected at the property located at 109 East 42nd Street, New York, New York (Site). The Site is also identified as Block 1280, Lot 30 on the New York City Tax Map. A Site location map is included as Figure 1.

Background Information

The Site is comprised of a 57,282-square-foot lot that is currently occupied by the Grand Hyatt Hotel, a 26-story building with foundations that penetrate a Metropolitan Transit Authority (MTA) mezzanine and platform levels below grade. The Grand Hyatt Hotel was previously known as the Commodore Hotel, which opened in 1919 and was renovated in the late 1970s and reopened in 1980. The proposed redevelopment plan for the Site, also known as “Project Commodore,” includes the construction of a new 89-story commercial/mixed-use tower that will be constructed following the demolition of the Grand Hyatt Hotel.

Roux identified one Recognized Environmental Condition (REC) during the Phase I Environmental Site Assessment (Phase I ESA) preparation, which is detailed below:

- **REC – Mass Transit Usage:** The area upgradient to the northwest of the Site is developed with railroad/subway infrastructure associated with the Metro North Railroad (MNR), including the adjoining Grand Central Terminal. Additional rail structures associated with the New York City Subway (MTA) are also noted to be present under the Site; therefore, the mass transit/rail usage is considered both onsite and off-site. Railway infrastructure typically involves the usage of various hazardous substances and petroleum products in its operations including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation, which may involve the use of polychlorinated biphenyls (PCBs). Numerous New York State Department of Environmental Conservation (NYSDEC) spill listings are associated with the rail lines in this area.

Roux did not identify any Historical RECs (HRECs) or Controlled RECs (CRECs) in connection with the Site. Roux did identify the following Business Environmental Risks (BERs):

- **Suspect Presence of Historic Fill Material:** The Site was historically redeveloped with the Commodore Hotel in 1919 as evidenced by Sanborn Maps and historical accounts and online

resources for this time period. The redevelopment would have required demolition of the previous hospital and manufacturing related buildings present in the earlier Sanborn Maps dated 1890, 1899 and 1910. There is potential for the Site to be underlain by Historic Fill Material, which may contain glass, bricks, concrete, slag, ceramic and other non-native materials brought, deposited or demolished directly into the subsurface to facilitate redevelopment. The presence of this material should be considered when planning any future redevelopment requiring soil/material excavation and disposal.

- **Suspect Presence of Asbestos Containing Materials (ACMs) in Building Materials:** Based upon the age of construction of the current building (1919), there is potential for ACMs to be present in various pipe wrappings, joint wrappings, and other building materials. The MNR and MTA mezzanine and platform levels below grade were also constructed on or before approximately 1915, with many renovations since initially built, so the potential for ACMs, including pipe insulations, tars, and electrical equipment, extends to these areas as well. The investigation and planned removal of any confirmed ACMs will be the subject of a separate investigation document and are not further discussed in this Report.

Additionally, based on review of historical drawings provided by Commodore Owner, all laundry and dry-cleaning operations were conducted on the second level of the basement (not the lowest level of the basement), and therefore any operations are less likely to impact the subsurface as a Site. Based on the lack of dry cleaning-related contaminations in findings of the sampling performed during this Phase II investigation, the former dry-cleaning operations at the Site were confirmed to not be a REC.

A Phase II Site Investigation was recommended by Roux to document and characterize current Site conditions to determine if concerns identified in the Phase I ESA have impacted the Site. The fieldwork was conducted in general accordance with Roux's proposal for environmental support services dated August 25, 2020 and revised on January 15, 2021.

Phase II ESA Field Activities

The scope of work for the Phase II Site Investigation (Site Investigation) included the installation of temporary soil vapor points as well as the collection and analysis of soil and soil vapor samples. At the request of Commodore Owner, Roux worked alongside Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology D.P.C. (Langan) of New York, New York, as they conducted their geotechnical investigation. From October 2, 2020 to November 16, 2020, Roux sampled a total of seven test pit locations and three temporary soil vapor points. The investigation targeted historic fill below the slab within the specific portions of the building that will require excavation and removal as part of the redevelopment. The southeast portions of the Site were specifically avoided because there is no proposed excavation due to the subway tunnel. The locations of the test pits and temporary soil vapor points are provided on Figure 2. It was anticipated that groundwater was not going to be encountered above rock. Roux confirmed groundwater was not present in the overburden during the Site Investigation, and therefore, no groundwater samples were collected.

Soil Investigation

Roux collected soil from seven test pits spread out across the footprint of the basement of the Grand Hyatt as part of the overall geotechnical investigation performed by Langan. John Civetta & Sons, Inc (Civetta) was hired by Commodore Owner to advance the test pits to refusal as part of Langan's investigation. Roux collected soil from the seven test pits, and soil lithology was recorded according to the Unified Soil Classification System (USCS) and geologic logs were completed from the lithologic descriptions (Attachment 1). Soil was visually inspected for grain size, color, evidence of impacts, and screened for organic vapors using a photoionization detector (PID).

At least one soil sample was collected from each of the seven test pits. Roux collected ten soil samples from the seven test pits utilizing laboratory-supplied containers. The samples were placed in a cooler maintained with ice at 4°C and were transferred under chain-of-custody procedures to the laboratory.

Sub-Slab Soil Vapor Investigation

Three temporary sub-slab soil vapor sampling points were installed by Trinity Environmental Corp. (Trinity) on October 26, 2020 at the locations shown on Figure 2. At each of the sub-slab soil vapor sampling locations, Trinity drilled a hole into the slab using a hammer drill and a Vapor Pin® was sealed into place using a silicone sleeve immediately below the slab. As the depth of the basement for the new building is not proposed to go deeper than the existing slab, the sample depth is considered representative of the future soil vapor conditions for the new building.

In accordance with the New York State Department of Health (NYSDOH) Guidance for Evaluating Soil Vapor Intrusion in the State of New York (SVI Guidance Document), the integrity of each sub-slab soil vapor sampling point seal was checked using helium as a tracer gas following installation to verify that the sub-slab soil vapor sample would not be compromised by inadvertent introduction of ambient air into the sample. Sub-slab soil vapor was purged from the points using an air pump calibrated to approximately 0.2 liters per minute while the sampling point was covered at the surface with a small enclosure that was partially filled with helium. The sub-slab soil vapor discharging from the air pump and the air within the enclosure was continuously monitored for helium during purging.

After the seals were confirmed, batch-certified summa canisters and flow controllers were used to collect the sub-slab soil vapor samples over a two-hour duration. Roux collected three sub-slab soil vapor samples (SV-1, SV-2, and SV-3) from the temporary sub-slab soil vapor points installed by Trinity. Vacuum-pressure readings in the sample canister were recorded before and after the sample collection period on the sample logs and laboratory chain of custody. Samples were relinquished to the laboratory following chain of custody procedures.

Groundwater Investigation

Groundwater was not observed above in the overburden as part of the field activities.

Laboratory Analysis

Soil samples were analyzed at TestAmerica Laboratories, Inc. of Edison, New Jersey, a NYSDOH Environmental Laboratory Accreditation Program (ELAP)-certified laboratory (11452) for analysis of:

- Target Compound List (TCL) volatile organic compounds (VOCs) plus 10 tentatively identified compounds (TICs);
- TCL semivolatile organic compounds (SVOCs) plus 20 TICs;
- Target Analyte List (TAL) metals plus mercury, hexavalent chromium, and cyanide;
- PCBs; and
- Total pesticides and herbicides.

Sub-slab soil vapor samples were analyzed by Alpha Analytical of Mansfield, Massachusetts, a NYSDOH ELAP-certified laboratory (11627) for analysis of VOCs using USEPA Method TO-15.

Results

Work completed as part of this Phase II ESA included the collection of soil and sub-slab soil vapor samples. An overview of geologic conditions followed by an evaluation of the environmental media sampling results are provided below. Test pit geologic logs developed for each location are provided in Attachment 1. A full set of laboratory analytical data is provided as Attachment 2. A summary of the results is presented on Tables 1 through 8.

Site Geology

Roux observed no discernable threshold between historic fill and native soil at each of the test pits; historic fill was present in all test pits until refusal. In general, the soil at the Site is comprised of historic

fill consisting of fine to coarse sand, some silt and fine to coarse gravel, with fill consisting of brick, concrete, coal/slag, metal and other building aggregate.

Soil Analytical Results

The following section presents the results of the soil sampling and laboratory analysis. No evidence of impacts such as elevated PID detections, odors, or staining were observed during the test pit advancement. A total of ten soil samples were collected for laboratory analysis.

The concentrations of VOCs, SVOCs, metals, PCBs, pesticides and herbicides in the soil sample analytical results were compared to the NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs) and NYSDEC Part 375 Commercial Soil Cleanup Objectives (CSCOs) and are provided in Tables 1 through 7. A summary of the UUSCO and CSCO exceedances are depicted on Figure 3 and laboratory analytical reports are provided in Attachment 2.

VOCs

A summary of the VOC soil exceedances in the 10 soil samples analyzed is provided below:

VOC Exceedances of SCOs in Soil

| Analyte | NYSDEC Unrestricted Use SCO (mg/kg) | Detections above NYSDEC Unrestricted Use SCOs | NYSDEC Commercial SCOs (mg/kg) | Detections above NYSDEC Commercial SCOs | Range in Concentration Above NYSDEC SCOs (mg/kg) | Soil Sample with Maximum Detection |
|---------|-------------------------------------|---|--------------------------------|---|--|------------------------------------|
| Acetone | 0.05 | 1 | 500 | 0 | 0.073 | TP-17 (0-2) |

The majority of VOC concentrations were below laboratory detection limits. The VOC acetone marginally exceeded the UUSCO in sample TP-17 (0-2), which is attributed to laboratory cross-contamination and is not indicative of contamination on-site.

SVOCs

A summary of the SVOC soil exceedances in the 10 soil samples analyzed is provided below:

SVOC Exceedances of SCOs in Soil

| Analyte | NYSDEC Unrestricted Use SCO (mg/kg) | Detections above NYSDEC Unrestricted Use SCOs | NYSDEC Commercial SCOs (mg/kg) | Detections above NYSDEC Commercial SCOs | Range in Concentration Above NYSDEC SCOs (mg/kg) | Soil Sample with Maximum Detection |
|-------------------------|-------------------------------------|---|--------------------------------|---|--|------------------------------------|
| Benzo(A) Anthracene | 1 | 4 | 5.6 | 0 | 1.1 – 1.6 | TP-15 (0-2) |
| Benzo(A) Pyrene | 1 | 4 | 1 | 4 | 1.1 – 1.8 | TP-15 (0-2) |
| Benzo(B) Fluoranthene | 1 | 5 | 5.6 | 0 | 1.1 – 2.5 | TP-15 (0-2) |
| Benzo(K) Fluoranthene | 0.8 | 1 | 56 | 0 | 1.3 | TP-15 (0-2) |
| Chrysene | 1 | 2 | 56 | 0 | 1.2 – 1.7 | TP-15 (0-2) |
| Indeno(1,2,3-C,D)Pyrene | 0.5 | 5 | 5.6 | 0 | 0.6 – 0.9 | TP-15 (0-2) |

Concentrations of several SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs), were detected in exceedance of the UUSCOs and/or CSCOs in five of the ten soil samples as noted in the table above. PAHs are commonly detected in historical fill and are associated with incomplete combustion of petroleum and coal products, which were used as part of the mass transit operations onsite.

Metals

A summary of the metals soil exceedances in the 10 soil samples analyzed is provided below:

Metal Exceedances of SCOs in Soil

| Analyte | NYSDEC Unrestricted Use SCO (mg/kg) | Detections above
NYSDEC Unrestricted Use SCOs | NYSDEC Commercial SCOs (mg/kg) | Detections above
NYSDEC Commercial SCOs | Range in Concentration Above
NYSDEC SCOs (mg/kg) | Soil Sample with Maximum Detection |
|-----------------|-------------------------------------|--|--------------------------------|--|---|------------------------------------|
| Cadmium | 2.5 | 1 | 9.3 | 0 | 3.1 | TP-8 (0-2) |
| Chromium III | 30 | 3 | 1500 | 0 | 34.4 – 92.3 | TP-16 (0-2) |
| Chromium, Total | 30 | 3 | 1500 | 0 | 34.4 – 93 | TP-16 (0-2) |
| Copper | 50 | 4 | 270 | 0 | 55.8 - 195 | TP-15 (0-2) |
| Lead | 63 | 5 | 1,000 | 2 | 207 – 4,490 | TP-15 (0-2) |
| Mercury | 0.18 | 8 | 2.8 | 0 | 0.32 – 2.5 | TP-8 (0-2) |
| Nickel | 30 | 1 | 310 | 0 | 32.2 | TP-7 (0-2) |
| Zinc | 109 | 3 | 10,000 | 0 | 232 – 488 | TP-15 (0-2) |

Metals were detected above UUSCOs in eight of the ten samples collected and above CSCOs in two of those soil samples. Lead was the only metal that was detected in exceedance of CSCOs. The concentrations and distribution of the metals detected in exceedance of the CSCOs are characteristic of historical fill and mass transit operations. The highest concentrations of lead were observed at TP-7 (0-2) and TP-15 (0-2), which are both located in the MNR portion of the Site. Both of these samples, in addition to three other soil samples (TP-5 [0-2], TP-8 [0-2] and TP-12 [0-2]), were analyzed for TCLP lead and all of the soil onsite was determined not to be hazardous for disposal purposes. However, given the elevated concentrations of lead in these two locations, future disposal facilities may require additional sampling of this material or they may require that the material be handled as hazardous.

PCBs

A summary of the PCBs soil exceedances in the 10 soil samples analyzed is provided below:

PCB Exceedances of SCOs in Soil

| Analyte | NYSDEC Unrestricted Use SCO (mg/kg) | Detections above
NYSDEC Unrestricted Use SCOs | NYSDEC Commercial SCOs (mg/kg) | Detections above
NYSDEC Commercial SCOs | Range in Concentration Above
NYSDEC SCOs (mg/kg) | Soil Sample with Maximum Detection |
|------------|-------------------------------------|--|--------------------------------|--|---|------------------------------------|
| Total PCBs | 0.1 | 1 | 3.2 | 0 | 0.43 | TP-15 (0-2) |

Concentrations of total PCBs were detected in exceedance of the UUSCO but below the CSCO at one location. Exceedances of total PCBs are commonly associated with historical fill and mass transit operations.

Pesticides and Herbicides

A summary of the Pesticide and Herbicide soil exceedances in the 10 soil samples analyzed is provided below:

Pesticide and Herbicide Exceedances of SCOs in Soil

| Analyte | NYSDEC Unrestricted Use SCO (mg/kg) | Detections above NYSDEC Unrestricted Use SCOs | NYSDEC Restricted Residential SCOs (mg/kg) | Detections above NYSDEC Restricted Residential SCOs | Range in Concentration Above NYSDEC SCOs (mg/kg) | Soil Sample with Maximum Detection |
|----------|-------------------------------------|---|--|---|--|------------------------------------|
| P,P'-DDE | 0.0033 | 2 | 62 | 0 | 0.011 – 0.03 | TP-17 (0-2) |
| P,P'-DDT | 0.0033 | 2 | 47 | 0 | 0.0076 – 0.019 | TP-7 (0-2) |

Concentrations of two pesticides were detected in exceedance of the UUSCO but below the CSCO at two locations. These detections are commonly associated with historical fill.

Sub-Slab Soil Vapor Analytical Results

Results for the sub-slab soil vapor samples can be found on Table 6 and Plate 3. Each sub-slab soil vapor sample contained detections of VOCs. The following compounds are discussed because they are chlorinated-related compounds that are included in the NYSDOH SVI Guidance Decision Matrices. The matrices provide guidance for carbon tetrachloride, cis-1,2-dichloroethene, 1,1-dichloroethene, trichloroethene (TCE), tetrachloroethene (PCE), 1,1,1-trichloroethane, methylene chloride, and vinyl chloride. No indoor air samples were collected as part of the Phase II ESA; therefore, no direct comparison is made to the NYSDOH Matrices. A summary of the detections is described below.

Matrix A Compounds: carbon tetrachloride, cis-1,2-dichloroethene, 1,1-dichloroethene, TCE

- Carbon tetrachloride, cis-1,2-dichloroethene, 1,1-dichloroethene, TCE were not detected in sub-slab soil vapor.

Matrix B Compounds: PCE, 1,1,1-trichloroethane, methylene chloride

- PCE was detected in all three sub-slab soil vapor samples (SV-1, SV-2, and SV-3) ranging in concentration from 4.37 µg/m³ to 11.8 µg/m³, with a maximum detection in sub-slab soil vapor sample SV-1.
- 1,1,1-Trichloroethane and methylene chloride were not detected in sub-slab soil vapor.

Matrix C Compound: vinyl chloride

- Vinyl chloride was not detected in sub-slab soil vapor.

The concentrations of the matrix compounds are low and do not indicate that there is an active source of contamination to sub-slab soil vapor. Petroleum-related VOCs were also detected at low levels in all three samples. Additional compounds detected besides those noted above are included in Table 11. These VOCs were not detected in soil samples on-site.

Conclusion and Recommendations

Ten soil samples were collected from seven test pits at the Site. No VOCs, with the exception of acetone, were identified in the soil samples above UUSCOs or CSCOs. The exceedance of acetone is attributed to laboratory cross-contamination and is not indicative of contamination on-site. Concentrations of several SVOCs, specifically PAHs, were detected in exceedance of the UUSCOs and/or CSCOs in five of the ten soil samples. Metals were detected above UUSCOs in eight of the ten samples collected and above CSCOs in two of those soil samples. Lead was the only metal that was detected in exceedance of CSCOs. Concentrations of total PCBs were detected in exceedance of the UUSCO but below the CSCO at one location. Concentrations of two pesticides were detected in exceedance of the UUSCO but below the CSCO at two locations.


The analytical results for the samples collected at the Site are in exceedance of the CSCOs, which would apply to the planned redevelopment of the Site as a hotel/office tower. The soil exceedances are primarily associated with historic fill and mass transit operations and do not appear to be associated with an active release. If excess soils need to be removed from the Site following the installation of foundation elements or future utilities, the soils should be properly managed and disposed of offsite. Future waste characterization sampling will be required in order to ensure that the soils are appropriately handled in accordance with appropriate regulations and requirements of the selected disposal facilities.

Sub-slab soil vapor samples were collected from three locations at the Site. Concentrations of VOCs in soil vapor were detected above laboratory reporting limits at all sampling locations. However, the concentrations of the chlorinated-related and petroleum compounds are low and do not indicate that there is an active source of contamination to sub-slab soil vapor. Roux recommends that a vapor barrier be installed as part of the construction of the proposed building as a best practice.

Should you have any questions or require further information regarding this Report, do not hesitate to contact Mr. Frank Cherena or Ms. Rachel Henke by telephone at 631-232-2600 or by email at fcherena@rouxinc.com or rhenke@rouxinc.com, respectively.

Sincerely,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.



Rachel Henke
Project Scientist



Frank Cherena, P.G.
Principal Geologist

Attachments

TABLES

1. Summary of Volatile Organic Compounds in Soil
2. Summary of Semivolatile Organic Compounds in Soil
3. Summary of Metals in Soil
4. Summary of Polychlorinated Biphenyls in Soil
5. Summary of Pesticides and Herbicides in Soil
6. Summary of General Chemistry in Soil
7. Summary of TCLP Metals in Soil
8. Summary of Volatile Organic Compounds in Sub Slab Soil Vapor

| Notes Utilized Throughout Tables | |
|--|---|
| Soil Tables | |
| J - | Estimated value |
| U - | Indicates that the compound was analyzed for but not detected |
| ft bls - | Feet below land surface |
| mg/kg - | Milligrams per kilogram |
| NYSDEC - | New York State Department of Environmental Conservation |
| SCO - | Soil Cleanup Objectives |
| -- | No SCO available |
| Bold data indicates that parameter was detected above the NYSDEC Part 375 Unrestricted Use SCO | |
| Shaded data indicates that parameter was detected above the NYSDEC Part 375 Commercial SCO | |
| Red data indicates that parameter was detected above the NYSDEC Part 375 Commercial SCO | |
| TCLP Tables | |
| mg/L - | Milligrams per liter |
| USEPA - | United States Environmental Protection Agency |
| TCLP - | Toxicity Characteristic Leaching Procedure |
| USEPA Regulatory Levels - United States Environmental Protection | |
| Agency Limits for RCRA Characteristic Waste for Toxicity | |
| RCRA - | Resource Conservation and Recovery Act |
| Bold - | Parameter was detected above USEPA Regulatory Levels |
| Soil Vapor/Ambient Air | |
| U - | Indicates that the compound was analyzed for but not detected |
| ug/m3 - | Micrograms per cubic meter |
| Bold data indicates that parameter was detected | |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5 | TP-7 | TP-8 |
|--|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 10 - 12 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| 1,1,1-Trichloroethane (TCA) | 0.68 | 500 | 0.68 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,1,2,2-Tetrachloroethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,1,2-Trichloroethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,1-Dichloroethane | 0.27 | 240 | 0.27 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,1-Dichloroethene | 0.33 | 500 | 0.33 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2,3-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2,4-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2,4-Trimethylbenzene | 3.6 | 190 | 3.6 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2-Dibromo-3-Chloropropane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2-Dibromoethane (Ethylene Dibromide) | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2-Dichlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2-Dichloroethane | 0.02 | 30 | 0.02 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,2-Dichloropropane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,3,5-Trimethylbenzene (Mesitylene) | 8.4 | 190 | 8.4 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,3-Dichlorobenzene | 2.4 | 280 | 2.4 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 1,4-Dichlorobenzene | 1.8 | 130 | 1.8 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| 2-Hexanone | -- | -- | -- | MG/KG | 0.013 U | 0.0099 U | 0.0081 U | 0.0077 U | |
| Acetone | 0.05 | 500 | 0.05 | MG/KG | 0.016 U | 0.012 U | 0.0098 U | 0.0092 U | |
| Benzene | 0.06 | 44 | 0.06 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Bromochloromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Bromodichloromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Bromoform | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Bromomethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Carbon Disulfide | -- | -- | -- | MG/KG | 0.0026 U | 0.00075 J | 0.0016 U | 0.0015 U | |
| Carbon Tetrachloride | 0.76 | 22 | 0.76 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Chlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Chloroethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Chloroform | 0.37 | 350 | 0.37 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Chloromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Cis-1,2-Dichloroethylene | 0.25 | 500 | 0.25 | MG/KG | 0.0026 UT | 0.002 U | 0.0016 U | 0.0015 U | |
| Cis-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5 | TP-7 | TP-8 |
|---|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 10 - 12 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| Cyclohexane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Dibromochloromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Dichlorodifluoromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Ethylbenzene | 1 | 390 | 1 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Isopropylbenzene (Cumene) | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| m,p-Xylene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.00077 J | 0.0015 U | |
| Methyl Acetate | -- | -- | -- | MG/KG | 0.013 U | 0.0099 U | 0.0081 U | 0.0077 U | |
| Methyl Ethyl Ketone (2-Butanone) | 0.12 | 500 | 0.12 | MG/KG | 0.013 U | 0.0099 U | 0.0081 U | 0.0077 U | |
| Methyl Isobutyl Ketone (4-Methyl-2-Pentanone) | -- | -- | -- | MG/KG | 0.013 U | 0.0099 U | 0.0081 U | 0.0077 U | |
| Methylcyclohexane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Methylene Chloride | 0.05 | 500 | 0.05 | MG/KG | 0.0025 J | 0.0011 J | 0.0016 U | 0.0015 U | |
| N-Butylbenzene | 12 | 500 | 12 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| N-Propylbenzene | 3.9 | 500 | 3.9 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| O-Xylene (1,2-Dimethylbenzene) | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0005 J | 0.0015 U | |
| Sec-Butylbenzene | 11 | 500 | 11 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Styrene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| T-Butylbenzene | 5.9 | 500 | 5.9 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Tert-Butyl Methyl Ether | 0.93 | 500 | 0.93 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Tetrachloroethylene (PCE) | 1.3 | 150 | 1.3 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Toluene | 0.7 | 500 | 0.7 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.00054 J | |
| Trans-1,2-Dichloroethene | 0.19 | 500 | 0.19 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Trans-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Trichloroethylene (TCE) | 0.47 | 200 | 0.47 | MG/KG | 0.0026 UT | 0.002 U | 0.0016 U | 0.0015 U | |
| Trichlorofluoromethane | -- | -- | -- | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Vinyl Chloride | 0.02 | 13 | 0.02 | MG/KG | 0.0026 U | 0.002 U | 0.0016 U | 0.0015 U | |
| Xylenes | 0.26 | 500 | 1.6 | MG/KG | 0.0052 U | 0.004 U | 0.0013 J | 0.0031 U | |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-12 | TP-15 | TP-16 | TP-16 |
|--|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| 1,1,1-Trichloroethane (TCA) | 0.68 | 500 | 0.68 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,1,2,2-Tetrachloroethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,1,2-Trichloroethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,1-Dichloroethane | 0.27 | 240 | 0.27 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,1-Dichloroethene | 0.33 | 500 | 0.33 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2,3-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2,4-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2,4-Trimethylbenzene | 3.6 | 190 | 3.6 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2-Dibromo-3-Chloropropane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2-Dibromoethane (Ethylene Dibromide) | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2-Dichlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2-Dichloroethane | 0.02 | 30 | 0.02 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,2-Dichloropropane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,3,5-Trimethylbenzene (Mesitylene) | 8.4 | 190 | 8.4 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,3-Dichlorobenzene | 2.4 | 280 | 2.4 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 1,4-Dichlorobenzene | 1.8 | 130 | 1.8 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| 2-Hexanone | -- | -- | -- | MG/KG | 0.0076 U | 0.0079 U | 0.012 U | 0.012 U | |
| Acetone | 0.05 | 500 | 0.05 | MG/KG | 0.0092 U | 0.0094 U | 0.014 U | 0.025 | |
| Benzene | 0.06 | 44 | 0.06 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Bromochloromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Bromodichloromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Bromoform | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Bromomethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Carbon Disulfide | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Carbon Tetrachloride | 0.76 | 22 | 0.76 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Chlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Chloroethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Chloroform | 0.37 | 350 | 0.37 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Chloromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Cis-1,2-Dichloroethylene | 0.25 | 500 | 0.25 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Cis-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-12 | TP-15 | TP-16 | TP-16 |
|---|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| Cyclohexane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Dibromochloromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Dichlorodifluoromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Ethylbenzene | 1 | 390 | 1 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Isopropylbenzene (Cumene) | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| m,p-Xylene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Methyl Acetate | -- | -- | -- | MG/KG | 0.0076 U | 0.0079 U | 0.012 U | 0.012 U | |
| Methyl Ethyl Ketone (2-Butanone) | 0.12 | 500 | 0.12 | MG/KG | 0.0076 U | 0.0079 U | 0.012 U | 0.012 U | |
| Methyl Isobutyl Ketone (4-Methyl-2-Pentanone) | -- | -- | -- | MG/KG | 0.0076 U | 0.0079 U | 0.012 U | 0.012 U | |
| Methylcyclohexane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Methylene Chloride | 0.05 | 500 | 0.05 | MG/KG | 0.0051 | 0.0016 U | 0.0024 U | 0.0025 U | |
| N-Butylbenzene | 12 | 500 | 12 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| N-Propylbenzene | 3.9 | 500 | 3.9 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| O-Xylene (1,2-Dimethylbenzene) | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Sec-Butylbenzene | 11 | 500 | 11 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Styrene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| T-Butylbenzene | 5.9 | 500 | 5.9 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Tert-Butyl Methyl Ether | 0.93 | 500 | 0.93 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Tetrachloroethylene (PCE) | 1.3 | 150 | 1.3 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Toluene | 0.7 | 500 | 0.7 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Trans-1,2-Dichloroethene | 0.19 | 500 | 0.19 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Trans-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Trichloroethylene (TCE) | 0.47 | 200 | 0.47 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Trichlorofluoromethane | -- | -- | -- | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Vinyl Chloride | 0.02 | 13 | 0.02 | MG/KG | 0.0015 U | 0.0016 U | 0.0024 U | 0.0025 U | |
| Xylenes | 0.26 | 500 | 1.6 | MG/KG | 0.0031 U | 0.0031 U | 0.0047 U | 0.0049 U | |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | | | TP-16 | TP-17 |
|--|--|--------------------------------------|--|-------|------------|------------|
| Sample Date: | | | | | 10/16/2020 | 10/21/2020 |
| Sample Depth (ft bls): | | | | | 5 - 7 | 0 - 2 |
| Normal Sample or Field Duplicate: | | | | | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | |
| 1,1,1-Trichloroethane (TCA) | 0.68 | 500 | 0.68 | MG/KG | 0.0023 U | 0.001 U |
| 1,1,2,2-Tetrachloroethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,1,2-Trichloroethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,1-Dichloroethane | 0.27 | 240 | 0.27 | MG/KG | 0.0023 U | 0.001 U |
| 1,1-Dichloroethene | 0.33 | 500 | 0.33 | MG/KG | 0.0023 U | 0.001 U |
| 1,2,3-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,2,4-Trichlorobenzene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,2,4-Trimethylbenzene | 3.6 | 190 | 3.6 | MG/KG | 0.0023 U | 0.001 U |
| 1,2-Dibromo-3-Chloropropane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,2-Dibromoethane (Ethylene Dibromide) | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,2-Dichlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0023 U | 0.001 U |
| 1,2-Dichloroethane | 0.02 | 30 | 0.02 | MG/KG | 0.0023 U | 0.001 U |
| 1,2-Dichloropropane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| 1,3,5-Trimethylbenzene (Mesitylene) | 8.4 | 190 | 8.4 | MG/KG | 0.0023 U | 0.001 U |
| 1,3-Dichlorobenzene | 2.4 | 280 | 2.4 | MG/KG | 0.0023 U | 0.001 U |
| 1,4-Dichlorobenzene | 1.8 | 130 | 1.8 | MG/KG | 0.0023 U | 0.001 U |
| 2-Hexanone | -- | -- | -- | MG/KG | 0.012 U | 0.0052 U |
| Acetone | 0.05 | 500 | 0.05 | MG/KG | 0.014 U | 0.073 |
| Benzene | 0.06 | 44 | 0.06 | MG/KG | 0.0023 U | 0.001 U |
| Bromochloromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Bromodichloromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Bromoform | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Bromomethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Carbon Disulfide | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Carbon Tetrachloride | 0.76 | 22 | 0.76 | MG/KG | 0.0023 U | 0.001 U |
| Chlorobenzene | 1.1 | 500 | 1.1 | MG/KG | 0.0023 U | 0.001 U |
| Chloroethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 UT |
| Chloroform | 0.37 | 350 | 0.37 | MG/KG | 0.0023 U | 0.001 U |
| Chloromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |
| Cis-1,2-Dichloroethylene | 0.25 | 500 | 0.25 | MG/KG | 0.0023 U | 0.001 U |
| Cis-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U |

Table 1. Summary of Volatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-16 | TP-17 |
|---|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|
| | | | | | Sample Date: | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 5 - 7 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | |
| Cyclohexane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Dibromochloromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Dichlorodifluoromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Ethylbenzene | 1 | 390 | 1 | MG/KG | 0.0023 U | 0.001 U | |
| Isopropylbenzene (Cumene) | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| m,p-Xylene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Methyl Acetate | -- | -- | -- | MG/KG | 0.012 U | 0.0052 U | |
| Methyl Ethyl Ketone (2-Butanone) | 0.12 | 500 | 0.12 | MG/KG | 0.012 U | 0.0087 | |
| Methyl Isobutyl Ketone (4-Methyl-2-Pentanone) | -- | -- | -- | MG/KG | 0.012 U | 0.0052 U | |
| Methylcyclohexane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Methylene Chloride | 0.05 | 500 | 0.05 | MG/KG | 0.0023 U | 0.001 U | |
| N-Butylbenzene | 12 | 500 | 12 | MG/KG | 0.0023 U | 0.001 U | |
| N-Propylbenzene | 3.9 | 500 | 3.9 | MG/KG | 0.0023 U | 0.001 U | |
| O-Xylene (1,2-Dimethylbenzene) | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Sec-Butylbenzene | 11 | 500 | 11 | MG/KG | 0.0023 U | 0.001 U | |
| Styrene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| T-Butylbenzene | 5.9 | 500 | 5.9 | MG/KG | 0.0023 U | 0.001 U | |
| Tert-Butyl Methyl Ether | 0.93 | 500 | 0.93 | MG/KG | 0.0023 U | 0.001 U | |
| Tetrachloroethylene (PCE) | 1.3 | 150 | 1.3 | MG/KG | 0.0023 U | 0.001 U | |
| Toluene | 0.7 | 500 | 0.7 | MG/KG | 0.0023 U | 0.001 U | |
| Trans-1,2-Dichloroethene | 0.19 | 500 | 0.19 | MG/KG | 0.0023 U | 0.001 U | |
| Trans-1,3-Dichloropropene | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Trichloroethylene (TCE) | 0.47 | 200 | 0.47 | MG/KG | 0.0023 U | 0.001 U | |
| Trichlorofluoromethane | -- | -- | -- | MG/KG | 0.0023 U | 0.001 U | |
| Vinyl Chloride | 0.02 | 13 | 0.02 | MG/KG | 0.0023 U | 0.001 U | |
| Xylenes | 0.26 | 500 | 1.6 | MG/KG | 0.0047 U | 0.0021 U | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5 | TP-7 | TP-8 |
|-----------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 10 - 12 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| 1,2,4,5-Tetrachlorobenzene | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 1,4-Dioxane (P-Dioxane) | 0.1 | 130 | 0.1 | MG/KG | 0.11 U | 0.12 U | 0.11 U | 0.11 U | |
| 2,3,4,6-Tetrachlorophenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2,4,5-Trichlorophenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2,4,6-Trichlorophenol | -- | -- | -- | MG/KG | 0.15 U | 0.16 U | 0.15 U | 0.15 U | |
| 2,4-Dichlorophenol | -- | -- | -- | MG/KG | 0.15 U | 0.16 U | 0.15 U | 0.15 U | |
| 2,4-Dimethylphenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2,4-Dinitrophenol | -- | -- | -- | MG/KG | 0.3 U | 0.32 UT | 0.3 U | 0.31 U | |
| 2,4-Dinitrotoluene | -- | -- | -- | MG/KG | 0.075 U | 0.08 U | 0.076 U | 0.077 U | |
| 2,6-Dinitrotoluene | -- | -- | -- | MG/KG | 0.075 U | 0.08 U | 0.076 U | 0.077 U | |
| 2-Chloronaphthalene | -- | -- | -- | MG/KG | 0.019 J | 0.22 J | 0.37 U | 0.38 U | |
| 2-Chlorophenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2-Methylnaphthalene | -- | -- | -- | MG/KG | 0.03 J | 0.07 J | 0.028 J | 0.012 J | |
| 2-Methylphenol (O-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2-Nitroaniline | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 2-Nitrophenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 3,3'-Dichlorobenzidine | -- | -- | -- | MG/KG | 0.15 U | 0.16 U | 0.15 U | 0.15 U | |
| 3-Nitroaniline | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4,6-Dinitro-2-Methylphenol | -- | -- | -- | MG/KG | 0.3 U | 0.32 U | 0.3 U | 0.31 U | |
| 4-Bromophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Chloro-3-Methylphenol | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Chloroaniline | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Chlorophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Methylphenol (P-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Nitroaniline | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| 4-Nitrophenol | -- | -- | -- | MG/KG | 0.75 U | 0.8 U | 0.76 U | 0.77 U | |
| Acenaphthene | 20 | 500 | 98 | MG/KG | 0.37 U | 0.4 U | 0.027 J | 0.064 J | |
| Acenaphthylene | 100 | 500 | 107 | MG/KG | 0.023 J | 0.43 | 0.12 J | 0.088 J | |
| Acetophenone | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Anthracene | 100 | 500 | 1000 | MG/KG | 0.37 U | 0.04 J | 0.14 J | 0.18 J | |
| Atrazine | -- | -- | -- | MG/KG | 0.15 U | 0.16 U | 0.15 U | 0.15 U | |
| Benzaldehyde | -- | -- | -- | MG/KG | 0.021 J | 0.064 J | 0.37 U | 0.38 U | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5 | TP-7 | TP-8 |
|--|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 10 - 12 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| Benzo(A)Anthracene | 1 | 5.6 | 1 | MG/KG | 0.032 J | 0.029 J | 0.78 | 1.1 | |
| Benzo(A)Pyrene | 1 | 1 | 22 | MG/KG | 0.03 JT | 0.021 J | 0.93 | 1.2 | |
| Benzo(B)Fluoranthene | 1 | 5.6 | 1.7 | MG/KG | 0.042 T | 0.035 J | 1.1 | 1.4 | |
| Benzo(G,H,I)Perylene | 100 | 500 | 1000 | MG/KG | 0.021 J | 0.4 U | 0.44 | 0.72 | |
| Benzo(K)Fluoranthene | 0.8 | 56 | 1.7 | MG/KG | 0.021 J | 0.04 U | 0.46 | 0.5 | |
| Benzyl Butyl Phthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Biphenyl (Diphenyl) | -- | -- | -- | MG/KG | 0.37 U | 0.1 J | 0.37 U | 0.38 U | |
| Bis(2-Chloroethoxy) Methane | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether) | -- | -- | -- | MG/KG | 0.037 U | 0.04 U | 0.037 U | 0.038 U | |
| Bis(2-Chloroisopropyl) Ether | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Bis(2-Ethylhexyl) Phthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Caprolactam | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Carbazole | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.053 J | 0.087 J | |
| Chrysene | 1 | 56 | 1 | MG/KG | 0.035 J | 0.033 J | 0.7 | 0.96 | |
| Cresols, M & P | 0.33 | 500 | 0.33 | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Dibenz(A,H)Anthracene | 0.33 | 0.56 | 1000 | MG/KG | 0.037 U | 0.04 U | 0.15 | 0.28 | |
| Dibenzofuran | 7 | 350 | 210 | MG/KG | 0.37 U | 0.4 U | 0.026 J | 0.031 J | |
| Diethyl Phthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Dimethyl Phthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Di-N-Butyl Phthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Di-N-Octylphthalate | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Fluoranthene | 100 | 500 | 1000 | MG/KG | 0.051 J | 0.14 J | 1.2 | 1.5 | |
| Fluorene | 30 | 500 | 386 | MG/KG | 0.37 U | 0.05 J | 0.031 J | 0.049 J | |
| Hexachlorobenzene | 0.33 | 6 | 3.2 | MG/KG | 0.037 U | 0.04 U | 0.037 U | 0.038 U | |
| Hexachlorobutadiene | -- | -- | -- | MG/KG | 0.075 U | 0.08 U | 0.076 U | 0.077 U | |
| Hexachlorocyclopentadiene | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Hexachloroethane | -- | -- | -- | MG/KG | 0.037 U | 0.04 U | 0.037 U | 0.038 U | |
| Indeno(1,2,3-C,D)Pyrene | 0.5 | 5.6 | 8.2 | MG/KG | 0.022 J | 0.04 U | 0.6 | 0.88 | |
| Isophorone | -- | -- | -- | MG/KG | 0.15 U | 0.16 U | 0.15 U | 0.15 U | |
| Naphthalene | 12 | 500 | 12 | MG/KG | 0.11 J | 1.2 | 0.11 J | 0.037 J | |
| Nitrobenzene | -- | -- | -- | MG/KG | 0.037 U | 0.04 U | 0.037 U | 0.038 U | |
| N-Nitrosodi-N-Propylamine | -- | -- | -- | MG/KG | 0.037 U | 0.04 U | 0.037 U | 0.038 U | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5 | TP-7 | TP-8 |
|------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 10 - 12 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| N-Nitrosodiphenylamine | -- | -- | -- | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Pentachlorophenol | 0.8 | 6.7 | 0.8 | MG/KG | 0.3 U | 0.32 U | 0.3 U | 0.31 U | |
| Phenanthrene | 100 | 500 | 1000 | MG/KG | 0.038 J | 0.24 J | 0.53 | 0.81 | |
| Phenol | 0.33 | 500 | 0.33 | MG/KG | 0.37 U | 0.4 U | 0.37 U | 0.38 U | |
| Pyrene | 100 | 500 | 1000 | MG/KG | 0.053 J | 0.15 J | 1.1 | 1.5 | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-12 | TP-15 | TP-16 | TP-16 |
|-----------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| 1,2,4,5-Tetrachlorobenzene | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 1,4-Dioxane (P-Dioxane) | 0.1 | 130 | 0.1 | MG/KG | 0.12 U | 0.11 U | 0.12 U | 0.18 U | |
| 2,3,4,6-Tetrachlorophenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2,4,5-Trichlorophenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2,4,6-Trichlorophenol | -- | -- | -- | MG/KG | 0.15 U | 0.15 U | 0.16 U | 0.23 U | |
| 2,4-Dichlorophenol | -- | -- | -- | MG/KG | 0.15 U | 0.15 U | 0.16 U | 0.23 U | |
| 2,4-Dimethylphenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2,4-Dinitrophenol | -- | -- | -- | MG/KG | 0.31 U | 0.3 U | 0.33 U | 0.47 U | |
| 2,4-Dinitrotoluene | -- | -- | -- | MG/KG | 0.078 U | 0.077 U | 0.083 U | 0.12 U | |
| 2,6-Dinitrotoluene | -- | -- | -- | MG/KG | 0.078 U | 0.077 U | 0.083 U | 0.12 U | |
| 2-Chloronaphthalene | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2-Chlorophenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2-Methylnaphthalene | -- | -- | -- | MG/KG | 0.14 J | 0.18 J | 0.41 U | 0.58 U | |
| 2-Methylphenol (O-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2-Nitroaniline | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 2-Nitrophenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 3,3'-Dichlorobenzidine | -- | -- | -- | MG/KG | 0.15 U | 0.15 U | 0.16 U | 0.23 U | |
| 3-Nitroaniline | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4,6-Dinitro-2-Methylphenol | -- | -- | -- | MG/KG | 0.31 U | 0.3 U | 0.33 U | 0.47 U | |
| 4-Bromophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Chloro-3-Methylphenol | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Chloroaniline | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Chlorophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Methylphenol (P-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Nitroaniline | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| 4-Nitrophenol | -- | -- | -- | MG/KG | 0.78 U | 0.77 U | 0.83 U | 1.2 U | |
| Acenaphthene | 20 | 500 | 98 | MG/KG | 0.094 J | 0.31 J | 0.41 U | 0.58 U | |
| Acenaphthylene | 100 | 500 | 107 | MG/KG | 0.03 J | 0.11 J | 0.14 J | 0.58 U | |
| Acetophenone | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Anthracene | 100 | 500 | 1000 | MG/KG | 0.15 J | 0.65 | 0.078 J | 0.58 U | |
| Atrazine | -- | -- | -- | MG/KG | 0.15 U | 0.15 U | 0.16 U | 0.23 U | |
| Benzaldehyde | -- | -- | -- | MG/KG | 0.38 U | 0.063 J | 0.41 UT | 0.58 UT | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-12 | TP-15 | TP-16 | TP-16 |
|--|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| Benzo(A)Anthracene | 1 | 5.6 | 1 | MG/KG | 0.46 | 1.6 | 1.1 | 0.037 J | |
| Benzo(A)Pyrene | 1 | 1 | 22 | MG/KG | 0.42 | 1.8 | 1.3 | 0.067 | |
| Benzo(B)Fluoranthene | 1 | 5.6 | 1.7 | MG/KG | 0.56 | 2.5 | 1.8 | 0.1 | |
| Benzo(G,H,I)Perylene | 100 | 500 | 1000 | MG/KG | 0.3 J | 0.74 | 0.77 | 0.06 J | |
| Benzo(K)Fluoranthene | 0.8 | 56 | 1.7 | MG/KG | 0.21 | 1.3 | 0.61 | 0.033 J | |
| Benzyl Butyl Phthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Biphenyl (Diphenyl) | -- | -- | -- | MG/KG | 0.043 J | 0.062 J | 0.41 U | 0.58 U | |
| Bis(2-Chloroethoxy) Methane | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether) | -- | -- | -- | MG/KG | 0.038 U | 0.038 U | 0.041 U | 0.058 U | |
| Bis(2-Chloroisopropyl) Ether | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Bis(2-Ethylhexyl) Phthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Caprolactam | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 UT | 0.58 UT | |
| Carbazole | -- | -- | -- | MG/KG | 0.091 J | 0.31 J | 0.41 U | 0.58 U | |
| Chrysene | 1 | 56 | 1 | MG/KG | 0.47 | 1.7 | 0.95 | 0.038 J | |
| Cresols, M & P | 0.33 | 500 | 0.33 | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Dibenz(A,H)Anthracene | 0.33 | 0.56 | 1000 | MG/KG | 0.074 | 0.24 | 0.21 | 0.058 U | |
| Dibenzofuran | 7 | 350 | 210 | MG/KG | 0.14 J | 0.32 J | 0.01 J | 0.58 U | |
| Diethyl Phthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Dimethyl Phthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Di-N-Butyl Phthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Di-N-Octylphthalate | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Fluoranthene | 100 | 500 | 1000 | MG/KG | 0.96 | 3.7 | 1.7 | 0.021 J | |
| Fluorene | 30 | 500 | 386 | MG/KG | 0.063 J | 0.27 J | 0.011 J | 0.58 U | |
| Hexachlorobenzene | 0.33 | 6 | 3.2 | MG/KG | 0.038 U | 0.038 U | 0.041 U | 0.058 U | |
| Hexachlorobutadiene | -- | -- | -- | MG/KG | 0.078 U | 0.077 U | 0.083 U | 0.12 U | |
| Hexachlorocyclopentadiene | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Hexachloroethane | -- | -- | -- | MG/KG | 0.038 U | 0.038 U | 0.041 U | 0.058 U | |
| Indeno(1,2,3-C,D)Pyrene | 0.5 | 5.6 | 8.2 | MG/KG | 0.29 | 0.9 | 0.89 | 0.068 | |
| Isophorone | -- | -- | -- | MG/KG | 0.15 U | 0.15 U | 0.16 U | 0.23 U | |
| Naphthalene | 12 | 500 | 12 | MG/KG | 0.24 J | 0.29 J | 0.03 J | 0.58 U | |
| Nitrobenzene | -- | -- | -- | MG/KG | 0.038 U | 0.038 U | 0.041 U | 0.058 U | |
| N-Nitrosodi-N-Propylamine | -- | -- | -- | MG/KG | 0.038 U | 0.038 U | 0.041 U | 0.058 U | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-12 | TP-15 | TP-16 | TP-16 |
|------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| N-Nitrosodiphenylamine | -- | -- | -- | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Pentachlorophenol | 0.8 | 6.7 | 0.8 | MG/KG | 0.31 U | 0.3 U | 0.33 U | 0.47 U | |
| Phenanthrene | 100 | 500 | 1000 | MG/KG | 1.1 | 3.1 | 0.24 J | 0.58 U | |
| Phenol | 0.33 | 500 | 0.33 | MG/KG | 0.38 U | 0.38 U | 0.41 U | 0.58 U | |
| Pyrene | 100 | 500 | 1000 | MG/KG | 0.93 | 2.7 | 1.7 | 0.019 J | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-16 | TP-17 |
|-----------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|
| | | | | | Sample Date: | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 5 - 7 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | |
| 1,2,4,5-Tetrachlorobenzene | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 1,4-Dioxane (P-Dioxane) | 0.1 | 130 | 0.1 | MG/KG | 0.12 U | 0.11 U | |
| 2,3,4,6-Tetrachlorophenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 2,4,5-Trichlorophenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 2,4,6-Trichlorophenol | -- | -- | -- | MG/KG | 0.16 U | 0.15 U | |
| 2,4-Dichlorophenol | -- | -- | -- | MG/KG | 0.16 U | 0.15 U | |
| 2,4-Dimethylphenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 2,4-Dinitrophenol | -- | -- | -- | MG/KG | 0.32 U | 0.29 U | |
| 2,4-Dinitrotoluene | -- | -- | -- | MG/KG | 0.08 U | 0.073 U | |
| 2,6-Dinitrotoluene | -- | -- | -- | MG/KG | 0.08 U | 0.073 U | |
| 2-Chloronaphthalene | -- | -- | -- | MG/KG | 0.027 J | 0.36 U | |
| 2-Chlorophenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 2-Methylnaphthalene | -- | -- | -- | MG/KG | 0.39 U | 0.078 J | |
| 2-Methylphenol (O-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.39 U | 0.36 U | |
| 2-Nitroaniline | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 2-Nitrophenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 3,3'-Dichlorobenzidine | -- | -- | -- | MG/KG | 0.16 U | 0.15 U | |
| 3-Nitroaniline | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4,6-Dinitro-2-Methylphenol | -- | -- | -- | MG/KG | 0.32 U | 0.29 U | |
| 4-Bromophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4-Chloro-3-Methylphenol | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4-Chloroaniline | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4-Chlorophenyl Phenyl Ether | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4-Methylphenol (P-Cresol) | 0.33 | 500 | 0.33 | MG/KG | 0.39 U | 0.36 U | |
| 4-Nitroaniline | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| 4-Nitrophenol | -- | -- | -- | MG/KG | 0.8 U | 0.73 U | |
| Acenaphthene | 20 | 500 | 98 | MG/KG | 0.39 U | 0.035 J | |
| Acenaphthylene | 100 | 500 | 107 | MG/KG | 0.064 J | 0.22 J | |
| Acetophenone | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| Anthracene | 100 | 500 | 1000 | MG/KG | 0.014 J | 0.24 J | |
| Atrazine | -- | -- | -- | MG/KG | 0.16 U | 0.15 U | |
| Benzaldehyde | -- | -- | -- | MG/KG | 0.017 JT | 0.36 U | |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-16 | TP-17 |
|--|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|
| | | | | | Sample Date: | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 5 - 7 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | |
| Benzo(A)Anthracene | 1 | 5.6 | 1 | MG/KG | 0.099 | | 1.1 |
| Benzo(A)Pyrene | 1 | 1 | 22 | MG/KG | 0.1 | | 1.1 |
| Benzo(B)Fluoranthene | 1 | 5.6 | 1.7 | MG/KG | 0.14 | | 1.3 |
| Benzo(G,H,I)Perylene | 100 | 500 | 1000 | MG/KG | 0.056 J | | 0.67 |
| Benzo(K)Fluoranthene | 0.8 | 56 | 1.7 | MG/KG | 0.043 | | 0.46 |
| Benzyl Butyl Phthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Biphenyl (Diphenyl) | -- | -- | -- | MG/KG | 0.39 U | | 0.035 J |
| Bis(2-Chloroethoxy) Methane | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether) | -- | -- | -- | MG/KG | 0.039 U | | 0.036 U |
| Bis(2-Chloroisopropyl) Ether | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Bis(2-Ethylhexyl) Phthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Caprolactam | -- | -- | -- | MG/KG | 0.39 UT | | 0.36 U |
| Carbazole | -- | -- | -- | MG/KG | 0.39 U | | 0.3 J |
| Chrysene | 1 | 56 | 1 | MG/KG | 0.1 J | | 1.2 |
| Cresols, M & P | 0.33 | 500 | 0.33 | MG/KG | 0.39 U | | 0.36 U |
| Dibenz(A,H)Anthracene | 0.33 | 0.56 | 1000 | MG/KG | 0.019 J | | 0.17 |
| Dibenzofuran | 7 | 350 | 210 | MG/KG | 0.39 U | | 0.15 J |
| Diethyl Phthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Dimethyl Phthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Di-N-Butyl Phthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Di-N-Octylphthalate | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Fluoranthene | 100 | 500 | 1000 | MG/KG | 0.14 J | | 2.4 |
| Fluorene | 30 | 500 | 386 | MG/KG | 0.39 U | | 0.04 J |
| Hexachlorobenzene | 0.33 | 6 | 3.2 | MG/KG | 0.039 U | | 0.036 U |
| Hexachlorobutadiene | -- | -- | -- | MG/KG | 0.08 U | | 0.073 U |
| Hexachlorocyclopentadiene | -- | -- | -- | MG/KG | 0.39 U | | 0.36 U |
| Hexachloroethane | -- | -- | -- | MG/KG | 0.039 U | | 0.036 U |
| Indeno(1,2,3-C,D)Pyrene | 0.5 | 5.6 | 8.2 | MG/KG | 0.065 | | 0.75 |
| Isophorone | -- | -- | -- | MG/KG | 0.16 U | | 0.15 U |
| Naphthalene | 12 | 500 | 12 | MG/KG | 0.14 J | | 0.11 J |
| Nitrobenzene | -- | -- | -- | MG/KG | 0.039 U | | 0.036 U |
| N-Nitrosodi-N-Propylamine | -- | -- | -- | MG/KG | 0.039 U | | 0.036 U |

Table 2. Summary of Semivolatile Organic Compounds in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-16 | TP-17 |
|------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|
| | | | | | Sample Date: | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 5 - 7 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | |
| N-Nitrosodiphenylamine | -- | -- | -- | MG/KG | 0.39 U | 0.36 U | |
| Pentachlorophenol | 0.8 | 6.7 | 0.8 | MG/KG | 0.32 U | 0.29 U | |
| Phenanthrene | 100 | 500 | 1000 | MG/KG | 0.07 J | 2.5 | |
| Phenol | 0.33 | 500 | 0.33 | MG/KG | 0.39 U | 0.36 U | |
| Pyrene | 100 | 500 | 1000 | MG/KG | 0.16 J | 2.3 | |

Table 3. Summary of Metals in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | | | TP-5 | TP-5_COMP | TP-7 | TP-8 | TP-12 | TP-15 |
|-----------------------------------|--|--------------------------------------|--|-------|-------------|-------------|-------------|------------|-------------|-------------|
| Sample Date: | | | | | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 | 11/16/2020 | 11/04/2020 |
| Sample Depth (ft bls): | | | | | 0 - 2 | 3 - 18 | 0 - 2 | 0 - 2 | 0 - 2 | 0 - 2 |
| Normal Sample or Field Duplicate: | | | | | N | N | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | | |
| Aluminum | -- | -- | -- | MG/KG | 3200 | 1250 | 6000 | 5880 | 7590 | 6200 |
| Antimony | -- | -- | -- | MG/KG | 0.44 J | 0.31 J | 0.61 J | 0.36 J | 0.25 J | 20.1 |
| Arsenic | 13 | 16 | 16 | MG/KG | 5.8 | 3.7 | 7 | 11.8 | 5.7 | 11.9 |
| Barium | 350 | 400 | 820 | MG/KG | 79.2 | 44.3 | 138 | 100 | 122 | 162 |
| Beryllium | 7.2 | 590 | 47 | MG/KG | 0.23 J | 0.12 J | 0.35 J | 0.33 J | 0.33 J | 0.29 J |
| Cadmium | 2.5 | 9.3 | 7.5 | MG/KG | 0.21 J | 0.84 U | 0.5 J | 3.1 | 0.21 J | 1 |
| Calcium | -- | -- | -- | MG/KG | 28100 | 2290 | 39400 | 52700 | 35000 | 54000 |
| Chromium III | 30 | 1500 | -- | MG/KG | 8.2 | 10.9 | 34.4 | 18.7 | 16.1 | 23.4 |
| Chromium, Hexavalent | 1 | 400 | 19 | MG/KG | 0.7 J | 2.3 U | 2.2 U | 2.3 U | 2.3 U | 0.62 J |
| Chromium, Total | 30 | 1500 | -- | MG/KG | 8.9 | 10.9 | 34.4 | 18.7 | 16.1 | 24 |
| Cobalt | -- | -- | -- | MG/KG | 3 | 2.6 | 8.1 | 6.3 | 7.5 | 6.1 |
| Copper | 50 | 270 | 1720 | MG/KG | 35.6 | 22 | 55.8 | 42.6 | 67.7 | 195 |
| Cyanide | 27 | 27 | 40 | MG/KG | 0.26 | 0.34 | 0.17 J | 0.27 U | 0.22 J | 0.26 UT |
| Iron | -- | -- | -- | MG/KG | 6210 | 3660 | 32400 | 25600 | 15500 | 30100 |
| Lead | 63 | 1000 | 450 | MG/KG | 447 | 28.2 | 3850 | 297 | 207 | 4490 |
| Magnesium | -- | -- | -- | MG/KG | 1650 | 177 | 4500 | 4590 | 5000 | 3850 |
| Manganese | 1600 | 10000 | 2000 | MG/KG | 69.4 | 23.2 | 354 | 355 | 203 | 480 |
| Mercury | 0.18 | 2.8 | 0.73 | MG/KG | 0.48 | 0.41 | 0.44 | 2.5 | 0.44 | 1.8 |
| Nickel | 30 | 310 | 130 | MG/KG | 8.4 | 8.6 | 32.2 | 16.8 | 16.9 | 23.7 |
| Potassium | -- | -- | -- | MG/KG | 794 | 510 | 2140 | 1490 | 2860 | 1780 |
| Selenium | 3.9 | 1500 | 4 | MG/KG | 2.5 | 1.1 | 0.38 J | 0.49 J | 0.53 J | 0.53 J |
| Silver | 2 | 1500 | 8.3 | MG/KG | 1.3 | 0.3 J | 0.12 J | 0.099 J | 0.85 U | 0.32 J |
| Sodium | -- | -- | -- | MG/KG | 330 | 177 | 247 | 381 | 459 | 453 |
| Thallium | -- | -- | -- | MG/KG | 0.17 J | 0.12 J | 0.18 J | 0.17 J | 0.17 J | 0.098 J |
| Vanadium | -- | -- | -- | MG/KG | 10.4 | 11.3 | 22.5 | 19 | 19.7 | 20 |
| Zinc | 109 | 10000 | 2480 | MG/KG | 91.4 | 26.5 | 232 | 568 | 108 | 488 |

Table 3. Summary of Metals in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | | | TP-16 | TP-16 | TP-16_COMP | TP-17 |
|-----------------------------------|--|--------------------------------------|--|-------|------------|------------|------------|------------|
| Sample Date: | | | | | 10/16/2020 | 10/16/2020 | 10/16/2020 | 10/21/2020 |
| Sample Depth (ft bls): | | | | | 0 - 2 | 3 - 5 | 3 - 8.5 | 0 - 2 |
| Normal Sample or Field Duplicate: | | | | | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | |
| Aluminum | -- | -- | -- | MG/KG | 1870 | 3280 | 2350 | 4220 |
| Antimony | -- | -- | -- | MG/KG | 0.2 J | 1.7 U | 1.2 U | 0.8 U |
| Arsenic | 13 | 16 | 16 | MG/KG | 2.7 | 1.9 | 4.2 | 2.5 |
| Barium | 350 | 400 | 820 | MG/KG | 94.6 | 15.4 | 59.2 | 58.9 |
| Beryllium | 7.2 | 590 | 47 | MG/KG | 0.21 J | 0.14 J | 0.27 J | 0.18 J |
| Cadmium | 2.5 | 9.3 | 7.5 | MG/KG | 0.17 J | 1.7 U | 0.22 J | 0.096 J |
| Calcium | -- | -- | -- | MG/KG | 19300 | 333000 | 8580 | 50700 |
| Chromium III | 30 | 1500 | -- | MG/KG | 92.3 | 4.2 | 79.2 | 7.9 |
| Chromium, Hexavalent | 1 | 400 | 19 | MG/KG | 0.66 J | 0.76 J | 0.67 J | 2.2 U |
| Chromium, Total | 30 | 1500 | -- | MG/KG | 93 | 5 | 79.8 | 7.9 |
| Cobalt | -- | -- | -- | MG/KG | 4.5 | 0.92 J | 5.2 | 2.3 |
| Copper | 50 | 270 | 1720 | MG/KG | 40.3 | 13.2 | 59.7 | 8.1 |
| Cyanide | 27 | 27 | 40 | MG/KG | 0.23 U | 0.59 | 0.27 U | 0.13 J |
| Iron | -- | -- | -- | MG/KG | 5290 | 2500 | 7510 | 6350 |
| Lead | 63 | 1000 | 450 | MG/KG | 43.3 | 13.7 | 31.3 | 57.7 |
| Magnesium | -- | -- | -- | MG/KG | 1530 | 16400 | 834 | 4430 |
| Manganese | 1600 | 10000 | 2000 | MG/KG | 102 | 37.5 | 59.4 | 114 |
| Mercury | 0.18 | 2.8 | 0.73 | MG/KG | 0.34 | 0.018 J | 0.32 | 0.12 |
| Nickel | 30 | 310 | 130 | MG/KG | 10.8 | 2.7 J | 12.2 | 6.4 |
| Potassium | -- | -- | -- | MG/KG | 607 | 206 | 783 | 1250 |
| Selenium | 3.9 | 1500 | 4 | MG/KG | 0.74 J | 0.39 J | 1.3 J | 0.18 J |
| Silver | 2 | 1500 | 8.3 | MG/KG | 0.17 J | 1.7 U | 1.2 U | 0.8 U |
| Sodium | -- | -- | -- | MG/KG | 192 | 122 J | 218 | 716 |
| Thallium | -- | -- | -- | MG/KG | 0.073 J | 0.068 J | 0.11 J | 0.32 U |
| Vanadium | -- | -- | -- | MG/KG | 8.8 | 4.6 | 13.1 | 10.7 |
| Zinc | 109 | 10000 | 2480 | MG/KG | 46.5 | 15.7 | 46.2 | 41.4 |

Table 4. Summary of Polychlorinated Biphenyls in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5_COMP | TP-7 | TP-8 | TP-12 |
|---------------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 | 11/16/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 3 - 18 | 0 - 2 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | | |
| PCB-1016 (Aroclor 1016) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1221 (Aroclor 1221) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1232 (Aroclor 1232) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1242 (Aroclor 1242) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1248 (Aroclor 1248) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1254 (Aroclor 1254) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1260 (Aroclor 1260) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.053 J | 0.077 U | 0.078 U | |
| PCB-1262 (Aroclor 1262) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| PCB-1268 (Aroclor 1268) | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | 0.078 U | |
| Polychlorinated Biphenyl (PCBs) | 0.1 | 1 | 3.2 | MG/KG | 0.075 U | 0.079 U | 0.053 J | 0.077 U | 0.078 U | |

Table 4. Summary of Polychlorinated Biphenyls in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-15 | TP-16 | TP-16 | TP-16_COMP | TP-17 |
|---------------------------------|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|------------|------------|
| | | | | | Sample Date: | 11/04/2020 | 10/16/2020 | 10/16/2020 | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 0 - 2 | 3 - 5 | 3 - 8.5 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | | |
| PCB-1016 (Aroclor 1016) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1221 (Aroclor 1221) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1232 (Aroclor 1232) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1242 (Aroclor 1242) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1248 (Aroclor 1248) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.081 | |
| PCB-1254 (Aroclor 1254) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1260 (Aroclor 1260) | -- | -- | -- | MG/KG | 0.43 | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1262 (Aroclor 1262) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| PCB-1268 (Aroclor 1268) | -- | -- | -- | MG/KG | 0.077 U | 0.082 U | 0.12 U | 0.085 U | 0.073 U | |
| Polychlorinated Biphenyl (PCBs) | 0.1 | 1 | 3.2 | MG/KG | 0.43 | 0.082 U | 0.12 U | 0.085 U | 0.081 | |

Table 5. Summary of Pesticides and Herbicides in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-5 | TP-5_COMP | TP-7 | TP-8 |
|---|--|--------------------------------------|--|-------|-----------------------------------|------------|--------------|------------|------------|
| | | | | | Sample Date: | 10/02/2020 | 10/08/2020 | 11/04/2020 | 11/04/2020 |
| | | | | | Sample Depth (ft bls): | 0 - 2 | 3 - 18 | 0 - 2 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | | |
| 2,4-D (Dichlorophenoxyacetic Acid) | -- | -- | -- | MG/KG | 0.037 U | 0.039 U | 0.038 U | 0.038 U | |
| Acetic acid, (2,4,5-trichlorophenoxy)- | -- | -- | -- | MG/KG | 0.037 U | 0.039 U | 0.038 U | 0.038 U | |
| Aldrin | 0.005 | 0.68 | 0.19 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Alpha Bhc (Alpha Hexachlorocyclohexane) | 0.02 | 3.4 | 0.02 | MG/KG | 0.0022 U | 0.0023 U | 0.0023 U | 0.0023 U | |
| Alpha Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Beta Bhc (Beta Hexachlorocyclohexane) | 0.036 | 3 | 0.09 | MG/KG | 0.0022 U | 0.0023 U | 0.0023 U | 0.0023 U | |
| Beta Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| cis-Chlordane | 0.094 | 24 | 2.9 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Delta BHC (Delta Hexachlorocyclohexane) | 0.04 | 500 | 0.25 | MG/KG | 0.0022 U | 0.0023 U | 0.0023 U | 0.0023 U | |
| Dieldrin | 0.005 | 1.4 | 0.1 | MG/KG | 0.0022 U | 0.0023 U | 0.0023 U | 0.0023 U | |
| Endosulfan Sulfate | 2.4 | 200 | 1000 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Endrin | 0.014 | 89 | 0.06 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Endrin Aldehyde | -- | -- | -- | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Endrin Ketone | -- | -- | -- | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Gamma Bhc (Lindane) | 0.1 | 9.2 | 0.1 | MG/KG | 0.0022 U | 0.0023 U | 0.0023 U | 0.0023 U | |
| Heptachlor | 0.042 | 15 | 0.38 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Heptachlor Epoxide | -- | -- | -- | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| Methoxychlor | -- | -- | -- | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| P,P'-DDD | 0.0033 | 92 | 14 | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |
| P,P'-DDE | 0.0033 | 62 | 17 | MG/KG | 0.0075 U | 0.0079 U | 0.011 | 0.0077 U | |
| P,P'-DDT | 0.0033 | 47 | 136 | MG/KG | 0.0075 U | 0.0079 U | 0.019 | 0.0077 U | |
| Silvex (2,4,5-TP) | 3.8 | 500 | 3.8 | MG/KG | 0.037 U | 0.039 U | 0.038 U | 0.038 U | |
| Toxaphene | -- | -- | -- | MG/KG | 0.075 U | 0.079 U | 0.076 U | 0.077 U | |
| trans-Chlordane | -- | -- | -- | MG/KG | 0.0075 U | 0.0079 U | 0.0076 U | 0.0077 U | |

Table 5. Summary of Pesticides and Herbicides in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | | | |
|---|--|--------------------------------------|--|-------|-----------------------------------|------------|------------|------------|
| | | | | | Sample Date: | | | |
| | | | | | Sample Depth (ft bls): | | | |
| | | | | | Normal Sample or Field Duplicate: | | | |
| | | | | | TP-12 | TP-15 | TP-16 | TP-16 |
| | | | | | 11/16/2020 | 11/04/2020 | 10/16/2020 | 10/16/2020 |
| | | | | | 0 - 2 | 0 - 2 | 0 - 2 | 3 - 5 |
| | | | | | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | |
| 2,4-D (Dichlorophenoxyacetic Acid) | -- | -- | -- | MG/KG | 0.039 U | 0.038 U | 0.041 UT | 0.058 U |
| Acetic acid, (2,4,5-trichlorophenoxy)- | -- | -- | -- | MG/KG | 0.039 U | 0.038 U | 0.041 U | 0.058 U |
| Aldrin | 0.005 | 0.68 | 0.19 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Alpha Bhc (Alpha Hexachlorocyclohexane) | 0.02 | 3.4 | 0.02 | MG/KG | 0.0023 U | 0.0023 U | 0.0025 U | 0.0035 U |
| Alpha Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Beta Bhc (Beta Hexachlorocyclohexane) | 0.036 | 3 | 0.09 | MG/KG | 0.0023 U | 0.0023 U | 0.0025 U | 0.0035 U |
| Beta Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| cis-Chlordane | 0.094 | 24 | 2.9 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Delta BHC (Delta Hexachlorocyclohexane) | 0.04 | 500 | 0.25 | MG/KG | 0.0023 U | 0.0023 U | 0.0025 U | 0.0035 U |
| Dieldrin | 0.005 | 1.4 | 0.1 | MG/KG | 0.0023 U | 0.0023 U | 0.0025 U | 0.0035 U |
| Endosulfan Sulfate | 2.4 | 200 | 1000 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Endrin | 0.014 | 89 | 0.06 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Endrin Aldehyde | -- | -- | -- | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Endrin Ketone | -- | -- | -- | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Gamma Bhc (Lindane) | 0.1 | 9.2 | 0.1 | MG/KG | 0.0023 U | 0.0023 U | 0.0025 U | 0.0035 U |
| Heptachlor | 0.042 | 15 | 0.38 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Heptachlor Epoxide | -- | -- | -- | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Methoxychlor | -- | -- | -- | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| P,P'-DDD | 0.0033 | 92 | 14 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| P,P'-DDE | 0.0033 | 62 | 17 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| P,P'-DDT | 0.0033 | 47 | 136 | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |
| Silvex (2,4,5-TP) | 3.8 | 500 | 3.8 | MG/KG | 0.039 U | 0.038 U | 0.041 U | 0.058 U |
| Toxaphene | -- | -- | -- | MG/KG | 0.078 U | 0.077 U | 0.082 U | 0.12 U |
| trans-Chlordane | -- | -- | -- | MG/KG | 0.0078 U | 0.0077 U | 0.0082 U | 0.012 U |

Table 5. Summary of Pesticides and Herbicides in Soil, 109 East 42nd Street, New York, New York

| | | | | | Sample Designation: | TP-16_COMP | TP-17 |
|---|--|--------------------------------------|--|-------|-----------------------------------|---------------|------------|
| | | | | | Sample Date: | 10/16/2020 | 10/21/2020 |
| | | | | | Sample Depth (ft bls): | 3 - 8.5 | 0 - 2 |
| | | | | | Normal Sample or Field Duplicate: | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | |
| 2,4-D (Dichlorophenoxyacetic Acid) | -- | -- | -- | MG/KG | 0.042 U | 0.036 U | |
| Acetic acid, (2,4,5-trichlorophenoxy)- | -- | -- | -- | MG/KG | 0.042 U | 0.036 U | |
| Aldrin | 0.005 | 0.68 | 0.19 | MG/KG | 0.0085 U | 0.0073 U | |
| Alpha Bhc (Alpha Hexachlorocyclohexane) | 0.02 | 3.4 | 0.02 | MG/KG | 0.0025 U | 0.0022 U | |
| Alpha Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0085 U | 0.0073 U | |
| Beta Bhc (Beta Hexachlorocyclohexane) | 0.036 | 3 | 0.09 | MG/KG | 0.0025 U | 0.0022 U | |
| Beta Endosulfan | 2.4 | 200 | 102 | MG/KG | 0.0085 U | 0.0073 U | |
| cis-Chlordane | 0.094 | 24 | 2.9 | MG/KG | 0.0085 U | 0.0073 U | |
| Delta BHC (Delta Hexachlorocyclohexane) | 0.04 | 500 | 0.25 | MG/KG | 0.0025 U | 0.0022 U | |
| Dieldrin | 0.005 | 1.4 | 0.1 | MG/KG | 0.0025 U | 0.0022 U | |
| Endosulfan Sulfate | 2.4 | 200 | 1000 | MG/KG | 0.0085 U | 0.0073 U | |
| Endrin | 0.014 | 89 | 0.06 | MG/KG | 0.0085 U | 0.0073 U | |
| Endrin Aldehyde | -- | -- | -- | MG/KG | 0.0085 U | 0.0073 U | |
| Endrin Ketone | -- | -- | -- | MG/KG | 0.0085 U | 0.0073 U | |
| Gamma Bhc (Lindane) | 0.1 | 9.2 | 0.1 | MG/KG | 0.0025 U | 0.0022 U | |
| Heptachlor | 0.042 | 15 | 0.38 | MG/KG | 0.0085 U | 0.0073 U | |
| Heptachlor Epoxide | -- | -- | -- | MG/KG | 0.0085 U | 0.0073 U | |
| Methoxychlor | -- | -- | -- | MG/KG | 0.0085 U | 0.0073 U | |
| P,P'-DDD | 0.0033 | 92 | 14 | MG/KG | 0.0085 U | 0.0073 U | |
| P,P'-DDE | 0.0033 | 62 | 17 | MG/KG | 0.0085 U | 0.03 | |
| P,P'-DDT | 0.0033 | 47 | 136 | MG/KG | 0.0085 U | 0.0076 | |
| Silvex (2,4,5-TP) | 3.8 | 500 | 3.8 | MG/KG | 0.042 U | 0.036 U | |
| Toxaphene | -- | -- | -- | MG/KG | 0.085 U | 0.073 U | |
| trans-Chlordane | -- | -- | -- | MG/KG | 0.0085 U | 0.0086 | |

Table 6. Summary of General Chemistry in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | | | TP-7 | TP-8 | TP-12 | TP-15 |
|---------------------------------------|--|--------------------------------------|--|----------|------------|------------|------------|------------|
| Sample Date: | | | | | 11/04/2020 | 11/04/2020 | 11/16/2020 | 11/04/2020 |
| Sample Depth (ft bls): | | | | | 0 - 2 | 0 - 2 | 0 - 2 | 0 - 2 |
| Normal Sample or Field Duplicate: | | | | | N | N | N | N |
| Parameter | NYSDEC Part 375
Unrestricted Use
SCO | NYSDEC Part
375 Commercial
SCO | NYSDEC Part
375 Protection of
Groundwater
SCO | Unit | | | | |
| Burn Rate | -- | -- | -- | MM/SEC | 2.2 U | 2.2 U | 2.2 U | 2.2 U |
| Corrosivity | -- | -- | -- | PH UNITS | 8.2 | 8.1 | 8 | 7.7 |
| pH | -- | -- | -- | PH UNITS | 8.2 | 8.1 | 8 | 7.7 |
| Reactive Cyanide | -- | -- | -- | MG/KG | 25 U | 25 U | 25 U | 25 U |
| Sulfide Reactive | -- | -- | -- | MG/KG | 20 U | 20 U | 20 U | 20 U |
| Temperature for sample or purge water | -- | -- | -- | DEG C | 21.4 | 21.3 | 20.4 | 21.4 |

Table 7. Summary of TCLP Metals in Soil, 109 East 42nd Street, New York, New York

| Sample Designation: | | | TP-5 | TP-7 | TP-8 | TP-12 | TP-15 |
|-----------------------------------|----------------------------|------|------------|------------|------------|------------|------------|
| Sample Date: | | | 10/02/2020 | 11/04/2020 | 11/04/2020 | 11/16/2020 | 11/04/2020 |
| Sample Depth (ft bls): | | | 0 - 2 | 0 - 2 | 0 - 2 | 0 - 2 | 0 - 2 |
| Normal Sample or Field Duplicate: | | | N | N | N | N | N |
| Parameter | USEPA
Regulatory Levels | Unit | | | | | |
| Arsenic | 5 | MG/L | NA | 0.075 U | 0.0208 J | NA | 0.075 U |
| Barium | 100 | MG/L | NA | 0.313 J | 0.259 J | NA | 0.257 J |
| Cadmium | 1 | MG/L | NA | 0.02 U | 0.0067 J | NA | 0.0054 J |
| Chromium, Total | 5 | MG/L | NA | 0.05 U | 0.05 U | NA | 0.05 U |
| Lead | 5 | MG/L | 0.0267 J | 1.29 | 0.13 | 0.0385 J | 0.783 |
| Mercury | 0.2 | MG/L | NA | 0.0002 U | 0.0002 U | NA | 0.00028 |
| Selenium | 1 | MG/L | NA | 0.1 U | 0.1 U | NA | 0.1 U |
| Silver | 5 | MG/L | NA | 0.05 U | 0.05 U | NA | 0.05 U |

Table 8. Summary of Volatile Organic Compounds in Sub Slab Soil Vapor, SVI, 109 East 42nd Street, New York, New York

| Sample Designation: | | SV-1 | SV-2 | SV-3 |
|--|-------|--------------|--------------|--------------|
| Sample Date: | | 10/21/2020 | 10/21/2020 | 10/21/2020 |
| Normal Sample or Field Duplicate: | | N | N | N |
| Parameter | Units | | | |
| 1,1,1-Trichloroethane (TCA) | UG/M3 | 1.09 U | 1.09 U | 1.09 U |
| 1,1,2,2-Tetrachloroethane | UG/M3 | 1.37 U | 1.37 U | 1.37 U |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | UG/M3 | 1.53 U | 1.53 U | 1.53 U |
| 1,1,2-Trichloroethane | UG/M3 | 1.09 U | 1.09 U | 1.09 U |
| 1,1-Dichloroethane | UG/M3 | 0.809 U | 0.809 U | 0.809 U |
| 1,1-Dichloroethene | UG/M3 | 0.793 U | 0.793 U | 0.793 U |
| 1,2,4-Trichlorobenzene | UG/M3 | 1.48 U | 1.48 U | 1.48 U |
| 1,2,4-Trimethylbenzene | UG/M3 | 2 | 1.13 | 2.02 |
| 1,2-Dibromoethane (Ethylene Dibromide) | UG/M3 | 1.54 U | 1.54 U | 1.54 U |
| 1,2-Dichlorobenzene | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,2-Dichloroethane | UG/M3 | 0.809 U | 0.809 U | 0.809 U |
| 1,2-Dichloropropane | UG/M3 | 0.924 U | 0.924 U | 0.924 U |
| 1,2-Dichlorotetrafluoroethane | UG/M3 | 1.4 U | 1.4 U | 1.4 U |
| 1,3,5-Trimethylbenzene (Mesitylene) | UG/M3 | 0.983 U | 0.983 U | 0.983 U |
| 1,3-Butadiene | UG/M3 | 0.442 U | 0.442 U | 0.442 U |
| 1,3-Dichlorobenzene | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,4-Dichlorobenzene | UG/M3 | 1.2 U | 1.2 U | 1.2 U |
| 1,4-Dioxane (P-Dioxane) | UG/M3 | 0.721 U | 0.721 U | 0.721 U |
| 2,2,4-Trimethylpentane | UG/M3 | 0.934 U | 0.934 U | 0.934 U |
| 2-Hexanone | UG/M3 | 1.39 | 0.84 | 0.82 U |
| 4-Ethyltoluene | UG/M3 | 0.983 U | 0.983 U | 0.983 U |
| Acetone | UG/M3 | 84.8 | 45.6 | 31.8 |
| Allyl Chloride (3-Chloropropene) | UG/M3 | 0.626 U | 0.626 U | 0.626 U |
| Benzene | UG/M3 | 0.767 | 0.639 U | 0.837 |
| Benzyl Chloride | UG/M3 | 1.04 U | 1.04 U | 1.04 U |
| Bromodichloromethane | UG/M3 | 1.34 U | 1.34 U | 1.34 U |
| Bromoform | UG/M3 | 2.07 U | 2.07 U | 2.07 U |
| Bromomethane | UG/M3 | 0.777 U | 0.777 U | 0.777 U |
| Carbon Disulfide | UG/M3 | 1.91 | 0.704 | 0.769 |
| Carbon Tetrachloride | UG/M3 | 1.26 U | 1.26 U | 1.26 U |
| Chlorobenzene | UG/M3 | 0.921 U | 0.921 U | 0.921 U |
| Chloroethane | UG/M3 | 0.528 U | 0.528 U | 0.528 U |
| Chloroform | UG/M3 | 1.05 | 12.9 | 2.05 |
| Chloromethane | UG/M3 | 0.413 U | 0.413 U | 1.04 |
| Cis-1,2-Dichloroethylene | UG/M3 | 0.793 U | 0.793 U | 0.793 U |
| Cis-1,3-Dichloropropene | UG/M3 | 0.908 U | 0.908 U | 0.908 U |

Table 8. Summary of Volatile Organic Compounds in Sub Slab Soil Vapor, SVI, 109 East 42nd Street, New York, New York

| Sample Designation: | | SV-1 | SV-2 | SV-3 |
|---|-------|------------|------------|------------|
| Sample Date: | | 10/21/2020 | 10/21/2020 | 10/21/2020 |
| Normal Sample or Field Duplicate: | | N | N | N |
| Cyclohexane | UG/M3 | 1.06 | 0.737 | 1.1 |
| Dibromochloromethane | UG/M3 | 1.7 U | 1.7 U | 1.7 U |
| Dichlorodifluoromethane | UG/M3 | 2.3 | 2.18 | 2.3 |
| Ethanol | UG/M3 | 501 | 85.9 | 198 |
| Ethyl Acetate | UG/M3 | 1.8 U | 1.8 U | 1.8 U |
| Ethylbenzene | UG/M3 | 0.869 U | 0.869 U | 0.951 |
| Hexachlorobutadiene | UG/M3 | 2.13 U | 2.13 U | 2.13 U |
| Isopropanol | UG/M3 | 29 | 10.4 | 18.7 |
| m,p-Xylene | UG/M3 | 2.78 | 2.16 | 2.63 |
| Methyl Ethyl Ketone (2-Butanone) | UG/M3 | 7.99 | 4.19 | 2.27 |
| Methyl Isobutyl Ketone (4-Methyl-2-Pentanone) | UG/M3 | 2.05 U | 2.05 U | 2.05 U |
| Methylene Chloride | UG/M3 | 1.74 U | 1.74 U | 1.74 U |
| N-Heptane | UG/M3 | 0.82 U | 0.82 U | 0.82 U |
| N-Hexane | UG/M3 | 0.821 | 0.705 U | 2.21 |
| O-Xylene (1,2-Dimethylbenzene) | UG/M3 | 1.48 | 1.09 | 1.36 |
| Styrene | UG/M3 | 1.48 | 2.31 | 3.76 |
| Tert-Butyl Alcohol | UG/M3 | 2.67 | 1.52 U | 5.49 |
| Tert-Butyl Methyl Ether | UG/M3 | 0.721 U | 0.721 U | 0.721 U |
| Tetrachloroethylene (PCE) | UG/M3 | 11.8 | 11 | 4.37 |
| Tetrahydrofuran | UG/M3 | 1.47 U | 1.47 U | 1.47 U |
| Toluene | UG/M3 | 5.2 | 4.52 | 5.2 |
| Trans-1,2-Dichloroethene | UG/M3 | 2.74 | 0.793 U | 0.793 U |
| Trans-1,3-Dichloropropene | UG/M3 | 0.908 U | 0.908 U | 0.908 U |
| Trichloroethylene (TCE) | UG/M3 | 1.07 U | 1.07 U | 1.07 U |
| Trichlorofluoromethane | UG/M3 | 4.3 | 1.17 | 1.12 U |
| Vinyl Bromide | UG/M3 | 0.874 U | 0.874 U | 0.874 U |
| Vinyl Chloride | UG/M3 | 0.511 U | 0.511 U | 0.511 U |

Phase II Environmental Site Assessment
109 East 42nd Street, New York, New York


FIGURES

1. Site Location Map
2. Site Layout
3. Soil Exceedances
4. Soil Vapor Detections



SITE →

QUADRANGLE LOCATION



Title:

SITE LOCATION MAP

109 EAST 42ND STREET
NEW YORK, NY

Prepared for:

COMMODORE OWNER LLC



Compiled by: R.H.

Date: 01/15/21

FIGURE

Prepared by: M.S.R.

Scale: AS SHOWN

Project Mgr: R.H.

Project: 3255.0002Y000


File: 3255.0002Y102.1.mxd


1


\\GIS\PROJECTS\3255\0002Y1102\3255.0002Y102.2.MXD



LEGEND

 LOCATION OF SOIL VAPOR POINT


 LOCATION OF TEST PIT

 SITE BOUNDARY



| | | | |
|---|---------------------------|------------------------|--------------------|
| Title: | | | |
| SITE LAYOUT | | | |
| 109 EAST 42ND STREET
NEW YORK, NY | | | |
| Prepared for: | | | |
| COMMODORE OWNER LLC | | | |
|  | Compiled by: R.H. | Date: 01/18/21 | FIGURE
2 |
| | Prepared by: M.S.R. | Scale: AS SHOWN | |
| | Project Mgr: R.H. | Project: 3255.0002Y000 | |
| | File: 3255.0002Y102.2.mxd | | |


V:\GIS\PROJECTS\3255\0002Y102\3255_0002Y102_3.MXD



| SV-2 | 10/21/2020 |
|----------------------------------|------------|
| VOCs | |
| 1,2,4-Trimethylbenzene | 1.13 |
| 2-Hexanone | 0.84 |
| Acetone | 45.6 |
| Carbon Disulfide | 0.704 |
| Chloroform | 12.9 |
| Cyclohexane | 0.737 |
| Dichlorodifluoromethane | 2.18 |
| Ethanol | 85.9 |
| Isopropanol | 10.4 |
| m,p-Xylene | 2.16 |
| Methyl Ethyl Ketone (2-Butanone) | 4.19 |
| O-Xylene (1,2-Dimethylbenzene) | 1.09 |
| Styrene | 2.31 |
| Tetrachloroethylene (PCE) | 11 |
| Toluene | 4.52 |
| Trichlorofluoromethane | 1.17 |

| SV-1 | 10/21/2020 |
|----------------------------------|------------|
| VOCs | |
| 1,2,4-Trimethylbenzene | 2 |
| 2-Hexanone | 1.39 |
| Acetone | 84.8 |
| Benzene | 0.767 |
| Carbon Disulfide | 1.91 |
| Chloroform | 1.05 |
| Cyclohexane | 1.06 |
| Dichlorodifluoromethane | 2.3 |
| Ethanol | 501 |
| Isopropanol | 29 |
| m,p-Xylene | 2.78 |
| Methyl Ethyl Ketone (2-Butanone) | 7.99 |
| N-Hexane | 0.821 |
| O-Xylene (1,2-Dimethylbenzene) | 1.48 |
| Styrene | 1.48 |
| Tert-Butyl Alcohol | 2.67 |
| Tetrachloroethylene (PCE) | 11.8 |
| Toluene | 5.2 |
| Trans-1,2-Dichloroethene | 2.74 |
| Trichlorofluoromethane | 4.3 |

| SV-3 | 10/21/2020 |
|----------------------------------|------------|
| VOCs | |
| 1,2,4-Trimethylbenzene | 2.02 |
| Acetone | 31.8 |
| Benzene | 0.837 |
| Carbon Disulfide | 0.769 |
| Chloroform | 2.05 |
| Chloromethane | 1.04 |
| Cyclohexane | 1.1 |
| Dichlorodifluoromethane | 2.3 |
| Ethanol | 198 |
| Ethylbenzene | 0.951 |
| Isopropanol | 18.7 |
| m,p-Xylene | 2.63 |
| Methyl Ethyl Ketone (2-Butanone) | 2.27 |
| N-Hexane | 2.21 |
| O-Xylene (1,2-Dimethylbenzene) | 1.36 |
| Styrene | 3.76 |
| Tert-Butyl Alcohol | 5.49 |
| Tetrachloroethylene (PCE) | 4.37 |
| Toluene | 5.2 |



LEGEND

▲ LOCATION OF SOIL VAPOR POINT

■ LOCATION OF TEST PIT

▭ SITE BOUNDARY

NOTES

1. ALL CONCENTRATIONS SHOWN IN MICROGRAMS PER CUBIC METER

VOCs - VOLATILE ORGANIC COMPOUNDS



Title:

SOIL VAPOR DETECTIONS

109 EAST 42ND STREET
NEW YORK, NY

Prepared for:

COMMODORE OWNER LLC

ROUX

Compiled by: R.H.
Prepared by: M.S.R.
Project Mgr: R.H.
File: 3255.0002Y102.4.mxd

Date: 01/18/21
Scale: AS SHOWN
Project: 3255.0002Y000

FIGURE
4

Phase II Environmental Site Assessment
109 East 42nd Street, New York, New York

ATTACHMENTS

1. Test Pit Logs
2. Laboratory Analytical Reports

Phase II Environmental Site Assessment
109 East 42nd Street, New York, New York

ATTACHMENT 1

Test Pit Logs



| | | | | | |
|--|--|-----------------------------------|--|----------------------------------|--|
| Client:
Commodore Owner LLC | | Site:
109 East 42nd Street | | Project Number:
3255.0002Y000 | |
| Address:
109 East 42nd Street | | City/State:
New York, New York | | Logged By:
E. Torres | |
| Start to Finish Date:
10/2/2020 - 10/8/2020 | | Contractor:
Civetta | | Drill Type:
N/A | |
| Borehole Depth:
20 feet | | Backfill:
Cuttings | | Sampler Type/Method:
Cuttings | |
| Area:
New York, NY | | Elevation:
5 | | DTW: | |
| | | Northing:
NM | | Easting:
NM | |

| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|--|-----------------|---------------|-----|--|
| | CONC | | CONCRETE. | | | 1.7 | Grab soil sample TP-5 (0-2) collected. |
| | | | Grey, fine to medium SAND, little Slag, trace silt, concrete, and brick (FILL); dry. | | | 1.0 | |
| | | | | | | 1.6 | Composite soil sample TP-5 (3-18) collected. |
| | | | | | | 0.9 | |
| 5 | | | | | | 0.2 | |
| | | | | | | 1.7 | |
| | | | | | | 2.4 | |
| | MIXD | | | | | 0.7 | |
| | | | | | | 0.2 | |
| 10 | | | | | | 0.6 | Grab soil sample TP-5 (10-12) collected. |
| | | | | | | | |
| 15 | | | | | | | |
| | | | Brown, WEATHERED BEDROCK, some fine to medium Sand; dry. | | | | |
| | BEDR | | | | | | |
| | | | | | | | Bedrock encountered at 20 ft bls. |

Bottom of borehole at 20 feet



| | | | | | |
|--|--|-----------------------------------|--|----------------------------------|--|
| Client:
Commodore Owner LLC | | Site:
109 East 42nd Street | | Project Number:
3255.0002Y000 | |
| Address:
109 East 42nd Street | | City/State:
New York, New York | | Logged By:
E. Torres | |
| Start to Finish Date:
11/4/2020 - 11/4/2020 | | Contractor:
Civetta | | Drill Type:
N/A | |
| Borehole Depth:
5.8 feet | | Backfill:
Cuttings | | Sampler Type/Method:
Cuttings | |
| Area:
New York, NY | | Elevation:
6.3 | | Northing:
NM | |
| | | | | Easting:
NM | |

| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|---|-----------------|---------------|-----|--|
| | MIXD | | Dark grey, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, wood, and coal (FILL); moist. | | | | |
| | CONC | | CONCRETE. | | | | Grab soil sample TP-7 (0-2) collected. |
| | MIXD | | Dark grey, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, wood, and coal (FILL); moist. | | | | |
| 5 | | | | | | | Bedrock encountered at 5.8 ft bls. |

ROUX STANDARD LOG - 1/29/21 14:30 - S:\GINT\PROJECTS\3255.0002Y000_PR EDITS.GPJ

Bottom of borehole at 5.8 feet



| | | | | | |
|--|--|-----------------------------------|--|----------------------------------|--|
| Client:
Commodore Owner LLC | | Site:
109 East 42nd Street | | Project Number:
3255.0002Y000 | |
| Address:
109 East 42nd Street | | City/State:
New York, New York | | Logged By:
E. Torres | |
| Start to Finish Date:
11/4/2020 - 11/4/2020 | | Contractor:
Civetta | | Drill Type:
N/A | |
| Borehole Depth:
5.3 feet | | Backfill:
Cuttings | | Sampler Type/Method:
Cuttings | |
| Area:
New York, NY | | Elevation:
7 | | DTW: | |
| | | Northing:
NM | | Easting:
NM | |


| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|--|-----------------|---------------|-----|-------|
| | CONC | | CONCRETE. | | | | |
| | | | Brown, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, and brick (FILL); moist. | | | | |
| | MIXD | | | | | | |
| 5 | | | | | | | |

G

5.3

Bedrock encountered at 5.3 ft bls.

Bottom of borehole at 5.3 feet



| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|--|-----------------|---------------|-----|---|
| | | △△ | Brown, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, and brick (FILL); dry. | | | 0.4 | |
| | MIXD | △△ | | G | 7.6 | | Grab soil sample TP-12 (0-2) collected. |
| 5 | | △△ | | | | | Bedrock encountered at 7.6 ft bls. |

Bottom of borehole at 7.6 feet

ROUX STANDARD LOG - 1/29/21 14:30 - S:\GINT\PROJECTS\3255.0002\Y000 PR EDITS.GPJ



| | | | | | |
|--|--|-----------------------------------|--|----------------------------------|--|
| Client:
Commodore Owner LLC | | Site:
109 East 42nd Street | | Project Number:
3255.0002Y000 | |
| Address:
109 East 42nd Street | | City/State:
New York, New York | | Logged By:
E. Torres | |
| Start to Finish Date:
11/4/2020 - 11/4/2020 | | Contractor:
Civetta | | Drill Type:
N/A | |
| Borehole Depth:
5.2 feet | | Backfill:
Cuttings | | Sampler Type/Method:
Cuttings | |
| Area:
New York, NY | | Elevation:
5.9 | | Northing:
NM | |
| | | | | Easting:
NM | |

| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|---|-----------------|---------------|-----|---|
| | MIXD | | Brown, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, brick, and metal (FILL); dry. | | | | |
| | CONC | | CONCRETE. | | | | Grab soil sample TP-15 (0-2) collected. |
| | MIXD | | Brown, fine to medium SAND, some fine to coarse Gravel, trace silt, concrete, brick, and metal (FILL); dry. | | | | |
| | CONC | | CONCRETE. | | | | Bedrock encountered at 5 ft bls. |
| 5 | | | | | | | |

ROUX STANDARD LOG - 1/29/21 14:30 - S:\GINT\PROJECTS\3255.0002Y000_PR EDITS.GPJ


Bottom of borehole at 5.2 feet



| | | | | | |
|--|--|-----------------------------------|--|----------------------------------|--|
| Client:
Commodore Owner LLC | | Site:
109 East 42nd Street | | Project Number:
3255.0002Y000 | |
| Address:
109 East 42nd Street | | City/State:
New York, New York | | Logged By:
E. Torres | |
| Start to Finish Date:
10/16/2020 - 10/16/2020 | | Contractor:
Civetta | | Drill Type:
N/A | |
| Borehole Depth:
7.4 feet | | Backfill:
Cuttings | | Sampler Type/Method:
Cuttings | |
| Area:
New York, NY | | Elevation:
5 | | Northing:
NM | |
| | | | | Easting:
NM | |

| Depth (ft) | USCS | USCS Graphic | Visual Description | Sample Interval | Recovery (ft) | PID | Notes |
|------------|------|--------------|---|-----------------|---------------|-----|--|
| | CONC | | CONCRETE. | | | | |
| | SP | | Brown, fine to medium SAND (FILL); dry. | | | | Grab soil sample TP-16 (0-2) collected. |
| | | | Grey, fine to medium SAND, some fine to medium Gravel, trace silt, concrete, wood, brick, and boulders (FILL); moist. | | | 0.2 | |
| | | | | | | 0.3 | |
| | | | | | | 0.3 | Grab soil sample TP-16 (3-5) collected. |
| | | | | | | 7.4 | Composite soil sample TP-16 (3-8.5) collected. |
| 5 | | | | | | 0.4 | Grab soil sample TP-16 (5-7) collected. |
| | | | | | | 0.4 | Bedrock encountered at 7.4 ft bls. |

Bottom of borehole at 7.4 feet



Bottom of borehole at 8.1 feet

Phase II Environmental Site Assessment
109 East 42nd Street, New York, New York

ATTACHMENT 2

Laboratory Analytical Reports

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-219669-1
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
10/9/2020 11:21:36 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
10/9/2020 11:21:36 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 10 |
| Client Sample Results | 11 |
| Surrogate Summary | 16 |
| QC Sample Results | 18 |
| QC Association Summary | 51 |
| Lab Chronicle | 55 |
| Certification Summary | 56 |
| Method Summary | 57 |
| Sample Summary | 58 |
| Chain of Custody | 59 |
| Receipt Checklists | 61 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| E | Result exceeded calibration range. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| F3 | Duplicate RPD exceeds the control limit |
| F5 | Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |

Eurofins TestAmerica, Edison

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Job ID: 460-219669-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-219669-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/02/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.6 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample TP-5(0-2) (460-219669-1) was analyzed for Volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260C. The samples were prepared on 10/03/2020 and analyzed on 10/06/2020.

The continuing calibration verification (CCV) associated with batch 460-728718 recovered above the upper control limit for trans-1,2-Dichloroethene. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

The laboratory control sample (LCS) for analytical batch 460-729406 recovered outside control limits for the following analytes: cis-1,2-Dichloroethene and Trichloroethene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, m-Xylene & p-Xylene and Xylenes, Total were detected in method blank LB3 460-728710/1-A at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Job ID: 460-219669-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Sample TP-5(0-2) (460-219669-1) was analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 10/04/2020 and analyzed on 10/06/2020.

The continuing calibration verification (CCV) associated with batch 460-729397 recovered below the upper control limit for Endrin ketone on the confirmation column. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The associated sample is impacted: (CCVIS 460-729397/6).

No other difficulties were encountered during the Pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Sample TP-5(0-2) (460-219669-1) was analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/04/2020 and analyzed on 10/05/2020.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Sample TP-5(0-2) (460-219669-1) was analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 10/05/2020 and analyzed on 10/06/2020.

The continuing calibration verification (CCV) associated with batch 460-729444 recovered above the upper control limit for many analytes. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No other difficulties were encountered during the herbicides analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample TP-5(0-2) (460-219669-1) was analyzed for semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8270D. The samples were prepared and analyzed on 10/04/2020.

The laboratory control sample duplicate (LCSD) for preparation batch 460-728983 and analytical batch 460-729022 recovered outside control limits for the following analytes: Benzo[a]pyrene and Benzo[b]fluoranthene. The LCS recovery was within limits; therefore, the data have been reported.

The continuing calibration verification (CCV) analyzed in batch 460-729022 was outside the method criteria for the following analyte(s): Benzaldehyde and bis (2-chloroisopropyl) ether. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Several analytes failed the recovery criteria low for the MS of sample 460-219728-5 in batch 460-729022.

Several analytes failed the recovery criteria low for the MSD of sample 460-219728-5 in batch 460-729022.

Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Sample TP-5(0-2) (460-219669-1) was analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Job ID: 460-219669-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

were prepared on 10/03/2020 and analyzed on 10/04/2020.

Several analytes failed the recovery criteria low for the MS of sample 460-219584-1 in batch 460-728967. Barium, Lead and Manganese failed the recovery criteria high.

Beryllium, Cobalt, Magnesium, Nickel and Potassium exceeded the RPD limit for the duplicate of sample 460-219584-1.

Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Sample TP-5(0-2) (460-219669-1) was analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared and analyzed on 10/08/2020.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Sample TP-5(0-2) (460-219669-1) was analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 10/06/2020.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Sample TP-5(0-2) (460-219669-1) was analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 10/04/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Sample TP-5(0-2) (460-219669-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared on 10/06/2020 and analyzed on 10/07/2020.

Cyanide, Total failed the recovery criteria high for the MS of sample 460-219642-14 in batch 460-729830.

Cyanide, Total failed the recovery criteria high for the MSD of sample 460-219642-14 in batch 460-729830.

The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Job ID: 460-219669-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Sample TP-5(0-2) (460-219669-1) was analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 10/06/2020.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------------------|--------|-----------|--------|--------|-------|-----|-----|---|--------|-----------|
| Methylene Chloride | 0.0025 | J | 0.0026 | 0.0012 | mg/Kg | 1 | ✱ | | 8260C | Total/NA |
| 2-Chloronaphthalene | 0.019 | J | 0.37 | 0.017 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| 2-Methylnaphthalene | 0.030 | J | 0.37 | 0.010 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Acenaphthylene | 0.023 | J | 0.37 | 0.0038 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzaldehyde | 0.021 | J | 0.37 | 0.016 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzo[a]anthracene | 0.032 | J | 0.037 | 0.013 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzo[a]pyrene | 0.030 | J * | 0.037 | 0.0099 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzo[b]fluoranthene | 0.042 | * | 0.037 | 0.0096 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzo[g,h,i]perylene | 0.021 | J | 0.37 | 0.011 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Benzo[k]fluoranthene | 0.021 | J | 0.037 | 0.0073 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Chrysene | 0.035 | J | 0.37 | 0.0063 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Fluoranthene | 0.051 | J | 0.37 | 0.013 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.022 | J | 0.037 | 0.014 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Naphthalene | 0.11 | J | 0.37 | 0.0064 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Phenanthrene | 0.038 | J | 0.37 | 0.0065 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Pyrene | 0.053 | J | 0.37 | 0.0092 | mg/Kg | 1 | ✱ | | 8270D | Total/NA |
| Aluminum | 3200 | | 20.8 | 2.7 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Antimony | 0.44 | J | 1.0 | 0.15 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Arsenic | 5.8 | | 1.0 | 0.10 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Barium | 79.2 | | 2.1 | 0.15 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Beryllium | 0.23 | J | 0.42 | 0.059 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cadmium | 0.21 | J | 1.0 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Calcium | 28100 | | 104 | 17.7 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Chromium | 8.9 | | 2.1 | 0.18 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cobalt | 3.0 | | 2.1 | 0.15 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Copper | 35.6 | | 2.1 | 0.23 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Iron | 6210 | | 62.3 | 21.0 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Lead | 447 | | 0.62 | 0.21 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Magnesium | 1650 | | 104 | 10.6 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Manganese | 69.4 | | 4.2 | 0.42 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Nickel | 8.4 | | 2.1 | 0.20 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Potassium | 794 | | 104 | 11.6 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Selenium | 2.5 | | 1.3 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Silver | 1.3 | | 1.0 | 0.092 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Sodium | 330 | | 104 | 16.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Thallium | 0.17 | J | 0.42 | 0.043 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Vanadium | 10.4 | | 2.1 | 0.21 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Zinc | 91.4 | | 8.3 | 2.4 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Mercury | 0.48 | | 0.018 | 0.0043 | mg/Kg | 1 | ✱ | | 7471B | Total/NA |
| Cr (III) | 8.2 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |
| Cr (VI) | 0.70 | J | 2.3 | 0.39 | mg/Kg | 1 | ✱ | | 7196A | Total/NA |
| Cyanide, Total | 0.26 | | 0.26 | 0.13 | mg/Kg | 1 | ✱ | | 9012B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00060 | U | 0.0026 | 0.00060 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00055 | U | 0.0026 | 0.00055 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00078 | U | 0.0026 | 0.00078 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,1,2-Trichloroethane | 0.00046 | U | 0.0026 | 0.00046 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,1-Dichloroethane | 0.00053 | U | 0.0026 | 0.00053 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,1-Dichloroethene | 0.00058 | U | 0.0026 | 0.00058 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2,3-Trichlorobenzene | 0.00047 | U | 0.0026 | 0.00047 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2,4-Trichlorobenzene | 0.00093 | U | 0.0026 | 0.00093 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2,4-Trimethylbenzene | 0.00064 | U | 0.0026 | 0.00064 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.0012 | U | 0.0026 | 0.0012 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2-Dichlorobenzene | 0.00037 | U | 0.0026 | 0.00037 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2-Dichloroethane | 0.00077 | U | 0.0026 | 0.00077 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,2-Dichloropropane | 0.0011 | U | 0.0026 | 0.0011 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,3,5-Trimethylbenzene | 0.00030 | U | 0.0026 | 0.00030 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,3-Dichlorobenzene | 0.00041 | U | 0.0026 | 0.00041 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 1,4-Dichlorobenzene | 0.00058 | U | 0.0026 | 0.00058 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 2-Butanone (MEK) | 0.0070 | U | 0.013 | 0.0070 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 2-Hexanone | 0.0044 | U | 0.013 | 0.0044 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0040 | U | 0.013 | 0.0040 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Acetone | 0.015 | U | 0.016 | 0.015 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Benzene | 0.00067 | U | 0.0026 | 0.00067 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Bromoform | 0.0011 | U | 0.0026 | 0.0011 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Bromomethane | 0.0012 | U | 0.0026 | 0.0012 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Carbon disulfide | 0.00069 | U | 0.0026 | 0.00069 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Carbon tetrachloride | 0.0010 | U | 0.0026 | 0.0010 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chlorobenzene | 0.00046 | U | 0.0026 | 0.00046 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chlorobromomethane | 0.00073 | U | 0.0026 | 0.00073 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chlorodibromomethane | 0.00050 | U | 0.0026 | 0.00050 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chloroethane | 0.0013 | U | 0.0026 | 0.0013 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chloroform | 0.00082 | U | 0.0026 | 0.00082 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Chloromethane | 0.0011 | U | 0.0026 | 0.0011 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| cis-1,2-Dichloroethene | 0.00039 | U * | 0.0026 | 0.00039 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| cis-1,3-Dichloropropene | 0.00071 | U | 0.0026 | 0.00071 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Cyclohexane | 0.00057 | U | 0.0026 | 0.00057 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Dichlorobromomethane | 0.00066 | U | 0.0026 | 0.00066 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Dichlorodifluoromethane | 0.00087 | U | 0.0026 | 0.00087 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Ethylbenzene | 0.00051 | U | 0.0026 | 0.00051 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Ethylene Dibromide | 0.00047 | U | 0.0026 | 0.00047 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Isopropylbenzene | 0.00033 | U | 0.0026 | 0.00033 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Methyl acetate | 0.011 | U | 0.013 | 0.011 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Methyl tert-butyl ether | 0.00032 | U | 0.0026 | 0.00032 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Methylcyclohexane | 0.0013 | U | 0.0026 | 0.0013 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Methylene Chloride | 0.0025 | J | 0.0026 | 0.0012 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| m-Xylene & p-Xylene | 0.00045 | U | 0.0026 | 0.00045 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| n-Butylbenzene | 0.00076 | U | 0.0026 | 0.00076 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| N-Propylbenzene | 0.00045 | U | 0.0026 | 0.00045 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| o-Xylene | 0.00050 | U | 0.0026 | 0.00050 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| sec-Butylbenzene | 0.00023 | U | 0.0026 | 0.00023 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Styrene | 0.00072 | U | 0.0026 | 0.00072 | mg/Kg | ☆ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00071 | U | 0.0026 | 0.00071 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Tetrachloroethene | 0.00037 | U | 0.0026 | 0.00037 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Toluene | 0.00061 | U | 0.0026 | 0.00061 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| trans-1,2-Dichloroethene | 0.00064 | U | 0.0026 | 0.00064 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| trans-1,3-Dichloropropene | 0.00069 | U | 0.0026 | 0.00069 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Trichloroethene | 0.00037 | U * | 0.0026 | 0.00037 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Trichlorofluoromethane | 0.0010 | U | 0.0026 | 0.0010 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Vinyl chloride | 0.0014 | U | 0.0026 | 0.0014 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Xylenes, Total | 0.00045 | U | 0.0052 | 0.00045 | mg/Kg | ✱ | 10/03/20 01:17 | 10/06/20 09:16 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ✱ | | | 10/03/20 01:17 | 10/06/20 09:16 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 117 | | 77 - 145 | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| 4-Bromofluorobenzene | 108 | | 79 - 125 | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Dibromofluoromethane (Surr) | 122 | | 48 - 150 | 10/03/20 01:17 | 10/06/20 09:16 | 1 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 | 10/03/20 01:17 | 10/06/20 09:16 | 1 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0049 | U | 0.37 | 0.0049 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.37 | 0.012 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 1,4-Dioxane | 0.010 | U | 0.11 | 0.010 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0067 | U | 0.37 | 0.0067 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.025 | U | 0.37 | 0.025 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4,5-Trichlorophenol | 0.038 | U | 0.37 | 0.038 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4,6-Trichlorophenol | 0.048 | U | 0.15 | 0.048 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4-Dichlorophenol | 0.024 | U | 0.15 | 0.024 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4-Dimethylphenol | 0.016 | U | 0.37 | 0.016 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4-Dinitrophenol | 0.18 | U | 0.30 | 0.18 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,4-Dinitrotoluene | 0.040 | U | 0.075 | 0.040 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2,6-Dinitrotoluene | 0.027 | U | 0.075 | 0.027 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Chloronaphthalene | 0.019 | J | 0.37 | 0.017 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Chlorophenol | 0.013 | U | 0.37 | 0.013 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Methylnaphthalene | 0.030 | J | 0.37 | 0.010 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Methylphenol | 0.014 | U | 0.37 | 0.014 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Nitroaniline | 0.014 | U | 0.37 | 0.014 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Nitrophenol | 0.037 | U | 0.37 | 0.037 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 3 & 4 Methylphenol | 0.023 | U | 0.37 | 0.023 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 3,3'-Dichlorobenzidine | 0.056 | U | 0.15 | 0.056 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 3-Nitroaniline | 0.042 | U | 0.37 | 0.042 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.060 | U | 0.30 | 0.060 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Bromophenyl phenyl ether | 0.015 | U | 0.37 | 0.015 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Chloro-3-methylphenol | 0.021 | U | 0.37 | 0.021 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Chloroaniline | 0.026 | U | 0.37 | 0.026 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 0.37 | 0.013 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Methylphenol | 0.023 | U | 0.37 | 0.023 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Nitroaniline | 0.043 | U | 0.37 | 0.043 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 4-Nitrophenol | 0.061 | U | 0.75 | 0.061 | mg/Kg | ✱ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|------------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.027 | U | 0.37 | 0.027 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Acenaphthylene | 0.023 | J | 0.37 | 0.0038 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Acetophenone | 0.018 | U | 0.37 | 0.018 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Anthracene | 0.011 | U | 0.37 | 0.011 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Atrazine | 0.0094 | U | 0.15 | 0.0094 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzaldehyde | 0.021 | J | 0.37 | 0.016 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzo[a]anthracene | 0.032 | J | 0.037 | 0.013 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzo[a]pyrene | 0.030 | J * | 0.037 | 0.0099 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzo[b]fluoranthene | 0.042 | * | 0.037 | 0.0096 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzo[g,h,i]perylene | 0.021 | J | 0.37 | 0.011 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Benzo[k]fluoranthene | 0.021 | J | 0.037 | 0.0073 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Bis(2-chloroethoxy)methane | 0.029 | U | 0.37 | 0.029 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.037 | 0.013 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U | 0.37 | 0.020 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Butyl benzyl phthalate | 0.017 | U | 0.37 | 0.017 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Caprolactam | 0.058 | U | 0.37 | 0.058 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Carbazole | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Chrysene | 0.035 | J | 0.37 | 0.0063 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Dibenz(a,h)anthracene | 0.016 | U | 0.037 | 0.016 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Dibenzofuran | 0.0052 | U | 0.37 | 0.0052 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Diethyl phthalate | 0.0054 | U | 0.37 | 0.0054 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Dimethyl phthalate | 0.084 | U | 0.37 | 0.084 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Di-n-butyl phthalate | 0.065 | U | 0.37 | 0.065 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Di-n-octyl phthalate | 0.020 | U | 0.37 | 0.020 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Fluoranthene | 0.051 | J | 0.37 | 0.013 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Fluorene | 0.0050 | U | 0.37 | 0.0050 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Hexachlorobenzene | 0.018 | U | 0.037 | 0.018 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Hexachlorobutadiene | 0.0079 | U | 0.075 | 0.0079 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Hexachlorocyclopentadiene | 0.033 | U | 0.37 | 0.033 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Hexachloroethane | 0.013 | U | 0.037 | 0.013 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.022 | J | 0.037 | 0.014 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Isophorone | 0.11 | U | 0.15 | 0.11 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Naphthalene | 0.11 | J | 0.37 | 0.0064 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Nitrobenzene | 0.0089 | U | 0.037 | 0.0089 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| N-Nitrosodi-n-propylamine | 0.027 | U | 0.037 | 0.027 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| N-Nitrosodiphenylamine | 0.0071 | U | 0.37 | 0.0071 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Pentachlorophenol | 0.076 | U | 0.30 | 0.076 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Phenanthrene | 0.038 | J | 0.37 | 0.0065 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Phenol | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Pyrene | 0.053 | J | 0.37 | 0.0092 | mg/Kg | ☼ | 10/04/20 13:34 | 10/04/20 22:25 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 0.74 | A J | mg/Kg | ☼ | 2.83 | | 10/04/20 13:34 | 10/04/20 22:25 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 68 | | 10 - 123 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Fluorobiphenyl | 71 | | 25 - 104 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| 2-Fluorophenol (Surr) | 57 | | 18 - 106 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Nitrobenzene-d5 (Surr) | 69 | | 19 - 105 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |
| Phenol-d5 (Surr) | 62 | | 26 - 101 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 78 | | 25 - 127 | 10/04/20 13:34 | 10/04/20 22:25 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0075 | 0.0013 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| 4,4'-DDE | 0.00089 | U | 0.0075 | 0.00089 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| 4,4'-DDT | 0.0014 | U | 0.0075 | 0.0014 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Aldrin | 0.0011 | U | 0.0075 | 0.0011 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| alpha-BHC | 0.00076 | U | 0.0022 | 0.00076 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| beta-BHC | 0.00084 | U | 0.0022 | 0.00084 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Chlordane (technical) | 0.018 | U | 0.075 | 0.018 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0075 | 0.0012 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| delta-BHC | 0.00046 | U | 0.0022 | 0.00046 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Dieldrin | 0.00098 | U | 0.0022 | 0.00098 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endosulfan I | 0.0011 | U | 0.0075 | 0.0011 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endosulfan II | 0.0019 | U | 0.0075 | 0.0019 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endosulfan sulfate | 0.00094 | U | 0.0075 | 0.00094 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endrin | 0.0011 | U | 0.0075 | 0.0011 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endrin aldehyde | 0.0018 | U | 0.0075 | 0.0018 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Endrin ketone | 0.0015 | U | 0.0075 | 0.0015 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.0022 | 0.00070 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Heptachlor | 0.00089 | U | 0.0075 | 0.00089 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Heptachlor epoxide | 0.0011 | U | 0.0075 | 0.0011 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Methoxychlor | 0.0017 | U | 0.0075 | 0.0017 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Toxaphene | 0.027 | U | 0.075 | 0.027 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| trans-Chlordane | 0.0013 | U | 0.0075 | 0.0013 | mg/Kg | ✱ | 10/04/20 19:04 | 10/06/20 06:32 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 67 | | 28 - 148 | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| DCB Decachlorobiphenyl | 68 | | 28 - 148 | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Tetrachloro-m-xylene | 63 | | 34 - 118 | 10/04/20 19:04 | 10/06/20 06:32 | 1 |
| Tetrachloro-m-xylene | 69 | | 34 - 118 | 10/04/20 19:04 | 10/06/20 06:32 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1221 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1232 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1242 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1248 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1254 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1260 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor-1262 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Aroclor 1268 | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Polychlorinated biphenyls, Total | 0.010 | U | 0.075 | 0.010 | mg/Kg | ✱ | 10/04/20 19:01 | 10/05/20 18:50 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 91 | | 10 - 150 | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| DCB Decachlorobiphenyl | 98 | | 10 - 150 | 10/04/20 19:01 | 10/05/20 18:50 | 1 |
| Tetrachloro-m-xylene | 97 | | 58 - 145 | 10/04/20 19:01 | 10/05/20 18:50 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Tetrachloro-m-xylene | 101 | | 58 - 145 | 10/04/20 19:01 | 10/05/20 18:50 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0079 | U | 0.037 | 0.0079 | mg/Kg | ✱ | 10/05/20 19:12 | 10/06/20 08:45 | 1 |
| 2,4-D | 0.014 | U | 0.037 | 0.014 | mg/Kg | ✱ | 10/05/20 19:12 | 10/06/20 08:45 | 1 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.037 | 0.0039 | mg/Kg | ✱ | 10/05/20 19:12 | 10/06/20 08:45 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 103 | | 30 - 150 | 10/05/20 19:12 | 10/06/20 08:45 | 1 |
| 2,4-Dichlorophenylacetic acid | 107 | | 30 - 150 | 10/05/20 19:12 | 10/06/20 08:45 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 3200 | | 20.8 | 2.7 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Antimony | 0.44 | J | 1.0 | 0.15 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Arsenic | 5.8 | | 1.0 | 0.10 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Barium | 79.2 | | 2.1 | 0.15 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Beryllium | 0.23 | J | 0.42 | 0.059 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Cadmium | 0.21 | J | 1.0 | 0.12 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Calcium | 28100 | | 104 | 17.7 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Chromium | 8.9 | | 2.1 | 0.18 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Cobalt | 3.0 | | 2.1 | 0.15 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Copper | 35.6 | | 2.1 | 0.23 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Iron | 6210 | | 62.3 | 21.0 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Lead | 447 | | 0.62 | 0.21 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Magnesium | 1650 | | 104 | 10.6 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Manganese | 69.4 | | 4.2 | 0.42 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Nickel | 8.4 | | 2.1 | 0.20 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Potassium | 794 | | 104 | 11.6 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Selenium | 2.5 | | 1.3 | 0.12 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Silver | 1.3 | | 1.0 | 0.092 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Sodium | 330 | | 104 | 16.2 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Thallium | 0.17 | J | 0.42 | 0.043 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Vanadium | 10.4 | | 2.1 | 0.21 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |
| Zinc | 91.4 | | 8.3 | 2.4 | mg/Kg | ✱ | 10/03/20 19:13 | 10/04/20 13:25 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.48 | | 0.018 | 0.0043 | mg/Kg | ✱ | 10/06/20 03:09 | 10/06/20 08:02 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 8.2 | | 2.0 | 2.0 | mg/Kg | | | 10/04/20 21:39 | 1 |
| Cr (VI) | 0.70 | J | 2.3 | 0.39 | mg/Kg | ✱ | 10/08/20 08:56 | 10/08/20 15:09 | 1 |
| Cyanide, Total | 0.26 | | 0.26 | 0.13 | mg/Kg | ✱ | 10/06/20 09:25 | 10/07/20 13:52 | 1 |
| Percent Moisture | 10.9 | | 1.0 | 1.0 | % | | | 10/06/20 16:56 | 1 |
| Percent Solids | 89.1 | | 1.0 | 1.0 | % | | | 10/06/20 16:56 | 1 |

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-219669-1 | TP-5(0-2) | 117 | 108 | 122 | 99 |
| LB3 460-728710/1-A | Method Blank | 108 | 111 | 118 | 101 |
| LCS 460-728718/3 | Lab Control Sample | 109 | 110 | 117 | 101 |
| LCS 460-729406/4 | Lab Control Sample | 114 | 110 | 121 | 102 |
| LCSD 460-728718/4 | Lab Control Sample Dup | 108 | 110 | 117 | 101 |
| LCSD 460-729406/18 | Lab Control Sample Dup | 115 | 109 | 120 | 102 |
| MB 460-728718/9 | Method Blank | 108 | 106 | 115 | 96 |
| MB 460-729406/8 | Method Blank | 112 | 109 | 120 | 99 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-219669-1 | TP-5(0-2) | 68 | 71 | 57 | 69 | 62 | 78 |
| 460-219728-E-5-A MS | Matrix Spike | 67 | 65 | 63 | 64 | 63 | 71 |
| 460-219728-E-5-B MSD | Matrix Spike Duplicate | 71 | 69 | 67 | 67 | 68 | 77 |
| LCS 460-728983/2-A | Lab Control Sample | 86 | 83 | 82 | 81 | 82 | 94 |
| LCSD 460-728983/3-A | Lab Control Sample Dup | 95 | 93 | 91 | 90 | 92 | 104 |
| MB 460-728983/1-A | Method Blank | 90 | 85 | 85 | 86 | 85 | 98 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-219082-A-1-F MS | Matrix Spike | 70 | 68 | 76 | 64 |
| 460-219082-A-1-G MSD | Matrix Spike Duplicate | 71 | 63 | 73 | 63 |
| 460-219669-1 | TP-5(0-2) | 68 | 67 | 69 | 63 |
| LCS 460-729065/2-A | Lab Control Sample | 72 | 69 | 86 | 70 |
| LCSD 460-729065/3-A | Lab Control Sample Dup | 92 | 89 | 105 | 89 |
| MB 460-729065/1-A | Method Blank | 93 | 87 | 92 | 88 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-219082-A-1-C MS | Matrix Spike | 105 | 107 | 102 | 104 |
| 460-219082-A-1-D MSD | Matrix Spike Duplicate | 105 | 105 | 99 | 101 |
| 460-219669-1 | TP-5(0-2) | 98 | 91 | 101 | 97 |
| LCS 460-729064/2-A | Lab Control Sample | 112 | 111 | 116 | 114 |
| LCSD 460-729064/3-A | Lab Control Sample Dup | 113 | 111 | 114 | 113 |
| MB 460-729064/1-A | Method Blank | 105 | 105 | 103 | 105 |
| Surrogate Legend | | | | | |
| DCBP = DCB Decachlorobiphenyl | | | | | |
| TCX = Tetrachloro-m-xylene | | | | | |

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------------------------|------------------------|--|--------------------|
| | | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-219659-B-1-G MS | Matrix Spike | 111 | 99 |
| 460-219659-B-1-H MSD | Matrix Spike Duplicate | 122 | 105 |
| 460-219669-1 | TP-5(0-2) | 107 | 103 |
| LCS 460-729328/2-A | Lab Control Sample | 110 | 110 |
| LCSD 460-729328/3-A | Lab Control Sample Dup | 113 | 108 |
| MB 460-729328/1-A | Method Blank | 97 | 105 |
| Surrogate Legend | | | |
| DCPAA = 2,4-Dichlorophenylacetic acid | | | |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-728710/1-A

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728710

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------|---------------|--------|----------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2,4-Trimethylbenzene | 0.000730 | J | 0.0010 | 0.00025 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,3,5-Trimethylbenzene | 0.000166 | J | 0.0010 | 0.00012 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| m-Xylene & p-Xylene | 0.000339 | J | 0.0010 | 0.00017 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-728710/1-A

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728710

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Xylenes, Total | 0.000339 | J | 0.0020 | 0.00017 | mg/Kg | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 10/03/20 01:10 | 10/03/20 08:28 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 77 - 145 | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| 4-Bromofluorobenzene | 111 | | 79 - 125 | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Dibromofluoromethane (Surr) | 118 | | 48 - 150 | 10/03/20 01:10 | 10/03/20 08:28 | 1 |
| Toluene-d8 (Surr) | 101 | | 80 - 120 | 10/03/20 01:10 | 10/03/20 08:28 | 1 |

Lab Sample ID: MB 460-728718/9

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2,4-Trimethylbenzene | 0.000672 | J | 0.0010 | 0.00025 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,3,5-Trimethylbenzene | 0.000143 | J | 0.0010 | 0.00012 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/03/20 07:53 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/03/20 07:53 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-728718/9

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/03/20 07:53 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/03/20 07:53 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/03/20 07:53 | 1 |
| m-Xylene & p-Xylene | 0.000295 | J | 0.0010 | 0.00017 | mg/Kg | | | 10/03/20 07:53 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/03/20 07:53 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/03/20 07:53 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/03/20 07:53 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/03/20 07:53 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/03/20 07:53 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/03/20 07:53 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/03/20 07:53 | 1 |
| Xylenes, Total | 0.000295 | J | 0.0020 | 0.00017 | mg/Kg | | | 10/03/20 07:53 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/03/20 07:53 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 77 - 145 | | 10/03/20 07:53 | 1 |
| 4-Bromofluorobenzene | 106 | | 79 - 125 | | 10/03/20 07:53 | 1 |
| Dibromofluoromethane (Surr) | 115 | | 48 - 150 | | 10/03/20 07:53 | 1 |
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 10/03/20 07:53 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-728718/3

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0242 | | mg/Kg | | 121 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0166 | | mg/Kg | | 83 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0226 | | mg/Kg | | 113 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0185 | | mg/Kg | | 93 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0225 | | mg/Kg | | 113 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0230 | | mg/Kg | | 115 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0161 | | mg/Kg | | 80 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0197 | | mg/Kg | | 98 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0215 | | mg/Kg | | 108 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.109 | | mg/Kg | | 109 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.105 | | mg/Kg | | 105 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.108 | | mg/Kg | | 108 | 80 - 122 |
| Acetone | 0.100 | 0.0910 | | mg/Kg | | 91 | 63 - 131 |
| Benzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 123 |
| Bromoform | 0.0200 | 0.0189 | | mg/Kg | | 94 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0189 | | mg/Kg | | 95 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0226 | | mg/Kg | | 113 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0242 | | mg/Kg | | 121 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0243 | | mg/Kg | | 122 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0185 | | mg/Kg | | 92 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 65 - 134 |
| Chloroform | 0.0200 | 0.0232 | | mg/Kg | | 116 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0161 | | mg/Kg | | 81 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0238 | | mg/Kg | | 119 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0183 | | mg/Kg | | 91 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0246 | | mg/Kg | | 123 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0179 | | mg/Kg | | 90 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0217 | | mg/Kg | | 108 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0192 | | mg/Kg | | 96 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0330 | | mg/Kg | | 83 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0247 | | mg/Kg | | 124 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0221 | | mg/Kg | | 110 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-728718/3

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0228 | | mg/Kg | | 114 | 78 - 123 |
| Toluene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0246 | | mg/Kg | | 123 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0178 | | mg/Kg | | 89 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0180 | | mg/Kg | | 90 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0435 | | mg/Kg | | 109 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 77 - 145 |
| 4-Bromofluorobenzene | 110 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 117 | | 48 - 150 |
| Toluene-d8 (Surr) | 101 | | 80 - 120 |

Lab Sample ID: LCSD 460-728718/4

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0247 | | mg/Kg | | 123 | 78 - 132 | 2 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0167 | | mg/Kg | | 83 | 69 - 123 | 0 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0238 | | mg/Kg | | 119 | 78 - 136 | 5 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0191 | | mg/Kg | | 96 | 75 - 120 | 3 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 76 - 129 | 0 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0245 | | mg/Kg | | 123 | 77 - 132 | 6 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 77 - 120 | 1 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 75 - 120 | 3 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 79 - 120 | 2 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0163 | | mg/Kg | | 82 | 60 - 126 | 2 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 | 1 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0217 | | mg/Kg | | 108 | 70 - 132 | 3 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0225 | | mg/Kg | | 113 | 73 - 124 | 5 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 79 - 120 | 2 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 | 1 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 80 - 120 | 3 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.115 | | mg/Kg | | 115 | 75 - 120 | 5 | 30 |
| 2-Hexanone | 0.100 | 0.112 | | mg/Kg | | 112 | 78 - 120 | 7 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.113 | | mg/Kg | | 113 | 80 - 122 | 5 | 30 |
| Acetone | 0.100 | 0.110 | | mg/Kg | | 110 | 63 - 131 | 19 | 30 |
| Benzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 80 - 123 | 2 | 30 |
| Bromoform | 0.0200 | 0.0189 | | mg/Kg | | 94 | 48 - 142 | 0 | 30 |
| Bromomethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 68 - 136 | 11 | 30 |
| Carbon disulfide | 0.0200 | 0.0233 | | mg/Kg | | 116 | 67 - 136 | 3 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0246 | | mg/Kg | | 123 | 72 - 136 | 2 | 30 |
| Chlorobenzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-728718/4

Matrix: Solid

Analysis Batch: 728718

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0249 | | mg/Kg | | 124 | 76 - 127 | 2 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0196 | | mg/Kg | | 98 | 62 - 128 | 6 | 30 |
| Chloroethane | 0.0200 | 0.0200 | | mg/Kg | | 100 | 65 - 134 | 11 | 30 |
| Chloroform | 0.0200 | 0.0234 | | mg/Kg | | 117 | 79 - 126 | 1 | 30 |
| Chloromethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 48 - 150 | 10 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0238 | | mg/Kg | | 119 | 80 - 123 | 0 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0187 | | mg/Kg | | 93 | 72 - 120 | 2 | 30 |
| Cyclohexane | 0.0200 | 0.0242 | | mg/Kg | | 121 | 80 - 132 | 2 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 73 - 124 | 4 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0193 | | mg/Kg | | 96 | 40 - 146 | 7 | 30 |
| Ethylbenzene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 80 - 120 | 0 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0201 | | mg/Kg | | 101 | 79 - 120 | 5 | 30 |
| Isopropylbenzene | 0.0200 | 0.0219 | | mg/Kg | | 110 | 80 - 120 | 1 | 30 |
| Methyl acetate | 0.0400 | 0.0376 | | mg/Kg | | 94 | 58 - 143 | 13 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 125 | 1 | 30 |
| Methylcyclohexane | 0.0200 | 0.0246 | | mg/Kg | | 123 | 79 - 133 | 0 | 30 |
| Methylene Chloride | 0.0200 | 0.0230 | | mg/Kg | | 115 | 76 - 127 | 4 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 120 | 2 | 30 |
| n-Butylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 77 - 123 | 4 | 30 |
| N-Propylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 78 - 120 | 1 | 30 |
| o-Xylene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 80 - 120 | 1 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 78 - 120 | 3 | 30 |
| Styrene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 | 0 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 76 - 120 | 0 | 30 |
| Tetrachloroethene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 78 - 123 | 2 | 30 |
| Toluene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 | 1 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0248 | | mg/Kg | | 124 | 78 - 128 | 1 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 68 - 120 | 2 | 30 |
| Trichloroethene | 0.0200 | 0.0233 | | mg/Kg | | 116 | 79 - 120 | 1 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0233 | | mg/Kg | | 117 | 67 - 142 | 7 | 30 |
| Vinyl chloride | 0.0200 | 0.0195 | | mg/Kg | | 97 | 56 - 147 | 8 | 30 |
| Xylenes, Total | 0.0400 | 0.0441 | | mg/Kg | | 110 | 80 - 120 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|------------------------------|----------------|----------------|-------------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 77 - 145 |
| 4-Bromofluorobenzene | 110 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 117 | | 48 - 150 |
| Toluene-d8 (Surr) | 101 | | 80 - 120 |

Lab Sample ID: MB 460-729406/8

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/06/20 08:28 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-729406/8

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/06/20 08:28 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/06/20 08:28 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/06/20 08:28 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/06/20 08:28 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/06/20 08:28 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/06/20 08:28 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/06/20 08:28 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/06/20 08:28 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/06/20 08:28 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/06/20 08:28 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/06/20 08:28 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-729406/8

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/06/20 08:28 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | | 10/06/20 08:28 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/06/20 08:28 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 112 | | 77 - 145 | | 10/06/20 08:28 | 1 |
| 4-Bromofluorobenzene | 109 | | 79 - 125 | | 10/06/20 08:28 | 1 |
| Dibromofluoromethane (Surr) | 120 | | 48 - 150 | | 10/06/20 08:28 | 1 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 | | 10/06/20 08:28 | 1 |

Lab Sample ID: LCS 460-729406/4

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0245 | | mg/Kg | | 122 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0184 | | mg/Kg | | 92 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0244 | | mg/Kg | | 122 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0200 | | mg/Kg | | 100 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0233 | | mg/Kg | | 116 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0237 | | mg/Kg | | 119 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0177 | | mg/Kg | | 89 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0229 | | mg/Kg | | 115 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0226 | | mg/Kg | | 113 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.115 | | mg/Kg | | 115 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.108 | | mg/Kg | | 108 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.114 | | mg/Kg | | 114 | 80 - 122 |
| Acetone | 0.100 | 0.103 | | mg/Kg | | 103 | 63 - 131 |
| Benzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 80 - 123 |
| Bromoform | 0.0200 | 0.0205 | | mg/Kg | | 103 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0233 | | mg/Kg | | 117 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0236 | | mg/Kg | | 118 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0248 | | mg/Kg | | 124 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0252 | | mg/Kg | | 126 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-729406/4

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 65 - 134 |
| Chloroform | 0.0200 | 0.0244 | | mg/Kg | | 122 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0202 | | mg/Kg | | 101 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0247 | * | mg/Kg | | 124 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0187 | | mg/Kg | | 94 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0239 | | mg/Kg | | 120 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0229 | | mg/Kg | | 115 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0228 | | mg/Kg | | 114 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0204 | | mg/Kg | | 102 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0231 | | mg/Kg | | 115 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0356 | | mg/Kg | | 89 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0243 | | mg/Kg | | 121 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0227 | | mg/Kg | | 113 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0223 | | mg/Kg | | 111 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 78 - 120 |
| Styrene | 0.0200 | 0.0221 | | mg/Kg | | 110 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 95 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 78 - 123 |
| Toluene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0247 | | mg/Kg | | 123 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0176 | | mg/Kg | | 88 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0243 | * | mg/Kg | | 121 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0248 | | mg/Kg | | 124 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0220 | | mg/Kg | | 110 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0447 | | mg/Kg | | 112 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 114 | | 77 - 145 |
| 4-Bromofluorobenzene | 110 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 121 | | 48 - 150 |
| Toluene-d8 (Surr) | 102 | | 80 - 120 |

Lab Sample ID: LCSD 460-729406/18

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0234 | | mg/Kg | | 117 | 78 - 132 | 5 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0180 | | mg/Kg | | 90 | 69 - 123 | 2 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 78 - 136 | 7 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 75 - 120 | 1 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0217 | | mg/Kg | | 109 | 76 - 129 | 7 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-729406/18

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0230 | | mg/Kg | | 115 | 77 - 132 | 3 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 77 - 120 | 2 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 75 - 120 | 1 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 120 | 2 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0195 | | mg/Kg | | 97 | 60 - 126 | 9 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 80 - 120 | 4 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0225 | | mg/Kg | | 112 | 70 - 132 | 2 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 73 - 124 | 2 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 79 - 120 | 1 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 80 - 120 | 6 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 | 6 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.117 | | mg/Kg | | 117 | 75 - 120 | 2 | 30 |
| 2-Hexanone | 0.100 | 0.103 | | mg/Kg | | 103 | 78 - 120 | 4 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.113 | | mg/Kg | | 113 | 80 - 122 | 1 | 30 |
| Acetone | 0.100 | 0.107 | | mg/Kg | | 107 | 63 - 131 | 4 | 30 |
| Benzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 80 - 123 | 3 | 30 |
| Bromoform | 0.0200 | 0.0200 | | mg/Kg | | 100 | 48 - 142 | 3 | 30 |
| Bromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 68 - 136 | 4 | 30 |
| Carbon disulfide | 0.0200 | 0.0225 | | mg/Kg | | 113 | 67 - 136 | 4 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0234 | | mg/Kg | | 117 | 72 - 136 | 6 | 30 |
| Chlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 | 5 | 30 |
| Chlorobromomethane | 0.0200 | 0.0250 | | mg/Kg | | 125 | 76 - 127 | 1 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0197 | | mg/Kg | | 99 | 62 - 128 | 3 | 30 |
| Chloroethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 65 - 134 | 6 | 30 |
| Chloroform | 0.0200 | 0.0234 | | mg/Kg | | 117 | 79 - 126 | 4 | 30 |
| Chloromethane | 0.0200 | 0.0187 | | mg/Kg | | 93 | 48 - 150 | 8 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0230 | | mg/Kg | | 115 | 80 - 123 | 7 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 72 - 120 | 2 | 30 |
| Cyclohexane | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 132 | 6 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 73 - 124 | 1 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 40 - 146 | 9 | 30 |
| Ethylbenzene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 80 - 120 | 7 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0203 | | mg/Kg | | 101 | 79 - 120 | 1 | 30 |
| Isopropylbenzene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 80 - 120 | 5 | 30 |
| Methyl acetate | 0.0400 | 0.0379 | | mg/Kg | | 95 | 58 - 143 | 6 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0222 | | mg/Kg | | 111 | 80 - 125 | 2 | 30 |
| Methylcyclohexane | 0.0200 | 0.0232 | | mg/Kg | | 116 | 79 - 133 | 4 | 30 |
| Methylene Chloride | 0.0200 | 0.0221 | | mg/Kg | | 110 | 76 - 127 | 3 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 | 5 | 30 |
| n-Butylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 77 - 123 | 5 | 30 |
| N-Propylbenzene | 0.0200 | 0.0197 | | mg/Kg | | 98 | 78 - 120 | 5 | 30 |
| o-Xylene | 0.0200 | 0.0217 | | mg/Kg | | 108 | 80 - 120 | 3 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 78 - 120 | 0 | 30 |
| Styrene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 | 7 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 76 - 120 | 0 | 30 |
| Tetrachloroethene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 78 - 123 | 6 | 30 |
| Toluene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 | 4 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0236 | | mg/Kg | | 118 | 78 - 128 | 5 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0170 | | mg/Kg | | 85 | 68 - 120 | 4 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-729406/18

Matrix: Solid

Analysis Batch: 729406

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0235 | | mg/Kg | | 118 | 79 - 120 | 3 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0235 | | mg/Kg | | 118 | 67 - 142 | 5 | 30 |
| Vinyl chloride | 0.0200 | 0.0201 | | mg/Kg | | 101 | 56 - 147 | 9 | 30 |
| Xylenes, Total | 0.0400 | 0.0428 | | mg/Kg | | 107 | 80 - 120 | 4 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 115 | | 77 - 145 |
| 4-Bromofluorobenzene | 109 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 120 | | 48 - 150 |
| Toluene-d8 (Surr) | 102 | | 80 - 120 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-728983/1-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 1,4-Dioxane | 0.0091 | U | 0.10 | 0.0091 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.054 | U | 0.27 | 0.054 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Chloroaniline | 0.023 | U | 0.33 | 0.023 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Acenaphthene | 0.024 | U | 0.33 | 0.024 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Acenaphthylene | 0.0034 | U | 0.33 | 0.0034 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-728983/1-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Atrazine | 0.0083 | U | 0.13 | 0.0083 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzaldehyde | 0.014 | U | 0.33 | 0.014 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Di-n-butyl phthalate | 0.058 | U | 0.33 | 0.058 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| N-Nitrosodiphenylamine | 0.0063 | U | 0.33 | 0.0063 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 0.809 | A J | mg/Kg | | 2.83 | | 10/04/20 13:34 | 10/04/20 17:58 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 90 | | 10 - 123 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Fluorobiphenyl | 85 | | 25 - 104 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| 2-Fluorophenol (Surr) | 85 | | 18 - 106 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Nitrobenzene-d5 (Surr) | 86 | | 19 - 105 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |
| Phenol-d5 (Surr) | 85 | | 26 - 101 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-728983/1-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728983

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 98 | | 25 - 127 | 10/04/20 13:34 | 10/04/20 17:58 | 1 |

Lab Sample ID: LCS 460-728983/2-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|------------------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 1,1'-Biphenyl | 3.33 | 2.90 | | mg/Kg | | 87 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 2.86 | | mg/Kg | | 86 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 1.91 | | mg/Kg | | 57 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.08 | | mg/Kg | | 63 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.59 | | mg/Kg | | 78 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 2.71 | | mg/Kg | | 81 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 2.93 | | mg/Kg | | 88 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 2.90 | | mg/Kg | | 87 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 2.90 | | mg/Kg | | 87 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 5.79 | | mg/Kg | | 87 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 3.13 | | mg/Kg | | 94 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 3.21 | | mg/Kg | | 96 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 2.88 | | mg/Kg | | 87 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 2.87 | | mg/Kg | | 86 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.76 | | mg/Kg | | 83 | 64 - 108 |
| 2-Methylphenol | 3.33 | 2.84 | | mg/Kg | | 85 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 2.90 | | mg/Kg | | 87 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 2.79 | | mg/Kg | | 84 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 2.82 | | mg/Kg | | 85 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.70 | | mg/Kg | | 51 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.11 | | mg/Kg | | 63 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 5.36 | | mg/Kg | | 80 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.03 | | mg/Kg | | 91 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 2.82 | | mg/Kg | | 85 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 1.34 | | mg/Kg | | 40 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.89 | | mg/Kg | | 87 | 66 - 110 |
| 4-Methylphenol | 3.33 | 2.82 | | mg/Kg | | 85 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.72 | | mg/Kg | | 82 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 5.09 | | mg/Kg | | 76 | 47 - 123 |
| Acenaphthene | 3.33 | 2.52 | | mg/Kg | | 76 | 53 - 110 |
| Acenaphthylene | 3.33 | 2.90 | | mg/Kg | | 87 | 64 - 108 |
| Acetophenone | 3.33 | 2.64 | | mg/Kg | | 79 | 61 - 103 |
| Anthracene | 3.33 | 2.88 | | mg/Kg | | 86 | 67 - 114 |
| Atrazine | 1.33 | 1.62 | | mg/Kg | | 121 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.21 | | mg/Kg | | 90 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 2.67 | | mg/Kg | | 80 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.26 | | mg/Kg | | 98 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 3.42 | | mg/Kg | | 102 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 2.93 | | mg/Kg | | 88 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 2.99 | | mg/Kg | | 90 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.75 | | mg/Kg | | 83 | 62 - 107 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-728983/2-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethyl)ether | 3.33 | 2.81 | | mg/Kg | | 84 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 2.88 | | mg/Kg | | 86 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 2.87 | | mg/Kg | | 86 | 70 - 123 |
| Caprolactam | 1.33 | 1.57 | | mg/Kg | | 118 | 59 - 140 |
| Carbazole | 3.33 | 2.75 | | mg/Kg | | 82 | 64 - 113 |
| Chrysene | 3.33 | 2.68 | | mg/Kg | | 81 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.15 | | mg/Kg | | 95 | 66 - 119 |
| Dibenzofuran | 3.33 | 2.76 | | mg/Kg | | 83 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.82 | | mg/Kg | | 85 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.87 | | mg/Kg | | 86 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.81 | | mg/Kg | | 84 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 3.41 | | mg/Kg | | 102 | 65 - 122 |
| Fluoranthene | 3.33 | 2.73 | | mg/Kg | | 82 | 64 - 113 |
| Fluorene | 3.33 | 2.90 | | mg/Kg | | 87 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 3.06 | | mg/Kg | | 92 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 2.83 | | mg/Kg | | 85 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 2.97 | | mg/Kg | | 89 | 22 - 124 |
| Hexachloroethane | 3.33 | 2.74 | | mg/Kg | | 82 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.42 | | mg/Kg | | 103 | 62 - 121 |
| Isophorone | 3.33 | 2.81 | | mg/Kg | | 84 | 63 - 107 |
| Naphthalene | 3.33 | 2.78 | | mg/Kg | | 83 | 63 - 106 |
| Nitrobenzene | 3.33 | 3.02 | | mg/Kg | | 91 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.78 | | mg/Kg | | 83 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 2.85 | | mg/Kg | | 85 | 67 - 113 |
| Pentachlorophenol | 6.67 | 4.57 | | mg/Kg | | 69 | 44 - 126 |
| Phenanthrene | 3.33 | 2.84 | | mg/Kg | | 85 | 66 - 112 |
| Phenol | 3.33 | 2.85 | | mg/Kg | | 86 | 63 - 110 |
| Pyrene | 3.33 | 2.79 | | mg/Kg | | 84 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 86 | | 10 - 123 |
| 2-Fluorobiphenyl | 83 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 82 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 81 | | 19 - 105 |
| Phenol-d5 (Surr) | 82 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 94 | | 25 - 127 |

Lab Sample ID: LCSD 460-728983/3-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 3.33 | 3.25 | | mg/Kg | | 98 | 65 - 110 | 11 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 3.24 | | mg/Kg | | 97 | 64 - 110 | 12 | 30 |
| 1,4-Dioxane | 3.33 | 2.24 | | mg/Kg | | 67 | 31 - 81 | 16 | 30 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.41 | | mg/Kg | | 72 | 49 - 109 | 15 | 30 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.97 | | mg/Kg | | 89 | 58 - 113 | 14 | 30 |
| 2,4,5-Trichlorophenol | 3.33 | 3.18 | | mg/Kg | | 95 | 64 - 112 | 16 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-728983/3-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,6-Trichlorophenol | 3.33 | 3.40 | | mg/Kg | | 102 | 63 - 113 | 15 | 30 |
| 2,4-Dichlorophenol | 3.33 | 3.28 | | mg/Kg | | 98 | 66 - 113 | 12 | 30 |
| 2,4-Dimethylphenol | 3.33 | 3.27 | | mg/Kg | | 98 | 63 - 107 | 12 | 30 |
| 2,4-Dinitrophenol | 6.67 | 6.74 | | mg/Kg | | 101 | 37 - 125 | 15 | 30 |
| 2,4-Dinitrotoluene | 3.33 | 3.51 | | mg/Kg | | 105 | 65 - 124 | 11 | 30 |
| 2,6-Dinitrotoluene | 3.33 | 3.58 | | mg/Kg | | 107 | 67 - 121 | 11 | 30 |
| 2-Chloronaphthalene | 3.33 | 3.29 | | mg/Kg | | 99 | 65 - 109 | 13 | 30 |
| 2-Chlorophenol | 3.33 | 3.25 | | mg/Kg | | 98 | 63 - 106 | 13 | 30 |
| 2-Methylnaphthalene | 3.33 | 3.17 | | mg/Kg | | 95 | 64 - 108 | 14 | 30 |
| 2-Methylphenol | 3.33 | 3.30 | | mg/Kg | | 99 | 63 - 108 | 15 | 30 |
| 2-Nitroaniline | 3.33 | 3.31 | | mg/Kg | | 99 | 59 - 119 | 13 | 30 |
| 2-Nitrophenol | 3.33 | 3.24 | | mg/Kg | | 97 | 64 - 112 | 15 | 30 |
| 3 & 4 Methylphenol | 3.33 | 3.23 | | mg/Kg | | 97 | 61 - 108 | 14 | 30 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.84 | | mg/Kg | | 55 | 4 - 119 | 8 | 30 |
| 3-Nitroaniline | 3.33 | 2.40 | | mg/Kg | | 72 | 31 - 102 | 13 | 30 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 6.31 | | mg/Kg | | 95 | 64 - 129 | 16 | 30 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.44 | | mg/Kg | | 103 | 67 - 113 | 13 | 30 |
| 4-Chloro-3-methylphenol | 3.33 | 3.27 | | mg/Kg | | 98 | 66 - 114 | 15 | 30 |
| 4-Chloroaniline | 3.33 | 1.45 | | mg/Kg | | 43 | 20 - 98 | 8 | 30 |
| 4-Chlorophenyl phenyl ether | 3.33 | 3.30 | | mg/Kg | | 99 | 66 - 110 | 13 | 30 |
| 4-Methylphenol | 3.33 | 3.23 | | mg/Kg | | 97 | 61 - 108 | 14 | 30 |
| 4-Nitroaniline | 3.33 | 3.15 | | mg/Kg | | 94 | 50 - 110 | 15 | 30 |
| 4-Nitrophenol | 6.67 | 5.74 | | mg/Kg | | 86 | 47 - 123 | 12 | 30 |
| Acenaphthene | 3.33 | 2.84 | | mg/Kg | | 85 | 53 - 110 | 12 | 30 |
| Acenaphthylene | 3.33 | 3.31 | | mg/Kg | | 99 | 64 - 108 | 13 | 30 |
| Acetophenone | 3.33 | 3.07 | | mg/Kg | | 92 | 61 - 103 | 15 | 30 |
| Anthracene | 3.33 | 3.28 | | mg/Kg | | 99 | 67 - 114 | 13 | 30 |
| Atrazine | 1.33 | 1.87 | | mg/Kg | | 140 | 44 - 145 | 15 | 30 |
| Benzaldehyde | 1.33 | 1.41 | | mg/Kg | | 106 | 39 - 113 | 16 | 30 |
| Benzo[a]anthracene | 3.33 | 3.03 | | mg/Kg | | 91 | 67 - 115 | 13 | 30 |
| Benzo[a]pyrene | 3.33 | 3.75 | * | mg/Kg | | 113 | 63 - 108 | 14 | 30 |
| Benzo[b]fluoranthene | 3.33 | 3.88 | * | mg/Kg | | 117 | 64 - 116 | 13 | 30 |
| Benzo[g,h,i]perylene | 3.33 | 3.38 | | mg/Kg | | 102 | 61 - 113 | 14 | 30 |
| Benzo[k]fluoranthene | 3.33 | 3.49 | | mg/Kg | | 105 | 67 - 115 | 15 | 30 |
| Bis(2-chloroethoxy)methane | 3.33 | 3.14 | | mg/Kg | | 94 | 62 - 107 | 13 | 30 |
| Bis(2-chloroethyl)ether | 3.33 | 3.27 | | mg/Kg | | 98 | 60 - 107 | 15 | 30 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 3.26 | | mg/Kg | | 98 | 69 - 124 | 13 | 30 |
| Butyl benzyl phthalate | 3.33 | 3.31 | | mg/Kg | | 99 | 70 - 123 | 14 | 30 |
| Caprolactam | 1.33 | 1.86 | | mg/Kg | | 139 | 59 - 140 | 16 | 30 |
| Carbazole | 3.33 | 3.09 | | mg/Kg | | 93 | 64 - 113 | 12 | 30 |
| Chrysene | 3.33 | 3.04 | | mg/Kg | | 91 | 71 - 122 | 12 | 30 |
| Dibenz(a,h)anthracene | 3.33 | 3.71 | | mg/Kg | | 111 | 66 - 119 | 16 | 30 |
| Dibenzofuran | 3.33 | 3.14 | | mg/Kg | | 94 | 65 - 108 | 13 | 30 |
| Diethyl phthalate | 3.33 | 3.15 | | mg/Kg | | 94 | 63 - 109 | 11 | 30 |
| Dimethyl phthalate | 3.33 | 3.25 | | mg/Kg | | 97 | 65 - 109 | 12 | 30 |
| Di-n-butyl phthalate | 3.33 | 3.23 | | mg/Kg | | 97 | 66 - 114 | 14 | 30 |
| Di-n-octyl phthalate | 3.33 | 3.91 | | mg/Kg | | 117 | 65 - 122 | 14 | 30 |
| Fluoranthene | 3.33 | 3.12 | | mg/Kg | | 94 | 64 - 113 | 13 | 30 |
| Fluorene | 3.33 | 3.29 | | mg/Kg | | 99 | 65 - 109 | 13 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-728983/3-A

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Hexachlorobenzene | 3.33 | 3.56 | | mg/Kg | | 107 | 70 - 119 | 15 | 30 |
| Hexachlorobutadiene | 3.33 | 3.31 | | mg/Kg | | 99 | 62 - 109 | 16 | 30 |
| Hexachlorocyclopentadiene | 3.33 | 3.43 | | mg/Kg | | 103 | 22 - 124 | 14 | 30 |
| Hexachloroethane | 3.33 | 3.04 | | mg/Kg | | 91 | 61 - 102 | 10 | 30 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.92 | | mg/Kg | | 118 | 62 - 121 | 14 | 30 |
| Isophorone | 3.33 | 3.20 | | mg/Kg | | 96 | 63 - 107 | 13 | 30 |
| Naphthalene | 3.33 | 3.20 | | mg/Kg | | 96 | 63 - 106 | 14 | 30 |
| Nitrobenzene | 3.33 | 3.43 | | mg/Kg | | 103 | 63 - 110 | 13 | 30 |
| N-Nitrosodi-n-propylamine | 3.33 | 3.22 | | mg/Kg | | 97 | 61 - 108 | 15 | 30 |
| N-Nitrosodiphenylamine | 3.33 | 3.35 | | mg/Kg | | 100 | 67 - 113 | 16 | 30 |
| Pentachlorophenol | 6.67 | 5.24 | | mg/Kg | | 79 | 44 - 126 | 14 | 30 |
| Phenanthrene | 3.33 | 3.22 | | mg/Kg | | 97 | 66 - 112 | 13 | 30 |
| Phenol | 3.33 | 3.23 | | mg/Kg | | 97 | 63 - 110 | 12 | 30 |
| Pyrene | 3.33 | 3.15 | | mg/Kg | | 94 | 71 - 122 | 12 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-----------------------------|----------------|----------------|----------|
| 2,4,6-Tribromophenol (Surr) | 95 | | 10 - 123 |
| 2-Fluorobiphenyl | 93 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 91 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 90 | | 19 - 105 |
| Phenol-d5 (Surr) | 92 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 104 | | 25 - 127 |

Lab Sample ID: 460-219728-E-5-A MS

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0045 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.42 | 2.15 | F1 | mg/Kg | ✱ | 63 | 64 - 110 |
| 1,4-Dioxane | 0.0093 | U | 3.42 | 1.43 | | mg/Kg | ✱ | 42 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0061 | U F1 | 3.42 | 1.55 | F1 | mg/Kg | ✱ | 45 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.023 | U F1 | 3.42 | 1.83 | F1 | mg/Kg | ✱ | 54 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.035 | U F1 | 3.42 | 2.07 | F1 | mg/Kg | ✱ | 61 | 64 - 112 |
| 2,4,6-Trichlorophenol | 0.044 | U F1 | 3.42 | 2.12 | F1 | mg/Kg | ✱ | 62 | 63 - 113 |
| 2,4-Dichlorophenol | 0.022 | U F1 | 3.42 | 2.10 | F1 | mg/Kg | ✱ | 61 | 66 - 113 |
| 2,4-Dimethylphenol | 0.015 | U F1 | 3.42 | 2.06 | F1 | mg/Kg | ✱ | 60 | 63 - 107 |
| 2,4-Dinitrophenol | 0.17 | U | 6.83 | 3.54 | | mg/Kg | ✱ | 52 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.036 | U | 3.42 | 2.24 | | mg/Kg | ✱ | 66 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.024 | U F1 | 3.42 | 2.22 | F1 | mg/Kg | ✱ | 65 | 67 - 121 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.42 | 2.07 | F1 | mg/Kg | ✱ | 61 | 65 - 109 |
| 2-Chlorophenol | 0.012 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 63 - 106 |
| 2-Methylnaphthalene | 0.0095 | U F1 | 3.42 | 2.04 | F1 | mg/Kg | ✱ | 60 | 64 - 108 |
| 2-Methylphenol | 0.013 | U F1 | 3.42 | 2.07 | F1 | mg/Kg | ✱ | 61 | 63 - 108 |
| 2-Nitroaniline | 0.013 | U | 3.42 | 2.07 | | mg/Kg | ✱ | 61 | 59 - 119 |
| 2-Nitrophenol | 0.034 | U F1 | 3.42 | 2.08 | F1 | mg/Kg | ✱ | 61 | 64 - 112 |
| 3 & 4 Methylphenol | 0.021 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 0.051 | U | 3.42 | 1.31 | | mg/Kg | ✱ | 38 | 4 - 119 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219728-E-5-A MS

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 3-Nitroaniline | 0.038 | U | 3.42 | 1.67 | | mg/Kg | ✱ | 49 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.055 | U F1 | 6.83 | 3.71 | F1 | mg/Kg | ✱ | 54 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.013 | U F1 | 3.42 | 2.12 | F1 | mg/Kg | ✱ | 62 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.019 | U F1 | 3.42 | 2.07 | F1 | mg/Kg | ✱ | 61 | 66 - 114 |
| 4-Chloroaniline | 0.024 | U | 3.42 | 1.23 | | mg/Kg | ✱ | 36 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.012 | U F1 | 3.42 | 2.10 | F1 | mg/Kg | ✱ | 61 | 66 - 110 |
| 4-Methylphenol | 0.021 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 61 - 108 |
| 4-Nitroaniline | 0.039 | U | 3.42 | 2.02 | | mg/Kg | ✱ | 59 | 50 - 110 |
| 4-Nitrophenol | 0.055 | U | 6.83 | 3.66 | | mg/Kg | ✱ | 54 | 47 - 123 |
| Acenaphthene | 0.025 | U | 3.42 | 1.82 | | mg/Kg | ✱ | 53 | 53 - 110 |
| Acenaphthylene | 0.0035 | U F1 | 3.42 | 2.10 | F1 | mg/Kg | ✱ | 61 | 64 - 108 |
| Acetophenone | 0.017 | U F1 | 3.42 | 1.96 | F1 | mg/Kg | ✱ | 57 | 61 - 103 |
| Anthracene | 0.010 | U F1 | 3.42 | 2.00 | F1 | mg/Kg | ✱ | 59 | 67 - 114 |
| Atrazine | 0.0086 | U | 1.37 | 1.26 | | mg/Kg | ✱ | 92 | 44 - 145 |
| Benzaldehyde | 0.015 | U | 1.37 | 1.12 | E | mg/Kg | ✱ | 82 | 39 - 113 |
| Benzo[a]anthracene | 0.012 | U F1 | 3.42 | 1.91 | F1 | mg/Kg | ✱ | 56 | 67 - 115 |
| Benzo[a]pyrene | 0.0090 | U * | 3.42 | 2.35 | | mg/Kg | ✱ | 69 | 63 - 108 |
| Benzo[b]fluoranthene | 0.0088 | U * | 3.42 | 2.40 | | mg/Kg | ✱ | 70 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.010 | U F1 | 3.42 | 2.03 | F1 | mg/Kg | ✱ | 59 | 61 - 113 |
| Benzo[k]fluoranthene | 0.0066 | U F1 | 3.42 | 2.21 | F1 | mg/Kg | ✱ | 65 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.026 | U F1 | 3.42 | 1.98 | F1 | mg/Kg | ✱ | 58 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.012 | U | 3.42 | 2.05 | | mg/Kg | ✱ | 60 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.018 | U F1 | 3.42 | 2.04 | F1 | mg/Kg | ✱ | 60 | 69 - 124 |
| Butyl benzyl phthalate | 0.016 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 70 - 123 |
| Caprolactam | 0.053 | U | 1.37 | 1.30 | | mg/Kg | ✱ | 95 | 59 - 140 |
| Carbazole | 0.013 | U F1 | 3.42 | 1.95 | F1 | mg/Kg | ✱ | 57 | 64 - 113 |
| Chrysene | 0.0057 | U F1 | 3.42 | 1.92 | F1 | mg/Kg | ✱ | 56 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.015 | U | 3.42 | 2.29 | | mg/Kg | ✱ | 67 | 66 - 119 |
| Dibenzofuran | 0.0048 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 65 - 108 |
| Diethyl phthalate | 0.0049 | U F1 | 3.42 | 2.03 | F1 | mg/Kg | ✱ | 59 | 63 - 109 |
| Dimethyl phthalate | 0.077 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 65 - 109 |
| Di-n-butyl phthalate | 0.060 | U F1 | 3.42 | 1.97 | F1 | mg/Kg | ✱ | 58 | 66 - 114 |
| Di-n-octyl phthalate | 0.018 | U | 3.42 | 2.41 | | mg/Kg | ✱ | 70 | 65 - 122 |
| Fluoranthene | 0.012 | U F1 | 3.42 | 1.92 | F1 | mg/Kg | ✱ | 56 | 64 - 113 |
| Fluorene | 0.0046 | U F1 | 3.42 | 2.07 | F1 | mg/Kg | ✱ | 60 | 65 - 109 |
| Hexachlorobenzene | 0.016 | U F1 | 3.42 | 2.21 | F1 | mg/Kg | ✱ | 65 | 70 - 119 |
| Hexachlorobutadiene | 0.0072 | U F1 | 3.42 | 2.03 | F1 | mg/Kg | ✱ | 60 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.030 | U | 3.42 | 2.13 | | mg/Kg | ✱ | 62 | 22 - 124 |
| Hexachloroethane | 0.012 | U F1 | 3.42 | 2.06 | F1 | mg/Kg | ✱ | 60 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 3.42 | 2.38 | | mg/Kg | ✱ | 70 | 62 - 121 |
| Isophorone | 0.098 | U F1 | 3.42 | 2.06 | F1 | mg/Kg | ✱ | 60 | 63 - 107 |
| Naphthalene | 0.0059 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 63 - 106 |
| Nitrobenzene | 0.0081 | U | 3.42 | 2.18 | | mg/Kg | ✱ | 64 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.025 | U F1 | 3.42 | 2.02 | F1 | mg/Kg | ✱ | 59 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.0065 | U F1 | 3.42 | 2.05 | F1 | mg/Kg | ✱ | 60 | 67 - 113 |
| Pentachlorophenol | 0.069 | U | 6.83 | 3.09 | | mg/Kg | ✱ | 45 | 44 - 126 |
| Phenanthrene | 0.0060 | U F1 | 3.42 | 2.02 | F1 | mg/Kg | ✱ | 59 | 66 - 112 |
| Phenol | 0.012 | U F1 | 3.42 | 2.09 | F1 | mg/Kg | ✱ | 61 | 63 - 110 |
| Pyrene | 0.0084 | U F1 | 3.42 | 1.99 | F1 | mg/Kg | ✱ | 58 | 71 - 122 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|--------------|--------------|----------|
| 2,4,6-Tribromophenol (Surr) | 67 | | 10 - 123 |
| 2-Fluorobiphenyl | 65 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 63 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 64 | | 19 - 105 |
| Phenol-d5 (Surr) | 63 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 71 | | 25 - 127 |

Lab Sample ID: 460-219728-E-5-B MSD

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 0.0045 | U F1 | 3.42 | 2.27 | | mg/Kg | ✱ | 66 | 65 - 110 | 10 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.42 | 2.36 | | mg/Kg | ✱ | 69 | 64 - 110 | 9 | 30 |
| 1,4-Dioxane | 0.0093 | U | 3.42 | 1.47 | | mg/Kg | ✱ | 43 | 31 - 81 | 3 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0061 | U F1 | 3.42 | 1.68 | | mg/Kg | ✱ | 49 | 49 - 109 | 8 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.023 | U F1 | 3.42 | 2.08 | | mg/Kg | ✱ | 61 | 58 - 113 | 13 | 30 |
| 2,4,5-Trichlorophenol | 0.035 | U F1 | 3.42 | 2.21 | | mg/Kg | ✱ | 65 | 64 - 112 | 7 | 30 |
| 2,4,6-Trichlorophenol | 0.044 | U F1 | 3.42 | 2.44 | | mg/Kg | ✱ | 71 | 63 - 113 | 14 | 30 |
| 2,4-Dichlorophenol | 0.022 | U F1 | 3.42 | 2.38 | | mg/Kg | ✱ | 70 | 66 - 113 | 13 | 30 |
| 2,4-Dimethylphenol | 0.015 | U F1 | 3.42 | 2.30 | | mg/Kg | ✱ | 67 | 63 - 107 | 11 | 30 |
| 2,4-Dinitrophenol | 0.17 | U | 6.83 | 4.65 | | mg/Kg | ✱ | 68 | 37 - 125 | 27 | 30 |
| 2,4-Dinitrotoluene | 0.036 | U | 3.42 | 2.53 | | mg/Kg | ✱ | 74 | 65 - 124 | 12 | 30 |
| 2,6-Dinitrotoluene | 0.024 | U F1 | 3.42 | 2.57 | | mg/Kg | ✱ | 75 | 67 - 121 | 14 | 30 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.42 | 2.27 | | mg/Kg | ✱ | 66 | 65 - 109 | 9 | 30 |
| 2-Chlorophenol | 0.012 | U F1 | 3.42 | 2.31 | | mg/Kg | ✱ | 68 | 63 - 106 | 12 | 30 |
| 2-Methylnaphthalene | 0.0095 | U F1 | 3.42 | 2.27 | | mg/Kg | ✱ | 66 | 64 - 108 | 11 | 30 |
| 2-Methylphenol | 0.013 | U F1 | 3.42 | 2.31 | | mg/Kg | ✱ | 68 | 63 - 108 | 11 | 30 |
| 2-Nitroaniline | 0.013 | U | 3.42 | 2.33 | | mg/Kg | ✱ | 68 | 59 - 119 | 12 | 30 |
| 2-Nitrophenol | 0.034 | U F1 | 3.42 | 2.31 | | mg/Kg | ✱ | 67 | 64 - 112 | 10 | 30 |
| 3 & 4 Methylphenol | 0.021 | U F1 | 3.42 | 2.25 | | mg/Kg | ✱ | 66 | 61 - 108 | 9 | 30 |
| 3,3'-Dichlorobenzidine | 0.051 | U | 3.42 | 1.37 | | mg/Kg | ✱ | 40 | 4 - 119 | 4 | 30 |
| 3-Nitroaniline | 0.038 | U | 3.42 | 1.73 | | mg/Kg | ✱ | 51 | 31 - 102 | 4 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.055 | U F1 | 6.83 | 4.26 | F1 | mg/Kg | ✱ | 62 | 64 - 129 | 14 | 30 |
| 4-Bromophenyl phenyl ether | 0.013 | U F1 | 3.42 | 2.41 | | mg/Kg | ✱ | 71 | 67 - 113 | 13 | 30 |
| 4-Chloro-3-methylphenol | 0.019 | U F1 | 3.42 | 2.34 | | mg/Kg | ✱ | 69 | 66 - 114 | 12 | 30 |
| 4-Chloroaniline | 0.024 | U | 3.42 | 1.28 | | mg/Kg | ✱ | 38 | 20 - 98 | 4 | 30 |
| 4-Chlorophenyl phenyl ether | 0.012 | U F1 | 3.42 | 2.34 | | mg/Kg | ✱ | 69 | 66 - 110 | 11 | 30 |
| 4-Methylphenol | 0.021 | U F1 | 3.42 | 2.25 | | mg/Kg | ✱ | 66 | 61 - 108 | 9 | 30 |
| 4-Nitroaniline | 0.039 | U | 3.42 | 2.14 | | mg/Kg | ✱ | 63 | 50 - 110 | 6 | 30 |
| 4-Nitrophenol | 0.055 | U | 6.83 | 4.20 | | mg/Kg | ✱ | 62 | 47 - 123 | 14 | 30 |
| Acenaphthene | 0.025 | U | 3.42 | 2.02 | | mg/Kg | ✱ | 59 | 53 - 110 | 10 | 30 |
| Acenaphthylene | 0.0035 | U F1 | 3.42 | 2.33 | | mg/Kg | ✱ | 68 | 64 - 108 | 10 | 30 |
| Acetophenone | 0.017 | U F1 | 3.42 | 2.14 | | mg/Kg | ✱ | 63 | 61 - 103 | 9 | 30 |
| Anthracene | 0.010 | U F1 | 3.42 | 2.32 | | mg/Kg | ✱ | 68 | 67 - 114 | 15 | 30 |
| Atrazine | 0.0086 | U | 1.37 | 1.44 | | mg/Kg | ✱ | 105 | 44 - 145 | 13 | 30 |
| Benzaldehyde | 0.015 | U | 1.37 | 1.13 | E | mg/Kg | ✱ | 83 | 39 - 113 | 1 | 30 |
| Benzo[a]anthracene | 0.012 | U F1 | 3.42 | 2.17 | F1 | mg/Kg | ✱ | 63 | 67 - 115 | 12 | 30 |
| Benzo[a]pyrene | 0.0090 | U * | 3.42 | 2.59 | | mg/Kg | ✱ | 76 | 63 - 108 | 10 | 30 |
| Benzo[b]fluoranthene | 0.0088 | U * | 3.42 | 2.58 | | mg/Kg | ✱ | 75 | 64 - 116 | 7 | 30 |
| Benzo[g,h,i]perylene | 0.010 | U F1 | 3.42 | 2.32 | | mg/Kg | ✱ | 68 | 61 - 113 | 13 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219728-E-5-B MSD

Matrix: Solid

Analysis Batch: 729022

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 728983

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Benzo[k]fluoranthene | 0.0066 | U F1 | 3.42 | 2.46 | | mg/Kg | ✱ | 72 | 67 - 115 | 11 | 30 |
| Bis(2-chloroethoxy)methane | 0.026 | U F1 | 3.42 | 2.24 | | mg/Kg | ✱ | 66 | 62 - 107 | 12 | 30 |
| Bis(2-chloroethyl)ether | 0.012 | U | 3.42 | 2.23 | | mg/Kg | ✱ | 65 | 60 - 107 | 8 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.018 | U F1 | 3.42 | 2.33 | F1 | mg/Kg | ✱ | 68 | 69 - 124 | 13 | 30 |
| Butyl benzyl phthalate | 0.016 | U F1 | 3.42 | 2.35 | F1 | mg/Kg | ✱ | 69 | 70 - 123 | 14 | 30 |
| Caprolactam | 0.053 | U | 1.37 | 1.40 | | mg/Kg | ✱ | 103 | 59 - 140 | 8 | 30 |
| Carbazole | 0.013 | U F1 | 3.42 | 2.20 | | mg/Kg | ✱ | 65 | 64 - 113 | 12 | 30 |
| Chrysene | 0.0057 | U F1 | 3.42 | 2.16 | F1 | mg/Kg | ✱ | 63 | 71 - 122 | 12 | 30 |
| Dibenz(a,h)anthracene | 0.015 | U | 3.42 | 2.60 | | mg/Kg | ✱ | 76 | 66 - 119 | 13 | 30 |
| Dibenzofuran | 0.0048 | U F1 | 3.42 | 2.29 | | mg/Kg | ✱ | 67 | 65 - 108 | 11 | 30 |
| Diethyl phthalate | 0.0049 | U F1 | 3.42 | 2.23 | | mg/Kg | ✱ | 65 | 63 - 109 | 10 | 30 |
| Dimethyl phthalate | 0.077 | U F1 | 3.42 | 2.25 | | mg/Kg | ✱ | 66 | 65 - 109 | 9 | 30 |
| Di-n-butyl phthalate | 0.060 | U F1 | 3.42 | 2.27 | | mg/Kg | ✱ | 67 | 66 - 114 | 14 | 30 |
| Di-n-octyl phthalate | 0.018 | U | 3.42 | 2.65 | | mg/Kg | ✱ | 77 | 65 - 122 | 9 | 30 |
| Fluoranthene | 0.012 | U F1 | 3.42 | 2.15 | F1 | mg/Kg | ✱ | 63 | 64 - 113 | 12 | 30 |
| Fluorene | 0.0046 | U F1 | 3.42 | 2.30 | | mg/Kg | ✱ | 67 | 65 - 109 | 11 | 30 |
| Hexachlorobenzene | 0.016 | U F1 | 3.42 | 2.54 | | mg/Kg | ✱ | 74 | 70 - 119 | 14 | 30 |
| Hexachlorobutadiene | 0.0072 | U F1 | 3.42 | 2.28 | | mg/Kg | ✱ | 67 | 62 - 109 | 11 | 30 |
| Hexachlorocyclopentadiene | 0.030 | U | 3.42 | 2.29 | | mg/Kg | ✱ | 67 | 22 - 124 | 7 | 30 |
| Hexachloroethane | 0.012 | U F1 | 3.42 | 2.19 | | mg/Kg | ✱ | 64 | 61 - 102 | 6 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 3.42 | 2.66 | | mg/Kg | ✱ | 78 | 62 - 121 | 11 | 30 |
| Isophorone | 0.098 | U F1 | 3.42 | 2.31 | | mg/Kg | ✱ | 68 | 63 - 107 | 12 | 30 |
| Naphthalene | 0.0059 | U F1 | 3.42 | 2.22 | | mg/Kg | ✱ | 65 | 63 - 106 | 8 | 30 |
| Nitrobenzene | 0.0081 | U | 3.42 | 2.35 | | mg/Kg | ✱ | 69 | 63 - 110 | 8 | 30 |
| N-Nitrosodi-n-propylamine | 0.025 | U F1 | 3.42 | 2.26 | | mg/Kg | ✱ | 66 | 61 - 108 | 11 | 30 |
| N-Nitrosodiphenylamine | 0.0065 | U F1 | 3.42 | 2.33 | | mg/Kg | ✱ | 68 | 67 - 113 | 13 | 30 |
| Pentachlorophenol | 0.069 | U | 6.83 | 3.66 | | mg/Kg | ✱ | 54 | 44 - 126 | 17 | 30 |
| Phenanthrene | 0.0060 | U F1 | 3.42 | 2.31 | | mg/Kg | ✱ | 68 | 66 - 112 | 14 | 30 |
| Phenol | 0.012 | U F1 | 3.42 | 2.25 | | mg/Kg | ✱ | 66 | 63 - 110 | 8 | 30 |
| Pyrene | 0.0084 | U F1 | 3.42 | 2.28 | F1 | mg/Kg | ✱ | 67 | 71 - 122 | 14 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | MSD Limits |
|-----------------------------|---------------|---------------|------------|
| 2,4,6-Tribromophenol (Surr) | 71 | | 10 - 123 |
| 2-Fluorobiphenyl | 69 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 67 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 67 | | 19 - 105 |
| Phenol-d5 (Surr) | 68 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 77 | | 25 - 127 |

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-729065/1-A

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-729065/1-A

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 87 | | 28 - 148 | | | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| DCB Decachlorobiphenyl | 93 | | 28 - 148 | | | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Tetrachloro-m-xylene | 88 | | 34 - 118 | | | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |
| Tetrachloro-m-xylene | 92 | | 34 - 118 | | | | 10/04/20 19:04 | 10/06/20 05:06 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-729065/2-A

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|-------------|------------|---------------|-------|---|------|--------------|
| 4,4'-DDD | 0.133 | 0.120 | | mg/Kg | | 90 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.125 | | mg/Kg | | 94 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.118 | | mg/Kg | | 89 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.127 | | mg/Kg | | 95 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.121 | | mg/Kg | | 91 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.120 | | mg/Kg | | 90 | 63 - 131 |
| Aldrin | 0.133 | 0.118 | | mg/Kg | | 89 | 74 - 140 |
| Aldrin | 0.133 | 0.123 | | mg/Kg | | 93 | 74 - 140 |
| alpha-BHC | 0.133 | 0.121 | | mg/Kg | | 91 | 72 - 142 |
| alpha-BHC | 0.133 | 0.126 | | mg/Kg | | 95 | 72 - 142 |
| beta-BHC | 0.133 | 0.116 | | mg/Kg | | 87 | 65 - 137 |
| beta-BHC | 0.133 | 0.126 | | mg/Kg | | 95 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.114 | | mg/Kg | | 85 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.123 | | mg/Kg | | 93 | 70 - 136 |
| delta-BHC | 0.133 | 0.115 | | mg/Kg | | 86 | 70 - 143 |
| delta-BHC | 0.133 | 0.118 | | mg/Kg | | 88 | 70 - 143 |
| Dieldrin | 0.133 | 0.117 | | mg/Kg | | 88 | 70 - 135 |
| Dieldrin | 0.133 | 0.126 | | mg/Kg | | 94 | 70 - 135 |
| Endosulfan I | 0.133 | 0.114 | | mg/Kg | | 86 | 68 - 135 |
| Endosulfan I | 0.133 | 0.123 | | mg/Kg | | 92 | 68 - 135 |
| Endosulfan II | 0.133 | 0.121 | | mg/Kg | | 91 | 64 - 130 |
| Endosulfan II | 0.133 | 0.127 | | mg/Kg | | 95 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.106 | | mg/Kg | | 79 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.113 | | mg/Kg | | 85 | 66 - 143 |
| Endrin | 0.133 | 0.119 | | mg/Kg | | 90 | 68 - 136 |
| Endrin | 0.133 | 0.129 | | mg/Kg | | 97 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.110 | | mg/Kg | | 82 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.113 | | mg/Kg | | 85 | 68 - 132 |
| Endrin ketone | 0.133 | 0.0839 | | mg/Kg | | 63 | 60 - 150 |
| Endrin ketone | 0.133 | 0.0918 | | mg/Kg | | 69 | 60 - 150 |
| gamma-BHC (Lindane) | 0.133 | 0.120 | | mg/Kg | | 90 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.126 | | mg/Kg | | 95 | 70 - 134 |
| Heptachlor | 0.133 | 0.117 | | mg/Kg | | 88 | 69 - 134 |
| Heptachlor | 0.133 | 0.121 | | mg/Kg | | 91 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.114 | | mg/Kg | | 86 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.122 | | mg/Kg | | 92 | 70 - 135 |
| Methoxychlor | 0.133 | 0.111 | | mg/Kg | | 83 | 57 - 135 |
| Methoxychlor | 0.133 | 0.110 | | mg/Kg | | 83 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.116 | | mg/Kg | | 87 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.124 | | mg/Kg | | 93 | 71 - 137 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 69 | | 28 - 148 |
| DCB Decachlorobiphenyl | 72 | | 28 - 148 |
| Tetrachloro-m-xylene | 70 | | 34 - 118 |
| Tetrachloro-m-xylene | 86 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-729065/3-A

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.133 | 0.152 | | mg/Kg | | 114 | 70 - 140 | 23 | 30 |
| 4,4'-DDD | 0.133 | 0.158 | | mg/Kg | | 118 | 70 - 140 | 23 | 30 |
| 4,4'-DDE | 0.133 | 0.149 | | mg/Kg | | 112 | 71 - 137 | 23 | 30 |
| 4,4'-DDE | 0.133 | 0.160 | | mg/Kg | | 120 | 71 - 137 | 23 | 30 |
| 4,4'-DDT | 0.133 | 0.153 | | mg/Kg | | 115 | 63 - 131 | 23 | 30 |
| 4,4'-DDT | 0.133 | 0.151 | | mg/Kg | | 113 | 63 - 131 | 23 | 30 |
| Aldrin | 0.133 | 0.149 | | mg/Kg | | 112 | 74 - 140 | 23 | 30 |
| Aldrin | 0.133 | 0.156 | | mg/Kg | | 117 | 74 - 140 | 24 | 30 |
| alpha-BHC | 0.133 | 0.152 | | mg/Kg | | 114 | 72 - 142 | 23 | 30 |
| alpha-BHC | 0.133 | 0.159 | | mg/Kg | | 120 | 72 - 142 | 23 | 30 |
| beta-BHC | 0.133 | 0.147 | | mg/Kg | | 110 | 65 - 137 | 24 | 30 |
| beta-BHC | 0.133 | 0.162 | | mg/Kg | | 121 | 65 - 137 | 25 | 30 |
| cis-Chlordane | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 136 | 23 | 30 |
| cis-Chlordane | 0.133 | 0.156 | | mg/Kg | | 117 | 70 - 136 | 23 | 30 |
| delta-BHC | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 143 | 23 | 30 |
| delta-BHC | 0.133 | 0.149 | | mg/Kg | | 112 | 70 - 143 | 23 | 30 |
| Dieldrin | 0.133 | 0.148 | | mg/Kg | | 111 | 70 - 135 | 23 | 30 |
| Dieldrin | 0.133 | 0.159 | | mg/Kg | | 119 | 70 - 135 | 23 | 30 |
| Endosulfan I | 0.133 | 0.144 | | mg/Kg | | 108 | 68 - 135 | 23 | 30 |
| Endosulfan I | 0.133 | 0.155 | | mg/Kg | | 116 | 68 - 135 | 23 | 30 |
| Endosulfan II | 0.133 | 0.154 | | mg/Kg | | 115 | 64 - 130 | 24 | 30 |
| Endosulfan II | 0.133 | 0.160 | | mg/Kg | | 120 | 64 - 130 | 23 | 30 |
| Endosulfan sulfate | 0.133 | 0.135 | | mg/Kg | | 101 | 66 - 143 | 24 | 30 |
| Endosulfan sulfate | 0.133 | 0.144 | | mg/Kg | | 108 | 66 - 143 | 24 | 30 |
| Endrin | 0.133 | 0.151 | | mg/Kg | | 113 | 68 - 136 | 23 | 30 |
| Endrin | 0.133 | 0.163 | | mg/Kg | | 122 | 68 - 136 | 23 | 30 |
| Endrin aldehyde | 0.133 | 0.139 | | mg/Kg | | 105 | 68 - 132 | 24 | 30 |
| Endrin aldehyde | 0.133 | 0.142 | | mg/Kg | | 107 | 68 - 132 | 23 | 30 |
| Endrin ketone | 0.133 | 0.106 | | mg/Kg | | 80 | 60 - 150 | 24 | 30 |
| Endrin ketone | 0.133 | 0.116 | | mg/Kg | | 87 | 60 - 150 | 23 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.151 | | mg/Kg | | 114 | 70 - 134 | 23 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.161 | | mg/Kg | | 120 | 70 - 134 | 24 | 30 |
| Heptachlor | 0.133 | 0.147 | | mg/Kg | | 110 | 69 - 134 | 23 | 30 |
| Heptachlor | 0.133 | 0.152 | | mg/Kg | | 114 | 69 - 134 | 23 | 30 |
| Heptachlor epoxide | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 135 | 23 | 30 |
| Heptachlor epoxide | 0.133 | 0.155 | | mg/Kg | | 116 | 70 - 135 | 23 | 30 |
| Methoxychlor | 0.133 | 0.140 | | mg/Kg | | 105 | 57 - 135 | 23 | 30 |
| Methoxychlor | 0.133 | 0.139 | | mg/Kg | | 104 | 57 - 135 | 23 | 30 |
| trans-Chlordane | 0.133 | 0.146 | | mg/Kg | | 109 | 71 - 137 | 23 | 30 |
| trans-Chlordane | 0.133 | 0.156 | | mg/Kg | | 117 | 71 - 137 | 23 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 89 | | 28 - 148 |
| DCB Decachlorobiphenyl | 92 | | 28 - 148 |
| Tetrachloro-m-xylene | 89 | | 34 - 118 |
| Tetrachloro-m-xylene | 105 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-219082-A-1-F MS

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.0013 | U | 0.149 | 0.154 | | mg/Kg | ✱ | 103 | 70 - 140 |
| 4,4'-DDD | 0.0013 | U | 0.149 | 0.155 | | mg/Kg | ✱ | 104 | 70 - 140 |
| 4,4'-DDE | 0.00088 | U | 0.149 | 0.143 | | mg/Kg | ✱ | 96 | 71 - 137 |
| 4,4'-DDE | 0.00088 | U | 0.149 | 0.148 | | mg/Kg | ✱ | 99 | 71 - 137 |
| 4,4'-DDT | 0.0014 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 63 - 131 |
| 4,4'-DDT | 0.0014 | U | 0.149 | 0.133 | | mg/Kg | ✱ | 90 | 63 - 131 |
| Aldrin | 0.0011 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 74 - 140 |
| Aldrin | 0.0011 | U | 0.149 | 0.141 | | mg/Kg | ✱ | 95 | 74 - 140 |
| alpha-BHC | 0.00076 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 72 - 142 |
| alpha-BHC | 0.00076 | U | 0.149 | 0.142 | | mg/Kg | ✱ | 95 | 72 - 142 |
| beta-BHC | 0.00084 | U | 0.149 | 0.146 | | mg/Kg | ✱ | 98 | 65 - 137 |
| beta-BHC | 0.00084 | U | 0.149 | 0.163 | | mg/Kg | ✱ | 110 | 65 - 137 |
| cis-Chlordane | 0.0012 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 70 - 136 |
| cis-Chlordane | 0.0012 | U | 0.149 | 0.144 | | mg/Kg | ✱ | 96 | 70 - 136 |
| delta-BHC | 0.00046 | U | 0.149 | 0.143 | | mg/Kg | ✱ | 96 | 70 - 143 |
| delta-BHC | 0.00046 | U | 0.149 | 0.142 | | mg/Kg | ✱ | 96 | 70 - 143 |
| Dieldrin | 0.00097 | U | 0.149 | 0.142 | | mg/Kg | ✱ | 96 | 70 - 135 |
| Dieldrin | 0.00097 | U | 0.149 | 0.147 | | mg/Kg | ✱ | 99 | 70 - 135 |
| Endosulfan I | 0.0011 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 68 - 135 |
| Endosulfan I | 0.0011 | U | 0.149 | 0.143 | | mg/Kg | ✱ | 96 | 68 - 135 |
| Endosulfan II | 0.0019 | U | 0.149 | 0.147 | | mg/Kg | ✱ | 99 | 64 - 130 |
| Endosulfan II | 0.0019 | U | 0.149 | 0.149 | | mg/Kg | ✱ | 100 | 64 - 130 |
| Endosulfan sulfate | 0.00094 | U | 0.149 | 0.125 | | mg/Kg | ✱ | 84 | 66 - 143 |
| Endosulfan sulfate | 0.00094 | U | 0.149 | 0.118 | | mg/Kg | ✱ | 79 | 66 - 143 |
| Endrin | 0.0011 | U | 0.149 | 0.149 | | mg/Kg | ✱ | 100 | 68 - 136 |
| Endrin | 0.0011 | U | 0.149 | 0.155 | | mg/Kg | ✱ | 104 | 68 - 136 |
| Endrin aldehyde | 0.0018 | U | 0.149 | 0.117 | | mg/Kg | ✱ | 78 | 68 - 132 |
| Endrin aldehyde | 0.0018 | U | 0.149 | 0.118 | | mg/Kg | ✱ | 79 | 68 - 132 |
| Endrin ketone | 0.0015 | U | 0.149 | 0.116 | | mg/Kg | ✱ | 78 | 60 - 150 |
| Endrin ketone | 0.0015 | U | 0.149 | 0.115 | | mg/Kg | ✱ | 77 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.149 | 0.148 | | mg/Kg | ✱ | 99 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.149 | 0.145 | | mg/Kg | ✱ | 98 | 70 - 134 |
| Heptachlor | 0.00088 | U | 0.149 | 0.138 | | mg/Kg | ✱ | 93 | 69 - 134 |
| Heptachlor | 0.00088 | U | 0.149 | 0.138 | | mg/Kg | ✱ | 93 | 69 - 134 |
| Heptachlor epoxide | 0.0011 | U | 0.149 | 0.137 | | mg/Kg | ✱ | 92 | 70 - 135 |
| Heptachlor epoxide | 0.0011 | U | 0.149 | 0.142 | | mg/Kg | ✱ | 95 | 70 - 135 |
| Methoxychlor | 0.0017 | U | 0.149 | 0.133 | | mg/Kg | ✱ | 89 | 57 - 135 |
| Methoxychlor | 0.0017 | U | 0.149 | 0.126 | | mg/Kg | ✱ | 85 | 57 - 135 |
| trans-Chlordane | 0.0013 | U | 0.149 | 0.140 | | mg/Kg | ✱ | 94 | 71 - 137 |
| trans-Chlordane | 0.0013 | U | 0.149 | 0.144 | | mg/Kg | ✱ | 96 | 71 - 137 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 68 | | 28 - 148 |
| DCB Decachlorobiphenyl | 70 | | 28 - 148 |
| Tetrachloro-m-xylene | 64 | | 34 - 118 |
| Tetrachloro-m-xylene | 76 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-219082-A-1-G MSD

Matrix: Solid

Analysis Batch: 729397

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 729065

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.0013 | U | 0.149 | 0.150 | | mg/Kg | ✱ | 101 | 70 - 140 | 3 | 30 |
| 4,4'-DDD | 0.0013 | U | 0.149 | 0.160 | | mg/Kg | ✱ | 107 | 70 - 140 | 3 | 30 |
| 4,4'-DDE | 0.00088 | U | 0.149 | 0.139 | | mg/Kg | ✱ | 93 | 71 - 137 | 3 | 30 |
| 4,4'-DDE | 0.00088 | U | 0.149 | 0.154 | | mg/Kg | ✱ | 104 | 71 - 137 | 4 | 30 |
| 4,4'-DDT | 0.0014 | U | 0.149 | 0.137 | | mg/Kg | ✱ | 92 | 63 - 131 | 2 | 30 |
| 4,4'-DDT | 0.0014 | U | 0.149 | 0.138 | | mg/Kg | ✱ | 93 | 63 - 131 | 3 | 30 |
| Aldrin | 0.0011 | U | 0.149 | 0.137 | | mg/Kg | ✱ | 92 | 74 - 140 | 2 | 30 |
| Aldrin | 0.0011 | U | 0.149 | 0.147 | | mg/Kg | ✱ | 99 | 74 - 140 | 4 | 30 |
| alpha-BHC | 0.00076 | U | 0.149 | 0.138 | | mg/Kg | ✱ | 93 | 72 - 142 | 2 | 30 |
| alpha-BHC | 0.00076 | U | 0.149 | 0.148 | | mg/Kg | ✱ | 99 | 72 - 142 | 4 | 30 |
| beta-BHC | 0.00084 | U | 0.149 | 0.143 | | mg/Kg | ✱ | 96 | 65 - 137 | 2 | 30 |
| beta-BHC | 0.00084 | U | 0.149 | 0.158 | | mg/Kg | ✱ | 106 | 65 - 137 | 3 | 30 |
| cis-Chlordane | 0.0012 | U | 0.149 | 0.136 | | mg/Kg | ✱ | 91 | 70 - 136 | 3 | 30 |
| cis-Chlordane | 0.0012 | U | 0.149 | 0.150 | | mg/Kg | ✱ | 101 | 70 - 136 | 4 | 30 |
| delta-BHC | 0.00046 | U | 0.149 | 0.139 | | mg/Kg | ✱ | 93 | 70 - 143 | 3 | 30 |
| delta-BHC | 0.00046 | U | 0.149 | 0.147 | | mg/Kg | ✱ | 99 | 70 - 143 | 3 | 30 |
| Dieldrin | 0.00097 | U | 0.149 | 0.138 | | mg/Kg | ✱ | 93 | 70 - 135 | 3 | 30 |
| Dieldrin | 0.00097 | U | 0.149 | 0.152 | | mg/Kg | ✱ | 102 | 70 - 135 | 4 | 30 |
| Endosulfan I | 0.0011 | U | 0.149 | 0.136 | | mg/Kg | ✱ | 91 | 68 - 135 | 3 | 30 |
| Endosulfan I | 0.0011 | U | 0.149 | 0.149 | | mg/Kg | ✱ | 100 | 68 - 135 | 4 | 30 |
| Endosulfan II | 0.0019 | U | 0.149 | 0.144 | | mg/Kg | ✱ | 96 | 64 - 130 | 2 | 30 |
| Endosulfan II | 0.0019 | U | 0.149 | 0.154 | | mg/Kg | ✱ | 103 | 64 - 130 | 3 | 30 |
| Endosulfan sulfate | 0.00094 | U | 0.149 | 0.122 | | mg/Kg | ✱ | 82 | 66 - 143 | 3 | 30 |
| Endosulfan sulfate | 0.00094 | U | 0.149 | 0.121 | | mg/Kg | ✱ | 81 | 66 - 143 | 2 | 30 |
| Endrin | 0.0011 | U | 0.149 | 0.146 | | mg/Kg | ✱ | 98 | 68 - 136 | 2 | 30 |
| Endrin | 0.0011 | U | 0.149 | 0.160 | | mg/Kg | ✱ | 107 | 68 - 136 | 3 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.149 | 0.113 | | mg/Kg | ✱ | 76 | 68 - 132 | 3 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.149 | 0.120 | | mg/Kg | ✱ | 81 | 68 - 132 | 2 | 30 |
| Endrin ketone | 0.0015 | U | 0.149 | 0.114 | | mg/Kg | ✱ | 77 | 60 - 150 | 2 | 30 |
| Endrin ketone | 0.0015 | U | 0.149 | 0.120 | | mg/Kg | ✱ | 80 | 60 - 150 | 4 | 30 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.149 | 0.141 | | mg/Kg | ✱ | 94 | 70 - 134 | 5 | 30 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.149 | 0.152 | | mg/Kg | ✱ | 102 | 70 - 134 | 4 | 30 |
| Heptachlor | 0.00088 | U | 0.149 | 0.136 | | mg/Kg | ✱ | 91 | 69 - 134 | 2 | 30 |
| Heptachlor | 0.00088 | U | 0.149 | 0.144 | | mg/Kg | ✱ | 97 | 69 - 134 | 4 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.149 | 0.134 | | mg/Kg | ✱ | 90 | 70 - 135 | 2 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.149 | 0.147 | | mg/Kg | ✱ | 99 | 70 - 135 | 3 | 30 |
| Methoxychlor | 0.0017 | U | 0.149 | 0.129 | | mg/Kg | ✱ | 87 | 57 - 135 | 2 | 30 |
| Methoxychlor | 0.0017 | U | 0.149 | 0.130 | | mg/Kg | ✱ | 87 | 57 - 135 | 3 | 30 |
| trans-Chlordane | 0.0013 | U | 0.149 | 0.136 | | mg/Kg | ✱ | 91 | 71 - 137 | 3 | 30 |
| trans-Chlordane | 0.0013 | U | 0.149 | 0.149 | | mg/Kg | ✱ | 100 | 71 - 137 | 4 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 63 | | 28 - 148 |
| DCB Decachlorobiphenyl | 71 | | 28 - 148 |
| Tetrachloro-m-xylene | 63 | | 34 - 118 |
| Tetrachloro-m-xylene | 73 | | 34 - 118 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-729064/1-A

Matrix: Solid

Analysis Batch: 729232

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729064

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/04/20 19:01 | 10/05/20 16:00 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 105 | | 10 - 150 | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| DCB Decachlorobiphenyl | 105 | | 10 - 150 | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 | 10/04/20 19:01 | 10/05/20 16:00 | 1 |
| Tetrachloro-m-xylene | 103 | | 58 - 145 | 10/04/20 19:01 | 10/05/20 16:00 | 1 |

Lab Sample ID: LCS 460-729064/2-A

Matrix: Solid

Analysis Batch: 729232

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 729064

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|-------|---|------|--------------|
| Aroclor 1016 | 0.333 | 0.355 | | mg/Kg | | 107 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.364 | | mg/Kg | | 109 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.357 | | mg/Kg | | 107 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.360 | | mg/Kg | | 108 | 71 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 111 | | 10 - 150 |
| DCB Decachlorobiphenyl | 112 | | 10 - 150 |
| Tetrachloro-m-xylene | 114 | | 58 - 145 |
| Tetrachloro-m-xylene | 116 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCSD 460-729064/3-A

Matrix: Solid

Analysis Batch: 729232

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 729064

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.333 | 0.350 | | mg/Kg | | 105 | 65 - 133 | 2 | 30 |
| Aroclor 1016 | 0.333 | 0.350 | | mg/Kg | | 105 | 65 - 133 | 4 | 30 |
| Aroclor 1260 | 0.333 | 0.348 | | mg/Kg | | 105 | 71 - 150 | 2 | 30 |
| Aroclor 1260 | 0.333 | 0.352 | | mg/Kg | | 105 | 71 - 150 | 2 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 111 | | 10 - 150 |
| DCB Decachlorobiphenyl | 113 | | 10 - 150 |
| Tetrachloro-m-xylene | 113 | | 58 - 145 |
| Tetrachloro-m-xylene | 114 | | 58 - 145 |

Lab Sample ID: 460-219082-A-1-C MS

Matrix: Solid

Analysis Batch: 729232

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 729064

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.0099 | U | 0.372 | 0.425 | | mg/Kg | ⊛ | 114 | 65 - 133 | | |
| Aroclor 1016 | 0.0099 | U | 0.372 | 0.456 | | mg/Kg | ⊛ | 122 | 65 - 133 | | |
| Aroclor 1260 | 0.010 | U | 0.372 | 0.419 | | mg/Kg | ⊛ | 113 | 71 - 150 | | |
| Aroclor 1260 | 0.010 | U | 0.372 | 0.412 | | mg/Kg | ⊛ | 111 | 71 - 150 | | |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 107 | | 10 - 150 |
| DCB Decachlorobiphenyl | 105 | | 10 - 150 |
| Tetrachloro-m-xylene | 104 | | 58 - 145 |
| Tetrachloro-m-xylene | 102 | | 58 - 145 |

Lab Sample ID: 460-219082-A-1-D MSD

Matrix: Solid

Analysis Batch: 729232

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 729064

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.0099 | U | 0.372 | 0.412 | | mg/Kg | ⊛ | 111 | 65 - 133 | 3 | 30 |
| Aroclor 1016 | 0.0099 | U | 0.372 | 0.440 | | mg/Kg | ⊛ | 118 | 65 - 133 | 4 | 30 |
| Aroclor 1260 | 0.010 | U | 0.372 | 0.410 | | mg/Kg | ⊛ | 110 | 71 - 150 | 2 | 30 |
| Aroclor 1260 | 0.010 | U | 0.372 | 0.407 | | mg/Kg | ⊛ | 109 | 71 - 150 | 1 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 105 | | 10 - 150 |
| DCB Decachlorobiphenyl | 105 | | 10 - 150 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 |
| Tetrachloro-m-xylene | 99 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-729328/1-A

Matrix: Solid

Analysis Batch: 729444

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729328

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/05/20 19:12 | 10/06/20 07:11 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 105 | | 30 - 150 | 10/05/20 19:12 | 10/06/20 07:11 | 1 |
| 2,4-Dichlorophenylacetic acid | 97 | | 30 - 150 | 10/05/20 19:12 | 10/06/20 07:11 | 1 |

Lab Sample ID: LCS 460-729328/2-A

Matrix: Solid

Analysis Batch: 729444

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 729328

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0856 | | mg/Kg | | 103 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0831 | | mg/Kg | | 100 | 59 - 150 |
| 2,4-D | 0.333 | 0.330 | | mg/Kg | | 99 | 42 - 150 |
| 2,4-D | 0.333 | 0.329 | | mg/Kg | | 99 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0837 | | mg/Kg | | 100 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0932 | | mg/Kg | | 112 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 110 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 110 | | 30 - 150 |

Lab Sample ID: LCSD 460-729328/3-A

Matrix: Solid

Analysis Batch: 729444

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 729328

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0833 | 0.0858 | | mg/Kg | | 103 | 59 - 150 | 0 | 30 |
| 2,4,5-T | 0.0833 | 0.0850 | | mg/Kg | | 102 | 59 - 150 | 2 | 30 |
| 2,4-D | 0.333 | 0.332 | | mg/Kg | | 100 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.340 | | mg/Kg | | 102 | 42 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0837 | | mg/Kg | | 100 | 58 - 150 | 0 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0962 | | mg/Kg | | 115 | 58 - 150 | 3 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 108 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 113 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-219659-B-1-G MS

Matrix: Solid

Analysis Batch: 729444

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 729328

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0087 | U | 0.103 | 0.0988 | | mg/Kg | ☼ | 96 | 59 - 150 |
| 2,4,5-T | 0.0087 | U | 0.103 | 0.107 | | mg/Kg | ☼ | 105 | 59 - 150 |
| 2,4-D | 0.015 | U | 0.410 | 0.390 | | mg/Kg | ☼ | 95 | 42 - 150 |
| 2,4-D | 0.015 | U | 0.410 | 0.415 | | mg/Kg | ☼ | 101 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.0995 | | mg/Kg | ☼ | 97 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.117 | | mg/Kg | ☼ | 114 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 99 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 111 | | 30 - 150 |

Lab Sample ID: 460-219659-B-1-H MSD

Matrix: Solid

Analysis Batch: 729444

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 729328

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 2,4,5-T | 0.0087 | U | 0.103 | 0.103 | | mg/Kg | ☼ | 101 | 59 - 150 | 4 | 30 |
| 2,4,5-T | 0.0087 | U | 0.103 | 0.113 | | mg/Kg | ☼ | 110 | 59 - 150 | 5 | 30 |
| 2,4-D | 0.015 | U | 0.410 | 0.397 | | mg/Kg | ☼ | 97 | 42 - 150 | 2 | 30 |
| 2,4-D | 0.015 | U | 0.410 | 0.413 | | mg/Kg | ☼ | 101 | 42 - 150 | 0 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.102 | | mg/Kg | ☼ | 100 | 58 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.121 | | mg/Kg | ☼ | 118 | 58 - 150 | 4 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 105 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 122 | | 30 - 150 |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-728908/1-A

Matrix: Solid

Analysis Batch: 728967

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728908

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-728908/1-A

Matrix: Solid

Analysis Batch: 728967

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 728908

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 10/03/20 19:13 | 10/04/20 08:46 | 1 |

Lab Sample ID: LCSSRM 460-728908/2-A ^5

Matrix: Solid

Analysis Batch: 728967

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 728908

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|------|--------------|
| Aluminum | 8460 | 6652 | | mg/Kg | | 78.6 | 50.4 - 150.1 |
| Antimony | 120 | 51.42 | | mg/Kg | | 42.8 | 4.8 - 195.0 |
| Arsenic | 95.5 | 87.80 | | mg/Kg | | 91.9 | 82.8 - 117.3 |
| Barium | 300 | 275.2 | | mg/Kg | | 91.7 | 82.3 - 117.7 |
| Beryllium | 103 | 95.09 | | mg/Kg | | 92.3 | 82.8 - 116.5 |
| Cadmium | 135 | 134.4 | | mg/Kg | | 99.5 | 83.0 - 117.8 |
| Calcium | 4720 | 4224 | | mg/Kg | | 89.5 | 81.6 - 118.6 |
| Chromium | 147 | 132.7 | | mg/Kg | | 90.2 | 82.3 - 117.7 |
| Cobalt | 43.2 | 40.79 | | mg/Kg | | 94.4 | 83.8 - 116.2 |
| Copper | 150 | 137.4 | | mg/Kg | | 91.6 | 84.0 - 116.0 |
| Iron | 14400 | 11000 | | mg/Kg | | 76.4 | 61.3 - 138.9 |
| Lead | 92.3 | 84.19 | | mg/Kg | | 91.2 | 83.1 - 117.0 |
| Magnesium | 2300 | 2147 | | mg/Kg | | 93.3 | 75.7 - 124.3 |
| Manganese | 677 | 638.8 | | mg/Kg | | 94.4 | 82.0 - 118.2 |
| Nickel | 59.8 | 57.55 | | mg/Kg | | 96.2 | 82.6 - 117.6 |
| Potassium | 2030 | 1816 | | mg/Kg | | 89.4 | 70.0 - 130.0 |
| Selenium | 42.0 | 37.60 | | mg/Kg | | 89.5 | 79.5 - 120.5 |
| Silver | 40.3 | 36.13 | | mg/Kg | | 89.7 | 80.6 - 119.4 |
| Sodium | 139 | 122.8 | J | mg/Kg | | 88.3 | 71.9 - 127.3 |
| Thallium | 83.1 | 81.02 | | mg/Kg | | 97.5 | 81.0 - 119.0 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-728908/2-A ^5
Matrix: Solid
Analysis Batch: 728967

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 728908

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|------|--------------|
| Vanadium | 96.9 | 82.82 | | mg/Kg | | 85.5 | 79.2 - 120.7 |
| Zinc | 369 | 340.0 | | mg/Kg | | 92.1 | 80.8 - 119.2 |

Lab Sample ID: 460-219584-B-1-C MS
Matrix: Solid
Analysis Batch: 728967

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 728908

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aluminum | 8900 | | 525 | 8933 | 4 | mg/Kg | ✱ | 6 | 75 - 125 |
| Antimony | 0.15 | U F1 | 5.25 | 1.72 | F1 | mg/Kg | ✱ | 33 | 75 - 125 |
| Arsenic | 2.9 | | 10.5 | 13.57 | | mg/Kg | ✱ | 102 | 75 - 125 |
| Barium | 70.7 | | 10.5 | 88.26 | 4 | mg/Kg | ✱ | 167 | 75 - 125 |
| Beryllium | 0.72 | | 5.25 | 5.23 | | mg/Kg | ✱ | 86 | 75 - 125 |
| Cadmium | 0.12 | U | 5.25 | 5.20 | | mg/Kg | ✱ | 99 | 75 - 125 |
| Calcium | 1530 | F1 | 525 | 1664 | F1 | mg/Kg | ✱ | 26 | 75 - 125 |
| Chromium | 16.4 | F1 | 10.5 | 22.19 | F1 | mg/Kg | ✱ | 55 | 75 - 125 |
| Cobalt | 7.6 | F1 | 5.25 | 9.88 | F1 | mg/Kg | ✱ | 43 | 75 - 125 |
| Copper | 16.0 | | 10.5 | 26.86 | | mg/Kg | ✱ | 103 | 75 - 125 |
| Iron | 16900 | | 525 | 12370 | 4 | mg/Kg | ✱ | -872 | 75 - 125 |
| Lead | 37.8 | | 5.25 | 58.16 | 4 | mg/Kg | ✱ | 387 | 75 - 125 |
| Magnesium | 2980 | | 525 | 2228 | 4 | mg/Kg | ✱ | -143 | 75 - 125 |
| Manganese | 458 | | 52.5 | 621.6 | 4 | mg/Kg | ✱ | 311 | 75 - 125 |
| Nickel | 15.7 | F1 | 10.5 | 18.96 | F1 | mg/Kg | ✱ | 31 | 75 - 125 |
| Potassium | 1340 | F1 | 525 | 1222 | F1 | mg/Kg | ✱ | -22 | 75 - 125 |
| Selenium | 0.12 | J | 10.5 | 9.42 | | mg/Kg | ✱ | 90 | 75 - 125 |
| Silver | 0.093 | U | 5.25 | 4.88 | | mg/Kg | ✱ | 93 | 75 - 125 |
| Sodium | 460 | F1 | 525 | 824.2 | F1 | mg/Kg | ✱ | 69 | 75 - 125 |
| Thallium | 0.090 | J | 4.20 | 4.04 | | mg/Kg | ✱ | 94 | 75 - 125 |
| Vanadium | 25.2 | | 10.5 | 34.31 | | mg/Kg | ✱ | 87 | 75 - 125 |
| Zinc | 54.4 | | 52.5 | 99.03 | | mg/Kg | ✱ | 85 | 75 - 125 |

Lab Sample ID: 460-219584-B-1-B DU
Matrix: Solid
Analysis Batch: 728967

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 728908

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Aluminum | 8900 | | 7638 | | mg/Kg | ✱ | 15 | 20 |
| Antimony | 0.15 | U F1 | 0.16 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 2.9 | | 3.32 | | mg/Kg | ✱ | 14 | 20 |
| Barium | 70.7 | | 67.46 | | mg/Kg | ✱ | 5 | 20 |
| Beryllium | 0.72 | | 0.583 | F5 | mg/Kg | ✱ | 21 | 20 |
| Cadmium | 0.12 | U | 0.12 | U | mg/Kg | ✱ | NC | 20 |
| Calcium | 1530 | F1 | 1312 | | mg/Kg | ✱ | 15 | 20 |
| Chromium | 16.4 | F1 | 14.76 | | mg/Kg | ✱ | 11 | 20 |
| Cobalt | 7.6 | F1 | 5.93 | F5 | mg/Kg | ✱ | 25 | 20 |
| Copper | 16.0 | | 14.90 | | mg/Kg | ✱ | 7 | 20 |
| Iron | 16900 | | 14400 | | mg/Kg | ✱ | 16 | 20 |
| Lead | 37.8 | | 40.10 | | mg/Kg | ✱ | 6 | 20 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-219584-B-1-B DU

Matrix: Solid

Analysis Batch: 728967

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 728908

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Magnesium | 2980 | | 2312 | F3 | mg/Kg | ✱ | 25 | 20 |
| Manganese | 458 | | 465.0 | | mg/Kg | ✱ | 1 | 20 |
| Nickel | 15.7 | F1 | 12.37 | F3 | mg/Kg | ✱ | 24 | 20 |
| Potassium | 1340 | F1 | 979.5 | F3 | mg/Kg | ✱ | 31 | 20 |
| Selenium | 0.12 | J | 0.136 | J | mg/Kg | ✱ | 14 | 20 |
| Silver | 0.093 | U | 0.095 | U | mg/Kg | ✱ | NC | 20 |
| Sodium | 460 | F1 | 416.6 | | mg/Kg | ✱ | 10 | 20 |
| Thallium | 0.090 | J | 0.0832 | J | mg/Kg | ✱ | 8 | 20 |
| Vanadium | 25.2 | | 23.61 | | mg/Kg | ✱ | 6 | 20 |
| Zinc | 54.4 | | 48.11 | | mg/Kg | ✱ | 12 | 20 |

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-729396/1-A

Matrix: Solid

Analysis Batch: 729481

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729396

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 10/06/20 03:09 | 10/06/20 07:43 | 1 |

Lab Sample ID: LCSSRM 460-729396/2-A ^40

Matrix: Solid

Analysis Batch: 729481

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 729396

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Mercury | 18.4 | 16.87 | | mg/Kg | | 91.7 | 60.9 - 138.6 |

Lab Sample ID: 460-219642-H-1-L MS

Matrix: Solid

Analysis Batch: 729481

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 729396

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.011 | J | 0.0858 | 0.0937 | | mg/Kg | ✱ | 96 | 80 - 120 |

Lab Sample ID: 460-219642-H-1-K DU

Matrix: Solid

Analysis Batch: 729481

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 729396

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Mercury | 0.011 | J | 0.0118 | J | mg/Kg | ✱ | 7 | 20 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-730064/1-A

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 10/08/20 08:56 | 10/08/20 13:50 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 7196A - Chromium, Hexavalent (Continued)

Lab Sample ID: LCS1 460-730064/3-A

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | Spike Added | LCS1 Result | LCS1 Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|-------------|----------------|-------|---|------|--------------|
| Cr (VI) | 708 | 781.6 | | mg/Kg | | 110 | 80 - 120 |

Lab Sample ID: LCSSRM 460-730064/2-A

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Cr (VI) | 15.6 | 15.14 | | mg/Kg | | 97.3 | 84.2 - 114.5 |

Lab Sample ID: 460-219294-E-1-I MSS

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSS Result | MSS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.37 | U | 42.9 | 41.68 | | mg/Kg | ✱ | 97 | 75 - 125 |

Lab Sample ID: 460-219294-E-1-J MSI

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSI Result | MSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.37 | U | 759 | 797.5 | | mg/Kg | ✱ | 105 | 75 - 125 |

Lab Sample ID: 460-219294-E-1-H DU

Matrix: Solid

Analysis Batch: 730097

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 730064

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Cr (VI) | | | 0.37 | U | mg/Kg | ✱ | | 20 |

Method: 9012B - Cyanide, Total and/or Amenable

Lab Sample ID: MB 460-729477/1-A

Matrix: Solid

Analysis Batch: 729830

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 729477

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 10/06/20 09:25 | 10/07/20 13:37 | 1 |

Lab Sample ID: LCSSRM 460-729477/2-A ^20

Matrix: Solid

Analysis Batch: 729830

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 729477

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|-------------|---------------|------------------|-------|---|------|--------------|
| Cyanide, Total | 157 | 60.96 | | mg/Kg | | 38.8 | 23.5 - 110.2 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Method: 9012B - Cyanide, Total and/or Amenable (Continued)

Lab Sample ID: 460-219642-H-14-E MS

Matrix: Solid

Analysis Batch: 729830

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 729477

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Cyanide, Total | 0.12 | U F1 | 4.22 | 5.71 | F1 | mg/Kg | ✱ | 135 | 11 - 108 |

Lab Sample ID: 460-219642-H-14-F MSD

Matrix: Solid

Analysis Batch: 729830

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 729477

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Cyanide, Total | 0.12 | U F1 | 4.68 | 6.21 | F1 | mg/Kg | ✱ | 132 | 11 - 108 | 8 | 40 |

Method: Moisture - Percent Moisture

Lab Sample ID: 460-219681-E-14 DU

Matrix: Solid

Analysis Batch: 729565

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 17.0 | | 16.3 | | % | | 5 | 20 |
| Percent Solids | 83.0 | | 83.7 | | % | | 0.9 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

GC/MS VOA

Prep Batch: 728710

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 5035 | 728710 |
| LB3 460-728710/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 728718

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LB3 460-728710/1-A | Method Blank | Total/NA | Solid | 8260C | 728710 |
| MB 460-728718/9 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-728718/3 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-728718/4 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |
| | | | | | |

Analysis Batch: 729406

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8260C | 728710 |
| MB 460-729406/8 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-729406/4 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-729406/18 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |
| | | | | | |

GC/MS Semi VOA

Prep Batch: 728983

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 3546 | 728983 |
| MB 460-728983/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-728983/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-728983/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-219728-E-5-A MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-219728-E-5-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |
| | | | | | |

Analysis Batch: 729022

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8270D | 728983 |
| MB 460-728983/1-A | Method Blank | Total/NA | Solid | 8270D | 728983 |
| LCS 460-728983/2-A | Lab Control Sample | Total/NA | Solid | 8270D | 728983 |
| LCSD 460-728983/3-A | Lab Control Sample Dup | Total/NA | Solid | 8270D | 728983 |
| 460-219728-E-5-A MS | Matrix Spike | Total/NA | Solid | 8270D | 728983 |
| 460-219728-E-5-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270D | 728983 |

GC Semi VOA

Prep Batch: 729064

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 3546 | 729064 |
| MB 460-729064/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-729064/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-729064/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-219082-A-1-C MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-219082-A-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |
| | | | | | |

Prep Batch: 729065

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 3546 | 729065 |
| MB 460-729065/1-A | Method Blank | Total/NA | Solid | 3546 | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

GC Semi VOA (Continued)

Prep Batch: 729065 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| LCS 460-729065/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-729065/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-219082-A-1-F MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-219082-A-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 729232

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8082A | 729064 |
| MB 460-729064/1-A | Method Blank | Total/NA | Solid | 8082A | 729064 |
| LCS 460-729064/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 729064 |
| LCSD 460-729064/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 729064 |
| 460-219082-A-1-C MS | Matrix Spike | Total/NA | Solid | 8082A | 729064 |
| 460-219082-A-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 729064 |

Prep Batch: 729328

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8151A | |
| MB 460-729328/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-729328/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-729328/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-219659-B-1-G MS | Matrix Spike | Total/NA | Solid | 8151A | |
| 460-219659-B-1-H MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | |

Analysis Batch: 729397

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8081B | 729065 |
| MB 460-729065/1-A | Method Blank | Total/NA | Solid | 8081B | 729065 |
| LCS 460-729065/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 729065 |
| LCSD 460-729065/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 729065 |
| 460-219082-A-1-F MS | Matrix Spike | Total/NA | Solid | 8081B | 729065 |
| 460-219082-A-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 729065 |

Analysis Batch: 729444

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 8151A | 729328 |
| MB 460-729328/1-A | Method Blank | Total/NA | Solid | 8151A | 729328 |
| LCS 460-729328/2-A | Lab Control Sample | Total/NA | Solid | 8151A | 729328 |
| LCSD 460-729328/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | 729328 |
| 460-219659-B-1-G MS | Matrix Spike | Total/NA | Solid | 8151A | 729328 |
| 460-219659-B-1-H MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | 729328 |

Metals

Prep Batch: 728908

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 3050B | |
| MB 460-728908/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-728908/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-219584-B-1-C MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-219584-B-1-B DU | Duplicate | Total/NA | Solid | 3050B | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Metals

Analysis Batch: 728967

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 6020B | 728908 |
| MB 460-728908/1-A | Method Blank | Total/NA | Solid | 6020B | 728908 |
| LCSSRM 460-728908/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 728908 |
| 460-219584-B-1-C MS | Matrix Spike | Total/NA | Solid | 6020B | 728908 |
| 460-219584-B-1-B DU | Duplicate | Total/NA | Solid | 6020B | 728908 |

Prep Batch: 729396

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 7471B | |
| MB 460-729396/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCSSRM 460-729396/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-219642-H-1-L MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-219642-H-1-K DU | Duplicate | Total/NA | Solid | 7471B | |

Analysis Batch: 729481

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 7471B | 729396 |
| MB 460-729396/1-A | Method Blank | Total/NA | Solid | 7471B | 729396 |
| LCSSRM 460-729396/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 729396 |
| 460-219642-H-1-L MS | Matrix Spike | Total/NA | Solid | 7471B | 729396 |
| 460-219642-H-1-K DU | Duplicate | Total/NA | Solid | 7471B | 729396 |

General Chemistry

Analysis Batch: 729068

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 7196A | |

Prep Batch: 729477

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 9012B | |
| MB 460-729477/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-729477/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-219642-H-14-E MS | Matrix Spike | Total/NA | Solid | 9012B | |
| 460-219642-H-14-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | |

Analysis Batch: 729565

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | Moisture | |
| 460-219736-A-2 MS | Matrix Spike | Total/NA | Solid | Moisture | |
| 460-219736-A-2 MSD | Matrix Spike Duplicate | Total/NA | Solid | Moisture | |
| 460-219681-E-14 DU | Duplicate | Total/NA | Solid | Moisture | |

Analysis Batch: 729830

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 9012B | 729477 |
| MB 460-729477/1-A | Method Blank | Total/NA | Solid | 9012B | 729477 |
| LCSSRM 460-729477/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 729477 |
| 460-219642-H-14-E MS | Matrix Spike | Total/NA | Solid | 9012B | 729477 |
| 460-219642-H-14-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | 729477 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

General Chemistry

Prep Batch: 730064

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 3060A | |
| MB 460-730064/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-730064/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-730064/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-219294-E-1-I MSS | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-219294-E-1-J MSI | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-219294-E-1-H DU | Duplicate | Total/NA | Solid | 3060A | |

Analysis Batch: 730097

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | Total/NA | Solid | 7196A | 730064 |
| MB 460-730064/1-A | Method Blank | Total/NA | Solid | 7196A | 730064 |
| LCSI 460-730064/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 730064 |
| LCSSRM 460-730064/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 730064 |
| 460-219294-E-1-I MSS | Matrix Spike | Total/NA | Solid | 7196A | 730064 |
| 460-219294-E-1-J MSI | Matrix Spike | Total/NA | Solid | 7196A | 730064 |
| 460-219294-E-1-H DU | Duplicate | Total/NA | Solid | 7196A | 730064 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 729068 | 10/04/20 21:39 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 729565 | 10/06/20 16:56 | MMC | TAL EDI |

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Percent Solids: 89.1

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 728710 | 10/03/20 01:17 | AVM | TAL EDI |
| Total/NA | Analysis | 8260C | | 1 | 729406 | 10/06/20 09:16 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 728983 | 10/04/20 13:34 | DMS | TAL EDI |
| Total/NA | Analysis | 8270D | | 1 | 729022 | 10/04/20 22:25 | YAH | TAL EDI |
| Total/NA | Prep | 3546 | | | 729065 | 10/04/20 19:04 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 729397 | 10/06/20 06:32 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 729064 | 10/04/20 19:01 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 729232 | 10/05/20 18:50 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 729328 | 10/05/20 19:12 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 729444 | 10/06/20 08:45 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 728908 | 10/03/20 19:13 | GRB | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 728967 | 10/04/20 13:25 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 729396 | 10/06/20 03:09 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 729481 | 10/06/20 08:02 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 730064 | 10/08/20 08:56 | RPR | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 730097 | 10/08/20 15:09 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 729477 | 10/06/20 09:25 | VBG | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 729830 | 10/07/20 13:52 | AJP | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------------|
| 7196A | | Solid | Cr (III) |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260C | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270D | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-219669-1 | TP-5(0-2) | Solid | 10/02/20 09:30 | 10/02/20 17:30 | |

NYC 222

Chain of Custody Record 452290


Environment Testing
TestAmerica



Address:

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

TAL-8210

| | | | | | | | |
|---|--|---|--|--|--|--|--|
| Client Contact
Company Name: <u>Roux</u>
Address: <u>209 Snatter St.</u>
City/State/Zip: <u>Islip, NY 11719</u>
Phone: <u>(631) 232-2000</u>
Fax: <u>(631) 232-9898</u>
Project Name: <u>Project Commodore</u>
Site: <u>109 Sea East 4th St, NY</u>
PO #: <u>3255,0002X000</u> | | Project Manager: Rachel Henke
Tel/Email: <u>(919) 619-1503</u>
Analysis Turnaround Time
<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS
TAT if different from Below
<input type="checkbox"/> 2 weeks <input type="checkbox"/> standard
<input type="checkbox"/> 1 week <input type="checkbox"/> 5 day
<input type="checkbox"/> 2 days <input type="checkbox"/> TAT
<input type="checkbox"/> 1 day | | Site Contact: (631) 413 5642
Date: <u>10/02/2020</u>
Carrier: _____
Lab Contact: _____
Perform MS / MSD (Y / N) _____
Filtered Sample (Y / N) _____
HX Chromium + TIC _____
TAL Metals + Hg _____
PCBs + HCBs _____
PCBs _____ | | COC No: _____ of _____ COCs
Sampler: _____
For Lab Use Only:
Walk-in Client: _____
Lab Sampling: _____
Job / SDG No.: <u>219669</u>
Sample Specific Notes: _____ | |
| Sample Identification
<u>TP-5(0-2)</u>

460-219669 Chain of Custody | | Sample Date: <u>10/02/2020 0930</u>
Sample Time: _____
Sample Type: <u>G</u>
Matrix: <u>S</u>
of Cont.: <u>10</u> | | <div style="background-color: yellow; border-radius: 50%; padding: 10px; text-align: center; font-weight: bold; transform: rotate(180deg);"> SHORT
HOLD </div> | | | |
| Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other _____
Possible Hazard Identification: _____
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | | | | | |
| Special Instructions/QC Requirements & Comments: | | | | | | | |
| Custody Seal Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished by: <u>[Signature]</u>
Relinquished by: <u>[Signature]</u>
Relinquished by: _____ | | Custody Seal No.: <u>ROUX</u>
Company: <u>ROUX</u>
Date/Time: <u>10/20/2020 1245</u>
Received by: <u>[Signature]</u>
Date/Time: <u>10/20/2020 1730</u>
Received in Laboratory by: _____ | | Cooler Temp. (°C): Obs'd: _____
Cor'd: _____
Therm ID No.: _____
Company: <u>ROUX</u>
Date/Time: <u>10/20/2020 1230</u>
Company: <u>ROUX</u>
Date/Time: <u>10/20/2020 1730</u>
Company: _____ | | | |

3-6 ER11

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

219669

IR Gun #

11

Cooler Temperatures

| | RAW | CORRECTED | | RAW | CORRECTED |
|------------|-----|-----------|------------|-----|-----------|
| Cooler #1: | 36 | °C | Cooler #4: | °C | °C |
| Cooler #2: | | °C | Cooler #5: | °C | °C |
| Cooler #3: | | °C | Cooler #6: | °C | °C |
| | | | Cooler #7: | | °C |
| | | | Cooler #8: | | °C |
| | | | Cooler #9: | | °C |

[illegible]

If pH adjustments are required record the information below:

Volume of Preservative used (ml):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

* Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Initials: ramat

Date: 10 2 20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-219669-1

Login Number: 219669

List Source: Eurofins TestAmerica, Edison

List Number: 1

Creator: DiGuardia, Joseph L

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-219669-2
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
12/15/2020 9:54:25 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
12/15/2020 9:54:25 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Detection Summary | 6 |
| Client Sample Results | 7 |
| QC Sample Results | 8 |
| QC Association Summary | 9 |
| Lab Chronicle | 10 |
| Certification Summary | 11 |
| Method Summary | 12 |
| Sample Summary | 13 |
| Chain of Custody | 14 |
| Receipt Checklists | 16 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Qualifiers

Metals

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Job ID: 460-219669-2

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-219669-2

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/02/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.6 C.

Receipt Exceptions

The following sample was activated for TCLP Lead (leach/prep/hold) analysis by the client on 10/9/2020: TP-5(0-2) (460-219669-1). This analysis was not originally requested on the chain-of-custody (COC).

TCLP lead was activated for analysis on 12/14/2020.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

TCLP METALS

Sample TP-5(0-2) (460-219669-1) was analyzed for TCLP metals in accordance with 6010D. The samples were leached on 10/10/2020, prepared on 10/11/2020 and analyzed on 10/12/2020.

No difficulties were encountered during the TCLP metals analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Lead | 26.7 | J | 50.0 | 11.8 | ug/L | 5 | | 6010D | TCLP |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

Method: 6010D - Metals (ICP) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|------|------|---|----------------|----------------|---------|
| Lead | 26.7 | J | 50.0 | 11.8 | ug/L | | 10/11/20 12:55 | 10/12/20 18:00 | 5 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 460-730819/1-A
Matrix: Solid
Analysis Batch: 731009

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 730819

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|-----|------|---|----------------|----------------|---------|
| Lead | 2.4 | U | 10.0 | 2.4 | ug/L | | 10/11/20 12:55 | 10/12/20 16:17 | 1 |

Lab Sample ID: LCS 460-730819/2-A
Matrix: Solid
Analysis Batch: 731009

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 730819

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Lead | 5000 | 5344 | | ug/L | | 107 | 80 - 120 |

Lab Sample ID: LB 460-730752/1-C ^5
Matrix: Solid
Analysis Batch: 731009

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 730819

| Analyte | LB Result | LB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|------|------|---|----------------|----------------|---------|
| Lead | 11.8 | U | 50.0 | 11.8 | ug/L | | 10/11/20 12:55 | 10/12/20 18:44 | 5 |

Lab Sample ID: 460-220177-B-1-G MS
Matrix: Solid
Analysis Batch: 731009

Client Sample ID: Matrix Spike
Prep Type: TCLP
Prep Batch: 730819

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Lead | 285 | | 5000 | 5405 | | ug/L | | 102 | 75 - 125 |

Lab Sample ID: 460-220177-B-1-F DU
Matrix: Solid
Analysis Batch: 731009

Client Sample ID: Duplicate
Prep Type: TCLP
Prep Batch: 730819

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Lead | 285 | | 286.1 | | ug/L | | 0.4 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Metals

Leach Batch: 730752

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | TCLP | Solid | 1311 | |
| LB 460-730752/1-C ^5 | Method Blank | TCLP | Solid | 1311 | |
| 460-220177-B-1-G MS | Matrix Spike | TCLP | Solid | 1311 | |
| 460-220177-B-1-F DU | Duplicate | TCLP | Solid | 1311 | |

Prep Batch: 730819

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | TCLP | Solid | 3010A | 730752 |
| LB 460-730752/1-C ^5 | Method Blank | TCLP | Solid | 3010A | 730752 |
| MB 460-730819/1-A | Method Blank | Total/NA | Solid | 3010A | |
| LCS 460-730819/2-A | Lab Control Sample | Total/NA | Solid | 3010A | |
| 460-220177-B-1-G MS | Matrix Spike | TCLP | Solid | 3010A | 730752 |
| 460-220177-B-1-F DU | Duplicate | TCLP | Solid | 3010A | 730752 |

Analysis Batch: 731009

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|--------------------|-----------|--------|--------|------------|
| 460-219669-1 | TP-5(0-2) | TCLP | Solid | 6010D | 730819 |
| LB 460-730752/1-C ^5 | Method Blank | TCLP | Solid | 6010D | 730819 |
| MB 460-730819/1-A | Method Blank | Total/NA | Solid | 6010D | 730819 |
| LCS 460-730819/2-A | Lab Control Sample | Total/NA | Solid | 6010D | 730819 |
| 460-220177-B-1-G MS | Matrix Spike | TCLP | Solid | 6010D | 730819 |
| 460-220177-B-1-F DU | Duplicate | TCLP | Solid | 6010D | 730819 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Client Sample ID: TP-5(0-2)

Lab Sample ID: 460-219669-1

Date Collected: 10/02/20 09:30

Matrix: Solid

Date Received: 10/02/20 17:30

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| TCLP | Leach | 1311 | | | 730752 | 10/10/20 15:00 | YXG | TAL EDI |
| TCLP | Prep | 3010A | | | 730819 | 10/11/20 12:55 | GAE | TAL EDI |
| TCLP | Analysis | 6010D | | 5 | 731009 | 10/12/20 18:00 | YZH | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

Laboratory: Eurofins TestAmerica, Edison

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

| Method | Method Description | Protocol | Laboratory |
|--------|---------------------------|----------|------------|
| 6010D | Metals (ICP) | SW846 | TAL EDI |
| 1311 | TCLP Extraction | SW846 | TAL EDI |
| 3010A | Preparation, Total Metals | SW846 | TAL EDI |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-219669-2

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-219669-1 | TP-5(0-2) | Solid | 10/02/20 09:30 | 10/02/20 17:30 | |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

NYC 222

Chain of Custody Record 452290


Environment Testing
TestAmerica



Address:

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

TAL-8210

| | | | | | | | |
|---|--|--|--|--|--|--|--|
| Client Contact
Company Name: <u>Roux</u>
Address: <u>209 Snater St.</u>
City/State/Zip: <u>Islandia, NY 11719</u>
Phone: <u>(631) 232-2000</u>
Fax: <u>(631) 232-9898</u>
Project Name: <u>Project Commodore</u>
Site: <u>109 Sea East 4th St, NY</u>
PO #: <u>3255,0002X000</u> | | Project Manager: <u>Rachel Henke</u>
Tel/Email: <u>(919) 619-1503</u>
Analysis Turnaround Time
<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS
TAT if different from Below
<input type="checkbox"/> 2 weeks <input type="checkbox"/> standard
<input type="checkbox"/> 1 week <input type="checkbox"/> 5 day
<input type="checkbox"/> 2 days <input type="checkbox"/> TAT
<input type="checkbox"/> 1 day | | Site Contact: <u>(631) 413 5642</u> Date: <u>10/02/2020</u>
Lab Contact: <u>PCBs</u>
<u>HX Chromium-TriChloride</u>
<u>TAL Metals + Hg</u>
<u>PCST + HCBs</u>
<u>TCL VOC + TIC</u>
<u>TCL VOC + TIC</u>
Perform MS / MSD (Y / N) <u>XX</u>
Filtered Sample (Y / N) <u>XX</u>
Sample Specific Notes: <u>)</u> | | COC No: <u>10/02/2020</u>
Carrier:
Sampler:
For Lab Use Only:
Walk-in Client:
Lab Sampling:
Job / SDG No.: <u>219669</u> | |
| Sample Identification
<u>TP-5(0-2)</u>

460-219669 Chain of Custody | | Sample Date <u>10/02/2020</u> Sample Time <u>0930</u> Sample Type <u>G</u> Matrix <u>S</u> # of Cont. <u>10</u> | | Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | |
| Special Instructions/QC Requirements & Comments: | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
<input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months | | | | | |
| Custody Seal Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished by: <u>James Vignale</u>
Relinquished by: <u>James</u>
Relinquished by: | | Custody Seal No.:
Company: <u>ROUX</u> Date/Time: <u>10/20/2020 1245</u>
Company: <u>LA</u> Date/Time: <u>10/20/2020 1730</u>
Company: | | Received by: <u>James</u> Date/Time: <u>10/20/2020 1230</u>
Received by: <u>CLD</u> Date/Time: <u>10/20/2020 1730</u>
Received in Laboratory by: | | | |

SHORT
HOLD

3-6 ER11

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

219669

IR Gun #

1

Cooler Temperatures

| | RAW | CORRECTED |
|------------|-----|-----------|
| Cooler #1: | 36 | ℃ |
| Cooler #2: | | ℃ |
| Cooler #3: | | ℃ |
| Cooler #4: | | ℃ |
| Cooler #5: | | ℃ |
| Cooler #6: | | ℃ |
| Cooler #7: | | ℃ |
| Cooler #8: | | ℃ |
| Cooler #9: | | ℃ |

[illegible]

If pH adjustments are required record the information below:

Volume of Preservative used (ml):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

* Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Initials: *Farad*

Date: 10/2/20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-219669-2

Login Number: 219669

List Source: Eurofins TestAmerica, Edison

List Number: 1

Creator: DiGuardia, Joseph L

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-220096-1
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
10/19/2020 11:03:07 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
10/19/2020 11:03:07 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 9 |
| Client Sample Results | 10 |
| Surrogate Summary | 16 |
| QC Sample Results | 18 |
| QC Association Summary | 52 |
| Lab Chronicle | 56 |
| Certification Summary | 57 |
| Method Summary | 58 |
| Sample Summary | 59 |
| Chain of Custody | 60 |
| Receipt Checklists | 62 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| E | Result exceeded calibration range. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| N | This flag indicates the presumptive evidence of a compound. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |
| X | Surrogate recovery exceeds control limits |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| F3 | Duplicate RPD exceeds the control limit |
| F5 | Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |

Eurofins TestAmerica, Edison

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Job ID: 460-220096-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-220096-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/08/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.3 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample TP-5_(10-12) (460-220096-2) was analyzed for Volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260C. The samples were prepared on 10/09/2020 and analyzed on 10/12/2020.

No difficulties were encountered during the volatiles analysis.

All quality control parameters were within the acceptance limits.

PESTICIDES

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 10/10/2020 and analyzed on 10/13/2020.

Tetrachloro-m-xylene surrogate recovery for this sample was outside control limits but Decachlorobiphenyl surrogate recovery within control limits; therefore the data have been qualified and reported. TP-5_COMP_(3-18) (460-220096-1)

No other difficulties were encountered during the Pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/10/2020 and analyzed on 10/12/2020.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Job ID: 460-220096-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared and analyzed on 10/13/2020.

No difficulties were encountered during the herbicides analysis.

All quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Sample TP-5_(10-12) (460-220096-2) was analyzed for semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 10/10/2020 and analyzed on 10/11/2020.

The continuing calibration verification (CCV) analyzed in batch 460-730727 was outside the method criteria for the following analyte(s): 2,4-Dinitrophenol, 4,6-Dinitro-2-methylphenol, 2-Nitrophenol and Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 460-730712 and analytical batch 460-730727 recovered outside control limits for the following analytes: 2,4-Dinitrophenol. This analyte was biased high in the LCS/LCSD and was not detected in the associated samples; therefore, the data have been reported.

Several analytes failed the recovery criteria low for the MS of sample 460-219750-10 in batch 460-730727.

Several analytes failed the recovery criteria low for the MSD of sample 460-219750-10 in batch 460-730727.

Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples were prepared on 10/09/2020 and analyzed on 10/10/2020.

Several analytes failed the recovery criteria low for the MS of sample 180-111495-1 in batch 460-730998. Lead failed the recovery criteria high.

Several analytes exceeded the RPD limit for the duplicate of sample 180-111495-1.

Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared on 10/14/2020 and 10/15/2020 and analyzed on 10/15/2020.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Job ID: 460-220096-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

The matrix spike soluble/matrix spike insoluble (MSS/MSI) recoveries for batch 731949, which is a re-prep of batch 731619, were outside control limits due to sample matrix. The associated laboratory control sample (LCSS/LCSI) recoveries met acceptance criteria. Both sets of data have been reported.

No other difficulties were encountered during the hexchrome Cr6 analysis.

All other quality control parameters were within the acceptance limits.

TOTAL MERCURY

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 10/12/2020.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 10/12/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Sample TP-5_COMP_(3-18) (460-220096-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared on 10/13/2020 and analyzed on 10/14/2020.

Cyanide, Total failed the recovery criteria high for the MS of sample 460-219619-18 in batch 460-731589.

Cyanide, Total failed the recovery criteria high for the MSD of sample 460-219619-18 in batch 460-731589.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Samples TP-5_COMP_(3-18) (460-220096-1) and TP-5_(10-12) (460-220096-2) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 10/12/2020.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_COMP_(3-18)

Lab Sample ID: 460-220096-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Aluminum | 1250 | | 16.9 | 2.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Antimony | 0.31 | J | 0.84 | 0.12 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Arsenic | 3.7 | | 0.84 | 0.084 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Barium | 44.3 | | 1.7 | 0.12 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Beryllium | 0.12 | J | 0.34 | 0.048 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Calcium | 2290 | | 84.3 | 14.3 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Chromium | 10.9 | | 1.7 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cobalt | 2.6 | | 1.7 | 0.12 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Copper | 22.0 | | 1.7 | 0.19 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Iron | 3660 | | 50.6 | 17.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Lead | 28.2 | | 0.51 | 0.17 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Magnesium | 177 | | 84.3 | 8.6 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Manganese | 23.2 | | 3.4 | 0.34 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Nickel | 8.6 | | 1.7 | 0.16 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Potassium | 510 | | 84.3 | 9.4 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Selenium | 1.1 | | 1.1 | 0.10 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Silver | 0.30 | J | 0.84 | 0.075 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Sodium | 177 | | 84.3 | 13.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Thallium | 0.12 | J | 0.34 | 0.035 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Vanadium | 11.3 | | 1.7 | 0.17 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Zinc | 26.5 | | 6.7 | 1.9 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Mercury | 0.41 | | 0.020 | 0.0047 | mg/Kg | 1 | ✱ | 7471B | Total/NA |
| Cr (III) | 10.9 | | 2.0 | 2.0 | mg/Kg | 1 | | 7196A | Total/NA |
| Cyanide, Total | 0.34 | | 0.28 | 0.14 | mg/Kg | 1 | ✱ | 9012B | Total/NA |

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------------|---------|-----------|--------|---------|-------|---------|---|--------|-----------|
| Carbon disulfide | 0.00075 | J | 0.0020 | 0.00053 | mg/Kg | 1 | ✱ | 8260C | Total/NA |
| Methylene Chloride | 0.0011 | J | 0.0020 | 0.00092 | mg/Kg | 1 | ✱ | 8260C | Total/NA |
| 1,1'-Biphenyl | 0.10 | J | 0.40 | 0.0053 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| 2-Chloronaphthalene | 0.22 | J | 0.40 | 0.018 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| 2-Methylnaphthalene | 0.070 | J | 0.40 | 0.011 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Acenaphthylene | 0.43 | | 0.40 | 0.0041 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Anthracene | 0.040 | J | 0.40 | 0.012 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzaldehyde | 0.064 | J | 0.40 | 0.017 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]anthracene | 0.029 | J | 0.040 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]pyrene | 0.021 | J | 0.040 | 0.011 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[b]fluoranthene | 0.035 | J | 0.040 | 0.010 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Chrysene | 0.033 | J | 0.40 | 0.0067 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluoranthene | 0.14 | J | 0.40 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluorene | 0.050 | J | 0.40 | 0.0054 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Naphthalene | 1.2 | | 0.40 | 0.0068 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Phenanthrene | 0.24 | J | 0.40 | 0.0070 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Pyrene | 0.15 | J | 0.40 | 0.0099 | mg/Kg | 1 | ✱ | 8270D | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_COMP_(3-18)

Lab Sample ID: 460-220096-1

Date Collected: 10/08/20 09:15

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 85.3

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0079 | 0.0013 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| 4,4'-DDE | 0.00093 | U | 0.0079 | 0.00093 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| 4,4'-DDT | 0.0014 | U | 0.0079 | 0.0014 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Aldrin | 0.0012 | U | 0.0079 | 0.0012 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| alpha-BHC | 0.00080 | U | 0.0023 | 0.00080 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| beta-BHC | 0.00088 | U | 0.0023 | 0.00088 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Chlordane (technical) | 0.019 | U | 0.079 | 0.019 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0079 | 0.0012 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| delta-BHC | 0.00048 | U | 0.0023 | 0.00048 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Dieldrin | 0.0010 | U | 0.0023 | 0.0010 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endosulfan I | 0.0012 | U | 0.0079 | 0.0012 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endosulfan II | 0.0020 | U | 0.0079 | 0.0020 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endosulfan sulfate | 0.00098 | U | 0.0079 | 0.00098 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endrin | 0.0011 | U | 0.0079 | 0.0011 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endrin aldehyde | 0.0019 | U | 0.0079 | 0.0019 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Endrin ketone | 0.0015 | U | 0.0079 | 0.0015 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| gamma-BHC (Lindane) | 0.00073 | U | 0.0023 | 0.00073 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Heptachlor | 0.00093 | U | 0.0079 | 0.00093 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Heptachlor epoxide | 0.0012 | U | 0.0079 | 0.0012 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Methoxychlor | 0.0018 | U | 0.0079 | 0.0018 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Toxaphene | 0.028 | U | 0.079 | 0.028 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| trans-Chlordane | 0.0014 | U | 0.0079 | 0.0014 | mg/Kg | ☆ | 10/10/20 18:45 | 10/13/20 20:20 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 78 | | 28 - 148 | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| DCB Decachlorobiphenyl | 85 | | 28 - 148 | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Tetrachloro-m-xylene | 136 | X | 34 - 118 | 10/10/20 18:45 | 10/13/20 20:20 | 1 |
| Tetrachloro-m-xylene | 145 | X | 34 - 118 | 10/10/20 18:45 | 10/13/20 20:20 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.079 | 0.010 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1221 | 0.010 | U | 0.079 | 0.010 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1232 | 0.010 | U | 0.079 | 0.010 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1242 | 0.010 | U | 0.079 | 0.010 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1248 | 0.010 | U | 0.079 | 0.010 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1254 | 0.011 | U | 0.079 | 0.011 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1260 | 0.011 | U | 0.079 | 0.011 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor-1262 | 0.011 | U | 0.079 | 0.011 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Aroclor 1268 | 0.011 | U | 0.079 | 0.011 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Polychlorinated biphenyls, Total | 0.011 | U | 0.079 | 0.011 | mg/Kg | ☆ | 10/10/20 18:40 | 10/12/20 14:25 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 94 | | 10 - 150 | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| DCB Decachlorobiphenyl | 119 | | 10 - 150 | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Tetrachloro-m-xylene | 100 | | 58 - 145 | 10/10/20 18:40 | 10/12/20 14:25 | 1 |
| Tetrachloro-m-xylene | 132 | | 58 - 145 | 10/10/20 18:40 | 10/12/20 14:25 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_COMP_(3-18)

Lab Sample ID: 460-220096-1

Date Collected: 10/08/20 09:15

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 85.3

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0083 | U | 0.039 | 0.0083 | mg/Kg | ✱ | 10/13/20 03:09 | 10/13/20 11:05 | 1 |
| 2,4-D | 0.014 | U | 0.039 | 0.014 | mg/Kg | ✱ | 10/13/20 03:09 | 10/13/20 11:05 | 1 |
| Silvex (2,4,5-TP) | 0.0041 | U | 0.039 | 0.0041 | mg/Kg | ✱ | 10/13/20 03:09 | 10/13/20 11:05 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 100 | | 30 - 150 | | | | 10/13/20 03:09 | 10/13/20 11:05 | 1 |
| 2,4-Dichlorophenylacetic acid | 96 | | 30 - 150 | | | | 10/13/20 03:09 | 10/13/20 11:05 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 1250 | | 16.9 | 2.2 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Antimony | 0.31 | J | 0.84 | 0.12 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Arsenic | 3.7 | | 0.84 | 0.084 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Barium | 44.3 | | 1.7 | 0.12 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Beryllium | 0.12 | J | 0.34 | 0.048 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Cadmium | 0.095 | U | 0.84 | 0.095 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Calcium | 2290 | | 84.3 | 14.3 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Chromium | 10.9 | | 1.7 | 0.15 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Cobalt | 2.6 | | 1.7 | 0.12 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Copper | 22.0 | | 1.7 | 0.19 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Iron | 3660 | | 50.6 | 17.0 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Lead | 28.2 | | 0.51 | 0.17 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Magnesium | 177 | | 84.3 | 8.6 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Manganese | 23.2 | | 3.4 | 0.34 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Nickel | 8.6 | | 1.7 | 0.16 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Potassium | 510 | | 84.3 | 9.4 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Selenium | 1.1 | | 1.1 | 0.10 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Silver | 0.30 | J | 0.84 | 0.075 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Sodium | 177 | | 84.3 | 13.2 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Thallium | 0.12 | J | 0.34 | 0.035 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Vanadium | 11.3 | | 1.7 | 0.17 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |
| Zinc | 26.5 | | 6.7 | 1.9 | mg/Kg | ✱ | 10/09/20 19:20 | 10/10/20 03:19 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.41 | | 0.020 | 0.0047 | mg/Kg | ✱ | 10/12/20 03:10 | 10/12/20 07:21 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 10.9 | | 2.0 | 2.0 | mg/Kg | | | 10/12/20 06:34 | 1 |
| Cr (VI) | 0.42 | U | 2.4 | 0.42 | mg/Kg | ✱ | 10/15/20 08:43 | 10/15/20 14:10 | 1 |
| Cr (VI) | 0.41 | U | 2.3 | 0.41 | mg/Kg | ✱ | 10/14/20 12:02 | 10/15/20 17:27 | 1 |
| Cyanide, Total | 0.34 | | 0.28 | 0.14 | mg/Kg | ✱ | 10/13/20 12:58 | 10/14/20 11:41 | 1 |
| Percent Moisture | 14.7 | | 1.0 | 1.0 | % | | | 10/12/20 11:47 | 1 |
| Percent Solids | 85.3 | | 1.0 | 1.0 | % | | | 10/12/20 11:47 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 83.5

Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00046 | U | 0.0020 | 0.00046 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00042 | U | 0.0020 | 0.00042 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00059 | U | 0.0020 | 0.00059 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,1,2-Trichloroethane | 0.00035 | U | 0.0020 | 0.00035 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,1-Dichloroethane | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,1-Dichloroethene | 0.00044 | U | 0.0020 | 0.00044 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2,3-Trichlorobenzene | 0.00036 | U | 0.0020 | 0.00036 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2,4-Trichlorobenzene | 0.00071 | U | 0.0020 | 0.00071 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2,4-Trimethylbenzene | 0.00049 | U | 0.0020 | 0.00049 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00091 | U | 0.0020 | 0.00091 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2-Dichlorobenzene | 0.00028 | U | 0.0020 | 0.00028 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2-Dichloroethane | 0.00058 | U | 0.0020 | 0.00058 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,2-Dichloropropane | 0.00084 | U | 0.0020 | 0.00084 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,3,5-Trimethylbenzene | 0.00023 | U | 0.0020 | 0.00023 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,3-Dichlorobenzene | 0.00031 | U | 0.0020 | 0.00031 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 1,4-Dichlorobenzene | 0.00044 | U | 0.0020 | 0.00044 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 2-Butanone (MEK) | 0.0054 | U | 0.0099 | 0.0054 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 2-Hexanone | 0.0034 | U | 0.0099 | 0.0034 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0031 | U | 0.0099 | 0.0031 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Acetone | 0.011 | U | 0.012 | 0.011 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Benzene | 0.00051 | U | 0.0020 | 0.00051 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Bromoform | 0.00084 | U | 0.0020 | 0.00084 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Bromomethane | 0.00094 | U | 0.0020 | 0.00094 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Carbon disulfide | 0.00075 | J | 0.0020 | 0.00053 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Carbon tetrachloride | 0.00076 | U | 0.0020 | 0.00076 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chlorobenzene | 0.00035 | U | 0.0020 | 0.00035 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chlorobromomethane | 0.00056 | U | 0.0020 | 0.00056 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chlorodibromomethane | 0.00038 | U | 0.0020 | 0.00038 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chloroethane | 0.0010 | U | 0.0020 | 0.0010 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chloroform | 0.00063 | U | 0.0020 | 0.00063 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Chloromethane | 0.00086 | U | 0.0020 | 0.00086 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| cis-1,2-Dichloroethene | 0.00030 | U | 0.0020 | 0.00030 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| cis-1,3-Dichloropropene | 0.00054 | U | 0.0020 | 0.00054 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Cyclohexane | 0.00044 | U | 0.0020 | 0.00044 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Dichlorobromomethane | 0.00051 | U | 0.0020 | 0.00051 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Dichlorodifluoromethane | 0.00067 | U | 0.0020 | 0.00067 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Ethylbenzene | 0.00039 | U | 0.0020 | 0.00039 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Ethylene Dibromide | 0.00036 | U | 0.0020 | 0.00036 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Isopropylbenzene | 0.00025 | U | 0.0020 | 0.00025 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Methyl acetate | 0.0085 | U | 0.0099 | 0.0085 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Methyl tert-butyl ether | 0.00025 | U | 0.0020 | 0.00025 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Methylcyclohexane | 0.00099 | U | 0.0020 | 0.00099 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Methylene Chloride | 0.0011 | J | 0.0020 | 0.00092 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| m-Xylene & p-Xylene | 0.00034 | U | 0.0020 | 0.00034 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| n-Butylbenzene | 0.00058 | U | 0.0020 | 0.00058 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| N-Propylbenzene | 0.00035 | U | 0.0020 | 0.00035 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| o-Xylene | 0.00038 | U | 0.0020 | 0.00038 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| sec-Butylbenzene | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Styrene | 0.00055 | U | 0.0020 | 0.00055 | mg/Kg | ☆ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 83.5

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00055 | U | 0.0020 | 0.00055 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Tetrachloroethene | 0.00028 | U | 0.0020 | 0.00028 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Toluene | 0.00046 | U | 0.0020 | 0.00046 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| trans-1,2-Dichloroethene | 0.00049 | U | 0.0020 | 0.00049 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| trans-1,3-Dichloropropene | 0.00053 | U | 0.0020 | 0.00053 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Trichloroethene | 0.00028 | U | 0.0020 | 0.00028 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Trichlorofluoromethane | 0.00080 | U | 0.0020 | 0.00080 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Vinyl chloride | 0.0011 | U | 0.0020 | 0.0011 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Xylenes, Total | 0.00034 | U | 0.0040 | 0.00034 | mg/Kg | ☼ | 10/09/20 20:09 | 10/12/20 03:58 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 10/09/20 20:09 | 10/12/20 03:58 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 113 | | 77 - 145 | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| 4-Bromofluorobenzene | 94 | | 79 - 125 | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Dibromofluoromethane (Surr) | 108 | | 48 - 150 | 10/09/20 20:09 | 10/12/20 03:58 | 1 |
| Toluene-d8 (Surr) | 94 | | 80 - 120 | 10/09/20 20:09 | 10/12/20 03:58 | 1 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.10 | J | 0.40 | 0.0053 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.40 | 0.012 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 1,4-Dioxane | 0.011 | U | 0.12 | 0.011 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0072 | U | 0.40 | 0.0072 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.027 | U | 0.40 | 0.027 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4,5-Trichlorophenol | 0.040 | U | 0.40 | 0.040 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4,6-Trichlorophenol | 0.051 | U | 0.16 | 0.051 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4-Dichlorophenol | 0.025 | U | 0.16 | 0.025 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4-Dimethylphenol | 0.017 | U | 0.40 | 0.017 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4-Dinitrophenol | 0.19 | U * | 0.32 | 0.19 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,4-Dinitrotoluene | 0.043 | U | 0.080 | 0.043 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,6-Dinitrotoluene | 0.029 | U | 0.080 | 0.029 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Chloronaphthalene | 0.22 | J | 0.40 | 0.018 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Chlorophenol | 0.014 | U | 0.40 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Methylnaphthalene | 0.070 | J | 0.40 | 0.011 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Methylphenol | 0.015 | U | 0.40 | 0.015 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Nitroaniline | 0.015 | U | 0.40 | 0.015 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Nitrophenol | 0.040 | U | 0.40 | 0.040 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 3 & 4 Methylphenol | 0.025 | U | 0.40 | 0.025 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 3,3'-Dichlorobenzidine | 0.060 | U | 0.16 | 0.060 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 3-Nitroaniline | 0.045 | U | 0.40 | 0.045 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.064 | U | 0.32 | 0.064 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Bromophenyl phenyl ether | 0.016 | U | 0.40 | 0.016 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Chloro-3-methylphenol | 0.022 | U | 0.40 | 0.022 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Chloroaniline | 0.028 | U | 0.40 | 0.028 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Chlorophenyl phenyl ether | 0.014 | U | 0.40 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Methylphenol | 0.025 | U | 0.40 | 0.025 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Nitroaniline | 0.045 | U | 0.40 | 0.045 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 4-Nitrophenol | 0.065 | U | 0.80 | 0.065 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 83.5

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.029 | U | 0.40 | 0.029 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Acenaphthylene | 0.43 | | 0.40 | 0.0041 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Acetophenone | 0.019 | U | 0.40 | 0.019 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Anthracene | 0.040 | J | 0.40 | 0.012 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Atrazine | 0.010 | U | 0.16 | 0.010 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzaldehyde | 0.064 | J | 0.40 | 0.017 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzo[a]anthracene | 0.029 | J | 0.040 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzo[a]pyrene | 0.021 | J | 0.040 | 0.011 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzo[b]fluoranthene | 0.035 | J | 0.040 | 0.010 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzo[g,h,i]perylene | 0.012 | U | 0.40 | 0.012 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzo[k]fluoranthene | 0.0078 | U | 0.040 | 0.0078 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Bis(2-chloroethoxy)methane | 0.031 | U | 0.40 | 0.031 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Bis(2-chloroethyl)ether | 0.014 | U | 0.040 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.021 | U | 0.40 | 0.021 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Butyl benzyl phthalate | 0.019 | U | 0.40 | 0.019 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Caprolactam | 0.062 | U | 0.40 | 0.062 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Carbazole | 0.015 | U | 0.40 | 0.015 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Chrysene | 0.033 | J | 0.40 | 0.0067 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Dibenz(a,h)anthracene | 0.017 | U | 0.040 | 0.017 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Dibenzofuran | 0.0056 | U | 0.40 | 0.0056 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Diethyl phthalate | 0.0057 | U | 0.40 | 0.0057 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Dimethyl phthalate | 0.090 | U | 0.40 | 0.090 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Di-n-butyl phthalate | 0.070 | U | 0.40 | 0.070 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Di-n-octyl phthalate | 0.021 | U | 0.40 | 0.021 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Fluoranthene | 0.14 | J | 0.40 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Fluorene | 0.050 | J | 0.40 | 0.0054 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Hexachlorobenzene | 0.019 | U | 0.040 | 0.019 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Hexachlorobutadiene | 0.0084 | U | 0.080 | 0.0084 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Hexachlorocyclopentadiene | 0.035 | U | 0.40 | 0.035 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Hexachloroethane | 0.014 | U | 0.040 | 0.014 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.015 | U | 0.040 | 0.015 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Isophorone | 0.11 | U | 0.16 | 0.11 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Naphthalene | 1.2 | | 0.40 | 0.0068 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Nitrobenzene | 0.0095 | U | 0.040 | 0.0095 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| N-Nitrosodi-n-propylamine | 0.029 | U | 0.040 | 0.029 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| N-Nitrosodiphenylamine | 0.0076 | U | 0.40 | 0.0076 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Pentachlorophenol | 0.081 | U | 0.32 | 0.081 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Phenanthrene | 0.24 | J | 0.40 | 0.0070 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Phenol | 0.015 | U | 0.40 | 0.015 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Pyrene | 0.15 | J | 0.40 | 0.0099 | mg/Kg | ☼ | 10/10/20 14:56 | 10/11/20 07:22 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|------|----------|----------------|----------------|---------|
| Unknown | 2.3 | J | mg/Kg | ☼ | 2.02 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 2.3 | J | mg/Kg | ☼ | 2.09 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 8.1 | J | mg/Kg | ☼ | 2.21 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 23 | J | mg/Kg | ☼ | 2.37 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Phenylethyne | 2.4 | J N | mg/Kg | ☼ | 2.42 | 536-74-3 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 1,3,5,7-Cyclooctatetraene | 1.6 | J N | mg/Kg | ☼ | 2.52 | 629-20-9 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 2.7 | J | mg/Kg | ☼ | 2.62 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2,5-Hexanedione | 1.2 | J N | mg/Kg | ☼ | 2.71 | 110-13-4 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 83.5

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|------|-----------|----------------|----------------|---------|
| Unknown | 0.50 | J | mg/Kg | ⊗ | 2.90 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.41 | J | mg/Kg | ⊗ | 3.19 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.34 | J | mg/Kg | ⊗ | 3.20 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.36 | J | mg/Kg | ⊗ | 3.40 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.63 | J | mg/Kg | ⊗ | 3.45 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Benzene, 1,2-propadienyl- | 0.46 | J N | mg/Kg | ⊗ | 3.47 | 2327-99-3 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.32 | J | mg/Kg | ⊗ | 3.63 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.56 | J | mg/Kg | ⊗ | 3.74 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Unknown | 0.60 | J | mg/Kg | ⊗ | 4.20 | | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| n-Hexadecanoic acid | 0.37 | J N | mg/Kg | ⊗ | 7.17 | 57-10-3 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 16 | | 10 - 123 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Fluorobiphenyl | 58 | | 25 - 104 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| 2-Fluorophenol (Surr) | 27 | | 18 - 106 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Nitrobenzene-d5 (Surr) | 56 | | 19 - 105 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Phenol-d5 (Surr) | 37 | | 26 - 101 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |
| Terphenyl-d14 (Surr) | 49 | | 25 - 127 | 10/10/20 14:56 | 10/11/20 07:22 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 16.5 | | 1.0 | 1.0 | % | | | 10/12/20 11:47 | 1 |
| Percent Solids | 83.5 | | 1.0 | 1.0 | % | | | 10/12/20 11:47 | 1 |

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-220096-2 | TP-5_(10-12) | 113 | 94 | 108 | 94 |
| LB3 460-730565/1-A | Method Blank | 107 | 92 | 106 | 93 |
| LCS 460-730765/3 | Lab Control Sample | 107 | 101 | 107 | 100 |
| LCS 460-730895/3 | Lab Control Sample | 107 | 102 | 106 | 99 |
| LCSD 460-730765/4 | Lab Control Sample Dup | 98 | 95 | 98 | 93 |
| LCSD 460-730895/4 | Lab Control Sample Dup | 107 | 103 | 107 | 99 |
| MB 460-730765/7 | Method Blank | 107 | 93 | 106 | 93 |
| MB 460-730895/7 | Method Blank | 106 | 91 | 99 | 90 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|-----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-219750-A-10-C MS | Matrix Spike | 73 | 63 | 61 | 65 | 62 | 69 |
| 460-219750-A-10-D MSD | Matrix Spike Duplicate | 76 | 65 | 65 | 68 | 64 | 71 |
| 460-220096-2 | TP-5_(10-12) | 16 | 58 | 27 | 56 | 37 | 49 |
| LCS 460-730712/2-A | Lab Control Sample | 92 | 80 | 77 | 83 | 79 | 88 |
| LCSD 460-730712/3-A | Lab Control Sample Dup | 93 | 81 | 78 | 85 | 78 | 89 |
| MB 460-730712/1-A | Method Blank | 88 | 76 | 77 | 82 | 73 | 87 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-220068-F-1-F MS | Matrix Spike | 102 | 100 | 88 | 85 |
| 460-220068-F-1-G MSD | Matrix Spike Duplicate | 115 | 114 | 89 | 93 |
| 460-220096-1 | TP-5_COMP_(3-18) | 85 | 78 | 145 X | 136 X |
| LCS 460-730751/2-A | Lab Control Sample | 101 | 91 | 97 | 92 |
| LCSD 460-730751/3-A | Lab Control Sample Dup | 106 | 96 | 102 | 103 |
| MB 460-730751/1-A | Method Blank | 106 | 90 | 96 | 96 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-220068-F-1-C MS | Matrix Spike | 93 | 104 | 102 | 104 |
| 460-220068-F-1-D MSD | Matrix Spike Duplicate | 108 | 116 | 115 | 112 |
| 460-220096-1 | TP-5_COMP_(3-18) | 119 | 94 | 132 | 100 |
| LCS 460-730750/2-A | Lab Control Sample | 99 | 102 | 107 | 105 |
| LCSD 460-730750/3-A | Lab Control Sample Dup | 101 | 103 | 109 | 107 |
| MB 460-730750/1-A | Method Blank | 104 | 106 | 114 | 111 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|----------------------|------------------------|--|--------------------|
| | | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-220096-1 | TP-5_COMP_(3-18) | 100 | 96 |
| 460-220248-C-1-D MS | Matrix Spike | 88 | 106 |
| 460-220248-C-1-E MSD | Matrix Spike Duplicate | 89 | 105 |
| LCS 460-731198/2-A | Lab Control Sample | 111 | 112 |
| LCSD 460-731198/3-A | Lab Control Sample Dup | 110 | 113 |
| MB 460-731198/1-A | Method Blank | 94 | 94 |

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-730565/1-A

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730565

| Analyte | LB3 | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|----------|-----------|--------|----------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-730565/1-A

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730565

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 10/09/20 20:08 | 10/11/20 07:28 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| 4-Bromofluorobenzene | 92 | | 79 - 125 | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Dibromofluoromethane (Surr) | 106 | | 48 - 150 | 10/09/20 20:08 | 10/11/20 07:28 | 1 |
| Toluene-d8 (Surr) | 93 | | 80 - 120 | 10/09/20 20:08 | 10/11/20 07:28 | 1 |

Lab Sample ID: MB 460-730765/7

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/11/20 07:00 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/11/20 07:00 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-730765/7

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/11/20 07:00 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/11/20 07:00 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/11/20 07:00 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/11/20 07:00 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/11/20 07:00 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 07:00 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/11/20 07:00 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 07:00 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 07:00 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/11/20 07:00 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/11/20 07:00 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | | 10/11/20 07:00 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/11/20 07:00 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 | | 10/11/20 07:00 | 1 |
| 4-Bromofluorobenzene | 93 | | 79 - 125 | | 10/11/20 07:00 | 1 |
| Dibromofluoromethane (Surr) | 106 | | 48 - 150 | | 10/11/20 07:00 | 1 |
| Toluene-d8 (Surr) | 93 | | 80 - 120 | | 10/11/20 07:00 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-730765/3

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0167 | | mg/Kg | | 83 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0220 | | mg/Kg | | 110 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0181 | | mg/Kg | | 90 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0160 | | mg/Kg | | 80 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0185 | | mg/Kg | | 93 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0926 | | mg/Kg | | 93 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.0961 | | mg/Kg | | 96 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.0988 | | mg/Kg | | 99 | 80 - 122 |
| Acetone | 0.100 | 0.0951 | | mg/Kg | | 95 | 63 - 131 |
| Benzene | 0.0200 | 0.0197 | | mg/Kg | | 98 | 80 - 123 |
| Bromoform | 0.0200 | 0.0165 | | mg/Kg | | 83 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0194 | | mg/Kg | | 97 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0215 | | mg/Kg | | 107 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0221 | | mg/Kg | | 111 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0184 | | mg/Kg | | 92 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0213 | | mg/Kg | | 106 | 65 - 134 |
| Chloroform | 0.0200 | 0.0213 | | mg/Kg | | 106 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0181 | | mg/Kg | | 90 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0223 | | mg/Kg | | 111 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0205 | | mg/Kg | | 102 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0173 | | mg/Kg | | 86 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0179 | | mg/Kg | | 90 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0372 | | mg/Kg | | 93 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0214 | | mg/Kg | | 107 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0202 | | mg/Kg | | 101 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-730765/3

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 78 - 123 |
| Toluene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0187 | | mg/Kg | | 93 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0189 | | mg/Kg | | 94 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0396 | | mg/Kg | | 99 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 |
| 4-Bromofluorobenzene | 101 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 107 | | 48 - 150 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 |

Lab Sample ID: LCSD 460-730765/4

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0207 | | mg/Kg | | 104 | 78 - 132 | 7 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0152 | | mg/Kg | | 76 | 69 - 123 | 9 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 78 - 136 | 8 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0171 | | mg/Kg | | 85 | 75 - 120 | 6 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 76 - 129 | 7 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 77 - 132 | 7 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0173 | | mg/Kg | | 87 | 77 - 120 | 7 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0175 | | mg/Kg | | 87 | 75 - 120 | 8 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0183 | | mg/Kg | | 91 | 79 - 120 | 8 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0144 | | mg/Kg | | 72 | 60 - 126 | 10 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0175 | | mg/Kg | | 87 | 80 - 120 | 6 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0192 | | mg/Kg | | 96 | 70 - 132 | 8 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0195 | | mg/Kg | | 97 | 73 - 124 | 5 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 79 - 120 | 8 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 80 - 120 | 6 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 80 - 120 | 5 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0844 | | mg/Kg | | 84 | 75 - 120 | 9 | 30 |
| 2-Hexanone | 0.100 | 0.0902 | | mg/Kg | | 90 | 78 - 120 | 6 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.0919 | | mg/Kg | | 92 | 80 - 122 | 7 | 30 |
| Acetone | 0.100 | 0.0881 | | mg/Kg | | 88 | 63 - 131 | 8 | 30 |
| Benzene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 80 - 123 | 6 | 30 |
| Bromoform | 0.0200 | 0.0153 | | mg/Kg | | 77 | 48 - 142 | 8 | 30 |
| Bromomethane | 0.0200 | 0.0181 | | mg/Kg | | 90 | 68 - 136 | 7 | 30 |
| Carbon disulfide | 0.0200 | 0.0204 | | mg/Kg | | 102 | 67 - 136 | 5 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0207 | | mg/Kg | | 104 | 72 - 136 | 7 | 30 |
| Chlorobenzene | 0.0200 | 0.0179 | | mg/Kg | | 90 | 80 - 120 | 7 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-730765/4

Matrix: Solid

Analysis Batch: 730765

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0189 | | mg/Kg | | 94 | 76 - 127 | 8 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0172 | | mg/Kg | | 86 | 62 - 128 | 7 | 30 |
| Chloroethane | 0.0200 | 0.0207 | | mg/Kg | | 104 | 65 - 134 | 3 | 30 |
| Chloroform | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 126 | 7 | 30 |
| Chloromethane | 0.0200 | 0.0177 | | mg/Kg | | 88 | 48 - 150 | 2 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 80 - 123 | 8 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0180 | | mg/Kg | | 90 | 72 - 120 | 9 | 30 |
| Cyclohexane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 132 | 7 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0191 | | mg/Kg | | 96 | 73 - 124 | 7 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0168 | | mg/Kg | | 84 | 40 - 146 | 3 | 30 |
| Ethylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 94 | 80 - 120 | 7 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0167 | | mg/Kg | | 83 | 79 - 120 | 7 | 30 |
| Isopropylbenzene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 80 - 120 | 7 | 30 |
| Methyl acetate | 0.0400 | 0.0352 | | mg/Kg | | 88 | 58 - 143 | 5 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0182 | | mg/Kg | | 91 | 80 - 125 | 7 | 30 |
| Methylcyclohexane | 0.0200 | 0.0201 | | mg/Kg | | 100 | 79 - 133 | 6 | 30 |
| Methylene Chloride | 0.0200 | 0.0192 | | mg/Kg | | 96 | 76 - 127 | 5 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 120 | 6 | 30 |
| n-Butylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 77 - 123 | 6 | 30 |
| N-Propylbenzene | 0.0200 | 0.0185 | | mg/Kg | | 93 | 78 - 120 | 7 | 30 |
| o-Xylene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 80 - 120 | 8 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 94 | 78 - 120 | 7 | 30 |
| Styrene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 80 - 120 | 7 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 76 - 120 | 7 | 30 |
| Tetrachloroethene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 78 - 123 | 7 | 30 |
| Toluene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 80 - 120 | 6 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 78 - 128 | 7 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0176 | | mg/Kg | | 88 | 68 - 120 | 6 | 30 |
| Trichloroethene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 120 | 6 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0199 | | mg/Kg | | 99 | 67 - 142 | 2 | 30 |
| Vinyl chloride | 0.0200 | 0.0182 | | mg/Kg | | 91 | 56 - 147 | 3 | 30 |
| Xylenes, Total | 0.0400 | 0.0370 | | mg/Kg | | 92 | 80 - 120 | 7 | 30 |

| Surrogate | LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 77 - 145 |
| 4-Bromofluorobenzene | 95 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 98 | | 48 - 150 |
| Toluene-d8 (Surr) | 93 | | 80 - 120 |

Lab Sample ID: MB 460-730895/7

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 21:03 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-730895/7

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/11/20 21:03 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/11/20 21:03 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/11/20 21:03 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/11/20 21:03 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/11/20 21:03 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/11/20 21:03 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/11/20 21:03 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/11/20 21:03 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 21:03 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/11/20 21:03 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/11/20 21:03 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-730895/7

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/11/20 21:03 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | | 10/11/20 21:03 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/11/20 21:03 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 77 - 145 | | 10/11/20 21:03 | 1 |
| 4-Bromofluorobenzene | 91 | | 79 - 125 | | 10/11/20 21:03 | 1 |
| Dibromofluoromethane (Surr) | 99 | | 48 - 150 | | 10/11/20 21:03 | 1 |
| Toluene-d8 (Surr) | 90 | | 80 - 120 | | 10/11/20 21:03 | 1 |

Lab Sample ID: LCS 460-730895/3

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0235 | | mg/Kg | | 117 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0177 | | mg/Kg | | 89 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0231 | | mg/Kg | | 115 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0228 | | mg/Kg | | 114 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0228 | | mg/Kg | | 114 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0191 | | mg/Kg | | 95 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0174 | | mg/Kg | | 87 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0222 | | mg/Kg | | 111 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0939 | | mg/Kg | | 94 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.100 | | mg/Kg | | 100 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.101 | | mg/Kg | | 101 | 80 - 122 |
| Acetone | 0.100 | 0.0974 | | mg/Kg | | 97 | 63 - 131 |
| Benzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 123 |
| Bromoform | 0.0200 | 0.0181 | | mg/Kg | | 90 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0226 | | mg/Kg | | 113 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0222 | | mg/Kg | | 111 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0233 | | mg/Kg | | 117 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0219 | | mg/Kg | | 109 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-730895/3

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0197 | | mg/Kg | | 99 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0230 | | mg/Kg | | 115 | 65 - 134 |
| Chloroform | 0.0200 | 0.0222 | | mg/Kg | | 111 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0233 | | mg/Kg | | 116 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0199 | | mg/Kg | | 99 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0195 | | mg/Kg | | 97 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0422 | | mg/Kg | | 106 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0214 | | mg/Kg | | 107 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 78 - 120 |
| Styrene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 78 - 123 |
| Toluene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0239 | | mg/Kg | | 119 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0219 | | mg/Kg | | 109 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0415 | | mg/Kg | | 104 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 106 | | 48 - 150 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 |

Lab Sample ID: LCSD 460-730895/4

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0238 | | mg/Kg | | 119 | 78 - 132 | 1 | 30 |
| 1,1,1,2-Tetrachloroethane | 0.0200 | 0.0189 | | mg/Kg | | 94 | 69 - 123 | 6 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0230 | | mg/Kg | | 115 | 78 - 136 | 1 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0207 | | mg/Kg | | 103 | 75 - 120 | 4 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0231 | | mg/Kg | | 115 | 76 - 129 | 1 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-730895/4

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0230 | | mg/Kg | | 115 | 77 - 132 | 1 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 77 - 120 | 1 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 75 - 120 | 2 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 79 - 120 | 0 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0180 | | mg/Kg | | 90 | 60 - 126 | 4 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 | 1 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0232 | | mg/Kg | | 116 | 70 - 132 | 4 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 73 - 124 | 3 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 79 - 120 | 1 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 80 - 120 | 2 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 | 2 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0936 | | mg/Kg | | 94 | 75 - 120 | 0 | 30 |
| 2-Hexanone | 0.100 | 0.103 | | mg/Kg | | 103 | 78 - 120 | 3 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.106 | | mg/Kg | | 106 | 80 - 122 | 4 | 30 |
| Acetone | 0.100 | 0.0989 | | mg/Kg | | 99 | 63 - 131 | 2 | 30 |
| Benzene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 80 - 123 | 3 | 30 |
| Bromoform | 0.0200 | 0.0192 | | mg/Kg | | 96 | 48 - 142 | 6 | 30 |
| Bromomethane | 0.0200 | 0.0230 | | mg/Kg | | 115 | 68 - 136 | 2 | 30 |
| Carbon disulfide | 0.0200 | 0.0225 | | mg/Kg | | 113 | 67 - 136 | 2 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0237 | | mg/Kg | | 119 | 72 - 136 | 2 | 30 |
| Chlorobenzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 | 3 | 30 |
| Chlorobromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 76 - 127 | 2 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0205 | | mg/Kg | | 102 | 62 - 128 | 4 | 30 |
| Chloroethane | 0.0200 | 0.0238 | | mg/Kg | | 119 | 65 - 134 | 3 | 30 |
| Chloroform | 0.0200 | 0.0229 | | mg/Kg | | 114 | 79 - 126 | 3 | 30 |
| Chloromethane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 48 - 150 | 2 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 123 | 3 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0219 | | mg/Kg | | 109 | 72 - 120 | 3 | 30 |
| Cyclohexane | 0.0200 | 0.0227 | | mg/Kg | | 114 | 80 - 132 | 2 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0223 | | mg/Kg | | 112 | 73 - 124 | 2 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0199 | | mg/Kg | | 100 | 40 - 146 | 0 | 30 |
| Ethylbenzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 | 3 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0203 | | mg/Kg | | 102 | 79 - 120 | 4 | 30 |
| Isopropylbenzene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 | 1 | 30 |
| Methyl acetate | 0.0400 | 0.0441 | | mg/Kg | | 110 | 58 - 143 | 4 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 125 | 4 | 30 |
| Methylcyclohexane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 79 - 133 | 4 | 30 |
| Methylene Chloride | 0.0200 | 0.0219 | | mg/Kg | | 110 | 76 - 127 | 2 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |
| n-Butylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 100 | 77 - 123 | 5 | 30 |
| N-Propylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 100 | 78 - 120 | 1 | 30 |
| o-Xylene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 | 2 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 78 - 120 | 5 | 30 |
| Styrene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 80 - 120 | 2 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 76 - 120 | 4 | 30 |
| Tetrachloroethene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 78 - 123 | 0 | 30 |
| Toluene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 | 3 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 78 - 128 | 3 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 68 - 120 | 4 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-730895/4

Matrix: Solid

Analysis Batch: 730895

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0231 | | mg/Kg | | 115 | 79 - 120 | 4 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0242 | | mg/Kg | | 121 | 67 - 142 | 2 | 30 |
| Vinyl chloride | 0.0200 | 0.0223 | | mg/Kg | | 111 | 56 - 147 | 2 | 30 |
| Xylenes, Total | 0.0400 | 0.0421 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 |
| 4-Bromofluorobenzene | 103 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 107 | | 48 - 150 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-730712/1-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 1,4-Dioxane | 0.0091 | U | 0.10 | 0.0091 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.054 | U | 0.27 | 0.054 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Chloroaniline | 0.023 | U | 0.33 | 0.023 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Acenaphthene | 0.024 | U | 0.33 | 0.024 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Acenaphthylene | 0.0034 | U | 0.33 | 0.0034 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-730712/1-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Atrazine | 0.0083 | U | 0.13 | 0.0083 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzaldehyde | 0.014 | U | 0.33 | 0.014 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Di-n-butyl phthalate | 0.058 | U | 0.33 | 0.058 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| N-Nitrosodiphenylamine | 0.0063 | U | 0.33 | 0.0063 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|----------|----------------|----------------|---------|
| Aldol condensation product | 0.814 | A J | mg/Kg | | 2.20 | | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| n-Decane | 0.0514 | J | mg/Kg | | 3.16 | 124-18-5 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 88 | | 10 - 123 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Fluorobiphenyl | 76 | | 25 - 104 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| 2-Fluorophenol (Surr) | 77 | | 18 - 106 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Nitrobenzene-d5 (Surr) | 82 | | 19 - 105 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-730712/1-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730712

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|--------------|--------------|----------|----------------|----------------|---------|
| Phenol-d5 (Surr) | 73 | | 26 - 101 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |
| Terphenyl-d14 (Surr) | 87 | | 25 - 127 | 10/10/20 14:56 | 10/11/20 01:20 | 1 |

Lab Sample ID: LCS 460-730712/2-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 3.33 | 2.70 | | mg/Kg | | 81 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 2.77 | | mg/Kg | | 83 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 1.78 | | mg/Kg | | 53 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.38 | | mg/Kg | | 71 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 3.09 | | mg/Kg | | 93 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 2.91 | | mg/Kg | | 87 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 2.85 | | mg/Kg | | 86 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 2.83 | | mg/Kg | | 85 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 2.66 | | mg/Kg | | 80 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 8.42 | * | mg/Kg | | 126 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 3.14 | | mg/Kg | | 94 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 3.28 | | mg/Kg | | 98 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 2.73 | | mg/Kg | | 82 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 2.61 | | mg/Kg | | 78 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.72 | | mg/Kg | | 82 | 64 - 108 |
| 2-Methylphenol | 3.33 | 2.64 | | mg/Kg | | 79 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 3.05 | | mg/Kg | | 92 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 3.12 | | mg/Kg | | 94 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 2.63 | | mg/Kg | | 79 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 2.17 | | mg/Kg | | 65 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.18 | | mg/Kg | | 65 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 7.50 | | mg/Kg | | 112 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 2.74 | | mg/Kg | | 82 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 2.84 | | mg/Kg | | 85 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 1.67 | | mg/Kg | | 50 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.80 | | mg/Kg | | 84 | 66 - 110 |
| 4-Methylphenol | 3.33 | 2.63 | | mg/Kg | | 79 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.79 | | mg/Kg | | 84 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 5.31 | | mg/Kg | | 80 | 47 - 123 |
| Acenaphthene | 3.33 | 2.66 | | mg/Kg | | 80 | 53 - 110 |
| Acenaphthylene | 3.33 | 2.69 | | mg/Kg | | 81 | 64 - 108 |
| Acetophenone | 3.33 | 2.61 | | mg/Kg | | 78 | 61 - 103 |
| Anthracene | 3.33 | 2.67 | | mg/Kg | | 80 | 67 - 114 |
| Atrazine | 1.33 | 1.50 | | mg/Kg | | 112 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.28 | | mg/Kg | | 96 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 2.57 | | mg/Kg | | 77 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.03 | | mg/Kg | | 91 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 2.99 | | mg/Kg | | 90 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 2.80 | | mg/Kg | | 84 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 2.99 | | mg/Kg | | 90 | 67 - 115 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-730712/2-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethoxy)methane | 3.33 | 2.60 | | mg/Kg | | 78 | 62 - 107 |
| Bis(2-chloroethyl)ether | 3.33 | 2.51 | | mg/Kg | | 75 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 2.59 | | mg/Kg | | 78 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 2.78 | | mg/Kg | | 84 | 70 - 123 |
| Caprolactam | 1.33 | 1.50 | | mg/Kg | | 113 | 59 - 140 |
| Carbazole | 3.33 | 2.57 | | mg/Kg | | 77 | 64 - 113 |
| Chrysene | 3.33 | 2.56 | | mg/Kg | | 77 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.22 | | mg/Kg | | 97 | 66 - 119 |
| Dibenzofuran | 3.33 | 2.77 | | mg/Kg | | 83 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.81 | | mg/Kg | | 84 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.76 | | mg/Kg | | 83 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.64 | | mg/Kg | | 79 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 3.02 | | mg/Kg | | 91 | 65 - 122 |
| Fluoranthene | 3.33 | 2.67 | | mg/Kg | | 80 | 64 - 113 |
| Fluorene | 3.33 | 2.75 | | mg/Kg | | 83 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 2.64 | | mg/Kg | | 79 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 2.95 | | mg/Kg | | 88 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 2.85 | | mg/Kg | | 85 | 22 - 124 |
| Hexachloroethane | 3.33 | 2.55 | | mg/Kg | | 77 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.11 | | mg/Kg | | 93 | 62 - 121 |
| Isophorone | 3.33 | 2.76 | | mg/Kg | | 83 | 63 - 107 |
| Naphthalene | 3.33 | 2.66 | | mg/Kg | | 80 | 63 - 106 |
| Nitrobenzene | 3.33 | 2.81 | | mg/Kg | | 84 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.64 | | mg/Kg | | 79 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 2.63 | | mg/Kg | | 79 | 67 - 113 |
| Pentachlorophenol | 6.67 | 6.12 | | mg/Kg | | 92 | 44 - 126 |
| Phenanthrene | 3.33 | 2.63 | | mg/Kg | | 79 | 66 - 112 |
| Phenol | 3.33 | 2.80 | | mg/Kg | | 84 | 63 - 110 |
| Pyrene | 3.33 | 2.58 | | mg/Kg | | 77 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 92 | | 10 - 123 |
| 2-Fluorobiphenyl | 80 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 77 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 83 | | 19 - 105 |
| Phenol-d5 (Surr) | 79 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 88 | | 25 - 127 |

Lab Sample ID: LCSD 460-730712/3-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 3.33 | 2.73 | | mg/Kg | | 82 | 65 - 110 | 1 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 2.73 | | mg/Kg | | 82 | 64 - 110 | 1 | 30 |
| 1,4-Dioxane | 3.33 | 1.81 | | mg/Kg | | 54 | 31 - 81 | 2 | 30 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.43 | | mg/Kg | | 73 | 49 - 109 | 2 | 30 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.96 | | mg/Kg | | 89 | 58 - 113 | 4 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-730712/3-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-Trichlorophenol | 3.33 | 2.86 | | mg/Kg | | 86 | 64 - 112 | 2 | 30 |
| 2,4,6-Trichlorophenol | 3.33 | 2.90 | | mg/Kg | | 87 | 63 - 113 | 2 | 30 |
| 2,4-Dichlorophenol | 3.33 | 2.94 | | mg/Kg | | 88 | 66 - 113 | 4 | 30 |
| 2,4-Dimethylphenol | 3.33 | 2.76 | | mg/Kg | | 83 | 63 - 107 | 4 | 30 |
| 2,4-Dinitrophenol | 6.67 | 8.50 | * | mg/Kg | | 127 | 37 - 125 | 1 | 30 |
| 2,4-Dinitrotoluene | 3.33 | 3.18 | | mg/Kg | | 96 | 65 - 124 | 1 | 30 |
| 2,6-Dinitrotoluene | 3.33 | 3.24 | | mg/Kg | | 97 | 67 - 121 | 1 | 30 |
| 2-Chloronaphthalene | 3.33 | 2.72 | | mg/Kg | | 82 | 65 - 109 | 0 | 30 |
| 2-Chlorophenol | 3.33 | 2.66 | | mg/Kg | | 80 | 63 - 106 | 2 | 30 |
| 2-Methylnaphthalene | 3.33 | 2.78 | | mg/Kg | | 83 | 64 - 108 | 2 | 30 |
| 2-Methylphenol | 3.33 | 2.69 | | mg/Kg | | 81 | 63 - 108 | 2 | 30 |
| 2-Nitroaniline | 3.33 | 3.04 | | mg/Kg | | 91 | 59 - 119 | 0 | 30 |
| 2-Nitrophenol | 3.33 | 3.16 | | mg/Kg | | 95 | 64 - 112 | 1 | 30 |
| 3 & 4 Methylphenol | 3.33 | 2.72 | | mg/Kg | | 81 | 61 - 108 | 3 | 30 |
| 3,3'-Dichlorobenzidine | 3.33 | 2.34 | | mg/Kg | | 70 | 4 - 119 | 8 | 30 |
| 3-Nitroaniline | 3.33 | 2.40 | | mg/Kg | | 72 | 31 - 102 | 9 | 30 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 7.68 | | mg/Kg | | 115 | 64 - 129 | 2 | 30 |
| 4-Bromophenyl phenyl ether | 3.33 | 2.83 | | mg/Kg | | 85 | 67 - 113 | 3 | 30 |
| 4-Chloro-3-methylphenol | 3.33 | 3.00 | | mg/Kg | | 90 | 66 - 114 | 5 | 30 |
| 4-Chloroaniline | 3.33 | 1.88 | | mg/Kg | | 56 | 20 - 98 | 12 | 30 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.82 | | mg/Kg | | 84 | 66 - 110 | 0 | 30 |
| 4-Methylphenol | 3.33 | 2.72 | | mg/Kg | | 81 | 61 - 108 | 3 | 30 |
| 4-Nitroaniline | 3.33 | 2.86 | | mg/Kg | | 86 | 50 - 110 | 2 | 30 |
| 4-Nitrophenol | 6.67 | 5.37 | | mg/Kg | | 80 | 47 - 123 | 1 | 30 |
| Acenaphthene | 3.33 | 2.69 | | mg/Kg | | 81 | 53 - 110 | 1 | 30 |
| Acenaphthylene | 3.33 | 2.73 | | mg/Kg | | 82 | 64 - 108 | 1 | 30 |
| Acetophenone | 3.33 | 2.62 | | mg/Kg | | 79 | 61 - 103 | 0 | 30 |
| Anthracene | 3.33 | 2.68 | | mg/Kg | | 80 | 67 - 114 | 0 | 30 |
| Atrazine | 1.33 | 1.44 | | mg/Kg | | 108 | 44 - 145 | 4 | 30 |
| Benzaldehyde | 1.33 | 1.23 | | mg/Kg | | 92 | 39 - 113 | 5 | 30 |
| Benzo[a]anthracene | 3.33 | 2.62 | | mg/Kg | | 79 | 67 - 115 | 2 | 30 |
| Benzo[a]pyrene | 3.33 | 3.11 | | mg/Kg | | 93 | 63 - 108 | 2 | 30 |
| Benzo[b]fluoranthene | 3.33 | 3.02 | | mg/Kg | | 91 | 64 - 116 | 1 | 30 |
| Benzo[g,h,i]perylene | 3.33 | 2.86 | | mg/Kg | | 86 | 61 - 113 | 2 | 30 |
| Benzo[k]fluoranthene | 3.33 | 3.13 | | mg/Kg | | 94 | 67 - 115 | 5 | 30 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.64 | | mg/Kg | | 79 | 62 - 107 | 2 | 30 |
| Bis(2-chloroethyl)ether | 3.33 | 2.56 | | mg/Kg | | 77 | 60 - 107 | 2 | 30 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 2.64 | | mg/Kg | | 79 | 69 - 124 | 2 | 30 |
| Butyl benzyl phthalate | 3.33 | 2.76 | | mg/Kg | | 83 | 70 - 123 | 1 | 30 |
| Caprolactam | 1.33 | 1.48 | | mg/Kg | | 111 | 59 - 140 | 2 | 30 |
| Carbazole | 3.33 | 2.59 | | mg/Kg | | 78 | 64 - 113 | 1 | 30 |
| Chrysene | 3.33 | 2.62 | | mg/Kg | | 79 | 71 - 122 | 2 | 30 |
| Dibenz(a,h)anthracene | 3.33 | 3.26 | | mg/Kg | | 98 | 66 - 119 | 1 | 30 |
| Dibenzofuran | 3.33 | 2.78 | | mg/Kg | | 83 | 65 - 108 | 0 | 30 |
| Diethyl phthalate | 3.33 | 2.77 | | mg/Kg | | 83 | 63 - 109 | 1 | 30 |
| Dimethyl phthalate | 3.33 | 2.77 | | mg/Kg | | 83 | 65 - 109 | 1 | 30 |
| Di-n-butyl phthalate | 3.33 | 2.68 | | mg/Kg | | 80 | 66 - 114 | 1 | 30 |
| Di-n-octyl phthalate | 3.33 | 3.11 | | mg/Kg | | 93 | 65 - 122 | 3 | 30 |
| Fluoranthene | 3.33 | 2.73 | | mg/Kg | | 82 | 64 - 113 | 2 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-730712/3-A

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Fluorene | 3.33 | 2.74 | | mg/Kg | | 82 | 65 - 109 | 0 | 30 |
| Hexachlorobenzene | 3.33 | 2.70 | | mg/Kg | | 81 | 70 - 119 | 2 | 30 |
| Hexachlorobutadiene | 3.33 | 2.97 | | mg/Kg | | 89 | 62 - 109 | 1 | 30 |
| Hexachlorocyclopentadiene | 3.33 | 2.91 | | mg/Kg | | 87 | 22 - 124 | 2 | 30 |
| Hexachloroethane | 3.33 | 2.65 | | mg/Kg | | 80 | 61 - 102 | 4 | 30 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.22 | | mg/Kg | | 97 | 62 - 121 | 3 | 30 |
| Isophorone | 3.33 | 2.81 | | mg/Kg | | 84 | 63 - 107 | 2 | 30 |
| Naphthalene | 3.33 | 2.76 | | mg/Kg | | 83 | 63 - 106 | 4 | 30 |
| Nitrobenzene | 3.33 | 2.84 | | mg/Kg | | 85 | 63 - 110 | 1 | 30 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.68 | | mg/Kg | | 81 | 61 - 108 | 2 | 30 |
| N-Nitrosodiphenylamine | 3.33 | 2.65 | | mg/Kg | | 80 | 67 - 113 | 1 | 30 |
| Pentachlorophenol | 6.67 | 6.44 | | mg/Kg | | 97 | 44 - 126 | 5 | 30 |
| Phenanthrene | 3.33 | 2.63 | | mg/Kg | | 79 | 66 - 112 | 0 | 30 |
| Phenol | 3.33 | 2.83 | | mg/Kg | | 85 | 63 - 110 | 1 | 30 |
| Pyrene | 3.33 | 2.61 | | mg/Kg | | 78 | 71 - 122 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|-----------------------------|----------------|----------------|-------------|
| 2,4,6-Tribromophenol (Surr) | 93 | | 10 - 123 |
| 2-Fluorobiphenyl | 81 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 78 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 85 | | 19 - 105 |
| Phenol-d5 (Surr) | 78 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 89 | | 25 - 127 |

Lab Sample ID: 460-219750-A-10-C MS

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0047 | U F1 | 3.58 | 2.31 | F1 | mg/Kg | ✱ | 64 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 64 - 110 |
| 1,4-Dioxane | 0.0098 | U | 3.58 | 1.46 | | mg/Kg | ✱ | 41 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0064 | U | 3.58 | 1.99 | | mg/Kg | ✱ | 56 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U | 3.58 | 2.44 | | mg/Kg | ✱ | 68 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.036 | U | 3.58 | 2.40 | | mg/Kg | ✱ | 67 | 64 - 112 |
| 2,4,6-Trichlorophenol | 0.046 | U | 3.58 | 2.41 | | mg/Kg | ✱ | 67 | 63 - 113 |
| 2,4-Dichlorophenol | 0.023 | U | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 66 - 113 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.58 | 2.22 | F1 | mg/Kg | ✱ | 62 | 63 - 107 |
| 2,4-Dinitrophenol | 0.17 | U * | 7.16 | 4.05 | | mg/Kg | ✱ | 57 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.038 | U | 3.58 | 2.57 | | mg/Kg | ✱ | 72 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.026 | U | 3.58 | 2.79 | | mg/Kg | ✱ | 78 | 67 - 121 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.58 | 2.27 | F1 | mg/Kg | ✱ | 63 | 65 - 109 |
| 2-Chlorophenol | 0.013 | U | 3.58 | 2.28 | | mg/Kg | ✱ | 64 | 63 - 106 |
| 2-Methylnaphthalene | 0.0099 | U | 3.58 | 2.33 | | mg/Kg | ✱ | 65 | 64 - 108 |
| 2-Methylphenol | 0.013 | U F1 | 3.58 | 2.23 | F1 | mg/Kg | ✱ | 62 | 63 - 108 |
| 2-Nitroaniline | 0.013 | U | 3.58 | 2.55 | | mg/Kg | ✱ | 71 | 59 - 119 |
| 2-Nitrophenol | 0.036 | U | 3.58 | 2.70 | | mg/Kg | ✱ | 76 | 64 - 112 |
| 3 & 4 Methylphenol | 0.022 | U | 3.58 | 2.25 | | mg/Kg | ✱ | 63 | 61 - 108 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219750-A-10-C MS

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 3,3'-Dichlorobenzidine | 0.054 | U | 3.58 | 1.75 | | mg/Kg | ✱ | 49 | 4 - 119 |
| 3-Nitroaniline | 0.040 | U | 3.58 | 2.27 | | mg/Kg | ✱ | 63 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.058 | U | 7.16 | 4.80 | | mg/Kg | ✱ | 67 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.58 | 2.32 | F1 | mg/Kg | ✱ | 65 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.020 | U | 3.58 | 2.46 | | mg/Kg | ✱ | 69 | 66 - 114 |
| 4-Chloroaniline | 0.025 | U | 3.58 | 1.77 | | mg/Kg | ✱ | 49 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 3.58 | 2.42 | | mg/Kg | ✱ | 68 | 66 - 110 |
| 4-Methylphenol | 0.022 | U | 3.58 | 2.25 | | mg/Kg | ✱ | 63 | 61 - 108 |
| 4-Nitroaniline | 0.041 | U | 3.58 | 2.22 | | mg/Kg | ✱ | 62 | 50 - 110 |
| 4-Nitrophenol | 0.058 | U | 7.16 | 4.23 | | mg/Kg | ✱ | 59 | 47 - 123 |
| Acenaphthene | 0.038 | J | 3.58 | 2.31 | | mg/Kg | ✱ | 63 | 53 - 110 |
| Acenaphthylene | 0.016 | J | 3.58 | 2.29 | | mg/Kg | ✱ | 64 | 64 - 108 |
| Acetophenone | 0.017 | U | 3.58 | 2.21 | | mg/Kg | ✱ | 62 | 61 - 103 |
| Anthracene | 0.080 | J F1 | 3.58 | 2.28 | F1 | mg/Kg | ✱ | 61 | 67 - 114 |
| Atrazine | 0.0090 | U | 1.43 | 1.18 | | mg/Kg | ✱ | 83 | 44 - 145 |
| Benzaldehyde | 0.015 | U | 1.43 | 1.04 | | mg/Kg | ✱ | 73 | 39 - 113 |
| Benzo[a]anthracene | 0.36 | F1 | 3.58 | 2.51 | F1 | mg/Kg | ✱ | 60 | 67 - 115 |
| Benzo[a]pyrene | 0.47 | | 3.58 | 2.99 | | mg/Kg | ✱ | 70 | 63 - 108 |
| Benzo[b]fluoranthene | 0.55 | | 3.58 | 3.08 | | mg/Kg | ✱ | 70 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.28 | J F1 | 3.58 | 1.77 | F1 | mg/Kg | ✱ | 42 | 61 - 113 |
| Benzo[k]fluoranthene | 0.22 | | 3.58 | 2.82 | | mg/Kg | ✱ | 73 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.58 | 2.19 | F1 | mg/Kg | ✱ | 61 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.012 | U F1 | 3.58 | 2.11 | F1 | mg/Kg | ✱ | 59 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.44 | F1 | 3.58 | 2.64 | F1 | mg/Kg | ✱ | 61 | 69 - 124 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.58 | 2.30 | F1 | mg/Kg | ✱ | 64 | 70 - 123 |
| Caprolactam | 0.055 | U | 1.43 | 1.15 | | mg/Kg | ✱ | 80 | 59 - 140 |
| Carbazole | 0.039 | J F1 | 3.58 | 2.16 | F1 | mg/Kg | ✱ | 59 | 64 - 113 |
| Chrysene | 0.36 | F1 | 3.58 | 2.54 | F1 | mg/Kg | ✱ | 61 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.073 | F1 | 3.58 | 2.25 | F1 | mg/Kg | ✱ | 61 | 66 - 119 |
| Dibenzofuran | 0.015 | J | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 65 - 108 |
| Diethyl phthalate | 0.0052 | U | 3.58 | 2.32 | | mg/Kg | ✱ | 65 | 63 - 109 |
| Dimethyl phthalate | 0.081 | U | 3.58 | 2.32 | | mg/Kg | ✱ | 65 | 65 - 109 |
| Di-n-butyl phthalate | 0.063 | U F1 | 3.58 | 2.19 | F1 | mg/Kg | ✱ | 61 | 66 - 114 |
| Di-n-octyl phthalate | 0.019 | U | 3.58 | 2.63 | | mg/Kg | ✱ | 73 | 65 - 122 |
| Fluoranthene | 0.58 | | 3.58 | 2.86 | | mg/Kg | ✱ | 64 | 64 - 113 |
| Fluorene | 0.026 | J F1 | 3.58 | 2.33 | F1 | mg/Kg | ✱ | 64 | 65 - 109 |
| Hexachlorobenzene | 0.017 | U F1 | 3.58 | 2.16 | F1 | mg/Kg | ✱ | 60 | 70 - 119 |
| Hexachlorobutadiene | 0.0076 | U | 3.58 | 2.53 | | mg/Kg | ✱ | 71 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.031 | U | 3.58 | 1.40 | | mg/Kg | ✱ | 39 | 22 - 124 |
| Hexachloroethane | 0.012 | U | 3.58 | 2.24 | | mg/Kg | ✱ | 62 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.35 | F1 | 3.58 | 2.21 | F1 | mg/Kg | ✱ | 52 | 62 - 121 |
| Isophorone | 0.10 | U | 3.58 | 2.35 | | mg/Kg | ✱ | 66 | 63 - 107 |
| Naphthalene | 0.013 | J | 3.58 | 2.29 | | mg/Kg | ✱ | 64 | 63 - 106 |
| Nitrobenzene | 0.0085 | U | 3.58 | 2.38 | | mg/Kg | ✱ | 67 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.026 | U | 3.58 | 2.22 | | mg/Kg | ✱ | 62 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.0068 | U F1 | 3.58 | 2.18 | F1 | mg/Kg | ✱ | 61 | 67 - 113 |
| Pentachlorophenol | 0.073 | U | 7.16 | 4.67 | | mg/Kg | ✱ | 65 | 44 - 126 |
| Phenanthrene | 0.28 | J F1 | 3.58 | 2.51 | F1 | mg/Kg | ✱ | 62 | 66 - 112 |
| Phenol | 0.013 | U | 3.58 | 2.32 | | mg/Kg | ✱ | 65 | 63 - 110 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219750-A-10-C MS

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Pyrene | 0.48 | F1 | 3.58 | 2.65 | F1 | mg/Kg | ✱ | 60 | 71 - 122 |
| Surrogate | MS %Recovery | MS Qualifier | Limits | | | | | | |
| 2,4,6-Tribromophenol (Surr) | 73 | | 10 - 123 | | | | | | |
| 2-Fluorobiphenyl | 63 | | 25 - 104 | | | | | | |
| 2-Fluorophenol (Surr) | 61 | | 18 - 106 | | | | | | |
| Nitrobenzene-d5 (Surr) | 65 | | 19 - 105 | | | | | | |
| Phenol-d5 (Surr) | 62 | | 26 - 101 | | | | | | |
| Terphenyl-d14 (Surr) | 69 | | 25 - 127 | | | | | | |

Lab Sample ID: 460-219750-A-10-D MSD

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 1,1'-Biphenyl | 0.0047 | U F1 | 3.58 | 2.37 | | mg/Kg | ✱ | 66 | 65 - 110 | 2 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U | 3.58 | 2.46 | | mg/Kg | ✱ | 69 | 64 - 110 | 4 | 30 |
| 1,4-Dioxane | 0.0098 | U | 3.58 | 1.38 | | mg/Kg | ✱ | 39 | 31 - 81 | 5 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0064 | U | 3.58 | 2.08 | | mg/Kg | ✱ | 58 | 49 - 109 | 4 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U | 3.58 | 2.51 | | mg/Kg | ✱ | 70 | 58 - 113 | 3 | 30 |
| 2,4,5-Trichlorophenol | 0.036 | U | 3.58 | 2.44 | | mg/Kg | ✱ | 68 | 64 - 112 | 2 | 30 |
| 2,4,6-Trichlorophenol | 0.046 | U | 3.58 | 2.49 | | mg/Kg | ✱ | 69 | 63 - 113 | 3 | 30 |
| 2,4-Dichlorophenol | 0.023 | U | 3.58 | 2.44 | | mg/Kg | ✱ | 68 | 66 - 113 | 3 | 30 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.58 | 2.30 | | mg/Kg | ✱ | 64 | 63 - 107 | 3 | 30 |
| 2,4-Dinitrophenol | 0.17 | U * | 7.16 | 4.16 | | mg/Kg | ✱ | 58 | 37 - 125 | 3 | 30 |
| 2,4-Dinitrotoluene | 0.038 | U | 3.58 | 2.69 | | mg/Kg | ✱ | 75 | 65 - 124 | 4 | 30 |
| 2,6-Dinitrotoluene | 0.026 | U | 3.58 | 2.89 | | mg/Kg | ✱ | 81 | 67 - 121 | 3 | 30 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.58 | 2.35 | | mg/Kg | ✱ | 66 | 65 - 109 | 4 | 30 |
| 2-Chlorophenol | 0.013 | U | 3.58 | 2.35 | | mg/Kg | ✱ | 66 | 63 - 106 | 3 | 30 |
| 2-Methylnaphthalene | 0.0099 | U | 3.58 | 2.43 | | mg/Kg | ✱ | 68 | 64 - 108 | 4 | 30 |
| 2-Methylphenol | 0.013 | U F1 | 3.58 | 2.41 | | mg/Kg | ✱ | 67 | 63 - 108 | 8 | 30 |
| 2-Nitroaniline | 0.013 | U | 3.58 | 2.67 | | mg/Kg | ✱ | 74 | 59 - 119 | 4 | 30 |
| 2-Nitrophenol | 0.036 | U | 3.58 | 2.80 | | mg/Kg | ✱ | 78 | 64 - 112 | 4 | 30 |
| 3 & 4 Methylphenol | 0.022 | U | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 61 - 108 | 5 | 30 |
| 3,3'-Dichlorobenzidine | 0.054 | U | 3.58 | 1.97 | | mg/Kg | ✱ | 55 | 4 - 119 | 12 | 30 |
| 3-Nitroaniline | 0.040 | U | 3.58 | 2.42 | | mg/Kg | ✱ | 68 | 31 - 102 | 6 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.058 | U | 7.16 | 5.03 | | mg/Kg | ✱ | 70 | 64 - 129 | 5 | 30 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.58 | 2.48 | | mg/Kg | ✱ | 69 | 67 - 113 | 6 | 30 |
| 4-Chloro-3-methylphenol | 0.020 | U | 3.58 | 2.49 | | mg/Kg | ✱ | 70 | 66 - 114 | 1 | 30 |
| 4-Chloroaniline | 0.025 | U | 3.58 | 2.00 | | mg/Kg | ✱ | 56 | 20 - 98 | 12 | 30 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 3.58 | 2.46 | | mg/Kg | ✱ | 69 | 66 - 110 | 2 | 30 |
| 4-Methylphenol | 0.022 | U | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 61 - 108 | 5 | 30 |
| 4-Nitroaniline | 0.041 | U | 3.58 | 2.37 | | mg/Kg | ✱ | 66 | 50 - 110 | 7 | 30 |
| 4-Nitrophenol | 0.058 | U | 7.16 | 4.41 | | mg/Kg | ✱ | 62 | 47 - 123 | 4 | 30 |
| Acenaphthene | 0.038 | J | 3.58 | 2.36 | | mg/Kg | ✱ | 65 | 53 - 110 | 2 | 30 |
| Acenaphthylene | 0.016 | J | 3.58 | 2.37 | | mg/Kg | ✱ | 66 | 64 - 108 | 3 | 30 |
| Acetophenone | 0.017 | U | 3.58 | 2.32 | | mg/Kg | ✱ | 65 | 61 - 103 | 5 | 30 |
| Anthracene | 0.080 | J F1 | 3.58 | 2.39 | F1 | mg/Kg | ✱ | 65 | 67 - 114 | 5 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219750-A-10-D MSD

Matrix: Solid

Analysis Batch: 730727

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 730712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Atrazine | 0.0090 | U | 1.43 | 1.39 | | mg/Kg | ✱ | 97 | 44 - 145 | 16 | 30 |
| Benzaldehyde | 0.015 | U | 1.43 | 1.21 | E | mg/Kg | ✱ | 84 | 39 - 113 | 15 | 30 |
| Benzo[a]anthracene | 0.36 | F1 | 3.58 | 2.57 | F1 | mg/Kg | ✱ | 62 | 67 - 115 | 2 | 30 |
| Benzo[a]pyrene | 0.47 | | 3.58 | 2.96 | | mg/Kg | ✱ | 70 | 63 - 108 | 1 | 30 |
| Benzo[b]fluoranthene | 0.55 | | 3.58 | 3.13 | | mg/Kg | ✱ | 72 | 64 - 116 | 2 | 30 |
| Benzo[g,h,i]perylene | 0.28 | J F1 | 3.58 | 1.85 | F1 | mg/Kg | ✱ | 44 | 61 - 113 | 4 | 30 |
| Benzo[k]fluoranthene | 0.22 | | 3.58 | 2.82 | | mg/Kg | ✱ | 73 | 67 - 115 | 0 | 30 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.58 | 2.26 | | mg/Kg | ✱ | 63 | 62 - 107 | 3 | 30 |
| Bis(2-chloroethyl)ether | 0.012 | U F1 | 3.58 | 2.23 | | mg/Kg | ✱ | 62 | 60 - 107 | 5 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.44 | F1 | 3.58 | 2.77 | F1 | mg/Kg | ✱ | 65 | 69 - 124 | 5 | 30 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.58 | 2.41 | F1 | mg/Kg | ✱ | 67 | 70 - 123 | 5 | 30 |
| Caprolactam | 0.055 | U | 1.43 | 1.44 | E | mg/Kg | ✱ | 100 | 59 - 140 | 22 | 30 |
| Carbazole | 0.039 | J F1 | 3.58 | 2.26 | F1 | mg/Kg | ✱ | 62 | 64 - 113 | 4 | 30 |
| Chrysene | 0.36 | F1 | 3.58 | 2.53 | F1 | mg/Kg | ✱ | 61 | 71 - 122 | 0 | 30 |
| Dibenz(a,h)anthracene | 0.073 | F1 | 3.58 | 2.20 | F1 | mg/Kg | ✱ | 59 | 66 - 119 | 2 | 30 |
| Dibenzofuran | 0.015 | J | 3.58 | 2.43 | | mg/Kg | ✱ | 67 | 65 - 108 | 3 | 30 |
| Diethyl phthalate | 0.0052 | U | 3.58 | 2.45 | | mg/Kg | ✱ | 68 | 63 - 109 | 5 | 30 |
| Dimethyl phthalate | 0.081 | U | 3.58 | 2.41 | | mg/Kg | ✱ | 67 | 65 - 109 | 4 | 30 |
| Di-n-butyl phthalate | 0.063 | U F1 | 3.58 | 2.31 | F1 | mg/Kg | ✱ | 64 | 66 - 114 | 5 | 30 |
| Di-n-octyl phthalate | 0.019 | U | 3.58 | 2.76 | | mg/Kg | ✱ | 77 | 65 - 122 | 5 | 30 |
| Fluoranthene | 0.58 | | 3.58 | 2.90 | | mg/Kg | ✱ | 65 | 64 - 113 | 2 | 30 |
| Fluorene | 0.026 | J F1 | 3.58 | 2.40 | | mg/Kg | ✱ | 66 | 65 - 109 | 3 | 30 |
| Hexachlorobenzene | 0.017 | U F1 | 3.58 | 2.29 | F1 | mg/Kg | ✱ | 64 | 70 - 119 | 6 | 30 |
| Hexachlorobutadiene | 0.0076 | U | 3.58 | 2.65 | | mg/Kg | ✱ | 74 | 62 - 109 | 5 | 30 |
| Hexachlorocyclopentadiene | 0.031 | U | 3.58 | 1.32 | | mg/Kg | ✱ | 37 | 22 - 124 | 6 | 30 |
| Hexachloroethane | 0.012 | U | 3.58 | 2.30 | | mg/Kg | ✱ | 64 | 61 - 102 | 3 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.35 | F1 | 3.58 | 2.08 | F1 | mg/Kg | ✱ | 48 | 62 - 121 | 6 | 30 |
| Isophorone | 0.10 | U | 3.58 | 2.42 | | mg/Kg | ✱ | 68 | 63 - 107 | 3 | 30 |
| Naphthalene | 0.013 | J | 3.58 | 2.36 | | mg/Kg | ✱ | 66 | 63 - 106 | 3 | 30 |
| Nitrobenzene | 0.0085 | U | 3.58 | 2.55 | | mg/Kg | ✱ | 71 | 63 - 110 | 7 | 30 |
| N-Nitrosodi-n-propylamine | 0.026 | U | 3.58 | 2.35 | | mg/Kg | ✱ | 65 | 61 - 108 | 6 | 30 |
| N-Nitrosodiphenylamine | 0.0068 | U F1 | 3.58 | 2.32 | F1 | mg/Kg | ✱ | 65 | 67 - 113 | 6 | 30 |
| Pentachlorophenol | 0.073 | U | 7.16 | 4.91 | | mg/Kg | ✱ | 68 | 44 - 126 | 5 | 30 |
| Phenanthrene | 0.28 | J F1 | 3.58 | 2.58 | F1 | mg/Kg | ✱ | 64 | 66 - 112 | 3 | 30 |
| Phenol | 0.013 | U | 3.58 | 2.48 | | mg/Kg | ✱ | 69 | 63 - 110 | 7 | 30 |
| Pyrene | 0.48 | F1 | 3.58 | 2.66 | F1 | mg/Kg | ✱ | 61 | 71 - 122 | 0 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 76 | | 10 - 123 |
| 2-Fluorobiphenyl | 65 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 65 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 68 | | 19 - 105 |
| Phenol-d5 (Surr) | 64 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 71 | | 25 - 127 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-730751/1-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/10/20 18:45 | 10/13/20 17:25 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 90 | | 28 - 148 | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| DCB Decachlorobiphenyl | 106 | | 28 - 148 | 10/10/20 18:45 | 10/13/20 17:25 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-730751/1-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730751

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Tetrachloro-m-xylene | 96 | | 34 - 118 | 10/10/20 18:45 | 10/13/20 17:25 | 1 |
| Tetrachloro-m-xylene | 96 | | 34 - 118 | 10/10/20 18:45 | 10/13/20 17:25 | 1 |

Lab Sample ID: LCS 460-730751/2-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 4,4'-DDD | 0.133 | 0.140 | | mg/Kg | | 105 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.133 | | mg/Kg | | 100 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.149 | | mg/Kg | | 112 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.132 | | mg/Kg | | 99 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.138 | | mg/Kg | | 103 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.132 | | mg/Kg | | 99 | 63 - 131 |
| Aldrin | 0.133 | 0.150 | | mg/Kg | | 113 | 74 - 140 |
| Aldrin | 0.133 | 0.139 | | mg/Kg | | 104 | 74 - 140 |
| alpha-BHC | 0.133 | 0.154 | | mg/Kg | | 116 | 72 - 142 |
| alpha-BHC | 0.133 | 0.152 | | mg/Kg | | 114 | 72 - 142 |
| beta-BHC | 0.133 | 0.150 | | mg/Kg | | 113 | 65 - 137 |
| beta-BHC | 0.133 | 0.151 | | mg/Kg | | 113 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.146 | | mg/Kg | | 109 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.132 | | mg/Kg | | 99 | 70 - 136 |
| delta-BHC | 0.133 | 0.150 | | mg/Kg | | 113 | 70 - 143 |
| delta-BHC | 0.133 | 0.145 | | mg/Kg | | 109 | 70 - 143 |
| Dieldrin | 0.133 | 0.146 | | mg/Kg | | 109 | 70 - 135 |
| Dieldrin | 0.133 | 0.136 | | mg/Kg | | 102 | 70 - 135 |
| Endosulfan I | 0.133 | 0.144 | | mg/Kg | | 108 | 68 - 135 |
| Endosulfan I | 0.133 | 0.132 | | mg/Kg | | 99 | 68 - 135 |
| Endosulfan II | 0.133 | 0.138 | | mg/Kg | | 104 | 64 - 130 |
| Endosulfan II | 0.133 | 0.129 | | mg/Kg | | 97 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.141 | | mg/Kg | | 106 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.131 | | mg/Kg | | 98 | 66 - 143 |
| Endrin | 0.133 | 0.141 | | mg/Kg | | 105 | 68 - 136 |
| Endrin | 0.133 | 0.134 | | mg/Kg | | 100 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.135 | | mg/Kg | | 101 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.128 | | mg/Kg | | 96 | 68 - 132 |
| Endrin ketone | 0.133 | 0.138 | | mg/Kg | | 104 | 60 - 150 |
| Endrin ketone | 0.133 | 0.135 | | mg/Kg | | 101 | 60 - 150 |
| gamma-BHC (Lindane) | 0.133 | 0.154 | | mg/Kg | | 116 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.150 | | mg/Kg | | 113 | 70 - 134 |
| Heptachlor | 0.133 | 0.144 | | mg/Kg | | 108 | 69 - 134 |
| Heptachlor | 0.133 | 0.136 | | mg/Kg | | 102 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.135 | | mg/Kg | | 101 | 70 - 135 |
| Methoxychlor | 0.133 | 0.123 | | mg/Kg | | 92 | 57 - 135 |
| Methoxychlor | 0.133 | 0.111 | | mg/Kg | | 83 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.150 | | mg/Kg | | 113 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.134 | | mg/Kg | | 100 | 71 - 137 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-730751/2-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730751

| Surrogate | LCS LCS | | Limits |
|------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| DCB Decachlorobiphenyl | 91 | | 28 - 148 |
| DCB Decachlorobiphenyl | 101 | | 28 - 148 |
| Tetrachloro-m-xylene | 92 | | 34 - 118 |
| Tetrachloro-m-xylene | 97 | | 34 - 118 |

Lab Sample ID: LCSD 460-730751/3-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. | | RPD | Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|----------|---|-----|-------|
| | | | | | | | Limits | | | |
| 4,4'-DDD | 0.133 | 0.149 | | mg/Kg | | 112 | 70 - 140 | 6 | 30 | |
| 4,4'-DDD | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 140 | 7 | 30 | |
| 4,4'-DDE | 0.133 | 0.158 | | mg/Kg | | 118 | 71 - 137 | 6 | 30 | |
| 4,4'-DDE | 0.133 | 0.141 | | mg/Kg | | 106 | 71 - 137 | 6 | 30 | |
| 4,4'-DDT | 0.133 | 0.148 | | mg/Kg | | 111 | 63 - 131 | 7 | 30 | |
| 4,4'-DDT | 0.133 | 0.142 | | mg/Kg | | 107 | 63 - 131 | 8 | 30 | |
| Aldrin | 0.133 | 0.158 | | mg/Kg | | 119 | 74 - 140 | 5 | 30 | |
| Aldrin | 0.133 | 0.147 | | mg/Kg | | 110 | 74 - 140 | 5 | 30 | |
| alpha-BHC | 0.133 | 0.163 | | mg/Kg | | 122 | 72 - 142 | 6 | 30 | |
| alpha-BHC | 0.133 | 0.159 | | mg/Kg | | 119 | 72 - 142 | 5 | 30 | |
| beta-BHC | 0.133 | 0.159 | | mg/Kg | | 119 | 65 - 137 | 5 | 30 | |
| beta-BHC | 0.133 | 0.159 | | mg/Kg | | 119 | 65 - 137 | 5 | 30 | |
| cis-Chlordane | 0.133 | 0.153 | | mg/Kg | | 115 | 70 - 136 | 5 | 30 | |
| cis-Chlordane | 0.133 | 0.140 | | mg/Kg | | 105 | 70 - 136 | 6 | 30 | |
| delta-BHC | 0.133 | 0.159 | | mg/Kg | | 120 | 70 - 143 | 6 | 30 | |
| delta-BHC | 0.133 | 0.154 | | mg/Kg | | 115 | 70 - 143 | 6 | 30 | |
| Dieldrin | 0.133 | 0.154 | | mg/Kg | | 116 | 70 - 135 | 6 | 30 | |
| Dieldrin | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 135 | 6 | 30 | |
| Endosulfan I | 0.133 | 0.152 | | mg/Kg | | 114 | 68 - 135 | 5 | 30 | |
| Endosulfan I | 0.133 | 0.139 | | mg/Kg | | 104 | 68 - 135 | 5 | 30 | |
| Endosulfan II | 0.133 | 0.147 | | mg/Kg | | 110 | 64 - 130 | 6 | 30 | |
| Endosulfan II | 0.133 | 0.138 | | mg/Kg | | 104 | 64 - 130 | 7 | 30 | |
| Endosulfan sulfate | 0.133 | 0.150 | | mg/Kg | | 112 | 66 - 143 | 6 | 30 | |
| Endosulfan sulfate | 0.133 | 0.139 | | mg/Kg | | 104 | 66 - 143 | 6 | 30 | |
| Endrin | 0.133 | 0.150 | | mg/Kg | | 113 | 68 - 136 | 7 | 30 | |
| Endrin | 0.133 | 0.142 | | mg/Kg | | 107 | 68 - 136 | 6 | 30 | |
| Endrin aldehyde | 0.133 | 0.142 | | mg/Kg | | 107 | 68 - 132 | 6 | 30 | |
| Endrin aldehyde | 0.133 | 0.135 | | mg/Kg | | 102 | 68 - 132 | 6 | 30 | |
| Endrin ketone | 0.133 | 0.147 | | mg/Kg | | 110 | 60 - 150 | 6 | 30 | |
| Endrin ketone | 0.133 | 0.143 | | mg/Kg | | 107 | 60 - 150 | 6 | 30 | |
| gamma-BHC (Lindane) | 0.133 | 0.163 | | mg/Kg | | 122 | 70 - 134 | 6 | 30 | |
| gamma-BHC (Lindane) | 0.133 | 0.159 | | mg/Kg | | 119 | 70 - 134 | 5 | 30 | |
| Heptachlor | 0.133 | 0.152 | | mg/Kg | | 114 | 69 - 134 | 5 | 30 | |
| Heptachlor | 0.133 | 0.143 | | mg/Kg | | 108 | 69 - 134 | 5 | 30 | |
| Heptachlor epoxide | 0.133 | 0.150 | | mg/Kg | | 113 | 70 - 135 | 5 | 30 | |
| Heptachlor epoxide | 0.133 | 0.142 | | mg/Kg | | 106 | 70 - 135 | 5 | 30 | |
| Methoxychlor | 0.133 | 0.131 | | mg/Kg | | 98 | 57 - 135 | 7 | 30 | |
| Methoxychlor | 0.133 | 0.119 | | mg/Kg | | 89 | 57 - 135 | 7 | 30 | |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-730751/3-A

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| trans-Chlordane | 0.133 | 0.158 | | mg/Kg | | 119 | 71 - 137 | 5 | 30 |
| trans-Chlordane | 0.133 | 0.142 | | mg/Kg | | 106 | 71 - 137 | 6 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 96 | | 28 - 148 |
| DCB Decachlorobiphenyl | 106 | | 28 - 148 |
| Tetrachloro-m-xylene | 103 | | 34 - 118 |
| Tetrachloro-m-xylene | 102 | | 34 - 118 |

Lab Sample ID: 460-220068-F-1-F MS

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.0095 | | 0.148 | 0.181 | | mg/Kg | ✖ | 116 | 70 - 140 |
| 4,4'-DDD | 0.010 | | 0.148 | 0.172 | | mg/Kg | ✖ | 109 | 70 - 140 |
| 4,4'-DDE | 0.0049 | J | 0.148 | 0.185 | | mg/Kg | ✖ | 122 | 71 - 137 |
| 4,4'-DDE | 0.0052 | J | 0.148 | 0.166 | | mg/Kg | ✖ | 109 | 71 - 137 |
| 4,4'-DDT | 0.0057 | J | 0.148 | 0.182 | | mg/Kg | ✖ | 119 | 63 - 131 |
| 4,4'-DDT | 0.0057 | J | 0.148 | 0.171 | | mg/Kg | ✖ | 112 | 63 - 131 |
| Aldrin | 0.0011 | U | 0.148 | 0.181 | | mg/Kg | ✖ | 122 | 74 - 140 |
| Aldrin | 0.0011 | U | 0.148 | 0.167 | | mg/Kg | ✖ | 113 | 74 - 140 |
| alpha-BHC | 0.00075 | U | 0.148 | 0.183 | | mg/Kg | ✖ | 124 | 72 - 142 |
| alpha-BHC | 0.00075 | U | 0.148 | 0.181 | | mg/Kg | ✖ | 122 | 72 - 142 |
| beta-BHC | 0.00083 | U | 0.148 | 0.180 | | mg/Kg | ✖ | 122 | 65 - 137 |
| beta-BHC | 0.00083 | U | 0.148 | 0.184 | | mg/Kg | ✖ | 124 | 65 - 137 |
| cis-Chlordane | 0.0012 | U | 0.148 | 0.176 | | mg/Kg | ✖ | 119 | 70 - 136 |
| cis-Chlordane | 0.0012 | U | 0.148 | 0.160 | | mg/Kg | ✖ | 109 | 70 - 136 |
| delta-BHC | 0.00045 | U | 0.148 | 0.181 | | mg/Kg | ✖ | 123 | 70 - 143 |
| delta-BHC | 0.00045 | U | 0.148 | 0.176 | | mg/Kg | ✖ | 119 | 70 - 143 |
| Dieldrin | 0.00096 | U | 0.148 | 0.178 | | mg/Kg | ✖ | 120 | 70 - 135 |
| Dieldrin | 0.00096 | U | 0.148 | 0.166 | | mg/Kg | ✖ | 113 | 70 - 135 |
| Endosulfan I | 0.0011 | U | 0.148 | 0.173 | | mg/Kg | ✖ | 117 | 68 - 135 |
| Endosulfan I | 0.0011 | U | 0.148 | 0.160 | | mg/Kg | ✖ | 108 | 68 - 135 |
| Endosulfan II | 0.0019 | U | 0.148 | 0.167 | | mg/Kg | ✖ | 113 | 64 - 130 |
| Endosulfan II | 0.0019 | U | 0.148 | 0.156 | | mg/Kg | ✖ | 106 | 64 - 130 |
| Endosulfan sulfate | 0.00093 | U | 0.148 | 0.163 | | mg/Kg | ✖ | 110 | 66 - 143 |
| Endosulfan sulfate | 0.00093 | U | 0.148 | 0.150 | | mg/Kg | ✖ | 101 | 66 - 143 |
| Endrin | 0.0011 | U | 0.148 | 0.173 | | mg/Kg | ✖ | 117 | 68 - 136 |
| Endrin | 0.0011 | U | 0.148 | 0.166 | | mg/Kg | ✖ | 112 | 68 - 136 |
| Endrin aldehyde | 0.0018 | U | 0.148 | 0.139 | | mg/Kg | ✖ | 94 | 68 - 132 |
| Endrin aldehyde | 0.0018 | U | 0.148 | 0.135 | | mg/Kg | ✖ | 91 | 68 - 132 |
| Endrin ketone | 0.0014 | U | 0.148 | 0.164 | | mg/Kg | ✖ | 111 | 60 - 150 |
| Endrin ketone | 0.0014 | U | 0.148 | 0.160 | | mg/Kg | ✖ | 108 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.148 | 0.185 | | mg/Kg | ✖ | 125 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.148 | 0.181 | | mg/Kg | ✖ | 123 | 70 - 134 |
| Heptachlor | 0.00088 | U | 0.148 | 0.175 | | mg/Kg | ✖ | 119 | 69 - 134 |
| Heptachlor | 0.00088 | U | 0.148 | 0.165 | | mg/Kg | ✖ | 112 | 69 - 134 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-220068-F-1-F MS

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Heptachlor epoxide | 0.0011 | U | 0.148 | 0.172 | | mg/Kg | ✱ | 116 | 70 - 135 |
| Heptachlor epoxide | 0.0011 | U | 0.148 | 0.163 | | mg/Kg | ✱ | 110 | 70 - 135 |
| Methoxychlor | 0.0017 | U | 0.148 | 0.162 | | mg/Kg | ✱ | 110 | 57 - 135 |
| Methoxychlor | 0.0017 | U | 0.148 | 0.146 | | mg/Kg | ✱ | 99 | 57 - 135 |
| trans-Chlordane | 0.0013 | U | 0.148 | 0.178 | | mg/Kg | ✱ | 120 | 71 - 137 |
| trans-Chlordane | 0.0013 | U | 0.148 | 0.162 | | mg/Kg | ✱ | 110 | 71 - 137 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 100 | | 28 - 148 |
| DCB Decachlorobiphenyl | 102 | | 28 - 148 |
| Tetrachloro-m-xylene | 85 | | 34 - 118 |
| Tetrachloro-m-xylene | 88 | | 34 - 118 |

Lab Sample ID: 460-220068-F-1-G MSD

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|--------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 4,4'-DDD | 0.0095 | | 0.148 | 0.181 | | mg/Kg | ✱ | 116 | 70 - 140 | 0 | 30 |
| 4,4'-DDD | 0.010 | | 0.148 | 0.169 | | mg/Kg | ✱ | 107 | 70 - 140 | 2 | 30 |
| 4,4'-DDE | 0.0049 | J | 0.148 | 0.183 | | mg/Kg | ✱ | 120 | 71 - 137 | 1 | 30 |
| 4,4'-DDE | 0.0052 | J | 0.148 | 0.156 | | mg/Kg | ✱ | 102 | 71 - 137 | 7 | 30 |
| 4,4'-DDT | 0.0057 | J | 0.148 | 0.177 | | mg/Kg | ✱ | 116 | 63 - 131 | 3 | 30 |
| 4,4'-DDT | 0.0057 | J | 0.148 | 0.165 | | mg/Kg | ✱ | 108 | 63 - 131 | 3 | 30 |
| Aldrin | 0.0011 | U | 0.148 | 0.178 | | mg/Kg | ✱ | 121 | 74 - 140 | 1 | 30 |
| Aldrin | 0.0011 | U | 0.148 | 0.163 | | mg/Kg | ✱ | 110 | 74 - 140 | 2 | 30 |
| alpha-BHC | 0.00075 | U | 0.148 | 0.179 | | mg/Kg | ✱ | 121 | 72 - 142 | 2 | 30 |
| alpha-BHC | 0.00075 | U | 0.148 | 0.177 | | mg/Kg | ✱ | 120 | 72 - 142 | 2 | 30 |
| beta-BHC | 0.00083 | U | 0.148 | 0.169 | | mg/Kg | ✱ | 114 | 65 - 137 | 6 | 30 |
| beta-BHC | 0.00083 | U | 0.148 | 0.173 | | mg/Kg | ✱ | 117 | 65 - 137 | 6 | 30 |
| cis-Chlordane | 0.0012 | U | 0.148 | 0.169 | | mg/Kg | ✱ | 114 | 70 - 136 | 4 | 30 |
| cis-Chlordane | 0.0012 | U | 0.148 | 0.153 | | mg/Kg | ✱ | 103 | 70 - 136 | 5 | 30 |
| delta-BHC | 0.00045 | U | 0.148 | 0.175 | | mg/Kg | ✱ | 118 | 70 - 143 | 4 | 30 |
| delta-BHC | 0.00045 | U | 0.148 | 0.169 | | mg/Kg | ✱ | 115 | 70 - 143 | 4 | 30 |
| Dieldrin | 0.00096 | U | 0.148 | 0.176 | | mg/Kg | ✱ | 119 | 70 - 135 | 1 | 30 |
| Dieldrin | 0.00096 | U | 0.148 | 0.160 | | mg/Kg | ✱ | 108 | 70 - 135 | 4 | 30 |
| Endosulfan I | 0.0011 | U | 0.148 | 0.164 | | mg/Kg | ✱ | 111 | 68 - 135 | 6 | 30 |
| Endosulfan I | 0.0011 | U | 0.148 | 0.153 | | mg/Kg | ✱ | 104 | 68 - 135 | 5 | 30 |
| Endosulfan II | 0.0019 | U | 0.148 | 0.158 | | mg/Kg | ✱ | 107 | 64 - 130 | 5 | 30 |
| Endosulfan II | 0.0019 | U | 0.148 | 0.148 | | mg/Kg | ✱ | 100 | 64 - 130 | 5 | 30 |
| Endosulfan sulfate | 0.00093 | U | 0.148 | 0.153 | | mg/Kg | ✱ | 103 | 66 - 143 | 6 | 30 |
| Endosulfan sulfate | 0.00093 | U | 0.148 | 0.135 | | mg/Kg | ✱ | 91 | 66 - 143 | 10 | 30 |
| Endrin | 0.0011 | U | 0.148 | 0.162 | | mg/Kg | ✱ | 109 | 68 - 136 | 7 | 30 |
| Endrin | 0.0011 | U | 0.148 | 0.161 | | mg/Kg | ✱ | 109 | 68 - 136 | 3 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.148 | 0.129 | | mg/Kg | ✱ | 87 | 68 - 132 | 8 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.148 | 0.123 | | mg/Kg | ✱ | 83 | 68 - 132 | 9 | 30 |
| Endrin ketone | 0.0014 | U | 0.148 | 0.152 | | mg/Kg | ✱ | 103 | 60 - 150 | 7 | 30 |
| Endrin ketone | 0.0014 | U | 0.148 | 0.150 | | mg/Kg | ✱ | 102 | 60 - 150 | 6 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-220068-F-1-G MSD

Matrix: Solid

Analysis Batch: 731342

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 730751

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| gamma-BHC (Lindane) | 0.00069 | U | 0.148 | 0.181 | | mg/Kg | ✱ | 123 | 70 - 134 | 2 | 30 |
| gamma-BHC (Lindane) | 0.00069 | U | 0.148 | 0.176 | | mg/Kg | ✱ | 119 | 70 - 134 | 3 | 30 |
| Heptachlor | 0.00088 | U | 0.148 | 0.170 | | mg/Kg | ✱ | 115 | 69 - 134 | 3 | 30 |
| Heptachlor | 0.00088 | U | 0.148 | 0.160 | | mg/Kg | ✱ | 109 | 69 - 134 | 3 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.148 | 0.165 | | mg/Kg | ✱ | 112 | 70 - 135 | 4 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.148 | 0.157 | | mg/Kg | ✱ | 106 | 70 - 135 | 4 | 30 |
| Methoxychlor | 0.0017 | U | 0.148 | 0.146 | | mg/Kg | ✱ | 99 | 57 - 135 | 10 | 30 |
| Methoxychlor | 0.0017 | U | 0.148 | 0.145 | | mg/Kg | ✱ | 98 | 57 - 135 | 1 | 30 |
| trans-Chlordane | 0.0013 | U | 0.148 | 0.160 | | mg/Kg | ✱ | 108 | 71 - 137 | 11 | 30 |
| trans-Chlordane | 0.0013 | U | 0.148 | 0.147 | | mg/Kg | ✱ | 100 | 71 - 137 | 10 | 30 |
| Surrogate | MSD %Recovery | MSD Qualifier | Limits | | | | | | | | |
| DCB Decachlorobiphenyl | 114 | | 28 - 148 | | | | | | | | |
| DCB Decachlorobiphenyl | 115 | | 28 - 148 | | | | | | | | |
| Tetrachloro-m-xylene | 93 | | 34 - 118 | | | | | | | | |
| Tetrachloro-m-xylene | 89 | | 34 - 118 | | | | | | | | |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-730750/1-A

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730750

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------------|--------------|----------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 106 | | 10 - 150 | | | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| DCB Decachlorobiphenyl | 104 | | 10 - 150 | | | | 10/10/20 18:40 | 10/12/20 10:44 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: MB 460-730750/1-A

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730750

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Tetrachloro-m-xylene | 111 | | 58 - 145 | 10/10/20 18:40 | 10/12/20 10:44 | 1 |
| Tetrachloro-m-xylene | 114 | | 58 - 145 | 10/10/20 18:40 | 10/12/20 10:44 | 1 |

Lab Sample ID: LCS 460-730750/2-A

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730750

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|--------------|----------------|---------------|------------------|-------|---|------|-----------------|
| Aroclor 1016 | 0.333 | 0.343 | | mg/Kg | | 103 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.365 | | mg/Kg | | 109 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.347 | | mg/Kg | | 104 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.354 | | mg/Kg | | 106 | 71 - 150 |

| Surrogate | LCS
%Recovery | LCS
Qualifier | Limits |
|------------------------|------------------|------------------|----------|
| DCB Decachlorobiphenyl | 102 | | 10 - 150 |
| DCB Decachlorobiphenyl | 99 | | 10 - 150 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 |
| Tetrachloro-m-xylene | 107 | | 58 - 145 |

Lab Sample ID: LCSD 460-730750/3-A

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 730750

| Analyte | Spike
Added | LCSD
Result | LCSD
Qualifier | Unit | D | %Rec | %Rec.
Limits | RPD | Limit |
|--------------|----------------|----------------|-------------------|-------|---|------|-----------------|-----|-------|
| Aroclor 1016 | 0.333 | 0.350 | | mg/Kg | | 105 | 65 - 133 | 2 | 30 |
| Aroclor 1016 | 0.333 | 0.365 | | mg/Kg | | 109 | 65 - 133 | 0 | 30 |
| Aroclor 1260 | 0.333 | 0.351 | | mg/Kg | | 105 | 71 - 150 | 1 | 30 |
| Aroclor 1260 | 0.333 | 0.358 | | mg/Kg | | 107 | 71 - 150 | 1 | 30 |

| Surrogate | LCSD
%Recovery | LCSD
Qualifier | Limits |
|------------------------|-------------------|-------------------|----------|
| DCB Decachlorobiphenyl | 103 | | 10 - 150 |
| DCB Decachlorobiphenyl | 101 | | 10 - 150 |
| Tetrachloro-m-xylene | 107 | | 58 - 145 |
| Tetrachloro-m-xylene | 109 | | 58 - 145 |

Lab Sample ID: 460-220068-F-1-C MS

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730750

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MS
Result | MS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|--------------|------------------|---------------------|----------------|--------------|-----------------|-------|---|------|-----------------|
| Aroclor 1016 | 0.0099 | U | 0.370 | 0.392 | | mg/Kg | ⚠ | 106 | 65 - 133 |
| Aroclor 1016 | 0.0099 | U | 0.370 | 0.402 | | mg/Kg | ⚠ | 109 | 65 - 133 |
| Aroclor 1260 | 0.010 | U | 0.370 | 0.402 | | mg/Kg | ⚠ | 109 | 71 - 150 |
| Aroclor 1260 | 0.010 | U | 0.370 | 0.380 | | mg/Kg | ⚠ | 103 | 71 - 150 |

| Surrogate | MS
%Recovery | MS
Qualifier | Limits |
|------------------------|-----------------|-----------------|----------|
| DCB Decachlorobiphenyl | 104 | | 10 - 150 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 460-220068-F-1-C MS

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730750

| | MS | MS | |
|------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| DCB Decachlorobiphenyl | 93 | | 10 - 150 |
| Tetrachloro-m-xylene | 104 | | 58 - 145 |
| Tetrachloro-m-xylene | 102 | | 58 - 145 |

Lab Sample ID: 460-220068-F-1-D MSD

Matrix: Solid

Analysis Batch: 730976

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 730750

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.0099 | U | 0.370 | 0.437 | | mg/Kg | ☼ | 118 | 65 - 133 | 11 | 30 |
| Aroclor 1016 | 0.0099 | U | 0.370 | 0.456 | | mg/Kg | ☼ | 124 | 65 - 133 | 13 | 30 |
| Aroclor 1260 | 0.010 | U | 0.370 | 0.441 | | mg/Kg | ☼ | 119 | 71 - 150 | 9 | 30 |
| Aroclor 1260 | 0.010 | U | 0.370 | 0.446 | | mg/Kg | ☼ | 121 | 71 - 150 | 16 | 30 |

| | MSD | MSD | |
|------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| DCB Decachlorobiphenyl | 116 | | 10 - 150 |
| DCB Decachlorobiphenyl | 108 | | 10 - 150 |
| Tetrachloro-m-xylene | 112 | | 58 - 145 |
| Tetrachloro-m-xylene | 115 | | 58 - 145 |

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-731198/1-A

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |

| | MB | MB | | | | | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--|--|--|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | | | | | | |
| 2,4-Dichlorophenylacetic acid | 94 | | 30 - 150 | | | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |
| 2,4-Dichlorophenylacetic acid | 94 | | 30 - 150 | | | | 10/13/20 03:09 | 10/13/20 08:43 | 1 |

Lab Sample ID: LCS 460-731198/2-A

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0687 | | mg/Kg | | 82 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0765 | | mg/Kg | | 92 | 59 - 150 |
| 2,4-D | 0.333 | 0.273 | | mg/Kg | | 82 | 42 - 150 |
| 2,4-D | 0.333 | 0.282 | | mg/Kg | | 85 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0808 | | mg/Kg | | 97 | 58 - 150 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCS 460-731198/2-A

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| Silvex (2,4,5-TP) | 0.0833 | 0.0853 | | mg/Kg | | 102 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 111 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 112 | | 30 - 150 |

Lab Sample ID: LCSD 460-731198/3-A

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-------|
| 2,4,5-T | 0.0833 | 0.0729 | | mg/Kg | | 88 | 59 - 150 | 6 | 30 |
| 2,4,5-T | 0.0833 | 0.0760 | | mg/Kg | | 91 | 59 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.278 | | mg/Kg | | 83 | 42 - 150 | 2 | 30 |
| 2,4-D | 0.333 | 0.286 | | mg/Kg | | 86 | 42 - 150 | 1 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0832 | | mg/Kg | | 100 | 58 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0867 | | mg/Kg | | 104 | 58 - 150 | 2 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 110 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 113 | | 30 - 150 |

Lab Sample ID: 460-220248-C-1-D MS

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0092 | U | 0.108 | 0.110 | | mg/Kg | ✱ | 102 | 59 - 150 |
| 2,4,5-T | 0.0092 | U | 0.108 | 0.0989 | | mg/Kg | ✱ | 92 | 59 - 150 |
| 2,4-D | 0.016 | U | 0.431 | 0.348 | | mg/Kg | ✱ | 81 | 42 - 150 |
| 2,4-D | 0.016 | U | 0.431 | 0.375 | | mg/Kg | ✱ | 87 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0045 | U | 0.108 | 0.0820 | | mg/Kg | ✱ | 76 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0045 | U | 0.108 | 0.127 | | mg/Kg | ✱ | 118 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 88 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 106 | | 30 - 150 |

Lab Sample ID: 460-220248-C-1-E MSD

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 2,4,5-T | 0.0092 | U | 0.108 | 0.108 | | mg/Kg | ✱ | 100 | 59 - 150 | 2 | 30 |
| 2,4,5-T | 0.0092 | U | 0.108 | 0.0971 | | mg/Kg | ✱ | 90 | 59 - 150 | 2 | 30 |
| 2,4-D | 0.016 | U | 0.431 | 0.351 | | mg/Kg | ✱ | 81 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.016 | U | 0.431 | 0.381 | | mg/Kg | ✱ | 88 | 42 - 150 | 2 | 30 |
| Silvex (2,4,5-TP) | 0.0045 | U | 0.108 | 0.0838 | | mg/Kg | ✱ | 78 | 58 - 150 | 2 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-220248-C-1-E MSD

Matrix: Solid

Analysis Batch: 731244

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 731198

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Silvex (2,4,5-TP) | 0.0045 | U | 0.108 | 0.128 | | mg/Kg | ✱ | 118 | 58 - 150 | 0 | 30 |
| Surrogate | MSD %Recovery | MSD Qualifier | Limits | | | | | | | | |
| 2,4-Dichlorophenylacetic acid | 89 | | 30 - 150 | | | | | | | | |
| 2,4-Dichlorophenylacetic acid | 105 | | 30 - 150 | | | | | | | | |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-730561/1-A

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 10/09/20 19:20 | 10/10/20 02:08 | 1 |

Lab Sample ID: LCSSRM 460-730561/2-A ^5

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|------|--------------|
| Aluminum | 8460 | 6694 | | mg/Kg | | 79.1 | 50.4 - 150.1 |
| Antimony | 120 | 64.71 | | mg/Kg | | 53.9 | 4.8 - 195.0 |
| Arsenic | 95.5 | 86.04 | | mg/Kg | | 90.1 | 82.8 - 117.3 |
| Barium | 300 | 264.9 | | mg/Kg | | 88.3 | 82.3 - 117.7 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-730561/2-A ^5

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|------|--------------|
| Cadmium | 135 | 117.7 | | mg/Kg | | 87.2 | 83.0 - 117.8 |
| Calcium | 4720 | 4157 | | mg/Kg | | 88.1 | 81.6 - 118.6 |
| Chromium | 147 | 125.4 | | mg/Kg | | 85.3 | 82.3 - 117.7 |
| Cobalt | 43.2 | 38.31 | | mg/Kg | | 88.7 | 83.8 - 116.2 |
| Copper | 150 | 129.6 | | mg/Kg | | 86.4 | 84.0 - 116.0 |
| Iron | 14400 | 11780 | | mg/Kg | | 81.8 | 61.3 - 138.9 |
| Lead | 92.3 | 80.41 | | mg/Kg | | 87.1 | 83.1 - 117.0 |
| Magnesium | 2300 | 2083 | | mg/Kg | | 90.6 | 75.7 - 124.3 |
| Manganese | 677 | 587.8 | | mg/Kg | | 86.8 | 82.0 - 118.2 |
| Nickel | 59.8 | 52.40 | | mg/Kg | | 87.6 | 82.6 - 117.6 |
| Potassium | 2030 | 1722 | | mg/Kg | | 84.8 | 70.0 - 130.0 |
| Selenium | 42.0 | 37.45 | | mg/Kg | | 89.2 | 79.5 - 120.5 |
| Silver | 40.3 | 35.09 | | mg/Kg | | 87.1 | 80.6 - 119.4 |
| Sodium | 139 | 115.1 J | | mg/Kg | | 82.8 | 71.9 - 127.3 |
| Thallium | 83.1 | 72.43 | | mg/Kg | | 87.2 | 81.0 - 119.0 |
| Vanadium | 96.9 | 82.12 | | mg/Kg | | 84.7 | 79.2 - 120.7 |
| Zinc | 369 | 325.8 | | mg/Kg | | 88.3 | 80.8 - 119.2 |

Lab Sample ID: LCSSRM 460-730561/2-A ^5

Matrix: Solid

Analysis Batch: 730987

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Beryllium | 103 | 113.8 | | mg/Kg | | 110.5 | 82.8 - 116.5 |

Lab Sample ID: 180-111495-B-1-AG MS

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|-------|--------------|
| Aluminum | 14000 | | 441 | 11780 | 4 | mg/Kg | ⊛ | -507 | 75 - 125 |
| Antimony | 7.1 | F1 | 4.41 | 8.62 | F1 | mg/Kg | ⊛ | 35 | 75 - 125 |
| Arsenic | 2.7 | | 8.82 | 9.79 | | mg/Kg | ⊛ | 80 | 75 - 125 |
| Barium | 146 | | 8.82 | 44.71 | 4 | mg/Kg | ⊛ | -1154 | 75 - 125 |
| Beryllium | 0.17 | J | 4.41 | 3.97 | | mg/Kg | ⊛ | 86 | 75 - 125 |
| Cadmium | 2.4 | | 4.41 | 6.76 | | mg/Kg | ⊛ | 98 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 180-111495-B-1-AG MS

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|-------|--------------|
| Calcium | 41800 | | 441 | 33580 | 4 | mg/Kg | ✱ | -1859 | 75 - 125 |
| Chromium | 36.7 | | 8.82 | 21.20 | 4 | mg/Kg | ✱ | -176 | 75 - 125 |
| Cobalt | 4.2 | | 4.41 | 7.60 | | mg/Kg | ✱ | 78 | 75 - 125 |
| Copper | 329 | | 8.82 | 290.6 | 4 | mg/Kg | ✱ | -437 | 75 - 125 |
| Iron | 14800 | | 441 | 3847 | 4 | mg/Kg | ✱ | -2479 | 75 - 125 |
| Lead | 85.6 | | 4.41 | 96.55 | 4 | mg/Kg | ✱ | 247 | 75 - 125 |
| Magnesium | 3300 | | 441 | 2364 | 4 | mg/Kg | ✱ | -212 | 75 - 125 |
| Manganese | 230 | | 44.1 | 180.2 | 4 | mg/Kg | ✱ | -112 | 75 - 125 |
| Nickel | 11.3 | | 8.82 | 21.09 | | mg/Kg | ✱ | 111 | 75 - 125 |
| Potassium | 1720 | F1 | 441 | 1594 | F1 | mg/Kg | ✱ | -29 | 75 - 125 |
| Selenium | 0.11 | J | 8.82 | 8.22 | | mg/Kg | ✱ | 92 | 75 - 125 |
| Silver | 0.69 | J | 4.41 | 4.79 | | mg/Kg | ✱ | 93 | 75 - 125 |
| Sodium | 5550 | | 441 | 1819 | 4 | mg/Kg | ✱ | -847 | 75 - 125 |
| Thallium | 0.038 | U | 3.53 | 3.32 | | mg/Kg | ✱ | 94 | 75 - 125 |
| Vanadium | 7.5 | | 8.82 | 14.52 | | mg/Kg | ✱ | 80 | 75 - 125 |
| Zinc | 1120 | | 44.1 | 679.5 | 4 | mg/Kg | ✱ | -1006 | 75 - 125 |

Lab Sample ID: 180-111495-B-1-AF DU

Matrix: Solid

Analysis Batch: 730998

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 730561

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Aluminum | 14000 | | 13400 | | mg/Kg | ✱ | 4 | 20 |
| Antimony | 7.1 | F1 | 5.05 | F3 | mg/Kg | ✱ | 33 | 20 |
| Arsenic | 2.7 | | 1.77 | F3 | mg/Kg | ✱ | 43 | 20 |
| Barium | 146 | | 46.32 | F3 | mg/Kg | ✱ | 104 | 20 |
| Beryllium | 0.17 | J | 0.0900 | J F5 | mg/Kg | ✱ | 59 | 20 |
| Cadmium | 2.4 | | 2.66 | | mg/Kg | ✱ | 9 | 20 |
| Calcium | 41800 | | 36910 | | mg/Kg | ✱ | 12 | 20 |
| Chromium | 36.7 | | 14.53 | F3 | mg/Kg | ✱ | 87 | 20 |
| Cobalt | 4.2 | | 3.01 | F5 | mg/Kg | ✱ | 33 | 20 |
| Copper | 329 | | 259.3 | F3 | mg/Kg | ✱ | 24 | 20 |
| Iron | 14800 | | 5340 | F3 | mg/Kg | ✱ | 94 | 20 |
| Lead | 85.6 | | 99.95 | | mg/Kg | ✱ | 15 | 20 |
| Magnesium | 3300 | | 2412 | F3 | mg/Kg | ✱ | 31 | 20 |
| Manganese | 230 | | 111.3 | F3 | mg/Kg | ✱ | 69 | 20 |
| Nickel | 11.3 | | 10.57 | | mg/Kg | ✱ | 7 | 20 |
| Potassium | 1720 | F1 | 994.4 | F3 | mg/Kg | ✱ | 54 | 20 |
| Selenium | 0.11 | J | 0.12 | U | mg/Kg | ✱ | NC | 20 |
| Silver | 0.69 | J | 0.642 | J | mg/Kg | ✱ | 6 | 20 |
| Sodium | 5550 | | 1575 | F3 | mg/Kg | ✱ | 112 | 20 |
| Thallium | 0.038 | U | 0.040 | U | mg/Kg | ✱ | NC | 20 |
| Vanadium | 7.5 | | 7.33 | | mg/Kg | ✱ | 2 | 20 |
| Zinc | 1120 | | 1023 | | mg/Kg | ✱ | 9 | 20 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-730909/1-A

Matrix: Solid

Analysis Batch: 730989

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 730909

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------------|-----------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 10/12/20 03:10 | 10/12/20 06:53 | 1 |

Lab Sample ID: LCSSRM 460-730909/2-A ^40

Matrix: Solid

Analysis Batch: 730989

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 730909

| Analyte | Spike
Added | LCSSRM
Result | LCSSRM
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|----------------|------------------|---------------------|-------|---|-------|-----------------|
| Mercury | 18.4 | 20.28 | | mg/Kg | | 110.2 | 60.9 - 138.6 |

Lab Sample ID: 460-220037-F-1-D MS

Matrix: Solid

Analysis Batch: 730989

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 730909

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MS
Result | MS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|------------------|---------------------|----------------|--------------|-----------------|-------|---|------|-----------------|
| Mercury | 0.029 | | 0.0837 | 0.111 | | mg/Kg | ☼ | 98 | 80 - 120 |

Lab Sample ID: 460-220037-F-1-C DU

Matrix: Solid

Analysis Batch: 730989

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 730909

| Analyte | Sample
Result | Sample
Qualifier | DU
Result | DU
Qualifier | Unit | D | RPD | RPD
Limit |
|---------|------------------|---------------------|--------------|-----------------|-------|---|-----|--------------|
| Mercury | 0.029 | | 0.0295 | | mg/Kg | ☼ | 4 | 20 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-731588/1-A

Matrix: Solid

Analysis Batch: 731619

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 731588

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------------|-----------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 10/14/20 12:02 | 10/15/20 16:59 | 1 |

Lab Sample ID: LCS 460-731588/3-A

Matrix: Solid

Analysis Batch: 731619

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731588

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|----------------|---------------|------------------|-------|---|------|-----------------|
| Cr (VI) | 708 | 760.8 | | mg/Kg | | 107 | 80 - 120 |

Lab Sample ID: LCSSRM 460-731588/2-A

Matrix: Solid

Analysis Batch: 731619

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731588

| Analyte | Spike
Added | LCSSRM
Result | LCSSRM
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|----------------|------------------|---------------------|-------|---|------|-----------------|
| Cr (VI) | 15.6 | 14.97 | | mg/Kg | | 96.2 | 84.2 - 114.5 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 7196A - Chromium, Hexavalent (Continued)

Lab Sample ID: MB 460-731856/1-A

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------------|-----------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 10/15/20 08:43 | 10/15/20 12:45 | 1 |

Lab Sample ID: LCS1 460-731856/3-A

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | Spike
Added | LCS1
Result | LCS1
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|----------------|----------------|-------------------|-------|---|------|-----------------|
| Cr (VI) | 708 | 720.3 | | mg/Kg | | 102 | 80 - 120 |

Lab Sample ID: LCSSRM 460-731856/2-A

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | Spike
Added | LCSSRM
Result | LCSSRM
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|----------------|------------------|---------------------|-------|---|-------|-----------------|
| Cr (VI) | 15.6 | 15.81 | | mg/Kg | | 101.6 | 84.2 - 114.5 |

Lab Sample ID: 460-220149-E-1-D MSS

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MSS
Result | MSS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|------------------|---------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| Cr (VI) | 0.41 | U F1 | 46.6 | 16.89 | F1 | mg/Kg | ✱ | 36 | 75 - 125 |

Lab Sample ID: 460-220149-E-1-E MSI

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MSI
Result | MSI
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|---------|------------------|---------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| Cr (VI) | 0.41 | U F1 | 825 | 388.0 | F1 | mg/Kg | ✱ | 47 | 75 - 125 |

Lab Sample ID: 460-220149-E-1-C DU

Matrix: Solid

Analysis Batch: 731949

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 731856

| Analyte | Sample
Result | Sample
Qualifier | DU
Result | DU
Qualifier | Unit | D | RPD | Limit |
|---------|------------------|---------------------|--------------|-----------------|-------|---|-----|-------|
| Cr (VI) | 0.41 | U F1 | 0.41 | U | mg/Kg | ✱ | NC | 20 |

Method: 9012B - Cyanide, Total and/or Amenable

Lab Sample ID: MB 460-731330/1-A

Matrix: Solid

Analysis Batch: 731589

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 731330

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------------|-----------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 10/13/20 12:58 | 10/14/20 11:29 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Method: 9012B - Cyanide, Total and/or Amenable (Continued)

Lab Sample ID: LCSSRM 460-731330/2-A ^20

Matrix: Solid

Analysis Batch: 731589

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 731330

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|-------------|---------------|------------------|-------|---|------|--------------|
| Cyanide, Total | 157 | 55.20 | | mg/Kg | | 35.2 | 23.5 - 110.2 |

Lab Sample ID: 460-219619-A-18-I MS

Matrix: Solid

Analysis Batch: 731589

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 731330

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Cyanide, Total | 0.14 | J F1 | 5.05 | 6.23 | F1 | mg/Kg | ✱ | 121 | 11 - 108 |

Lab Sample ID: 460-219619-A-18-J MSD

Matrix: Solid

Analysis Batch: 731589

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 731330

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Cyanide, Total | 0.14 | J F1 | 5.05 | 6.16 | F1 | mg/Kg | ✱ | 119 | 11 - 108 | 1 | 40 |

Method: Moisture - Percent Moisture

Lab Sample ID: 460-220026-E-4 DU

Matrix: Solid

Analysis Batch: 731005

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|------|-----------|
| Percent Moisture | 9.2 | | 9.3 | | % | | 0.8 | 20 |
| Percent Solids | 90.8 | | 90.7 | | % | | 0.08 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

GC/MS VOA

Prep Batch: 730565

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-220096-2 | TP-5_(10-12) | Total/NA | Solid | 5035 | 730565 |
| LB3 460-730565/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 730765

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LB3 460-730565/1-A | Method Blank | Total/NA | Solid | 8260C | 730565 |
| MB 460-730765/7 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-730765/3 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-730765/4 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |
| | | | | | |

Analysis Batch: 730895

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-2 | TP-5_(10-12) | Total/NA | Solid | 8260C | 730565 |
| MB 460-730895/7 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-730895/3 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-730895/4 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |
| | | | | | |

GC/MS Semi VOA

Prep Batch: 730712

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-2 | TP-5_(10-12) | Total/NA | Solid | 3546 | 730712 |
| MB 460-730712/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-730712/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-730712/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-219750-A-10-C MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-219750-A-10-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |
| | | | | | |

Analysis Batch: 730727

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-2 | TP-5_(10-12) | Total/NA | Solid | 8270D | 730712 |
| MB 460-730712/1-A | Method Blank | Total/NA | Solid | 8270D | 730712 |
| LCS 460-730712/2-A | Lab Control Sample | Total/NA | Solid | 8270D | 730712 |
| LCSD 460-730712/3-A | Lab Control Sample Dup | Total/NA | Solid | 8270D | 730712 |
| 460-219750-A-10-C MS | Matrix Spike | Total/NA | Solid | 8270D | 730712 |
| 460-219750-A-10-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270D | 730712 |

GC Semi VOA

Prep Batch: 730750

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 3546 | 730750 |
| MB 460-730750/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-730750/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-730750/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-220068-F-1-C MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-220068-F-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |
| | | | | | |

Prep Batch: 730751

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 3546 | 730751 |
| MB 460-730751/1-A | Method Blank | Total/NA | Solid | 3546 | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

GC Semi VOA (Continued)

Prep Batch: 730751 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| LCS 460-730751/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-730751/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-220068-F-1-F MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-220068-F-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 730976

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 8082A | 730750 |
| MB 460-730750/1-A | Method Blank | Total/NA | Solid | 8082A | 730750 |
| LCS 460-730750/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 730750 |
| LCSD 460-730750/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 730750 |
| 460-220068-F-1-C MS | Matrix Spike | Total/NA | Solid | 8082A | 730750 |
| 460-220068-F-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 730750 |

Prep Batch: 731198

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 8151A | |
| MB 460-731198/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-731198/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-731198/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-220248-C-1-D MS | Matrix Spike | Total/NA | Solid | 8151A | |
| 460-220248-C-1-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | |

Analysis Batch: 731244

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 8151A | 731198 |
| MB 460-731198/1-A | Method Blank | Total/NA | Solid | 8151A | 731198 |
| LCS 460-731198/2-A | Lab Control Sample | Total/NA | Solid | 8151A | 731198 |
| LCSD 460-731198/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | 731198 |
| 460-220248-C-1-D MS | Matrix Spike | Total/NA | Solid | 8151A | 731198 |
| 460-220248-C-1-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | 731198 |

Analysis Batch: 731342

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 8081B | 730751 |
| MB 460-730751/1-A | Method Blank | Total/NA | Solid | 8081B | 730751 |
| LCS 460-730751/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 730751 |
| LCSD 460-730751/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 730751 |
| 460-220068-F-1-F MS | Matrix Spike | Total/NA | Solid | 8081B | 730751 |
| 460-220068-F-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 730751 |

Metals

Prep Batch: 730561

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 3050B | |
| MB 460-730561/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-730561/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 180-111495-B-1-AG MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 180-111495-B-1-AF DU | Duplicate | Total/NA | Solid | 3050B | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Metals

Prep Batch: 730909

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 7471B | |
| MB 460-730909/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCSSRM 460-730909/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-220037-F-1-D MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-220037-F-1-C DU | Duplicate | Total/NA | Solid | 7471B | |

Analysis Batch: 730987

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| LCSSRM 460-730561/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 730561 |

Analysis Batch: 730989

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 7471B | 730909 |
| MB 460-730909/1-A | Method Blank | Total/NA | Solid | 7471B | 730909 |
| LCSSRM 460-730909/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 730909 |
| 460-220037-F-1-D MS | Matrix Spike | Total/NA | Solid | 7471B | 730909 |
| 460-220037-F-1-C DU | Duplicate | Total/NA | Solid | 7471B | 730909 |

Analysis Batch: 730998

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 6020B | 730561 |
| MB 460-730561/1-A | Method Blank | Total/NA | Solid | 6020B | 730561 |
| LCSSRM 460-730561/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 730561 |
| 180-111495-B-1-AG MS | Matrix Spike | Total/NA | Solid | 6020B | 730561 |
| 180-111495-B-1-AF DU | Duplicate | Total/NA | Solid | 6020B | 730561 |

General Chemistry

Analysis Batch: 730943

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 7196A | |

Analysis Batch: 731005

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|----------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | Moisture | |
| 460-220096-2 | TP-5_(10-12) | Total/NA | Solid | Moisture | |
| 460-220026-E-4 DU | Duplicate | Total/NA | Solid | Moisture | |

Prep Batch: 731330

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 9012B | |
| MB 460-731330/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-731330/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-219619-A-18-I MS | Matrix Spike | Total/NA | Solid | 9012B | |
| 460-219619-A-18-J MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | |

Prep Batch: 731588

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 3060A | |
| MB 460-731588/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-731588/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

General Chemistry (Continued)

Prep Batch: 731588 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| LCSSRM 460-731588/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |

Analysis Batch: 731589

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 9012B | 731330 |
| MB 460-731330/1-A | Method Blank | Total/NA | Solid | 9012B | 731330 |
| LCSSRM 460-731330/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 731330 |
| 460-219619-A-18-I MS | Matrix Spike | Total/NA | Solid | 9012B | 731330 |
| 460-219619-A-18-J MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | 731330 |

Analysis Batch: 731619

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 7196A | 731588 |
| MB 460-731588/1-A | Method Blank | Total/NA | Solid | 7196A | 731588 |
| LCSI 460-731588/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 731588 |
| LCSSRM 460-731588/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 731588 |

Prep Batch: 731856

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 3060A | |
| MB 460-731856/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-731856/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-731856/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-220149-E-1-D MSS | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-220149-E-1-E MSI | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-220149-E-1-C DU | Duplicate | Total/NA | Solid | 3060A | |

Analysis Batch: 731949

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-220096-1 | TP-5_COMP_(3-18) | Total/NA | Solid | 7196A | 731856 |
| MB 460-731856/1-A | Method Blank | Total/NA | Solid | 7196A | 731856 |
| LCSI 460-731856/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 731856 |
| LCSSRM 460-731856/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 731856 |
| 460-220149-E-1-D MSS | Matrix Spike | Total/NA | Solid | 7196A | 731856 |
| 460-220149-E-1-E MSI | Matrix Spike | Total/NA | Solid | 7196A | 731856 |
| 460-220149-E-1-C DU | Duplicate | Total/NA | Solid | 7196A | 731856 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Client Sample ID: TP-5_COMP_(3-18)

Lab Sample ID: 460-220096-1

Date Collected: 10/08/20 09:15

Matrix: Solid

Date Received: 10/08/20 20:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 730943 | 10/12/20 06:34 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 731005 | 10/12/20 11:47 | MMC | TAL EDI |

Client Sample ID: TP-5_COMP_(3-18)

Lab Sample ID: 460-220096-1

Date Collected: 10/08/20 09:15

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 85.3

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3546 | | | 730751 | 10/10/20 18:45 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 731342 | 10/13/20 20:20 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 730750 | 10/10/20 18:40 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 730976 | 10/12/20 14:25 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 731198 | 10/13/20 03:09 | JMS | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 731244 | 10/13/20 11:05 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 730561 | 10/09/20 19:20 | GRB | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 730998 | 10/10/20 03:19 | LBD | TAL EDI |
| Total/NA | Prep | 7471B | | | 730909 | 10/12/20 03:10 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 730989 | 10/12/20 07:21 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 731856 | 10/15/20 08:43 | RAK | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 731949 | 10/15/20 14:10 | RAK | TAL EDI |
| Total/NA | Prep | 3060A | | | 731588 | 10/14/20 12:02 | VBG | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 731619 | 10/15/20 17:27 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 731330 | 10/13/20 12:58 | VBG | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 731589 | 10/14/20 11:41 | AJP | TAL EDI |

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 731005 | 10/12/20 11:47 | MMC | TAL EDI |

Client Sample ID: TP-5_(10-12)

Lab Sample ID: 460-220096-2

Date Collected: 10/08/20 09:05

Matrix: Solid

Date Received: 10/08/20 20:00

Percent Solids: 83.5

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 730565 | 10/09/20 20:09 | AVM | TAL EDI |
| Total/NA | Analysis | 8260C | | 1 | 730895 | 10/12/20 03:58 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 730712 | 10/10/20 14:56 | DMS | TAL EDI |
| Total/NA | Analysis | 8270D | | 1 | 730727 | 10/11/20 07:22 | YAH | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Eurofins TestAmerica, Edison

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------------|
| 7196A | | Solid | Cr (III) |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260C | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270D | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220096-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-220096-1 | TP-5_COMP_(3-18) | Solid | 10/08/20 09:15 | 10/08/20 20:00 | |
| 460-220096-2 | TP-5_(10-12) | Solid | 10/08/20 09:05 | 10/08/20 20:00 | |

Address:

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

TAI -8210

| | | | | | | | |
|--|--|--|--|---|--|---|--|
| Client Contact
Company Name: <u>ROUX</u>
Address: <u>209 Gaucher Street</u>
City/State/Zip: <u>Islandia, NY 11749</u>
Phone: <u>(631) 332-2600</u>
Fax: <u>(631) 332-9898</u>
Project Name: <u>MO:EA COMMODORE</u>
Site: <u>104 East 42nd Street NY</u>
PO # <u>3255.00024000</u> | | Project Manager: Rachel Henlee
Tel/Email: <u>(919) 694-1923</u>
Analysis Turnaround Time
<input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS
TAT if different from Below
<input type="checkbox"/> 2 weeks <input checked="" type="checkbox"/> standard
<input type="checkbox"/> 1 week <input type="checkbox"/> 5-14 day
<input type="checkbox"/> 2 days <input type="checkbox"/> TAT
<input type="checkbox"/> 1 day | | Site Contact: (631) 413-3642
Date: <u>10/08/2020</u>
Lab Contact:
Carrier: | | COC No:
1 of 1 COCs
Sampler:
For Lab Use Only:
Walk-in Client:
Lab Sampling:
Job / SDG No.: | |
| Sample Identification
TP-5-COMP-138
TP-5-110-12 | | Sample
Date: <u>10/8/20</u> <u>0915</u>
Time: <u>0905</u>
Type: <u>C</u>
Matrix: <u>S</u>
of Cont.: <u>5</u> | | Filtered Sample (Y/N)
Perform MS / MSD (Y/N)
TCL VOC + TCL
TCL SWC + TICS
Pest + Herbs
TAL Metals + Merc
Hex Chrom + Tr. Chrom
PCBs | | Sample Specific Notes:
1
2 | |
| Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4= HNO3, 5= NaOH, 6= Other | | Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
<input type="checkbox"/> Return to Client
<input type="checkbox"/> Disposal by Lab
<input type="checkbox"/> Archive for _____ Months | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | |
| Special Instructions/QC Requirements & Comments: | | Relinquished by: <u>ET 6/9/2020</u>
Relinquished by: <u>ET 6/9/2020</u>
Relinquished by: <u>ET 6/9/2020</u> | | Cooler Temp. (°C): Obs'd: _____
Received by: <u>ET 6/9/2020</u>
Received by: <u>ET 6/9/2020</u>
Received in Laboratory by: <u>ET 6/9/2020</u> | | Therm ID No.: _____
Date/Time: <u>10/8/20 11:10 AM</u>
Date/Time: <u>10/8/20 11:10 AM</u>
Date/Time: <u>10/8/20 11:10 AM</u> | |

3-322-11

Job Number:

Number of Coolers:

IR Gun #

Cooler Temperatures

| | RAW | | CORRECTED | |
|------------|-----|-----------|-----------|-----------|
| | RAW | CORRECTED | RAW | CORRECTED |
| Cooler #1: | 33 | ℃ | ℃ | ℃ |
| Cooler #2: | ℃ | ℃ | ℃ | ℃ |
| Cooler #3: | ℃ | ℃ | ℃ | ℃ |
| Cooler #4: | ℃ | ℃ | ℃ | ℃ |
| Cooler #5: | ℃ | ℃ | ℃ | ℃ |
| Cooler #6: | ℃ | ℃ | ℃ | ℃ |
| Cooler #7: | ℃ | ℃ | ℃ | ℃ |
| Cooler #8: | ℃ | ℃ | ℃ | ℃ |
| Cooler #9: | ℃ | ℃ | ℃ | ℃ |

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Barra

Date: 6/1/2018

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-220096-1

Login Number: 220096

List Number: 1

Creator: Meyers, Gary

List Source: Eurofins TestAmerica, Edison

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-220794-1
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
10/30/2020 10:22:55 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
10/30/2020 10:22:55 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 10 |
| Client Sample Results | 13 |
| Surrogate Summary | 29 |
| QC Sample Results | 31 |
| QC Association Summary | 66 |
| Lab Chronicle | 71 |
| Certification Summary | 74 |
| Method Summary | 75 |
| Sample Summary | 76 |
| Chain of Custody | 77 |
| Receipt Checklists | 79 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |
| X | Surrogate recovery exceeds control limits |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| E | Result exceeded calibration range. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |
| X | Surrogate recovery exceeds control limits |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |
| N | This flag indicates the presumptive evidence of a compound. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| U | Indicates the analyte was analyzed for but not detected. |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |

Eurofins TestAmerica, Edison

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Job ID: 460-220794-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-220794-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/16/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.6 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

Receipt Exceptions

Tests on hold were moved to a -2 job number to be reported separately if activated.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples TP-16_(0-2) (460-220794-1), TP-16_(5-7) (460-220794-3) and TP-16_(3-5) (460-220794-4) were analyzed for Volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260C. The samples were prepared on 10/17/2020 and analyzed on 10/18/2020 and 10/19/2020.

Internal standard (ISTD) response for 1,4-Dioxane-d8 for the following sample was outside acceptance criteria: TP-16_(0-2) (460-220794-1). This ISTD does not correspond to any of the requested target compounds; therefore, the data have been reported.

Four surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: TP-16_(3-5) (460-220794-4). These results have been reported and qualified.

No other difficulties were encountered during the volatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Job ID: 460-220794-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 10/20/2020 and analyzed on 10/21/2020.

No difficulties were encountered during the Pesticides analysis.

All quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/20/2020 and analyzed on 10/21/2020.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 10/19/2020 and analyzed on 10/20/2020.

The closing continuing calibration verification (CCVC) associated with batch 460-733097 recovered above the upper control limit for Silvex (2,4,5-TP) and 2,4,5-T. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No other difficulties were encountered during the herbicides analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples TP-16_(0-2) (460-220794-1), TP-16_(5-7) (460-220794-3) and TP-16_(3-5) (460-220794-4) were analyzed for semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8270D. The samples were prepared and analyzed on 10/19/2020.

The continuing calibration verification (CCV) analyzed in batch 460-732980 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 460-732843 and analytical batch 460-732980 recovered outside control limits for the following analytes: Benzaldehyde. The data have been reported.

Surrogate recovery for the following sample was outside control limits: TP-16_(3-5) (460-220794-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples were prepared on 10/18/2020 and 10/21/2020 and analyzed on 10/21/2020 and 10/22/2020.

Several analytes failed the recovery criteria low for the MS of sample 460-220793-8 in batch 460-733508. Lead failed the recovery criteria high.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Job ID: 460-220794-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Antimony failed the recovery criteria low for the MS of sample 460-220873-2 in batch 460-733866. Aluminum, Barium and Iron failed the recovery criteria high.

Refer to the QC report for details.

Sample TP-16_(3-5) (460-220794-4)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared on 10/20/2020 and analyzed on 10/21/2020.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 10/19/2020.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 10/18/2020 and 10/22/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2) and TP-16_(3-5) (460-220794-4) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 10/22/2020.

Cyanide, Total failed the recovery criteria high for the MSD of sample 460-220793-11 in batch 460-733947.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Samples TP-16_(0-2) (460-220794-1), TP-16_COMP_(3-8.5) (460-220794-2), TP-16_(5-7) (460-220794-3) and TP-16_(3-5) (460-220794-4) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 10/20/2020.

No difficulties were encountered during the %solids/moisture analysis.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Job ID: 460-220794-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

All quality control parameters were within the acceptance limits.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Acenaphthylene | 0.14 | J | 0.41 | 0.0042 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Anthracene | 0.078 | J | 0.41 | 0.012 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]anthracene | 1.1 | | 0.041 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]pyrene | 1.3 | | 0.041 | 0.011 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[b]fluoranthene | 1.8 | | 0.041 | 0.011 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[g,h,i]perylene | 0.77 | | 0.41 | 0.012 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[k]fluoranthene | 0.61 | | 0.041 | 0.0080 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Chrysene | 0.95 | | 0.41 | 0.0069 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Dibenz(a,h)anthracene | 0.21 | | 0.041 | 0.018 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Dibenzofuran | 0.010 | J | 0.41 | 0.0057 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluoranthene | 1.7 | | 0.41 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluorene | 0.011 | J | 0.41 | 0.0055 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.89 | | 0.041 | 0.016 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Naphthalene | 0.030 | J | 0.41 | 0.0071 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Phenanthrene | 0.24 | J | 0.41 | 0.0072 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Pyrene | 1.7 | | 0.41 | 0.010 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Aluminum | 1870 | | 20.0 | 2.6 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Antimony | 0.20 | J | 1.0 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Arsenic | 2.7 | | 1.0 | 0.10 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Barium | 94.6 | | 2.0 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Beryllium | 0.21 | J | 0.40 | 0.057 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cadmium | 0.17 | J | 1.0 | 0.11 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Calcium | 19300 | | 100 | 17.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Chromium | 93.0 | | 2.0 | 0.17 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cobalt | 4.5 | | 2.0 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Copper | 40.3 | | 2.0 | 0.22 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Iron | 5290 | | 60.1 | 20.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Lead | 43.3 | | 0.60 | 0.20 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Magnesium | 1530 | | 100 | 10.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Manganese | 102 | | 4.0 | 0.40 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Nickel | 10.8 | | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Potassium | 607 | | 100 | 11.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Selenium | 0.74 | J | 1.3 | 0.12 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Silver | 0.17 | J | 1.0 | 0.089 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Sodium | 192 | | 100 | 15.6 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Thallium | 0.073 | J | 0.40 | 0.041 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Vanadium | 8.8 | | 2.0 | 0.21 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Zinc | 46.5 | | 8.0 | 2.3 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Mercury | 0.34 | | 0.021 | 0.0049 | mg/Kg | 1 | ✱ | 7471B | Total/NA |
| Cr (III) | 92.3 | | 2.0 | 2.0 | mg/Kg | 1 | | 7196A | Total/NA |
| Cr (VI) | 0.66 | J | 2.5 | 0.43 | mg/Kg | 1 | ✱ | 7196A | Total/NA |

Client Sample ID: TP-16_COMP_(3-8.5)

Lab Sample ID: 460-220794-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Aluminum | 2350 | | 24.7 | 3.2 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Arsenic | 4.2 | | 1.2 | 0.12 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Barium | 59.2 | | 2.5 | 0.18 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Beryllium | 0.27 | J | 0.49 | 0.070 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cadmium | 0.22 | J | 1.2 | 0.14 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Calcium | 8580 | | 124 | 21.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_COMP_(3-8.5) (Continued)

Lab Sample ID: 460-220794-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Chromium | 79.8 | | 2.5 | 0.21 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cobalt | 5.2 | | 2.5 | 0.18 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Copper | 59.7 | | 2.5 | 0.27 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Iron | 7510 | | 74.1 | 25.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Lead | 31.3 | | 0.74 | 0.25 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Magnesium | 834 | | 124 | 12.6 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Manganese | 59.4 | | 4.9 | 0.50 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Nickel | 12.2 | | 2.5 | 0.24 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Potassium | 783 | | 124 | 13.8 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Selenium | 1.3 | J | 1.5 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Sodium | 218 | | 124 | 19.3 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Thallium | 0.11 | J | 0.49 | 0.051 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Vanadium | 13.1 | | 2.5 | 0.25 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Zinc | 46.2 | | 9.9 | 2.8 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Mercury | 0.32 | | 0.020 | 0.0048 | mg/Kg | 1 | ✱ | 7471B | Total/NA |
| Cr (III) | 79.2 | | 2.0 | 2.0 | mg/Kg | 1 | | 7196A | Total/NA |
| Cr (VI) | 0.67 | J | 2.5 | 0.44 | mg/Kg | 1 | ✱ | 7196A | Total/NA |

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| 2-Chloronaphthalene | 0.027 | J | 0.39 | 0.018 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Acenaphthylene | 0.064 | J | 0.39 | 0.0041 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Anthracene | 0.014 | J | 0.39 | 0.012 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzaldehyde | 0.017 | J * | 0.39 | 0.017 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]anthracene | 0.099 | | 0.039 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]pyrene | 0.10 | | 0.039 | 0.010 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[b]fluoranthene | 0.14 | | 0.039 | 0.010 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[g,h,i]perylene | 0.056 | J | 0.39 | 0.012 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[k]fluoranthene | 0.043 | | 0.039 | 0.0077 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Chrysene | 0.10 | J | 0.39 | 0.0067 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Dibenz(a,h)anthracene | 0.019 | J | 0.039 | 0.017 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluoranthene | 0.14 | J | 0.39 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.065 | | 0.039 | 0.015 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Naphthalene | 0.14 | J | 0.39 | 0.0068 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Phenanthrene | 0.070 | J | 0.39 | 0.0069 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Pyrene | 0.16 | J | 0.39 | 0.0098 | mg/Kg | 1 | ✱ | 8270D | Total/NA |

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Acetone | 0.025 | | 0.015 | 0.014 | mg/Kg | 1 | ✱ | 8260C | Total/NA |
| Benzo[a]anthracene | 0.037 | J | 0.058 | 0.020 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[a]pyrene | 0.067 | | 0.058 | 0.015 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[b]fluoranthene | 0.10 | | 0.058 | 0.015 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[g,h,i]perylene | 0.060 | J | 0.58 | 0.017 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Benzo[k]fluoranthene | 0.033 | J | 0.058 | 0.011 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Chrysene | 0.038 | J | 0.58 | 0.0098 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Fluoranthene | 0.021 | J | 0.58 | 0.020 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.068 | | 0.058 | 0.023 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Pyrene | 0.019 | J | 0.58 | 0.014 | mg/Kg | 1 | ✱ | 8270D | Total/NA |
| Aluminum | 3280 | | 33.4 | 4.3 | mg/Kg | 1 | ✱ | 6020B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5) (Continued)

Lab Sample ID: 460-220794-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|----------------|--------|-----------|-------|--------|-------|-----|-----|---|--------|-----------|
| Arsenic | 1.9 | | 1.7 | 0.17 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Barium | 15.4 | | 3.3 | 0.24 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Beryllium | 0.14 | J | 0.67 | 0.095 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Calcium | 333000 | | 834 | 142 | mg/Kg | 5 | | ✱ | 6020B | Total/NA |
| Chromium | 5.0 | | 3.3 | 0.29 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Cobalt | 0.92 | J | 3.3 | 0.25 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Copper | 13.2 | | 3.3 | 0.37 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Iron | 2500 | | 100 | 33.7 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Lead | 13.7 | | 1.0 | 0.33 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Magnesium | 16400 | | 167 | 17.0 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Manganese | 37.5 | | 6.7 | 0.67 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Nickel | 2.7 | J | 3.3 | 0.32 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Potassium | 206 | | 167 | 18.7 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Selenium | 0.39 | J | 2.1 | 0.20 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Sodium | 122 | J | 167 | 26.0 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Thallium | 0.068 | J | 0.67 | 0.068 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Vanadium | 4.6 | | 3.3 | 0.34 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Zinc | 15.7 | | 13.3 | 3.8 | mg/Kg | 1 | | ✱ | 6020B | Total/NA |
| Mercury | 0.018 | J | 0.028 | 0.0067 | mg/Kg | 1 | | ✱ | 7471B | Total/NA |
| Cr (III) | 4.2 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |
| Cr (VI) | 0.76 | J | 3.5 | 0.61 | mg/Kg | 1 | | ✱ | 7196A | Total/NA |
| Cyanide, Total | 0.59 | | 0.40 | 0.21 | mg/Kg | 1 | | ✱ | 9012B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

Date Collected: 10/16/20 10:10

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 81.1

Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00055 | U | 0.0024 | 0.00055 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00051 | U | 0.0024 | 0.00051 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00071 | U | 0.0024 | 0.00071 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,1,2-Trichloroethane | 0.00042 | U | 0.0024 | 0.00042 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,1-Dichloroethane | 0.00049 | U | 0.0024 | 0.00049 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,1-Dichloroethene | 0.00053 | U | 0.0024 | 0.00053 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2,3-Trichlorobenzene | 0.00043 | U | 0.0024 | 0.00043 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2,4-Trichlorobenzene | 0.00085 | U | 0.0024 | 0.00085 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2,4-Trimethylbenzene | 0.00058 | U | 0.0024 | 0.00058 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.0011 | U | 0.0024 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2-Dichlorobenzene | 0.00034 | U | 0.0024 | 0.00034 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2-Dichloroethane | 0.00070 | U | 0.0024 | 0.00070 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,2-Dichloropropane | 0.0010 | U | 0.0024 | 0.0010 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,3,5-Trimethylbenzene | 0.00027 | U | 0.0024 | 0.00027 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,3-Dichlorobenzene | 0.00038 | U | 0.0024 | 0.00038 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 1,4-Dichlorobenzene | 0.00053 | U | 0.0024 | 0.00053 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 2-Butanone (MEK) | 0.0064 | U | 0.012 | 0.0064 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 2-Hexanone | 0.0041 | U | 0.012 | 0.0041 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0037 | U | 0.012 | 0.0037 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Acetone | 0.014 | U | 0.014 | 0.014 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Benzene | 0.00061 | U | 0.0024 | 0.00061 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Bromoform | 0.0010 | U | 0.0024 | 0.0010 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Bromomethane | 0.0011 | U | 0.0024 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Carbon disulfide | 0.00063 | U | 0.0024 | 0.00063 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Carbon tetrachloride | 0.00092 | U | 0.0024 | 0.00092 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chlorobenzene | 0.00042 | U | 0.0024 | 0.00042 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chlorobromomethane | 0.00067 | U | 0.0024 | 0.00067 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chlorodibromomethane | 0.00046 | U | 0.0024 | 0.00046 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chloroethane | 0.0012 | U | 0.0024 | 0.0012 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chloroform | 0.00076 | U | 0.0024 | 0.00076 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Chloromethane | 0.0010 | U | 0.0024 | 0.0010 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0024 | 0.00036 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| cis-1,3-Dichloropropene | 0.00065 | U | 0.0024 | 0.00065 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Cyclohexane | 0.00052 | U | 0.0024 | 0.00052 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Dichlorobromomethane | 0.00061 | U | 0.0024 | 0.00061 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Dichlorodifluoromethane | 0.00080 | U | 0.0024 | 0.00080 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Ethylbenzene | 0.00047 | U | 0.0024 | 0.00047 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Ethylene Dibromide | 0.00043 | U | 0.0024 | 0.00043 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Isopropylbenzene | 0.00030 | U | 0.0024 | 0.00030 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Methyl acetate | 0.010 | U | 0.012 | 0.010 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Methyl tert-butyl ether | 0.00030 | U | 0.0024 | 0.00030 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Methylcyclohexane | 0.0012 | U | 0.0024 | 0.0012 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0024 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| m-Xylene & p-Xylene | 0.00041 | U | 0.0024 | 0.00041 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| n-Butylbenzene | 0.00070 | U | 0.0024 | 0.00070 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| N-Propylbenzene | 0.00041 | U | 0.0024 | 0.00041 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| o-Xylene | 0.00046 | U | 0.0024 | 0.00046 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| sec-Butylbenzene | 0.00021 | U | 0.0024 | 0.00021 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Styrene | 0.00066 | U | 0.0024 | 0.00066 | mg/Kg | ☆ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

Date Collected: 10/16/20 10:10

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 81.1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00065 | U | 0.0024 | 0.00065 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Tetrachloroethene | 0.00034 | U | 0.0024 | 0.00034 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Toluene | 0.00055 | U | 0.0024 | 0.00055 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| trans-1,2-Dichloroethene | 0.00058 | U | 0.0024 | 0.00058 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| trans-1,3-Dichloropropene | 0.00063 | U | 0.0024 | 0.00063 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Trichloroethene | 0.00034 | U | 0.0024 | 0.00034 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Trichlorofluoromethane | 0.00096 | U | 0.0024 | 0.00096 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Vinyl chloride | 0.0013 | U | 0.0024 | 0.0013 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Xylenes, Total | 0.00041 | U | 0.0047 | 0.00041 | mg/Kg | ☼ | 10/17/20 14:46 | 10/18/20 16:46 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 10/17/20 14:46 | 10/18/20 16:46 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 115 | | 77 - 145 | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| 4-Bromofluorobenzene | 118 | | 79 - 125 | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Dibromofluoromethane (Surr) | 115 | | 48 - 150 | 10/17/20 14:46 | 10/18/20 16:46 | 1 |
| Toluene-d8 (Surr) | 111 | | 80 - 120 | 10/17/20 14:46 | 10/18/20 16:46 | 1 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0054 | U | 0.41 | 0.0054 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.013 | U | 0.41 | 0.013 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 1,4-Dioxane | 0.011 | U | 0.12 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0074 | U | 0.41 | 0.0074 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.028 | U | 0.41 | 0.028 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4,5-Trichlorophenol | 0.042 | U | 0.41 | 0.042 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4,6-Trichlorophenol | 0.052 | U | 0.16 | 0.052 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4-Dichlorophenol | 0.026 | U | 0.16 | 0.026 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4-Dimethylphenol | 0.018 | U | 0.41 | 0.018 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4-Dinitrophenol | 0.20 | U | 0.33 | 0.20 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,4-Dinitrotoluene | 0.044 | U | 0.083 | 0.044 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2,6-Dinitrotoluene | 0.029 | U | 0.083 | 0.029 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Chloronaphthalene | 0.019 | U | 0.41 | 0.019 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Chlorophenol | 0.015 | U | 0.41 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Methylnaphthalene | 0.011 | U | 0.41 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Methylphenol | 0.015 | U | 0.41 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Nitroaniline | 0.015 | U | 0.41 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Nitrophenol | 0.041 | U | 0.41 | 0.041 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 3 & 4 Methylphenol | 0.025 | U | 0.41 | 0.025 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 3,3'-Dichlorobenzidine | 0.062 | U | 0.16 | 0.062 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 3-Nitroaniline | 0.046 | U | 0.41 | 0.046 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.066 | U | 0.33 | 0.066 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Bromophenyl phenyl ether | 0.016 | U | 0.41 | 0.016 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Chloro-3-methylphenol | 0.023 | U | 0.41 | 0.023 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Chloroaniline | 0.029 | U | 0.41 | 0.029 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Chlorophenyl phenyl ether | 0.014 | U | 0.41 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Methylphenol | 0.025 | U | 0.41 | 0.025 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Nitroaniline | 0.047 | U | 0.41 | 0.047 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 4-Nitrophenol | 0.066 | U | 0.83 | 0.066 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

Date Collected: 10/16/20 10:10

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 81.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.030 | U | 0.41 | 0.030 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Acenaphthylene | 0.14 | J | 0.41 | 0.0042 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Acetophenone | 0.020 | U | 0.41 | 0.020 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Anthracene | 0.078 | J | 0.41 | 0.012 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Atrazine | 0.010 | U | 0.16 | 0.010 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzaldehyde | 0.018 | U * | 0.41 | 0.018 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[a]anthracene | 1.1 | | 0.041 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[a]pyrene | 1.3 | | 0.041 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[b]fluoranthene | 1.8 | | 0.041 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[g,h,i]perylene | 0.77 | | 0.41 | 0.012 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[k]fluoranthene | 0.61 | | 0.041 | 0.0080 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Bis(2-chloroethoxy)methane | 0.032 | U | 0.41 | 0.032 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Bis(2-chloroethyl)ether | 0.014 | U | 0.041 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.022 | U | 0.41 | 0.022 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Butyl benzyl phthalate | 0.019 | U | 0.41 | 0.019 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Caprolactam | 0.063 | U * | 0.41 | 0.063 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Carbazole | 0.016 | U | 0.41 | 0.016 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Chrysene | 0.95 | | 0.41 | 0.0069 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Dibenz(a,h)anthracene | 0.21 | | 0.041 | 0.018 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Dibenzofuran | 0.010 | J | 0.41 | 0.0057 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Diethyl phthalate | 0.0059 | U | 0.41 | 0.0059 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Dimethyl phthalate | 0.093 | U | 0.41 | 0.093 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Di-n-butyl phthalate | 0.072 | U | 0.41 | 0.072 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Di-n-octyl phthalate | 0.022 | U | 0.41 | 0.022 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Fluoranthene | 1.7 | | 0.41 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Fluorene | 0.011 | J | 0.41 | 0.0055 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Hexachlorobenzene | 0.019 | U | 0.041 | 0.019 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Hexachlorobutadiene | 0.0087 | U | 0.083 | 0.0087 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Hexachlorocyclopentadiene | 0.036 | U | 0.41 | 0.036 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Hexachloroethane | 0.014 | U | 0.041 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.89 | | 0.041 | 0.016 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Isophorone | 0.12 | U | 0.16 | 0.12 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Naphthalene | 0.030 | J | 0.41 | 0.0071 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Nitrobenzene | 0.0098 | U | 0.041 | 0.0098 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| N-Nitrosodi-n-propylamine | 0.030 | U | 0.041 | 0.030 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| N-Nitrosodiphenylamine | 0.0078 | U | 0.41 | 0.0078 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Pentachlorophenol | 0.084 | U | 0.33 | 0.084 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Phenanthrene | 0.24 | J | 0.41 | 0.0072 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Phenol | 0.015 | U | 0.41 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Pyrene | 1.7 | | 0.41 | 0.010 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:28 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|-------|------------|----------------|----------------|---------|
| Aldol condensation product | 11 | A J | mg/Kg | ☼ | 2.88 | | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 1H-Benzotriazole, 4-methyl- | 0.64 | J N | mg/Kg | ☼ | 7.44 | 29878-31-7 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Benzo[e]pyrene | 0.83 | J N | mg/Kg | ☼ | 13.06 | 192-97-2 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 3,4:8,9-Dibenzopyrene | 0.46 | J N | mg/Kg | ☼ | 17.45 | 189-64-0 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 51 | | 10 - 123 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| 2-Fluorobiphenyl | 63 | | 25 - 104 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

Date Collected: 10/16/20 10:10

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 81.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2-Fluorophenol (Surr) | 57 | | 18 - 106 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Nitrobenzene-d5 (Surr) | 64 | | 19 - 105 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Phenol-d5 (Surr) | 61 | | 26 - 101 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |
| Terphenyl-d14 (Surr) | 73 | | 25 - 127 | 10/19/20 09:20 | 10/19/20 23:28 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0014 | U | 0.0082 | 0.0014 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| 4,4'-DDE | 0.00097 | U | 0.0082 | 0.00097 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| 4,4'-DDT | 0.0015 | U | 0.0082 | 0.0015 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Aldrin | 0.0012 | U | 0.0082 | 0.0012 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| alpha-BHC | 0.00084 | U | 0.0025 | 0.00084 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| beta-BHC | 0.00092 | U | 0.0025 | 0.00092 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Chlordane (technical) | 0.020 | U | 0.082 | 0.020 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| cis-Chlordane | 0.0013 | U | 0.0082 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| delta-BHC | 0.00050 | U | 0.0025 | 0.00050 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Dieldrin | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endosulfan I | 0.0013 | U | 0.0082 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endosulfan II | 0.0021 | U | 0.0082 | 0.0021 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endosulfan sulfate | 0.0010 | U | 0.0082 | 0.0010 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endrin | 0.0012 | U | 0.0082 | 0.0012 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endrin aldehyde | 0.0019 | U | 0.0082 | 0.0019 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Endrin ketone | 0.0016 | U | 0.0082 | 0.0016 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| gamma-BHC (Lindane) | 0.00076 | U | 0.0025 | 0.00076 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Heptachlor | 0.00097 | U | 0.0082 | 0.00097 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Heptachlor epoxide | 0.0012 | U | 0.0082 | 0.0012 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Methoxychlor | 0.0019 | U | 0.0082 | 0.0019 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Toxaphene | 0.030 | U | 0.082 | 0.030 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| trans-Chlordane | 0.0015 | U | 0.0082 | 0.0015 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:32 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 103 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| DCB Decachlorobiphenyl | 117 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Tetrachloro-m-xylene | 97 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 06:32 | 1 |
| Tetrachloro-m-xylene | 100 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 06:32 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1221 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1232 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1242 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1248 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1254 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1260 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor-1262 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Aroclor 1268 | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Polychlorinated biphenyls, Total | 0.011 | U | 0.082 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:10 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Lab Sample ID: 460-220794-1

Date Collected: 10/16/20 10:10

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 81.1

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 116 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| DCB Decachlorobiphenyl | 129 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Tetrachloro-m-xylene | 114 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:10 | 1 |
| Tetrachloro-m-xylene | 120 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:10 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0087 | U | 0.041 | 0.0087 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 08:37 | 1 |
| 2,4-D | 0.015 | U F1 | 0.041 | 0.015 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 08:37 | 1 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.041 | 0.0043 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 08:37 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 109 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 08:37 | 1 |
| 2,4-Dichlorophenylacetic acid | 127 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 08:37 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 1870 | | 20.0 | 2.6 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Antimony | 0.20 | J | 1.0 | 0.15 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Arsenic | 2.7 | | 1.0 | 0.10 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Barium | 94.6 | | 2.0 | 0.15 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Beryllium | 0.21 | J | 0.40 | 0.057 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Cadmium | 0.17 | J | 1.0 | 0.11 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Calcium | 19300 | | 100 | 17.0 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Chromium | 93.0 | | 2.0 | 0.17 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Cobalt | 4.5 | | 2.0 | 0.15 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Copper | 40.3 | | 2.0 | 0.22 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Iron | 5290 | | 60.1 | 20.2 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Lead | 43.3 | | 0.60 | 0.20 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Magnesium | 1530 | | 100 | 10.2 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Manganese | 102 | | 4.0 | 0.40 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Nickel | 10.8 | | 2.0 | 0.19 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Potassium | 607 | | 100 | 11.2 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Selenium | 0.74 | J | 1.3 | 0.12 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Silver | 0.17 | J | 1.0 | 0.089 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Sodium | 192 | | 100 | 15.6 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Thallium | 0.073 | J | 0.40 | 0.041 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Vanadium | 8.8 | | 2.0 | 0.21 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |
| Zinc | 46.5 | | 8.0 | 2.3 | mg/Kg | ✱ | 10/18/20 15:33 | 10/21/20 12:40 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.34 | | 0.021 | 0.0049 | mg/Kg | ✱ | 10/19/20 04:08 | 10/19/20 08:53 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 92.3 | | 2.0 | 2.0 | mg/Kg | | | 10/22/20 06:38 | 1 |
| Cr (VI) | 0.66 | J | 2.5 | 0.43 | mg/Kg | ✱ | 10/20/20 09:15 | 10/21/20 13:28 | 1 |
| Cyanide, Total | 0.12 | U | 0.23 | 0.12 | mg/Kg | ✱ | 10/22/20 09:21 | 10/22/20 16:57 | 1 |
| Percent Moisture | 18.9 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |
| Percent Solids | 81.1 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_COMP_(3-8.5)

Lab Sample ID: 460-220794-2

Date Collected: 10/16/20 10:45

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 78.6

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0014 | U | 0.0085 | 0.0014 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| 4,4'-DDE | 0.0010 | U | 0.0085 | 0.0010 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| 4,4'-DDT | 0.0016 | U | 0.0085 | 0.0016 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Aldrin | 0.0013 | U | 0.0085 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| alpha-BHC | 0.00086 | U | 0.0025 | 0.00086 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| beta-BHC | 0.00095 | U | 0.0025 | 0.00095 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Chlordane (technical) | 0.021 | U | 0.085 | 0.021 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| cis-Chlordane | 0.0013 | U | 0.0085 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| delta-BHC | 0.00052 | U | 0.0025 | 0.00052 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Dieldrin | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endosulfan I | 0.0013 | U | 0.0085 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endosulfan II | 0.0022 | U | 0.0085 | 0.0022 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endosulfan sulfate | 0.0011 | U | 0.0085 | 0.0011 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endrin | 0.0012 | U | 0.0085 | 0.0012 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endrin aldehyde | 0.0020 | U | 0.0085 | 0.0020 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Endrin ketone | 0.0017 | U | 0.0085 | 0.0017 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| gamma-BHC (Lindane) | 0.00079 | U | 0.0025 | 0.00079 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Heptachlor | 0.0010 | U | 0.0085 | 0.0010 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Heptachlor epoxide | 0.0013 | U | 0.0085 | 0.0013 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Methoxychlor | 0.0019 | U | 0.0085 | 0.0019 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Toxaphene | 0.031 | U | 0.085 | 0.031 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| trans-Chlordane | 0.0015 | U | 0.0085 | 0.0015 | mg/Kg | ☆ | 10/20/20 19:02 | 10/21/20 06:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 95 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| DCB Decachlorobiphenyl | 98 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Tetrachloro-m-xylene | 96 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 06:44 | 1 |
| Tetrachloro-m-xylene | 99 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 06:44 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.011 | U | 0.085 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1221 | 0.011 | U | 0.085 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1232 | 0.011 | U | 0.085 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1242 | 0.011 | U | 0.085 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1248 | 0.011 | U | 0.085 | 0.011 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1254 | 0.012 | U | 0.085 | 0.012 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1260 | 0.012 | U | 0.085 | 0.012 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor-1262 | 0.012 | U | 0.085 | 0.012 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Aroclor 1268 | 0.012 | U | 0.085 | 0.012 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Polychlorinated biphenyls, Total | 0.012 | U | 0.085 | 0.012 | mg/Kg | ☆ | 10/20/20 18:49 | 10/21/20 10:27 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 97 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| DCB Decachlorobiphenyl | 102 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Tetrachloro-m-xylene | 95 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:27 | 1 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:27 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_COMP_(3-8.5)

Lab Sample ID: 460-220794-2

Date Collected: 10/16/20 10:45

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 78.6

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0090 | U | 0.042 | 0.0090 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:18 | 1 |
| 2,4-D | 0.015 | U | 0.042 | 0.015 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:18 | 1 |
| Silvex (2,4,5-TP) | 0.0044 | U | 0.042 | 0.0044 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:18 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 104 | | 30 - 150 | | | | 10/19/20 18:18 | 10/20/20 09:18 | 1 |
| 2,4-Dichlorophenylacetic acid | 132 | | 30 - 150 | | | | 10/19/20 18:18 | 10/20/20 09:18 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2350 | | 24.7 | 3.2 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Antimony | 0.18 | U | 1.2 | 0.18 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Arsenic | 4.2 | | 1.2 | 0.12 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Barium | 59.2 | | 2.5 | 0.18 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Beryllium | 0.27 | J | 0.49 | 0.070 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Cadmium | 0.22 | J | 1.2 | 0.14 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Calcium | 8580 | | 124 | 21.0 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Chromium | 79.8 | | 2.5 | 0.21 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Cobalt | 5.2 | | 2.5 | 0.18 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Copper | 59.7 | | 2.5 | 0.27 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Iron | 7510 | | 74.1 | 25.0 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Lead | 31.3 | | 0.74 | 0.25 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Magnesium | 834 | | 124 | 12.6 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Manganese | 59.4 | | 4.9 | 0.50 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Nickel | 12.2 | | 2.5 | 0.24 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Potassium | 783 | | 124 | 13.8 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Selenium | 1.3 | J | 1.5 | 0.15 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Silver | 0.11 | U | 1.2 | 0.11 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Sodium | 218 | | 124 | 19.3 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Thallium | 0.11 | J | 0.49 | 0.051 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Vanadium | 13.1 | | 2.5 | 0.25 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |
| Zinc | 46.2 | | 9.9 | 2.8 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:36 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.32 | | 0.020 | 0.0048 | mg/Kg | ✱ | 10/19/20 04:08 | 10/19/20 08:54 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 79.2 | | 2.0 | 2.0 | mg/Kg | | | 10/18/20 21:35 | 1 |
| Cr (VI) | 0.67 | J | 2.5 | 0.44 | mg/Kg | ✱ | 10/20/20 09:15 | 10/21/20 14:05 | 1 |
| Cyanide, Total | 0.14 | U | 0.27 | 0.14 | mg/Kg | ✱ | 10/22/20 09:21 | 10/22/20 16:58 | 1 |
| Percent Moisture | 21.4 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |
| Percent Solids | 78.6 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

Date Collected: 10/16/20 10:40

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 84.0

Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00055 | U | 0.0023 | 0.00055 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00050 | U | 0.0023 | 0.00050 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00071 | U | 0.0023 | 0.00071 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,1,2-Trichloroethane | 0.00042 | U | 0.0023 | 0.00042 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,1-Dichloroethane | 0.00048 | U | 0.0023 | 0.00048 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,1-Dichloroethene | 0.00053 | U | 0.0023 | 0.00053 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2,3-Trichlorobenzene | 0.00042 | U | 0.0023 | 0.00042 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2,4-Trichlorobenzene | 0.00084 | U | 0.0023 | 0.00084 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2,4-Trimethylbenzene | 0.00058 | U | 0.0023 | 0.00058 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.0011 | U | 0.0023 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2-Dichlorobenzene | 0.00034 | U | 0.0023 | 0.00034 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2-Dichloroethane | 0.00069 | U | 0.0023 | 0.00069 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,2-Dichloropropane | 0.00099 | U | 0.0023 | 0.00099 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,3,5-Trimethylbenzene | 0.00027 | U | 0.0023 | 0.00027 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0023 | 0.00037 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 1,4-Dichlorobenzene | 0.00053 | U | 0.0023 | 0.00053 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 2-Butanone (MEK) | 0.0063 | U | 0.012 | 0.0063 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 2-Hexanone | 0.0040 | U | 0.012 | 0.0040 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0036 | U | 0.012 | 0.0036 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Acetone | 0.013 | U | 0.014 | 0.013 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Benzene | 0.00060 | U | 0.0023 | 0.00060 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Bromoform | 0.0010 | U | 0.0023 | 0.0010 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Bromomethane | 0.0011 | U | 0.0023 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Carbon disulfide | 0.00062 | U | 0.0023 | 0.00062 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Carbon tetrachloride | 0.00091 | U | 0.0023 | 0.00091 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chlorobenzene | 0.00041 | U | 0.0023 | 0.00041 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chlorobromomethane | 0.00066 | U | 0.0023 | 0.00066 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chlorodibromomethane | 0.00045 | U | 0.0023 | 0.00045 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chloroethane | 0.0012 | U | 0.0023 | 0.0012 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chloroform | 0.00075 | U | 0.0023 | 0.00075 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Chloromethane | 0.0010 | U | 0.0023 | 0.0010 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0023 | 0.00036 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| cis-1,3-Dichloropropene | 0.00064 | U | 0.0023 | 0.00064 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Cyclohexane | 0.00052 | U | 0.0023 | 0.00052 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Dichlorobromomethane | 0.00060 | U | 0.0023 | 0.00060 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Dichlorodifluoromethane | 0.00079 | U | 0.0023 | 0.00079 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Ethylbenzene | 0.00047 | U | 0.0023 | 0.00047 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Ethylene Dibromide | 0.00042 | U | 0.0023 | 0.00042 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Isopropylbenzene | 0.00030 | U | 0.0023 | 0.00030 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Methyl acetate | 0.010 | U | 0.012 | 0.010 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Methyl tert-butyl ether | 0.00029 | U | 0.0023 | 0.00029 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Methylcyclohexane | 0.0012 | U | 0.0023 | 0.0012 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0023 | 0.0011 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| m-Xylene & p-Xylene | 0.00041 | U | 0.0023 | 0.00041 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| n-Butylbenzene | 0.00069 | U | 0.0023 | 0.00069 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| N-Propylbenzene | 0.00041 | U | 0.0023 | 0.00041 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| o-Xylene | 0.00045 | U | 0.0023 | 0.00045 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| sec-Butylbenzene | 0.00021 | U | 0.0023 | 0.00021 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Styrene | 0.00065 | U | 0.0023 | 0.00065 | mg/Kg | ☆ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

Date Collected: 10/16/20 10:40

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 84.0

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00065 | U | 0.0023 | 0.00065 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Tetrachloroethene | 0.00033 | U | 0.0023 | 0.00033 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Toluene | 0.00055 | U | 0.0023 | 0.00055 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| trans-1,2-Dichloroethene | 0.00058 | U | 0.0023 | 0.00058 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| trans-1,3-Dichloropropene | 0.00062 | U | 0.0023 | 0.00062 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Trichloroethene | 0.00034 | U | 0.0023 | 0.00034 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Trichlorofluoromethane | 0.00095 | U | 0.0023 | 0.00095 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Vinyl chloride | 0.0013 | U | 0.0023 | 0.0013 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Xylenes, Total | 0.00041 | U | 0.0047 | 0.00041 | mg/Kg | ☼ | 10/17/20 14:48 | 10/18/20 17:10 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 10/17/20 14:48 | 10/18/20 17:10 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 115 | | 77 - 145 | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| 4-Bromofluorobenzene | 116 | | 79 - 125 | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Dibromofluoromethane (Surr) | 115 | | 48 - 150 | 10/17/20 14:48 | 10/18/20 17:10 | 1 |
| Toluene-d8 (Surr) | 110 | | 80 - 120 | 10/17/20 14:48 | 10/18/20 17:10 | 1 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0052 | U | 0.39 | 0.0052 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.39 | 0.012 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 1,4-Dioxane | 0.011 | U | 0.12 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0071 | U | 0.39 | 0.0071 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.027 | U | 0.39 | 0.027 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4,5-Trichlorophenol | 0.040 | U | 0.39 | 0.040 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4,6-Trichlorophenol | 0.051 | U | 0.16 | 0.051 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4-Dichlorophenol | 0.025 | U | 0.16 | 0.025 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4-Dimethylphenol | 0.017 | U | 0.39 | 0.017 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4-Dinitrophenol | 0.19 | U | 0.32 | 0.19 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,4-Dinitrotoluene | 0.042 | U | 0.080 | 0.042 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2,6-Dinitrotoluene | 0.028 | U | 0.080 | 0.028 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Chloronaphthalene | 0.027 | J | 0.39 | 0.018 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Chlorophenol | 0.014 | U | 0.39 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Methylnaphthalene | 0.011 | U | 0.39 | 0.011 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Methylphenol | 0.015 | U | 0.39 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Nitroaniline | 0.015 | U | 0.39 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Nitrophenol | 0.039 | U | 0.39 | 0.039 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 3 & 4 Methylphenol | 0.025 | U | 0.39 | 0.025 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 3,3'-Dichlorobenzidine | 0.059 | U | 0.16 | 0.059 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 3-Nitroaniline | 0.044 | U | 0.39 | 0.044 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.064 | U | 0.32 | 0.064 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Bromophenyl phenyl ether | 0.016 | U | 0.39 | 0.016 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Chloro-3-methylphenol | 0.022 | U | 0.39 | 0.022 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Chloroaniline | 0.028 | U | 0.39 | 0.028 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Chlorophenyl phenyl ether | 0.014 | U | 0.39 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Methylphenol | 0.025 | U | 0.39 | 0.025 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Nitroaniline | 0.045 | U | 0.39 | 0.045 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 4-Nitrophenol | 0.064 | U | 0.80 | 0.064 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

Date Collected: 10/16/20 10:40

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 84.0

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|------------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.029 | U | 0.39 | 0.029 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Acenaphthylene | 0.064 | J | 0.39 | 0.0041 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Acetophenone | 0.019 | U | 0.39 | 0.019 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Anthracene | 0.014 | J | 0.39 | 0.012 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Atrazine | 0.0099 | U | 0.16 | 0.0099 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzaldehyde | 0.017 | J * | 0.39 | 0.017 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzo[a]anthracene | 0.099 | | 0.039 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzo[a]pyrene | 0.10 | | 0.039 | 0.010 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzo[b]fluoranthene | 0.14 | | 0.039 | 0.010 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzo[g,h,i]perylene | 0.056 | J | 0.39 | 0.012 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Benzo[k]fluoranthene | 0.043 | | 0.039 | 0.0077 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Bis(2-chloroethoxy)methane | 0.031 | U | 0.39 | 0.031 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Bis(2-chloroethyl)ether | 0.014 | U | 0.039 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.021 | U | 0.39 | 0.021 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Butyl benzyl phthalate | 0.018 | U | 0.39 | 0.018 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Caprolactam | 0.061 | U * | 0.39 | 0.061 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Carbazole | 0.015 | U | 0.39 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Chrysene | 0.10 | J | 0.39 | 0.0067 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Dibenz(a,h)anthracene | 0.019 | J | 0.039 | 0.017 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Dibenzofuran | 0.0055 | U | 0.39 | 0.0055 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Diethyl phthalate | 0.0057 | U | 0.39 | 0.0057 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Dimethyl phthalate | 0.089 | U | 0.39 | 0.089 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Di-n-butyl phthalate | 0.069 | U | 0.39 | 0.069 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Di-n-octyl phthalate | 0.021 | U | 0.39 | 0.021 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Fluoranthene | 0.14 | J | 0.39 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Fluorene | 0.0053 | U | 0.39 | 0.0053 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Hexachlorobenzene | 0.019 | U | 0.039 | 0.019 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Hexachlorobutadiene | 0.0084 | U | 0.080 | 0.0084 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Hexachlorocyclopentadiene | 0.035 | U | 0.39 | 0.035 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Hexachloroethane | 0.014 | U | 0.039 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.065 | | 0.039 | 0.015 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Isophorone | 0.11 | U | 0.16 | 0.11 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Naphthalene | 0.14 | J | 0.39 | 0.0068 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Nitrobenzene | 0.0095 | U | 0.039 | 0.0095 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| N-Nitrosodi-n-propylamine | 0.029 | U | 0.039 | 0.029 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| N-Nitrosodiphenylamine | 0.0075 | U | 0.39 | 0.0075 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Pentachlorophenol | 0.081 | U | 0.32 | 0.081 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Phenanthrene | 0.070 | J | 0.39 | 0.0069 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Phenol | 0.014 | U | 0.39 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Pyrene | 0.16 | J | 0.39 | 0.0098 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 23:05 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 1.4 | A J | mg/Kg | ☼ | 2.87 | | 10/19/20 09:20 | 10/19/20 23:05 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 46 | | 10 - 123 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Fluorobiphenyl | 65 | | 25 - 104 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| 2-Fluorophenol (Surr) | 59 | | 18 - 106 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Nitrobenzene-d5 (Surr) | 66 | | 19 - 105 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |
| Phenol-d5 (Surr) | 61 | | 26 - 101 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(5-7)

Date Collected: 10/16/20 10:40

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-3

Matrix: Solid

Percent Solids: 84.0

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 71 | | 25 - 127 | 10/19/20 09:20 | 10/19/20 23:05 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 16.0 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |
| Percent Solids | 84.0 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |

Client Sample ID: TP-16_(3-5)

Date Collected: 10/16/20 10:55

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-4

Matrix: Solid

Percent Solids: 57.1

Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00058 | U | 0.0025 | 0.00058 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00053 | U | 0.0025 | 0.00053 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00074 | U | 0.0025 | 0.00074 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,1,2-Trichloroethane | 0.00044 | U | 0.0025 | 0.00044 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,1-Dichloroethane | 0.00051 | U | 0.0025 | 0.00051 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,1-Dichloroethene | 0.00056 | U | 0.0025 | 0.00056 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2,3-Trichlorobenzene | 0.00045 | U | 0.0025 | 0.00045 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2,4-Trichlorobenzene | 0.00089 | U | 0.0025 | 0.00089 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2,4-Trimethylbenzene | 0.00061 | U | 0.0025 | 0.00061 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0025 | 0.00036 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2-Dichloroethane | 0.00073 | U | 0.0025 | 0.00073 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,2-Dichloropropane | 0.0010 | U | 0.0025 | 0.0010 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,3,5-Trimethylbenzene | 0.00028 | U | 0.0025 | 0.00028 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,3-Dichlorobenzene | 0.00039 | U | 0.0025 | 0.00039 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 1,4-Dichlorobenzene | 0.00056 | U | 0.0025 | 0.00056 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 2-Butanone (MEK) | 0.0067 | U | 0.012 | 0.0067 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 2-Hexanone | 0.0042 | U | 0.012 | 0.0042 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0038 | U | 0.012 | 0.0038 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Acetone | 0.025 | | 0.015 | 0.014 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Benzene | 0.00064 | U | 0.0025 | 0.00064 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Bromoform | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Bromomethane | 0.0012 | U | 0.0025 | 0.0012 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Carbon disulfide | 0.00066 | U | 0.0025 | 0.00066 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Carbon tetrachloride | 0.00096 | U | 0.0025 | 0.00096 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chlorobenzene | 0.00044 | U | 0.0025 | 0.00044 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chlorobromomethane | 0.00070 | U | 0.0025 | 0.00070 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chlorodibromomethane | 0.00048 | U | 0.0025 | 0.00048 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chloroethane | 0.0013 | U | 0.0025 | 0.0013 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chloroform | 0.00079 | U | 0.0025 | 0.00079 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Chloromethane | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| cis-1,2-Dichloroethene | 0.00038 | U | 0.0025 | 0.00038 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| cis-1,3-Dichloropropene | 0.00068 | U | 0.0025 | 0.00068 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Cyclohexane | 0.00055 | U | 0.0025 | 0.00055 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Dichlorobromomethane | 0.00064 | U | 0.0025 | 0.00064 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Dichlorodifluoromethane | 0.00084 | U | 0.0025 | 0.00084 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Ethylbenzene | 0.00049 | U | 0.0025 | 0.00049 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| Ethylene Dibromide | 0.00045 | U | 0.0025 | 0.00045 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Isopropylbenzene | 0.00031 | U | 0.0025 | 0.00031 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Methyl acetate | 0.011 | U | 0.012 | 0.011 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Methyl tert-butyl ether | 0.00031 | U | 0.0025 | 0.00031 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Methylcyclohexane | 0.0012 | U | 0.0025 | 0.0012 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0025 | 0.0011 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| m-Xylene & p-Xylene | 0.00043 | U | 0.0025 | 0.00043 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| n-Butylbenzene | 0.00073 | U | 0.0025 | 0.00073 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| N-Propylbenzene | 0.00043 | U | 0.0025 | 0.00043 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| o-Xylene | 0.00048 | U | 0.0025 | 0.00048 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| sec-Butylbenzene | 0.00022 | U | 0.0025 | 0.00022 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Styrene | 0.00069 | U | 0.0025 | 0.00069 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| tert-Butylbenzene | 0.00068 | U | 0.0025 | 0.00068 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Tetrachloroethene | 0.00035 | U | 0.0025 | 0.00035 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Toluene | 0.00058 | U | 0.0025 | 0.00058 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| trans-1,2-Dichloroethene | 0.00061 | U | 0.0025 | 0.00061 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| trans-1,3-Dichloropropene | 0.00066 | U | 0.0025 | 0.00066 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Trichloroethene | 0.00036 | U | 0.0025 | 0.00036 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Trichlorofluoromethane | 0.0010 | U | 0.0025 | 0.0010 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Vinyl chloride | 0.0014 | U | 0.0025 | 0.0014 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Xylenes, Total | 0.00043 | U | 0.0049 | 0.00043 | mg/Kg | ✱ | 10/17/20 14:50 | 10/19/20 14:39 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ✱ | | | 10/17/20 14:50 | 10/19/20 14:39 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 77 - 145 | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| 4-Bromofluorobenzene | 106 | | 79 - 125 | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Dibromofluoromethane (Surr) | 26 | X | 48 - 150 | 10/17/20 14:50 | 10/19/20 14:39 | 1 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 | 10/17/20 14:50 | 10/19/20 14:39 | 1 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0077 | U | 0.58 | 0.0077 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.018 | U | 0.58 | 0.018 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 1,4-Dioxane | 0.016 | U | 0.18 | 0.016 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.010 | U | 0.58 | 0.010 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.039 | U | 0.58 | 0.039 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4,5-Trichlorophenol | 0.059 | U | 0.58 | 0.059 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4,6-Trichlorophenol | 0.074 | U | 0.23 | 0.074 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4-Dichlorophenol | 0.037 | U | 0.23 | 0.037 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4-Dimethylphenol | 0.025 | U | 0.58 | 0.025 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4-Dinitrophenol | 0.28 | U | 0.47 | 0.28 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,4-Dinitrotoluene | 0.062 | U | 0.12 | 0.062 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2,6-Dinitrotoluene | 0.042 | U | 0.12 | 0.042 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Chloronaphthalene | 0.027 | U | 0.58 | 0.027 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Chlorophenol | 0.021 | U | 0.58 | 0.021 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Methylnaphthalene | 0.016 | U | 0.58 | 0.016 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Methylphenol | 0.022 | U | 0.58 | 0.022 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Nitroaniline | 0.022 | U | 0.58 | 0.022 | mg/Kg | ✱ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2-Nitrophenol | 0.058 | U | 0.58 | 0.058 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 3 & 4 Methylphenol | 0.036 | U | 0.58 | 0.036 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 3,3'-Dichlorobenzidine | 0.088 | U | 0.23 | 0.088 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 3-Nitroaniline | 0.065 | U | 0.58 | 0.065 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.094 | U | 0.47 | 0.094 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Bromophenyl phenyl ether | 0.023 | U | 0.58 | 0.023 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Chloro-3-methylphenol | 0.033 | U | 0.58 | 0.033 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Chloroaniline | 0.041 | U | 0.58 | 0.041 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Chlorophenyl phenyl ether | 0.020 | U | 0.58 | 0.020 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Methylphenol | 0.036 | U | 0.58 | 0.036 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Nitroaniline | 0.067 | U | 0.58 | 0.067 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 4-Nitrophenol | 0.094 | U | 1.2 | 0.094 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Acenaphthene | 0.042 | U | 0.58 | 0.042 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Acenaphthylene | 0.0060 | U | 0.58 | 0.0060 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Acetophenone | 0.028 | U | 0.58 | 0.028 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Anthracene | 0.018 | U | 0.58 | 0.018 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Atrazine | 0.015 | U | 0.23 | 0.015 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzaldehyde | 0.025 | U * | 0.58 | 0.025 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzo[a]anthracene | 0.037 | J | 0.058 | 0.020 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzo[a]pyrene | 0.067 | | 0.058 | 0.015 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzo[b]fluoranthene | 0.10 | | 0.058 | 0.015 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzo[g,h,i]perylene | 0.060 | J | 0.58 | 0.017 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Benzo[k]fluoranthene | 0.033 | J | 0.058 | 0.011 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Bis(2-chloroethoxy)methane | 0.045 | U | 0.58 | 0.045 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Bis(2-chloroethyl)ether | 0.020 | U | 0.058 | 0.020 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.031 | U | 0.58 | 0.031 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Butyl benzyl phthalate | 0.027 | U | 0.58 | 0.027 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Caprolactam | 0.090 | U * | 0.58 | 0.090 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Carbazole | 0.022 | U | 0.58 | 0.022 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Chrysene | 0.038 | J | 0.58 | 0.0098 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Dibenz(a,h)anthracene | 0.025 | U | 0.058 | 0.025 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Dibenzofuran | 0.0081 | U | 0.58 | 0.0081 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Diethyl phthalate | 0.0084 | U | 0.58 | 0.0084 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Dimethyl phthalate | 0.13 | U | 0.58 | 0.13 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Di-n-butyl phthalate | 0.10 | U | 0.58 | 0.10 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Di-n-octyl phthalate | 0.031 | U | 0.58 | 0.031 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Fluoranthene | 0.021 | J | 0.58 | 0.020 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Fluorene | 0.0079 | U | 0.58 | 0.0079 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Hexachlorobenzene | 0.028 | U | 0.058 | 0.028 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Hexachlorobutadiene | 0.012 | U | 0.12 | 0.012 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Hexachlorocyclopentadiene | 0.051 | U | 0.58 | 0.051 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Hexachloroethane | 0.020 | U | 0.058 | 0.020 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.068 | | 0.058 | 0.023 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Isophorone | 0.17 | U | 0.23 | 0.17 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Naphthalene | 0.010 | U | 0.58 | 0.010 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Nitrobenzene | 0.014 | U | 0.058 | 0.014 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| N-Nitrosodi-n-propylamine | 0.042 | U | 0.058 | 0.042 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| N-Nitrosodiphenylamine | 0.011 | U | 0.58 | 0.011 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Pentachlorophenol | 0.12 | U | 0.47 | 0.12 | mg/Kg | ☆ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------|--------------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Phenanthrene | 0.010 | U | 0.58 | 0.010 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Phenol | 0.021 | U | 0.58 | 0.021 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Pyrene | 0.019 | J | 0.58 | 0.014 | mg/Kg | ☼ | 10/19/20 09:20 | 10/19/20 22:41 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|------|-----------|----------------|----------------|---------|
| 3-Penten-2-one, (E)- | 1.2 | J N | mg/Kg | ☼ | 2.02 | 3102-33-8 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Unknown | 4.8 | J | mg/Kg | ☼ | 2.46 | | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Unknown | 12 | J | mg/Kg | ☼ | 2.49 | | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Aldol condensation product | 1100 | A J | mg/Kg | ☼ | 3.02 | | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Unknown | 2.0 | J | mg/Kg | ☼ | 3.57 | | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Cyclohexen-1-one, 3-methyl- | 0.69 | J N | mg/Kg | ☼ | 4.71 | 1193-18-6 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Unknown | 1.0 | J | mg/Kg | ☼ | 5.58 | | 10/19/20 09:20 | 10/19/20 22:41 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 45 | | 10 - 123 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Fluorobiphenyl | 60 | | 25 - 104 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| 2-Fluorophenol (Surr) | 4 | X | 18 - 106 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Nitrobenzene-d5 (Surr) | 64 | | 19 - 105 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Phenol-d5 (Surr) | 23 | X | 26 - 101 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |
| Terphenyl-d14 (Surr) | 77 | | 25 - 127 | 10/19/20 09:20 | 10/19/20 22:41 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0020 | U | 0.012 | 0.0020 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| 4,4'-DDE | 0.0014 | U | 0.012 | 0.0014 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| 4,4'-DDT | 0.0022 | U | 0.012 | 0.0022 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Aldrin | 0.0018 | U | 0.012 | 0.0018 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| alpha-BHC | 0.0012 | U | 0.0035 | 0.0012 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| beta-BHC | 0.0013 | U | 0.0035 | 0.0013 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Chlordane (technical) | 0.028 | U | 0.12 | 0.028 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| cis-Chlordane | 0.0019 | U | 0.012 | 0.0019 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| delta-BHC | 0.00072 | U | 0.0035 | 0.00072 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Dieldrin | 0.0015 | U | 0.0035 | 0.0015 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endosulfan I | 0.0018 | U | 0.012 | 0.0018 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endosulfan II | 0.0030 | U | 0.012 | 0.0030 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endosulfan sulfate | 0.0015 | U | 0.012 | 0.0015 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endrin | 0.0017 | U | 0.012 | 0.0017 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endrin aldehyde | 0.0028 | U | 0.012 | 0.0028 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Endrin ketone | 0.0023 | U | 0.012 | 0.0023 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| gamma-BHC (Lindane) | 0.0011 | U | 0.0035 | 0.0011 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Heptachlor | 0.0014 | U | 0.012 | 0.0014 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Heptachlor epoxide | 0.0018 | U | 0.012 | 0.0018 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Methoxychlor | 0.0027 | U | 0.012 | 0.0027 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Toxaphene | 0.042 | U | 0.12 | 0.042 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| trans-Chlordane | 0.0021 | U | 0.012 | 0.0021 | mg/Kg | ☼ | 10/20/20 19:02 | 10/21/20 07:43 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 95 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| DCB Decachlorobiphenyl | 104 | | 28 - 148 | 10/20/20 19:02 | 10/21/20 07:43 | 1 |
| Tetrachloro-m-xylene | 95 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 07:43 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Tetrachloro-m-xylene | 98 | | 34 - 118 | 10/20/20 19:02 | 10/21/20 07:43 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1221 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1232 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1242 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1248 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1254 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1260 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor-1262 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Aroclor 1268 | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Polychlorinated biphenyls, Total | 0.016 | U | 0.12 | 0.016 | mg/Kg | ✱ | 10/20/20 18:49 | 10/21/20 10:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 105 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| DCB Decachlorobiphenyl | 107 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Tetrachloro-m-xylene | 104 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:44 | 1 |
| Tetrachloro-m-xylene | 109 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 10:44 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.012 | U | 0.058 | 0.012 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:32 | 1 |
| 2,4-D | 0.021 | U | 0.058 | 0.021 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:32 | 1 |
| Silvex (2,4,5-TP) | 0.0061 | U | 0.058 | 0.0061 | mg/Kg | ✱ | 10/19/20 18:18 | 10/20/20 09:32 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 102 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 09:32 | 1 |
| 2,4-Dichlorophenylacetic acid | 128 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 09:32 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 3280 | | 33.4 | 4.3 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Antimony | 0.24 | U | 1.7 | 0.24 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Arsenic | 1.9 | | 1.7 | 0.17 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Barium | 15.4 | | 3.3 | 0.24 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Beryllium | 0.14 | J | 0.67 | 0.095 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Cadmium | 0.19 | U | 1.7 | 0.19 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Calcium | 333000 | | 834 | 142 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 13:34 | 5 |
| Chromium | 5.0 | | 3.3 | 0.29 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Cobalt | 0.92 | J | 3.3 | 0.25 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Copper | 13.2 | | 3.3 | 0.37 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Iron | 2500 | | 100 | 33.7 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Lead | 13.7 | | 1.0 | 0.33 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Magnesium | 16400 | | 167 | 17.0 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Manganese | 37.5 | | 6.7 | 0.67 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Nickel | 2.7 | J | 3.3 | 0.32 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Potassium | 206 | | 167 | 18.7 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Selenium | 0.39 | J | 2.1 | 0.20 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

Method: 6020B - Metals (ICP/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Silver | 0.15 | U | 1.7 | 0.15 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Sodium | 122 | J | 167 | 26.0 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Thallium | 0.068 | J | 0.67 | 0.068 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Vanadium | 4.6 | | 3.3 | 0.34 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |
| Zinc | 15.7 | | 13.3 | 3.8 | mg/Kg | ✱ | 10/21/20 04:26 | 10/22/20 11:38 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.018 | J | 0.028 | 0.0067 | mg/Kg | ✱ | 10/19/20 04:08 | 10/19/20 08:56 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 4.2 | | 2.0 | 2.0 | mg/Kg | | | 10/18/20 21:35 | 1 |
| Cr (VI) | 0.76 | J | 3.5 | 0.61 | mg/Kg | ✱ | 10/20/20 09:15 | 10/21/20 13:28 | 1 |
| Cyanide, Total | 0.59 | | 0.40 | 0.21 | mg/Kg | ✱ | 10/22/20 09:21 | 10/22/20 16:59 | 1 |
| Percent Moisture | 42.9 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |
| Percent Solids | 57.1 | | 1.0 | 1.0 | % | | | 10/20/20 12:02 | 1 |

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-220794-1 | TP-16_(0-2) | 115 | 118 | 115 | 111 |
| 460-220794-3 | TP-16_(5-7) | 115 | 116 | 115 | 110 |
| 460-220794-4 | TP-16_(3-5) | 109 | 106 | 26 X | 100 |
| LB3 460-732530/1-A | Method Blank | 99 | 98 | 100 | 94 |
| LCS 460-732610/3 | Lab Control Sample | 105 | 102 | 105 | 101 |
| LCS 460-732777/3 | Lab Control Sample | 107 | 101 | 105 | 104 |
| LCSD 460-732610/10 | Lab Control Sample Dup | 111 | 112 | 110 | 111 |
| LCSD 460-732777/4 | Lab Control Sample Dup | 116 | 111 | 113 | 111 |
| MB 460-732610/7 | Method Blank | 116 | 115 | 117 | 110 |
| MB 460-732777/7 | Method Blank | 118 | 125 | 119 | 117 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-220738-A-2-A MS | Matrix Spike | 61 | 69 | 67 | 70 | 65 | 71 |
| 460-220738-A-2-B MSD | Matrix Spike Duplicate | 55 | 60 | 56 | 59 | 58 | 63 |
| 460-220794-1 | TP-16_(0-2) | 51 | 63 | 57 | 64 | 61 | 73 |
| 460-220794-3 | TP-16_(5-7) | 46 | 65 | 59 | 66 | 61 | 71 |
| 460-220794-4 | TP-16_(3-5) | 45 | 60 | 4 X | 64 | 23 X | 77 |
| LCS 460-732843/2-A | Lab Control Sample | 87 | 96 | 99 | 102 | 96 | 111 |
| LCSD 460-732843/3-A | Lab Control Sample Dup | 91 | 95 | 94 | 96 | 94 | 111 |
| MB 460-732843/1-A | Method Blank | 90 | 94 | 97 | 97 | 96 | 115 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-220794-1 | TP-16_(0-2) | 117 | 103 | 100 | 97 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | 98 | 95 | 99 | 96 |
| 460-220794-4 | TP-16_(3-5) | 104 | 95 | 98 | 95 |
| 460-220855-B-1-E MS | Matrix Spike | 94 | 88 | 95 | 89 |
| 460-220855-B-1-F MSD | Matrix Spike Duplicate | 86 | 81 | 86 | 81 |

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC

Job ID: 460-220794-1

Project/Site: Project Commodore

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------------------|------------------------|--|-------------------|------------------|------------------|
| Lab Sample ID | Client Sample ID | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| LCS 460-733293/2-A | Lab Control Sample | 91 | 83 | 92 | 85 |
| LCSD 460-733293/3-A | Lab Control Sample Dup | 85 | 77 | 85 | 79 |
| MB 460-733293/1-A | Method Blank | 94 | 86 | 91 | 89 |
| Surrogate Legend | | | | | |
| DCBP = DCB Decachlorobiphenyl | | | | | |
| TCX = Tetrachloro-m-xylene | | | | | |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------------------|------------------------|--|-------------------|------------------|------------------|
| Lab Sample ID | Client Sample ID | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-220794-1 | TP-16_(0-2) | 129 | 116 | 120 | 114 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | 102 | 97 | 101 | 95 |
| 460-220794-4 | TP-16_(3-5) | 107 | 105 | 109 | 104 |
| 460-220855-B-1-B MS | Matrix Spike | 101 | 103 | 101 | 96 |
| 460-220855-B-1-C MSD | Matrix Spike Duplicate | 104 | 106 | 104 | 98 |
| LCS 460-733291/2-A | Lab Control Sample | 92 | 91 | 90 | 86 |
| LCSD 460-733291/3-A | Lab Control Sample Dup | 93 | 95 | 91 | 86 |
| MB 460-733291/1-A | Method Blank | 102 | 102 | 101 | 97 |
| Surrogate Legend | | | | | |
| DCBP = DCB Decachlorobiphenyl | | | | | |
| TCX = Tetrachloro-m-xylene | | | | | |

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------------------------|------------------------|--|--------------------|
| Lab Sample ID | Client Sample ID | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-220794-1 | TP-16_(0-2) | 127 | 109 |
| 460-220794-1 MS | TP-16_(0-2) | 123 | 107 |
| 460-220794-1 MSD | TP-16_(0-2) | 138 | 107 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | 132 | 104 |
| 460-220794-4 | TP-16_(3-5) | 128 | 102 |
| LCS 460-732984/2-A | Lab Control Sample | 121 | 108 |
| LCSD 460-732984/3-A | Lab Control Sample Dup | 124 | 108 |
| MB 460-732984/1-A | Method Blank | 113 | 109 |
| Surrogate Legend | | | |
| DCPAA = 2,4-Dichlorophenylacetic acid | | | |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-732530/1-A

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732530

| Analyte | LB3 | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|----------|-----------|--------|----------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-732530/1-A

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732530

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 10/17/20 14:44 | 10/18/20 16:23 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 99 | | 77 - 145 | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| 4-Bromofluorobenzene | 98 | | 79 - 125 | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Dibromofluoromethane (Surr) | 100 | | 48 - 150 | 10/17/20 14:44 | 10/18/20 16:23 | 1 |
| Toluene-d8 (Surr) | 94 | | 80 - 120 | 10/17/20 14:44 | 10/18/20 16:23 | 1 |

Lab Sample ID: MB 460-732610/7

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/18/20 08:25 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/18/20 08:25 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-732610/7

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/18/20 08:25 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/18/20 08:25 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/18/20 08:25 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/18/20 08:25 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/18/20 08:25 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/18/20 08:25 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/18/20 08:25 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/18/20 08:25 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/18/20 08:25 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/18/20 08:25 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/18/20 08:25 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | | 10/18/20 08:25 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/18/20 08:25 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 116 | | 77 - 145 | | 10/18/20 08:25 | 1 |
| 4-Bromofluorobenzene | 115 | | 79 - 125 | | 10/18/20 08:25 | 1 |
| Dibromofluoromethane (Surr) | 117 | | 48 - 150 | | 10/18/20 08:25 | 1 |
| Toluene-d8 (Surr) | 110 | | 80 - 120 | | 10/18/20 08:25 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-732610/3

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0214 | | mg/Kg | | 107 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0235 | | mg/Kg | | 117 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0201 | | mg/Kg | | 100 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0221 | | mg/Kg | | 110 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0235 | | mg/Kg | | 117 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0197 | | mg/Kg | | 98 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0209 | | mg/Kg | | 104 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0942 | | mg/Kg | | 94 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.104 | | mg/Kg | | 104 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.103 | | mg/Kg | | 103 | 80 - 122 |
| Acetone | 0.100 | 0.103 | | mg/Kg | | 103 | 63 - 131 |
| Benzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 123 |
| Bromoform | 0.0200 | 0.0207 | | mg/Kg | | 103 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0199 | | mg/Kg | | 99 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0229 | | mg/Kg | | 115 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0218 | | mg/Kg | | 109 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 65 - 134 |
| Chloroform | 0.0200 | 0.0213 | | mg/Kg | | 107 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0195 | | mg/Kg | | 97 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0175 | | mg/Kg | | 88 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0206 | | mg/Kg | | 103 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0425 | | mg/Kg | | 106 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0221 | | mg/Kg | | 110 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0209 | | mg/Kg | | 104 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-732610/3

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 78 - 123 |
| Toluene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0199 | | mg/Kg | | 100 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0188 | | mg/Kg | | 94 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0413 | | mg/Kg | | 103 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 77 - 145 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 105 | | 48 - 150 |
| Toluene-d8 (Surr) | 101 | | 80 - 120 |

Lab Sample ID: LCSD 460-732610/10

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0232 | | mg/Kg | | 116 | 78 - 132 | 8 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 69 - 123 | 8 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0250 | | mg/Kg | | 125 | 78 - 136 | 6 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0213 | | mg/Kg | | 106 | 75 - 120 | 6 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0236 | | mg/Kg | | 118 | 76 - 129 | 7 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0256 | | mg/Kg | | 128 | 77 - 132 | 9 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 77 - 120 | 4 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 75 - 120 | 4 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 79 - 120 | 6 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0229 | | mg/Kg | | 114 | 60 - 126 | 9 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 80 - 120 | 6 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0222 | | mg/Kg | | 111 | 70 - 132 | 5 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 73 - 124 | 9 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 79 - 120 | 5 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 6 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 | 3 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.102 | | mg/Kg | | 102 | 75 - 120 | 8 | 30 |
| 2-Hexanone | 0.100 | 0.109 | | mg/Kg | | 109 | 78 - 120 | 5 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.112 | | mg/Kg | | 112 | 80 - 122 | 8 | 30 |
| Acetone | 0.100 | 0.103 | | mg/Kg | | 103 | 63 - 131 | 1 | 30 |
| Benzene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 123 | 8 | 30 |
| Bromoform | 0.0200 | 0.0218 | | mg/Kg | | 109 | 48 - 142 | 5 | 30 |
| Bromomethane | 0.0200 | 0.0235 | | mg/Kg | | 117 | 68 - 136 | 17 | 30 |
| Carbon disulfide | 0.0200 | 0.0245 | | mg/Kg | | 123 | 67 - 136 | 7 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0232 | | mg/Kg | | 116 | 72 - 136 | 6 | 30 |
| Chlorobenzene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 80 - 120 | 8 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-732610/10

Matrix: Solid

Analysis Batch: 732610

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0221 | | mg/Kg | | 110 | 76 - 127 | 4 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0225 | | mg/Kg | | 113 | 62 - 128 | 10 | 30 |
| Chloroethane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 65 - 134 | 19 | 30 |
| Chloroform | 0.0200 | 0.0223 | | mg/Kg | | 112 | 79 - 126 | 5 | 30 |
| Chloromethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 48 - 150 | 15 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 80 - 123 | 6 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 72 - 120 | 7 | 30 |
| Cyclohexane | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 132 | 10 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0225 | | mg/Kg | | 112 | 73 - 124 | 9 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0205 | | mg/Kg | | 102 | 40 - 146 | 16 | 30 |
| Ethylbenzene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 80 - 120 | 6 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0229 | | mg/Kg | | 115 | 79 - 120 | 11 | 30 |
| Isopropylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 80 - 120 | 8 | 30 |
| Methyl acetate | 0.0400 | 0.0446 | | mg/Kg | | 111 | 58 - 143 | 5 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0229 | | mg/Kg | | 115 | 80 - 125 | 4 | 30 |
| Methylcyclohexane | 0.0200 | 0.0223 | | mg/Kg | | 112 | 79 - 133 | 8 | 30 |
| Methylene Chloride | 0.0200 | 0.0219 | | mg/Kg | | 110 | 76 - 127 | 5 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 80 - 120 | 5 | 30 |
| n-Butylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 77 - 123 | 7 | 30 |
| N-Propylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 78 - 120 | 5 | 30 |
| o-Xylene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 80 - 120 | 7 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 78 - 120 | 7 | 30 |
| Styrene | 0.0200 | 0.0219 | | mg/Kg | | 110 | 80 - 120 | 7 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 76 - 120 | 4 | 30 |
| Tetrachloroethene | 0.0200 | 0.0225 | | mg/Kg | | 113 | 78 - 123 | 9 | 30 |
| Toluene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 80 - 120 | 8 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0231 | | mg/Kg | | 115 | 78 - 128 | 7 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 68 - 120 | 5 | 30 |
| Trichloroethene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 79 - 120 | 6 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0235 | | mg/Kg | | 118 | 67 - 142 | 17 | 30 |
| Vinyl chloride | 0.0200 | 0.0225 | | mg/Kg | | 112 | 56 - 147 | 18 | 30 |
| Xylenes, Total | 0.0400 | 0.0438 | | mg/Kg | | 109 | 80 - 120 | 6 | 30 |

| Surrogate | LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 77 - 145 |
| 4-Bromofluorobenzene | 112 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 110 | | 48 - 150 |
| Toluene-d8 (Surr) | 111 | | 80 - 120 |

Lab Sample ID: MB 460-732777/7

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/19/20 07:02 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-732777/7

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|----------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2-Dichlorobenzene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,3,5-Trimethylbenzene | 0.00012 | U | 0.0010 | 0.00012 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,3-Dichlorobenzene | 0.00016 | U | 0.0010 | 0.00016 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 2-Butanone (MEK) | 0.0027 | U | 0.0050 | 0.0027 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/19/20 07:02 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Bromomethane | 0.00047 | U | 0.0010 | 0.00047 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chloroform | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/19/20 07:02 | 1 |
| cis-1,2-Dichloroethene | 0.00015 | U | 0.0010 | 0.00015 | mg/Kg | | | 10/19/20 07:02 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Isopropylbenzene | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Methyl tert-butyl ether | 0.00013 | U | 0.0010 | 0.00013 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Methylene Chloride | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/19/20 07:02 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/19/20 07:02 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/19/20 07:02 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/19/20 07:02 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/19/20 07:02 | 1 |
| sec-Butylbenzene | 0.000088 | U | 0.0010 | 0.000088 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/19/20 07:02 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Tetrachloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/19/20 07:02 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/19/20 07:02 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-732777/7

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Trichloroethene | 0.00014 | U | 0.0010 | 0.00014 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/19/20 07:02 | 1 |
| Xylenes, Total | 0.00017 | U | 0.0020 | 0.00017 | mg/Kg | | | 10/19/20 07:02 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/19/20 07:02 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 118 | | 77 - 145 | | 10/19/20 07:02 | 1 |
| 4-Bromofluorobenzene | 125 | | 79 - 125 | | 10/19/20 07:02 | 1 |
| Dibromofluoromethane (Surr) | 119 | | 48 - 150 | | 10/19/20 07:02 | 1 |
| Toluene-d8 (Surr) | 117 | | 80 - 120 | | 10/19/20 07:02 | 1 |

Lab Sample ID: LCS 460-732777/3

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0220 | | mg/Kg | | 110 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0229 | | mg/Kg | | 115 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0213 | | mg/Kg | | 107 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0222 | | mg/Kg | | 111 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0207 | | mg/Kg | | 103 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0952 | | mg/Kg | | 95 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.103 | | mg/Kg | | 103 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.104 | | mg/Kg | | 104 | 80 - 122 |
| Acetone | 0.100 | 0.0954 | | mg/Kg | | 95 | 63 - 131 |
| Benzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 123 |
| Bromoform | 0.0200 | 0.0205 | | mg/Kg | | 102 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0234 | | mg/Kg | | 117 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0221 | | mg/Kg | | 110 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-732777/3

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0205 | | mg/Kg | | 103 | 65 - 134 |
| Chloroform | 0.0200 | 0.0213 | | mg/Kg | | 107 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0214 | | mg/Kg | | 107 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0228 | | mg/Kg | | 114 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0185 | | mg/Kg | | 92 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0220 | | mg/Kg | | 110 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0477 | | mg/Kg | | 119 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0226 | | mg/Kg | | 113 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0229 | | mg/Kg | | 114 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0212 | | mg/Kg | | 106 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 78 - 120 |
| Styrene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 78 - 123 |
| Toluene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0216 | | mg/Kg | | 108 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0427 | | mg/Kg | | 107 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 |
| 4-Bromofluorobenzene | 101 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 105 | | 48 - 150 |
| Toluene-d8 (Surr) | 104 | | 80 - 120 |

Lab Sample ID: LCSD 460-732777/4

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 78 - 132 | 0 | 30 |
| 1,1,1,2-Tetrachloroethane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 69 - 123 | 2 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0231 | | mg/Kg | | 115 | 78 - 136 | 0 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 75 - 120 | 1 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 76 - 129 | 1 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-732777/4

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0225 | | mg/Kg | | 112 | 77 - 132 | 1 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 77 - 120 | 1 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 75 - 120 | 0 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 79 - 120 | 2 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0199 | | mg/Kg | | 99 | 60 - 126 | 10 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0217 | | mg/Kg | | 108 | 80 - 120 | 5 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 70 - 132 | 1 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0213 | | mg/Kg | | 107 | 73 - 124 | 2 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 79 - 120 | 4 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 3 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 | 1 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0945 | | mg/Kg | | 94 | 75 - 120 | 1 | 30 |
| 2-Hexanone | 0.100 | 0.101 | | mg/Kg | | 101 | 78 - 120 | 2 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.104 | | mg/Kg | | 104 | 80 - 122 | 1 | 30 |
| Acetone | 0.100 | 0.0901 | | mg/Kg | | 90 | 63 - 131 | 6 | 30 |
| Benzene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 80 - 123 | 0 | 30 |
| Bromoform | 0.0200 | 0.0200 | | mg/Kg | | 100 | 48 - 142 | 2 | 30 |
| Bromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 68 - 136 | 4 | 30 |
| Carbon disulfide | 0.0200 | 0.0227 | | mg/Kg | | 114 | 67 - 136 | 3 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0219 | | mg/Kg | | 110 | 72 - 136 | 1 | 30 |
| Chlorobenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 | 1 | 30 |
| Chlorobromomethane | 0.0200 | 0.0215 | | mg/Kg | | 107 | 76 - 127 | 2 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0213 | | mg/Kg | | 106 | 62 - 128 | 1 | 30 |
| Chloroethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 65 - 134 | 0 | 30 |
| Chloroform | 0.0200 | 0.0212 | | mg/Kg | | 106 | 79 - 126 | 1 | 30 |
| Chloromethane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 48 - 150 | 1 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 123 | 0 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 72 - 120 | 1 | 30 |
| Cyclohexane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 80 - 132 | 0 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 73 - 124 | 1 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0189 | | mg/Kg | | 94 | 40 - 146 | 2 | 30 |
| Ethylbenzene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 | 2 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0212 | | mg/Kg | | 106 | 79 - 120 | 3 | 30 |
| Isopropylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 80 - 120 | 0 | 30 |
| Methyl acetate | 0.0400 | 0.0428 | | mg/Kg | | 107 | 58 - 143 | 11 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0225 | | mg/Kg | | 112 | 80 - 125 | 1 | 30 |
| Methylcyclohexane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 79 - 133 | 1 | 30 |
| Methylene Chloride | 0.0200 | 0.0211 | | mg/Kg | | 105 | 76 - 127 | 1 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 1 | 30 |
| n-Butylbenzene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 77 - 123 | 0 | 30 |
| N-Propylbenzene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 78 - 120 | 3 | 30 |
| o-Xylene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 78 - 120 | 3 | 30 |
| Styrene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 | 2 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 76 - 120 | 3 | 30 |
| Tetrachloroethene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 78 - 123 | 1 | 30 |
| Toluene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0217 | | mg/Kg | | 108 | 78 - 128 | 1 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 68 - 120 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-732777/4

Matrix: Solid

Analysis Batch: 732777

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 79 - 120 | 0 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0220 | | mg/Kg | | 110 | 67 - 142 | 2 | 30 |
| Vinyl chloride | 0.0200 | 0.0217 | | mg/Kg | | 108 | 56 - 147 | 0 | 30 |
| Xylenes, Total | 0.0400 | 0.0421 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 116 | | 77 - 145 |
| 4-Bromofluorobenzene | 111 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 113 | | 48 - 150 |
| Toluene-d8 (Surr) | 111 | | 80 - 120 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-732843/1-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 1,4-Dioxane | 0.0091 | U | 0.10 | 0.0091 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.054 | U | 0.27 | 0.054 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Chloroaniline | 0.023 | U | 0.33 | 0.023 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Acenaphthene | 0.024 | U | 0.33 | 0.024 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Acenaphthylene | 0.0034 | U | 0.33 | 0.0034 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-732843/1-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Atrazine | 0.0083 | U | 0.13 | 0.0083 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzaldehyde | 0.014 | U | 0.33 | 0.014 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Di-n-butyl phthalate | 0.058 | U | 0.33 | 0.058 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| N-Nitrosodiphenylamine | 0.0063 | U | 0.33 | 0.0063 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 1.02 | A J | mg/Kg | | 2.87 | | 10/19/20 09:20 | 10/19/20 19:57 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 90 | | 10 - 123 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Fluorobiphenyl | 94 | | 25 - 104 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| 2-Fluorophenol (Surr) | 97 | | 18 - 106 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Nitrobenzene-d5 (Surr) | 97 | | 19 - 105 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |
| Phenol-d5 (Surr) | 96 | | 26 - 101 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-732843/1-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732843

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 115 | | 25 - 127 | 10/19/20 09:20 | 10/19/20 19:57 | 1 |

Lab Sample ID: LCS 460-732843/2-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|------------------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 1,1'-Biphenyl | 3.33 | 3.08 | | mg/Kg | | 92 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 3.08 | | mg/Kg | | 93 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 2.16 | | mg/Kg | | 65 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 3.39 | | mg/Kg | | 102 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.63 | | mg/Kg | | 79 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 3.03 | | mg/Kg | | 91 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 3.04 | | mg/Kg | | 91 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 3.14 | | mg/Kg | | 94 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 3.05 | | mg/Kg | | 91 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 4.59 | | mg/Kg | | 69 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 2.98 | | mg/Kg | | 89 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 3.02 | | mg/Kg | | 90 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 3.12 | | mg/Kg | | 93 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 3.06 | | mg/Kg | | 92 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.95 | | mg/Kg | | 88 | 64 - 108 |
| 2-Methylphenol | 3.33 | 3.16 | | mg/Kg | | 95 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 3.29 | | mg/Kg | | 99 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 3.06 | | mg/Kg | | 92 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 3.12 | | mg/Kg | | 94 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.77 | | mg/Kg | | 53 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.41 | | mg/Kg | | 72 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 5.46 | | mg/Kg | | 82 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.16 | | mg/Kg | | 95 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 3.04 | | mg/Kg | | 91 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 1.96 | | mg/Kg | | 59 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 3.03 | | mg/Kg | | 91 | 66 - 110 |
| 4-Methylphenol | 3.33 | 3.12 | | mg/Kg | | 94 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.68 | | mg/Kg | | 80 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 5.65 | | mg/Kg | | 85 | 47 - 123 |
| Acenaphthene | 3.33 | 2.56 | | mg/Kg | | 77 | 53 - 110 |
| Acenaphthylene | 3.33 | 3.10 | | mg/Kg | | 93 | 64 - 108 |
| Acetophenone | 3.33 | 2.86 | | mg/Kg | | 86 | 61 - 103 |
| Anthracene | 3.33 | 3.06 | | mg/Kg | | 92 | 67 - 114 |
| Atrazine | 1.33 | 1.89 | | mg/Kg | | 142 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.79 | * | mg/Kg | | 134 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 3.01 | | mg/Kg | | 90 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.36 | | mg/Kg | | 101 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 3.52 | | mg/Kg | | 106 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 3.24 | | mg/Kg | | 97 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 3.20 | | mg/Kg | | 96 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.98 | | mg/Kg | | 89 | 62 - 107 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-732843/2-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethyl)ether | 3.33 | 3.11 | | mg/Kg | | 93 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 3.12 | | mg/Kg | | 94 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 3.26 | | mg/Kg | | 98 | 70 - 123 |
| Caprolactam | 1.33 | 1.84 | | mg/Kg | | 138 | 59 - 140 |
| Carbazole | 3.33 | 2.88 | | mg/Kg | | 86 | 64 - 113 |
| Chrysene | 3.33 | 2.90 | | mg/Kg | | 87 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.37 | | mg/Kg | | 101 | 66 - 119 |
| Dibenzofuran | 3.33 | 3.05 | | mg/Kg | | 92 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.93 | | mg/Kg | | 88 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.99 | | mg/Kg | | 90 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.94 | | mg/Kg | | 88 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 3.60 | | mg/Kg | | 108 | 65 - 122 |
| Fluoranthene | 3.33 | 2.83 | | mg/Kg | | 85 | 64 - 113 |
| Fluorene | 3.33 | 2.99 | | mg/Kg | | 90 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 3.09 | | mg/Kg | | 93 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 3.24 | | mg/Kg | | 97 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 2.97 | | mg/Kg | | 89 | 22 - 124 |
| Hexachloroethane | 3.33 | 3.07 | | mg/Kg | | 92 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.47 | | mg/Kg | | 104 | 62 - 121 |
| Isophorone | 3.33 | 3.22 | | mg/Kg | | 97 | 63 - 107 |
| Naphthalene | 3.33 | 3.07 | | mg/Kg | | 92 | 63 - 106 |
| Nitrobenzene | 3.33 | 3.04 | | mg/Kg | | 91 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 3.13 | | mg/Kg | | 94 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 3.15 | | mg/Kg | | 94 | 67 - 113 |
| Pentachlorophenol | 6.67 | 4.85 | | mg/Kg | | 73 | 44 - 126 |
| Phenanthrene | 3.33 | 3.01 | | mg/Kg | | 90 | 66 - 112 |
| Phenol | 3.33 | 3.19 | | mg/Kg | | 96 | 63 - 110 |
| Pyrene | 3.33 | 3.27 | | mg/Kg | | 98 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 87 | | 10 - 123 |
| 2-Fluorobiphenyl | 96 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 99 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 102 | | 19 - 105 |
| Phenol-d5 (Surr) | 96 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 111 | | 25 - 127 |

Lab Sample ID: LCSD 460-732843/3-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 3.33 | 3.15 | | mg/Kg | | 95 | 65 - 110 | 2 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 3.06 | | mg/Kg | | 92 | 64 - 110 | 1 | 30 |
| 1,4-Dioxane | 3.33 | 1.86 | | mg/Kg | | 56 | 31 - 81 | 15 | 30 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 3.33 | | mg/Kg | | 100 | 49 - 109 | 2 | 30 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.72 | | mg/Kg | | 82 | 58 - 113 | 4 | 30 |
| 2,4,5-Trichlorophenol | 3.33 | 3.06 | | mg/Kg | | 92 | 64 - 112 | 1 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-732843/3-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,6-Trichlorophenol | 3.33 | 3.07 | | mg/Kg | | 92 | 63 - 113 | 1 | 30 |
| 2,4-Dichlorophenol | 3.33 | 3.16 | | mg/Kg | | 95 | 66 - 113 | 1 | 30 |
| 2,4-Dimethylphenol | 3.33 | 3.10 | | mg/Kg | | 93 | 63 - 107 | 2 | 30 |
| 2,4-Dinitrophenol | 6.67 | 5.87 | | mg/Kg | | 88 | 37 - 125 | 24 | 30 |
| 2,4-Dinitrotoluene | 3.33 | 3.14 | | mg/Kg | | 94 | 65 - 124 | 5 | 30 |
| 2,6-Dinitrotoluene | 3.33 | 3.19 | | mg/Kg | | 96 | 67 - 121 | 6 | 30 |
| 2-Chloronaphthalene | 3.33 | 3.11 | | mg/Kg | | 93 | 65 - 109 | 0 | 30 |
| 2-Chlorophenol | 3.33 | 2.96 | | mg/Kg | | 89 | 63 - 106 | 3 | 30 |
| 2-Methylnaphthalene | 3.33 | 2.96 | | mg/Kg | | 89 | 64 - 108 | 0 | 30 |
| 2-Methylphenol | 3.33 | 3.11 | | mg/Kg | | 93 | 63 - 108 | 1 | 30 |
| 2-Nitroaniline | 3.33 | 3.48 | | mg/Kg | | 104 | 59 - 119 | 5 | 30 |
| 2-Nitrophenol | 3.33 | 3.02 | | mg/Kg | | 91 | 64 - 112 | 1 | 30 |
| 3 & 4 Methylphenol | 3.33 | 3.00 | | mg/Kg | | 90 | 61 - 108 | 4 | 30 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.98 | | mg/Kg | | 59 | 4 - 119 | 11 | 30 |
| 3-Nitroaniline | 3.33 | 2.68 | | mg/Kg | | 80 | 31 - 102 | 11 | 30 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 5.98 | | mg/Kg | | 90 | 64 - 129 | 9 | 30 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.20 | | mg/Kg | | 96 | 67 - 113 | 1 | 30 |
| 4-Chloro-3-methylphenol | 3.33 | 3.12 | | mg/Kg | | 94 | 66 - 114 | 3 | 30 |
| 4-Chloroaniline | 3.33 | 2.29 | | mg/Kg | | 69 | 20 - 98 | 15 | 30 |
| 4-Chlorophenyl phenyl ether | 3.33 | 3.06 | | mg/Kg | | 92 | 66 - 110 | 1 | 30 |
| 4-Methylphenol | 3.33 | 3.00 | | mg/Kg | | 90 | 61 - 108 | 4 | 30 |
| 4-Nitroaniline | 3.33 | 2.88 | | mg/Kg | | 87 | 50 - 110 | 7 | 30 |
| 4-Nitrophenol | 6.67 | 5.97 | | mg/Kg | | 90 | 47 - 123 | 6 | 30 |
| Acenaphthene | 3.33 | 2.63 | | mg/Kg | | 79 | 53 - 110 | 3 | 30 |
| Acenaphthylene | 3.33 | 3.20 | | mg/Kg | | 96 | 64 - 108 | 3 | 30 |
| Acetophenone | 3.33 | 2.82 | | mg/Kg | | 85 | 61 - 103 | 1 | 30 |
| Anthracene | 3.33 | 3.14 | | mg/Kg | | 94 | 67 - 114 | 2 | 30 |
| Atrazine | 1.33 | 1.94 | | mg/Kg | | 145 | 44 - 145 | 3 | 30 |
| Benzaldehyde | 1.33 | 1.79 | * | mg/Kg | | 134 | 39 - 113 | 0 | 30 |
| Benzo[a]anthracene | 3.33 | 3.02 | | mg/Kg | | 91 | 67 - 115 | 0 | 30 |
| Benzo[a]pyrene | 3.33 | 3.49 | | mg/Kg | | 105 | 63 - 108 | 4 | 30 |
| Benzo[b]fluoranthene | 3.33 | 3.49 | | mg/Kg | | 105 | 64 - 116 | 1 | 30 |
| Benzo[g,h,i]perylene | 3.33 | 3.43 | | mg/Kg | | 103 | 61 - 113 | 6 | 30 |
| Benzo[k]fluoranthene | 3.33 | 3.31 | | mg/Kg | | 99 | 67 - 115 | 3 | 30 |
| Bis(2-chloroethoxy)methane | 3.33 | 3.04 | | mg/Kg | | 91 | 62 - 107 | 2 | 30 |
| Bis(2-chloroethyl)ether | 3.33 | 3.02 | | mg/Kg | | 91 | 60 - 107 | 3 | 30 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 3.18 | | mg/Kg | | 95 | 69 - 124 | 2 | 30 |
| Butyl benzyl phthalate | 3.33 | 3.27 | | mg/Kg | | 98 | 70 - 123 | 0 | 30 |
| Caprolactam | 1.33 | 1.93 | * | mg/Kg | | 145 | 59 - 140 | 5 | 30 |
| Carbazole | 3.33 | 3.00 | | mg/Kg | | 90 | 64 - 113 | 4 | 30 |
| Chrysene | 3.33 | 2.96 | | mg/Kg | | 89 | 71 - 122 | 2 | 30 |
| Dibenz(a,h)anthracene | 3.33 | 3.55 | | mg/Kg | | 107 | 66 - 119 | 5 | 30 |
| Dibenzofuran | 3.33 | 3.12 | | mg/Kg | | 94 | 65 - 108 | 2 | 30 |
| Diethyl phthalate | 3.33 | 3.10 | | mg/Kg | | 93 | 63 - 109 | 6 | 30 |
| Dimethyl phthalate | 3.33 | 3.17 | | mg/Kg | | 95 | 65 - 109 | 6 | 30 |
| Di-n-butyl phthalate | 3.33 | 3.09 | | mg/Kg | | 93 | 66 - 114 | 5 | 30 |
| Di-n-octyl phthalate | 3.33 | 3.63 | | mg/Kg | | 109 | 65 - 122 | 1 | 30 |
| Fluoranthene | 3.33 | 2.94 | | mg/Kg | | 88 | 64 - 113 | 4 | 30 |
| Fluorene | 3.33 | 3.08 | | mg/Kg | | 93 | 65 - 109 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-732843/3-A

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Hexachlorobenzene | 3.33 | 3.13 | | mg/Kg | | 94 | 70 - 119 | 1 | 30 |
| Hexachlorobutadiene | 3.33 | 3.22 | | mg/Kg | | 97 | 62 - 109 | 1 | 30 |
| Hexachlorocyclopentadiene | 3.33 | 2.98 | | mg/Kg | | 89 | 22 - 124 | 0 | 30 |
| Hexachloroethane | 3.33 | 2.90 | | mg/Kg | | 87 | 61 - 102 | 5 | 30 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.57 | | mg/Kg | | 107 | 62 - 121 | 3 | 30 |
| Isophorone | 3.33 | 3.16 | | mg/Kg | | 95 | 63 - 107 | 2 | 30 |
| Naphthalene | 3.33 | 2.98 | | mg/Kg | | 89 | 63 - 106 | 3 | 30 |
| Nitrobenzene | 3.33 | 2.95 | | mg/Kg | | 89 | 63 - 110 | 3 | 30 |
| N-Nitrosodi-n-propylamine | 3.33 | 3.06 | | mg/Kg | | 92 | 61 - 108 | 2 | 30 |
| N-Nitrosodiphenylamine | 3.33 | 3.22 | | mg/Kg | | 97 | 67 - 113 | 2 | 30 |
| Pentachlorophenol | 6.67 | 5.03 | | mg/Kg | | 75 | 44 - 126 | 4 | 30 |
| Phenanthrene | 3.33 | 3.08 | | mg/Kg | | 92 | 66 - 112 | 2 | 30 |
| Phenol | 3.33 | 3.18 | | mg/Kg | | 95 | 63 - 110 | 0 | 30 |
| Pyrene | 3.33 | 3.24 | | mg/Kg | | 97 | 71 - 122 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|-----------------------------|----------------|----------------|-------------|
| 2,4,6-Tribromophenol (Surr) | 91 | | 10 - 123 |
| 2-Fluorobiphenyl | 95 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 94 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 96 | | 19 - 105 |
| Phenol-d5 (Surr) | 94 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 111 | | 25 - 127 |

Lab Sample ID: 460-220738-A-2-A MS

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0051 | U F1 | 3.85 | 2.48 | F1 | mg/Kg | ✱ | 64 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U F1 | 3.85 | 2.46 | | mg/Kg | ✱ | 64 | 64 - 110 |
| 1,4-Dioxane | 0.011 | U | 3.85 | 1.63 | | mg/Kg | ✱ | 42 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0069 | U | 3.85 | 2.47 | | mg/Kg | ✱ | 64 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.026 | U F1 | 3.85 | 2.03 | F1 | mg/Kg | ✱ | 53 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.039 | U F1 | 3.85 | 2.23 | F1 | mg/Kg | ✱ | 58 | 64 - 112 |
| 2,4,6-Trichlorophenol | 0.049 | U F1 | 3.85 | 2.49 | | mg/Kg | ✱ | 65 | 63 - 113 |
| 2,4-Dichlorophenol | 0.024 | U F1 | 3.85 | 2.37 | F1 | mg/Kg | ✱ | 62 | 66 - 113 |
| 2,4-Dimethylphenol | 0.017 | U F1 | 3.85 | 2.36 | F1 | mg/Kg | ✱ | 61 | 63 - 107 |
| 2,4-Dinitrophenol | 0.19 | U F1 | 7.70 | 1.63 | F1 | mg/Kg | ✱ | 21 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.041 | U F1 | 3.85 | 2.33 | F1 | mg/Kg | ✱ | 61 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.028 | U F1 | 3.85 | 2.34 | F1 | mg/Kg | ✱ | 61 | 67 - 121 |
| 2-Chloronaphthalene | 0.018 | U F1 | 3.85 | 2.43 | F1 | mg/Kg | ✱ | 63 | 65 - 109 |
| 2-Chlorophenol | 0.014 | U F1 | 3.85 | 2.23 | F1 | mg/Kg | ✱ | 58 | 63 - 106 |
| 2-Methylnaphthalene | 0.024 | J F1 | 3.85 | 2.26 | F1 | mg/Kg | ✱ | 58 | 64 - 108 |
| 2-Methylphenol | 0.014 | U F1 | 3.85 | 2.33 | F1 | mg/Kg | ✱ | 60 | 63 - 108 |
| 2-Nitroaniline | 0.014 | U | 3.85 | 2.62 | | mg/Kg | ✱ | 68 | 59 - 119 |
| 2-Nitrophenol | 0.038 | U F1 | 3.85 | 2.34 | F1 | mg/Kg | ✱ | 61 | 64 - 112 |
| 3 & 4 Methylphenol | 0.024 | U F1 | 3.85 | 2.29 | F1 | mg/Kg | ✱ | 60 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 0.058 | U | 3.85 | 2.02 | | mg/Kg | ✱ | 53 | 4 - 119 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-220738-A-2-A MS

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 3-Nitroaniline | 0.043 | U | 3.85 | 2.19 | | mg/Kg | ✱ | 57 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.062 | U F1 | 7.70 | 2.52 | F1 | mg/Kg | ✱ | 33 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.015 | U F1 | 3.85 | 2.43 | F1 | mg/Kg | ✱ | 63 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.021 | U F1 | 3.85 | 2.28 | F1 | mg/Kg | ✱ | 59 | 66 - 114 |
| 4-Chloroaniline | 0.027 | U | 3.85 | 1.95 | | mg/Kg | ✱ | 51 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.85 | 2.32 | F1 | mg/Kg | ✱ | 60 | 66 - 110 |
| 4-Methylphenol | 0.024 | U F1 | 3.85 | 2.29 | F1 | mg/Kg | ✱ | 60 | 61 - 108 |
| 4-Nitroaniline | 0.044 | U | 3.85 | 2.00 | | mg/Kg | ✱ | 52 | 50 - 110 |
| 4-Nitrophenol | 0.062 | U | 7.70 | 4.38 | | mg/Kg | ✱ | 57 | 47 - 123 |
| Acenaphthene | 0.031 | J F1 | 3.85 | 2.04 | F1 | mg/Kg | ✱ | 52 | 53 - 110 |
| Acenaphthylene | 0.081 | J F1 | 3.85 | 2.54 | | mg/Kg | ✱ | 64 | 64 - 108 |
| Acetophenone | 0.019 | U F1 | 3.85 | 2.19 | F1 | mg/Kg | ✱ | 57 | 61 - 103 |
| Anthracene | 0.12 | J F1 | 3.85 | 2.39 | F1 | mg/Kg | ✱ | 59 | 67 - 114 |
| Atrazine | 0.0096 | U | 1.54 | 1.49 | | mg/Kg | ✱ | 97 | 44 - 145 |
| Benzaldehyde | 0.017 | U * | 1.54 | 1.44 | E | mg/Kg | ✱ | 94 | 39 - 113 |
| Benzo[a]anthracene | 0.50 | F1 | 3.85 | 2.73 | F1 | mg/Kg | ✱ | 58 | 67 - 115 |
| Benzo[a]pyrene | 0.70 | F1 | 3.85 | 3.11 | | mg/Kg | ✱ | 63 | 63 - 108 |
| Benzo[b]fluoranthene | 0.81 | F1 | 3.85 | 3.11 | F1 | mg/Kg | ✱ | 60 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.42 | F1 | 3.85 | 2.50 | F1 | mg/Kg | ✱ | 54 | 61 - 113 |
| Benzo[k]fluoranthene | 0.33 | F1 | 3.85 | 2.78 | F1 | mg/Kg | ✱ | 64 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.030 | U F1 | 3.85 | 2.28 | F1 | mg/Kg | ✱ | 59 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.85 | 2.33 | | mg/Kg | ✱ | 61 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U F1 | 3.85 | 2.27 | F1 | mg/Kg | ✱ | 59 | 69 - 124 |
| Butyl benzyl phthalate | 0.018 | U F1 | 3.85 | 2.35 | F1 | mg/Kg | ✱ | 61 | 70 - 123 |
| Caprolactam | 0.059 | U * | 1.54 | 1.37 | | mg/Kg | ✱ | 89 | 59 - 140 |
| Carbazole | 0.048 | J F1 | 3.85 | 2.25 | F1 | mg/Kg | ✱ | 57 | 64 - 113 |
| Chrysene | 0.57 | F1 | 3.85 | 2.62 | F1 | mg/Kg | ✱ | 53 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.11 | F1 | 3.85 | 2.47 | F1 | mg/Kg | ✱ | 61 | 66 - 119 |
| Dibenzofuran | 0.023 | J F1 | 3.85 | 2.42 | F1 | mg/Kg | ✱ | 62 | 65 - 108 |
| Diethyl phthalate | 0.0055 | U F1 | 3.85 | 2.29 | F1 | mg/Kg | ✱ | 60 | 63 - 109 |
| Dimethyl phthalate | 0.087 | U F1 | 3.85 | 2.41 | F1 | mg/Kg | ✱ | 63 | 65 - 109 |
| Di-n-butyl phthalate | 0.067 | U F1 | 3.85 | 2.28 | F1 | mg/Kg | ✱ | 59 | 66 - 114 |
| Di-n-octyl phthalate | 0.020 | U F1 | 3.85 | 2.41 | F1 | mg/Kg | ✱ | 63 | 65 - 122 |
| Fluoranthene | 0.97 | F1 | 3.85 | 2.98 | F1 | mg/Kg | ✱ | 52 | 64 - 113 |
| Fluorene | 0.064 | J F1 | 3.85 | 2.33 | F1 | mg/Kg | ✱ | 59 | 65 - 109 |
| Hexachlorobenzene | 0.018 | U F1 | 3.85 | 2.32 | F1 | mg/Kg | ✱ | 60 | 70 - 119 |
| Hexachlorobutadiene | 0.0081 | U F1 | 3.85 | 2.49 | | mg/Kg | ✱ | 65 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.034 | U F1 | 3.85 | 1.06 | | mg/Kg | ✱ | 27 | 22 - 124 |
| Hexachloroethane | 0.013 | U F1 | 3.85 | 2.15 | F1 | mg/Kg | ✱ | 56 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.43 | F1 | 3.85 | 2.74 | F1 | mg/Kg | ✱ | 60 | 62 - 121 |
| Isophorone | 0.11 | U F1 | 3.85 | 2.46 | | mg/Kg | ✱ | 64 | 63 - 107 |
| Naphthalene | 0.033 | J F1 | 3.85 | 2.38 | F1 | mg/Kg | ✱ | 61 | 63 - 106 |
| Nitrobenzene | 0.0092 | U F1 | 3.85 | 2.27 | F1 | mg/Kg | ✱ | 59 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.028 | U F1 | 3.85 | 2.36 | | mg/Kg | ✱ | 61 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.0073 | U F1 | 3.85 | 2.46 | F1 | mg/Kg | ✱ | 64 | 67 - 113 |
| Pentachlorophenol | 0.078 | U F1 | 7.70 | 3.40 | | mg/Kg | ✱ | 44 | 44 - 126 |
| Phenanthrene | 0.58 | F1 | 3.85 | 2.70 | F1 | mg/Kg | ✱ | 55 | 66 - 112 |
| Phenol | 0.014 | U F1 | 3.85 | 2.37 | F1 | mg/Kg | ✱ | 62 | 63 - 110 |
| Pyrene | 1.0 | F1 | 3.85 | 3.12 | F1 | mg/Kg | ✱ | 55 | 71 - 122 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|--------------|--------------|----------|
| 2,4,6-Tribromophenol (Surr) | 61 | | 10 - 123 |
| 2-Fluorobiphenyl | 69 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 67 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 70 | | 19 - 105 |
| Phenol-d5 (Surr) | 65 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 71 | | 25 - 127 |

Lab Sample ID: 460-220738-A-2-B MSD

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 0.0051 | U F1 | 3.85 | 2.33 | F1 | mg/Kg | ✖ | 61 | 65 - 110 | 6 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U F1 | 3.85 | 2.26 | F1 | mg/Kg | ✖ | 59 | 64 - 110 | 8 | 30 |
| 1,4-Dioxane | 0.011 | U | 3.85 | 1.43 | | mg/Kg | ✖ | 37 | 31 - 81 | 13 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0069 | U | 3.85 | 2.27 | | mg/Kg | ✖ | 59 | 49 - 109 | 8 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.026 | U F1 | 3.85 | 1.91 | F1 | mg/Kg | ✖ | 50 | 58 - 113 | 6 | 30 |
| 2,4,5-Trichlorophenol | 0.039 | U F1 | 3.85 | 2.20 | F1 | mg/Kg | ✖ | 57 | 64 - 112 | 1 | 30 |
| 2,4,6-Trichlorophenol | 0.049 | U F1 | 3.85 | 2.40 | F1 | mg/Kg | ✖ | 62 | 63 - 113 | 4 | 30 |
| 2,4-Dichlorophenol | 0.024 | U F1 | 3.85 | 2.26 | F1 | mg/Kg | ✖ | 59 | 66 - 113 | 5 | 30 |
| 2,4-Dimethylphenol | 0.017 | U F1 | 3.85 | 2.23 | F1 | mg/Kg | ✖ | 58 | 63 - 107 | 6 | 30 |
| 2,4-Dinitrophenol | 0.19 | U F1 | 7.70 | 1.50 | F1 | mg/Kg | ✖ | 19 | 37 - 125 | 8 | 30 |
| 2,4-Dinitrotoluene | 0.041 | U F1 | 3.85 | 2.19 | F1 | mg/Kg | ✖ | 57 | 65 - 124 | 6 | 30 |
| 2,6-Dinitrotoluene | 0.028 | U F1 | 3.85 | 2.35 | F1 | mg/Kg | ✖ | 61 | 67 - 121 | 0 | 30 |
| 2-Chloronaphthalene | 0.018 | U F1 | 3.85 | 2.35 | F1 | mg/Kg | ✖ | 61 | 65 - 109 | 3 | 30 |
| 2-Chlorophenol | 0.014 | U F1 | 3.85 | 2.15 | F1 | mg/Kg | ✖ | 56 | 63 - 106 | 4 | 30 |
| 2-Methylnaphthalene | 0.024 | J F1 | 3.85 | 2.21 | F1 | mg/Kg | ✖ | 57 | 64 - 108 | 2 | 30 |
| 2-Methylphenol | 0.014 | U F1 | 3.85 | 2.24 | F1 | mg/Kg | ✖ | 58 | 63 - 108 | 4 | 30 |
| 2-Nitroaniline | 0.014 | U | 3.85 | 2.49 | | mg/Kg | ✖ | 65 | 59 - 119 | 5 | 30 |
| 2-Nitrophenol | 0.038 | U F1 | 3.85 | 2.14 | F1 | mg/Kg | ✖ | 56 | 64 - 112 | 9 | 30 |
| 3 & 4 Methylphenol | 0.024 | U F1 | 3.85 | 2.17 | F1 | mg/Kg | ✖ | 56 | 61 - 108 | 5 | 30 |
| 3,3'-Dichlorobenzidine | 0.058 | U | 3.85 | 2.02 | | mg/Kg | ✖ | 52 | 4 - 119 | 0 | 30 |
| 3-Nitroaniline | 0.043 | U | 3.85 | 2.14 | | mg/Kg | ✖ | 56 | 31 - 102 | 2 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.062 | U F1 | 7.70 | 2.37 | F1 | mg/Kg | ✖ | 31 | 64 - 129 | 6 | 30 |
| 4-Bromophenyl phenyl ether | 0.015 | U F1 | 3.85 | 2.28 | F1 | mg/Kg | ✖ | 59 | 67 - 113 | 6 | 30 |
| 4-Chloro-3-methylphenol | 0.021 | U F1 | 3.85 | 2.23 | F1 | mg/Kg | ✖ | 58 | 66 - 114 | 2 | 30 |
| 4-Chloroaniline | 0.027 | U | 3.85 | 1.87 | | mg/Kg | ✖ | 49 | 20 - 98 | 4 | 30 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.85 | 2.30 | F1 | mg/Kg | ✖ | 60 | 66 - 110 | 1 | 30 |
| 4-Methylphenol | 0.024 | U F1 | 3.85 | 2.17 | F1 | mg/Kg | ✖ | 56 | 61 - 108 | 5 | 30 |
| 4-Nitroaniline | 0.044 | U | 3.85 | 2.04 | | mg/Kg | ✖ | 53 | 50 - 110 | 2 | 30 |
| 4-Nitrophenol | 0.062 | U | 7.70 | 4.39 | | mg/Kg | ✖ | 57 | 47 - 123 | 0 | 30 |
| Acenaphthene | 0.031 | J F1 | 3.85 | 1.94 | F1 | mg/Kg | ✖ | 50 | 53 - 110 | 5 | 30 |
| Acenaphthylene | 0.081 | J F1 | 3.85 | 2.39 | F1 | mg/Kg | ✖ | 60 | 64 - 108 | 6 | 30 |
| Acetophenone | 0.019 | U F1 | 3.85 | 2.08 | F1 | mg/Kg | ✖ | 54 | 61 - 103 | 5 | 30 |
| Anthracene | 0.12 | J F1 | 3.85 | 2.36 | F1 | mg/Kg | ✖ | 58 | 67 - 114 | 1 | 30 |
| Atrazine | 0.0096 | U | 1.54 | 1.35 | | mg/Kg | ✖ | 88 | 44 - 145 | 10 | 30 |
| Benzaldehyde | 0.017 | U * | 1.54 | 1.20 | | mg/Kg | ✖ | 78 | 39 - 113 | 18 | 30 |
| Benzo[a]anthracene | 0.50 | F1 | 3.85 | 2.66 | F1 | mg/Kg | ✖ | 56 | 67 - 115 | 2 | 30 |
| Benzo[a]pyrene | 0.70 | F1 | 3.85 | 3.00 | F1 | mg/Kg | ✖ | 60 | 63 - 108 | 4 | 30 |
| Benzo[b]fluoranthene | 0.81 | F1 | 3.85 | 3.06 | F1 | mg/Kg | ✖ | 59 | 64 - 116 | 2 | 30 |
| Benzo[g,h,i]perylene | 0.42 | F1 | 3.85 | 2.29 | F1 | mg/Kg | ✖ | 49 | 61 - 113 | 9 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-220738-A-2-B MSD

Matrix: Solid

Analysis Batch: 732980

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 732843

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Benzo[k]fluoranthene | 0.33 | F1 | 3.85 | 2.69 | F1 | mg/Kg | ✱ | 61 | 67 - 115 | 4 | 30 |
| Bis(2-chloroethoxy)methane | 0.030 | U F1 | 3.85 | 2.14 | F1 | mg/Kg | ✱ | 55 | 62 - 107 | 7 | 30 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.85 | 2.16 | F1 | mg/Kg | ✱ | 56 | 60 - 107 | 7 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U F1 | 3.85 | 2.21 | F1 | mg/Kg | ✱ | 58 | 69 - 124 | 3 | 30 |
| Butyl benzyl phthalate | 0.018 | U F1 | 3.85 | 2.29 | F1 | mg/Kg | ✱ | 59 | 70 - 123 | 3 | 30 |
| Caprolactam | 0.059 | U * | 1.54 | 1.21 | | mg/Kg | ✱ | 79 | 59 - 140 | 12 | 30 |
| Carbazole | 0.048 | J F1 | 3.85 | 2.20 | F1 | mg/Kg | ✱ | 56 | 64 - 113 | 2 | 30 |
| Chrysene | 0.57 | F1 | 3.85 | 2.52 | F1 | mg/Kg | ✱ | 51 | 71 - 122 | 4 | 30 |
| Dibenz(a,h)anthracene | 0.11 | F1 | 3.85 | 2.34 | F1 | mg/Kg | ✱ | 58 | 66 - 119 | 6 | 30 |
| Dibenzofuran | 0.023 | J F1 | 3.85 | 2.31 | F1 | mg/Kg | ✱ | 59 | 65 - 108 | 5 | 30 |
| Diethyl phthalate | 0.0055 | U F1 | 3.85 | 2.23 | F1 | mg/Kg | ✱ | 58 | 63 - 109 | 3 | 30 |
| Dimethyl phthalate | 0.087 | U F1 | 3.85 | 2.31 | F1 | mg/Kg | ✱ | 60 | 65 - 109 | 4 | 30 |
| Di-n-butyl phthalate | 0.067 | U F1 | 3.85 | 2.25 | F1 | mg/Kg | ✱ | 59 | 66 - 114 | 1 | 30 |
| Di-n-octyl phthalate | 0.020 | U F1 | 3.85 | 2.48 | F1 | mg/Kg | ✱ | 64 | 65 - 122 | 3 | 30 |
| Fluoranthene | 0.97 | F1 | 3.85 | 2.85 | F1 | mg/Kg | ✱ | 49 | 64 - 113 | 4 | 30 |
| Fluorene | 0.064 | J F1 | 3.85 | 2.31 | F1 | mg/Kg | ✱ | 58 | 65 - 109 | 1 | 30 |
| Hexachlorobenzene | 0.018 | U F1 | 3.85 | 2.26 | F1 | mg/Kg | ✱ | 59 | 70 - 119 | 3 | 30 |
| Hexachlorobutadiene | 0.0081 | U F1 | 3.85 | 2.27 | F1 | mg/Kg | ✱ | 59 | 62 - 109 | 9 | 30 |
| Hexachlorocyclopentadiene | 0.034 | U F1 | 3.85 | 0.804 | F1 | mg/Kg | ✱ | 21 | 22 - 124 | 27 | 30 |
| Hexachloroethane | 0.013 | U F1 | 3.85 | 1.95 | F1 | mg/Kg | ✱ | 51 | 61 - 102 | 10 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.43 | F1 | 3.85 | 2.55 | F1 | mg/Kg | ✱ | 55 | 62 - 121 | 7 | 30 |
| Isophorone | 0.11 | U F1 | 3.85 | 2.28 | F1 | mg/Kg | ✱ | 59 | 63 - 107 | 8 | 30 |
| Naphthalene | 0.033 | J F1 | 3.85 | 2.23 | F1 | mg/Kg | ✱ | 57 | 63 - 106 | 6 | 30 |
| Nitrobenzene | 0.0092 | U F1 | 3.85 | 2.14 | F1 | mg/Kg | ✱ | 56 | 63 - 110 | 6 | 30 |
| N-Nitrosodi-n-propylamine | 0.028 | U F1 | 3.85 | 2.18 | F1 | mg/Kg | ✱ | 57 | 61 - 108 | 8 | 30 |
| N-Nitrosodiphenylamine | 0.0073 | U F1 | 3.85 | 2.33 | F1 | mg/Kg | ✱ | 61 | 67 - 113 | 5 | 30 |
| Pentachlorophenol | 0.078 | U F1 | 7.70 | 3.32 | F1 | mg/Kg | ✱ | 43 | 44 - 126 | 2 | 30 |
| Phenanthrene | 0.58 | F1 | 3.85 | 2.62 | F1 | mg/Kg | ✱ | 53 | 66 - 112 | 3 | 30 |
| Phenol | 0.014 | U F1 | 3.85 | 2.25 | F1 | mg/Kg | ✱ | 58 | 63 - 110 | 5 | 30 |
| Pyrene | 1.0 | F1 | 3.85 | 2.92 | F1 | mg/Kg | ✱ | 50 | 71 - 122 | 7 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | MSD Limits |
|-----------------------------|---------------|---------------|------------|
| 2,4,6-Tribromophenol (Surr) | 55 | | 10 - 123 |
| 2-Fluorobiphenyl | 60 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 56 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 59 | | 19 - 105 |
| Phenol-d5 (Surr) | 58 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 63 | | 25 - 127 |

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-733293/1-A

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-733293/1-A

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 86 | | 28 - 148 | | | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| DCB Decachlorobiphenyl | 94 | | 28 - 148 | | | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Tetrachloro-m-xylene | 89 | | 34 - 118 | | | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |
| Tetrachloro-m-xylene | 91 | | 34 - 118 | | | | 10/20/20 19:02 | 10/21/20 04:48 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-733293/2-A

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|-------------|------------|---------------|-------|---|------|--------------|
| 4,4'-DDD | 0.133 | 0.135 | | mg/Kg | | 101 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.146 | | mg/Kg | | 109 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.128 | | mg/Kg | | 96 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.145 | | mg/Kg | | 109 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.105 | | mg/Kg | | 79 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.108 | | mg/Kg | | 81 | 63 - 131 |
| Aldrin | 0.133 | 0.131 | | mg/Kg | | 98 | 74 - 140 |
| Aldrin | 0.133 | 0.142 | | mg/Kg | | 107 | 74 - 140 |
| alpha-BHC | 0.133 | 0.135 | | mg/Kg | | 102 | 72 - 142 |
| alpha-BHC | 0.133 | 0.145 | | mg/Kg | | 109 | 72 - 142 |
| beta-BHC | 0.133 | 0.133 | | mg/Kg | | 100 | 65 - 137 |
| beta-BHC | 0.133 | 0.146 | | mg/Kg | | 110 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.126 | | mg/Kg | | 95 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 136 |
| delta-BHC | 0.133 | 0.133 | | mg/Kg | | 100 | 70 - 143 |
| delta-BHC | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 143 |
| Dieldrin | 0.133 | 0.128 | | mg/Kg | | 96 | 70 - 135 |
| Dieldrin | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 135 |
| Endosulfan I | 0.133 | 0.127 | | mg/Kg | | 96 | 68 - 135 |
| Endosulfan I | 0.133 | 0.141 | | mg/Kg | | 106 | 68 - 135 |
| Endosulfan II | 0.133 | 0.134 | | mg/Kg | | 101 | 64 - 130 |
| Endosulfan II | 0.133 | 0.145 | | mg/Kg | | 109 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.121 | | mg/Kg | | 91 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.136 | | mg/Kg | | 102 | 66 - 143 |
| Endrin | 0.133 | 0.108 | | mg/Kg | | 81 | 68 - 136 |
| Endrin | 0.133 | 0.120 | | mg/Kg | | 90 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.132 | | mg/Kg | | 99 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.141 | | mg/Kg | | 106 | 68 - 132 |
| Endrin ketone | 0.133 | 0.109 | | mg/Kg | | 81 | 60 - 150 |
| Endrin ketone | 0.133 | 0.116 | | mg/Kg | | 87 | 60 - 150 |
| gamma-BHC (Lindane) | 0.133 | 0.135 | | mg/Kg | | 102 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.145 | | mg/Kg | | 109 | 70 - 134 |
| Heptachlor | 0.133 | 0.116 | | mg/Kg | | 87 | 69 - 134 |
| Heptachlor | 0.133 | 0.123 | | mg/Kg | | 93 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.125 | | mg/Kg | | 94 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.141 | | mg/Kg | | 106 | 70 - 135 |
| Methoxychlor | 0.133 | 0.0923 | | mg/Kg | | 69 | 57 - 135 |
| Methoxychlor | 0.133 | 0.0939 | | mg/Kg | | 70 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.127 | | mg/Kg | | 95 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.142 | | mg/Kg | | 107 | 71 - 137 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 83 | | 28 - 148 |
| DCB Decachlorobiphenyl | 91 | | 28 - 148 |
| Tetrachloro-m-xylene | 85 | | 34 - 118 |
| Tetrachloro-m-xylene | 92 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-733293/3-A

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.133 | 0.125 | | mg/Kg | | 94 | 70 - 140 | 8 | 30 |
| 4,4'-DDD | 0.133 | 0.136 | | mg/Kg | | 102 | 70 - 140 | 7 | 30 |
| 4,4'-DDE | 0.133 | 0.118 | | mg/Kg | | 89 | 71 - 137 | 8 | 30 |
| 4,4'-DDE | 0.133 | 0.133 | | mg/Kg | | 100 | 71 - 137 | 9 | 30 |
| 4,4'-DDT | 0.133 | 0.0954 | | mg/Kg | | 72 | 63 - 131 | 10 | 30 |
| 4,4'-DDT | 0.133 | 0.0991 | | mg/Kg | | 74 | 63 - 131 | 9 | 30 |
| Aldrin | 0.133 | 0.120 | | mg/Kg | | 90 | 74 - 140 | 9 | 30 |
| Aldrin | 0.133 | 0.132 | | mg/Kg | | 99 | 74 - 140 | 8 | 30 |
| alpha-BHC | 0.133 | 0.125 | | mg/Kg | | 94 | 72 - 142 | 8 | 30 |
| alpha-BHC | 0.133 | 0.134 | | mg/Kg | | 101 | 72 - 142 | 8 | 30 |
| beta-BHC | 0.133 | 0.124 | | mg/Kg | | 93 | 65 - 137 | 7 | 30 |
| beta-BHC | 0.133 | 0.135 | | mg/Kg | | 101 | 65 - 137 | 8 | 30 |
| cis-Chlordane | 0.133 | 0.117 | | mg/Kg | | 88 | 70 - 136 | 8 | 30 |
| cis-Chlordane | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 136 | 8 | 30 |
| delta-BHC | 0.133 | 0.124 | | mg/Kg | | 93 | 70 - 143 | 7 | 30 |
| delta-BHC | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 143 | 9 | 30 |
| Dieldrin | 0.133 | 0.118 | | mg/Kg | | 89 | 70 - 135 | 8 | 30 |
| Dieldrin | 0.133 | 0.133 | | mg/Kg | | 100 | 70 - 135 | 7 | 30 |
| Endosulfan I | 0.133 | 0.117 | | mg/Kg | | 88 | 68 - 135 | 8 | 30 |
| Endosulfan I | 0.133 | 0.130 | | mg/Kg | | 98 | 68 - 135 | 8 | 30 |
| Endosulfan II | 0.133 | 0.124 | | mg/Kg | | 93 | 64 - 130 | 8 | 30 |
| Endosulfan II | 0.133 | 0.135 | | mg/Kg | | 101 | 64 - 130 | 7 | 30 |
| Endosulfan sulfate | 0.133 | 0.111 | | mg/Kg | | 83 | 66 - 143 | 8 | 30 |
| Endosulfan sulfate | 0.133 | 0.126 | | mg/Kg | | 94 | 66 - 143 | 8 | 30 |
| Endrin | 0.133 | 0.0976 | | mg/Kg | | 73 | 68 - 136 | 10 | 30 |
| Endrin | 0.133 | 0.110 | | mg/Kg | | 82 | 68 - 136 | 9 | 30 |
| Endrin aldehyde | 0.133 | 0.123 | | mg/Kg | | 92 | 68 - 132 | 8 | 30 |
| Endrin aldehyde | 0.133 | 0.132 | | mg/Kg | | 99 | 68 - 132 | 7 | 30 |
| Endrin ketone | 0.133 | 0.0987 | | mg/Kg | | 74 | 60 - 150 | 9 | 30 |
| Endrin ketone | 0.133 | 0.106 | | mg/Kg | | 80 | 60 - 150 | 9 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.126 | | mg/Kg | | 95 | 70 - 134 | 7 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.134 | | mg/Kg | | 101 | 70 - 134 | 8 | 30 |
| Heptachlor | 0.133 | 0.107 | | mg/Kg | | 80 | 69 - 134 | 8 | 30 |
| Heptachlor | 0.133 | 0.113 | | mg/Kg | | 85 | 69 - 134 | 9 | 30 |
| Heptachlor epoxide | 0.133 | 0.116 | | mg/Kg | | 87 | 70 - 135 | 8 | 30 |
| Heptachlor epoxide | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 135 | 7 | 30 |
| Methoxychlor | 0.133 | 0.0835 | | mg/Kg | | 63 | 57 - 135 | 10 | 30 |
| Methoxychlor | 0.133 | 0.0855 | | mg/Kg | | 64 | 57 - 135 | 9 | 30 |
| trans-Chlordane | 0.133 | 0.117 | | mg/Kg | | 88 | 71 - 137 | 8 | 30 |
| trans-Chlordane | 0.133 | 0.131 | | mg/Kg | | 99 | 71 - 137 | 8 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 77 | | 28 - 148 |
| DCB Decachlorobiphenyl | 85 | | 28 - 148 |
| Tetrachloro-m-xylene | 79 | | 34 - 118 |
| Tetrachloro-m-xylene | 85 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-220855-B-1-E MS

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.0012 | U | 0.142 | 0.167 | | mg/Kg | ✱ | 117 | 70 - 140 |
| 4,4'-DDD | 0.0012 | U | 0.142 | 0.179 | | mg/Kg | ✱ | 125 | 70 - 140 |
| 4,4'-DDE | 0.00085 | U | 0.142 | 0.155 | | mg/Kg | ✱ | 109 | 71 - 137 |
| 4,4'-DDE | 0.00085 | U | 0.142 | 0.172 | | mg/Kg | ✱ | 120 | 71 - 137 |
| 4,4'-DDT | 0.0013 | U | 0.142 | 0.121 | | mg/Kg | ✱ | 85 | 63 - 131 |
| 4,4'-DDT | 0.0013 | U | 0.142 | 0.122 | | mg/Kg | ✱ | 86 | 63 - 131 |
| Aldrin | 0.0011 | U | 0.142 | 0.157 | | mg/Kg | ✱ | 110 | 74 - 140 |
| Aldrin | 0.0011 | U | 0.142 | 0.172 | | mg/Kg | ✱ | 121 | 74 - 140 |
| alpha-BHC | 0.00073 | U | 0.142 | 0.165 | | mg/Kg | ✱ | 116 | 72 - 142 |
| alpha-BHC | 0.00073 | U | 0.142 | 0.177 | | mg/Kg | ✱ | 124 | 72 - 142 |
| beta-BHC | 0.00080 | U | 0.142 | 0.161 | | mg/Kg | ✱ | 113 | 65 - 137 |
| beta-BHC | 0.00080 | U | 0.142 | 0.173 | | mg/Kg | ✱ | 122 | 65 - 137 |
| cis-Chlordane | 0.0011 | U | 0.142 | 0.153 | | mg/Kg | ✱ | 108 | 70 - 136 |
| cis-Chlordane | 0.0011 | U | 0.142 | 0.170 | | mg/Kg | ✱ | 119 | 70 - 136 |
| delta-BHC | 0.00044 | U | 0.142 | 0.163 | | mg/Kg | ✱ | 115 | 70 - 143 |
| delta-BHC | 0.00044 | U | 0.142 | 0.175 | | mg/Kg | ✱ | 123 | 70 - 143 |
| Dieldrin | 0.00093 | U | 0.142 | 0.155 | | mg/Kg | ✱ | 109 | 70 - 135 |
| Dieldrin | 0.00093 | U | 0.142 | 0.171 | | mg/Kg | ✱ | 120 | 70 - 135 |
| Endosulfan I | 0.0011 | U | 0.142 | 0.154 | | mg/Kg | ✱ | 108 | 68 - 135 |
| Endosulfan I | 0.0011 | U | 0.142 | 0.168 | | mg/Kg | ✱ | 118 | 68 - 135 |
| Endosulfan II | 0.0018 | U | 0.142 | 0.163 | | mg/Kg | ✱ | 115 | 64 - 130 |
| Endosulfan II | 0.0018 | U | 0.142 | 0.173 | | mg/Kg | ✱ | 122 | 64 - 130 |
| Endosulfan sulfate | 0.00090 | U | 0.142 | 0.147 | | mg/Kg | ✱ | 103 | 66 - 143 |
| Endosulfan sulfate | 0.00090 | U | 0.142 | 0.161 | | mg/Kg | ✱ | 113 | 66 - 143 |
| Endrin | 0.0010 | U | 0.142 | 0.132 | | mg/Kg | ✱ | 93 | 68 - 136 |
| Endrin | 0.0010 | U | 0.142 | 0.145 | | mg/Kg | ✱ | 102 | 68 - 136 |
| Endrin aldehyde | 0.0017 | U | 0.142 | 0.163 | | mg/Kg | ✱ | 114 | 68 - 132 |
| Endrin aldehyde | 0.0017 | U | 0.142 | 0.171 | | mg/Kg | ✱ | 120 | 68 - 132 |
| Endrin ketone | 0.0014 | U | 0.142 | 0.131 | | mg/Kg | ✱ | 92 | 60 - 150 |
| Endrin ketone | 0.0014 | U | 0.142 | 0.138 | | mg/Kg | ✱ | 97 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00066 | U | 0.142 | 0.165 | | mg/Kg | ✱ | 116 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00066 | U | 0.142 | 0.175 | | mg/Kg | ✱ | 123 | 70 - 134 |
| Heptachlor | 0.00085 | U | 0.142 | 0.135 | | mg/Kg | ✱ | 95 | 69 - 134 |
| Heptachlor | 0.00085 | U | 0.142 | 0.143 | | mg/Kg | ✱ | 100 | 69 - 134 |
| Heptachlor epoxide | 0.0011 | U | 0.142 | 0.151 | | mg/Kg | ✱ | 106 | 70 - 135 |
| Heptachlor epoxide | 0.0011 | U | 0.142 | 0.170 | | mg/Kg | ✱ | 119 | 70 - 135 |
| Methoxychlor | 0.0016 | U | 0.142 | 0.106 | | mg/Kg | ✱ | 74 | 57 - 135 |
| Methoxychlor | 0.0016 | U | 0.142 | 0.107 | | mg/Kg | ✱ | 75 | 57 - 135 |
| trans-Chlordane | 0.0013 | U | 0.142 | 0.154 | | mg/Kg | ✱ | 108 | 71 - 137 |
| trans-Chlordane | 0.0013 | U | 0.142 | 0.171 | | mg/Kg | ✱ | 120 | 71 - 137 |
| Surrogate | MS %Recovery | MS Qualifier | Limits | | | | | | |
| DCB Decachlorobiphenyl | 88 | | 28 - 148 | | | | | | |
| DCB Decachlorobiphenyl | 94 | | 28 - 148 | | | | | | |
| Tetrachloro-m-xylene | 89 | | 34 - 118 | | | | | | |
| Tetrachloro-m-xylene | 95 | | 34 - 118 | | | | | | |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-220855-B-1-F MSD

Matrix: Solid

Analysis Batch: 733378

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733293

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.0012 | U | 0.142 | 0.151 | | mg/Kg | ✱ | 106 | 70 - 140 | 10 | 30 |
| 4,4'-DDD | 0.0012 | U | 0.142 | 0.160 | | mg/Kg | ✱ | 112 | 70 - 140 | 11 | 30 |
| 4,4'-DDE | 0.00085 | U | 0.142 | 0.141 | | mg/Kg | ✱ | 99 | 71 - 137 | 10 | 30 |
| 4,4'-DDE | 0.00085 | U | 0.142 | 0.153 | | mg/Kg | ✱ | 108 | 71 - 137 | 11 | 30 |
| 4,4'-DDT | 0.0013 | U | 0.142 | 0.109 | | mg/Kg | ✱ | 76 | 63 - 131 | 10 | 30 |
| 4,4'-DDT | 0.0013 | U | 0.142 | 0.109 | | mg/Kg | ✱ | 76 | 63 - 131 | 12 | 30 |
| Aldrin | 0.0011 | U | 0.142 | 0.142 | | mg/Kg | ✱ | 100 | 74 - 140 | 10 | 30 |
| Aldrin | 0.0011 | U | 0.142 | 0.155 | | mg/Kg | ✱ | 109 | 74 - 140 | 11 | 30 |
| alpha-BHC | 0.00073 | U | 0.142 | 0.149 | | mg/Kg | ✱ | 104 | 72 - 142 | 10 | 30 |
| alpha-BHC | 0.00073 | U | 0.142 | 0.160 | | mg/Kg | ✱ | 112 | 72 - 142 | 10 | 30 |
| beta-BHC | 0.00080 | U | 0.142 | 0.139 | | mg/Kg | ✱ | 98 | 65 - 137 | 15 | 30 |
| beta-BHC | 0.00080 | U | 0.142 | 0.153 | | mg/Kg | ✱ | 107 | 65 - 137 | 13 | 30 |
| cis-Chlordane | 0.0011 | U | 0.142 | 0.136 | | mg/Kg | ✱ | 96 | 70 - 136 | 12 | 30 |
| cis-Chlordane | 0.0011 | U | 0.142 | 0.152 | | mg/Kg | ✱ | 107 | 70 - 136 | 11 | 30 |
| delta-BHC | 0.00044 | U | 0.142 | 0.147 | | mg/Kg | ✱ | 103 | 70 - 143 | 10 | 30 |
| delta-BHC | 0.00044 | U | 0.142 | 0.158 | | mg/Kg | ✱ | 111 | 70 - 143 | 10 | 30 |
| Dieldrin | 0.00093 | U | 0.142 | 0.141 | | mg/Kg | ✱ | 99 | 70 - 135 | 10 | 30 |
| Dieldrin | 0.00093 | U | 0.142 | 0.154 | | mg/Kg | ✱ | 108 | 70 - 135 | 10 | 30 |
| Endosulfan I | 0.0011 | U | 0.142 | 0.137 | | mg/Kg | ✱ | 96 | 68 - 135 | 12 | 30 |
| Endosulfan I | 0.0011 | U | 0.142 | 0.150 | | mg/Kg | ✱ | 105 | 68 - 135 | 11 | 30 |
| Endosulfan II | 0.0018 | U | 0.142 | 0.147 | | mg/Kg | ✱ | 104 | 64 - 130 | 10 | 30 |
| Endosulfan II | 0.0018 | U | 0.142 | 0.155 | | mg/Kg | ✱ | 109 | 64 - 130 | 11 | 30 |
| Endosulfan sulfate | 0.00090 | U | 0.142 | 0.133 | | mg/Kg | ✱ | 94 | 66 - 143 | 9 | 30 |
| Endosulfan sulfate | 0.00090 | U | 0.142 | 0.146 | | mg/Kg | ✱ | 103 | 66 - 143 | 10 | 30 |
| Endrin | 0.0010 | U | 0.142 | 0.120 | | mg/Kg | ✱ | 84 | 68 - 136 | 10 | 30 |
| Endrin | 0.0010 | U | 0.142 | 0.130 | | mg/Kg | ✱ | 91 | 68 - 136 | 11 | 30 |
| Endrin aldehyde | 0.0017 | U | 0.142 | 0.148 | | mg/Kg | ✱ | 104 | 68 - 132 | 9 | 30 |
| Endrin aldehyde | 0.0017 | U | 0.142 | 0.155 | | mg/Kg | ✱ | 109 | 68 - 132 | 10 | 30 |
| Endrin ketone | 0.0014 | U | 0.142 | 0.115 | | mg/Kg | ✱ | 81 | 60 - 150 | 13 | 30 |
| Endrin ketone | 0.0014 | U | 0.142 | 0.125 | | mg/Kg | ✱ | 88 | 60 - 150 | 10 | 30 |
| gamma-BHC (Lindane) | 0.00066 | U | 0.142 | 0.146 | | mg/Kg | ✱ | 102 | 70 - 134 | 12 | 30 |
| gamma-BHC (Lindane) | 0.00066 | U | 0.142 | 0.157 | | mg/Kg | ✱ | 110 | 70 - 134 | 11 | 30 |
| Heptachlor | 0.00085 | U | 0.142 | 0.122 | | mg/Kg | ✱ | 85 | 69 - 134 | 11 | 30 |
| Heptachlor | 0.00085 | U | 0.142 | 0.130 | | mg/Kg | ✱ | 91 | 69 - 134 | 10 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.142 | 0.137 | | mg/Kg | ✱ | 96 | 70 - 135 | 10 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.142 | 0.152 | | mg/Kg | ✱ | 107 | 70 - 135 | 11 | 30 |
| Methoxychlor | 0.0016 | U | 0.142 | 0.0960 | | mg/Kg | ✱ | 67 | 57 - 135 | 10 | 30 |
| Methoxychlor | 0.0016 | U | 0.142 | 0.0961 | | mg/Kg | ✱ | 68 | 57 - 135 | 11 | 30 |
| trans-Chlordane | 0.0013 | U | 0.142 | 0.139 | | mg/Kg | ✱ | 98 | 71 - 137 | 10 | 30 |
| trans-Chlordane | 0.0013 | U | 0.142 | 0.153 | | mg/Kg | ✱ | 108 | 71 - 137 | 11 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 81 | | 28 - 148 |
| DCB Decachlorobiphenyl | 86 | | 28 - 148 |
| Tetrachloro-m-xylene | 81 | | 34 - 118 |
| Tetrachloro-m-xylene | 86 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-733291/1-A

Matrix: Solid

Analysis Batch: 733389

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733291

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/20/20 18:49 | 10/21/20 06:17 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 102 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| DCB Decachlorobiphenyl | 102 | | 10 - 150 | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Tetrachloro-m-xylene | 97 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 06:17 | 1 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 | 10/20/20 18:49 | 10/21/20 06:17 | 1 |

Lab Sample ID: LCS 460-733291/2-A

Matrix: Solid

Analysis Batch: 733389

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733291

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|-------|---|------|--------------|
| Aroclor 1016 | 0.333 | 0.282 | | mg/Kg | | 85 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.307 | | mg/Kg | | 92 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.296 | | mg/Kg | | 89 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.298 | | mg/Kg | | 89 | 71 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 91 | | 10 - 150 |
| DCB Decachlorobiphenyl | 92 | | 10 - 150 |
| Tetrachloro-m-xylene | 86 | | 58 - 145 |
| Tetrachloro-m-xylene | 90 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCSD 460-733291/3-A

Matrix: Solid

Analysis Batch: 733389

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733291

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.333 | 0.282 | | mg/Kg | | 85 | 65 - 133 | 0 | 30 |
| Aroclor 1016 | 0.333 | 0.305 | | mg/Kg | | 91 | 65 - 133 | 1 | 30 |
| Aroclor 1260 | 0.333 | 0.301 | | mg/Kg | | 90 | 71 - 150 | 2 | 30 |
| Aroclor 1260 | 0.333 | 0.302 | | mg/Kg | | 91 | 71 - 150 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 95 | | 10 - 150 |
| DCB Decachlorobiphenyl | 93 | | 10 - 150 |
| Tetrachloro-m-xylene | 86 | | 58 - 145 |
| Tetrachloro-m-xylene | 91 | | 58 - 145 |

Lab Sample ID: 460-220855-B-1-B MS

Matrix: Solid

Analysis Batch: 733389

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733291

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aroclor 1016 | 0.0095 | U | 0.357 | 0.368 | | mg/Kg | ⊛ | 103 | 65 - 133 |
| Aroclor 1016 | 0.0095 | U | 0.357 | 0.374 | | mg/Kg | ⊛ | 105 | 65 - 133 |
| Aroclor 1260 | 0.0098 | U | 0.357 | 0.365 | | mg/Kg | ⊛ | 102 | 71 - 150 |
| Aroclor 1260 | 0.0098 | U | 0.357 | 0.347 | | mg/Kg | ⊛ | 97 | 71 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 103 | | 10 - 150 |
| DCB Decachlorobiphenyl | 101 | | 10 - 150 |
| Tetrachloro-m-xylene | 96 | | 58 - 145 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 |

Lab Sample ID: 460-220855-B-1-C MSD

Matrix: Solid

Analysis Batch: 733389

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733291

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.0095 | U | 0.356 | 0.360 | | mg/Kg | ⊛ | 101 | 65 - 133 | 2 | 30 |
| Aroclor 1016 | 0.0095 | U | 0.356 | 0.387 | | mg/Kg | ⊛ | 109 | 65 - 133 | 3 | 30 |
| Aroclor 1260 | 0.0098 | U | 0.356 | 0.383 | | mg/Kg | ⊛ | 108 | 71 - 150 | 5 | 30 |
| Aroclor 1260 | 0.0098 | U | 0.356 | 0.371 | | mg/Kg | ⊛ | 104 | 71 - 150 | 7 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 106 | | 10 - 150 |
| DCB Decachlorobiphenyl | 104 | | 10 - 150 |
| Tetrachloro-m-xylene | 98 | | 58 - 145 |
| Tetrachloro-m-xylene | 104 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-732984/1-A

Matrix: Solid

Analysis Batch: 733097

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732984

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/19/20 18:18 | 10/20/20 07:30 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 109 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 07:30 | 1 |
| 2,4-Dichlorophenylacetic acid | 113 | | 30 - 150 | 10/19/20 18:18 | 10/20/20 07:30 | 1 |

Lab Sample ID: LCS 460-732984/2-A

Matrix: Solid

Analysis Batch: 733097

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 732984

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0841 | | mg/Kg | | 101 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0914 | | mg/Kg | | 110 | 59 - 150 |
| 2,4-D | 0.333 | 0.324 | | mg/Kg | | 97 | 42 - 150 |
| 2,4-D | 0.333 | 0.344 | | mg/Kg | | 103 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0822 | | mg/Kg | | 99 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.101 | | mg/Kg | | 121 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 108 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 121 | | 30 - 150 |

Lab Sample ID: LCSD 460-732984/3-A

Matrix: Solid

Analysis Batch: 733097

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 732984

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0833 | 0.0870 | | mg/Kg | | 104 | 59 - 150 | 3 | 30 |
| 2,4,5-T | 0.0833 | 0.0922 | | mg/Kg | | 111 | 59 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.333 | | mg/Kg | | 100 | 42 - 150 | 3 | 30 |
| 2,4-D | 0.333 | 0.356 | | mg/Kg | | 107 | 42 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0847 | | mg/Kg | | 102 | 58 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.105 | | mg/Kg | | 126 | 58 - 150 | 4 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 108 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 124 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-220794-1 MS

Matrix: Solid

Analysis Batch: 733097

Client Sample ID: TP-16_(0-2)

Prep Type: Total/NA

Prep Batch: 732984

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0087 | U | 0.103 | 0.105 | | mg/Kg | ☼ | 103 | 59 - 150 |
| 2,4,5-T | 0.0087 | U | 0.103 | 0.126 | | mg/Kg | ☼ | 123 | 59 - 150 |
| 2,4-D | 0.015 | U F1 | 0.411 | 0.410 | | mg/Kg | ☼ | 100 | 42 - 150 |
| 2,4-D | 0.015 | U | 0.411 | 0.886 | F1 | mg/Kg | ☼ | 216 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.104 | | mg/Kg | ☼ | 101 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.132 | | mg/Kg | ☼ | 129 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 107 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 123 | | 30 - 150 |

Lab Sample ID: 460-220794-1 MSD

Matrix: Solid

Analysis Batch: 733097

Client Sample ID: TP-16_(0-2)

Prep Type: Total/NA

Prep Batch: 732984

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0087 | U | 0.103 | 0.104 | | mg/Kg | ☼ | 101 | 59 - 150 | 2 | 30 |
| 2,4,5-T | 0.0087 | U | 0.103 | 0.122 | | mg/Kg | ☼ | 118 | 59 - 150 | 4 | 30 |
| 2,4-D | 0.015 | U F1 | 0.411 | 0.406 | | mg/Kg | ☼ | 99 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.015 | U | 0.411 | 0.885 | F1 | mg/Kg | ☼ | 215 | 42 - 150 | 0 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.102 | | mg/Kg | ☼ | 99 | 58 - 150 | 1 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.103 | 0.133 | | mg/Kg | ☼ | 129 | 58 - 150 | 0 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 107 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 138 | | 30 - 150 |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-732711/1-A

Matrix: Solid

Analysis Batch: 733508

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732711

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-732711/1-A

Matrix: Solid

Analysis Batch: 733508

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732711

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 10/18/20 15:33 | 10/21/20 09:46 | 1 |

Lab Sample ID: LCSSRM 460-732711/2-A A5

Matrix: Solid

Analysis Batch: 733508

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 732711

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Aluminum | 8460 | 7555 | | mg/Kg | | 89.3 | 50.4 - 150.1 |
| Antimony | 120 | 73.09 | | mg/Kg | | 60.9 | 4.8 - 195.0 |
| Arsenic | 95.5 | 97.79 | | mg/Kg | | 102.4 | 82.8 - 117.3 |
| Barium | 300 | 305.7 | | mg/Kg | | 101.9 | 82.3 - 117.7 |
| Beryllium | 103 | 102.2 | | mg/Kg | | 99.2 | 82.8 - 116.5 |
| Cadmium | 135 | 137.1 | | mg/Kg | | 101.6 | 83.0 - 117.8 |
| Calcium | 4720 | 4462 | | mg/Kg | | 94.5 | 81.6 - 118.6 |
| Chromium | 147 | 144.3 | | mg/Kg | | 98.1 | 82.3 - 117.7 |
| Cobalt | 43.2 | 43.91 | | mg/Kg | | 101.7 | 83.8 - 116.2 |
| Copper | 150 | 151.9 | | mg/Kg | | 101.3 | 84.0 - 116.0 |
| Iron | 14400 | 13130 | | mg/Kg | | 91.2 | 61.3 - 138.9 |
| Lead | 92.3 | 89.26 | | mg/Kg | | 96.7 | 83.1 - 117.0 |
| Magnesium | 2300 | 2346 | | mg/Kg | | 102.0 | 75.7 - 124.3 |
| Manganese | 677 | 680.2 | | mg/Kg | | 100.5 | 82.0 - 118.2 |
| Nickel | 59.8 | 61.00 | | mg/Kg | | 102.0 | 82.6 - 117.6 |
| Potassium | 2030 | 2073 | | mg/Kg | | 102.1 | 70.0 - 130.0 |
| Selenium | 42.0 | 41.83 | | mg/Kg | | 99.6 | 79.5 - 120.5 |
| Silver | 40.3 | 39.12 | | mg/Kg | | 97.1 | 80.6 - 119.4 |
| Sodium | 139 | 150.3 | J | mg/Kg | | 108.1 | 71.9 - 127.3 |
| Thallium | 83.1 | 81.98 | | mg/Kg | | 98.7 | 81.0 - 119.0 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-732711/2-A ^5
Matrix: Solid
Analysis Batch: 733508

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 732711

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|------|--------------|
| Vanadium | 96.9 | 94.96 | | mg/Kg | | 98.0 | 79.2 - 120.7 |
| Zinc | 369 | 363.4 | | mg/Kg | | 98.5 | 80.8 - 119.2 |

Lab Sample ID: 460-220793-E-8-D MS
Matrix: Solid
Analysis Batch: 733508

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 732711

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Antimony | 0.15 | U F1 | 5.61 | 1.96 | F1 | mg/Kg | ✱ | 35 | 75 - 125 |
| Arsenic | 0.91 | J | 11.2 | 11.03 | | mg/Kg | ✱ | 90 | 75 - 125 |
| Barium | 200 | | 11.2 | 173.0 | 4 | mg/Kg | ✱ | -242 | 75 - 125 |
| Beryllium | 1.2 | | 5.61 | 6.42 | | mg/Kg | ✱ | 94 | 75 - 125 |
| Cadmium | 0.11 | U | 5.61 | 5.74 | | mg/Kg | ✱ | 102 | 75 - 125 |
| Calcium | 2550 | | 561 | 2527 | 4 | mg/Kg | ✱ | -4 | 75 - 125 |
| Chromium | 43.7 | F1 | 11.2 | 48.84 | F1 | mg/Kg | ✱ | 46 | 75 - 125 |
| Cobalt | 16.1 | | 5.61 | 21.31 | | mg/Kg | ✱ | 93 | 75 - 125 |
| Copper | 32.4 | F1 | 11.2 | 38.92 | F1 | mg/Kg | ✱ | 58 | 75 - 125 |
| Iron | 35000 | | 561 | 31310 | 4 | mg/Kg | ✱ | -650 | 75 - 125 |
| Lead | 10.8 | F1 | 5.61 | 17.88 | F1 | mg/Kg | ✱ | 126 | 75 - 125 |
| Magnesium | 8250 | | 561 | 7596 | 4 | mg/Kg | ✱ | -116 | 75 - 125 |
| Manganese | 665 | | 56.1 | 713.4 | 4 | mg/Kg | ✱ | 85 | 75 - 125 |
| Nickel | 30.5 | | 11.2 | 39.99 | | mg/Kg | ✱ | 85 | 75 - 125 |
| Potassium | 8860 | | 561 | 7692 | 4 | mg/Kg | ✱ | -209 | 75 - 125 |
| Selenium | 0.12 | U | 11.2 | 9.71 | | mg/Kg | ✱ | 87 | 75 - 125 |
| Silver | 0.089 | U | 5.61 | 5.40 | | mg/Kg | ✱ | 96 | 75 - 125 |
| Sodium | 347 | | 561 | 826.5 | | mg/Kg | ✱ | 85 | 75 - 125 |
| Thallium | 0.48 | | 4.49 | 4.62 | | mg/Kg | ✱ | 92 | 75 - 125 |
| Vanadium | 57.3 | | 11.2 | 59.62 | 4 | mg/Kg | ✱ | 21 | 75 - 125 |
| Zinc | 84.7 | F1 | 56.1 | 121.6 | F1 | mg/Kg | ✱ | 66 | 75 - 125 |

Lab Sample ID: 460-220793-E-8-C DU
Matrix: Solid
Analysis Batch: 733508

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 732711

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Antimony | 0.15 | U F1 | 0.17 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 0.91 | J | 0.955 | J | mg/Kg | ✱ | 5 | 20 |
| Barium | 200 | | 209.8 | | mg/Kg | ✱ | 5 | 20 |
| Beryllium | 1.2 | | 1.21 | | mg/Kg | ✱ | 5 | 20 |
| Cadmium | 0.11 | U | 0.13 | U | mg/Kg | ✱ | NC | 20 |
| Calcium | 2550 | | 2935 | | mg/Kg | ✱ | 14 | 20 |
| Chromium | 43.7 | F1 | 49.10 | | mg/Kg | ✱ | 12 | 20 |
| Cobalt | 16.1 | | 17.53 | | mg/Kg | ✱ | 9 | 20 |
| Copper | 32.4 | F1 | 34.99 | | mg/Kg | ✱ | 8 | 20 |
| Iron | 35000 | | 37720 | | mg/Kg | ✱ | 8 | 20 |
| Lead | 10.8 | F1 | 11.68 | | mg/Kg | ✱ | 8 | 20 |
| Magnesium | 8250 | | 9015 | | mg/Kg | ✱ | 9 | 20 |
| Manganese | 665 | | 693.6 | | mg/Kg | ✱ | 4 | 20 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-220793-E-8-C DU

Matrix: Solid

Analysis Batch: 733508

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 732711

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Nickel | 30.5 | | 33.45 | | mg/Kg | ✖ | 9 | 20 |
| Potassium | 8860 | | 9327 | | mg/Kg | ✖ | 5 | 20 |
| Selenium | 0.12 | U | 0.14 | U | mg/Kg | ✖ | NC | 20 |
| Silver | 0.089 | U | 0.10 | U | mg/Kg | ✖ | NC | 20 |
| Sodium | 347 | | 379.4 | | mg/Kg | ✖ | 9 | 20 |
| Thallium | 0.48 | | 0.528 | | mg/Kg | ✖ | 9 | 20 |
| Vanadium | 57.3 | | 61.87 | | mg/Kg | ✖ | 8 | 20 |
| Zinc | 84.7 | F1 | 91.41 | | mg/Kg | ✖ | 8 | 20 |

Lab Sample ID: MB 460-733386/1-A

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733386

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 10/21/20 04:26 | 10/22/20 10:53 | 1 |

Lab Sample ID: LCSSRM 460-733386/2-A ^5

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733386

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Aluminum | 8460 | 8488 | | mg/Kg | | 100.3 | 50.4 - 150.1 |
| Antimony | 120 | 94.75 | | mg/Kg | | 79.0 | 4.8 - 195.0 |
| Arsenic | 95.5 | 108.0 | | mg/Kg | | 113.1 | 82.8 - 117.3 |
| Barium | 300 | 340.0 | | mg/Kg | | 113.3 | 82.3 - 117.7 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-733386/2-A ^5

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733386

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Beryllium | 103 | 113.9 | | mg/Kg | | 110.6 | 82.8 - 116.5 |
| Cadmium | 135 | 155.3 | | mg/Kg | | 115.1 | 83.0 - 117.8 |
| Calcium | 4720 | 5234 | | mg/Kg | | 110.9 | 81.6 - 118.6 |
| Chromium | 147 | 160.9 | | mg/Kg | | 109.5 | 82.3 - 117.7 |
| Cobalt | 43.2 | 49.82 | | mg/Kg | | 115.3 | 83.8 - 116.2 |
| Copper | 150 | 172.9 | | mg/Kg | | 115.2 | 84.0 - 116.0 |
| Iron | 14400 | 15330 | | mg/Kg | | 106.5 | 61.3 - 138.9 |
| Lead | 92.3 | 96.56 | | mg/Kg | | 104.6 | 83.1 - 117.0 |
| Magnesium | 2300 | 2561 | | mg/Kg | | 111.4 | 75.7 - 124.3 |
| Manganese | 677 | 763.3 | | mg/Kg | | 112.7 | 82.0 - 118.2 |
| Nickel | 59.8 | 68.49 | | mg/Kg | | 114.5 | 82.6 - 117.6 |
| Potassium | 2030 | 2262 | | mg/Kg | | 111.4 | 70.0 - 130.0 |
| Selenium | 42.0 | 45.75 | | mg/Kg | | 108.9 | 79.5 - 120.5 |
| Silver | 40.3 | 41.94 | | mg/Kg | | 104.1 | 80.6 - 119.4 |
| Sodium | 139 | 157.2 | J | mg/Kg | | 113.1 | 71.9 - 127.3 |
| Thallium | 83.1 | 91.78 | | mg/Kg | | 110.4 | 81.0 - 119.0 |
| Vanadium | 96.9 | 109.4 | | mg/Kg | | 112.9 | 79.2 - 120.7 |
| Zinc | 369 | 408.2 | | mg/Kg | | 110.6 | 80.8 - 119.2 |

Lab Sample ID: 460-220873-A-2-C MS

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733386

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aluminum | 8650 | | 724 | 12330 | 4 | mg/Kg | ✱ | 509 | 75 - 125 |
| Antimony | 0.21 | U F1 | 7.24 | 3.93 | F1 | mg/Kg | ✱ | 54 | 75 - 125 |
| Arsenic | 3.7 | | 14.5 | 17.48 | | mg/Kg | ✱ | 95 | 75 - 125 |
| Barium | 61.4 | | 14.5 | 79.94 | 4 | mg/Kg | ✱ | 128 | 75 - 125 |
| Beryllium | 0.51 | J | 7.24 | 7.81 | | mg/Kg | ✱ | 101 | 75 - 125 |
| Cadmium | 0.16 | U | 7.24 | 7.37 | | mg/Kg | ✱ | 102 | 75 - 125 |
| Calcium | 747 | | 724 | 1492 | | mg/Kg | ✱ | 103 | 75 - 125 |
| Chromium | 16.4 | | 14.5 | 33.45 | | mg/Kg | ✱ | 118 | 75 - 125 |
| Cobalt | 6.0 | | 7.24 | 13.65 | | mg/Kg | ✱ | 105 | 75 - 125 |
| Copper | 9.4 | | 14.5 | 23.79 | | mg/Kg | ✱ | 99 | 75 - 125 |
| Iron | 14600 | | 724 | 16200 | 4 | mg/Kg | ✱ | 225 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-220873-A-2-C MS

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733866

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Lead | 23.9 | | 7.24 | 31.30 | | mg/Kg | ✱ | 102 | 75 - 125 |
| Magnesium | 1040 | | 724 | 1855 | | mg/Kg | ✱ | 112 | 75 - 125 |
| Manganese | 134 | | 72.4 | 211.3 | | mg/Kg | ✱ | 106 | 75 - 125 |
| Nickel | 9.1 | | 14.5 | 25.13 | | mg/Kg | ✱ | 110 | 75 - 125 |
| Potassium | 519 | | 724 | 1380 | | mg/Kg | ✱ | 119 | 75 - 125 |
| Selenium | 0.25 | J | 14.5 | 13.16 | | mg/Kg | ✱ | 89 | 75 - 125 |
| Silver | 0.13 | U | 7.24 | 6.91 | | mg/Kg | ✱ | 95 | 75 - 125 |
| Sodium | 36.9 | J | 724 | 769.3 | | mg/Kg | ✱ | 101 | 75 - 125 |
| Thallium | 0.20 | J | 5.79 | 5.93 | | mg/Kg | ✱ | 99 | 75 - 125 |
| Vanadium | 32.0 | | 14.5 | 49.22 | | mg/Kg | ✱ | 119 | 75 - 125 |
| Zinc | 48.3 | | 72.4 | 121.3 | | mg/Kg | ✱ | 101 | 75 - 125 |

Lab Sample ID: 460-220873-A-2-B DU

Matrix: Solid

Analysis Batch: 733866

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 733866

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Aluminum | 8650 | | 8719 | | mg/Kg | ✱ | 0.8 | 20 |
| Antimony | 0.21 | U F1 | 0.21 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 3.7 | | 3.89 | | mg/Kg | ✱ | 4 | 20 |
| Barium | 61.4 | | 60.90 | | mg/Kg | ✱ | 0.8 | 20 |
| Beryllium | 0.51 | J | 0.514 | J | mg/Kg | ✱ | 0.6 | 20 |
| Cadmium | 0.16 | U | 0.16 | U | mg/Kg | ✱ | NC | 20 |
| Calcium | 747 | | 779.7 | | mg/Kg | ✱ | 4 | 20 |
| Chromium | 16.4 | | 16.77 | | mg/Kg | ✱ | 2 | 20 |
| Cobalt | 6.0 | | 6.09 | | mg/Kg | ✱ | 1 | 20 |
| Copper | 9.4 | | 9.31 | | mg/Kg | ✱ | 1 | 20 |
| Iron | 14600 | | 15300 | | mg/Kg | ✱ | 5 | 20 |
| Lead | 23.9 | | 24.14 | | mg/Kg | ✱ | 0.8 | 20 |
| Magnesium | 1040 | | 1045 | | mg/Kg | ✱ | 0.2 | 20 |
| Manganese | 134 | | 135.7 | | mg/Kg | ✱ | 1 | 20 |
| Nickel | 9.1 | | 9.12 | | mg/Kg | ✱ | 0.2 | 20 |
| Potassium | 519 | | 530.0 | | mg/Kg | ✱ | 2 | 20 |
| Selenium | 0.25 | J | 0.276 | J | mg/Kg | ✱ | 8 | 20 |
| Silver | 0.13 | U | 0.13 | U | mg/Kg | ✱ | NC | 20 |
| Sodium | 36.9 | J | 37.84 | J | mg/Kg | ✱ | 2 | 20 |
| Thallium | 0.20 | J | 0.205 | J | mg/Kg | ✱ | 3 | 20 |
| Vanadium | 32.0 | | 32.69 | | mg/Kg | ✱ | 2 | 20 |
| Zinc | 48.3 | | 48.83 | | mg/Kg | ✱ | 1 | 20 |

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-732772/1-A

Matrix: Solid

Analysis Batch: 732859

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 732772

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 10/19/20 04:08 | 10/19/20 08:39 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: LCSSRM 460-732772/2-A ^40

Matrix: Solid

Analysis Batch: 732859

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 732772

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|-------|--------------|
| Mercury | 18.4 | 18.70 | | mg/Kg | | 101.6 | 60.9 - 138.6 |

Lab Sample ID: 460-220799-I-1-I MS

Matrix: Solid

Analysis Batch: 732859

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 732772

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.016 | | 0.0799 | 0.0927 | | mg/Kg | ✱ | 96 | 80 - 120 |

Lab Sample ID: 460-220799-I-1-H DU

Matrix: Solid

Analysis Batch: 732859

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 732772

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Mercury | 0.016 | | 0.0169 | | mg/Kg | ✱ | 7 | 20 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-733137/1-A

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 10/20/20 09:15 | 10/21/20 13:28 | 1 |

Lab Sample ID: LCS1 460-733137/3-A

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | Spike Added | LCS1 Result | LCS1 Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|-------------|----------------|-------|---|------|--------------|
| Cr (VI) | 708 | 723.0 | | mg/Kg | | 102 | 80 - 120 |

Lab Sample ID: LCSSRM 460-733137/2-A

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Cr (VI) | 15.6 | 14.51 | | mg/Kg | | 93.2 | 84.2 - 114.5 |

Lab Sample ID: 460-220794-4 MSI

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: TP-16_(3-5)

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSI Result | MSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.76 | J | 1240 | 1288 | | mg/Kg | ✱ | 104 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Method: 7196A - Chromium, Hexavalent (Continued)

Lab Sample ID: 460-220794-4 MSS

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: TP-16_(3-5)

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSS Result | MSS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.76 | J | 70.1 | 62.24 | | mg/Kg | ☆ | 88 | 75 - 125 |

Lab Sample ID: 460-220794-4 DU

Matrix: Solid

Analysis Batch: 733475

Client Sample ID: TP-16_(3-5)

Prep Type: Total/NA

Prep Batch: 733137

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Cr (VI) | 0.76 | J | 0.928 | J | mg/Kg | ☆ | 20 | 20 |

Method: 9012B - Cyanide, Total and/or Amenable

Lab Sample ID: MB 460-733816/1-A

Matrix: Solid

Analysis Batch: 733947

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733816

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 10/22/20 09:21 | 10/22/20 16:35 | 1 |

Lab Sample ID: LCSSRM 460-733816/2-A ^20

Matrix: Solid

Analysis Batch: 733947

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733816

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|-------------|---------------|------------------|-------|---|------|--------------|
| Cyanide, Total | 157 | 104.2 | | mg/Kg | | 66.3 | 23.5 - 110.2 |

Lab Sample ID: 460-220793-E-11-F MS

Matrix: Solid

Analysis Batch: 733947

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733816

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Cyanide, Total | 0.14 | U F1 | 5.25 | 5.25 | | mg/Kg | ☆ | 100 | 11 - 108 |

Lab Sample ID: 460-220793-E-11-G MSD

Matrix: Solid

Analysis Batch: 733947

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733816

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Cyanide, Total | 0.14 | U F1 | 5.25 | 5.90 | F1 | mg/Kg | ☆ | 112 | 11 - 108 | 12 | 40 |

Method: Moisture - Percent Moisture

Lab Sample ID: 460-220793-E-3 DU

Matrix: Solid

Analysis Batch: 733182

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 8.0 | | 7.5 | | % | | 7 | 20 |
| Percent Solids | 92.0 | | 92.5 | | % | | 0.6 | 20 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

GC/MS VOA

Prep Batch: 732530

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 5035 | |
| 460-220794-3 | TP-16_(5-7) | Total/NA | Solid | 5035 | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 5035 | |
| LB3 460-732530/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 732610

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8260C | 732530 |
| 460-220794-3 | TP-16_(5-7) | Total/NA | Solid | 8260C | 732530 |
| LB3 460-732530/1-A | Method Blank | Total/NA | Solid | 8260C | 732530 |
| MB 460-732610/7 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-732610/3 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-732610/10 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |

Analysis Batch: 732777

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8260C | 732530 |
| MB 460-732777/7 | Method Blank | Total/NA | Solid | 8260C | |
| LCS 460-732777/3 | Lab Control Sample | Total/NA | Solid | 8260C | |
| LCSD 460-732777/4 | Lab Control Sample Dup | Total/NA | Solid | 8260C | |

GC/MS Semi VOA

Prep Batch: 732843

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 3546 | |
| 460-220794-3 | TP-16_(5-7) | Total/NA | Solid | 3546 | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 3546 | |
| MB 460-732843/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-732843/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-732843/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-220738-A-2-A MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-220738-A-2-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 732980

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8270D | 732843 |
| 460-220794-3 | TP-16_(5-7) | Total/NA | Solid | 8270D | 732843 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8270D | 732843 |
| MB 460-732843/1-A | Method Blank | Total/NA | Solid | 8270D | 732843 |
| LCS 460-732843/2-A | Lab Control Sample | Total/NA | Solid | 8270D | 732843 |
| LCSD 460-732843/3-A | Lab Control Sample Dup | Total/NA | Solid | 8270D | 732843 |
| 460-220738-A-2-A MS | Matrix Spike | Total/NA | Solid | 8270D | 732843 |
| 460-220738-A-2-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270D | 732843 |

GC Semi VOA

Prep Batch: 732984

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8151A | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 8151A | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8151A | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

GC Semi VOA (Continued)

Prep Batch: 732984 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| MB 460-732984/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-732984/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-732984/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-220794-1 MS | TP-16_(0-2) | Total/NA | Solid | 8151A | |
| 460-220794-1 MSD | TP-16_(0-2) | Total/NA | Solid | 8151A | |

Analysis Batch: 733097

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8151A | 732984 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 8151A | 732984 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8151A | 732984 |
| MB 460-732984/1-A | Method Blank | Total/NA | Solid | 8151A | 732984 |
| LCS 460-732984/2-A | Lab Control Sample | Total/NA | Solid | 8151A | 732984 |
| LCSD 460-732984/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | 732984 |
| 460-220794-1 MS | TP-16_(0-2) | Total/NA | Solid | 8151A | 732984 |
| 460-220794-1 MSD | TP-16_(0-2) | Total/NA | Solid | 8151A | 732984 |

Prep Batch: 733291

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 3546 | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 3546 | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 3546 | |
| MB 460-733291/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-733291/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-733291/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-220855-B-1-B MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-220855-B-1-C MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Prep Batch: 733293

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 3546 | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 3546 | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 3546 | |
| MB 460-733293/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-733293/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-733293/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-220855-B-1-E MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-220855-B-1-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 733378

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8081B | 733293 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 8081B | 733293 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8081B | 733293 |
| MB 460-733293/1-A | Method Blank | Total/NA | Solid | 8081B | 733293 |
| LCS 460-733293/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 733293 |
| LCSD 460-733293/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 733293 |
| 460-220855-B-1-E MS | Matrix Spike | Total/NA | Solid | 8081B | 733293 |
| 460-220855-B-1-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 733293 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

GC Semi VOA

Analysis Batch: 733389

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 8082A | 733291 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 8082A | 733291 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 8082A | 733291 |
| MB 460-733291/1-A | Method Blank | Total/NA | Solid | 8082A | 733291 |
| LCS 460-733291/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 733291 |
| LCSD 460-733291/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 733291 |
| 460-220855-B-1-B MS | Matrix Spike | Total/NA | Solid | 8082A | 733291 |
| 460-220855-B-1-C MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 733291 |

Metals

Prep Batch: 732711

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 3050B | |
| MB 460-732711/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-732711/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-220793-E-8-D MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-220793-E-8-C DU | Duplicate | Total/NA | Solid | 3050B | |

Prep Batch: 732772

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 7471B | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 7471B | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 7471B | |
| MB 460-732772/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCSSRM 460-732772/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-220799-I-1-I MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-220799-I-1-H DU | Duplicate | Total/NA | Solid | 7471B | |

Analysis Batch: 732859

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 7471B | 732772 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 7471B | 732772 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 7471B | 732772 |
| MB 460-732772/1-A | Method Blank | Total/NA | Solid | 7471B | 732772 |
| LCSSRM 460-732772/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 732772 |
| 460-220799-I-1-I MS | Matrix Spike | Total/NA | Solid | 7471B | 732772 |
| 460-220799-I-1-H DU | Duplicate | Total/NA | Solid | 7471B | 732772 |

Prep Batch: 733386

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 3050B | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 3050B | |
| MB 460-733386/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-733386/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-220873-A-2-C MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-220873-A-2-B DU | Duplicate | Total/NA | Solid | 3050B | |

Analysis Batch: 733508

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 6020B | 732711 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Metals (Continued)

Analysis Batch: 733508 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| MB 460-732711/1-A | Method Blank | Total/NA | Solid | 6020B | 732711 |
| LCSSRM 460-732711/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 732711 |
| 460-220793-E-8-D MS | Matrix Spike | Total/NA | Solid | 6020B | 732711 |
| 460-220793-E-8-C DU | Duplicate | Total/NA | Solid | 6020B | 732711 |

Analysis Batch: 733866

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 6020B | 733866 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 6020B | 733866 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 6020B | 733866 |
| MB 460-733386/1-A | Method Blank | Total/NA | Solid | 6020B | 733866 |
| LCSSRM 460-733386/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 733866 |
| 460-220873-A-2-C MS | Matrix Spike | Total/NA | Solid | 6020B | 733866 |
| 460-220873-A-2-B DU | Duplicate | Total/NA | Solid | 6020B | 733866 |

General Chemistry

Analysis Batch: 732767

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 7196A | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 7196A | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 7196A | |

Prep Batch: 733137

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 3060A | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 3060A | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 3060A | |
| MB 460-733137/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-733137/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-733137/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-220794-4 MSI | TP-16_(3-5) | Total/NA | Solid | 3060A | |
| 460-220794-4 MSS | TP-16_(3-5) | Total/NA | Solid | 3060A | |
| 460-220794-4 DU | TP-16_(3-5) | Total/NA | Solid | 3060A | |

Analysis Batch: 733182

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | Moisture | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | Moisture | |
| 460-220794-3 | TP-16_(5-7) | Total/NA | Solid | Moisture | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | Moisture | |
| 460-220793-E-3 DU | Duplicate | Total/NA | Solid | Moisture | |

Analysis Batch: 733475

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 7196A | 733137 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 7196A | 733137 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 7196A | 733137 |
| MB 460-733137/1-A | Method Blank | Total/NA | Solid | 7196A | 733137 |
| LCSI 460-733137/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 733137 |
| LCSSRM 460-733137/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 733137 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

General Chemistry (Continued)

Analysis Batch: 733475 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| 460-220794-4 MSI | TP-16_(3-5) | Total/NA | Solid | 7196A | 733137 |
| 460-220794-4 MSS | TP-16_(3-5) | Total/NA | Solid | 7196A | 733137 |
| 460-220794-4 DU | TP-16_(3-5) | Total/NA | Solid | 7196A | 733137 |

Prep Batch: 733816

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 9012B | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 9012B | |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 9012B | |
| MB 460-733816/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-733816/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-220793-E-11-F MS | Matrix Spike | Total/NA | Solid | 9012B | |
| 460-220793-E-11-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | |

Analysis Batch: 733947

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-220794-1 | TP-16_(0-2) | Total/NA | Solid | 9012B | 733816 |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Total/NA | Solid | 9012B | 733816 |
| 460-220794-4 | TP-16_(3-5) | Total/NA | Solid | 9012B | 733816 |
| MB 460-733816/1-A | Method Blank | Total/NA | Solid | 9012B | 733816 |
| LCSSRM 460-733816/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 733816 |
| 460-220793-E-11-F MS | Matrix Spike | Total/NA | Solid | 9012B | 733816 |
| 460-220793-E-11-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | 733816 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(0-2)

Date Collected: 10/16/20 10:10

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-1

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 732767 | 10/22/20 06:38 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 733182 | 10/20/20 12:02 | MMC | TAL EDI |

Client Sample ID: TP-16_(0-2)

Date Collected: 10/16/20 10:10

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-1

Matrix: Solid

Percent Solids: 81.1

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 732530 | 10/17/20 14:46 | AMS | TAL EDI |
| Total/NA | Analysis | 8260C | | 1 | 732610 | 10/18/20 16:46 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 732843 | 10/19/20 09:20 | OTS | TAL EDI |
| Total/NA | Analysis | 8270D | | 1 | 732980 | 10/19/20 23:28 | MME | TAL EDI |
| Total/NA | Prep | 3546 | | | 733293 | 10/20/20 19:02 | ARA | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 733378 | 10/21/20 06:32 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 733291 | 10/20/20 18:49 | ARA | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 733389 | 10/21/20 10:10 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 732984 | 10/19/20 18:18 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 733097 | 10/20/20 08:37 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 732711 | 10/18/20 15:33 | GRB | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 733508 | 10/21/20 12:40 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 732772 | 10/19/20 04:08 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 732859 | 10/19/20 08:53 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 733137 | 10/20/20 09:15 | RPR | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 733475 | 10/21/20 13:28 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 733816 | 10/22/20 09:21 | RPR | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 733947 | 10/22/20 16:57 | AJP | TAL EDI |

Client Sample ID: TP-16_COMP_(3-8.5)

Date Collected: 10/16/20 10:45

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-2

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 732767 | 10/18/20 21:35 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 733182 | 10/20/20 12:02 | MMC | TAL EDI |

Client Sample ID: TP-16_COMP_(3-8.5)

Date Collected: 10/16/20 10:45

Date Received: 10/16/20 19:00

Lab Sample ID: 460-220794-2

Matrix: Solid

Percent Solids: 78.6

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3546 | | | 733293 | 10/20/20 19:02 | ARA | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 733378 | 10/21/20 06:44 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 733291 | 10/20/20 18:49 | ARA | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 733389 | 10/21/20 10:27 | JHP | TAL EDI |

Eurofins TestAmerica, Edison

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_COMP_(3-8.5)

Lab Sample ID: 460-220794-2

Date Collected: 10/16/20 10:45

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 78.6

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 8151A | | | 732984 | 10/19/20 18:18 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 733097 | 10/20/20 09:18 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 733386 | 10/21/20 04:26 | GMC | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 733866 | 10/22/20 11:36 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 732772 | 10/19/20 04:08 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 732859 | 10/19/20 08:54 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 733137 | 10/20/20 09:15 | RPR | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 733475 | 10/21/20 14:05 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 733816 | 10/22/20 09:21 | RPR | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 733947 | 10/22/20 16:58 | AJP | TAL EDI |

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

Date Collected: 10/16/20 10:40

Matrix: Solid

Date Received: 10/16/20 19:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | Moisture | | 1 | 733182 | 10/20/20 12:02 | MMC | TAL EDI |

Client Sample ID: TP-16_(5-7)

Lab Sample ID: 460-220794-3

Date Collected: 10/16/20 10:40

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 84.0

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 732530 | 10/17/20 14:48 | AMS | TAL EDI |
| Total/NA | Analysis | 8260C | | 1 | 732610 | 10/18/20 17:10 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 732843 | 10/19/20 09:20 | OTS | TAL EDI |
| Total/NA | Analysis | 8270D | | 1 | 732980 | 10/19/20 23:05 | MME | TAL EDI |

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 732767 | 10/18/20 21:35 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 733182 | 10/20/20 12:02 | MMC | TAL EDI |

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 732530 | 10/17/20 14:50 | AMS | TAL EDI |
| Total/NA | Analysis | 8260C | | 1 | 732777 | 10/19/20 14:39 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 732843 | 10/19/20 09:20 | OTS | TAL EDI |
| Total/NA | Analysis | 8270D | | 1 | 732980 | 10/19/20 22:41 | MME | TAL EDI |

Eurofins TestAmerica, Edison

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Client Sample ID: TP-16_(3-5)

Lab Sample ID: 460-220794-4

Date Collected: 10/16/20 10:55

Matrix: Solid

Date Received: 10/16/20 19:00

Percent Solids: 57.1

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3546 | | | 733293 | 10/20/20 19:02 | ARA | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 733378 | 10/21/20 07:43 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 733291 | 10/20/20 18:49 | ARA | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 733389 | 10/21/20 10:44 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 732984 | 10/19/20 18:18 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 733097 | 10/20/20 09:32 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 733386 | 10/21/20 04:26 | GMC | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 733866 | 10/22/20 11:38 | MDC | TAL EDI |
| Total/NA | Prep | 3050B | | | 733386 | 10/21/20 04:26 | GMC | TAL EDI |
| Total/NA | Analysis | 6020B | | 5 | 733866 | 10/22/20 13:34 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 732772 | 10/19/20 04:08 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 732859 | 10/19/20 08:56 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 733137 | 10/20/20 09:15 | RPR | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 733475 | 10/21/20 13:28 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 733816 | 10/22/20 09:21 | RPR | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 733947 | 10/22/20 16:59 | AJP | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------------|
| 7196A | | Solid | Cr (III) |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260C | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270D | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-220794-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|--------------------|--------|----------------|----------------|----------|
| 460-220794-1 | TP-16_(0-2) | Solid | 10/16/20 10:10 | 10/16/20 19:00 | |
| 460-220794-2 | TP-16_COMP_(3-8.5) | Solid | 10/16/20 10:45 | 10/16/20 19:00 | |
| 460-220794-3 | TP-16_(5-7) | Solid | 10/16/20 10:40 | 10/16/20 19:00 | |
| 460-220794-4 | TP-16_(3-5) | Solid | 10/16/20 10:55 | 10/16/20 19:00 | |

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-220794-1

Login Number: 220794

List Number: 1

Creator: Lysy, Susan

List Source: Eurofins TestAmerica, Edison

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | N/A | |
| Multiphasic samples are not present. | N/A | |
| Samples do not require splitting or compositing. | N/A | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-221133-1
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
10/30/2020 10:31:41 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
10/30/2020 10:31:41 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 9 |
| Client Sample Results | 10 |
| Surrogate Summary | 16 |
| QC Sample Results | 18 |
| QC Association Summary | 49 |
| Lab Chronicle | 53 |
| Certification Summary | 54 |
| Method Summary | 55 |
| Sample Summary | 56 |
| Chain of Custody | 57 |
| Receipt Checklists | 59 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |
| N | This flag indicates the presumptive evidence of a compound. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| F3 | Duplicate RPD exceeds the control limit |
| F5 | Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Job ID: 460-221133-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-221133-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/21/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.6 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

Receipt Exceptions

Tests on hold were moved to a -2 job number to be reported separately if activated.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample TP-17 (0-2) (460-221133-1) was analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were prepared on 10/22/2020 and analyzed on 10/24/2020.

The laboratory control sample (LCS) for analytical batch 460-734254 recovered outside control limits for the following analyte: Chloroethane. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported.

The continuing calibration verification (CCV) analyzed in batch 460-734084 was outside the method criteria for the following analyte: Methyl acetate. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte is considered estimated.

No other difficulties were encountered during the Volatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample TP-17 (0-2) (460-221133-1) was analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Methods

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Job ID: 460-221133-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

8270E. The samples were prepared on 10/23/2020 and analyzed on 10/24/2020.

The continuing calibration verification (CCV) analyzed in batch 460-734321 was outside the method criteria for the following analyte(s): Indeno[1,2,3-cd]pyrene, bis (2-chloroisopropyl) ether and Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Several analytes failed the recovery criteria low for the MS of sample 460-219689-14 in batch 460-734321.

Several analytes failed the recovery criteria low for the MSD of sample 460-219689-14 in batch 460-734321.

Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Sample TP-17 (0-2) (460-221133-1) was analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 10/22/2020 and analyzed on 10/23/2020.

No difficulties were encountered during the Pesticides analysis.

All quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Sample TP-17 (0-2) (460-221133-1) was analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/22/2020 and analyzed on 10/23/2020.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Sample TP-17 (0-2) (460-221133-1) was analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 10/22/2020 and analyzed on 10/23/2020.

The closing continuing calibration verification (CCVC) associated with batch 460-734129 recovered above the upper control limit for many analytes>. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No difficulties were encountered during the herbicides analysis.

All quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Sample TP-17 (0-2) (460-221133-1) was analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples were prepared on 10/23/2020 and analyzed on 10/24/2020 and 10/26/2020.

Several analytes failed the recovery criteria low for the MS of sample 460-221093-4 in batch 460-734828. Iron failed the recovery criteria high.

Beryllium, Calcium, Chromium and Nickel exceeded the RPD limit for the duplicate of sample 460-221093-4.

Refer to the QC report for details.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Job ID: 460-221133-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Sample TP-17 (0-2) (460-221133-1)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Sample TP-17 (0-2) (460-221133-1) was analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared and analyzed on 10/27/2020.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Sample TP-17 (0-2) (460-221133-1) was analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 10/26/2020.

Mercury failed the recovery criteria high for the MS of sample 460-221337-3 in batch 460-734871.

Refer to the QC report for details.

No other difficulties were encountered during the Hg analysis.

All other quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Sample TP-17 (0-2) (460-221133-1) was analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 10/27/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Sample TP-17 (0-2) (460-221133-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared on 10/23/2020 and analyzed on 10/26/2020.

No difficulties were encountered during the cyanide analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Sample TP-17 (0-2) (460-221133-1) was analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 10/23/2020.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|----------------------------------|--------|-----------|--------|---------|-------|-----|-----|---|--------|-----------|
| 2-Butanone (MEK) | 0.0087 | | 0.0052 | 0.00038 | mg/Kg | 1 | ✱ | | 8260D | Total/NA |
| Acetone | 0.073 | | 0.0062 | 0.0059 | mg/Kg | 1 | ✱ | | 8260D | Total/NA |
| 1,1'-Biphenyl | 0.035 | J | 0.36 | 0.0048 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| 2-Methylnaphthalene | 0.078 | J | 0.36 | 0.010 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthene | 0.035 | J | 0.36 | 0.010 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthylene | 0.22 | J | 0.36 | 0.0036 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Anthracene | 0.24 | J | 0.36 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]anthracene | 1.1 | | 0.036 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]pyrene | 1.1 | | 0.036 | 0.0096 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[b]fluoranthene | 1.3 | | 0.036 | 0.0093 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[g,h,i]perylene | 0.67 | | 0.36 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[k]fluoranthene | 0.46 | | 0.036 | 0.0071 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Carbazole | 0.30 | J | 0.36 | 0.014 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Chrysene | 1.2 | | 0.36 | 0.0061 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenz(a,h)anthracene | 0.17 | | 0.036 | 0.016 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenzofuran | 0.15 | J | 0.36 | 0.0051 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluoranthene | 2.4 | | 0.36 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluorene | 0.040 | J | 0.36 | 0.0049 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.75 | | 0.036 | 0.014 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Naphthalene | 0.11 | J | 0.36 | 0.0062 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Phenanthrene | 2.5 | | 0.36 | 0.0063 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Pyrene | 2.3 | | 0.36 | 0.0090 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| 4,4'-DDE | 0.030 | | 0.0073 | 0.00086 | mg/Kg | 1 | ✱ | | 8081B | Total/NA |
| 4,4'-DDT | 0.0076 | | 0.0073 | 0.0013 | mg/Kg | 1 | ✱ | | 8081B | Total/NA |
| Chlordane (technical) | 0.060 | J | 0.073 | 0.018 | mg/Kg | 1 | ✱ | | 8081B | Total/NA |
| trans-Chlordane | 0.0086 | | 0.0073 | 0.0013 | mg/Kg | 1 | ✱ | | 8081B | Total/NA |
| Aroclor 1248 | 0.081 | | 0.073 | 0.0097 | mg/Kg | 1 | ✱ | | 8082A | Total/NA |
| Polychlorinated biphenyls, Total | 0.081 | | 0.073 | 0.010 | mg/Kg | 1 | ✱ | | 8082A | Total/NA |
| Aluminum | 4220 | | 16.1 | 2.1 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Arsenic | 2.5 | | 0.80 | 0.080 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Barium | 58.9 | | 1.6 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Beryllium | 0.18 | J | 0.32 | 0.046 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cadmium | 0.096 | J | 0.80 | 0.091 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Calcium | 50700 | | 401 | 68.2 | mg/Kg | 5 | ✱ | | 6020B | Total/NA |
| Chromium | 7.9 | | 1.6 | 0.14 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cobalt | 2.3 | | 1.6 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Copper | 8.1 | | 1.6 | 0.18 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Iron | 6350 | | 48.2 | 16.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Lead | 57.7 | | 0.48 | 0.16 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Magnesium | 4430 | | 80.3 | 8.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Manganese | 114 | | 3.2 | 0.32 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Nickel | 6.4 | | 1.6 | 0.16 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Potassium | 1250 | | 80.3 | 9.0 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Selenium | 0.18 | J | 1.0 | 0.095 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Sodium | 716 | | 80.3 | 12.5 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Vanadium | 10.7 | | 1.6 | 0.17 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Zinc | 41.4 | | 6.4 | 1.8 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Mercury | 0.12 | | 0.016 | 0.0039 | mg/Kg | 1 | ✱ | | 7471B | Total/NA |
| Cr (III) | 7.9 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |
| Cyanide, Total | 0.13 | J | 0.24 | 0.12 | mg/Kg | 1 | ✱ | | 9012B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00024 | U | 0.0010 | 0.00024 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2,3-Trichlorobenzene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2,4-Trichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00048 | U | 0.0010 | 0.00048 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2-Dichloroethane | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,2-Dichloropropane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,3,5-Trimethylbenzene | 0.00033 | U | 0.0010 | 0.00033 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,3-Dichlorobenzene | 0.00038 | U | 0.0010 | 0.00038 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 2-Butanone (MEK) | 0.0087 | | 0.0052 | 0.00038 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 2-Hexanone | 0.0018 | U | 0.0052 | 0.0018 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0052 | 0.0016 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Acetone | 0.073 | | 0.0062 | 0.0059 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Benzene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Bromoform | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Carbon disulfide | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Carbon tetrachloride | 0.00040 | U | 0.0010 | 0.00040 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chlorobromomethane | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chlorodibromomethane | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chloroethane | 0.00054 | U * | 0.0010 | 0.00054 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chloroform | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Chloromethane | 0.00045 | U | 0.0010 | 0.00045 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| cis-1,2-Dichloroethene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| cis-1,3-Dichloropropene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Cyclohexane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Dichlorobromomethane | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Dichlorodifluoromethane | 0.00035 | U | 0.0010 | 0.00035 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Ethylbenzene | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Ethylene Dibromide | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Isopropylbenzene | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Methyl acetate | 0.0045 | U | 0.0052 | 0.0045 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Methyl tert-butyl ether | 0.00053 | U | 0.0010 | 0.00053 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Methylcyclohexane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Methylene Chloride | 0.0012 | U | 0.0010 | 0.0012 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| m-Xylene & p-Xylene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| n-Butylbenzene | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| o-Xylene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| sec-Butylbenzene | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Styrene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | ☆ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Tetrachloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Toluene | 0.00024 | U | 0.0010 | 0.00024 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| trans-1,3-Dichloropropene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Trichloroethene | 0.00033 | U | 0.0010 | 0.00033 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Trichlorofluoromethane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Vinyl chloride | 0.00057 | U | 0.0010 | 0.00057 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Xylenes, Total | 0.00066 | U | 0.0021 | 0.00066 | mg/Kg | ☼ | 10/22/20 20:40 | 10/24/20 02:31 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 10/22/20 20:40 | 10/24/20 02:31 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 124 | | 77 - 145 | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| 4-Bromofluorobenzene | 124 | | 79 - 125 | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Dibromofluoromethane (Surr) | 120 | | 48 - 150 | 10/22/20 20:40 | 10/24/20 02:31 | 1 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 | 10/22/20 20:40 | 10/24/20 02:31 | 1 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.035 | J | 0.36 | 0.0048 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U | 0.36 | 0.011 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 1,4-Dioxane | 0.032 | U | 0.11 | 0.032 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0065 | U | 0.36 | 0.0065 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U | 0.36 | 0.024 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4,5-Trichlorophenol | 0.037 | U | 0.36 | 0.037 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4,6-Trichlorophenol | 0.046 | U | 0.15 | 0.046 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4-Dichlorophenol | 0.023 | U | 0.15 | 0.023 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4-Dimethylphenol | 0.016 | U | 0.36 | 0.016 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4-Dinitrophenol | 0.18 | U | 0.29 | 0.18 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,4-Dinitrotoluene | 0.039 | U | 0.073 | 0.039 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2,6-Dinitrotoluene | 0.026 | U | 0.073 | 0.026 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Chloronaphthalene | 0.017 | U | 0.36 | 0.017 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Chlorophenol | 0.013 | U | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Methylnaphthalene | 0.078 | J | 0.36 | 0.010 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Methylphenol | 0.013 | U | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Nitroaniline | 0.013 | U | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Nitrophenol | 0.036 | U | 0.36 | 0.036 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 3 & 4 Methylphenol | 0.023 | U | 0.36 | 0.023 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 3,3'-Dichlorobenzidine | 0.055 | U | 0.15 | 0.055 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 3-Nitroaniline | 0.041 | U | 0.36 | 0.041 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U | 0.29 | 0.15 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Bromophenyl phenyl ether | 0.014 | U | 0.36 | 0.014 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Chloro-3-methylphenol | 0.020 | U | 0.36 | 0.020 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Chloroaniline | 0.064 | U | 0.36 | 0.064 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Methylphenol | 0.023 | U | 0.36 | 0.023 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Nitroaniline | 0.041 | U | 0.36 | 0.041 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 4-Nitrophenol | 0.059 | U | 0.73 | 0.059 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.035 | J | 0.36 | 0.010 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Acenaphthylene | 0.22 | J | 0.36 | 0.0036 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Acetophenone | 0.018 | U | 0.36 | 0.018 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Anthracene | 0.24 | J | 0.36 | 0.011 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Atrazine | 0.021 | U | 0.15 | 0.021 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzaldehyde | 0.060 | U | 0.36 | 0.060 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[a]anthracene | 1.1 | | 0.036 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[a]pyrene | 1.1 | | 0.036 | 0.0096 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[b]fluoranthene | 1.3 | | 0.036 | 0.0093 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[g,h,i]perylene | 0.67 | | 0.36 | 0.011 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[k]fluoranthene | 0.46 | | 0.036 | 0.0071 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Bis(2-chloroethoxy)methane | 0.028 | U | 0.36 | 0.028 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.036 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U | 0.36 | 0.019 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Butyl benzyl phthalate | 0.017 | U | 0.36 | 0.017 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Caprolactam | 0.056 | U | 0.36 | 0.056 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Carbazole | 0.30 | J | 0.36 | 0.014 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Chrysene | 1.2 | | 0.36 | 0.0061 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Dibenz(a,h)anthracene | 0.17 | | 0.036 | 0.016 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Dibenzofuran | 0.15 | J | 0.36 | 0.0051 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Diethyl phthalate | 0.0052 | U | 0.36 | 0.0052 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Dimethyl phthalate | 0.082 | U | 0.36 | 0.082 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Di-n-butyl phthalate | 0.014 | U | 0.36 | 0.014 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Di-n-octyl phthalate | 0.019 | U | 0.36 | 0.019 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Fluoranthene | 2.4 | | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Fluorene | 0.040 | J | 0.36 | 0.0049 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Hexachlorobenzene | 0.017 | U | 0.036 | 0.017 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Hexachlorobutadiene | 0.0077 | U | 0.073 | 0.0077 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Hexachlorocyclopentadiene | 0.032 | U | 0.36 | 0.032 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Hexachloroethane | 0.012 | U | 0.036 | 0.012 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.75 | | 0.036 | 0.014 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Isophorone | 0.10 | U | 0.15 | 0.10 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Naphthalene | 0.11 | J | 0.36 | 0.0062 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Nitrobenzene | 0.0087 | U | 0.036 | 0.0087 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| N-Nitrosodi-n-propylamine | 0.026 | U | 0.036 | 0.026 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| N-Nitrosodiphenylamine | 0.030 | U | 0.36 | 0.030 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Pentachlorophenol | 0.074 | U | 0.29 | 0.074 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Phenanthrene | 2.5 | | 0.36 | 0.0063 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Phenol | 0.013 | U | 0.36 | 0.013 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Pyrene | 2.3 | | 0.36 | 0.0090 | mg/Kg | ☼ | 10/23/20 10:03 | 10/24/20 03:40 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|-------|---|-------|------------|----------------|----------------|---------|
| Aldol condensation product | 0.44 | A J | mg/Kg | ☼ | 2.69 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 9H-Fluoren-9-one | 0.48 | J N | mg/Kg | ☼ | 8.35 | 486-25-9 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 1H-Cyclopropa[1,2,3-cd]phenanthrene, 1a,9b-dihydro- | 0.54 | J N | mg/Kg | ☼ | 9.03 | 949-41-7 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 9,10-Anthracenedione | 0.55 | J N | mg/Kg | ☼ | 9.30 | 84-65-1 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Cyclopenta(Def)phenanthrenone | 0.58 | J N | mg/Kg | ☼ | 9.59 | 5737-13-3 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Fluoranthene, 2-methyl- | 0.67 | J N | mg/Kg | ☼ | 10.18 | 33543-31-6 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Pyrene, 1-methyl- | 0.46 | J N | mg/Kg | ☼ | 10.30 | 2381-21-7 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|-------|---|-------|--------------|----------------|----------------|---------|
| 11H-Benzo[a]fluoren-11-one | 0.62 | J N | mg/Kg | ⊛ | 10.72 | 479-79-8 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 1.1 | J | mg/Kg | ⊛ | 10.83 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 7H-Benz[de]anthracen-7-one | 0.43 | J N | mg/Kg | ⊛ | 11.29 | 82-05-3 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Chrysene, 6-methyl- | 0.42 | J N | mg/Kg | ⊛ | 11.60 | 3697-24-3 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Heptadecane | 0.51 | J N | mg/Kg | ⊛ | 11.84 | 629-78-7 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.46 | J | mg/Kg | ⊛ | 12.29 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzo[e]pyrene | 0.39 | J N | mg/Kg | ⊛ | 12.59 | 192-97-2 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.42 | J | mg/Kg | ⊛ | 13.99 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Benzoxazole, 2-[2-(4-piperidyl)pyrimid-5-yl]- | 0.63 | J N | mg/Kg | ⊛ | 14.19 | 1000294-14-8 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.59 | J | mg/Kg | ⊛ | 14.34 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.65 | J | mg/Kg | ⊛ | 14.72 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.51 | J | mg/Kg | ⊛ | 17.01 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Unknown | 0.48 | J | mg/Kg | ⊛ | 17.21 | | 10/23/20 10:03 | 10/24/20 03:40 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 53 | | 10 - 123 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Fluorobiphenyl | 52 | | 25 - 104 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| 2-Fluorophenol (Surr) | 48 | | 18 - 106 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Nitrobenzene-d5 (Surr) | 49 | | 19 - 105 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Phenol-d5 (Surr) | 48 | | 26 - 101 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |
| Terphenyl-d14 (Surr) | 59 | | 25 - 127 | 10/23/20 10:03 | 10/24/20 03:40 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0012 | U | 0.0073 | 0.0012 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| 4,4'-DDE | 0.030 | | 0.0073 | 0.00086 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| 4,4'-DDT | 0.0076 | | 0.0073 | 0.0013 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Aldrin | 0.0011 | U | 0.0073 | 0.0011 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| alpha-BHC | 0.00074 | U | 0.0022 | 0.00074 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| beta-BHC | 0.00082 | U | 0.0022 | 0.00082 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Chlordane (technical) | 0.060 | J | 0.073 | 0.018 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0073 | 0.0012 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| delta-BHC | 0.00045 | U | 0.0022 | 0.00045 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Dieldrin | 0.00095 | U | 0.0022 | 0.00095 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endosulfan I | 0.0011 | U | 0.0073 | 0.0011 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endosulfan II | 0.0019 | U | 0.0073 | 0.0019 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endosulfan sulfate | 0.00092 | U | 0.0073 | 0.00092 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endrin | 0.0010 | U | 0.0073 | 0.0010 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endrin aldehyde | 0.0017 | U | 0.0073 | 0.0017 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Endrin ketone | 0.0014 | U | 0.0073 | 0.0014 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| gamma-BHC (Lindane) | 0.00068 | U | 0.0022 | 0.00068 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Heptachlor | 0.00086 | U | 0.0073 | 0.00086 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Heptachlor epoxide | 0.0011 | U | 0.0073 | 0.0011 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Methoxychlor | 0.0017 | U | 0.0073 | 0.0017 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Toxaphene | 0.026 | U | 0.073 | 0.026 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| trans-Chlordane | 0.0086 | | 0.0073 | 0.0013 | mg/Kg | ⊛ | 10/22/20 18:34 | 10/23/20 11:38 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 113 | | 28 - 148 | 10/22/20 18:34 | 10/23/20 11:38 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 121 | | 28 - 148 | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Tetrachloro-m-xylene | 105 | | 34 - 118 | 10/22/20 18:34 | 10/23/20 11:38 | 1 |
| Tetrachloro-m-xylene | 107 | | 34 - 118 | 10/22/20 18:34 | 10/23/20 11:38 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0097 | U | 0.073 | 0.0097 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1221 | 0.0097 | U | 0.073 | 0.0097 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1232 | 0.0097 | U | 0.073 | 0.0097 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1242 | 0.0097 | U | 0.073 | 0.0097 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1248 | 0.081 | | 0.073 | 0.0097 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1254 | 0.010 | U | 0.073 | 0.010 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1260 | 0.010 | U | 0.073 | 0.010 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor-1262 | 0.010 | U | 0.073 | 0.010 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Aroclor 1268 | 0.010 | U | 0.073 | 0.010 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Polychlorinated biphenyls, Total | 0.081 | | 0.073 | 0.010 | mg/Kg | ✱ | 10/22/20 18:42 | 10/23/20 15:34 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 111 | | 10 - 150 | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| DCB Decachlorobiphenyl | 121 | | 10 - 150 | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Tetrachloro-m-xylene | 97 | | 58 - 145 | 10/22/20 18:42 | 10/23/20 15:34 | 1 |
| Tetrachloro-m-xylene | 106 | | 58 - 145 | 10/22/20 18:42 | 10/23/20 15:34 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0077 | U | 0.036 | 0.0077 | mg/Kg | ✱ | 10/22/20 18:30 | 10/23/20 09:58 | 1 |
| 2,4-D | 0.013 | U | 0.036 | 0.013 | mg/Kg | ✱ | 10/22/20 18:30 | 10/23/20 09:58 | 1 |
| Silvex (2,4,5-TP) | 0.0038 | U | 0.036 | 0.0038 | mg/Kg | ✱ | 10/22/20 18:30 | 10/23/20 09:58 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 79 | | 30 - 150 | 10/22/20 18:30 | 10/23/20 09:58 | 1 |
| 2,4-Dichlorophenylacetic acid | 91 | | 30 - 150 | 10/22/20 18:30 | 10/23/20 09:58 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 4220 | | 16.1 | 2.1 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Antimony | 0.12 | U | 0.80 | 0.12 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Arsenic | 2.5 | | 0.80 | 0.080 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Barium | 58.9 | | 1.6 | 0.12 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Beryllium | 0.18 | J | 0.32 | 0.046 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Cadmium | 0.096 | J | 0.80 | 0.091 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Calcium | 50700 | | 401 | 68.2 | mg/Kg | ✱ | 10/23/20 14:45 | 10/26/20 19:04 | 5 |
| Chromium | 7.9 | | 1.6 | 0.14 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Cobalt | 2.3 | | 1.6 | 0.12 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Copper | 8.1 | | 1.6 | 0.18 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Iron | 6350 | | 48.2 | 16.2 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Lead | 57.7 | | 0.48 | 0.16 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Magnesium | 4430 | | 80.3 | 8.2 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Manganese | 114 | | 3.2 | 0.32 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Nickel | 6.4 | | 1.6 | 0.16 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

Method: 6020B - Metals (ICP/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Potassium | 1250 | | 80.3 | 9.0 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Selenium | 0.18 | J | 1.0 | 0.095 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Silver | 0.071 | U | 0.80 | 0.071 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Sodium | 716 | | 80.3 | 12.5 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Thallium | 0.033 | U | 0.32 | 0.033 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Vanadium | 10.7 | | 1.6 | 0.17 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |
| Zinc | 41.4 | | 6.4 | 1.8 | mg/Kg | ✱ | 10/23/20 14:45 | 10/24/20 02:50 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.12 | | 0.016 | 0.0039 | mg/Kg | ✱ | 10/26/20 04:21 | 10/26/20 10:33 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 7.9 | | 2.0 | 2.0 | mg/Kg | | | 10/27/20 16:58 | 1 |
| Cr (VI) | 0.38 | U | 2.2 | 0.38 | mg/Kg | ✱ | 10/27/20 09:01 | 10/27/20 13:52 | 1 |
| Cyanide, Total | 0.13 | J | 0.24 | 0.12 | mg/Kg | ✱ | 10/23/20 17:04 | 10/26/20 11:14 | 1 |
| Percent Moisture | 8.4 | | 1.0 | 1.0 | % | | | 10/23/20 13:12 | 1 |
| Percent Solids | 91.6 | | 1.0 | 1.0 | % | | | 10/23/20 13:12 | 1 |

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-221133-1 | TP-17 (0-2) | 124 | 124 | 120 | 100 |
| LB3 460-734023/1-A | Method Blank | 102 | 102 | 111 | 100 |
| LCS 460-734084/3 | Lab Control Sample | 100 | 102 | 106 | 103 |
| LCS 460-734254/3 | Lab Control Sample | 109 | 120 | 111 | 102 |
| LCSD 460-734084/4 | Lab Control Sample Dup | 97 | 99 | 101 | 96 |
| LCSD 460-734254/4 | Lab Control Sample Dup | 107 | 120 | 109 | 101 |
| MB 460-734084/7 | Method Blank | 100 | 101 | 105 | 98 |
| MB 460-734254/7 | Method Blank | 119 | 119 | 116 | 102 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|-----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-219689-E-14-A MS | Matrix Spike | 53 | 49 | 49 | 47 | 50 | 57 |
| 460-219689-E-14-B MSD | Matrix Spike Duplicate | 64 | 59 | 52 | 56 | 59 | 66 |
| 460-221133-1 | TP-17 (0-2) | 53 | 52 | 48 | 49 | 48 | 59 |
| LCS 460-734180/2-A | Lab Control Sample | 90 | 82 | 78 | 79 | 79 | 91 |
| MB 460-734180/1-A | Method Blank | 104 | 91 | 88 | 82 | 88 | 111 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-221077-A-1-C MS | Matrix Spike | 93 | 95 | 100 | 91 |
| 460-221077-A-1-D MSD | Matrix Spike Duplicate | 92 | 96 | 100 | 92 |
| 460-221133-1 | TP-17 (0-2) | 121 | 113 | 107 | 105 |
| LCS 460-733973/2-A | Lab Control Sample | 103 | 99 | 103 | 94 |
| LCSD 460-733973/3-A | Lab Control Sample Dup | 102 | 95 | 102 | 92 |
| MB 460-733973/1-A | Method Blank | 108 | 101 | 100 | 98 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC

Job ID: 460-221133-1

Project/Site: Project Commodore

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------------------|------------------------|--|-------------------|------------------|------------------|
| Lab Sample ID | Client Sample ID | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-221077-A-1-F MS | Matrix Spike | 103 | 102 | 110 | 101 |
| 460-221077-A-1-G MSD | Matrix Spike Duplicate | 96 | 94 | 100 | 93 |
| 460-221133-1 | TP-17 (0-2) | 121 | 111 | 106 | 97 |
| LCS 460-733974/2-A | Lab Control Sample | 103 | 104 | 105 | 99 |
| LCSD 460-733974/3-A | Lab Control Sample Dup | 97 | 97 | 98 | 93 |
| MB 460-733974/1-A | Method Blank | 108 | 102 | 105 | 101 |
| Surrogate Legend | | | | | |
| DCBP = DCB Decachlorobiphenyl | | | | | |
| TCX = Tetrachloro-m-xylene | | | | | |

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------------------------|------------------------|--|--------------------|
| Lab Sample ID | Client Sample ID | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-221050-B-1-C MS | Matrix Spike | 127 | 102 |
| 460-221050-B-1-D MSD | Matrix Spike Duplicate | 131 | 103 |
| 460-221133-1 | TP-17 (0-2) | 79 | 91 |
| LCS 460-733972/2-A | Lab Control Sample | 116 | 103 |
| LCSD 460-733972/3-A | Lab Control Sample Dup | 124 | 106 |
| MB 460-733972/1-A | Method Blank | 101 | 101 |
| Surrogate Legend | | | |
| DCPAA = 2,4-Dichlorophenylacetic acid | | | |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-734023/1-A

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734023

| Analyte | LB3 | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-734023/1-A

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734023

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 10/22/20 20:35 | 10/23/20 12:03 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 77 - 145 | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Dibromofluoromethane (Surr) | 111 | | 48 - 150 | 10/22/20 20:35 | 10/23/20 12:03 | 1 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 | 10/22/20 20:35 | 10/23/20 12:03 | 1 |

Lab Sample ID: MB 460-734084/7

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/23/20 07:07 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 10/23/20 07:07 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-734084/7

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/23/20 07:07 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 07:07 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 10/23/20 07:07 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/23/20 07:07 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 07:07 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 07:07 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/23/20 07:07 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 07:07 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 07:07 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/23/20 07:07 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/23/20 07:07 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 10/23/20 07:07 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/23/20 07:07 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 77 - 145 | | 10/23/20 07:07 | 1 |
| 4-Bromofluorobenzene | 101 | | 79 - 125 | | 10/23/20 07:07 | 1 |
| Dibromofluoromethane (Surr) | 105 | | 48 - 150 | | 10/23/20 07:07 | 1 |
| Toluene-d8 (Surr) | 98 | | 80 - 120 | | 10/23/20 07:07 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-734084/3

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0207 | | mg/Kg | | 103 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0220 | | mg/Kg | | 110 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0183 | | mg/Kg | | 91 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0187 | | mg/Kg | | 94 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0189 | | mg/Kg | | 95 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0967 | | mg/Kg | | 97 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.0867 | | mg/Kg | | 87 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.0960 | | mg/Kg | | 96 | 80 - 122 |
| Acetone | 0.100 | 0.0923 | | mg/Kg | | 92 | 63 - 131 |
| Benzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 123 |
| Bromoform | 0.0200 | 0.0193 | | mg/Kg | | 97 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0217 | | mg/Kg | | 108 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0209 | | mg/Kg | | 104 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0183 | | mg/Kg | | 91 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0215 | | mg/Kg | | 108 | 65 - 134 |
| Chloroform | 0.0200 | 0.0203 | | mg/Kg | | 101 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0187 | | mg/Kg | | 93 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0174 | | mg/Kg | | 87 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0178 | | mg/Kg | | 89 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0225 | | mg/Kg | | 112 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0338 | | mg/Kg | | 84 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0208 | | mg/Kg | | 104 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 101 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-734084/3

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 78 - 123 |
| Toluene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0171 | | mg/Kg | | 86 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0207 | | mg/Kg | | 104 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0414 | | mg/Kg | | 104 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 77 - 145 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 106 | | 48 - 150 |
| Toluene-d8 (Surr) | 103 | | 80 - 120 |

Lab Sample ID: LCSD 460-734084/4

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0197 | | mg/Kg | | 98 | 78 - 132 | 5 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0176 | | mg/Kg | | 88 | 69 - 123 | 4 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 78 - 136 | 2 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0170 | | mg/Kg | | 85 | 75 - 120 | 7 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0190 | | mg/Kg | | 95 | 76 - 129 | 7 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 77 - 132 | 0 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 77 - 120 | 9 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 75 - 120 | 6 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 79 - 120 | 7 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0185 | | mg/Kg | | 92 | 60 - 126 | 8 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 120 | 3 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 70 - 132 | 2 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0182 | | mg/Kg | | 91 | 73 - 124 | 3 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 79 - 120 | 7 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 80 - 120 | 3 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0179 | | mg/Kg | | 89 | 80 - 120 | 4 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0918 | | mg/Kg | | 92 | 75 - 120 | 5 | 30 |
| 2-Hexanone | 0.100 | 0.0901 | | mg/Kg | | 90 | 78 - 120 | 4 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.0960 | | mg/Kg | | 96 | 80 - 122 | 0 | 30 |
| Acetone | 0.100 | 0.0991 | | mg/Kg | | 99 | 63 - 131 | 7 | 30 |
| Benzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 80 - 123 | 10 | 30 |
| Bromoform | 0.0200 | 0.0184 | | mg/Kg | | 92 | 48 - 142 | 5 | 30 |
| Bromomethane | 0.0200 | 0.0189 | | mg/Kg | | 94 | 68 - 136 | 11 | 30 |
| Carbon disulfide | 0.0200 | 0.0199 | | mg/Kg | | 99 | 67 - 136 | 9 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0195 | | mg/Kg | | 98 | 72 - 136 | 7 | 30 |
| Chlorobenzene | 0.0200 | 0.0176 | | mg/Kg | | 88 | 80 - 120 | 5 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-734084/4

Matrix: Solid

Analysis Batch: 734084

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0194 | | mg/Kg | | 97 | 76 - 127 | 5 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 62 - 128 | 3 | 30 |
| Chloroethane | 0.0200 | 0.0175 | | mg/Kg | | 88 | 65 - 134 | 20 | 30 |
| Chloroform | 0.0200 | 0.0192 | | mg/Kg | | 96 | 79 - 126 | 6 | 30 |
| Chloromethane | 0.0200 | 0.0162 | | mg/Kg | | 81 | 48 - 150 | 14 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 80 - 123 | 5 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0176 | | mg/Kg | | 88 | 72 - 120 | 3 | 30 |
| Cyclohexane | 0.0200 | 0.0197 | | mg/Kg | | 99 | 80 - 132 | 9 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0179 | | mg/Kg | | 90 | 73 - 124 | 2 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0151 | | mg/Kg | | 76 | 40 - 146 | 14 | 30 |
| Ethylbenzene | 0.0200 | 0.0189 | | mg/Kg | | 94 | 80 - 120 | 6 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0175 | | mg/Kg | | 88 | 79 - 120 | 1 | 30 |
| Isopropylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 | 10 | 30 |
| Methyl acetate | 0.0400 | 0.0305 | | mg/Kg | | 76 | 58 - 143 | 10 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 125 | 3 | 30 |
| Methylcyclohexane | 0.0200 | 0.0207 | | mg/Kg | | 104 | 79 - 133 | 8 | 30 |
| Methylene Chloride | 0.0200 | 0.0193 | | mg/Kg | | 97 | 76 - 127 | 7 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 80 - 120 | 6 | 30 |
| n-Butylbenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 77 - 123 | 6 | 30 |
| N-Propylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 78 - 120 | 4 | 30 |
| o-Xylene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 80 - 120 | 9 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 78 - 120 | 7 | 30 |
| Styrene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 80 - 120 | 4 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 76 - 120 | 5 | 30 |
| Tetrachloroethene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 78 - 123 | 4 | 30 |
| Toluene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 80 - 120 | 5 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 78 - 128 | 9 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0168 | | mg/Kg | | 84 | 68 - 120 | 2 | 30 |
| Trichloroethene | 0.0200 | 0.0189 | | mg/Kg | | 94 | 79 - 120 | 3 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0188 | | mg/Kg | | 94 | 67 - 142 | 10 | 30 |
| Vinyl chloride | 0.0200 | 0.0179 | | mg/Kg | | 90 | 56 - 147 | 14 | 30 |
| Xylenes, Total | 0.0400 | 0.0385 | | mg/Kg | | 96 | 80 - 120 | 7 | 30 |

| Surrogate | LCSD | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 97 | | 77 - 145 |
| 4-Bromofluorobenzene | 99 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 101 | | 48 - 150 |
| Toluene-d8 (Surr) | 96 | | 80 - 120 |

Lab Sample ID: MB 460-734254/7

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 19:35 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-734254/7

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 10/23/20 19:35 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 10/23/20 19:35 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 10/23/20 19:35 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 10/23/20 19:35 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 10/23/20 19:35 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 19:35 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 10/23/20 19:35 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 10/23/20 19:35 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 19:35 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 10/23/20 19:35 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 10/23/20 19:35 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-734254/7

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 10/23/20 19:35 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 10/23/20 19:35 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 10/23/20 19:35 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 119 | | 77 - 145 | | 10/23/20 19:35 | 1 |
| 4-Bromofluorobenzene | 119 | | 79 - 125 | | 10/23/20 19:35 | 1 |
| Dibromofluoromethane (Surr) | 116 | | 48 - 150 | | 10/23/20 19:35 | 1 |
| Toluene-d8 (Surr) | 102 | | 80 - 120 | | 10/23/20 19:35 | 1 |

Lab Sample ID: LCS 460-734254/3

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0245 | | mg/Kg | | 122 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0178 | | mg/Kg | | 89 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0235 | | mg/Kg | | 118 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0201 | | mg/Kg | | 100 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0230 | | mg/Kg | | 115 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0219 | | mg/Kg | | 109 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.103 | | mg/Kg | | 103 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.110 | | mg/Kg | | 110 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.110 | | mg/Kg | | 110 | 80 - 122 |
| Acetone | 0.100 | 0.0973 | | mg/Kg | | 97 | 63 - 131 |
| Benzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 123 |
| Bromoform | 0.0200 | 0.0220 | | mg/Kg | | 110 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0262 | | mg/Kg | | 131 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0222 | | mg/Kg | | 111 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0245 | | mg/Kg | | 122 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0231 | | mg/Kg | | 116 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-734254/3

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0272 | * | mg/Kg | | 136 | 65 - 134 |
| Chloroform | 0.0200 | 0.0230 | | mg/Kg | | 115 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0181 | | mg/Kg | | 91 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0227 | | mg/Kg | | 114 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0237 | | mg/Kg | | 118 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0229 | | mg/Kg | | 115 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0184 | | mg/Kg | | 92 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0204 | | mg/Kg | | 102 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0397 | | mg/Kg | | 99 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0223 | | mg/Kg | | 111 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0233 | | mg/Kg | | 116 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0215 | | mg/Kg | | 108 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 78 - 120 |
| Styrene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0234 | | mg/Kg | | 117 | 78 - 123 |
| Toluene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0236 | | mg/Kg | | 118 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0244 | | mg/Kg | | 122 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0215 | | mg/Kg | | 107 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0426 | | mg/Kg | | 107 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 77 - 145 |
| 4-Bromofluorobenzene | 120 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 111 | | 48 - 150 |
| Toluene-d8 (Surr) | 102 | | 80 - 120 |

Lab Sample ID: LCSD 460-734254/4

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0234 | | mg/Kg | | 117 | 78 - 132 | 4 | 30 |
| 1,1,1,2-Tetrachloroethane | 0.0200 | 0.0171 | | mg/Kg | | 85 | 69 - 123 | 4 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 78 - 136 | 6 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0191 | | mg/Kg | | 95 | 75 - 120 | 5 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 76 - 129 | 6 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-734254/4

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0221 | | mg/Kg | | 111 | 77 - 132 | 5 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 77 - 120 | 6 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 75 - 120 | 9 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 79 - 120 | 6 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0182 | | mg/Kg | | 91 | 60 - 126 | 11 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 80 - 120 | 2 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0217 | | mg/Kg | | 108 | 70 - 132 | 6 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 73 - 124 | 7 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 79 - 120 | 6 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 80 - 120 | 6 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 80 - 120 | 6 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0979 | | mg/Kg | | 98 | 75 - 120 | 5 | 30 |
| 2-Hexanone | 0.100 | 0.103 | | mg/Kg | | 103 | 78 - 120 | 6 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.105 | | mg/Kg | | 105 | 80 - 122 | 4 | 30 |
| Acetone | 0.100 | 0.0896 | | mg/Kg | | 90 | 63 - 131 | 8 | 30 |
| Benzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 80 - 123 | 6 | 30 |
| Bromoform | 0.0200 | 0.0208 | | mg/Kg | | 104 | 48 - 142 | 6 | 30 |
| Bromomethane | 0.0200 | 0.0248 | | mg/Kg | | 124 | 68 - 136 | 6 | 30 |
| Carbon disulfide | 0.0200 | 0.0210 | | mg/Kg | | 105 | 67 - 136 | 5 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0235 | | mg/Kg | | 117 | 72 - 136 | 4 | 30 |
| Chlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 100 | 80 - 120 | 5 | 30 |
| Chlorobromomethane | 0.0200 | 0.0225 | | mg/Kg | | 112 | 76 - 127 | 3 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0202 | | mg/Kg | | 101 | 62 - 128 | 4 | 30 |
| Chloroethane | 0.0200 | 0.0262 | | mg/Kg | | 131 | 65 - 134 | 4 | 30 |
| Chloroform | 0.0200 | 0.0218 | | mg/Kg | | 109 | 79 - 126 | 5 | 30 |
| Chloromethane | 0.0200 | 0.0171 | | mg/Kg | | 86 | 48 - 150 | 6 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0217 | | mg/Kg | | 109 | 80 - 123 | 4 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 72 - 120 | 5 | 30 |
| Cyclohexane | 0.0200 | 0.0223 | | mg/Kg | | 111 | 80 - 132 | 6 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 73 - 124 | 4 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0175 | | mg/Kg | | 88 | 40 - 146 | 5 | 30 |
| Ethylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 | 5 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0197 | | mg/Kg | | 99 | 79 - 120 | 3 | 30 |
| Isopropylbenzene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 80 - 120 | 6 | 30 |
| Methyl acetate | 0.0400 | 0.0386 | | mg/Kg | | 96 | 58 - 143 | 3 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 125 | 4 | 30 |
| Methylcyclohexane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 79 - 133 | 8 | 30 |
| Methylene Chloride | 0.0200 | 0.0204 | | mg/Kg | | 102 | 76 - 127 | 5 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 | 6 | 30 |
| n-Butylbenzene | 0.0200 | 0.0189 | | mg/Kg | | 94 | 77 - 123 | 8 | 30 |
| N-Propylbenzene | 0.0200 | 0.0189 | | mg/Kg | | 94 | 78 - 120 | 7 | 30 |
| o-Xylene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 | 4 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 94 | 78 - 120 | 9 | 30 |
| Styrene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 | 4 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 76 - 120 | 7 | 30 |
| Tetrachloroethene | 0.0200 | 0.0223 | | mg/Kg | | 112 | 78 - 123 | 5 | 30 |
| Toluene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 | 5 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0216 | | mg/Kg | | 108 | 78 - 128 | 5 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 68 - 120 | 4 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-734254/4

Matrix: Solid

Analysis Batch: 734254

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 79 - 120 | 6 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0229 | | mg/Kg | | 115 | 67 - 142 | 6 | 30 |
| Vinyl chloride | 0.0200 | 0.0201 | | mg/Kg | | 100 | 56 - 147 | 7 | 30 |
| Xylenes, Total | 0.0400 | 0.0406 | | mg/Kg | | 101 | 80 - 120 | 5 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 77 - 145 |
| 4-Bromofluorobenzene | 120 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 109 | | 48 - 150 |
| Toluene-d8 (Surr) | 101 | | 80 - 120 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-734180/1-A

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 1,4-Dioxane | 0.029 | U | 0.10 | 0.029 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.14 | U | 0.27 | 0.14 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Chloroaniline | 0.059 | U | 0.33 | 0.059 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Acenaphthene | 0.0094 | U | 0.33 | 0.0094 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Acenaphthylene | 0.0033 | U | 0.33 | 0.0033 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-734180/1-A

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Atrazine | 0.019 | U | 0.13 | 0.019 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzaldehyde | 0.055 | U | 0.33 | 0.055 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Di-n-butyl phthalate | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| N-Nitrosodiphenylamine | 0.027 | U | 0.33 | 0.027 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 3.07 | A J | mg/Kg | | 2.69 | | 10/23/20 10:00 | 10/23/20 20:14 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 104 | | 10 - 123 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Fluorobiphenyl | 91 | | 25 - 104 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| 2-Fluorophenol (Surr) | 88 | | 18 - 106 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Nitrobenzene-d5 (Surr) | 82 | | 19 - 105 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |
| Phenol-d5 (Surr) | 88 | | 26 - 101 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-734180/1-A

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734180

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 111 | | 25 - 127 | 10/23/20 10:00 | 10/23/20 20:14 | 1 |

Lab Sample ID: LCS 460-734180/2-A

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|------------------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 1,1'-Biphenyl | 3.33 | 2.82 | | mg/Kg | | 85 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 2.88 | | mg/Kg | | 86 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 1.63 | | mg/Kg | | 49 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 1.77 | | mg/Kg | | 53 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.45 | | mg/Kg | | 73 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 2.64 | | mg/Kg | | 79 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 2.83 | | mg/Kg | | 85 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 2.91 | | mg/Kg | | 87 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 2.89 | | mg/Kg | | 87 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 5.08 | | mg/Kg | | 76 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 3.26 | | mg/Kg | | 98 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 3.24 | | mg/Kg | | 97 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 2.76 | | mg/Kg | | 83 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 2.75 | | mg/Kg | | 83 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.77 | | mg/Kg | | 83 | 64 - 108 |
| 2-Methylphenol | 3.33 | 2.94 | | mg/Kg | | 88 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 2.81 | | mg/Kg | | 84 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 2.79 | | mg/Kg | | 84 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 2.79 | | mg/Kg | | 84 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 2.51 | | mg/Kg | | 75 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.74 | | mg/Kg | | 82 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 5.18 | | mg/Kg | | 78 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.03 | | mg/Kg | | 91 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 2.90 | | mg/Kg | | 87 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 2.40 | | mg/Kg | | 72 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.91 | | mg/Kg | | 87 | 66 - 110 |
| 4-Methylphenol | 3.33 | 2.79 | | mg/Kg | | 84 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.79 | | mg/Kg | | 84 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 4.69 | | mg/Kg | | 70 | 47 - 123 |
| Acenaphthene | 3.33 | 2.45 | | mg/Kg | | 73 | 53 - 110 |
| Acenaphthylene | 3.33 | 2.83 | | mg/Kg | | 85 | 64 - 108 |
| Acetophenone | 3.33 | 2.64 | | mg/Kg | | 79 | 61 - 103 |
| Anthracene | 3.33 | 2.88 | | mg/Kg | | 86 | 67 - 114 |
| Atrazine | 1.33 | 1.76 | | mg/Kg | | 132 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.41 | | mg/Kg | | 105 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 2.69 | | mg/Kg | | 81 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.24 | | mg/Kg | | 97 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 3.07 | | mg/Kg | | 92 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 3.47 | | mg/Kg | | 104 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 3.10 | | mg/Kg | | 93 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.63 | | mg/Kg | | 79 | 62 - 107 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-734180/2-A

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethyl)ether | 3.33 | 2.73 | | mg/Kg | | 82 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 2.81 | | mg/Kg | | 84 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 2.78 | | mg/Kg | | 83 | 70 - 123 |
| Caprolactam | 1.33 | 1.85 | | mg/Kg | | 139 | 59 - 140 |
| Carbazole | 3.33 | 2.71 | | mg/Kg | | 81 | 64 - 113 |
| Chrysene | 3.33 | 2.67 | | mg/Kg | | 80 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.79 | | mg/Kg | | 114 | 66 - 119 |
| Dibenzofuran | 3.33 | 2.79 | | mg/Kg | | 84 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.78 | | mg/Kg | | 83 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.86 | | mg/Kg | | 86 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.85 | | mg/Kg | | 85 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 2.93 | | mg/Kg | | 88 | 65 - 122 |
| Fluoranthene | 3.33 | 2.76 | | mg/Kg | | 83 | 64 - 113 |
| Fluorene | 3.33 | 2.85 | | mg/Kg | | 85 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 3.23 | | mg/Kg | | 97 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 2.74 | | mg/Kg | | 82 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 2.48 | | mg/Kg | | 74 | 22 - 124 |
| Hexachloroethane | 3.33 | 2.60 | | mg/Kg | | 78 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.89 | | mg/Kg | | 117 | 62 - 121 |
| Isophorone | 3.33 | 2.75 | | mg/Kg | | 82 | 63 - 107 |
| Naphthalene | 3.33 | 2.77 | | mg/Kg | | 83 | 63 - 106 |
| Nitrobenzene | 3.33 | 2.90 | | mg/Kg | | 87 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.79 | | mg/Kg | | 84 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 2.85 | | mg/Kg | | 85 | 67 - 113 |
| Pentachlorophenol | 6.67 | 4.07 | | mg/Kg | | 61 | 44 - 126 |
| Phenanthrene | 3.33 | 2.84 | | mg/Kg | | 85 | 66 - 112 |
| Phenol | 3.33 | 2.77 | | mg/Kg | | 83 | 63 - 110 |
| Pyrene | 3.33 | 2.68 | | mg/Kg | | 80 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 90 | | 10 - 123 |
| 2-Fluorobiphenyl | 82 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 78 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 79 | | 19 - 105 |
| Phenol-d5 (Surr) | 79 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 91 | | 25 - 127 |

Lab Sample ID: 460-219689-E-14-A MS

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0048 | U F1 | 3.67 | 1.88 | F1 | mg/Kg | ✱ | 51 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.67 | 1.86 | F1 | mg/Kg | ✱ | 51 | 64 - 110 |
| 1,4-Dioxane | 0.032 | U F1 | 3.67 | 1.09 | F1 | mg/Kg | ✱ | 30 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0066 | U F1 | 3.67 | 1.17 | F1 | mg/Kg | ✱ | 32 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.025 | U F1 | 3.67 | 1.51 | F1 | mg/Kg | ✱ | 41 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.037 | U F1 | 3.67 | 1.66 | F1 | mg/Kg | ✱ | 45 | 64 - 112 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219689-E-14-A MS

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,6-Trichlorophenol | 0.047 | U F1 | 3.67 | 1.79 | F1 | mg/Kg | ✱ | 49 | 63 - 113 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.67 | 1.84 | F1 | mg/Kg | ✱ | 50 | 66 - 113 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.67 | 1.88 | F1 | mg/Kg | ✱ | 51 | 63 - 107 |
| 2,4-Dinitrophenol | 0.18 | U F1 | 7.34 | 1.34 | F1 | mg/Kg | ✱ | 18 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.039 | U F1 | 3.67 | 2.17 | F1 | mg/Kg | ✱ | 59 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.026 | U F1 | 3.67 | 2.06 | F1 | mg/Kg | ✱ | 56 | 67 - 121 |
| 2-Chloronaphthalene | 0.017 | U F1 | 3.67 | 1.85 | F1 | mg/Kg | ✱ | 50 | 65 - 109 |
| 2-Chlorophenol | 0.013 | U F1 | 3.67 | 1.81 | F1 | mg/Kg | ✱ | 49 | 63 - 106 |
| 2-Methylnaphthalene | 0.010 | U F1 | 3.67 | 1.75 | F1 | mg/Kg | ✱ | 48 | 64 - 108 |
| 2-Methylphenol | 0.014 | U F1 | 3.67 | 1.88 | F1 | mg/Kg | ✱ | 51 | 63 - 108 |
| 2-Nitroaniline | 0.014 | U F1 | 3.67 | 1.85 | F1 | mg/Kg | ✱ | 50 | 59 - 119 |
| 2-Nitrophenol | 0.036 | U F1 | 3.67 | 1.74 | F1 | mg/Kg | ✱ | 47 | 64 - 112 |
| 3 & 4 Methylphenol | 0.023 | U F1 | 3.67 | 1.77 | F1 | mg/Kg | ✱ | 48 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 0.055 | U | 3.67 | 1.73 | | mg/Kg | ✱ | 47 | 4 - 119 |
| 3-Nitroaniline | 0.041 | U | 3.67 | 1.78 | | mg/Kg | ✱ | 48 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U F1 | 7.34 | 2.26 | F1 | mg/Kg | ✱ | 31 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.67 | 2.00 | F1 | mg/Kg | ✱ | 54 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.67 | 1.89 | F1 | mg/Kg | ✱ | 51 | 66 - 114 |
| 4-Chloroaniline | 0.065 | U | 3.67 | 1.60 | | mg/Kg | ✱ | 43 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.67 | 1.90 | F1 | mg/Kg | ✱ | 52 | 66 - 110 |
| 4-Methylphenol | 0.023 | U F1 | 3.67 | 1.77 | F1 | mg/Kg | ✱ | 48 | 61 - 108 |
| 4-Nitroaniline | 0.042 | U | 3.67 | 1.89 | | mg/Kg | ✱ | 52 | 50 - 110 |
| 4-Nitrophenol | 0.059 | U F1 | 7.34 | 2.92 | F1 | mg/Kg | ✱ | 40 | 47 - 123 |
| Acenaphthene | 0.010 | U F1 | 3.67 | 1.60 | F1 | mg/Kg | ✱ | 44 | 53 - 110 |
| Acenaphthylene | 0.0037 | U F1 | 3.67 | 1.86 | F1 | mg/Kg | ✱ | 51 | 64 - 108 |
| Acetophenone | 0.018 | U F1 | 3.67 | 1.77 | F1 | mg/Kg | ✱ | 48 | 61 - 103 |
| Anthracene | 0.011 | U F1 | 3.67 | 1.85 | F1 | mg/Kg | ✱ | 50 | 67 - 114 |
| Atrazine | 0.021 | U | 1.47 | 1.11 | | mg/Kg | ✱ | 76 | 44 - 145 |
| Benzaldehyde | 0.060 | U | 1.47 | 0.949 | | mg/Kg | ✱ | 65 | 39 - 113 |
| Benzo[a]anthracene | 0.013 | U F1 | 3.67 | 1.75 | F1 | mg/Kg | ✱ | 48 | 67 - 115 |
| Benzo[a]pyrene | 0.0097 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 57 | 63 - 108 |
| Benzo[b]fluoranthene | 0.0094 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 57 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.011 | U | 3.67 | 2.25 | | mg/Kg | ✱ | 61 | 61 - 113 |
| Benzo[k]fluoranthene | 0.0071 | U F1 | 3.67 | 1.87 | F1 | mg/Kg | ✱ | 51 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.67 | 1.72 | F1 | mg/Kg | ✱ | 47 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.67 | 1.76 | F1 | mg/Kg | ✱ | 48 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.67 | 1.79 | F1 | mg/Kg | ✱ | 49 | 69 - 124 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.67 | 1.76 | F1 | mg/Kg | ✱ | 48 | 70 - 123 |
| Caprolactam | 0.057 | U | 1.47 | 1.16 | | mg/Kg | ✱ | 79 | 59 - 140 |
| Carbazole | 0.014 | U F1 | 3.67 | 1.76 | F1 | mg/Kg | ✱ | 48 | 64 - 113 |
| Chrysene | 0.0062 | U F1 | 3.67 | 1.79 | F1 | mg/Kg | ✱ | 49 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.016 | U | 3.67 | 2.41 | | mg/Kg | ✱ | 66 | 66 - 119 |
| Dibenzofuran | 0.0051 | U F1 | 3.67 | 1.83 | F1 | mg/Kg | ✱ | 50 | 65 - 108 |
| Diethyl phthalate | 0.0053 | U F1 | 3.67 | 1.84 | F1 | mg/Kg | ✱ | 50 | 63 - 109 |
| Dimethyl phthalate | 0.083 | U F1 | 3.67 | 1.89 | F1 | mg/Kg | ✱ | 52 | 65 - 109 |
| Di-n-butyl phthalate | 0.014 | U F1 | 3.67 | 1.80 | F1 | mg/Kg | ✱ | 49 | 66 - 114 |
| Di-n-octyl phthalate | 0.019 | U F1 | 3.67 | 1.88 | F1 | mg/Kg | ✱ | 51 | 65 - 122 |
| Fluoranthene | 0.013 | U F1 | 3.67 | 1.69 | F1 | mg/Kg | ✱ | 46 | 64 - 113 |
| Fluorene | 0.0049 | U F1 | 3.67 | 1.86 | F1 | mg/Kg | ✱ | 51 | 65 - 109 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219689-E-14-A MS

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Hexachlorobenzene | 0.017 | U F1 | 3.67 | 2.04 | F1 | mg/Kg | ✱ | 56 | 70 - 119 |
| Hexachlorobutadiene | 0.0077 | U F1 | 3.67 | 1.86 | F1 | mg/Kg | ✱ | 51 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.032 | U | 3.67 | 1.55 | | mg/Kg | ✱ | 42 | 22 - 124 |
| Hexachloroethane | 0.012 | U F1 | 3.67 | 1.68 | F1 | mg/Kg | ✱ | 46 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.67 | 2.58 | | mg/Kg | ✱ | 70 | 62 - 121 |
| Isophorone | 0.11 | U F1 | 3.67 | 1.79 | F1 | mg/Kg | ✱ | 49 | 63 - 107 |
| Naphthalene | 0.0063 | U F1 | 3.67 | 1.80 | F1 | mg/Kg | ✱ | 49 | 63 - 106 |
| Nitrobenzene | 0.0087 | U F1 | 3.67 | 1.89 | F1 | mg/Kg | ✱ | 52 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.67 | 1.81 | F1 | mg/Kg | ✱ | 49 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.030 | U F1 | 3.67 | 1.79 | F1 | mg/Kg | ✱ | 49 | 67 - 113 |
| Pentachlorophenol | 0.075 | U F1 | 7.34 | 2.08 | F1 | mg/Kg | ✱ | 28 | 44 - 126 |
| Phenanthrene | 0.0064 | U F1 | 3.67 | 1.83 | F1 | mg/Kg | ✱ | 50 | 66 - 112 |
| Phenol | 0.013 | U F1 | 3.67 | 1.92 | F1 | mg/Kg | ✱ | 52 | 63 - 110 |
| Pyrene | 0.0091 | U F1 | 3.67 | 1.78 | F1 | mg/Kg | ✱ | 48 | 71 - 122 |
| | | | | | | | | | |
| Surrogate | MS %Recovery | MS Qualifier | Limits | | | | | | |
| 2,4,6-Tribromophenol (Surr) | 53 | | 10 - 123 | | | | | | |
| 2-Fluorobiphenyl | 49 | | 25 - 104 | | | | | | |
| 2-Fluorophenol (Surr) | 49 | | 18 - 106 | | | | | | |
| Nitrobenzene-d5 (Surr) | 47 | | 19 - 105 | | | | | | |
| Phenol-d5 (Surr) | 50 | | 26 - 101 | | | | | | |
| Terphenyl-d14 (Surr) | 57 | | 25 - 127 | | | | | | |

Lab Sample ID: 460-219689-E-14-B MSD

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 1,1'-Biphenyl | 0.0048 | U F1 | 3.67 | 2.20 | F1 | mg/Kg | ✱ | 60 | 65 - 110 | 15 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.67 | 2.18 | F1 | mg/Kg | ✱ | 60 | 64 - 110 | 16 | 30 |
| 1,4-Dioxane | 0.032 | U F1 | 3.67 | 1.32 | | mg/Kg | ✱ | 36 | 31 - 81 | 19 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0066 | U F1 | 3.67 | 1.36 | F1 | mg/Kg | ✱ | 37 | 49 - 109 | 15 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.025 | U F1 | 3.67 | 1.93 | F1 | mg/Kg | ✱ | 53 | 58 - 113 | 24 | 30 |
| 2,4,5-Trichlorophenol | 0.037 | U F1 | 3.67 | 2.12 | F1 | mg/Kg | ✱ | 58 | 64 - 112 | 25 | 30 |
| 2,4,6-Trichlorophenol | 0.047 | U F1 | 3.67 | 2.25 | F1 | mg/Kg | ✱ | 61 | 63 - 113 | 23 | 30 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.67 | 2.14 | F1 | mg/Kg | ✱ | 58 | 66 - 113 | 15 | 30 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 57 | 63 - 107 | 11 | 30 |
| 2,4-Dinitrophenol | 0.18 | U F1 | 7.34 | 1.67 | F1 | mg/Kg | ✱ | 23 | 37 - 125 | 22 | 30 |
| 2,4-Dinitrotoluene | 0.039 | U F1 | 3.67 | 2.53 | | mg/Kg | ✱ | 69 | 65 - 124 | 16 | 30 |
| 2,6-Dinitrotoluene | 0.026 | U F1 | 3.67 | 2.54 | | mg/Kg | ✱ | 69 | 67 - 121 | 21 | 30 |
| 2-Chloronaphthalene | 0.017 | U F1 | 3.67 | 2.23 | F1 | mg/Kg | ✱ | 61 | 65 - 109 | 19 | 30 |
| 2-Chlorophenol | 0.013 | U F1 | 3.67 | 2.19 | F1 | mg/Kg | ✱ | 60 | 63 - 106 | 19 | 30 |
| 2-Methylnaphthalene | 0.010 | U F1 | 3.67 | 2.14 | F1 | mg/Kg | ✱ | 58 | 64 - 108 | 20 | 30 |
| 2-Methylphenol | 0.014 | U F1 | 3.67 | 2.18 | F1 | mg/Kg | ✱ | 59 | 63 - 108 | 15 | 30 |
| 2-Nitroaniline | 0.014 | U F1 | 3.67 | 2.20 | | mg/Kg | ✱ | 60 | 59 - 119 | 17 | 30 |
| 2-Nitrophenol | 0.036 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 58 | 64 - 112 | 19 | 30 |
| 3 & 4 Methylphenol | 0.023 | U F1 | 3.67 | 2.22 | F1 | mg/Kg | ✱ | 60 | 61 - 108 | 23 | 30 |
| 3,3'-Dichlorobenzidine | 0.055 | U | 3.67 | 2.10 | | mg/Kg | ✱ | 57 | 4 - 119 | 20 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-219689-E-14-B MSD

Matrix: Solid

Analysis Batch: 734321

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 734180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 3-Nitroaniline | 0.041 | U | 3.67 | 2.29 | | mg/Kg | ✱ | 62 | 31 - 102 | 25 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U F1 | 7.34 | 2.79 | F1 | mg/Kg | ✱ | 38 | 64 - 129 | 21 | 30 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.67 | 2.32 | F1 | mg/Kg | ✱ | 63 | 67 - 113 | 15 | 30 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.67 | 2.21 | F1 | mg/Kg | ✱ | 60 | 66 - 114 | 16 | 30 |
| 4-Chloroaniline | 0.065 | U | 3.67 | 1.96 | | mg/Kg | ✱ | 53 | 20 - 98 | 21 | 30 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.67 | 2.24 | F1 | mg/Kg | ✱ | 61 | 66 - 110 | 17 | 30 |
| 4-Methylphenol | 0.023 | U F1 | 3.67 | 2.22 | F1 | mg/Kg | ✱ | 60 | 61 - 108 | 23 | 30 |
| 4-Nitroaniline | 0.042 | U | 3.67 | 2.24 | | mg/Kg | ✱ | 61 | 50 - 110 | 17 | 30 |
| 4-Nitrophenol | 0.059 | U F1 | 7.34 | 3.66 | | mg/Kg | ✱ | 50 | 47 - 123 | 22 | 30 |
| Acenaphthene | 0.010 | U F1 | 3.67 | 1.87 | F1 | mg/Kg | ✱ | 51 | 53 - 110 | 15 | 30 |
| Acenaphthylene | 0.0037 | U F1 | 3.67 | 2.19 | F1 | mg/Kg | ✱ | 60 | 64 - 108 | 16 | 30 |
| Acetophenone | 0.018 | U F1 | 3.67 | 2.06 | F1 | mg/Kg | ✱ | 56 | 61 - 103 | 15 | 30 |
| Anthracene | 0.011 | U F1 | 3.67 | 2.15 | F1 | mg/Kg | ✱ | 59 | 67 - 114 | 15 | 30 |
| Atrazine | 0.021 | U | 1.47 | 1.35 | | mg/Kg | ✱ | 92 | 44 - 145 | 19 | 30 |
| Benzaldehyde | 0.060 | U | 1.47 | 1.09 | | mg/Kg | ✱ | 74 | 39 - 113 | 14 | 30 |
| Benzo[a]anthracene | 0.013 | U F1 | 3.67 | 2.00 | F1 | mg/Kg | ✱ | 55 | 67 - 115 | 13 | 30 |
| Benzo[a]pyrene | 0.0097 | U F1 | 3.67 | 2.48 | | mg/Kg | ✱ | 68 | 63 - 108 | 16 | 30 |
| Benzo[b]fluoranthene | 0.0094 | U F1 | 3.67 | 2.53 | | mg/Kg | ✱ | 69 | 64 - 116 | 18 | 30 |
| Benzo[g,h,i]perylene | 0.011 | U | 3.67 | 2.55 | | mg/Kg | ✱ | 70 | 61 - 113 | 13 | 30 |
| Benzo[k]fluoranthene | 0.0071 | U F1 | 3.67 | 2.19 | F1 | mg/Kg | ✱ | 60 | 67 - 115 | 16 | 30 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.67 | 2.10 | F1 | mg/Kg | ✱ | 57 | 62 - 107 | 20 | 30 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 58 | 60 - 107 | 18 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.67 | 2.12 | F1 | mg/Kg | ✱ | 58 | 69 - 124 | 17 | 30 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.67 | 2.14 | F1 | mg/Kg | ✱ | 58 | 70 - 123 | 19 | 30 |
| Caprolactam | 0.057 | U | 1.47 | 1.33 | | mg/Kg | ✱ | 91 | 59 - 140 | 14 | 30 |
| Carbazole | 0.014 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 58 | 64 - 113 | 18 | 30 |
| Chrysene | 0.0062 | U F1 | 3.67 | 2.06 | F1 | mg/Kg | ✱ | 56 | 71 - 122 | 14 | 30 |
| Dibenz(a,h)anthracene | 0.016 | U | 3.67 | 2.83 | | mg/Kg | ✱ | 77 | 66 - 119 | 16 | 30 |
| Dibenzofuran | 0.0051 | U F1 | 3.67 | 2.16 | F1 | mg/Kg | ✱ | 59 | 65 - 108 | 17 | 30 |
| Diethyl phthalate | 0.0053 | U F1 | 3.67 | 2.25 | F1 | mg/Kg | ✱ | 61 | 63 - 109 | 20 | 30 |
| Dimethyl phthalate | 0.083 | U F1 | 3.67 | 2.21 | F1 | mg/Kg | ✱ | 60 | 65 - 109 | 15 | 30 |
| Di-n-butyl phthalate | 0.014 | U F1 | 3.67 | 2.16 | F1 | mg/Kg | ✱ | 59 | 66 - 114 | 18 | 30 |
| Di-n-octyl phthalate | 0.019 | U F1 | 3.67 | 2.23 | F1 | mg/Kg | ✱ | 61 | 65 - 122 | 17 | 30 |
| Fluoranthene | 0.013 | U F1 | 3.67 | 2.13 | F1 | mg/Kg | ✱ | 58 | 64 - 113 | 23 | 30 |
| Fluorene | 0.0049 | U F1 | 3.67 | 2.23 | F1 | mg/Kg | ✱ | 61 | 65 - 109 | 18 | 30 |
| Hexachlorobenzene | 0.017 | U F1 | 3.67 | 2.39 | F1 | mg/Kg | ✱ | 65 | 70 - 119 | 16 | 30 |
| Hexachlorobutadiene | 0.0077 | U F1 | 3.67 | 2.11 | F1 | mg/Kg | ✱ | 57 | 62 - 109 | 13 | 30 |
| Hexachlorocyclopentadiene | 0.032 | U | 3.67 | 1.89 | | mg/Kg | ✱ | 52 | 22 - 124 | 20 | 30 |
| Hexachloroethane | 0.012 | U F1 | 3.67 | 1.96 | F1 | mg/Kg | ✱ | 54 | 61 - 102 | 16 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.67 | 3.00 | | mg/Kg | ✱ | 82 | 62 - 121 | 15 | 30 |
| Isophorone | 0.11 | U F1 | 3.67 | 2.09 | F1 | mg/Kg | ✱ | 57 | 63 - 107 | 16 | 30 |
| Naphthalene | 0.0063 | U F1 | 3.67 | 2.10 | F1 | mg/Kg | ✱ | 57 | 63 - 106 | 15 | 30 |
| Nitrobenzene | 0.0087 | U F1 | 3.67 | 2.30 | | mg/Kg | ✱ | 63 | 63 - 110 | 19 | 30 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.67 | 2.07 | F1 | mg/Kg | ✱ | 56 | 61 - 108 | 13 | 30 |
| N-Nitrosodiphenylamine | 0.030 | U F1 | 3.67 | 2.20 | F1 | mg/Kg | ✱ | 60 | 67 - 113 | 21 | 30 |
| Pentachlorophenol | 0.075 | U F1 | 7.34 | 2.64 | F1 | mg/Kg | ✱ | 36 | 44 - 126 | 23 | 30 |
| Phenanthrene | 0.0064 | U F1 | 3.67 | 2.16 | F1 | mg/Kg | ✱ | 59 | 66 - 112 | 17 | 30 |
| Phenol | 0.013 | U F1 | 3.67 | 2.19 | F1 | mg/Kg | ✱ | 60 | 63 - 110 | 13 | 30 |
| Pyrene | 0.0091 | U F1 | 3.67 | 2.05 | F1 | mg/Kg | ✱ | 56 | 71 - 122 | 14 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 64 | | 10 - 123 |
| 2-Fluorobiphenyl | 59 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 52 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 56 | | 19 - 105 |
| Phenol-d5 (Surr) | 59 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 66 | | 25 - 127 |

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-733973/1-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-733973/1-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|-----------|--------------|--------|--------|-------|---|----------------|----------------|---------|
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 10/22/20 18:34 | 10/23/20 06:18 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 101 | | 28 - 148 | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| DCB Decachlorobiphenyl | 108 | | 28 - 148 | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Tetrachloro-m-xylene | 98 | | 34 - 118 | 10/22/20 18:34 | 10/23/20 06:18 | 1 |
| Tetrachloro-m-xylene | 100 | | 34 - 118 | 10/22/20 18:34 | 10/23/20 06:18 | 1 |

Lab Sample ID: LCS 460-733973/2-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------|-------------|------------|---------------|-------|---|------|--------------|
| 4,4'-DDD | 0.133 | 0.153 | | mg/Kg | | 115 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.162 | | mg/Kg | | 122 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.145 | | mg/Kg | | 109 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.160 | | mg/Kg | | 120 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.132 | | mg/Kg | | 99 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.132 | | mg/Kg | | 99 | 63 - 131 |
| Aldrin | 0.133 | 0.146 | | mg/Kg | | 109 | 74 - 140 |
| Aldrin | 0.133 | 0.157 | | mg/Kg | | 118 | 74 - 140 |
| alpha-BHC | 0.133 | 0.150 | | mg/Kg | | 112 | 72 - 142 |
| alpha-BHC | 0.133 | 0.159 | | mg/Kg | | 120 | 72 - 142 |
| beta-BHC | 0.133 | 0.149 | | mg/Kg | | 111 | 65 - 137 |
| beta-BHC | 0.133 | 0.160 | | mg/Kg | | 120 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.157 | | mg/Kg | | 118 | 70 - 136 |
| delta-BHC | 0.133 | 0.147 | | mg/Kg | | 111 | 70 - 143 |
| delta-BHC | 0.133 | 0.156 | | mg/Kg | | 117 | 70 - 143 |
| Dieldrin | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 135 |
| Dieldrin | 0.133 | 0.158 | | mg/Kg | | 119 | 70 - 135 |
| Endosulfan I | 0.133 | 0.143 | | mg/Kg | | 107 | 68 - 135 |
| Endosulfan I | 0.133 | 0.156 | | mg/Kg | | 117 | 68 - 135 |
| Endosulfan II | 0.133 | 0.152 | | mg/Kg | | 114 | 64 - 130 |
| Endosulfan II | 0.133 | 0.161 | | mg/Kg | | 120 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.141 | | mg/Kg | | 105 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.152 | | mg/Kg | | 114 | 66 - 143 |
| Endrin | 0.133 | 0.125 | | mg/Kg | | 94 | 68 - 136 |
| Endrin | 0.133 | 0.137 | | mg/Kg | | 103 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.151 | | mg/Kg | | 113 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.157 | | mg/Kg | | 118 | 68 - 132 |
| Endrin ketone | 0.133 | 0.148 | | mg/Kg | | 111 | 60 - 150 |
| Endrin ketone | 0.133 | 0.153 | | mg/Kg | | 114 | 60 - 150 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-733973/2-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|-------------|------------|---------------|-------|---|------|--------------|
| gamma-BHC (Lindane) | 0.133 | 0.151 | | mg/Kg | | 113 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.158 | | mg/Kg | | 119 | 70 - 134 |
| Heptachlor | 0.133 | 0.135 | | mg/Kg | | 101 | 69 - 134 |
| Heptachlor | 0.133 | 0.142 | | mg/Kg | | 106 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.140 | | mg/Kg | | 105 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.154 | | mg/Kg | | 116 | 70 - 135 |
| Methoxychlor | 0.133 | 0.120 | | mg/Kg | | 90 | 57 - 135 |
| Methoxychlor | 0.133 | 0.115 | | mg/Kg | | 87 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.143 | | mg/Kg | | 107 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.157 | | mg/Kg | | 118 | 71 - 137 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 99 | | 28 - 148 |
| DCB Decachlorobiphenyl | 103 | | 28 - 148 |
| Tetrachloro-m-xylene | 94 | | 34 - 118 |
| Tetrachloro-m-xylene | 103 | | 34 - 118 |

Lab Sample ID: LCSD 460-733973/3-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|--------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-------|
| 4,4'-DDD | 0.133 | 0.152 | | mg/Kg | | 114 | 70 - 140 | 1 | 30 |
| 4,4'-DDD | 0.133 | 0.160 | | mg/Kg | | 120 | 70 - 140 | 2 | 30 |
| 4,4'-DDE | 0.133 | 0.144 | | mg/Kg | | 108 | 71 - 137 | 1 | 30 |
| 4,4'-DDE | 0.133 | 0.157 | | mg/Kg | | 118 | 71 - 137 | 2 | 30 |
| 4,4'-DDT | 0.133 | 0.130 | | mg/Kg | | 98 | 63 - 131 | 2 | 30 |
| 4,4'-DDT | 0.133 | 0.128 | | mg/Kg | | 96 | 63 - 131 | 3 | 30 |
| Aldrin | 0.133 | 0.145 | | mg/Kg | | 109 | 74 - 140 | 1 | 30 |
| Aldrin | 0.133 | 0.157 | | mg/Kg | | 118 | 74 - 140 | 0 | 30 |
| alpha-BHC | 0.133 | 0.149 | | mg/Kg | | 112 | 72 - 142 | 1 | 30 |
| alpha-BHC | 0.133 | 0.160 | | mg/Kg | | 120 | 72 - 142 | 1 | 30 |
| beta-BHC | 0.133 | 0.148 | | mg/Kg | | 111 | 65 - 137 | 1 | 30 |
| beta-BHC | 0.133 | 0.161 | | mg/Kg | | 121 | 65 - 137 | 0 | 30 |
| cis-Chlordane | 0.133 | 0.141 | | mg/Kg | | 106 | 70 - 136 | 1 | 30 |
| cis-Chlordane | 0.133 | 0.156 | | mg/Kg | | 117 | 70 - 136 | 1 | 30 |
| delta-BHC | 0.133 | 0.147 | | mg/Kg | | 110 | 70 - 143 | 1 | 30 |
| delta-BHC | 0.133 | 0.156 | | mg/Kg | | 117 | 70 - 143 | 0 | 30 |
| Dieldrin | 0.133 | 0.143 | | mg/Kg | | 107 | 70 - 135 | 1 | 30 |
| Dieldrin | 0.133 | 0.158 | | mg/Kg | | 118 | 70 - 135 | 0 | 30 |
| Endosulfan I | 0.133 | 0.142 | | mg/Kg | | 107 | 68 - 135 | 1 | 30 |
| Endosulfan I | 0.133 | 0.154 | | mg/Kg | | 115 | 68 - 135 | 1 | 30 |
| Endosulfan II | 0.133 | 0.152 | | mg/Kg | | 114 | 64 - 130 | 1 | 30 |
| Endosulfan II | 0.133 | 0.157 | | mg/Kg | | 118 | 64 - 130 | 2 | 30 |
| Endosulfan sulfate | 0.133 | 0.140 | | mg/Kg | | 105 | 66 - 143 | 1 | 30 |
| Endosulfan sulfate | 0.133 | 0.152 | | mg/Kg | | 114 | 66 - 143 | 0 | 30 |
| Endrin | 0.133 | 0.122 | | mg/Kg | | 91 | 68 - 136 | 3 | 30 |
| Endrin | 0.133 | 0.133 | | mg/Kg | | 100 | 68 - 136 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-733973/3-A

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Endrin aldehyde | 0.133 | 0.151 | | mg/Kg | | 113 | 68 - 132 | 0 | 30 |
| Endrin aldehyde | 0.133 | 0.157 | | mg/Kg | | 118 | 68 - 132 | 0 | 30 |
| Endrin ketone | 0.133 | 0.145 | | mg/Kg | | 109 | 60 - 150 | 2 | 30 |
| Endrin ketone | 0.133 | 0.151 | | mg/Kg | | 113 | 60 - 150 | 1 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.149 | | mg/Kg | | 112 | 70 - 134 | 1 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.159 | | mg/Kg | | 119 | 70 - 134 | 1 | 30 |
| Heptachlor | 0.133 | 0.134 | | mg/Kg | | 101 | 69 - 134 | 1 | 30 |
| Heptachlor | 0.133 | 0.140 | | mg/Kg | | 105 | 69 - 134 | 1 | 30 |
| Heptachlor epoxide | 0.133 | 0.140 | | mg/Kg | | 105 | 70 - 135 | 1 | 30 |
| Heptachlor epoxide | 0.133 | 0.155 | | mg/Kg | | 116 | 70 - 135 | 0 | 30 |
| Methoxychlor | 0.133 | 0.119 | | mg/Kg | | 89 | 57 - 135 | 1 | 30 |
| Methoxychlor | 0.133 | 0.114 | | mg/Kg | | 86 | 57 - 135 | 1 | 30 |
| trans-Chlordane | 0.133 | 0.142 | | mg/Kg | | 106 | 71 - 137 | 1 | 30 |
| trans-Chlordane | 0.133 | 0.157 | | mg/Kg | | 118 | 71 - 137 | 0 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 95 | | 28 - 148 |
| DCB Decachlorobiphenyl | 102 | | 28 - 148 |
| Tetrachloro-m-xylene | 92 | | 34 - 118 |
| Tetrachloro-m-xylene | 102 | | 34 - 118 |

Lab Sample ID: 460-221077-A-1-C MS

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.0024 | J | 0.167 | 0.195 | | mg/Kg | ✱ | 115 | 70 - 140 |
| 4,4'-DDE | 0.00099 | U | 0.167 | 0.181 | | mg/Kg | ✱ | 108 | 71 - 137 |
| 4,4'-DDE | 0.00099 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 110 | 71 - 137 |
| 4,4'-DDT | 0.0015 | U | 0.167 | 0.165 | | mg/Kg | ✱ | 99 | 63 - 131 |
| Aldrin | 0.0013 | U | 0.167 | 0.181 | | mg/Kg | ✱ | 108 | 74 - 140 |
| Aldrin | 0.0013 | U | 0.167 | 0.186 | | mg/Kg | ✱ | 112 | 74 - 140 |
| alpha-BHC | 0.00085 | U | 0.167 | 0.188 | | mg/Kg | ✱ | 113 | 72 - 142 |
| alpha-BHC | 0.00085 | U | 0.167 | 0.194 | | mg/Kg | ✱ | 116 | 72 - 142 |
| beta-BHC | 0.00094 | U | 0.167 | 0.182 | | mg/Kg | ✱ | 109 | 65 - 137 |
| beta-BHC | 0.00094 | U | 0.167 | 0.185 | | mg/Kg | ✱ | 111 | 65 - 137 |
| cis-Chlordane | 0.0013 | U | 0.167 | 0.178 | | mg/Kg | ✱ | 106 | 70 - 136 |
| cis-Chlordane | 0.0013 | U | 0.167 | 0.182 | | mg/Kg | ✱ | 109 | 70 - 136 |
| delta-BHC | 0.00051 | U | 0.167 | 0.188 | | mg/Kg | ✱ | 112 | 70 - 143 |
| delta-BHC | 0.00051 | U | 0.167 | 0.189 | | mg/Kg | ✱ | 113 | 70 - 143 |
| Dieldrin | 0.0011 | U | 0.167 | 0.180 | | mg/Kg | ✱ | 108 | 70 - 135 |
| Dieldrin | 0.0011 | U | 0.167 | 0.186 | | mg/Kg | ✱ | 112 | 70 - 135 |
| Endosulfan I | 0.0013 | U | 0.167 | 0.178 | | mg/Kg | ✱ | 107 | 68 - 135 |
| Endosulfan I | 0.0013 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 110 | 68 - 135 |
| Endosulfan II | 0.0022 | U | 0.167 | 0.189 | | mg/Kg | ✱ | 113 | 64 - 130 |
| Endosulfan II | 0.0022 | U | 0.167 | 0.189 | | mg/Kg | ✱ | 113 | 64 - 130 |
| Endosulfan sulfate | 0.0011 | U | 0.167 | 0.194 | | mg/Kg | ✱ | 116 | 66 - 143 |
| Endrin | 0.0012 | U | 0.167 | 0.171 | | mg/Kg | ✱ | 102 | 68 - 136 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-221077-A-1-C MS

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Endrin | 0.0012 | U | 0.167 | 0.177 | | mg/Kg | ✱ | 106 | 68 - 136 |
| Endrin aldehyde | 0.0020 | U | 0.167 | 0.179 | | mg/Kg | ✱ | 107 | 68 - 132 |
| Endrin ketone | 0.0016 | U | 0.167 | 0.180 | | mg/Kg | ✱ | 108 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00078 | U | 0.167 | 0.189 | | mg/Kg | ✱ | 113 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00078 | U | 0.167 | 0.192 | | mg/Kg | ✱ | 115 | 70 - 134 |
| Heptachlor | 0.00099 | U | 0.167 | 0.168 | | mg/Kg | ✱ | 100 | 69 - 134 |
| Heptachlor epoxide | 0.0013 | U | 0.167 | 0.174 | | mg/Kg | ✱ | 105 | 70 - 135 |
| Heptachlor epoxide | 0.0013 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 110 | 70 - 135 |
| Methoxychlor | 0.0019 | U | 0.167 | 0.150 | | mg/Kg | ✱ | 90 | 57 - 135 |
| trans-Chlordane | 0.0015 | U | 0.167 | 0.175 | | mg/Kg | ✱ | 105 | 71 - 137 |
| trans-Chlordane | 0.0015 | U | 0.167 | 0.175 | | mg/Kg | ✱ | 105 | 71 - 137 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 95 | | 28 - 148 |
| DCB Decachlorobiphenyl | 93 | | 28 - 148 |
| Tetrachloro-m-xylene | 91 | | 34 - 118 |
| Tetrachloro-m-xylene | 100 | | 34 - 118 |

Lab Sample ID: 460-221077-A-1-D MSD

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.0024 | J | 0.167 | 0.202 | | mg/Kg | ✱ | 120 | 70 - 140 | 4 | 30 |
| 4,4'-DDE | 0.00099 | U | 0.167 | 0.187 | | mg/Kg | ✱ | 112 | 71 - 137 | 3 | 30 |
| 4,4'-DDT | 0.0015 | U | 0.167 | 0.169 | | mg/Kg | ✱ | 102 | 63 - 131 | 3 | 30 |
| Aldrin | 0.0013 | U | 0.167 | 0.187 | | mg/Kg | ✱ | 112 | 74 - 140 | 3 | 30 |
| Aldrin | 0.0013 | U | 0.167 | 0.189 | | mg/Kg | ✱ | 113 | 74 - 140 | 2 | 30 |
| alpha-BHC | 0.00085 | U | 0.167 | 0.194 | | mg/Kg | ✱ | 116 | 72 - 142 | 3 | 30 |
| alpha-BHC | 0.00085 | U | 0.167 | 0.197 | | mg/Kg | ✱ | 118 | 72 - 142 | 2 | 30 |
| beta-BHC | 0.00094 | U | 0.167 | 0.187 | | mg/Kg | ✱ | 112 | 65 - 137 | 3 | 30 |
| beta-BHC | 0.00094 | U | 0.167 | 0.187 | | mg/Kg | ✱ | 112 | 65 - 137 | 1 | 30 |
| cis-Chlordane | 0.0013 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 110 | 70 - 136 | 3 | 30 |
| delta-BHC | 0.00051 | U | 0.167 | 0.194 | | mg/Kg | ✱ | 116 | 70 - 143 | 3 | 30 |
| Dieldrin | 0.0011 | U | 0.167 | 0.186 | | mg/Kg | ✱ | 112 | 70 - 135 | 3 | 30 |
| Dieldrin | 0.0011 | U | 0.167 | 0.188 | | mg/Kg | ✱ | 113 | 70 - 135 | 1 | 30 |
| Endosulfan I | 0.0013 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 110 | 68 - 135 | 3 | 30 |
| Endosulfan I | 0.0013 | U | 0.167 | 0.184 | | mg/Kg | ✱ | 111 | 68 - 135 | 0 | 30 |
| Endosulfan II | 0.0022 | U | 0.167 | 0.195 | | mg/Kg | ✱ | 117 | 64 - 130 | 4 | 30 |
| Endosulfan sulfate | 0.0011 | U | 0.167 | 0.200 | | mg/Kg | ✱ | 120 | 66 - 143 | 3 | 30 |
| Endrin | 0.0012 | U | 0.167 | 0.176 | | mg/Kg | ✱ | 106 | 68 - 136 | 3 | 30 |
| Endrin | 0.0012 | U | 0.167 | 0.177 | | mg/Kg | ✱ | 106 | 68 - 136 | 0 | 30 |
| Endrin aldehyde | 0.0020 | U | 0.167 | 0.185 | | mg/Kg | ✱ | 111 | 68 - 132 | 3 | 30 |
| Endrin ketone | 0.0016 | U | 0.167 | 0.186 | | mg/Kg | ✱ | 112 | 60 - 150 | 3 | 30 |
| gamma-BHC (Lindane) | 0.00078 | U | 0.167 | 0.195 | | mg/Kg | ✱ | 117 | 70 - 134 | 3 | 30 |
| gamma-BHC (Lindane) | 0.00078 | U | 0.167 | 0.196 | | mg/Kg | ✱ | 117 | 70 - 134 | 2 | 30 |
| Heptachlor | 0.00099 | U | 0.167 | 0.172 | | mg/Kg | ✱ | 104 | 69 - 134 | 3 | 30 |
| Heptachlor epoxide | 0.0013 | U | 0.167 | 0.180 | | mg/Kg | ✱ | 108 | 70 - 135 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-221077-A-1-D MSD

Matrix: Solid

Analysis Batch: 734075

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733973

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Heptachlor epoxide | 0.0013 | U | 0.167 | 0.185 | | mg/Kg | ✱ | 111 | 70 - 135 | 1 | 30 |
| Methoxychlor | 0.0019 | U | 0.167 | 0.154 | | mg/Kg | ✱ | 93 | 57 - 135 | 3 | 30 |
| trans-Chlordane | 0.0015 | U | 0.167 | 0.181 | | mg/Kg | ✱ | 108 | 71 - 137 | 3 | 30 |
| Surrogate | MSD %Recovery | MSD Qualifier | Limits | | | | | | | | |
| DCB Decachlorobiphenyl | 96 | | 28 - 148 | | | | | | | | |
| DCB Decachlorobiphenyl | 92 | | 28 - 148 | | | | | | | | |
| Tetrachloro-m-xylene | 92 | | 34 - 118 | | | | | | | | |
| Tetrachloro-m-xylene | 100 | | 34 - 118 | | | | | | | | |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-733974/1-A

Matrix: Solid

Analysis Batch: 734096

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733974

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------------|--------------|----------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 102 | | 10 - 150 | | | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| DCB Decachlorobiphenyl | 108 | | 10 - 150 | | | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 | | | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 | | | | 10/22/20 18:42 | 10/23/20 08:00 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 460-733974/2-A

Matrix: Solid

Analysis Batch: 734096

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733974

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|-------|---|------|--------------|
| Aroclor 1016 | 0.333 | 0.326 | | mg/Kg | | 98 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.346 | | mg/Kg | | 104 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.320 | | mg/Kg | | 96 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.338 | | mg/Kg | | 102 | 71 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 104 | | 10 - 150 |
| DCB Decachlorobiphenyl | 103 | | 10 - 150 |
| Tetrachloro-m-xylene | 99 | | 58 - 145 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 |

Lab Sample ID: LCSD 460-733974/3-A

Matrix: Solid

Analysis Batch: 734096

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733974

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.333 | 0.308 | | mg/Kg | | 93 | 65 - 133 | 6 | 30 |
| Aroclor 1016 | 0.333 | 0.333 | | mg/Kg | | 100 | 65 - 133 | 4 | 30 |
| Aroclor 1260 | 0.333 | 0.324 | | mg/Kg | | 97 | 71 - 150 | 2 | 30 |
| Aroclor 1260 | 0.333 | 0.328 | | mg/Kg | | 99 | 71 - 150 | 3 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 97 | | 10 - 150 |
| DCB Decachlorobiphenyl | 97 | | 10 - 150 |
| Tetrachloro-m-xylene | 93 | | 58 - 145 |
| Tetrachloro-m-xylene | 98 | | 58 - 145 |

Lab Sample ID: 460-221077-A-1-F MS

Matrix: Solid

Analysis Batch: 734096

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733974

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aroclor 1016 | 0.011 | U | 0.418 | 0.437 | | mg/Kg | ✱ | 105 | 65 - 133 |
| Aroclor 1016 | 0.011 | U | 0.418 | 0.473 | | mg/Kg | ✱ | 113 | 65 - 133 |
| Aroclor 1260 | 0.012 | U | 0.418 | 0.430 | | mg/Kg | ✱ | 103 | 71 - 150 |
| Aroclor 1260 | 0.012 | U | 0.418 | 0.437 | | mg/Kg | ✱ | 105 | 71 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 102 | | 10 - 150 |
| DCB Decachlorobiphenyl | 103 | | 10 - 150 |
| Tetrachloro-m-xylene | 101 | | 58 - 145 |
| Tetrachloro-m-xylene | 110 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 460-221077-A-1-G MSD

Matrix: Solid

Analysis Batch: 734096

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733974

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.011 | U | 0.417 | 0.411 | | mg/Kg | ☼ | 99 | 65 - 133 | 6 | 30 |
| Aroclor 1016 | 0.011 | U | 0.417 | 0.421 | | mg/Kg | ☼ | 101 | 65 - 133 | 12 | 30 |
| Aroclor 1260 | 0.012 | U | 0.417 | 0.388 | | mg/Kg | ☼ | 93 | 71 - 150 | 12 | 30 |
| Aroclor 1260 | 0.012 | U | 0.417 | 0.386 | | mg/Kg | ☼ | 93 | 71 - 150 | 11 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 94 | | 10 - 150 |
| DCB Decachlorobiphenyl | 96 | | 10 - 150 |
| Tetrachloro-m-xylene | 93 | | 58 - 145 |
| Tetrachloro-m-xylene | 100 | | 58 - 145 |

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-733972/1-A

Matrix: Solid

Analysis Batch: 734129

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 733972

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 10/22/20 18:30 | 10/23/20 07:44 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 101 | | 30 - 150 | 10/22/20 18:30 | 10/23/20 07:44 | 1 |
| 2,4-Dichlorophenylacetic acid | 101 | | 30 - 150 | 10/22/20 18:30 | 10/23/20 07:44 | 1 |

Lab Sample ID: LCS 460-733972/2-A

Matrix: Solid

Analysis Batch: 734129

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 733972

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0815 | | mg/Kg | | 98 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0860 | | mg/Kg | | 103 | 59 - 150 |
| 2,4-D | 0.333 | 0.317 | | mg/Kg | | 95 | 42 - 150 |
| 2,4-D | 0.333 | 0.334 | | mg/Kg | | 100 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0793 | | mg/Kg | | 95 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0987 | | mg/Kg | | 118 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 103 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 116 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCSD 460-733972/3-A

Matrix: Solid

Analysis Batch: 734129

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 733972

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0833 | 0.0835 | | mg/Kg | | 100 | 59 - 150 | 2 | 30 |
| 2,4,5-T | 0.0833 | 0.0904 | | mg/Kg | | 108 | 59 - 150 | 5 | 30 |
| 2,4-D | 0.333 | 0.322 | | mg/Kg | | 97 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.350 | | mg/Kg | | 105 | 42 - 150 | 5 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0812 | | mg/Kg | | 97 | 58 - 150 | 2 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.103 | | mg/Kg | | 123 | 58 - 150 | 4 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 106 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 124 | | 30 - 150 |

Lab Sample ID: 460-221050-B-1-C MS

Matrix: Solid

Analysis Batch: 734129

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 733972

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0079 | U | 0.0931 | 0.0895 | | mg/Kg | ✱ | 96 | 59 - 150 |
| 2,4,5-T | 0.0079 | U | 0.0931 | 0.103 | | mg/Kg | ✱ | 110 | 59 - 150 |
| 2,4-D | 0.014 | U | 0.372 | 0.348 | | mg/Kg | ✱ | 94 | 42 - 150 |
| 2,4-D | 0.014 | U | 0.372 | 0.392 | | mg/Kg | ✱ | 105 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0931 | 0.0901 | | mg/Kg | ✱ | 97 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0931 | 0.113 | | mg/Kg | ✱ | 122 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 102 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 127 | | 30 - 150 |

Lab Sample ID: 460-221050-B-1-D MSD

Matrix: Solid

Analysis Batch: 734129

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 733972

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0079 | U | 0.0931 | 0.0877 | | mg/Kg | ✱ | 94 | 59 - 150 | 2 | 30 |
| 2,4,5-T | 0.0079 | U | 0.0931 | 0.102 | | mg/Kg | ✱ | 110 | 59 - 150 | 0 | 30 |
| 2,4-D | 0.014 | U | 0.372 | 0.340 | | mg/Kg | ✱ | 91 | 42 - 150 | 3 | 30 |
| 2,4-D | 0.014 | U | 0.372 | 0.401 | | mg/Kg | ✱ | 108 | 42 - 150 | 2 | 30 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0931 | 0.0863 | | mg/Kg | ✱ | 93 | 58 - 150 | 4 | 30 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0931 | 0.114 | | mg/Kg | ✱ | 122 | 58 - 150 | 0 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 103 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 131 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-734270/1-A

Matrix: Solid

Analysis Batch: 734828

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734270

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 10/23/20 14:45 | 10/24/20 02:15 | 1 |

Lab Sample ID: LCSSRM 460-734270/2-A ^5

Matrix: Solid

Analysis Batch: 734828

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 734270

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Aluminum | 8460 | 7681 | | mg/Kg | | 90.8 | 50.4 - 150.1 |
| Antimony | 120 | 79.39 | | mg/Kg | | 66.2 | 4.8 - 195.0 |
| Arsenic | 95.5 | 91.09 | | mg/Kg | | 95.4 | 82.8 - 117.3 |
| Barium | 300 | 305.1 | | mg/Kg | | 101.7 | 82.3 - 117.7 |
| Beryllium | 103 | 95.53 | | mg/Kg | | 92.7 | 82.8 - 116.5 |
| Cadmium | 135 | 130.4 | | mg/Kg | | 96.6 | 83.0 - 117.8 |
| Calcium | 4720 | 4722 | | mg/Kg | | 100.0 | 81.6 - 118.6 |
| Chromium | 147 | 139.4 | | mg/Kg | | 94.8 | 82.3 - 117.7 |
| Cobalt | 43.2 | 41.71 | | mg/Kg | | 96.5 | 83.8 - 116.2 |
| Copper | 150 | 141.1 | | mg/Kg | | 94.1 | 84.0 - 116.0 |
| Iron | 14400 | 14330 | | mg/Kg | | 99.5 | 61.3 - 138.9 |
| Lead | 92.3 | 85.38 | | mg/Kg | | 92.5 | 83.1 - 117.0 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-734270/2-A ^5

Matrix: Solid

Analysis Batch: 734828

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 734270

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|------|--------------|
| Magnesium | 2300 | 2246 | | mg/Kg | | 97.7 | 75.7 - 124.3 |
| Manganese | 677 | 654.0 | | mg/Kg | | 96.6 | 82.0 - 118.2 |
| Nickel | 59.8 | 58.11 | | mg/Kg | | 97.2 | 82.6 - 117.6 |
| Potassium | 2030 | 1918 | | mg/Kg | | 94.5 | 70.0 - 130.0 |
| Selenium | 42.0 | 41.28 | | mg/Kg | | 98.3 | 79.5 - 120.5 |
| Silver | 40.3 | 36.96 | | mg/Kg | | 91.7 | 80.6 - 119.4 |
| Sodium | 139 | 128.5 | J | mg/Kg | | 92.4 | 71.9 - 127.3 |
| Thallium | 83.1 | 78.88 | | mg/Kg | | 94.9 | 81.0 - 119.0 |
| Vanadium | 96.9 | 92.98 | | mg/Kg | | 96.0 | 79.2 - 120.7 |
| Zinc | 369 | 354.9 | | mg/Kg | | 96.2 | 80.8 - 119.2 |

Lab Sample ID: 460-221093-A-4-D MS

Matrix: Solid

Analysis Batch: 734828

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 734270

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aluminum | 19200 | | 515 | 18070 | 4 | mg/Kg | ✱ | -221 | 75 - 125 |
| Antimony | 0.14 | U F1 | 5.15 | 2.04 | F1 | mg/Kg | ✱ | 40 | 75 - 125 |
| Arsenic | 1.5 | | 10.3 | 10.51 | | mg/Kg | ✱ | 88 | 75 - 125 |
| Barium | 304 | | 10.3 | 276.6 | 4 | mg/Kg | ✱ | -267 | 75 - 125 |
| Beryllium | 0.48 | | 5.15 | 5.18 | | mg/Kg | ✱ | 91 | 75 - 125 |
| Cadmium | 0.12 | J | 5.15 | 4.97 | | mg/Kg | ✱ | 94 | 75 - 125 |
| Calcium | 7420 | | 515 | 4971 | 4 | mg/Kg | ✱ | -476 | 75 - 125 |
| Chromium | 10.3 | | 10.3 | 19.38 | | mg/Kg | ✱ | 88 | 75 - 125 |
| Cobalt | 11.9 | F1 | 5.15 | 14.49 | F1 | mg/Kg | ✱ | 51 | 75 - 125 |
| Copper | 13.8 | F1 | 10.3 | 20.32 | F1 | mg/Kg | ✱ | 63 | 75 - 125 |
| Iron | 41500 | | 515 | 45090 | 4 | mg/Kg | ✱ | 697 | 75 - 125 |
| Lead | 5.7 | | 5.15 | 10.26 | | mg/Kg | ✱ | 88 | 75 - 125 |
| Magnesium | 9440 | | 515 | 7634 | 4 | mg/Kg | ✱ | -352 | 75 - 125 |
| Manganese | 721 | | 51.5 | 732.9 | 4 | mg/Kg | ✱ | 23 | 75 - 125 |
| Nickel | 5.7 | | 10.3 | 13.84 | | mg/Kg | ✱ | 79 | 75 - 125 |
| Potassium | 6000 | | 515 | 5087 | 4 | mg/Kg | ✱ | -178 | 75 - 125 |
| Selenium | 0.12 | U | 10.3 | 8.67 | | mg/Kg | ✱ | 84 | 75 - 125 |
| Silver | 0.087 | U | 5.15 | 4.53 | | mg/Kg | ✱ | 88 | 75 - 125 |
| Sodium | 222 | | 515 | 625.5 | | mg/Kg | ✱ | 78 | 75 - 125 |
| Thallium | 0.14 | J | 4.12 | 4.04 | | mg/Kg | ✱ | 95 | 75 - 125 |
| Vanadium | 66.0 | | 10.3 | 74.56 | 4 | mg/Kg | ✱ | 84 | 75 - 125 |
| Zinc | 84.9 | F1 | 51.5 | 116.7 | F1 | mg/Kg | ✱ | 62 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-221093-A-4-C DU
Matrix: Solid
Analysis Batch: 734828

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 734270

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Aluminum | 19200 | | 18760 | | mg/Kg | ✱ | 2 | 20 |
| Antimony | 0.14 | U F1 | 0.15 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 1.5 | | 1.69 | | mg/Kg | ✱ | 14 | 20 |
| Barium | 304 | | 275.0 | | mg/Kg | ✱ | 10 | 20 |
| Beryllium | 0.48 | | 0.623 | F5 | mg/Kg | ✱ | 26 | 20 |
| Cadmium | 0.12 | J | 0.135 | J | mg/Kg | ✱ | 10 | 20 |
| Calcium | 7420 | | 4830 | F3 | mg/Kg | ✱ | 42 | 20 |
| Chromium | 10.3 | | 14.04 | F3 | mg/Kg | ✱ | 30 | 20 |
| Cobalt | 11.9 | F1 | 10.79 | | mg/Kg | ✱ | 9 | 20 |
| Copper | 13.8 | F1 | 12.70 | | mg/Kg | ✱ | 8 | 20 |
| Iron | 41500 | | 45790 | | mg/Kg | ✱ | 10 | 20 |
| Lead | 5.7 | | 5.93 | | mg/Kg | ✱ | 4 | 20 |
| Magnesium | 9440 | | 8324 | | mg/Kg | ✱ | 13 | 20 |
| Manganese | 721 | | 724.8 | | mg/Kg | ✱ | 0.5 | 20 |
| Nickel | 5.7 | | 7.71 | F5 | mg/Kg | ✱ | 29 | 20 |
| Potassium | 6000 | | 5431 | | mg/Kg | ✱ | 10 | 20 |
| Selenium | 0.12 | U | 0.12 | U | mg/Kg | ✱ | NC | 20 |
| Silver | 0.087 | U | 0.090 | U | mg/Kg | ✱ | NC | 20 |
| Sodium | 222 | | 212.5 | | mg/Kg | ✱ | 4 | 20 |
| Thallium | 0.14 | J | 0.154 | J | mg/Kg | ✱ | 9 | 20 |
| Vanadium | 66.0 | | 73.12 | | mg/Kg | ✱ | 10 | 20 |
| Zinc | 84.9 | F1 | 84.65 | | mg/Kg | ✱ | 0.2 | 20 |

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-734767/1-A
Matrix: Solid
Analysis Batch: 734871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 734767

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 10/26/20 04:21 | 10/26/20 09:07 | 1 |

Lab Sample ID: LCSSRM 460-734767/2-A ^40
Matrix: Solid
Analysis Batch: 734871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 734767

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Mercury | 18.4 | 17.90 | | mg/Kg | | 97.3 | 60.9 - 138.6 |

Lab Sample ID: 460-221337-A-3-D MS
Matrix: Solid
Analysis Batch: 734871

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 734767

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.025 | F1 | 0.0931 | 0.137 | F1 | mg/Kg | ✱ | 121 | 80 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: 460-221337-A-3-C DU

Matrix: Solid

Analysis Batch: 734871

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 734767

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Mercury | 0.025 | F1 | 0.0283 | | mg/Kg | ✱ | 13 | 20 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-735139/1-A

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 10/27/20 09:01 | 10/27/20 13:52 | 1 |

Lab Sample ID: LCSi 460-735139/3-A

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | Spike Added | LCSi Result | LCSi Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|-------------|----------------|-------|---|------|--------------|
| Cr (VI) | 708 | 649.0 | | mg/Kg | | 92 | 80 - 120 |

Lab Sample ID: LCSSRM 460-735139/2-A

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Cr (VI) | 15.6 | 14.59 | | mg/Kg | | 93.8 | 84.2 - 114.5 |

Lab Sample ID: 460-221133-1 MSI

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: TP-17 (0-2)

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSI Result | MSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.38 | U | 773 | 676.5 | | mg/Kg | ✱ | 88 | 75 - 125 |

Lab Sample ID: 460-221133-1 MSS

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: TP-17 (0-2)

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSS Result | MSS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.38 | U | 43.7 | 38.23 | | mg/Kg | ✱ | 88 | 75 - 125 |

Lab Sample ID: 460-221133-1 DU

Matrix: Solid

Analysis Batch: 735172

Client Sample ID: TP-17 (0-2)

Prep Type: Total/NA

Prep Batch: 735139

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Cr (VI) | 0.38 | U | 0.38 | U | mg/Kg | ✱ | NC | 20 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Method: 9012B - Cyanide, Total andor Amenable

Lab Sample ID: MB 460-734277/1-A

Matrix: Solid

Analysis Batch: 734889

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 734277

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------------|-----------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 10/23/20 17:04 | 10/26/20 10:44 | 1 |

Lab Sample ID: LCSSRM 460-734277/2-A ^20

Matrix: Solid

Analysis Batch: 734889

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 734277

| Analyte | Spike
Added | LCSSRM
Result | LCSSRM
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|----------------|----------------|------------------|---------------------|-------|---|------|------------------|
| Cyanide, Total | 157 | 120.0 | | mg/Kg | | 76.4 | 23.5 - 110.
2 |

Lab Sample ID: 460-221208-A-1-H MS

Matrix: Solid

Analysis Batch: 734889

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 734277

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MS
Result | MS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|----------------|------------------|---------------------|----------------|--------------|-----------------|-------|---|------|-----------------|
| Cyanide, Total | 0.14 | U | 5.43 | 4.83 | | mg/Kg | ⊛ | 89 | 11 - 108 |

Lab Sample ID: 460-221208-A-1-I MSD

Matrix: Solid

Analysis Batch: 734889

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 734277

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MSD
Result | MSD
Qualifier | Unit | D | %Rec | %Rec.
Limits | RPD | RPD
Limit |
|----------------|------------------|---------------------|----------------|---------------|------------------|-------|---|------|-----------------|-----|--------------|
| Cyanide, Total | 0.14 | U | 5.43 | 3.42 | | mg/Kg | ⊛ | 63 | 11 - 108 | 34 | 40 |

Method: Moisture - Percent Moisture

Lab Sample ID: 460-221101-F-9 DU

Matrix: Solid

Analysis Batch: 734236

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample
Result | Sample
Qualifier | DU
Result | DU
Qualifier | Unit | D | RPD | RPD
Limit |
|------------------|------------------|---------------------|--------------|-----------------|------|---|-----|--------------|
| Percent Moisture | 8.6 | | 9.5 | | % | | 10 | 20 |
| Percent Solids | 91.4 | | 90.5 | | % | | 1 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

GC/MS VOA

Prep Batch: 734023

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 5035 | 734023 |
| LB3 460-734023/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 734084

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LB3 460-734023/1-A | Method Blank | Total/NA | Solid | 8260D | 734023 |
| MB 460-734084/7 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-734084/3 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-734084/4 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |
| | | | | | |

Analysis Batch: 734254

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8260D | 734023 |
| MB 460-734254/7 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-734254/3 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-734254/4 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |
| | | | | | |

GC/MS Semi VOA

Prep Batch: 734180

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 3546 | 734180 |
| MB 460-734180/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-734180/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| 460-219689-E-14-A MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-219689-E-14-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 734321

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8270E | 734180 |
| MB 460-734180/1-A | Method Blank | Total/NA | Solid | 8270E | |
| LCS 460-734180/2-A | Lab Control Sample | Total/NA | Solid | 8270E | |
| 460-219689-E-14-A MS | Matrix Spike | Total/NA | Solid | 8270E | |
| 460-219689-E-14-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270E | |

GC Semi VOA

Prep Batch: 733972

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8151A | 733972 |
| MB 460-733972/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-733972/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-733972/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-221050-B-1-C MS | Matrix Spike | Total/NA | Solid | 8151A | |
| 460-221050-B-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | |

Prep Batch: 733973

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 3546 | 733973 |
| MB 460-733973/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-733973/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-733973/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| | | | | | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

GC Semi VOA (Continued)

Prep Batch: 733973 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-221077-A-1-C MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-221077-A-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Prep Batch: 733974

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 3546 | |
| MB 460-733974/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-733974/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-733974/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-221077-A-1-F MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-221077-A-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 734075

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8081B | 733973 |
| MB 460-733973/1-A | Method Blank | Total/NA | Solid | 8081B | 733973 |
| LCS 460-733973/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 733973 |
| LCSD 460-733973/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 733973 |
| 460-221077-A-1-C MS | Matrix Spike | Total/NA | Solid | 8081B | 733973 |
| 460-221077-A-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 733973 |

Analysis Batch: 734096

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8082A | 733974 |
| MB 460-733974/1-A | Method Blank | Total/NA | Solid | 8082A | 733974 |
| LCS 460-733974/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 733974 |
| LCSD 460-733974/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 733974 |
| 460-221077-A-1-F MS | Matrix Spike | Total/NA | Solid | 8082A | 733974 |
| 460-221077-A-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 733974 |

Analysis Batch: 734128

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 8151A | 733972 |

Analysis Batch: 734129

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| MB 460-733972/1-A | Method Blank | Total/NA | Solid | 8151A | 733972 |
| LCS 460-733972/2-A | Lab Control Sample | Total/NA | Solid | 8151A | 733972 |
| LCSD 460-733972/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | 733972 |
| 460-221050-B-1-C MS | Matrix Spike | Total/NA | Solid | 8151A | 733972 |
| 460-221050-B-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | 733972 |

Metals

Prep Batch: 734270

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 3050B | |
| MB 460-734270/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-734270/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-221093-A-4-D MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-221093-A-4-C DU | Duplicate | Total/NA | Solid | 3050B | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Metals

Prep Batch: 734767

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 7471B | |
| MB 460-734767/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCSSRM 460-734767/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-221337-A-3-D MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-221337-A-3-C DU | Duplicate | Total/NA | Solid | 7471B | |

Analysis Batch: 734828

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 6020B | 734270 |
| MB 460-734270/1-A | Method Blank | Total/NA | Solid | 6020B | 734270 |
| LCSSRM 460-734270/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 734270 |
| 460-221093-A-4-D MS | Matrix Spike | Total/NA | Solid | 6020B | 734270 |
| 460-221093-A-4-C DU | Duplicate | Total/NA | Solid | 6020B | 734270 |

Analysis Batch: 734871

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 7471B | 734767 |
| MB 460-734767/1-A | Method Blank | Total/NA | Solid | 7471B | 734767 |
| LCSSRM 460-734767/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 734767 |
| 460-221337-A-3-D MS | Matrix Spike | Total/NA | Solid | 7471B | 734767 |
| 460-221337-A-3-C DU | Duplicate | Total/NA | Solid | 7471B | 734767 |

Analysis Batch: 734964

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 6020B | 734270 |

General Chemistry

Analysis Batch: 734236

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|----------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | Moisture | |
| 460-221101-F-9 DU | Duplicate | Total/NA | Solid | Moisture | |

Prep Batch: 734277

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 9012B | |
| MB 460-734277/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-734277/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-221208-A-1-H MS | Matrix Spike | Total/NA | Solid | 9012B | |
| 460-221208-A-1-I MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | |

Analysis Batch: 734889

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 9012B | 734277 |
| MB 460-734277/1-A | Method Blank | Total/NA | Solid | 9012B | 734277 |
| LCSSRM 460-734277/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 734277 |
| 460-221208-A-1-H MS | Matrix Spike | Total/NA | Solid | 9012B | 734277 |
| 460-221208-A-1-I MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | 734277 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

General Chemistry

Prep Batch: 735139

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 3060A | |
| MB 460-735139/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-735139/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-735139/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-221133-1 MSI | TP-17 (0-2) | Total/NA | Solid | 3060A | |
| 460-221133-1 MSS | TP-17 (0-2) | Total/NA | Solid | 3060A | |
| 460-221133-1 DU | TP-17 (0-2) | Total/NA | Solid | 3060A | |

Analysis Batch: 735172

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 7196A | 735139 |
| MB 460-735139/1-A | Method Blank | Total/NA | Solid | 7196A | 735139 |
| LCSI 460-735139/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 735139 |
| LCSSRM 460-735139/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 735139 |
| 460-221133-1 MSI | TP-17 (0-2) | Total/NA | Solid | 7196A | 735139 |
| 460-221133-1 MSS | TP-17 (0-2) | Total/NA | Solid | 7196A | 735139 |
| 460-221133-1 DU | TP-17 (0-2) | Total/NA | Solid | 7196A | 735139 |

Analysis Batch: 735261

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-221133-1 | TP-17 (0-2) | Total/NA | Solid | 7196A | |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 735261 | 10/27/20 16:58 | JMP | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 734236 | 10/23/20 13:12 | MMC | TAL EDI |

Client Sample ID: TP-17 (0-2)

Lab Sample ID: 460-221133-1

Date Collected: 10/21/20 13:00

Matrix: Solid

Date Received: 10/21/20 18:00

Percent Solids: 91.6

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 734023 | 10/22/20 20:40 | AVM | TAL EDI |
| Total/NA | Analysis | 8260D | | 1 | 734254 | 10/24/20 02:31 | VBP | TAL EDI |
| Total/NA | Prep | 3546 | | | 734180 | 10/23/20 10:03 | OTS | TAL EDI |
| Total/NA | Analysis | 8270E | | 1 | 734321 | 10/24/20 03:40 | YAH | TAL EDI |
| Total/NA | Prep | 3546 | | | 733973 | 10/22/20 18:34 | ARA | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 734075 | 10/23/20 11:38 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 733974 | 10/22/20 18:42 | ARA | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 734096 | 10/23/20 15:34 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 733972 | 10/22/20 18:30 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 734128 | 10/23/20 09:58 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 734270 | 10/23/20 14:45 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 734828 | 10/24/20 02:50 | VAD | TAL EDI |
| Total/NA | Prep | 3050B | | | 734270 | 10/23/20 14:45 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 5 | 734964 | 10/26/20 19:04 | DLE | TAL EDI |
| Total/NA | Prep | 7471B | | | 734767 | 10/26/20 04:21 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 734871 | 10/26/20 10:33 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 735139 | 10/27/20 09:01 | RPR | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 735172 | 10/27/20 13:52 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 734277 | 10/23/20 17:04 | MBE | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 734889 | 10/26/20 11:14 | AJP | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|----------------------------|
| 7196A | | Solid | Cr (III) |
| 8270E | 3546 | Solid | 1,2,4,5-Tetrachlorobenzene |
| 8270E | 3546 | Solid | 3 & 4 Methylphenol |
| 8270E | 3546 | Solid | Nitrobenzene |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260D | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270E | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-221133-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-221133-1 | TP-17 (0-2) | Solid | 10/21/20 13:00 | 10/21/20 18:00 | |

221133

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

IR Gun #

1

Cooler Temperatures

| | RAW | | CONNECTED | |
|------------|-----|-----------|------------|-----------|
| | RAW | CORRECTED | RAW | CORRECTED |
| Cooler #1: | 36 | ℃ | Cooler #4: | ℃ |
| Cooler #2: | ℃ | ℃ | Cooler #5: | ℃ |
| Cooler #3: | ℃ | ℃ | Cooler #6: | ℃ |
| | | | Cooler #7: | ℃ |
| | | | Cooler #8: | ℃ |
| | | | Cooler #9: | ℃ |

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials: Haral

Date: 10/21/20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-221133-1

Login Number: 221133

List Number: 1

Creator: Meyers, Gary

List Source: Eurofins TestAmerica, Edison

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-222083-1
Client Project/Site: Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
11/19/2020 9:46:49 AM

Allison Bennett, Project Manager I
(732)593-2517

Allison.Bennett@Eurofinset.com

Designee for

Melissa Haas, Senior Project Manager
(203)308-0880

Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

| |
|----|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |
| 8 |
| 9 |
| 10 |
| 11 |
| 12 |
| 13 |
| 14 |
| 15 |

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Allison Bennett
Project Manager I
11/19/2020 9:46:49 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 11 |
| Client Sample Results | 15 |
| Surrogate Summary | 32 |
| QC Sample Results | 34 |
| QC Association Summary | 71 |
| Lab Chronicle | 78 |
| Certification Summary | 81 |
| Method Summary | 82 |
| Sample Summary | 83 |
| Chain of Custody | 84 |
| Receipt Checklists | 86 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |
| N | This flag indicates the presumptive evidence of a compound. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |
| X | Surrogate recovery exceeds control limits |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| F2 | MS/MSD RPD exceeds control limits |
| HF | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |

Eurofins TestAmerica, Edison

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Job ID: 460-222083-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Commodore

Report Number: 460-222083-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/4/2020 6:00 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.5° C.

Receipt Exceptions

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. TCL lists were requested for VOC and SVOC; however, TCL/Part 375 lists are required per the client.

The client placed the following methods on hold for samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) on 11/5/2020: TCLP Metals, RCRA Characteristics. These methods were activated by the client on 11/11/2020.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were prepared on 11/05/2020 and analyzed on 11/07/2020.

The continuing calibration verification (CCV) associated with batch 460-737757 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

The continuing calibration verification (CCV) associated with batch 460-738009 recovered above the upper control limit for Trichlorofluoromethane, Carbon tetrachloride and 1,1,2-Trichloro-1,2,2-trifluoroethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Refer to the QC report for details.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Job ID: 460-222083-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No other difficulties were encountered during the Volatiles analysis.

All quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Methods 8270E. The samples were prepared on 11/06/2020 and analyzed on 11/07/2020.

The continuing calibration verification (CCV) analyzed in batch 460-737974 was outside the method criteria for the following analyte(s): Indeno[1,2,3-cd]pyrene, 4-Nitrophenol, bis (2-chloroisopropyl) ether, Benzaldehyde, Caprolactam, Hexachlorocyclopentadiene and Pentachlorophenol. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Several analytes failed the recovery criteria low for the MS/MSD of sample 460-222100-2 in batch 460-737974.

Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 11/06/2020 and analyzed on 11/09/2020.

Decachlorobiphenyl surrogate recovery for this sample was outside control limits (biased high), but Tetrachloro-m-xylene surrogate recovery within control limits; therefore the data have been qualified and reported. TP-15_(0-2) (460-222083-1)

The DCB Decachlorobiphenyl surrogate recovery for the following samples was outside acceptance limits (high biased) on the primary column due to matrix interference: TP-8_(0-2) (460-222083-3). The recovery is within acceptance limits on the other column, indicating that the extraction process was in control.

Aldrin and Endrin aldehyde failed the recovery criteria low for the MS of sample 460-222081-1 in batch 460-738298.

Refer to the QC report for details.

No other difficulties were encountered during the Pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 11/06/2020 and analyzed on 11/09/2020.

The continuing calibration verification (CCVIS) for AR 1016 peak # 6 and AR1260 peak # 6 recovered outside the control limit on the primary column. (CCVIS 460-738324/2)

The continuing calibration verification (CCV) for Tetrachloro-m-xylene surrogate recovered outside the lower control limit on the secondary column but within control limits on the primary column. The data have been qualified and reported. (CCVIS 460-738324/2).

Refer to the QC report for details.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Job ID: 460-222083-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No other difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 11/05/2020 and analyzed on 11/06/2020.

No difficulties were encountered during the herbicides analysis.

All quality control parameters were within the acceptance limits.

TCLP METALS

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for TCLP metals in accordance with 6010D. The samples were leached on 11/12/2020, prepared on 11/13/2020 and analyzed on 11/14/2020.

No difficulties were encountered during the TCLP metals analysis.

All other quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples were prepared on 11/05/2020 and analyzed on 11/06/2020 and 11/07/2020.

Antimony failed the recovery criteria low for the MS of sample 460-222062-1 in batch 460-737873. Several analytes failed the recovery criteria high.

The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

Samples TP-15_(0-2) (460-222083-1)[5X], TP-7_(0-2) (460-222083-2)[5X] and TP-8_(0-2) (460-222083-3)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

TCLP MERCURY

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for TCLP mercury in accordance with EPA SW-846 Methods 1311/7470A. The samples were leached on 11/12/2020, and prepared and analyzed on 11/13/2020.

No difficulties were encountered during the TCLP Hg analysis.

All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 11/09/2020.

Samples TP-15_(0-2) (460-222083-1)[5X] and TP-8_(0-2) (460-222083-3)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Job ID: 460-222083-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 11/10/2020.

Cyanide, Total failed the recovery criteria low for the MS of sample TP-15_(0-2)MS (460-222083-1) in batch 460-738799.

Cyanide, Total exceeded the RPD limit for the MSD of sample TP-15_(0-2)MSD (460-222083-1) in batch 460-738799.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared on 11/08/2020 and analyzed on 11/09/2020.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 11/10/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

IGNITABILITY

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for Ignitability in accordance with EPA SW-846 Method 1030. The samples were analyzed on 11/11/2020.

No difficulties were encountered during the Ignitability analysis.

All quality control parameters were within the acceptance limits.

REACTIVE CYANIDE

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for reactive cyanide in accordance with EPA SW-846 Method 7.3.3/9014. The samples were prepared and analyzed on 11/17/2020.

No difficulties were encountered during the reactive cyanide analysis.

All quality control parameters were within the acceptance limits.

REACTIVE SULFIDE

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for reactive sulfide in accordance with EPA SW-846 Method 7.3.4/9034. The samples were prepared and analyzed on 11/17/2020.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Job ID: 460-222083-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No difficulties were encountered during the reactive sulfide analysis.

All quality control parameters were within the acceptance limits.

CORROSIVITY (PH)

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for corrosivity (pH) in accordance with EPA SW-846 Method 9045D. The samples were analyzed on 11/17/2020.

No difficulties were encountered during the corrosivity (pH) analysis.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Samples TP-15_(0-2) (460-222083-1), TP-7_(0-2) (460-222083-2) and TP-8_(0-2) (460-222083-3) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 11/09/2020.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|----------------------------------|--------|-----------|-------|--------|-------|-----|-----|---|--------|-----------|
| 1,1'-Biphenyl | 0.062 | J | 0.38 | 0.0050 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| 2-Methylnaphthalene | 0.18 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthene | 0.31 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthylene | 0.11 | J | 0.38 | 0.0038 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Anthracene | 0.65 | | 0.38 | 0.012 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzaldehyde | 0.063 | J | 0.38 | 0.063 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]anthracene | 1.6 | | 0.038 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]pyrene | 1.8 | | 0.038 | 0.010 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[b]fluoranthene | 2.5 | | 0.038 | 0.0098 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[g,h,i]perylene | 0.74 | | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[k]fluoranthene | 1.3 | | 0.038 | 0.0074 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Carbazole | 0.31 | J | 0.38 | 0.014 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Chrysene | 1.7 | | 0.38 | 0.0064 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenz(a,h)anthracene | 0.24 | | 0.038 | 0.016 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenzofuran | 0.32 | J | 0.38 | 0.0053 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluoranthene | 3.7 | | 0.38 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluorene | 0.27 | J | 0.38 | 0.0051 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.90 | | 0.038 | 0.015 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Naphthalene | 0.29 | J | 0.38 | 0.0065 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Phenanthrene | 3.1 | | 0.38 | 0.0066 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Pyrene | 2.7 | | 0.38 | 0.0094 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Aroclor 1260 | 0.43 | | 0.077 | 0.011 | mg/Kg | 1 | ✱ | | 8082A | Total/NA |
| Polychlorinated biphenyls, Total | 0.43 | | 0.077 | 0.011 | mg/Kg | 1 | ✱ | | 8082A | Total/NA |
| Barium | 257 | J | 1000 | 66.0 | ug/L | 5 | | | 6010D | TCLP |
| Cadmium | 5.4 | J | 20.0 | 1.6 | ug/L | 5 | | | 6010D | TCLP |
| Lead | 783 | | 50.0 | 11.8 | ug/L | 5 | | | 6010D | TCLP |
| Aluminum | 6200 | | 18.4 | 2.4 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Antimony | 20.1 | | 4.6 | 0.67 | mg/Kg | 5 | ✱ | | 6020B | Total/NA |
| Arsenic | 11.9 | | 0.92 | 0.092 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Barium | 162 | | 1.8 | 0.13 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Beryllium | 0.29 | J | 0.37 | 0.053 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cadmium | 1.0 | | 0.92 | 0.10 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Calcium | 54000 | | 461 | 78.3 | mg/Kg | 5 | ✱ | | 6020B | Total/NA |
| Chromium | 24.0 | | 1.8 | 0.16 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cobalt | 6.1 | | 1.8 | 0.14 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Copper | 195 | | 1.8 | 0.20 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Iron | 30100 | | 55.3 | 18.6 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Lead | 4490 | | 2.8 | 0.92 | mg/Kg | 5 | ✱ | | 6020B | Total/NA |
| Magnesium | 3850 | | 92.2 | 9.4 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Manganese | 480 | | 3.7 | 0.37 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Nickel | 23.7 | | 1.8 | 0.18 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Potassium | 1780 | | 92.2 | 10.3 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Selenium | 0.53 | J | 1.2 | 0.11 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Silver | 0.32 | J | 0.92 | 0.082 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Sodium | 453 | | 92.2 | 14.4 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Thallium | 0.098 | J | 0.37 | 0.038 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Vanadium | 20.0 | | 1.8 | 0.19 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Zinc | 488 | | 7.4 | 2.1 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Mercury | 0.28 | | 0.20 | 0.091 | ug/L | 1 | | | 7470A | TCLP |
| Mercury | 1.8 | | 0.087 | 0.020 | mg/Kg | 5 | ✱ | | 7471B | Total/NA |
| Cr (III) | 23.4 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2) (Continued)

Lab Sample ID: 460-222083-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------|--------|-----------|-----|------|-----------|---------|---|--------|-----------|
| Cr (VI) | 0.62 | J | 2.3 | 0.39 | mg/Kg | 1 | ✱ | 7196A | Total/NA |
| Corrosivity | 7.7 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| pH | 7.7 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| Temperature | 21.4 | HF | 0.1 | 0.1 | Degrees C | 1 | | 9045D | Total/NA |

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------------------------|---------|-----------|--------|---------|-------|---------|---|--------|-----------|
| m-Xylene & p-Xylene | 0.00077 | J | 0.0016 | 0.00028 | mg/Kg | 1 | ✱ | 8260D | Total/NA |
| o-Xylene | 0.00050 | J | 0.0016 | 0.00032 | mg/Kg | 1 | ✱ | 8260D | Total/NA |
| Xylenes, Total | 0.0013 | J | 0.0033 | 0.0010 | mg/Kg | 1 | ✱ | 8260D | Total/NA |
| 2-Methylnaphthalene | 0.028 | J | 0.37 | 0.010 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Acenaphthene | 0.027 | J | 0.37 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Acenaphthylene | 0.12 | J | 0.37 | 0.0038 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Anthracene | 0.14 | J | 0.37 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[a]anthracene | 0.78 | | 0.037 | 0.013 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[a]pyrene | 0.93 | | 0.037 | 0.010 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[b]fluoranthene | 1.1 | | 0.037 | 0.0097 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[g,h,i]perylene | 0.44 | | 0.37 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[k]fluoranthene | 0.46 | | 0.037 | 0.0073 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Carbazole | 0.053 | J | 0.37 | 0.014 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Chrysene | 0.70 | | 0.37 | 0.0063 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Dibenz(a,h)anthracene | 0.15 | | 0.037 | 0.016 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Dibenzofuran | 0.026 | J | 0.37 | 0.0053 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Fluoranthene | 1.2 | | 0.37 | 0.013 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Fluorene | 0.031 | J | 0.37 | 0.0051 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.60 | | 0.037 | 0.015 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Naphthalene | 0.11 | J | 0.37 | 0.0065 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Phenanthrene | 0.53 | | 0.37 | 0.0066 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Pyrene | 1.1 | | 0.37 | 0.0093 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| 4,4'-DDE | 0.011 | | 0.0076 | 0.00089 | mg/Kg | 1 | ✱ | 8081B | Total/NA |
| 4,4'-DDT | 0.019 | | 0.0076 | 0.0014 | mg/Kg | 1 | ✱ | 8081B | Total/NA |
| Aroclor 1260 | 0.053 | J | 0.076 | 0.010 | mg/Kg | 1 | ✱ | 8082A | Total/NA |
| Polychlorinated biphenyls, Total | 0.053 | J | 0.076 | 0.010 | mg/Kg | 1 | ✱ | 8082A | Total/NA |
| Barium | 313 | J | 1000 | 66.0 | ug/L | 5 | | 6010D | TCLP |
| Lead | 1290 | | 50.0 | 11.8 | ug/L | 5 | | 6010D | TCLP |
| Aluminum | 6000 | | 17.8 | 2.3 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Antimony | 0.61 | J | 0.89 | 0.13 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Arsenic | 7.0 | | 0.89 | 0.089 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Barium | 138 | | 1.8 | 0.13 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Beryllium | 0.35 | J | 0.36 | 0.051 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cadmium | 0.50 | J | 0.89 | 0.10 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Calcium | 39400 | | 89.0 | 15.1 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Chromium | 34.4 | | 1.8 | 0.15 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cobalt | 8.1 | | 1.8 | 0.13 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Copper | 55.8 | | 1.8 | 0.20 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Iron | 32400 | | 53.4 | 18.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Lead | 3850 | | 2.7 | 0.89 | mg/Kg | 5 | ✱ | 6020B | Total/NA |
| Magnesium | 4500 | | 89.0 | 9.1 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Manganese | 354 | | 3.6 | 0.36 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Nickel | 32.2 | | 1.8 | 0.17 | mg/Kg | 1 | ✱ | 6020B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2) (Continued)

Lab Sample ID: 460-222083-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------|--------|-----------|-------|--------|-----------|---------|---|--------|-----------|
| Potassium | 2140 | | 89.0 | 10 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Selenium | 0.38 | J | 1.1 | 0.11 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Silver | 0.12 | J | 0.89 | 0.079 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Sodium | 247 | | 89.0 | 13.9 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Thallium | 0.18 | J | 0.36 | 0.036 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Vanadium | 22.5 | | 1.8 | 0.18 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Zinc | 232 | | 7.1 | 2.0 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Mercury | 0.44 | | 0.018 | 0.0042 | mg/Kg | 1 | ✱ | 7471B | Total/NA |
| Cr (III) | 34.4 | | 2.0 | 2.0 | mg/Kg | 1 | | 7196A | Total/NA |
| Cyanide, Total | 0.17 | J | 0.25 | 0.13 | mg/Kg | 1 | ✱ | 9012B | Total/NA |
| Corrosivity | 8.2 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| pH | 8.2 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| Temperature | 21.4 | HF | 0.1 | 0.1 | Degrees C | 1 | | 9045D | Total/NA |

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|---------|-----------|--------|---------|-------|---------|---|--------|-----------|
| Toluene | 0.00054 | J | 0.0015 | 0.00036 | mg/Kg | 1 | ✱ | 8260D | Total/NA |
| 2-Methylnaphthalene | 0.012 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Acenaphthene | 0.064 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Acenaphthylene | 0.088 | J | 0.38 | 0.0038 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Anthracene | 0.18 | J | 0.38 | 0.012 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[a]anthracene | 1.1 | | 0.038 | 0.013 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[a]pyrene | 1.2 | | 0.038 | 0.010 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[b]fluoranthene | 1.4 | | 0.038 | 0.0098 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[g,h,i]perylene | 0.72 | | 0.38 | 0.011 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Benzo[k]fluoranthene | 0.50 | | 0.038 | 0.0075 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Carbazole | 0.087 | J | 0.38 | 0.014 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Chrysene | 0.96 | | 0.38 | 0.0064 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Dibenz(a,h)anthracene | 0.28 | | 0.038 | 0.016 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Dibenzofuran | 0.031 | J | 0.38 | 0.0053 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Fluoranthene | 1.5 | | 0.38 | 0.013 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Fluorene | 0.049 | J | 0.38 | 0.0052 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.88 | | 0.038 | 0.015 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Naphthalene | 0.037 | J | 0.38 | 0.0066 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Phenanthrene | 0.81 | | 0.38 | 0.0067 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Pyrene | 1.5 | | 0.38 | 0.0095 | mg/Kg | 1 | ✱ | 8270E | Total/NA |
| Arsenic | 20.8 | J | 75.0 | 16.7 | ug/L | 5 | | 6010D | TCLP |
| Barium | 259 | J | 1000 | 66.0 | ug/L | 5 | | 6010D | TCLP |
| Cadmium | 6.7 | J | 20.0 | 1.6 | ug/L | 5 | | 6010D | TCLP |
| Lead | 130 | | 50.0 | 11.8 | ug/L | 5 | | 6010D | TCLP |
| Aluminum | 5880 | | 18.8 | 2.4 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Antimony | 0.36 | J | 0.94 | 0.14 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Arsenic | 11.8 | | 0.94 | 0.094 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Barium | 100 | | 1.9 | 0.14 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Beryllium | 0.33 | J | 0.38 | 0.054 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cadmium | 3.1 | | 0.94 | 0.11 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Calcium | 52700 | | 471 | 80.0 | mg/Kg | 5 | ✱ | 6020B | Total/NA |
| Chromium | 18.7 | | 1.9 | 0.16 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Cobalt | 6.3 | | 1.9 | 0.14 | mg/Kg | 1 | ✱ | 6020B | Total/NA |
| Copper | 42.6 | | 1.9 | 0.21 | mg/Kg | 1 | ✱ | 6020B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2) (Continued)

Lab Sample ID: 460-222083-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|-------------|--------|-----------|-------|-------|-----------|-----|-----|---|--------|-----------|
| Iron | 25600 | | 56.5 | 19.0 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Lead | 297 | | 0.56 | 0.19 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Magnesium | 4590 | | 94.2 | 9.6 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Manganese | 355 | | 3.8 | 0.38 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Nickel | 16.8 | | 1.9 | 0.18 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Potassium | 1490 | | 94.2 | 10.5 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Selenium | 0.49 | J | 1.2 | 0.11 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Silver | 0.099 | J | 0.94 | 0.084 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Sodium | 381 | | 94.2 | 14.7 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Thallium | 0.17 | J | 0.38 | 0.039 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Vanadium | 19.0 | | 1.9 | 0.19 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Zinc | 568 | | 7.5 | 2.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Mercury | 2.5 | | 0.094 | 0.022 | mg/Kg | 5 | ✱ | | 7471B | Total/NA |
| Cr (III) | 18.7 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |
| Corrosivity | 8.1 | HF | 0.1 | 0.1 | SU | 1 | | | 9045D | Total/NA |
| pH | 8.1 | HF | 0.1 | 0.1 | SU | 1 | | | 9045D | Total/NA |
| Temperature | 21.3 | HF | 0.1 | 0.1 | Degrees C | 1 | | | 9045D | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00037 | U | 0.0016 | 0.00037 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00034 | U | 0.0016 | 0.00034 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00047 | U | 0.0016 | 0.00047 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,1,2-Trichloroethane | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,1-Dichloroethane | 0.00032 | U | 0.0016 | 0.00032 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,1-Dichloroethene | 0.00035 | U | 0.0016 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2,3-Trichlorobenzene | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2,4-Trichlorobenzene | 0.00056 | U | 0.0016 | 0.00056 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2,4-Trimethylbenzene | 0.00039 | U | 0.0016 | 0.00039 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00072 | U | 0.0016 | 0.00072 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2-Dichlorobenzene | 0.00057 | U | 0.0016 | 0.00057 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2-Dichloroethane | 0.00047 | U | 0.0016 | 0.00047 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,2-Dichloropropane | 0.00067 | U | 0.0016 | 0.00067 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,3,5-Trimethylbenzene | 0.00049 | U | 0.0016 | 0.00049 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,3-Dichlorobenzene | 0.00057 | U | 0.0016 | 0.00057 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 1,4-Dichlorobenzene | 0.00035 | U | 0.0016 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 2-Butanone (MEK) | 0.00058 | U | 0.0079 | 0.00058 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 2-Hexanone | 0.0027 | U | 0.0079 | 0.0027 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0024 | U | 0.0079 | 0.0024 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Acetone | 0.0090 | U | 0.0094 | 0.0090 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Benzene | 0.00041 | U | 0.0016 | 0.00041 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Bromoform | 0.00067 | U | 0.0016 | 0.00067 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Bromomethane | 0.0016 | U | 0.0016 | 0.0016 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Carbon disulfide | 0.00042 | U | 0.0016 | 0.00042 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Carbon tetrachloride | 0.00061 | U | 0.0016 | 0.00061 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chlorobenzene | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chlorobromomethane | 0.00044 | U | 0.0016 | 0.00044 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chlorodibromomethane | 0.00031 | U | 0.0016 | 0.00031 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chloroethane | 0.00082 | U | 0.0016 | 0.00082 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chloroform | 0.0015 | U | 0.0016 | 0.0015 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Chloromethane | 0.00068 | U | 0.0016 | 0.00068 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| cis-1,2-Dichloroethene | 0.00056 | U | 0.0016 | 0.00056 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| cis-1,3-Dichloropropene | 0.00043 | U | 0.0016 | 0.00043 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Cyclohexane | 0.00035 | U | 0.0016 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Dichlorobromomethane | 0.00040 | U | 0.0016 | 0.00040 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Dichlorodifluoromethane | 0.00053 | U | 0.0016 | 0.00053 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Ethylbenzene | 0.00031 | U | 0.0016 | 0.00031 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Ethylene Dibromide | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Isopropylbenzene | 0.00045 | U | 0.0016 | 0.00045 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Methyl acetate | 0.0068 | U | 0.0079 | 0.0068 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Methyl tert-butyl ether | 0.00081 | U | 0.0016 | 0.00081 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Methylcyclohexane | 0.00079 | U | 0.0016 | 0.00079 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Methylene Chloride | 0.0018 | U | 0.0016 | 0.0018 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| m-Xylene & p-Xylene | 0.00027 | U | 0.0016 | 0.00027 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| n-Butylbenzene | 0.00046 | U | 0.0016 | 0.00046 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| N-Propylbenzene | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| o-Xylene | 0.00031 | U | 0.0016 | 0.00031 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| sec-Butylbenzene | 0.00045 | U | 0.0016 | 0.00045 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Styrene | 0.00044 | U | 0.0016 | 0.00044 | mg/Kg | ☆ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00043 | U | 0.0016 | 0.00043 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Tetrachloroethene | 0.00048 | U | 0.0016 | 0.00048 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Toluene | 0.00037 | U | 0.0016 | 0.00037 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| trans-1,2-Dichloroethene | 0.00039 | U | 0.0016 | 0.00039 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| trans-1,3-Dichloropropene | 0.00042 | U | 0.0016 | 0.00042 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Trichloroethene | 0.00051 | U | 0.0016 | 0.00051 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Trichlorofluoromethane | 0.00064 | U | 0.0016 | 0.00064 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Vinyl chloride | 0.00086 | U | 0.0016 | 0.00086 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Xylenes, Total | 0.0010 | U | 0.0031 | 0.0010 | mg/Kg | ☼ | 11/05/20 22:24 | 11/07/20 14:52 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 11/05/20 22:24 | 11/07/20 14:52 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 114 | | 77 - 145 | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| 4-Bromofluorobenzene | 111 | | 79 - 125 | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Dibromofluoromethane (Surr) | 113 | | 48 - 150 | 11/05/20 22:24 | 11/07/20 14:52 | 1 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 | 11/05/20 22:24 | 11/07/20 14:52 | 1 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.062 | J | 0.38 | 0.0050 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.38 | 0.012 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 1,4-Dioxane | 0.033 | U | 0.11 | 0.033 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0068 | U | 0.38 | 0.0068 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.026 | U | 0.38 | 0.026 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4,5-Trichlorophenol | 0.039 | U | 0.38 | 0.039 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4,6-Trichlorophenol | 0.049 | U | 0.15 | 0.049 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4-Dichlorophenol | 0.024 | U | 0.15 | 0.024 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4-Dimethylphenol | 0.017 | U | 0.38 | 0.017 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4-Dinitrophenol | 0.19 | U | 0.30 | 0.19 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,4-Dinitrotoluene | 0.041 | U | 0.077 | 0.041 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2,6-Dinitrotoluene | 0.027 | U | 0.077 | 0.027 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Chloronaphthalene | 0.017 | U | 0.38 | 0.017 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Chlorophenol | 0.013 | U | 0.38 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Methylnaphthalene | 0.18 | J | 0.38 | 0.011 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Methylphenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Nitroaniline | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Nitrophenol | 0.038 | U | 0.38 | 0.038 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 3 & 4 Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 3,3'-Dichlorobenzidine | 0.057 | U | 0.15 | 0.057 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 3-Nitroaniline | 0.043 | U | 0.38 | 0.043 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U | 0.30 | 0.15 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Bromophenyl phenyl ether | 0.015 | U | 0.38 | 0.015 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Chloro-3-methylphenol | 0.021 | U | 0.38 | 0.021 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Chloroaniline | 0.067 | U | 0.38 | 0.067 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 0.38 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Nitroaniline | 0.043 | U | 0.38 | 0.043 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 4-Nitrophenol | 0.062 | U | 0.77 | 0.062 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.31 | J | 0.38 | 0.011 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Acenaphthylene | 0.11 | J | 0.38 | 0.0038 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Acetophenone | 0.019 | U | 0.38 | 0.019 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Anthracene | 0.65 | | 0.38 | 0.012 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Atrazine | 0.022 | U | 0.15 | 0.022 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzaldehyde | 0.063 | J | 0.38 | 0.063 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzo[a]anthracene | 1.6 | | 0.038 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzo[a]pyrene | 1.8 | | 0.038 | 0.010 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzo[b]fluoranthene | 2.5 | | 0.038 | 0.0098 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzo[g,h,i]perylene | 0.74 | | 0.38 | 0.011 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Benzo[k]fluoranthene | 1.3 | | 0.038 | 0.0074 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Bis(2-chloroethoxy)methane | 0.029 | U | 0.38 | 0.029 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Butyl benzyl phthalate | 0.018 | U | 0.38 | 0.018 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Caprolactam | 0.059 | U | 0.38 | 0.059 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Carbazole | 0.31 | J | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Chrysene | 1.7 | | 0.38 | 0.0064 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Dibenz(a,h)anthracene | 0.24 | | 0.038 | 0.016 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Dibenzofuran | 0.32 | J | 0.38 | 0.0053 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Diethyl phthalate | 0.0055 | U | 0.38 | 0.0055 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Dimethyl phthalate | 0.086 | U | 0.38 | 0.086 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Di-n-butyl phthalate | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Di-n-octyl phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Fluoranthene | 3.7 | | 0.38 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Fluorene | 0.27 | J | 0.38 | 0.0051 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Hexachlorobenzene | 0.018 | U | 0.038 | 0.018 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Hexachlorobutadiene | 0.0080 | U | 0.077 | 0.0080 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Hexachlorocyclopentadiene | 0.033 | U | 0.38 | 0.033 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Hexachloroethane | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.90 | | 0.038 | 0.015 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Isophorone | 0.11 | U | 0.15 | 0.11 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Naphthalene | 0.29 | J | 0.38 | 0.0065 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Nitrobenzene | 0.0091 | U | 0.038 | 0.0091 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| N-Nitrosodi-n-propylamine | 0.027 | U | 0.038 | 0.027 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| N-Nitrosodiphenylamine | 0.031 | U | 0.38 | 0.031 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Pentachlorophenol | 0.077 | U | 0.30 | 0.077 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Phenanthrene | 3.1 | | 0.38 | 0.0066 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Phenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Pyrene | 2.7 | | 0.38 | 0.0094 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 07:24 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|-------|-----------|----------------|----------------|---------|
| Aldol condensation product | 2.4 | A J | mg/Kg | ☼ | 2.59 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 9H-Fluoren-9-one | 0.40 | J N | mg/Kg | ☼ | 8.34 | 486-25-9 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Phenanthrene, 2-methyl- | 1.6 | J N | mg/Kg | ☼ | 9.01 | 2531-84-2 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Anthracene, 1-methyl- | 0.56 | J N | mg/Kg | ☼ | 9.12 | 610-48-0 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 9,10-Anthracenedione | 0.79 | J N | mg/Kg | ☼ | 9.32 | 84-65-1 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Pyrene, 1-methyl- | 1.6 | J N | mg/Kg | ☼ | 10.33 | 2381-21-7 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Unknown | 0.89 | J | mg/Kg | ☼ | 10.91 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 7H-Benzo[c]carbazole | 0.51 | J N | mg/Kg | ☼ | 11.47 | 205-25-4 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|-------|-----------|----------------|----------------|---------|
| Chrysene, 3-methyl- | 0.50 | J N | mg/Kg | ☼ | 11.66 | 3351-31-3 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Unknown | 0.44 | J | mg/Kg | ☼ | 11.88 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Unknown | 0.53 | J | mg/Kg | ☼ | 12.32 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Unknown | 15 | J | mg/Kg | ☼ | 13.25 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Unknown | 12 | J | mg/Kg | ☼ | 15.43 | | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 3,4:9,10-Dibenzopyrene | 0.51 | J N | mg/Kg | ☼ | 16.90 | 189-55-9 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 42 | | 10 - 123 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Fluorobiphenyl | 43 | | 25 - 104 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| 2-Fluorophenol (Surr) | 39 | | 18 - 106 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Nitrobenzene-d5 (Surr) | 39 | | 19 - 105 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Phenol-d5 (Surr) | 38 | | 26 - 101 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |
| Terphenyl-d14 (Surr) | 42 | | 25 - 127 | 11/06/20 16:36 | 11/07/20 07:24 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0077 | 0.0013 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| 4,4'-DDE | 0.00090 | U | 0.0077 | 0.00090 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| 4,4'-DDT | 0.0014 | U | 0.0077 | 0.0014 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Aldrin | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| alpha-BHC | 0.00078 | U | 0.0023 | 0.00078 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| beta-BHC | 0.00086 | U | 0.0023 | 0.00086 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Chlordane (technical) | 0.019 | U | 0.077 | 0.019 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| delta-BHC | 0.00047 | U | 0.0023 | 0.00047 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Dieldrin | 0.00099 | U | 0.0023 | 0.00099 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endosulfan I | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endosulfan II | 0.0020 | U | 0.0077 | 0.0020 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endosulfan sulfate | 0.00096 | U | 0.0077 | 0.00096 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endrin | 0.0011 | U | 0.0077 | 0.0011 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endrin aldehyde | 0.0018 | U | 0.0077 | 0.0018 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Endrin ketone | 0.0015 | U | 0.0077 | 0.0015 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| gamma-BHC (Lindane) | 0.00071 | U | 0.0023 | 0.00071 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Heptachlor | 0.00090 | U | 0.0077 | 0.00090 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Heptachlor epoxide | 0.0011 | U | 0.0077 | 0.0011 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Methoxychlor | 0.0017 | U | 0.0077 | 0.0017 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Toxaphene | 0.028 | U | 0.077 | 0.028 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| trans-Chlordane | 0.0013 | U | 0.0077 | 0.0013 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 07:58 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 265 | X | 28 - 148 | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| DCB Decachlorobiphenyl | 183 | X | 28 - 148 | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Tetrachloro-m-xylene | 101 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 07:58 | 1 |
| Tetrachloro-m-xylene | 84 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 07:58 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ☼ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1221 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ☼ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|----------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1232 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1242 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1248 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1254 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1260 | 0.43 | | 0.077 | 0.011 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor-1262 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Aroclor 1268 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Polychlorinated biphenyls, Total | 0.43 | | 0.077 | 0.011 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 98 | | 10 - 150 | | | | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| DCB Decachlorobiphenyl | 115 | | 10 - 150 | | | | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Tetrachloro-m-xylene | 79 | | 58 - 145 | | | | 11/06/20 09:30 | 11/09/20 11:10 | 1 |
| Tetrachloro-m-xylene | 94 | | 58 - 145 | | | | 11/06/20 09:30 | 11/09/20 11:10 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0081 | U | 0.038 | 0.0081 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:11 | 1 |
| 2,4-D | 0.014 | U | 0.038 | 0.014 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:11 | 1 |
| Silvex (2,4,5-TP) | 0.0040 | U | 0.038 | 0.0040 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:11 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 88 | | 30 - 150 | | | | 11/05/20 19:22 | 11/06/20 13:11 | 1 |
| 2,4-Dichlorophenylacetic acid | 113 | | 30 - 150 | | | | 11/05/20 19:22 | 11/06/20 13:11 | 1 |

Method: 6010D - Metals (ICP) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|------------|-----------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 16.7 | U | 75.0 | 16.7 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Barium | 257 | J | 1000 | 66.0 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Cadmium | 5.4 | J | 20.0 | 1.6 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Chromium | 24.9 | U | 50.0 | 24.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Lead | 783 | | 50.0 | 11.8 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Selenium | 29.4 | U | 100 | 29.4 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |
| Silver | 28.9 | U | 50.0 | 28.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:00 | 5 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 6200 | | 18.4 | 2.4 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Antimony | 20.1 | | 4.6 | 0.67 | mg/Kg | ☆ | 11/05/20 14:05 | 11/07/20 10:56 | 5 |
| Arsenic | 11.9 | | 0.92 | 0.092 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Barium | 162 | | 1.8 | 0.13 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Beryllium | 0.29 | J | 0.37 | 0.053 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Cadmium | 1.0 | | 0.92 | 0.10 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Calcium | 54000 | | 461 | 78.3 | mg/Kg | ☆ | 11/05/20 14:05 | 11/07/20 10:56 | 5 |
| Chromium | 24.0 | | 1.8 | 0.16 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Cobalt | 6.1 | | 1.8 | 0.14 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Copper | 195 | | 1.8 | 0.20 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Iron | 30100 | | 55.3 | 18.6 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Lead | 4490 | | 2.8 | 0.92 | mg/Kg | ☆ | 11/05/20 14:05 | 11/07/20 10:56 | 5 |
| Magnesium | 3850 | | 92.2 | 9.4 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Manganese | 480 | | 3.7 | 0.37 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

Method: 6020B - Metals (ICP/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Nickel | 23.7 | | 1.8 | 0.18 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Potassium | 1780 | | 92.2 | 10.3 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Selenium | 0.53 | J | 1.2 | 0.11 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Silver | 0.32 | J | 0.92 | 0.082 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Sodium | 453 | | 92.2 | 14.4 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Thallium | 0.098 | J | 0.37 | 0.038 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Vanadium | 20.0 | | 1.8 | 0.19 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |
| Zinc | 488 | | 7.4 | 2.1 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:48 | 1 |

Method: 7470A - Mercury (CVAA) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|------|---|----------------|----------------|---------|
| Mercury | 0.28 | | 0.20 | 0.091 | ug/L | | 11/13/20 13:08 | 11/13/20 15:29 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.8 | | 0.087 | 0.020 | mg/Kg | ☆ | 11/09/20 03:58 | 11/09/20 09:59 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|------|------|-----------|---|----------------|----------------|---------|
| Burn Rate | 2.20 | U | 2.20 | 2.20 | mm/sec | | | 11/11/20 08:00 | 1 |
| Cr (III) | 23.4 | | 2.0 | 2.0 | mg/Kg | | | 11/10/20 10:37 | 1 |
| Cr (VI) | 0.62 | J | 2.3 | 0.39 | mg/Kg | ☆ | 11/08/20 10:44 | 11/09/20 13:34 | 1 |
| Cyanide, Total | 0.14 | U F1 F2 | 0.26 | 0.14 | mg/Kg | ☆ | 11/10/20 12:35 | 11/10/20 16:06 | 1 |
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 11/17/20 15:52 | 11/17/20 15:56 | 1 |
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 11/17/20 15:45 | 11/17/20 15:55 | 1 |
| Corrosivity | 7.7 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:12 | 1 |
| pH | 7.7 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:12 | 1 |
| Temperature | 21.4 | HF | 0.1 | 0.1 | Degrees C | | | 11/17/20 13:12 | 1 |
| Percent Moisture | 12.5 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |
| Percent Solids | 87.5 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00038 | U | 0.0016 | 0.00038 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00035 | U | 0.0016 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00049 | U | 0.0016 | 0.00049 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,1,2-Trichloroethane | 0.00029 | U | 0.0016 | 0.00029 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,1-Dichloroethane | 0.00034 | U | 0.0016 | 0.00034 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,1-Dichloroethene | 0.00037 | U | 0.0016 | 0.00037 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2,3-Trichlorobenzene | 0.00029 | U | 0.0016 | 0.00029 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2,4-Trichlorobenzene | 0.00058 | U | 0.0016 | 0.00058 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2,4-Trimethylbenzene | 0.00040 | U | 0.0016 | 0.00040 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00075 | U | 0.0016 | 0.00075 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2-Dichlorobenzene | 0.00059 | U | 0.0016 | 0.00059 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2-Dichloroethane | 0.00048 | U | 0.0016 | 0.00048 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,2-Dichloropropane | 0.00069 | U | 0.0016 | 0.00069 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,3,5-Trimethylbenzene | 0.00051 | U | 0.0016 | 0.00051 | mg/Kg | ☆ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------|----------------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,3-Dichlorobenzene | 0.00059 | U | 0.0016 | 0.00059 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 1,4-Dichlorobenzene | 0.00037 | U | 0.0016 | 0.00037 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 2-Butanone (MEK) | 0.00060 | U | 0.0081 | 0.00060 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 2-Hexanone | 0.0028 | U | 0.0081 | 0.0028 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0025 | U | 0.0081 | 0.0025 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Acetone | 0.0093 | U | 0.0098 | 0.0093 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Benzene | 0.00042 | U | 0.0016 | 0.00042 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Bromoform | 0.00069 | U | 0.0016 | 0.00069 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Bromomethane | 0.0016 | U | 0.0016 | 0.0016 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Carbon disulfide | 0.00043 | U | 0.0016 | 0.00043 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Carbon tetrachloride | 0.00063 | U | 0.0016 | 0.00063 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chlorobenzene | 0.00029 | U | 0.0016 | 0.00029 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chlorobromomethane | 0.00046 | U | 0.0016 | 0.00046 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chlorodibromomethane | 0.00032 | U | 0.0016 | 0.00032 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chloroethane | 0.00085 | U | 0.0016 | 0.00085 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chloroform | 0.0016 | U | 0.0016 | 0.0016 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Chloromethane | 0.00071 | U | 0.0016 | 0.00071 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| cis-1,2-Dichloroethene | 0.00058 | U | 0.0016 | 0.00058 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| cis-1,3-Dichloropropene | 0.00044 | U | 0.0016 | 0.00044 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Cyclohexane | 0.00036 | U | 0.0016 | 0.00036 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Dichlorobromomethane | 0.00042 | U | 0.0016 | 0.00042 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Dichlorodifluoromethane | 0.00055 | U | 0.0016 | 0.00055 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Ethylbenzene | 0.00032 | U | 0.0016 | 0.00032 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Ethylene Dibromide | 0.00029 | U | 0.0016 | 0.00029 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Isopropylbenzene | 0.00046 | U | 0.0016 | 0.00046 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Methyl acetate | 0.0070 | U | 0.0081 | 0.0070 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Methyl tert-butyl ether | 0.00083 | U | 0.0016 | 0.00083 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Methylcyclohexane | 0.00081 | U | 0.0016 | 0.00081 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Methylene Chloride | 0.0019 | U | 0.0016 | 0.0019 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| m-Xylene & p-Xylene | 0.00077 | J | 0.0016 | 0.00028 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| n-Butylbenzene | 0.00048 | U | 0.0016 | 0.00048 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| N-Propylbenzene | 0.00028 | U | 0.0016 | 0.00028 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| o-Xylene | 0.00050 | J | 0.0016 | 0.00032 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| sec-Butylbenzene | 0.00047 | U | 0.0016 | 0.00047 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Styrene | 0.00045 | U | 0.0016 | 0.00045 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| tert-Butylbenzene | 0.00045 | U | 0.0016 | 0.00045 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Tetrachloroethene | 0.00050 | U | 0.0016 | 0.00050 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Toluene | 0.00038 | U | 0.0016 | 0.00038 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| trans-1,2-Dichloroethene | 0.00040 | U | 0.0016 | 0.00040 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| trans-1,3-Dichloropropene | 0.00043 | U | 0.0016 | 0.00043 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Trichloroethene | 0.00052 | U | 0.0016 | 0.00052 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Trichlorofluoromethane | 0.00066 | U | 0.0016 | 0.00066 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Vinyl chloride | 0.00089 | U | 0.0016 | 0.00089 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Xylenes, Total | 0.0013 | J | 0.0033 | 0.0010 | mg/Kg | ✱ | 11/05/20 22:25 | 11/07/20 15:16 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ✱ | | | 11/05/20 22:25 | 11/07/20 15:16 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 113 | | 77 - 145 | 11/05/20 22:25 | 11/07/20 15:16 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene | 112 | | 79 - 125 | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Dibromofluoromethane (Surr) | 116 | | 48 - 150 | 11/05/20 22:25 | 11/07/20 15:16 | 1 |
| Toluene-d8 (Surr) | 103 | | 80 - 120 | 11/05/20 22:25 | 11/07/20 15:16 | 1 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0050 | U | 0.37 | 0.0050 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.37 | 0.012 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 1,4-Dioxane | 0.033 | U | 0.11 | 0.033 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0068 | U | 0.37 | 0.0068 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.025 | U | 0.37 | 0.025 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4,5-Trichlorophenol | 0.038 | U | 0.37 | 0.038 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4,6-Trichlorophenol | 0.048 | U | 0.15 | 0.048 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4-Dichlorophenol | 0.024 | U | 0.15 | 0.024 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4-Dimethylphenol | 0.016 | U | 0.37 | 0.016 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4-Dinitrophenol | 0.18 | U | 0.30 | 0.18 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,4-Dinitrotoluene | 0.040 | U | 0.076 | 0.040 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2,6-Dinitrotoluene | 0.027 | U | 0.076 | 0.027 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Chloronaphthalene | 0.017 | U | 0.37 | 0.017 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Chlorophenol | 0.013 | U | 0.37 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Methylnaphthalene | 0.028 | J | 0.37 | 0.010 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Methylphenol | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Nitroaniline | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Nitrophenol | 0.037 | U | 0.37 | 0.037 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 3 & 4 Methylphenol | 0.023 | U | 0.37 | 0.023 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 3,3'-Dichlorobenzidine | 0.056 | U | 0.15 | 0.056 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 3-Nitroaniline | 0.042 | U | 0.37 | 0.042 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U | 0.30 | 0.15 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Bromophenyl phenyl ether | 0.015 | U | 0.37 | 0.015 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Chloro-3-methylphenol | 0.021 | U | 0.37 | 0.021 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Chloroaniline | 0.066 | U | 0.37 | 0.066 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 0.37 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Methylphenol | 0.023 | U | 0.37 | 0.023 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Nitroaniline | 0.043 | U | 0.37 | 0.043 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 4-Nitrophenol | 0.061 | U | 0.76 | 0.061 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Acenaphthene | 0.027 | J | 0.37 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Acenaphthylene | 0.12 | J | 0.37 | 0.0038 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Acetophenone | 0.018 | U | 0.37 | 0.018 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Anthracene | 0.14 | J | 0.37 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Atrazine | 0.022 | U | 0.15 | 0.022 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzaldehyde | 0.062 | U | 0.37 | 0.062 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzo[a]anthracene | 0.78 | | 0.037 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzo[a]pyrene | 0.93 | | 0.037 | 0.010 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzo[b]fluoranthene | 1.1 | | 0.037 | 0.0097 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzo[g,h,i]perylene | 0.44 | | 0.37 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Benzo[k]fluoranthene | 0.46 | | 0.037 | 0.0073 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Bis(2-chloroethoxy)methane | 0.029 | U | 0.37 | 0.029 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.037 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U | 0.37 | 0.020 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Butyl benzyl phthalate | 0.018 | U | 0.37 | 0.018 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Caprolactam | 0.058 | U | 0.37 | 0.058 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Carbazole | 0.053 | J | 0.37 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Chrysene | 0.70 | | 0.37 | 0.0063 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Dibenz(a,h)anthracene | 0.15 | | 0.037 | 0.016 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Dibenzofuran | 0.026 | J | 0.37 | 0.0053 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Diethyl phthalate | 0.0054 | U | 0.37 | 0.0054 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Dimethyl phthalate | 0.085 | U | 0.37 | 0.085 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Di-n-butyl phthalate | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Di-n-octyl phthalate | 0.020 | U | 0.37 | 0.020 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Fluoranthene | 1.2 | | 0.37 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Fluorene | 0.031 | J | 0.37 | 0.0051 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Hexachlorobenzene | 0.018 | U | 0.037 | 0.018 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Hexachlorobutadiene | 0.0080 | U | 0.076 | 0.0080 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Hexachlorocyclopentadiene | 0.033 | U | 0.37 | 0.033 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Hexachloroethane | 0.013 | U | 0.037 | 0.013 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.60 | | 0.037 | 0.015 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Isophorone | 0.11 | U | 0.15 | 0.11 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Naphthalene | 0.11 | J | 0.37 | 0.0065 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Nitrobenzene | 0.0090 | U | 0.037 | 0.0090 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| N-Nitrosodi-n-propylamine | 0.027 | U | 0.037 | 0.027 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| N-Nitrosodiphenylamine | 0.031 | U | 0.37 | 0.031 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Pentachlorophenol | 0.077 | U | 0.30 | 0.077 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Phenanthrene | 0.53 | | 0.37 | 0.0066 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Phenol | 0.014 | U | 0.37 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Pyrene | 1.1 | | 0.37 | 0.0093 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 04:03 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|--|-------------|-----------|-------|---|-------|-------------|----------------|----------------|---------|
| Aldol condensation product | 1.6 | A J | mg/Kg | ☼ | 2.59 | | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Phenanthrene, 4-methyl- | 0.32 | J N | mg/Kg | ☼ | 9.11 | 832-64-4 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Unknown | 0.30 | J | mg/Kg | ☼ | 9.30 | | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 9,10-Dimethylanthracene | 0.46 | J N | mg/Kg | ☼ | 9.54 | 781-43-1 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Unknown | 0.42 | J | mg/Kg | ☼ | 10.87 | | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Chrysene, 1-methyl- | 0.41 | J N | mg/Kg | ☼ | 11.65 | 3351-28-8 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Dibenzo[def,mno]chrysene | 0.39 | J N | mg/Kg | ☼ | 15.01 | 191-26-4 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Unknown | 0.49 | J | mg/Kg | ☼ | 15.65 | | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 5-Bromo-4-oxo-4,5,6,7-tetrahydrobenzofuran | 0.37 | J N | mg/Kg | ☼ | 16.77 | 300574-36-1 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 57 | | 10 - 123 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Fluorobiphenyl | 59 | | 25 - 104 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| 2-Fluorophenol (Surr) | 56 | | 18 - 106 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Nitrobenzene-d5 (Surr) | 54 | | 19 - 105 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Phenol-d5 (Surr) | 56 | | 26 - 101 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |
| Terphenyl-d14 (Surr) | 62 | | 25 - 127 | 11/06/20 16:36 | 11/07/20 04:03 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|--------|--------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0076 | 0.0013 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDE | 0.011 | | 0.0076 | 0.00089 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| 4,4'-DDT | 0.019 | | 0.0076 | 0.0014 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Aldrin | 0.0011 | U | 0.0076 | 0.0011 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| alpha-BHC | 0.00077 | U | 0.0023 | 0.00077 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| beta-BHC | 0.00085 | U | 0.0023 | 0.00085 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Chlordane (technical) | 0.018 | U | 0.076 | 0.018 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0076 | 0.0012 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| delta-BHC | 0.00046 | U | 0.0023 | 0.00046 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Dieldrin | 0.00098 | U | 0.0023 | 0.00098 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endosulfan I | 0.0012 | U | 0.0076 | 0.0012 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endosulfan II | 0.0019 | U | 0.0076 | 0.0019 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endosulfan sulfate | 0.00095 | U | 0.0076 | 0.00095 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endrin | 0.0011 | U | 0.0076 | 0.0011 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endrin aldehyde | 0.0018 | U | 0.0076 | 0.0018 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Endrin ketone | 0.0015 | U | 0.0076 | 0.0015 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.0023 | 0.00070 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Heptachlor | 0.00089 | U | 0.0076 | 0.00089 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Heptachlor epoxide | 0.0011 | U | 0.0076 | 0.0011 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Methoxychlor | 0.0017 | U | 0.0076 | 0.0017 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Toxaphene | 0.027 | U | 0.076 | 0.027 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| trans-Chlordane | 0.0013 | U | 0.0076 | 0.0013 | mg/Kg | ☆ | 11/06/20 09:33 | 11/09/20 08:12 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 124 | | 28 - 148 | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| DCB Decachlorobiphenyl | 103 | | 28 - 148 | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Tetrachloro-m-xylene | 104 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 08:12 | 1 |
| Tetrachloro-m-xylene | 79 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 08:12 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1221 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1232 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1242 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1248 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1254 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1260 | 0.053 | J | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor-1262 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Aroclor 1268 | 0.010 | U | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Polychlorinated biphenyls, Total | 0.053 | J | 0.076 | 0.010 | mg/Kg | ☆ | 11/06/20 09:30 | 11/09/20 11:27 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 111 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| DCB Decachlorobiphenyl | 113 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Tetrachloro-m-xylene | 81 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 11:27 | 1 |
| Tetrachloro-m-xylene | 116 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 11:27 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0080 | U | 0.038 | 0.0080 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:26 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

Method: 8151A - Herbicides (GC) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--------|-------|---|----------------|----------------|---------|
| 2,4-D | 0.014 | U | 0.038 | 0.014 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:26 | 1 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.038 | 0.0039 | mg/Kg | ☆ | 11/05/20 19:22 | 11/06/20 13:26 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 90 | | 30 - 150 | | | | 11/05/20 19:22 | 11/06/20 13:26 | 1 |
| 2,4-Dichlorophenylacetic acid | 114 | | 30 - 150 | | | | 11/05/20 19:22 | 11/06/20 13:26 | 1 |

Method: 6010D - Metals (ICP) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 16.7 | U | 75.0 | 16.7 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Barium | 313 | J | 1000 | 66.0 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Cadmium | 1.6 | U | 20.0 | 1.6 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Chromium | 24.9 | U | 50.0 | 24.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Lead | 1290 | | 50.0 | 11.8 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Selenium | 29.4 | U | 100 | 29.4 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |
| Silver | 28.9 | U | 50.0 | 28.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:04 | 5 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 6000 | | 17.8 | 2.3 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Antimony | 0.61 | J | 0.89 | 0.13 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Arsenic | 7.0 | | 0.89 | 0.089 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Barium | 138 | | 1.8 | 0.13 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Beryllium | 0.35 | J | 0.36 | 0.051 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Cadmium | 0.50 | J | 0.89 | 0.10 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Calcium | 39400 | | 89.0 | 15.1 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Chromium | 34.4 | | 1.8 | 0.15 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Cobalt | 8.1 | | 1.8 | 0.13 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Copper | 55.8 | | 1.8 | 0.20 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Iron | 32400 | | 53.4 | 18.0 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Lead | 3850 | | 2.7 | 0.89 | mg/Kg | ☆ | 11/05/20 14:05 | 11/07/20 10:58 | 5 |
| Magnesium | 4500 | | 89.0 | 9.1 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Manganese | 354 | | 3.6 | 0.36 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Nickel | 32.2 | | 1.8 | 0.17 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Potassium | 2140 | | 89.0 | 10 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Selenium | 0.38 | J | 1.1 | 0.11 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Silver | 0.12 | J | 0.89 | 0.079 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Sodium | 247 | | 89.0 | 13.9 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Thallium | 0.18 | J | 0.36 | 0.036 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Vanadium | 22.5 | | 1.8 | 0.18 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |
| Zinc | 232 | | 7.1 | 2.0 | mg/Kg | ☆ | 11/05/20 14:05 | 11/06/20 17:51 | 1 |

Method: 7470A - Mercury (CVAA) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|------|---|----------------|----------------|---------|
| Mercury | 0.091 | U | 0.20 | 0.091 | ug/L | | 11/13/20 13:08 | 11/13/20 15:31 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.44 | | 0.018 | 0.0042 | mg/Kg | ☆ | 11/09/20 03:58 | 11/09/20 10:05 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Date Collected: 11/04/20 14:50

Date Received: 11/04/20 18:00

Lab Sample ID: 460-222083-2

Matrix: Solid

Percent Solids: 88.5

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------|-------------|-----------|------|------|-----------|---|----------------|----------------|---------|
| Burn Rate | 2.20 | U | 2.20 | 2.20 | mm/sec | | | 11/11/20 08:00 | 1 |
| Cr (III) | 34.4 | | 2.0 | 2.0 | mg/Kg | | | 11/10/20 10:37 | 1 |
| Cr (VI) | 0.39 | U | 2.2 | 0.39 | mg/Kg | ☆ | 11/08/20 10:44 | 11/09/20 13:34 | 1 |
| Cyanide, Total | 0.17 | J | 0.25 | 0.13 | mg/Kg | ☆ | 11/10/20 12:38 | 11/10/20 16:08 | 1 |
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 11/17/20 15:52 | 11/17/20 15:56 | 1 |
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 11/17/20 15:45 | 11/17/20 15:55 | 1 |
| Corrosivity | 8.2 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:14 | 1 |
| pH | 8.2 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:14 | 1 |
| Temperature | 21.4 | HF | 0.1 | 0.1 | Degrees C | | | 11/17/20 13:14 | 1 |
| Percent Moisture | 11.5 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |
| Percent Solids | 88.5 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |

Client Sample ID: TP-8_(0-2)

Date Collected: 11/04/20 15:00

Date Received: 11/04/20 18:00

Lab Sample ID: 460-222083-3

Matrix: Solid

Percent Solids: 87.0

Method: 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00036 | U | 0.0015 | 0.00036 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00033 | U | 0.0015 | 0.00033 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00046 | U | 0.0015 | 0.00046 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,1,2-Trichloroethane | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,1-Dichloroethane | 0.00032 | U | 0.0015 | 0.00032 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,1-Dichloroethene | 0.00035 | U | 0.0015 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2,3-Trichlorobenzene | 0.00028 | U | 0.0015 | 0.00028 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2,4-Trichlorobenzene | 0.00055 | U | 0.0015 | 0.00055 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2,4-Trimethylbenzene | 0.00038 | U | 0.0015 | 0.00038 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00071 | U | 0.0015 | 0.00071 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2-Dichlorobenzene | 0.00056 | U | 0.0015 | 0.00056 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2-Dichloroethane | 0.00046 | U | 0.0015 | 0.00046 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,2-Dichloropropane | 0.00065 | U | 0.0015 | 0.00065 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,3,5-Trimethylbenzene | 0.00048 | U | 0.0015 | 0.00048 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,3-Dichlorobenzene | 0.00056 | U | 0.0015 | 0.00056 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 1,4-Dichlorobenzene | 0.00035 | U | 0.0015 | 0.00035 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 2-Butanone (MEK) | 0.00057 | U | 0.0077 | 0.00057 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 2-Hexanone | 0.0026 | U | 0.0077 | 0.0026 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0024 | U | 0.0077 | 0.0024 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Acetone | 0.0088 | U | 0.0092 | 0.0088 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Benzene | 0.00040 | U | 0.0015 | 0.00040 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Bromoform | 0.00065 | U | 0.0015 | 0.00065 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Bromomethane | 0.0015 | U | 0.0015 | 0.0015 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Carbon disulfide | 0.00041 | U | 0.0015 | 0.00041 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Carbon tetrachloride | 0.00060 | U | 0.0015 | 0.00060 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chlorobenzene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chlorobromomethane | 0.00043 | U | 0.0015 | 0.00043 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chlorodibromomethane | 0.00030 | U | 0.0015 | 0.00030 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chloroethane | 0.00080 | U | 0.0015 | 0.00080 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chloroform | 0.0015 | U | 0.0015 | 0.0015 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Chloromethane | 0.00067 | U | 0.0015 | 0.00067 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| cis-1,2-Dichloroethene | 0.00055 | U | 0.0015 | 0.00055 | mg/Kg | ☆ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|----------------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| cis-1,3-Dichloropropene | 0.00042 | U | 0.0015 | 0.00042 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Cyclohexane | 0.00034 | U | 0.0015 | 0.00034 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Dichlorobromomethane | 0.00040 | U | 0.0015 | 0.00040 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Dichlorodifluoromethane | 0.00052 | U | 0.0015 | 0.00052 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Ethylbenzene | 0.00031 | U | 0.0015 | 0.00031 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Ethylene Dibromide | 0.00028 | U | 0.0015 | 0.00028 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Isopropylbenzene | 0.00044 | U | 0.0015 | 0.00044 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Methyl acetate | 0.0066 | U | 0.0077 | 0.0066 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Methyl tert-butyl ether | 0.00079 | U | 0.0015 | 0.00079 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Methylcyclohexane | 0.00077 | U | 0.0015 | 0.00077 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Methylene Chloride | 0.0018 | U | 0.0015 | 0.0018 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| m-Xylene & p-Xylene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| n-Butylbenzene | 0.00045 | U | 0.0015 | 0.00045 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| N-Propylbenzene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| o-Xylene | 0.00030 | U | 0.0015 | 0.00030 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| sec-Butylbenzene | 0.00044 | U | 0.0015 | 0.00044 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Styrene | 0.00043 | U | 0.0015 | 0.00043 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| tert-Butylbenzene | 0.00043 | U | 0.0015 | 0.00043 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Tetrachloroethene | 0.00047 | U | 0.0015 | 0.00047 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Toluene | 0.00054 | J | 0.0015 | 0.00036 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| trans-1,2-Dichloroethene | 0.00038 | U | 0.0015 | 0.00038 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| trans-1,3-Dichloropropene | 0.00041 | U | 0.0015 | 0.00041 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Trichloroethene | 0.00049 | U | 0.0015 | 0.00049 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Trichlorofluoromethane | 0.00063 | U | 0.0015 | 0.00063 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Vinyl chloride | 0.00084 | U | 0.0015 | 0.00084 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Xylenes, Total | 0.00099 | U | 0.0031 | 0.00099 | mg/Kg | ✱ | 11/05/20 22:26 | 11/07/20 15:40 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ✱ | | | 11/05/20 22:26 | 11/07/20 15:40 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 77 - 145 | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| 4-Bromofluorobenzene | 98 | | 79 - 125 | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Dibromofluoromethane (Surr) | 102 | | 48 - 150 | 11/05/20 22:26 | 11/07/20 15:40 | 1 |
| Toluene-d8 (Surr) | 88 | | 80 - 120 | 11/05/20 22:26 | 11/07/20 15:40 | 1 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0050 | U | 0.38 | 0.0050 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.38 | 0.012 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 1,4-Dioxane | 0.033 | U | 0.11 | 0.033 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0069 | U | 0.38 | 0.0069 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.026 | U | 0.38 | 0.026 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4,5-Trichlorophenol | 0.039 | U | 0.38 | 0.039 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4,6-Trichlorophenol | 0.049 | U | 0.15 | 0.049 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4-Dichlorophenol | 0.024 | U | 0.15 | 0.024 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4-Dimethylphenol | 0.017 | U | 0.38 | 0.017 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4-Dinitrophenol | 0.19 | U | 0.31 | 0.19 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,4-Dinitrotoluene | 0.041 | U | 0.077 | 0.041 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2,6-Dinitrotoluene | 0.027 | U | 0.077 | 0.027 | mg/Kg | ✱ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2-Chloronaphthalene | 0.018 | U | 0.38 | 0.018 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Chlorophenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Methylnaphthalene | 0.012 | J | 0.38 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Methylphenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Nitroaniline | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Nitrophenol | 0.038 | U | 0.38 | 0.038 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 3 & 4 Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 3,3'-Dichlorobenzidine | 0.057 | U | 0.15 | 0.057 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 3-Nitroaniline | 0.043 | U | 0.38 | 0.043 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.16 | U | 0.31 | 0.16 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Bromophenyl phenyl ether | 0.015 | U | 0.38 | 0.015 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Chloro-3-methylphenol | 0.021 | U | 0.38 | 0.021 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Chloroaniline | 0.067 | U | 0.38 | 0.067 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Chlorophenyl phenyl ether | 0.013 | U | 0.38 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Nitroaniline | 0.044 | U | 0.38 | 0.044 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 4-Nitrophenol | 0.062 | U | 0.77 | 0.062 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Acenaphthene | 0.064 | J | 0.38 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Acenaphthylene | 0.088 | J | 0.38 | 0.0038 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Acetophenone | 0.019 | U | 0.38 | 0.019 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Anthracene | 0.18 | J | 0.38 | 0.012 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Atrazine | 0.022 | U | 0.15 | 0.022 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzaldehyde | 0.063 | U | 0.38 | 0.063 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[a]anthracene | 1.1 | | 0.038 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[a]pyrene | 1.2 | | 0.038 | 0.010 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[b]fluoranthene | 1.4 | | 0.038 | 0.0098 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[g,h,i]perylene | 0.72 | | 0.38 | 0.011 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[k]fluoranthene | 0.50 | | 0.038 | 0.0075 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Bis(2-chloroethoxy)methane | 0.030 | U | 0.38 | 0.030 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Butyl benzyl phthalate | 0.018 | U | 0.38 | 0.018 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Caprolactam | 0.059 | U | 0.38 | 0.059 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Carbazole | 0.087 | J | 0.38 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Chrysene | 0.96 | | 0.38 | 0.0064 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Dibenz(a,h)anthracene | 0.28 | | 0.038 | 0.016 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Dibenzofuran | 0.031 | J | 0.38 | 0.0053 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Diethyl phthalate | 0.0055 | U | 0.38 | 0.0055 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Dimethyl phthalate | 0.086 | U | 0.38 | 0.086 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Di-n-butyl phthalate | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Di-n-octyl phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Fluoranthene | 1.5 | | 0.38 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Fluorene | 0.049 | J | 0.38 | 0.0052 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Hexachlorobenzene | 0.018 | U | 0.038 | 0.018 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Hexachlorobutadiene | 0.0081 | U | 0.077 | 0.0081 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Hexachlorocyclopentadiene | 0.033 | U | 0.38 | 0.033 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Hexachloroethane | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.88 | | 0.038 | 0.015 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Isophorone | 0.11 | U | 0.15 | 0.11 | mg/Kg | ☆ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Naphthalene | 0.037 | J | 0.38 | 0.0066 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Nitrobenzene | 0.0091 | U | 0.038 | 0.0091 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| N-Nitrosodi-n-propylamine | 0.028 | U | 0.038 | 0.028 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| N-Nitrosodiphenylamine | 0.031 | U | 0.38 | 0.031 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Pentachlorophenol | 0.078 | U | 0.31 | 0.078 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Phenanthrene | 0.81 | | 0.38 | 0.0067 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Phenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Pyrene | 1.5 | | 0.38 | 0.0095 | mg/Kg | ☼ | 11/06/20 16:36 | 11/07/20 02:11 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|--|-------------|-----------|-------|---|-------|-----------|----------------|----------------|---------|
| Aldol condensation product | 0.76 | A J | mg/Kg | ☼ | 2.60 | | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 1H-Cyclopropa[1]phenanthrene, 1a,9b-dihydro- | 0.33 | J N | mg/Kg | ☼ | 9.11 | 949-41-7 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Phenanthrene, 1,7-dimethyl- | 0.40 | J N | mg/Kg | ☼ | 9.54 | 483-87-4 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Unknown | 0.34 | J | mg/Kg | ☼ | 10.32 | | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Benzo[b]naphtho[2,1-d]thiophene | 0.56 | J N | mg/Kg | ☼ | 10.87 | 239-35-0 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Chrysene, 1-methyl- | 0.44 | J N | mg/Kg | ☼ | 11.65 | 3351-28-8 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Octadecane | 0.45 | J N | mg/Kg | ☼ | 11.88 | 593-45-3 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Unknown | 0.40 | J | mg/Kg | ☼ | 12.22 | | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Eicosane | 0.34 | J N | mg/Kg | ☼ | 13.22 | 112-95-8 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Docosane | 0.44 | J N | mg/Kg | ☼ | 14.20 | 629-97-0 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 1,2:7,8-Dibenzophenanthrene | 0.49 | J N | mg/Kg | ☼ | 14.63 | 213-46-7 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Unknown | 0.45 | J | mg/Kg | ☼ | 15.40 | | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Unknown | 0.48 | J | mg/Kg | ☼ | 16.76 | | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Dibenz(a,e)aceanthrylene | 0.36 | J N | mg/Kg | ☼ | 17.00 | 5385-75-1 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 59 | | 10 - 123 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Fluorobiphenyl | 62 | | 25 - 104 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| 2-Fluorophenol (Surr) | 59 | | 18 - 106 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Nitrobenzene-d5 (Surr) | 55 | | 19 - 105 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Phenol-d5 (Surr) | 60 | | 26 - 101 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |
| Terphenyl-d14 (Surr) | 72 | | 25 - 127 | 11/06/20 16:36 | 11/07/20 02:11 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0077 | 0.0013 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| 4,4'-DDE | 0.00091 | U | 0.0077 | 0.00091 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| 4,4'-DDT | 0.0014 | U | 0.0077 | 0.0014 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Aldrin | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| alpha-BHC | 0.00078 | U | 0.0023 | 0.00078 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| beta-BHC | 0.00086 | U | 0.0023 | 0.00086 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Chlordane (technical) | 0.019 | U | 0.077 | 0.019 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| delta-BHC | 0.00047 | U | 0.0023 | 0.00047 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Dieldrin | 0.0010 | U | 0.0023 | 0.0010 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Endosulfan I | 0.0012 | U | 0.0077 | 0.0012 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Endosulfan II | 0.0020 | U | 0.0077 | 0.0020 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Endosulfan sulfate | 0.00096 | U | 0.0077 | 0.00096 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Endrin | 0.0011 | U | 0.0077 | 0.0011 | mg/Kg | ☼ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| Endrin aldehyde | 0.0018 | U | 0.0077 | 0.0018 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Endrin ketone | 0.0015 | U | 0.0077 | 0.0015 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| gamma-BHC (Lindane) | 0.00071 | U | 0.0023 | 0.00071 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Heptachlor | 0.00091 | U | 0.0077 | 0.00091 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Heptachlor epoxide | 0.0011 | U | 0.0077 | 0.0011 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Methoxychlor | 0.0018 | U | 0.0077 | 0.0018 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Toxaphene | 0.028 | U | 0.077 | 0.028 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| trans-Chlordane | 0.0014 | U | 0.0077 | 0.0014 | mg/Kg | ✱ | 11/06/20 09:33 | 11/09/20 08:27 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 143 | | 28 - 148 | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| DCB Decachlorobiphenyl | 149 | X | 28 - 148 | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Tetrachloro-m-xylene | 85 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 08:27 | 1 |
| Tetrachloro-m-xylene | 78 | | 34 - 118 | 11/06/20 09:33 | 11/09/20 08:27 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1221 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1232 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1242 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1248 | 0.010 | U | 0.077 | 0.010 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1254 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1260 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor-1262 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Aroclor 1268 | 0.011 | U | 0.077 | 0.011 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Polychlorinated biphenyls, Total | 0.011 | U | 0.077 | 0.011 | mg/Kg | ✱ | 11/06/20 09:30 | 11/09/20 11:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 101 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| DCB Decachlorobiphenyl | 110 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Tetrachloro-m-xylene | 70 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 11:44 | 1 |
| Tetrachloro-m-xylene | 98 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 11:44 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0081 | U | 0.038 | 0.0081 | mg/Kg | ✱ | 11/05/20 19:22 | 11/06/20 13:41 | 1 |
| 2,4-D | 0.014 | U | 0.038 | 0.014 | mg/Kg | ✱ | 11/05/20 19:22 | 11/06/20 13:41 | 1 |
| Silvex (2,4,5-TP) | 0.0040 | U | 0.038 | 0.0040 | mg/Kg | ✱ | 11/05/20 19:22 | 11/06/20 13:41 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 89 | | 30 - 150 | 11/05/20 19:22 | 11/06/20 13:41 | 1 |
| 2,4-Dichlorophenylacetic acid | 105 | | 30 - 150 | 11/05/20 19:22 | 11/06/20 13:41 | 1 |

Method: 6010D - Metals (ICP) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 20.8 | J | 75.0 | 16.7 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |
| Barium | 259 | J | 1000 | 66.0 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |
| Cadmium | 6.7 | J | 20.0 | 1.6 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |
| Chromium | 24.9 | U | 50.0 | 24.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |
| Lead | 130 | | 50.0 | 11.8 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

Method: 6010D - Metals (ICP) - TCLP (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|------|------|---|----------------|----------------|---------|
| Selenium | 29.4 | U | 100 | 29.4 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |
| Silver | 28.9 | U | 50.0 | 28.9 | ug/L | | 11/13/20 10:48 | 11/14/20 15:08 | 5 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 5880 | | 18.8 | 2.4 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Antimony | 0.36 | J | 0.94 | 0.14 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Arsenic | 11.8 | | 0.94 | 0.094 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Barium | 100 | | 1.9 | 0.14 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Beryllium | 0.33 | J | 0.38 | 0.054 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Cadmium | 3.1 | | 0.94 | 0.11 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Calcium | 52700 | | 471 | 80.0 | mg/Kg | ✱ | 11/05/20 14:05 | 11/07/20 11:01 | 5 |
| Chromium | 18.7 | | 1.9 | 0.16 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Cobalt | 6.3 | | 1.9 | 0.14 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Copper | 42.6 | | 1.9 | 0.21 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Iron | 25600 | | 56.5 | 19.0 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Lead | 297 | | 0.56 | 0.19 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Magnesium | 4590 | | 94.2 | 9.6 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Manganese | 355 | | 3.8 | 0.38 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Nickel | 16.8 | | 1.9 | 0.18 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Potassium | 1490 | | 94.2 | 10.5 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Selenium | 0.49 | J | 1.2 | 0.11 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Silver | 0.099 | J | 0.94 | 0.084 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Sodium | 381 | | 94.2 | 14.7 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Thallium | 0.17 | J | 0.38 | 0.039 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Vanadium | 19.0 | | 1.9 | 0.19 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |
| Zinc | 568 | | 7.5 | 2.2 | mg/Kg | ✱ | 11/05/20 14:05 | 11/06/20 17:53 | 1 |

Method: 7470A - Mercury (CVAA) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|------|---|----------------|----------------|---------|
| Mercury | 0.091 | U | 0.20 | 0.091 | ug/L | | 11/13/20 13:08 | 11/13/20 15:36 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Mercury | 2.5 | | 0.094 | 0.022 | mg/Kg | ✱ | 11/09/20 03:58 | 11/09/20 10:07 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|------|------|-----------|---|----------------|----------------|---------|
| Burn Rate | 2.20 | U | 2.20 | 2.20 | mm/sec | | | 11/11/20 08:00 | 1 |
| Cr (III) | 18.7 | | 2.0 | 2.0 | mg/Kg | | | 11/10/20 10:37 | 1 |
| Cr (VI) | 0.40 | U | 2.3 | 0.40 | mg/Kg | ✱ | 11/08/20 10:44 | 11/09/20 13:34 | 1 |
| Cyanide, Total | 0.14 | U | 0.27 | 0.14 | mg/Kg | ✱ | 11/10/20 13:10 | 11/10/20 16:13 | 1 |
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 11/17/20 15:52 | 11/17/20 15:56 | 1 |
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 11/17/20 15:45 | 11/17/20 15:55 | 1 |
| Corrosivity | 8.1 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:15 | 1 |
| pH | 8.1 | HF | 0.1 | 0.1 | SU | | | 11/17/20 13:15 | 1 |
| Temperature | 21.3 | HF | 0.1 | 0.1 | Degrees C | | | 11/17/20 13:15 | 1 |
| Percent Moisture | 13.0 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |
| Percent Solids | 87.0 | | 1.0 | 1.0 | % | | | 11/09/20 18:43 | 1 |

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-222083-1 | TP-15_(0-2) | 114 | 111 | 113 | 100 |
| 460-222083-2 | TP-7_(0-2) | 113 | 112 | 116 | 103 |
| 460-222083-3 | TP-8_(0-2) | 103 | 98 | 102 | 88 |
| LB3 460-737731/1-A | Method Blank | 113 | 109 | 114 | 93 |
| LCS 460-737757/4 | Lab Control Sample | 119 | 115 | 124 | 105 |
| LCS 460-738009/4 | Lab Control Sample | 120 | 109 | 120 | 103 |
| LCSD 460-737757/5 | Lab Control Sample Dup | 122 | 120 | 121 | 111 |
| LCSD 460-738009/5 | Lab Control Sample Dup | 106 | 102 | 106 | 94 |
| MB 460-737757/8 | Method Blank | 116 | 110 | 118 | 99 |
| MB 460-738009/8 | Method Blank | 110 | 110 | 113 | 96 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-222083-1 | TP-15_(0-2) | 42 | 43 | 39 | 39 | 38 | 42 |
| 460-222083-2 | TP-7_(0-2) | 57 | 59 | 56 | 54 | 56 | 62 |
| 460-222083-3 | TP-8_(0-2) | 59 | 62 | 59 | 55 | 60 | 72 |
| 460-222100-F-2-D MS | Matrix Spike | 59 | 58 | 53 | 50 | 60 | 65 |
| 460-222100-F-2-E MSD | Matrix Spike Duplicate | 57 | 56 | 51 | 49 | 55 | 62 |
| LCS 460-737901/2-A | Lab Control Sample | 75 | 74 | 71 | 69 | 76 | 83 |
| LCSD 460-737901/3-A | Lab Control Sample Dup | 92 | 86 | 83 | 78 | 88 | 98 |
| MB 460-737901/1-A | Method Blank | 81 | 78 | 77 | 72 | 76 | 92 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-222081-E-1-D MS | Matrix Spike | 75 | 74 | 52 | 93 |
| 460-222081-E-1-E MSD | Matrix Spike Duplicate | 94 | 79 | 61 | 74 |
| 460-222083-1 | TP-15_(0-2) | 183 X | 265 X | 84 | 101 |
| 460-222083-2 | TP-7_(0-2) | 103 | 124 | 79 | 104 |
| 460-222083-3 | TP-8_(0-2) | 149 X | 143 | 78 | 85 |

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC

Job ID: 460-222083-1

Project/Site: Commodore

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|---------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| LCS 460-737834/2-A | Lab Control Sample | 88 | 83 | 76 | 81 |
| LCSD 460-737834/3-A | Lab Control Sample Dup | 88 | 85 | 76 | 84 |
| MB 460-737834/1-A | Method Blank | 81 | 95 | 91 | 93 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-222081-E-1-A MS | Matrix Spike | 107 | 81 | 99 | 62 |
| 460-222081-E-1-B MSD | Matrix Spike Duplicate | 94 | 76 | 87 | 56 X |
| 460-222083-1 | TP-15_(0-2) | 115 | 98 | 94 | 79 |
| 460-222083-2 | TP-7_(0-2) | 113 | 111 | 116 | 81 |
| 460-222083-3 | TP-8_(0-2) | 110 | 101 | 98 | 70 |
| LCS 460-737832/2-A | Lab Control Sample | 92 | 80 | 92 | 64 |
| LCSD 460-737832/3-A | Lab Control Sample Dup | 97 | 80 | 95 | 75 |
| MB 460-737832/1-A | Method Blank | 109 | 94 | 105 | 80 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | |
|----------------------|------------------------|--|--------------------|
| | | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-221991-B-1-F MS | Matrix Spike | 103 | 93 |
| 460-221991-B-1-G MSD | Matrix Spike Duplicate | 102 | 92 |
| 460-222083-1 | TP-15_(0-2) | 88 | 113 |
| 460-222083-2 | TP-7_(0-2) | 90 | 114 |
| 460-222083-3 | TP-8_(0-2) | 89 | 105 |
| LCS 460-737693/2-A | Lab Control Sample | 105 | 97 |
| LCSD 460-737693/3-A | Lab Control Sample Dup | 102 | 94 |
| MB 460-737693/1-A | Method Blank | 108 | 102 |

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-737731/1-A

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737731

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-737731/1-A

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737731

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 11/05/20 22:07 | 11/06/20 14:01 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 113 | | 77 - 145 | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| 4-Bromofluorobenzene | 109 | | 79 - 125 | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Dibromofluoromethane (Surr) | 114 | | 48 - 150 | 11/05/20 22:07 | 11/06/20 14:01 | 1 |
| Toluene-d8 (Surr) | 93 | | 80 - 120 | 11/05/20 22:07 | 11/06/20 14:01 | 1 |

Lab Sample ID: MB 460-737757/8

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 11/06/20 08:22 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 11/06/20 08:22 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-737757/8

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 11/06/20 08:22 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/06/20 08:22 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 11/06/20 08:22 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 11/06/20 08:22 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/06/20 08:22 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/06/20 08:22 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/06/20 08:22 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/06/20 08:22 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/06/20 08:22 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/06/20 08:22 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 11/06/20 08:22 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 11/06/20 08:22 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 11/06/20 08:22 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 116 | | 77 - 145 | | 11/06/20 08:22 | 1 |
| 4-Bromofluorobenzene | 110 | | 79 - 125 | | 11/06/20 08:22 | 1 |
| Dibromofluoromethane (Surr) | 118 | | 48 - 150 | | 11/06/20 08:22 | 1 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 | | 11/06/20 08:22 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-737757/4

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0231 | | mg/Kg | | 115 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0174 | | mg/Kg | | 87 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0232 | | mg/Kg | | 116 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0192 | | mg/Kg | | 96 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0226 | | mg/Kg | | 113 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0217 | | mg/Kg | | 108 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0221 | | mg/Kg | | 111 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0213 | | mg/Kg | | 107 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0213 | | mg/Kg | | 107 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0193 | | mg/Kg | | 96 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.106 | | mg/Kg | | 106 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.102 | | mg/Kg | | 102 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.105 | | mg/Kg | | 105 | 80 - 122 |
| Acetone | 0.100 | 0.109 | | mg/Kg | | 109 | 63 - 131 |
| Benzene | 0.0200 | 0.0179 | | mg/Kg | | 90 | 80 - 123 |
| Bromoform | 0.0200 | 0.0234 | | mg/Kg | | 117 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0220 | | mg/Kg | | 110 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0197 | | mg/Kg | | 98 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0241 | | mg/Kg | | 120 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0189 | | mg/Kg | | 94 | 65 - 134 |
| Chloroform | 0.0200 | 0.0210 | | mg/Kg | | 105 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0193 | | mg/Kg | | 97 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0186 | | mg/Kg | | 93 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 100 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0200 | | mg/Kg | | 100 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0346 | | mg/Kg | | 87 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0213 | | mg/Kg | | 107 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0200 | | mg/Kg | | 100 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0186 | | mg/Kg | | 93 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-737757/4

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0225 | | mg/Kg | | 112 | 78 - 123 |
| Toluene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0189 | | mg/Kg | | 95 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0247 | | mg/Kg | | 123 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0192 | | mg/Kg | | 96 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0400 | | mg/Kg | | 100 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 119 | | 77 - 145 |
| 4-Bromofluorobenzene | 115 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 124 | | 48 - 150 |
| Toluene-d8 (Surr) | 105 | | 80 - 120 |

Lab Sample ID: LCSD 460-737757/5

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0230 | | mg/Kg | | 115 | 78 - 132 | 0 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0174 | | mg/Kg | | 87 | 69 - 123 | 0 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0241 | | mg/Kg | | 121 | 78 - 136 | 4 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0189 | | mg/Kg | | 95 | 75 - 120 | 2 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 76 - 129 | 1 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 77 - 132 | 3 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 77 - 120 | 0 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0225 | | mg/Kg | | 113 | 75 - 120 | 2 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0189 | | mg/Kg | | 95 | 79 - 120 | 4 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 60 - 126 | 4 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 3 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 70 - 132 | 4 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0186 | | mg/Kg | | 93 | 73 - 124 | 3 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 79 - 120 | 4 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 120 | 1 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 | 1 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.0994 | | mg/Kg | | 99 | 75 - 120 | 6 | 30 |
| 2-Hexanone | 0.100 | 0.0970 | | mg/Kg | | 97 | 78 - 120 | 6 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.103 | | mg/Kg | | 103 | 80 - 122 | 2 | 30 |
| Acetone | 0.100 | 0.101 | | mg/Kg | | 101 | 63 - 131 | 8 | 30 |
| Benzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 123 | 4 | 30 |
| Bromoform | 0.0200 | 0.0225 | | mg/Kg | | 113 | 48 - 142 | 4 | 30 |
| Bromomethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 68 - 136 | 3 | 30 |
| Carbon disulfide | 0.0200 | 0.0212 | | mg/Kg | | 106 | 67 - 136 | 8 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0244 | | mg/Kg | | 122 | 72 - 136 | 1 | 30 |
| Chlorobenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 | 1 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-737757/5

Matrix: Solid

Analysis Batch: 737757

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0215 | | mg/Kg | | 108 | 76 - 127 | 4 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 62 - 128 | 7 | 30 |
| Chloroethane | 0.0200 | 0.0190 | | mg/Kg | | 95 | 65 - 134 | 1 | 30 |
| Chloroform | 0.0200 | 0.0207 | | mg/Kg | | 104 | 79 - 126 | 1 | 30 |
| Chloromethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 48 - 150 | 7 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 123 | 2 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 72 - 120 | 2 | 30 |
| Cyclohexane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 132 | 1 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0205 | | mg/Kg | | 103 | 73 - 124 | 3 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0234 | | mg/Kg | | 117 | 40 - 146 | 23 | 30 |
| Ethylbenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 | 2 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0201 | | mg/Kg | | 101 | 79 - 120 | 0 | 30 |
| Isopropylbenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 5 | 30 |
| Methyl acetate | 0.0400 | 0.0346 | | mg/Kg | | 86 | 58 - 143 | 0 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0201 | | mg/Kg | | 101 | 80 - 125 | 6 | 30 |
| Methylcyclohexane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 79 - 133 | 5 | 30 |
| Methylene Chloride | 0.0200 | 0.0195 | | mg/Kg | | 97 | 76 - 127 | 4 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 | 1 | 30 |
| n-Butylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 77 - 123 | 5 | 30 |
| N-Propylbenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 78 - 120 | 2 | 30 |
| o-Xylene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 80 - 120 | 1 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0192 | | mg/Kg | | 96 | 78 - 120 | 5 | 30 |
| Styrene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 80 - 120 | 2 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 76 - 120 | 2 | 30 |
| Tetrachloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 78 - 123 | 3 | 30 |
| Toluene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 | 3 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 78 - 128 | 3 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 68 - 120 | 0 | 30 |
| Trichloroethene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 79 - 120 | 2 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0250 | | mg/Kg | | 125 | 67 - 142 | 1 | 30 |
| Vinyl chloride | 0.0200 | 0.0210 | | mg/Kg | | 105 | 56 - 147 | 9 | 30 |
| Xylenes, Total | 0.0400 | 0.0399 | | mg/Kg | | 100 | 80 - 120 | 0 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|------------------------------|----------------|----------------|-------------|
| 1,2-Dichloroethane-d4 (Surr) | 122 | | 77 - 145 |
| 4-Bromofluorobenzene | 120 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 121 | | 48 - 150 |
| Toluene-d8 (Surr) | 111 | | 80 - 120 |

Lab Sample ID: MB 460-738009/8

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/07/20 07:37 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-738009/8

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 11/07/20 07:37 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 11/07/20 07:37 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/07/20 07:37 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 11/07/20 07:37 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 11/07/20 07:37 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/07/20 07:37 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/07/20 07:37 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/07/20 07:37 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/07/20 07:37 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/07/20 07:37 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/07/20 07:37 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-738009/8

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 11/07/20 07:37 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 11/07/20 07:37 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 11/07/20 07:37 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 110 | | 77 - 145 | | 11/07/20 07:37 | 1 |
| 4-Bromofluorobenzene | 110 | | 79 - 125 | | 11/07/20 07:37 | 1 |
| Dibromofluoromethane (Surr) | 113 | | 48 - 150 | | 11/07/20 07:37 | 1 |
| Toluene-d8 (Surr) | 96 | | 80 - 120 | | 11/07/20 07:37 | 1 |

Lab Sample ID: LCS 460-738009/4

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0247 | | mg/Kg | | 124 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0190 | | mg/Kg | | 95 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0256 | | mg/Kg | | 128 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0203 | | mg/Kg | | 101 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0251 | | mg/Kg | | 125 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0237 | | mg/Kg | | 118 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0237 | | mg/Kg | | 119 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0219 | | mg/Kg | | 109 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0227 | | mg/Kg | | 113 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0190 | | mg/Kg | | 95 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 97 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.112 | | mg/Kg | | 112 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.108 | | mg/Kg | | 108 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.108 | | mg/Kg | | 108 | 80 - 122 |
| Acetone | 0.100 | 0.112 | | mg/Kg | | 112 | 63 - 131 |
| Benzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 80 - 123 |
| Bromoform | 0.0200 | 0.0251 | | mg/Kg | | 125 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0234 | | mg/Kg | | 117 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0221 | | mg/Kg | | 110 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0263 | | mg/Kg | | 132 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0215 | | mg/Kg | | 108 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0241 | | mg/Kg | | 120 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-738009/4

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0237 | | mg/Kg | | 118 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0201 | | mg/Kg | | 100 | 65 - 134 |
| Chloroform | 0.0200 | 0.0222 | | mg/Kg | | 111 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0222 | | mg/Kg | | 111 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0214 | | mg/Kg | | 107 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0212 | | mg/Kg | | 106 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0361 | | mg/Kg | | 90 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0228 | | mg/Kg | | 114 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0213 | | mg/Kg | | 106 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0200 | | mg/Kg | | 100 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 95 | 78 - 120 |
| Styrene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0242 | | mg/Kg | | 121 | 78 - 123 |
| Toluene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0263 | | mg/Kg | | 132 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0202 | | mg/Kg | | 101 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0408 | | mg/Kg | | 102 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 120 | | 77 - 145 |
| 4-Bromofluorobenzene | 109 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 120 | | 48 - 150 |
| Toluene-d8 (Surr) | 103 | | 80 - 120 |

Lab Sample ID: LCSD 460-738009/5

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0235 | | mg/Kg | | 118 | 78 - 132 | 5 | 30 |
| 1,1,1,2-Tetrachloroethane | 0.0200 | 0.0172 | | mg/Kg | | 86 | 69 - 123 | 10 | 30 |
| 1,1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0245 | | mg/Kg | | 122 | 78 - 136 | 5 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 75 - 120 | 10 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 76 - 129 | 7 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-738009/5

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0231 | | mg/Kg | | 116 | 77 - 132 | 8 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 77 - 120 | 6 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0220 | | mg/Kg | | 110 | 75 - 120 | 7 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 79 - 120 | 3 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 60 - 126 | 9 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 80 - 120 | 4 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 70 - 132 | 8 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 73 - 124 | 4 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 79 - 120 | 4 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 | 9 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 100 | 80 - 120 | 7 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.103 | | mg/Kg | | 103 | 75 - 120 | 9 | 30 |
| 2-Hexanone | 0.100 | 0.0996 | | mg/Kg | | 100 | 78 - 120 | 8 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.104 | | mg/Kg | | 104 | 80 - 122 | 4 | 30 |
| Acetone | 0.100 | 0.113 | | mg/Kg | | 113 | 63 - 131 | 1 | 30 |
| Benzene | 0.0200 | 0.0180 | | mg/Kg | | 90 | 80 - 123 | 4 | 30 |
| Bromoform | 0.0200 | 0.0228 | | mg/Kg | | 114 | 48 - 142 | 9 | 30 |
| Bromomethane | 0.0200 | 0.0231 | | mg/Kg | | 116 | 68 - 136 | 1 | 30 |
| Carbon disulfide | 0.0200 | 0.0211 | | mg/Kg | | 105 | 67 - 136 | 5 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0246 | | mg/Kg | | 123 | 72 - 136 | 7 | 30 |
| Chlorobenzene | 0.0200 | 0.0203 | | mg/Kg | | 101 | 80 - 120 | 6 | 30 |
| Chlorobromomethane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 76 - 127 | 10 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 62 - 128 | 8 | 30 |
| Chloroethane | 0.0200 | 0.0203 | | mg/Kg | | 101 | 65 - 134 | 1 | 30 |
| Chloroform | 0.0200 | 0.0216 | | mg/Kg | | 108 | 79 - 126 | 3 | 30 |
| Chloromethane | 0.0200 | 0.0205 | | mg/Kg | | 103 | 48 - 150 | 0 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 80 - 123 | 7 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0185 | | mg/Kg | | 93 | 72 - 120 | 6 | 30 |
| Cyclohexane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 132 | 2 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 73 - 124 | 6 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 40 - 146 | 4 | 30 |
| Ethylbenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 | 9 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0204 | | mg/Kg | | 102 | 79 - 120 | 4 | 30 |
| Isopropylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 80 - 120 | 3 | 30 |
| Methyl acetate | 0.0400 | 0.0337 | | mg/Kg | | 84 | 58 - 143 | 7 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 125 | 8 | 30 |
| Methylcyclohexane | 0.0200 | 0.0207 | | mg/Kg | | 103 | 79 - 133 | 3 | 30 |
| Methylene Chloride | 0.0200 | 0.0197 | | mg/Kg | | 99 | 76 - 127 | 1 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 | 7 | 30 |
| n-Butylbenzene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 77 - 123 | 5 | 30 |
| N-Propylbenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 78 - 120 | 5 | 30 |
| o-Xylene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 | 3 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 78 - 120 | 3 | 30 |
| Styrene | 0.0200 | 0.0189 | | mg/Kg | | 95 | 80 - 120 | 6 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 93 | 76 - 120 | 4 | 30 |
| Tetrachloroethene | 0.0200 | 0.0231 | | mg/Kg | | 116 | 78 - 123 | 4 | 30 |
| Toluene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 120 | 5 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 78 - 128 | 2 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 68 - 120 | 10 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-738009/5

Matrix: Solid

Analysis Batch: 738009

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0209 | | mg/Kg | | 104 | 79 - 120 | 5 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0255 | | mg/Kg | | 128 | 67 - 142 | 3 | 30 |
| Vinyl chloride | 0.0200 | 0.0210 | | mg/Kg | | 105 | 56 - 147 | 4 | 30 |
| Xylenes, Total | 0.0400 | 0.0388 | | mg/Kg | | 97 | 80 - 120 | 5 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 77 - 145 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 106 | | 48 - 150 |
| Toluene-d8 (Surr) | 94 | | 80 - 120 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-737901/1-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 1,4-Dioxane | 0.029 | U | 0.10 | 0.029 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.14 | U | 0.27 | 0.14 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Chloroaniline | 0.059 | U | 0.33 | 0.059 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Acenaphthene | 0.0094 | U | 0.33 | 0.0094 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Acenaphthylene | 0.0033 | U | 0.33 | 0.0033 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-737901/1-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Atrazine | 0.019 | U | 0.13 | 0.019 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzaldehyde | 0.055 | U | 0.33 | 0.055 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Di-n-butyl phthalate | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| N-Nitrosodiphenylamine | 0.027 | U | 0.33 | 0.027 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 0.782 | A J | mg/Kg | | 2.59 | | 11/06/20 16:36 | 11/06/20 22:27 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 81 | | 10 - 123 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Fluorobiphenyl | 78 | | 25 - 104 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| 2-Fluorophenol (Surr) | 77 | | 18 - 106 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Nitrobenzene-d5 (Surr) | 72 | | 19 - 105 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |
| Phenol-d5 (Surr) | 76 | | 26 - 101 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-737901/1-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737901

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 92 | | 25 - 127 | 11/06/20 16:36 | 11/06/20 22:27 | 1 |

Lab Sample ID: LCS 460-737901/2-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|------------------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 1,1'-Biphenyl | 3.33 | 2.59 | | mg/Kg | | 78 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 2.61 | | mg/Kg | | 78 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 1.55 | | mg/Kg | | 47 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 1.83 | | mg/Kg | | 55 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.30 | | mg/Kg | | 69 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 2.46 | | mg/Kg | | 74 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 2.58 | | mg/Kg | | 77 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 2.64 | | mg/Kg | | 79 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 2.66 | | mg/Kg | | 80 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 4.35 | | mg/Kg | | 65 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 2.83 | | mg/Kg | | 85 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 2.87 | | mg/Kg | | 86 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 2.62 | | mg/Kg | | 79 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 2.71 | | mg/Kg | | 81 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.60 | | mg/Kg | | 78 | 64 - 108 |
| 2-Methylphenol | 3.33 | 2.68 | | mg/Kg | | 80 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 2.28 | | mg/Kg | | 68 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 2.59 | | mg/Kg | | 78 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 2.46 | | mg/Kg | | 74 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.79 | | mg/Kg | | 54 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.21 | | mg/Kg | | 66 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 4.66 | | mg/Kg | | 70 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 2.62 | | mg/Kg | | 79 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 2.49 | | mg/Kg | | 75 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 1.70 | | mg/Kg | | 51 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.64 | | mg/Kg | | 79 | 66 - 110 |
| 4-Methylphenol | 3.33 | 2.46 | | mg/Kg | | 74 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.47 | | mg/Kg | | 74 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 3.74 | | mg/Kg | | 56 | 47 - 123 |
| Acenaphthene | 3.33 | 2.24 | | mg/Kg | | 67 | 53 - 110 |
| Acenaphthylene | 3.33 | 2.63 | | mg/Kg | | 79 | 64 - 108 |
| Acetophenone | 3.33 | 2.45 | | mg/Kg | | 73 | 61 - 103 |
| Anthracene | 3.33 | 2.64 | | mg/Kg | | 79 | 67 - 114 |
| Atrazine | 1.33 | 1.37 | | mg/Kg | | 103 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.28 | | mg/Kg | | 96 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 2.44 | | mg/Kg | | 73 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.06 | | mg/Kg | | 92 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 3.01 | | mg/Kg | | 90 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 2.83 | | mg/Kg | | 85 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 3.06 | | mg/Kg | | 92 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.55 | | mg/Kg | | 76 | 62 - 107 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-737901/2-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethyl)ether | 3.33 | 2.66 | | mg/Kg | | 80 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 2.62 | | mg/Kg | | 79 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 2.52 | | mg/Kg | | 76 | 70 - 123 |
| Caprolactam | 1.33 | 1.49 | | mg/Kg | | 112 | 59 - 140 |
| Carbazole | 3.33 | 2.48 | | mg/Kg | | 75 | 64 - 113 |
| Chrysene | 3.33 | 2.56 | | mg/Kg | | 77 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.08 | | mg/Kg | | 92 | 66 - 119 |
| Dibenzofuran | 3.33 | 2.57 | | mg/Kg | | 77 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.44 | | mg/Kg | | 73 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.51 | | mg/Kg | | 75 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.47 | | mg/Kg | | 74 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 3.17 | | mg/Kg | | 95 | 65 - 122 |
| Fluoranthene | 3.33 | 2.45 | | mg/Kg | | 74 | 64 - 113 |
| Fluorene | 3.33 | 2.61 | | mg/Kg | | 78 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 2.72 | | mg/Kg | | 82 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 2.41 | | mg/Kg | | 72 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 1.83 | | mg/Kg | | 55 | 22 - 124 |
| Hexachloroethane | 3.33 | 2.52 | | mg/Kg | | 76 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.17 | | mg/Kg | | 95 | 62 - 121 |
| Isophorone | 3.33 | 2.53 | | mg/Kg | | 76 | 63 - 107 |
| Naphthalene | 3.33 | 2.60 | | mg/Kg | | 78 | 63 - 106 |
| Nitrobenzene | 3.33 | 2.83 | | mg/Kg | | 85 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.52 | | mg/Kg | | 76 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 2.59 | | mg/Kg | | 78 | 67 - 113 |
| Pentachlorophenol | 6.67 | 3.68 | | mg/Kg | | 55 | 44 - 126 |
| Phenanthrene | 3.33 | 2.59 | | mg/Kg | | 78 | 66 - 112 |
| Phenol | 3.33 | 2.67 | | mg/Kg | | 80 | 63 - 110 |
| Pyrene | 3.33 | 2.49 | | mg/Kg | | 75 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 75 | | 10 - 123 |
| 2-Fluorobiphenyl | 74 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 71 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 69 | | 19 - 105 |
| Phenol-d5 (Surr) | 76 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 83 | | 25 - 127 |

Lab Sample ID: LCSD 460-737901/3-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 3.33 | 2.98 | | mg/Kg | | 89 | 65 - 110 | 14 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 3.01 | | mg/Kg | | 90 | 64 - 110 | 14 | 30 |
| 1,4-Dioxane | 3.33 | 1.83 | | mg/Kg | | 55 | 31 - 81 | 16 | 30 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.05 | | mg/Kg | | 62 | 49 - 109 | 12 | 30 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.71 | | mg/Kg | | 81 | 58 - 113 | 17 | 30 |
| 2,4,5-Trichlorophenol | 3.33 | 2.82 | | mg/Kg | | 85 | 64 - 112 | 14 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-737901/3-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,6-Trichlorophenol | 3.33 | 3.04 | | mg/Kg | | 91 | 63 - 113 | 16 | 30 |
| 2,4-Dichlorophenol | 3.33 | 3.08 | | mg/Kg | | 93 | 66 - 113 | 15 | 30 |
| 2,4-Dimethylphenol | 3.33 | 3.04 | | mg/Kg | | 91 | 63 - 107 | 13 | 30 |
| 2,4-Dinitrophenol | 6.67 | 5.51 | | mg/Kg | | 83 | 37 - 125 | 24 | 30 |
| 2,4-Dinitrotoluene | 3.33 | 3.32 | | mg/Kg | | 100 | 65 - 124 | 16 | 30 |
| 2,6-Dinitrotoluene | 3.33 | 3.40 | | mg/Kg | | 102 | 67 - 121 | 17 | 30 |
| 2-Chloronaphthalene | 3.33 | 3.07 | | mg/Kg | | 92 | 65 - 109 | 16 | 30 |
| 2-Chlorophenol | 3.33 | 3.08 | | mg/Kg | | 92 | 63 - 106 | 13 | 30 |
| 2-Methylnaphthalene | 3.33 | 2.99 | | mg/Kg | | 90 | 64 - 108 | 14 | 30 |
| 2-Methylphenol | 3.33 | 3.09 | | mg/Kg | | 93 | 63 - 108 | 14 | 30 |
| 2-Nitroaniline | 3.33 | 2.68 | | mg/Kg | | 80 | 59 - 119 | 16 | 30 |
| 2-Nitrophenol | 3.33 | 3.07 | | mg/Kg | | 92 | 64 - 112 | 17 | 30 |
| 3 & 4 Methylphenol | 3.33 | 2.89 | | mg/Kg | | 87 | 61 - 108 | 16 | 30 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.88 | | mg/Kg | | 56 | 4 - 119 | 5 | 30 |
| 3-Nitroaniline | 3.33 | 2.43 | | mg/Kg | | 73 | 31 - 102 | 9 | 30 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 5.61 | | mg/Kg | | 84 | 64 - 129 | 18 | 30 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.15 | | mg/Kg | | 95 | 67 - 113 | 18 | 30 |
| 4-Chloro-3-methylphenol | 3.33 | 2.90 | | mg/Kg | | 87 | 66 - 114 | 15 | 30 |
| 4-Chloroaniline | 3.33 | 1.80 | | mg/Kg | | 54 | 20 - 98 | 6 | 30 |
| 4-Chlorophenyl phenyl ether | 3.33 | 3.03 | | mg/Kg | | 91 | 66 - 110 | 14 | 30 |
| 4-Methylphenol | 3.33 | 2.89 | | mg/Kg | | 87 | 61 - 108 | 16 | 30 |
| 4-Nitroaniline | 3.33 | 2.88 | | mg/Kg | | 86 | 50 - 110 | 16 | 30 |
| 4-Nitrophenol | 6.67 | 4.56 | | mg/Kg | | 68 | 47 - 123 | 20 | 30 |
| Acenaphthene | 3.33 | 2.63 | | mg/Kg | | 79 | 53 - 110 | 16 | 30 |
| Acenaphthylene | 3.33 | 3.11 | | mg/Kg | | 93 | 64 - 108 | 17 | 30 |
| Acetophenone | 3.33 | 2.78 | | mg/Kg | | 83 | 61 - 103 | 13 | 30 |
| Anthracene | 3.33 | 3.15 | | mg/Kg | | 95 | 67 - 114 | 18 | 30 |
| Atrazine | 1.33 | 1.73 | | mg/Kg | | 130 | 44 - 145 | 23 | 30 |
| Benzaldehyde | 1.33 | 1.44 | | mg/Kg | | 108 | 39 - 113 | 12 | 30 |
| Benzo[a]anthracene | 3.33 | 2.87 | | mg/Kg | | 86 | 67 - 115 | 16 | 30 |
| Benzo[a]pyrene | 3.33 | 3.52 | | mg/Kg | | 106 | 63 - 108 | 14 | 30 |
| Benzo[b]fluoranthene | 3.33 | 3.87 | | mg/Kg | | 116 | 64 - 116 | 25 | 30 |
| Benzo[g,h,i]perylene | 3.33 | 3.38 | | mg/Kg | | 101 | 61 - 113 | 18 | 30 |
| Benzo[k]fluoranthene | 3.33 | 3.33 | | mg/Kg | | 100 | 67 - 115 | 8 | 30 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.91 | | mg/Kg | | 87 | 62 - 107 | 13 | 30 |
| Bis(2-chloroethyl)ether | 3.33 | 2.98 | | mg/Kg | | 89 | 60 - 107 | 11 | 30 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 3.01 | | mg/Kg | | 90 | 69 - 124 | 14 | 30 |
| Butyl benzyl phthalate | 3.33 | 2.96 | | mg/Kg | | 89 | 70 - 123 | 16 | 30 |
| Caprolactam | 1.33 | 1.80 | | mg/Kg | | 135 | 59 - 140 | 19 | 30 |
| Carbazole | 3.33 | 2.93 | | mg/Kg | | 88 | 64 - 113 | 17 | 30 |
| Chrysene | 3.33 | 2.95 | | mg/Kg | | 89 | 71 - 122 | 14 | 30 |
| Dibenz(a,h)anthracene | 3.33 | 3.68 | | mg/Kg | | 110 | 66 - 119 | 18 | 30 |
| Dibenzofuran | 3.33 | 3.05 | | mg/Kg | | 92 | 65 - 108 | 17 | 30 |
| Diethyl phthalate | 3.33 | 2.91 | | mg/Kg | | 87 | 63 - 109 | 18 | 30 |
| Dimethyl phthalate | 3.33 | 3.01 | | mg/Kg | | 90 | 65 - 109 | 18 | 30 |
| Di-n-butyl phthalate | 3.33 | 2.93 | | mg/Kg | | 88 | 66 - 114 | 17 | 30 |
| Di-n-octyl phthalate | 3.33 | 3.72 | | mg/Kg | | 112 | 65 - 122 | 16 | 30 |
| Fluoranthene | 3.33 | 2.94 | | mg/Kg | | 88 | 64 - 113 | 18 | 30 |
| Fluorene | 3.33 | 3.02 | | mg/Kg | | 91 | 65 - 109 | 15 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-737901/3-A

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Hexachlorobenzene | 3.33 | 3.18 | | mg/Kg | | 95 | 70 - 119 | 16 | 30 |
| Hexachlorobutadiene | 3.33 | 2.77 | | mg/Kg | | 83 | 62 - 109 | 14 | 30 |
| Hexachlorocyclopentadiene | 3.33 | 2.23 | | mg/Kg | | 67 | 22 - 124 | 20 | 30 |
| Hexachloroethane | 3.33 | 2.81 | | mg/Kg | | 84 | 61 - 102 | 11 | 30 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.87 | | mg/Kg | | 116 | 62 - 121 | 20 | 30 |
| Isophorone | 3.33 | 2.87 | | mg/Kg | | 86 | 63 - 107 | 13 | 30 |
| Naphthalene | 3.33 | 2.95 | | mg/Kg | | 88 | 63 - 106 | 13 | 30 |
| Nitrobenzene | 3.33 | 3.20 | | mg/Kg | | 96 | 63 - 110 | 12 | 30 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.87 | | mg/Kg | | 86 | 61 - 108 | 13 | 30 |
| N-Nitrosodiphenylamine | 3.33 | 3.09 | | mg/Kg | | 93 | 67 - 113 | 17 | 30 |
| Pentachlorophenol | 6.67 | 4.66 | | mg/Kg | | 70 | 44 - 126 | 23 | 30 |
| Phenanthrene | 3.33 | 3.07 | | mg/Kg | | 92 | 66 - 112 | 17 | 30 |
| Phenol | 3.33 | 3.08 | | mg/Kg | | 92 | 63 - 110 | 14 | 30 |
| Pyrene | 3.33 | 2.95 | | mg/Kg | | 88 | 71 - 122 | 17 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|-----------------------------|----------------|----------------|-------------|
| 2,4,6-Tribromophenol (Surr) | 92 | | 10 - 123 |
| 2-Fluorobiphenyl | 86 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 83 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 78 | | 19 - 105 |
| Phenol-d5 (Surr) | 88 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 98 | | 25 - 127 |

Lab Sample ID: 460-222100-F-2-D MS

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0047 | U F1 | 3.55 | 2.17 | F1 | mg/Kg | ✱ | 61 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 60 | 64 - 110 |
| 1,4-Dioxane | 0.031 | U | 3.55 | 1.15 | | mg/Kg | ✱ | 32 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0064 | U F1 | 3.55 | 1.38 | F1 | mg/Kg | ✱ | 39 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U F1 | 3.55 | 1.84 | F1 | mg/Kg | ✱ | 52 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.036 | U F1 | 3.55 | 1.97 | F1 | mg/Kg | ✱ | 55 | 64 - 112 |
| 2,4,6-Trichlorophenol | 0.045 | U F1 | 3.55 | 2.18 | F1 | mg/Kg | ✱ | 61 | 63 - 113 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.55 | 2.24 | F1 | mg/Kg | ✱ | 63 | 66 - 113 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.55 | 2.16 | F1 | mg/Kg | ✱ | 61 | 63 - 107 |
| 2,4-Dinitrophenol | 0.17 | U F1 | 7.10 | 1.77 | F1 | mg/Kg | ✱ | 25 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.038 | U F1 | 3.55 | 2.39 | | mg/Kg | ✱ | 67 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.025 | U F1 | 3.55 | 2.37 | | mg/Kg | ✱ | 67 | 67 - 121 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.55 | 2.19 | F1 | mg/Kg | ✱ | 62 | 65 - 109 |
| 2-Chlorophenol | 0.013 | U F1 | 3.55 | 2.16 | F1 | mg/Kg | ✱ | 61 | 63 - 106 |
| 2-Methylnaphthalene | 0.0099 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 60 | 64 - 108 |
| 2-Methylphenol | 0.013 | U F1 | 3.55 | 2.34 | | mg/Kg | ✱ | 66 | 63 - 108 |
| 2-Nitroaniline | 0.013 | U F1 | 3.55 | 1.95 | F1 | mg/Kg | ✱ | 55 | 59 - 119 |
| 2-Nitrophenol | 0.035 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 64 - 112 |
| 3 & 4 Methylphenol | 0.022 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 59 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 0.053 | U | 3.55 | 2.21 | | mg/Kg | ✱ | 62 | 4 - 119 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-222100-F-2-D MS

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 3-Nitroaniline | 0.040 | U | 3.55 | 2.21 | | mg/Kg | ✱ | 62 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.14 | U F1 | 7.10 | 3.42 | F1 | mg/Kg | ✱ | 48 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.55 | 2.24 | F1 | mg/Kg | ✱ | 63 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.55 | 2.12 | F1 | mg/Kg | ✱ | 60 | 66 - 114 |
| 4-Chloroaniline | 0.063 | U | 3.55 | 2.00 | | mg/Kg | ✱ | 56 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.012 | U F1 | 3.55 | 2.21 | F1 | mg/Kg | ✱ | 62 | 66 - 110 |
| 4-Methylphenol | 0.022 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 59 | 61 - 108 |
| 4-Nitroaniline | 0.040 | U | 3.55 | 2.15 | | mg/Kg | ✱ | 60 | 50 - 110 |
| 4-Nitrophenol | 0.057 | U F1 | 7.10 | 3.17 | F1 | mg/Kg | ✱ | 45 | 47 - 123 |
| Acenaphthene | 0.010 | U F1 | 3.55 | 1.89 | | mg/Kg | ✱ | 53 | 53 - 110 |
| Acenaphthylene | 0.0035 | U F1 | 3.55 | 2.21 | F1 | mg/Kg | ✱ | 62 | 64 - 108 |
| Acetophenone | 0.017 | U F1 | 3.55 | 2.01 | F1 | mg/Kg | ✱ | 57 | 61 - 103 |
| Anthracene | 0.011 | U F1 | 3.55 | 2.23 | F1 | mg/Kg | ✱ | 63 | 67 - 114 |
| Atrazine | 0.034 | J | 1.42 | 1.17 | | mg/Kg | ✱ | 80 | 44 - 145 |
| Benzaldehyde | 0.058 | U | 1.42 | 0.955 | | mg/Kg | ✱ | 67 | 39 - 113 |
| Benzo[a]anthracene | 0.012 | U F1 | 3.55 | 2.06 | F1 | mg/Kg | ✱ | 58 | 67 - 115 |
| Benzo[a]pyrene | 0.0094 | U | 3.55 | 2.56 | | mg/Kg | ✱ | 72 | 63 - 108 |
| Benzo[b]fluoranthene | 0.0091 | U | 3.55 | 2.53 | | mg/Kg | ✱ | 71 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.010 | U | 3.55 | 2.58 | | mg/Kg | ✱ | 73 | 61 - 113 |
| Benzo[k]fluoranthene | 0.0069 | U | 3.55 | 2.47 | | mg/Kg | ✱ | 70 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.027 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.012 | U F1 | 3.55 | 2.02 | F1 | mg/Kg | ✱ | 57 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 69 - 124 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.55 | 2.12 | F1 | mg/Kg | ✱ | 60 | 70 - 123 |
| Caprolactam | 0.055 | U | 1.42 | 1.00 | | mg/Kg | ✱ | 71 | 59 - 140 |
| Carbazole | 0.013 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 60 | 64 - 113 |
| Chrysene | 0.0060 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.015 | U | 3.55 | 2.79 | | mg/Kg | ✱ | 79 | 66 - 119 |
| Dibenzofuran | 0.0050 | U F1 | 3.55 | 2.19 | F1 | mg/Kg | ✱ | 62 | 65 - 108 |
| Diethyl phthalate | 0.0051 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 63 - 109 |
| Dimethyl phthalate | 0.080 | U F1 | 3.55 | 2.13 | F1 | mg/Kg | ✱ | 60 | 65 - 109 |
| Di-n-butyl phthalate | 0.013 | U F1 | 3.55 | 2.12 | F1 | mg/Kg | ✱ | 60 | 66 - 114 |
| Di-n-octyl phthalate | 0.019 | U | 3.55 | 2.50 | | mg/Kg | ✱ | 71 | 65 - 122 |
| Fluoranthene | 0.012 | U F1 | 3.55 | 2.12 | F1 | mg/Kg | ✱ | 60 | 64 - 113 |
| Fluorene | 0.0048 | U F1 | 3.55 | 2.22 | F1 | mg/Kg | ✱ | 62 | 65 - 109 |
| Hexachlorobenzene | 0.017 | U F1 | 3.55 | 2.31 | F1 | mg/Kg | ✱ | 65 | 70 - 119 |
| Hexachlorobutadiene | 0.0075 | U F1 | 3.55 | 1.77 | F1 | mg/Kg | ✱ | 50 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.031 | U | 3.55 | 1.27 | | mg/Kg | ✱ | 36 | 22 - 124 |
| Hexachloroethane | 0.012 | U F1 | 3.55 | 1.72 | F1 | mg/Kg | ✱ | 48 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.55 | 2.82 | | mg/Kg | ✱ | 80 | 62 - 121 |
| Isophorone | 0.10 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 63 - 107 |
| Naphthalene | 0.0061 | U F1 | 3.55 | 2.04 | F1 | mg/Kg | ✱ | 57 | 63 - 106 |
| Nitrobenzene | 0.0085 | U F1 | 3.55 | 2.24 | | mg/Kg | ✱ | 63 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.55 | 2.00 | F1 | mg/Kg | ✱ | 56 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.029 | U F1 | 3.55 | 2.24 | F1 | mg/Kg | ✱ | 63 | 67 - 113 |
| Pentachlorophenol | 0.072 | U F1 | 7.10 | 2.92 | F1 | mg/Kg | ✱ | 41 | 44 - 126 |
| Phenanthrene | 0.0062 | U F1 | 3.55 | 2.23 | F1 | mg/Kg | ✱ | 63 | 66 - 112 |
| Phenol | 0.013 | U F1 | 3.55 | 2.27 | | mg/Kg | ✱ | 64 | 63 - 110 |
| Pyrene | 0.0088 | U F1 | 3.55 | 2.08 | F1 | mg/Kg | ✱ | 58 | 71 - 122 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|--------------|--------------|----------|
| 2,4,6-Tribromophenol (Surr) | 59 | | 10 - 123 |
| 2-Fluorobiphenyl | 58 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 53 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 50 | | 19 - 105 |
| Phenol-d5 (Surr) | 60 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 65 | | 25 - 127 |

Lab Sample ID: 460-222100-F-2-E MSD

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 0.0047 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 65 - 110 | 1 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.55 | 2.07 | F1 | mg/Kg | ✱ | 58 | 64 - 110 | 2 | 30 |
| 1,4-Dioxane | 0.031 | U | 3.55 | 1.30 | | mg/Kg | ✱ | 37 | 31 - 81 | 12 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0064 | U F1 | 3.55 | 1.40 | F1 | mg/Kg | ✱ | 39 | 49 - 109 | 1 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U F1 | 3.55 | 1.76 | F1 | mg/Kg | ✱ | 50 | 58 - 113 | 4 | 30 |
| 2,4,5-Trichlorophenol | 0.036 | U F1 | 3.55 | 1.92 | F1 | mg/Kg | ✱ | 54 | 64 - 112 | 3 | 30 |
| 2,4,6-Trichlorophenol | 0.045 | U F1 | 3.55 | 2.08 | F1 | mg/Kg | ✱ | 59 | 63 - 113 | 5 | 30 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 66 - 113 | 5 | 30 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 63 - 107 | 5 | 30 |
| 2,4-Dinitrophenol | 0.17 | U F1 | 7.10 | 2.31 | F1 | mg/Kg | ✱ | 32 | 37 - 125 | 26 | 30 |
| 2,4-Dinitrotoluene | 0.038 | U F1 | 3.55 | 2.29 | F1 | mg/Kg | ✱ | 64 | 65 - 124 | 5 | 30 |
| 2,6-Dinitrotoluene | 0.025 | U F1 | 3.55 | 2.35 | F1 | mg/Kg | ✱ | 66 | 67 - 121 | 1 | 30 |
| 2-Chloronaphthalene | 0.016 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 65 - 109 | 2 | 30 |
| 2-Chlorophenol | 0.013 | U F1 | 3.55 | 2.11 | F1 | mg/Kg | ✱ | 59 | 63 - 106 | 2 | 30 |
| 2-Methylnaphthalene | 0.0099 | U F1 | 3.55 | 2.08 | F1 | mg/Kg | ✱ | 59 | 64 - 108 | 2 | 30 |
| 2-Methylphenol | 0.013 | U F1 | 3.55 | 2.15 | F1 | mg/Kg | ✱ | 61 | 63 - 108 | 8 | 30 |
| 2-Nitroaniline | 0.013 | U F1 | 3.55 | 1.83 | F1 | mg/Kg | ✱ | 52 | 59 - 119 | 6 | 30 |
| 2-Nitrophenol | 0.035 | U F1 | 3.55 | 2.10 | F1 | mg/Kg | ✱ | 59 | 64 - 112 | 2 | 30 |
| 3 & 4 Methylphenol | 0.022 | U F1 | 3.55 | 1.98 | F1 | mg/Kg | ✱ | 56 | 61 - 108 | 6 | 30 |
| 3,3'-Dichlorobenzidine | 0.053 | U | 3.55 | 2.05 | | mg/Kg | ✱ | 58 | 4 - 119 | 7 | 30 |
| 3-Nitroaniline | 0.040 | U | 3.55 | 2.17 | | mg/Kg | ✱ | 61 | 31 - 102 | 1 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.14 | U F1 | 7.10 | 3.41 | F1 | mg/Kg | ✱ | 48 | 64 - 129 | 0 | 30 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.55 | 2.17 | F1 | mg/Kg | ✱ | 61 | 67 - 113 | 3 | 30 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.55 | 2.00 | F1 | mg/Kg | ✱ | 56 | 66 - 114 | 6 | 30 |
| 4-Chloroaniline | 0.063 | U | 3.55 | 2.01 | | mg/Kg | ✱ | 57 | 20 - 98 | 0 | 30 |
| 4-Chlorophenyl phenyl ether | 0.012 | U F1 | 3.55 | 2.16 | F1 | mg/Kg | ✱ | 61 | 66 - 110 | 2 | 30 |
| 4-Methylphenol | 0.022 | U F1 | 3.55 | 1.98 | F1 | mg/Kg | ✱ | 56 | 61 - 108 | 6 | 30 |
| 4-Nitroaniline | 0.040 | U | 3.55 | 1.85 | | mg/Kg | ✱ | 52 | 50 - 110 | 15 | 30 |
| 4-Nitrophenol | 0.057 | U F1 | 7.10 | 3.11 | F1 | mg/Kg | ✱ | 44 | 47 - 123 | 2 | 30 |
| Acenaphthene | 0.010 | U F1 | 3.55 | 1.85 | F1 | mg/Kg | ✱ | 52 | 53 - 110 | 2 | 30 |
| Acenaphthylene | 0.0035 | U F1 | 3.55 | 2.16 | F1 | mg/Kg | ✱ | 61 | 64 - 108 | 2 | 30 |
| Acetophenone | 0.017 | U F1 | 3.55 | 1.97 | F1 | mg/Kg | ✱ | 56 | 61 - 103 | 2 | 30 |
| Anthracene | 0.011 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 67 - 114 | 4 | 30 |
| Atrazine | 0.034 | J | 1.42 | 1.04 | | mg/Kg | ✱ | 71 | 44 - 145 | 12 | 30 |
| Benzaldehyde | 0.058 | U | 1.42 | 0.934 | | mg/Kg | ✱ | 66 | 39 - 113 | 2 | 30 |
| Benzo[a]anthracene | 0.012 | U F1 | 3.55 | 1.94 | F1 | mg/Kg | ✱ | 55 | 67 - 115 | 6 | 30 |
| Benzo[a]pyrene | 0.0094 | U | 3.55 | 2.39 | | mg/Kg | ✱ | 67 | 63 - 108 | 7 | 30 |
| Benzo[b]fluoranthene | 0.0091 | U | 3.55 | 2.50 | | mg/Kg | ✱ | 70 | 64 - 116 | 1 | 30 |
| Benzo[g,h,i]perylene | 0.010 | U | 3.55 | 2.38 | | mg/Kg | ✱ | 67 | 61 - 113 | 8 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-222100-F-2-E MSD

Matrix: Solid

Analysis Batch: 737974

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 737901

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Benzo[k]fluoranthene | 0.0069 | U | 3.55 | 2.38 | | mg/Kg | ✱ | 67 | 67 - 115 | 4 | 30 |
| Bis(2-chloroethoxy)methane | 0.027 | U F1 | 3.55 | 2.02 | F1 | mg/Kg | ✱ | 57 | 62 - 107 | 2 | 30 |
| Bis(2-chloroethyl)ether | 0.012 | U F1 | 3.55 | 2.10 | F1 | mg/Kg | ✱ | 59 | 60 - 107 | 4 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.55 | 2.06 | F1 | mg/Kg | ✱ | 58 | 69 - 124 | 4 | 30 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 70 - 123 | 4 | 30 |
| Caprolactam | 0.055 | U | 1.42 | 1.02 | | mg/Kg | ✱ | 71 | 59 - 140 | 1 | 30 |
| Carbazole | 0.013 | U F1 | 3.55 | 1.98 | F1 | mg/Kg | ✱ | 56 | 64 - 113 | 7 | 30 |
| Chrysene | 0.0060 | U F1 | 3.55 | 2.00 | F1 | mg/Kg | ✱ | 56 | 71 - 122 | 7 | 30 |
| Dibenz(a,h)anthracene | 0.015 | U | 3.55 | 2.57 | | mg/Kg | ✱ | 72 | 66 - 119 | 8 | 30 |
| Dibenzofuran | 0.0050 | U F1 | 3.55 | 2.09 | F1 | mg/Kg | ✱ | 59 | 65 - 108 | 5 | 30 |
| Diethyl phthalate | 0.0051 | U F1 | 3.55 | 1.99 | F1 | mg/Kg | ✱ | 56 | 63 - 109 | 3 | 30 |
| Dimethyl phthalate | 0.080 | U F1 | 3.55 | 2.06 | F1 | mg/Kg | ✱ | 58 | 65 - 109 | 3 | 30 |
| Di-n-butyl phthalate | 0.013 | U F1 | 3.55 | 1.99 | F1 | mg/Kg | ✱ | 56 | 66 - 114 | 6 | 30 |
| Di-n-octyl phthalate | 0.019 | U | 3.55 | 2.52 | | mg/Kg | ✱ | 71 | 65 - 122 | 1 | 30 |
| Fluoranthene | 0.012 | U F1 | 3.55 | 1.97 | F1 | mg/Kg | ✱ | 56 | 64 - 113 | 7 | 30 |
| Fluorene | 0.0048 | U F1 | 3.55 | 2.14 | F1 | mg/Kg | ✱ | 60 | 65 - 109 | 4 | 30 |
| Hexachlorobenzene | 0.017 | U F1 | 3.55 | 2.17 | F1 | mg/Kg | ✱ | 61 | 70 - 119 | 6 | 30 |
| Hexachlorobutadiene | 0.0075 | U F1 | 3.55 | 1.88 | F1 | mg/Kg | ✱ | 53 | 62 - 109 | 6 | 30 |
| Hexachlorocyclopentadiene | 0.031 | U | 3.55 | 1.37 | | mg/Kg | ✱ | 39 | 22 - 124 | 8 | 30 |
| Hexachloroethane | 0.012 | U F1 | 3.55 | 1.81 | F1 | mg/Kg | ✱ | 51 | 61 - 102 | 5 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.55 | 2.79 | | mg/Kg | ✱ | 79 | 62 - 121 | 1 | 30 |
| Isophorone | 0.10 | U F1 | 3.55 | 2.03 | F1 | mg/Kg | ✱ | 57 | 63 - 107 | 1 | 30 |
| Naphthalene | 0.0061 | U F1 | 3.55 | 2.05 | F1 | mg/Kg | ✱ | 58 | 63 - 106 | 1 | 30 |
| Nitrobenzene | 0.0085 | U F1 | 3.55 | 2.19 | F1 | mg/Kg | ✱ | 62 | 63 - 110 | 2 | 30 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.55 | 1.98 | F1 | mg/Kg | ✱ | 56 | 61 - 108 | 1 | 30 |
| N-Nitrosodiphenylamine | 0.029 | U F1 | 3.55 | 2.09 | F1 | mg/Kg | ✱ | 59 | 67 - 113 | 7 | 30 |
| Pentachlorophenol | 0.072 | U F1 | 7.10 | 2.86 | F1 | mg/Kg | ✱ | 40 | 44 - 126 | 2 | 30 |
| Phenanthrene | 0.0062 | U F1 | 3.55 | 2.10 | F1 | mg/Kg | ✱ | 59 | 66 - 112 | 6 | 30 |
| Phenol | 0.013 | U F1 | 3.55 | 2.07 | F1 | mg/Kg | ✱ | 58 | 63 - 110 | 9 | 30 |
| Pyrene | 0.0088 | U F1 | 3.55 | 2.03 | F1 | mg/Kg | ✱ | 57 | 71 - 122 | 2 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 57 | | 10 - 123 |
| 2-Fluorobiphenyl | 56 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 51 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 49 | | 19 - 105 |
| Phenol-d5 (Surr) | 55 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 62 | | 25 - 127 |

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-737834/1-A

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-737834/1-A

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| DCB Decachlorobiphenyl | 95 | | 28 - 148 | | | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| DCB Decachlorobiphenyl | 81 | | 28 - 148 | | | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Tetrachloro-m-xylene | 93 | | 34 - 118 | | | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |
| Tetrachloro-m-xylene | 91 | | 34 - 118 | | | | 11/06/20 09:33 | 11/09/20 05:46 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-737834/2-A

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|-------------|------------|---------------|-------|---|------|--------------|
| 4,4'-DDD | 0.133 | 0.132 | | mg/Kg | | 99 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.115 | | mg/Kg | | 86 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.140 | | mg/Kg | | 105 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.115 | | mg/Kg | | 87 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.128 | | mg/Kg | | 96 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.113 | | mg/Kg | | 85 | 63 - 131 |
| Aldrin | 0.133 | 0.139 | | mg/Kg | | 104 | 74 - 140 |
| Aldrin | 0.133 | 0.119 | | mg/Kg | | 89 | 74 - 140 |
| alpha-BHC | 0.133 | 0.146 | | mg/Kg | | 109 | 72 - 142 |
| alpha-BHC | 0.133 | 0.129 | | mg/Kg | | 97 | 72 - 142 |
| beta-BHC | 0.133 | 0.143 | | mg/Kg | | 107 | 65 - 137 |
| beta-BHC | 0.133 | 0.129 | | mg/Kg | | 96 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.139 | | mg/Kg | | 104 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.115 | | mg/Kg | | 86 | 70 - 136 |
| delta-BHC | 0.133 | 0.142 | | mg/Kg | | 107 | 70 - 143 |
| delta-BHC | 0.133 | 0.124 | | mg/Kg | | 93 | 70 - 143 |
| Dieldrin | 0.133 | 0.139 | | mg/Kg | | 104 | 70 - 135 |
| Dieldrin | 0.133 | 0.119 | | mg/Kg | | 89 | 70 - 135 |
| Endosulfan I | 0.133 | 0.139 | | mg/Kg | | 105 | 68 - 135 |
| Endosulfan I | 0.133 | 0.118 | | mg/Kg | | 88 | 68 - 135 |
| Endosulfan II | 0.133 | 0.137 | | mg/Kg | | 103 | 64 - 130 |
| Endosulfan II | 0.133 | 0.116 | | mg/Kg | | 87 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.135 | | mg/Kg | | 102 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.115 | | mg/Kg | | 86 | 66 - 143 |
| Endrin | 0.133 | 0.137 | | mg/Kg | | 102 | 68 - 136 |
| Endrin | 0.133 | 0.117 | | mg/Kg | | 88 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.131 | | mg/Kg | | 98 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.115 | | mg/Kg | | 86 | 68 - 132 |
| Endrin ketone | 0.133 | 0.132 | | mg/Kg | | 99 | 60 - 150 |
| Endrin ketone | 0.133 | 0.118 | | mg/Kg | | 89 | 60 - 150 |
| gamma-BHC (Lindane) | 0.133 | 0.146 | | mg/Kg | | 110 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.128 | | mg/Kg | | 96 | 70 - 134 |
| Heptachlor | 0.133 | 0.136 | | mg/Kg | | 102 | 69 - 134 |
| Heptachlor | 0.133 | 0.116 | | mg/Kg | | 87 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.134 | | mg/Kg | | 101 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.117 | | mg/Kg | | 88 | 70 - 135 |
| Methoxychlor | 0.133 | 0.106 | | mg/Kg | | 79 | 57 - 135 |
| Methoxychlor | 0.133 | 0.0906 | | mg/Kg | | 68 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.140 | | mg/Kg | | 105 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.116 | | mg/Kg | | 87 | 71 - 137 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 83 | | 28 - 148 |
| DCB Decachlorobiphenyl | 88 | | 28 - 148 |
| Tetrachloro-m-xylene | 81 | | 34 - 118 |
| Tetrachloro-m-xylene | 76 | | 34 - 118 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-737834/3-A

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.133 | 0.136 | | mg/Kg | | 102 | 70 - 140 | 3 | 30 |
| 4,4'-DDD | 0.133 | 0.117 | | mg/Kg | | 87 | 70 - 140 | 1 | 30 |
| 4,4'-DDE | 0.133 | 0.146 | | mg/Kg | | 109 | 71 - 137 | 4 | 30 |
| 4,4'-DDE | 0.133 | 0.118 | | mg/Kg | | 88 | 71 - 137 | 2 | 30 |
| 4,4'-DDT | 0.133 | 0.132 | | mg/Kg | | 99 | 63 - 131 | 3 | 30 |
| 4,4'-DDT | 0.133 | 0.114 | | mg/Kg | | 85 | 63 - 131 | 1 | 30 |
| Aldrin | 0.133 | 0.145 | | mg/Kg | | 109 | 74 - 140 | 4 | 30 |
| Aldrin | 0.133 | 0.121 | | mg/Kg | | 91 | 74 - 140 | 2 | 30 |
| alpha-BHC | 0.133 | 0.151 | | mg/Kg | | 113 | 72 - 142 | 4 | 30 |
| alpha-BHC | 0.133 | 0.132 | | mg/Kg | | 99 | 72 - 142 | 2 | 30 |
| beta-BHC | 0.133 | 0.149 | | mg/Kg | | 111 | 65 - 137 | 4 | 30 |
| beta-BHC | 0.133 | 0.132 | | mg/Kg | | 99 | 65 - 137 | 2 | 30 |
| cis-Chlordane | 0.133 | 0.144 | | mg/Kg | | 108 | 70 - 136 | 4 | 30 |
| cis-Chlordane | 0.133 | 0.117 | | mg/Kg | | 88 | 70 - 136 | 2 | 30 |
| delta-BHC | 0.133 | 0.148 | | mg/Kg | | 111 | 70 - 143 | 4 | 30 |
| delta-BHC | 0.133 | 0.126 | | mg/Kg | | 95 | 70 - 143 | 2 | 30 |
| Dieldrin | 0.133 | 0.145 | | mg/Kg | | 108 | 70 - 135 | 4 | 30 |
| Dieldrin | 0.133 | 0.121 | | mg/Kg | | 91 | 70 - 135 | 2 | 30 |
| Endosulfan I | 0.133 | 0.145 | | mg/Kg | | 109 | 68 - 135 | 4 | 30 |
| Endosulfan I | 0.133 | 0.120 | | mg/Kg | | 90 | 68 - 135 | 2 | 30 |
| Endosulfan II | 0.133 | 0.142 | | mg/Kg | | 107 | 64 - 130 | 4 | 30 |
| Endosulfan II | 0.133 | 0.118 | | mg/Kg | | 89 | 64 - 130 | 2 | 30 |
| Endosulfan sulfate | 0.133 | 0.140 | | mg/Kg | | 105 | 66 - 143 | 3 | 30 |
| Endosulfan sulfate | 0.133 | 0.116 | | mg/Kg | | 87 | 66 - 143 | 1 | 30 |
| Endrin | 0.133 | 0.141 | | mg/Kg | | 106 | 68 - 136 | 3 | 30 |
| Endrin | 0.133 | 0.119 | | mg/Kg | | 89 | 68 - 136 | 1 | 30 |
| Endrin aldehyde | 0.133 | 0.135 | | mg/Kg | | 102 | 68 - 132 | 3 | 30 |
| Endrin aldehyde | 0.133 | 0.116 | | mg/Kg | | 87 | 68 - 132 | 1 | 30 |
| Endrin ketone | 0.133 | 0.136 | | mg/Kg | | 102 | 60 - 150 | 3 | 30 |
| Endrin ketone | 0.133 | 0.119 | | mg/Kg | | 90 | 60 - 150 | 1 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.152 | | mg/Kg | | 114 | 70 - 134 | 4 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 134 | 2 | 30 |
| Heptachlor | 0.133 | 0.141 | | mg/Kg | | 106 | 69 - 134 | 4 | 30 |
| Heptachlor | 0.133 | 0.118 | | mg/Kg | | 89 | 69 - 134 | 2 | 30 |
| Heptachlor epoxide | 0.133 | 0.140 | | mg/Kg | | 105 | 70 - 135 | 4 | 30 |
| Heptachlor epoxide | 0.133 | 0.120 | | mg/Kg | | 90 | 70 - 135 | 2 | 30 |
| Methoxychlor | 0.133 | 0.108 | | mg/Kg | | 81 | 57 - 135 | 2 | 30 |
| Methoxychlor | 0.133 | 0.0900 | | mg/Kg | | 68 | 57 - 135 | 1 | 30 |
| trans-Chlordane | 0.133 | 0.146 | | mg/Kg | | 110 | 71 - 137 | 4 | 30 |
| trans-Chlordane | 0.133 | 0.119 | | mg/Kg | | 89 | 71 - 137 | 2 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 85 | | 28 - 148 |
| DCB Decachlorobiphenyl | 88 | | 28 - 148 |
| Tetrachloro-m-xylene | 84 | | 34 - 118 |
| Tetrachloro-m-xylene | 76 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-222081-E-1-D MS

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.0013 | U | 0.147 | 0.149 | | mg/Kg | ✱ | 102 | 70 - 140 |
| 4,4'-DDD | 0.0013 | U | 0.147 | 0.127 | | mg/Kg | ✱ | 86 | 70 - 140 |
| 4,4'-DDE | 0.00087 | U | 0.147 | 0.153 | | mg/Kg | ✱ | 104 | 71 - 137 |
| 4,4'-DDE | 0.00087 | U | 0.147 | 0.126 | | mg/Kg | ✱ | 85 | 71 - 137 |
| 4,4'-DDT | 0.0014 | U | 0.147 | 0.157 | | mg/Kg | ✱ | 107 | 63 - 131 |
| 4,4'-DDT | 0.0014 | U | 0.147 | 0.135 | | mg/Kg | ✱ | 92 | 63 - 131 |
| Aldrin | 0.0011 | U F1 | 0.147 | 0.113 | | mg/Kg | ✱ | 76 | 74 - 140 |
| Aldrin | 0.0011 | U F1 | 0.147 | 0.0951 | F1 | mg/Kg | ✱ | 65 | 74 - 140 |
| alpha-BHC | 0.00075 | U | 0.147 | 0.141 | | mg/Kg | ✱ | 96 | 72 - 142 |
| alpha-BHC | 0.00075 | U | 0.147 | 0.124 | | mg/Kg | ✱ | 84 | 72 - 142 |
| beta-BHC | 0.00083 | U | 0.147 | 0.146 | | mg/Kg | ✱ | 99 | 65 - 137 |
| beta-BHC | 0.00083 | U | 0.147 | 0.133 | | mg/Kg | ✱ | 90 | 65 - 137 |
| cis-Chlordane | 0.0012 | U | 0.147 | 0.149 | | mg/Kg | ✱ | 101 | 70 - 136 |
| cis-Chlordane | 0.0012 | U | 0.147 | 0.121 | | mg/Kg | ✱ | 82 | 70 - 136 |
| delta-BHC | 0.00045 | U | 0.147 | 0.144 | | mg/Kg | ✱ | 98 | 70 - 143 |
| delta-BHC | 0.00045 | U | 0.147 | 0.127 | | mg/Kg | ✱ | 86 | 70 - 143 |
| Dieldrin | 0.00096 | U | 0.147 | 0.150 | | mg/Kg | ✱ | 102 | 70 - 135 |
| Dieldrin | 0.00096 | U | 0.147 | 0.126 | | mg/Kg | ✱ | 86 | 70 - 135 |
| Endosulfan I | 0.0011 | U | 0.147 | 0.147 | | mg/Kg | ✱ | 100 | 68 - 135 |
| Endosulfan I | 0.0011 | U | 0.147 | 0.122 | | mg/Kg | ✱ | 83 | 68 - 135 |
| Endosulfan II | 0.0019 | U | 0.147 | 0.146 | | mg/Kg | ✱ | 99 | 64 - 130 |
| Endosulfan II | 0.0019 | U | 0.147 | 0.119 | | mg/Kg | ✱ | 81 | 64 - 130 |
| Endosulfan sulfate | 0.00093 | U | 0.147 | 0.136 | | mg/Kg | ✱ | 92 | 66 - 143 |
| Endosulfan sulfate | 0.00093 | U | 0.147 | 0.113 | | mg/Kg | ✱ | 76 | 66 - 143 |
| Endrin | 0.0011 | U | 0.147 | 0.147 | | mg/Kg | ✱ | 100 | 68 - 136 |
| Endrin | 0.0011 | U | 0.147 | 0.124 | | mg/Kg | ✱ | 84 | 68 - 136 |
| Endrin aldehyde | 0.0017 | U F1 | 0.147 | 0.105 | | mg/Kg | ✱ | 71 | 68 - 132 |
| Endrin aldehyde | 0.0017 | U F1 | 0.147 | 0.0936 | F1 | mg/Kg | ✱ | 64 | 68 - 132 |
| Endrin ketone | 0.0014 | U | 0.147 | 0.145 | | mg/Kg | ✱ | 99 | 60 - 150 |
| Endrin ketone | 0.0014 | U | 0.147 | 0.124 | | mg/Kg | ✱ | 84 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00068 | U | 0.147 | 0.141 | | mg/Kg | ✱ | 95 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00068 | U | 0.147 | 0.124 | | mg/Kg | ✱ | 84 | 70 - 134 |
| Heptachlor | 0.00087 | U | 0.147 | 0.132 | | mg/Kg | ✱ | 89 | 69 - 134 |
| Heptachlor | 0.00087 | U | 0.147 | 0.113 | | mg/Kg | ✱ | 77 | 69 - 134 |
| Heptachlor epoxide | 0.0011 | U | 0.147 | 0.140 | | mg/Kg | ✱ | 95 | 70 - 135 |
| Heptachlor epoxide | 0.0011 | U | 0.147 | 0.120 | | mg/Kg | ✱ | 81 | 70 - 135 |
| Methoxychlor | 0.0017 | U | 0.147 | 0.140 | | mg/Kg | ✱ | 95 | 57 - 135 |
| Methoxychlor | 0.0017 | U | 0.147 | 0.113 | | mg/Kg | ✱ | 77 | 57 - 135 |
| trans-Chlordane | 0.0013 | U | 0.147 | 0.149 | | mg/Kg | ✱ | 101 | 71 - 137 |
| trans-Chlordane | 0.0013 | U | 0.147 | 0.122 | | mg/Kg | ✱ | 83 | 71 - 137 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 74 | | 28 - 148 |
| DCB Decachlorobiphenyl | 75 | | 28 - 148 |
| Tetrachloro-m-xylene | 93 | | 34 - 118 |
| Tetrachloro-m-xylene | 52 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-222081-E-1-E MSD

Matrix: Solid

Analysis Batch: 738298

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 737834

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.0013 | U | 0.147 | 0.161 | | mg/Kg | ✱ | 109 | 70 - 140 | 7 | 30 |
| 4,4'-DDD | 0.0013 | U | 0.147 | 0.143 | | mg/Kg | ✱ | 97 | 70 - 140 | 12 | 30 |
| 4,4'-DDE | 0.00087 | U | 0.147 | 0.170 | | mg/Kg | ✱ | 115 | 71 - 137 | 10 | 30 |
| 4,4'-DDE | 0.00087 | U | 0.147 | 0.140 | | mg/Kg | ✱ | 95 | 71 - 137 | 11 | 30 |
| 4,4'-DDT | 0.0014 | U | 0.147 | 0.167 | | mg/Kg | ✱ | 113 | 63 - 131 | 6 | 30 |
| 4,4'-DDT | 0.0014 | U | 0.147 | 0.147 | | mg/Kg | ✱ | 100 | 63 - 131 | 9 | 30 |
| Aldrin | 0.0011 | U F1 | 0.147 | 0.141 | | mg/Kg | ✱ | 96 | 74 - 140 | 23 | 30 |
| Aldrin | 0.0011 | U F1 | 0.147 | 0.121 | | mg/Kg | ✱ | 82 | 74 - 140 | 24 | 30 |
| alpha-BHC | 0.00075 | U | 0.147 | 0.157 | | mg/Kg | ✱ | 107 | 72 - 142 | 11 | 30 |
| alpha-BHC | 0.00075 | U | 0.147 | 0.141 | | mg/Kg | ✱ | 96 | 72 - 142 | 13 | 30 |
| beta-BHC | 0.00083 | U | 0.147 | 0.160 | | mg/Kg | ✱ | 109 | 65 - 137 | 9 | 30 |
| beta-BHC | 0.00083 | U | 0.147 | 0.149 | | mg/Kg | ✱ | 101 | 65 - 137 | 11 | 30 |
| cis-Chlordane | 0.0012 | U | 0.147 | 0.162 | | mg/Kg | ✱ | 110 | 70 - 136 | 8 | 30 |
| cis-Chlordane | 0.0012 | U | 0.147 | 0.138 | | mg/Kg | ✱ | 94 | 70 - 136 | 13 | 30 |
| delta-BHC | 0.00045 | U | 0.147 | 0.163 | | mg/Kg | ✱ | 111 | 70 - 143 | 13 | 30 |
| delta-BHC | 0.00045 | U | 0.147 | 0.144 | | mg/Kg | ✱ | 98 | 70 - 143 | 13 | 30 |
| Dieldrin | 0.00096 | U | 0.147 | 0.166 | | mg/Kg | ✱ | 113 | 70 - 135 | 10 | 30 |
| Dieldrin | 0.00096 | U | 0.147 | 0.143 | | mg/Kg | ✱ | 97 | 70 - 135 | 13 | 30 |
| Endosulfan I | 0.0011 | U | 0.147 | 0.160 | | mg/Kg | ✱ | 108 | 68 - 135 | 9 | 30 |
| Endosulfan I | 0.0011 | U | 0.147 | 0.136 | | mg/Kg | ✱ | 93 | 68 - 135 | 11 | 30 |
| Endosulfan II | 0.0019 | U | 0.147 | 0.158 | | mg/Kg | ✱ | 107 | 64 - 130 | 8 | 30 |
| Endosulfan II | 0.0019 | U | 0.147 | 0.136 | | mg/Kg | ✱ | 93 | 64 - 130 | 14 | 30 |
| Endosulfan sulfate | 0.00093 | U | 0.147 | 0.150 | | mg/Kg | ✱ | 102 | 66 - 143 | 10 | 30 |
| Endosulfan sulfate | 0.00093 | U | 0.147 | 0.128 | | mg/Kg | ✱ | 87 | 66 - 143 | 12 | 30 |
| Endrin | 0.0011 | U | 0.147 | 0.163 | | mg/Kg | ✱ | 110 | 68 - 136 | 10 | 30 |
| Endrin | 0.0011 | U | 0.147 | 0.140 | | mg/Kg | ✱ | 95 | 68 - 136 | 12 | 30 |
| Endrin aldehyde | 0.0017 | U F1 | 0.147 | 0.123 | | mg/Kg | ✱ | 84 | 68 - 132 | 17 | 30 |
| Endrin aldehyde | 0.0017 | U F1 | 0.147 | 0.111 | | mg/Kg | ✱ | 76 | 68 - 132 | 17 | 30 |
| Endrin ketone | 0.0014 | U | 0.147 | 0.155 | | mg/Kg | ✱ | 105 | 60 - 150 | 6 | 30 |
| Endrin ketone | 0.0014 | U | 0.147 | 0.138 | | mg/Kg | ✱ | 94 | 60 - 150 | 11 | 30 |
| gamma-BHC (Lindane) | 0.00068 | U | 0.147 | 0.160 | | mg/Kg | ✱ | 109 | 70 - 134 | 13 | 30 |
| gamma-BHC (Lindane) | 0.00068 | U | 0.147 | 0.143 | | mg/Kg | ✱ | 97 | 70 - 134 | 14 | 30 |
| Heptachlor | 0.00087 | U | 0.147 | 0.148 | | mg/Kg | ✱ | 100 | 69 - 134 | 12 | 30 |
| Heptachlor | 0.00087 | U | 0.147 | 0.129 | | mg/Kg | ✱ | 88 | 69 - 134 | 14 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.147 | 0.157 | | mg/Kg | ✱ | 107 | 70 - 135 | 11 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.147 | 0.137 | | mg/Kg | ✱ | 93 | 70 - 135 | 14 | 30 |
| Methoxychlor | 0.0017 | U | 0.147 | 0.144 | | mg/Kg | ✱ | 98 | 57 - 135 | 3 | 30 |
| Methoxychlor | 0.0017 | U | 0.147 | 0.119 | | mg/Kg | ✱ | 80 | 57 - 135 | 4 | 30 |
| trans-Chlordane | 0.0013 | U | 0.147 | 0.166 | | mg/Kg | ✱ | 113 | 71 - 137 | 11 | 30 |
| trans-Chlordane | 0.0013 | U | 0.147 | 0.139 | | mg/Kg | ✱ | 94 | 71 - 137 | 13 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 79 | | 28 - 148 |
| DCB Decachlorobiphenyl | 94 | | 28 - 148 |
| Tetrachloro-m-xylene | 74 | | 34 - 118 |
| Tetrachloro-m-xylene | 61 | | 34 - 118 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-737832/1-A

Matrix: Solid

Analysis Batch: 738324

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737832

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/06/20 09:30 | 11/09/20 08:01 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 94 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| DCB Decachlorobiphenyl | 109 | | 10 - 150 | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Tetrachloro-m-xylene | 80 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 08:01 | 1 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 | 11/06/20 09:30 | 11/09/20 08:01 | 1 |

Lab Sample ID: LCS 460-737832/2-A

Matrix: Solid

Analysis Batch: 738324

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737832

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|-------|---|------|--------------|
| Aroclor 1016 | 0.333 | 0.300 | | mg/Kg | | 90 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.288 | | mg/Kg | | 86 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.308 | | mg/Kg | | 92 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.295 | | mg/Kg | | 88 | 71 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 80 | | 10 - 150 |
| DCB Decachlorobiphenyl | 92 | | 10 - 150 |
| Tetrachloro-m-xylene | 64 | | 58 - 145 |
| Tetrachloro-m-xylene | 92 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCSD 460-737832/3-A

Matrix: Solid

Analysis Batch: 738324

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737832

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.333 | 0.279 | | mg/Kg | | 84 | 65 - 133 | 7 | 30 |
| Aroclor 1016 | 0.333 | 0.286 | | mg/Kg | | 86 | 65 - 133 | 0 | 30 |
| Aroclor 1260 | 0.333 | 0.312 | | mg/Kg | | 94 | 71 - 150 | 1 | 30 |
| Aroclor 1260 | 0.333 | 0.312 | | mg/Kg | | 94 | 71 - 150 | 6 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 80 | | 10 - 150 |
| DCB Decachlorobiphenyl | 97 | | 10 - 150 |
| Tetrachloro-m-xylene | 75 | | 58 - 145 |
| Tetrachloro-m-xylene | 95 | | 58 - 145 |

Lab Sample ID: 460-222081-E-1-A MS

Matrix: Solid

Analysis Batch: 738324

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737832

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aroclor 1016 | 0.0098 | U | 0.368 | 0.328 | | mg/Kg | ⊛ | 89 | 65 - 133 |
| Aroclor 1016 | 0.0098 | U | 0.368 | 0.390 | | mg/Kg | ⊛ | 106 | 65 - 133 |
| Aroclor 1260 | 0.010 | U | 0.368 | 0.367 | | mg/Kg | ⊛ | 100 | 71 - 150 |
| Aroclor 1260 | 0.010 | U | 0.368 | 0.471 | | mg/Kg | ⊛ | 128 | 71 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 81 | | 10 - 150 |
| DCB Decachlorobiphenyl | 107 | | 10 - 150 |
| Tetrachloro-m-xylene | 62 | | 58 - 145 |
| Tetrachloro-m-xylene | 99 | | 58 - 145 |

Lab Sample ID: 460-222081-E-1-B MSD

Matrix: Solid

Analysis Batch: 738324

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 737832

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.0098 | U | 0.368 | 0.301 | | mg/Kg | ⊛ | 82 | 65 - 133 | 8 | 30 |
| Aroclor 1016 | 0.0098 | U | 0.368 | 0.344 | | mg/Kg | ⊛ | 93 | 65 - 133 | 13 | 30 |
| Aroclor 1260 | 0.010 | U | 0.368 | 0.347 | | mg/Kg | ⊛ | 94 | 71 - 150 | 6 | 30 |
| Aroclor 1260 | 0.010 | U | 0.368 | 0.379 | | mg/Kg | ⊛ | 103 | 71 - 150 | 22 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 76 | | 10 - 150 |
| DCB Decachlorobiphenyl | 94 | | 10 - 150 |
| Tetrachloro-m-xylene | 56 | X | 58 - 145 |
| Tetrachloro-m-xylene | 87 | | 58 - 145 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-737693/1-A

Matrix: Solid

Analysis Batch: 737849

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737693

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 11/05/20 19:22 | 11/06/20 12:08 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 102 | | 30 - 150 | 11/05/20 19:22 | 11/06/20 12:08 | 1 |
| 2,4-Dichlorophenylacetic acid | 108 | | 30 - 150 | 11/05/20 19:22 | 11/06/20 12:08 | 1 |

Lab Sample ID: LCS 460-737693/2-A

Matrix: Solid

Analysis Batch: 737849

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737693

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0786 | | mg/Kg | | 94 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0803 | | mg/Kg | | 96 | 59 - 150 |
| 2,4-D | 0.333 | 0.294 | | mg/Kg | | 88 | 42 - 150 |
| 2,4-D | 0.333 | 0.314 | | mg/Kg | | 94 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0782 | | mg/Kg | | 94 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0914 | | mg/Kg | | 110 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 97 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 105 | | 30 - 150 |

Lab Sample ID: LCSD 460-737693/3-A

Matrix: Solid

Analysis Batch: 737849

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 737693

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0833 | 0.0763 | | mg/Kg | | 92 | 59 - 150 | 3 | 30 |
| 2,4,5-T | 0.0833 | 0.0778 | | mg/Kg | | 93 | 59 - 150 | 3 | 30 |
| 2,4-D | 0.333 | 0.291 | | mg/Kg | | 87 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.301 | | mg/Kg | | 90 | 42 - 150 | 4 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0767 | | mg/Kg | | 92 | 58 - 150 | 2 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0884 | | mg/Kg | | 106 | 58 - 150 | 3 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 94 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 102 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-221991-B-1-F MS

Matrix: Solid

Analysis Batch: 737849

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737693

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0079 | U | 0.0934 | 0.0843 | | mg/Kg | ☼ | 90 | 59 - 150 |
| 2,4,5-T | 0.0079 | U | 0.0934 | 0.0903 | | mg/Kg | ☼ | 97 | 59 - 150 |
| 2,4-D | 0.014 | U | 0.374 | 0.336 | | mg/Kg | ☼ | 90 | 42 - 150 |
| 2,4-D | 0.014 | U | 0.374 | 0.345 | | mg/Kg | ☼ | 92 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0934 | 0.0861 | | mg/Kg | ☼ | 92 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0934 | 0.102 | | mg/Kg | ☼ | 109 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 93 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 103 | | 30 - 150 |

Lab Sample ID: 460-221991-B-1-G MSD

Matrix: Solid

Analysis Batch: 737849

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 737693

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0079 | U | 0.0934 | 0.0834 | | mg/Kg | ☼ | 89 | 59 - 150 | 1 | 30 |
| 2,4,5-T | 0.0079 | U | 0.0934 | 0.0907 | | mg/Kg | ☼ | 97 | 59 - 150 | 0 | 30 |
| 2,4-D | 0.014 | U | 0.374 | 0.322 | | mg/Kg | ☼ | 86 | 42 - 150 | 4 | 30 |
| 2,4-D | 0.014 | U | 0.374 | 0.346 | | mg/Kg | ☼ | 92 | 42 - 150 | 0 | 30 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0934 | 0.0854 | | mg/Kg | ☼ | 91 | 58 - 150 | 1 | 30 |
| Silvex (2,4,5-TP) | 0.0039 | U | 0.0934 | 0.102 | | mg/Kg | ☼ | 109 | 58 - 150 | 0 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 92 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 102 | | 30 - 150 |

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 460-739645/1-A

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 739645

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 3.3 | U | 15.0 | 3.3 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Barium | 13.2 | U | 200 | 13.2 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Cadmium | 0.33 | U | 4.0 | 0.33 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Chromium | 5.0 | U | 10.0 | 5.0 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Lead | 2.4 | U | 10.0 | 2.4 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Selenium | 5.9 | U | 20.0 | 5.9 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |
| Silver | 5.8 | U | 10.0 | 5.8 | ug/L | | 11/13/20 10:48 | 11/14/20 14:48 | 1 |

Lab Sample ID: LCS 460-739645/2-A ^2

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 739645

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Arsenic | 5000 | 4854 | | ug/L | | 97 | 80 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 6010D - Metals (ICP) (Continued)

Lab Sample ID: LCS 460-739645/2-A ^2

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 739645

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Barium | 10000 | 9894 | | ug/L | | 99 | 80 - 120 |
| Cadmium | 1000 | 1009 | | ug/L | | 101 | 80 - 120 |
| Chromium | 5000 | 5058 | | ug/L | | 101 | 80 - 120 |
| Lead | 5000 | 5140 | | ug/L | | 103 | 80 - 120 |
| Selenium | 1000 | 977.6 | | ug/L | | 98 | 80 - 120 |
| Silver | 500 | 494.0 | | ug/L | | 99 | 80 - 120 |

Lab Sample ID: LB 460-739368/1-D ^5

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 739645

| Analyte | LB Result | LB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 16.7 | U | 75.0 | 16.7 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Barium | 66.0 | U | 1000 | 66.0 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Cadmium | 1.6 | U | 20.0 | 1.6 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Chromium | 24.9 | U | 50.0 | 24.9 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Lead | 11.8 | U | 50.0 | 11.8 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Selenium | 29.4 | U | 100 | 29.4 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |
| Silver | 28.9 | U | 50.0 | 28.9 | ug/L | | 11/13/20 10:48 | 11/14/20 16:31 | 5 |

Lab Sample ID: LB 460-739456/1-D ^5

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 739645

| Analyte | LB Result | LB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|------|------|---|----------------|----------------|---------|
| Arsenic | 16.7 | U | 75.0 | 16.7 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Barium | 66.0 | U | 1000 | 66.0 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Cadmium | 1.6 | U | 20.0 | 1.6 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Chromium | 24.9 | U | 50.0 | 24.9 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Lead | 11.8 | U | 50.0 | 11.8 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Selenium | 29.4 | U | 100 | 29.4 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |
| Silver | 28.9 | U | 50.0 | 28.9 | ug/L | | 11/13/20 10:48 | 11/14/20 16:35 | 5 |

Lab Sample ID: 460-222535-U-2-F MS ^5

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Matrix Spike

Prep Type: TCLP

Prep Batch: 739645

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Arsenic | 16.7 | U | 5000 | 4837 | | ug/L | | 97 | 75 - 125 |
| Barium | 205 | J | 10000 | 10020 | | ug/L | | 98 | 75 - 125 |
| Cadmium | 1.6 | U | 1000 | 995.5 | | ug/L | | 100 | 75 - 125 |
| Chromium | 24.9 | U | 5000 | 4961 | | ug/L | | 99 | 75 - 125 |
| Lead | 11.8 | U | 5000 | 5065 | | ug/L | | 101 | 75 - 125 |
| Selenium | 29.4 | U | 1000 | 994.0 | | ug/L | | 99 | 75 - 125 |
| Silver | 28.9 | U | 500 | 491.3 | | ug/L | | 98 | 75 - 125 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 6010D - Metals (ICP) (Continued)

Lab Sample ID: 460-222535-U-2-E DU ^5

Matrix: Solid

Analysis Batch: 739898

Client Sample ID: Duplicate

Prep Type: TCLP

Prep Batch: 739645

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|----------|---------------|------------------|-----------|--------------|------|---|-----|-------|
| Arsenic | 16.7 | U | 16.7 | U | ug/L | | NC | 20 |
| Barium | 205 | J | 168.7 | J | ug/L | | 19 | 20 |
| Cadmium | 1.6 | U | 1.6 | U | ug/L | | NC | 20 |
| Chromium | 24.9 | U | 24.9 | U | ug/L | | NC | 20 |
| Lead | 11.8 | U | 11.8 | U | ug/L | | NC | 20 |
| Selenium | 29.4 | U | 29.4 | U | ug/L | | NC | 20 |
| Silver | 28.9 | U | 28.9 | U | ug/L | | NC | 20 |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-737617/1-A

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 11/05/20 14:05 | 11/06/20 12:17 | 1 |

Lab Sample ID: LCSSRM 460-737617/2-A ^5

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Aluminum | 8460 | 8470 | | mg/Kg | | 100.1 | 50.4 - 150.1 |
| Antimony | 120 | 84.43 | | mg/Kg | | 70.4 | 4.8 - 195.0 |
| Arsenic | 95.5 | 100.8 | | mg/Kg | | 105.5 | 82.8 - 117.3 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-737617/2-A ^5

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Barium | 300 | 334.2 | | mg/Kg | | 111.4 | 82.3 - 117.7 |
| Beryllium | 103 | 111.1 | | mg/Kg | | 107.8 | 82.8 - 116.5 |
| Cadmium | 135 | 146.8 | | mg/Kg | | 108.8 | 83.0 - 117.8 |
| Calcium | 4720 | 4905 | | mg/Kg | | 103.9 | 81.6 - 118.6 |
| Chromium | 147 | 156.1 | | mg/Kg | | 106.2 | 82.3 - 117.7 |
| Cobalt | 43.2 | 45.87 | | mg/Kg | | 106.2 | 83.8 - 116.2 |
| Copper | 150 | 153.8 | | mg/Kg | | 102.5 | 84.0 - 116.0 |
| Iron | 14400 | 14490 | | mg/Kg | | 100.7 | 61.3 - 138.9 |
| Lead | 92.3 | 100.9 | | mg/Kg | | 109.3 | 83.1 - 117.0 |
| Magnesium | 2300 | 2528 | | mg/Kg | | 109.9 | 75.7 - 124.3 |
| Manganese | 677 | 702.8 | | mg/Kg | | 103.8 | 82.0 - 118.2 |
| Nickel | 59.8 | 65.38 | | mg/Kg | | 109.3 | 82.6 - 117.6 |
| Potassium | 2030 | 2205 | | mg/Kg | | 108.6 | 70.0 - 130.0 |
| Selenium | 42.0 | 42.68 | | mg/Kg | | 101.6 | 79.5 - 120.5 |
| Silver | 40.3 | 42.78 | | mg/Kg | | 106.2 | 80.6 - 119.4 |
| Sodium | 139 | 152.2 | J | mg/Kg | | 109.5 | 71.9 - 127.3 |
| Thallium | 83.1 | 98.05 | | mg/Kg | | 118.0 | 81.0 - 119.0 |
| Vanadium | 96.9 | 98.48 | | mg/Kg | | 101.6 | 79.2 - 120.7 |
| Zinc | 369 | 379.4 | | mg/Kg | | 102.8 | 80.8 - 119.2 |

Lab Sample ID: 460-222062-A-1-C MS

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Antimony | 0.13 | U F1 | 4.65 | 1.30 | F1 | mg/Kg | ✱ | 28 | 75 - 125 |
| Arsenic | 2.2 | | 9.31 | 10.33 | | mg/Kg | ✱ | 87 | 75 - 125 |
| Barium | 78.3 | | 9.31 | 94.33 | 4 | mg/Kg | ✱ | 173 | 75 - 125 |
| Beryllium | 1.7 | | 4.65 | 6.48 | | mg/Kg | ✱ | 102 | 75 - 125 |
| Cadmium | 0.11 | J | 4.65 | 4.75 | | mg/Kg | ✱ | 100 | 75 - 125 |
| Calcium | 12800 | | 465 | 14410 | 4 | mg/Kg | ✱ | 335 | 75 - 125 |
| Chromium | 90.1 | | 9.31 | 111.6 | 4 | mg/Kg | ✱ | 231 | 75 - 125 |
| Cobalt | 19.9 | | 4.65 | 24.03 | 4 | mg/Kg | ✱ | 88 | 75 - 125 |
| Copper | 23.7 | | 9.31 | 33.28 | | mg/Kg | ✱ | 103 | 75 - 125 |
| Iron | 28000 | | 465 | 31310 | 4 | mg/Kg | ✱ | 700 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-222062-A-1-C MS

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Lead | 11.1 | F1 | 4.65 | 17.21 | F1 | mg/Kg | ✱ | 132 | 75 - 125 |
| Magnesium | 12400 | | 465 | 14540 | 4 | mg/Kg | ✱ | 466 | 75 - 125 |
| Nickel | 66.6 | | 9.31 | 76.64 | 4 | mg/Kg | ✱ | 108 | 75 - 125 |
| Potassium | 1640 | | 465 | 2147 | | mg/Kg | ✱ | 109 | 75 - 125 |
| Selenium | 0.11 | U | 9.31 | 7.97 | | mg/Kg | ✱ | 86 | 75 - 125 |
| Silver | 0.16 | J | 4.65 | 4.68 | | mg/Kg | ✱ | 97 | 75 - 125 |
| Sodium | 4780 | | 465 | 5951 | 4 | mg/Kg | ✱ | 251 | 75 - 125 |
| Thallium | 0.43 | | 3.72 | 4.21 | | mg/Kg | ✱ | 101 | 75 - 125 |
| Vanadium | 67.0 | | 9.31 | 84.99 | 4 | mg/Kg | ✱ | 193 | 75 - 125 |
| Zinc | 57.4 | | 46.5 | 102.0 | | mg/Kg | ✱ | 96 | 75 - 125 |

Lab Sample ID: 460-222062-A-1-C MS ^5

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aluminum | 48600 | | 465 | 55840 | 4 | mg/Kg | ✱ | 1560 | 75 - 125 |
| Manganese | 1060 | | 46.5 | 1138 | 4 | mg/Kg | ✱ | 177 | 75 - 125 |

Lab Sample ID: 460-222062-A-1-B DU

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Antimony | 0.13 | U F1 | 0.13 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 2.2 | | 2.23 | | mg/Kg | ✱ | 1 | 20 |
| Barium | 78.3 | | 80.73 | | mg/Kg | ✱ | 3 | 20 |
| Beryllium | 1.7 | | 1.82 | | mg/Kg | ✱ | 5 | 20 |
| Cadmium | 0.11 | J | 0.118 | J | mg/Kg | ✱ | 5 | 20 |
| Calcium | 12800 | | 14570 | | mg/Kg | ✱ | 13 | 20 |
| Chromium | 90.1 | | 92.51 | | mg/Kg | ✱ | 3 | 20 |
| Cobalt | 19.9 | | 20.24 | | mg/Kg | ✱ | 2 | 20 |
| Copper | 23.7 | | 24.89 | | mg/Kg | ✱ | 5 | 20 |
| Iron | 28000 | | 29090 | | mg/Kg | ✱ | 4 | 20 |
| Lead | 11.1 | F1 | 11.82 | | mg/Kg | ✱ | 7 | 20 |
| Magnesium | 12400 | | 12890 | | mg/Kg | ✱ | 4 | 20 |
| Nickel | 66.6 | | 68.63 | | mg/Kg | ✱ | 3 | 20 |
| Potassium | 1640 | | 1584 | | mg/Kg | ✱ | 3 | 20 |
| Selenium | 0.11 | U | 0.11 | U | mg/Kg | ✱ | NC | 20 |
| Silver | 0.16 | J | 0.177 | J | mg/Kg | ✱ | 13 | 20 |
| Sodium | 4780 | | 5230 | | mg/Kg | ✱ | 9 | 20 |
| Thallium | 0.43 | | 0.441 | | mg/Kg | ✱ | 3 | 20 |
| Vanadium | 67.0 | | 70.61 | | mg/Kg | ✱ | 5 | 20 |
| Zinc | 57.4 | | 57.16 | | mg/Kg | ✱ | 0.5 | 20 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-222062-A-1-B DU ^5

Matrix: Solid

Analysis Batch: 737873

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 737617

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Aluminum | 48600 | | 52080 | | mg/Kg | ✱ | 7 | 20 |
| Manganese | 1060 | | 1137 | | mg/Kg | ✱ | 7 | 20 |

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 460-739666/1-A

Matrix: Solid

Analysis Batch: 739687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 739666

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|-------|------|---|----------------|----------------|---------|
| Mercury | 0.091 | U | 0.20 | 0.091 | ug/L | | 11/13/20 13:08 | 11/13/20 14:55 | 1 |

Lab Sample ID: LCS 460-739666/2-A

Matrix: Solid

Analysis Batch: 739687

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 739666

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Mercury | 5.00 | 4.83 | | ug/L | | 97 | 80 - 120 |

Lab Sample ID: LB 460-739456/1-E

Matrix: Solid

Analysis Batch: 739687

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 739666

| Analyte | LB Result | LB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|-------|------|---|----------------|----------------|---------|
| Mercury | 0.091 | U | 0.20 | 0.091 | ug/L | | 11/13/20 13:08 | 11/13/20 15:45 | 1 |

Lab Sample ID: 460-222620-A-3-E MS

Matrix: Solid

Analysis Batch: 739687

Client Sample ID: Matrix Spike

Prep Type: TCLP

Prep Batch: 739666

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Mercury | 0.091 | U | 5.00 | 4.90 | | ug/L | | 98 | 75 - 125 |

Lab Sample ID: 460-222620-A-3-D DU

Matrix: Solid

Analysis Batch: 739687

Client Sample ID: Duplicate

Prep Type: TCLP

Prep Batch: 739666

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------|---------------|------------------|-----------|--------------|------|---|-----|-------|
| Mercury | 0.091 | U | 0.091 | U | ug/L | | NC | 20 |

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-738304/1-A

Matrix: Solid

Analysis Batch: 738379

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 738304

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 11/09/20 03:58 | 11/09/20 08:30 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: LCSSRM 460-738304/2-A ^40
Matrix: Solid
Analysis Batch: 738379

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 738304

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Mercury | 18.4 | 17.22 | | mg/Kg | | 93.6 | 60.9 - 138.6 |

Lab Sample ID: 460-222100-D-2-C MS
Matrix: Solid
Analysis Batch: 738379

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 738304

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.0041 | U | 0.0846 | 0.0820 | | mg/Kg | ✱ | 97 | 80 - 120 |

Lab Sample ID: 460-222100-D-2-B DU
Matrix: Solid
Analysis Batch: 738379

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 738304

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Mercury | 0.0041 | U | 0.0041 | U | mg/Kg | ✱ | NC | 20 |

Method: 1030 - Ignitability, Solids

Lab Sample ID: 460-221251-C-1 DU
Matrix: Solid
Analysis Batch: 738999

Client Sample ID: Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|--------|---|-----|-----------|
| Burn Rate | 2.20 | U | 2.20 | U | mm/sec | | NC | 10 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-738190/1-A
Matrix: Solid
Analysis Batch: 738358

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 738190

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 11/08/20 10:44 | 11/09/20 12:49 | 1 |

Lab Sample ID: LCSI 460-738190/3-A
Matrix: Solid
Analysis Batch: 738358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 738190

| Analyte | Spike Added | LCSI Result | LCSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|-------------|----------------|-------|---|------|--------------|
| Cr (VI) | 708 | 791.7 | | mg/Kg | | 112 | 80 - 120 |

Lab Sample ID: LCSSRM 460-738190/2-A
Matrix: Solid
Analysis Batch: 738358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 738190

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|-------|--------------|
| Cr (VI) | 15.6 | 15.64 | | mg/Kg | | 100.5 | 84.2 - 114.5 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 7196A - Chromium, Hexavalent (Continued)

Lab Sample ID: 460-221583-E-1-I MSS

Matrix: Solid

Analysis Batch: 738358

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 738190

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSS Result | MSS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.37 | U | 43.1 | 46.69 | | mg/Kg | ✱ | 108 | 75 - 125 |

Lab Sample ID: 460-221583-E-1-J MSI

Matrix: Solid

Analysis Batch: 738358

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 738190

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSI Result | MSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.37 | U | 762 | 919.3 | | mg/Kg | ✱ | 121 | 75 - 125 |

Lab Sample ID: 460-221583-E-1-H DU

Matrix: Solid

Analysis Batch: 738358

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 738190

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Cr (VI) | 0.37 | U | 0.37 | U | mg/Kg | ✱ | NC | 20 |

Method: 9012B - Cyanide, Total and/or Amenable

Lab Sample ID: MB 460-738731/1-A

Matrix: Solid

Analysis Batch: 738799

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 738731

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 11/10/20 11:52 | 11/10/20 15:50 | 1 |

Lab Sample ID: LCSSRM 460-738731/2-A ^20

Matrix: Solid

Analysis Batch: 738799

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 738731

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|-------------|---------------|------------------|-------|---|------|--------------|
| Cyanide, Total | 157 | 90.72 | | mg/Kg | | 57.8 | 23.5 - 110.2 |

Lab Sample ID: 460-222083-1 MS

Matrix: Solid

Analysis Batch: 738799

Client Sample ID: TP-15_(0-2)

Prep Type: Total/NA

Prep Batch: 738731

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Cyanide, Total | 0.14 | U F1 F2 | 5.27 | 0.396 | F1 | mg/Kg | ✱ | 7 | 11 - 108 |

Lab Sample ID: 460-222083-1 MSD

Matrix: Solid

Analysis Batch: 738799

Client Sample ID: TP-15_(0-2)

Prep Type: Total/NA

Prep Batch: 738731

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Cyanide, Total | 0.14 | U F1 F2 | 4.90 | 1.02 | F2 | mg/Kg | ✱ | 21 | 11 - 108 | 89 | 40 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 9014 - Cyanide, Reactive

Lab Sample ID: MB 460-740597/1-A

Matrix: Solid

Analysis Batch: 740599

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740597

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------------|-----------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 11/17/20 15:52 | 11/17/20 15:56 | 1 |

Lab Sample ID: LCS 460-740597/2-A

Matrix: Solid

Analysis Batch: 740599

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740597

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|-------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| Cyanide, Reactive | 40.0 | 25.0 | U | mg/Kg | | 12 | 10 - 100 |

Lab Sample ID: 460-222083-1 DU

Matrix: Solid

Analysis Batch: 740599

Client Sample ID: TP-15_(0-2)

Prep Type: Total/NA

Prep Batch: 740597

| Analyte | Sample
Result | Sample
Qualifier | DU
Result | DU
Qualifier | Unit | D | RPD | Limit |
|-------------------|------------------|---------------------|--------------|-----------------|-------|---|-----|-------|
| Cyanide, Reactive | 25.0 | U | 25.0 | U | mg/Kg | | NC | 10 |

Method: 9034 - Sulfide, Reactive

Lab Sample ID: MB 460-740595/1-A

Matrix: Solid

Analysis Batch: 740598

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740595

| Analyte | MB
Result | MB
Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------------|-----------------|------|------|-------|---|----------------|----------------|---------|
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 11/17/20 15:45 | 11/17/20 15:55 | 1 |

Lab Sample ID: LCSSRM 460-740595/3-A

Matrix: Solid

Analysis Batch: 740598

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740595

| Analyte | Spike
Added | LCSSRM
Result | LCSSRM
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|-------------------|----------------|------------------|---------------------|-------|---|------|------------------|
| Sulfide, Reactive | 62.6 | 54.50 | | mg/Kg | | 87.1 | 44.9 - 144.
2 |

Lab Sample ID: 460-222083-1 MS

Matrix: Solid

Analysis Batch: 740598

Client Sample ID: TP-15_(0-2)

Prep Type: Total/NA

Prep Batch: 740595

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MS
Result | MS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|-------------------|------------------|---------------------|----------------|--------------|-----------------|-------|---|------|-----------------|
| Sulfide, Reactive | 20.0 | U | 434 | 326.9 | | mg/Kg | | 75 | 64 - 136 |

Lab Sample ID: 460-222083-1 MSD

Matrix: Solid

Analysis Batch: 740598

Client Sample ID: TP-15_(0-2)

Prep Type: Total/NA

Prep Batch: 740595

| Analyte | Sample
Result | Sample
Qualifier | Spike
Added | MSD
Result | MSD
Qualifier | Unit | D | %Rec | %Rec.
Limits | RPD | Limit |
|-------------------|------------------|---------------------|----------------|---------------|------------------|-------|---|------|-----------------|-----|-------|
| Sulfide, Reactive | 20.0 | U | 434 | 319.3 | | mg/Kg | | 74 | 64 - 136 | 2 | 10 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Method: 9045D - pH

Lab Sample ID: MB 460-740528/2

Matrix: Solid

Analysis Batch: 740528

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|-----------|--------------|-----|-----|-----------|---|----------|----------------|---------|
| Corrosivity | 6.3 | | 0.1 | 0.1 | SU | | | 11/17/20 12:35 | 1 |
| pH | 6.3 | | 0.1 | 0.1 | SU | | | 11/17/20 12:35 | 1 |
| Temperature | 22.4 | | 0.1 | 0.1 | Degrees C | | | 11/17/20 12:35 | 1 |

Lab Sample ID: LCSSRM 460-740528/3

Matrix: Solid

Analysis Batch: 740528

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|-------------|---------------|------------------|------|---|------|--------------|
| Corrosivity | 8.31 | 8.1 | | SU | | 97.8 | 97.6 - 102.4 |
| pH | 8.31 | 8.1 | | SU | | 97.8 | 97.6 - 102.4 |

Lab Sample ID: 460-222619-B-1 DU

Matrix: Solid

Analysis Batch: 740528

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-------------|---------------|------------------|-----------|--------------|-----------|---|-----|-----------|
| Corrosivity | 11.7 | | 11.7 | | SU | | 0.2 | 10 |
| pH | 11.7 | | 11.7 | | SU | | 0.2 | 10 |
| Temperature | 21.2 | | 21.3 | | Degrees C | | 0.5 | 10 |

Method: Moisture - Percent Moisture

Lab Sample ID: 460-222064-A-1 DU

Matrix: Solid

Analysis Batch: 738506

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 16.5 | | 16.7 | | % | | 1 | 20 |
| Percent Solids | 83.5 | | 83.3 | | % | | 0.2 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

GC/MS VOA

Prep Batch: 737731

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 5035 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 5035 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 5035 | |
| LB3 460-737731/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 737757

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LB3 460-737731/1-A | Method Blank | Total/NA | Solid | 8260D | 737731 |
| MB 460-737757/8 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-737757/4 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-737757/5 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |

Analysis Batch: 738009

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8260D | 737731 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8260D | 737731 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8260D | 737731 |
| MB 460-738009/8 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-738009/4 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-738009/5 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |

GC/MS Semi VOA

Prep Batch: 737901

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 3546 | |
| MB 460-737901/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-737901/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-737901/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-222100-F-2-D MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222100-F-2-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 737974

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8270E | 737901 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8270E | 737901 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8270E | 737901 |
| MB 460-737901/1-A | Method Blank | Total/NA | Solid | 8270E | 737901 |
| LCS 460-737901/2-A | Lab Control Sample | Total/NA | Solid | 8270E | 737901 |
| LCSD 460-737901/3-A | Lab Control Sample Dup | Total/NA | Solid | 8270E | 737901 |
| 460-222100-F-2-D MS | Matrix Spike | Total/NA | Solid | 8270E | 737901 |
| 460-222100-F-2-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270E | 737901 |

GC Semi VOA

Prep Batch: 737693

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8151A | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8151A | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8151A | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

GC Semi VOA (Continued)

Prep Batch: 737693 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| MB 460-737693/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-737693/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-737693/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-221991-B-1-F MS | Matrix Spike | Total/NA | Solid | 8151A | |
| 460-221991-B-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | |

Prep Batch: 737832

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 3546 | |
| MB 460-737832/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-737832/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-737832/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-222081-E-1-A MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222081-E-1-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Prep Batch: 737834

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 3546 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 3546 | |
| MB 460-737834/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-737834/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-737834/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-222081-E-1-D MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222081-E-1-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 737849

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| MB 460-737693/1-A | Method Blank | Total/NA | Solid | 8151A | 737693 |
| LCS 460-737693/2-A | Lab Control Sample | Total/NA | Solid | 8151A | 737693 |
| LCSD 460-737693/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | 737693 |
| 460-221991-B-1-F MS | Matrix Spike | Total/NA | Solid | 8151A | 737693 |
| 460-221991-B-1-G MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | 737693 |

Analysis Batch: 737857

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8151A | 737693 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8151A | 737693 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8151A | 737693 |

Analysis Batch: 738298

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8081B | 737834 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8081B | 737834 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8081B | 737834 |
| MB 460-737834/1-A | Method Blank | Total/NA | Solid | 8081B | 737834 |
| LCS 460-737834/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 737834 |
| LCSD 460-737834/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 737834 |
| 460-222081-E-1-D MS | Matrix Spike | Total/NA | Solid | 8081B | 737834 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

GC Semi VOA (Continued)

Analysis Batch: 738298 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222081-E-1-E MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 737834 |

Analysis Batch: 738324

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 8082A | 737832 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 8082A | 737832 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 8082A | 737832 |
| MB 460-737832/1-A | Method Blank | Total/NA | Solid | 8082A | 737832 |
| LCS 460-737832/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 737832 |
| LCSD 460-737832/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 737832 |
| 460-222081-E-1-A MS | Matrix Spike | Total/NA | Solid | 8082A | 737832 |
| 460-222081-E-1-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 737832 |

Metals

Prep Batch: 737617

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 3050B | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 3050B | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 3050B | |
| MB 460-737617/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-737617/2-A ^5 | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-222062-A-1-C MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-222062-A-1-C MS ^5 | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-222062-A-1-B DU | Duplicate | Total/NA | Solid | 3050B | |
| 460-222062-A-1-B DU ^5 | Duplicate | Total/NA | Solid | 3050B | |

Analysis Batch: 737873

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 6020B | 737617 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 6020B | 737617 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 6020B | 737617 |
| MB 460-737617/1-A | Method Blank | Total/NA | Solid | 6020B | 737617 |
| LCSSRM 460-737617/2-A ^5 | Lab Control Sample | Total/NA | Solid | 6020B | 737617 |
| 460-222062-A-1-C MS | Matrix Spike | Total/NA | Solid | 6020B | 737617 |
| 460-222062-A-1-C MS ^5 | Matrix Spike | Total/NA | Solid | 6020B | 737617 |
| 460-222062-A-1-B DU | Duplicate | Total/NA | Solid | 6020B | 737617 |
| 460-222062-A-1-B DU ^5 | Duplicate | Total/NA | Solid | 6020B | 737617 |

Analysis Batch: 738056

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 6020B | 737617 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 6020B | 737617 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 6020B | 737617 |

Prep Batch: 738304

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7471B | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7471B | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7471B | |
| MB 460-738304/1-A | Method Blank | Total/NA | Solid | 7471B | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Metals (Continued)

Prep Batch: 738304 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| LCSSRM 460-738304/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-222100-D-2-C MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-222100-D-2-B DU | Duplicate | Total/NA | Solid | 7471B | |

Analysis Batch: 738379

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7471B | 738304 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7471B | 738304 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7471B | 738304 |
| MB 460-738304/1-A | Method Blank | Total/NA | Solid | 7471B | 738304 |
| LCSSRM 460-738304/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 738304 |
| 460-222100-D-2-C MS | Matrix Spike | Total/NA | Solid | 7471B | 738304 |
| 460-222100-D-2-B DU | Duplicate | Total/NA | Solid | 7471B | 738304 |

Leach Batch: 739368

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------------|------------------|-----------|--------|--------|------------|
| LB 460-739368/1-D ^5 | Method Blank | TCLP | Solid | 1311 | |
| 460-222535-U-2-F MS ^5 | Matrix Spike | TCLP | Solid | 1311 | |
| 460-222535-U-2-E DU ^5 | Duplicate | TCLP | Solid | 1311 | |

Leach Batch: 739456

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | TCLP | Solid | 1311 | |
| 460-222083-2 | TP-7_(0-2) | TCLP | Solid | 1311 | |
| 460-222083-3 | TP-8_(0-2) | TCLP | Solid | 1311 | |
| LB 460-739456/1-D ^5 | Method Blank | TCLP | Solid | 1311 | |
| LB 460-739456/1-E | Method Blank | TCLP | Solid | 1311 | |
| 460-222620-A-3-E MS | Matrix Spike | TCLP | Solid | 1311 | |
| 460-222620-A-3-D DU | Duplicate | TCLP | Solid | 1311 | |

Prep Batch: 739645

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | TCLP | Solid | 3010A | 739456 |
| 460-222083-2 | TP-7_(0-2) | TCLP | Solid | 3010A | 739456 |
| 460-222083-3 | TP-8_(0-2) | TCLP | Solid | 3010A | 739456 |
| LB 460-739368/1-D ^5 | Method Blank | TCLP | Solid | 3010A | 739368 |
| LB 460-739456/1-D ^5 | Method Blank | TCLP | Solid | 3010A | 739456 |
| MB 460-739645/1-A | Method Blank | Total/NA | Solid | 3010A | |
| LCS 460-739645/2-A ^2 | Lab Control Sample | Total/NA | Solid | 3010A | |
| 460-222535-U-2-F MS ^5 | Matrix Spike | TCLP | Solid | 3010A | 739368 |
| 460-222535-U-2-E DU ^5 | Duplicate | TCLP | Solid | 3010A | 739368 |

Prep Batch: 739666

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | TCLP | Solid | 7470A | 739456 |
| 460-222083-2 | TP-7_(0-2) | TCLP | Solid | 7470A | 739456 |
| 460-222083-3 | TP-8_(0-2) | TCLP | Solid | 7470A | 739456 |
| LB 460-739456/1-E | Method Blank | TCLP | Solid | 7470A | 739456 |
| MB 460-739666/1-A | Method Blank | Total/NA | Solid | 7470A | |
| LCS 460-739666/2-A | Lab Control Sample | Total/NA | Solid | 7470A | |
| 460-222620-A-3-E MS | Matrix Spike | TCLP | Solid | 7470A | 739456 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Metals (Continued)

Prep Batch: 739666 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------|-----------|--------|--------|------------|
| 460-222620-A-3-D DU | Duplicate | TCLP | Solid | 7470A | 739456 |

Analysis Batch: 739687

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | TCLP | Solid | 7470A | 739666 |
| 460-222083-2 | TP-7_(0-2) | TCLP | Solid | 7470A | 739666 |
| 460-222083-3 | TP-8_(0-2) | TCLP | Solid | 7470A | 739666 |
| LB 460-739456/1-E | Method Blank | TCLP | Solid | 7470A | 739666 |
| MB 460-739666/1-A | Method Blank | Total/NA | Solid | 7470A | 739666 |
| LCS 460-739666/2-A | Lab Control Sample | Total/NA | Solid | 7470A | 739666 |
| 460-222620-A-3-E MS | Matrix Spike | TCLP | Solid | 7470A | 739666 |
| 460-222620-A-3-D DU | Duplicate | TCLP | Solid | 7470A | 739666 |

Analysis Batch: 739898

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | TCLP | Solid | 6010D | 739645 |
| 460-222083-2 | TP-7_(0-2) | TCLP | Solid | 6010D | 739645 |
| 460-222083-3 | TP-8_(0-2) | TCLP | Solid | 6010D | 739645 |
| LB 460-739368/1-D ^5 | Method Blank | TCLP | Solid | 6010D | 739645 |
| LB 460-739456/1-D ^5 | Method Blank | TCLP | Solid | 6010D | 739645 |
| MB 460-739645/1-A | Method Blank | Total/NA | Solid | 6010D | 739645 |
| LCS 460-739645/2-A ^2 | Lab Control Sample | Total/NA | Solid | 6010D | 739645 |
| 460-222535-U-2-F MS ^5 | Matrix Spike | TCLP | Solid | 6010D | 739645 |
| 460-222535-U-2-E DU ^5 | Duplicate | TCLP | Solid | 6010D | 739645 |

General Chemistry

Prep Batch: 738190

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 3060A | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 3060A | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 3060A | |
| MB 460-738190/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-738190/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-738190/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-221583-E-1-I MSS | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-221583-E-1-J MSI | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-221583-E-1-H DU | Duplicate | Total/NA | Solid | 3060A | |

Analysis Batch: 738358

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7196A | 738190 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7196A | 738190 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7196A | 738190 |
| MB 460-738190/1-A | Method Blank | Total/NA | Solid | 7196A | 738190 |
| LCSI 460-738190/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 738190 |
| LCSSRM 460-738190/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 738190 |
| 460-221583-E-1-I MSS | Matrix Spike | Total/NA | Solid | 7196A | 738190 |
| 460-221583-E-1-J MSI | Matrix Spike | Total/NA | Solid | 7196A | 738190 |
| 460-221583-E-1-H DU | Duplicate | Total/NA | Solid | 7196A | 738190 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

General Chemistry

Analysis Batch: 738506

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|----------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | Moisture | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | Moisture | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | Moisture | |
| 460-222064-A-1 DU | Duplicate | Total/NA | Solid | Moisture | |

Analysis Batch: 738721

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7196A | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7196A | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7196A | |

Prep Batch: 738731

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 9012B | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 9012B | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 9012B | |
| MB 460-738731/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-738731/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-222083-1 MS | TP-15_(0-2) | Total/NA | Solid | 9012B | |
| 460-222083-1 MSD | TP-15_(0-2) | Total/NA | Solid | 9012B | |

Analysis Batch: 738799

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 9012B | 738731 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 9012B | 738731 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 9012B | 738731 |
| MB 460-738731/1-A | Method Blank | Total/NA | Solid | 9012B | 738731 |
| LCSSRM 460-738731/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 738731 |
| 460-222083-1 MS | TP-15_(0-2) | Total/NA | Solid | 9012B | 738731 |
| 460-222083-1 MSD | TP-15_(0-2) | Total/NA | Solid | 9012B | 738731 |

Analysis Batch: 738999

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 1030 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 1030 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 1030 | |
| 460-221251-C-1 DU | Duplicate | Total/NA | Solid | 1030 | |

Analysis Batch: 740528

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 9045D | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 9045D | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 9045D | |
| MB 460-740528/2 | Method Blank | Total/NA | Solid | 9045D | |
| LCSSRM 460-740528/3 | Lab Control Sample | Total/NA | Solid | 9045D | |
| 460-222619-B-1 DU | Duplicate | Total/NA | Solid | 9045D | |

Prep Batch: 740595

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7.3.4 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7.3.4 | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

General Chemistry (Continued)

Prep Batch: 740595 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7.3.4 | |
| MB 460-740595/1-A | Method Blank | Total/NA | Solid | 7.3.4 | |
| LCSSRM 460-740595/3-A | Lab Control Sample | Total/NA | Solid | 7.3.4 | |
| 460-222083-1 MS | TP-15_(0-2) | Total/NA | Solid | 7.3.4 | |
| 460-222083-1 MSD | TP-15_(0-2) | Total/NA | Solid | 7.3.4 | |

Prep Batch: 740597

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 7.3.3 | |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 7.3.3 | |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 7.3.3 | |
| MB 460-740597/1-A | Method Blank | Total/NA | Solid | 7.3.3 | |
| LCS 460-740597/2-A | Lab Control Sample | Total/NA | Solid | 7.3.3 | |
| 460-222083-1 DU | TP-15_(0-2) | Total/NA | Solid | 7.3.3 | |

Analysis Batch: 740598

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 9034 | 740595 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 9034 | 740595 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 9034 | 740595 |
| MB 460-740595/1-A | Method Blank | Total/NA | Solid | 9034 | 740595 |
| LCSSRM 460-740595/3-A | Lab Control Sample | Total/NA | Solid | 9034 | 740595 |
| 460-222083-1 MS | TP-15_(0-2) | Total/NA | Solid | 9034 | 740595 |
| 460-222083-1 MSD | TP-15_(0-2) | Total/NA | Solid | 9034 | 740595 |

Analysis Batch: 740599

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 460-222083-1 | TP-15_(0-2) | Total/NA | Solid | 9014 | 740597 |
| 460-222083-2 | TP-7_(0-2) | Total/NA | Solid | 9014 | 740597 |
| 460-222083-3 | TP-8_(0-2) | Total/NA | Solid | 9014 | 740597 |
| MB 460-740597/1-A | Method Blank | Total/NA | Solid | 9014 | 740597 |
| LCS 460-740597/2-A | Lab Control Sample | Total/NA | Solid | 9014 | 740597 |
| 460-222083-1 DU | TP-15_(0-2) | Total/NA | Solid | 9014 | 740597 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 3010A | | | 739645 | 11/13/20 10:48 | IBS | TAL EDI |
| TCLP | Analysis | 6010D | | 5 | 739898 | 11/14/20 15:00 | CDC | TAL EDI |
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 7470A | | | 739666 | 11/13/20 13:08 | RBS | TAL EDI |
| TCLP | Analysis | 7470A | | 1 | 739687 | 11/13/20 15:29 | RBS | TAL EDI |
| Total/NA | Analysis | 1030 | | 1 | 738999 | 11/11/20 08:00 | YXG | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738721 | 11/10/20 10:37 | TJW | TAL EDI |
| Total/NA | Prep | 7.3.3 | | | 740597 | 11/17/20 15:52 | YAH | TAL EDI |
| Total/NA | Analysis | 9014 | | 1 | 740599 | 11/17/20 15:56 | YAH | TAL EDI |
| Total/NA | Prep | 7.3.4 | | | 740595 | 11/17/20 15:45 | YAH | TAL EDI |
| Total/NA | Analysis | 9034 | | 1 | 740598 | 11/17/20 15:55 | YAH | TAL EDI |
| Total/NA | Analysis | 9045D | | 1 | 740528 | 11/17/20 13:12 | AAP | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 738506 | 11/09/20 18:43 | OJR | TAL EDI |

Client Sample ID: TP-15_(0-2)

Lab Sample ID: 460-222083-1

Date Collected: 11/04/20 14:15

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.5

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 737731 | 11/05/20 22:24 | AVM | TAL EDI |
| Total/NA | Analysis | 8260D | | 1 | 738009 | 11/07/20 14:52 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 737901 | 11/06/20 16:36 | DMS | TAL EDI |
| Total/NA | Analysis | 8270E | | 1 | 737974 | 11/07/20 07:24 | YAH | TAL EDI |
| Total/NA | Prep | 3546 | | | 737834 | 11/06/20 09:33 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 738298 | 11/09/20 07:58 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 737832 | 11/06/20 09:30 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 738324 | 11/09/20 11:10 | DXB | TAL EDI |
| Total/NA | Prep | 8151A | | | 737693 | 11/05/20 19:22 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 737857 | 11/06/20 13:11 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 737873 | 11/06/20 17:48 | MDC | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 5 | 738056 | 11/07/20 10:56 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 738304 | 11/09/20 03:58 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 5 | 738379 | 11/09/20 09:59 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 738190 | 11/08/20 10:44 | MBE | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738358 | 11/09/20 13:34 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 738731 | 11/10/20 12:35 | MBE | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 738799 | 11/10/20 16:06 | AJP | TAL EDI |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 3010A | | | 739645 | 11/13/20 10:48 | IBS | TAL EDI |
| TCLP | Analysis | 6010D | | 5 | 739898 | 11/14/20 15:04 | CDC | TAL EDI |
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 7470A | | | 739666 | 11/13/20 13:08 | RBS | TAL EDI |
| TCLP | Analysis | 7470A | | 1 | 739687 | 11/13/20 15:31 | RBS | TAL EDI |
| Total/NA | Analysis | 1030 | | 1 | 738999 | 11/11/20 08:00 | YXG | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738721 | 11/10/20 10:37 | TJW | TAL EDI |
| Total/NA | Prep | 7.3.3 | | | 740597 | 11/17/20 15:52 | YAH | TAL EDI |
| Total/NA | Analysis | 9014 | | 1 | 740599 | 11/17/20 15:56 | YAH | TAL EDI |
| Total/NA | Prep | 7.3.4 | | | 740595 | 11/17/20 15:45 | YAH | TAL EDI |
| Total/NA | Analysis | 9034 | | 1 | 740598 | 11/17/20 15:55 | YAH | TAL EDI |
| Total/NA | Analysis | 9045D | | 1 | 740528 | 11/17/20 13:14 | AAP | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 738506 | 11/09/20 18:43 | OJR | TAL EDI |

Client Sample ID: TP-7_(0-2)

Lab Sample ID: 460-222083-2

Date Collected: 11/04/20 14:50

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 88.5

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 737731 | 11/05/20 22:25 | AVM | TAL EDI |
| Total/NA | Analysis | 8260D | | 1 | 738009 | 11/07/20 15:16 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 737901 | 11/06/20 16:36 | DMS | TAL EDI |
| Total/NA | Analysis | 8270E | | 1 | 737974 | 11/07/20 04:03 | YAH | TAL EDI |
| Total/NA | Prep | 3546 | | | 737834 | 11/06/20 09:33 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 738298 | 11/09/20 08:12 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 737832 | 11/06/20 09:30 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 738324 | 11/09/20 11:27 | DXB | TAL EDI |
| Total/NA | Prep | 8151A | | | 737693 | 11/05/20 19:22 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 737857 | 11/06/20 13:26 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 737873 | 11/06/20 17:51 | MDC | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 5 | 738056 | 11/07/20 10:58 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 738304 | 11/09/20 03:58 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 738379 | 11/09/20 10:05 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 738190 | 11/08/20 10:44 | MBE | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738358 | 11/09/20 13:34 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 738731 | 11/10/20 12:38 | MBE | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 738799 | 11/10/20 16:08 | AJP | TAL EDI |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 3010A | | | 739645 | 11/13/20 10:48 | IBS | TAL EDI |
| TCLP | Analysis | 6010D | | 5 | 739898 | 11/14/20 15:08 | CDC | TAL EDI |
| TCLP | Leach | 1311 | | | 739456 | 11/12/20 16:00 | JDP | TAL EDI |
| TCLP | Prep | 7470A | | | 739666 | 11/13/20 13:08 | RBS | TAL EDI |
| TCLP | Analysis | 7470A | | 1 | 739687 | 11/13/20 15:36 | RBS | TAL EDI |
| Total/NA | Analysis | 1030 | | 1 | 738999 | 11/11/20 08:00 | YXG | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738721 | 11/10/20 10:37 | TJW | TAL EDI |
| Total/NA | Prep | 7.3.3 | | | 740597 | 11/17/20 15:52 | YAH | TAL EDI |
| Total/NA | Analysis | 9014 | | 1 | 740599 | 11/17/20 15:56 | YAH | TAL EDI |
| Total/NA | Prep | 7.3.4 | | | 740595 | 11/17/20 15:45 | YAH | TAL EDI |
| Total/NA | Analysis | 9034 | | 1 | 740598 | 11/17/20 15:55 | YAH | TAL EDI |
| Total/NA | Analysis | 9045D | | 1 | 740528 | 11/17/20 13:15 | AAP | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 738506 | 11/09/20 18:43 | OJR | TAL EDI |

Client Sample ID: TP-8_(0-2)

Lab Sample ID: 460-222083-3

Date Collected: 11/04/20 15:00

Matrix: Solid

Date Received: 11/04/20 18:00

Percent Solids: 87.0

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 737731 | 11/05/20 22:26 | AVM | TAL EDI |
| Total/NA | Analysis | 8260D | | 1 | 738009 | 11/07/20 15:40 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 737901 | 11/06/20 16:36 | DMS | TAL EDI |
| Total/NA | Analysis | 8270E | | 1 | 737974 | 11/07/20 02:11 | YAH | TAL EDI |
| Total/NA | Prep | 3546 | | | 737834 | 11/06/20 09:33 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 738298 | 11/09/20 08:27 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 737832 | 11/06/20 09:30 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 738324 | 11/09/20 11:44 | DXB | TAL EDI |
| Total/NA | Prep | 8151A | | | 737693 | 11/05/20 19:22 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 737857 | 11/06/20 13:41 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 737873 | 11/06/20 17:53 | MDC | TAL EDI |
| Total/NA | Prep | 3050B | | | 737617 | 11/05/20 14:05 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 5 | 738056 | 11/07/20 11:01 | MDC | TAL EDI |
| Total/NA | Prep | 7471B | | | 738304 | 11/09/20 03:58 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 5 | 738379 | 11/09/20 10:07 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 738190 | 11/08/20 10:44 | MBE | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 738358 | 11/09/20 13:34 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 738731 | 11/10/20 13:10 | MBE | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 738799 | 11/10/20 16:13 | AJP | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Eurofins TestAmerica, Edison

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|----------------------------|
| 7196A | | Solid | Cr (III) |
| 7470A | 7470A | Solid | Mercury |
| 8270E | 3546 | Solid | 1,2,4,5-Tetrachlorobenzene |
| 8270E | 3546 | Solid | 3 & 4 Methylphenol |
| 8270E | 3546 | Solid | Nitrobenzene |
| 9014 | 7.3.3 | Solid | Cyanide, Reactive |
| 9034 | 7.3.4 | Solid | Sulfide, Reactive |
| 9045D | | Solid | Temperature |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260D | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270E | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6010D | Metals (ICP) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7470A | Mercury (CVAA) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 1030 | Ignitability, Solids | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| 9014 | Cyanide, Reactive | SW846 | TAL EDI |
| 9034 | Sulfide, Reactive | SW846 | TAL EDI |
| 9045D | pH | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 1311 | TCLP Extraction | SW846 | TAL EDI |
| 3010A | Preparation, Total Metals | SW846 | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7.3.3 | Cyanide, Reactive | SW846 | TAL EDI |
| 7.3.4 | Sulfide, Reactive | SW846 | TAL EDI |
| 7470A | Preparation, Mercury | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Commodore

Job ID: 460-222083-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-222083-1 | TP-15_(0-2) | Solid | 11/04/20 14:15 | 11/04/20 18:00 | |
| 460-222083-2 | TP-7_(0-2) | Solid | 11/04/20 14:50 | 11/04/20 18:00 | |
| 460-222083-3 | TP-8_(0-2) | Solid | 11/04/20 15:00 | 11/04/20 18:00 | |

222083

IR Gun #

Cooler Temperatures

[illegible]

If pH adjustments are required record the information below:

Volume of Preservative used (ml):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Initials: kan ad

Date: 11/8/20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-222083-1

Login Number: 222083

List Source: Eurofins TestAmerica, Edison

List Number: 1

Creator: Geneus, Gilbert G

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-222907-1
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
11/24/2020 4:18:35 PM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
11/24/2020 4:18:35 PM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 6 |
| Detection Summary | 10 |
| Client Sample Results | 11 |
| Surrogate Summary | 16 |
| QC Sample Results | 18 |
| QC Association Summary | 50 |
| Lab Chronicle | 54 |
| Certification Summary | 55 |
| Method Summary | 56 |
| Sample Summary | 57 |
| Chain of Custody | 58 |
| Receipt Checklists | 60 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| F2 | MS/MSD RPD exceeds control limits |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

GC/MS Semi VOA TICs

| Qualifier | Qualifier Description |
|-----------|--|
| A | The tentatively identified compound is a suspected aldol-condensation product. |
| J | Indicates an Estimated Value for TICs |
| N | This flag indicates the presumptive evidence of a compound. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| U | Indicates the analyte was analyzed for but not detected. |

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| F5 | Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| F3 | Duplicate RPD exceeds the control limit |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |

Eurofins TestAmerica, Edison

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Job ID: 460-222907-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-222907-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/16/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.4 C.

Receipt Exceptions

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. TCL/Part 375 lists are required, not just TCL as indicated on the COC.

The methods on hold were moved to a -2 job to be reported separately if activated.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample TP-12_ (0-2) (460-222907-1) was analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were prepared on 11/17/2020 and analyzed on 11/20/2020.

The continuing calibration verification (CCV) associated with batch 460-741026 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

The continuing calibration verification (CCV) associated with batch 460-741269 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

The following samples had a peak at 11.433 min that is a column bleed; therefore, it was not reported as TIC. TP-12_ (0-2) (460-222907-1)

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Job ID: 460-222907-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No other difficulties were encountered during the Volatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample TP-12_ (0-2) (460-222907-1) was analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Methods 8270E. The samples were prepared on 11/17/2020 and analyzed on 11/18/2020.

The continuing calibration verification (CCV) analyzed in batch 460-740687 was outside the method criteria for the following analyte(s): 2,4-Dinitrophenol, 2,4-Dinitrotoluene, 2-Nitrophenol and Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Several analytes failed the recovery criteria low for the MS of sample 460-222910-1 in batch 460-740687.

Several analytes failed the recovery criteria low for the MSD of sample 460-222910-1 in batch 460-740687. 3,3'-Dichlorobenzidine, 4-Chloroaniline and Atrazine exceeded the RPD limit.

Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Sample TP-12_ (0-2) (460-222907-1) was analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 11/18/2020 and analyzed on 11/19/2020.

No difficulties were encountered during the Pesticides analysis.

All quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Sample TP-12_ (0-2) (460-222907-1) was analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 11/18/2020 and analyzed on 11/19/2020.

The continuing calibration verification (CCVIS) for AR1016 peak # 6 was outside control limits on the primary column. (CCVIS 460-741035/2)

No other difficulties were encountered during the PCBs analysis.

All other quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Sample TP-12_ (0-2) (460-222907-1) was analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 11/17/2020 and analyzed on 11/18/2020.

No difficulties were encountered during the herbicides analysis.

All quality control parameters were within the acceptance limits.

TOTAL METALS (ICP/MS)

Sample TP-12_ (0-2) (460-222907-1) was analyzed for Total Metals (ICP/MS) in accordance with EPA SW-846 Method 6020B. The samples were prepared on 11/19/2020 and analyzed on 11/20/2020.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Job ID: 460-222907-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

Several analytes failed the recovery criteria low for the MS of sample 460-222916-1 in batch 460-741162. Aluminum and Sodium failed the recovery criteria high.

Selenium exceeded the RPD limit for the duplicate of sample 460-222916-1.

Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM

Sample TP-12_ (0-2) (460-222907-1) was analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared on 11/19/2020 and analyzed on 11/20/2020.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

TOTAL MERCURY

Sample TP-12_ (0-2) (460-222907-1) was analyzed for total mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 11/18/2020.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TRIVALENT CHROMIUM

Sample TP-12_ (0-2) (460-222907-1) was analyzed for trivalent chromium in accordance with EPA SW-846 7196A_CR3 by Calculation. The samples were analyzed on 11/18/2020.

No difficulties were encountered during the cr3 analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Sample TP-12_ (0-2) (460-222907-1) was analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 11/21/2020.

Cyanide, Total failed the recovery criteria high for the MS of sample 460-222682-3 in batch 460-741744.

Cyanide, Total failed the recovery criteria high for the MSD of sample 460-222682-3 in batch 460-741744.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Sample TP-12_ (0-2) (460-222907-1) was analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 11/19/2020.

Percent Moisture exceeded the RPD limit for the duplicate of sample 460-222557-35. Refer to the QC report for details.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Job ID: 460-222907-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No other difficulties were encountered during the %solids/moisture analysis.

All other quality control parameters were within the acceptance limits.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------------------|--------|-----------|--------|--------|-------|-----|-----|---|--------|-----------|
| Methylene Chloride | 0.0051 | | 0.0015 | 0.0017 | mg/Kg | 1 | ✱ | | 8260D | Total/NA |
| 1,1'-Biphenyl | 0.043 | J | 0.38 | 0.0051 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| 2-Methylnaphthalene | 0.14 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthene | 0.094 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Acenaphthylene | 0.030 | J | 0.38 | 0.0039 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Anthracene | 0.15 | J | 0.38 | 0.012 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]anthracene | 0.46 | | 0.038 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[a]pyrene | 0.42 | | 0.038 | 0.010 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[b]fluoranthene | 0.56 | | 0.038 | 0.0099 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[g,h,i]perylene | 0.30 | J | 0.38 | 0.011 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Benzo[k]fluoranthene | 0.21 | | 0.038 | 0.0075 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Carbazole | 0.091 | J | 0.38 | 0.015 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Chrysene | 0.47 | | 0.38 | 0.0065 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenz(a,h)anthracene | 0.074 | | 0.038 | 0.017 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Dibenzofuran | 0.14 | J | 0.38 | 0.0054 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluoranthene | 0.96 | | 0.38 | 0.013 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Fluorene | 0.063 | J | 0.38 | 0.0052 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Indeno[1,2,3-cd]pyrene | 0.29 | | 0.038 | 0.015 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Naphthalene | 0.24 | J | 0.38 | 0.0066 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Phenanthrene | 1.1 | | 0.38 | 0.0067 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Pyrene | 0.93 | | 0.38 | 0.0095 | mg/Kg | 1 | ✱ | | 8270E | Total/NA |
| Aluminum | 7590 | | 17.1 | 2.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Antimony | 0.25 | J | 0.85 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Arsenic | 5.7 | | 0.85 | 0.085 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Barium | 122 | | 1.7 | 0.12 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Beryllium | 0.33 | J | 0.34 | 0.049 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cadmium | 0.21 | J | 0.85 | 0.096 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Calcium | 35000 | | 85.3 | 14.5 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Chromium | 16.1 | | 1.7 | 0.15 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Cobalt | 7.5 | | 1.7 | 0.13 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Copper | 67.7 | | 1.7 | 0.19 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Iron | 15500 | | 51.2 | 17.2 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Lead | 207 | | 0.51 | 0.17 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Magnesium | 5000 | | 85.3 | 8.7 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Manganese | 203 | | 3.4 | 0.34 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Nickel | 16.9 | | 1.7 | 0.17 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Potassium | 2860 | | 85.3 | 9.6 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Selenium | 0.53 | J | 1.1 | 0.10 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Sodium | 459 | | 85.3 | 13.3 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Thallium | 0.17 | J | 0.34 | 0.035 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Vanadium | 19.7 | | 1.7 | 0.18 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Zinc | 108 | | 6.8 | 2.0 | mg/Kg | 1 | ✱ | | 6020B | Total/NA |
| Mercury | 0.44 | | 0.019 | 0.0045 | mg/Kg | 1 | ✱ | | 7471B | Total/NA |
| Cr (III) | 16.1 | | 2.0 | 2.0 | mg/Kg | 1 | | | 7196A | Total/NA |
| Cyanide, Total | 0.22 | J | 0.25 | 0.13 | mg/Kg | 1 | ✱ | | 9012B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

Method: 8260D - Volatile Organic Compounds by GC/MS

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00036 | U | 0.0015 | 0.00036 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00033 | U | 0.0015 | 0.00033 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00046 | U | 0.0015 | 0.00046 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,1,2-Trichloroethane | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,1-Dichloroethane | 0.00031 | U | 0.0015 | 0.00031 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,1-Dichloroethene | 0.00034 | U | 0.0015 | 0.00034 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2,3-Trichlorobenzene | 0.00028 | U | 0.0015 | 0.00028 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2,4-Trichlorobenzene | 0.00055 | U | 0.0015 | 0.00055 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2,4-Trimethylbenzene | 0.00038 | U | 0.0015 | 0.00038 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00070 | U | 0.0015 | 0.00070 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2-Dichlorobenzene | 0.00055 | U | 0.0015 | 0.00055 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2-Dichloroethane | 0.00045 | U | 0.0015 | 0.00045 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,2-Dichloropropane | 0.00065 | U | 0.0015 | 0.00065 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,3,5-Trimethylbenzene | 0.00048 | U | 0.0015 | 0.00048 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,3-Dichlorobenzene | 0.00056 | U | 0.0015 | 0.00056 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 1,4-Dichlorobenzene | 0.00034 | U | 0.0015 | 0.00034 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 2-Butanone (MEK) | 0.00056 | U | 0.0076 | 0.00056 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 2-Hexanone | 0.0026 | U | 0.0076 | 0.0026 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0024 | U | 0.0076 | 0.0024 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Acetone | 0.0087 | U | 0.0092 | 0.0087 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Benzene | 0.00039 | U | 0.0015 | 0.00039 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Bromoform | 0.00065 | U | 0.0015 | 0.00065 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Bromomethane | 0.0015 | U | 0.0015 | 0.0015 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Carbon disulfide | 0.00041 | U | 0.0015 | 0.00041 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Carbon tetrachloride | 0.00059 | U | 0.0015 | 0.00059 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chlorobenzene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chlorobromomethane | 0.00043 | U | 0.0015 | 0.00043 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chlorodibromomethane | 0.00030 | U | 0.0015 | 0.00030 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chloroethane | 0.00080 | U | 0.0015 | 0.00080 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chloroform | 0.0015 | U | 0.0015 | 0.0015 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Chloromethane | 0.00066 | U | 0.0015 | 0.00066 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| cis-1,2-Dichloroethene | 0.00055 | U | 0.0015 | 0.00055 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| cis-1,3-Dichloropropene | 0.00042 | U | 0.0015 | 0.00042 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Cyclohexane | 0.00034 | U | 0.0015 | 0.00034 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Dichlorobromomethane | 0.00039 | U | 0.0015 | 0.00039 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Dichlorodifluoromethane | 0.00052 | U | 0.0015 | 0.00052 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Ethylbenzene | 0.00030 | U | 0.0015 | 0.00030 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Ethylene Dibromide | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Isopropylbenzene | 0.00044 | U | 0.0015 | 0.00044 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Methyl acetate | 0.0066 | U | 0.0076 | 0.0066 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Methyl tert-butyl ether | 0.00078 | U | 0.0015 | 0.00078 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Methylcyclohexane | 0.00076 | U | 0.0015 | 0.00076 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Methylene Chloride | 0.0051 | | 0.0015 | 0.0017 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| m-Xylene & p-Xylene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| n-Butylbenzene | 0.00045 | U | 0.0015 | 0.00045 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| N-Propylbenzene | 0.00027 | U | 0.0015 | 0.00027 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| o-Xylene | 0.00030 | U | 0.0015 | 0.00030 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| sec-Butylbenzene | 0.00044 | U | 0.0015 | 0.00044 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Styrene | 0.00042 | U | 0.0015 | 0.00042 | mg/Kg | ☆ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| tert-Butylbenzene | 0.00042 | U | 0.0015 | 0.00042 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Tetrachloroethene | 0.00047 | U | 0.0015 | 0.00047 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Toluene | 0.00036 | U | 0.0015 | 0.00036 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| trans-1,2-Dichloroethene | 0.00038 | U | 0.0015 | 0.00038 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| trans-1,3-Dichloropropene | 0.00041 | U | 0.0015 | 0.00041 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Trichloroethene | 0.00049 | U | 0.0015 | 0.00049 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Trichlorofluoromethane | 0.00062 | U | 0.0015 | 0.00062 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Vinyl chloride | 0.00083 | U | 0.0015 | 0.00083 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Xylenes, Total | 0.00098 | U | 0.0031 | 0.00098 | mg/Kg | ☼ | 11/17/20 21:53 | 11/20/20 03:14 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | ☼ | | | 11/17/20 21:53 | 11/20/20 03:14 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 77 - 145 | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| 4-Bromofluorobenzene | 102 | | 79 - 125 | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Dibromofluoromethane (Surr) | 113 | | 48 - 150 | 11/17/20 21:53 | 11/20/20 03:14 | 1 |
| Toluene-d8 (Surr) | 99 | | 80 - 120 | 11/17/20 21:53 | 11/20/20 03:14 | 1 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.043 | J | 0.38 | 0.0051 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.012 | U | 0.38 | 0.012 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 1,4-Dioxane | 0.034 | U | 0.12 | 0.034 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0069 | U | 0.38 | 0.0069 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.026 | U | 0.38 | 0.026 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4,5-Trichlorophenol | 0.039 | U | 0.38 | 0.039 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4,6-Trichlorophenol | 0.049 | U | 0.15 | 0.049 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4-Dichlorophenol | 0.025 | U | 0.15 | 0.025 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4-Dimethylphenol | 0.017 | U | 0.38 | 0.017 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4-Dinitrophenol | 0.19 | U | 0.31 | 0.19 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,4-Dinitrotoluene | 0.041 | U | 0.078 | 0.041 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2,6-Dinitrotoluene | 0.028 | U | 0.078 | 0.028 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Chloronaphthalene | 0.018 | U | 0.38 | 0.018 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Chlorophenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Methylnaphthalene | 0.14 | J | 0.38 | 0.011 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Methylphenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Nitroaniline | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Nitrophenol | 0.038 | U | 0.38 | 0.038 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 3 & 4 Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 3,3'-Dichlorobenzidine | 0.058 | U | 0.15 | 0.058 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 3-Nitroaniline | 0.043 | U | 0.38 | 0.043 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.16 | U | 0.31 | 0.16 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Bromophenyl phenyl ether | 0.015 | U | 0.38 | 0.015 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Chloro-3-methylphenol | 0.022 | U | 0.38 | 0.022 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Chloroaniline | 0.068 | U | 0.38 | 0.068 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Chlorophenyl phenyl ether | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Methylphenol | 0.024 | U | 0.38 | 0.024 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Nitroaniline | 0.044 | U | 0.38 | 0.044 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 4-Nitrophenol | 0.063 | U | 0.78 | 0.063 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Acenaphthene | 0.094 | J | 0.38 | 0.011 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Acenaphthylene | 0.030 | J | 0.38 | 0.0039 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Acetophenone | 0.019 | U | 0.38 | 0.019 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Anthracene | 0.15 | J | 0.38 | 0.012 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Atrazine | 0.023 | U | 0.15 | 0.023 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzaldehyde | 0.063 | U | 0.38 | 0.063 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzo[a]anthracene | 0.46 | | 0.038 | 0.013 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzo[a]pyrene | 0.42 | | 0.038 | 0.010 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzo[b]fluoranthene | 0.56 | | 0.038 | 0.0099 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzo[g,h,i]perylene | 0.30 | J | 0.38 | 0.011 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Benzo[k]fluoranthene | 0.21 | | 0.038 | 0.0075 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Bis(2-chloroethoxy)methane | 0.030 | U | 0.38 | 0.030 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Bis(2-chloroethyl)ether | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Butyl benzyl phthalate | 0.018 | U | 0.38 | 0.018 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Caprolactam | 0.060 | U | 0.38 | 0.060 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Carbazole | 0.091 | J | 0.38 | 0.015 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Chrysene | 0.47 | | 0.38 | 0.0065 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Dibenz(a,h)anthracene | 0.074 | | 0.038 | 0.017 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Dibenzofuran | 0.14 | J | 0.38 | 0.0054 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Diethyl phthalate | 0.0056 | U | 0.38 | 0.0056 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Dimethyl phthalate | 0.087 | U | 0.38 | 0.087 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Di-n-butyl phthalate | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Di-n-octyl phthalate | 0.020 | U | 0.38 | 0.020 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Fluoranthene | 0.96 | | 0.38 | 0.013 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Fluorene | 0.063 | J | 0.38 | 0.0052 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Hexachlorobenzene | 0.018 | U | 0.038 | 0.018 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Hexachlorobutadiene | 0.0082 | U | 0.078 | 0.0082 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Hexachlorocyclopentadiene | 0.034 | U | 0.38 | 0.034 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Hexachloroethane | 0.013 | U | 0.038 | 0.013 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.29 | | 0.038 | 0.015 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Isophorone | 0.11 | U | 0.15 | 0.11 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Naphthalene | 0.24 | J | 0.38 | 0.0066 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Nitrobenzene | 0.0092 | U | 0.038 | 0.0092 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| N-Nitrosodi-n-propylamine | 0.028 | U | 0.038 | 0.028 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| N-Nitrosodiphenylamine | 0.032 | U | 0.38 | 0.032 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Pentachlorophenol | 0.079 | U | 0.31 | 0.079 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Phenanthrene | 1.1 | | 0.38 | 0.0067 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Phenol | 0.014 | U | 0.38 | 0.014 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Pyrene | 0.93 | | 0.38 | 0.0095 | mg/Kg | ☼ | 11/17/20 17:33 | 11/18/20 04:34 | 1 |

| Tentatively Identified Compound | Est. Result | Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|-----------|-------|---|-------|----------|----------------|----------------|---------|
| Aldol condensation product | 0.78 | A J | mg/Kg | ☼ | 2.70 | | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Friedelan-3-one | 0.60 | J N | mg/Kg | ☼ | 16.90 | 559-74-0 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 58 | | 10 - 123 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Fluorobiphenyl | 49 | | 25 - 104 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| 2-Fluorophenol (Surr) | 52 | | 18 - 106 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Nitrobenzene-d5 (Surr) | 47 | | 19 - 105 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Phenol-d5 (Surr) | 49 | | 26 - 101 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |
| Terphenyl-d14 (Surr) | 61 | | 25 - 127 | 11/17/20 17:33 | 11/18/20 04:34 | 1 |

Method: 8081B - Organochlorine Pesticides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0013 | U | 0.0078 | 0.0013 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| 4,4'-DDE | 0.00092 | U | 0.0078 | 0.00092 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| 4,4'-DDT | 0.0014 | U | 0.0078 | 0.0014 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Aldrin | 0.0012 | U | 0.0078 | 0.0012 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| alpha-BHC | 0.00079 | U | 0.0023 | 0.00079 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| beta-BHC | 0.00087 | U | 0.0023 | 0.00087 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Chlordane (technical) | 0.019 | U | 0.078 | 0.019 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| cis-Chlordane | 0.0012 | U | 0.0078 | 0.0012 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| delta-BHC | 0.00048 | U | 0.0023 | 0.00048 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Dieldrin | 0.0010 | U | 0.0023 | 0.0010 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endosulfan I | 0.0012 | U | 0.0078 | 0.0012 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endosulfan II | 0.0020 | U | 0.0078 | 0.0020 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endosulfan sulfate | 0.00097 | U | 0.0078 | 0.00097 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endrin | 0.0011 | U | 0.0078 | 0.0011 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endrin aldehyde | 0.0018 | U | 0.0078 | 0.0018 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Endrin ketone | 0.0015 | U | 0.0078 | 0.0015 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| gamma-BHC (Lindane) | 0.00072 | U | 0.0023 | 0.00072 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Heptachlor | 0.00092 | U | 0.0078 | 0.00092 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Heptachlor epoxide | 0.0012 | U | 0.0078 | 0.0012 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Methoxychlor | 0.0018 | U | 0.0078 | 0.0018 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Toxaphene | 0.028 | U | 0.078 | 0.028 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| trans-Chlordane | 0.0014 | U | 0.0078 | 0.0014 | mg/Kg | ☆ | 11/18/20 09:33 | 11/19/20 09:54 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 51 | | 28 - 148 | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| DCB Decachlorobiphenyl | 73 | | 28 - 148 | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Tetrachloro-m-xylene | 75 | | 34 - 118 | 11/18/20 09:33 | 11/19/20 09:54 | 1 |
| Tetrachloro-m-xylene | 95 | | 34 - 118 | 11/18/20 09:33 | 11/19/20 09:54 | 1 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.010 | U | 0.078 | 0.010 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1221 | 0.010 | U | 0.078 | 0.010 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1232 | 0.010 | U | 0.078 | 0.010 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1242 | 0.010 | U | 0.078 | 0.010 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1248 | 0.010 | U | 0.078 | 0.010 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1254 | 0.011 | U | 0.078 | 0.011 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1260 | 0.011 | U | 0.078 | 0.011 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor-1262 | 0.011 | U | 0.078 | 0.011 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Aroclor 1268 | 0.011 | U | 0.078 | 0.011 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Polychlorinated biphenyls, Total | 0.011 | U | 0.078 | 0.011 | mg/Kg | ☆ | 11/18/20 09:29 | 11/19/20 11:37 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 82 | | 10 - 150 | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| DCB Decachlorobiphenyl | 97 | | 10 - 150 | 11/18/20 09:29 | 11/19/20 11:37 | 1 |

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Tetrachloro-m-xylene | 88 | | 58 - 145 | 11/18/20 09:29 | 11/19/20 11:37 | 1 |
| Tetrachloro-m-xylene | 105 | | 58 - 145 | 11/18/20 09:29 | 11/19/20 11:37 | 1 |

Method: 8151A - Herbicides (GC)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0082 | U | 0.039 | 0.0082 | mg/Kg | ☼ | 11/17/20 21:06 | 11/18/20 12:05 | 1 |
| 2,4-D | 0.014 | U | 0.039 | 0.014 | mg/Kg | ☼ | 11/17/20 21:06 | 11/18/20 12:05 | 1 |
| Silvex (2,4,5-TP) | 0.0040 | U | 0.039 | 0.0040 | mg/Kg | ☼ | 11/17/20 21:06 | 11/18/20 12:05 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 98 | | 30 - 150 | | | | 11/17/20 21:06 | 11/18/20 12:05 | 1 |
| 2,4-Dichlorophenylacetic acid | 108 | | 30 - 150 | | | | 11/17/20 21:06 | 11/18/20 12:05 | 1 |

Method: 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 7590 | | 17.1 | 2.2 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Antimony | 0.25 | J | 0.85 | 0.12 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Arsenic | 5.7 | | 0.85 | 0.085 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Barium | 122 | | 1.7 | 0.12 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Beryllium | 0.33 | J | 0.34 | 0.049 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Cadmium | 0.21 | J | 0.85 | 0.096 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Calcium | 35000 | | 85.3 | 14.5 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Chromium | 16.1 | | 1.7 | 0.15 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Cobalt | 7.5 | | 1.7 | 0.13 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Copper | 67.7 | | 1.7 | 0.19 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Iron | 15500 | | 51.2 | 17.2 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Lead | 207 | | 0.51 | 0.17 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Magnesium | 5000 | | 85.3 | 8.7 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Manganese | 203 | | 3.4 | 0.34 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Nickel | 16.9 | | 1.7 | 0.17 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Potassium | 2860 | | 85.3 | 9.6 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Selenium | 0.53 | J | 1.1 | 0.10 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Silver | 0.076 | U | 0.85 | 0.076 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Sodium | 459 | | 85.3 | 13.3 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Thallium | 0.17 | J | 0.34 | 0.035 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Vanadium | 19.7 | | 1.7 | 0.18 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |
| Zinc | 108 | | 6.8 | 2.0 | mg/Kg | ✱ | 11/19/20 15:30 | 11/20/20 00:57 | 1 |

Method: 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.44 | | 0.019 | 0.0045 | mg/Kg | ✱ | 11/18/20 03:35 | 11/18/20 08:36 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|------|------|-------|---|----------------|----------------|---------|
| Cr (III) | 16.1 | | 2.0 | 2.0 | mg/Kg | | | 11/18/20 06:09 | 1 |
| Cr (VI) | 0.40 | U | 2.3 | 0.40 | mg/Kg | ✱ | 11/19/20 14:21 | 11/20/20 16:10 | 1 |
| Cyanide, Total | 0.22 | J | 0.25 | 0.13 | mg/Kg | ✱ | 11/21/20 15:25 | 11/21/20 17:44 | 1 |
| Percent Moisture | 13.8 | | 1.0 | 1.0 | % | | | 11/19/20 12:35 | 1 |
| Percent Solids | 86.2 | | 1.0 | 1.0 | % | | | 11/19/20 12:35 | 1 |

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|------------------|-----------------|
| | | DCA
(77-145) | BFB
(79-125) | DBFM
(48-150) | TOL
(80-120) |
| 460-222907-1 | TP-12_ (0-2) | 109 | 102 | 113 | 99 |
| LB3 460-740673/1-A | Method Blank | 122 | 123 | 128 | 119 |
| LCS 460-741026/3 | Lab Control Sample | 106 | 107 | 109 | 100 |
| LCS 460-741269/3 | Lab Control Sample | 119 | 115 | 122 | 115 |
| LCSD 460-741026/4 | Lab Control Sample Dup | 108 | 111 | 111 | 103 |
| LCSD 460-741269/4 | Lab Control Sample Dup | 109 | 107 | 113 | 105 |
| MB 460-741026/7 | Method Blank | 121 | 117 | 123 | 111 |
| MB 460-741269/7 | Method Blank | 99 | 104 | 104 | 97 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | | | |
|----------------------|------------------------|--|-----------------|-----------------|-----------------|-----------------|------------------|
| | | TBP
(10-123) | FBP
(25-104) | 2FP
(18-106) | NBZ
(19-105) | PHL
(26-101) | TPHL
(25-127) |
| 460-222907-1 | TP-12_ (0-2) | 58 | 49 | 52 | 47 | 49 | 61 |
| 460-222910-F-1-A MS | Matrix Spike | 61 | 49 | 43 | 42 | 45 | 61 |
| 460-222910-F-1-B MSD | Matrix Spike Duplicate | 65 | 51 | 50 | 46 | 52 | 60 |
| LCS 460-740615/2-A | Lab Control Sample | 93 | 86 | 91 | 91 | 86 | 100 |
| MB 460-740615/1-A | Method Blank | 96 | 87 | 93 | 92 | 85 | 101 |

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|----------------------|------------------------|--|-------------------|------------------|------------------|
| | | DCBP1
(28-148) | DCBP2
(28-148) | TCX1
(34-118) | TCX2
(34-118) |
| 460-222907-1 | TP-12_ (0-2) | 73 | 51 | 95 | 75 |
| 460-222916-A-1-E MS | Matrix Spike | 66 | 56 | 53 | 50 |
| 460-222916-A-1-F MSD | Matrix Spike Duplicate | 67 | 58 | 52 | 52 |
| LCS 460-740817/2-A | Lab Control Sample | 73 | 70 | 74 | 68 |
| LCSD 460-740817/3-A | Lab Control Sample Dup | 73 | 70 | 73 | 66 |
| MB 460-740817/1-A | Method Blank | 93 | 84 | 87 | 83 |

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Eurofins TestAmerica, Edison

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC

Job ID: 460-222907-1

Project/Site: Project Commodore

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------------------|------------------------|--|-------------------|------------------|------------------|
| Lab Sample ID | Client Sample ID | DCBP1
(10-150) | DCBP2
(10-150) | TCX1
(58-145) | TCX2
(58-145) |
| 460-222907-1 | TP-12_ (0-2) | 97 | 82 | 105 | 88 |
| 460-222916-A-1-B MS | Matrix Spike | 81 | 75 | 74 | 67 |
| 460-222916-A-1-C MSD | Matrix Spike Duplicate | 86 | 79 | 76 | 69 |
| LCS 460-740815/2-A | Lab Control Sample | 92 | 93 | 91 | 87 |
| LCSD 460-740815/3-A | Lab Control Sample Dup | 92 | 94 | 91 | 87 |
| MB 460-740815/1-A | Method Blank | 103 | 105 | 103 | 98 |
| Surrogate Legend | | | | | |
| DCBP = DCB Decachlorobiphenyl | | | | | |
| TCX = Tetrachloro-m-xylene | | | | | |

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | |
|---------------------------------------|------------------------|--|--------------------|
| Lab Sample ID | Client Sample ID | DCPAA1
(30-150) | DCPAA2
(30-150) |
| 460-222898-F-1-C MS | Matrix Spike | 101 | 121 |
| 460-222898-F-1-D MSD | Matrix Spike Duplicate | 99 | 119 |
| 460-222907-1 | TP-12_ (0-2) | 98 | 108 |
| LCS 460-740672/2-A | Lab Control Sample | 111 | 116 |
| LCSD 460-740672/3-A | Lab Control Sample Dup | 111 | 117 |
| MB 460-740672/1-A | Method Blank | 86 | 87 |
| Surrogate Legend | | | |
| DCPAA = 2,4-Dichlorophenylacetic acid | | | |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-740673/1-A

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740673

| Analyte | LB3 | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------|-----------|--------|---------|-------|---|----------------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-740673/1-A

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740673

| Analyte | LB3 Result | LB3 Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|---------------|--------|---------|-------|---|----------------|----------------|---------|
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |

| Tentatively Identified Compound | LB3 Est. Result | LB3 Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------------|---------------|-------|---|----|---------|----------------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | 11/17/20 21:52 | 11/19/20 08:53 | 1 |

| Surrogate | LB3 %Recovery | LB3 Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------|---------------|----------|----------------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 122 | | 77 - 145 | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| 4-Bromofluorobenzene | 123 | | 79 - 125 | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Dibromofluoromethane (Surr) | 128 | | 48 - 150 | 11/17/20 21:52 | 11/19/20 08:53 | 1 |
| Toluene-d8 (Surr) | 119 | | 80 - 120 | 11/17/20 21:52 | 11/19/20 08:53 | 1 |

Lab Sample ID: MB 460-741026/7

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 11/19/20 06:53 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 11/19/20 06:53 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-741026/7

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 11/19/20 06:53 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 06:53 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 11/19/20 06:53 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 11/19/20 06:53 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 06:53 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 06:53 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/19/20 06:53 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 06:53 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 06:53 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/19/20 06:53 | 1 |
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 11/19/20 06:53 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 11/19/20 06:53 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 11/19/20 06:53 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 121 | | 77 - 145 | | 11/19/20 06:53 | 1 |
| 4-Bromofluorobenzene | 117 | | 79 - 125 | | 11/19/20 06:53 | 1 |
| Dibromofluoromethane (Surr) | 123 | | 48 - 150 | | 11/19/20 06:53 | 1 |
| Toluene-d8 (Surr) | 111 | | 80 - 120 | | 11/19/20 06:53 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-741026/3

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0231 | | mg/Kg | | 115 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0176 | | mg/Kg | | 88 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0243 | | mg/Kg | | 121 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0190 | | mg/Kg | | 95 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0194 | | mg/Kg | | 97 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0231 | | mg/Kg | | 115 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0218 | | mg/Kg | | 109 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0189 | | mg/Kg | | 94 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 93 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.0968 | | mg/Kg | | 97 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.0977 | | mg/Kg | | 98 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.104 | | mg/Kg | | 104 | 80 - 122 |
| Acetone | 0.100 | 0.103 | | mg/Kg | | 103 | 63 - 131 |
| Benzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 80 - 123 |
| Bromoform | 0.0200 | 0.0228 | | mg/Kg | | 114 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0234 | | mg/Kg | | 117 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0199 | | mg/Kg | | 99 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0240 | | mg/Kg | | 120 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 76 - 127 |
| Chlorodibromomethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0205 | | mg/Kg | | 102 | 65 - 134 |
| Chloroform | 0.0200 | 0.0210 | | mg/Kg | | 105 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0215 | | mg/Kg | | 108 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0184 | | mg/Kg | | 92 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0204 | | mg/Kg | | 102 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0216 | | mg/Kg | | 108 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0207 | | mg/Kg | | 103 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0209 | | mg/Kg | | 105 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0373 | | mg/Kg | | 93 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0183 | | mg/Kg | | 92 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 78 - 120 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-741026/3

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Styrene | 0.0200 | 0.0195 | | mg/Kg | | 97 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0190 | | mg/Kg | | 95 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0228 | | mg/Kg | | 114 | 78 - 123 |
| Toluene | 0.0200 | 0.0191 | | mg/Kg | | 95 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0198 | | mg/Kg | | 99 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0236 | | mg/Kg | | 118 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0212 | | mg/Kg | | 106 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0401 | | mg/Kg | | 100 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 77 - 145 |
| 4-Bromofluorobenzene | 107 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 109 | | 48 - 150 |
| Toluene-d8 (Surr) | 100 | | 80 - 120 |

Lab Sample ID: LCSD 460-741026/4

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0229 | | mg/Kg | | 114 | 78 - 132 | 1 | 30 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0183 | | mg/Kg | | 92 | 69 - 123 | 4 | 30 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0238 | | mg/Kg | | 119 | 78 - 136 | 2 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0203 | | mg/Kg | | 102 | 75 - 120 | 7 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 76 - 129 | 6 | 30 |
| 1,1-Dichloroethene | 0.0200 | 0.0225 | | mg/Kg | | 113 | 77 - 132 | 2 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 77 - 120 | 0 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0213 | | mg/Kg | | 107 | 75 - 120 | 2 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 79 - 120 | 2 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 60 - 126 | 0 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 120 | 2 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0211 | | mg/Kg | | 105 | 70 - 132 | 3 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0191 | | mg/Kg | | 95 | 73 - 124 | 4 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0187 | | mg/Kg | | 93 | 79 - 120 | 0 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 104 | 80 - 120 | 2 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 80 - 120 | 0 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.111 | | mg/Kg | | 111 | 75 - 120 | 14 | 30 |
| 2-Hexanone | 0.100 | 0.109 | | mg/Kg | | 109 | 78 - 120 | 11 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.108 | | mg/Kg | | 108 | 80 - 122 | 4 | 30 |
| Acetone | 0.100 | 0.108 | | mg/Kg | | 108 | 63 - 131 | 4 | 30 |
| Benzene | 0.0200 | 0.0191 | | mg/Kg | | 95 | 80 - 123 | 0 | 30 |
| Bromoform | 0.0200 | 0.0245 | | mg/Kg | | 122 | 48 - 142 | 7 | 30 |
| Bromomethane | 0.0200 | 0.0224 | | mg/Kg | | 112 | 68 - 136 | 4 | 30 |
| Carbon disulfide | 0.0200 | 0.0196 | | mg/Kg | | 98 | 67 - 136 | 1 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0243 | | mg/Kg | | 121 | 72 - 136 | 1 | 30 |
| Chlorobenzene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 80 - 120 | 0 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-741026/4

Matrix: Solid

Analysis Batch: 741026

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Chlorobromomethane | 0.0200 | 0.0225 | | mg/Kg | | 113 | 76 - 127 | 2 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0227 | | mg/Kg | | 114 | 62 - 128 | 4 | 30 |
| Chloroethane | 0.0200 | 0.0201 | | mg/Kg | | 100 | 65 - 134 | 2 | 30 |
| Chloroform | 0.0200 | 0.0215 | | mg/Kg | | 107 | 79 - 126 | 2 | 30 |
| Chloromethane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 48 - 150 | 3 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 80 - 123 | 4 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 72 - 120 | 6 | 30 |
| Cyclohexane | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 132 | 1 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 73 - 124 | 4 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 40 - 146 | 2 | 30 |
| Ethylbenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 | 1 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0221 | | mg/Kg | | 110 | 79 - 120 | 7 | 30 |
| Isopropylbenzene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 80 - 120 | 1 | 30 |
| Methyl acetate | 0.0400 | 0.0394 | | mg/Kg | | 99 | 58 - 143 | 5 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0216 | | mg/Kg | | 108 | 80 - 125 | 5 | 30 |
| Methylcyclohexane | 0.0200 | 0.0206 | | mg/Kg | | 103 | 79 - 133 | 2 | 30 |
| Methylene Chloride | 0.0200 | 0.0199 | | mg/Kg | | 100 | 76 - 127 | 8 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0205 | | mg/Kg | | 103 | 80 - 120 | 1 | 30 |
| n-Butylbenzene | 0.0200 | 0.0191 | | mg/Kg | | 96 | 77 - 123 | 1 | 30 |
| N-Propylbenzene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 78 - 120 | 0 | 30 |
| o-Xylene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 80 - 120 | 1 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 78 - 120 | 0 | 30 |
| Styrene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 80 - 120 | 3 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 76 - 120 | 1 | 30 |
| Tetrachloroethene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 78 - 123 | 2 | 30 |
| Toluene | 0.0200 | 0.0194 | | mg/Kg | | 97 | 80 - 120 | 2 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 78 - 128 | 1 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 68 - 120 | 8 | 30 |
| Trichloroethene | 0.0200 | 0.0208 | | mg/Kg | | 104 | 79 - 120 | 5 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0239 | | mg/Kg | | 119 | 67 - 142 | 1 | 30 |
| Vinyl chloride | 0.0200 | 0.0210 | | mg/Kg | | 105 | 56 - 147 | 1 | 30 |
| Xylenes, Total | 0.0400 | 0.0406 | | mg/Kg | | 101 | 80 - 120 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 77 - 145 |
| 4-Bromofluorobenzene | 111 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 111 | | 48 - 150 |
| Toluene-d8 (Surr) | 103 | | 80 - 120 |

Lab Sample ID: MB 460-741269/7

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,1,1,2,2-Tetrachloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,1,1,2-Trichloro-1,2,2-trifluoroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,1,2-Trichloroethane | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 23:25 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-741269/7

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| 1,1-Dichloroethane | 0.00021 | U | 0.0010 | 0.00021 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,1-Dichloroethene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2,3-Trichlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2,4-Trichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2,4-Trimethylbenzene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2-Dibromo-3-Chloropropane | 0.00046 | U | 0.0010 | 0.00046 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2-Dichlorobenzene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2-Dichloroethane | 0.00030 | U | 0.0010 | 0.00030 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,2-Dichloropropane | 0.00042 | U | 0.0010 | 0.00042 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,3,5-Trimethylbenzene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,3-Dichlorobenzene | 0.00037 | U | 0.0010 | 0.00037 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 1,4-Dichlorobenzene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 2-Butanone (MEK) | 0.00037 | U | 0.0050 | 0.00037 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 2-Hexanone | 0.0017 | U | 0.0050 | 0.0017 | mg/Kg | | | 11/19/20 23:25 | 1 |
| 4-Methyl-2-pentanone (MIBK) | 0.0016 | U | 0.0050 | 0.0016 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Acetone | 0.0057 | U | 0.0060 | 0.0057 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Benzene | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Bromoform | 0.00043 | U | 0.0010 | 0.00043 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Bromomethane | 0.0010 | U | 0.0010 | 0.0010 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Carbon disulfide | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Carbon tetrachloride | 0.00039 | U | 0.0010 | 0.00039 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chlorobenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chlorobromomethane | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chlorodibromomethane | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chloroethane | 0.00052 | U | 0.0010 | 0.00052 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chloroform | 0.00097 | U | 0.0010 | 0.00097 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Chloromethane | 0.00044 | U | 0.0010 | 0.00044 | mg/Kg | | | 11/19/20 23:25 | 1 |
| cis-1,2-Dichloroethene | 0.00036 | U | 0.0010 | 0.00036 | mg/Kg | | | 11/19/20 23:25 | 1 |
| cis-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Cyclohexane | 0.00022 | U | 0.0010 | 0.00022 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Dichlorobromomethane | 0.00026 | U | 0.0010 | 0.00026 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Dichlorodifluoromethane | 0.00034 | U | 0.0010 | 0.00034 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Ethylbenzene | 0.00020 | U | 0.0010 | 0.00020 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Ethylene Dibromide | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Isopropylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Methyl acetate | 0.0043 | U | 0.0050 | 0.0043 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Methyl tert-butyl ether | 0.00051 | U | 0.0010 | 0.00051 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Methylcyclohexane | 0.00050 | U | 0.0010 | 0.00050 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Methylene Chloride | 0.0011 | U | 0.0010 | 0.0011 | mg/Kg | | | 11/19/20 23:25 | 1 |
| m-Xylene & p-Xylene | 0.00017 | U | 0.0010 | 0.00017 | mg/Kg | | | 11/19/20 23:25 | 1 |
| n-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 23:25 | 1 |
| N-Propylbenzene | 0.00018 | U | 0.0010 | 0.00018 | mg/Kg | | | 11/19/20 23:25 | 1 |
| o-Xylene | 0.00019 | U | 0.0010 | 0.00019 | mg/Kg | | | 11/19/20 23:25 | 1 |
| sec-Butylbenzene | 0.00029 | U | 0.0010 | 0.00029 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Styrene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 23:25 | 1 |
| tert-Butylbenzene | 0.00028 | U | 0.0010 | 0.00028 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Tetrachloroethene | 0.00031 | U | 0.0010 | 0.00031 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Toluene | 0.00023 | U | 0.0010 | 0.00023 | mg/Kg | | | 11/19/20 23:25 | 1 |
| trans-1,2-Dichloroethene | 0.00025 | U | 0.0010 | 0.00025 | mg/Kg | | | 11/19/20 23:25 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-741269/7

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|--------|---------|-------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | 0.00027 | U | 0.0010 | 0.00027 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Trichloroethene | 0.00032 | U | 0.0010 | 0.00032 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Trichlorofluoromethane | 0.00041 | U | 0.0010 | 0.00041 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Vinyl chloride | 0.00055 | U | 0.0010 | 0.00055 | mg/Kg | | | 11/19/20 23:25 | 1 |
| Xylenes, Total | 0.00064 | U | 0.0020 | 0.00064 | mg/Kg | | | 11/19/20 23:25 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|----|---------|----------|----------------|---------|
| Tentatively Identified Compound | None | | mg/Kg | | | | | 11/19/20 23:25 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 99 | | 77 - 145 | | 11/19/20 23:25 | 1 |
| 4-Bromofluorobenzene | 104 | | 79 - 125 | | 11/19/20 23:25 | 1 |
| Dibromofluoromethane (Surr) | 104 | | 48 - 150 | | 11/19/20 23:25 | 1 |
| Toluene-d8 (Surr) | 97 | | 80 - 120 | | 11/19/20 23:25 | 1 |

Lab Sample ID: LCS 460-741269/3

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0223 | | mg/Kg | | 112 | 78 - 132 |
| 1,1,2,2-Tetrachloroethane | 0.0200 | 0.0180 | | mg/Kg | | 90 | 69 - 123 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0247 | | mg/Kg | | 123 | 78 - 136 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 75 - 120 |
| 1,1-Dichloroethane | 0.0200 | 0.0200 | | mg/Kg | | 100 | 76 - 129 |
| 1,1-Dichloroethene | 0.0200 | 0.0232 | | mg/Kg | | 116 | 77 - 132 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 77 - 120 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0224 | | mg/Kg | | 112 | 75 - 120 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0196 | | mg/Kg | | 98 | 79 - 120 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 60 - 126 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 80 - 120 |
| 1,2-Dichloroethane | 0.0200 | 0.0209 | | mg/Kg | | 105 | 70 - 132 |
| 1,2-Dichloropropane | 0.0200 | 0.0180 | | mg/Kg | | 90 | 73 - 124 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 79 - 120 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0210 | | mg/Kg | | 105 | 80 - 120 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0207 | | mg/Kg | | 103 | 80 - 120 |
| 2-Butanone (MEK) | 0.100 | 0.105 | | mg/Kg | | 105 | 75 - 120 |
| 2-Hexanone | 0.100 | 0.101 | | mg/Kg | | 101 | 78 - 120 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.105 | | mg/Kg | | 105 | 80 - 122 |
| Acetone | 0.100 | 0.118 | | mg/Kg | | 118 | 63 - 131 |
| Benzene | 0.0200 | 0.0200 | | mg/Kg | | 100 | 80 - 123 |
| Bromoform | 0.0200 | 0.0225 | | mg/Kg | | 113 | 48 - 142 |
| Bromomethane | 0.0200 | 0.0238 | | mg/Kg | | 119 | 68 - 136 |
| Carbon disulfide | 0.0200 | 0.0216 | | mg/Kg | | 108 | 67 - 136 |
| Carbon tetrachloride | 0.0200 | 0.0243 | | mg/Kg | | 122 | 72 - 136 |
| Chlorobenzene | 0.0200 | 0.0214 | | mg/Kg | | 107 | 80 - 120 |
| Chlorobromomethane | 0.0200 | 0.0221 | | mg/Kg | | 111 | 76 - 127 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-741269/3

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Chlorodibromomethane | 0.0200 | 0.0218 | | mg/Kg | | 109 | 62 - 128 |
| Chloroethane | 0.0200 | 0.0212 | | mg/Kg | | 106 | 65 - 134 |
| Chloroform | 0.0200 | 0.0214 | | mg/Kg | | 107 | 79 - 126 |
| Chloromethane | 0.0200 | 0.0221 | | mg/Kg | | 110 | 48 - 150 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0212 | | mg/Kg | | 106 | 80 - 123 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0203 | | mg/Kg | | 102 | 72 - 120 |
| Cyclohexane | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 132 |
| Dichlorobromomethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 73 - 124 |
| Dichlorodifluoromethane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 40 - 146 |
| Ethylbenzene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 |
| Ethylene Dibromide | 0.0200 | 0.0214 | | mg/Kg | | 107 | 79 - 120 |
| Isopropylbenzene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 80 - 120 |
| Methyl acetate | 0.0400 | 0.0357 | | mg/Kg | | 89 | 58 - 143 |
| Methyl tert-butyl ether | 0.0200 | 0.0206 | | mg/Kg | | 103 | 80 - 125 |
| Methylcyclohexane | 0.0200 | 0.0213 | | mg/Kg | | 106 | 79 - 133 |
| Methylene Chloride | 0.0200 | 0.0201 | | mg/Kg | | 100 | 76 - 127 |
| m-Xylene & p-Xylene | 0.0200 | 0.0211 | | mg/Kg | | 106 | 80 - 120 |
| n-Butylbenzene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 77 - 123 |
| N-Propylbenzene | 0.0200 | 0.0206 | | mg/Kg | | 103 | 78 - 120 |
| o-Xylene | 0.0200 | 0.0211 | | mg/Kg | | 105 | 80 - 120 |
| sec-Butylbenzene | 0.0200 | 0.0195 | | mg/Kg | | 98 | 78 - 120 |
| Styrene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 80 - 120 |
| tert-Butylbenzene | 0.0200 | 0.0201 | | mg/Kg | | 100 | 76 - 120 |
| Tetrachloroethene | 0.0200 | 0.0241 | | mg/Kg | | 121 | 78 - 123 |
| Toluene | 0.0200 | 0.0205 | | mg/Kg | | 102 | 80 - 120 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0213 | | mg/Kg | | 106 | 78 - 128 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0197 | | mg/Kg | | 99 | 68 - 120 |
| Trichloroethene | 0.0200 | 0.0215 | | mg/Kg | | 107 | 79 - 120 |
| Trichlorofluoromethane | 0.0200 | 0.0258 | | mg/Kg | | 129 | 67 - 142 |
| Vinyl chloride | 0.0200 | 0.0232 | | mg/Kg | | 116 | 56 - 147 |
| Xylenes, Total | 0.0400 | 0.0422 | | mg/Kg | | 106 | 80 - 120 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 119 | | 77 - 145 |
| 4-Bromofluorobenzene | 115 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 122 | | 48 - 150 |
| Toluene-d8 (Surr) | 115 | | 80 - 120 |

Lab Sample ID: LCSD 460-741269/4

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1,1-Trichloroethane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 78 - 132 | 10 | 30 |
| 1,1,1,2-Tetrachloroethane | 0.0200 | 0.0165 | | mg/Kg | | 83 | 69 - 123 | 9 | 30 |
| 1,1,1,2-Trichloro-1,2,2-trifluoroethane | 0.0200 | 0.0198 | | mg/Kg | | 99 | 78 - 136 | 22 | 30 |
| 1,1,2-Trichloroethane | 0.0200 | 0.0175 | | mg/Kg | | 88 | 75 - 120 | 12 | 30 |
| 1,1-Dichloroethane | 0.0200 | 0.0186 | | mg/Kg | | 93 | 76 - 129 | 7 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-741269/4

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 0.0200 | 0.0202 | | mg/Kg | | 101 | 77 - 132 | 14 | 30 |
| 1,2,3-Trichlorobenzene | 0.0200 | 0.0193 | | mg/Kg | | 96 | 77 - 120 | 15 | 30 |
| 1,2,4-Trichlorobenzene | 0.0200 | 0.0199 | | mg/Kg | | 99 | 75 - 120 | 12 | 30 |
| 1,2,4-Trimethylbenzene | 0.0200 | 0.0165 | | mg/Kg | | 82 | 79 - 120 | 17 | 30 |
| 1,2-Dibromo-3-Chloropropane | 0.0200 | 0.0194 | | mg/Kg | | 97 | 60 - 126 | 8 | 30 |
| 1,2-Dichlorobenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 80 - 120 | 10 | 30 |
| 1,2-Dichloroethane | 0.0200 | 0.0188 | | mg/Kg | | 94 | 70 - 132 | 11 | 30 |
| 1,2-Dichloropropane | 0.0200 | 0.0166 | | mg/Kg | | 83 | 73 - 124 | 8 | 30 |
| 1,3,5-Trimethylbenzene | 0.0200 | 0.0167 | | mg/Kg | | 84 | 79 - 120 | 15 | 30 |
| 1,3-Dichlorobenzene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 80 - 120 | 14 | 30 |
| 1,4-Dichlorobenzene | 0.0200 | 0.0181 | | mg/Kg | | 90 | 80 - 120 | 13 | 30 |
| 2-Butanone (MEK) | 0.100 | 0.101 | | mg/Kg | | 101 | 75 - 120 | 4 | 30 |
| 2-Hexanone | 0.100 | 0.0941 | | mg/Kg | | 94 | 78 - 120 | 7 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 0.100 | 0.0966 | | mg/Kg | | 97 | 80 - 122 | 8 | 30 |
| Acetone | 0.100 | 0.0931 | | mg/Kg | | 93 | 63 - 131 | 24 | 30 |
| Benzene | 0.0200 | 0.0170 | | mg/Kg | | 85 | 80 - 123 | 16 | 30 |
| Bromoform | 0.0200 | 0.0210 | | mg/Kg | | 105 | 48 - 142 | 7 | 30 |
| Bromomethane | 0.0200 | 0.0239 | | mg/Kg | | 120 | 68 - 136 | 1 | 30 |
| Carbon disulfide | 0.0200 | 0.0185 | | mg/Kg | | 93 | 67 - 136 | 15 | 30 |
| Carbon tetrachloride | 0.0200 | 0.0212 | | mg/Kg | | 106 | 72 - 136 | 14 | 30 |
| Chlorobenzene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 120 | 14 | 30 |
| Chlorobromomethane | 0.0200 | 0.0201 | | mg/Kg | | 101 | 76 - 127 | 10 | 30 |
| Chlorodibromomethane | 0.0200 | 0.0203 | | mg/Kg | | 101 | 62 - 128 | 7 | 30 |
| Chloroethane | 0.0200 | 0.0208 | | mg/Kg | | 104 | 65 - 134 | 2 | 30 |
| Chloroform | 0.0200 | 0.0189 | | mg/Kg | | 95 | 79 - 126 | 12 | 30 |
| Chloromethane | 0.0200 | 0.0219 | | mg/Kg | | 110 | 48 - 150 | 1 | 30 |
| cis-1,2-Dichloroethene | 0.0200 | 0.0186 | | mg/Kg | | 93 | 80 - 123 | 13 | 30 |
| cis-1,3-Dichloropropene | 0.0200 | 0.0171 | | mg/Kg | | 85 | 72 - 120 | 17 | 30 |
| Cyclohexane | 0.0200 | 0.0180 | | mg/Kg | | 90 | 80 - 132 | 16 | 30 |
| Dichlorobromomethane | 0.0200 | 0.0184 | | mg/Kg | | 92 | 73 - 124 | 12 | 30 |
| Dichlorodifluoromethane | 0.0200 | 0.0195 | | mg/Kg | | 97 | 40 - 146 | 3 | 30 |
| Ethylbenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 80 - 120 | 12 | 30 |
| Ethylene Dibromide | 0.0200 | 0.0193 | | mg/Kg | | 96 | 79 - 120 | 11 | 30 |
| Isopropylbenzene | 0.0200 | 0.0188 | | mg/Kg | | 94 | 80 - 120 | 12 | 30 |
| Methyl acetate | 0.0400 | 0.0352 | | mg/Kg | | 88 | 58 - 143 | 2 | 30 |
| Methyl tert-butyl ether | 0.0200 | 0.0192 | | mg/Kg | | 96 | 80 - 125 | 7 | 30 |
| Methylcyclohexane | 0.0200 | 0.0185 | | mg/Kg | | 92 | 79 - 133 | 14 | 30 |
| Methylene Chloride | 0.0200 | 0.0176 | | mg/Kg | | 88 | 76 - 127 | 13 | 30 |
| m-Xylene & p-Xylene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 80 - 120 | 14 | 30 |
| n-Butylbenzene | 0.0200 | 0.0168 | | mg/Kg | | 84 | 77 - 123 | 20 | 30 |
| N-Propylbenzene | 0.0200 | 0.0177 | | mg/Kg | | 88 | 78 - 120 | 15 | 30 |
| o-Xylene | 0.0200 | 0.0182 | | mg/Kg | | 91 | 80 - 120 | 15 | 30 |
| sec-Butylbenzene | 0.0200 | 0.0164 | | mg/Kg | | 82 | 78 - 120 | 17 | 30 |
| Styrene | 0.0200 | 0.0173 | | mg/Kg | | 87 | 80 - 120 | 14 | 30 |
| tert-Butylbenzene | 0.0200 | 0.0166 | | mg/Kg | | 83 | 76 - 120 | 19 | 30 |
| Tetrachloroethene | 0.0200 | 0.0204 | | mg/Kg | | 102 | 78 - 123 | 17 | 30 |
| Toluene | 0.0200 | 0.0175 | | mg/Kg | | 87 | 80 - 120 | 16 | 30 |
| trans-1,2-Dichloroethene | 0.0200 | 0.0183 | | mg/Kg | | 92 | 78 - 128 | 15 | 30 |
| trans-1,3-Dichloropropene | 0.0200 | 0.0173 | | mg/Kg | | 86 | 68 - 120 | 13 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-741269/4

Matrix: Solid

Analysis Batch: 741269

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Trichloroethene | 0.0200 | 0.0185 | | mg/Kg | | 92 | 79 - 120 | 15 | 30 |
| Trichlorofluoromethane | 0.0200 | 0.0245 | | mg/Kg | | 123 | 67 - 142 | 5 | 30 |
| Vinyl chloride | 0.0200 | 0.0220 | | mg/Kg | | 110 | 56 - 147 | 6 | 30 |
| Xylenes, Total | 0.0400 | 0.0365 | | mg/Kg | | 91 | 80 - 120 | 14 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------------|----------------|----------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 77 - 145 |
| 4-Bromofluorobenzene | 107 | | 79 - 125 |
| Dibromofluoromethane (Surr) | 113 | | 48 - 150 |
| Toluene-d8 (Surr) | 105 | | 80 - 120 |

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-740615/1-A

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 1,1'-Biphenyl | 0.0044 | U | 0.33 | 0.0044 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 1,2,4,5-Tetrachlorobenzene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 1,4-Dioxane | 0.029 | U | 0.10 | 0.029 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,2'-oxybis[1-chloropropane] | 0.0060 | U | 0.33 | 0.0060 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,3,4,6-Tetrachlorophenol | 0.022 | U | 0.33 | 0.022 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4,5-Trichlorophenol | 0.034 | U | 0.33 | 0.034 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4,6-Trichlorophenol | 0.042 | U | 0.13 | 0.042 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4-Dichlorophenol | 0.021 | U | 0.13 | 0.021 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4-Dimethylphenol | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4-Dinitrophenol | 0.16 | U | 0.27 | 0.16 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,4-Dinitrotoluene | 0.036 | U | 0.067 | 0.036 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2,6-Dinitrotoluene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Chloronaphthalene | 0.015 | U | 0.33 | 0.015 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Chlorophenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Methylnaphthalene | 0.0093 | U | 0.33 | 0.0093 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Methylphenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Nitroaniline | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Nitrophenol | 0.033 | U | 0.33 | 0.033 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 3 & 4 Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 3,3'-Dichlorobenzidine | 0.050 | U | 0.13 | 0.050 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 3-Nitroaniline | 0.037 | U | 0.33 | 0.037 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4,6-Dinitro-2-methylphenol | 0.14 | U | 0.27 | 0.14 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Bromophenyl phenyl ether | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Chloro-3-methylphenol | 0.019 | U | 0.33 | 0.019 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Chloroaniline | 0.059 | U | 0.33 | 0.059 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Chlorophenyl phenyl ether | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Methylphenol | 0.021 | U | 0.33 | 0.021 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Nitroaniline | 0.038 | U | 0.33 | 0.038 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 4-Nitrophenol | 0.054 | U | 0.67 | 0.054 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Acenaphthene | 0.0094 | U | 0.33 | 0.0094 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Acenaphthylene | 0.0033 | U | 0.33 | 0.0033 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-740615/1-A

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Acetophenone | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Anthracene | 0.010 | U | 0.33 | 0.010 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Atrazine | 0.019 | U | 0.13 | 0.019 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzaldehyde | 0.055 | U | 0.33 | 0.055 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzo[a]anthracene | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzo[a]pyrene | 0.0088 | U | 0.033 | 0.0088 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzo[b]fluoranthene | 0.0086 | U | 0.033 | 0.0086 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzo[g,h,i]perylene | 0.0098 | U | 0.33 | 0.0098 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Benzo[k]fluoranthene | 0.0065 | U | 0.033 | 0.0065 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Bis(2-chloroethoxy)methane | 0.026 | U | 0.33 | 0.026 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Bis(2-chloroethyl)ether | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Bis(2-ethylhexyl) phthalate | 0.017 | U | 0.33 | 0.017 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Butyl benzyl phthalate | 0.016 | U | 0.33 | 0.016 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Caprolactam | 0.051 | U | 0.33 | 0.051 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Carbazole | 0.013 | U | 0.33 | 0.013 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Chrysene | 0.0056 | U | 0.33 | 0.0056 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Dibenz(a,h)anthracene | 0.014 | U | 0.033 | 0.014 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Dibenzofuran | 0.0046 | U | 0.33 | 0.0046 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Diethyl phthalate | 0.0048 | U | 0.33 | 0.0048 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Dimethyl phthalate | 0.075 | U | 0.33 | 0.075 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Di-n-butyl phthalate | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Di-n-octyl phthalate | 0.018 | U | 0.33 | 0.018 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Fluoranthene | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Fluorene | 0.0045 | U | 0.33 | 0.0045 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Hexachlorobenzene | 0.016 | U | 0.033 | 0.016 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Hexachlorobutadiene | 0.0070 | U | 0.067 | 0.0070 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Hexachlorocyclopentadiene | 0.029 | U | 0.33 | 0.029 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Hexachloroethane | 0.011 | U | 0.033 | 0.011 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Indeno[1,2,3-cd]pyrene | 0.013 | U | 0.033 | 0.013 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Isophorone | 0.096 | U | 0.13 | 0.096 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Naphthalene | 0.0057 | U | 0.33 | 0.0057 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Nitrobenzene | 0.0079 | U | 0.033 | 0.0079 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| N-Nitrosodi-n-propylamine | 0.024 | U | 0.033 | 0.024 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| N-Nitrosodiphenylamine | 0.027 | U | 0.33 | 0.027 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Pentachlorophenol | 0.068 | U | 0.27 | 0.068 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Phenanthrene | 0.0058 | U | 0.33 | 0.0058 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Phenol | 0.012 | U | 0.33 | 0.012 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Pyrene | 0.0082 | U | 0.33 | 0.0082 | mg/Kg | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |

| Tentatively Identified Compound | MB Est. Result | MB Qualifier | Unit | D | RT | CAS No. | Prepared | Analyzed | Dil Fac |
|---------------------------------|----------------|--------------|-------|---|------|---------|----------------|----------------|---------|
| Aldol condensation product | 0.868 | A J | mg/Kg | | 2.68 | | 11/17/20 17:33 | 11/18/20 02:13 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4,6-Tribromophenol (Surr) | 96 | | 10 - 123 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Fluorobiphenyl | 87 | | 25 - 104 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| 2-Fluorophenol (Surr) | 93 | | 18 - 106 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Nitrobenzene-d5 (Surr) | 92 | | 19 - 105 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |
| Phenol-d5 (Surr) | 85 | | 26 - 101 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-740615/1-A

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740615

| Surrogate | MB
%Recovery | MB
Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|----------------------|-----------------|-----------------|----------|----------------|----------------|---------|
| Terphenyl-d14 (Surr) | 101 | | 25 - 127 | 11/17/20 17:33 | 11/18/20 02:13 | 1 |

Lab Sample ID: LCS 460-740615/2-A

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Spike
Added | LCS
Result | LCS
Qualifier | Unit | D | %Rec | %Rec.
Limits |
|------------------------------|----------------|---------------|------------------|-------|---|------|-----------------|
| 1,1'-Biphenyl | 3.33 | 3.06 | | mg/Kg | | 92 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 3.33 | 3.08 | | mg/Kg | | 92 | 64 - 110 |
| 1,4-Dioxane | 3.33 | 1.70 | | mg/Kg | | 51 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 3.33 | 2.72 | | mg/Kg | | 82 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 3.33 | 2.94 | | mg/Kg | | 88 | 58 - 113 |
| 2,4,5-Trichlorophenol | 3.33 | 3.22 | | mg/Kg | | 97 | 64 - 112 |
| 2,4,6-Trichlorophenol | 3.33 | 3.27 | | mg/Kg | | 98 | 63 - 113 |
| 2,4-Dichlorophenol | 3.33 | 3.10 | | mg/Kg | | 93 | 66 - 113 |
| 2,4-Dimethylphenol | 3.33 | 3.07 | | mg/Kg | | 92 | 63 - 107 |
| 2,4-Dinitrophenol | 6.67 | 6.65 | | mg/Kg | | 100 | 37 - 125 |
| 2,4-Dinitrotoluene | 3.33 | 3.39 | | mg/Kg | | 102 | 65 - 124 |
| 2,6-Dinitrotoluene | 3.33 | 3.35 | | mg/Kg | | 101 | 67 - 121 |
| 2-Chloronaphthalene | 3.33 | 3.02 | | mg/Kg | | 91 | 65 - 109 |
| 2-Chlorophenol | 3.33 | 3.02 | | mg/Kg | | 91 | 63 - 106 |
| 2-Methylnaphthalene | 3.33 | 2.90 | | mg/Kg | | 87 | 64 - 108 |
| 2-Methylphenol | 3.33 | 2.92 | | mg/Kg | | 88 | 63 - 108 |
| 2-Nitroaniline | 3.33 | 3.35 | | mg/Kg | | 100 | 59 - 119 |
| 2-Nitrophenol | 3.33 | 3.64 | | mg/Kg | | 109 | 64 - 112 |
| 3 & 4 Methylphenol | 3.33 | 2.86 | | mg/Kg | | 86 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 3.33 | 1.44 | | mg/Kg | | 43 | 4 - 119 |
| 3-Nitroaniline | 3.33 | 2.24 | | mg/Kg | | 67 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 6.67 | 6.53 | | mg/Kg | | 98 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 3.33 | 3.07 | | mg/Kg | | 92 | 67 - 113 |
| 4-Chloro-3-methylphenol | 3.33 | 2.95 | | mg/Kg | | 89 | 66 - 114 |
| 4-Chloroaniline | 3.33 | 1.36 | | mg/Kg | | 41 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 3.33 | 2.93 | | mg/Kg | | 88 | 66 - 110 |
| 4-Methylphenol | 3.33 | 2.86 | | mg/Kg | | 86 | 61 - 108 |
| 4-Nitroaniline | 3.33 | 2.65 | | mg/Kg | | 79 | 50 - 110 |
| 4-Nitrophenol | 6.67 | 6.15 | | mg/Kg | | 92 | 47 - 123 |
| Acenaphthene | 3.33 | 2.97 | | mg/Kg | | 89 | 53 - 110 |
| Acenaphthylene | 3.33 | 3.01 | | mg/Kg | | 90 | 64 - 108 |
| Acetophenone | 3.33 | 2.69 | | mg/Kg | | 81 | 61 - 103 |
| Anthracene | 3.33 | 2.95 | | mg/Kg | | 89 | 67 - 114 |
| Atrazine | 1.33 | 1.57 | | mg/Kg | | 118 | 44 - 145 |
| Benzaldehyde | 1.33 | 1.46 | | mg/Kg | | 109 | 39 - 113 |
| Benzo[a]anthracene | 3.33 | 2.78 | | mg/Kg | | 83 | 67 - 115 |
| Benzo[a]pyrene | 3.33 | 3.28 | | mg/Kg | | 98 | 63 - 108 |
| Benzo[b]fluoranthene | 3.33 | 3.44 | | mg/Kg | | 103 | 64 - 116 |
| Benzo[g,h,i]perylene | 3.33 | 3.14 | | mg/Kg | | 94 | 61 - 113 |
| Benzo[k]fluoranthene | 3.33 | 3.15 | | mg/Kg | | 94 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 3.33 | 2.83 | | mg/Kg | | 85 | 62 - 107 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-740615/2-A

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Bis(2-chloroethyl)ether | 3.33 | 2.78 | | mg/Kg | | 83 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 3.33 | 3.00 | | mg/Kg | | 90 | 69 - 124 |
| Butyl benzyl phthalate | 3.33 | 3.18 | | mg/Kg | | 96 | 70 - 123 |
| Caprolactam | 1.33 | 1.48 | | mg/Kg | | 111 | 59 - 140 |
| Carbazole | 3.33 | 2.80 | | mg/Kg | | 84 | 64 - 113 |
| Chrysene | 3.33 | 2.94 | | mg/Kg | | 88 | 71 - 122 |
| Dibenz(a,h)anthracene | 3.33 | 3.35 | | mg/Kg | | 100 | 66 - 119 |
| Dibenzofuran | 3.33 | 3.00 | | mg/Kg | | 90 | 65 - 108 |
| Diethyl phthalate | 3.33 | 2.80 | | mg/Kg | | 84 | 63 - 109 |
| Dimethyl phthalate | 3.33 | 2.91 | | mg/Kg | | 87 | 65 - 109 |
| Di-n-butyl phthalate | 3.33 | 2.81 | | mg/Kg | | 84 | 66 - 114 |
| Di-n-octyl phthalate | 3.33 | 3.38 | | mg/Kg | | 101 | 65 - 122 |
| Fluoranthene | 3.33 | 2.73 | | mg/Kg | | 82 | 64 - 113 |
| Fluorene | 3.33 | 2.93 | | mg/Kg | | 88 | 65 - 109 |
| Hexachlorobenzene | 3.33 | 3.17 | | mg/Kg | | 95 | 70 - 119 |
| Hexachlorobutadiene | 3.33 | 3.23 | | mg/Kg | | 97 | 62 - 109 |
| Hexachlorocyclopentadiene | 3.33 | 3.13 | | mg/Kg | | 94 | 22 - 124 |
| Hexachloroethane | 3.33 | 2.84 | | mg/Kg | | 85 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 3.33 | 3.34 | | mg/Kg | | 100 | 62 - 121 |
| Isophorone | 3.33 | 2.98 | | mg/Kg | | 89 | 63 - 107 |
| Naphthalene | 3.33 | 2.93 | | mg/Kg | | 88 | 63 - 106 |
| Nitrobenzene | 3.33 | 3.06 | | mg/Kg | | 92 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 3.33 | 2.63 | | mg/Kg | | 79 | 61 - 108 |
| N-Nitrosodiphenylamine | 3.33 | 2.96 | | mg/Kg | | 89 | 67 - 113 |
| Pentachlorophenol | 6.67 | 5.91 | | mg/Kg | | 89 | 44 - 126 |
| Phenanthrene | 3.33 | 2.92 | | mg/Kg | | 88 | 66 - 112 |
| Phenol | 3.33 | 2.91 | | mg/Kg | | 87 | 63 - 110 |
| Pyrene | 3.33 | 3.06 | | mg/Kg | | 92 | 71 - 122 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 93 | | 10 - 123 |
| 2-Fluorobiphenyl | 86 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 91 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 91 | | 19 - 105 |
| Phenol-d5 (Surr) | 86 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 100 | | 25 - 127 |

Lab Sample ID: 460-222910-F-1-A MS

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 1,1'-Biphenyl | 0.0048 | U F1 | 3.62 | 1.94 | F1 | mg/Kg | ✱ | 54 | 65 - 110 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.62 | 1.89 | F1 | mg/Kg | ✱ | 52 | 64 - 110 |
| 1,4-Dioxane | 0.031 | U F1 | 3.62 | 0.884 | F1 | mg/Kg | ✱ | 24 | 31 - 81 |
| 2,2'-oxybis[1-chloropropane] | 0.0065 | U F1 | 3.62 | 1.35 | F1 | mg/Kg | ✱ | 37 | 49 - 109 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U | 3.62 | 2.22 | | mg/Kg | ✱ | 61 | 58 - 113 |
| 2,4,5-Trichlorophenol | 0.037 | U F1 | 3.62 | 2.19 | F1 | mg/Kg | ✱ | 60 | 64 - 112 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-222910-F-1-A MS

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,6-Trichlorophenol | 0.046 | U F1 | 3.62 | 2.17 | F1 | mg/Kg | ✱ | 60 | 63 - 113 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.62 | 1.96 | F1 | mg/Kg | ✱ | 54 | 66 - 113 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.62 | 1.89 | F1 | mg/Kg | ✱ | 52 | 63 - 107 |
| 2,4-Dinitrophenol | 0.18 | U | 7.24 | 4.68 | | mg/Kg | ✱ | 65 | 37 - 125 |
| 2,4-Dinitrotoluene | 0.039 | U F1 | 3.62 | 2.28 | F1 | mg/Kg | ✱ | 63 | 65 - 124 |
| 2,6-Dinitrotoluene | 0.026 | U F1 | 3.62 | 2.24 | F1 | mg/Kg | ✱ | 62 | 67 - 121 |
| 2-Chloronaphthalene | 0.017 | U F1 | 3.62 | 1.90 | F1 | mg/Kg | ✱ | 53 | 65 - 109 |
| 2-Chlorophenol | 0.013 | U F1 | 3.62 | 1.59 | F1 | mg/Kg | ✱ | 44 | 63 - 106 |
| 2-Methylnaphthalene | 0.10 | J F1 | 3.62 | 1.83 | F1 | mg/Kg | ✱ | 48 | 64 - 108 |
| 2-Methylphenol | 0.013 | U F1 | 3.62 | 1.81 | F1 | mg/Kg | ✱ | 50 | 63 - 108 |
| 2-Nitroaniline | 0.013 | U | 3.62 | 2.28 | | mg/Kg | ✱ | 63 | 59 - 119 |
| 2-Nitrophenol | 0.036 | U F1 | 3.62 | 1.90 | F1 | mg/Kg | ✱ | 52 | 64 - 112 |
| 3 & 4 Methylphenol | 0.022 | U F1 | 3.62 | 1.68 | F1 | mg/Kg | ✱ | 46 | 61 - 108 |
| 3,3'-Dichlorobenzidine | 0.054 | U F2 | 3.62 | 1.32 | | mg/Kg | ✱ | 36 | 4 - 119 |
| 3-Nitroaniline | 0.040 | U | 3.62 | 1.89 | | mg/Kg | ✱ | 52 | 31 - 102 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U F1 | 7.24 | 4.44 | F1 | mg/Kg | ✱ | 61 | 64 - 129 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.62 | 2.02 | F1 | mg/Kg | ✱ | 56 | 67 - 113 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.62 | 1.98 | F1 | mg/Kg | ✱ | 55 | 66 - 114 |
| 4-Chloroaniline | 0.064 | U F2 | 3.62 | 0.773 | | mg/Kg | ✱ | 21 | 20 - 98 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.62 | 1.99 | F1 | mg/Kg | ✱ | 55 | 66 - 110 |
| 4-Methylphenol | 0.022 | U F1 | 3.62 | 1.68 | F1 | mg/Kg | ✱ | 46 | 61 - 108 |
| 4-Nitroaniline | 0.041 | U | 3.62 | 1.87 | | mg/Kg | ✱ | 51 | 50 - 110 |
| 4-Nitrophenol | 0.059 | U | 7.24 | 4.37 | | mg/Kg | ✱ | 60 | 47 - 123 |
| Acenaphthene | 0.010 | U | 3.62 | 1.95 | | mg/Kg | ✱ | 54 | 53 - 110 |
| Acenaphthylene | 0.0036 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 55 | 64 - 108 |
| Acetophenone | 0.018 | U F1 | 3.62 | 1.47 | F1 | mg/Kg | ✱ | 41 | 61 - 103 |
| Anthracene | 0.011 | U F1 | 3.62 | 1.99 | F1 | mg/Kg | ✱ | 55 | 67 - 114 |
| Atrazine | 0.021 | U F2 | 1.45 | 0.778 | | mg/Kg | ✱ | 54 | 44 - 145 |
| Benzaldehyde | 0.059 | U | 1.45 | 0.710 | | mg/Kg | ✱ | 49 | 39 - 113 |
| Benzo[a]anthracene | 0.016 | J F1 | 3.62 | 1.87 | F1 | mg/Kg | ✱ | 51 | 67 - 115 |
| Benzo[a]pyrene | 0.010 | J F1 | 3.62 | 2.23 | F1 | mg/Kg | ✱ | 61 | 63 - 108 |
| Benzo[b]fluoranthene | 0.011 | J F1 | 3.62 | 2.18 | F1 | mg/Kg | ✱ | 60 | 64 - 116 |
| Benzo[g,h,i]perylene | 0.011 | U | 3.62 | 2.19 | | mg/Kg | ✱ | 61 | 61 - 113 |
| Benzo[k]fluoranthene | 0.0071 | U F1 | 3.62 | 2.30 | F1 | mg/Kg | ✱ | 63 | 67 - 115 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.62 | 1.61 | F1 | mg/Kg | ✱ | 44 | 62 - 107 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.62 | 1.38 | F1 | mg/Kg | ✱ | 38 | 60 - 107 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 55 | 69 - 124 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.62 | 2.14 | F1 | mg/Kg | ✱ | 59 | 70 - 123 |
| Caprolactam | 0.056 | U | 1.45 | 1.06 | | mg/Kg | ✱ | 73 | 59 - 140 |
| Carbazole | 0.014 | U F1 | 3.62 | 1.87 | F1 | mg/Kg | ✱ | 52 | 64 - 113 |
| Chrysene | 0.012 | J F1 | 3.62 | 1.97 | F1 | mg/Kg | ✱ | 54 | 71 - 122 |
| Dibenz(a,h)anthracene | 0.016 | U F1 | 3.62 | 2.34 | F1 | mg/Kg | ✱ | 65 | 66 - 119 |
| Dibenzofuran | 0.0051 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 56 | 65 - 108 |
| Diethyl phthalate | 0.0052 | U F1 | 3.62 | 1.93 | F1 | mg/Kg | ✱ | 53 | 63 - 109 |
| Dimethyl phthalate | 0.082 | U F1 | 3.62 | 2.00 | F1 | mg/Kg | ✱ | 55 | 65 - 109 |
| Di-n-butyl phthalate | 0.014 | U F1 | 3.62 | 1.94 | F1 | mg/Kg | ✱ | 54 | 66 - 114 |
| Di-n-octyl phthalate | 0.019 | U F1 | 3.62 | 2.26 | F1 | mg/Kg | ✱ | 62 | 65 - 122 |
| Fluoranthene | 0.022 | J F1 | 3.62 | 1.88 | F1 | mg/Kg | ✱ | 51 | 64 - 113 |
| Fluorene | 0.0049 | U F1 | 3.62 | 1.96 | F1 | mg/Kg | ✱ | 54 | 65 - 109 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-222910-F-1-A MS

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Hexachlorobenzene | 0.017 | U F1 | 3.62 | 2.04 | F1 | mg/Kg | ✱ | 56 | 70 - 119 |
| Hexachlorobutadiene | 0.0077 | U F1 | 3.62 | 1.55 | F1 | mg/Kg | ✱ | 43 | 62 - 109 |
| Hexachlorocyclopentadiene | 0.032 | U | 3.62 | 1.64 | | mg/Kg | ✱ | 45 | 22 - 124 |
| Hexachloroethane | 0.012 | U F1 | 3.62 | 1.36 | F1 | mg/Kg | ✱ | 38 | 61 - 102 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.62 | 2.38 | | mg/Kg | ✱ | 66 | 62 - 121 |
| Isophorone | 0.10 | U F1 | 3.62 | 1.75 | F1 | mg/Kg | ✱ | 48 | 63 - 107 |
| Naphthalene | 0.095 | J F1 | 3.62 | 1.63 | F1 | mg/Kg | ✱ | 42 | 63 - 106 |
| Nitrobenzene | 0.0086 | U F1 | 3.62 | 1.62 | F1 | mg/Kg | ✱ | 45 | 63 - 110 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.62 | 1.43 | F1 | mg/Kg | ✱ | 39 | 61 - 108 |
| N-Nitrosodiphenylamine | 0.030 | U F1 | 3.62 | 2.02 | F1 | mg/Kg | ✱ | 56 | 67 - 113 |
| Pentachlorophenol | 0.074 | U | 7.24 | 4.79 | | mg/Kg | ✱ | 66 | 44 - 126 |
| Phenanthrene | 0.030 | J F1 | 3.62 | 2.02 | F1 | mg/Kg | ✱ | 55 | 66 - 112 |
| Phenol | 0.013 | U F1 | 3.62 | 1.61 | F1 | mg/Kg | ✱ | 44 | 63 - 110 |
| Pyrene | 0.021 | J F1 | 3.62 | 2.10 | F1 | mg/Kg | ✱ | 57 | 71 - 122 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|--------------|--------------|----------|
| 2,4,6-Tribromophenol (Surr) | 61 | | 10 - 123 |
| 2-Fluorobiphenyl | 49 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 43 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 42 | | 19 - 105 |
| Phenol-d5 (Surr) | 45 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 61 | | 25 - 127 |

Lab Sample ID: 460-222910-F-1-B MSD

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 1,1'-Biphenyl | 0.0048 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 55 | 65 - 110 | 3 | 30 |
| 1,2,4,5-Tetrachlorobenzene | 0.011 | U F1 | 3.62 | 1.95 | F1 | mg/Kg | ✱ | 54 | 64 - 110 | 3 | 30 |
| 1,4-Dioxane | 0.031 | U F1 | 3.62 | 0.711 | F1 | mg/Kg | ✱ | 20 | 31 - 81 | 22 | 30 |
| 2,2'-oxybis[1-chloropropane] | 0.0065 | U F1 | 3.62 | 1.54 | F1 | mg/Kg | ✱ | 42 | 49 - 109 | 13 | 30 |
| 2,3,4,6-Tetrachlorophenol | 0.024 | U | 3.62 | 2.27 | | mg/Kg | ✱ | 63 | 58 - 113 | 2 | 30 |
| 2,4,5-Trichlorophenol | 0.037 | U F1 | 3.62 | 2.26 | F1 | mg/Kg | ✱ | 62 | 64 - 112 | 3 | 30 |
| 2,4,6-Trichlorophenol | 0.046 | U F1 | 3.62 | 2.23 | F1 | mg/Kg | ✱ | 62 | 63 - 113 | 3 | 30 |
| 2,4-Dichlorophenol | 0.023 | U F1 | 3.62 | 2.11 | F1 | mg/Kg | ✱ | 58 | 66 - 113 | 8 | 30 |
| 2,4-Dimethylphenol | 0.016 | U F1 | 3.62 | 2.00 | F1 | mg/Kg | ✱ | 55 | 63 - 107 | 6 | 30 |
| 2,4-Dinitrophenol | 0.18 | U | 7.24 | 5.17 | | mg/Kg | ✱ | 71 | 37 - 125 | 10 | 30 |
| 2,4-Dinitrotoluene | 0.039 | U F1 | 3.62 | 2.49 | | mg/Kg | ✱ | 69 | 65 - 124 | 9 | 30 |
| 2,6-Dinitrotoluene | 0.026 | U F1 | 3.62 | 2.35 | F1 | mg/Kg | ✱ | 65 | 67 - 121 | 4 | 30 |
| 2-Chloronaphthalene | 0.017 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 55 | 65 - 109 | 5 | 30 |
| 2-Chlorophenol | 0.013 | U F1 | 3.62 | 1.83 | F1 | mg/Kg | ✱ | 50 | 63 - 106 | 14 | 30 |
| 2-Methylnaphthalene | 0.10 | J F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 53 | 64 - 108 | 10 | 30 |
| 2-Methylphenol | 0.013 | U F1 | 3.62 | 2.01 | F1 | mg/Kg | ✱ | 55 | 63 - 108 | 10 | 30 |
| 2-Nitroaniline | 0.013 | U | 3.62 | 2.36 | | mg/Kg | ✱ | 65 | 59 - 119 | 4 | 30 |
| 2-Nitrophenol | 0.036 | U F1 | 3.62 | 2.06 | F1 | mg/Kg | ✱ | 57 | 64 - 112 | 8 | 30 |
| 3 & 4 Methylphenol | 0.022 | U F1 | 3.62 | 1.96 | F1 | mg/Kg | ✱ | 54 | 61 - 108 | 16 | 30 |
| 3,3'-Dichlorobenzidine | 0.054 | U F2 | 3.62 | 1.86 | F2 | mg/Kg | ✱ | 51 | 4 - 119 | 34 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-222910-F-1-B MSD

Matrix: Solid

Analysis Batch: 740687

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740615

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 3-Nitroaniline | 0.040 | U | 3.62 | 2.23 | | mg/Kg | ✱ | 61 | 31 - 102 | 16 | 30 |
| 4,6-Dinitro-2-methylphenol | 0.15 | U F1 | 7.24 | 4.50 | F1 | mg/Kg | ✱ | 62 | 64 - 129 | 2 | 30 |
| 4-Bromophenyl phenyl ether | 0.014 | U F1 | 3.62 | 2.05 | F1 | mg/Kg | ✱ | 57 | 67 - 113 | 1 | 30 |
| 4-Chloro-3-methylphenol | 0.020 | U F1 | 3.62 | 2.09 | F1 | mg/Kg | ✱ | 58 | 66 - 114 | 6 | 30 |
| 4-Chloroaniline | 0.064 | U F2 | 3.62 | 1.72 | F2 | mg/Kg | ✱ | 48 | 20 - 98 | 76 | 30 |
| 4-Chlorophenyl phenyl ether | 0.013 | U F1 | 3.62 | 2.11 | F1 | mg/Kg | ✱ | 58 | 66 - 110 | 6 | 30 |
| 4-Methylphenol | 0.022 | U F1 | 3.62 | 1.96 | F1 | mg/Kg | ✱ | 54 | 61 - 108 | 16 | 30 |
| 4-Nitroaniline | 0.041 | U | 3.62 | 2.25 | | mg/Kg | ✱ | 62 | 50 - 110 | 18 | 30 |
| 4-Nitrophenol | 0.059 | U | 7.24 | 4.84 | | mg/Kg | ✱ | 67 | 47 - 123 | 10 | 30 |
| Acenaphthene | 0.010 | U | 3.62 | 2.03 | | mg/Kg | ✱ | 56 | 53 - 110 | 4 | 30 |
| Acenaphthylene | 0.0036 | U F1 | 3.62 | 2.09 | F1 | mg/Kg | ✱ | 58 | 64 - 108 | 4 | 30 |
| Acetophenone | 0.018 | U F1 | 3.62 | 2.70 | F1 | mg/Kg | ✱ | 47 | 61 - 103 | 14 | 30 |
| Anthracene | 0.011 | U F1 | 3.62 | 1.08 | F1 | mg/Kg | ✱ | 57 | 67 - 114 | 4 | 30 |
| Atrazine | 0.021 | U F2 | 1.45 | 1.11 | F2 | mg/Kg | ✱ | 76 | 44 - 145 | 35 | 30 |
| Benzaldehyde | 0.059 | U | 1.45 | 0.867 | | mg/Kg | ✱ | 60 | 39 - 113 | 20 | 30 |
| Benzo[a]anthracene | 0.016 | J F1 | 3.62 | 1.96 | F1 | mg/Kg | ✱ | 54 | 67 - 115 | 5 | 30 |
| Benzo[a]pyrene | 0.010 | J F1 | 3.62 | 2.30 | | mg/Kg | ✱ | 63 | 63 - 108 | 3 | 30 |
| Benzo[b]fluoranthene | 0.011 | J F1 | 3.62 | 2.45 | | mg/Kg | ✱ | 67 | 64 - 116 | 12 | 30 |
| Benzo[g,h,i]perylene | 0.011 | U | 3.62 | 2.28 | | mg/Kg | ✱ | 63 | 61 - 113 | 4 | 30 |
| Benzo[k]fluoranthene | 0.0071 | U F1 | 3.62 | 2.20 | F1 | mg/Kg | ✱ | 61 | 67 - 115 | 4 | 30 |
| Bis(2-chloroethoxy)methane | 0.028 | U F1 | 3.62 | 1.79 | F1 | mg/Kg | ✱ | 49 | 62 - 107 | 11 | 30 |
| Bis(2-chloroethyl)ether | 0.013 | U F1 | 3.62 | 1.51 | F1 | mg/Kg | ✱ | 42 | 60 - 107 | 9 | 30 |
| Bis(2-ethylhexyl) phthalate | 0.019 | U F1 | 3.62 | 2.11 | F1 | mg/Kg | ✱ | 58 | 69 - 124 | 5 | 30 |
| Butyl benzyl phthalate | 0.017 | U F1 | 3.62 | 2.16 | F1 | mg/Kg | ✱ | 60 | 70 - 123 | 1 | 30 |
| Caprolactam | 0.056 | U | 1.45 | 1.29 | | mg/Kg | ✱ | 89 | 59 - 140 | 19 | 30 |
| Carbazole | 0.014 | U F1 | 3.62 | 2.03 | F1 | mg/Kg | ✱ | 56 | 64 - 113 | 8 | 30 |
| Chrysene | 0.012 | J F1 | 3.62 | 2.07 | F1 | mg/Kg | ✱ | 57 | 71 - 122 | 5 | 30 |
| Dibenz(a,h)anthracene | 0.016 | U F1 | 3.62 | 2.41 | | mg/Kg | ✱ | 66 | 66 - 119 | 3 | 30 |
| Dibenzofuran | 0.0051 | U F1 | 3.62 | 2.10 | F1 | mg/Kg | ✱ | 58 | 65 - 108 | 5 | 30 |
| Diethyl phthalate | 0.0052 | U F1 | 3.62 | 2.08 | F1 | mg/Kg | ✱ | 57 | 63 - 109 | 8 | 30 |
| Dimethyl phthalate | 0.082 | U F1 | 3.62 | 2.07 | F1 | mg/Kg | ✱ | 57 | 65 - 109 | 4 | 30 |
| Di-n-butyl phthalate | 0.014 | U F1 | 3.62 | 2.09 | F1 | mg/Kg | ✱ | 58 | 66 - 114 | 8 | 30 |
| Di-n-octyl phthalate | 0.019 | U F1 | 3.62 | 2.34 | | mg/Kg | ✱ | 65 | 65 - 122 | 3 | 30 |
| Fluoranthene | 0.022 | J F1 | 3.62 | 2.07 | F1 | mg/Kg | ✱ | 56 | 64 - 113 | 9 | 30 |
| Fluorene | 0.0049 | U F1 | 3.62 | 2.06 | F1 | mg/Kg | ✱ | 57 | 65 - 109 | 5 | 30 |
| Hexachlorobenzene | 0.017 | U F1 | 3.62 | 2.11 | F1 | mg/Kg | ✱ | 58 | 70 - 119 | 3 | 30 |
| Hexachlorobutadiene | 0.0077 | U F1 | 3.62 | 1.69 | F1 | mg/Kg | ✱ | 47 | 62 - 109 | 9 | 30 |
| Hexachlorocyclopentadiene | 0.032 | U | 3.62 | 1.65 | | mg/Kg | ✱ | 45 | 22 - 124 | 1 | 30 |
| Hexachloroethane | 0.012 | U F1 | 3.62 | 1.41 | F1 | mg/Kg | ✱ | 39 | 61 - 102 | 4 | 30 |
| Indeno[1,2,3-cd]pyrene | 0.014 | U | 3.62 | 2.40 | | mg/Kg | ✱ | 66 | 62 - 121 | 1 | 30 |
| Isophorone | 0.10 | U F1 | 3.62 | 1.87 | F1 | mg/Kg | ✱ | 52 | 63 - 107 | 7 | 30 |
| Naphthalene | 0.095 | J F1 | 3.62 | 1.82 | F1 | mg/Kg | ✱ | 48 | 63 - 106 | 11 | 30 |
| Nitrobenzene | 0.0086 | U F1 | 3.62 | 1.83 | F1 | mg/Kg | ✱ | 51 | 63 - 110 | 12 | 30 |
| N-Nitrosodi-n-propylamine | 0.026 | U F1 | 3.62 | 1.68 | F1 | mg/Kg | ✱ | 46 | 61 - 108 | 16 | 30 |
| N-Nitrosodiphenylamine | 0.030 | U F1 | 3.62 | 2.07 | F1 | mg/Kg | ✱ | 57 | 67 - 113 | 3 | 30 |
| Pentachlorophenol | 0.074 | U | 7.24 | 4.73 | | mg/Kg | ✱ | 65 | 44 - 126 | 1 | 30 |
| Phenanthrene | 0.030 | J F1 | 3.62 | 2.09 | F1 | mg/Kg | ✱ | 57 | 66 - 112 | 3 | 30 |
| Phenol | 0.013 | U F1 | 3.62 | 1.84 | F1 | mg/Kg | ✱ | 51 | 63 - 110 | 13 | 30 |
| Pyrene | 0.021 | J F1 | 3.62 | 2.03 | F1 | mg/Kg | ✱ | 55 | 71 - 122 | 3 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-----------------------------|---------------|---------------|----------|
| 2,4,6-Tribromophenol (Surr) | 65 | | 10 - 123 |
| 2-Fluorobiphenyl | 51 | | 25 - 104 |
| 2-Fluorophenol (Surr) | 50 | | 18 - 106 |
| Nitrobenzene-d5 (Surr) | 46 | | 19 - 105 |
| Phenol-d5 (Surr) | 52 | | 26 - 101 |
| Terphenyl-d14 (Surr) | 60 | | 25 - 127 |

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-740817/1-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|--------------|--------|---------|-------|---|----------------|----------------|---------|
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| 4,4'-DDD | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| 4,4'-DDE | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| 4,4'-DDT | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Aldrin | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| alpha-BHC | 0.00068 | U | 0.0020 | 0.00068 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| beta-BHC | 0.00075 | U | 0.0020 | 0.00075 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Chlordane (technical) | 0.016 | U | 0.067 | 0.016 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| cis-Chlordane | 0.0011 | U | 0.0067 | 0.0011 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| delta-BHC | 0.00041 | U | 0.0020 | 0.00041 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Dieldrin | 0.00087 | U | 0.0020 | 0.00087 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan I | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan II | 0.0017 | U | 0.0067 | 0.0017 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endosulfan sulfate | 0.00084 | U | 0.0067 | 0.00084 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin | 0.00096 | U | 0.0067 | 0.00096 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin aldehyde | 0.0016 | U | 0.0067 | 0.0016 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Endrin ketone | 0.0013 | U | 0.0067 | 0.0013 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| gamma-BHC (Lindane) | 0.00062 | U | 0.0020 | 0.00062 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Heptachlor | 0.00079 | U | 0.0067 | 0.00079 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Heptachlor epoxide | 0.0010 | U | 0.0067 | 0.0010 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-740817/1-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|-----------|--------------|--------|--------|-------|---|----------------|----------------|---------|
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Methoxychlor | 0.0015 | U | 0.0067 | 0.0015 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Toxaphene | 0.024 | U | 0.067 | 0.024 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| trans-Chlordane | 0.0012 | U | 0.0067 | 0.0012 | mg/Kg | | 11/18/20 09:33 | 11/19/20 05:36 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 84 | | 28 - 148 | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| DCB Decachlorobiphenyl | 93 | | 28 - 148 | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Tetrachloro-m-xylene | 83 | | 34 - 118 | 11/18/20 09:33 | 11/19/20 05:36 | 1 |
| Tetrachloro-m-xylene | 87 | | 34 - 118 | 11/18/20 09:33 | 11/19/20 05:36 | 1 |

Lab Sample ID: LCS 460-740817/2-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------|-------------|------------|---------------|-------|---|------|--------------|
| 4,4'-DDD | 0.133 | 0.123 | | mg/Kg | | 92 | 70 - 140 |
| 4,4'-DDD | 0.133 | 0.127 | | mg/Kg | | 95 | 70 - 140 |
| 4,4'-DDE | 0.133 | 0.122 | | mg/Kg | | 91 | 71 - 137 |
| 4,4'-DDE | 0.133 | 0.127 | | mg/Kg | | 95 | 71 - 137 |
| 4,4'-DDT | 0.133 | 0.128 | | mg/Kg | | 96 | 63 - 131 |
| 4,4'-DDT | 0.133 | 0.124 | | mg/Kg | | 93 | 63 - 131 |
| Aldrin | 0.133 | 0.123 | | mg/Kg | | 92 | 74 - 140 |
| Aldrin | 0.133 | 0.126 | | mg/Kg | | 95 | 74 - 140 |
| alpha-BHC | 0.133 | 0.129 | | mg/Kg | | 96 | 72 - 142 |
| alpha-BHC | 0.133 | 0.134 | | mg/Kg | | 100 | 72 - 142 |
| beta-BHC | 0.133 | 0.120 | | mg/Kg | | 90 | 65 - 137 |
| beta-BHC | 0.133 | 0.132 | | mg/Kg | | 99 | 65 - 137 |
| cis-Chlordane | 0.133 | 0.119 | | mg/Kg | | 89 | 70 - 136 |
| cis-Chlordane | 0.133 | 0.128 | | mg/Kg | | 96 | 70 - 136 |
| delta-BHC | 0.133 | 0.130 | | mg/Kg | | 98 | 70 - 143 |
| delta-BHC | 0.133 | 0.135 | | mg/Kg | | 101 | 70 - 143 |
| Dieldrin | 0.133 | 0.122 | | mg/Kg | | 91 | 70 - 135 |
| Dieldrin | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 135 |
| Endosulfan I | 0.133 | 0.118 | | mg/Kg | | 89 | 68 - 135 |
| Endosulfan I | 0.133 | 0.129 | | mg/Kg | | 96 | 68 - 135 |
| Endosulfan II | 0.133 | 0.128 | | mg/Kg | | 96 | 64 - 130 |
| Endosulfan II | 0.133 | 0.133 | | mg/Kg | | 100 | 64 - 130 |
| Endosulfan sulfate | 0.133 | 0.123 | | mg/Kg | | 92 | 66 - 143 |
| Endosulfan sulfate | 0.133 | 0.130 | | mg/Kg | | 97 | 66 - 143 |
| Endrin | 0.133 | 0.123 | | mg/Kg | | 92 | 68 - 136 |
| Endrin | 0.133 | 0.132 | | mg/Kg | | 99 | 68 - 136 |
| Endrin aldehyde | 0.133 | 0.117 | | mg/Kg | | 88 | 68 - 132 |
| Endrin aldehyde | 0.133 | 0.120 | | mg/Kg | | 90 | 68 - 132 |
| Endrin ketone | 0.133 | 0.122 | | mg/Kg | | 91 | 60 - 150 |
| Endrin ketone | 0.133 | 0.127 | | mg/Kg | | 95 | 60 - 150 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-740817/2-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|-------------|------------|---------------|-------|---|------|--------------|
| gamma-BHC (Lindane) | 0.133 | 0.128 | | mg/Kg | | 96 | 70 - 134 |
| gamma-BHC (Lindane) | 0.133 | 0.133 | | mg/Kg | | 100 | 70 - 134 |
| Heptachlor | 0.133 | 0.123 | | mg/Kg | | 92 | 69 - 134 |
| Heptachlor | 0.133 | 0.125 | | mg/Kg | | 94 | 69 - 134 |
| Heptachlor epoxide | 0.133 | 0.120 | | mg/Kg | | 90 | 70 - 135 |
| Heptachlor epoxide | 0.133 | 0.127 | | mg/Kg | | 95 | 70 - 135 |
| Methoxychlor | 0.133 | 0.112 | | mg/Kg | | 84 | 57 - 135 |
| Methoxychlor | 0.133 | 0.106 | | mg/Kg | | 80 | 57 - 135 |
| trans-Chlordane | 0.133 | 0.121 | | mg/Kg | | 91 | 71 - 137 |
| trans-Chlordane | 0.133 | 0.129 | | mg/Kg | | 97 | 71 - 137 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 70 | | 28 - 148 |
| DCB Decachlorobiphenyl | 73 | | 28 - 148 |
| Tetrachloro-m-xylene | 68 | | 34 - 118 |
| Tetrachloro-m-xylene | 74 | | 34 - 118 |

Lab Sample ID: LCSD 460-740817/3-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 4,4'-DDD | 0.133 | 0.122 | | mg/Kg | | 91 | 70 - 140 | 1 | 30 |
| 4,4'-DDD | 0.133 | 0.129 | | mg/Kg | | 96 | 70 - 140 | 1 | 30 |
| 4,4'-DDE | 0.133 | 0.120 | | mg/Kg | | 90 | 71 - 137 | 1 | 30 |
| 4,4'-DDE | 0.133 | 0.125 | | mg/Kg | | 94 | 71 - 137 | 1 | 30 |
| 4,4'-DDT | 0.133 | 0.126 | | mg/Kg | | 95 | 63 - 131 | 1 | 30 |
| 4,4'-DDT | 0.133 | 0.125 | | mg/Kg | | 94 | 63 - 131 | 1 | 30 |
| Aldrin | 0.133 | 0.121 | | mg/Kg | | 90 | 74 - 140 | 2 | 30 |
| Aldrin | 0.133 | 0.127 | | mg/Kg | | 95 | 74 - 140 | 1 | 30 |
| alpha-BHC | 0.133 | 0.124 | | mg/Kg | | 93 | 72 - 142 | 3 | 30 |
| alpha-BHC | 0.133 | 0.131 | | mg/Kg | | 99 | 72 - 142 | 2 | 30 |
| beta-BHC | 0.133 | 0.118 | | mg/Kg | | 89 | 65 - 137 | 2 | 30 |
| beta-BHC | 0.133 | 0.132 | | mg/Kg | | 99 | 65 - 137 | 0 | 30 |
| cis-Chlordane | 0.133 | 0.117 | | mg/Kg | | 88 | 70 - 136 | 2 | 30 |
| cis-Chlordane | 0.133 | 0.127 | | mg/Kg | | 95 | 70 - 136 | 1 | 30 |
| delta-BHC | 0.133 | 0.127 | | mg/Kg | | 96 | 70 - 143 | 2 | 30 |
| delta-BHC | 0.133 | 0.134 | | mg/Kg | | 100 | 70 - 143 | 1 | 30 |
| Dieldrin | 0.133 | 0.120 | | mg/Kg | | 90 | 70 - 135 | 1 | 30 |
| Dieldrin | 0.133 | 0.131 | | mg/Kg | | 98 | 70 - 135 | 0 | 30 |
| Endosulfan I | 0.133 | 0.116 | | mg/Kg | | 87 | 68 - 135 | 2 | 30 |
| Endosulfan I | 0.133 | 0.127 | | mg/Kg | | 95 | 68 - 135 | 1 | 30 |
| Endosulfan II | 0.133 | 0.126 | | mg/Kg | | 95 | 64 - 130 | 1 | 30 |
| Endosulfan II | 0.133 | 0.134 | | mg/Kg | | 100 | 64 - 130 | 0 | 30 |
| Endosulfan sulfate | 0.133 | 0.121 | | mg/Kg | | 91 | 66 - 143 | 1 | 30 |
| Endosulfan sulfate | 0.133 | 0.128 | | mg/Kg | | 96 | 66 - 143 | 1 | 30 |
| Endrin | 0.133 | 0.121 | | mg/Kg | | 91 | 68 - 136 | 1 | 30 |
| Endrin | 0.133 | 0.133 | | mg/Kg | | 100 | 68 - 136 | 1 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-740817/3-A

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Endrin aldehyde | 0.133 | 0.115 | | mg/Kg | | 87 | 68 - 132 | 1 | 30 |
| Endrin aldehyde | 0.133 | 0.120 | | mg/Kg | | 90 | 68 - 132 | 0 | 30 |
| Endrin ketone | 0.133 | 0.121 | | mg/Kg | | 90 | 60 - 150 | 1 | 30 |
| Endrin ketone | 0.133 | 0.125 | | mg/Kg | | 93 | 60 - 150 | 2 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.125 | | mg/Kg | | 94 | 70 - 134 | 2 | 30 |
| gamma-BHC (Lindane) | 0.133 | 0.132 | | mg/Kg | | 99 | 70 - 134 | 0 | 30 |
| Heptachlor | 0.133 | 0.121 | | mg/Kg | | 91 | 69 - 134 | 2 | 30 |
| Heptachlor | 0.133 | 0.126 | | mg/Kg | | 94 | 69 - 134 | 1 | 30 |
| Heptachlor epoxide | 0.133 | 0.118 | | mg/Kg | | 88 | 70 - 135 | 2 | 30 |
| Heptachlor epoxide | 0.133 | 0.127 | | mg/Kg | | 95 | 70 - 135 | 0 | 30 |
| Methoxychlor | 0.133 | 0.111 | | mg/Kg | | 83 | 57 - 135 | 1 | 30 |
| Methoxychlor | 0.133 | 0.105 | | mg/Kg | | 79 | 57 - 135 | 1 | 30 |
| trans-Chlordane | 0.133 | 0.119 | | mg/Kg | | 89 | 71 - 137 | 2 | 30 |
| trans-Chlordane | 0.133 | 0.128 | | mg/Kg | | 96 | 71 - 137 | 0 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 70 | | 28 - 148 |
| DCB Decachlorobiphenyl | 73 | | 28 - 148 |
| Tetrachloro-m-xylene | 66 | | 34 - 118 |
| Tetrachloro-m-xylene | 73 | | 34 - 118 |

Lab Sample ID: 460-222916-A-1-E MS

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 4,4'-DDD | 0.016 | | 0.151 | 0.160 | | mg/Kg | ✱ | 95 | 70 - 140 |
| 4,4'-DDD | 0.016 | | 0.151 | 0.167 | | mg/Kg | ✱ | 100 | 70 - 140 |
| 4,4'-DDE | 0.0036 | J | 0.151 | 0.130 | | mg/Kg | ✱ | 84 | 71 - 137 |
| 4,4'-DDE | 0.0036 | J | 0.151 | 0.138 | | mg/Kg | ✱ | 90 | 71 - 137 |
| 4,4'-DDT | 0.013 | | 0.151 | 0.135 | | mg/Kg | ✱ | 81 | 63 - 131 |
| 4,4'-DDT | 0.013 | | 0.151 | 0.132 | | mg/Kg | ✱ | 79 | 63 - 131 |
| Aldrin | 0.0011 | U F1 | 0.151 | 0.107 | F1 | mg/Kg | ✱ | 71 | 74 - 140 |
| Aldrin | 0.0011 | U F1 | 0.151 | 0.112 | | mg/Kg | ✱ | 74 | 74 - 140 |
| alpha-BHC | 0.00077 | U | 0.151 | 0.126 | | mg/Kg | ✱ | 83 | 72 - 142 |
| alpha-BHC | 0.00077 | U | 0.151 | 0.130 | | mg/Kg | ✱ | 86 | 72 - 142 |
| beta-BHC | 0.00085 | U | 0.151 | 0.131 | | mg/Kg | ✱ | 87 | 65 - 137 |
| beta-BHC | 0.00085 | U | 0.151 | 0.137 | | mg/Kg | ✱ | 91 | 65 - 137 |
| cis-Chlordane | 0.0012 | U | 0.151 | 0.126 | | mg/Kg | ✱ | 83 | 70 - 136 |
| cis-Chlordane | 0.0012 | U | 0.151 | 0.134 | | mg/Kg | ✱ | 89 | 70 - 136 |
| delta-BHC | 0.00046 | U | 0.151 | 0.137 | | mg/Kg | ✱ | 91 | 70 - 143 |
| delta-BHC | 0.00046 | U | 0.151 | 0.140 | | mg/Kg | ✱ | 93 | 70 - 143 |
| Dieldrin | 0.00098 | U | 0.151 | 0.130 | | mg/Kg | ✱ | 86 | 70 - 135 |
| Dieldrin | 0.00098 | U | 0.151 | 0.137 | | mg/Kg | ✱ | 91 | 70 - 135 |
| Endosulfan I | 0.0012 | U | 0.151 | 0.126 | | mg/Kg | ✱ | 84 | 68 - 135 |
| Endosulfan I | 0.0012 | U | 0.151 | 0.134 | | mg/Kg | ✱ | 89 | 68 - 135 |
| Endosulfan II | 0.0019 | U | 0.151 | 0.135 | | mg/Kg | ✱ | 89 | 64 - 130 |
| Endosulfan II | 0.0019 | U | 0.151 | 0.139 | | mg/Kg | ✱ | 92 | 64 - 130 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-222916-A-1-E MS

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Endosulfan sulfate | 0.00095 | U | 0.151 | 0.119 | | mg/Kg | ☼ | 79 | 66 - 143 |
| Endosulfan sulfate | 0.00095 | U | 0.151 | 0.124 | | mg/Kg | ☼ | 82 | 66 - 143 |
| Endrin | 0.0011 | U | 0.151 | 0.132 | | mg/Kg | ☼ | 88 | 68 - 136 |
| Endrin | 0.0011 | U | 0.151 | 0.142 | | mg/Kg | ☼ | 95 | 68 - 136 |
| Endrin aldehyde | 0.0018 | U | 0.151 | 0.0980 | F1 | mg/Kg | ☼ | 65 | 68 - 132 |
| Endrin aldehyde | 0.0018 | U | 0.151 | 0.103 | | mg/Kg | ☼ | 69 | 68 - 132 |
| Endrin ketone | 0.0015 | U | 0.151 | 0.124 | | mg/Kg | ☼ | 82 | 60 - 150 |
| Endrin ketone | 0.0015 | U | 0.151 | 0.127 | | mg/Kg | ☼ | 84 | 60 - 150 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.151 | 0.128 | | mg/Kg | ☼ | 85 | 70 - 134 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.151 | 0.132 | | mg/Kg | ☼ | 88 | 70 - 134 |
| Heptachlor | 0.00089 | U | 0.151 | 0.124 | | mg/Kg | ☼ | 83 | 69 - 134 |
| Heptachlor | 0.00089 | U | 0.151 | 0.126 | | mg/Kg | ☼ | 84 | 69 - 134 |
| Heptachlor epoxide | 0.0011 | U | 0.151 | 0.123 | | mg/Kg | ☼ | 82 | 70 - 135 |
| Heptachlor epoxide | 0.0011 | U | 0.151 | 0.133 | | mg/Kg | ☼ | 88 | 70 - 135 |
| Methoxychlor | 0.0017 | U | 0.151 | 0.120 | | mg/Kg | ☼ | 80 | 57 - 135 |
| Methoxychlor | 0.0017 | U | 0.151 | 0.109 | | mg/Kg | ☼ | 72 | 57 - 135 |
| trans-Chlordane | 0.0013 | U | 0.151 | 0.125 | | mg/Kg | ☼ | 83 | 71 - 137 |
| trans-Chlordane | 0.0013 | U | 0.151 | 0.132 | | mg/Kg | ☼ | 88 | 71 - 137 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 56 | | 28 - 148 |
| DCB Decachlorobiphenyl | 66 | | 28 - 148 |
| Tetrachloro-m-xylene | 50 | | 34 - 118 |
| Tetrachloro-m-xylene | 53 | | 34 - 118 |

Lab Sample ID: 460-222916-A-1-F MSD

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|---------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| 4,4'-DDD | 0.016 | | 0.151 | 0.159 | | mg/Kg | ☼ | 95 | 70 - 140 | 0 | 30 |
| 4,4'-DDD | 0.016 | | 0.151 | 0.171 | | mg/Kg | ☼ | 103 | 70 - 140 | 3 | 30 |
| 4,4'-DDE | 0.0036 | J | 0.151 | 0.131 | | mg/Kg | ☼ | 85 | 71 - 137 | 1 | 30 |
| 4,4'-DDE | 0.0036 | J | 0.151 | 0.142 | | mg/Kg | ☼ | 92 | 71 - 137 | 3 | 30 |
| 4,4'-DDT | 0.013 | | 0.151 | 0.133 | | mg/Kg | ☼ | 80 | 63 - 131 | 1 | 30 |
| 4,4'-DDT | 0.013 | | 0.151 | 0.136 | | mg/Kg | ☼ | 82 | 63 - 131 | 3 | 30 |
| Aldrin | 0.0011 | U F1 | 0.151 | 0.0874 | | mg/Kg | ☼ | 58 | 74 - 140 | 20 | 30 |
| Aldrin | 0.0011 | U F1 | 0.151 | 0.0932 | | mg/Kg | ☼ | 62 | 74 - 140 | 18 | 30 |
| alpha-BHC | 0.00077 | U | 0.151 | 0.123 | | mg/Kg | ☼ | 82 | 72 - 142 | 2 | 30 |
| alpha-BHC | 0.00077 | U | 0.151 | 0.129 | | mg/Kg | ☼ | 86 | 72 - 142 | 1 | 30 |
| beta-BHC | 0.00085 | U | 0.151 | 0.132 | | mg/Kg | ☼ | 87 | 65 - 137 | 1 | 30 |
| beta-BHC | 0.00085 | U | 0.151 | 0.138 | | mg/Kg | ☼ | 91 | 65 - 137 | 0 | 30 |
| cis-Chlordane | 0.0012 | U | 0.151 | 0.126 | | mg/Kg | ☼ | 83 | 70 - 136 | 0 | 30 |
| cis-Chlordane | 0.0012 | U | 0.151 | 0.136 | | mg/Kg | ☼ | 90 | 70 - 136 | 2 | 30 |
| delta-BHC | 0.00046 | U | 0.151 | 0.135 | | mg/Kg | ☼ | 90 | 70 - 143 | 1 | 30 |
| delta-BHC | 0.00046 | U | 0.151 | 0.142 | | mg/Kg | ☼ | 94 | 70 - 143 | 1 | 30 |
| Dieldrin | 0.00098 | U | 0.151 | 0.130 | | mg/Kg | ☼ | 86 | 70 - 135 | 0 | 30 |
| Dieldrin | 0.00098 | U | 0.151 | 0.141 | | mg/Kg | ☼ | 93 | 70 - 135 | 2 | 30 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-222916-A-1-F MSD

Matrix: Solid

Analysis Batch: 741016

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740817

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Endosulfan I | 0.0012 | U | 0.151 | 0.125 | | mg/Kg | ☼ | 83 | 68 - 135 | 1 | 30 |
| Endosulfan I | 0.0012 | U | 0.151 | 0.137 | | mg/Kg | ☼ | 91 | 68 - 135 | 2 | 30 |
| Endosulfan II | 0.0019 | U | 0.151 | 0.134 | | mg/Kg | ☼ | 89 | 64 - 130 | 1 | 30 |
| Endosulfan II | 0.0019 | U | 0.151 | 0.143 | | mg/Kg | ☼ | 95 | 64 - 130 | 3 | 30 |
| Endosulfan sulfate | 0.00095 | U | 0.151 | 0.117 | | mg/Kg | ☼ | 77 | 66 - 143 | 2 | 30 |
| Endosulfan sulfate | 0.00095 | U | 0.151 | 0.126 | | mg/Kg | ☼ | 83 | 66 - 143 | 2 | 30 |
| Endrin | 0.0011 | U | 0.151 | 0.130 | | mg/Kg | ☼ | 86 | 68 - 136 | 2 | 30 |
| Endrin | 0.0011 | U | 0.151 | 0.146 | | mg/Kg | ☼ | 97 | 68 - 136 | 2 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.151 | 0.0999 | | mg/Kg | ☼ | 66 | 68 - 132 | 2 | 30 |
| Endrin aldehyde | 0.0018 | U | 0.151 | 0.109 | | mg/Kg | ☼ | 72 | 68 - 132 | 5 | 30 |
| Endrin ketone | 0.0015 | U | 0.151 | 0.122 | | mg/Kg | ☼ | 81 | 60 - 150 | 1 | 30 |
| Endrin ketone | 0.0015 | U | 0.151 | 0.130 | | mg/Kg | ☼ | 86 | 60 - 150 | 3 | 30 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.151 | 0.126 | | mg/Kg | ☼ | 84 | 70 - 134 | 1 | 30 |
| gamma-BHC (Lindane) | 0.00070 | U | 0.151 | 0.133 | | mg/Kg | ☼ | 88 | 70 - 134 | 0 | 30 |
| Heptachlor | 0.00089 | U | 0.151 | 0.121 | | mg/Kg | ☼ | 81 | 69 - 134 | 2 | 30 |
| Heptachlor | 0.00089 | U | 0.151 | 0.127 | | mg/Kg | ☼ | 84 | 69 - 134 | 0 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.151 | 0.123 | | mg/Kg | ☼ | 82 | 70 - 135 | 0 | 30 |
| Heptachlor epoxide | 0.0011 | U | 0.151 | 0.135 | | mg/Kg | ☼ | 90 | 70 - 135 | 1 | 30 |
| Methoxychlor | 0.0017 | U | 0.151 | 0.117 | | mg/Kg | ☼ | 78 | 57 - 135 | 2 | 30 |
| Methoxychlor | 0.0017 | U | 0.151 | 0.111 | | mg/Kg | ☼ | 74 | 57 - 135 | 2 | 30 |
| trans-Chlordane | 0.0013 | U | 0.151 | 0.126 | | mg/Kg | ☼ | 84 | 71 - 137 | 1 | 30 |
| trans-Chlordane | 0.0013 | U | 0.151 | 0.134 | | mg/Kg | ☼ | 89 | 71 - 137 | 1 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 58 | | 28 - 148 |
| DCB Decachlorobiphenyl | 67 | | 28 - 148 |
| Tetrachloro-m-xylene | 52 | | 34 - 118 |
| Tetrachloro-m-xylene | 52 | | 34 - 118 |

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-740815/1-A

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1016 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1221 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1232 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1242 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1248 | 0.0089 | U | 0.067 | 0.0089 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1254 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: MB 460-740815/1-A

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Aroclor 1260 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor-1262 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Aroclor 1268 | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Polychlorinated biphenyls, Total | 0.0092 | U | 0.067 | 0.0092 | mg/Kg | | 11/18/20 09:29 | 11/19/20 06:54 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| DCB Decachlorobiphenyl | 105 | | 10 - 150 | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| DCB Decachlorobiphenyl | 103 | | 10 - 150 | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Tetrachloro-m-xylene | 98 | | 58 - 145 | 11/18/20 09:29 | 11/19/20 06:54 | 1 |
| Tetrachloro-m-xylene | 103 | | 58 - 145 | 11/18/20 09:29 | 11/19/20 06:54 | 1 |

Lab Sample ID: LCS 460-740815/2-A

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|-------|---|------|--------------|
| Aroclor 1016 | 0.333 | 0.280 | | mg/Kg | | 84 | 65 - 133 |
| Aroclor 1016 | 0.333 | 0.295 | | mg/Kg | | 89 | 65 - 133 |
| Aroclor 1260 | 0.333 | 0.292 | | mg/Kg | | 88 | 71 - 150 |
| Aroclor 1260 | 0.333 | 0.277 | | mg/Kg | | 83 | 71 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 93 | | 10 - 150 |
| DCB Decachlorobiphenyl | 92 | | 10 - 150 |
| Tetrachloro-m-xylene | 87 | | 58 - 145 |
| Tetrachloro-m-xylene | 91 | | 58 - 145 |

Lab Sample ID: LCSD 460-740815/3-A

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.333 | 0.283 | | mg/Kg | | 85 | 65 - 133 | 1 | 30 |
| Aroclor 1016 | 0.333 | 0.298 | | mg/Kg | | 89 | 65 - 133 | 1 | 30 |
| Aroclor 1260 | 0.333 | 0.295 | | mg/Kg | | 89 | 71 - 150 | 1 | 30 |
| Aroclor 1260 | 0.333 | 0.285 | | mg/Kg | | 85 | 71 - 150 | 3 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|------------------------|----------------|----------------|----------|
| DCB Decachlorobiphenyl | 94 | | 10 - 150 |
| DCB Decachlorobiphenyl | 92 | | 10 - 150 |
| Tetrachloro-m-xylene | 87 | | 58 - 145 |
| Tetrachloro-m-xylene | 91 | | 58 - 145 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 460-222916-A-1-B MS

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aroclor 1016 | 0.010 | U | 0.376 | 0.300 | | mg/Kg | ☼ | 80 | 65 - 133 |
| Aroclor 1016 | 0.010 | U | 0.376 | 0.331 | | mg/Kg | ☼ | 88 | 65 - 133 |
| Aroclor 1260 | 0.010 | U | 0.376 | 0.325 | | mg/Kg | ☼ | 86 | 71 - 150 |
| Aroclor 1260 | 0.010 | U | 0.376 | 0.327 | | mg/Kg | ☼ | 87 | 71 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------|--------------|--------------|----------|
| DCB Decachlorobiphenyl | 75 | | 10 - 150 |
| DCB Decachlorobiphenyl | 81 | | 10 - 150 |
| Tetrachloro-m-xylene | 67 | | 58 - 145 |
| Tetrachloro-m-xylene | 74 | | 58 - 145 |

Lab Sample ID: 460-222916-A-1-C MSD

Matrix: Solid

Analysis Batch: 741035

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740815

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Aroclor 1016 | 0.010 | U | 0.376 | 0.311 | | mg/Kg | ☼ | 83 | 65 - 133 | 4 | 30 |
| Aroclor 1016 | 0.010 | U | 0.376 | 0.342 | | mg/Kg | ☼ | 91 | 65 - 133 | 3 | 30 |
| Aroclor 1260 | 0.010 | U | 0.376 | 0.327 | | mg/Kg | ☼ | 87 | 71 - 150 | 1 | 30 |
| Aroclor 1260 | 0.010 | U | 0.376 | 0.332 | | mg/Kg | ☼ | 88 | 71 - 150 | 2 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------|---------------|---------------|----------|
| DCB Decachlorobiphenyl | 79 | | 10 - 150 |
| DCB Decachlorobiphenyl | 86 | | 10 - 150 |
| Tetrachloro-m-xylene | 69 | | 58 - 145 |
| Tetrachloro-m-xylene | 76 | | 58 - 145 |

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-740672/1-A

Matrix: Solid

Analysis Batch: 740757

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740672

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| 2,4,5-T | 0.0071 | U | 0.033 | 0.0071 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| 2,4-D | 0.012 | U | 0.033 | 0.012 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| Silvex (2,4,5-TP) | 0.0035 | U | 0.033 | 0.0035 | mg/Kg | | 11/17/20 21:06 | 11/18/20 09:21 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------------|--------------|----------|----------------|----------------|---------|
| 2,4-Dichlorophenylacetic acid | 86 | | 30 - 150 | 11/17/20 21:06 | 11/18/20 09:21 | 1 |
| 2,4-Dichlorophenylacetic acid | 87 | | 30 - 150 | 11/17/20 21:06 | 11/18/20 09:21 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCS 460-740672/2-A

Matrix: Solid

Analysis Batch: 740757

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740672

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| 2,4,5-T | 0.0833 | 0.0688 | | mg/Kg | | 83 | 59 - 150 |
| 2,4,5-T | 0.0833 | 0.0728 | | mg/Kg | | 87 | 59 - 150 |
| 2,4-D | 0.333 | 0.258 | | mg/Kg | | 77 | 42 - 150 |
| 2,4-D | 0.333 | 0.282 | | mg/Kg | | 85 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0770 | | mg/Kg | | 92 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0893 | | mg/Kg | | 107 | 58 - 150 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 111 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 116 | | 30 - 150 |

Lab Sample ID: LCSD 460-740672/3-A

Matrix: Solid

Analysis Batch: 740757

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 740672

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0833 | 0.0655 | | mg/Kg | | 79 | 59 - 150 | 5 | 30 |
| 2,4,5-T | 0.0833 | 0.0721 | | mg/Kg | | 87 | 59 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.256 | | mg/Kg | | 77 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.333 | 0.281 | | mg/Kg | | 84 | 42 - 150 | 0 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0759 | | mg/Kg | | 91 | 58 - 150 | 1 | 30 |
| Silvex (2,4,5-TP) | 0.0833 | 0.0882 | | mg/Kg | | 106 | 58 - 150 | 1 | 30 |

| Surrogate | LCSD %Recovery | LCSD Qualifier | Limits |
|-------------------------------|----------------|----------------|----------|
| 2,4-Dichlorophenylacetic acid | 111 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 117 | | 30 - 150 |

Lab Sample ID: 460-222898-F-1-C MS

Matrix: Solid

Analysis Batch: 740757

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740672

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| 2,4,5-T | 0.0087 | U | 0.102 | 0.0982 | | mg/Kg | ✱ | 96 | 59 - 150 |
| 2,4,5-T | 0.0087 | U | 0.102 | 0.103 | | mg/Kg | ✱ | 101 | 59 - 150 |
| 2,4-D | 0.015 | U | 0.409 | 0.321 | | mg/Kg | ✱ | 78 | 42 - 150 |
| 2,4-D | 0.015 | U | 0.409 | 0.377 | | mg/Kg | ✱ | 92 | 42 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.102 | 0.0950 | | mg/Kg | ✱ | 93 | 58 - 150 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.102 | 0.110 | | mg/Kg | ✱ | 108 | 58 - 150 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-------------------------------|--------------|--------------|----------|
| 2,4-Dichlorophenylacetic acid | 101 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 121 | | 30 - 150 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-222898-F-1-D MSD

Matrix: Solid

Analysis Batch: 740757

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 740672

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| 2,4,5-T | 0.0087 | U | 0.102 | 0.0930 | | mg/Kg | ✱ | 91 | 59 - 150 | 5 | 30 |
| 2,4,5-T | 0.0087 | U | 0.102 | 0.0973 | | mg/Kg | ✱ | 95 | 59 - 150 | 6 | 30 |
| 2,4-D | 0.015 | U | 0.409 | 0.317 | | mg/Kg | ✱ | 78 | 42 - 150 | 1 | 30 |
| 2,4-D | 0.015 | U | 0.409 | 0.349 | | mg/Kg | ✱ | 85 | 42 - 150 | 8 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.102 | 0.0920 | | mg/Kg | ✱ | 90 | 58 - 150 | 3 | 30 |
| Silvex (2,4,5-TP) | 0.0043 | U | 0.102 | 0.108 | | mg/Kg | ✱ | 106 | 58 - 150 | 2 | 30 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|-------------------------------|---------------|---------------|----------|
| 2,4-Dichlorophenylacetic acid | 99 | | 30 - 150 |
| 2,4-Dichlorophenylacetic acid | 119 | | 30 - 150 |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-741180/1-A

Matrix: Solid

Analysis Batch: 741162

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 741180

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Aluminum | 2.6 | U | 20.0 | 2.6 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Antimony | 0.15 | U | 1.0 | 0.15 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Arsenic | 0.10 | U | 1.0 | 0.10 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Barium | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Beryllium | 0.057 | U | 0.40 | 0.057 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Cadmium | 0.11 | U | 1.0 | 0.11 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Calcium | 17.0 | U | 100 | 17.0 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Chromium | 0.17 | U | 2.0 | 0.17 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Cobalt | 0.15 | U | 2.0 | 0.15 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Copper | 0.22 | U | 2.0 | 0.22 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Iron | 20.2 | U | 60.0 | 20.2 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Lead | 0.20 | U | 0.60 | 0.20 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Magnesium | 10.2 | U | 100 | 10.2 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Manganese | 0.40 | U | 4.0 | 0.40 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Nickel | 0.19 | U | 2.0 | 0.19 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Potassium | 11.2 | U | 100 | 11.2 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Selenium | 0.12 | U | 1.3 | 0.12 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Silver | 0.089 | U | 1.0 | 0.089 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Sodium | 15.6 | U | 100 | 15.6 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Thallium | 0.041 | U | 0.40 | 0.041 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Vanadium | 0.21 | U | 2.0 | 0.21 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |
| Zinc | 2.3 | U | 8.0 | 2.3 | mg/Kg | | 11/19/20 15:30 | 11/20/20 00:41 | 1 |

Lab Sample ID: LCSSRM 460-741180/2-A

Matrix: Solid

Analysis Batch: 741162

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 741180

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|---------------|------------------|-------|---|------|--------------|
| Aluminum | 8190 | 7227 | | mg/Kg | | 88.2 | 48.7 - 151. |

4

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-741180/2-A
Matrix: Solid
Analysis Batch: 741162

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 741180

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|---------------|------------------|-------|---|-------|--------------|
| Antimony | 110 | 76.03 | | mg/Kg | | 69.1 | 3.6 - 210.9 |
| Arsenic | 162 | 154.0 | | mg/Kg | | 95.1 | 82.7 - 117.9 |
| Barium | 138 | 129.5 | | mg/Kg | | 93.8 | 82.6 - 117.4 |
| Beryllium | 157 | 149.1 | | mg/Kg | | 95.0 | 82.8 - 117.2 |
| Cadmium | 135 | 133.7 | | mg/Kg | | 99.1 | 82.2 - 117.0 |
| Calcium | 4790 | 4675 | | mg/Kg | | 97.6 | 81.6 - 118.2 |
| Chromium | 117 | 113.8 | | mg/Kg | | 97.3 | 82.0 - 117.9 |
| Cobalt | 92.6 | 94.00 | | mg/Kg | | 101.5 | 83.4 - 116.6 |
| Copper | 143 | 139.9 | | mg/Kg | | 97.8 | 83.2 - 116.1 |
| Iron | 15100 | 13640 | | mg/Kg | | 90.3 | 63.0 - 137.1 |
| Lead | 77.6 | 74.54 | | mg/Kg | | 96.1 | 83.4 - 116.5 |
| Magnesium | 2320 | 2206 | | mg/Kg | | 95.1 | 75.9 - 124.1 |
| Manganese | 319 | 331.2 | | mg/Kg | | 103.8 | 82.1 - 118.2 |
| Nickel | 79.9 | 80.64 | | mg/Kg | | 100.9 | 82.1 - 117.9 |
| Potassium | 2050 | 1850 | | mg/Kg | | 90.2 | 70.2 - 129.8 |
| Selenium | 172 | 173.1 | | mg/Kg | | 100.6 | 79.1 - 120.9 |
| Silver | 24.7 | 22.16 | | mg/Kg | | 89.7 | 80.6 - 119.8 |
| Sodium | 137 | 120.4 | J | mg/Kg | | 87.9 | 72.1 - 127.7 |
| Thallium | 88.0 | 85.89 | | mg/Kg | | 97.6 | 80.7 - 119.3 |
| Vanadium | 99.9 | 93.93 | | mg/Kg | | 94.0 | 79.0 - 121.1 |
| Zinc | 312 | 306.4 | | mg/Kg | | 98.2 | 80.4 - 119.6 |

Lab Sample ID: 460-222916-A-1-L MS
Matrix: Solid
Analysis Batch: 741162

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 741180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Aluminum | 9950 | | 452 | 10600 | 4 | mg/Kg | ⊛ | 145 | 75 - 125 |
| Antimony | 0.13 | U F1 | 4.52 | 2.29 | F1 | mg/Kg | ⊛ | 51 | 75 - 125 |
| Arsenic | 1.8 | | 9.04 | 10.26 | | mg/Kg | ⊛ | 93 | 75 - 125 |
| Barium | 97.4 | | 9.04 | 90.43 | 4 | mg/Kg | ⊛ | -77 | 75 - 125 |
| Beryllium | 0.45 | | 4.52 | 4.87 | | mg/Kg | ⊛ | 98 | 75 - 125 |
| Cadmium | 0.099 | J | 4.52 | 4.53 | | mg/Kg | ⊛ | 98 | 75 - 125 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-222916-A-1-L MS

Matrix: Solid

Analysis Batch: 741162

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 741180

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Calcium | 4790 | | 452 | 5019 | 4 | mg/Kg | ✱ | 50 | 75 - 125 |
| Chromium | 22.5 | | 9.04 | 32.70 | | mg/Kg | ✱ | 113 | 75 - 125 |
| Cobalt | 8.3 | | 4.52 | 12.33 | | mg/Kg | ✱ | 90 | 75 - 125 |
| Copper | 28.9 | F1 | 9.04 | 35.54 | F1 | mg/Kg | ✱ | 73 | 75 - 125 |
| Iron | 18700 | | 452 | 18350 | 4 | mg/Kg | ✱ | -85 | 75 - 125 |
| Lead | 9.7 | F1 | 4.52 | 12.71 | F1 | mg/Kg | ✱ | 66 | 75 - 125 |
| Magnesium | 4690 | | 452 | 4500 | 4 | mg/Kg | ✱ | -42 | 75 - 125 |
| Manganese | 235 | | 45.2 | 250.0 | 4 | mg/Kg | ✱ | 33 | 75 - 125 |
| Nickel | 21.1 | | 9.04 | 28.36 | | mg/Kg | ✱ | 80 | 75 - 125 |
| Potassium | 3310 | | 452 | 3127 | 4 | mg/Kg | ✱ | -41 | 75 - 125 |
| Selenium | 0.13 | J | 9.04 | 9.00 | | mg/Kg | ✱ | 98 | 75 - 125 |
| Silver | 0.077 | U | 4.52 | 4.41 | | mg/Kg | ✱ | 98 | 75 - 125 |
| Sodium | 265 | F1 | 452 | 865.3 | F1 | mg/Kg | ✱ | 133 | 75 - 125 |
| Thallium | 0.23 | J | 3.61 | 3.75 | | mg/Kg | ✱ | 98 | 75 - 125 |
| Vanadium | 28.9 | F1 | 9.04 | 34.89 | F1 | mg/Kg | ✱ | 66 | 75 - 125 |
| Zinc | 50.5 | F1 | 45.2 | 84.00 | F1 | mg/Kg | ✱ | 74 | 75 - 125 |

Lab Sample ID: 460-222916-A-1-K DU

Matrix: Solid

Analysis Batch: 741162

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 741180

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Aluminum | 9950 | | 9858 | | mg/Kg | ✱ | 0.9 | 20 |
| Antimony | 0.13 | U F1 | 0.12 | U | mg/Kg | ✱ | NC | 20 |
| Arsenic | 1.8 | | 1.78 | | mg/Kg | ✱ | 3 | 20 |
| Barium | 97.4 | | 92.84 | | mg/Kg | ✱ | 5 | 20 |
| Beryllium | 0.45 | | 0.443 | | mg/Kg | ✱ | 2 | 20 |
| Cadmium | 0.099 | J | 0.096 | U | mg/Kg | ✱ | NC | 20 |
| Calcium | 4790 | | 4108 | | mg/Kg | ✱ | 15 | 20 |
| Chromium | 22.5 | | 22.77 | | mg/Kg | ✱ | 1 | 20 |
| Cobalt | 8.3 | | 8.30 | | mg/Kg | ✱ | 0.6 | 20 |
| Copper | 28.9 | F1 | 27.13 | | mg/Kg | ✱ | 6 | 20 |
| Iron | 18700 | | 18320 | | mg/Kg | ✱ | 2 | 20 |
| Lead | 9.7 | F1 | 10.08 | | mg/Kg | ✱ | 3 | 20 |
| Magnesium | 4690 | | 4409 | | mg/Kg | ✱ | 6 | 20 |
| Manganese | 235 | | 234.6 | | mg/Kg | ✱ | 0.1 | 20 |
| Nickel | 21.1 | | 21.01 | | mg/Kg | ✱ | 0.4 | 20 |
| Potassium | 3310 | | 3031 | | mg/Kg | ✱ | 9 | 20 |
| Selenium | 0.13 | J | 0.105 | J F5 | mg/Kg | ✱ | 22 | 20 |
| Silver | 0.077 | U | 0.076 | U | mg/Kg | ✱ | NC | 20 |
| Sodium | 265 | F1 | 263.9 | | mg/Kg | ✱ | 0.3 | 20 |
| Thallium | 0.23 | J | 0.220 | J | mg/Kg | ✱ | 3 | 20 |
| Vanadium | 28.9 | F1 | 27.63 | | mg/Kg | ✱ | 5 | 20 |
| Zinc | 50.5 | F1 | 48.16 | | mg/Kg | ✱ | 5 | 20 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-740712/1-A

Matrix: Solid

Analysis Batch: 740835

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 740712

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.0040 | U | 0.017 | 0.0040 | mg/Kg | | 11/18/20 03:35 | 11/18/20 07:59 | 1 |

Lab Sample ID: LCSSRM 460-740712/2-A ^40

Matrix: Solid

Analysis Batch: 740835

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 740712

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Mercury | 18.4 | 18.31 | | mg/Kg | | 99.5 | 60.9 - 138.6 |

Lab Sample ID: 460-222916-F-1-A MS

Matrix: Solid

Analysis Batch: 740835

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 740712

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.0041 | U | 0.0856 | 0.0919 | | mg/Kg | ✱ | 107 | 80 - 120 |

Lab Sample ID: 460-222916-A-1-A DU

Matrix: Solid

Analysis Batch: 740835

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 740712

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Mercury | 0.0041 | U | 0.0041 | U | mg/Kg | ✱ | NC | 20 |

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-741159/1-A

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|------|-------|---|----------------|----------------|---------|
| Cr (VI) | 0.35 | U | 2.0 | 0.35 | mg/Kg | | 11/19/20 14:21 | 11/20/20 13:39 | 1 |

Lab Sample ID: LCSi 460-741159/3-A

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | Spike Added | LCSi Result | LCSi Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|-------------|----------------|-------|---|------|--------------|
| Cr (VI) | 644 | 733.6 | | mg/Kg | | 114 | 80 - 120 |

Lab Sample ID: LCSSRM 460-741159/2-A

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|---------------|------------------|-------|---|------|--------------|
| Cr (VI) | 15.6 | 15.07 | | mg/Kg | | 96.8 | 84.2 - 114.5 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: 7196A - Chromium, Hexavalent (Continued)

Lab Sample ID: 460-222904-B-1-J MSS

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSS Result | MSS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.39 | U | 44.7 | 43.90 | | mg/Kg | ✱ | 98 | 75 - 125 |

Lab Sample ID: 460-222904-B-1-K MSI

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSI Result | MSI Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cr (VI) | 0.39 | U | 719 | 689.4 | | mg/Kg | ✱ | 96 | 75 - 125 |

Lab Sample ID: 460-222904-B-1-I DU

Matrix: Solid

Analysis Batch: 741512

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 741159

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|-------|---|-----|-----------|
| Cr (VI) | 0.39 | U | 0.39 | U | mg/Kg | ✱ | NC | 20 |

Method: 9012B - Cyanide, Total and/or Amenable

Lab Sample ID: MB 460-741697/1-A

Matrix: Solid

Analysis Batch: 741744

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 741697

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Total | 0.12 | U | 0.24 | 0.12 | mg/Kg | | 11/21/20 15:25 | 11/21/20 17:27 | 1 |

Lab Sample ID: LCSSRM 460-741697/2-A ^20

Matrix: Solid

Analysis Batch: 741744

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 741697

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|-------------|---------------|------------------|-------|---|------|--------------|
| Cyanide, Total | 157 | 97.92 | | mg/Kg | | 62.4 | 23.5 - 110.2 |

Lab Sample ID: 460-222682-F-3-K MS

Matrix: Solid

Analysis Batch: 741744

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 741697

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Cyanide, Total | 0.14 | U F1 | 5.45 | 6.86 | F1 | mg/Kg | ✱ | 126 | 11 - 108 |

Lab Sample ID: 460-222682-F-3-L MSD

Matrix: Solid

Analysis Batch: 741744

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 741697

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Cyanide, Total | 0.14 | U F1 | 5.45 | 6.84 | F1 | mg/Kg | ✱ | 125 | 11 - 108 | 0 | 40 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Method: Moisture - Percent Moisture

Lab Sample ID: 460-222557-A-35 DU

Matrix: Solid

Analysis Batch: 741150

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample
Result | Sample
Qualifier | DU
Result | DU
Qualifier | Unit | D | RPD | RPD
Limit |
|------------------|------------------|---------------------|--------------|-----------------|------|---|-----|--------------|
| Percent Moisture | 14.4 | | 18.2 | F3 | % | | 23 | 20 |
| Percent Solids | 85.6 | | 81.8 | | % | | 5 | 20 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

GC/MS VOA

Prep Batch: 740673

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 5035 | 740673 |
| LB3 460-740673/1-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 741026

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LB3 460-740673/1-A | Method Blank | Total/NA | Solid | 8260D | 740673 |
| MB 460-741026/7 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-741026/3 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-741026/4 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |
| | | | | | |

Analysis Batch: 741269

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8260D | 740673 |
| MB 460-741269/7 | Method Blank | Total/NA | Solid | 8260D | |
| LCS 460-741269/3 | Lab Control Sample | Total/NA | Solid | 8260D | |
| LCSD 460-741269/4 | Lab Control Sample Dup | Total/NA | Solid | 8260D | |
| | | | | | |

GC/MS Semi VOA

Prep Batch: 740615

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 3546 | 740615 |
| MB 460-740615/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-740615/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| 460-222910-F-1-A MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222910-F-1-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 740687

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8270E | 740615 |
| MB 460-740615/1-A | Method Blank | Total/NA | Solid | 8270E | |
| LCS 460-740615/2-A | Lab Control Sample | Total/NA | Solid | 8270E | |
| 460-222910-F-1-A MS | Matrix Spike | Total/NA | Solid | 8270E | |
| 460-222910-F-1-B MSD | Matrix Spike Duplicate | Total/NA | Solid | 8270E | |

GC Semi VOA

Prep Batch: 740672

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8151A | 740672 |
| MB 460-740672/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-740672/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-740672/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| 460-222898-F-1-C MS | Matrix Spike | Total/NA | Solid | 8151A | |
| 460-222898-F-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | |

Analysis Batch: 740757

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8151A | 740672 |
| MB 460-740672/1-A | Method Blank | Total/NA | Solid | 8151A | |
| LCS 460-740672/2-A | Lab Control Sample | Total/NA | Solid | 8151A | |
| LCSD 460-740672/3-A | Lab Control Sample Dup | Total/NA | Solid | 8151A | |
| | | | | | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

GC Semi VOA (Continued)

Analysis Batch: 740757 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222898-F-1-C MS | Matrix Spike | Total/NA | Solid | 8151A | 740672 |
| 460-222898-F-1-D MSD | Matrix Spike Duplicate | Total/NA | Solid | 8151A | 740672 |

Prep Batch: 740815

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 3546 | |
| MB 460-740815/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-740815/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-740815/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-222916-A-1-B MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222916-A-1-C MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Prep Batch: 740817

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 3546 | |
| MB 460-740817/1-A | Method Blank | Total/NA | Solid | 3546 | |
| LCS 460-740817/2-A | Lab Control Sample | Total/NA | Solid | 3546 | |
| LCSD 460-740817/3-A | Lab Control Sample Dup | Total/NA | Solid | 3546 | |
| 460-222916-A-1-E MS | Matrix Spike | Total/NA | Solid | 3546 | |
| 460-222916-A-1-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 3546 | |

Analysis Batch: 741016

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8081B | 740817 |
| MB 460-740817/1-A | Method Blank | Total/NA | Solid | 8081B | 740817 |
| LCS 460-740817/2-A | Lab Control Sample | Total/NA | Solid | 8081B | 740817 |
| LCSD 460-740817/3-A | Lab Control Sample Dup | Total/NA | Solid | 8081B | 740817 |
| 460-222916-A-1-E MS | Matrix Spike | Total/NA | Solid | 8081B | 740817 |
| 460-222916-A-1-F MSD | Matrix Spike Duplicate | Total/NA | Solid | 8081B | 740817 |

Analysis Batch: 741035

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 8082A | 740815 |
| MB 460-740815/1-A | Method Blank | Total/NA | Solid | 8082A | 740815 |
| LCS 460-740815/2-A | Lab Control Sample | Total/NA | Solid | 8082A | 740815 |
| LCSD 460-740815/3-A | Lab Control Sample Dup | Total/NA | Solid | 8082A | 740815 |
| 460-222916-A-1-B MS | Matrix Spike | Total/NA | Solid | 8082A | 740815 |
| 460-222916-A-1-C MSD | Matrix Spike Duplicate | Total/NA | Solid | 8082A | 740815 |

Metals

Prep Batch: 740712

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7471B | |
| MB 460-740712/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCSSRM 460-740712/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | |
| 460-222916-F-1-A MS | Matrix Spike | Total/NA | Solid | 7471B | |
| 460-222916-A-1-A DU | Duplicate | Total/NA | Solid | 7471B | |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Metals

Analysis Batch: 740835

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7471B | 740712 |
| MB 460-740712/1-A | Method Blank | Total/NA | Solid | 7471B | 740712 |
| LCSSRM 460-740712/2-A ^4 | Lab Control Sample | Total/NA | Solid | 7471B | 740712 |
| 460-222916-F-1-A MS | Matrix Spike | Total/NA | Solid | 7471B | 740712 |
| 460-222916-A-1-A DU | Duplicate | Total/NA | Solid | 7471B | 740712 |

Analysis Batch: 741162

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 6020B | 741180 |
| MB 460-741180/1-A | Method Blank | Total/NA | Solid | 6020B | 741180 |
| LCSSRM 460-741180/2-A | Lab Control Sample | Total/NA | Solid | 6020B | 741180 |
| 460-222916-A-1-L MS | Matrix Spike | Total/NA | Solid | 6020B | 741180 |
| 460-222916-A-1-K DU | Duplicate | Total/NA | Solid | 6020B | 741180 |

Prep Batch: 741180

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 3050B | |
| MB 460-741180/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCSSRM 460-741180/2-A | Lab Control Sample | Total/NA | Solid | 3050B | |
| 460-222916-A-1-L MS | Matrix Spike | Total/NA | Solid | 3050B | |
| 460-222916-A-1-K DU | Duplicate | Total/NA | Solid | 3050B | |

General Chemistry

Analysis Batch: 740752

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7196A | |

Analysis Batch: 741150

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|----------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | Moisture | |
| 460-222557-A-35 MS | Matrix Spike | Total/NA | Solid | Moisture | |
| 460-222557-A-35 DU | Duplicate | Total/NA | Solid | Moisture | |

Prep Batch: 741159

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 3060A | |
| MB 460-741159/1-A | Method Blank | Total/NA | Solid | 3060A | |
| LCSI 460-741159/3-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| LCSSRM 460-741159/2-A | Lab Control Sample | Total/NA | Solid | 3060A | |
| 460-222904-B-1-J MSS | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-222904-B-1-K MSI | Matrix Spike | Total/NA | Solid | 3060A | |
| 460-222904-B-1-I DU | Duplicate | Total/NA | Solid | 3060A | |

Analysis Batch: 741512

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7196A | 741159 |
| MB 460-741159/1-A | Method Blank | Total/NA | Solid | 7196A | 741159 |
| LCSI 460-741159/3-A | Lab Control Sample | Total/NA | Solid | 7196A | 741159 |
| LCSSRM 460-741159/2-A | Lab Control Sample | Total/NA | Solid | 7196A | 741159 |
| 460-222904-B-1-J MSS | Matrix Spike | Total/NA | Solid | 7196A | 741159 |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

General Chemistry (Continued)

Analysis Batch: 741512 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------|-----------|--------|--------|------------|
| 460-222904-B-1-K MSI | Matrix Spike | Total/NA | Solid | 7196A | 741159 |
| 460-222904-B-1-I DU | Duplicate | Total/NA | Solid | 7196A | 741159 |

Prep Batch: 741697

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 9012B | |
| MB 460-741697/1-A | Method Blank | Total/NA | Solid | 9012B | |
| LCSSRM 460-741697/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | |
| 460-222682-F-3-K MS | Matrix Spike | Total/NA | Solid | 9012B | |
| 460-222682-F-3-L MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | |

Analysis Batch: 741744

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------------|------------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 9012B | 741697 |
| MB 460-741697/1-A | Method Blank | Total/NA | Solid | 9012B | 741697 |
| LCSSRM 460-741697/2-A ^2 | Lab Control Sample | Total/NA | Solid | 9012B | 741697 |
| 460-222682-F-3-K MS | Matrix Spike | Total/NA | Solid | 9012B | 741697 |
| 460-222682-F-3-L MSD | Matrix Spike Duplicate | Total/NA | Solid | 9012B | 741697 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 7196A | | 1 | 740752 | 11/18/20 06:09 | TJW | TAL EDI |
| Total/NA | Analysis | Moisture | | 1 | 741150 | 11/19/20 12:35 | MMC | TAL EDI |

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Percent Solids: 86.2

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 5035 | | | 740673 | 11/17/20 21:53 | AVM | TAL EDI |
| Total/NA | Analysis | 8260D | | 1 | 741269 | 11/20/20 03:14 | AAT | TAL EDI |
| Total/NA | Prep | 3546 | | | 740615 | 11/17/20 17:33 | DMS | TAL EDI |
| Total/NA | Analysis | 8270E | | 1 | 740687 | 11/18/20 04:34 | MME | TAL EDI |
| Total/NA | Prep | 3546 | | | 740817 | 11/18/20 09:33 | ZXB | TAL EDI |
| Total/NA | Analysis | 8081B | | 1 | 741016 | 11/19/20 09:54 | FAM | TAL EDI |
| Total/NA | Prep | 3546 | | | 740815 | 11/18/20 09:29 | ZXB | TAL EDI |
| Total/NA | Analysis | 8082A | | 1 | 741035 | 11/19/20 11:37 | JHP | TAL EDI |
| Total/NA | Prep | 8151A | | | 740672 | 11/17/20 21:06 | AFR | TAL EDI |
| Total/NA | Analysis | 8151A | | 1 | 740757 | 11/18/20 12:05 | SAK | TAL EDI |
| Total/NA | Prep | 3050B | | | 741180 | 11/19/20 15:30 | GAE | TAL EDI |
| Total/NA | Analysis | 6020B | | 1 | 741162 | 11/20/20 00:57 | YZH | TAL EDI |
| Total/NA | Prep | 7471B | | | 740712 | 11/18/20 03:35 | TJS | TAL EDI |
| Total/NA | Analysis | 7471B | | 1 | 740835 | 11/18/20 08:36 | TJS | TAL EDI |
| Total/NA | Prep | 3060A | | | 741159 | 11/19/20 14:21 | MBE | TAL EDI |
| Total/NA | Analysis | 7196A | | 1 | 741512 | 11/20/20 16:10 | RPR | TAL EDI |
| Total/NA | Prep | 9012B | | | 741697 | 11/21/20 15:25 | MBE | TAL EDI |
| Total/NA | Analysis | 9012B | | 1 | 741744 | 11/21/20 17:44 | HTV | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|----------------------------|
| 7196A | | Solid | Cr (III) |
| 8270E | 3546 | Solid | 1,2,4,5-Tetrachlorobenzene |
| 8270E | 3546 | Solid | 3 & 4 Methylphenol |
| 8270E | 3546 | Solid | Nitrobenzene |
| Moisture | | Solid | Percent Moisture |
| Moisture | | Solid | Percent Solids |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

| Method | Method Description | Protocol | Laboratory |
|----------|--|----------|------------|
| 8260D | Volatile Organic Compounds by GC/MS | SW846 | TAL EDI |
| 8270E | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL EDI |
| 8081B | Organochlorine Pesticides (GC) | SW846 | TAL EDI |
| 8082A | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | SW846 | TAL EDI |
| 8151A | Herbicides (GC) | SW846 | TAL EDI |
| 6020B | Metals (ICP/MS) | SW846 | TAL EDI |
| 7471B | Mercury (CVAA) | SW846 | TAL EDI |
| 7196A | Chromium, Hexavalent | SW846 | TAL EDI |
| 7196A | Chromium, Trivalent (Colorimetric) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable | SW846 | TAL EDI |
| Moisture | Percent Moisture | EPA | TAL EDI |
| 3050B | Preparation, Metals | SW846 | TAL EDI |
| 3060A | Alkaline Digestion (Chromium, Hexavalent) | SW846 | TAL EDI |
| 3546 | Microwave Extraction | SW846 | TAL EDI |
| 5035 | Closed System Purge and Trap | SW846 | TAL EDI |
| 7471B | Preparation, Mercury | SW846 | TAL EDI |
| 8151A | Extraction (Herbicides) | SW846 | TAL EDI |
| 9012B | Cyanide, Total and/or Amenable, Distillation | SW846 | TAL EDI |

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-222907-1 | TP-12_ (0-2) | Solid | 11/16/20 11:30 | 11/16/20 18:00 | |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

282907

IR Gun #

Cooler Temperatures

Cooler #1:

TALS Sample Number

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date: 11/6/20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-222907-1

Login Number: 222907

List Number: 1

Creator: Meyers, Gary

List Source: Eurofins TestAmerica, Edison

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT


Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-222907-2
Client Project/Site: Project Commodore

For:

Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Attn: Ms. Rachel Henke



Authorized for release by:
12/21/2020 8:41:28 AM

Melissa Haas, Senior Project Manager
(203)308-0880
Melissa.Haas@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:


www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.



Melissa Haas
Senior Project Manager
12/21/2020 8:41:28 AM

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Detection Summary | 7 |
| Client Sample Results | 8 |
| QC Sample Results | 9 |
| QC Association Summary | 12 |
| Lab Chronicle | 14 |
| Certification Summary | 15 |
| Method Summary | 16 |
| Sample Summary | 17 |
| Chain of Custody | 18 |
| Receipt Checklists | 20 |



Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Qualifiers

Metals

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| HF | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| □ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Job ID: 460-222907-2

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: Project Commodore

Report Number: 460-222907-2

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/16/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.4 C.

Receipt Exceptions

The methods on hold were moved to a -2 job to be reported separately if activated.

The following sample was activated for RCRA Characteristics and TCLP Lead by the client on 12/14/2020. TP-12_ (0-2) (460-222907-1)

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

TCLP METALS

Sample TP-12_ (0-2) (460-222907-1) was analyzed for TCLP metals in accordance with 6010D. The samples were leached on 12/15/2020, and prepared and analyzed on 12/18/2020.

No difficulties were encountered during the TCLP metals analysis.

All quality control parameters were within the acceptance limits.

IGNITABILITY

Sample TP-12_ (0-2) (460-222907-1) was analyzed for Ignitability in accordance with EPA SW-846 Method 1030. The samples were analyzed on 12/18/2020.

No difficulties were encountered during the Ignitability analysis.

All quality control parameters were within the acceptance limits.

Case Narrative

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Job ID: 460-222907-2 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

REACTIVE CYANIDE

Sample TP-12_ (0-2) (460-222907-1) was analyzed for reactive cyanide in accordance with EPA SW-846 Method 7.3.3/9014. The samples were prepared and analyzed on 12/18/2020.

No difficulties were encountered during the reactive cyanide analysis.

All quality control parameters were within the acceptance limits.

REACTIVE SULFIDE

Sample TP-12_ (0-2) (460-222907-1) was analyzed for reactive sulfide in accordance with EPA SW-846 Method 7.3.4/9034. The samples were prepared and analyzed on 12/18/2020.

No difficulties were encountered during the reactive sulfide analysis.

All quality control parameters were within the acceptance limits.

CORROSIVITY (PH)

Sample TP-12_ (0-2) (460-222907-1) was analyzed for corrosivity (pH) in accordance with EPA SW-846 Method 9045D. The samples were analyzed on 12/18/2020.

No difficulties were encountered during the corrosivity (pH) analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------|--------|-----------|------|------|-----------|---------|---|--------|-----------|
| Lead | 38.5 | J | 50.0 | 11.8 | ug/L | 5 | | 6010D | TCLP |
| Corrosivity | 8.0 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| pH | 8.0 | HF | 0.1 | 0.1 | SU | 1 | | 9045D | Total/NA |
| Temperature | 20.4 | HF | 0.1 | 0.1 | Degrees C | 1 | | 9045D | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

Method: 6010D - Metals (ICP) - TCLP

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|------|------|---|----------------|----------------|---------|
| Lead | 38.5 | J | 50.0 | 11.8 | ug/L | | 12/18/20 11:03 | 12/18/20 15:50 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|--------|-----------|------|------|-----------|---|----------------|----------------|---------|
| Burn Rate | 2.20 | U | 2.20 | 2.20 | mm/sec | | | 12/18/20 10:41 | 1 |
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 12/18/20 16:39 | 12/18/20 16:49 | 1 |
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 12/18/20 16:29 | 12/18/20 16:44 | 1 |
| Corrosivity | 8.0 | HF | 0.1 | 0.1 | SU | | | 12/18/20 14:28 | 1 |
| pH | 8.0 | HF | 0.1 | 0.1 | SU | | | 12/18/20 14:28 | 1 |
| Temperature | 20.4 | HF | 0.1 | 0.1 | Degrees C | | | 12/18/20 14:28 | 1 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 460-747795/1-A
Matrix: Solid
Analysis Batch: 747804

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 747795

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|-----|------|---|----------------|----------------|---------|
| Lead | 2.4 | U | 10.0 | 2.4 | ug/L | | 12/18/20 11:03 | 12/18/20 16:07 | 1 |

Lab Sample ID: LCS 460-747795/2-A ^2
Matrix: Solid
Analysis Batch: 747804

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 747795

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Lead | 5000 | 5286 | | ug/L | | 106 | 80 - 120 |

Lab Sample ID: LB 460-747167/1-F ^5
Matrix: Solid
Analysis Batch: 747804

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 747795

| Analyte | LB Result | LB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|------|------|------|---|----------------|----------------|---------|
| Lead | 11.8 | U | 50.0 | 11.8 | ug/L | | 12/18/20 11:03 | 12/18/20 16:40 | 5 |

Lab Sample ID: 460-222907-1 MS
Matrix: Solid
Analysis Batch: 747804

Client Sample ID: TP-12_ (0-2)
Prep Type: TCLP
Prep Batch: 747795

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Lead | 38.5 | J | 5000 | 5450 | | ug/L | | 108 | 75 - 125 |

Lab Sample ID: 460-222907-1 DU
Matrix: Solid
Analysis Batch: 747804

Client Sample ID: TP-12_ (0-2)
Prep Type: TCLP
Prep Batch: 747795

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Lead | 38.5 | J | 43.84 | J | ug/L | | 13 | 20 |

Method: 1030 - Ignitability, Solids

Lab Sample ID: 460-222907-1 DU
Matrix: Solid
Analysis Batch: 747793

Client Sample ID: TP-12_ (0-2)
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-----------|---------------|------------------|-----------|--------------|--------|---|-----|-----------|
| Burn Rate | 2.20 | U | 2.20 | U | mm/sec | | NC | 10 |

Method: 9014 - Cyanide, Reactive

Lab Sample ID: MB 460-747887/1-A
Matrix: Solid
Analysis Batch: 747891

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 747887

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Cyanide, Reactive | 25.0 | U | 25.0 | 25.0 | mg/Kg | | 12/18/20 16:39 | 12/18/20 16:49 | 1 |

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Method: 9014 - Cyanide, Reactive (Continued)

Lab Sample ID: LCS 460-747887/2-A
Matrix: Solid
Analysis Batch: 747891

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 747887

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|------------|---------------|-------|---|------|--------------|
| Cyanide, Reactive | 40.0 | 25.0 | U | mg/Kg | | 12 | 10 - 100 |

Lab Sample ID: 460-222907-1 DU
Matrix: Solid
Analysis Batch: 747891

Client Sample ID: TP-12_ (0-2)
Prep Type: Total/NA
Prep Batch: 747887

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|-------------------|---------------|------------------|-----------|--------------|-------|---|-----|-------|
| Cyanide, Reactive | 25.0 | U | 25.0 | U | mg/Kg | | NC | 10 |

Method: 9034 - Sulfide, Reactive

Lab Sample ID: MB 460-747882/1-A
Matrix: Solid
Analysis Batch: 747889

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 747882

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Sulfide, Reactive | 20.0 | U | 20.0 | 20.0 | mg/Kg | | 12/18/20 16:29 | 12/18/20 16:44 | 1 |

Lab Sample ID: LCSSRM 460-747882/3-A
Matrix: Solid
Analysis Batch: 747889

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 747882

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|-------------|---------------|------------------|-------|---|-------|--------------|
| Sulfide, Reactive | 62.6 | 67.58 | | mg/Kg | | 108.0 | 44.9 - 144.2 |

Lab Sample ID: 460-222907-1 MS
Matrix: Solid
Analysis Batch: 747889

Client Sample ID: TP-12_ (0-2)
Prep Type: Total/NA
Prep Batch: 747882

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Sulfide, Reactive | 20.0 | U | 325 | 256.7 | | mg/Kg | | 79 | 64 - 136 |

Lab Sample ID: 460-222907-1 MSD
Matrix: Solid
Analysis Batch: 747889

Client Sample ID: TP-12_ (0-2)
Prep Type: Total/NA
Prep Batch: 747882

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|-------------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-------|
| Sulfide, Reactive | 20.0 | U | 325 | 249.2 | | mg/Kg | | 77 | 64 - 136 | 3 | 10 |

Method: 9045D - pH

Lab Sample ID: MB 460-747765/2
Matrix: Solid
Analysis Batch: 747765

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|-----------|--------------|-----|-----|-----------|---|----------|----------------|---------|
| Corrosivity | 6.1 | | 0.1 | 0.1 | SU | | | 12/18/20 14:18 | 1 |
| pH | 6.1 | | 0.1 | 0.1 | SU | | | 12/18/20 14:18 | 1 |
| Temperature | 22.0 | | 0.1 | 0.1 | Degrees C | | | 12/18/20 14:18 | 1 |

Eurofins TestAmerica, Edison

QC Sample Results

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Method: 9045D - pH (Continued)

Lab Sample ID: LCSSRM 460-747765/3

Matrix: Solid

Analysis Batch: 747765

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCSSRM Result | LCSSRM Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|-------------|---------------|------------------|------|---|------|--------------|
| Corrosivity | 8.31 | 8.2 | | SU | | 98.4 | 97.6 - 102.4 |
| pH | 8.31 | 8.2 | | SU | | 98.4 | 97.6 - 102.4 |

Lab Sample ID: 460-224684-A-3 DU

Matrix: Solid

Analysis Batch: 747765

Client Sample ID: Duplicate

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|-------------|---------------|------------------|-----------|--------------|-----------|---|-----|-----------|
| Corrosivity | 8.6 | | 8.7 | | SU | | 0.5 | 10 |
| pH | 8.6 | | 8.7 | | SU | | 0.5 | 10 |
| Temperature | 20.5 | | 20.5 | | Degrees C | | 0 | 10 |

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Metals

Leach Batch: 747167

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | TCLP | Solid | 1311 | |
| LB 460-747167/1-F ^5 | Method Blank | TCLP | Solid | 1311 | |
| 460-222907-1 MS | TP-12_ (0-2) | TCLP | Solid | 1311 | |
| 460-222907-1 DU | TP-12_ (0-2) | TCLP | Solid | 1311 | |

Prep Batch: 747795

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | TCLP | Solid | 3010A | 747167 |
| LB 460-747167/1-F ^5 | Method Blank | TCLP | Solid | 3010A | 747167 |
| MB 460-747795/1-A | Method Blank | Total/NA | Solid | 3010A | |
| LCS 460-747795/2-A ^2 | Lab Control Sample | Total/NA | Solid | 3010A | |
| 460-222907-1 MS | TP-12_ (0-2) | TCLP | Solid | 3010A | 747167 |
| 460-222907-1 DU | TP-12_ (0-2) | TCLP | Solid | 3010A | 747167 |

Analysis Batch: 747804

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | TCLP | Solid | 6010D | 747795 |
| LB 460-747167/1-F ^5 | Method Blank | TCLP | Solid | 6010D | 747795 |
| MB 460-747795/1-A | Method Blank | Total/NA | Solid | 6010D | 747795 |
| LCS 460-747795/2-A ^2 | Lab Control Sample | Total/NA | Solid | 6010D | 747795 |
| 460-222907-1 MS | TP-12_ (0-2) | TCLP | Solid | 6010D | 747795 |
| 460-222907-1 DU | TP-12_ (0-2) | TCLP | Solid | 6010D | 747795 |

General Chemistry

Analysis Batch: 747765

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 9045D | |
| MB 460-747765/2 | Method Blank | Total/NA | Solid | 9045D | |
| LCSSRM 460-747765/3 | Lab Control Sample | Total/NA | Solid | 9045D | |
| 460-224684-A-3 DU | Duplicate | Total/NA | Solid | 9045D | |

Analysis Batch: 747793

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 1030 | |
| 460-222907-1 DU | TP-12_ (0-2) | Total/NA | Solid | 1030 | |

Prep Batch: 747882

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7.3.4 | |
| MB 460-747882/1-A | Method Blank | Total/NA | Solid | 7.3.4 | |
| LCSSRM 460-747882/3-A | Lab Control Sample | Total/NA | Solid | 7.3.4 | |
| 460-222907-1 MS | TP-12_ (0-2) | Total/NA | Solid | 7.3.4 | |
| 460-222907-1 MSD | TP-12_ (0-2) | Total/NA | Solid | 7.3.4 | |

Prep Batch: 747887

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 7.3.3 | |
| MB 460-747887/1-A | Method Blank | Total/NA | Solid | 7.3.3 | |
| LCS 460-747887/2-A | Lab Control Sample | Total/NA | Solid | 7.3.3 | |
| 460-222907-1 DU | TP-12_ (0-2) | Total/NA | Solid | 7.3.3 | |

Eurofins TestAmerica, Edison

QC Association Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

General Chemistry

Analysis Batch: 747889

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 9034 | 747882 |
| MB 460-747882/1-A | Method Blank | Total/NA | Solid | 9034 | 747882 |
| LCSSRM 460-747882/3-A | Lab Control Sample | Total/NA | Solid | 9034 | 747882 |
| 460-222907-1 MS | TP-12_ (0-2) | Total/NA | Solid | 9034 | 747882 |
| 460-222907-1 MSD | TP-12_ (0-2) | Total/NA | Solid | 9034 | 747882 |

Analysis Batch: 747891

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 460-222907-1 | TP-12_ (0-2) | Total/NA | Solid | 9014 | 747887 |
| MB 460-747887/1-A | Method Blank | Total/NA | Solid | 9014 | 747887 |
| LCS 460-747887/2-A | Lab Control Sample | Total/NA | Solid | 9014 | 747887 |
| 460-222907-1 DU | TP-12_ (0-2) | Total/NA | Solid | 9014 | 747887 |

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Client Sample ID: TP-12_ (0-2)

Lab Sample ID: 460-222907-1

Date Collected: 11/16/20 11:30

Matrix: Solid

Date Received: 11/16/20 18:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| TCLP | Leach | 1311 | | | 747167 | 12/15/20 16:00 | YAH | TAL EDI |
| TCLP | Prep | 3010A | | | 747795 | 12/18/20 11:03 | IBS | TAL EDI |
| TCLP | Analysis | 6010D | | 5 | 747804 | 12/18/20 15:50 | CDC | TAL EDI |
| Total/NA | Analysis | 1030 | | 1 | 747793 | 12/18/20 10:41 | YAH | TAL EDI |
| Total/NA | Prep | 7.3.3 | | | 747887 | 12/18/20 16:39 | YAH | TAL EDI |
| Total/NA | Analysis | 9014 | | 1 | 747891 | 12/18/20 16:49 | YAH | TAL EDI |
| Total/NA | Prep | 7.3.4 | | | 747882 | 12/18/20 16:29 | YAH | TAL EDI |
| Total/NA | Analysis | 9034 | | 1 | 747889 | 12/18/20 16:44 | YAH | TAL EDI |
| Total/NA | Analysis | 9045D | | 1 | 747765 | 12/18/20 14:28 | AAP | TAL EDI |

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

Laboratory: Eurofins TestAmerica, Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York | NELAP | 11452 | 04-01-21 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|-------------------|
| 9014 | 7.3.3 | Solid | Cyanide, Reactive |
| 9034 | 7.3.4 | Solid | Sulfide, Reactive |
| 9045D | | Solid | Temperature |

Method Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

| Method | Method Description | Protocol | Laboratory |
|--------|---------------------------|----------|------------|
| 6010D | Metals (ICP) | SW846 | TAL EDI |
| 1030 | Ignitability, Solids | SW846 | TAL EDI |
| 9014 | Cyanide, Reactive | SW846 | TAL EDI |
| 9034 | Sulfide, Reactive | SW846 | TAL EDI |
| 9045D | pH | SW846 | TAL EDI |
| 1311 | TCLP Extraction | SW846 | TAL EDI |
| 3010A | Preparation, Total Metals | SW846 | TAL EDI |
| 7.3.3 | Cyanide, Reactive | SW846 | TAL EDI |
| 7.3.4 | Sulfide, Reactive | SW846 | TAL EDI |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: Project Commodore

Job ID: 460-222907-2

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 460-222907-1 | TP-12_ (0-2) | Solid | 11/16/20 11:30 | 11/16/20 18:00 | |

282907

IR Gun #

Cooler Temperatures

| | RAW | CORRECTED | | RAW | CORRECTED |
|------------|-----|-----------|------------|-----|-----------|
| Cooler #1: | 24 | ℃ | Cooler #4: | ℃ | ℃ |
| Cooler #2: | | ℃ | Cooler #5: | ℃ | ℃ |
| Cooler #3: | | ℃ | Cooler #6: | ℃ | ℃ |
| | | | Cooler #7: | | ℃ |
| | | | Cooler #8: | | ℃ |
| | | | Cooler #9: | | ℃ |

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date: 11/6/20

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-222907-2

Login Number: 222907

List Number: 1

Creator: Meyers, Gary

List Source: Eurofins TestAmerica, Edison

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |



Remedial Action Plan

109 East 42nd Street
New York, New York

May 10, 2021

Prepared for:

Commodore Owner LLC
75 Rockefeller Plaza
Suite 1500
New York, New York 10019

Prepared by:

**Roux Environmental Engineering
and Geology, D.P.C.**
209 Shafter Street
Islandia, New York 11749

Table of Contents

| | |
|--|----|
| 1. Introduction | 1 |
| 1.1 Property Location and Site Description | 1 |
| 1.2 Site History | 1 |
| 1.3 Proposed Site Redevelopment..... | 2 |
| 1.4 Topographic and Hydrogeologic Setting | 2 |
| 1.5 Previous Environmental Reports and Environmental Conditions..... | 3 |
| 2. Remedial Action | 5 |
| 2.1 Remedial Action Objectives..... | 5 |
| 2.2 Soil Excavation and Management..... | 5 |
| 2.3 Best Management Practices..... | 5 |
| 2.3.1 Cover System..... | 6 |
| 2.3.2 Soil Vapor Barrier System..... | 6 |
| 3. Remedial Soil and Material Management Plan..... | 7 |
| 3.1 Management of Excavated Material..... | 7 |
| 3.2 Dust Control..... | 7 |
| 3.3 Community Air Monitoring Plan | 7 |
| 3.3.1 VOC Monitoring, Response Levels, and Actions | 8 |
| 3.3.2 Particulate Monitoring, Response Levels, and Actions..... | 8 |
| 3.4 Transportation and Disposal of Soils..... | 9 |
| 3.5 Spill Prevention and Control | 9 |
| 3.5.1 General | 9 |
| 3.5.2 Spill Prevention | 9 |
| 3.5.3 Spill Response | 10 |
| 3.6 Vehicle Cleaning Area/Stabilized Construction Entrances..... | 10 |
| 3.7 Personnel and Equipment Cleaning Areas | 11 |
| 3.8 Unexpected Conditions | 11 |
| 3.9 Underground Storage Tanks | 12 |
| 3.10 Procedures for Imported Fill | 12 |

Figures

1. Site Location Map
- 2A. Site Boundary – Sub-Cellar 2
- 2B. Site Boundary – Sub-Cellar 1
- 2C. Site Boundary – Cellar
- 2D. Site Boundary – Ground Floor
- 3A. Proposed Cover System – Sub-Cellar 2
- 3B. Proposed Cover System – Cellar

Table of Contents (Continued)

Appendices

- A. Construction Health and Safety Plan
- B. Hybrid Foundation Plan Progress Prints
- C. Vapor Barrier Specifications

1. Introduction

Roux Environmental Engineering and Geology, D.P.C. (Roux), on behalf of Commodore Owner LLC, has prepared this Remedial Action Plan (RAP) to establish the remedial action objectives (RAOs) and procedures to meet these objectives for the proposed redevelopment known as 175 Park (also known as Project Commodore). 175 Park is located at 109 East 42nd Street, which is also identified as Block 1280, Lot 30 on the New York City Tax Map (the “Site”). A Site Location Map is provided in Figure 1. The Site has been assigned CEQR number 21DCP057M by the New York City Department of Environmental Protection (NYCDEP). A Phase I Environmental Site Assessment (ESA) Report was prepared by Roux dated January 13, 2021, and a Phase II ESA Report was prepared by Roux dated February 3, 2021. The results of the Phase I and II ESAs were used to develop this RAP and establish the Remedial Action Objectives (RAOs) provided herein. A Construction Health and Safety Plan (CHASP) has been prepared to accompany this RAP, and it addresses environmental health and safety concerns based on subsurface conditions (Appendix A). This CHASP does not take the place of the Contractor’s own Health and Safety Plan (HASP) for general construction safety.

1.1 Property Location and Site Description

The Site is comprised of a 57,282-square-foot lot that is currently occupied by the Grand Hyatt Hotel, a 26-story building with foundations that penetrate the Metro North Railroad (MNR) and Metropolitan Transit Authority (MTA) mezzanine and platform levels below grade. The “Site” as defined in this RAP is limited to the basement of the current Grand Hyatt Hotel and the below grade structures in the current MNR and MTA space beneath the ground-level of the Grand Hyatt Hotel, which are to be improved with occupiable mechanical spaces (Figures 2A, 2B, 2C and 2D). In addition, foundation elements in the MTA and MNR will be installed as part of this project to support the redevelopment. These foundation elements will be subject to the CHASP and excavation and soil management requirements described within Section 3 of this RAP. In addition, a number of transit and public realm improvements are currently being evaluated and may be incorporated into the overall development. If approved, these changes may include: redesign and expansion of fare control areas, including several new mezzanine stairs; removal of girders from the subway mezzanine level to improve circulation and enhance sightlines; and a “Short-Loop Track” connection that could be constructed to provide direct access for MNR riders from Grand Central Terminal to the subway. If approved, the soil disturbance associated with these improvements is expected to be minimal, and all of this work will be subject to the CHASP and excavation and soil management requirements described within Section 3 of this RAP.

The Site is part of Zoning District C5-3 (Commercial) and located within the Special Midtown District and Grand Central Core District. The Site is bounded by a passage to Grand Central Terminal and a 31-story mixed-use building to the north, the Chrysler Building (Chase Bank/Amazon Store) to the east, the Chanin Building (Apple Bank) to the south, and Park Avenue Elevated Car Viaduct (Banana Republic at Grade below Viaduct) and Grand Central Terminal to the west. Development in the surrounding area is comprised of mixed-use (residential, commercial, school, and community-oriented uses) development.

1.2 Site History

Based on Roux’s review of historical documentation including Sanborn Fire Insurance Maps, historical aerial photographs, historical USGS topographic maps, and the City Directory Abstracts, it appears that the Site was developed prior to 1890 with the Warren Fuller & Co (Manufactory of Paper-Hangings) in the

western portion, the “Hospital for the Ruptured and Crippled” (the Hospital) in the southeastern portion and multiple unspecified buildings in the northeastern portion with one structure noted as a wagon building. Between 1890 and 1899, the Hospital in the southeastern portion was noted to expand northward. The Warren Fuller & Co (Manufactory of Paper-Hangings) was no longer noted to be present at the Site in 1910. All of the buildings on the Site were demolished by 1918, and this demolition debris is a source of some of the fill materials at the Site. In approximately 1919, the entire area of the Site was redeveloped with the 26-story Hotel Commodore. According to the Sanborn Maps, the Hotel Commodore was renovated into the Grand Hyatt Hotel between 1968 and 1980. Although the hotel changed ownership/names, the actual structures do not appear to have changed. Sometime between 1983 and 1985, a restaurant was constructed of glass on the southern portion of the Site and overhangs the sidewalk on East 42nd Street. The Site generally remained consistent with the layout observed in the 1985 Sanborn Map until the most recent 2005 Sanborn Map.

MNR and MTA below-grade railway tunnels, station, and other facilities are present beneath the Site that were constructed in 1910s. In addition, the area surrounding the Site to the west and northwest contains railroad/subway infrastructure including the western adjoining Grand Central Terminal. Other historical uses in the surrounding area consisted of hotels, stores, storage/warehouses, and car/horse storage houses. Around the 1920s, the surrounding area was redeveloped with large-scale, multi-story commercial/office buildings.

1.3 Proposed Site Redevelopment

The planned redevelopment of the Site entails the construction of a new commercial/mixed-use (hotel/offices) tower that will be constructed following the demolition of the Grand Hyatt Hotel. The new tower will have approximately 89 stories. The ground floor of the proposed building will contain the hotel and office lobbies, a reconstructed Lexington Passage with MTA retail, transit hall space, and additional area for subway entries off 42nd Street and Lexington Avenue. Office and hotel space are planned for the upper floors.

In addition, a number of transit and public realm improvements are currently being evaluated and may be incorporated into the overall development. If approved, these changes may include: redesign and expansion of fare control areas, including several new mezzanine stairs; removal of girders from the subway mezzanine level to improve circulation and enhance sightlines; and a “Short-Loop Track” connection that could be constructed to provide direct access for MNR riders from Grand Central Terminal to the subway. Due to the MNR and MTA spaces beneath the current building, the elevation of the proposed building’s foundation slabs are not proposed to be substantially different from those in the current building. Limited and localized excavations will occur to allow for the construction of additional foundation elements that will be used to support the proposed building. No groundwater was observed above bedrock during the completion of the Phase II ESA noted in Section 1.5 below. Based on the anticipated depth to groundwater, dewatering is not anticipated to be required for the proposed construction.

1.4 Topographic and Hydrogeologic Setting

The Site is currently occupied by the Grand Hyatt Hotel, a 26-story building with foundations that penetrate an MTA mezzanine and platform levels below grade. The grade of the Site is generally level. The average elevation of the Site is approximately 49 feet above mean sea level (ft amsl). The Site is not located in or adjacent to any wetlands or located in the 100-year or 500-year flood zones.

During the completion of the test pits performed as part of the Phase II ESA, Roux observed no discernable threshold between historic fill and native soil at each of the test pit locations; historic fill was present in all test pits until refusal. In general, the soil at the Site is comprised of historic fill consisting of fine to coarse sand, some silt and fine to coarse gravel, with fill consisting of brick, concrete, coal/slag, metal and other building aggregate.

The regional direction of groundwater flow in the vicinity of the Site is assumed to flow towards the east-southeast in the direction of the East River. This estimation was based on regional topographic and hydrogeological features during the Phase I ESA. No groundwater was observed within the overburden materials above bedrock during the Phase II ESA.

1.5 Previous Environmental Reports and Environmental Conditions

The following environmental reports were available for review:

- Phase I ESA, prepared by Roux on behalf of Commodore Owner LLC dated January 2021.
 - Roux identified one Recognized Environmental Condition (REC) during the Phase I ESA.
 - **Mass Transit Usage:** The area upgradient to the northwest of the Site is developed with railroad/subway infrastructure associated with the MNR, including the adjoining Grand Central Terminal. Additional rail structures associated with the MTA are also noted to be present under the Site; therefore, the mass transit/rail usage is considered both onsite and offsite. Railway infrastructure typically involves the usage of various hazardous substances and petroleum products in its operations including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation, which may involve the use of polychlorinated biphenyls (PCBs). Numerous New York State Department of Environmental Conservation (NYSDEC) spill listings are associated with the rail lines in this area.
 - Roux did not identify any Historical RECs (HRECs) or Controlled RECs (CRECs) in connection with the Site. Roux did identify two Business Environmental Risks (BERs).
 - **Suspect Presence of Historic Fill Material:** The Site was historically redeveloped with the Commodore Hotel in 1919 as evidenced by Sanborn Maps and historical accounts and online resources for this time period. The redevelopment would have required demolition of the previous hospital and manufacturing related buildings present in the earlier Sanborn Maps dated 1890, 1899 and 1910. There is potential for the Site to be underlain by Historic Fill Material, which may contain glass, bricks, concrete, slag, ceramic, and other non-native materials brought, deposited or demolished directly into the subsurface to facilitate redevelopment. The presence of this material should be considered when planning any future redevelopment requiring soil/material excavation and disposal.
 - **Suspect Presence of Asbestos Containing Materials (ACMs) in Building Materials:** Based upon the age of construction of the current building (1919), there is potential for ACMs to be present in various pipe wrappings, joint wrappings, and other building materials. The MNR and MTA mezzanine and platform levels below grade were also constructed on or before approximately 1915, with many renovations since initially built, so the potential for ACMs, including pipe insulations, tars, and electrical equipment, extends to these areas as well.
- Phase II ESA, prepared by Roux on behalf of Commodore Owner LLC, dated February 2021.
 - The investigation targeted historic fill below the slab within the specific portions of the building that will require excavation and removal as part of the redevelopment. Roux collected ten soil samples from seven test pits and three samples from three temporary sub-slab soil vapor points. Soil samples collected contained concentrations of semivolatile organic compounds

(SVOCs), specifically PAHs, metals, PCBs, and pesticides in exceedance of the New York State Department of Environmental Conservation (NYSDEC) 6 New York Code of Rules and Regulations (NYCRR) Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs). Two compounds, benzo(a)pyrene (an SVOC) and lead (a metal) were also detected at concentrations in exceedance of the Commercial Soil Cleanup Objectives (CSCOs). There was no evidence of gross contamination or petroleum staining/odors. Soil vapor samples collected contained concentrations of volatile organic compounds (VOCs) above laboratory reporting limits at all sampling locations. However, the concentrations of the chlorinated VOCs and petroleum compounds are low and do not indicate that there is an active source of contamination to sub-slab soil vapor. Roux recommended the installation of a vapor barrier as part of the construction of the proposed building as a best practice. Based on the Phase II ESA the Site (soil and soil vapor) appears to have been impacted by contaminants originating from Site operations and historic fill. If excess soils need to be removed from the Site following the installation of foundation elements or future utilities, the soils should be properly managed and disposed of offsite. Future waste characterization sampling will be required in order to ensure that the soils are appropriately handled in accordance with appropriate regulations and requirements of the selected disposal facilities.

- The highest concentrations of lead were observed at two test pits which are both located in the MNR portion of the Site. MNR operations typically involve the usage of various hazardous substances and petroleum products including lubricants, hydraulic oil, heat resistant oils, brake fluid and other oils used in power generation. Electrical power conversion typically involves substations which may involve the use of PCBs in electrical transformers. The two samples, in addition to three other samples, were analyzed for TCLP lead. The results indicate that all soil characterized during this investigation has been determined to be non-hazardous (as compared to standards contained within NYSDEC Part 371 and Title 40 CFR Part 261). Special handling and considerations may be required by disposal facilities based on the elevated concentrations of lead in these two locations.

2. Remedial Action

The following remedial action has been developed for the Site based on the results of the previous Site investigations. Specifically, this plan describes measures to be undertaken during Site redevelopment related to management of excavated soils and fill materials removed from the Site and vapor barrier installation. Upon completion of the Remedial Action, Roux will submit a P.E.-certified Remedial Action Report (RAR) to the NYCDEP detailing the implementation of the remedy.

2.1 Remedial Action Objectives

Based on the results of the Phase II ESA, the following RAOs have been identified for this Site:

Soil

- Prevent direct contact with contaminated soil.
- Prevent exposure to contaminants volatilizing from contaminated soil.
- Prevent migration of contaminants that would result in groundwater contamination.

Soil Vapor

- Prevent exposure to contaminants in potential soil vapor.
- Prevent migration of potential soil vapor into dwellings and other occupied structures.

Groundwater

- Groundwater was not encountered in the overburden during the Phase II ESA and no RAOs were identified. Based on the shallow depth to bedrock, the proposed construction will not encounter groundwater, and exposures to groundwater are not anticipated.

2.2 Soil Excavation and Management

Excavation activities during the planned construction program will result in the removal of contaminated soil underlying the Site. Soil excavation and the removal of bedrock will occur in localized excavations within the footprint of the existing basement and in the MNR and MTA spaces (onsite and offsite) to support the construction of various foundation elements as shown on the Hybrid Foundation Plan Progress Prints dated October 21, 2020, which are provided as Appendix B. Soil may also be excavated for installation of utilities beneath the Site. It is not anticipated that excavated soils will be used onsite for backfilling. Crushed rock may be reused beneath foundation elements.

Any remaining excess soil, including the soil/fill generated at the offsite transit and public realm improvement areas, will be excavated and removed from the Site for proper disposal, and a truck log and disposal manifests will be provided in the RAR. Prior to removal, any soil/fill to be sent offsite for disposal will be subject to *in situ* soil characterization sampling to determine appropriate disposal facilities.

2.3 Best Management Practices

As excavation is not planned beneath the entire proposed building footprint, soils with contamination in exceedance of CSCOs will remain onsite following the completion of the Remedial Action. Best Management Practices (BMPs) will be employed in the remedial action to address the residual contamination remaining at the Site. The two primary BMPs that will be used at the Site are:

- Cover system consisting of the new concrete building slab; and
- Soil vapor barrier to separate new building slabs from underlying soil.

2.3.1 Cover System

Exposure to soil with residual impacts at the Site will be prevented by a cover system, which will be constructed as the lowest slab of the proposed building. (Figures 3A and 3B). The cover system is comprised of the concrete foundation slab with a minimum thickness of six inches at the locations shown on Figures 3A and 3B. The areas of the Site where a cover system is not proposed do not have soil beneath the lowest level of the proposed Site building due to the presence of existing MTA or MNR infrastructure (tunnel) air space below.

2.3.2 Soil Vapor Barrier System

Although elevated levels of VOCs were not detected during the Phase II ESA, potential migration of soil vapor into the proposed building will be mitigated with a combination of building slab and vapor barrier as shown on Figure 3A and 3B. The areas of the Site where a soil vapor barrier system is not proposed do not have soil beneath the lowest level of the proposed Site building due to the presence of MTA or MNR infrastructure (tunnel) air space, and therefore, there is not a direct exposure risk to soil vapor.

The subslab soil vapor barrier will be a minimum 20-mil soil vapor barrier made of polyolefin and barrier resins that is ASTM E 1745 Class A, B, and C compliant, resistant to puncturing and has high tensile strength. The permeance of the soil vapor barrier will be compliant with ASTM E 154 Sections 8, 11, 12, and 13. The soil vapor barrier will not deteriorate, decompose, or degrade below concrete slabs when buried and has an indefinite life expectancy. The proposed vapor barrier for under slab applications is either Stego® Wrap 20 Mil Vapor Barrier, Grace Florprufe® or approved equal. If an alternative product is selected other than Stego® Wrap 20 Mil Vapor Barrier and/or Grace Florprufe®, an amendment with the new vapor barrier will be submitted to NYCDEP. The proposed vapor barrier will only be used if the amendment is approved by NYCDEP. Manufacturer's specifications are provided as Appendix C. All soil vapor barriers will be installed in accordance with Manufacturer's recommendations including, but not limited to, recommended overlapping distance, tape seam installation, tape seam products, subbase layer preparation, and material. Appropriate subbase layer will include sand, pea gravel, or mud-slab concrete to prevent punctures during installation. Any penetrations through foundation will be sealed in accordance with the manufacturer's specifications.

The RAR will include photographs (maximum of two photos per page) of the installation process, manufacturer's information on the products installed, and as-built plans showing the soil vapor barrier location.

3. Remedial Soil and Material Management Plan

A Construction Contractor will perform soil excavation activities during the redevelopment process. It will be the responsibility of the Construction Contractor to handle the proper soil management and disposal of all soils excavated from the Site at appropriate offsite disposal facilities. The main elements included in the soil management are described in further detail below.

3.1 Management of Excavated Material

During the course of work at the Site, it is anticipated that excavated material will be sampled *in situ* for waste characterization purposes prior to being excavated and disposed of offsite. The Construction Contractor will coordinate with the disposal facility prior to construction. Procedures to be followed for the temporary stockpiling of fill and/or soil are described below. Observed impacted (visual or olfactory) material will be covered with polyethylene (poly) sheeting with a minimum thickness of 6 mils. These stockpiles will be covered in order to limit precipitation from contacting the material and to avoid the generation of dust. Covered stockpiles will be inspected daily to ensure there has not been any damage to the poly sheeting and the stockpile is still adequately covered.

3.2 Dust Control

Routine dust suppression methods will be employed by the Construction Contractor throughout the construction project. The Construction Contractor will maintain all excavations, stockpiles (if any), access roads/ramps, and all other work areas to minimize dust that would cause a hazard or nuisance to others. The Construction Contractor will implement necessary measures to control particulates including, but not limited to, one or more of the following measures:

1. Applying water on the access roads/ramps;
2. Misting equipment and excavation faces;
3. Spraying water (using atomizer) on buckets during excavation and dumping;
4. Hauling materials in tarped or watertight containers;
5. Reducing speed of vehicles moving through areas of the Site;
6. Covering excavated areas and material after excavation activity ceases; and
7. Stopping work.

The Construction Contractor will make provisions to have an adequate amount of water and appropriate equipment to disperse water onsite at all times.

3.3 Community Air Monitoring Plan

A real-time community air monitoring program (CAMP) will be implemented if contaminated or potentially contaminated media is handled or during any ground intrusive activities. Ground intrusive activities include, but are not limited to, soil/waste excavation and handling, test pit excavation or trenching. The air monitoring is intended to avoid or minimize exposure of the field personnel and the public to potential environmental hazards in the soil during excavation of such soil. Results of this air monitoring will be used to determine the appropriate response action, if needed.

The community air monitoring program described herein has been prepared in accordance with the NYSDEC Division of Environmental Remediation DER-10 (May 2010), Appendix 1A - New York State Department of Health Generic Community Air Monitoring Plan (December 2009).

While work zone air monitoring is not described in this RAP, typical air quality limits for the work zone are provided in the CHASP. The Contractor's HASP will need to supplement the CHASP if any additional hazards are anticipated during construction.

3.3.1 VOC Monitoring, Response Levels, and Actions

VOCs will be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous basis during invasive work. Upwind concentrations will be measured at the start of each workday and periodically thereafter to establish background conditions. The monitoring work will be performed using equipment appropriate to measure the types of contaminants known or suspected to be present. The equipment will be calibrated at least daily for the contaminant(s) of concern or for an appropriate surrogate. The equipment will be capable of calculating 15-minute running average concentrations, which will be compared to the levels specified below.

- If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities will be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities will resume with continued monitoring.
- If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities will be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities will resume provided that the total organic vapor level 200 feet downwind of the exclusion zone is below 5 ppm over background for the 15-minute average.
- If the organic vapor level is above 25 ppm at the perimeter of the work area, activities will be shutdown.

All 15-minute readings will be recorded and be available for NYCDEP personnel to review and summarized in the RAR. Instantaneous readings, if any, used for decision purposes will also be recorded.

3.3.2 Particulate Monitoring, Response Levels, and Actions

Particulate concentrations will be monitored continuously at the upwind and downwind perimeters of the exclusion zone at particulate monitoring stations. The particulate monitoring will be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment will be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration should be visually assessed during all work activities.

- If the downwind PM-10 particulate level is 100 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) greater than background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques will be employed. Work will continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed 150 $\mu\text{g}/\text{m}^3$ above the upwind level and provided that no visible dust is migrating from the work area.
- If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 $\mu\text{g}/\text{m}^3$ above the upwind level, work will be stopped, and a re-evaluation of

activities initiated. Work will resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 µg/m³ of the upwind level and in preventing visible dust migration.

All 15-minute readings must be recorded and be available for NYCDEP personnel to review and summarized in the RAR. Instantaneous readings, if any, used for decision purposes will also be recorded.

3.4 Transportation and Disposal of Soils

As discussed above, waste characterization sampling will be completed *in situ* prior to excavation. The Construction Contractor will secure approvals for disposal of fill and soil at a permitted facility in accordance with federal, state, and local regulations. The fill and soil will be shipped by a licensed hauler in accordance with all applicable federal, state, and local regulations. Each shipment will be transported under the appropriate waste manifest/bill of lading or other appropriate documentation based upon pre-characterization results. All disposal documentation will be submitted to Roux and will be included in the RAR. Before any transport vehicle leaves the Site, the sides and wheels will be inspected. If any fill or soils are observed on the wheels or body of the truck, they will be removed using a shovel, broom, and/or other hand tools in a designated vehicle cleaning area. This procedure will reduce the potential for disposal trucks to spread site-derived material onto the public streets.

3.5 Spill Prevention and Control

The following sections describe procedures to be followed to prevent onsite spills and contingency measures in the event that an onsite spill occurs.

3.5.1 General

A major spill is not anticipated at the Site, but the potential for a spill exists. The most probable spill events associated with this scope of work include hydraulic fluid spills from heavy equipment, fuel spills from equipment or machinery, and soils spilled during transportation. Heavy equipment typically contains 30 gallons or less of hydraulic fluid. If a leak occurs, the equipment will immediately be shut down to minimize hydraulic fluid leaks and repaired prior to re-use. The spill will be contained to the extent possible using a bucket and/or oil absorbent pads.

In general, soils spilled during transportation will be collected and returned to the truck for proper disposal. Surfaces impacted as a result of any spill shall be cleaned as soon as possible.

3.5.2 Spill Prevention

In an effort to keep the potential of spills to a minimum and maintain a constant state of readiness to combat a spill or release, the following inspections will be performed by the Site Health and Safety Officer (SHSO):

- Onsite Materials Handling – Used to account for material (including fill) quantity and proper methods of storage to help reduce the chance of a spill or release.
- Safety Equipment Inspections – Used to account for the quantity, location, and working condition of safety equipment onsite. Safety equipment and supplies will be kept accessible and in good working order.

Any discrepancies or inadequacies discovered as a result of these inspections will be corrected immediately.

3.5.3 Spill Response

Should a spill of any type occur, it will be immediately reported to the Construction Contractor's designated onsite spill response personnel. The Construction Contractor will then notify the Owner's Representative and Construction Manager, who will then contact the appropriate regulatory agencies. Potential spills for this project are anticipated to be secured and cleaned up by Site personnel who are trained in spill response, where appropriate. Unauthorized personnel will be prohibited from entering all spill cleanup areas. The Site Superintendent or Site Safety Officer must evaluate the extent of the hazard(s) and, if available, utilize engineering controls and proper safety equipment to contain the spill until the appropriate emergency response personnel arrive onsite, if necessary.

The following is a list of actions that should be taken in the event of a spill:

- Account for Site personnel and make proper notifications.
- Evaluate the hazard(s), identify the source of the discharge, and stop the spill or leak.
- Exclude any source of ignition from the spilled material if flammable.
- Isolate and contain the spill in the smallest area possible.
- Keep personnel upwind of the spill area. Evaluate potential vapor and dust hazards, and implement appropriate suppression operations.
- At no time will personnel be allowed to come in contact with unidentified spilled materials.
- Notify the Owner's Representative and Construction Manager.

The spill control equipment will be located in a construction trailer or office located at or near the Site. The exact location of the trailer or office has not yet been determined. The spill control equipment will consist of buckets, absorbent pads, oil dry, and sand.

If there is a spill offsite on the public roadway, it is the responsibility of the Waste Transportation Contractor to notify the proper authorities. Vehicles transporting materials offsite will have 24-hour emergency contact information included on the Waste Manifest/Bill of Lading. In the case of an offsite spill, the transporter will immediately notify their designated spill response Construction Contractor and the Owner's Representative and Construction Manager.

3.6 Vehicle Cleaning Area/Stabilized Construction Entrances

One or more temporary vehicle cleaning areas/stabilized construction entrances will be constructed to clean disposal trucks and other vehicles prior to leaving the Site. This area will reduce the amount of fill and soil that disposal trucks and other vehicles spread onto the public roadway. The vehicle cleaning area/stabilized construction entrance will be constructed of gravel and will be of sufficient size to prevent vehicles from spreading fill/soils onto the public roads and/or previously excavated areas of the Site where all fill has been removed. Before any disposal truck or other vehicle leaves the Site, the sides and wheels will be inspected. If any fill or soils are observed on the wheels or body of the truck, they will be removed using a shovel, broom, and/or other hand tools in the designated vehicle cleaning area. This will reduce the potential for disposal trucks to spread Site-derived material onto the public streets.

3.7 Personnel and Equipment Cleaning Areas

All personnel working in the fill will clean themselves prior to leaving the Site in accordance with the CHASP prepared for the Site. In addition, all equipment used for excavation and other earthwork activities (i.e., excavators, bulldozers, backhoes, etc.), which comes in contact with the fill, shall be cleaned at the vehicle cleaning area prior to:

- a. Crossing into areas of the Site where no fill is present;
- b. Handling clean fill/topsoil; and
- c. Leaving the Site.

No equipment will be allowed to leave the Site prior to the SHSO or Site superintendent's verification that the equipment was properly cleaned.

3.8 Unexpected Conditions

Based upon investigation data, much of the Site consists of historical fill material. Fill material contains brick, concrete, coal/slag, metal and other building aggregate. When fill material, as described above, is encountered during excavation activities, it will not be considered an "unexpected condition."

Screening for "unexpected conditions" will be performed by the Construction Contractor, with oversight by Roux personnel, during all excavation and other earth moving activities (not including the activities related to "clean" fill brought onsite). This screening will include the following:

1. Visual inspection for evidence of grossly contaminated soil (i.e., visibly identifiable free-phase or otherwise readily detectable free-phase or residual product.); and
2. Periodically screening for organic vapors with a PID.

The following procedures will be followed if "unexpected conditions" are encountered. The material encountered will be:

1. Excavated within the limits of the proposed excavation;
2. Stockpiled separately from other materials in accordance with the temporary stockpiling requirements outlined above;
3. Sampled for waste characterization parameters for disposal purposes; and
4. Disposed of appropriately offsite.

If intact or damaged buried drums or suspect asbestos containing materials (ACM) are encountered, the Construction Contractor will notify the Owner's Representative and Construction Manager who will contact the proper regulatory agencies.

In general, the Construction Contractor will be responsible for notifying the Owner's Representative and Construction Manager who will then notify the NYCDEP, and any other applicable regulatory agency of the "unexpected conditions" encountered. If encountered, any previously unidentified tanks and associated appurtenances, drums, and/or petroleum-impacted soils will be properly removed in accordance with all applicable regulations after following the above-mentioned procedures. All equipment used will be cleaned in accordance with the appropriate vehicle/equipment cleaning procedures.

3.9 Underground Storage Tanks

It is not expected that any underground storage tanks (USTs) are present beneath the Site. However, if any USTs encountered during demolition and construction activities must be properly closed and/or removed in accordance with local, state, and federal laws. The following protocols will be followed in case a UST is found during excavation:

- Excavation work will cease until such time that an inspection of the UST is conducted to determine the nature of its contents.
- If the UST is found to contain fluid, arrangements will be made to sample the contents, evacuate the contents, and properly dispose of the contents based on the analytical results and in accordance with applicable regulations.
- If required, the UST will be registered with the NYSDEC, who will be given 30-days advanced notice of its scheduled removal.
- The UST will be excavated, and its atmosphere evacuated. It will be rendered un-usable and properly disposed of.
- Endpoint soil samples will be collected from the tank excavation in accordance with the NYSDEC Spill Technology and Remediation Series (STARS) Memo #1 Petroleum-Contaminated Soil Guidance Policy. Once it is confirmed that the remaining soil meets the standards set forth in the CP-51: Soil Cleanup Guidance, development in the area of the former UST may proceed.
- A report will be prepared and submitted to the NYSDEC requesting closure of the UST and potential spill number.

Note that depending on the results of the endpoint samples, an additional investigation or remediation may be required by the NYSDEC or NYCDEP.

3.10 Procedures for Imported Fill

Any imported fill should come from an approved source. The clean fill will be segregated at the source/facility and samples will be collected by qualified environmental personnel. This clean fill will not be comprised of any construction and/or demolition debris originating from the Site. Clean fill samples will be collected and analyzed at a frequency in compliance with Part 360 regulations by a New York State Department of Health (NYSDOH) Environmental Laboratories Accreditation Program (ELAP) certified laboratory. This frequency may be modified based on quantity of import. The results will be reviewed by Roux to ensure that the samples meet the CSCOs. Gravel, rock or stone consisting of virgin material from a permitted mine or quarry or recycled concrete or brick from a NYSDEC registered construction and demolition debris processing facility if the material conforms to the requirements of Section 304 of the New York State Department of Transportation Standard Specifications Construction and Materials Volume 1 (2002) may be imported, without chemical testing, to be used as backfill beneath pavement, buildings or as part of the final site cover, provided that it contains less than 10% by weight material which would pass through a size 80 sieve.

Respectfully submitted,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.

Charlie McGuckin, P.E.
Principal Engineer


Frank Cherena, P.G.
Principal Hydrogeologist

FIGURES

- 1. Site Location Map
- 2A. Site Boundary – Sub-Cellar 2
- 2B. Site Boundary – Sub-Cellar 1
- 2C. Site Boundary – Cellar
- 2D. Site Boundary – Ground Floor
- 3A. Proposed Cover System – Sub-Cellar 2
- 3B. Proposed Cover System – Cellar



QUADRANGLE LOCATION



Title:

SITE LOCATION MAP

109 EAST 42ND STREET
NEW YORK, NY

Prepared for:

COMMODORE OWNER LLC



Compiled by: R.H.

Date: 01/15/21

FIGURE

Prepared by: M.S.R.

Scale: AS SHOWN

Project Mgr: R.H.

Project: 3255.0002Y000

File: 3255.0002Y102.1.mxd

1

D:\DOCUMENTS\000-ROUX PROJECTS\PROJECTS\3255\0002\108\3255.0002Y108.01.DWG



LEGEND


SUB-CELLAR 2 SITE BOUNDARY

LOT BOUNDARY

NOTES

1. SUB-CELLAR 2 IS THE LOWEST LEVEL OF THE PROPOSED REDEVELOPMENT.

2. BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.



| | | | |
|---|--|------------------------|---------------------|
| Title: | | | |
| SITE BOUNDARY - SUB-CELLAR 2 | | | |
| 109 E 42ND STREET
NEW YORK, NEW YORK | | | |
| Prepared for: | | | |
| COMMODORE OWNER LLC | | | |
| Compiled by: R.H. | | Date: 03MAR21 | FIGURE
2A |
| Prepared by: B.H.C. | | Scale: AS SHOWN | |
| Project Mgr: R.H. | | Project: 3255.0002Y000 | |
| File: 3255.0002Y108.01.DWG | | | |

C:\DOCUMENTS\000-ROUX\PROJECTS\PROJECTS\3255\0002\108\3255-0002\108-01.DWG



LEGEND

SUB-CELLAR 1 SITE BOUNDARY

LOT BOUNDARY

NOTE

1. BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.

SITE BOUNDARY - SUB-CELLAR 1

109 E 42ND STREET
NEW YORK, NEW YORK

Prepared for:
COMMODORE OWNER LLC


| | | | |
|-------------|----------------------------|------------------------|---------------------|
| ROUX | Compiled by: R.H. | Date: 03MAR21 | FIGURE
2B |
| | Prepared by: B.H.C. | Scale: AS SHOWN | |
| | Project Mgr: R.H. | Project: 3255.0002Y000 | |
| | File: 3255.0002Y108.01.DWG | | |

14 13 12 11 10 9 8 7 6 5 4 3 2 1
20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0" 20'-0"

L
K
J
H
G
F
E
D
C
B
A

LEGEND
CELLAR SITE BOUNDARY
LOT BOUNDARY

NOTE
1. BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.



Title:

SITE BOUNDARY - CELLAR

109 E 42ND STREET
NEW YORK, NEW YORK

Prepared for:


COMMODORE OWNER LLC

ROUX

Compiled by: R.H. Date: 03MAR21
Prepared by: B.H.C. Scale: AS SHOWN
Project Mgr: R.H. Project: 3255.0002Y000
File: 3255.0002Y108.01.DWG

FIGURE
2C

C:\DOCUMENTS\000-ROUX\PROJECTS\PROJECTS\3255\0002Y\108\3255.0002Y108.01.DWG




LEGEND

GROUND FLOOR SITE BOUNDARY

LOT BOUNDARY

NOTE

1. BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.



| | | | |
|---|--|------------------------|---------------------|
| Title: | | | |
| SITE BOUNDARY - GROUND FLOOR | | | |
| 109 E 42ND STREET
NEW YORK, NEW YORK | | | |
| Prepared for: | | | |
| COMMODORE OWNER LLC | | | |
| Compiled by: R.H. | | Date: 03MAR21 | FIGURE
2D |
| Prepared by: B.H.C. | | Scale: AS SHOWN | |
| Project Mgr: R.H. | | Project: 3255.0002Y000 | |
| File: 3255.0002Y108.01.DWG | | | |



C:\DOCUMENTS\000-ROUX\PROJECTS\PROJECTS\3255\0002\108\3255.0002Y108.01.DWG




LEGEND

- SUB-CELLAR 2 SITE BOUNDARY
- LOT BOUNDARY
- PROPOSED COVER SYSTEM COMPRISED OF CONCRETE BUILDING SLAB/FOUNDATION
- PROPOSED VAPOR BARRIER


NOTES

- SUB-CELLAR 2 IS THE LOWEST LEVEL OF THE PROPOSED REDEVELOPMENT.
- BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.




| | | | |
|---|--|------------------------|---------------------|
| Title: | | | |
| PROPOSED COVER SYSTEM
SUB-CELLAR 2 | | | |
| 109 E 42ND STREET
NEW YORK, NEW YORK | | | |
| Prepared for: | | | |
| COMMODORE OWNER LLC | | | |
| Compiled by: R.H. | | Date: 03MAR21 | FIGURE
3A |
| Prepared by: B.H.C. | | Scale: AS SHOWN | |
| Project Mgr: R.H. | | Project: 3255.0002Y000 | |
| File: 3255.0002Y108.01.DWG | | | |

C:\DOCUMENTS\000-ROUX\PROJECTS\PROJECTS\3255\00021\108\3255.00021\08.01.DWG



- LEGEND
- SUB-CELLAR 2 SITE BOUNDARY
 - LOT BOUNDARY
 - PROPOSED COVER SYSTEM COMPRISED OF CONCRETE BUILDING SLAB/FOUNDATION
 - PROPOSED VAPOR BARRIER

- NOTES
- SUB-CELLAR 2 IS THE LOWEST LEVEL OF THE PROPOSED REDEVELOPMENT.
 - BASE DRAWING IS FROM SKIDMORE, OWINGS & MERRILL LLP'S SCHEMATIC DESIGN PLANS DATED OCTOBER 2, 2020.



| | | | |
|---|---------------------|------------------------|---------------------|
| Title:
PROPOSED COVER SYSTEM
CELLAR | | | |
| 109 E 42ND STREET
NEW YORK, NEW YORK | | | |
| Prepared for:
COMMODORE OWNER LLC | | | |
| ROUX | Compiled by: R.H. | Date: 02MAR21 | FIGURE
3B |
| | Prepared by: B.H.C. | Scale: AS SHOWN | |
| | Project Mgr: R.H. | Project: 3255.0002Y000 | |
| File: 3255.0002Y108.01.DWG | | | |

APPENDICES

- A. Construction Health and Safety Plan
- B. Hybrid Foundation Plan Progress Prints
- C. Vapor Barrier Specifications

APPENDIX A

Construction Health and Safety Plan



Construction Health and Safety Plan

109 East 42nd Street
New York, New York

May 10, 2021

Prepared for:

Commodore Owner LLC
75 Rockefeller Plaza
Suite 1500
New York, New York 10019

Prepared by:

**Roux Environmental Engineering
and Geology, D.P.C.**
209 Shafter Street
Islandia, New York 11749

Table of Contents

| | |
|---|----|
| 1. Introduction | 1 |
| 1.1 Scope of Work | 1 |
| 1.2 Emergency and Project Management Contact Information | 2 |
| 1.3 Address of Hospital and Urgent Care..... | 2 |
| 1.4 Emergency Equipment | 3 |
| 1.5 Spills | 3 |
| 2. Health and Safety Staff | 4 |
| 2.1 General/Site Superintendent (GSS) – TBD | 4 |
| 2.2 Corporate Safety Supervisor (CSS) – TBD | 4 |
| 2.3 Site Health and Safety Officer (SHSO) – TBD | 4 |
| 2.4 Site Workers | 5 |
| 3. Site Description and Background..... | 6 |
| 3.1 Site Description | 6 |
| 3.2 Summary of Environmental Conditions | 6 |
| 4. Potential Hazards Related to Fill/Soil..... | 7 |
| 4.1 General | 7 |
| 4.2 Compounds of Concern | 7 |
| 4.3 Hazard Assessment | 7 |
| 4.4 Exposure Pathways and Assessment | 8 |
| 4.5 Additional Precautions | 8 |
| 4.6 Hazard Assessment and Mitigation | 8 |
| 5. Training | 9 |
| 5.1 Site-Specific Training..... | 9 |
| 5.2 Onsite Safety Meetings | 9 |
| 5.3 First Aid and CPR..... | 9 |
| 6. Site Control and Personal Protective Equipment..... | 10 |
| 6.1 Site Control | 10 |
| 6.2 Personal Protective Equipment | 10 |
| 6.3 Site Control for Unexpected Conditions | 11 |
| 6.3.1 Exclusion Zone..... | 11 |
| 6.3.2 Contamination Reduction Zone | 11 |
| 6.3.3 Remediated Zone..... | 12 |
| 6.3.4 Support Zone | 12 |
| 7. Monitoring Procedures | 13 |
| 7.1 Instrumentation | 13 |
| 7.2 Action Levels | 14 |
| 8. Vehicle/Site Worker Cleaning Areas and Disposal Procedures | 15 |
| 8.1 Contamination Prevention | 15 |
| 8.2 Vehicle Cleaning Area/Stabilized Construction Entrances..... | 15 |

Table of Contents (Continued)

- 8.3 Disposal Procedures..... 16
- 9. Handling of Potential Hazardous Materials..... 17
- 10. Emergency Plan..... 18
 - 10.1 Emergency Response Numbers 18
 - 10.2 Emergency Evacuation 18
 - 10.3 Injury to Site Workers..... 19
 - 10.4 Site Worker Exposure..... 19
- 11. Field Team Review 20
- SHSO Certification of Hospital Directions..... 22

Tables

- 1. Toxicological, Physical and Chemical Properties of Compounds Potentially Present at the Site

Figures

- 1. Emergency Route to Hospital and Urgent Care

Appendices

- A. Fact Sheets and/or Safety Data Sheets for Potential COCs

1. Introduction

This site-specific Construction Health and Safety Plan (CHASP) has been prepared to address remediation activities to be performed during excavation and construction for the proposed development known as 175 Park (also known as Project Commodore). 175 Park is located at 109 East 42nd Street, which is also identified as Block 1280, Lot 30 on the New York City Tax Map (the “Site”). Relevant portions of Occupational Safety and Health Administration (OSHA) 29 CFR 1910.120 and 1926.65 were used as guidance while preparing this CHASP. This CHASP has been prepared to accompany a Remedial Action Plan (RAP) to be implemented at the Site and addresses environmental health and safety concerns based on subsurface conditions.

This CHASP has been prepared to accompany the Site’s Remedial Action Plan (RAP), dated March 5, 2021, and it addresses environmental health and safety concerns based on subsurface conditions. This CHASP does not take the place of the Construction Manager’s own Health and Safety Plan (CHASP) for general construction safety.

The designated Site Health and Safety Officer (SHSO) will be responsible for implementing the CHASP. Compliance with this CHASP is required of all workers who may potentially encounter soil at the Site (hereinafter referred to as Site Workers), including the Contractor’s employees, subcontractors to the Contractor, subcontractors to the Owner’s representative, and onsite workers for the Construction Manager. In the event that a Site Worker does not follow the procedures outlined in the CHASP, he or she will be required to leave the Site immediately. The content of this CHASP may change or undergo revisions based upon changes in the technical scope of work, the results of monitoring, and/or additional information made available to health and safety personnel. Any proposed changes must be reviewed and approved by the Corporate Safety Supervisor, and the SHSO implementing the changes to the CHASP. As of the date of this CHASP the Contractor has not been selected; the name and contact information for the Contractor will be added to the CHASP once selected.

Upon entering the Site, all visitors will be required to sign in and read and comply with the provisions of this CHASP. In the event that a visitor does not follow these procedures, he or she will be required to leave the Site immediately.

1.1 Scope of Work

This CHASP addresses excavation and construction of a new 89-story commercial/mixed-use tower that will be constructed following the demolition of the Grand Hyatt Hotel. The ground floor of the proposed building will contain the hotel and office lobbies, a reconstructed Lexington Passage with MTA retail, 6,350 square feet of transit hall space, and approximately 2,400 square feet of additional area for subway entries off 42nd Street and Lexington Avenue. An office lobby and open-air publicly accessible space will occupy the second floor with frontage on Lexington Avenue. Office space is planned to be located on floors 7 through 63, and the hotel is scheduled to occupy floors 65 through 83.

1.2 Emergency and Project Management Contact Information

Provided below is a list of telephone numbers for use in the event of an emergency onsite.

Emergency Medical Service 911
Police: New York City Police Department (NYPD) 911
Hospital: Bellevue Hospital (212) 562-4141
Urgent Care: CityMD (212) 729-4668
National Response Center (800) 424-8802
Poison Control Center (800) 222-1222
Chemtrec (800) 262-8200
Fire: New York City Fire Department (FDNY) 911
New York City Office of Emergency Management 911
Center for Disease Control (800) 311-3435
USEPA (Region II) (212) 637-5000
NYSDEC Emergency Spill Response (800) 457-7362

The following table includes the contact information for Site management and health and safety personnel. The names and phone numbers of the site safety personnel will be provided to NYC DEP prior to the start of any construction activities.

| Title | Contact | Company Name | Business Phone | Mobile Phone |
|--------------------------------|--------------------|--|----------------|----------------|
| General/Site Superintendent | TBD | TBD | TBD | TBD |
| Corporate Safety Supervisor | | | | |
| Site Health and Safety Officer | TBD | TBD | TBD | TBD |
| Construction Manager | TBD | TBD | TBD | TBD |
| Environmental Consultant | Frank Cherena, P.G | Roux Environmental Engineering and Geology, D.P.C. | (631) 232-2600 | (631) 445-0357 |
| Owner's Onsite Representative | TBD | TBD | TBD | TBD |
| Owner's Representative | Gregory Lowe | Commodore Owner LLC | (917) 282-9864 | TBD |

1.3 Address of Hospital and Urgent Care

The following information is for hospital and urgent care locations. A map and directions to each facility is provided in Figure 1.

Bellevue Hospital

462 1st Avenue
New York, New York 10016

CityMD

561 3rd Avenue
New York, New York 10016

1.4 Emergency Equipment

The following is a list of emergency equipment to be kept onsite at all times:

- First Aid Kit;
- ABC Fire Extinguisher;
- Absorbent Pads;
- Air Horns;
- Oil Dry; and
- Eye Wash.

1.5 Spills

Spills associated with site activities may be attributed to project-specific heavy equipment and include gasoline, diesel, and hydraulic oil. In the event of a leak or a release, Site personnel will inform their supervisor immediately, locate the source of spillage, and stop the flow if it can be done safely. A spill containment kit including absorbent pads, booms and/or granulated speedy dry absorbent material will be available to Site personnel to facilitate the immediate recovery of the spilled material. Daily inspections of Site equipment components including hydraulic lines, fuel tanks, etc. will be performed by their respective operators as a preventative measure for equipment leaks and to ensure that equipment is functioning properly. In the event of a spill, Site personnel will immediately notify the NYSDEC (1-800-457-7362) and a spill number will be generated.

2. Health and Safety Staff

This section briefly describes the health and safety responsibilities for the excavation work to be implemented at the Site. The following staff is responsible for ensuring compliance with the CHASP.

2.1 General/Site Superintendent (GSS) – TBD

- Has the overall responsibility for the health and safety of Site Workers.
- Ensures that adequate resources are provided to the field health and safety staff to carry out their responsibilities as outlined below.

2.2 Corporate Safety Supervisor (CSS) – TBD

- Implements the CHASP.
- Performs or oversees Site-specific training and approves revised or new safety protocols or field operations.
- Coordinates revisions of this CHASP with GSS.
- Responsible for the development of new task safety protocols and procedures and resolution of any outstanding safety issues which may arise during the completion of Site work.
- If the Contractor does not have a CSS, all CSS duties should be assumed by the SHSO.

2.3 Site Health and Safety Officer (SHSO) – TBD

- Directs and coordinates health and safety monitoring activities.
- Ensures that field teams utilize proper personal protective equipment (PPE).
- Conducts initial onsite specific training prior to Site Workers commencing work.
- Conducts and documents daily and periodic safety briefings.
- Ensures that field team members comply with this CHASP.
- Immediately notifies the GSS and CSS of all accident/incidents.
- At the end of each day, communicates the tasks completed to the designated representatives, the next day's planned activities, any third-party issues, changes of work plans, and/or changes in level of PPE.
- Determines upgrading or downgrading of PPE based on Site conditions and/or real time monitoring results.
- Ensures that monitoring instruments are calibrated daily or as the manufacturer's instructions determine.
- Reports to the GSS and CSS to provide summaries of field operations and progress.
- Submits and maintains all documentation required in this CHASP and any other pertinent health and safety documentation.

2.4 Site Workers

- Reports any unsafe or potentially hazardous conditions to the SHSO.
- Maintains knowledge of the information, instructions, and emergency response actions contained in the CHASP.
- Complies with rules, regulations, and procedures as set forth in this CHASP, including any revisions that are instituted.
- Prevents admittance to work Site by unauthorized personnel.

3. Site Description and Background

This section provides a brief summary of the conditions of the Site.

3.1 Site Description

The Site is comprised of a 57,282-square-foot lot that is currently occupied by the Grand Hyatt Hotel, a 26-story building with foundations that penetrate the Metro North Railroad (MNR) and MTA mezzanine and platform levels below grade.

3.2 Summary of Environmental Conditions

In January 2021, Roux performed a Phase I Environmental Site Assessment (ESA) on behalf of Commodore Owner LLC. Roux identified one recognized environmental condition (REC), mass transit usage. Roux also identified two Business Environmental Risks (BERs): 1) suspected presence of historic fill materials and 2) suspected presence of Asbestos Containing Materials (ACMs).

Following the Phase I ESA, Roux completed a Phase II ESA to investigate the REC identified at the Site to the extent that it may impact the future development. Roux collected ten soil samples from seven test pits and three samples from three temporary sub-slab soil vapor points.

Soil samples collected contained concentrations of semivolatile organic compounds (SVOCs), specifically polycyclic aromatic hydrocarbons (PAHs), metals, polychlorinated biphenyls (PCBs), and pesticides in exceedance of the New York State Department of Environmental Conservation (NYSDEC) 6 New York Code of Rules and Regulations (NYCRR) Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs) and/or Commercial Soil Cleanup Objectives (CSCOs). The highest concentrations of lead were observed at two test pits which are both located in the MNR portion of the Site. The two samples, in addition to three other samples, were analyzed for toxicity characteristic leaching procedure (TCLP) lead and all soil onsite was determined not to be hazardous for disposal purposes.

Soil vapor samples collected contained concentrations of volatile organic compounds (VOCs) above laboratory reporting limits at all sampling locations. However, the concentrations of the chlorinated-related and petroleum compounds are low and do not indicate that there is an active source of contamination to sub-slab soil vapor. Roux recommended the installation of a vapor barrier as part of the construction of the proposed building as a best management practice.

Based on the Phase II ESA, the Site's soil appears to have been impacted by contaminants originating from prior Site operations and historic fill. Excess soils will need to be removed from the Site following the installation of foundation elements or future utilities, and these soils should be properly managed and disposed of offsite. Waste characterization sampling will be required in order to ensure that the soils are appropriately handled in accordance with appropriate regulations and requirements of the selected disposal facilities.

4. Potential Hazards Related to Fill/Soil

This section provides a brief summary of the potential Compounds of Concern and related hazards at the Site. The toxicological, physical, and chemical properties of potential contaminants are presented in Table 1 and fact sheets/Safety Data Sheets (SDSs) for potential COCs are included as Appendix A.

4.1 General

The following information is presented in order to identify the types of materials that may be encountered at the Site. The detailed information on these materials was obtained from:

- SAX's Dangerous Properties of Industrial Materials – Lewis Eight Edition
- Chemical Hazards of the Workplace – Proctor/Hughes
- Condensed Chemical Dictionary – Hawley
- Rapid Guide to Hazardous Chemical in the Workplace – Lewis 1990
- NIOSH Pocket Guide to Chemical Hazards
- ACGIH Threshold Limit Values (TLV) and Biological Exposure Indices (BEI)
- OSHA 29 CFR 1910.1000

Several chemicals that may potentially be present in soils at the Site, based on previous sampling results have been identified. The Summary of Toxicological Data is found in Table 1 and is provided for review of chemicals that may be encountered. The Summary of Toxicological Data Sheets provides information such as the chemicals characteristics, health hazards, protection, and exposure limits.

4.2 Compounds of Concern

Based on the results of Roux's Phase II ESA, soil samples collected contained concentrations of SVOCs, specifically PAHs, metals, PCBs, and pesticides in exceedance of the NYSDEC 6 NYCRR Part 375 UUSCOs and/or CSCOs.

4.3 Hazard Assessment

The potential to encounter hazards related to surficial soil is dependent upon the type of work activity performed and the duration and location of the work activity. Such hazards could include ingestion, inhalation, and/or skin contact with chemicals that could cause: dermatitis, skin burns, or asphyxiation.

Physical hazards that may be encountered during Site work include; heat and cold stress, exposure to excessive noise, loss of limbs, being crushed, head injuries, punctures, cuts, falls, electrocution, bruises, structural integrity of buildings, asbestos and lead paint exposure, and other physical hazards due to motor vehicle operation, heavy equipment, and power tools. The potential for Site Workers to be exposed to chemical hazards may occur during excavation, soil handling, foundation work, and truck and equipment cleaning activities.

Biological hazards may exist during Site activities. These hazards include exposure to insect bites/stings, animals and animal wastes, mold and blood borne pathogens.

Prior to the beginning of each new phase of work, an activity hazard analysis will be prepared by the SHSO with assistance from the GSS/CSS. The analysis will address the hazards for each activity performed in the phase and will present the procedures and safeguards necessary to eliminate the hazards or reduce the risk.

4.4 Exposure Pathways and Assessment

Exposure to these compounds during ongoing activities may occur through inhalation of dust particles and by way of dermal absorption and accidental ingestion by either direct or indirect cross-contamination activities.

Inhalation of dust particles can occur during adverse weather conditions (high or changing wind directions) or during operations that may generate airborne dust such as excavation and loading of Fill or Site grading. Dust control measures such as applying water to roadways and excavations will be implemented when visible dust is generated. Where dust control measures are not feasible or effective, respiratory protection will be used (see Section 7.0 for monitoring procedures and action levels).

4.5 Additional Precautions

Inhalation and dermal absorption contact with ACM and lead-based paint materials is possible during demolition activities at the Site. In addition, dermal absorption or skin contact with Site soils is possible during intrusive activities. The use of PPE and proper vehicle and Site Worker cleaning procedures should significantly reduce the risk of skin contact. The potential for accidental ingestion of Site soils is expected to be remote when good hygiene practices are used.

4.6 Hazard Assessment and Mitigation

| Task | Hazards | Risk of Exposure | Action Taken |
|--------------------------------|-----------------------------|------------------|---|
| Mobilization/Demobilization | Inhalation/
Skin Contact | Low | Proper PPE will be worn. No eating or drinking will be permitted in active work areas. |
| Site Building Demolition | Inhalation/Skin
Contact | Low | Proper PPE will be worn. No eating or drinking will be permitted in active work areas. |
| Excavation and Loading of Soil | Inhalation/
Skin Contact | High | Proper PPE will be worn, and Site Workers will remain upwind of excavation or loading areas, if possible. No eating or drinking will be permitted in active work areas. |
| Vehicle/Equipment Cleaning | Inhalation/
Skin Contact | Low | Proper PPE will be worn during vehicle cleaning and worker shall remain upwind, if possible. No eating or drinking will be permitted in active work areas. |

5. Training

This section details the training requirement for Site Workers.

5.1 Site-Specific Training

Prior to the commencement of field activities, the SHSO, CSS, or GSS will provide Site-specific training to all Site Workers. Site Workers will receive training that will specifically address the activities, procedures, monitoring, and equipment for Site operations. It will include Site layout, hazards, fire prevention and response, first aid equipment locations and emergency services at the Site and will highlight all provisions contained within this CHASP. This training will also allow field workers to clarify anything they do not understand and to reinforce their responsibilities regarding safety and operations for their particular activity. This training may be conducted in conjunction with other Site training or meetings.

5.2 Onsite Safety Meetings

Safety meetings will take place to discuss potential safety concerns for the upcoming activities. At a minimum, the appropriate field supervisors or foremen for all workers will conduct at least one formal daily safety meeting in the morning; however, additional meetings or briefings may be necessary as a result of changing conditions or modifying tasks. Copies of the daily safety meeting sign in sheet and a description of items discussed will be provided to the GSS and will be kept at the Site.

The meetings will also provide a forum to facilitate conformance with safety requirements and to identify performance deficiencies related to safety during daily activities or as a result of safety audits by the Contractor or other involved parties. These meetings may be conducted in conjunction with other Site training or meetings.

Visitors onsite must be made aware of the hazards onsite in a Site-specific safety briefing and sign a statement indicating that they will comply with the applicable requirements of this CHASP.

5.3 First Aid and CPR

The SHSO will identify those individuals having first aid and CPR training to assist with emergency medical treatment during field activities, if necessary. The training will be consistent with the requirements of the American Red Cross. Certification and appropriate training documentation will be kept with the Site Workers' records by the SHSO.

6. Site Control and Personal Protective Equipment

This section provides a detailed description of the Site control measures and personal PPE procedures to be implemented at the Site. It is important to note that this CHASP has been drafted to apply to work in Level D or modified Level D only. If the monitoring results require Level C protection or higher, all Site work will immediately cease until activities can be completed with workers trained in accordance with 29 CFR 1910.120.

6.1 Site Control

Based on the Site history and the results of Roux's investigations, SVOCs, specifically PAHs, metals, PCBs, and pesticides have been identified onsite in exceedance of the NYSDEC 6 NYCRR Part 375 UUSCOs and/or CSCOs. As such, the Site from land surface down to the bedrock will be considered the work area with respect to this CHASP.

6.2 Personal Protective Equipment

The level of protection worn by Site Workers will be enforced by the SHSO. The level of protection may be upgraded at the discretion of the SHSO. All decisions on the level of protection will be based upon a conservative interpretation by the SHSO of the information provided by air monitoring results and/or other appropriate information. Any changes in the level of protection shall be recorded in the health and safety field logbook. If the level of respiratory protection needs to be upgraded, the Contractor will immediately contact the Construction Manager and Owner's Representative.

The level of PPE for work on the Site is Level D PPE, which includes the following:

- Work uniform (long pants, sleeved shirt);
- Hard hat;
- Steel-toed, steel-shanked work boots;
- Safety glasses;
- Boot covers (as needed);
- Hearing protection (as needed); and
- Reflective safety vest.

If required by the SHSO, modified Level D PPE may also be used at the Site during specific activities, consisting of the following:

- Regular Tyvek coveralls (Poly-coated Tyvek as required);
- Outer gloves: leather, cotton, neoprene or nitrile (as required);
- Inner gloves: latex or nitrile (doubled) as required;
- Chemical resistant boots over work boots (as required);
- Steel-toed, steel-shanked work boots;
- Hard hat;
- Safety glasses;

- Hearing protection, as needed; and
- Reflective safety vest.

6.3 Site Control for Unexpected Conditions

In the event that unexpected conditions or hazardous waste is encountered, thereby requiring workers trained in accordance with 29 CFR 1910.120, the following four-zone approach will be employed in order to prevent the spread of the contamination from the area containing the unexpected condition and to protect Site Workers. The four-zones include the Exclusion Zone, the Contamination Reduction Zone, the Remediated Zone, and the Support Zone. A stepped remedial approach will be managed, and the zones modified as the work progresses. Each of the areas will be defined through the use of control barricades and/or construction/hazard fencing. A clearly marked delineation between the zones will be maintained. Signage will be posted to further identify and delineate these areas.

The following subsections describe the four zones that will be utilized in the event that unexpected conditions or contamination is discovered at the Site.

6.3.1 Exclusion Zone

The area where the unexpected condition is discovered would be considered the Exclusion Zone (EZ). All excavation and handling of contaminated materials generated as a result of the discovery of an unexpected condition would take place within the EZ. This zone will be clearly delineated by hay bales, jersey barriers, and/or similar methods. Safety tape may be used as secondary delineation within the EZ. The zone delineation markings may be opened in areas for varying lengths of time to accommodate equipment operation or specific construction activities. The SHSO may establish more than one EZ where different levels of protection may be employed or where different hazards exist. Site Workers will not be allowed in the EZ without:

- A buddy (co-worker);
- Appropriate PPE;
- Medical authorization; and
- Training certification.

6.3.2 Contamination Reduction Zone

A Contamination Reduction Zone (CRZ) will be established between the EZ and the property limits. The CRZ contains the Contamination Reduction Corridor (CRC) and provides an area for decontamination of Site Workers and equipment. The CRZ will be used for general Site entry and egress, in addition to access for heavy equipment and emergency support services. Site Workers will not be allowed in the CRZ without:

- A buddy (co-worker);
- Appropriate PPE;
- Medical authorization; and
- Training certification.

6.3.3 Remediated Zone

A Remediated Zone (RZ) will be established in portions of the Site where the remediation has been completed and only general construction work will be performed. Setup of the RZ will consist of implementing several measures designed to reduce the risk of workers' exposure and prevent non-trained workers from entering the non-remediated zone. Non-trained workers will work only in areas where the potential for exposure has been minimized by removal of all hazardous materials. The remediated zone will then be separated from the non-remediated zone by installing and maintaining temporary plywood or other construction fences along the boundary between the two zones. If potentially impacted material is uncovered in the RZ, all non-trained workers will be removed, and the SHSO will assess the potential risks. If, at any other time, the risk of exposure increases while non-trained workers are present in the RZ, the non-trained workers will be removed. At all times, when non-trained workers are present in the RZ, air monitoring for the presence of VOCs will be conducted in the RZ, as well as at the fence line of the non-remediated zone.

6.3.4 Support Zone

The Support Zone (SZ) will be an uncontaminated area that will be the field support area for the Site operations. The SZ will contain the temporary project trailers and provides for field team communications and staging for emergency response. Appropriate sanitary facilities and safety equipment will be located in this zone. Potentially contaminated Site Workers or materials are not allowed in this zone. The only exception will be appropriately packaged/decontaminated and labeled samples. Meteorological conditions will be observed and noted from this zone, as well as those factors pertinent to heat and cold stress.

7. Monitoring Procedures

A Community Air Monitoring Plan (CAMP) will be conducted in the active work areas during all excavation/truck loading activities, or as mandated by the SHSO.

Based on the results of Roux's Phase II ESA, SVOCs, specifically PAHs, metals, and pesticides are present in soil across the Site. Since the Site redevelopment includes excavation and soil disturbance, particulates will be monitored. Although VOCs were either not detected above laboratory reporting limits or below New York Part 375 Unrestricted Use Soil Cleanup Objectives, limited VOC monitoring is included as part of the CAMP.

The monitoring program will monitor for particulates at the upwind and downwind perimeters of the work area during ground intrusive activities. The design of the CAMP is intended to provide a measure of protection for the downwind community and onsite workers not directly involved with the subject work activities from potential airborne contaminant releases as a direct result of remedial work and demolition activities.

Work zone monitoring will also need to be performed to verify the adequacy of the Level D respiratory protection, to aid in Site layout, and to document monitoring results. If air monitoring in these areas indicates the presence of potentially hazardous materials, control measures will be implemented. All monitoring instruments shall be operated by qualified personnel only and will be calibrated prior to use daily or more often, as necessary. No excavation or truck loading activities will be performed without the presence of the SHSO or designated approved substitute at the Site, and without air monitoring. The SHSO is responsible for ensuring that appropriate monitoring, levels of protection, and safety procedures are followed.

7.1 Instrumentation

The following monitoring instruments will be available for use during field operations, as necessary. There will be a minimum of two of each piece of equipment on the Site at all times:

- Photoionization Detector (PID) with 10.6 EV probe, Flame Ionization Detector (FID), or equivalent.
- Dust/Particulate Monitor (DM), TSI DustTrak, or equivalent.

A PID and/or FID equipped organic vapor meter shall be used to monitor VOCs in and around active work areas during excavation and truck loading activities. VOCs shall also be measured upwind of the work areas to determine background concentrations.

A particulate monitor shall be used to measure concentrations of dust and particulate matter in and around the active work areas. Particulates shall also be measured upwind of the work areas to determine background concentrations.

All instruments shall be calibrated daily prior to use in accordance with the manufacturer's procedures. Calibration records shall be documented and recorded daily.

The frequency of monitoring should be determined by the SHSO after consultation with the CSS/GSS. The rationale for any modification must be documented and maintained by the SHSO in the onsite health and safety files.

7.2 Action Levels

Action levels for the upgrading of PPE requirements in the CHASP will apply to all Site work including excavation, soil handling, foundation work, and truck and equipment cleaning activities. These action levels are for known contaminants measured using direct reading instruments in the Breathing Zone (BZ) for VOCs and particulates. The BZ will be determined by the SHSO but is typically 4 to 5 feet above the work area surface or elevation. Action levels will be specific in the Construction Manager's HASP.

An air horn will be readily available in the Site trailer. An additional air horn will be located in the work area to alert Site Workers to an emergency situation. In the event of an emergency or the need to upgrade the level of personal protection, sharp blasts of the air horn will be sounded. If the level of respiratory protection needs to be upgraded, the Contractor will immediately contact the Construction Manager and Owner's Representative.

Action levels will be specific in the CAMP and are provided in Section 3.3 of the RAP.

8. Vehicle/Site Worker Cleaning Areas and Disposal Procedures

This section details the specific vehicle/Site Worker cleaning and waste disposal procedures to be implemented at the Site during the excavation and truck loading activities.

8.1 Contamination Prevention

Contamination prevention should minimize worker exposure and help to avoid spreading Site derived soil onto the public roadways. Procedures for prevention include:

Site Workers

- Do not directly handle or touch soil.
- No eating or drinking in the soil areas.
- Particular care should be taken to protect any skin injuries.
- Stay upwind of dust.
- Do not use cigarettes, cosmetics, gum, etc., in areas of soil.
- Care should be taken to limit the amount of soil that comes in contact with heavy equipment (tires).
- If tools used in soil are to be placed on equipment for transport to an area where all soil has been removed or to be cleaned, plastic should be used to keep the equipment clean.
- Dust control measures, including water misting, will be used on roads inside the Site boundaries.

8.2 Vehicle Cleaning Area/Stabilized Construction Entrances

One or more temporary vehicle cleaning areas will be constructed to clean disposal trucks and other vehicles and equipment prior to leaving the Site. This area will reduce the amount of soil that disposal trucks and other vehicles spread onto the public roadway. The vehicle cleaning area will be constructed of gravel and will be of sufficient size to prevent vehicles from spreading Fill/Soils onto the public roads and/or previously excavated areas of the Site where all soil has been removed. Before any disposal truck or other vehicle leaves the Site, the sides and wheels will be inspected. If any soils are observed on the wheels or body of the truck, they will be removed and collected for disposal using a shovel, broom, and/or other hand tools in the designated vehicle cleaning area. This will reduce the potential for disposal trucks to spread Site-derived material onto the public streets. This vehicle cleaning area may be upgraded to include wet vehicle cleaning procedures (i.e., power washing or steam cleaning), if deemed necessary by the SHSO, CSS, and/or GSS.

In addition, all equipment used for excavation and other earthwork activities (i.e., excavators, bulldozers, backhoes, etc.) which comes in contact with Fill shall be cleaned at the vehicle cleaning area prior to:

- Crossing into areas of the Site where no exposed soil is present; and
- Leaving the Site.

No equipment will be allowed to leave the Site prior to the SHSO or Site Superintendent's inspection and verification that the equipment was properly cleaned.

8.3 Disposal Procedures

A system of segregating all waste will be developed by the SHSO. All discarded materials, waste materials, or other objects shall be handled in such a way as to preclude the potential for spreading Fill, creating a sanitary hazard, or causing litter to be left onsite. If any potentially contaminated materials (e.g., clothing, gloves, etc.) are generated, they will be bagged or drummed, as necessary, labeled, and segregated for proper disposal. All non-contaminated materials shall be collected and bagged for appropriate disposal as domestic waste.

9. Handling of Potential Hazardous Materials

Based on the results of the previous investigations, hazardous materials have not been identified at the Site. In the event that hazardous soils are identified during the excavation and construction phases of work, the steps for dealing with hazardous conditions will be followed as outlined in Section 6.3.

10. Emergency Plan

The emergency plan outlined in this section will be understood by all Site Workers prior to the start of work so that, should an emergency occur, all parties will know how to respond. During an emergency, the SHSO will perform air monitoring as needed and will assist responding emergency personnel with health and safety information related to the Site. Site Workers will endeavor to keep non-essential personnel away from the incident until the appropriate emergency personnel arrive. At that time, the emergency personnel will take control of the Site. Site Workers may be asked to lend assistance to emergency personnel such as during evacuations, help with the injured, etc.

10.1 Emergency Response Numbers

The following sections provide emergency response and project management phone numbers. Emergencies encountered on this Site will be responded to via offsite emergency services personnel and Site Workers. The following master phone list will be prominently posted at the Contractor's construction trailer designated as the Site command post.

| | |
|--|----------------|
| Emergency Medical Service | 911 |
| <u>Police</u> : New York City Police Department (NYPD) | 911 |
| <u>Hospital</u> : Bellevue Hospital | (212) 562-4141 |
| <u>Urgent Care</u> : CityMD | (212) 729-4668 |
| National Response Center | (800) 424-8802 |
| Poison Control Center | (800) 222-1222 |
| Chemtrec | (800) 262-8200 |
| <u>Fire</u> : New York City Fire Department (FDNY) | 911 |
| New York City Office of Emergency Management | 911 |
| Center for Disease Control | (800) 311-3435 |
| USEPA (Region II) | (212) 637-5000 |
| NYSDEC Emergency Spill Response | (800) 457-7362 |

The table in Section 1.2 provides the contact information for Project Management and Health and Safety Personnel.

10.2 Emergency Evacuation

Evacuation procedures will be discussed prior to the start of work and periodically during safety meetings. In the event of an emergency situation such as fire or an explosion, an air horn or other appropriate device will be sounded for three (3) sharp blasts, indicating the initiation of evacuation procedures. The emergency evacuation route shall be clearly posted in the appropriate Site trailers. Under no circumstances will incoming Site Workers or visitors be allowed to proceed into the area once the emergency signal has been given. Once the alarm has been sounded, the SHSO or GSS must ensure that access for emergency equipment is provided and that all combustion apparatuses have been shut down. All Site Workers will assemble outside of the active work areas and away from the area of danger and the fire department and other emergency response personnel will be notified by telephone of the emergency.

10.3 Injury to Site Workers

Emergency first aid shall be applied onsite as appropriate. In the event that additional medical attention is necessary, the injured worker should be brought to either the urgent care facility or emergency room at the hospital. If the Site Worker is unable to be brought to these facilities, 911 should be called and an ambulance sent to the Site.

10.4 Site Worker Exposure

The following describes the appropriate mitigation measures to be followed in the event that Site Workers are exposed to contaminants.

| | |
|--|---|
| <u>Skin Contact:</u> | Use copious amounts of soap and water. Wash/rinse affected area thoroughly, then clean or remove PPE and provide appropriate medical attention, if necessary. Eyes should be rinsed for 15 minutes upon chemical contamination. |
| <u>Inhalation:</u> | Move to fresh air and/or, if necessary, clean or remove PPE and transport to emergency medical facility. |
| <u>Ingestion:</u> | Clean or remove PPE and transport to emergency medical facility, if necessary. |
| <u>Puncture Wound
or Laceration:</u> | Clean or remove PPE and transport to emergency medical facility, if necessary. |

11. Field Team Review

Each Site Worker shall sign this section after Site-specific training is completed and before being permitted to work at the Site.

Site/Project: 175 Park (aka Project Commodore)
109 East 42nd Street
New York, New York

| Date | Name | Signature | Company |
|------|------|-----------|---------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

SHSO Certification of Hospital Directions

Name of SHSO: _____

Date: _____

This is to certify that on _____, I personally drove the route to Bellevue Hospital as listed in the CHASP. The Map Routing and Directions were/were not as listed in the plan. Listed below were conditions that resulted in different directions.

Site Health and Safety Officer

TABLES

1. Toxicological, Physical and Chemical Properties of Compounds Potentially Present at the Site

Table 1. Toxicological, Physical, and Chemical Properties of Compounds Potentially Present at 109 East 42nd Street, New York, New York 10017

| Compound | CAS # | ACGIH TLV | NIOSH REL | OSHA PEL | IDLH | Routes of Exposure | Toxic Properties | Target Organs | Physical/Chemical Properties |
|----------------------|-------------------|--------------------------------|--------------------------------------|--|----------------------------------|---|--|--|--|
| Acenaphthene | 83-32-9 | None established | None established | None established | None established | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin, respiratory system | Eyes, skin, respiratory system | Brown solid |
| Acenaphthylene | 208-96-8 | None Established | None established | None established | None established | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin, respiratory system | Eyes, skin, respiratory system | Yellow Solid
Fl. Pt.=251°F |
| Arsenic (inorganic) | 7440-38-2 (metal) | TWA 0.01 mg/m3 | Ca
C 0.002 mg/m3 [15-min] | TWA 0.010 mg/m3 | Ca [5 mg/m3 (as As)] | Inhalation; ingestion; skin absorption; skin and/or eye contact | Ulceration of nasal septum, dermatitis, GI disturbances, peripheral neuropathy, resp irritation, hyperpigmentation of skin, [potential occupational carcinogen] | Liver, kidneys, skin, lungs, lymphatic sys | Metal: sliver-gray or tin-white, brittle, odorless solid
BP: sublimes |
| Barium | 7440-39-3 | TWA 0.5 mg/m3 | None established | TWA 0.5 mg/m3 | None established | Inhalation, ingestion, skin contact | Irritation skin, respiratory system, digestive system | Skin, eyes, respiratory system | Yellow white powder
BP: 1640 C |
| Benzene | 71-43-2 | TWA 0.5 ppm
STEL 2.5 ppm | Ca TWA 0.1 ppm
STEL 1 ppm | TWA 1 ppm ST 5 ppm | Ca [500 ppm] | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin, nose, respiratory system; dizziness; headache, nausea, staggered gait; anorexia, lassitude (weakness, exhaustion); dermatitis; bone marrow depression; [potential occupational carcinogen] | Eyes, skin, respiratory system, blood, central nervous system, bone marrow | Colorless to light yellow liquid with an aromatic odor [Note: Solid below 42 °F]
BP: 176°F
Fl.Pt. = 12°F
LEL: 1.2%
UEL: 7.8%
Class B Flammable liquid |
| Benzo[a]anthracene | 56-55-3 | None established [skin cancer] | None established | None established | None established | Inhalation; ingestion; skin absorption; skin and/or eye contact | Irritation eyes, skin, respiratory system, CNS; skin cancer | Skin | Pale Yellow crystal, solid
BP: 438 C |
| Benzo[a]pyrene | 50-32-8 | None established [cancer] | TWA 0.1 mg/m3 | TWA 0.2 mg/m3 | None established | Inhalation; ingestion; skin absorption; skin and/or eye contact | POISON. This material is an experimental carcinogen, mutagen, tumorigen, neoplastigen and teratogen. It is a probable carcinogen in humans and a known human mutagen. IARC Group 2A carcinogen. It is believed to cause bladder, skin and lung cancer. Exposure to it may damage the developing fetus. May cause reproductive damage. Skin, respiratory and eye irritant or burns. | Skin, eye, bladder, lung, reproductive | Yellow crystals or powder [found in cigarette smoke, coal tar, fuel exhaust gas and in many other sources]
BP: 495 C |
| Benzo[b]fluoranthene | 205-99-2 | None established [cancer] | TWA 0.1 mg/m3 | TWA 0.2 mg/m3 | None established | Inhalation; ingestion; skin and/or eye contact | No data were identified on the toxicity of benzo[b]fluoranthene to humans. Based on results of studies in animals, IARC concluded that benzo[b]fluoranthene is possibly carcinogenic to humans | Respiratory system, skin, bladder, kidneys | Off-white to tan powder |
| Benzo[k]fluoranthene | 207-08-9 | None established | None established | None established | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin, respiratory tract, gastrointestinal; fatal if swallowed, inhaled, absorbed through the skin; vomiting, nausea, diarrhea | Lungs, respiratory system | Yellow crystals
BP: 480 C |
| Benzo(g,h,i)perylene | 191-24-2 | None established | None established | California permissible exposure limits for chemical contaminants (Title 8, Article 107)
PEL 0.2 mg/m3 | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin, respiratory tract, very toxic to aquatic life with long lasting effects | Eyes, skin, respiratory system | Pale Yellow -Green Crystals
BP: 550°C |
| Beryllium | 7440-41-7 (metal) | TWA 0.00005 mg/m ³ | Ca
C 0.0005 mg/m ³ | TWA 0.002 mg/m ³
C 0.005 mg/m ³ (30 minutes) with a maximum peak of 0.025 mg/m ³ | Ca [4 mg/m ³ (as Be)] | inhalation, skin and/or eye contact | Berylliosis (chronic exposure): anorexia, weight loss, lassitude (weakness, exhaustion), chest pain, cough, clubbing of fingers, cyanosis, pulmonary insufficiency; irritation eyes; dermatitis; [potential occupational carcinogen] | Eyes, skin, respiratory system | Metal: A hard, brittle, gray-white solid.
BP: 4532°F |
| Cadmium | 7440-43-9 (metal) | TWA 0.01 mg/m ³ | Ca | TWA 0.005 mg/m ³ | Ca [9 mg/m ³ (as Cd)] | inhalation, ingestion | Pulmonary edema, dyspnea (breathing difficulty), cough, chest tightness, substernal (occurring beneath the sternum) pain; headache; chills, muscle aches; nausea, vomiting, diarrhea; anosmia (loss of the sense of smell), emphysema, proteinuria, mild anemia; [potential occupational carcinogen] | respiratory system, kidneys, prostate, blood | Metal: Silver-white, blue-tinged lustrous, odorless solid.
BP: 1409°F |
| Carbon Tetrachloride | 56-23-5 | TWA 5 ppm
STEL 10 ppm | Ca ST 2 ppm (12.6 mg/m3) [60 minute] | TWA 10 ppm
C 25 ppm
200 ppm (5-minute maximum peak in any 4 hours) | Ca [200 ppm] | inhalation, skin absorbtion, ingestion, skin and/or eye contact | irritation eyes, skin; central nervous system depression; nausea, vomiting; liver, kidney injury; drowsiness, dizziness, incoordination; [potential occupational carcinogen] | central nervous system, eyes, lungs, liver, kidneys, skin | Colorless liquid with a characteristic ether-like odor.
BP: 170°F |
| Carbon Monoxide | 630-08-0 | TWA 25 ppm | TWA 35 ppm
C 200 ppm | TWA 50 ppm | 1,200 ppm | inhalation | Carboxyhemogloemia | Blood | Colorless, odorless gas |

Table 1. Toxicological, Physical, and Chemical Properties of Compounds Potentially Present at 109 East 42nd Street, New York, New York 10017

| Compound | CAS # | ACGIH TLV | NIOSH REL | OSHA PEL | IDLH | Routes of Exposure | Toxic Properties | Target Organs | Physical/Chemical Properties |
|--|------------|--|---|---|-------------------------------|---|--|---|---|
| Chromium | 7440-47-3 | TWA 0.5 mg/m ³ (metal and Cr III compounds)
TWA 0.05 mg/m ³ (water-soluble Cr VI compounds)
TWA 0.01 mg/m ³ (insoluble Cr IV compounds) | TWA 0.5 mg/m ³ | TWA 1 mg/m ³ | 250 mg/m ³ (as Cr) | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin; lung fibrosis (histologic) | Eyes, skin, respiratory system | Blue-white to steel-gray, lustrous, brittle, hard, odorless solid.
BP: 4788°F |
| Chrysene; Phenanthrene; Pyrene; Coal tar pitch volatiles | 65996-93-2 | TWA 0.2 mg/m3 | Ca TWA 0.1 mg/m ³ (cyclohexane-extractable fraction) | TWA 0.2 mg/m ³ (benzene-soluble fraction) | Ca [80 mg/m ³] | Inhalation, skin and/or eye contact | Dermatitis, bronchitis, [potential occupational carcinogen] | Respiratory system, skin, bladder, kidneys | Black or dark-brown amorphous residue. Combustible Solids |
| Coal Tar Pitch Volatiles; Chrysene; Phenanthrene; Pyrene | 65996-93-2 | TWA 0.2 mg/m ³ | Ca TWA 0.1 mg/m ³ (cyclohexane-extractable fraction) | TWA 0.2 mg/m ³ (benzene-soluble fraction) | Ca [80 mg/m ³] | Inhalation, skin and/or eye contact | Dermatitis, bronchitis, [potential occupational carcinogen] | respiratory system, skin, bladder, kidneys | Black or dark-brown amorphous residue. Combustible Solids |
| 1,1-Dichloroethane | 75-34-3 | TWA 100 ppm | TWA 100 ppm (400 mg/m ³) | TWA 100 ppm (400 mg/m ³) | 3000 ppm | inhalation, ingestion, skin and/or eye contact | Irritation skin; central nervous system depression; liver, kidney, lung damage | Skin, liver, kidneys, lungs, central nervous system | Colorless, oily liquid with a chloroform-like odor.
BP: 135°F
F.I.P: 2°F
UEL: 11.4%
LEL: 5.4% |
| 1,2-Dichloroethane (Ethylene Dichloride) | 107-06-2 | TWA 10 ppm | Ca TWA 1 ppm (4 mg/m ³)
STEL 2 ppm (8 mg/m ³) | TWA 50 ppm
C 100 ppm
200 ppm [5-minute maximum peak in any 3 hours] | Ca [50 ppm] | inhalation, ingestion, skin absorption, skin and/or eye contact | Irritation eyes, corneal opacity; central nervous system depression; nausea, vomiting; dermatitis; liver, kidney, cardiovascular system damage; [potential occupational carcinogen] | Eyes, skin, kidneys, liver, central nervous system, cardiovascular system | Colorless liquid with a pleasant, chloroform-like odor. [Note: Decomposes slowly, becomes acidic & darkens in color.]
BP: 182°F
F.I.P: 56°F
UEL: 16%
LEL: 6.2%
Class IB Flammable Liquid |
| 1,2-Dichloroethene (total) | 540-59-0 | TWA 200 ppm | TWA 200 ppm (790 mg/m ³) | TWA 200 ppm (790 mg/m ³) | 1000 ppm | inhalation, ingestion, skin and/or eye contact | Irritation eyes, respiratory system; central nervous system depression | Eyes, respiratory system, central nervous system | Colorless liquid (usually a mixture of the cis & trans isomers) with a slightly acrid, chloroform-like odor
BP: 118-140°F
F.I.P: 36-39°F
UEL: 12.8%
LEL: 5.6%
Class IB Flammable Liquid |
| cis-1,2-Dichloroethene | 156-59-2 | TWA 200 ppm | TWA 200 ppm | TWA 200 ppm | None established | inhalation, skin absorption, ingestion | Harmful if swallowed, inhaled, or absorbed through skin. Irritant. Narcotic. Suspected carcinogen | Skin | Colorless liquid
BP: 60 C
F.I.P: 4 C
UEL: 12.8%
LEL: 9.7 % |
| trans-1,2-Dichloroethene | 156-60-5 | TWA 200 ppm | None established | TWA 200 ppm
STEL 250 ppm (skin) | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Narcotic. Irritation eyes, skin, respiratory tract, mucous membrane; CNS depression. | Respiratory tract, mucous membrane, eyes, skin, CNS | Colorless liquid with a fruity pleasant odor
BP: 48°C
F.I.P 6C
UEL: 12.8%
LEL: 9.7% |
| Dibenzo[a,h]anthracene | 53-70-3 | None established | None established | None established | None established | Inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin | Eyes, skin; skin photosensitization. | Colorless crystalline powder
BP: 524°C |
| Dibenzofuran | 132-64-9 | | | | | | | | |
| Diesel Fuel #2 | 68476-34-6 | TWA 100 mg/m ³ ; Skin notation | None established | Designated as an OSHA Select Carcinogen | None established | ingestion, skin and/or eye contact | Kidney damage; potential lung damage; suspected carcinogen; irritation of eyes, skin, respiratory tract; dizziness, headache, nausea; chemical pneumonitis (from aspiration of liquid); dry, red skin; irritant contact dermatitis; eye redness, pain. | Eyes, skin, kidneys | Clear yellow brown combustible liquid; floats on water; distinct diesel petroleum hydrocarbon odor.
BP: 356-716°F
F.I.P: 154.4-165.2°F
LEL: 0.6%
UEL: 7.0% |
| Ethylbenzene | 100-41-4 | TWA 20 ppm | TWA 100 ppm (435 mg/m ³)
STEL 125 ppm (545 mg/m ³) | TWA 100 ppm (435 mg/m ³) | 800 ppm [10%LEL] | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin, mucous membrane; headache; dermatitis; narcosis, coma | Eyes, skin, respiratory system, central nervous system | Colorless liquid with an aromatic odor.
BP: 277°F
F.I.P: 55°F
UEL: 6.7%
LEL: 0.8%
Class IB Flammable Liquid |
| Fluoranthene | 206-44-0 | None established | None established | None established | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; possible burns; heart and liver injury, pulmonary edema, respiratory arrest, gastrointestinal disturbances. | Heart, liver, lungs. | Yellow needles. |

Table 1. Toxicological, Physical, and Chemical Properties of Compounds Potentially Present at 109 East 42nd Street, New York, New York 10017

| Compound | CAS # | ACGIH TLV | NIOSH REL | OSHA PEL | IDLH | Routes of Exposure | Toxic Properties | Target Organs | Physical/Chemical Properties |
|--|------------|--|--|--|---|---|---|---|---|
| Fuel Oil #2 | 68476-30-2 | TWA 100 mg/m ³ ; Skin notation | None established | None established | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; CNS effects; nausea, vomiting, headache, cramping, dizziness, weakness, loss of coordination,, drowsiness; kidney, liver damage | Eyes, skin, CNS | Clear or yellow to red oily liquid, kerosene-like odor
BP: 347 - 689 °F
UEL:5-6%
LEL: 0.7-1.0% |
| Gasoline | 8006-61-9 | TWA 300 ppm
STEL 500 ppm | Carcinogen | None established | Ca [IDLH value has not been determined] | Skin absorption; inhalation; ingestion; skin and/or eye contact | Eyes and skin irritation, mucous membrane; dermatitis; headache; listlessness, blurred vision, dizziness, slurred speech, confusion, convulsions; chemical pneumonitis; possible liver, kidney damage [Potential occupational carcinogen] | Eyes, skin, respiratory system, CNS, Liver, Kidneys | Clear liquid with a characteristic odor, aromatic
Fl.Pt. = -45°F
LEL = 1.4%
UEL = 7.6%
Class 1B Flammable Liquid |
| Hydrogen Sulfide | 7783-06-4 | TWA 1 ppm
STEL 5 ppm | C 10 ppm (15 mg/m ³) [10-minute] | C 20 ppm 50 ppm [10-minute maximum peak] | 100 ppm | inhalation, skin and/or eye contact | Irritation eyes, respiratory system; apnea, coma, convulsions; conjunctivitis, eye pain, lacrimation (discharge of tears), photophobia (abnormal visual intolerance to light), corneal vesiculation; dizziness, headache, lassitude (weakness, exhaustion), irritability, insomnia; gastrointestinal disturbance; liquid: frostbite | Eyes, respiratory system, central nervous system | Colorless gas with a strong odor of rotten eggs.
BP: -77°F
UEL: 44.0%
LEL: 4.0%
Flammable Gas |
| Indeno[1,2,3-cd]pyrene | 193-39-5 | None established | None established | None established | None established | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; possible human carcinogen (skin); weakness; affect liver, lung tissue, renal tissue; impairment of blood forming tissue | Skin | Fluorescent green-yellow crystalline solid
BP: 536 C |
| Lead (inorganic) | 7439-92-1 | TWA 0.05 mg/m ³ | TWA (8-hour) 0.050 mg/m ³ | TWA 0.050 mg/m ³ | 100 mg/m ³ (as Pb) | inhalation, ingestion, skin and/or eye contact | Lassitude (weakness, exhaustion), insomnia; facial pallor; anorexia, weight loss, malnutrition; constipation, abdominal pain, colic; anemia; gingival lead line; tremor; paralysis wrist, ankles; encephalopathy; kidney disease; irritation eyes; hypertension | Eyes, gastrointestinal tract, central nervous system, kidneys, blood, gingival tissue | A heavy, ductile, soft, gray solid.
BP: 3164°F
Noncombustible Solid in bulk form |
| Mercury (organo) alkyl compounds (as Hg) | 7439-97-6 | TWA 0.01 mg/m ³
STEL 0.03 mg/m ³ [skin] | TWA 0.01 mg/m ³
STEL 0.03 mg/m ³ [skin] | TWA 0.01 mg/m ³
C 0.04 mg/m ³ | 2 mg/m ³ (as Hg) | inhalation, skin absorption, ingestion, skin and/or eye contact | Paresthesia; ataxia, dysarthria; vision, hearing disturbance; spasticity, jerking limbs; dizziness; salivation; lacrimation (discharge of tears); nausea, vomiting, diarrhea, constipation; skin burns; emotional disturbance; kidney injury; possible teratogenic effects | Eyes, skin, central nervous system, peripheral nervous system, kidneys | Appearance and odor vary depending upon the specific (organo) alkyl mercury compound |
| Mercury compounds [except (organo) alkyls] (as Hg) Mercury | 7439-97-6 | TWA 0.025 mg/m ³ (elemental and inorganic forms) | Hg Vapor: TWA 0.05 mg/m ³ [skin]
Other: C 0.1 mg/m3 [skin] | TWA 0.1 mg/m ³ | 10 mg/m ³ (as Hg) | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; cough, chest pain, dyspnea (breathing difficulty), bronchitis, pneumonitis; tremor, insomnia, irritability, indecision, headache, lassitude (weakness, exhaustion); stomatitis, salivation; gastrointestinal disturbance, anorexia, weight loss; proteinuria | Eyes, skin, respiratory system, central nervous system, kidneys | Metal: Silver-white, heavy, odorless liquid.
[Note: "Other" Hg compounds include all inorganic & aryl Hg compounds except (organo) alkyls.]
BP: 674°F |
| Methylene Chloride (Dichloromethane) | 75-09-2 | TWA 50 ppm, A3 - suspected human carcinogen | Ca | TWA 25 ppm
STEL 125 ppm | Ca [2300 ppm] | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; lassitude (weakness, exhaustion), drowsiness, dizziness; numbness, tingle limbs; nausea; [potential occupational carcinogen] | Eyes, skin, cardiovascular system, central nervous system | Colorless liquid with a chloroform-like odor
BP: 104°F
UEL: 23%
LEL: 13% |
| Naphtha (Rubber Solvent) | 8030-30-6 | None established | TWA 100 ppm (400 mg/m ³) | TWA 100 ppm (400 mg/m ³) | 1000 ppm [10%LEL] | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin, nose; dizziness, drowsiness; dermatitis; in animals: liver, kidney damage | Eyes, skin, respiratory system, central nervous system, liver, kidneys | Reddish-brown, mobile liquid with an aromatic odor
BP: 320-428°F
Fl.P: 100-109°F
Class II Combustible Liquid |
| Naphthalene | 91-20-3 | TWA 10 ppm [skin] | TWA 10 ppm (50 mg/m ³) STEL 15 ppm (75 mg/m ³) | TWA 10 ppm (50 mg/m ³) | 250 ppm | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes; headache, confusion, excitement, malaise (vague feeling of discomfort); nausea, vomiting, abdominal pain; irritation bladder; profuse sweating; jaundice; hematuria (blood in the urine), renal shutdown; dermatitis, optical neuritis, corneal damage | Eyes, skin, blood, liver, kidneys, central nervous system | Colorless to brown solid with an odor of mothballs.
BP: 424°F
Fl.P: 174°F
UEL: 5.9%
LEL: 0.9% |
| Petroleum hydrocarbons(Petroleum distillates) | 8002-05-9 | None established | TWA 350 mg/m ³
C 1800 mg/m ³ [15 min] | TWA 500 ppm (2000 mg/m ³) | 1,100 [10% LEL] | Inhalation; ingestion; skin and/or eye contact | Irritation eyes, skin, nose, throat; dizziness, drowsiness, headache, nausea; dried/cracked skin; chemical pneumonitis | CNS, eyes, respiratory system, skin | Colorless liquid with a gasoline or kerosene-like odor
BP: 86-460°F
Fl. Pt = -40 to -86°F
UEL: 5.9%
LEL: 1.1%
Flammable liquid |
| Polychlorinated Biphenyls (PCBs) (Chlorodiphenyl (42% Chlorine)) | 53469-21-9 | TWA 1 mg/m ³ | Ca TWA 0.001 mg/m ³ | 0.5 mg/m ³ | 5 ppm | Dermal; inhalation; ingestion; skin and/or eye contact | Irritation eyes; chloracne; liver damage; reproductive effects; [potential occupational carcinogen] | Eyes, skin, liver, respiratory system | Colorless to light-colored, viscous liquid, hydrocarbon odor, BP: 617 - 734°F, non-flammable, LEL: NA, UEL: NA |
| Selenium | 7782-49-2 | TWA 0.2 mg/m ³ | TWA 0.2 mg/m ³ | TWA 0.2 mg/m ³ | 1 mg/m ³ (as Se) | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin, nose, throat; visual disturbance; headache; chills, fever; dyspnea (breathing difficulty), bronchitis; metallic taste, garlic breath, gastrointestinal disturbance; dermatitis; eye, skin burns; in animals: anemia; liver necrosis, cirrhosis; kidney, spleen damage | Eyes, skin, respiratory system, liver, kidneys, blood, spleen | Amorphous or crystalline, red to gray solid.
[Note: Occurs as an impurity in most sulfide ores.]
BP: 1265°F |

Table 1. Toxicological, Physical, and Chemical Properties of Compounds Potentially Present at 109 East 42nd Street, New York, New York 10017

| Compound | CAS # | ACGIH TLV | NIOSH REL | OSHA PEL | IDLH | Routes of Exposure | Toxic Properties | Target Organs | Physical/Chemical Properties |
|---|-----------------------------|--|---|---|---|--|---|---|---|
| Silver | 7440-22-4 (metal) | TWA 0.1 mg/m ³ (metal, dust, fume)
TWA 0.01 mg/m ³ (Soluble compounds, as Ag) | TWA 0.01 mg/m ³ | TWA 0.01 mg/m ³ | 10 mg/m ³ (as Ag) | inhalation, ingestion, skin and/or eye contact | Blue-gray eyes, nasal septum, throat, skin; irritation, ulceration skin; gastrointestinal disturbance | Nasal septum, skin, eyes | Metal: White, lustrous solid
BP: 3632°F |
| Tetrachloroethene | 127-18-4 | TWA 25 ppm
STEL 100 ppm
listed as A3, animal carcinogen | Ca Minimize workplace exposure concentrations | TWA 100 ppm
C 200 ppm (for 5 minutes in any 3-hour period), with a maximum peak of 300 ppm | Ca [150 ppm] | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin, nose, throat, respiratory system; nausea; flush face, neck; dizziness, incoordination; headache, drowsiness; skin erythema (skin redness); liver damage; [potential occupational carcinogen] | Eyes, skin, respiratory system, liver, kidneys, central nervous system | Colorless liquid with a mild, chloroform-like odor.
BP: 250°F
Noncombustible Liquid |
| Toluene | 108-88-3 | TWA 20 ppm | TWA 100 ppm (375 mg/m ³)
STEL 150 ppm (560 mg/m ³) | TWA 200 ppm
C 300 ppm 500 ppm (10-minute maximum peak) | 500 ppm | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, nose; lassitude (weakness, exhaustion), confusion, euphoria, dizziness, headache; dilated pupils, lacrimation (discharge of tears); anxiety, muscle fatigue, insomnia; paresthesia; dermatitis; liver, kidney damage | Eyes, skin, respiratory system, central nervous system, liver, kidneys | Colorless liquid with a sweet, pungent, benzene-like odor.
BP: 232°F
Fl.P: 40°F
UEL: 7.1%
LEL: 1.1%
Class IB Flammable Liquid |
| 1,1,1-Trichloroethane (Methyl Chloroform) | 71-55-6 | TWA 350 ppm
STEL 450 ppm | C 350 ppm (1900 mg/m ³) [15-minute] | TWA 350 ppm (1900 mg/m ³) | 700 ppm | inhalation, ingestion, skin and/or eye contact | Irritation eyes, skin; headache, lassitude (weakness, exhaustion), central nervous system depression, poor equilibrium; dermatitis; cardiac arrhythmias; liver damage | Eyes, skin, central nervous system, cardiovascular system, liver | Colorless liquid with a mild, chloroform-like odor.
BP: 165°F
UEL: 12.5%
LEL: 7.5% |
| Trichloroethene | 79-01-6 | TWA 10 ppm
STEL 25 ppm | Ca | TWA 100 ppm
C 200 ppm 300 ppm (5-minute maximum peak in any 2 hours) | Ca [1000 ppm] | inhalation, skin absorption, ingestion, skin and/or eye contact | Irritation eyes, skin; headache, visual disturbance, lassitude (weakness, exhaustion), dizziness, tremor, drowsiness, nausea, vomiting; dermatitis; cardiac arrhythmias, paresthesia; liver injury; [potential occupational carcinogen] | Eyes, skin, respiratory system, heart, liver, kidneys, central nervous system | Colorless liquid (unless dyed blue) with a chloroform-like odor.
BP: 189°F
UEL(77°F): 10.5%
LEL(77°F): 8% |
| Vinyl Chloride | 75-01-4 | TWA 1 ppm | Carcinogen | TWA 1 ppm
C 5 ppm [15-minute] | Ca [IDLH value has not been determined] | inhalation, skin, and/or eye contact (liquid) | Lassitude (weakness, exhaustion); abdominal pain, gastrointestinal bleeding; enlarged liver; pallor or cyanosis of extremities; liquid: frostbite; [potential occupational carcinogen] | Liver, central nervous system, blood, respiratory system, lymphatic system | Colorless gas or liquid (below 7°F) with a pleasant odor at high concentrations.
BP: 7°F
UEL: 33.0%
LEL: 3.6%
Flammable Gas |
| Xylene (m, o & p isomers) | 108-38-3, 95-47-6, 106-42-3 | TWA 100 ppm
STEL 150 ppm | TWA 100 ppm (435 mg/m ³) | TWA 100 ppm (435 mg/m ³) | 900 ppm | Skin absorption, inhalation, ingestion, skin, and/or eye contact | Irritation eyes, skin, nose, throat; dizziness, excitement, drowsiness, incoordination, staggering gait; corneal vacuolization; anorexia, nausea, vomiting, abdominal pain; dermatitis | Eyes, skin, respiratory system, central nervous system, gastrointestinal tract, blood, liver, kidneys | Colorless liquid with an aromatic odor
BP: 282°F, 292°F, 281°F
Fl. Pt. 82°F, 90°F, 81°F
LEL: 1.1%, 0.9%, 1.1%
UEL: 7.0%, 6.7%, 7.0%
Class C Flammable Liquid |
| Zinc Oxide | 1314-13-2 | TWA 2 mg/m3
STEL 10 mg/m ³ | None established | TWA 10 mg/m3 (for zinc oxide fume) | None established | skin and/or eye contact, inhalation, ingestion | Irritation eyes, skin, respiratory tract; gastrointestinal disturbances | Eyes, skin, respiratory system, | Bluish gray solid
BP: 1664.6°F
Flammable |

References

U.S. Department of Labor. 1990. OSHA Regulated Hazardous Substances, industrial Exposure and Control Technologies Government Institutes, Inc.
Hawley's Condensed Chemical Dictionary, Sax, N. Van Nostrand and Reinhold Company, 11th Edition, 1987.
Proctor, N.H., J.P. Hughes and M.L. Fischman, 1989. Chemical Hazards of the Workplace. Van Nostrand Reinhold. New York.
Sax, N.I. and R.J. Lewis. 1989. Dangerous Properties of Industrial Materials. 7th Edition. Van Nostrand Reinhold. New York.
2017 TLVs® and BEIs®, American Conference of Industrial Hygienists

Abbreviations:

ACGIH – American Conference of Governmental Industrial Hygienists.
BP – boiling point at 1 atmosphere, °F
C – Ceiling, is a concentration that should not be exceeded during and part of the working exposure.
CAS# - Chemical Abstracts Service registry number which is unique for each chemical.
Ft Pt. – Flash point
IDLH - Immediately Dangerous to Life and Health concentrations represent the maximum concentration from which, in the event of respirator failure, one could escape within 30 minutes without a respirator and without experiencing any escape-impairing or irreversible health effects.
LEL – Lower explosive (flammable) limit in air, % by volume (at room temperature)
mg/m³ – Milligrams of substance per cubic meter of air
NIOSH - National Institute for Occupational Safety and Health.
OSHA – Occupational Safety and Health Administration
PEL - OSHA Permissible Exposure Limit (usually) a time weighted average concentration that must not be exceeded during any 8 hour work shift of a 40 hr work week.
ppm – parts per million
REL – NIOSH Recommended Limit indicated a time weighted average concentration that must not be exceeded during any 10 hour work shift of a 40 hr work week
SG - Specific Gravity
STEL – Short-term exposure limit (ST)
TLV - ACGIH Threshold Limit Values (usually 8 hour time weighted average concentrations).
TWA – 8-hour, time-weighted average
UEL – Upper explosive (flammable) limit in air, % by volume (at room temperature)
VP - Vapor Pressure

FIGURES

1. Emergency Route to Hospital and Urgent Care

APPENDIX A

Fact Sheets and/or Safety Data Sheets for Potential COCs

Material Safety Data Sheet

Acenaphthylene

ACC# 02275

Section 1 - Chemical Product and Company Identification

MSDS Name: Acenaphthylene**Catalog Numbers:** AC338880000, AC338880010, AC338880050**Synonyms:** Cyclopenta(de)naphthalene; Polycyclic aromatic hydrocarbon.**Company Identification:**

Acros Organics N.V.

One Reagent Lane

Fair Lawn, NJ 07410

For information in North America, call: 800-ACROS-01**For emergencies in the US, call CHEMTREC:** 800-424-9300

Section 2 - Composition, Information on Ingredients

| CAS# | Chemical Name | Percent | EINECS/ELINCS |
|----------|----------------|---------|---------------|
| 208-96-8 | Acenaphthylene | >80 | 205-917-1 |

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: yellow flakes.**Warning!** Causes eye, skin, and respiratory tract irritation. May be harmful if swallowed, inhaled, or absorbed through the skin.**Target Organs:** Lungs, eyes, nervous system, skin, mucous membranes.

Potential Health Effects

Eye: Causes eye irritation.**Skin:** Causes skin irritation. May be harmful if absorbed through the skin. The toxicological properties of this material have not been fully investigated.**Ingestion:** May cause irritation of the digestive tract. May be harmful if swallowed.**Inhalation:** Causes respiratory tract irritation. The toxicological properties of this substance have not been fully investigated. May be harmful if inhaled.**Chronic:** Some polycyclic aromatic hydrocarbons are suspect carcinogens, as well as air and water contaminants.

Section 4 - First Aid Measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.**Skin:** In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.**Ingestion:** If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical aid.**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use foam, dry chemical, or carbon dioxide.

Flash Point: 122.2 deg C (251.96 deg F)

Autoignition Temperature: Not available.

Explosion Limits, Lower:Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 2; Flammability: 1; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust.

Storage: Store in a cool, dry place. Store in a tightly closed container.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

| Chemical Name | ACGIH | NIOSH | OSHA - Final PELs |
|----------------|-------------|-------------|-------------------|
| Acenaphthylene | none listed | none listed | none listed |

OSHA Vacated PELs: Acenaphthylene: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Flakes
Appearance: yellow
Odor: Not available.
pH: Not available.
Vapor Pressure: .0009 mm Hg @ 25 deg C
Vapor Density: Not available.
Evaporation Rate: Not available.
Viscosity: Not available.
Boiling Point: 280 deg C
Freezing/Melting Point: 88 - 91 deg C
Decomposition Temperature: Not available.
Solubility: 16.1 mg/liter @ 25°C
Specific Gravity/Density: 0.8988 @ 16°C/2°C
Molecular Formula: C₁₂H₈
Molecular Weight: 152.20

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Dust generation, excess heat.
Incompatibilities with Other Materials: Strong oxidizing agents.
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.
Hazardous Polymerization: Has not been reported

Section 11 - Toxicological Information

RTECS#:
CAS# 208-96-8: AB1254000; AB1254200
LD50/LC50:
CAS# 208-96-8:
Oral, mouse: LD50 = 1760 mg/kg;

Carcinogenicity:
CAS# 208-96-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information found
Teratogenicity: No information found
Reproductive Effects: No information found
Mutagenicity: See actual entry in RTECS for complete information.
Neurotoxicity: No information found
Other Studies:

Section 12 - Ecological Information

Ecotoxicity: No data available. No information available.
Environmental: Acenaphthylene has the potential to bioconcentrate in aquatic systems. Considered to be persistent, bioaccumulative, and toxic. Even when released in very small amounts, can accumulate and cause environmental problems.
Physical: log Kow = 4.07
Other: No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14 - Transport Information

| | US DOT | Canada TDG |
|-----------------------|---------------|---------------|
| Shipping Name: | Not regulated | Not Regulated |
| Hazard Class: | | |
| UN Number: | | |
| Packing Group: | | |

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 208-96-8 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

CAS# 208-96-8: 5000 lb final RQ; 2270 kg final RQ

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA. CAS# 208-96-8 is listed as a Priority Pollutant under the Clean Water Act.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 208-96-8 can be found on the following state right to know lists: New Jersey, Pennsylvania, Massachusetts.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations
European Labeling in Accordance with EC Directives
Hazard Symbols:

XI

Risk Phrases:

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 208-96-8: No information available.

Canada - DSL/NDSL

CAS# 208-96-8 is listed on Canada's NDSL List.

Canada - WHMIS

This product has a WHMIS classification of D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 208-96-8 is not listed on the Canadian Ingredient Disclosure List.

| |
|--|
| Section 16 - Additional Information |
|--|

MSDS Creation Date: 2/03/2000

Revision #5 Date: 10/25/2007

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.

SAFETY DATA SHEET

Acetone

Section 1. Identification

| | |
|--------------------------------------|---|
| GHS product identifier | : Acetone |
| Chemical name | : acetone |
| Other means of identification | : propan-2-one; propanone; 2-Propanone; Ketone propane; Dimethyl ketone; dimethyl ketone; 2-propanone; β -ketonepropane; acetonum; dimethylketone; methyl ketone; propanone; pyroacetic acid; pyroacetic ether; methyl ketone; Acetone (I); 2-Propanone (I); Cetona; Pyroacetic ether |
| Product type | : Liquid. |
| Product use | : Synthetic/Analytical chemistry. |
| Synonym | : propan-2-one; propanone; 2-Propanone; Ketone propane; Dimethyl ketone; dimethyl ketone; 2-propanone; β -ketonepropane; acetonum; dimethylketone; methyl ketone; propanone; pyroacetic acid; pyroacetic ether; methyl ketone; Acetone (I); 2-Propanone (I); Cetona; Pyroacetic ether |
| SDS # | : 001088 |
| Supplier's details | : Airgas USA, LLC and its affiliates
259 North Radnor-Chester Road
Suite 100
Radnor, PA 19087-5283
1-610-687-5253 |
| 24-hour telephone | : 1-866-734-3438 |

Section 2. Hazards identification

| | |
|---|--|
| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Classification of the substance or mixture | : FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 |

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: May form explosive mixtures with air.
Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements

General

: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention

: Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling.

Section 2. Hazards identification

| | |
|---|---|
| Response | : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | : Store locked up. Store in a well-ventilated place. Keep cool. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

| | |
|--------------------------------------|--|
| Substance/mixture | : Substance |
| Chemical name | : acetone |
| Other means of identification | : propan-2-one; propanone; 2-Propanone; Ketone propane; Dimethyl ketone; dimethyl ketone; 2-propanone; β -ketonepropane; acetone; dimethylketone; methyl ketone; propanone; pyroacetic acid; pyroacetic ether; methyl ketone; Acetone (I); 2-Propanone (I); Cetona; Pyroacetic ether |
| Product code | : 001088 |

CAS number/other identifiers

CAS number : 67-64-1

| Ingredient name | % | CAS number |
|------------------------|----------|-------------------|
| acetone | 100 | 67-64-1 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| | |
|---------------------|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Section 4. First aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
- Skin contact** : No known significant effects or critical hazards.
- Frostbite** : Try to warm up the frozen tissues and seek medical attention.
- Ingestion** : Can cause central nervous system (CNS) depression.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

- Specific hazards arising from the chemical** : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Avoid contact with eyes, skin and clothing. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Store locked up. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|--|
| acetone | <p>ACGIH TLV (United States, 3/2017).
 STEL: 500 ppm 15 minutes.
 TWA: 250 ppm 8 hours.</p> <p>NIOSH REL (United States, 10/2016).
 TWA: 590 mg/m³ 10 hours.
 TWA: 250 ppm 10 hours.</p> <p>OSHA PEL (United States, 6/2016).
 TWA: 2400 mg/m³ 8 hours.
 TWA: 1000 ppm 8 hours.</p> <p>OSHA PEL 1989 (United States, 3/1989).
 STEL: 2400 mg/m³ 15 minutes.
 STEL: 1000 ppm 15 minutes.
 TWA: 1800 mg/m³ 8 hours.
 TWA: 750 ppm 8 hours.</p> |

Appropriate engineering controls

- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid. [COLORLESS LIQUID WITH A FRAGRANT, MINT-LIKE ODOR]
- Color** : Colorless.
- Odor** : Characteristic.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : -94.7°C (-138.5°F)
- Boiling point** : 56.05°C (132.9°F)
- Critical temperature** : 234.85°C (454.7°F)
- Flash point** : Closed cup: -20°C (-4°F)
- Evaporation rate** : 6.06 (butyl acetate = 1)
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Lower: 2.2%
Upper: 13%
- Vapor pressure** : 24 kPa (180.01 mm Hg) [room temperature]
- Vapor density** : 2 (Air = 1)
- Specific Volume (ft³/lb)** : 1.2642
- Gas Density (lb/ft³)** : 0.791
- Relative density** : 0.8
- Solubility** : Not available.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : -0.23
- Auto-ignition temperature** : 465°C (869°F)
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Flow time (ISO 2431)** : Not available.
- Molecular weight** : 58.09 g/mole
- Aerosol product**
- Heat of combustion** : -28493500 J/kg

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
- Incompatible materials** : Reactive or incompatible with the following materials:
oxidizing materials

Section 10. Stability and reactivity

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------------------|------------|-------------------------|--------------|
| acetone | LC50 Inhalation Vapor
LD50 Oral | Rat
Rat | 59528 ppm
5800 mg/kg | 1 hours
- |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--------------------------|-------------|
| acetone | Eyes - Mild irritant | Human | - | 186300 parts per million | - |
| | Eyes - Mild irritant | Rabbit | - | 10 microliters | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hours 20 milligrams | - |
| | Eyes - Severe irritant | Rabbit | - | 20 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 395 milligrams | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

| Name | Category | Route of exposure | Target organs |
|---------|------------|-------------------|------------------|
| acetone | Category 3 | Not applicable. | Narcotic effects |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Section 11. Toxicological information

- Inhalation** : Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Can cause central nervous system (CNS) depression.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|-------------------------------------|--|----------|
| acetone | Acute EC50 20.565 mg/l Marine water | Algae - Ulva pertusa | 96 hours |
| | Acute LC50 6000000 µg/l Fresh water | Crustaceans - Gammarus pulex | 48 hours |
| | Acute LC50 10000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 5600 ppm Fresh water | Fish - Poecilia reticulata | 96 hours |
| | Chronic NOEC 4.95 mg/l Marine water | Algae - Ulva pertusa | 96 hours |
| | Chronic NOEC 0.016 ml/L Fresh water | Crustaceans - Daphniidae | 21 days |
| | Chronic NOEC 0.1 ml/L Fresh water | Daphnia - Daphnia magna - Neonate | 21 days |
| | Chronic NOEC 5 µg/l Marine water | Fish - Gasterosteus aculeatus - Larvae | 42 days |
| | | | |

Persistence and degradability

Section 12. Ecological information

Not available.

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| acetone | -0.23 | - | low |

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.






Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

| Ingredient | CAS # | Status | Reference number |
|------------------------------|---------|--------|------------------|
| Acetone (I); 2-Propanone (I) | 67-64-1 | Listed | U002 |

Section 14. Transport information

| | DOT | TDG | Mexico | IMDG | IATA |
|----------------------------|--|--|--|--|--|
| UN number | UN1090 | UN1090 | UN1090 | UN1090 | UN1090 |
| UN proper shipping name | ACETONE | ACETONE | ACETONE | ACETONE (ACETONE SOLUTIONS) | ACETONE |
| Transport hazard class(es) | 3
 | 3
 | 3
 | 3
 | 3
 |
| Packing group | II | II | - | II | II |
| Environmental hazards | No. | No. | No. | No. | No. |

“Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product.”

Additional information

Section 14. Transport information

- DOT Classification** : **Reportable quantity** 5000 lbs / 2270 kg [758.12 gal / 2869.8 L]. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.
Limited quantity Yes.
Quantity limitation Passenger aircraft/rail: 5 L. Cargo aircraft: 60 L.
Special provisions IB2, T4, TP1
- TDG Classification** : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.18-2.19 (Class 3).
Explosive Limit and Limited Quantity Index 1
Passenger Carrying Ship Index Forbidden
Passenger Carrying Road or Rail Index 5
- IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 5 L. Cargo Aircraft Only: 60 L. Limited Quantities - Passenger Aircraft: 1 L.
- Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Refer to Section 2: Hazards Identification of this SDS for classification of substance.

State regulations

Massachusetts : This material is listed.

New York : This material is listed.

New Jersey : This material is listed.

Pennsylvania : This material is listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Section 15. Regulatory information

Not listed.

[Stockholm Convention on Persistent Organic Pollutants](#)

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

| | |
|--------------------------|--|
| Australia | : This material is listed or exempted. |
| Canada | : This material is listed or exempted. |
| China | : This material is listed or exempted. |
| Europe | : This material is listed or exempted. |
| Japan | : Japan inventory (ENCS) : This material is listed or exempted.
Japan inventory (ISHL) : This material is listed or exempted. |
| Malaysia | : This material is listed or exempted. |
| New Zealand | : This material is listed or exempted. |
| Philippines | : This material is listed or exempted. |
| Republic of Korea | : This material is listed or exempted. |
| Taiwan | : This material is listed or exempted. |
| Thailand | : Not determined. |
| Turkey | : This material is listed or exempted. |
| United States | : This material is listed or exempted. |
| Viet Nam | : Not determined. |

Section 16. Other information

[Hazardous Material Information System \(U.S.A.\)](#)

| | | |
|------------------|---|---|
| Health | / | 1 |
| Flammability | | 3 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

[National Fire Protection Association \(U.S.A.\)](#)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

| Classification | Justification |
|--|---|
| FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3 | Expert judgment
Expert judgment
Expert judgment |

History

Date of printing : 4/9/2018

Date of issue/Date of revision : 4/9/2018

Date of previous issue : No previous validation

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SAFETY DATA SHEET

Version 6.2
Revision Date 04/17/2020
Print Date 08/29/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : BENZO(K)FLUORANTHEN 98%

Product Number : 392251

Brand : Aldrich

Index-No. : 601-036-00-5

CAS-No. : 207-08-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Carcinogenicity (Category 1B), H350
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| | |
|----------------------------|---|
| Hazard statement(s) | |
| H350 | May cause cancer. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P391 | Collect spillage. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|------------------|-----------------------------------|
| Formula | : C ₂₀ H ₁₂ |
| Molecular weight | : 252.31 g/mol |
| CAS-No. | : 207-08-9 |
| EC-No. | : 205-916-6 |
| Index-No. | : 601-036-00-5 |

| Component | Classification | Concentration |
|-----------------------------|--|---------------|
| Benzo[k]fluoranthene | | |
| | Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; H350, H400, H410
M-Factor - Aquatic Acute: 10
M-Factor - Aquatic Chronic: 10 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|----------------------|----------|--|-----------------------|---|
| Benzo[k]fluoranthene | 207-08-9 | PEL | 0.2 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | Remarks | Coal tar pitch volatiles (benzene or cyclohexane-soluble fraction) include fused polycyclic hydrocarbons (some of which are known carcinogens) which volatilize from the distillation residues of coal, petroleum (excluding asphalt), wood, and other organic matter. Asphalt (CAS 8052-42-4, and CAS 64742-93-4) is not covered under the 'coal tar pitch volatiles' standard. | | |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|----------------------|----------|---------------------------------|----------|---------------------|---|
| Benzo[k]fluoranthene | 207-08-9 | 1-Hydroxypyrene | 2.5 µg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | End of shift at end of workweek | | | |
| | | 3-hydroxybenzo(a)pyrene | | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift at end of workweek | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---------------|-------------------------------------|
| a) Appearance | Form: crystalline
Colour: yellow |
| b) Odour | No data available |

| | |
|---|---|
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 215 - 217 °C (419 - 423 °F) - lit. |
| f) Initial boiling point and boiling range | 480 °C 896 °F |
| g) Flash point | ()No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | No data available |
| l) Vapour density | No data available |
| m) Relative density | 1.286 g/cm ³ at 20 °C (68 °F) |
| n) Water solubility | insoluble |
| o) Partition coefficient: n-octanol/water | log Pow: 6.188 at 25 °C (77 °F) |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: Irritating to respiratory system.

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Benzo[k]fluoranthene)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: DF6350000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3077 Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s.

(Benzo[k]fluoranthene)

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9

Packing group: III

EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Benzo[k]fluoranthene)

Marine pollutant : yes

IATA

UN number: 3077 Class: 9

Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
(Benzo[k]fluoranthene)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|----------------------|---------------------|-----------------------------|
| Benzo[k]fluoranthene | CAS-No.
207-08-9 | Revision Date
1993-02-16 |
|----------------------|---------------------|-----------------------------|

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| | | |
|----------------------|---------------------|-----------------------------|
| Benzo[k]fluoranthene | CAS-No.
207-08-9 | Revision Date
1993-02-16 |
|----------------------|---------------------|-----------------------------|

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 04/17/2020

Print Date: 08/29/2020



SAFETY DATA SHEET

BENZ[A]ANTHRACENE

ANPEL Laboratory Technologies (Shanghai) Inc.

Product Number: 4.420027

Version No: 4.1.1.1

Safety Data Sheet Authored according to GB/T16483 and GB/T17519

Chemwatch Hazard Alert Code: 3

Revision Date: 01/01/2013

L.GHS.CHN.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| | |
|-------------------------------|---|
| Product name | BENZ[A]ANTHRACENE |
| Chemical Name | benz[a]anthracene |
| Chemical English Name | benz[a]anthracene |
| Synonyms | 1 2-Benzanthracene, 1,2-Benzanthracene, 1,2-benzanthracene, 2,3-benzphenanthrene, C18-H12, PAH, Tetraphene, benz-(alpha)-anthracene, benz[a]anthracene, benzanthrene, naphthanthracene, polycyclic aromatic hydrocarbon, tetraphene |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains benz[a]anthracene) |
| Chemical formula | C18H12 |
| Other means of identification | Not Available |
| CAS number | 56-55-3 |

Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------|--|
| Relevant identified uses | Laboratory standard used in cancer research. Found in gasoline and diesel exhaust, cigarette smoke and smoke condensate, amino-acid, fatty acid and carbohydrate pyrolysis products (common in cooking), coaltar and coal tar pitch, asphalt, soot and smoke, wood smoke, coal combustion emissions, commercial solvents, waxes, mineral oil and creosote [-Regeant -] |
|--------------------------|--|

Details of the manufacturer/importer

| | | | |
|-------------------------|--|--|--|
| Registered company name | ANPEL Laboratory Technologies (Shanghai) Inc. | | |
| Address | No.260 Pu Ting Road, Song Jiang District, Shanghai China | | |
| Telephone | 021-54890099 | | |
| Fax | 021-54248311 | | |
| Website | www.anpel.com.cn | | |
| Email | shanpel@anpel.com.cn | | |

Emergency telephone number

| | | | |
|-----------------------------------|---------------|--|--|
| Association / Organisation | Not Available | | |
| Emergency telephone numbers | 021-57818692 | | |
| Other emergency telephone numbers | 021-57818692 | | |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

SUMMARY OF HAZARD IN AN EMERGENCY SITUATION

| | |
|--|---|
| | Solid.
Does not mix with water.Combustible.
May cause CANCER.
Very toxic to aquatic organisms.
May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.
Avoid release to the environment. Refer to special instructions/Safety data sheets. |
|--|---|

| | |
|--------------------|--|
| GHS Classification | Carcinogen Category 1B, Acute Aquatic Hazard Category 1, Chronic Aquatic Hazard Category 1 |
|--------------------|--|

Label elements

Continued...

BENZ[A]ANTHRACENE

GHS label elements



SIGNAL WORD

DANGER

Hazard statement(s)

| | |
|-------------|--|
| H350 | May cause cancer |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

Precautionary statement(s) Prevention

| | |
|-------------|--|
| P201 | Obtain special instructions before use. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P273 | Avoid release to the environment. |

Precautionary statement(s) Response

| | |
|------------------|--|
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P391 | Collect spillage. |

Precautionary statement(s) Storage

| | |
|-------------|------------------|
| P405 | Store locked up. |
|-------------|------------------|

Precautionary statement(s) Disposal

| | |
|-------------|--|
| P501 | Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration |
|-------------|--|

Physical and Chemical Hazard

Solid.
Does not mix with water. Combustible.
Toxic smoke/fumes in a fire.

Health Hazards

| | |
|---------------------|--|
| Inhaled | <p>The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.</p> <p>Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.</p> <p>If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.</p> |
| Ingestion | <p>The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.</p> |
| Skin Contact | <p>The material is not thought to be a skin irritant (as classified by EC Directives using animal models). Abrasive damage however, may result from prolonged exposures. Good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.</p> <p>Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.</p> <p>Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p> |
| Eye | <p>Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.</p> |
| Chronic | <p>On the basis, primarily, of animal experiments, the material may be regarded as carcinogenic to humans. There is sufficient evidence to provide a strong presumption that human exposure to the material may result in cancer on the basis of:</p> <ul style="list-style-type: none"> - appropriate long-term animal studies - other relevant information <p>Long term exposure to high dust concentrations may cause changes in lung function (i.e. pneumoconiosis) caused by particles less than 0.5 micron penetrating and remaining in the lung. A prime symptom is breathlessness. Lung shadows show on X-ray.</p> <p>The so-called polycyclic aromatic hydrocarbons (PAHs) comprise a large family; some members occur in coal tar, tobacco smoke, petroleum and air pollution.</p> <p>PAHs are potent atmospheric pollutants that consist of fused aromatic rings and do not contain heteroatoms or carry substituents. As a pollutant, they are of concern because some compounds have been identified as carcinogenic, mutagenic, and teratogenic. Some substituted derivatives have been identified, in animal studies, as amongst the most highly active carcinogens. Rodent species are sensitive to some PAHs with skin application producing cancerous growths. Injection produces soft tissue tumours (sarcomas) in rats and mice.</p> |

Continued...

BENZ[A]ANTHRACENE

The toxicity of PAHs is structure-dependent. Isomers (PAHs with the same formula and number of rings) can vary from being nontoxic to extremely toxic. Natural crude oil and coal deposits contain significant amounts of PAHs, arising from chemical conversion of natural product molecules, such as steroids, to aromatic hydrocarbons. They are also found in processed fossil fuels, tar and various edible oils. In a study evaluating the genotoxic and carcinogenic risks associated with the consumption of repeatedly heated coconut oil (RCO), one of the commonly consumed cooking and frying medium, it was concluded that dietary consumption of RCO can cause a genotoxic and preneoplastic change in the liver.

High prenatal exposure to PAH is associated with lower IQ and childhood asthma. Exposure to PAH pollution during pregnancy is related to adverse birth outcomes including low birth weight, premature delivery, and heart malformations. Cord blood of exposed babies shows DNA damage that has been linked to cancer. Follow-up studies show a higher level of developmental delays at age three, lower scores on IQ tests and increased behavioural problems at ages six and eight; one study found that exposure to higher levels of PAH was associated with a 24% higher score of anxiety/depression for children ages 6 to 7 than those with low exposure levels. Infants found to have elevated PAH levels in their umbilical cord blood were 46% more likely to eventually score highly on the anxiety/depression scale than those with low PAH levels in cord blood. Administration of PAHs to Rhesus monkey on the other hand has not yet proved successful in yielding tumours and there is inadequate date to support the proposition that individual PAHs produce cancer in humans. There are however a number of epidemiology and mortality studies that show increased incidence of cancer in humans exposed to mixtures of PAHs. Evidence exists of lung and genito-urinary cancer mortality amongst coke-oven workers and skin tumours in workers exposed to creosote. Exposures to other chemical mixtures containing PAHs such as cigarette smoke, coal tar, coal tar pitch and bitumens, have been associated with increased incidences of lung cancer in humans.

Anthracene, the basic unit on which most PAHs are built, is not carcinogenic whereas benz[a]anthracene appears to have weak carcinogenicity. Additions of other benzene rings to select positions on the benz[a]anthracene skeleton results in agents with powerful carcinogenicity (e.g. dibenz[a,h]anthracene and benz[a]pyrene). Further substitution of methyl groups in positions on the rings enhances carcinogenicity (7,12 dimethylbenz[a]anthracene is one of the most powerful PAH carcinogens known). Biotransformation to produce soluble metabolites suitable for excretion appears to transform some PAHs to reactive electrophiles (as epoxides) which bind to DNA. Initiation of carcinogenesis is thought to rely upon such interactions.

One study examined the correlation between the weight percentage of various chemical classes of compounds in thirteen refinery streams and the magnitude of various effects produced in rats treated dermally with these substances in repeat-dose and developmental toxicity studies. In general, toxicity is correlated with concentrations of PAH composed of 3, 4, 5, 6, and/or 7 rings (decreased thymus weight, increased liver weight, aberrant haematology and serum chemistry, increased incidence of resorptions, decreased foetal body weight). PAH containing nonbasic nitrogen heteroatoms (increased mortality, decreased body weight, decreased thymus weight, increased liver weight, decreased haemoglobin content, haematocrit level, decreased foetal body weight), and/or PAH containing sulfur heteroatoms (decreased red blood cell and platelet counts, increased sorbitol dehydrogenase). A relationship between 2- ring PAH and skin irritation was demonstrated. Severity of effect was ranked against concentration of component class and statistical significance determined by the rank order correlation of Spearman. For the 13 streams tested, the presence and severity of systemic and developmental toxicity were dependent upon the levels of PAH and nonbasic nitrogen PAH. It is reasonable to assume that refinery streams rich in 3- to 7-ring PAH, S-PAH, and nonbasic N-PAH (e.g., carbazole derivatives) would be toxic, not only to the adult animal, but to the foetus as well.

Certain PAHs have structures resembling steroidal hormones and exhibit weak estrogenic or antiestrogenic activity. PAHs and their metabolites can act in the same manner as hormonal estrogens by binding to the estrogen receptor (ER) or modify estrogen availability by influencing estrogen metabolism by the CYP450 system. Estrogen induced carcinogenesis could therefore also be related to PAH induced carcinogenesis. After bioactivation by rat liver microsomes with induced P4501A1 and P4501A2 activity, metabolites from benz[a]anthracene and chrysene were found to be estrogenic in binding experiments.

NOTE: Some jurisdictions require that health surveillance be conducted on workers occupationally exposed to polycyclic aromatic hydrocarbons. Such surveillance should emphasise

- demography, occupational and medical history
- health advice, including recognition of photosensitivity and skin changes
- physical examination if indicated
- records of personal exposure including photosensitivity
- completion of a standardised respiratory questionnaire
- standardised respiratory function tests such as FEV1, FVC and FEV1/FVC
- chest X-ray, full size PA view
- records of personal exposure

Environmental Hazards

Very toxic to aquatic organisms.
May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.
Avoid release to the environment. Refer to special instructions/Safety data sheets.

Other hazards

Skin contact may produce health damage*.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

| CAS No | %[weight] | Name | GHS Classification |
|---------|-----------|-----------------------------------|---|
| 56-55-3 | >98 | benz[a]anthracene | Carcinogen Category 1B, Acute Aquatic Hazard Category 1, Chronic Aquatic Hazard Category 1; H350, H400, H410 ^[1] |

Legend: 1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Mixtures

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| | |
|--------------------|---|
| Eye Contact | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> ▸ Wash out immediately with fresh running water. ▸ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. ▸ Seek medical attention without delay; if pain persists or recurs seek medical attention. ▸ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------------|---|

BENZ[A]ANTHRACENE

| | |
|---------------------|---|
| Skin Contact | <p>If skin contact occurs:</p> <ul style="list-style-type: none"> ▶ Immediately remove all contaminated clothing, including footwear. ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | <ul style="list-style-type: none"> ▶ If dust is inhaled, remove from contaminated area. ▶ Encourage patient to blow nose to ensure clear passage of breathing. ▶ If irritation or discomfort persists seek medical attention. |
| Ingestion | <ul style="list-style-type: none"> ▶ Immediately give a glass of water. ▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Advise for rescue team (PPE requirement for rescue personnel)

| | |
|--|---|
| | <ul style="list-style-type: none"> ▶ Clean up waste regularly and abnormal spills immediately. ▶ Avoid breathing dust and contact with skin and eyes. ▶ Wear protective clothing, gloves, safety glasses and dust respirator. ▶ Use dry clean up procedures and avoid generating dust. ▶ Vacuum up or sweep up. NOTE: Vacuum cleaner must be fitted with an exhaust micro filter (HEPA type) (consider explosion-proof machines designed to be grounded during storage and use). ▶ Dampen with water to prevent dusting before sweeping. ▶ Place in suitable containers for disposal. <p>Environmental hazard - contain spillage.</p> |
|--|---|

Indication of any immediate medical attention and special treatment needed

| | |
|--|------------------------|
| | Treat symptomatically. |
|--|------------------------|

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

| | |
|--|---|
| | <ul style="list-style-type: none"> ▶ Foam. ▶ Dry chemical powder. ▶ BCF (where regulations permit). ▶ Carbon dioxide. ▶ Water spray or fog - Large fires only. |
|--|---|

Special hazards arising from the substrate or mixture

| | |
|-----------------------------|--|
| Fire Incompatibility | ▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |
|-----------------------------|--|

Advice for firefighters

| | |
|------------------------------|--|
| Fire Fighting | <ul style="list-style-type: none"> ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Wear breathing apparatus plus protective gloves. ▶ Prevent, by any means available, spillage from entering drains or water courses. ▶ Use water delivered as a fine spray to control fire and cool adjacent area. ▶ DO NOT approach containers suspected to be hot. ▶ Cool fire exposed containers with water spray from a protected location. ▶ If safe to do so, remove containers from path of fire. ▶ Equipment should be thoroughly decontaminated after use. |
| Fire/Explosion Hazard | <ul style="list-style-type: none"> ▶ Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions. ▶ Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). ▶ Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion. ▶ In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC). ▶ When processed with flammable liquids/vapors/mists, ignitable (hybrid) mixtures may be formed with combustible dusts. Ignitable mixtures will increase the rate of explosion pressure rise and the Minimum Ignition Energy (the minimum amount of energy required to ignite dust clouds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the vapors/mists or dusts. ▶ A dust explosion may release of large quantities of gaseous products; this in turn creates a subsequent pressure rise of explosive force capable of damaging plant and buildings and injuring people. ▶ Usually the initial or primary explosion takes place in a confined space such as plant or machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave from the primary explosion enters the surrounding area, it will disturb any settled dust layers, forming a second dust cloud, and often initiate a much larger secondary explosion. All large scale explosions have resulted from chain reactions of this type. ▶ Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in exhaust ducts and during transport. ▶ Build-up of electrostatic charge may be prevented by bonding and grounding. ▶ Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. ▶ All movable parts coming in contact with this material should have a speed of less than 1-meter/sec. ▶ A sudden release of statically charged materials from storage or process equipment, particularly at elevated temperatures and/ or pressure, may result in ignition especially in the absence of an apparent ignition source. |

BENZ[A]ANTHRACENE

- ▶ One important effect of the particulate nature of powders is that the surface area and surface structure (and often moisture content) can vary widely from sample to sample, depending of how the powder was manufactured and handled; this means that it is virtually impossible to use flammability data published in the literature for dusts (in contrast to that published for gases and vapours).
- ▶ Autoignition temperatures are often quoted for dust clouds (minimum ignition temperature (MIT)) and dust layers (layer ignition temperature (LIT)); LIT generally falls as the thickness of the layer increases.

Combustion products include:

- , carbon monoxide (CO)
- , carbon dioxide (CO₂)
- , other pyrolysis products typical of burning organic material

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills

- ▶ Clean up waste regularly and abnormal spills immediately.
- ▶ Avoid breathing dust and contact with skin and eyes.
- ▶ Wear protective clothing, gloves, safety glasses and dust respirator.
- ▶ Use dry clean up procedures and avoid generating dust.
- ▶ Vacuum up or sweep up. **NOTE:** Vacuum cleaner must be fitted with an exhaust micro filter (HEPA type) (consider explosion-proof machines designed to be grounded during storage and use).
- ▶ Dampen with water to prevent dusting before sweeping.
- ▶ Place in suitable containers for disposal.

Environmental hazard - contain spillage.

Major Spills

- ▶ Clear area of personnel and move upwind.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- ▶ Wear full body protective clothing with breathing apparatus.
- ▶ Prevent, by all means available, spillage from entering drains or water courses.
- ▶ Consider evacuation (or protect in place).
- ▶ No smoking, naked lights or ignition sources.
- ▶ Increase ventilation.
- ▶ Stop leak if safe to do so.
- ▶ Water spray or fog may be used to disperse / absorb vapour.
- ▶ Contain or absorb spill with sand, earth or vermiculite.
- ▶ Collect recoverable product into labelled containers for recycling.
- ▶ Collect solid residues and seal in labelled drums for disposal.
- ▶ Wash area and prevent runoff into drains.
- ▶ After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- ▶ If contamination of drains or waterways occurs, advise emergency services.

Environmental hazard - contain spillage.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Measures for Preventing Secondary Contamination

Refer to section above

Environmental precautions

See section 12

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- ▶ Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- ▶ Prevent concentration in hollows and sumps.
- ▶ **DO NOT enter confined spaces until atmosphere has been checked.**
- ▶ **DO NOT allow material to contact humans, exposed food or food utensils.**
- ▶ Avoid contact with incompatible materials.
- ▶ **When handling, DO NOT eat, drink or smoke.**
- ▶ Keep containers securely sealed when not in use.
- ▶ Avoid physical damage to containers.
- ▶ Always wash hands with soap and water after handling.
- ▶ Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- ▶ Use good occupational work practice.
- ▶ Observe manufacturer's storage and handling recommendations contained within this MSDS.
- ▶ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
- ▶ Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions)
- ▶ Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
- ▶ Establish good housekeeping practices.
- ▶ Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.
- ▶ Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts. Particular attention should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary" explosion. According to NFPA Standard 654, dust layers 1/32 in.(0.8 mm) thick can be sufficient to warrant immediate cleaning of the area.

Continued...

BENZ[A]ANTHRACENE

| | |
|-------------------|--|
| | <ul style="list-style-type: none"> Do not use air hoses for cleaning. Minimise dry sweeping to avoid generation of dust clouds. Vacuum dust-accumulating surfaces and remove to a chemical disposal area. Vacuums with explosion-proof motors should be used. Control sources of static electricity. Dusts or their packages may accumulate static charges, and static discharge can be a source of ignition. Solids handling systems must be designed in accordance with applicable standards (e.g. NFPA including 654 and 77) and other national guidance. Do not empty directly into flammable solvents or in the presence of flammable vapors. The operator, the packaging container and all equipment must be grounded with electrical bonding and grounding systems. Plastic bags and plastics cannot be grounded, and antistatic bags do not completely protect against development of static charges. <p>Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source.</p> <ul style="list-style-type: none"> Do NOT cut, drill, grind or weld such containers. In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace safety authorisation or permit. |
| Other information | <ul style="list-style-type: none"> Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this MSDS. <p>For major quantities:</p> <ul style="list-style-type: none"> Consider storage in banded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams). Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities. |

Conditions for safe storage, including any incompatibilities

| | |
|-------------------------|---|
| Suitable container | <ul style="list-style-type: none"> Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks. |
| Storage incompatibility | <ul style="list-style-type: none"> Avoid reaction with oxidising agents |

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

| Ingredient | TEEL-0 | TEEL-1 | TEEL-2 | TEEL-3 |
|-------------------|--------|-----------|----------|----------|
| benz[a]anthracene | | 1.2 mg/m3 | 13 mg/m3 | 79 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|-------------------|---------------|---------------|
| benz[a]anthracene | Not Available | Not Available |

MATERIAL DATA

It is the goal of the ACGIH (and other Agencies) to recommend TLVs (or their equivalent) for all substances for which there is evidence of health effects at airborne concentrations encountered in the workplace.

At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal experiments or clinical experience). Airborne concentrations must be maintained as low as is practically possible and occupational exposure must be kept to a minimum.






NOTE: The ACGIH occupational exposure standard for Particles Not Otherwise Specified (P.N.O.S) does NOT apply.

Exposure controls

| | |
|----------------------------------|---|
| Appropriate engineering controls | <p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.</p> <p>The basic types of engineering controls are:</p> <p>Process controls which involve changing the way a job activity or process is done to reduce the risk.</p> <p>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.</p> <p>Employers may need to use multiple types of controls to prevent employee overexposure.</p> <ul style="list-style-type: none"> Employees exposed to confirmed human carcinogens should be authorized to do so by the employer, and work in a regulated area. Work should be undertaken in an isolated system such as a "glove-box". Employees should wash their hands and arms upon completion of the assigned task and before engaging in other activities not associated with the isolated system. Within regulated areas, the carcinogen should be stored in sealed containers, or enclosed in a closed system, including piping systems, with any sample ports or openings closed while the carcinogens are contained within. Open-vessel systems are prohibited. Each operation should be provided with continuous local exhaust ventilation so that air movement is always from ordinary work areas to the operation. Exhaust air should not be discharged to regulated areas, non-regulated areas or the external environment unless decontaminated. Clean |
|----------------------------------|---|

Continued...

BENZ[A]ANTHRACENE

| | |
|-------------------------|---|
| | <ul style="list-style-type: none"> ▶ make-up air should be introduced in sufficient volume to maintain correct operation of the local exhaust system. ▶ For maintenance and decontamination activities, authorized employees entering the area should be provided with and required to wear clean, impervious garments, including gloves, boots and continuous-air supplied hood. Prior to removing protective garments the employee should undergo decontamination and be required to shower upon removal of the garments and hood. ▶ Except for outdoor systems, regulated areas should be maintained under negative pressure (with respect to non-regulated areas). ▶ Local exhaust ventilation requires make-up air be supplied in equal volumes to replaced air. ▶ Laboratory hoods must be designed and maintained so as to draw air inward at an average linear face velocity of 0.76 m/sec with a minimum of 0.64 m/sec. Design and construction of the fume hood requires that insertion of any portion of the employees body, other than hands and arms, be disallowed. |
| Personal protection |      |
| Eye and face protection | <ul style="list-style-type: none"> ▶ Safety glasses with side shields ▶ Chemical goggles. ▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] |
| Skin protection | See Hand protection below |
| Hands/feet protection | <ul style="list-style-type: none"> ▶ Wear chemical protective gloves, e.g. PVC. ▶ Wear safety footwear or safety gumboots, e.g. Rubber <p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</p> <p>Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:</p> <ul style="list-style-type: none"> ▶ frequency and duration of contact, ▶ chemical resistance of glove material, ▶ glove thickness and ▶ dexterity <p>Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).</p> <ul style="list-style-type: none"> ▶ When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended. ▶ When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended. ▶ Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use. ▶ Contaminated gloves should be replaced. <p>Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.</p> |
| Body protection | See Other protection below |
| Other protection | <ul style="list-style-type: none"> ▶ Overalls. ▶ P.V.C. apron. ▶ Barrier cream. ▶ Skin cleansing cream. ▶ Eye wash unit. |
| Thermal hazards | Not Available |

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the **computer-generated** selection:

BENZ[A]ANTHRACENE Not Available

| Material | CPI |
|----------|-----|
|----------|-----|

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|------------------------------------|----------------------|----------------------|------------------------|
| up to 10 x ES | P1 Air-line* | - | PAPR-P1 |
| up to 50 x ES | Air-line** | P2 | PAPR-P2 |
| up to 100 x ES | - | P3 | - |
| | | Air-line* | - |
| 100+ x ES | - | Air-line** | PAPR-P3 |

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO₂), G = Agricultural chemicals, K = Ammonia(NH₃), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Continued...

BENZ[A]ANTHRACENE

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|--|--|---|----------------|
| Appearance | Light yellow to tan crystalline powder; does not mix with water. | | |
| Physical state | Divided Solid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Applicable | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | 155 | Viscosity (cSt) | Not Applicable |
| Initial boiling point and boiling range (°C) | 437.6 | Molecular weight (g/mol) | 228.28 |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Applicable | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Negligible |
| Vapour pressure (kPa) | Negligible | Gas group | Not Available |
| Solubility in water (g/L) | Immiscible | pH as a solution(1%) | Not Applicable |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | See section 7 |
| Chemical stability | <ul style="list-style-type: none"> ▶ Unstable in the presence of incompatible materials. ▶ Product is considered stable. ▶ Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

| benz[a]anthracene | TOXICITY | IRRITATION |
|-------------------|------------------------------------|---------------|
| | Intravenous (rat) LD50: >200 mg/kg | |
| | Not Available | Not Available |

* Value obtained from manufacturer's msds

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances

| | | | |
|-----------------------------------|--|--------------------------|---|
| BENZ[A]ANTHRACENE | WARNING: This substance has been classified by the IARC as Group 2A: Probably Carcinogenic to Humans.
Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen
[National Toxicology Program: U.S. Dep. of Health & Human Services 2002] | | |
| Acute Toxicity | ⊖ | Carcinogenicity | ✓ |
| Skin Irritation/Corrosion | ⊖ | Reproductivity | ⊖ |
| Serious Eye Damage/Irritation | ⊖ | STOT - Single Exposure | ⊖ |
| Respiratory or Skin sensitisation | ⊖ | STOT - Repeated Exposure | ⊖ |
| Mutagenicity | ⊖ | Aspiration Hazard | ⊖ |

Legend: ✓ – Data required to make classification available
✗ – Data available but does not fill the criteria for classification
⊖ – Data Not Available to make classification

CMR STATUS

Not Applicable

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Continued...

BENZ[A]ANTHRACENE

NOT AVAILABLE

| Ingredient | Endpoint | Test Duration | Effect | Value | Species | BCF |
|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| benz[a]anthracene | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

for polycyclic aromatic hydrocarbons (PAHs):

Environmental fate:

PAHs travel through the atmosphere as a gas or attached to dust particles. They are carried by air currents and deposited by dry or wet (rain, dew, etc) deposition. When deposited in water they sink to the bottom of lakes and rivers. Some will move through the soil to contaminate groundwater.

Because of the very low water solubility and high Kow values, they will tend to be sorbed to the organic matter in the soil

instead of being solubilised in the infiltrating water and therefore are not transported downwards to the groundwater reservoirs. The sorption process is therefore counteractive to efficient biodegradation since it will decrease bioavailability, since the compounds due to sorption will be located in microporous areas of the soil inaccessible to the bacteria, and the biodegradation will thus be controlled by the slow desorptive and diffusive mass transfer into the biologically active areas. It has been claimed that a slow sorption following the initial rapid and reversible sorption lead to a chemical fraction that is very resistant to desorption. This phenomenon is called aging, and the existence of such a desorption-resistant residues may increase the time, dramatically. PAHs have also been shown to be partitioned or incorporated more or less reversibly into the humic substances of the soil after partial degradation and thereby be even more immobilised in the soil.

At the same time they show very low aerobic degradability depending on the environmental conditions and the available concentration. Three-ring aromatics such as fluorene, phenanthrene, and dibenzothiophene are degraded at similar rates and in preference to four-ring compounds. Another general rule for biodegradation of PAHs is that parent compounds tend to degrade faster than alkylated analogs. Less is known about the biodegradability of resins and asphaltene, but the current knowledge suggests these are not very biodegradable and will persist in the environment for a long time.

Polycyclic aromatic hydrocarbons (PAHs) are ubiquitous in the marine environment, occurring at their highest environmental concentrations around urban centres.

Two factors, lipid and organic carbon, control to a large extent the partitioning behaviour of PAHs in sediment, water and tissue; the more hydrophobic a compound, the greater the partitioning to non-aqueous phases. These two factors, along with the octanol-water partition coefficient, are the best predictors of this partitioning and can be used to determine PAH behaviour and its bioavailability in the environment.

The lipid (fat) phase, of all organisms, contains the highest levels of PAHs: organic carbon associated with sediment or dissolved in water has a great influence on bioavailability resulting from its ability to adsorb.

Accumulation of PAHs occurs in all marine organisms; however there is a wide range in tissue concentrations resulting from variable environmental concentrations, level and time of exposure, and species ability to metabolize these compounds. PAHs generally partition in lipid-rich tissues and their metabolites are found in most tissues. In fish, bile and liver accumulate the highest levels of parent PAH and metabolites. In invertebrates, the highest concentrations can be found in the internal organs, such as the liver and pancreas; tissue concentrations appear to follow seasonal cycles which may be related to variations in lipid content or spawning cycles.

The primary mode of toxicity for PAHs in soil dwelling terrestrial invertebrates is non-specific non-polar narcosis. The uptake of PAHs by earthworms occurs primarily by direct contact with the soluble phase of soil solution (interstitial pore-water).

Microbial degradation of PAHs is a key process in soils. Biodegradation of PAHs may take place over a period of weeks to months. Mixed microbial populations in sediment/water systems may degrade some PAHs, with degradation progressively decreasing with increasing molecular weight. The rate of degradation is dependent on nutrient content and the bacterial community in soil.

PAHs in soils undergo a weathering process such that the lighter chain fractions are removed (primarily by volatilisation). Heavier fractions bind to soil organic matter and remain behind in the top soil horizon. As the mixture of PAHs age, bioavailability changes as the fraction remaining bind more tightly.

In general the more soluble a PAH, the higher the uptake by plants while the reverse is true for uptake by earthworms and uptake in the gastrointestinal tract of animals.

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|---------------|------------------------------|-----------------------------|
| Not Available | HIGH (Half-life = 1360 days) | LOW (Half-life = 0.33 days) |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|---------------|----------------------|
| Not Available | HIGH (LogKOW = 5.76) |

Mobility in soil

| Ingredient | Mobility |
|---------------|--------------------|
| Not Available | LOW (KOC = 231300) |

Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------|---|
| Waste chemicals: | <ul style="list-style-type: none"> ▶ Containers may still present a chemical hazard/ danger when empty. ▶ Return to supplier for reuse/ recycling if possible. <p>Otherwise:</p> <ul style="list-style-type: none"> ▶ If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. ▶ Where possible retain label warnings and MSDS and observe all notices pertaining to the product. <p>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.</p> <p>A Hierarchy of Controls seems to be common - the user should investigate:</p> <ul style="list-style-type: none"> ▶ Reduction ▶ Reuse ▶ Recycling ▶ Disposal (if all else fails) <p>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted.</p> <ul style="list-style-type: none"> ▶ DO NOT allow wash water from cleaning or process equipment to enter drains. |
|-------------------------|---|



Continued...

BENZ[A]ANTHRACENE

| | |
|---------------------------------|---|
| | <ul style="list-style-type: none"> ► It may be necessary to collect all wash water for treatment before disposal. ► In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. ► Where in doubt contact the responsible authority. ► Recycle wherever possible. ► Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. ► Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material) ► Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed. |
| Contaminated packing materials: | Refer to section above |
| Precautions for Transport: | Refer to section above |

SECTION 14 TRANSPORT INFORMATION

Labels Required

| | |
|------------------|---|
| |  |
| Marine Pollutant |  |

Land transport (UN)

| | | | | | |
|------------------------------|---|--------------------|-----------------|------------------|----------------|
| UN number | 3077 | | | | |
| Packing group | III | | | | |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains benz[a]anthracene) | | | | |
| Environmental hazard | No relevant data | | | | |
| Transport hazard class(es) | <table> <tr> <td>Class</td><td>9</td></tr> <tr> <td>Subrisk</td><td>Not Applicable</td></tr> </table> | Class | 9 | Subrisk | Not Applicable |
| Class | 9 | | | | |
| Subrisk | Not Applicable | | | | |
| Special precautions for user | <table> <tr> <td>Special provisions</td><td>274;331;335;375</td></tr> <tr> <td>Limited quantity</td><td>5 kg</td></tr> </table> | Special provisions | 274;331;335;375 | Limited quantity | 5 kg |
| Special provisions | 274;331;335;375 | | | | |
| Limited quantity | 5 kg | | | | |

Air transport (ICAO-IATA / DGR)

| | | | | | | | | | | | | | | | |
|---|---|--------------------|--------------------|---------------------------------|----------------|-------------------------------|--------|--|-----|--|--------|---|------|--|---------|
| UN number | 3077 | | | | | | | | | | | | | | |
| Packing group | III | | | | | | | | | | | | | | |
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. * (contains benz[a]anthracene) | | | | | | | | | | | | | | |
| Environmental hazard | No relevant data | | | | | | | | | | | | | | |
| Transport hazard class(es) | <table> <tr> <td>ICAO/IATA Class</td><td>9</td></tr> <tr> <td>ICAO / IATA Subrisk</td><td>Not Applicable</td></tr> <tr> <td>ERG Code</td><td>9L</td></tr> </table> | ICAO/IATA Class | 9 | ICAO / IATA Subrisk | Not Applicable | ERG Code | 9L | | | | | | | | |
| ICAO/IATA Class | 9 | | | | | | | | | | | | | | |
| ICAO / IATA Subrisk | Not Applicable | | | | | | | | | | | | | | |
| ERG Code | 9L | | | | | | | | | | | | | | |
| Special precautions for user | <table> <tr> <td>Special provisions</td><td>A97 A158 A179 A197</td></tr> <tr> <td>Cargo Only Packing Instructions</td><td>956</td></tr> <tr> <td>Cargo Only Maximum Qty / Pack</td><td>400 kg</td></tr> <tr> <td>Passenger and Cargo Packing Instructions</td><td>956</td></tr> <tr> <td>Passenger and Cargo Maximum Qty / Pack</td><td>400 kg</td></tr> <tr> <td>Passenger and Cargo Limited Quantity Packing Instructions</td><td>Y956</td></tr> <tr> <td>Passenger and Cargo Limited Maximum Qty / Pack</td><td>30 kg G</td></tr> </table> | Special provisions | A97 A158 A179 A197 | Cargo Only Packing Instructions | 956 | Cargo Only Maximum Qty / Pack | 400 kg | Passenger and Cargo Packing Instructions | 956 | Passenger and Cargo Maximum Qty / Pack | 400 kg | Passenger and Cargo Limited Quantity Packing Instructions | Y956 | Passenger and Cargo Limited Maximum Qty / Pack | 30 kg G |
| Special provisions | A97 A158 A179 A197 | | | | | | | | | | | | | | |
| Cargo Only Packing Instructions | 956 | | | | | | | | | | | | | | |
| Cargo Only Maximum Qty / Pack | 400 kg | | | | | | | | | | | | | | |
| Passenger and Cargo Packing Instructions | 956 | | | | | | | | | | | | | | |
| Passenger and Cargo Maximum Qty / Pack | 400 kg | | | | | | | | | | | | | | |
| Passenger and Cargo Limited Quantity Packing Instructions | Y956 | | | | | | | | | | | | | | |
| Passenger and Cargo Limited Maximum Qty / Pack | 30 kg G | | | | | | | | | | | | | | |

Sea transport (IMDG-Code / GGVSee)

| | | | | | |
|----------------------------|---|------------|---|--------------|----------------|
| UN number | 3077 | | | | |
| Packing group | III | | | | |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains benz[a]anthracene) | | | | |
| Environmental hazard | No relevant data | | | | |
| Transport hazard class(es) | <table> <tr> <td>IMDG Class</td><td>9</td></tr> <tr> <td>IMDG Subrisk</td><td>Not Applicable</td></tr> </table> | IMDG Class | 9 | IMDG Subrisk | Not Applicable |
| IMDG Class | 9 | | | | |
| IMDG Subrisk | Not Applicable | | | | |

BENZ[A]ANTHRACENE

| | | |
|------------------------------|--------------------|-----------------|
| Special precautions for user | EMS Number | F-A , S-F |
| | Special provisions | 274 335 966 967 |
| | Limited Quantities | 5 kg |

Inland waterways transport (ADNR / River Rhine): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| | | |
|------------------------------|---------------------|----------------|
| UN number | Not Available | |
| Packing group | Not Available | |
| UN proper shipping name | Not Available | |
| Environmental hazard | No relevant data | |
| Transport hazard class(es) | Not Available | Not Applicable |
| Special precautions for user | Classification code | Not Available |
| | Limited quantity | Not Available |
| | Equipment required | Not Available |
| | Fire cones number | Not Available |

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

| Source | Ingredient | Pollution Category |
|---|-------------------|--------------------|
| IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk | benz[a]anthracene | X |

Precautions for Transport

| | |
|--|--|
| | <p>Transportation precautions:</p> <ul style="list-style-type: none"> • Documentation covering all dangerous goods carried on the vehicle • The transport unit must be placarded and marked in accordance with relevant transporting requirements. • Personal protective equipment must be in sufficient quantities and suitable for use by the driver of the vehicle and where required for escape purposes, any other persons travelling in the vehicle. • Vehicles transporting dangerous goods need to be equipped with sufficient and adequate fire protection systems and emergency equipment to handle spillages. • Generally compatible, however refer to SDS for further details: <ul style="list-style-type: none"> Class 2.1, 2.2, 2.2 (subrisk 5.1), 2.3, 3, 4.1, 4.2, 4.3 6.1,8, 9 • If applicable, use appropriate types of segregation devices to isolate incompatible dangerous goods: • Routes for road vehicles should avoid heavily populated or environmentally sensitive areas, congested crossings or a concentration of people • Vehicle exhaust or hot engine components must be shielded to ensure cargo temperatures cannot be raised. |
|--|--|

Suitable Containers

| | |
|--|---------------|
| | See section 7 |
|--|---------------|

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

| | |
|---|---|
| benz[a]anthracene(56-55-3) is found on the following regulatory lists | "China Inventory of Existing Chemical Substances","International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs","China List of Dangerous Goods (GB 12268-2005) (Chinese)" |
|---|---|

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average

PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BENZ[A]ANTHRACENE

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Disclaimer

The information in the SDS applies only for the specified product and does not include mixtures of this product with other substances and mixtures. The SDS provides product safety information for personnel trained to use this product only.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

SAFETY DATA SHEET

Version 6.4
Revision Date 09/14/2020
Print Date 11/20/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : BENZO[B]FLUORANTHENE, 98%

Product Number : 275336

Brand : Aldrich

Index-No. : 601-034-00-4

CAS-No. : 205-99-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Carcinogenicity (Category 1B), H350
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| | |
|----------------------------|---|
| Hazard statement(s) | |
| H350 | May cause cancer. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P273 | Avoid release to the environment. |
| P281 | Use personal protective equipment as required. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P391 | Collect spillage. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 3,4-Benzofluoranthene
Benz[e]acephenanthrylene
2,3-Benzfluoranthene
3,4-Benz[e]acephenanthrylene
Benzo[b]fluoranthene
Benzo[e]fluoranthene
NSC 89265

Formula : C₂₀H₁₂
Molecular weight : 252.31 g/mol
CAS-No. : 205-99-2
EC-No. : 205-911-9
Index-No. : 601-034-00-4

| Component | Classification | Concentration |
|---------------------------------|--|---------------|
| Benz[e]acephenanthrylene | | |
| | Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; H350, H400, H410
M-Factor - Aquatic Acute: 10 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.
Provide appropriate exhaust ventilation at places where dust is formed.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.
Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|--------------------------|----------|--|-----------------------|---|
| | Remarks | Cancer
Substances for which there is a Biological Exposure Index or Indices (see BEI® section), see BEI® for Polycyclic Aromatic Hydrocarbons (PAHs)
Exposure by all routes should be carefully controlled to levels as low as possible.
Suspected human carcinogen | | |
| Benz[e]acephenanthrylene | 205-99-2 | PEL | 0.2 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Coal tar pitch volatiles (benzene or cyclohexane-soluble fraction) include fused polycyclic hydrocarbons (some of which are known carcinogens) which volatilize from the distillation residues of coal, petroleum (excluding asphalt), wood, and other organic matter. Asphalt (CAS 8052-42-4, and CAS 64742-93-4) is not covered under the 'coal tar pitch volatiles' standard. | | |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|--------------------------|----------|---------------------------------|----------|---------------------|---|
| Benz[e]acephenanthrylene | 205-99-2 | 1-Hydroxypyrene | 2.5 µg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | End of shift at end of workweek | | | |

| | | | | | |
|--|--|---------------------------------|--|-------|---|
| | | 3-hydroxybenzo(a)pyrene | | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift at end of workweek | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|---|
| a) Appearance | Form: solid |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 163 - 165 °C (325 - 329 °F) - lit. |
| f) Initial boiling point and boiling range | No data available |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | No data available |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

TDLo Oral - Mouse - 7.57 mg/kg

Remarks: Liver:Changes in liver weight. Endocrine:Changes in thymus weight.

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Benz[e]acephenanthrylene)

NTP: RAHC - Reasonably anticipated to be a human carcinogen
(Benz[e]acephenanthrylene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity**

| | |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | Immobilization EC50 - Daphnia magna (Water flea) - > 1.024 mg/l - 24 h |
|---|--|

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Benz[e]acephenanthrylene)
Marine pollutant : yes

IATA

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
(Benz[e]acephenanthrylene)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|--------------------------|----------|---------------|
| Benz[e]acephenanthrylene | 205-99-2 | 2007-03-01 |

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|--------------------------|----------|---------------|
| Benz[e]acephenanthrylene | 205-99-2 | 2007-03-01 |

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|--------------------------|----------|---------------|
| Benz[e]acephenanthrylene | 205-99-2 | 2007-03-01 |

California Prop. 65 Components

| | CAS-No. | Revision Date |
|---|----------|---------------|
| , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . Benz[e]acephenanthrylene | 205-99-2 | 2007-09-28 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 09/14/2020

Print Date: 11/20/2020

SAFETY DATA SHEET

Version 6.2
Revision Date 09/15/2020
Print Date 11/19/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Cadmium

Product Number : 265365
Brand : Aldrich
Index-No. : 048-002-00-0
CAS-No. : 7440-43-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 3), H301
Acute toxicity, Inhalation (Category 2), H330
Germ cell mutagenicity (Category 2), H341
Carcinogenicity (Category 1B), H350
Reproductive toxicity (Category 2), H361
Specific target organ toxicity - repeated exposure (Category 1), H372
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H301 Toxic if swallowed.
H330 Fatal if inhaled.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : Cd
Molecular weight : 112.41 g/mol
CAS-No. : 7440-43-9
EC-No. : 231-152-8
Index-No. : 048-002-00-0

| Component | Classification | Concentration |
|----------------|--|---------------|
| Cadmium | | |
| | Acute Tox. 3; Acute Tox. 2; Muta. 2; Carc. 1B; Repr. 2; STOT RE 1; | <= 100 % |

| | | |
|--|---|--|
| | Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H341, H350, H361, H372, H400, H410
M-Factor - Aquatic Acute: 1,000 | |
|--|---|--|

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Cadmium/cadmium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. Keep in a dry place.

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|-----------|---|-----------------------|--|
| | Remarks | Substance listed; for more information see OSHA document 1910.1027 | | |
| Cadmium | 7440-43-9 | TWA | 0.1 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Z37.5-1970
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect. | | |

| | | | | |
|--|--|---|-------------|---|
| | | TWA | 0.2 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Z37.5-1970
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect. | | |
| | | CEIL | 0.3 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Z37.5-1970
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect. | | |
| | | CEIL | 0.6 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Z37.5-1970
This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not in effect. | | |
| | | PEL | 0.005 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | see Sections 1532 & 5207 | | |
| | | Potential Occupational Carcinogen
See Appendix A | | |
| | | TWA | 0.01 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Kidney damage
Substances for which there is a Biological Exposure Index or Indices (see BEI® section)
Suspected human carcinogen varies | | |
| | | TWA | 0.002 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Kidney damage
Substances for which there is a Biological Exposure Index or Indices (see BEI® section)
Suspected human carcinogen varies | | |
| | | PEL | 0.005 mg/m3 | OSHA Specifically Regulated Chemicals/Carcinogens |
| | | 1910.1027
This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction-related industries, which are covered under 29 CFR 1926.63.
OSHA specifically regulated carcinogen | | |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------|-----------|--------------|------------------|---------------------|---|
| Cadmium | 7440-43-9 | cadmium | 5 µg/l | In blood | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Not critical | | | |
| | | cadmium | 5µg/g creatinine | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | Not critical | | | |

8.2 Exposure controls**Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|---|
| a) Appearance | Form: powder
Color: metallic |
| b) Odor | odorless |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 320.9 °C (609.6 °F) - lit. |
| f) Initial boiling point and boiling range | 765 °C 1409 °F - lit. |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | 1.3 hPa at 394 °C (741 °F) |
| l) Vapor density | No data available |
| m) Relative density | 8.65 g/cm ³ at 25 °C (77 °F) |
| n) Water solubility | 2.3 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble |
| o) Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Cadmium/cadmium oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 65 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male - 4 h - > 0.5638 mg/l

Remarks: (ECHA)

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: EU9800000

Damage to the lungs., Kidney injury may occur., prolonged or repeated exposure can cause:, Vomiting, Diarrhea, Lung irritation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

| | |
|---|--|
| Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 1.5 mg/l - 96 h
Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Daphnia magna (Water flea) - 0.11 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to bacteria | static test NOEC - activated sludge - 0.2 mg/l - 3 h (OECD Test Guideline 209) |

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 72 d
- 1.27 µg/l(Cadmium)

Bioconcentration factor (BCF): 55

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3288 Class: 6.1 Packing group: II
Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)
Reportable Quantity (RQ): 10 lbs
Reportable Quantity (RQ): 10 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: II EMS-No: F-A, S-A
Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Cadmium)
Marine pollutant : yes

IATA

UN number: 3288 Class: 6.1 Packing group: II
Proper shipping name: Toxic solid, inorganic, n.o.s. (Cadmium)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|---------|----------------------|-----------------------------|
| Cadmium | CAS-No.
7440-43-9 | Revision Date
2007-07-01 |
|---------|----------------------|-----------------------------|

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

:

Reportable Quantity D006 lbs

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 09/15/2020

Print Date: 11/19/2020

SAFETY DATA SHEET

Version 6.4
Revision Date 01/15/2020
Print Date 11/20/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Chromium

Product Number : 374849
Brand : Aldrich
CAS-No. : 7440-47-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none**SECTION 3: Composition/information on ingredients****3.1 Substances**

Formula : Cr
Molecular weight : 52.00 g/mol
CAS-No. : 7440-47-3
EC-No. : 231-157-5

Aldrich - 374849

Page 1 of 8

| Component | Classification | Concentration |
|-----------------|----------------|---------------|
| Chromium | | |
| | | <= 100 % |

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Chromium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.
For personal protection see section 8.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|-----------|---|-----------------------|---|
| Chromium | 7440-47-3 | TWA | 0.5 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | respiratory tract irritation
2018 Adoption | | |
| | | PEL | 0.5 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | see Sections 1532.2, 5206 & 8359 | | |
| | | TWA | 1 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1
Limits for Air Contaminants |

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|---|
| a) Appearance | Form: chips
Colour: light grey |
| b) Odour | odourless |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 1,857 °C (3,375 °F) - lit. |
| f) Initial boiling point and boiling range | 2,672 °C 4,842 °F - lit. |

| | |
|---|----------------------------|
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | No data available |
| l) Vapour density | No data available |
| m) Relative density | 7.14 g/mL at 25 °C (77 °F) |
| n) Water solubility | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids, Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Chromium oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: GB4200000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Cyprinus carpio (Carp) - 14.3 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 0.07 mg/l - 48 h

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|----------|-----------|---------------|
| Chromium | 7440-47-3 | 2007-07-01 |

SARA 311/312 Hazards

Chronic Health Hazard

Reportable Quantity : D007 lbs

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|----------|-----------|---------------|
| Chromium | 7440-47-3 | 2007-07-01 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 01/15/2020

Print Date: 11/20/2020

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.2

Revision Date 26.03.2021

Print Date 10.05.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Chrysene

Product Number : 769215

Brand : Aldrich

Index-No. : 601-048-00-0

REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 218-01-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES OF AMERICA (THE)

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H341

Suspected of causing genetic defects.

H350

May cause cancer.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P273

Avoid release to the environment.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram



Signal word

Danger

Hazard statement(s)

H350

May cause cancer.

H341

Suspected of causing genetic defects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard Statements

none

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C₁₈H₁₂
Molecular weight : 228,29 g/mol
CAS-No. : 218-01-9
EC-No. : 205-923-4
Index-No. : 601-048-00-0

| Component | | Classification | Concentration |
|---|--------------|----------------------------|---------------|
| chrysene Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH) | | | |
| CAS-No. | 218-01-9 | Muta. 2; Carc. 1B; Aquatic | <= 100 % |
| EC-No. | 205-923-4 | Acute 1; Aquatic Chronic | |
| Index-No. | 601-048-00-0 | 1; H341, H350, H400, | |



| | | |
|--|--|--|
| | H410
M-Factor - Aquatic Acute:
10
M-Factor - Aquatic
Chronic: 10 | |
|--|--|--|

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.



For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.**Advice on safe handling**

Avoid exposure - obtain special instructions before use.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|-------------------|
| a) Appearance | Form: solid |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | 253,0 °C |
| f) Initial boiling point and boiling range | 448,0 °C |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | No data available |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | insoluble |
| o) Partition coefficient: n-octanol/water | log Pow: 5,73 |
| p) Autoignition temperature | No data available |
| q) Decomposition | No data available |



temperature

- r) Viscosity Viscosity, kinematic: No data available
 Viscosity, dynamic: No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

In vitro tests showed mutagenic effects

Test Type: Ames test

Test system: Salmonella typhimurium

Result: positive

Remarks: (Lit.)



Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: GC0700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Property that cannot be excluded on the basis of structure- effect considerations:

Nausea

Vomiting

Risk of methaemoglobin formation with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea and spasms, principal symptom: cyanosis (blue discolouration of the blood).

This substance should be handled with particular care.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 1,90 mg/l - 2 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.



Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3077

IMDG: 3077

IATA: 3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (chrysene)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (chrysene)

IATA: Environmentally hazardous substance, solid, n.o.s. (chrysene)

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: yes

14.6 Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS



15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| | |
|------|---|
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Continuous cast copper (O)

Product Number : BCR058
Brand : Sigma-Aldrich
CAS-No. : 7440-50-8**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheetCompany : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES OF AMERICA (THE)Telephone : +1 314 771-5765
Fax : +1 800 325-5052**1.4 Emergency telephone**Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients**3.1 Substances**

Synonyms : Copper

Formula : Cu

Sigma-Aldrich - BCR058

Page 1 of 9



Molecular weight : 63.55 g/mol
CAS-No. : 7440-50-8
EC-No. : 231-159-6

| Component | Classification | Concentration |
|---------------|----------------|---------------|
| copper | | |
| | | <= 100 % |

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Copper oxides

Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas.
For personal protection see section 8.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

General industrial hygiene practice.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.
Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters



| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|-----------|-------|--------------------|---|
| copper | 7440-50-8 | TWA | 1 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 0.2 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 1 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 0.1 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | PEL | 0.1 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | TWA | 0.1 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | TWA | 1 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)



data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|---|
| a) Appearance | Form: Rods
Color: light red |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 1,083.4 °C (1,982.1 °F) - lit. |
| f) Initial boiling point and boiling range | 2,567 °C 4,653 °F - lit. |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | No data available |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | insoluble |
| o) Partition coefficient: | Not applicable for inorganic substances |



n-octanol/water

- | | | |
|----|---------------------------|-------------------|
| p) | Autoignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids, Acid chlorides, Halogens

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available



Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: GL5325000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

Sigma-Aldrich - BCR058

Page 7 of 9



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3089 Class: 4.1 Packing group: II
Proper shipping name: Metal powders, flammable, n.o.s.
Reportable Quantity (RQ):
Poison Inhalation Hazard: No

IMDG

UN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G
Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. (Copper)
Marine pollutant : yes

IATA

UN number: 3089 Class: 4.1 Packing group: II
Proper shipping name: Metal powder, flammable, n.o.s.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|--------|-----------|---------------|
| Copper | 7440-50-8 | 1993-02-16 |

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.



SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.4

Revision Date: 04/18/2021

Print Date: 05/10/2021



SAFETY DATA SHEET

Version 6.3
Revision Date 01/15/2020
Print Date 11/20/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Indeno[1,2,3-*cd*]pyrene

Product Number : 48499
Brand : Supelco
CAS-No. : 193-39-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Carcinogenicity (Category 2), H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word : Warning

Hazard statement(s)
H351 : Suspected of causing cancer.

Precautionary statement(s)
P201 : Obtain special instructions before use.

| | |
|-------------|---|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P281 | Use personal protective equipment as required. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|------------------|-----------------------------------|
| Formula | : C ₂₂ H ₁₂ |
| Molecular weight | : 276.33 g/mol |
| CAS-No. | : 193-39-5 |
| EC-No. | : 205-893-2 |

| Component | Classification | Concentration |
|-------------------------------|----------------|---------------|
| Indeno[1,2,3-cd]pyrene | | |
| | Carc. 2; H351 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store at room temperature.

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|---------------------|
| a) Appearance | Form: solid |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | 163.6 °C (326.5 °F) |
| f) Initial boiling point and boiling range | 536.0 °C 996.8 °F |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |

| | | |
|----|--|-------------------|
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | No data available |
| l) | Vapour density | No data available |
| m) | Relative density | No data available |
| n) | Water solubility | No data available |
| o) | Partition coefficient: n-octanol/water | No data available |
| p) | Auto-ignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Indeno[1,2,3-cd]pyrene)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Indeno[1,2,3-cd]pyrene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

Indeno[1,2,3-cd]pyrene

CAS-No.
193-39-5

Revision Date
1993-02-16

Pennsylvania Right To Know Components

Indeno[1,2,3-cd]pyrene

CAS-No.
193-39-5Revision Date
1993-02-16**California Prop. 65 Components**

, which is/are known to the State of California to
cause cancer. For more information go to
www.P65Warnings.ca.gov.Indeno[1,2,3-cd]pyrene

CAS-No.
193-39-5Revision Date
2007-09-28

SECTION 16: Other information**Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 01/15/2020

Print Date: 11/20/2020

SAFETY DATA SHEET

Version 6.2
Revision Date 09/15/2020
Print Date 11/20/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Lead

Product Number : 391352

Brand : Aldrich

CAS-No. : 7439-92-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 4), H302
Carcinogenicity (Category 2), H351
Reproductive toxicity (Category 2), H361
Specific target organ toxicity - repeated exposure (Category 2), H373
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

| | |
|----------------------------|---|
| Hazard statement(s) | |
| H302 | Harmful if swallowed. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P391 | Collect spillage. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|------------------|----------------|
| Formula | : Pb |
| Molecular weight | : 207.20 g/mol |
| CAS-No. | : 7439-92-1 |
| EC-No. | : 231-100-4 |

| Component | Classification | Concentration |
|-------------|---|---------------|
| Lead | | |
| | Carc. 2; Repr. 1A; Lact. ; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H351, H360, H362, H372, H400, H410
Concentration limits:
>= 2.5 %: Repr. 2, H361f; >= 0.5 %: STOT RE 2, H373; >= 0.03 %: Repr. 1A, H360D;
M-Factor - Aquatic Acute: 10 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Lead oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|-----------|-----------|---|------------------------|---|
| | Remarks | See 1910.1025 | | |
| Lead | 7439-92-1 | TWA | 0.05 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | Confirmed animal carcinogen with unknown relevance to humans | | |
| | | TWA | 0.05 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment
Hematologic effects
Peripheral Nervous System impairment
Substances for which there is a Biological Exposure Index or Indices (see BEI® section)
Confirmed animal carcinogen with unknown relevance to humans | | |
| | | TWA | 0.05 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | See Appendix C | | |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------|-----------|--------------|----------|---------------------|---|
| Lead | 7439-92-1 | Lead | 200 µg/l | In blood | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Not critical | | | |

8.2 Exposure controls**Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment**Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|---|
| a) Appearance | Form: powder |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: 327.4 °C (621.3 °F) - lit. |
| f) Initial boiling point and boiling range | 1,740 °C 3,164 °F - lit. |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | No data available |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Lead oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - > 5.05 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Rat - female - Red blood cells (erythrocytes)

Result: positive

(ECHA)

Mouse - male - Liver cells

Result: negative
(ECHA)

Mouse - female - Bone marrow
Result: Positive results were obtained in some in vivo tests.
(ECHA)

Monkey - female - lymphocyte
Result: Positive results were obtained in some in vivo tests.
(ECHA)

Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Lead)

NTP: RAHC - Reasonably anticipated to be a human carcinogen The reference note has been added by TD based on the background information of the NTP. (Lead)

OSHA: OSHA specifically regulated carcinogen (Lead)

Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.
May damage fertility. Positive evidence from human epidemiological studies. Studies indicating a hazard to babies during the lactation period

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Central nervous system, Blood, Immune system, Kidney

Aspiration hazard

No data available

Additional Information

RTECS: OF7525000

anemia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

On the basis of the morphology of the product, no hazardous properties are to be expected when it is handled and used with appropriate care.

The following applies to lead compounds in general: Due to the poor absorbability via the gastrointestinal tract, only very high doses lead to acute cases of intoxication. After a latency period of several hours, metallic taste, nausea, vomiting, and colics occur, in many instances followed by shock. Chronic uptake causes peripheral muscular weakness ("drop-wrist"), anaemia, and central-nervous disorders. Women of child-bearing age should not be exposed to the substance over longer periods of time (observe critical threshold).

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

| | |
|-------------------|--|
| Toxicity to fish | static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.1 mg/l - 96 h
Remarks: (ECHA) |
| Toxicity to algae | mortality EC50 - Skeletonema costatum - 7.94 mg/l - 10 d
Remarks: (ECOTOX Database)(Lead) |

12.2 Persistence and degradability

| | |
|------------------|---|
| Biodegradability | Result: - According to the results of tests of biodegradability this product is not readily biodegradable.
Remarks: The methods for determining biodegradability are not applicable to inorganic substances. |
|------------------|---|

12.3 Bioaccumulative potential

| | |
|-----------------|--|
| Bioaccumulation | Oncorhynchus kisutch - 2 Weeks
- 150 µg/l(Lead) |
| | Bioconcentration factor (BCF): 12 |

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.
Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead)
Reportable Quantity (RQ): 10 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Lead)
Marine pollutant : yes

IATA

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|------|-----------|---------------|
| Lead | 7439-92-1 | 2015-11-23 |

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|------|-----------|---------------|
| Lead | 7439-92-1 | 2015-11-23 |

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|------|-----------|---------------|
| Lead | 7439-92-1 | 2015-11-23 |

New Jersey Right To Know Components

| | CAS-No. | Revision Date |
|------|-----------|---------------|
| Lead | 7439-92-1 | 2015-11-23 |

California Prop. 65 Components

| | CAS-No. | Revision Date |
|--|-----------|---------------|
| WARNING! This product contains a chemical known in the State of California to cause cancer. Lead | 7439-92-1 | 2009-02-01 |

| | CAS-No. | Revision Date |
|--|-----------|---------------|
| WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. Lead | 7439-92-1 | 2009-02-01 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 09/15/2020

Print Date: 11/20/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Mercury (Hg) standard solution

Product Number : NIST3133
Brand : Sigma-Aldrich**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheetCompany : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES OF AMERICA (THE)Telephone : +1 314 771-5765
Fax : +1 800 325-5052**1.4 Emergency telephone**Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**Corrosive to Metals (Category 1), H290
Acute toxicity, Oral (Category 4), H302
Acute toxicity, Inhalation (Category 3), H331
Acute toxicity, Dermal (Category 3), H311
Skin corrosion (Category 1A), H314
Serious eye damage (Category 1), H318
Specific target organ toxicity - repeated exposure (Category 2), Kidney, H373
Short-term (acute) aquatic hazard (Category 2), H401
Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H290

May be corrosive to metals.

H302

Harmful if swallowed.

H311 + H331

Toxic in contact with skin or if inhaled.

H314

Causes severe skin burns and eye damage.

H373

May cause damage to organs (Kidney) through prolonged or repeated exposure.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P234

Keep only in original container.

P260

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 + P330

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P314

Get medical advice/ attention if you feel unwell.

P362

Take off contaminated clothing and wash before reuse.

P390

Absorb spillage to prevent material damage.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P406

Store in corrosive resistant container with a resistant inner liner.

P501

Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Component | Classification | Concentration |
|-----------|----------------|---------------|
|-----------|----------------|---------------|



| nitric acid | | | |
|----------------------------|-----------------------|-----------------------------|----------------|
| CAS-No. | 7697-37-2 | Ox. Liq. 2; Met. Corr. 1; | >= 20 - < 30 % |
| EC-No. | 231-714-2 | Acute Tox. 3; Skin Corr. | |
| Index-No. | 007-004-00-1 | 1A; Eye Dam. 1; H272, | |
| Registration number | 01-2119487297-23-XXXX | H290, H331, H314, H318 | |
| | | Concentration limits: | |
| | | >= 1 %: Met. Corr. 1, | |
| | | H290; 0 - < 70.0001 %: | |
| | | Acute Tox. 3, H331; >= | |
| | | 70.0001 %: Acute Tox. 1, | |
| | | H330; >= 20 %: Skin | |
| | | Corr. 1A, H314; 5 - < 20 | |
| | | %: Skin Corr. 1B, H314; | |
| | | 65 - < 99 %: Ox. Liq. 3, | |
| | | H272; >= 99 %: Ox. Liq. | |
| | | 2, H272; >= 3 %: Eye | |
| | | Dam. 1, H318; 1 - < 3 %: | |
| | | Eye Irrit. 2, H319; 1 - < 5 | |
| | | %: Skin Irrit. 2, H315; | |
| Mercury(II) nitrate | | | |
| CAS-No. | 10045-94-0 | Ox. Sol. 2; Acute Tox. 2; | >= 1 - < 5 % |
| EC-No. | 233-152-3 | Acute Tox. 1; STOT RE 2; | |
| Index-No. | 080-002-00-6 | Aquatic Acute 1; Aquatic | |
| | | Chronic 1; H272, H300, | |
| | | H330, H310, H373, H400, | |
| | | H410 | |
| | | Concentration limits: | |
| | | >= 0.1 %: STOT RE 2, | |
| | | H373; | |
| | | M-Factor - Aquatic Acute: | |
| | | 10 | |
| | | M-Factor - Aquatic | |
| | | Chronic: 10 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.



In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.
Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x)

Mercury/mercury oxides.

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.



6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters



| Component | CAS-No. | Value | Control parameters | Basis |
|---------------------|------------|--|--------------------|---|
| nitric acid | 7697-37-2 | TWA | 2 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | STEL | 4 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 2 ppm
5 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | ST | 4 ppm
10 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 2 ppm
5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 2 ppm
5 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | STEL | 4 ppm
10 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | PEL | 2 ppm
5 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | STEL | 4 ppm
10 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| Mercury(II) nitrate | 10045-94-0 | TWA | 0.025 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Not classifiable as a human carcinogen
Danger of cutaneous absorption | | |
| | | TWA | 0.05 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential for dermal absorption | | |
| | | C | 0.1 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential for dermal absorption | | |
| | | PEL | 0.025 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | | |
| | | C | 0.1 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | | |



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

required

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|------------------------|
| a) Appearance | Form: Aqueous solution |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | No data available |
| f) Initial boiling point and boiling range | No data available |
| g) Flash point | ()No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | No data available |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | soluble |

Sigma-Aldrich - NIST3133

Page 7 of 13



- | | |
|--|-------------------|
| o) Partition coefficient:
n-octanol/water | No data available |
| p) Autoignition
temperature | Not applicable |
| q) Decomposition
temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Strong oxidizing agentsMetals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Mixture causes severe burns.



Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

Components**nitric acid****Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.5 mg/l
(Expert judgment)

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Causes poorly healing wounds.



Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Mercury(II) nitrate**Acute toxicity**

Acute toxicity estimate Oral - 5.1 mg/kg

(Expert judgment)

Acute toxicity estimate Inhalation - 0.051 mg/l

(Expert judgment)

Acute toxicity estimate Dermal - 5.1 mg/kg

(Expert judgment)

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

No data available



No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

Components

nitric acid

No data available

Mercury(II) nitrate

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 0.172 mg/l - 96.0 h

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



SECTION 14: Transport information**DOT (US)**

UN number: 2031 Class: 8 Packing group: II
Proper shipping name: Nitric acid
Reportable Quantity (RQ): 625 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 2031 Class: 8 Packing group: II EMS-No: F-A, S-B
Proper shipping name: NITRIC ACID

IATA

UN number: 2031 Class: 8 Packing group: II
Proper shipping name: Nitric acid

SECTION 15: Regulatory information**SARA 302 Components**

| | | |
|-------------|----------------------|-----------------------------|
| nitric acid | CAS-No.
7697-37-2 | Revision Date
2007-07-01 |
|-------------|----------------------|-----------------------------|

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|---------------------|----------------------|-----------------------------|
| nitric acid | CAS-No.
7697-37-2 | Revision Date
2007-07-01 |
| Mercury(II) nitrate | 10045-94-0 | 1993-02-16 |

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.2

Revision Date: 05/06/2021

Print Date: 05/10/2021



SAFETY DATA SHEET

Version 6.3
Revision Date 09/27/2020
Print Date 11/19/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Nickel

Product Number : 203904
Brand : Aldrich
Index-No. : 028-002-01-4
CAS-No. : 7440-02-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin sensitization (Category 1), H317
Carcinogenicity (Category 2), H351
Specific target organ toxicity - repeated exposure, Inhalation (Category 1), H372
Short-term (acute) aquatic hazard (Category 3), H402
Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| | |
|----------------------------|---|
| Hazard statement(s) | |
| H317 | May cause an allergic skin reaction. |
| H351 | Suspected of causing cancer. |
| H372 | Causes damage to organs through prolonged or repeated exposure if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. |
| P363 | Wash contaminated clothing before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|------------------|----------------|
| Formula | : Ni |
| Molecular weight | : 58.69 g/mol |
| CAS-No. | : 7440-02-0 |
| EC-No. | : 231-111-4 |
| Index-No. | : 028-002-01-4 |

| Component | Classification | Concentration |
|---|--|---------------|
| nickel powder; [particle diameter < 1 mm] | | |
| | Skin Sens. 1; Carc. 2;
STOT RE 1; Aquatic Acute
3; Aquatic Chronic 3;
H317, H351, H372, H402,
H412 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Nickel/nickel oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Handle and store under inert gas. Keep in a dry place.

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|---|-----------|---|-------------------------|---|
| nickel powder;
[particle diameter
< 1 mm] | 7440-02-0 | TWA | 1.5 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Dermatitis
Pneumoconiosis
Not suspected as a human carcinogen | | |
| | | PEL | 0.5 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | TWA | 1 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 0.015 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | Potential Occupational Carcinogen
See Appendix A | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| a) Appearance | Form: powder
Color: gray |
| b) Odor | No data available |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point: 1,455 °C (2,651 °F) |
| f) Initial boiling point and boiling range | 2,730 °C 4,946 °F |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | The substance or mixture is a flammable solid with the category 2. |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | 1 hPa at 1,810 °C (3,290 °F) |
| l) Vapor density | No data available |
| m) Relative density | 8.9 g/mL at 25 °C (77 °F) |
| n) Water solubility | insoluble |
| o) Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

acids, Oxidizing agents, Sulfur compounds, Hydrogen gas, Oxygen, Methanol, organic solvents, Aluminum, Fluorine, Ammonia

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nickel/nickel oxides
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 9,000 mg/kg
(OECD Test Guideline 401)
Dermal: No data available
No data available

Skin corrosion/irritation

Skin - Rabbit
Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit
Result: No eye irritation
(OECD Test Guideline 405)

Respiratory or skin sensitization

Germ cell mutagenicity

No data available

Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: 1 - Group 1: Carcinogenic to humans (nickel powder; [particle diameter < 1 mm])

2B - Group 2B: Possibly carcinogenic to humans (nickel powder; [particle diameter < 1 mm])

IARC: 1 - Group 1: Carcinogenic to humans (nickel powder; [particle diameter < 1 mm])

2B - Group 2B: Possibly carcinogenic to humans (nickel powder; [particle diameter < 1 mm])

NTP: RAHC - Reasonably anticipated to be a human carcinogen (nickel powder; [particle diameter < 1 mm])

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Inhalation

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 15.3 mg/l - 96 h

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential**12.4 Mobility in soil****12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 3089 Class: 4.1 Packing group: II
Proper shipping name: Metal powders, flammable, n.o.s.
Reportable Quantity (RQ): 100 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G
Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S. (nickel powder; [particle diameter < 1 mm])
Marine pollutant : yes

IATA

UN number: 3089 Class: 4.1 Packing group: II
Proper shipping name: Metal powder, flammable, n.o.s.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|---|-----------|---------------|
| nickel powder; [particle diameter < 1 mm] | 7440-02-0 | 2007-07-01 |

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|---|-----------|---------------|
| nickel powder; [particle diameter < 1 mm] | 7440-02-0 | 2007-07-01 |

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|---|-----------|---------------|
| nickel powder; [particle diameter < 1 mm] | 7440-02-0 | 2007-07-01 |

California Prop. 65 Components

| | CAS-No. | Revision Date |
|--|-----------|---------------|
| , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . nickel powder; [particle diameter < 1 mm] | 7440-02-0 | 2007-09-28 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 09/27/2020

Print Date: 11/19/2020

SAFETY DATA SHEET

Version 8.1
Revision Date 03/28/2020
Print Date 08/29/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Tetrachloroethylene

Product Number : 371696
Brand : Sigma-Aldrich
Index-No. : 602-028-00-4
CAS-No. : 127-18-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin irritation (Category 2), H315
Eye irritation (Category 2A), H319
Skin sensitisation (Category 1), H317
Carcinogenicity (Category 2), H351
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336
Short-term (acute) aquatic hazard (Category 2), H401
Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

| | |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statement(s)

| | |
|--------------------|--|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P261 | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. |
| P337 + P313 | If eye irritation persists: Get medical advice/ attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P391 | Collect spillage. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

| | | |
|------------------|---|--------------------------------|
| Synonyms | : | Perchloroethylene
PCE |
| Formula | : | C ₂ Cl ₄ |
| Molecular weight | : | 165.83 g/mol |
| CAS-No. | : | 127-18-4 |
| EC-No. | : | 204-825-9 |
| Index-No. | : | 602-028-00-4 |

| Component | Classification | Concentration |
|----------------------------|--|---------------|
| Tetrachloroethylene | | |
| | Skin Irrit. 2; Eye Irrit. 2A;
Skin Sens. 1; Carc. 2;
STOT SE 3; Aquatic Acute
2; Aquatic Chronic 2;
H315, H319, H317, H351,
H336, H401, H411
Concentration limits:
>= 20 %: STOT SE 3,
H336; | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|---------------------|----------|--|--------------------|---|
| Tetrachloroethylene | 127-18-4 | TWA | 25 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Central Nervous System impairment
Substances for which there is a Biological Exposure Index or Indices (see BEI® section)
Confirmed animal carcinogen with unknown relevance to humans | | |

| | | | | |
|--|--|--|----------------------|---|
| | | STEL | 100 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | Central Nervous System impairment
Substances for which there is a Biological Exposure Index or Indices (see BEI® section)
Confirmed animal carcinogen with unknown relevance to humans | | |
| | | Potential Occupational Carcinogen
Minimize workplace exposure concentrations.
See Appendix A | | |
| | | See Table Z-2 | | |
| | | TWA | 100 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | CEIL | 200 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | Peak | 300 ppm | USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| | | STEL | 100 ppm
685 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | C | 300 ppm | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | PEL | 25 ppm
170 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|---------------------|----------|---|--------------------|---------------------|---|
| Tetrachloroethylene | 127-18-4 | Tetrachloroethylene | 3parts per million | In end-exhaled air | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Prior to shift (16 hours after exposure ceases) | | | |
| | | Tetrachloroethylene | 0.5 mg/l | In blood | ACGIH - Biological Exposure Indices (BEI) |
| | | Prior to shift (16 hours after exposure ceases) | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 49 min

Material tested: Dermatrill® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---------------------------------|--|
| a) Appearance | Form: liquid, clear
Colour: colourless |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: -22 °C (-8 °F) - lit. |
| f) Initial boiling point | 121 °C 250 °F - lit. |

and boiling range

- | | |
|---|---|
| g) Flash point | ()No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | 25.3 hPa at 25.0 °C (77.0 °F)
17.3 hPa at 20.0 °C(68.0 °F) |
| l) Vapour density | No data available |
| m) Relative density | 1.623 g/cm ³ at 25 °C (77 °F) |
| n) Water solubility | 0.15 g/l at 25 °C (77 °F) |
| o) Partition coefficient: n-octanol/water | log Pow: 2.53 at 23 °C (73 °F) |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

Surface tension 32.1 mN/m at 20 °C (68 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 3,385 mg/kg
(OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation - 24 h

Respiratory or skin sensitisation

- Mouse

Result: May cause sensitisation by skin contact.

(OECD Test Guideline 429)

Germ cell mutagenicity

Hamster

ovary

Result: negative

OECD Test Guideline 474

Mouse - male

Result: negative

Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: 2A - Group 2A: Probably carcinogenic to humans (Tetrachloroethylene)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Tetrachloroethylene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Mouse - female - Oral - Lowest observed adverse effect level - 390 mg/kg

RTECS: KX3850000

narcosis, Liver injury may occur., Kidney injury may occur.

SECTION 12: Ecological information

12.1 Toxicity

| | |
|---|--|
| Toxicity to fish | flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 5 mg/l - 96 h |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 7.50 mg/l - 48 h |
| Toxicity to algae | static test EC50 - Skeletonema costatum - > 16 mg/l - 7 h |

12.2 Persistence and degradability

| | |
|------------------|---|
| Biodegradability | aerobic - Exposure time 28 d
Result: 11 % - Not readily biodegradable.
(OECD Test Guideline 301C) |
|------------------|---|

12.3 Bioaccumulative potential

| | |
|-----------------|--|
| Bioaccumulation | Lepomis macrochirus (Bluegill) - 21 d
- 0.00343 mg/l(Tetrachloroethylene) |
| | Bioconcentration factor (BCF): 49 |

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Sigma-Aldrich - 371696

Page 9 of 11

UN number: 1897 Class: 6.1 Packing group: III
Proper shipping name: Tetrachloroethylene
Reportable Quantity (RQ): 100 lbs
Reportable Quantity (RQ): 100 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 1897 Class: 6.1 Packing group: III EMS-No: F-A, S-A
Proper shipping name: TETRACHLOROETHYLENE
Marine pollutant : yes

IATA

UN number: 1897 Class: 6.1 Packing group: III
Proper shipping name: Tetrachloroethylene

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|---------------------|----------|---------------|
| Tetrachloroethylene | 127-18-4 | 2007-07-01 |

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

:

Reportable Quantity D039 lbs

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|---------------------|----------|---------------|
| Tetrachloroethylene | 127-18-4 | 2007-07-01 |

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|---------------------|----------|---------------|
| Tetrachloroethylene | 127-18-4 | 2007-07-01 |

California Prop. 65 Components

, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.Tetrachloroethylene

| CAS-No. | Revision Date |
|----------|---------------|
| 127-18-4 | 2017-04-11 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.1

Revision Date: 03/28/2020

Print Date: 08/29/2020

SAFETY DATA SHEET

Version 6.4
Revision Date 02/10/2020
Print Date 11/19/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Zinc

Product Number : 243469
Brand : Sigma-Aldrich
CAS-No. : 7440-66-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 Spruce Street
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word : Warning

Hazard statement(s)
H410 : Very toxic to aquatic life with long lasting effects.

| | |
|----------------------------|---|
| Precautionary statement(s) | |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Combustible dust

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|------------------|---------------|
| Formula | : Zn |
| Molecular weight | : 65.39 g/mol |
| CAS-No. | : 7440-66-6 |
| EC-No. | : 231-175-3 |

| Component | Classification | Concentration |
|---------------------------------|---|---------------|
| Zinc powder (stabilized) | | |
| | Aquatic Acute 1; Aquatic Chronic 1; H400, H410
M-Factor - Aquatic Acute: 1
M-Factor - Aquatic Chronic: 10 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Zinc/zinc oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| a) Appearance | Form: granular
Colour: metallic, grey |
| b) Odour | odourless |
| c) Odour Threshold | No data available |
| d) pH | Not applicable |
| e) Melting point/freezing point | Melting point/range: 420 °C (788 °F) - lit. |
| f) Initial boiling point and boiling range | 907 °C 1665 °F - lit. |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | May form combustible dust concentrations in air. |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | 1.33 hPa at 487 °C (909 °F) |
| l) Vapour density | No data available |
| m) Relative density | 7.133 g/cm ³ at 25 °C (77 °F) |
| n) Water solubility | 0.0001 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble |
| o) Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| p) Auto-ignition temperature | does not ignite |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

| | |
|--------------|-----------------------------|
| Bulk density | 1.8 - 3.2 kg/m ³ |
|--------------|-----------------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, Acids and bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Zinc/zinc oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5.41 mg/l

(OECD Test Guideline 403)

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 5 d

Remarks: (in analogy to similar products) (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

(OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

(in analogy to similar products)

In vitro mammalian cell gene mutation test

mouse lymphoma cells
Result: negative
(in analogy to similar products) (ECHA)
Chromosome aberration test in vitro
Other cell types
Result: negative
(in analogy to similar products) (ECHA)

Mouse - male and female - Red blood cells (erythrocytes)
Result: negative
(in analogy to similar products) (ECHA)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - No observed adverse effect level - 31.52 mg/kg - Lowest observed adverse effect level - 53.8 mg/kg
RTECS: Not available

Effects due to ingestion may include:, chills, dry throat, sweet taste, Fever, Cough, Nausea, Vomiting, Weakness, Contact with eyes or skin may cause:, Irritation
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

| | |
|---|--|
| Toxicity to fish | flow-through test LC50 - other fish - 0.439 mg/l - 96 h
Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - 1.833 mg/l - 48 h
(OECD Test Guideline 202) |
| Toxicity to algae | static test NOEC - Pseudokirchneriella subcapitata - 0.005 mg/l - 3 d |

(OECD Test Guideline 201)

Toxicity to bacteria static test NOEC - activated sludge - 0.1 mg/l - 4 h
(ISO 9509)
Remarks: (in analogy to similar products)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc powder (stabilized))
Marine pollutant : yes

IATA

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc powder (stabilized))

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Zinc powder (stabilized)

CAS-No.

7440-66-6

Revision Date

1993-02-16

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 02/10/2020

Print Date: 11/19/2020

APPENDIX B

Hybrid Foundation Plan Progress Prints

COMMODORE

109 EAST 42ND STREET
NEW YORK, NY 10017

CLIENT

Commodore Owner LLC

C/O BOB REALTY LLC
60 WEST PALM AVENUE, NEW YORK, NY 10014

ARCHITECT

SOM
SKIDMORE, OWINGS & MERRILL LLP
7 WORLD TRADE CENTER, 256 GREENWICH STREET, NEW YORK, NY 10007

STRUCTURAL ENGINEER

WSP

ONE PENN PLAZA, 200 WEST 34TH STREET, NEW YORK, NY 10001

MEPFP ENGINEER

JAROS, BAUM, & BOLLES CONSULTING
ENGINEERS, LLP
80 PRINCE STREET, NEW YORK, NY 10013

VERTICAL TRANSPORTATION

EDGETT WILLIAMS CONSULTING GROUP

100 EAST 86TH STREET, SUITE 1, MALL VALLEY, CA 94041

CODE CONSULTING

CODE CONSULTANTS, INC

215 WEST 4TH STREET, 10TH FLOOR, NEW YORK, NY 10013

GEOTECHNICAL AND ENVIRONMENTAL CONSULTING

LANGAN

21 PENN PLAZA, 300 WEST 34TH STREET, 8TH FLOOR, NEW YORK, NY 10001

SECURITY CONSULTANT

THORNTON TOMASETTI

11 MADISON AVENUE, NEW YORK, NY 10017

TRANSPORT CONSULTING

STANTEC

400 11TH AVENUE, 10TH FLOOR, NEW YORK, NY 10017-2319

LAND USE CONSULTANT

FRIED FRANK

1 NEW YORK PLAZA, 1100 AVENUE, NEW YORK, NY 10004

ENVIRONMENTAL SERVICE

VHB

ONE PENN PLAZA, 300 WEST 34TH STREET, NEW YORK, NY 10013

ENCLOSURE CONSULTANT

HEINTGES

400 PARK AVENUE SOUTH, 10TH FLOOR, NEW YORK, NY 10014

ENERGY & SUSTAINABILITY CONSULTANT

STEVEN WINTER ASSOCIATES, INC.


200 BROAD AVENUE, SUITE 1000, NEW YORK, NY 10013

LANDSCAPE ARCHITECT

JAMES CORNER FIELD OPERATIONS

400 10TH AVENUE, 10TH FLOOR, NEW YORK, NY 10018

KEYPLAN



REAL

NOT FOR
CONSTRUCTION

NO. DATE DESCRIPTION

DRAWING TITLE


FOUNDATION
(SUB-CELLAR 2)
OVERALL FRAMING
PLAN - (HYBRID OPTION)

B-S-CAL - DRAWING NUMBER

FO-100 -
HYBRID

As Indicated

PAGE NUMBER



1 FOUNDATION (SUB-CELLAR 2) OVERALL FRAMING PLAN (HYBRID OPTION)

SCALE: 3/32\"/>

NOTES:


1. TOP OF SLAB ELEVATION TO BE 5'-2" (NAVD 88) U.O.N. ON PLAN THUS [] ALL ELEVATIONS REFER TO NAVD88
2. SLAB TO BE 6" THICK U.O.N. ON PLAN THUS []
3. SLAB REINFORCEMENT TO BE: #8@12 E.W. 148 FOR 12' SLAB
4. FOOTINGS TO BE CENTERED ON COLUMNS OR WALLS U.O.N.
5. TOP OF FOOTING TO BE 1'-0" BELOW TOP OF SLAB U.O.N. ON PLAN
6. BOTTOM OF COLUMN AND MEGA COLUMN ELEVATIONS ARE BASED OFF OF EXPECTED ROCK DEPTH AS PER LANGAN SKETCH DATED 09/18/2020
7. ROCK AT NEW FOUNDATION WALLS SHALL BE STABILIZED PER RECOMMENDATION OF GEOTECHNICAL ENGINEER
8. PROVIDE DOWELS IN FOOTING TO MATCH VERT WALL REINF. (COLUMN REINF. (TYP.))
9. FOR UNDERGROUND PLUMBING SEE ARCH/MECH DRAWINGS
10. FOR GENERAL NOTES, ABBREVIATIONS AND LEGEND SEE DWG FO-001
11. FOR FOUNDATION TYPICAL DETAILS SEE FO-200 SERIES DRAWINGS
12. FOR FOUNDATION SECTIONS SEE FO-300 SERIES DRAWINGS
13. FOR SHEARWALL DETAILS SEE S-XXX SERIES DRAWINGS
14. FOR COLUMN AND BUTTRESS SIZES, REINFORCEMENT AND DETAILS SEE FO-120 AND S-XXX SERIES DRAWINGS
15. FOR STAIR LOCATIONS SEE ARCHITECTS DRAWINGS
16. FOR MASS CONCRETE CONSTRUCTION, CONTRACTOR SHALL COMPLY WITH ACI-301.207 & NYC BUILDING CODE. CONCRETE TEMP. (FOR MASS CONCRETE) AT THE TIME OF PLACEMENT TO BE MAINTAINED AT 55°-60° F. CONTRACTOR TO PROVIDE DESIGN MIX & THERMAL CONTROL PLAN TO ENGINEER OF RECORD FOR APPROVAL. FOR FINAL APPROVAL SUBJECT TO REVIEW OF SATISFACTORY MOCK-UP RESULTS.

| FOOTING SCHEDULE (F _c = 14,000 PSI) (HYBRID FOUNDATION) | | | | |
|--|-----------------|--------------|-------------------|------------------------------------|
| ALLOWABLE BEARING PRESSURE = 120 TONS/SF U.O.N. | | | | |
| MARK | SIZE | SOCKET DEPTH | REINFORCING | REMARKS |
| F70W | 84" WIDE | 10'-0" | 331 LBS/CUBIC YD. | SOCKETED INTO ROCK & SIDE FRICTION |
| F4040 | 4'-0" x 4'-0" | 3'-0" | 150 LBS/CUBIC YD. | SOCKETED INTO ROCK (60 TSF) |
| F6060 | 6'-0" x 6'-0" | 3'-0" | 331 LBS/CUBIC YD. | SOCKETED INTO ROCK (60 TSF) |
| F100100 | 10'-0" x 10'-0" | 10'-0" | 331 LBS/CUBIC YD. | SOCKETED INTO ROCK |
| F106220 | 10'-6" x 22'-0" | 10'-0" | 331 LBS/CUBIC YD. | SOCKETED INTO ROCK |

| MEGA COLUMN FOOTING SCHEDULE (F _c = 14,000 PSI) (HYBRID FOUNDATION) | | | | |
|--|--------------------|--------------|-------------------|-------------------------------------|
| ALLOWABLE BEARING PRESSURE = 120 TONS/SF U.O.N. | | | | |
| MARK | SIZE | SOCKET DEPTH | REINFORCING | REMARKS |
| F2 | SEE DRAWING FO-120 | 10'-0" | 331 LBS/CUBIC YD. | SOCKETED INTO ROCK. SEE DWG. FO-120 |

NOTES:

1. AT MEGA COLUMN LOCATIONS WHEN FOOTING SIZE MATCHES MEGA COLUMN SIZE, CONTRACTOR CAN MAKE ALLOWANCE FOR SOCKETING COLUMN INTO ROCK BY MINIMUM THICKNESS SHOWN IN TABLE ABOVE AS THE EQUIVALENT FOUNDATION.
2. SOCKET DEPTH TO BE MEASURED FROM TOP OF 60 TSF ROCK.



3D VIEW

PROGRESS PRINT
10-21-2020

COMMODORE

109 EAST 42ND STREET
NEW YORK, NY 10017

CLIENT

Commodore Owner LLC

C/O BOB REATY LLC
60 WEST PALM AVENUE, NEW YORK, NY 10024

ARCHITECT

SOM
SKIDMORE, OWINGS & MERRILL LLP
7 WORLD TRADE CENTER, 250 GREENWICH STREET, NEW YORK, NY 10007

STRUCTURAL ENGINEER

WSP

ONE PENN PLAZA, 220 WEST 34TH STREET, NEW YORK, NY 10001

METROP ENGINEER

JAROS, BAUM, & BOLLES CONSULTING
ENGINEERS, LLP
80 PRINCE STREET, NEW YORK, NY 10020

VERTICAL TRANSPORTATION

EDGETT WILLIAMS CONSULTING GROUP
102 EAST 86TH AVENUE, SUITE 1, MILL VALLEY, CA 94541

CODE CONSULTING

CODE CONSULTANTS, INC.

215 WEST 46TH STREET, 10TH FLOOR, NEW YORK, NY 10018

GEOTECHNICAL AND ENVIRONMENTAL CONSULTING

LANGAN

21 PENN PLAZA, 360 WEST 33RD STREET, 8TH FLOOR, NEW YORK, NY 10001

SECURITY CONSULTANT

THORNTON TOMASETTI

11 MADISON AVENUE, NEW YORK, NY 10017

TRANSPORT CONSULTING

STANTEC

405 PETER AVENUE, 10TH FLOOR, NEW YORK, NY 10017-2219

LAND USE CONSULTANT

FRIED FRANK

1 NEW YORK PLAZA, 1100 DRIVE, NEW YORK, NY 10004

ENVIRONMENTAL SERVICE

VHB

ONE PENNSILVANIA PLAZA, 7TH FLOOR, NEW YORK, NY 10119

ENCLOSURE CONSULTANT

HEINTGES

400 PARK AVENUE, SOUTH, 10TH FLOOR, NEW YORK, NY 10016

ENERGY & SUSTAINABILITY CONSULTANT

STEVEN WINTER ASSOCIATES, INC.


300 SOUTH AVENUE, SOUTH, 10TH FLOOR, NEW YORK, NY 10018

LANDSCAPE ARCHITECT

JAMES CORNER FIELD OPERATIONS

475 10TH AVENUE, 10TH FLOOR, NEW YORK, NY 10018

KEYPLAN



REAL

NOT FOR
CONSTRUCTION

NO. DATE DESCRIPTION

DRAWING TITLE


CORE FOUNDATION
PLAN (HYBRID OPTION)

S-CAN - DRAWING NUMBER

FO-110 -
HYBRID

As indicated

PAGE NUMBER



1 CORE FOUNDATION PLAN (HYBRID OPTION)

SCALE: 3/16" = 1'-0"

NOTES:

1. ALL #11 REINFORCEMENT SHALL BE ASTM A615 GR. 75 (fy=75 ksi).
2. OUTER MOST REINFORCEMENT TO BE PLACED IN NORTH-SOUTH DIRECTION.
3. SEE TYPICAL ROCK ANCHORAGE DETAIL ON DRAWING FO-200.
4. FOR BALANCE OF NOTES, SEE OVERALL FOUNDATION PLAN DRAWING FO-100.
5. MAT FOUNDATION TO BE SOCKETED INTO ROCK TO ACHIEVE 96 TSF BEARING CAPACITY U.O.N. ON PLAN.
6. ALL MAT DIMENSIONS SHOWN ARE FROM THE CENTER LINE OF SHEAR WALL U.O.N.
7. A CLEAR SPACING OF 1'-5" TO BE MAINTAINED BETWEEN EACH VERTICAL LAYER OF REBAR.
8. TOP AND BOTTOM BARS TO BE PLACED CONTINUOUS THROUGHOUT THE LENGTH OF THE MAT IN THE DIRECTION INDICATED.

LEGEND:

INDICATES CONTINUOUS MAT BOTTOM BAR.

INDICATES CONTINUOUS MAT TOP BAR.

INDICATES AREA OF MAT TO BE SUPPORTED ON ROCK WITH 120 TSF BEARING CAPACITY

PROGRESS PRINT
10-21-2020

APPENDIX C

Vapor Barrier Specifications

SECTION 072616

Integrally-bonded underslab vapor retarder

Florprufe® 120 membrane

PART 1 — GENERAL

1.01 SUMMARY

- A. The Work of this Section includes, but is not limited to, underslab vapor retarder/barrier membrane that forms an integral bond to poured concrete for use below slabs on grade.
- B. Related sections include, but are not limited to, the following:
 - 1. Section 031000 – Concrete Formwork
 - 2. Section 033000 – Cast-In-Place Concrete

1.02 SUBMITTALS

- A. Submit manufacturer's product data, installation instructions and membrane samples for approval.

1.03 REFERENCE STANDARDS

- A. The following standards and publications are applicable to the extent referenced in the text.
- B. American Society for Testing and Materials (ASTM):
 - D 412 Standard Test Methods for Rubber Properties in Tension
 - D 903 Standard Test Method for Peel or Stripping Strength of Adhesive Bonds
 - D 3767 Standard Practice for Rubber - Measurements of Dimensions
 - E 96 Standard Test Methods for Water Vapor Transmission of Materials
 - E 154 Standard Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover
 - E 1643 Standard Practice for Installation of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs
 - E 1745 Plastic Vapor Retarders Used in Contact with Soil or Granular fill under Concrete Slabs
- C. American Concrete Institute (ACI)
 - ACI 302.1R-96 Addendum Vapor Retarder Location: For slabs with vapor-sensitive floor coverings, locate retarder in direct contact with the slab (not beneath a layer of granular fill).

1.04 QUALITY ASSURANCE

- A. Materials: For each type of material required for the work of this section, provide primary materials that are the products of one manufacturer.
- B. Schedule Coordination: Schedule work such that membrane will not be left exposed to weather for longer than that recommended by the manufacturer.

1.05 DELIVERY, STORAGE AND HANDLING

- A. Deliver materials in labeled packages. Store and handle in strict compliance with manufacturer's instructions. Protect from damage from weather, excessive temperature and construction operations. Remove and dispose of damaged material in accordance with applicable regulations.

PART 2 — PRODUCTS

2.01 MATERIALS

- A. Integrally Bonded Vapor Protection: Florprufe® 120 Membrane by GCP Advanced Technologies Construction Products, a 0.5mm (0.021 in) nominal thickness composite sheet membrane comprising 0.4 mm (0.016 in.) of polyolefin film, and layers of specially formulated synthetic adhesive layers. The membrane shall form an integral and permanent bond to poured concrete to prevent vapor migration at the interface of the membrane and structural concrete. Provide membrane with the following physical properties:

PHYSICAL PROPERTIES FOR FLORPRUFE® 120 MEMBRANE:
Florprufe 120 is a Class A vapor barrier and exceeds the requirements as defined by ASTM E 1745

| Property | Typical Value | Test Method |
|---------------------------|------------------|---------------------|
| Thickness (nominal) | 0.5mm (0.021 in) | ASTM D3767 Method A |
| Water Vapor Permeance | 0.03 perms | ASTM E96 Method B * |
| Tensile Strength | 65 lb./in | ASTM E154 * |
| Elongation | 300% | ASTM D412 |
| Puncture Resistance | 3300 grams | ASTM D1709 * |
| Peel Adhesion to Concrete | >4 lb./in | ASTM D903 |

* ASTM E 1745 Requirements.

PART 3 — EXECUTION

3.01 EXECUTION

- A. The installer shall examine conditions of substrates and other conditions under which this work is to be performed and notify the Contractor, in writing, of circumstances detrimental to the proper completion of the work. Do not proceed with work until unsatisfactory conditions are corrected.

3.02 INSTALLATION

- A. Earth and stone substrates shall be well compacted to produce an even, solid substrate. Remove loose aggregate or sharp protrusions. Concrete substrates shall be smooth or broom finished and monolithic. Remove standing water prior to membrane applications.
- B. Installation shall be in accordance with manufacturer’s instructions and ASTM E 1643–98, including but not limited to, the following:
 - 1. Apply membrane with the HDPE film facing the prepared substrate. Remove the release liner during application.
 - 2. Apply succeeding sheets by overlapping the previous sheet 50-mm (2 in.) along the marked lap line. End Laps should be staggered to avoid a build up of layers.

Mechanical Fastening Method - To prevent the membrane from moving and gaps opening, the laps should be fastened together at 1.0m (39 in) maximum centers. Fix through the center of the lap area using 12mm (0.5 in) long washer-head self-tapping galvanized screws or similar allowing the head of the screw to bed into the adhesive compound to self-seal. Ensure the membrane lays flat and no openings occur. Additional fastening may be required at corners, details etc.

OR

Taped Lap Method - For additional security use Preprufe® Tape to secure and seal the overlaps. Overband the lap with the 100mm (4in) wide Preprufe® Tape using the lap line for alignment. Remove plastic release liner to ensure bond to concrete.

- 3. Mix and apply GCP Advanced Technologies liquid detailing compound to seal around penetrations such as drainage pipes, etc.

3.04 CONCRETE PLACEMENT

- A. Place concrete within 30 days. Inspect membrane and repair any damage with patches of Preprufe Tape. Ensure all liner is removed from membrane and tape before concrete placement.

gcpat.com | Customer Service: 1-866-333-3726

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

Bituthene, Hydroduct and Preprufe are trademarks, which may be registered in the United States and/or other countries, of GCP Applied Technologies Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2016 GCP Applied Technologies Inc. All rights reserved.

GCP Applied Technologies Inc., 62 Whittemore Avenue, Cambridge, MA 02140 USA.

In Canada, GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6.

GCP0083 xxx-xxx-xx16



UNDER-SLAB VAPOR BARRIER

PART 1 – GENERAL

1.1 SUMMARY

- A. Products supplied under this section:
 - 1. Vapor barrier and installation accessories for installation under concrete slabs.
- B. Related sections:
 - 1. Section 03 30 00 Cast-in-Place Concrete
 - 2. Section 07 26 00 Vapor Retarders

1.2 REFERENCES

- A. ASTM International:
 - 1. ASTM E1745-17 Standard Specification for Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs.
 - 2. ASTM E1643-18a Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs.
- B. Technical Reference - American Concrete Institute (ACI):
 - 1. ACI 302.2R-06 Guide for Concrete Slabs that Receive Moisture-Sensitive Flooring Materials.
 - 2. ACI 302.1R-15 Guide to Concrete Floor and Slab Construction.

1.3 SUBMITTALS

- A. Quality control/assurance:
 - 1. Summary of test results per paragraph 9.3 of ASTM E1745.
 - 2. Manufacturer's samples and literature.
 - 3. Manufacturer's installation instructions for placement, seaming, penetration prevention and repair, and perimeter seal per ASTM E1643.
 - 4. All mandatory ASTM E1745 testing must be performed on a single production roll per ASTM E1745 Section 8.1.

PART 2 – PRODUCTS

2.1 MATERIALS

- A. Vapor barrier shall have all of the following qualities:
 - 1. Maintain permeance of less than 0.01 Perms [grains/(ft² · hr · inHg)] as tested in accordance with mandatory conditioning tests per ASTM E1745 Section 7.1 (7.1.1-7.1.5).
 - 2. Other performance criteria:
 - a. Strength: ASTM E1745 Class A.
 - b. Thickness: 20 mils minimum
 - 3. Provide third party documentation that all testing was performed on a single production roll per ASTM E1745 Section 8.1
- B. Vapor barrier products:
 - 1. Basis of Design: Stego Wrap 20-Mil Vapor Barrier by Stego Industries LLC., (877) 464-7834 www.stegoindustries.com.
 - 2. No substitutions.

2.2 ACCESSORIES

- A. Seams:
 - 1. Stego Tape by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
- B. Sealing Penetrations of Vapor barrier:
 - 1. Stego Mastic by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
 - 2. Stego Tape by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
- C. Perimeter/edge seal:
 - 1. Stego Crete Claw by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
 - 2. Stego Term Bar by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
 - 3. StegoTack Tape (double-sided sealant tape) by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
- D. Penetration Prevention:
 - 1. Beast Foot by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
 - 2. Beast Form Stake by Stego Industries LLC, (877) 464-7834 www.stegoindustries.com.
- E. Vapor Barrier-Safe Screed System
 - 1. Beast Screed by Stego Industries, LLC, (877) 464-7834 www.stegoindustries.com.
 - 2. Beast Hook by Stego Industries, LLC, (877) 464-7834 www.stegoindustries.com.

PART 3 – EXECUTION

3.1 PREPARATION

- A. Ensure that subsoil is approved by Architect or Geotechnical Engineer.
 - 1. Level and compact base material.

3.2 INSTALLATION

- A. Install vapor barrier in accordance ASTM E1643.
 - 1. Unroll vapor barrier with the longest dimension parallel with the direction of the concrete placement and face laps away from the expected direction of the placement whenever possible.
 - 2. Extend vapor barrier to the perimeter of the slab. If practicable, terminate it at the top of the slab, otherwise (a) at a point acceptable to the structural engineer or (b) where obstructed by impediments, such as dowels, waterstops, or any other site condition requiring early termination of the vapor barrier. At the point of termination, seal vapor barrier to the foundation wall, grade beam or slab itself.

[Specifier note: The perimeter seal can be handled several ways. When sealing to the slab, Crete Claw is the best option. When sealing to a stem wall or wall, the best option is to use StegoTack Tape or both StegoTack Tape and Stego Term Bar.]


 - a. Seal vapor barrier to the entire slab perimeter using Stego Crete Claw, per manufacturer's instructions.

OR

 - b. Seal vapor barrier to the entire perimeter wall or footing/grade beam with double sided StegoTack Tape, or both Stego Term Bar and StegoTack Tape, per manufacturer's instructions. Ensure the concrete is clean and dry prior to adhering tape.
 - 3. Overlap joints 6 inches and seal with manufacturer's seam tape.
 - 4. Apply seam tape/Crete Claw to a clean and dry vapor barrier.
 - 5. Seal all penetrations (including pipes) per manufacturer's instructions.

6. For interior forming applications, avoid the use of non-permanent stakes driven through vapor barrier. Use Beast Form Stake and Beast Foot as a vapor barrier-safe forming system. Ensure Beast Foot's peel-and-stick adhesive base is fully adhered to the vapor barrier.
7. If non-permanent stakes must be driven through vapor retarder, repair as recommended by vapor retarder manufacturer.
8. Use reinforcing bar supports with base sections that eliminate or minimize the potential for puncture of the vapor barrier.
9. Repair damaged areas with vapor barrier material of similar (or better) permeance, puncture and tensile.
10. For vapor barrier-safe concrete screeding applications, install Beast Screed (vapor barrier-safe screed system) per manufacturer's instructions prior to placing concrete.

END OF SECTION




FLORPRUFE® 120 VAPOR BARRIER TYPICAL ASSEMBLY

Drawing: FLRDET 201

Scale: NTS

021703

Effective Date: 02/14/2017




FLORPRUFE® 120 VAPOR BARRIER INSIDE CORNER

Drawing: FLRDET 202

Scale: NTS

021703

Effective Date: 02/14/2017



FLORPRUFE® 120 VAPOR BARRIER OUTSIDE CORNER

Drawing: FLRDET 203

Scale: NTS

021703


Effective Date: 2/15/2017

PREPRUFE® TAPE- POSITION 13mm (0.5 in)
ABOVE FLORPRUFE® (FOR PLASTIC PIPES)

CONCRETE SLAB

COMPACTED
SUBGRADE

GROUT SOLID



PIPE PENETRATION

BITUTHENE® LIQUID
MEMBRANE 1 in.
FILLET (2 in. ONTO
PIPE & FLORPRUFE®)

FLORPRUFE®
MEMBRANE

FOOTNOTE: ALL PENETRATIONS TO BE GROUTED.




FLORPRUFE® 120 VAPOR BARRIER PENETRATION

Drawing: FLRDET 204

Scale: NTS

021703

Effective Date: 02/15/2017




FLORPRUFE® 120 VAPOR BARRIER TAPE LAP METHOD

Drawing: FLRDET 205

Scale: NTS

021703

Effective Date: 2/15/2017



FLORPRUFE® 120 VAPOR BARRIER COLUMN

Drawing : FLRDET 206

Scale: NTS

021703

Effective Date: 02/15/2017



STEGO® WRAP

VAPOR BARRIER AND RETARDER INSTALLATION INSTRUCTIONS



ENGINEERED PERFORMANCE
LIFE OF THE BUILDING™ PROTECTION



Additional Stego Wrap installation resources and videos are available on our website at:

www.stegoindustries.com/resources



CONTENTS

The installation recommendations set forth in these instructions are based on ASTM E1643 and specific applications of Stego products. Each section provides explanations and options for the varying conditions.

| | | |
|------------------|--|-----------|
| SECTION 1 | Stego Wrap and Stego Accessories | 3 |
| SECTION 2 | Creating a Monolithic Membrane | 4 |
| SECTION 3 | Where to Terminate the Stego Wrap | 5 |
| SECTION 4 | Sealing Stego Wrap at Terminating Edges | 6 |
| | On Vertical Planes | |
| | Using Stego Crete Claw Tape | 7 |
| | Up Foundation Walls and Vertical Surfaces | |
| | Using StegoTack Tape or Stego Mastic | 8 |
| | On a Horizontal Plane | |
| | Using Stego Crete Claw Tape or Stego Mastic | 9 |
| SECTION 5 | Sealing Damaged Areas | 10 |
| SECTION 6 | Sealing Single Pipe Penetrations | 11 |
| SECTION 7 | Sealing Multiple Pipe Penetrations | 12 |
| SECTION 8 | Avoid Punctures with Beast Concrete Accessories | 13 |



Stego Installation Support - A Free Service

When you choose **Stego® Barrier Solutions** and products, you gain access to a large nationwide network of full-time technical sales representatives providing unmatched local support and service. If you ever have a question or concern regarding the following installation scenarios please contact us and take advantage of our free Stego Installation Support.



Stego Wrap

Stego Wrap is made from a proprietary blend of prime virgin resins and additives, a combination lending to great value and effectiveness in protecting the concrete slab from moisture intrusion. All rolls of Stego Wrap are continuously printed with the Stego logo. This ensures no copycat or counterfeit products show up on a job site that could expose you to liability if an incorrectly identified product fails.

- **Stego® Wrap 20-Mil Vapor Barrier (Class A)**
- **Stego® Wrap 15-Mil Vapor Barrier (Class A)**
- **Stego® Wrap 10-Mil Vapor Retarder (Class A)**
- **Stego® Wrap 10-Mil Vapor Retarder (Class C)**

Stego Accessories

At Stego, we know every project has its own unique challenges. To make a Stego Wrap installation easy and flexible, we offer an extensive line of accessory items that give you options to accomplish an effective perimeter seal that meets ASTM E1643. **Consult the project architect, owner's representative, and structural engineer of record before proceeding with any of these options.**



Stego® Tape

This low permeance and pressure-sensitive tape is engineered to bond specifically to Stego Wrap, making it ideal for sealing Stego Wrap seams and penetrations.



Stego® Mastic

A liquid vapor retardant membrane, designed to be used with Stego Wrap, for sealing utility and pipe penetrations.



Stego® Crete Claw® Tape 3"

This multi-layered tape utilizes a textured film that mechanically bonds to concrete cast against it. It is used to create a seal at Stego Wrap's terminating edges to subsequently placed slabs.



Stego® Term Bar

A semi-flexible plastic termination bar, optimal for mechanically securing Stego Wrap to concrete, wood, or masonry.



StegoTack® Tape

A double-sided adhesive strip used to bond and seal Stego Wrap to concrete, masonry, wood, metal, and other surfaces.

Creating a Monolithic Membrane

The key to an effective Stego Wrap installation is to create a monolithic layer of protection between the concrete slab and moisture sources below. This can be accomplished by following the installation instructions outlined in ASTM E1643 - *Standard Practice for Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs*.

ASTM E1643 discusses the selection of the vapor retarder and preparation of the subbase to minimize potential damage during installation and concrete placement.

ASTM E1643, Section 5.3.4.1 - *Select a vapor retarder material capable of withstanding potential construction site damage.*

ASTM E1643, Section 5.3.5.1 - *Select vapor retarder material capable of withstanding tear or puncture damage due to the type, gradation, and texture of the base material to be installed below the material. Prepare base material to minimize risk of puncture, for example, by rolling or compacting.*

ASTM E1643, Section 6.1 - *Level and compact base material.*

ASTM E1643 then states to create a monolithic membrane to protect the slab from adjacent moisture sources.

ASTM E1643, Section 6.4 - *... create a monolithic membrane between the surface of the slab and moisture sources below the slab as well as at the slab perimeter.*


ASTM E1643, Section 6.5 - *Lap joints minimum 6 in. (150 mm), or as instructed by the manufacturer, and seal laps in accordance with the manufacturer's recommendations.*

Stego Wrap can be installed over an aggregate, sand, or tamped earth base. It is not necessary to have a cushion layer or sand base, as Stego Wrap is tough enough to withstand rugged construction environments.



1

Unroll Stego Wrap over the area where the slab is to be placed.




2

Unless otherwise indicated by the design professional(s) of record, unfold Stego Wrap to completely cover the placement area.



3

All joints/seams should be overlapped a minimum of 6 inches.



4

Ensure Stego Wrap is clean and dry when applying Stego Tape.

Tip: Use a cloth or other means to remove dust, debris, and excess moisture from Stego Wrap prior to applying Stego Tape.



5

Seal the seams with Stego Tape.

Where to Terminate the Stego Wrap

Always consult the project design team for where to terminate the vapor barrier to strike the balance between the location of the vapor barrier on or around foundation constructions and any structural concerns before proceeding.


ASTM E1643 provides direction on where to terminate the vapor barrier as follows:

ASTM E1643, Section 6.4 - *Extend vapor retarder over footings and seal to foundation wall, grade beam, or slab at an elevation consistent with the top of the slab or terminate at impediments such as waterstops or dowels...*

ASTM E1643, Section 6.6 - *Extend vapor retarder over the tops of pile caps and grade beams to a distance acceptable to the structural engineer.*


In accordance with ASTM E1643, terminate the Stego Wrap as follows:

At an elevation (height) consistent with the top of the slab;




Note: Turn Stego Wrap up foundation walls or forms.

At Impediments; OR



Note: Impediments may include rebar, dowels, water stops, etc.

At a location of termination designated by the project design team.



Note: The distance to which the vapor barrier is extended adjacent to, onto, or completely over a footing or grade beam should be determined by the project design team.



If the location of vapor barrier termination has not been clearly addressed in the construction documents, then clarification should be requested from the project design team. Should no direction be given, Stego recommends the project team follow the guidelines of ASTM E1643.

Regardless of where the vapor barrier is determined to be terminated, ASTM E1643 requires the terminating edges to be sealed. See Sealing Stego Wrap at Terminating Edges, next page.

Sealing Stego Wrap at Terminating Edges

Always consult the project design team for where to terminate the vapor barrier to strike the balance between the location of the vapor barrier on or around foundation constructions and any structural concerns before proceeding.


Seal Stego Wrap along all terminating edges as indicated by the project team. Stego provides several innovative options for creating a seal as required by ASTM E1643.



1 Ensure Stego Wrap is clean and dry when applying Stego Crete Claw Tape.
Tip: Use a cloth or other means to remove dust, debris, and excess moisture from the vapor barrier prior to applying Stego Crete Claw Tape.



2 Apply Stego Crete Claw Tape as close as possible to the terminating edge of Stego Wrap.
Tip: Applying Stego Crete Claw Tape within 2" of the terminating edge is almost always possible, even when the terminating edges are not cut perfectly straight.



3 Install Stego Crete Claw Tape last for a successful installation.
Tip: Install Stego Crete Claw Tape before rebar but after Stego Wrap has been overlapped and sealed at the seams with Stego Tape, sealed at penetrations, and terminated at the project's perimeter and/or other specified terminating location.

Stego Crete Claw Tape - Installation Tips



IMPORTANT:
Do not overlap Stego Crete Claw Tape over itself.
Tip: If placing multiple sections of Stego Crete Claw Tape, minimize gaps by abutting each adjacent section against one another.



Do not leave any open gaps between Stego Crete Claw Tape.
Tip: If a small gap exists between two pieces of Stego Crete Claw Tape, a supplementary piece of Stego Crete Claw Tape should be applied to run along the inside edges of the two original pieces and span the gap between them. The supplementary piece should run parallel and flush to the original pieces without overlap.



If protrusions or penetrations are determined to be impediments to applying Stego Crete Claw Tape along the perimeter terminating edges of Stego Wrap, route Stego Crete Claw Tape around the impediment, as close to the impediment as possible, and continue along the terminating edge of Stego Wrap on the opposite side of the impediment.

Stego Crete Claw Tape is often the preferred product because of its ease of application and versatility to accommodate most conditions. It has been engineered to create a seal between Stego Wrap and the concrete subsequently cast against it. See also StegoTack Tape and Stego Mastic options, detailed on the next few pages.


Sealing the Terminating Edges of Stego Wrap on Vertical Planes Using Stego Crete Claw Tape

IMPORTANT: Make sure the area of adhesion is free of dust, dirt, debris, moisture, and frost to allow maximum adhesion.

Vertical Plane: Foundation Wall



1 Extend Stego Wrap up the vertical surface, likely to the height of the slab.
Note: See Where to Terminate the Stego Wrap, page 5.



Optional: Temporarily secure Stego Wrap to the foundation wall with a small piece of Stego Tape.


Note: Trim excess Stego Tape after concrete has been placed and before removal of any adjacent forms.



3 Apply the entire 3" width of Stego Crete Claw Tape on the perimeter edge of Stego Wrap.

Note: Clean surface of Stego Wrap to ensure that it is free of moisture and debris prior to the installation of Stego Crete Claw Tape.

Vertical Plane: Concrete Form




1 Extend Stego Wrap up the vertical surface, likely to the height of the forms.
Note: See Where to Terminate the Stego Wrap, page 5.



Optional: Temporarily secure Stego Wrap to the concrete form with a small piece of Stego Tape.

Note: Trim excess Stego Tape after concrete has been placed and before removal of any adjacent forms.



3 Apply the entire 3" width of Stego Crete Claw Tape on the perimeter edge of Stego Wrap.

Note: Clean surface of Stego Wrap to ensure that it is free of moisture and debris prior to the installation of Stego Crete Claw Tape.

Sealing Stego Wrap Up Foundation Walls and Vertical Surfaces Using StegoTack Tape

StegoTack Tape can also be used to seal Stego Wrap to foundation walls, grade beams or other adjacent concrete constructions.


IMPORTANT: Make sure area of adhesion is free of dust, dirt, debris, moisture, and frost to allow maximum adhesion.



1 Remove the release liner on one side of StegoTack Tape and stick to foundation wall at the height of the slab or at impediments.



2 When ready to apply Stego Wrap, remove the exposed release liner from StegoTack Tape.



3 Press Stego Wrap firmly against StegoTack Tape to secure.
NOTE: If consistent, continuous pressure will not be applied (e.g. by a concrete slab), Stego Term Bar may be necessary.


Sealing Stego Wrap Up Foundation Walls and Vertical Surfaces Using Stego Mastic

Stego Mastic can also be used to seal Stego Wrap to foundation walls, grade beams or other adjacent concrete constructions.

IMPORTANT: Make sure area of adhesion is free of dust, dirt, debris, moisture, and frost to allow maximum adhesion.



1 Apply Stego Mastic to the foundation wall at the anticipated edge of the subsequently applied Stego Wrap at the height of the slab or impediments.



2 Press Stego Wrap firmly against the applied Stego Mastic on the foundation wall.




3 If consistent, continuous pressure will not be applied (e.g. by a concrete slab), Stego Term Bar may be necessary.

Sealing the Terminating Edges of Stego Wrap on a Horizontal Plane

Always consult the project design team for where to terminate the vapor barrier to strike the balance between the location of the vapor barrier on or around foundation constructions and any structural concerns before proceeding.

After the location of where to terminate the vapor barrier has been determined, seal Stego Wrap along all terminating edges as indicated by the project team.

With Stego Crete Claw Tape



At a Foundation Wall: Install Stego Crete Claw onto the terminating edge of Stego Wrap.

Tip: Install Stego Crete Claw onto Stego Wrap before sliding Stego Wrap into final termination location.



At Interior Grade Beam Impediments: Install Stego Crete Claw onto the terminating edge of Stego Wrap.



At a Location Designated by the Design Team: Install Stego Crete Claw onto the terminating edge of Stego Wrap.


With Stego Mastic




Onto a Perimeter Footing at Impediments: Seal Stego Wrap to concrete with Stego Mastic.



Onto Interior Grade Beams at Impediments: Seal Stego Wrap to concrete with Stego Mastic.



At a Location Designated by the Design Team: Seal Stego Wrap to concrete with Stego Mastic.



If consistent, continuous pressure will not be applied (e.g. by a concrete slab), Stego Term Bar may be necessary.

See “Where to Terminate the Vapor Barrier” on page 5 prior to choosing your terminating edge sealing accessory.


Sealing Damaged Areas: Small Hole or Slice

In the event that Stego Wrap is damaged during or after installation, repairs must be made. For smaller holes or slices in Stego Wrap, Stego Tape can be used as noted below.



1

Small hole or slice in Stego Wrap.



2

Clean area of adhesion.



3

Center Stego Tape over small hole or slice in Stego Wrap.


Sealing Damaged Areas: Larger Hole

In the event that Stego Wrap is damaged during or after installation, repairs must be made. For larger holes, cut a piece of Stego Wrap to a size and shape that covers any damage by a minimum overlap of 6" in all directions. Clean all adhesion areas of dust, dirt, moisture, and frost. Tape down all edges using Stego Tape.



1

Occasionally there are larger holes in the vapor barrier that require a patch.



2

Clean area of adhesion.



3

Measure and cut a piece of Stego Wrap to cover damaged area 6" in all directions. Seal patch with Stego Tape.

Sealing Single Pipe Penetration: Minimal Void Space

All penetrations must be sealed. All pipe, ducting, rebar, wire penetrations and block outs should be sealed using Stego Wrap, Stego Tape and/or Stego Mastic. If penetrations are encased in other materials, such as expansive materials like foam, unless otherwise specified, Stego Wrap should be sealed to the underlying penetration directly.



1 Install Stego Wrap around pipe penetrations by slitting/cutting material as needed. Try to minimize the void space created.



2 Pull material over and flatten. Clean area of adhesion where Stego Tape will be applied.




3 If Stego Wrap is close to pipe and void space is minimized then seal around pipe penetration with Stego Tape and/or Stego Mastic.

Sealing Single Pipe Penetration: Larger Void Space Requires Detail Patch

To minimize void space around a larger penetration, a detail patch may be required. Stego Pre-Cut Pipe Boots are also available to speed up the installation.



1 Cut a detail patch to a size and shape that creates a 6" overlap on all edges around the void space at the base of the pipe.



2 Cut an "X" the size of the pipe diameter in the center of the pipe boot and slide tightly over pipe.



3 Seal all sides of the pipe boot with Stego Tape.



4a Seal around the base of the pipe using Stego Tape. **OR...**



4b Seal around the base of the pipe with Stego Mastic.
Note: apply using disposable glove, paint brush, or similar.

Sealing Multiple Pipe Penetrations: Using Stego Tape

Multiple pipe penetrations in close proximity and very small pipes may be sealed using Stego Tape and/or Stego Mastic for ease of installation.



1

Cut a slit the size to accommodate the width of the multiple pipes. Try to minimize the void space created.



2

Seal any void space around each pipe using Stego Tape.

Note: Subbase should not be visible from above.

Sealing Multiple Pipe Penetrations: Using Stego Mastic



1

Seal any void space around each pipe penetration with Stego Mastic.



2

Dab Stego Mastic with disposable glove, paint brush, or similar, making sure entire void space is sealed.

Note: If pipe penetrations are abutted against one another, minimize any void space first with Stego Wrap, then seal any remaining void space with Stego Tape and/or Mastic in the same manner represented above.



Avoid Punctures with Beast® Concrete Accessories

To help eliminate the use of non-permanent penetrations in Stego Wrap installation, Stego Industries recommends the use of Beast vapor barrier-safe concrete accessories.

IMPORTANT: Avoid puncturing Stego Wrap with stakes while forming, bracing, and screeding.

Preventing punctures in the vapor barrier.



BEAST® FORM STAKE can be used with **BEAST® FOOT** as part of the Stego vapor barrier-safe forming system which meets ASTM E1643 requirements.




This concrete form stake takes the place of traditional nail stakes for interior forming applications, utilizing SpeedTrack™ Fastening Grooves for unlimited fastener placement.

Note: Refer to Beast Form Stake Installation Guide for detailed usage instructions.



Beast Form Stake is strong enough to withstand a beating during concrete placement while holding its shape. It is easy to remove and reusable for the next job.

Note: Beast Form Stake can be removed once concrete has set sufficiently to hold its shape. Fill and repair any voids in the concrete as necessary once the Beast Form Stake has been removed and strike Beast Form Stake against a hard surface to loosen the concrete buildup.



Locate it and lock it down!

BEAST® HOOK is a faster, easier way to set 2x4 overhead screeds. Use Beast Foot and Beast Form Stake and make it a vapor barrier-safe screed system.

No tools are required, just grip the knob to loosen or tighten. Fast, easy, efficient.



BEAST® SCREED is a fixed-elevation, point-to-point guide screed system designed to replace common wet-screed methods.

Improve efficiency and maintain concrete floor levelness with the **BEAST SCREED SYSTEM!**



Set it and forget it. Beast Screed eliminates the need to frequently re-establish grade to ensure floor elevation has not changed during the screeding operation as is typical with traditional wet-screed methods.

Note: Refer to Beast Screed System Installation Instructions for detailed usage instructions.

NOTE: Stego Industries, LLC's ("Stego") installation instructions are based on ASTM E1643 - *Standard Practice for Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs*. These instructions are meant to be used as a guide, and do not take into account specific job site situations. Consult local building codes and regulations along with the building owner or owner's representative before proceeding. If you have any questions regarding the above mentioned installation instructions or Stego products, please call us at 877-464-7834 for technical assistance. While Stego employees and representatives may provide technical assistance regarding the utility of a specific installation practice or Stego product, they are not authorized to make final design decisions.

Contact Please contact us to get in touch with the nearest Stego representative. We look forward to working with you on your next project. **877-464-7834** | www.stegoindustries.com

GAME-CHANGING BARRIER SOLUTIONS

Stego Industries, LLC ("Stego") is the exclusive Representative for Drago Wrap and Pango Wrap. All designated trademarks are the intellectual property of Stego or the entity for which it is acting as a Representative. Installation, Warranty, State Approval Information and Disclosure of Representative Status: www.stegoindustries.com/legal. ©2021 Stego Industries, LLC. All rights reserved.

