

NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2003

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www.nyc.gov/html/doh/html/dires/hivepi.shtml

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.5	Upper East Side
14010 111	rion ronk only (rin)	Table 1.7.6	Chelsea – Clinton
	By Gender	Table 1.7.7	Gramercy Park – Murray Hill
Table 1.2.1	Males	Table 1.7.8	Greenwich Village – Soho
Table 1.2.2	Females	Table 1.7.9	Union Square – Lower East Side
14016 1.2.2	i emales	Table 1.7.10	Lower Manhattan
	By Race/Ethnicity	Table 1.7.10	Lower Mannattan
Table 1.3.1	Black males		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black females	Table 1 0 1	
		Table 1.8.1	Greenpoint
Table 1.3.3	Hispanic males	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.4	Hispanic females	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.5	White males	Table 1.8.4	East New York
Table 1.3.6	White females	Table 1.8.5	Sunset Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.6	Borough Park
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.7	East Flatbush – Flatbush
		Table 1.8.8	Canarsie – Flatlands
	By Age	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.4.1	Males 0-12 years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.2	Females 0-12 years	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.3	Males 13+ years		
Table 1.4.4	Females 13+ years		By UHF Neighborhood: Bronx
		Table 1.9.1	Kingsbridge – Riverdale
	By Borough	Table 1.9.2	Northeast Bronx
Table 1.5.1	Manhattan, males	Table 1.9.3	Fordham – Bronx Park
Table 1.5.2	Manhattan, females	Table 1.9.4	Pelham – Throgs Neck
Table 1.5.3	Brooklyn, males	Table 1.9.5	Crotona – Tremont
Table 1.5.4	Brooklyn, females	Table 1.9.6	High Bridge – Morrisania
Table 1.5.5	Bronx, males	Table 1.9.7	Hunts Point – Mott Haven
Table 1.5.6	Bronx, females		
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Risk	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug users, males	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug users, females	Table 1.10.8	Jamaica
Table 1.6.4	Heterosexuals, males	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexuals, females	Table 1.10.10	Rockaway
1 4010 1.0.0	Tiotorooxaaio, fornaioo	14510 1.10.10	rtoonaway
	By UHF Neighborhood: Manhattan		By UHF Neighborhood: Staten Island
Table 1.7.1	Washington Heights – Inwood	Table 1.11.1	Port Richmond
Table 1.7.2	Central Harlem – Morningside Heights	Table 1.11.2	Stapleton – St. George
Table 1.7.3	East Harlem	Table 1.11.3	Willowbrook
Table 1.7.4	Upper West Side	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2003, NEW YORK CITY

Table 2.1	Overall and by sex, age, and	Table 2.2	Overall and by borough and UHF
	race/ethnicity		neighborhood of residence

Table 1.1. New York City (All)

		HIV	DIAGNOS	ES, 2003			IDS DIAGNOS	ES, 2003	PLWHA AS 12/31/20		DEATHS	, 2003
	Total HIV d	%	N	it AIDS %	AIDS di	%	N	%	N	%	N	%
TOTAL	4,570	100.0	3,512	76.8	1,058	23.2	5,331	100.0	93,141	100.0	2,843	100.0
SEX	_					_		_		_		
Male	3,114	68.1	2,390	68.1	724	68.4	3,599	67.5	64,552	69.3	1,989	70.0
Female	1,456	31.9	1,122	31.9	334	31.6	1,732	32.5	28,589	30.7	854	30.0
RACE/ETHNICITY	_					_		_		_		
Black	2,386	52.2	1,799	51.2	587	55.5	2,690	50.5	41,870	45.0	1,423	50.1
Hispanic White	1,347 742	29.5 16.2	1,013	28.8 18.0	334 111	31.6 10.5	1,657 898	31.1 16.8	30,066	32.3	931 468	32.7 16.5
Asian/Pacific Islander	81	1.8	631 60	1.7	21	2.0	71	1.3	19,488 996	20.9	400 11	0.4
Native American	9	0.2	6	0.2	3	0.3	9	0.2	77	0.1	1	0.0
Other/unknown	5	0.1	3	0.1	2	0.2	6	0.1	644	0.7	9	0.3
AGE GROUP (YEARS)	_					_		_		-	_	
0-12	31	0.7	26	0.7	5	0.5	8	0.2	1,313	1.4	9	0.3
13-19	145	3.2	133	3.8	12	1.1	66	1.2	1,323	1.4	7	0.2
20-29	919	20.1	812	23.1	107	10.1	480	9.0	5,923	6.4	83	2.9
30-39	1,506	33.0	1,190	33.9	316	29.9	1,737	32.6	24,453	26.3	484	17.0
40-49	1,268	27.7	910	25.9	358	33.8	1,940	36.4	36,470	39.2	1,166	41.0
50-59 60+	526 175	11.5 3.8	342 99	9.7 2.8	184 76	17.4 7.2	823 277	15.4 5.2	18,325 5,334	19.7	780 314	27.4 11.0
60+	1/5	3.0	99	2.0	76	1.2	211	5.2	5,334	5.7	314	11.0
BOROUGH OF RESIDENCE	4.000	22.2	4 0 4 0		00.4			20.4	00.000	22.4	700	07.0
Manhattan	1,280	28.0	1,016	28.9	264 340	25.0	1,552	29.1	28,300	30.4	769 817	27.0
Brooklyn Bronx	1,225 1,075	26.8 23.5	885 836	25.2 23.8	239	32.1 22.6	1,439 1,263	27.0 23.7	23,077 20,416	24.8 21.9	671	28.7 23.6
Queens	667	14.6	496	14.1	171	16.2	665	12.5	12,548	13.5	332	11.7
Staten Island	84	1.8	69	2.0	15	1.4	85	1.6	1,669	1.8	57	2.0
Unknown/outside NYC	239	5.2	210	6.0	29	2.7	327	6.1	7,131	7.7	197	6.9
TRANSMISSION RISK	_					_		_		_		
Men who have sex with men	1,447	31.7	1,201	34.2	246	23.3	1,336	25.1	26,328	28.3	423	14.9
Injection drug use history	478	10.5	373	10.6	105	9.9	1,001	18.8	23,595	25.3	1,249	43.9
Heterosexual	864	18.9	643	18.3	221	20.9	995	18.7	16,255	17.5	372	13.1
Perinatal Other	30	0.7	25	0.7	5 1	0.5	43	0.8	2,421	2.6	21	0.7
Other Unknown	4 1,747	0.1 38.2	3 1,267	0.1 36.1	480	0.1 45.4	6 1,950	0.1 36.6	334 24,208	0.4 26.0	17 761	0.6 26.8
	.,,,,,,,		,,				-,					
CLINICAL STATUS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27 707	40 F	260	12.0
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	37,707 55,434	40.5 59.5	369 2,474	13.0 87.0
סטוא	IN/A	IN/A	IN/A	IN/A	IN/A	IN/A	IN/A	IN/A	55,454	59.5	Z,414	07.0

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Generated November 06, 2008.

Table 1.2.1. Males

		HIV	DIAGNOSI	ES, 2003	Concurr		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200		DEATHS,	2003
	Total HIV di	agnoses %	Withou N	t AIDS %	AIDS dia		N	%	N	%	N	%
TOTAL	3,114	100.0	2,390	76.8	724	23.2	3,599	100.0	64,552	100.0	1,989	100.0
RACE/ETHNICITY						_		_		_	_	
Black Hispanic White Asian/Pacific Islander Native American Other/unknown	1,421 948 673 62 7	45.6 30.4 21.6 2.0 0.2 0.1	1,056 711 572 46 4 1	44.2 29.7 23.9 1.9 0.2 0.0	365 237 101 16 3 2	50.4 32.7 14.0 2.2 0.4 0.3	1,612 1,142 778 55 7 5	44.8 31.7 21.6 1.5 0.2 0.1	25,407 20,857 16,948 804 57 479	39.4 32.3 26.3 1.2 0.1 0.7	939 639 392 10 1 8	47.2 32.1 19.7 0.5 0.1 0.4
AGE GROUP (YEARS)										_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	12 93 638 1,036 849 370 116	0.4 3.0 20.5 33.3 27.3 11.9 3.7	10 86 571 824 596 241 62	0.4 3.6 23.9 34.5 24.9 10.1 2.6	2 7 67 212 253 129 54	0.3 1.0 9.3 29.3 34.9 17.8 7.5	4 37 290 1,147 1,343 577 201	0.1 1.0 8.1 31.9 37.3 16.0 5.6	613 683 3,554 16,327 25,500 13,807 4,068	0.9 1.1 5.5 25.3 39.5 21.4 6.3	3 52 293 785 603 250	0.2 0.2 2.6 14.7 39.5 30.3 12.6
BOROUGH OF RESIDENCE						_		_				
Manhattan Brooklyn Bronx Queens Staten Island Unknown/outside NYC	1,020 753 645 451 50 195	32.8 24.2 20.7 14.5 1.6 6.3	811 535 494 334 42 174	33.9 22.4 20.7 14.0 1.8 7.3	209 218 151 117 8 21	28.9 30.1 20.9 16.2 1.1 2.9	1,210 909 736 436 47 261	33.6 25.3 20.5 12.1 1.3 7.3	22,559 14,269 12,135 8,688 1,028 5,873	34.9 22.1 18.8 13.5 1.6 9.1	581 545 421 250 41 151	29.2 27.4 21.2 12.6 2.1 7.6
TRANSMISSION RISK						_		_		_		
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	1,447 346 298 12 1 1,010	46.5 11.1 9.6 0.4 0.0 32.4	1,201 266 207 10 1 705	50.3 11.1 8.7 0.4 0.0 29.5	246 80 91 2 0 305	34.0 11.0 12.6 0.3 0.0 42.1	1,336 712 323 21 2 1,205	37.1 19.8 9.0 0.6 0.1 33.5	26,328 16,685 4,669 1,179 175 15,516	40.8 25.8 7.2 1.8 0.3 24.0	423 905 120 9 11 521	21.3 45.5 6.0 0.5 0.6 26.2
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	25,146 39,406	39.0 61.0	248 1,741	12.5 87.5

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008.

Generated November 06, 2008.

Table 1.2.2. Females

		HIV	DIAGNOS	ES, 2003		, ,,	AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/20		DEATHS	, 2003
	Total HIV di N	agnoses %	Withou N	t AIDS %	Concuri AIDS dia N		N	%	N	%	N	%
TOTAL	1,456	100.0	1,122	77.1	334	22.9	1,732	100.0	28,589	100.0	854	100.0
RACE/ETHNICITY								_		_		
Black Hispanic White Asian/Pacific Islander Native American Other/unknown	965 399 69 19 2	66.3 27.4 4.7 1.3 0.1 0.1	743 302 59 14 2 2	66.2 26.9 5.3 1.2 0.2	222 97 10 5 0	66.5 29.0 3.0 1.5 0.0	1,078 515 120 16 2	62.2 29.7 6.9 0.9 0.1 0.1	16,463 9,209 2,540 192 20 165	57.6 32.2 8.9 0.7 0.1 0.6	484 292 76 1 0	56.7 34.2 8.9 0.1 0.0 0.1
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	19 52 281 470 419 156 59	1.3 3.6 19.3 32.3 28.8 10.7 4.1	16 47 241 366 314 101 37	1.4 4.2 21.5 32.6 28.0 9.0 3.3	3 5 40 104 105 55 22	0.9 1.5 12.0 31.1 31.4 16.5 6.6	4 29 190 590 597 246 76	0.2 1.7 11.0 34.1 34.5 14.2 4.4	700 640 2,369 8,126 10,970 4,518 1,266	2.4 2.2 8.3 28.4 38.4 15.8 4.4	6 4 31 191 381 177 64	0.7 0.5 3.6 22.4 44.6 20.7 7.5
BOROUGH OF RESIDENCE								_		_		
Manhattan Brooklyn Bronx Queens Staten Island Unknown/outside NYC	260 472 430 216 34 44	17.9 32.4 29.5 14.8 2.3 3.0	205 350 342 162 27 36	18.3 31.2 30.5 14.4 2.4 3.2	55 122 88 54 7 8	16.5 36.5 26.3 16.2 2.1 2.4	342 530 527 229 38 66	19.7 30.6 30.4 13.2 2.2 3.8	5,741 8,808 8,281 3,860 641 1,258	20.1 30.8 29.0 13.5 2.2 4.4	188 272 250 82 16 46	22.0 31.9 29.3 9.6 1.9 5.4
TRANSMISSION RISK												
Injection drug use history Heterosexual Perinatal Other Unknown	132 566 18 3 737	9.1 38.9 1.2 0.2 50.6	107 436 15 2 562	9.5 38.9 1.3 0.2 50.1	25 130 3 1 175	7.5 38.9 0.9 0.3 52.4	289 672 22 4 745	16.7 38.8 1.3 0.2 43.0	6,910 11,586 1,242 159 8,692	24.2 40.5 4.3 0.6 30.4	344 252 12 6 240	40.3 29.5 1.4 0.7 28.1
CLINICAL STATUS	NI/A	N1/A	NI/A	N1/A	NI/A	NI/A	N1/0	N1/A	40.504	40.0	404	440
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	12,561 16,028	43.9 56.1	121 733	14.2 85.8

Table 1.3.1. Black Males

					}		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200	_	DEATHS, 2003	
	Total HIV di N	agnoses %	Withou N	t AIDS %	Concurr AIDS dia N			%	N	%	N	%
TOTAL	1,421	100.0	1,056	74.3	365	25.7	1,612	100.0	25,407	100.0	939	100.0
AGE GROUP (YEARS)								_				
0-12	7	0.5	6	0.6	*	*	*	*	397	1.6	*	*
13-19 20-29	60 257	4.2 18.1	56 226	5.3 21.4	31	8.5	25 131	1.6 8.1	368 1,459	1.4 5.7	27	2.9
30-39 40-49	413 416	29.1 29.3	313 284	29.6 26.9	100 132	27.4 36.2	476 610	29.5 37.8	5,815 9,722	22.9 38.3	140 336	14.9 35.8
50-59	200	14.1	136	12.9	64	17.5	269	16.7	5,918	23.3	290	30.9
60+	68	4.8	35	3.3	33	9.0	99	6.1	1,728	6.8	141	15.0
BOROUGH OF RESIDENCE												
Manhattan Brooklyn	336 509	23.6 35.8	261 360	24.7 34.1	75 149	20.5 40.8	418 563	25.9 34.9	6,815 8,253	26.8 32.5	242 328	25.8 34.9
Bronx	331	23.3	245	23.2	86	23.6	338	21.0	5,005	19.7	179	19.1
Queens Staten Island	149 24	10.5 1.7	108 19	10.2 1.8	41	11.2	184 16	11.4 1.0	3,185 342	12.5 1.3	116 18	12.4 1.9
Unknown/outside NYC	72	5.1	63	6.0	9	2.5	93	5.8	1,807	7.1	56	6.0
TRANSMISSION RISK								_		_		
Men who have sex with men Injection drug use history	473 153	33.3 10.8	393 104	37.2 9.8	80 49	21.9 13.4	428 318	26.6 19.7	7,148 7,067	28.1 27.8	149 400	15.9 42.6
Heterosexual	157	11.0	118	11.2	39	10.7	161	10.0	2,531	10.0	72	7.7
Perinatal Other	7	0.5	6	0.6	* 0	0.0	15 0	0.9 0.0	686 58	2.7 0.2	7 *	0.7
Unknown	630	44.3	434	41.1	196	53.7	690	42.8	7,917	31.2	306	32.6
CLINICAL STATUS	N1/2		N 1/4	N 1/A	N1/A			N1/2	0.405		116	
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	9,423 15,984	37.1 62.9	110 829	11.7 88.3

Table 1.3.2. Black Females

	HIV DIAGNO			SES, 200	03		AIDS DIAGNOS	ES, 2003	PLWHA AS OF 12/31/2003		DEATHS, 2003	
				C	oncurrent wi	ith AIDS		_				
	Total HIV o	liagnoses	Withou	it AIDS	dia	agnoses		_				
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	965	100.0	743	77.0	222	23.0	1,078	100.0	16,463	100.0	484	100.0
AGE GROUP (YEARS)							*	4	400		*	4
0-12	11	1.1	9	1.2	*				429	2.6	*	
13-19	33	3.4	31	4.2			16	1.5	375	2.3		
20-29	189	19.6	166	22.3	23	10.4		11.0	1,507	9.2	22	4.5
30-39	320	33.2	247	33.2	73	32.9		34.8	4,655	28.3	112	23.1
40-49	278	28.8	206	27.7	72	32.4		34.9	6,285	38.2	205	42.4
50-59	99	10.3	62	8.3	37	16.7		13.8	2,496	15.2	102	21.1
60+	35	3.6	22	3.0	13	5.9	40	3.7	716	4.3	34	7.0
BOROUGH OF RESIDENCE	_							_		_		
Manhattan	154	16.0	122	16.4	32	14.4	202	18.7	3,208	19.5	106	21.9
Brooklyn	386	40.0	286	38.5	100	45.0		36.9	5,997	36.4	190	39.3
Bronx	243	25.2	197	26.5	46	20.7		25.8	4,127	25.1	112	23.1
Queens	138	14.3	101	13.6	37	16.7		13.0	2,267	13.8	45	9.3
Staten Island	22	2.3	18	2.4	*	*	23	2.1	291	1.8	*	*
Unknown/outside NYC	22	2.3	19	2.6	*	*	37	3.4	573	3.5	26	5.4
TRANSMISSION RISK							4.50	40.0	0.470	24.4	400	
Injection drug use history	70	7.3	54	7.3	16	7.2		13.9	3,478	21.1	163	33.7
Heterosexual	360	37.3	280	37.7	80	36.0		38.8	6,651	40.4	155	32.0
Perinatal	10	1.0	8	1.1	*	*	12	1.1	737	4.5	9	1.9
Other				~	0	0.0			85	0.5		
Unknown	523	54.2	399	53.7	124	55.9	496	46.0	5,512	33.5	154	31.8
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	7,396	44.9	65	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,067	55.1	419	86.6

Table 1.3.3. Hispanic Males

				SES, 200	03		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200		DEATHS, 2003	
					oncurrent wi	ith AIDS		_				
	Total HIV		Withou			agnoses						
TOTAL	N	400.0	N	%	N	%		%	N oo of 7	%	N	% 400.0
TOTAL	948	100.0	711	75.0	237	25.0	1,142	100.0	20,857	100.0	639	100.0
AGE GROUP (YEARS)	_							_		_		
0-12	*	*	*	*	0	0.0	*	*	180	0.9	0	0.0
13-19	27	2.8	24	3.4	*	*	10	0.9	257	1.2	Ö	0.0
20-29	234	24.7	207	29.1	27	11.4	113	9.9	1,320	6.3	13	2.0
30-39	306	32.3	231	32.5	75	31.6	400	35.0	5,771	27.7	102	16.0
40-49	237	25.0	164	23.1	73	30.8		34.8	8,263	39.6	270	42.3
50-59	106	11.2	62	8.7	44	18.6		14.1	3,919	18.8	197	30.8
60+	35	3.7	20	2.8	15	6.3	60	5.3	1,147	5.5	57	8.9
BOROUGH OF RESIDENCE								_		_		
Manhattan	288	30.4	214	30.1	74	31.2	341	29.9	5,932	28.4	157	24.6
Brooklyn	152	16.0	102	14.3	50	21.1		18.7	3,711	17.8	147	23.0
Bronx	267	28.2	215	30.2	52	21.9	348	30.5	6,325	30.3	214	33.5
Queens	186	19.6	131	18.4	55	23.2		14.5	3,352	16.1	71	11.1
Staten Island	11	1.2	10	1.4	*	*	12	1.1	242	1.2	*	*
Unknown/outside NYC	44	4.6	39	5.5	*	*	61	5.3	1,295	6.2	45	7.0
TRANSMISSION RISK								_				
Men who have sex with men	425	44.8	338	47.5	87	36.7	380	33.3	6,905	33.1	93	14.6
Injection drug use history	149	15.7	124	17.4	25	10.5		25.9	7,292	35.0	367	57.4
Heterosexual	109	11.5	65	9.1	44	18.6		10.9	1,579	7.6	35	5.5
Perinatal	*	*	*	*	0	0.0	*	*	409	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	0	0.0
Unknown	262	27.6	181	25.5	81	34.2	338	29.6	4,628	22.2	144	22.5
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,547	36.2	79	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	13,310	63.8	560	87.6

Table 1.3.4. Hispanic Females

		HIV [DIAGNO	SES, 20	03		AIDS DIAGNO	SES, 2003	PLWHA AS OF 12/31/2003		DEATHS, 2003	
					Concurrent w	ith AIDS						
	Total HIV o			it AIDS		agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	399	100.0	302	75.7	97	24.3	515	100.0	9,209	100.0	292	100.0
AGE GROUP (YEARS)								_				
0-12	8	2.0	7	2.3	*	*	*	*	233	2.5	*	*
13-19	12	3.0	10	3.3	*	*	12	2.3	209	2.3	0	0.0
20-29	74	18.5	60	19.9	14	14.4		11.8	697	7.6	9	3.1
30-39	121	30.3	92	30.5	29	29.9		34.4	2,655	28.8	67	22.9
40-49	117	29.3	90	29.8	27	27.8		33.0	3,506	38.1	141	48.3
50-59	47	11.8	31	10.3	16	16.5		13.2	1,497	16.3	55	18.8
60+	20	5.0	12	4.0	8	8.2		5.0	412	4.5	19	6.5
						• • •						
BOROUGH OF RESIDENCE	_											
Manhattan	80	20.1	61	20.2	19	19.6		20.2	1,818	19.7	71	24.3
Brooklyn	68	17.0	49	16.2	19	19.6		20.0	2,108	22.9	64	21.9
Bronx	179	44.9	141	46.7	38	39.2		43.3	3,778	41.0	123	42.1
Queens	52	13.0	39	12.9	13	13.4	61	11.8	985	10.7	17	5.8
Staten Island	6	1.5	*	*	*	*	6	1.2	144	1.6	*	*
Unknown/outside NYC	14	3.5	9	3.0	*	*	18	3.5	376	4.1	13	4.5
TRANSMISSION RISK				40.0				0.4.0	0.504	07.0	407	40.0
Injection drug use history	47	11.8	39	12.9	8	8.2		21.2	2,561	27.8	137	46.9
Heterosexual	169	42.4	128	42.4	41	42.3		39.8	3,835	41.6	78	26.7
Perinatal	8	2.0	7	2.3		*	10	1.9	426	4.6	*	
Other	0	0.0	0	0.0	0	0.0	0	0.0	39	0.4		25.0
Unknown	175	43.9	128	42.4	47	48.5	191	37.1	2,348	25.5	73	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,875	42.1	39	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,334	57.9	253	86.6
<u></u>	.,,,,	14,71	, .	1 4/7 1	147.	1 4// (1 1// (1 4// (0,001	01.0		00.0

				SES, 20	03		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200		DEATHS, 2003	
				_	oncurrent wi	th AIDS						
			Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	673	100.0	572	85.0	101	15.0	778	100.0	16,948	100.0	392	100.0
AGE GROUP (YEARS)								_				
0-12	*	*	*	*	*	*	*	*	27	0.2	*	*
13-19	*	*	*	*	0	0.0	*	*	43	0.3	0	0.0
20-29	131	19.5	124	21.7	7	6.9		5.0	670	4.0	10	2.6
30-39	284	42.2	252	44.1	32	31.7		31.9	4,330	25.5	48	12.2
40-49	179	26.6	141	24.7	38	37.6		40.4	7,016	41.4	170	43.4
50-59	61	9.1	42	7.3	19	18.8		17.5	3,731	22.0	112	28.6
60+	11	1.6	7	1.2	*	*	39	5.0	1,131	6.7	51	13.0
BOROUGH OF RESIDENCE								_		_		
Manhattan	369	54.8	315	55.1	54	53.5	429	55.1	9,203	54.3	173	44.1
Brooklyn	81	12.0	67	11.7	14	13.9		14.1	2,103	12.4	68	17.3
Bronx	42	6.2	30	5.2	12	11.9		5.8	698	4.1	26	6.6
Queens	93	13.8	81	14.2	12	11.9		9.0	1,852	10.9	59	15.1
Staten Island	14	2.1	12	2.1	*	*	19	2.4	423	2.5	16	4.1
Unknown/outside NYC	74	11.0	67	11.7	7	6.9	105	13.5	2,669	15.7	50	12.8
TRANSMISSION RISK								_		_		
Men who have sex with men	499	74.1	434	75.9	65	64.4	499	64.1	11,748	69.3	177	45.2
Injection drug use history	43	6.4	37	6.5	6	5.9		12.1	2,238	13.2	137	34.9 2.8
Heterosexual	25	3.7	20	3.5	*	*	29	3.7	458	2.7	11	2.8
Perinatal	*	*	*	*	*	*	*	*	63	0.4	*	*
Other	0	0.0	0	0.0	0	0.0		*	65	0.4	6	1.5
Unknown	104	15.5	80	14.0	24	23.8	153	19.7	2,376	14.0	60	15.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	7,427	43.8	51	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,521	56.2	341	87.0

Table 1.3.6. White Females

		HIV E	DIAGNO	SES, 20	003		AIDS DIAGNOSE	S, 2003	PLWHA AS OF 12/31/2003		DEATHS, 2003	
	T		1444		Concurrent with Al							
	Total HIV o	lagnoses %	Withou N	it AIDS %	diagnos N	ses %	N	%	N	%	N	%
TOTAL	69	100.0	59	85.5	10 1	4.5	120	100.0	2,540	100.0	76	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0 (0.0	0	0.0	31	1.2	0	0.0
13-19		"		*	*	*		. *	45	1.8	0	0.0
20-29	12	17.4	10	16.9	*		8	6.7	129	5.1	0	0.0
30-39	23	33.3	22	37.3	*	Ĵ	34	28.3	688	27.1	12	15.8
40-49	19	27.5	16	27.1	*	, *	42	35.0	1,049	41.3	35	46.1
50-59	8	11.6	6	10.2	*	*	28 7	23.3	476	18.7	19	25.0
60+							7	5.8	122	4.8	10	13.2
BOROUGH OF RESIDENCE								_		_		
Manhattan	20	29.0	17	28.8	*	*	31	25.8	620	24.4	11	14.5
Brooklyn	13	18.8	12	20.3	*	*	26	21.7	607	23.9	17	22.4
Bronx	*	*	*	*	*	*	23	19.2	331	13.0	14	18.4
Queens	17	24.6	14	23.7	*	*	21	17.5	502	19.8	20	26.3
Staten Island	6	8.7	6	10.2		0.0	9	7.5	198	7.8	7	9.2 9.2
Unknown/outside NYC	8	11.6	8	13.6	0	0.0	10	8.3	282	11.1	7	9.2
TRANSMISSION RISK						н.		_				
Injection drug use history	13	18.8	13	22.0	0	0.0	27	22.5	840	33.1	44	57.9
Heterosexual	28	40.6	23	39.0	*	*	39	32.5	968	38.1	18	23.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	68	2.7	0	0.0
Other	*	*	0	0.0	*	*	*	*	27	1.1	*	*
Unknown	27	39.1	23	39.0	*	*	52	43.3	637	25.1	12	15.8
				- 00.0			<u> </u>	.0.0	- 557			
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A		I/A	N/A	N/A	1,044	41.1	15	19.7
AIDS	N/A	N/A	N/A	N/A	N/A N	I/A	N/A	N/A	1,496	58.9	61	80.3

Table 1.3.7. Asian/Pacific Islander Males

		DIAGNO	SES, 20	03		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS, 2003		
					oncurrent wit							
	Total HIV o		Withou			gnoses	N	0/	N	0/	N.I.	0/
TOTAL	N 62	% 100.0	N 46	% 74.2	N 16	% 25.8	N 55	% 100.0	N 804	% 100.0	N 10	% 100.0
TOTAL	UZ.	100.0	70	17.2	10	23.0	33	100.0	004	100.0	10	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	*	*	*	*	0	0.0
20-29	16	25.8	14	30.4	*	*	6	10.9	73	9.1	*	*
30-39	28	45.2	25	54.3	*	*	16	29.1	273	34.0	*	*
40-49	13	21.0	*	*	8	50.0	20	36.4	284	35.3	*	*
50-59	*	*	^	^	· •	•	10	18.2	134	16.7	^	<u> </u>
60+			0	0.0		The state of the s		Ĭ.	32	4.0	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	23	37.1	19	41.3	*	*	18	32.7	314	39.1	*	*
Brooklyn	10	16.1	6	13.0	*	*	17	30.9	139	17.3	*	*
Bronx	*	*	*	*	0	0.0	*	*	52	6.5	*	*
Queens	22	35.5	14	30.4	8	50.0	14	25.5	234	29.1	*	*
Staten Island	*	*	*	*	0	0.0	0	0.0	6	0.7	0	0.0
Unknown/outside NYC	*	*	*	*	0	0.0	*	*	59	7.3	0	0.0
TRANSMISSION RISK								_				
Men who have sex with men	44	71.0	33	71.7	11	68.8	21	38.2	407	50.6	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	41	5.1	0	0.0
Heterosexual	*	*	*	*	*	*	8	14.5	82	10.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	6	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	12	19.4	9	19.6	*	*	22	40.0	263	32.7	6	60.0
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	333	41.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	471	58.6	8	80.0

Table 1.3.8. Asian/Pacific Islander Females

		HIV [DIAGNO	SES, 20			AIDS DIAGNOSES	5, 2003	PLWHA A 12/31/20		DEATHS,	2003
			14.00		Concurrent with AID							
	Total HIV di N	agnoses %	Withou N	it AIDS %	diagnose N	es %	N	%	N	%	N	%
TOTAL	19	100.0	14	73.7	*	*	16	100.0	192	100.0	*	/0 *
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0 0.	.0	0	0.0		40.5	0	0.0
20-29 30-39		24.0	*	*	*	*	*	*	24	12.5	0	0.0
40-49	6	31.6	*	*	*	*	7	43.8	73 53	38.0 27.6	0	0.0
50-59	*	*	*	*	0 0.	.0	<i>/</i>	43.0	26	13.5	0 0	0.0 0.0
60+	0	0.0	0	0.0	0 0.		*	*	9	4.7	*	v.u *
00+	U	0.0	U	0.0	0 0.	.0			9	4.7		
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	*	*	*	*	43	22.4	0	0.0
Brooklyn	*	*	*	*	*	*	*	*	43	22.4	0	0.0
Bronx	*	*	*	*	*	*	*	*	16	8.3	*	*
Queens	8	42.1	7	50.0	*	*	6	37.5	74	38.5	0	0.0
Staten Island	0	0.0	0	0.0	0 0.	.0	0	0.0	*	*	0	0.0
Unknown/outside NYC	0	0.0	0	0.0	0 0.	.0	*	*	14	7.3	0	0.0
TRANSMISSION RISK								_		_		
Injection drug use history	*	*	*	*	*	*	*	*	11	5.7	0	0.0
Heterosexual	7	36.8	*	*	*	*	9	56.3	91	47.4	*	*
Perinatal	Ó	0.0	0	0.0	0 0.	0	Ö	0.0	*	*	0	0.0
Other	Ö	0.0	Õ	0.0		.0	Ö	0.0	*	*	Ö	0.0
Unknown	10	52.6	10	71.4		.0	*	*	81	42.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A N/		N/A	N/A	101	52.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A N/	/A	N/A	N/A	91	47.4	0	0.0

Table 1.4.1. 0-12 Years, Males

		HIV	DIAGNO	OSES, 2003	3		AIDS DIAGNOSES	6, 2003	PLWHA A 12/31/20		DEATHS,	2003
					oncurrent wi			_				
	Total HIV d			out AIDS		gnoses		0/		0/		0.4
TOTAL	N 12	% 100.0	N 10	% 83.3	N *	% *	N *	% *	N 613	% 100.0	N *	% *
IOTAL	12	100.0	10	03.3		_		_	013	100.0		
RACE/ETHNICITY	_											
Black	7	58.3	6	60.0	*	*	*	*	397	64.8	*	*
Hispanic	*	*	*	*	0	0.0	*	*	180	29.4	0	0.0
White	*	*	*	*	*	*	*	*	27	4.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	0	0.0	101	16.5	0	0.0
Brooklyn	*	*	*	*	0	0.0	0	0.0	208	33.9	*	*
Bronx	*	*	*	*	*	*	*	*	193	31.5	*	*
Queens	0	0.0	0	0.0	0	0.0	0	0.0	70	11.4	0	0.0
Staten Island	*	*	0	0.0		*			12	2.0		
Unknown/outside NYC	•	Î	Î	Î	0	0.0	0	0.0	29	4.7	0	0.0
TRANSMISSION RISK						_				_		
Men who have sex with men	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	12	100.0	10	100.0	*	*	*	*	612	99.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	445	72.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	168	27.4	*	*

Table 1.4.2. 0-12 Years, Females

		HIV [DIAGNO	SES, 20			GNOSES, 2003	PLWHA / 12/31/2		DEATHS	, 2003
					Concurrent with AID						
	Total HIV d		Withou		diagnose						
TOTAL	N	%	N	%	N S	%	N %	N	%	N	%
TOTAL	19	100.0	16	84.2	*	*	* *	700	100.0	6	100.0
RACE/ETHNICITY											
Black	11	57.9	0	56.3	*	*	* *	429	61.3	*	*
Hispanic	8	42.1	9 7	43.8	*	*	* *	233	33.3	*	*
White	0	0.0	ó	0.0	0 0.	0	0.0		4.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0 0.		0.0		*	0	0.0
Native American	0	0.0	0	0.0	0 0.		0.0		*	0	0.0
Other/unknown	0	0.0	0	0.0	0 0.		0 0.0		*	0	0.0
Other/unknown	U	0.0	U	0.0	0 0.	o e	0.0			U	0.0
BOROUGH OF RESIDENCE						_					
Manhattan	*	*	*	*	*	*	* *	135	19.3	*	*
Brooklyn	*	*	*	*	0 0.	0	0.0		29.4	*	*
Bronx	9	47.4	7	43.8	*	*	* *	227	32.4	*	*
Queens	*	*	*	*	0 0.	0	0.0	83	11.9	0	0.0
Staten Island	*	*	*	*	0 0.		0.0	16	2.3	0	0.0
Unknown/outside NYC	*	*	*	*	0 0.	0	0.0	33	4.7	*	*
TRANSMISSION RISK											
Injection drug use history	0	0.0	0	0.0	0 0.		0.0		0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0 0.	0	0.0		0.0	0	0.0
Perinatal	18	94.7	15	93.8	*	*	* *	699	99.9	6	100.0
Other		*	*	*	0 0.		0 0.0		*	0	0.0
Unknown	0	0.0	0	0.0	0 0.	0	0.0	0	0.0	0	0.0
CLINICAL STATUS											
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A N/	A N	I/A N/A	522	74.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A N/		I/A N/A		25.4	*	*
7 1120	14/77	14/77	14//1	14//1	14/71 14/	11	11//	170	20.7		

Table 1.4.3. 13+ Years, Males

		HIV I	DIAGNOS	ES, 2003			AIDS DIAGNOSI	ES, 2003	PLWHA AS 12/31/20		DEATHS,	2003
	Total HIV di	agnoses %	Withou N	t AIDS %	Concurr AIDS dia N		N	%	N	%	N	%
TOTAL	3,102	100.0	2,380	76.7	722	23.3	3,595	100.0	63,939	100.0	1,986	100.0
RACE/ETHNICITY												
Black Hispanic White Asian/Pacific Islander Native American Other/unknown	1,414 945 671 62 7	45.6 30.5 21.6 2.0 0.2	1,050 708 571 46 *	44.1 29.7 24.0 1.9	364 237 100 16 *	50.4 32.8 13.9 2.2	1,610 1,141 777 55 7	44.8 31.7 21.6 1.5 0.2	25,010 20,677 16,921 801 57 473	39.1 32.3 26.5 1.3 0.1 0.7	937 639 391 10 *	47.2 32.2 19.7 0.5 *
AGE GROUP (YEARS)					_							
13-19 20-29 30-39 40-49 50-59 60+	93 638 1,036 849 370 116	3.0 20.6 33.4 27.4 11.9 3.7	86 571 824 596 241 62	3.6 24.0 34.6 25.0 10.1 2.6	7 67 212 253 129 54	1.0 9.3 29.4 35.0 17.9 7.5	37 290 1,147 1,343 577 201	1.0 8.1 31.9 37.4 16.1 5.6	683 3,554 16,327 25,500 13,807 4,068	1.1 5.6 25.5 39.9 21.6 6.4	52 293 785 603 250	2.6 14.8 39.5 30.4 12.6
BOROUGH OF RESIDENCE												
Manhattan Brooklyn Bronx Queens Staten Island Unknown/outside NYC	1,017 750 642 451 49 193	32.8 24.2 20.7 14.5 1.6 6.2	808 532 492 334 42 172	33.9 22.4 20.7 14.0 1.8 7.2	209 218 150 117 7 21	28.9 30.2 20.8 16.2 1.0 2.9	1,210 909 733 436 46 261	33.7 25.3 20.4 12.1 1.3 7.3	22,458 14,061 11,942 8,618 1,016 5,844	35.1 22.0 18.7 13.5 1.6 9.1	581 544 420 250 40 151	29.3 27.4 21.1 12.6 2.0 7.6
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	1,447 346 298 0 *	46.6 11.2 9.6 0.0 *	1,201 266 207 0 *	50.5 11.2 8.7 0.0 *	246 80 91 0 0 305	34.1 11.1 12.6 0.0 0.0 42.2	1,336 712 323 17 *	37.2 19.8 9.0 0.5 *	26,328 16,685 4,669 567 174 15,516	41.2 26.1 7.3 0.9 0.3 24.3	423 905 120 6 11 521	21.3 45.6 6.0 0.3 0.6 26.2
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	24,701 39,238	38.6 61.4	248 1,738	12.5 87.5

Table 1.4.4. 13+ Years, Females

		HIV I	DIAGNOS	ES, 2003			AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200	_	DEATHS	, 2003
	Total HIV di		Withou N		Concur AIDS dia	agnoses	N	%	NI	0/	N	0/
TOTAL	1,437	% 100.0	1,106	% 77.0	N 331	% 23.0	N 1,728	100.0	N 27,889	100.0	848	% 100.0
							,					
RACE/ETHNICITY	054	00.4	70.4	00.4	000	00.5	4.075	00.0	40.004		470	50.5
Black	954	66.4	734	66.4	220	66.5	1,075	62.2	16,034	57.5	479	56.5
Hispanic White	391	27.2	295	26.7	96	29.0	514	29.7	8,976	32.2 9.0	291	34.3 9.0
Asian/Pacific Islander	69 19	4.8 1.3	59 14	5.3 1.3	10	3.0	120 16	6.9	2,509 190		76 *	9.0
Native American	19	1.3	14	1.3	0	0.0	10	0.9	190	0.7 0.1	0	0.0
Other/unknown	*	*	*	*	0	0.0	*	*	161	0.1	0	0.0
Other/unknown					U	0.0			101	0.6		
AGE GROUP (YEARS)	_											
13-19	52	3.6	47	4.2	*	*	29	1.7	640	2.3	*	*
20-29	281	19.6	241	21.8	40	12.1	190	11.0	2,369	8.5	31	3.7
30-39	470	32.7	366	33.1	104	31.4	590	34.1	8,126	29.1	191	22.5
40-49	419	29.2	314	28.4	105	31.7	597	34.5	10,970	39.3	381	44.9
50-59	156	10.9	101	9.1	55	16.6	246	14.2	4,518	16.2	177	20.9
60+	59	4.1	37	3.3	22	6.6	76	4.4	1,266	4.5	64	7.5
BOROUGH OF RESIDENCE	_							_				
Manhattan	258	18.0	204	18.4	54	16.3	341	19.7	5,606	20.1	186	21.9
Brooklyn	468	32.6	346	31.3	122	36.9	530	30.7	8,602	30.8	270	31.8
Bronx	421	29.3	335	30.3	86	26.0	524	30.3	8,054	28.9	249	29.4
Queens	215	15.0	161	14.6	54	16.3	229	13.3	3,777	13.5	82	9.7
Staten Island	32	2.2	25	2.3	7	2.1	38	2.2	625	2.2	16	1.9
Unknown/outside NYC	43	3.0	35	3.2	8	2.4	66	3.8	1,225	4.4	45	5.3
TRANSMISSION RISK	_							_		_		
Injection drug use history	132	9.2	107	9.7	25	7.6	289	16.7	6,910	24.8	344	40.6
Heterosexual	566	39.4	436	39.4	130	39.3	672	38.9	11,586	41.5	252	29.7
Perinatal	0	0.0	0	0.0	0	0.0	18	1.0	543	1.9	6	0.7
Other	*	*	*	*	*	*	*	*	158	0.6	6	0.7
Unknown	737	51.3	562	50.8	175	52.9	745	43.1	8,692	31.2	240	28.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,039	43.2	117	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,850	56.8	731	86.2

Table 1.5.1. Manhattan, Males

		HIV D	IAGNO	SES, 200	3		AIDS DIAGNOSI	ES, 2003	PLWHA AS 12/31/20		DEATHS	, 2003
	-		14.00		oncurrent w			_				
	Total HIV d N	agnoses %	Withou N	it AIDS %	dia N	agnoses %		%	N	%	N	%
TOTAL	1,020	100.0	811	79.5	209	20.5		100.0	22,559	100.0	581	100.0
							,		,			
RACE/ETHNICITY												
Black	336	32.9	261	32.2	75	35.9		34.5	6,815	30.2	242	41.7
Hispanic	288	28.2	214	26.4	74	35.4		28.2	5,932	26.3	157	27.0
White	369	36.2	315	38.8	54	25.8		35.5	9,203	40.8	173	29.8
Asian/Pacific Islander	23	2.3	19	2.3	*	*	18	1.5	314	1.4	*	*
Native American	"	*	*	*	*	*	*	*	20	0.1	*	*
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	275	1.2	*	*
AGE GROUP (YEARS)										_		
0-12	*	*	*	*	0	0.0	0	0.0	101	0.4	0	0.0
13-19	19	1.9	19	2.3	0	0.0		*	121	0.5	0	0.0
20-29	198	19.4	181	22.3	17	8.1	78	6.4	1,038	4.6	9	1.5
30-39	376	36.9	315	38.8	61	29.2		32.1	5,677	25.2	92	15.8
40-49	279	27.4	199	24.5	80	38.3		38.9	8,888	39.4	232	39.9
50-59	110	10.8	76	9.4	34	16.3	191	15.8	5,102	22.6	177	30.5
60+	35	3.4	18	2.2	17	8.1	77	6.4	1,632	7.2	71	12.2
TRANSMISSION RISK								_		_		
Men who have sex with men	623	61.1	522	64.4	101	48.3	573	47.4	12,276	54.4	199	34.3
Injection drug use history	92	9.0	66	8.1	26	12.4		17.4	4,482	19.9	229	39.4
Heterosexual	51	5.0	37	4.6	14	6.7		6.4	1,028	4.6	32	5.5
Perinatal	*	*	*	*	0	0.0		*	201	0.9	*	*
Other	*	*	*	*	Ö	0.0		0.0	27	0.1	*	*
Unknown	250	24.5	182	22.4	68	32.5		28.7	4,545	20.1	118	20.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,413	41.7	72	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	13,146	58.3	509	87.6

Table 1.5.2. Manhattan, Females

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wi							
	Total HIV o	liagnoses %	Withou N	ut AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	260	100.0	205	78.8	55	21.2	342	100.0	5,741	100.0	188	100.0
	200	100.0		7 0.0			V.2		O ,1 1 1	10010	.00	10010
RACE/ETHNICITY												
Black	154	59.2	122	59.5	32	58.2	202	59.1	3,208	55.9	106	56.4
Hispanic	80	30.8	61	29.8	19	34.5	104	30.4	1,818	31.7	71	37.8
White	20	7.7	17	8.3	*	*	31	9.1	620	10.8	11	5.9
Asian/Pacific Islander	*	*	*	*	*	*	*	*	43	0.7	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	"	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	48	0.8	0	0.0
AGE GROUP (YEARS)	_									_		
0-12	*	*	*	*	*	*	*	*	135	2.4	*	*
13-19	9	3.5	8	3.9	*	*	7	2.0	100	1.7	0	0.0
20-29	47	18.1	45	22.0	*	*	25	7.3	398	6.9	*	*
30-39	81	31.2	61	29.8	20	36.4	122	35.7	1,563	27.2	39	20.7
40-49	83	31.9	64	31.2	19	34.5	121	35.4	2,257	39.3	86	45.7
50-59	23	8.8	16	7.8	7	12.7	46	13.5	995	17.3	44	23.4
60+	15	5.8	10	4.9	*	*	20	5.8	293	5.1	12	6.4
TRANSMISSION RISK	_											
Injection drug use history	37	14.2	33	16.1	*	*	68	19.9	1,692	29.5	89	47.3
Heterosexual	97	37.3	72	35.1	25	45.5	137	40.1	2,150	37.4	52	27.7
Perinatal	*	*	*	*	*	*	*	*	227	4.0	*	*
Other	*	*	0	0.0	*	*	*	*	29	0.5	*	*
Unknown	123	47.3	99	48.3	24	43.6	131	38.3	1,643	28.6	43	22.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,455	42.8	28	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,286	57.2	160	85.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY Table 1.5.3. Brooklyn, Males

		HIV I	DIAGNO	SES, 200			AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200	_	DEATHS	, 2003
	Total HIV o	iagnoses	Withou		oncurrent wi dia	ith AIDS agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	753	100.0	535	71.0	218	29.0	909	100.0	14,269	100.0	545	100.0
RACE/ETHNICITY								_				
Black	509	67.6	360	67.3	149	68.3	563	61.9	8,253	57.8	328	60.2
Hispanic	152	20.2	102	19.1	50	22.9		23.5	3,711	26.0	147	27.0
White	81	10.8	67	12.5	14	6.4	110	12.1	2,103	14.7	68	12.5
Asian/Pacific Islander	10	1.3	6	1.1	*	*	17	1.9	139	1.0	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	7	0.0	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	56	0.4	*	*
AGE GROUP (YEARS)								_		_		
0-12	*	*	*	*	0	0.0	0	0.0	208	1.5	*	*
13-19	25	3.3	22	4.1	*	*	14	1.5	222	1.6	*	*
20-29	144	19.1	122	22.8	22	10.1	76	8.4	865	6.1	15	2.8
30-39	242	32.1	181	33.8	61	28.0	296	32.6	3,532	24.8	69	12.7
40-49	200	26.6	129	24.1	71	32.6	296	32.6	5,439	38.1	218	40.0
50-59	107	14.2	62	11.6	45	20.6		18.8	3,086	21.6	155	28.4
60+	32	4.2	16	3.0	16	7.3	56	6.2	917	6.4	86	15.8
TRANSMISSION RISK												
Men who have sex with men	289	38.4	227	42.4	62	28.4	293	32.2	4,348	30.5	74	13.6
Injection drug use history	90	12.0	64	12.0	26	11.9	168	18.5	4,046	28.4	253	46.4
Heterosexual	77	10.2	53	9.9	24	11.0	86	9.5	1,319	9.2	39	7.2
Perinatal	*	*	*	*	0	0.0	6	0.7	377	2.6	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	6	1.1
Unknown	294	39.0	188	35.1	106	48.6	356	39.2	4,144	29.0	171	31.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	5,326	37.3	59	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,943	62.7	486	89.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY Table 1.5.4. Brooklyn, Females

		HIV I	DIAGNO	SES, 200	3		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wi							
	Total HIV d			ıt AIDS		agnoses	N.I.	0/	N.	0/	N.	0/
TOTAL	N 472	% 100.0	N 350	% 74.2	N 122	% 25.8	N 530	% 100.0	N 8,808	% 100.0	N 272	% 100.0
IOIAL	712	100.0	330	17.2	122	23.0	330	100.0	0,000	100.0	LIL	100.0
RACE/ETHNICITY						_						
Black	386	81.8	286	81.7	100	82.0	398	75.1	5,997	68.1	190	69.9
Hispanic	68	14.4	49	14.0	19	15.6	103	19.4	2,108	23.9	64	23.5 6.3
White	13	2.8	12	3.4	*	*	26	4.9	607	6.9	17	6.3
Asian/Pacific Islander	*	*	*	*	*	*	*	*	43	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	49	0.6	*	*
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	206	2.3	*	*
13-19	19	4.0	19	5.4	0	0.0	7	1.3	200	2.3	*	*
20-29	89	18.9	72	20.6	17	13.9	67	12.6	773	8.8	12	4.4
30-39	138	29.2	104	29.7	34	27.9	162	30.6	2,463	28.0	59	21.7
40-49	156	33.1	109	31.1	47	38.5	196	37.0	3,366	38.2	124	45.6
50-59	54	11.4	36	10.3	18	14.8	77	14.5	1,407	16.0	52	19.1
60+	12	2.5	6	1.7	6	4.9	21	4.0	393	4.5	22	8.1
TRANSMISSION RISK												
Injection drug use history	39	8.3	29	8.3	10	8.2	68	12.8	1,897	21.5	97	35.7
Heterosexual	171	36.2	129	36.9	42	34.4	186	35.1	3,638	41.3	85	31.3
Perinatal	*	*	*	*	0	0.0	6	1.1	358	4.1	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	46	0.5	*	*
Unknown	258	54.7	188	53.7	70	57.4	269	50.8	2,869	32.6	85	31.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,779	42.9	34	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,029	57.1	238	87.5

		HIV I	DIAGNO	SES, 200)3		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200	_	DEATHS	, 2003
	Total HIV o	liagnosas	Withou		oncurrent wi	ith AIDS agnoses						
	N	% % % % % % % % % % % % % % % % % % %	N	% AIDS	N	%	N	%	N	%	N	%
TOTAL	645	100.0	494	76.6	151	23.4	736	100.0	12,135	100.0	421	100.0
RACE/ETHNICITY								_		_		
Black	331	51.3	245	49.6	86	57.0	338	45.9	5,005	41.2	179	42.5
Hispanic	267	41.4	215	43.5	52	34.4	348	47.3	6,325	52.1	214	50.8
White	42	6.5	30	6.1	12	7.9	45	6.1	698	5.8	26	6.2
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	52	0.4	*	*
Native American	*	*		*	*	*	*	*	8	0.1	0	0.0 0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	47	0.4	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	*	*	*	*	*	*	*	*	193	1.6	*	*
13-19	27	4.2	25	5.1	*	*	11	1.5	193	1.6	0	0.0
20-29	143	22.2	127	25.7	16	10.6	60	8.2	723	6.0	13	3.1
30-39	180	27.9	137	27.7	43	28.5	210	28.5	2,866	23.6	64	15.2
40-49	180	27.9	131	26.5	49	32.5	285	38.7	4,787	39.4	150	35.6
50-59 60+	81 31	12.6 4.8	58 14	11.7 2.8	23 17	15.2 11.3		16.4 6.3	2,664 709	22.0 5.8	139 54	33.0 12.8
00+	31	4.0	14	2.0	17	11.3	40	0.3	709	5.6	54	12.0
TRANSMISSION RISK												
Men who have sex with men	184	28.5	151	30.6	33	21.9		21.2	2,661	21.9	42	10.0
Injection drug use history	106	16.4	88	17.8	18	11.9		25.7	4,429	36.5	222	52.7
Heterosexual	85	13.2	61	12.3	24	15.9	81	11.0	1,115	9.2	23	5.5
Perinatal	^	^	^	^		^	10	1.4	368	3.0		^
Other Unknown	0 267	0.0 41.4	0 192	0.0 38.9	0 75	0.0 49.7	0 300	0.0 40.8	30 3,532	0.2 29.1	0 133	0.0 31.6
Oliviowii	207	41.4	132	30.9	73	49.7	300	40.0	3,332	29.1	133	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	4,675	38.5	66	15.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,460	61.5	355	84.3

		HIV I	DIAGNO	SES, 200)3		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wit	_						
	Total HIV d			ıt AIDS		gnoses	N	%	N.	0/	N	0/
TOTAL	N 430	% 100.0	N 342	% 79.5	N 88	% 20.5	527	100.0	N 8,281	% 100.0	250	% 100.0
101/12		10010	0.2	1010		20.0	02 .		0,20.	100.0	200	100.0
RACE/ETHNICITY												
Black	243	56.5	197	57.6	46	52.3	278	52.8	4,127	49.8	112	44.8
Hispanic	179	41.6	141	41.2	38	43.2	223	42.3	3,778	45.6	123	49.2
White	*	*	*	*	*	*	23	4.4	331	4.0	14	5.6
Asian/Pacific Islander	*	*	*	*	*	*	*	*	16	0.2	*	*
Native American	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	9	2.1	7	2.0	*	*	*	*	227	2.7	*	*
13-19	15	3.5	12	3.5	*	*	9	1.7	186	2.2	*	*
20-29	86	20.0	74	21.6	12	13.6	60	11.4	767	9.3	10	4.0
30-39	147	34.2	120	35.1	27	30.7	189	35.9	2,423	29.3	52	20.8
40-49	112	26.0	88	25.7	24	27.3	168	31.9	3,119	37.7	112	44.8
50-59	44	10.2	29	8.5	15	17.0	77	14.6	1,216	14.7	54	21.6
60+	17	4.0	12	3.5	*	*	21	4.0	343	4.1	20	8.0
TRANSMISSION RISK												
Injection drug use history	35	8.1	25	7.3	10	11.4	95	18.0	2,002	24.2	94	37.6
Heterosexual	168	39.1	139	40.6	29	33.0	203	38.5	3,161	38.2	76	30.4
Perinatal	9	2.1	7	2.0	*	*	8	1.5	389	4.7	*	*
Other	*	*		*	0	0.0		*	34	0.4		*
Unknown	217	50.5	170	49.7	47	53.4	220	41.7	2,695	32.5	75	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,880	46.9	32	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,401	53.1	218	87.2

Table 1.5.7. Queens, Males

		HIV I	DIAGNO	SES, 20	03		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
				_	Concurrent wi	ith AIDS						
	Total HIV o		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	451	100.0	334	74.1	117	25.9	436	100.0	8,688	100.0	250	100.0
DAGE/ETHANOITY								_				
RACE/ETHNICITY Black	149	22.0	100	22.2	11	25.0	104	42.2	3,185	26.7	116	46.4
		33.0 41.2	108	32.3 39.2	41 55	35.0				36.7 38.6	116 71	46.4
Hispanic White	186 93	20.6	131 81	39.2 24.3	55 12	47.0 10.3		38.1 16.1	3,352	21.3	59	28.4 23.6
Asian/Pacific Islander	22	4.9	14	4.2	8	6.8		3.2	1,852 234	21.3	59 *	23.0
	0				0						0	0.0
Native American Other/unknown	U *	0.0	0	0.0	U *	0.0	0	0.0	13 52	0.1 0.6	0	0.0
Other/unknown			U	0.0					52	0.6		
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	70	0.8	0	0.0
13-19	12	2.7	11	3.3	*	*	*	*	83	1.0	*	*
20-29	102	22.6	92	27.5	10	8.5	46	10.6	560	6.4	11	4.4
30-39	155	34.4	118	35.3	37	31.6	146	33.5	2,354	27.1	29	11.6
40-49	126	27.9	82	24.6	44	37.6		36.7	3,516	40.5	102	40.8
50-59	47	10.4	26	7.8	21	17.9	63	14.4	1,650	19.0	79	31.6
60+	9	2.0	*	*	*	*	18	4.1	455	5.2	27	10.8
TRANSMISSION RISK								_		_		
Men who have sex with men	222	49.2	180	53.9	42	35.9	167	38.3	3,488	40.1	57	22.8
Injection drug use history	40	8.9	32	9.6	8	6.8		17.4	2,144	24.7	113	45.2 6.4
Heterosexual	65	14.4	39	11.7	26	22.2		13.3	816	9.4	16	6.4
Perinatal	0	0.0	0	0.0	0	0.0	*	*	138	1.6	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	31	0.4	*	*
Unknown	124	27.5	83	24.9	41	35.0	134	30.7	2,071	23.8	60	24.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	3,165	36.4	32	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,523	63.6	218	87.2

Table 1.5.8. Queens, Females

		HIV I	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wit	_						
	Total HIV d	iagnoses %	Withou N	ıt AIDS	dia; N	gnoses %	N	%	N	%	N	%
TOTAL	216	100.0	162	% 75.0	54	25.0	229	100.0	3,860	100.0	82	100.0
TOTAL	210	100.0	102	70.0		20.0	LLU	100.0	0,000	100.0	02	100.0
RACE/ETHNICITY												
Black	138	63.9	101	62.3	37	68.5	140	61.1	2,267	58.7	45	54.9
Hispanic	52	24.1	39	24.1	13	24.1	61	26.6	985	25.5	17	20.7
White	17	7.9	14	8.6	*	*	21	9.2	502	13.0	20	24.4
Asian/Pacific Islander	8	3.7	7	4.3	*	*	6	2.6	74	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	28	0.7	0	0.0
AGE GROUP (YEARS)	_									_		
0-12	*	*	*	*	0	0.0	0	0.0	83	2.2	0	0.0
13-19	7	3.2	6	3.7	*	*	*	*	102	2.6	*	*
20-29	49	22.7	43	26.5	6	11.1	24	10.5	293	7.6	*	*
30-39	77	35.6	60	37.0	17	31.5	78	34.1	1,137	29.5	25	30.5
40-49	45	20.8	33	20.4	12	22.2	77	33.6	1,474	38.2	31	37.8
50-59	24	11.1	12	7.4	12	22.2	33	14.4	606	15.7	15	18.3
60+	13	6.0	7	4.3	6	11.1	12	5.2	165	4.3	8	9.8
TRANSMISSION RISK	_									_		
Injection drug use history	13	6.0	12	7.4	*	*	36	15.7	865	22.4	32	39.0
Heterosexual	94	43.5	68	42.0	26	48.1	98	42.8	1,804	46.7	24	29.3
Perinatal	*	*	*	*	0	0.0	*	*	168	4.4	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	28	0.7	*	*
Unknown	108	50.0	81	50.0	27	50.0	92	40.2	995	25.8	23	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,590	41.2	15	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,270	58.8	67	81.7

Table 1.5.9. Staten Island, Males

		HIV	DIAGNO	SES, 200)3		AIDS DIAGNOS	SES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					oncurrent wi							
	Total HIV d			it AIDS		agnoses						
TOTAL	N	400.0	N	%	N	%	N	%	N	%	N	%
TOTAL	50	100.0	42	84.0	8	16.0	47	100.0	1,028	100.0	41	100.0
RACE/ETHNICITY						_		_		_		
Black	24	48.0	19	45.2	*	*	16	34.0	342	33.3	18	43.9
Hispanic	11	22.0	10	23.8	*	*	12	25.5	242	23.5	*	*
White	14	28.0	12	28.6	*	*	19	40.4	423	41.1	16	39.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	6	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	1.2	*	*
AGE GROUP (YEARS)							*					
0-12	*	*	0	0.0	*				12	1.2	*	
13-19	*	*		*	0	0.0	0	0.0	19	1.8	0	0.0 0.0
20-29	8	16.0	8	19.0	0	0.0	*	*	49	4.8	0	0.0
30-39	13	26.0	12	28.6	*	*	10	21.3	224	21.8	*	*
40-49	16	32.0	12	28.6	*	*	29	61.7	459	44.6	22	53.7
50-59		*			Ŷ		6	12.8	206	20.0	12	29.3
60+	Î	•	•	*	0	0.0	0	0.0	59	5.7	•	Î
TRANSMISSION RISK								_		_		
Men who have sex with men	23	46.0	22	52.4	*	*	12	25.5	323	31.4	6	14.6
Injection drug use history	6	12.0	*	*	*	*	23	48.9	363	35.3	21	51.2
Heterosexual	*	*	*	*	0	0.0	*	*	78	7.6	*	*
Perinatal	*	*	0	0.0	*	*	*	*	24	2.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
Unknown	16	32.0	12	28.6	*	*	9	19.1	232	22.6	10	24.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	381	37.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	647	62.9	38	92.7

Table 1.5.10. Staten Island, Females

		HIV I	DIAGNO	SES, 200	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS,	2003
					Concurrent with	_						
	Total HIV d		Withou			gnoses		0.4		0.4		0.4
TOTAL	N 34	% 100.0	N 27	% 79.4	N 7	% 20.6	N 38	% 100.0	N 641	% 100.0	N 16	% 100.0
TOTAL	34	100.0	21	79.4	-	20.6	30	100.0	041	100.0	10	100.0
RACE/ETHNICITY												
Black	22	64.7	18	66.7	*	*	23	60.5	291	45.4	*	*
Hispanic	6	17.6	*	*	*	*	6	15.8	144	22.5	*	*
White	6	17.6	6	22.2	0	0.0	9	23.7	198	30.9	7	43.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	*	*	*	*	0	0.0	0	0.0	16	2.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	14	2.2	0	0.0
20-29	*	*	*	*	*	*	*	*	37	5.8	*	*
30-39	12	35.3	10	37.0	*	*	14	36.8	185	28.9	*	*
40-49	10	29.4	8	29.6	*	*	12	31.6	272	42.4	10	62.5
50-59	*	*	*	*	*	*	8	21.1	94	14.7	*	*
60+	*	*	*	*	0	0.0	0	0.0	23	3.6	*	*
TRANSMISSION RISK												
Injection drug use history	*	*	*	*	0	0.0	10	26.3	163	25.4	10	62.5
Heterosexual	12	35.3	9	33.3	*	*	15	39.5	272	42.4	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	26	4.1	0	0.0
Other	*	*	*	*	0	0.0	0	0.0	12	1.9	0	0.0
Unknown	18	52.9	14	51.9	*	*	13	34.2	168	26.2	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	296	46.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	345	53.8	14	87.5

Table 1.6.1. Men Who Have Sex With Men

		HIV	DIAGNOS	ES, 2003	Concurre	ent with	AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200	_	DEATHS	, 2003
	Total HIV d	iagnoses %	Withou N	ıt AIDS %	AIDS dia		N	%	N	%	N	%
TOTAL	1,447	100.0	1,201	83.0	246	17.0		100.0	26,328	100.0	423	100.0
RACE/ETHNICITY								_				
Black	473	32.7	393	32.7	80	32.5	428	32.0	7,148	27.1	149	35.2
Hispanic	425	29.4	338	28.1	87	35.4	380	28.4	6,905	26.2	93	22.0
White	499	34.5	434	36.1	65	26.4	499	37.4	11,748	44.6	177	41.8
Asian/Pacific Islander Native American	44	3.0	33	2.7	11	4.5	21	1.6	407	1.5	*	*
Other/unknown	*	*	*	*	*	*	*	*	24 96	0.1 0.4	*	*
ACE CROUP (VEARS)								_				
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	61	4.2	57	4.7	*	*	12	0.9	118	0.4	0	0.0
20-29	420	29.0	381	31.7	39	15.9	181	13.5	2,242	8.5	17	4.0
30-39	567	39.2	479	39.9	88	35.8	530	39.7	8,485	32.2	102	24.1
40-49	298	20.6	221	18.4	77	31.3	425	31.8	9,751	37.0	163	38.5
50-59 60+	84 17	5.8 1.2	54 9	4.5 0.7	30 8	12.2 3.3	142 46	10.6 3.4	4,348 1,384	16.5 5.3	92 49	21.7 11.6
00+	17	1.2	9	0.7	0	3.3	40	3.4	1,304	5.5	49	11.0
BOROUGH OF RESIDENCE												
Manhattan	623	43.1	522	43.5	101	41.1	573	42.9	12,276	46.6	199	47.0
Brooklyn	289	20.0	227	18.9	62	25.2	293 456	21.9	4,348	16.5	74	17.5
Bronx Queens	184 222	12.7 15.3	151 180	12.6 15.0	33 42	13.4 17.1	156 167	11.7 12.5	2,661 3,488	10.1 13.2	42 57	9.9 13.5
Staten Island	23	1.6	22	1.8	*	*	12	0.9	323	1.2	6	1.4
Unknown/outside NYC	106	7.3	99	8.2	7	2.8	135	10.1	3,232	12.3	45	10.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,472	43.6	40	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,856	56.4	383	90.5

Table 1.6.2. Injection Drug Users, Males

		HIV I	DIAGNO	SES, 200	03		AIDS DIAGNOS	ES, 2003	PLWHA AS 12/31/200		DEATHS	, 2003
					oncurrent w							
	Total HIV o	lagnoses %	Withou N	it AIDS %	ala N	agnoses %		%	N	%	N	%
TOTAL	346	100.0	266	76.9	80	23.1	712	100.0	16,685	100.0	905	100.0
		100.0						100.0	10,000			10010
RACE/ETHNICITY												
Black	153	44.2	104	39.1	49	61.3		44.7	7,067	42.4	400	44.2
Hispanic	149	43.1	124	46.6	25	31.3		41.6	7,292	43.7	367	40.6
White	43	12.4	37	13.9	6	7.5		13.2	2,238	13.4	137	15.1
Asian/Pacific Islander	*	*	*	*	0	0.0		*	41	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0		*	8	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	39	0.2	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	41	11.8	38	14.3	*	*	13	1.8	269	1.6	6	0.7
30-39	76	22.0	63	23.7	13	16.3		21.2	2,434	14.6	92	10.2
40-49	129	37.3	94	35.3	35	43.8	344	48.3	7,407	44.4	393	43.4
50-59	80	23.1	59	22.2	21	26.3	169	23.7	5,531	33.1	336	37.1
60+	16	4.6	8	3.0	8	10.0	35	4.9	1,039	6.2	78	8.6
BOROUGH OF RESIDENCE								_		_		
Manhattan	92	26.6	66	24.8	26	32.5	211	29.6	4,482	26.9	229	25.3
Brooklyn	90	26.0	64	24.1	26	32.5	168	23.6	4,046	24.2	253	28.0
Bronx	106	30.6	88	33.1	18	22.5		26.5	4,429	26.5	222	24.5
Queens	40	11.6	32	12.0	8	10.0		10.7	2,144	12.8	113	12.5
Staten Island	6	1.7	*	*	*	*	23	3.2	363	2.2	21	2.3
Unknown/outside NYC	12	3.5	12	4.5	0	0.0		6.3	1,221	7.3	67	7.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	4,072	24.4	94	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,613	75.6	811	89.6

Table 1.6.3. Injection Drug Users, Females

		HIV [DIAGNO	SES, 20	03		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
	Total HIV o	diagnoses	Withou	c It AIDS	Concurrent with	h AIDS gnoses						
	N	% % magnood	N	%	N	9/10000 %	N	%	N	%	N	%
TOTAL	132	100.0	107	81.1	25	18.9	289	100.0	6,910	100.0	344	100.0
DAGE/ETHINICITY										_		
RACE/ETHNICITY Black	70	53.0	54	50.5	16	64.0	150	51.9	3,478	50.3	163	47.4
Hispanic	47	35.6	39	36.4	8	32.0	109	37.7	2,561	37.1	137	39.8
White	13	9.8	13	12.1	0	0.0	27	9.3	840	12.2	44	12.8
Asian/Pacific Islander	*	*	*	*	*	*	*	*	11	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	Ö	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)	0	0.0		0.0	0	0.0	0	0.0	0	0.0		0.0
0-12 13-19	0	0.0	0	0.0	0	0.0	0	0.0 0.0	0	0.0	0 0	0.0
20-29	12	9.1	10	9.3	0	0.0 *	0 13	4.5	182	2.6	0	0.0 0.0
30-39	41	31.1	35	32.7	6	24.0	87	30.1	1,522	22.0	79	23.0
40-49	56	42.4	44	41.1	12	48.0	121	41.9	3,443	49.8	179	52.0
50-59	21	15.9	16	15.0	*	*	63	21.8	1,548	22.4	79	23.0
60+	0	0.0	0	0.0	0	0.0	*	*	212	3.1	7	23.0 2.0
BOROUGH OF RESIDENCE Manhattan	27	20.0	22	30.8	*	*	60	22 E	1 600	24 5	90	25.0
Brooklyn	37 39	28.0 29.5	33 29	27.1	10	40.0	68 68	23.5 23.5	1,692 1,897	24.5 27.5	89 97	25.9 28.2
Bronx	35	26.5	25	23.4	10	40.0	95	32.9	2,002	29.0	94	20.2
Queens	13	9.8	12	11.2	*	- 0.0	36	12.5	865	12.5	32	9.3
Staten Island	*	*	*	*	0	0.0	10	3.5	163	2.4	10	2.9
Unknown/outside NYC	6	4.5	6	5.6	Ö	0.0	12	4.2	291	4.2	22	27.3 9.3 2.9 6.4
CLINICAL STATUS	N1/A	N1/4	N1/A	N1/A	N1/A	N1/2	N1/A	N1/	4.046	00.1	00	0.0
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,940	28.1	33	9.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,970	71.9	311	90.4

Table 1.6.4. Heterosexuals, Males

		HIV [DIAGNO	SES, 20	03		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
	T-(-//////-	<i>!:</i>	IACO		Concurrent w							
	Total HIV o	iiagnoses %	vvitnot N	it AIDS %	N ala	agnoses %		%	N	%	N	%
TOTAL	298	100.0	207	69.5	91	30.5		100.0	4,669	100.0	120	100.0
RACE/ETHNICITY										_		
Black	157	52.7	118	57.0	39	42.9	161	49.8	2,531	54.2	72	60.0
Hispanic	109	36.6	65	31.4	44	48.4		38.4	1,579	33.8	35	29.2
White	25	8.4	20	9.7	*	*	29	9.0	458	9.8	11	29.2 9.2
Asian/Pacific Islander	*	*	*	*	*	*	8	2.5	82	1.8	*	*
Native American	*	*	*	*	*	*	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	9	0.2	0	0.0 5.0
20-29	39	13.1	32	15.5	7	7.7	24	7.4	198	4.2	6	5.0
30-39 40-49	99 99	33.2 33.2	68 67	32.9 32.4	31 32	34.1 35.2	107 131	33.1 40.6	1,323 1,946	28.3 41.7	22 46	18.3 38.3
50-59	47	15.8	31	15.0	16	17.6		12.4	850	18.2	29	24.2
60+	13	4.4	8	3.9	*	*	20	6.2	343	7.3	17	14.2
							-	- 1				
BOROUGH OF RESIDENCE												
Manhattan	51	17.1	37	17.9	14	15.4		24.1	1,028	22.0	32	26.7
Brooklyn Bronx	77 85	25.8 28.5	53 61	25.6 29.5	24 24	26.4 26.4	86 81	26.6 25.1	1,319 1,115	28.3 23.9	39 23	32.5 19.2
Queens	65	21.8	39	18.8	26	28.6	58	18.0	816	17.5	16	13.3
Staten Island	*	*	*	*	0	0.0	*	*	78	1.7	*	*
Unknown/outside NYC	16	5.4	13	6.3	*	*	18	5.6	313	6.7	7	5.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,862	39.9	19	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,807	60.1	101	84.2

Table 1.6.5. Heterosexuals, Females

		HIV [DIAGNO	SES, 200			AIDS DIAGNOS	SES, 2003	PLWHA AS 12/31/200	_	DEATHS	, 2003
	Total HIV o	liaanosas	Withou		oncurrent w	rith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	566	100.0	436	77.0	130	23.0	672	100.0	11,586	100.0	252	100.0
RACE/ETHNICITY								_		_		
Black	360	63.6	280	64.2	80	61.5	418	62.2	6,651	57.4	155	61.5
Hispanic	169	29.9	128	29.4	41	31.5		30.5	3,835	33.1	78	31.0
White	28	4.9	23	5.3	*	*	39	5.8	968	8.4	18	7.1
Asian/Pacific Islander	7	1.2	*	*	*	*	9	1.3	91	0.8	*	*
Native American	0	0.0	0	0.0	0	0.0		^	9 32	0.1	0	0.0 0.0
Other/unknown					0	0.0	0	0.0	32	0.3	U	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	23	4.1	20	4.6	*	*	6	0.9	75	0.6	0	0.0
20-29	123	21.7	100	22.9	23	17.7	100	14.9	1,187	10.2	11	4.4
30-39	190	33.6	152	34.9	38	29.2		35.1	3,707	32.0	52	20.6
40-49 50-59	153 52	27.0 9.2	115 32	26.4 7.3	38 20	29.2 15.4		33.3 10.6	4,400 1,650	38.0 14.2	111 53	44.0 21.0
60+	25	9.2 4.4	32 17	3.9	20 8	6.2		5.2	567	4.9	25	9.9
004	23	4.4	17	5.5	U	0.2	35	5.2	307	4.5	25	9.9
BOROUGH OF RESIDENCE												
Manhattan	97	17.1	72	16.5	25	19.2		20.4	2,150	18.6	52	20.6
Brooklyn	171	30.2	129	29.6	42	32.3		27.7	3,638	31.4	85	33.7
Bronx	168	29.7	139	31.9	29	22.3		30.2	3,161	27.3	76	30.2
Queens Staten Island	94 12	16.6 2.1	68 9	15.6 2.1	26	20.0	98 15	14.6 2.2	1,804 272	15.6 2.3	24	9.5
Unknown/outside NYC	24	4.2	19	4.4	*	*	33	4.9	561	2.3 4.8	12	4.8
Olikilowii/outside 141 O	24	4.2	19	7.4			33	4.3	301	4.0	12	4.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	4,997	43.1	31	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,589	56.9	221	87.7

Table 1.7.1. Washington Heights - Inwood (Manhattan)

		HIV [DIAGNO	SES, 200)3		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					oncurrent w							
	Total HIV d			it AIDS		iagnoses	NI	0/	N.	07	N.I.	0/
TOTAL	N 196	% 100.0	N 145	% 74.0	N 51	% 26.0	N 208	% 100.0	N 3,171	% 100.0	N 75	% 100.0
		10010		7 110		20.0	200		0,111	100.0	. •	10010
SEX												
Male	154	78.6	114	78.6	40	78.4	141	67.8	2,309	72.8	53	70.7
Female	42	21.4	31	21.4	11	21.6	67	32.2	862	27.2	22	29.3
RACE/ETHNICITY												
Black	72	36.7	55	37.9	17	33.3	90	43.3	1,294	40.8	40	53.3
Hispanic	96	49.0	66	45.5	30	58.8	89	42.8	1,436	45.3	29	38.7
White	26	13.3	22	15.2		~	27	13.0	414	13.1	6	8.0 0.0 0.0
Asian/Pacific Islander Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.5	0	0.0
Other/unknown	0	0.0 0.0	0	0.0	0	0.0	0 0	0.0 0.0	9	0.3	0	0.0
	U	0.0	U	0.0	U	0.0	U	0.0	9	0.3	U	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	52	1.6	*	*
13-19		*	*	*	0	0.0	6	2.9	44	1.4	0	0.0
20-29	46	23.5	39 52	26.9	/	13.7	20	9.6	213	6.7		05.0
30-39 40-49	67 50	34.2 25.5	52 34	35.9 23.4	15 16	29.4 31.4	69 61	33.2 29.3	875 1,134	27.6 35.8	19 26	25.3 34.7
50-59	21	25.5 10.7	12	8.3	9	17.6	38	18.3	635	20.0	20 22	34.7 29.3
60+	8	4.1	1 Z *	o.s *	*	*	13	6.3	218	6.9	*	29.3 *
007	O O	7.1					13	0.5	210	0.9		
TRANSMISSION RISK												
Men who have sex with men	80	40.8	60	41.4	20	39.2	55	26.4	1,021	32.2	14	18.7
Injection drug use history	16	8.2	12	8.3	*	40.0	38	18.3	690	21.8	32	42.7
Heterosexual	30	15.3	20	13.8	10	19.6	47	22.6	575	18.1	8	10.7
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	90 12	2.8 0.4	0	0.0
Unknown	68	34.7	52	35.9	16	31.4	65	31.3	783	24.7	19	25.3
OTHER DESIGNATION OF THE PROPERTY OF THE PROPE	- 00	J -1 .1	- 52	33.3	- 10	31.4	03	31.3	703	27.1	13	20.0
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,263 1,908	39.8 60.2	10 65	13.3 86.7

Table 1.7.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	6, 2003
					Concurrent wi							
	Total HIV o			it AIDS		agnoses		0.4		0/		0/
TOTAL	N 218	% 100.0	N 162	% 74.3	N 56	% 25.7	N 233	% 100.0	N 3,729	% 100.0	N 132	% 100.0
IOTAL	210	100.0	102	74.3	30	25.1	233	100.0	3,729	100.0	132	100.0
SEX										_		
Male	142	65.1	103	63.6	39	69.6	151	64.8	2,323	62.3	89	67.4
Female	76	34.9	59	36.4	17	30.4	82	35.2	1,406	37.7	43	32.6
RACE/ETHNICITY												
Black	163	74.8	121	74.7	42	75.0	182	78.1	2,871	77.0	106	80.3
Hispanic	38	17.4	25	15.4	13	23.2	36	15.5	561	15.0	17	12.9
White Asian/Pacific Islander	16	7.3	15	9.3		^	14	6.0	270	7.2	9	12.9 6.8 0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0 0	0.0	11	0.3	0 0	0.0
Other/unknown	0	0.0 0.0	0	0.0	0	0.0	*	0.0	15	0.4	0	0.0
	U	0.0	U	0.0	U	0.0			15	0.4	U	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	70	1.9	0	0.0
13-19	6	2.8	*	*	*	*	*	*	53	1.4	0	0.0
20-29	39	17.9	35	21.6	*	*	23 65	9.9	240	6.4	6	4.5
30-39	63	28.9	45	27.8	18	32.1	65	27.9	919	24.6	21	15.9
40-49 50-59	68 31	31.2 14.2	48 21	29.6	20 10	35.7 17.9	94 40	40.3 17.2	1,373 835	36.8 22.4	51 40	38.6 30.3
60+	9	4.1	6	13.0 3.7	10	17.9	10	4.3	239	6.4	40 14	30.3 10.6
00+	9	4.1	O	3.1			10	4.3	239	0.4	14	10.0
TRANSMISSION RISK										_		
Men who have sex with men	58	26.6	47	29.0	11	19.6	33	14.2	792	21.2	22	16.7
Injection drug use history	19	8.7	14	8.6	*	*	44	18.9	1,057	28.3	60	45.5
Heterosexual	43	19.7	32	19.8	11	19.6	51	21.9	734	19.7	20	15.2
Perinatal	*	*	*	*	0	0.0	0	0.0	117	3.1	0	0.0
Other		40.0		40.7	0	0.0	0	0.0	10	0.3		*
Unknown	95	43.6	66	40.7	29	51.8	105	45.1	1,019	27.3	29	22.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,511	40.5	16	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,218	59.5	116	87.9

Table 1.7.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/2		DEATHS	, 2003
				C	Concurrent w							
	Total HIV d			it AIDS		agnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	141	100.0	114	80.9	27	19.1	154	100.0	2,695	100.0	119	100.0
SEX								_		_		
Male	97	68.8	81	71.1	16	59.3	102	66.2	1,728	64.1	73	61.3
Female	44	31.2	33	28.9	11	40.7	52	33.8	967	35.9	46	38.7
l emale	77	31.2	33	20.3		40.7	32	33.0	307	55.5	40	30.7
RACE/ETHNICITY						_				_		
Black	77	54.6	64	56.1	13	48.1	78	50.6	1,317	48.9	56	47.1
Hispanic	55	39.0	42	36.8	13	48.1	67	43.5	1,180	43.8	59	49.6
White	8	5.7	7	6.1	*	*	9	5.8	182	6.8	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	10	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	*	*	*	*	0	0.0	0	0.0	56	2.1	0	0.0
13-19	*	*	*	*	Õ	0.0	*	*	38	1.4	Õ	0.0 0.0
20-29	23	16.3	23	20.2	Õ	0.0	9	5.8	178	6.6	*	*
30-39	23 52	36.9	43	37.7	9	33.3	57	37.0	678	25.2	21	17.6
40-49	46	32.6	34	29.8	12	44.4	56	36.4	1,037	38.5	44	37.0
50-59	11	7.8	7	6.1	*	*	18	11.7	540	20.0	36	30.3
60+	*	*	*	*	*	*	11	7.1	168	6.2	16	13.4
TRANSMISSION RISK												
Men who have sex with men	39	27.7	36	31.6	*	*	28	18.2	481	17.8	12	10.1
Injection drug use history	17	12.1	13	11.4	_		38	24.7	930	34.5	60	50.4
Heterosexual	29	20.6	22	19.3	7	25.9	26	16.9	515	19.1	20	16.8
Perinatal		*		~ ~	0	0.0			90	3.3	*	. *
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	55	39.0	42	36.8	13	48.1	60	39.0	670	24.9	26	21.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,076	39.9	21	17.6
AIDS '	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,619	60.1	98	82.4

Table 1.7.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	6, 2003
					Concurrent with	_						
	Total HIV o	liagnoses	Withou			noses	N	0/	N	0/	N.I.	0/
TOTAL	N 108	% 100.0	90	% 83.3	N 18	% 16.7	N 151	% 100.0	N 2,981	% 100.0	N 82	% 100.0
IOTAL	100	100.0	90	03.3	10	10.7	131	100.0	2,901	100.0	02	100.0
SEX	_											
Male	88	81.5	73	81.1	15	83.3	119	78.8	2,509	84.2	65	79.3
Female	20	18.5	17	18.9	*	*	32	21.2	472	15.8	17	20.7
RACE/ETHNICITY												
Black	30	27.8	24	26.7	6	33.3	55	36.4	910	30.5	30	36.6
Hispanic	36	33.3	29	32.2	7	38.9	49	32.5	772	25.9	27	32.9
White	41	38.0	37	41.1	*	*	45 *	29.8	1,248	41.9	24	29.3
Asian/Pacific Islander Native American	0	0.0	0	0.0	0	0.0	*	*	27	0.9	0	0.0
Other/unknown	0	0.0 0.0	0	0.0	0	0.0	0	0.0	21	0.7	0 0	0.0 0.0
Other/unknown	U	0.0	U	0.0	0	0.0	O	0.0	21	0.7	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	12	0.4	0	0.0 0.0
20-29	19	17.6	18	20.0	*	*	14	9.3	119	4.0	0	0.0
30-39	38	35.2	37	41.1	^ *		31	20.5	610	20.5	12	14.6
40-49 50-59	22 15	20.4 13.9	17 10	18.9 11.1	*	*	56 33	37.1 21.9	1,219 760	40.9 25.5	23 34	28.0 41.5
60+	12	11.1	6	6.7	6	33.3	33 17	11.3	251	25.5 8.4	13	15.9
00+	12	11.1	U	0.7	U	33.3	17	11.5	251	0.4	13	10.5
TRANSMISSION RISK												
Men who have sex with men	55	50.9	50	55.6	*	*	58	38.4	1,511	50.7	20	24.4
Injection drug use history	17	15.7	12	13.3	*	*	33	21.9	613	20.6	33	40.2
Heterosexual	7	6.5	6	6.7	*	*	18	11.9	278	9.3	7	8.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	0.8	0	0.0
Other Unknown	0 29	0.0 26.9	0 22	0.0 24.4	0 7	0.0 38.9	0 42	0.0 27.8	7 549	0.2 18.4	0 22	0.0 26.8
Ulkilowii	29	26.9	22	24.4		30.9	42	21.8	549	10.4	22	∠0.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,131	37.9	12	14.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,850	62.1	70	85.4

Table 1.7.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2003						AIDS DIAGNOSES, 2003		PLWHA AS OF 12/31/2003		DEATHS, 2003	
		Concurrent with AIDS										
	Total HIV o			it AIDS		noses						
TOTAL	N	400.0	N	%	N	%	N 70	%	N	% 400.0	N	%
TOTAL	46	100.0	31	67.4	15	32.6	76	100.0	1,252	100.0	19	100.0
SEX								_				
Male	37	80.4	27	87.1	10	66.7	64	84.2	1,073	85.7	16	84.2
Female	9	19.6	۷ı *	*	*	*	12	15.8	1,073	14.3	*	0 4 .2
li emale	9	19.0					12	13.0	179	14.5		
RACE/ETHNICITY												
Black	12	26.1	6	19.4	6	40.0	20	26.3	250	20.0	*	*
Hispanic	10	21.7	7	22.6	*	*	14	18.4	235	18.8	*	*
White	20	43.5	15	48.4	*	*	39	51.3	737	58.9	12	63.2
Asian/Pacific Islander	*	*	*	*	*	*	*	*	25	2.0	0	0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
20-29	6	13.0	*	*	*	*	*	*	42	3.4	0	0.0 0.0
30-39	14	30.4	11	35.5	*	*	21	27.6	285	22.8	*	*
40-49	16	34.8	9	29.0	7	46.7	32	42.1	476	38.0	*	*
50-59	9	19.6	6	19.4	*	*	16	21.1	309	24.7	7	36.8
60+	*	*	0	0.0	*	*	*	*	126	10.1	*	*
TRANSMISSION RISK								_				
Men who have sex with men	27	58.7	21	67.7	6	40.0	40	52.6	717	57.3	8	42.1
Injection drug use history	*	*	*	*	*	*	7	9.2	177	14.1	6	31.6
Heterosexual	*	*	*	*	*	*	9	11.8	101	8.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	Õ	0.0	11	0.9	0	0.0
Other	Ö	0.0	Õ	0.0	Ö	0.0	Ö	0.0	*	*	Ö	0.0
Unknown	9	19.6	*	*	*	*	20	26.3	243	19.4	*	,
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	502	40.1	*	,
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	750	59.9	16	84.2

Table 1.7.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 200)3		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/2		DEATHS	, 2003
					oncurrent w							
	Total HIV d			it AIDS		agnoses		0.4		0.4		0.4
TOTAL	N 222	% 100.0	N 187	% 84.2	N 35	% 15.8	N 251	% 100.0	5,036	% 100.0	N 110	% 100.0
IOTAL	ZZZ	100.0	107	04.2	33	13.0	231	100.0	3,030	100.0	110	100.0
SEX												
Male	203	91.4	169	90.4	34	97.1	234	93.2	4,567	90.7	92	83.6
Female	19	8.6	18	9.6	*	*	17	6.8	469	9.3	18	16.4
RACE/ETHNICITY												
Black	45	20.3	40	21.4	*	*	61	24.3	1,031	20.5	35	31.8
Hispanic	52	23.4	41	21.9	11	31.4	58	23.1	1,088	21.6	29	26.4
White Asian/Pacific Islander	119	53.6	100	53.5	19 0	54.3 0.0	127	50.6	2,793	55.5	45 *	40.9
Native American	*	*	*	*	0	0.0	0	0.0	73	1.4	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	47	0.9	0	0.0
	U	0.0	U	0.0	U	0.0	U	0.0	47	0.9	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19				*	0	0.0	0	0.0	19	0.4	0	0.0
20-29 30-39	44 90	19.8 40.5	43	23.0	13	27.4	8 91	3.2	220	4.4		445
40-49	90 67	40.5 30.2	77 51	41.2 27.3	16	37.1 45.7	108	36.3 43.0	1,422 2,152	28.2 42.7	16 51	14.5 46.4
50-59	13	5.9	9	4.8	*	43.7 *	31	12.4	947	18.8	27	24.5
60+	*	*	*	*	*	*	13	5.2	268	5.3	12	10.9
							10	0.2	200	0.0	12	10.0
TRANSMISSION RISK												
Men who have sex with men	161	72.5	137	73.3	24	68.6	147	58.6	3,213	63.8	47	42.7
Injection drug use history	16	7.2	14	7.5	*	*	40	15.9	749	14.9	29	26.4
Heterosexual	11	5.0	8	4.3	*	*	14	5.6	255	5.1	11	10.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Other	0 34	0.0 15.3	0 28	0.0	0 6	0.0	0 50	0.0	700	15.0	20	20.0
Unknown	34	15.3	28	15.0	6	17.1	50	19.9	798	15.8	22	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,300	45.7	9	8.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,736	54.3	101	91.8

Table 1.7.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 200	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent with	_						
	Total HIV o	liagnoses	Withou			noses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	87	100.0	73	83.9	14	16.1	108	100.0	1,897	100.0	50	100.0
SEX								_				
Male	75	86.2	63	86.3	12	85.7	94	87.0	1,696	89.4	45	90.0
Female	12	13.8	10	13.7	1 Z *	*	14	13.0	201	10.6	*	30.0 *
ir emale	12	13.0	10	13.7			14	13.0	201	10.0		
RACE/ETHNICITY												
Black	27	31.0	21	28.8	6	42.9	34	31.5	452	23.8	16	32.0
Hispanic	18	20.7	14	19.2	*	*	22	20.4	416	21.9	12	24.0 42.0
White	35	40.2	31	42.5	*	*	49	45.4	979	51.6	21	42.0
Asian/Pacific Islander	7	8.0	7	9.6	0	0.0	*	*	34	1.8	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	14	16.1	14	19.2	0	0.0	*	*	80	4.2	0	0.0 0.0 14.0
30-39	28	32.2	23	31.5	*	*	32	29.6	418	22.0	7	14.0
40-49	29	33.3	22	30.1	7	50.0	55	50.9	742	39.1	26	52.0 20.0
50-59	12	13.8	10	13.7	*	*	14	13.0	480	25.3	10	20.0
60+	*	*	*	*	0	0.0	6	5.6	169	8.9	7	14.0
TRANSMISSION RISK								_		_		
Men who have sex with men	48	55.2	40	54.8	8	57.1	51	47.2	1,036	54.6	21	42.0
Injection drug use history	12	13.8	10	13.7	*	*	20	18.5	397	20.9	21	42.0
Heterosexual	6	6.9	*	*	*	*	8	7.4	114	6.0	*	
Perinatal	Ö	0.0	0	0.0	0	0.0	Õ	0.0	9	0.5	0	0.0
Other	ő	0.0	ŏ	0.0	ő	0.0	Ŏ	0.0	*	*	ŏ	0.0
Unknown	21	24.1	18	24.7	*	*	29	26.9	336	17.7	6	12.0
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	780	41.1	6	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,117	58.9	44	88.0

Table 1.7.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/2		DEATHS	, 2003
	_				Concurrent w	vith AIDS						
	Total HIV o	iagnoses %	Withou N	ıt AIDS %	d. N	iagnoses %	N	%	N	%	N	%
TOTAL	74	100.0	64	86.5	10	13.5		100.0	1,850	100.0	39	100.0
SEX	_							_		_		
Male	68	91.9	58	90.6	10	100.0	82	97.6	1,770	95.7	37	94.9
Female	6	8.1	6	9.4	0	0.0	*	*	80	4.3	*	*
RACE/ETHNICITY	_					_		_		_		
Black	13	17.6	11	17.2	*	*	13	15.5	295	15.9	11	28.2
Hispanic	7	9.5	6	9.4	*	*	13	15.5	302	16.3	*	*
White	51	68.9	44	68.8	7	70.0	57	67.9	1,208	65.3	23	59.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	38	2.1	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	12	16.2	11	17.2	*	*	*	*	79	4.3	0	0.0
30-39	35	47.3	31	48.4	*	*	27	32.1	474	25.6	9	23.1
40-49	18	24.3	16	25.0	*	*	36	42.9	716	38.7	17	43.6
50-59	*	*	*	*	*	*	10	11.9	438	23.7	9	23.1
60+	*	*	0	0.0	*	*	7	8.3	140	7.6	*	*
TRANSMISSION RISK												
Men who have sex with men	54	73.0	48	75.0	6	60.0	52	61.9	1,288	69.6	22	56.4
Injection drug use history	6	8.1	*	*	*	*	9	10.7	229	12.4	11	28.2
Heterosexual	*	*	*	*	0	0.0	*	*	54	2.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
Unknown	11	14.9	9	14.1	*	*	21	25.0	277	15.0	*	*
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	777 1,073	42.0 58.0	* 37	94.9

Table 1.7.9. Union Square - Lower East Side (Manhattan)

	HIV I	DIAGNO	SES, 20	03		AIDS DIAGNOS	ES, 2003			DEATHS	5, 2003
							0/	N.	07	N.I.	0/
104									100.0	70	% 100.0
								,-			
				17	77.3					53	75.7
17	16.3	12	14.6	*	*	32	24.1	564	19.0	17	24.3
									_		
18	17.3	13	15.9	*	*	30		622	20.9	14	20.0
35										34	48.6
	45.2			6	27.3		32.3				28.6 0.0
	*	•		*	*		4.5		2.9	•	0.0
				*	*		*		*		*
0	0.0	0	0.0	0	0.0	0	0.0	20	0.7	*	*
									_		
		0		0			0.0			0	0.0
				0	0.0		*			-	0.0
23		20		*	*						*
39				*	*	45				10	14.3
24				10	45.5					39	55.7
12	11.5	10	12.2	*	*					18	25.7
*	*	*	*	*	*	8	6.0	189	6.4	*	*
				10	45.5	49				19	27.1
				*	*						50.0
				*	*		12.0		9.9		8.6
	0.0				0.0		*		1.3		*
	*	_			*		*			-	0.0
23	22.1	16	19.5		31.8	41	30.8	521	17.5	9	12.9
N/A	N/A	N/A	N/A	N/A			N/A	1,170		10 60	14.3 85.7
	N 104 87 17 18 35 47 * * 0 0 23 39 24 12 * *	Total HIV diagnoses N % 104 100.0 87 887 17 16.3 18 17.3 35 33.7 47 45.2 * * * 0 0.0 0 0.0 * 23 22.1 39 37.5 24 23.1 12 11.5 * 61 58.7 11 10.6 8 7.7 0 0.0 23 22.1 N/A N/A	Total HIV diagnoses N 104 100.0 82 87 83.7 17 16.3 12 18 17.3 35 33.7 28 47 45.2 41 * * * * 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0	Total HIV diagnoses N Without AIDS N % N % N % N % N N % N N N N N N N N	Total HIV diagnoses N without AIDS N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses Without AIDS diagnoses N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses N Without AIDS N Without AIDS N Without AIDS N N Without AIDS N N Without AIDS N N N N N N N N N N N N N N N N N N N	Total HIV diagnoses	Total HIV diagnoses	Total HIV diagnoses N Without AIDS diagnoses N N N N N N N N N N N N N N N N N N

Table 1.7.10. Lower Manhattan (Manhattan)

		HIV I	DIAGNO	SES, 200)3		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	S, 2003
				C	oncurrent w	vith AIDS						
	Total HIV di			it AIDS		iagnoses						
	N	%	N	_%	N	%	N	%	N	%	N	%
TOTAL	28	100.0	21	75.0	7	25.0	17	100.0	372	100.0	11	100.0
CEV										_		
SEX Male	22	02.1	16	76.2	7	100.0	13	76.5	295	79.3	9	81.8
	23	82.1	16	/ O.Z *	0	0.0		70.5	295 77		9	01.0
Female					U	0.0			//	20.7		
RACE/ETHNICITY										_		
Black	10	35.7	9	42.9	*	*	*	*	94	25.3	8	72.7
Hispanic	*	*	*	*	0	0.0	*	*	94	25.3	*	*
White	16	57.1	10	47.6	6	85.7	9	52.9	165	44.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	15	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	Ö	0.0	7	1.9	Ô	0.0
20-29	9	32.1	8	38.1	*	*	*	*	21	5.6	Ô	0.0 0.0
30-39	13	46.4	9	42.9	*	*	11	64.7	125	33.6	*	*
40-49	*	*	*	*	*	*	*	*	144	38.7	7	63.6
50-59	*	*	*	*	0	0.0	*	*	60	16.1	*	*
60+	*	*	0	0.0	*	*	*	*	12	3.2	0	0.0
TRANSMISSION RISK										_		
Men who have sex with men	17	60.7	13	61.9	*	*	8	47.1	172	46.2	0	0.0
Injection drug use history	*	*	*	*	0	0.0	*	**	73	19.6	8	72.7
Heterosexual	*	*	*	*	*	*	*	*	50	13.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	2.2	0	0.0
Other	ő	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	21.4	*	*	*	*	*	*	69	18.5	*	*
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	180	48.4	*	*
AIDS	N/A N/A	N/A	N/A	N/A	N/A	N/A	N/A N/A	N/A	192	51.6	10	90.9

Table 1.8.1. Greenpoint (Brooklyn)

		HIV I	DIAGNO	SES, 20	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent with	_						
	Total HIV			it AIDS		gnoses		0/	N.	0/	N.	0/
TOTAL	N 39	% 100.0	N 30	% 76.9	N 9	% 23.1	N 53	% 100.0	N 856	% 100.0	N 34	% 100.0
IOTAL	33	100.0	30	70.3	<u> </u>	25.1	33	100.0	030	100.0	34	100.0
SEX								_				
Male	30	76.9	24	80.0	6	66.7	37	69.8	615	71.8	27	79.4
Female	9	23.1	6	20.0	*	*	16	30.2	241	28.2	7	20.6
RACE/ETHNICITY												
Black	9	23.1	8	26.7	*	*	12	22.6	176	20.6	12	35.3
Hispanic	16	41.0	10	33.3	6	66.7	27	50.9	448	52.3	16	47.1
White	12	30.8	11	36.7		^	12	22.6	221	25.8	6	17.6 0.0 0.0
Asian/Pacific Islander Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0 0	0.0
Other/unknown	0	0.0	0	0.0	· *	0.U *	0	0.0	*	*	0	0.0
			U	0.0							U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
13-19			*		0	0.0	0	0.0	10	1.2	0	0.0 0.0
20-29 30-39	7	17.9	7	23.3	0	0.0		24.0	60	7.0	0	0.0
40-49	18 9	46.2	13 6	43.3	*	*	18 22	34.0 41.5	261 332	30.5 38.8	18	E2.0
50-59	*	23.1	b	20.0	*	*	6	11.3	332 143	36.6 16.7	10	52.9 32.4
60+	0	0.0	0	0.0	0	0.0	*	11.3	37	4.3	1 I *	32. 4
		0.0	· ·	0.0	· ·	0.0			01	4.0		
TRANSMISSION RISK												
Men who have sex with men	17	43.6	13	43.3	*	*	14	26.4	242	28.3	*	*
Injection drug use history	*	*	*	*	0	0.0	10	18.9	251	29.3	19	55.9
Heterosexual	7	17.9	6	20.0	*	*	*	*	129	15.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0		24.0	0	0.0
Unknown	12	30.8	8	26.7		Î	24	45.3	207	24.2	6	17.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	305	35.6	*	,
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	551	64.4	32	94.1

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV [DIAGNO	SES, 20	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wi							
	Total HIV d		Withou			agnoses	NI.	%	NI.	0/	NI.	0/
TOTAL	N 120	% 100.0	95	% 79.2	N 25	% 20.8	N 149	100.0	N 2,712	% 100.0	N 89	% 100.0
									,			
SEX												
Male .	88	73.3	70	73.7	18	72.0	110	73.8	1,996	73.6	65	73.0
Female	32	26.7	25	26.3	7	28.0	39	26.2	716	26.4	24	27.0
RACE/ETHNICITY										_		
Black	70	58.3	56	58.9	14	56.0	74	49.7	1,208	44.5	44	49.4
Hispanic	25	20.8	17	17.9	8	32.0	41	27.5	754	27.8	32	36.0
White	21	17.5	19	20.0	*	*	31	20.8	715	26.4	13	14.6
Asian/Pacific Islander	^	^		^	^	^	*	*	25	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0		0.0	7	0.0	0	0.0 0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	30	1.1	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	29	1.1	0	0.0
20-29	24	20.0	23	24.2		· · · · · · · · · · · · · · · · · · ·	9	6.0	133	4.9		44.0
30-39 40-49	42 36	35.0	29	30.5	13	52.0	65	43.6	749	27.6	10 37	11.2
40-49 50-59	10	30.0 8.3	31 9	32.6 9.5	*	*	40 27	26.8 18.1	1,021 576	37.6 21.2	37 23	41.6 25.8
60+	*	0.3	9	0.0	*	*	2 <i>1</i> 8	5.4	174	6.4	23 16	25.6 18.0
00+			U	0.0			0	5.4	174	0.4	10	10.0
TRANSMISSION RISK												
Men who have sex with men	58	48.3	48	50.5	10	40.0	51	34.2	981	36.2	11	12.4
Injection drug use history		*			*	*	28	18.8	687	25.3	44	49.4
Heterosexual	22	18.3	17	17.9	^	^	21	14.1	392	14.5	13	14.6
Perinatal Other		^ ^		0.0	0	0.0	0	0.0	58	2.1	0 0	0.0
Unknown	0 34	0.0 28.3	0 26	27.4	0 8	32.0	48	0.0 32.2	591	21.8	21	0.0 23.6
Olikilowii	34	20.3	20	21.4	0	32.0	40	32.2	291	21.0	۷1	23.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,063	39.2	11	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,649	60.8	78	87.6

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 200)3		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/2		DEATHS	5, 2003
					oncurrent w							
	Total HIV d			it AIDS		agnoses						
	N	%	N	_ %	N	%	N	%	N	%	N	%
TOTAL	344	100.0	255	74.1	89	25.9	392	100.0	5,602	100.0	233	100.0
SEX								_				
Male	196	57.0	145	56.9	51	57.3	236	60.2	3,341	59.6	150	64.4
Female	148	43.0	143	43.1	38	42.7	236 156	39.8	2,261	40.4	83	35.6
remale	140	43.0	110	43.1	30	42.1	130	39.0	2,201	40.4	03	33.0
RACE/ETHNICITY												
Black	303	88.1	221	86.7	82	92.1	331	84.4	4,634	82.7	190	81.5
Hispanic	27	7.8	21	8.2	6	6.7	47	12.0	691	12.3	35	15.0
White	11	3.2	10	3.9	*	*	12	3.1	247	4.4	8	3.4 0.0 0.0
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	15	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	13	0.2	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	*	*	*	*	0	0.0	0	0.0	114	2.0	*	*
13-19	11	3.2	10	3.9	*	*	8	2.0	101	1.8	0	0.0
20-29	65	18.9	52	20.4	13	14.6	39	9.9	415	7.4	10	4.3 15.9
30-39	95	27.6	74	29.0	21	23.6	117	29.8	1,407	25.1	37	15.9
40-49	105	30.5	75	29.4	30	33.7	138	35.2	2,125	37.9	89	38.2
50-59	50	14.5	35	13.7	15	16.9	64	16.3	1,109	19.8	61	38.2 26.2
60+	16	4.7	7	2.7	9	10.1	26	6.6	331	5.9	35	15.0
TRANSMISSION BIOK												
TRANSMISSION RISK Men who have sex with men	69	20.1	55	21.6	14	15.7	70	19.9	950	17.0	10	F 2
	44	12.8	33	12.9	14	12.4	78 54	13.8		25.5	12 93	5.2 39.9
Injection drug use history	71		56				66	16.8	1,429		93 35	39.9 15.0
Heterosexual Perinatal	/ T	20.6	90 *	22.0	15	16.9 0.0	800	10.8	1,224	21.8 3.4	35 *	15.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	192 15	0.3	*	*
Unknown	158	45.9	109	42.7	49	55.1	189	48.2	1,792	32.0	91	39.1
	156	45.9	109	42.1	49	55.1	109	40.2	1,792	32.0	91	39.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,202	39.3	20	8.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,400	60.7	213	91.4

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent with	_						
	Total HIV o			it AIDS		noses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	132	100.0	93	70.5	39	29.5	146	100.0	2,290	100.0	83	100.0
SEX								_				
Male	68	51.5	48	51.6	20	51.3	87	59.6	1,220	53.3	51	61.4
Female	64	48.5	45	48.4	19	48.7	59	40.4	1,070	46.7	32	38.6
i emale	04	40.5	40	40.4	19	40.7	39	40.4	1,070	40.7	32	30.0
RACE/ETHNICITY										_		
Black	96	72.7	68	73.1	28	71.8	107	73.3	1,461	63.8	52	62.7
Hispanic	32	24.2	22	23.7	10	25.6	31	21.2	726	31.7	26	31.3
White	*	*	*	*	*	*	6	4.1	81	3.5	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	12	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	56	2.4	0	0.0
13-19	7	5.3	7	7.5	0	0.0	*	*	47	2.1	*	*
20-29	22	16.7	15	16.1	7	17.9	16	11.0	192	8.4	*	*
30-39	38	28.8	29	31.2	9	23.1	46	31.5	587	25.6	14	16.9
40-49	34	25.8	24	25.8	10	25.6	42	28.8	867	37.9	39	47.0
50-59	27	20.5	15	16.1	12	30.8	31	21.2	418	18.3	18	21.7
60+	*	*	*	*	*	*	7	4.8	123	5.4	8	9.6
TRANSMISSION RISK								_		_		
Men who have sex with men	18	13.6	14	15.1	*	*	15	10.3	245	10.7	*	*
Injection drug use history	18	13.6	12	12.9	6	15.4	31	21.2	621	27.1	39	47.0
Heterosexual	26	19.7	18	19.4	8	20.5	30	20.5	567	24.8	16	19.3
Perinatal	0	0.0	0	0.0	0	0.0	*	*	91	4.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	*	*
Unknown	70	53.0	49	52.7	21	53.8	67	45.9	760	33.2	21	25.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	934	40.8	11	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,356	59.2	72	86.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY Table 1.8.5. Sunset Park (Brooklyn)

		HIV I	DIAGNO	SES, 20	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS,	2003
				C	Concurrent wi	ith AIDS						
	Total HIV o	liagnoses	Withou	it AIDS	dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	26	100.0	17	65.4	9	34.6	43	100.0	687	100.0	20	100.0
0.EV												
SEX	- 04	00.0		00.4		77.0	00	74.4	400	00.0	4.4	70.0
Male	21	80.8	14	82.4	/	77.8	32	74.4	469	68.3	14	70.0
Female	*	•	•	^	^	Ŷ	11	25.6	218	31.7	6	30.0
RACE/ETHNICITY	_							_		_		
Black	*	*	*	*	*	*	*	*	92	13.4	*	
Hispanic	17	65.4	10	58.8	7	77.8	31	72.1	436	63.5	16	80.0
White	*	*	*	*	0	0.0	9	20.9	137	19.9	*	
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	20	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
AGE GROUP (YEARS)	_							_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	1.2	0	0.0
13-19	*	*	0	0.0	*	*	*	*	16	2.3	0	0.0
20-29	*	*	*	*	0	0.0	*	*	43	6.3	0	0.0
30-39	8	30.8	*	*	*	*	16	37.2	192	27.9	*	
40-49	*	*	*	*	*	*	11	25.6	253	36.8	9	45.0
50-59	*	*	*	*	*	*	7	16.3	137	19.9	6	45.0 30.0
60+	*	*	*	*	0	0.0	*	*	38	5.5	*	
TRANSMISSION RISK	_							_		_		
Men who have sex with men	11	42.3	10	58.8	*	*	10	23.3	152	22.1	*	
Injection drug use history	*	*	*	*	0	0.0	11	25.6	244	35.5	10	50.0
Heterosexual	*	*	*	*	*	*	12	27.9	145	21.1	*	50.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	Z.0 *	0	0.0
Unknown	8	30.8	*	*	6	66.7	10	23.3	124	18.0	*	0.0
Olikilowii	0	30.0			0	00.7	10	۷۵.۵	124	10.0		
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	265	38.6	*	
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	422	61.4	17	85.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY Table 1.8.6. Borough Park (Brooklyn)

		HIV I	DIAGNO	SES, 20			AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
	-		1400		Concurrent witi	_						
	Total HIV d N	agnoses %	withou N	it AIDS %	alag N	gnoses %	N	%	N	%	N	%
TOTAL	43	100.0	25	58.1	18	41.9	51	100.0	850	100.0	24	100.0
SEX												
Male	33	76.7	18	72.0	15	83.3	37	72.5	577	67.9	22	91.7
Female	10	23.3	7	28.0	Î	^	14	27.5	273	32.1	•	*
RACE/ETHNICITY												
Black	16	37.2	8	32.0	8	44.4	21	41.2	264	31.1	9	37.5
Hispanic	11	25.6	6	24.0	*	*	13	25.5	282	33.2	*	*
White	13	30.2	11	44.0	*	*	13	25.5	278	32.7	12	50.0
Asian/Pacific Islander	"	*	0	0.0	*	*	*	*	24	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	•	^	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	17	2.0	0	0.0
20-29	9	20.9	7	28.0	*	*	6	11.8	48	5.6	*	*
30-39	11	25.6	7	28.0	*	*	9	17.6	208	24.5		*
40-49	16	37.2	8	32.0	8	44.4	20	39.2	329	38.7	8	33.3
50-59	6	14.0		ĵ.	^	0.0	13	25.5	193	22.7	9	37.5
60+	•	Ŷ	Î	Î	0	0.0	r		48	5.6	•	^
TRANSMISSION RISK												
Men who have sex with men	14	32.6	9	36.0	*	*	14	27.5	208	24.5	6	25.0
Injection drug use history	6	14.0	*	*	*	*	*	*	237	27.9	10	41.7
Heterosexual	11	25.6	6	24.0	*	*	14	27.5	196	23.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0		*	0	0.0
Unknown	12	27.9	6	24.0	6	33.3	19	37.3	184	21.6	6	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	317	37.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	533	62.7	22	91.7

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/2		DEATHS	, 2003
				C	Concurrent w							
	Total HIV d			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	218	100.0	142	65.1	76	34.9	216	100.0	3,502	100.0	96	100.0
SEX								_				
Male	138	63.3	87	61.3	51	67.1	124	57.4	2,090	59.7	60	62.5
Female	80	36.7	55	38.7	25	32.9	92	42.6	1,412	40.3	36	37.5
i dilaid	00	50.7	55	50.7	20	02.0	02	72.0	1,412	+0.5	30	57.5
RACE/ETHNICITY						_						
Black	194	89.0	124	87.3	70	92.1	183	84.7	2,963	84.6	76	79.2
Hispanic	14	6.4	10	7.0	*	*	22	10.2	356	10.2	12	12.5 6.3
White	9	4.1	8	5.6	*	*	7	3.2	146	4.2	6	6.3
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	23	0.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	13	0.4	*	*
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	70	2.0	*	*
13-19	13	6.0	13	9.2	Õ	0.0	*	*	74	2.1	*	*
20-29	41	18.8	33	23.2	8	10.5	24	11.1	293	8.4	*	*
30-39	73	33.5	51	35.9	22	28.9	67	31.0	917	26.2	21	21.9
40-49	56	25.7	24	16.9	32	42.1	78	36.1	1,292	36.9	34	35.4
50-59	24	11.0	14	9.9	10	13.2	28	13.0	654	18.7	21	21.9
60+	11	5.0	7	4.9	*	*	14	6.5	202	5.8	15	15.6
TRANSMISSION RISK		00.4				45.0	40	10.1	0.17	47.0		10.5
Men who have sex with men	51	23.4	39	27.5	12	15.8	42	19.4	617	17.6	13	13.5
Injection drug use history	15	6.9	8	5.6	7	9.2	22	10.2	552	15.8	19	19.8
Heterosexual	43	19.7	30	21.1	13	17.1	46	21.3	899	25.7	17	17.7
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0	117 21	3.3	*	*
Unknown	109	50.0	65	0.0 45.8	44	0.0 57.9	103	0.0 47.7	1,296	0.6 37.0	43	44.8
OTIKITOWIT	109	50.0	05	45.0	44	57.9	103	41.1	1,290	37.0	43	44.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,325	37.8	10	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,177	62.2	86	89.6

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV [DIAGNO	SES, 200)3		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/2		DEATHS	6, 2003
				С	oncurrent w	ith AIDS						
	Total HIV d			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	70	100.0	49	70.0	21	30.0	61	100.0	979	100.0	33	100.0
CEV												
SEX Male	37	52.9	23	46.9	14	66.7	34	55.7	524	53.5	23	69.7
	33	52.9 47.1	23 26	53.1	7	33.3	3 4 27	44.3	455	46.5	23 10	30.3
Female	33	47.1	26	55.1	/	33.3	21	44.3	400	46.5	10	30.3
RACE/ETHNICITY												
Black	60	85.7	44	89.8	16	76.2	47	77.0	708	72.3	23	69.7
Hispanic	*	*	*	*	*	*	7	11.5	125	12.8	*	*
White	*	*	*	*	*	*	6	9.8	133	13.6	8	24.2
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	8	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	28	2.9	0	0.0
13-19	*	*	*	*	0	0.0	Ö	0.0	21	2.1	Ô	0.0
20-29	19	27.1	18	36.7	*	*	7	11.5	86	8.8	Ö	0.0 0.0 21.2
30-39	17	24.3	12	24.5	*	*	19	31.1	245	25.0	7	21.2
40-49	22	31.4	15	30.6	7	33.3	21	34.4	375	38.3	12	36.4
50-59	9	12.9	*	*	6	28.6	10	16.4	171	17.5	*	*
60+	*	*	0	0.0	*	*	*	*	53	5.4	9	27.3
TRANSMISSION RISK												
Men who have sex with men	12	17.1	10	20.4	*	*	11	18.0	126	12.9	0	0.0
Injection drug use history	I∠ *	17.1	0	0.0	*	*	6	9.8	177	18.1	14	0.0 42.4
Heterosexual	20	28.6	11	22.4	9	42.9	23	37.7	292	29.8	6	18.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	43	4.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	*	*
Unknown	36	51.4	28	57.1	8	38.1	21	34.4	335	34.2	11	33.3
		U 1. T				00.1	۷.	J 1T	- 555	0 1.2		00.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	439	44.8	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	540	55.2	29	87.9

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV I	DIAGNO	SES, 200	03		AIDS DIAGNOSES, 2	003	PLWHA AS 12/31/20		DEATHS	, 2003
					Concurrent with A	IDS						
	Total HIV o			it AIDS %	diagno	ses %	N	%	N	%	N	0/
TOTAL	N 16	% 100.0	N 14	87.5	N *	%		% 00.0		100.0	17	% 100.0
OFW.												
SEX	44	00.0	40	74.4	*	*	4.5	74.4	00.4	74.4	40	70.5
Male Female	11	68.8	10	71.4	*	*		71.4 28.6		71.1 28.9	13 *	76.5 *
RACE/ETHNICITY										_		
Black	*	*	*	*		0.0	*	*	59	12.6	*	*
Hispanic	7	43.8	*	*	*	*		28.6		27.2	*	*
White	*	*	*	*		0.0		57.1	266	56.6	9	52.9
Asian/Pacific Islander	0	0.0	0	0.0		0.0	*	*	16	3.4	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0		0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0		0.0	0	0.0		*	0	0.0
13-19	*	*	*	*		0.0	0	0.0	6	1.3	0	0.0
20-29	*	*	*	*		0.0	*	*	32	6.8	*	*
30-39	*	*	*	*	0	0.0		33.3		25.1	*	
40-49	*	*	*	*	*	*	8	38.1	184	39.1	12	70.6
50-59	,		^			0.0		^	100	21.3		
60+	0	0.0	0	0.0	0	0.0	0	0.0	28	6.0	0	0.0
TRANSMISSION RISK										_		
Men who have sex with men	*	*	*	*		0.0		38.1	150	31.9	*	*
Injection drug use history	*	*	*	*	*	*	7	33.3		30.4	9	52.9
Heterosexual	*	*	*	*		0.0	*	*	85	18.1	*	*
Perinatal	0	0.0	0	0.0		0.0	0	0.0	6	1.3	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0		*	*	
Unknown	6	37.5	6	42.9	0	0.0	*	*	84	17.9	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A I	N/A N/A	N/A	N/A		41.7	* 15	*
AIDS	N/A	N/A	N/A	N/A	N/A I	N/A	N/A	N/A	274	58.3	15	88.2

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV [DIAGNO	SES, 20	03		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wi							
	Total HIV di N	iagnoses %	Withou N	it AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	51	100.0	36	70.6	15	29.4	66	100.0	995	100.0	43	100.0
SEX												
Male	31	60.8	23	63.9	8	53.3	42	63.6	592	59.5	27	62.8
Female	20	39.2	13	36.1	7	46.7	24	36.4	403	40.5	16	37.2
RACE/ETHNICITY												
Black	24	47.1	19	52.8	*	*	28	42.4	385	38.7	17	39.5
Hispanic	17	33.3	12	33.3	*	*	17	25.8	327	32.9	13	30.2 27.9 0.0 0.0
White State of the	9	17.6	*	*	*	*	17	25.8	262	26.3	12	27.9
Asian/Pacific Islander					0	0.0	*		20	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	Î	Î	•	î
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	1.7	0	0.0
13-19			*	*	0	0.0	0	0.0	18	1.8	0	0.0
20-29	13	25.5	12	33.3	*	*	7	10.6	83	8.3	*	*
30-39 40-49	13	25.5	8	22.2	^ *	Ĵ	18	27.3	256	25.7		440
40-49 50-59	14 8	27.5	10	27.8	*	*	23 15	34.8	371 187	37.3	19 17	44.2 39.5
60+	O *	15.7	0	0.0	*	*	10	22.7	63	18.8 6.3	1 <i>/</i>	39.5
00+			U	0.0					03	0.3		
TRANSMISSION RISK												
Men who have sex with men	10	19.6	*	*	*	*	16	24.2	171	17.2	*	*
Injection drug use history	7	13.7		*	*		15	22.7	295	29.6	21	48.8
Heterosexual	14	27.5	11	30.6	^	^	14	21.2	246	24.7	8	18.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.8	0	0.0
Other Unknown	0 20	0.0 39.2	0 15	0.0 41.7	0	0.0	20	30.3	8 247	0.8 24.8	9	20.9
Olikilowii	20	39.2	15	41.7			20	30.3	241	24.8	Э	20.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	367	36.9	6	14.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	628	63.1	37	86.0

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/2		DEATHS	6, 2003
					Concurrent wi							
	Total HIV d	iagnoses		it AIDS		agnoses						
TOTAL	N 150	% 100.0	N 116	% 77.3	N 34	% 22.7	N 197	400.0	N 2 402	% 100.0	N 113	% 100.0
IOTAL	150	100.0	110	11.3	34	22.1	197	100.0	3,193	100.0	113	100.0
SEX								_				
Male	86	57.3	62	53.4	24	70.6	131	66.5	1,913	59.9	75	66.4
Female	64	42.7	54	46.6	10	29.4	66	33.5	1,280	40.1	38	33.6
i omalo	01	12.7	0.	10.0	10	20.1	00	00.0	1,200	10.1	00	00.0
RACE/ETHNICITY										_		
Black	103	68.7	82	70.7	21	61.8	123	62.4	1,721	53.9	65	57.5
Hispanic	45	30.0	33	28.4	12	35.3	65	33.0	1,325	41.5	44	38.9
White	*	*	*	*	*	*	9	4.6	128	4.0	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
AGE GROUP (YEARS)								_				
0-12	*	*	*	*	0	0.0	0	0.0	57	1.8	0	0.0
13-19	*	*	*	*	*	*	*	*	57	1.8	Ō	0.0
20-29	19	12.7	14	12.1	*	*	19	9.6	200	6.3	6	0.0 5.3
30-39	57	38.0	49	42.2	8	23.5	67	34.0	817	25.6	19	16.8
40-49	47	31.3	34	29.3	13	38.2	75	38.1	1,276	40.0	51	45.1
50-59	17	11.3	10	8.6	7	20.6	27	13.7	623	19.5	22	19.5
60+	*	*	*	*	0	0.0	7	3.6	163	5.1	15	13.3
TRANSMISSION RISK								_		_		_
Men who have sex with men	23	15.3	19	16.4	*	*	31	15.7	406	12.7	12	10.6
Injection drug use history	18	12.0	16	13.8	*	*	38	19.3	1,048	32.8	62	54.9
Heterosexual	26	17.3	21	18.1	*	*	34	17.3	633	19.8	9	8.0
Perinatal	*	*	*	*	0	0.0	0	0.0	99	3.1	0	0.0
Other	0	0.0	0	0.0	ő	0.0	ŏ	0.0	9	0.3	ŏ	0.0
Unknown	79	52.7	56	48.3	23	67.6	94	47.7	998	31.3	30	26.5
CLINICAL STATUS								-				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,244	39.0	17	15.0
AIDS '	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,949	61.0	96	85.0

Table 1.9.1. Kingsbridge - Riverdale (Bronx)

		HIV I	DIAGNO	SES, 200	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent wit							
	Total HIV o			ıt AIDS		gnoses						
TOTAL	N 23	% 100.0	N 15	% 65.2	N 8	% 34.8	N 29	% 100.0	N 451	% 100.0	N 14	% 100.0
IOTAL	23	100.0	15	03.2	•	34.0	29	100.0	401	100.0	14	100.0
SEX	_							_				
Male	14	60.9	10	66.7	*	*	18	62.1	298	66.1	8	57.1
Female	9	39.1	*	*	*	*	11	37.9	153	33.9	6	42.9
RACE/ETHNICITY								_				
Black	6	26.1	*	*	*	*	8	27.6	150	33.3	7	50.0
Hispanic	13	56.5	7	46.7	6	75.0	17	58.6	205	45.5	*	*
White (Day)	*	*	*	*	*	*	*	*	89	19.7	*	*
Asian/Pacific Islander			^		0	0.0	0	0.0	6	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	Î	Î	0	0.0
AGE GROUP (YEARS)							_					
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	1.8	0	0.0
13-19	0	0.0	0	0.0	0	0.0			7	1.6	0	0.0 0.0
20-29			*	*	0	0.0	0	0.0	30	6.7	0	0.0
30-39	6	26.1		^	^ *	,	13	44.8	96	21.3		40.0
40-49 50-59	*	*	*	*	*	*	8	27.6	171	37.9	6	42.9
60+	*	*	*	*	*	*	*	*	110 29	24.4 6.4	*	*
00+									29	0.4		
TRANSMISSION RISK										_		
Men who have sex with men	*	*	*	*	*	*	7	24.1	111	24.6	0	0.0
Injection drug use history	*	*	*	*	*	*	*	*	120	26.6	10	71.4
Heterosexual	8	34.8	*	*	*	*	6	20.7	79	17.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	15	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0		*	0	0.0
Unknown	7	30.4		*	*	*	10	34.5	124	27.5	*	•
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	181	40.1	*	70.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	270	59.9	11	78.6

Table 1.9.2. Northeast Bronx (Bronx)

		HIV I	DIAGNO	SES, 200	03		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
				С	Concurrent w	ith AIDS						
	Total HIV d			it AIDS		agnoses						
TOTAL	N 85	400.0	N 64	% 75.3	N 21	% 24.7	N 93	%	N 1,384	% 100.0	N 27	% 100.0
TOTAL	85	100.0	64	75.3	21	24.7	93	100.0	1,384	100.0	21	100.0
SEX								_				
Male	52	61.2	38	59.4	14	66.7	51	54.8	774	55.9	17	63.0
Female	33	38.8	26	40.6	7	33.3	42	45.2	610	44.1	10	37.0
. 6		00.0			·	00.0			0.0			00
RACE/ETHNICITY												
Black	67	78.8	54	84.4	13	61.9	63	67.7	886	64.0	15	55.6
Hispanic	13	15.3	8	12.5	*	*	24	25.8	379	27.4	10	37.0
White (Day)	*	*	*	*	*	*	6	6.5	108	7.8	*	*
Asian/Pacific Islander	*		*	*	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	Ŷ	^ ^	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	27	2.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	34	2.5	0	0.0
20-29	24	28.2	20	31.3	*	*	10	10.8	112	8.1	*	*
30-39	24	28.2	17	26.6	7	33.3	33	35.5	349	25.2	*	*
40-49	23	27.1	15	23.4	8	38.1	35	37.6	532	38.4	12	44.4
50-59	6	7.1	*	*	*	*	10	10.8	257	18.6	7	25.9
60+	*	*	*	*	*	*	*	*	73	5.3	*	*
TO A NOMICCION DIOX										_		
TRANSMISSION RISK Men who have sex with men	1.1	16.5	10	15.6	*	*	11	11.0	194	140	*	*
Injection drug use history	14	16.5	10	15.6	*	*	11 20	11.8 21.5	309	14.0 22.3	9	33.3
Heterosexual	22	25.9	20	31.3	*	*	18	19.4	319	23.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	53	3.8	*	*
Other	ő	0.0	ő	0.0	ő	0.0	0	0.0	*	*	0	0.0
Unknown	46	54.1	33	51.6	13	61.9	42	45.2	506	36.6	12	44.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	610	44.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	774	55.9	23	85.2

Table 1.9.3. Fordham - Bronx Park (Bronx)

		HIV [DIAGNO	SES, 200	03		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					concurrent w							
	Total HIV d			it AIDS	dia N	agnoses	N1	0/	N.	07	N.I.	0/
TOTAL	N 201	% 100.0	N 157	% 78.1	1N 44	% 21.9	N 216	% 100.0	N 3,566	% 100.0	N 114	% 100.0
		10010							-,,,,,			
SEX												
Male	115	57.2	93	59.2	22	50.0	131	60.6	2,211	62.0	73	64.0
Female	86	42.8	64	40.8	22	50.0	85	39.4	1,355	38.0	41	36.0
RACE/ETHNICITY												
Black	89	44.3	67	42.7	22	50.0	92	42.6	1,414	39.7	39	34.2
Hispanic	91	45.3	75	47.8	16	36.4	109	50.5	1,925	54.0	67	58.8
White (Day)	19	9.5	14	8.9	*	*	13	6.0	200	5.6	8	7.0 0.0 0.0
Asian/Pacific Islander	*	*		^	0	0.0	0	0.0	18	0.5	0	0.0
Native American			0	0.0	^	0.0	^	2.0	Ŷ	^ ^	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	70	2.0	*	*
13-19	8	4.0	7	4.5	*			*	57	1.6	0	0.0
20-29 30-39	45 66	22.4 32.8	38 53	24.2 33.8	/	15.9	29 77	13.4 35.6	296	8.3		24.0
40-49	51	32.8 25.4	39	33.8 24.8	13 12	29.5 27.3	77 78	36.1	975 1,407	27.3 39.5	25 38	21.9 33.3
50-59	22	10.9	16	10.2	6	13.6	76 21	9.7	620	17.4	36 34	29.8
60+	*	*	*	*	*	*	6	2.8	141	4.0	13	11.4
							· ·	2.0		1.0	10	
TRANSMISSION RISK												
Men who have sex with men	36	17.9	32	20.4	*	*	29	13.4	578	16.2	_9	7.9 48.2
Injection drug use history	25	12.4	23	14.6		~	43	19.9	1,038	29.1	55	48.2
Heterosexual	48	23.9	36	22.9	12	27.3	51	23.6	760	21.3	16	14.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	120 7	3.4 0.2	*	*
Unknown	88	43.8	64	40.8	24	54.5	90	41.7	1,063	29.8	31	27.2
		70.0	- 0-	70.0	27	5- .5	30	71.7	1,003	23.0	01	۷۱.۷
CLINICAL STATUS												
HIV (non-AIDS)	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,532 2.034	43.0 57.0	19 95	16.7 83.3
AIDS	IN/A	IN/A	IV/A	IN/A	IN/A	IN/A	IN/A	N/A	2,034	57.0	95	გე.ქ

Table 1.9.4. Pelham - Throgs Neck (Bronx)

		HIV [DIAGNO	SES, 200	03		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/2		DEATHS	5, 2003
				С	concurrent wi	ith AIDS						
	Total HIV d			ıt AIDS	dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	151	100.0	119	78.8	32	21.2	207	100.0	3,046	100.0	87	100.0
OFY												
SEX Male	02	64.6	71	E0.7	22	60.0	104	50 O	1 710	E7 1	40	EE O
	93 58	61.6	71 48	59.7	22 10	68.8	124	59.9	1,749	57.4	48 39	55.2 44.8
Female	58	38.4	48	40.3	10	31.3	83	40.1	1,297	42.6	39	44.8
RACE/ETHNICITY						_		_		_		
Black	69	45.7	54	45.4	15	46.9	78	37.7	1,204	39.5	33	37.9
Hispanic	69	45.7	55	46.2	14	43.8	106	51.2	1,553	51.0	40	46.0
White	10	6.6	8	6.7	*	*	21	10.1	267	8.8	14	16.1
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	16	0.5	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_				
0-12	*	*	*	*	0	0.0	0	0.0	59	1.9	0	0.0
13-19	11	7.3	9	7.6	*	*	*	*	78	2.6	Ô	0.0
20-29	32	21.2	28	23.5	*	*	23	11.1	206	6.8	*	*
30-39	46	30.5	37	31.1	9	28.1	58	28.0	765	25.1	15	17.2
40-49	36	23.8	28	23.5	8	25.0	69	33.3	1,219	40.0	34	39.1
50-59	20	13.2	13	10.9	7	21.9	42	20.3	579	19.0	25	28.7
60+	*	*	*	*	*	*	12	5.8	140	4.6	10	11.5
TRANSMISSION RISK												
Men who have sex with men	41	27.2	32	26.9	9	28.1	33	15.9	428	14.1	*	*
Injection drug use history	17	11.3	14	11.8	*	*	49	23.7	922	30.3	43	49.4
Heterosexual	28	18.5	19	16.0	9	28.1	47	22.7	673	22.1	15	17.2
Perinatal	*	*	*	*	0	0.0	*	*	126	4.1	0	0.0
Other	*	*	*	*	0	0.0	0	0.0	14	0.5	0	0.0
Unknown	62	41.1	51	42.9	11	34.4	77	37.2	883	29.0	24	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,281	42.1	13	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,765	57.9	74	85.1

Table 1.9.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 200)3		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/2		DEATHS	, 2003
				C	oncurrent w	ith AIDS						
	Total HIV d			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	209	100.0	171	81.8	38	18.2	250	100.0	4,094	100.0	138	100.0
SEX								_				
Male	121	57.9	94	55.0	27	71.1	145	58.0	2,376	58.0	93	67.4
Female	88	57.9 42.1	94 77	45.0	11	28.9	105	42.0	2,376 1,718	42.0	93 45	32.6
remale	00	42.1	//	45.0	- 11	26.9	105	42.0	1,710	42.0	45	32.0
RACE/ETHNICITY						_						
Black	117	56.0	92	53.8	25	65.8	142	56.8	1,863	45.5	60	43.5
Hispanic	89	42.6	77	45.0	12	31.6	99	39.6	2,092	51.1	68	49.3
White	*	*	*	*	*	*	8	3.2	124	3.0	7	5.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
AGE GROUP (YEARS)						_		_				
0-12	*	*	*	*	*	*	*	*	93	2.3	*	*
13-19	*	*	*	*	0	0.0	*	*	74	1.8	0	0.0
20-29	38	18.2	37	21.6	*	*	24	9.6	279	6.8	*	*
30-39	63	30.1	52	30.4	11	28.9	66	26.4	1,060	25.9	26	18.8
40-49	60	28.7	47	27.5	13	34.2	105	42.0	1,566	38.3	61	44.2
50-59	27	12.9	19	11.1	8	21.1	40	16.0	782	19.1	32	23.2
60+	13	6.2	9	5.3	*	*	12	4.8	240	5.9	15	10.9
TRANSMISSION RISK						_		_		_		
Men who have sex with men	28	13.4	25	14.6	*	*	23	9.2	446	10.9	12	8.7
Injection drug use history	31	14.8	23	13.5	8	21.1	48	19.2	1,398	34.1	64	46.4
Heterosexual	53	25.4	48	28.1	*	*	53	21.2	829	20.2	25	18.1
Perinatal	*	*	*	*	*	*	*	*	158	3.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	*	*
Unknown	94	45.0	73	42.7	21	55.3	122	48.8	1,251	30.6	35	25.4
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,673	40.9	15	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,421	59.1	123	89.1

Table 1.9.6. High Bridge - Morrisania (Bronx)

		HIV [DIAGNO	SES, 200	03		AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent w							
	Total HIV d		Withou			agnoses	N	0/	N.	0/	N.I.	0/
TOTAL	N 229	% 100.0	N 167	% 72.9	N 62	% 27.1	N 272	% 100.0	N 4,351	% 100.0	N 160	% 100.0
I OTAL	220	100.0		7 2.0	02		212	100.0	4,001	100.0	100	100.0
SEX												
Male	136	59.4	95	56.9	41	66.1	147	54.0	2,543	58.4	95	59.4
Female	93	40.6	72	43.1	21	33.9	125	46.0	1,808	41.6	65	40.6
RACE/ETHNICITY												
Black	153	66.8	112	67.1	41	66.1	154	56.6	2,292	52.7	90	56.3
Hispanic White	71	31.0	53	31.7	18	29.0	105 12	38.6 4.4	1,921 114	44.2 2.6	67	41.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1 Z *	4.4 *	15	0.3	0	0.0
Native American	Ö	0.0	ő	0.0	ŏ	0.0	0	0.0	*	*	ő	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	Ö	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	94	2.2	0	0.0
13-19	8	3.5	7	4.2	*	*	.7	2.6	75	1.7	0	0.0
20-29 30-39	47	20.5	40	24.0	7	11.3	17	6.3	337	7.7		40.0
40-49	71 65	31.0 28.4	51 47	30.5 28.1	20 18	32.3 29.0	89 90	32.7 33.1	1,128 1,627	25.9 37.4	30 57	18.8 35.6
50-59	22	9.6	13	7.8	9	14.5	44	16.2	840	19.3	57 52	32.5
60+	14	6.1	7	4.2	7	11.3	24	8.8	250	5.7	17	10.6
TRANSMISSION RISK						_		_		_		
Men who have sex with men	34	14.8	24	14.4	10	16.1	34	12.5	533	12.3	11	6.9
Injection drug use history	21	9.2	16	9.6	*	*	58	21.3	1,364	31.3	69	43.1
Heterosexual	53	23.1	40	24.0	13	21.0	68	25.0	924	21.2	26	16.3
Perinatal	*	*	*	^	0	0.0	*	*	158	3.6	0	0.0
Other Unknown	0 119	0.0 52.0	0 85	0.0 50.9	0 34	0.0 54.8	107	39.3	11 1,361	0.3 31.3	0 54	0.0 33.8
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,763	40.5	24	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,588	59.5	136	85.0

Table 1.9.7. Hunts Point - Mott Haven (Bronx)

		HIV I	DIAGNO	SES, 20	03		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent w							
	Total HIV o			it AIDS		agnoses		2.		0.4		0.4
TOTAL	N 147	% 100.0	N 120	% 81.6	N 27	% 49.4	N 157	% 100.0	N 2,753	% 100.0	N 105	% 100.0
IOTAL	147	100.0	120	01.0	21	18.4	197	100.0	2,755	100.0	105	100.0
SEX	_							_				
Male	94	63.9	78	65.0	16	59.3	98	62.4	1,685	61.2	66	62.9
Female	53	36.1	42	35.0	11	40.7	59	37.6	1,068	38.8	39	37.1
RACE/ETHNICITY												
Black	54	36.7	44	36.7	10	37.0	58	36.9	961	34.9	37	35.2
Hispanic	92	62.6	75	62.5	17	63.0	96	61.1	1,702	61.8	66 *	62.9
White Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	76 *	2.8		^
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0 0	0.0 0.0
Other/unknown	0	0.0 0.0	0	0.0	0	0.0	0 0	0.0 0.0	7	0.3	0	0.0
Outon and the	· ·	0.0	O .	0.0	Ŭ	0.0	O	0.0	,	0.5	O	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	62	2.3	0	0.0
13-19	*	*	*	*	*	*	*	*	49	1.8	*	*
20-29	31	21.1	28	23.3	*	*	10	6.4	171	6.2	6	5.7
30-39	42	28.6	36	30.0	6	22.2	50	31.8	711	25.8	14	13.3
40-49 50-59	43 21	29.3 14.3	34 15	28.3 12.5	9	33.3 22.2	56 32	35.7 20.4	1,075 549	39.0 19.9	43 32	41.0 30.5
60+	∠ I *	14.3	*	12.5	*	ZZ.Z *	32 *	20.4 *	136	4.9	32 9	8.6
00+									130	7.3	3	0.0
TRANSMISSION RISK												
Men who have sex with men	20	13.6	18	15.0	*	*	15	9.6	281	10.2	*	*
Injection drug use history	37	25.2	30	25.0	7	25.9	52	33.1	1,030	37.4	50	47.6
Heterosexual	32	21.8	27	22.5	*	*	31	19.7	569	20.7	11	10.5
Perinatal		*			0	0.0		*	114	4.1	0	0.0
Other Unknown	0 57	0.0 38.8	0 44	0.0 36.7	0 13	0.0 48.1	0 56	0.0 35.7	14 745	0.5 27.1	0 41	0.0 39.0
Olikilowii	57	30.8	44	30.7	13	40.1	90	35.7	745	21.1	41	39.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	1,134	41.2	15	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,619	58.8	90	85.7

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 200)3		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
				С	oncurrent wi	ith AIDS						
	Total HIV di			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	79	100.0	61	77.2	18	22.8	79	100.0	1,401	100.0	30	100.0
SEX						_		_		_		
Male	66	83.5	50	82.0	16	88.9	59	74.7	1,096	78.2	22	73.3
Female	13	16.5	11	18.0	*	*	20	25.3	305	21.8	8	73.3 26.7
remale	13	10.5	- ' '	10.0			20	25.5	303	21.0	0	20.7
RACE/ETHNICITY										_		
Black	16	20.3	12	19.7	*	*	29	36.7	343	24.5	9	30.0
Hispanic	31	39.2	24	39.3	7	38.9	26	32.9	554	39.5	8	26.7
White	26	32.9	22	36.1	*	*	19	24.1	454	32.4	12	40.0
Asian/Pacific Islander	*	*		*	*	*	*	*	39	2.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	*	*	0	0.0	*	*	*	*	7	0.5	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	12	0.9	0	0.0
20-29	19	24.1	17	27.9	*	*	6	7.6	101	7.2	*	*
30-39	36	45.6	26	42.6	10	55.6	36	45.6	457	32.6	6	20.0
40-49	18	22.8	14	23.0	*	*	29	36.7	558	39.8	12	40.0
50-59	6	7.6	*	*	*	*	6	7.6	210	15.0	8	26.7
60+	0	0.0	0	0.0	0	0.0	*	*	53	3.8	*	*
TRANSMISSION RISK								_		_		
Men who have sex with men	46	58.2	38	62.3	8	44.4	29	36.7	632	45.1	6	20.0
Injection drug use history	6	7.6	6	9.8	ő	0.0	12	15.2	246	17.6	18	60.0
Heterosexual	13	16.5	9	14.8	*	*	18	22.8	226	16.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	14	17.7	8	13.1	6	33.3	19	24.1	272	19.4	*	*
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	574	41.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	827	59.0	26	86.7

Table 1.10.2. West Queens (Queens)

		HIV [DIAGNO	SES, 200	03		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/2		DEATHS	, 2003
					Concurrent w							
	Total HIV d			it AIDS		agnoses	N.I.	0/		0/	N.I	0/
TOTAL	N 187	% 100.0	N 133	% 71.1	N 54	% 28.9	N 166	% 100.0	N 3,588	% 100.0	N 78	% 100.0
IOTAL	107	100.0	100			20.0	100	100.0	0,000	100.0		100.0
SEX						_						
Male	142	75.9	100	75.2	42	77.8	119	71.7	2,781	77.5	66	84.6
Female	45	24.1	33	24.8	12	22.2	47	28.3	807	22.5	12	15.4
RACE/ETHNICITY												
Black	45	24.1	35	26.3	10	18.5	41	24.7	1,087	30.3	30	38.5
Hispanic	111	59.4	73	54.9	38	70.4	102	61.4	1,883	52.5	30	38.5
White Asian/Pacific Islander	23 8	12.3 4.3	20	15.0	*	*	16 6	9.6 3.6	512 91	14.3 2.5	17	21.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9 i *	2.5 *	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	*	*	11	0.3	0	0.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	20	0.6	0	0.0
13-19	*	*	*	*	0	0.0	*	*	24	0.0	0	0.0
20-29	44	23.5	37	27.8	7	13.0	21	12.7	231	6.4	*	*
30-39	64	34.2	44	33.1	20	37.0	66	39.8	1,118	31.2	17	21.8
40-49	51	27.3	34	25.6	17	31.5	52	31.3	1,438	40.1	36	46.2
50-59	19	10.2	11	8.3	8	14.8	16	9.6	599	16.7	19	24.4
60+	*	*	*	*	*	*	9	5.4	158	4.4	*	*
TRANSMISSION RISK						_				_		
Men who have sex with men	72	38.5	53	39.8	19	35.2	56	33.7	1,184	33.0	22	28.2 46.2
Injection drug use history	17	9.1	13	9.8	*	*	24	14.5	986	27.5	36	46.2
Heterosexual	47	25.1	31	23.3	16	29.6	39	23.5	645	18.0	6	7.7
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0	33 9	0.9 0.3	0 0	0.0 0.0
Unknown	51	27.3	36	27.1	15	27.8	46	27.7	731	20.4	14	17.9
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,234	34.4	9	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,354	65.6	69	88.5

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent with A							
	Total HIV o			it AIDS	diagn							
TOTAL	N 25	% 400.0	N 21	%	N *	%		%	N	%	N	%
TOTAL	25	100.0	21	84.0			19	100.0	578	100.0	20	100.0
SEX	_							_		_		
Male	18	72.0	15	71.4	*	*	13	68.4	410	70.9	17	85.0
Female	7	28.0	6	28.6	*	*	6	31.6	168	29.1	*	*
i chiale	,	20.0	· ·	20.0			O	31.0	100	20.1		
RACE/ETHNICITY	_											
Black	6	24.0	*	*	*	*	11	57.9	160	27.7	*	*
Hispanic	11	44.0	9	42.9	*	*	*	*	202	34.9	7	35.0
White	6	24.0	*	*	*	*	*	*	184	31.8	8	40.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	29	5.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	40.0 0.0 0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	1.2	0	0.0
20-29	*	*	*	*	0	0.0	*	*	31	5.4	*	*
30-39	11	44.0	9	42.9	*	*	6	31.6	151	26.1	*	*
40-49	7	28.0	*	*	*	*	6	31.6	241	41.7	*	*
50-59	*	*	*	*	0	0.0	*	*	109	18.9	7	35.0
60+	*	*	*	*	0	0.0	0	0.0	34	5.9	*	*
TRANSMISSION RISK	_							_		_		
Men who have sex with men	12	48.0	9	42.9	*	*	10	52.6	196	33.9	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	133	23.0	10	50.0
Heterosexual	6	24.0	6	28.6	0	0.0	*	*	134	23.2	*	,
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	101	17.5	*	1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	205	35.5	*	000
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	373	64.5	16	80.0

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	SES, 2	003		AIDS DIAGNOSES, 2003	PLWHA 12/31/2		DEATHS	2003
					Concurrent with AID	S					
	Total HIV dia		Without		diagnose						
	N	%	Ŋ	%		%	N 9		%	N	%
TOTAL	*	*	*	*	*	*	7 100.0	115	100.0	*	*
OF V						ш.					
SEX Male	*	*	*	*	0 0	^	*		74.0	*	*
	*	*	_	0.0	0 0.	.U *	*	* 86	74.8		0.0
Female			0	0.0				* 29	25.2	0	0.0
RACE/ETHNICITY						h					
Black	0	0.0	0	0.0	0 0.	.0	0 0.0		13.0	0	0.0
Hispanic	*	*	*	*	*	*	*	* 21	18.3	0	0.0
White	*	*	*	*	0 0.		*	70	60.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0 0.		0 0.0		6.1	0	0.0
Native American	0	0.0	0	0.0	0 0.		0 0.0		*	0	0.0
Other/unknown	0	0.0	0	0.0	0 0.	.0	0 0.0	*	*	0	0.0
AGE GROUP (YEARS)						٠.					
0-12	0	0.0	0	0.0	0 0.		0 0.0		*	0	0.0
13-19	0	0.0	0	0.0	0 0.		0 0.0		*	0	0.0 0.0 0.0
20-29	*	*	*	*	0 0.		0 0.0		7.8	0	0.0
30-39	0	0.0	0	0.0	0 0.		0 0.0		16.5	0	0.0
40-49	*	*	*	*	0 0.	.0	*	47	40.9	*	*
50-59	*	*	0	0.0	*	*	*	29	25.2	0	0.0
60+	0	0.0	0	0.0	0 0.	.0	*	* 7	6.1	0	0.0
TRANSMISSION RISK						b					
Men who have sex with men	*	*	*	*	0 0.		*	41	35.7	0	0.0
Injection drug use history	*	*	*	*	0 0.	.0	*	25	21.7	*	*
Heterosexual	*	*	0	0.0	*	*	*	16	13.9	0	0.0
Perinatal	0	0.0	0	0.0	0 0.		0 0.0)	*	0	0.0
Other	0	0.0	0	0.0	0 0.	-	0 0.0	,	*	0	0.0
Unknown	0	0.0	0	0.0	0 0.	.0	0 0.0	24	20.9	0	0.0
CLINICAL STATUS											
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A N/	/A	N/A N/A		40.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A N/	/A	N/A N/A	69	60.0	*	

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		DIAGNO	SES, 200)3		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003	
				С	oncurrent wit	th AIDS						
	Total HIV d			it AIDS	dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	47	100.0	39	83.0	8	17.0	40	100.0	813	100.0	21	100.0
OFV								_				
SEX Male	20	02.0	22	00.4	7	07 F	24	85.0	581	71 E	16	76.0
	39 8	83.0	32 7	82.1	<i>/</i>	87.5	34		232	71.5	16	76.2
Female	8	17.0	/	17.9			6	15.0	232	28.5		
RACE/ETHNICITY												
Black	8	17.0	6	15.4	*	*	7	17.5	99	12.2	*	*
Hispanic	17	36.2	13	33.3	*	*	17	42.5	364	44.8	8	38.1
White	21	44.7	19	48.7	*	*	15	37.5	321	39.5	12	57.1
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	18	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	12	1.5	0	0.0
20-29	6	12.8	6	15.4	0	0.0	*	*	56	6.9	0	0.0 0.0
30-39	21	44.7	20	51.3	*	*	11	27.5	228	28.0	*	*
40-49	13	27.7	8	20.5	*	*	18	45.0	335	41.2	9	42.9
50-59	*	*	*	*	*	*	7	17.5	137	16.9	6	28.6
60+	*	*	*	*	0	0.0	*	*	37	4.6	*	*
TRANSMISSION RISK						_		_		_		_
Men who have sex with men	19	40.4	18	46.2	*	*	10	25.0	281	34.6	*	*
Injection drug use history		17.0	6	15.4	*	*	10	25.0	162	19.9	10	47.6
Heterosexual	7	14.9	*	*	*	*	9	22.5	154	18.9	*	*
Perinatal	Ó	0.0	0	0.0	0	0.0	ő	0.0	19	2.3	0	0.0
Other	ő	0.0	Õ	0.0	ő	0.0	Ŏ	0.0	6	0.7	ŏ	0.0
Unknown	13	27.7	11	28.2	*	*	11	27.5	191	23.5	*	*
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	316	38.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	497	61.1	19	90.5

Table 1.10.6. Fresh Meadows (Queens)

		HIV [DIAGNO	SES, 200)3		AIDS DIAGNOSE	S, 2003	PLWHA A 12/31/20		DEATHS	5, 2003
				C	oncurrent wit	th AIDS						
	Total HIV di		Withou		dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	11	78.6	*	*	12	100.0	225	100.0	6	100.0
OEY.												
SEX Male	10	71 1	0	70.7	*	*	6	50 O	4.47	CE O	*	*
	10	71.4	8	72.7	*	*	6 6	50.0	147 78	65.3	*	*
Female							Ь	50.0	78	34.7		
RACE/ETHNICITY						_		_		_		
Black	*	*	*	*	*	*	9	75.0	95	42.2	*	*
Hispanic	7	50.0	6	54.5	*	*	*	*	64	28.4	*	*
White	*	*	*	*	0	0.0	*	*	56	24.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	3.1	0	0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	2.7	0	0.0
13-19	*	*	*	*	0	0.0	*	*	*	*	0	0.0
20-29	*	*	*	*	*	*	*	*	19	8.4	*	*
30-39	*	*	*	*	0	0.0	*	*	53	23.6	0	0.0
40-49	*	*	*	*	*	*	*	*	82	36.4	*	*
50-59	0	0.0	0	0.0	0	0.0	*	*	51	22.7	*	*
60+	*	*	0	0.0	*	*	*	*	12	5.3	*	*
TRANSMISSION RISK								_				
Men who have sex with men	*	*	*	*	*	*	*	*	65	28.9	*	*
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	42	18.7	0	0.0
Heterosexual	*	*	*	*	Ö	0.0	*	*	51	22.7	Ö	0.0
Perinatal	0	0.0	0	0.0	Õ	0.0	*	*	7	3.1	Ö	0.0
Other	ő	0.0	Õ	0.0	ŏ	0.0	0	0.0	*	*	*	*
Unknown	7	50.0	*	*	*	*	6	50.0	55	24.4	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	45.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	123	54.7	6	100.0

Table 1.10.7. Southwest Queens (Queens)

		DIAGNO	SES, 200)3		AIDS DIAGNOSI	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003	
				С	oncurrent wi	th AIDS						
	Total HIV di			it AIDS		agnoses						
	N	%	N	_%	N	%	N	%	N	%	N	%
TOTAL	56	100.0	42	75.0	14	25.0	59	100.0	1,122	100.0	36	100.0
CEV								_				
SEX Male	42	75.0	22	70 G	0	642	11	60.5	775	60.1	20	90 G
	42 14	75.0 25.0	33 9	78.6 21.4	9	64.3	41 18	69.5 30.5	775 347	69.1 30.9	29 7	80.6 19.4
Female	14	25.0	9	21.4			18	30.5	347	30.9	1	19.4
RACE/ETHNICITY												
Black	15	26.8	10	23.8	*	*	23	39.0	361	32.2	13	36.1
Hispanic	17	30.4	12	28.6	*	*	21	35.6	410	36.5	10	27.8
White	15	26.8	12	28.6	*	*	12	20.3	288	25.7	13	36.1
Asian/Pacific Islander	9	16.1	8	19.0	*	*	*	*	52	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
13-19	*	*	0	0.0	*	*	*	*	21	1.9	0	0.0
20-29	9	16.1	9	21.4	0	0.0	8	13.6	72	6.4	0	0.0 0.0 16.7
30-39	19	33.9	13	31.0	6	42.9	17	28.8	320	28.5	6	16.7
40-49	20	35.7	15	35.7	*	*	20	33.9	456	40.6	11	30.6
50-59	*	*	*	*	*	*	8	13.6	200	17.8	12	33.3
60+	*	*	*	*	*	*	*	*	39	3.5	7	19.4
TRANSMISSION RISK								_				
Men who have sex with men	16	28.6	13	31.0	*	*	15	25.4	319	28.4	*	*
Injection drug use history	*	20.5	*	*	0	0.0	7	11.9	254	22.6	18	50.0
Heterosexual	10	17.9	6	14.3	*	*	10	16.9	233	20.8	7	19.4
Perinatal	0	0.0	Ő	0.0	0	0.0	0	0.0	36	3.2	0	0.0
Other	Ŏ	0.0	Õ	0.0	Õ	0.0	Ŏ	0.0	*	*	Õ	0.0
Unknown	26	46.4	19	45.2	7	50.0	27	45.8	277	24.7	7	19.4
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	448	39.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	674	60.1	33	91.7

Table 1.10.8. Jamaica (Queens)

		HIV [DIAGNO	SES, 200			AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/2		DEATHS	, 2003
					oncurrent w							
	Total HIV d			it AIDS		agnoses						
TOTAL	N 123	% 100.0	N 89	% 72.4	N 34	% 27.6	N 152	% 100.0	N 2,361	% 100.0	N 67	% 100.0
IOTAL	123	100.0	09	12.4	34	27.0	132	100.0	2,301	100.0	67	100.0
SEX								_				
Male	61	49.6	43	48.3	18	52.9	87	57.2	1,391	58.9	45	67.2
Female	62	50.4	46	51.7	16	47.1	65	42.8	970	41.1	22	32.8
RACE/ETHNICITY								_				
Black	103	83.7	74	83.1	29	85.3	116	76.3	1,843	78.1	52	77.6
Hispanic	14	11.4	10	11.2	*	*	25	16.4	337	14.3	12	17.9
White	*	*	*	*	0	0.0	8	5.3	141	6.0	*	*
Asian/Pacific Islander	*	*	0	0.0		*		*	31	1.3	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	^ -	^	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	42	1.8	0	0.0
13-19	6	4.9	*	*	*	*	*	*	53	2.2	*	*
20-29	30	24.4	28	31.5	*	*	15	9.9	157	6.6	*	*
30-39	35	28.5	28	31.5	7	20.6	40	26.3	558	23.6	8	11.9
40-49	28	22.8	16	18.0	12	35.3	55	36.2	913	38.7	26	38.8
50-59	18	14.6	7	7.9	11	32.4	35	23.0	484	20.5	22 6	32.8
60+									154	6.5	6	9.0
TRANSMISSION RISK												
Men who have sex with men	19	15.4	16	18.0	*	*	26	17.1	394	16.7	7	10.4
Injection drug use history		*	*	*	0	0.0	30	19.7	615	26.0	26	38.8
Heterosexual	36	29.3	28	31.5	8	23.5	27	17.8	572	24.2	7	10.4
Perinatal		*		*	0	0.0	*	*	84	3.6	*	
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	62	50.4	39	43.8	23	67.6	68	44.7	687	29.1	24	35.8
CLINICAL STATUS	N1/6	N1/6	N1/A		N1/A	N 1/2	.	N1/2	000		16	1= -
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	890 1,471	37.7 62.3	12 55	17.9 82.1

Table 1.10.9. Southeast Queens (Queens)

		DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003	
	Total I IIV a		14/:46 -		Concurrent w							
	Total HIV o	agnoses %	N	ıt AIDS %	N Ola	agnoses %	N	%	N	%	N	%
TOTAL	53	100.0	34	64.2	19	35.8	59	100.0	848	100.0	28	100.0
CEV												
SEX Male	28	52.8	17	50.0	11	57.9	30	50.8	496	58.5	20	71.4
Female	25	47.2	17	50.0	8	42.1	29	49.2	352	41.5	8	28.6
RACE/ETHNICITY								_		_		
Black	45	84.9	28	82.4	17	89.5	47	79.7	662	78.1	23	82.1
Hispanic	6	11.3	*	*	*	*	*	*	96	11.3	*	*
White	*	*	0	0.0	*	*	6	10.2	74	8.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	11	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	27	3.2	0	0.0 0.0
13-19		20.0	4.4	20.4	0	0.0	0	0.0	26 60	3.1	0	0.0
20-29 30-39	12 18	22.6 34.0	11 11	32.4 32.4	7	36.8	23	39.0	200	7.1 23.6	*	*
40-49	9	17.0	*	32. 4 *	*	*	22	37.3	334	39.4	11	39.3
50-59	8	15.1	*	*	*	*	7	11.9	142	16.7	8	28.6
60+	*	*	*	*	*	*	*	*	59	7.0	*	*
TRANSMISSION RISK								_		_		
Men who have sex with men	7	13.2	7	20.6	0	0.0	*	*	121	14.3	*	*
Injection drug use history	*	*	*	*	*	*	11	18.6	161	19.0	*	*
Heterosexual	22	41.5	15	44.1	7	36.8	20	33.9	235	27.7	9	32.1
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	49 7	5.8	*	*
Unknown	0 20	0.0 37.7	0 11	0.0 32.4	0 9	0.0 47.4	0 24	0.0 40.7	275	0.8 32.4	11	39.3
	20	31.1		JZ. 4		77.4	27	70.7	213	52.4	11	09.0
CLINICAL STATUS	NI/C	NI/A	N1/A	NI/A	NI/A	N1/A	N1/A	N1/A	000	0.4.4	*	
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	292 556	34.4 65.6	24	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2003 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2003, NEW YORK CITY Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	SES, 20	03		AIDS DIAGNOSES,	2003	PLWHA A 12/31/20		DEATHS	, 2003
					Concurrent with A	_						
	Total HIV o			it AIDS	diagno			0/	N.	0/	N.	0/
TOTAL	N 40	% 100.0	N 32	% 80.0	N 8 :	% 20.0		% 100.0	N 753	% 100.0	N 21	% 100.0
IOTAL	40	100.0	32	00.0	0 4	20.0	40	100.0	733	100.0	21	100.0
SEX	_											
Male	18	45.0	14	43.8	*	*	19	47.5	395	52.5	15	71.4
Female	22	55.0	18	56.3	*	*	21	52.5	358	47.5	6	28.6
RACE/ETHNICITY												
Black	32	80.0	26	81.3	6	75.0		65.0	506	67.2	15	71.4
Hispanic	7	17.5	*	*	*	*	11	27.5		19.4	*	*
White				^	0	0.0		^	92	12.2		^
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		0.0	6 0	0.8	0	0.0
Native American Other/unknown	0	0.0 0.0	0	0.0	0	0.0		0.0 0.0	U *	0.0	0 0	0.0 0.0
	U	0.0	U	0.0	U	0.0	U	0.0			U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	17	2.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	14	1.9	0	0.0 0.0
20-29 30-39	11 13	27.5 32.5	10 12	31.3 37.5	*	*	17	40 F	50 182	6.6 24.2	0	0.0
40-49	10	32.5 25.0	8	25.0	*	*	17	42.5 35.0	296	39.3	12	57.1
50-59	6	15.0	O *	25.0	*	*	6	15.0	166	22.0	12	37.1
60+	0	0.0	0	0.0	0	0.0	*	13.0	28	3.7	*	*
		0.0	Ŭ	0.0	· ·	0.0			20	0.7		
TRANSMISSION RISK												
Men who have sex with men	6	15.0	*	*	*	*	*	*	74	9.8	*	*
Injection drug use history	*	*	*	*	0	0.0	6	15.0		28.8	11	52.4
Heterosexual	9	22.5	6	18.8	*	*	16	40.0	224	29.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	4.1	0	0.0
Other Unknown	0 22	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0 8	0.0
Unknown	22	55.0	19	59.4			13	32.5	201	26.7	ğ	38.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	342	45.4	6	28.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	411	54.6	15	71.4

Table 1.11.1. Port Richmond (Staten Island)

		HIV [DIAGNO	SES, 200)3		AIDS DIAGNOSE	ES, 2003	PLWHA A 12/31/20		DEATHS	, 2003
				C	oncurrent witi	h AIDS						
	Total HIV d		Withou	it AIDS	diag	gnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	13	81.3	*	*	17	100.0	338	100.0	10	100.0
OEV.												
SEX		50.0		50.0	*	*	_	50.0	007	04.0	_	70.0
Male	9	56.3	7	53.8			9	52.9	207	61.2	7	70.0
Female	7	43.8	6	46.2	•	Î	8	47.1	131	38.8	•	^
RACE/ETHNICITY						_		_		_		
Black	11	68.8	9	69.2	*	*	7	41.2	163	48.2	*	*
Hispanic	*	*	*	*	*	*	7	41.2	91	26.9	*	*
White	*	*	*	*	0	0.0	*	*	80	23.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)								_				
0-12	*	*	0	0.0	*	*	*	*	6	1.8	*	*
13-19	*	*	*	*	0	0.0	0	0.0	9	2.7	0	0.0
20-29	*	*	*	*	Õ	0.0	ő	0.0	11	3.3	Ö	0.0 0.0
30-39	*	*	*	*	*	*	6	35.3	76	22.5	*	*
40-49	6	37.5	*	*	*	*	7	41.2	148	43.8	6	60.0
50-59	*	*	*	*	0	0.0	*	*	66	19.5	*	*
60+	*	*	*	*	ő	0.0	0	0.0	22	6.5	0	0.0
TRANSMISSION RISK							*				*	
Men who have sex with men	*	*	*	*	0	0.0		4- *	54	16.0	*	*
Injection drug use history			0	0.0		*	8	47.1	114	33.7	*	
Heterosexual	*	*		*	0	0.0	*	*	72	21.3	*	*
Perinatal	*	*	0	0.0	*	*	*	*	12	3.6		*
Other	0	0.0	0	0.0	0	0.0	0	0.0		*	0	0.0
Unknown	9	56.3	8	61.5	*	*	*	*	82	24.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	128	37.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	210	62.1	10	100.0

Table 1.11.2. Stapleton - St. George (Staten Island)

		HIV [DIAGNO	SES, 200	03		AIDS DIAGNOSES	5, 2003	PLWHA A 12/31/20		DEATHS	6, 2003
					Concurrent with			_				
	Total HIV d			it AIDS		gnoses		0.4		0.4		0.4
TOTAL	N	400.0	N 40	%	N 10	%	N 48	%	N 765	400.0	N 29	400.0
TOTAL	50	100.0	40	80.0	10	20.0	48	100.0	765	100.0	29	100.0
SEX								_				
Male	30	60.0	25	62.5	*	*	29	60.4	472	61.7	21	72.4
Female	20	40.0	15	37.5	*	*	19	39.6	293	38.3	8	27.6
RACE/ETHNICITY	20	FC C	04	F0 F	7	70.0	25	FO 4	207	40.7	40	44.4
Black Hispanic	28 10	56.0 20.0	21 8	52.5 20.0	/ *	70.0	25 8	52.1 16.7	327 176	42.7 23.0	12	41.4 *
White	12	24.0	11	27.5	*	*	15	31.3	250	32.7	13	44.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	3Z.1 *	0	0.0
Native American	Ö	0.0	Õ	0.0	Ö	0.0	Ö	0.0	*	*	Ö	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	0	0.0
AGE GROUP (YEARS)								_				
0-12	*	*	*	*	0	0.0	0	0.0	14	1.8	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	16	2.1	0	0.0 0.0
20-29	7	14.0	*	*	*	*	*	*	44	5.8	*	*
30-39	17	34.0	15	37.5	*	*	13	27.1	192	25.1	*	*
40-49	14	28.0	11	27.5	*	*	23	47.9	332	43.4	15	51.7
50-59	*	*	*	*	^	0.0	8 0	16.7	128	16.7	10	34.5
60+					0	0.0	Ü	0.0	39	5.1		
TRANSMISSION RISK						_				_		
Men who have sex with men	13	26.0	13	32.5	0	0.0	*	*	171	22.4	*	*
Injection drug use history	*	*	*	*	*	*	17	35.4	239	31.2	12	41.4
Heterosexual	10	20.0	8	20.0	*	*	12	25.0	168	22.0	*	*
Perinatal	*	*	*	*	0	0.0	0	0.0	21	2.7	0	0.0
Other Unknown	20	40.0	13	32.5	0	0.0	0 14	0.0 29.2	8 158	1.0 20.7	0 9	0.0 31.0
OTKHOWH	20	40.0	13	32.5		70.0	14	29.2	108	20.7	9	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	306	40.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	459	60.0	27	93.1

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGNO	SES, 2	003		AIDS DIAGNOSES, 2003	PLWHA 12/31/		DEATHS	, 2003
					Concurrent with All	DS		12,01,	2000		
	Total HIV dia	agnoses	Without		diagnos						
	N	%	N	%	N	%	N %		%	N	%
TOTAL	*	*	*	*	*	*	*	* 124	100.0	*	*
0.5V											
SEX				*		2.0	*		00.0		0.0
Male					0 (0.0	*	83	66.9	0	0.0
Female					"			41	33.1		,
RACE/ETHNICITY								_	_		
Black	*	*	*	*		0.0	*	18	14.5	0	0.0
Hispanic	*	*	*	*	*	*	*	27	21.8	0	0.0
White	*	*	*	*		0.0	*	74	59.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0
Native American	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0
Other/unknown	0	0.0	0	0.0	0 (0.0	0 0.0	*	*	0	0.0
AGE GROUP (YEARS)						8		_	_		
0-12	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0
13-19	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0 0.0 0.0
20-29	*	*	*	*		0.0	*	9	7.3	0	0.0
30-39	*	*	*	*	0 (0.0	*	28	22.6	0	0.0
40-49	*	*	0	0.0	*	*	*	56	45.2	*	*
50-59	0	0.0	0	0.0		0.0	0 0.0		15.3	0	0.0
60+	0	0.0	0	0.0	0 (0.0	0 0.0	7	5.6	0	0.0
TRANSMISSION RISK											
Men who have sex with men	*	*	*	*		0.0	*	37	29.8	0	0.0
Injection drug use history	0	0.0	0	0.0		0.0	*	26	21.0	*	*
Heterosexual	*	*	0	0.0	*	*	*	* 23	18.5	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0
Other	0	0.0	0	0.0		0.0	0 0.0		*	0	0.0
Unknown	*	*	*	*	0 (0.0	*	* 31	25.0	0	0.0
CLINICAL STATUS											
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A N	1/A	N/A N/A		40.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A N	I/A	N/A N/A	74	59.7	*	•

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2003					AIDS DIAGNOSES, 2003		PLWHA AS OF 12/31/2003		DEATHS, 2003		
					concurrent with			_				
	Total HIV d		Withou			noses		0.4		0.4		0.4
TOTAL	N	400.0	N 11	%	N *	%	N	%	N 283	%	N	400.0
TOTAL	12	100.0	11	91.7			6	100.0	283	100.0	11	100.0
SEX	_							_		_		
Male	9	75.0	8	72.7	*	*	*	*	176	62.2	9	81.8
Female	*	*	*	*	0	0.0	*	*	107	37.8	*	*
RACE/ETHNICITY								_		_		
Black	*	*	*	*	0	0.0	*	*	54	19.1	*	*
Hispanic	*	*	*	*	ő	0.0	*	*	55	19.4	*	*
White	6	50.0	*	*	*	*	*	*	172	60.8	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0 0.0
20-29	*	*	*	*	0	0.0	0	0.0	14	4.9	0	0.0
30-39	*	*	*	*	0	0.0	0	0.0	71	25.1	*	*
40-49	*	*	*	*	*	*	*	*	131	46.3	6	54.5
50-59	*	*	*	*	0	0.0	*	*	52	18.4	*	*
60+	*	*	*	*	0	0.0	0	0.0	*	*	*	*
TRANSMISSION RISK												
Men who have sex with men	7	58.3	6	54.5	*	*	*	*	46	16.3	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	92	32.5	8	72.7
Heterosexual	*	*	*	*	0	0.0	*	*	63	22.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	3.9	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0		*	0	0.0
Unknown	*	*	•	•	0	0.0	0	0.0	66	23.3	*	*
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	110 173	38.9 61.1	* 9	81.8

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2003 Table 2.1. Overall and by sex, age, and race/ethnicity.

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	57.1	1.2	29.6	8,008,278
SEX				
Male	82.1	1.8	29.1	3,794,204
Female	34.6	0.7	30.5	4,214,074
RACE/ETHNICITY				
Black	121.6	2.2	33.0	1,962,154
Hispanic	62.3	1.4	30.6	2,160,554
White	26.5	0.7	22.5	2,801,267
Asian/Pacific Islander	10.3	0.1	12.2	783,058
Native American	52.0	0.5	14.0	17,321
AGE GROUP (YEARS)				
0-12	2.2	0.1	6.8	1,429,677
13-19	20.0	0.2	5.3	723,773
20-29	72.3	0.5	13.8	1,270,490
30-39	111.7	1.8	19.4	1,348,263
40-49	111.9	3.3	31.0	1,133,497
50-59	61.9	2.2	40.8	850,372
60+	14.0	0.5	55.6	1,252,206

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008. Generated November 06, 2008.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS. ²Age-adjusted to the city-wide population of PWHA at the end of 2003, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2003 Table 2.2. Overall and by borough and UHF neighborhood of residence.

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	57.1	1.2	29.6	8,008,278
MANHATTAN ³	83.7	1.9	25.6	1,529,375
Central Harlem - Morningside Heights	144.3	2.6	33.7	151,113
Chelsea - Clinton	180.5	4.2	21.1	122,998
East Harlem	130.4	2.6	42.0	108,092
Gramercy Park - Murray Hill	69.9	1.6	24.0	124,477
Greenwich Village - Soho	88.4	2.3	19.6	83,709
Lower Manhattan	90.6	1.2	28.7	30,895
Union Square - Lower East Side	52.8	1.5	22.1	197,138
Upper East Side	21.1	0.6	13.4	218,167
Upper West Side	48.6	1.4	23.7	222,109
Washington Heights - Inwood	72.4	1.2	23.1	270,677
BROOKLYN ³	49.7	1.0	34.5	2,465,326
Bedford Stuyvesant - Crown Heights	108.4	1.8	40.0	317,296
Bensonhurst - Bay Ridge	8.2	0.3	33.9	194,558
Borough Park	13.3	0.3	26.6	324,411
Canarsie - Flatlands	35.4	0.5	33.6	197,819
Coney Island - Sheepshead Bay	17.8	0.4	42.3	286,901
Downtown - Heights - Park Slope	55.9	1.3	31.1	214,696
East Flatbush - Flatbush	68.8	1.1	27.1	316,734
East New York	76.0	1.4	36.0	173,716
Greenpoint	31.3	0.7	39.9	124,449
Sunset Park	21.6	0.6	28.8	120,441
Williamsburg - Bushwick	77.2	1.7	34.5	194,305
DD ONLY?	24.0		20.5	4 007 000
BRONX ³	81.0	1.6	32.5	1,327,690
Crotona - Tremont	104.7	2.1	33.0	199,530
Fordham - Bronx Park	80.2	1.5	32.9	250,491
High Bridge - Morrisania	120.7	2.4	36.1	189,755
Hunts Point - Mott Haven	119.6	2.3	37.1	122,875
Kingsbridge - Riverdale	25.8	0.5	29.3	88,989
Northeast Bronx	45.7	0.8	19.7	185,998
Pelham - Throgs Neck	52.1	1.1	28.7	290,052
QUEENS ³	29.7	0.6	26.4	2,242,159
Bayside - Little Neck	4.5	0.1	8.2	88,164
Flushing - Clearview	9.8	0.2	33.4	255,542
Fresh Meadows	15.0	0.2	24.7	93,148
Jamaica	43.1	0.9	26.9	285,568
Long Island City - Astoria	35.8	0.6	22.7	220,960
Ridgewood - Forest Hills	19.5	0.3	26.1	240,901
Rockaway	37.5	0.7	27.8	106,738
Southeast Queens	26.0	0.4	33.1	203,670
Southwest Queens	20.7	0.4	34.2	269,952
West Queens	39.2	0.8	21.5	477,516
CTATEN ICI AND	10.0		00.0	440.700
STATEN ISLAND ³	18.9	0.4	32.3	443,728
Port Richmond	25.5	0.6	26.5	62,788
South Beach - Tottenville	6.7	0.2	41.5	179,892
Stapleton - St. George	43.0	0.7	36.9	116,227
Willowbrook	4.7	0.1	6.9	84,821

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2008. Generated November 06, 2008.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the city-wide population of PWHA at the end of 2003.

³Borough-level population is the sum of UHF-specific population. Borough-level data include persons residing in unknown UHF neighborhoods.