



# NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2007

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene  
<http://www.nyc.gov/html/doh/html/data/hivepi.shtml>

## LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.1	<b>New York City (All)</b>	Table 1.7.4	Pelham – Throgs Neck
	<b>By Sex</b>	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	<b>By Race/Ethnicity</b>		<b>By UHF Neighborhood: Brooklyn</b>
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	<b>By Age</b>	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		<b>By UHF Neighborhood: Manhattan</b>
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	<b>By Borough</b>	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		<b>By UHF Neighborhood: Queens</b>
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	<b>By Transmission Risk</b>	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	<b>By UHF Neighborhood: Bronx</b>	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		<b>By UHF Neighborhood: Staten Island</b>
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2007, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/data/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2012. Updated December 18, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/data/hivtables.shtml>.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4,208</b>	<b>100.0</b>	<b>3,333</b>	<b>79.2</b>	<b>875</b>	<b>20.8</b>	<b>3,582</b>	<b>100.0</b>	<b>105,271</b>	<b>100.0</b>	<b>2,327</b>	<b>100.0</b>
<b>SEX</b>												
Male	3,134	74.5	2,499	75.0	635	72.6	2,474	69.1	74,049	70.3	1,583	68.0
Female	1,074	25.5	834	25.0	240	27.4	1,108	30.9	31,222	29.7	744	32.0
<b>RACE/ETHNICITY</b>												
Black	2,030	48.2	1,593	47.8	437	49.9	1,769	49.4	47,019	44.7	1,186	51.0
Hispanic	1,303	31.0	1,017	30.5	286	32.7	1,184	33.1	34,557	32.8	758	32.6
White	725	17.2	612	18.4	113	12.9	535	14.9	21,468	20.4	351	15.1
Asian/Pacific Islander	133	3.2	98	2.9	35	4.0	82	2.3	1,540	1.5	24	1.0
Native American	15	0.4	12	0.4	3	0.3	10	0.3	231	0.2	3	0.1
Multiracial	2	0.0	1	0.0	1	0.1	2	0.1	50	0.0	4	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	406	0.4	1	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	12	0.3	11	0.3	1	0.1	2	0.1	678	0.6	2	0.1
13-19	211	5.0	199	6.0	12	1.4	77	2.1	1,639	1.6	9	0.4
20-29	1,159	27.5	1,019	30.6	140	16.0	466	13.0	7,376	7.0	49	2.1
30-39	1,088	25.9	879	26.4	209	23.9	889	24.8	19,551	18.6	241	10.4
40-49	1,049	24.9	775	23.3	274	31.3	1,265	35.3	40,065	38.1	820	35.2
50-59	494	11.7	333	10.0	161	18.4	657	18.3	26,616	25.3	841	36.1
60+	195	4.6	117	3.5	78	8.9	226	6.3	9,346	8.9	365	15.7
<b>BOROUGH OF RESIDENCE</b>												
Bronx	912	21.7	725	21.8	187	21.4	859	24.0	22,502	21.4	574	24.7
Brooklyn	1,068	25.4	806	24.2	262	29.9	1,004	28.0	25,792	24.5	686	29.5
Manhattan	1,165	27.7	937	28.1	228	26.1	935	26.1	31,672	30.1	583	25.1
Queens	602	14.3	466	14.0	136	15.5	513	14.3	14,686	14.0	270	11.6
Staten Island	84	2.0	64	1.9	20	2.3	78	2.2	1,866	1.8	55	2.4
Outside NYC	365	8.7	323	9.7	42	4.8	167	4.7	8,165	7.8	158	6.8
Unknown	12	0.3	12	0.4	0	0.0	26	0.7	588	0.6	1	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,811	43.0	1,528	45.8	283	32.3	1,094	30.5	33,709	32.0	378	16.2
Injection drug use history	326	7.7	267	8.0	59	6.7	562	15.7	22,181	21.1	873	37.5
Heterosexual	1,032	24.5	793	23.8	239	27.3	887	24.8	20,055	19.1	430	18.5
Perinatal	12	0.3	11	0.3	1	0.1	45	1.3	2,508	2.4	16	0.7
Other	0	0.0	0	0.0	0	0.0	3	0.1	275	0.3	9	0.4
Unknown	1,027	24.4	734	22.0	293	33.5	991	27.7	26,543	25.2	621	26.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	42,694	40.6	319	13.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62,577	59.4	2,008	86.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3,134</b>	<b>100.0</b>	<b>2,499</b>	<b>79.7</b>	<b>635</b>	<b>20.3</b>	<b>2,474</b>	<b>100.0</b>	<b>74,049</b>	<b>100.0</b>	<b>1,583</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,346	42.9	1,065	42.6	281	44.3	1,106	44.7	29,035	39.2	745	47.1
Hispanic	999	31.9	779	31.2	220	34.6	820	33.1	24,234	32.7	530	33.5
White	668	21.3	566	22.6	102	16.1	475	19.2	19,042	25.7	284	17.9
Asian/Pacific Islander	109	3.5	80	3.2	29	4.6	63	2.5	1,230	1.7	16	1.0
Native American	10	0.3	8	0.3	2	0.3	8	0.3	161	0.2	3	0.2
Multiracial	2	0.1	1	0.0	1	0.2	2	0.1	35	0.0	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	312	0.4	1	0.1
<b>AGE GROUP (YEARS)</b>												
0-12	4	0.1	3	0.1	1	0.2	2	0.1	313	0.4	1	0.1
13-19	153	4.9	145	5.8	8	1.3	42	1.7	847	1.1	3	0.2
20-29	941	30.0	832	33.3	109	17.2	352	14.2	5,135	6.9	29	1.8
30-39	835	26.6	669	26.8	166	26.1	630	25.5	13,314	18.0	154	9.7
40-49	745	23.8	553	22.1	192	30.2	840	34.0	28,041	37.9	512	32.3
50-59	323	10.3	220	8.8	103	16.2	453	18.3	19,342	26.1	598	37.8
60+	133	4.2	77	3.1	56	8.8	155	6.3	7,057	9.5	286	18.1
<b>BOROUGH OF RESIDENCE</b>												
Bronx	572	18.3	449	18.0	123	19.4	501	20.3	13,453	18.2	378	23.9
Brooklyn	745	23.8	564	22.6	181	28.5	642	25.9	16,271	22.0	428	27.0
Manhattan	972	31.0	796	31.9	176	27.7	732	29.6	25,631	34.6	431	27.2
Queens	470	15.0	363	14.5	107	16.9	385	15.6	10,348	14.0	182	11.5
Staten Island	66	2.1	50	2.0	16	2.5	58	2.3	1,198	1.6	34	2.1
Outside NYC	302	9.6	270	10.8	32	5.0	133	5.4	6,715	9.1	129	8.1
Unknown	7	0.2	7	0.3	0	0.0	23	0.9	433	0.6	1	0.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,811	57.8	1,528	61.1	283	44.6	1,094	44.2	33,709	45.5	378	23.9
Injection drug use history	243	7.8	196	7.8	47	7.4	395	16.0	15,714	21.2	629	39.7
Heterosexual	229	7.3	169	6.8	60	9.4	226	9.1	5,445	7.4	138	8.7
Perinatal	4	0.1	3	0.1	1	0.2	25	1.0	1,225	1.7	5	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	138	0.2	6	0.4
Unknown	847	27.0	603	24.1	244	38.4	731	29.5	17,818	24.1	427	27.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29,662	40.1	235	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44,387	59.9	1,348	85.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,074</b>	<b>100.0</b>	<b>834</b>	<b>77.7</b>	<b>240</b>	<b>22.3</b>	<b>1,108</b>	<b>100.0</b>	<b>31,222</b>	<b>100.0</b>	<b>744</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	684	63.7	528	63.3	156	65.0	663	59.8	17,984	57.6	441	59.3
Hispanic	304	28.3	238	28.5	66	27.5	364	32.9	10,323	33.1	228	30.6
White	57	5.3	46	5.5	11	4.6	60	5.4	2,426	7.8	67	9.0
Asian/Pacific Islander	24	2.2	18	2.2	6	2.5	19	1.7	310	1.0	8	1.1
Native American	5	0.5	4	0.5	1	0.4	2	0.2	70	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	94	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	8	0.7	8	1.0	0	0.0	0	0.0	365	1.2	1	0.1
13-19	58	5.4	54	6.5	4	1.7	35	3.2	792	2.5	6	0.8
20-29	218	20.3	187	22.4	31	12.9	114	10.3	2,241	7.2	20	2.7
30-39	253	23.6	210	25.2	43	17.9	259	23.4	6,237	20.0	87	11.7
40-49	304	28.3	222	26.6	82	34.2	425	38.4	12,024	38.5	308	41.4
50-59	171	15.9	113	13.5	58	24.2	204	18.4	7,274	23.3	243	32.7
60+	62	5.8	40	4.8	22	9.2	71	6.4	2,289	7.3	79	10.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	340	31.7	276	33.1	64	26.7	358	32.3	9,049	29.0	196	26.3
Brooklyn	323	30.1	242	29.0	81	33.8	362	32.7	9,521	30.5	258	34.7
Manhattan	193	18.0	141	16.9	52	21.7	203	18.3	6,041	19.3	152	20.4
Queens	132	12.3	103	12.4	29	12.1	128	11.6	4,338	13.9	88	11.8
Staten Island	18	1.7	14	1.7	4	1.7	20	1.8	668	2.1	21	2.8
Outside NYC	63	5.9	53	6.4	10	4.2	34	3.1	1,450	4.6	29	3.9
Unknown	5	0.5	5	0.6	0	0.0	3	0.3	155	0.5	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	83	7.7	71	8.5	12	5.0	167	15.1	6,467	20.7	244	32.8
Heterosexual	803	74.8	624	74.8	179	74.6	661	59.7	14,610	46.8	292	39.2
Perinatal	8	0.7	8	1.0	0	0.0	20	1.8	1,283	4.1	11	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	137	0.4	3	0.4
Unknown	180	16.8	131	15.7	49	20.4	260	23.5	8,725	27.9	194	26.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,032	41.7	84	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,190	58.3	660	88.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,346</b>	<b>100.0</b>	<b>1,065</b>	<b>79.1</b>	<b>281</b>	<b>20.9</b>	<b>1,106</b>	<b>100.0</b>	<b>29,035</b>	<b>100.0</b>	<b>745</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.1	2	0.2	0	0.0	1	0.1	202	0.7	0	0.0
13-19	91	6.8	87	8.2	4	1.4	23	2.1	491	1.7	2	0.3
20-29	402	29.9	350	32.9	52	18.5	158	14.3	2,339	8.1	9	1.2
30-39	287	21.3	226	21.2	61	21.7	254	23.0	4,742	16.3	84	11.3
40-49	342	25.4	254	23.8	88	31.3	376	34.0	10,326	35.6	205	27.5
50-59	159	11.8	111	10.4	48	17.1	225	20.3	8,018	27.6	324	43.5
60+	63	4.7	35	3.3	28	10.0	69	6.2	2,917	10.0	121	16.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	267	19.8	209	19.6	58	20.6	241	21.8	5,625	19.4	148	19.9
Brooklyn	472	35.1	343	32.2	129	45.9	402	36.3	9,482	32.7	260	34.9
Manhattan	288	21.4	242	22.7	46	16.4	245	22.2	7,617	26.2	181	24.3
Queens	172	12.8	139	13.1	33	11.7	146	13.2	3,699	12.7	86	11.5
Staten Island	32	2.4	26	2.4	6	2.1	17	1.5	405	1.4	15	2.0
Outside NYC	109	8.1	100	9.4	9	3.2	47	4.2	2,057	7.1	54	7.2
Unknown	6	0.4	6	0.6	0	0.0	8	0.7	150	0.5	1	0.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	642	47.7	538	50.5	104	37.0	405	36.6	9,766	33.6	145	19.5
Injection drug use history	89	6.6	74	6.9	15	5.3	145	13.1	6,459	22.2	288	38.7
Heterosexual	138	10.3	108	10.1	30	10.7	139	12.6	2,958	10.2	80	10.7
Perinatal	2	0.1	2	0.2	0	0.0	14	1.3	687	2.4	1	0.1
Other	0	0.0	0	0.0	0	0.0	1	0.1	44	0.2	2	0.3
Unknown	475	35.3	343	32.2	132	47.0	402	36.3	9,121	31.4	229	30.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,168	38.5	109	14.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,867	61.5	636	85.4

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>684</b>	<b>100.0</b>	<b>528</b>	<b>77.2</b>	<b>156</b>	<b>22.8</b>	<b>663</b>	<b>100.0</b>	<b>17,984</b>	<b>100.0</b>	<b>441</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	6	0.9	6	1.1	0	0.0	0	0.0	219	1.2	0	0.0
13-19	39	5.7	36	6.8	3	1.9	17	2.6	481	2.7	2	0.5
20-29	133	19.4	109	20.6	24	15.4	84	12.7	1,388	7.7	14	3.2
30-39	169	24.7	142	26.9	27	17.3	142	21.4	3,731	20.7	55	12.5
40-49	206	30.1	148	28.0	58	37.2	259	39.1	6,804	37.8	184	41.7
50-59	92	13.5	63	11.9	29	18.6	116	17.5	4,118	22.9	145	32.9
60+	39	5.7	24	4.5	15	9.6	45	6.8	1,243	6.9	41	9.3
<b>BOROUGH OF RESIDENCE</b>												
Bronx	178	26.0	149	28.2	29	18.6	164	24.7	4,464	24.8	83	18.8
Brooklyn	251	36.7	184	34.8	67	42.9	264	39.8	6,567	36.5	179	40.6
Manhattan	115	16.8	82	15.5	33	21.2	127	19.2	3,334	18.5	94	21.3
Queens	78	11.4	61	11.6	17	10.9	78	11.8	2,511	14.0	59	13.4
Staten Island	15	2.2	11	2.1	4	2.6	12	1.8	316	1.8	11	2.5
Outside NYC	43	6.3	37	7.0	6	3.8	17	2.6	707	3.9	15	3.4
Unknown	4	0.6	4	0.8	0	0.0	1	0.2	85	0.5	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	37	5.4	32	6.1	5	3.2	72	10.9	3,143	17.5	135	30.6
Heterosexual	529	77.3	406	76.9	123	78.8	422	63.7	8,530	47.4	183	41.5
Perinatal	6	0.9	6	1.1	0	0.0	10	1.5	744	4.1	6	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	72	0.4	3	0.7
Unknown	112	16.4	84	15.9	28	17.9	159	24.0	5,495	30.6	114	25.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,759	43.1	43	9.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,225	56.9	398	90.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>999</b>	<b>100.0</b>	<b>779</b>	<b>78.0</b>	<b>220</b>	<b>22.0</b>	<b>820</b>	<b>100.0</b>	<b>24,234</b>	<b>100.0</b>	<b>530</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	87	0.4	0	0.0
13-19	54	5.4	50	6.4	4	1.8	18	2.2	309	1.3	1	0.2
20-29	329	32.9	283	36.3	46	20.9	145	17.7	1,840	7.6	15	2.8
30-39	279	27.9	221	28.4	58	26.4	207	25.2	4,812	19.9	44	8.3
40-49	201	20.1	138	17.7	63	28.6	265	32.3	9,332	38.5	196	37.0
50-59	94	9.4	63	8.1	31	14.1	137	16.7	5,819	24.0	170	32.1
60+	41	4.1	23	3.0	18	8.2	48	5.9	2,035	8.4	104	19.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	268	26.8	215	27.6	53	24.1	232	28.3	7,016	29.0	201	37.9
Brooklyn	164	16.4	124	15.9	40	18.2	154	18.8	4,197	17.3	115	21.7
Manhattan	291	29.1	221	28.4	70	31.8	221	27.0	6,924	28.6	123	23.2
Queens	190	19.0	145	18.6	45	20.5	159	19.4	4,168	17.2	50	9.4
Staten Island	15	1.5	11	1.4	4	1.8	19	2.3	313	1.3	6	1.1
Outside NYC	70	7.0	62	8.0	8	3.6	26	3.2	1,482	6.1	35	6.6
Unknown	1	0.1	1	0.1	0	0.0	9	1.1	134	0.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	569	57.0	474	60.8	95	43.2	320	39.0	9,392	38.8	81	15.3
Injection drug use history	120	12.0	94	12.1	26	11.8	207	25.2	7,137	29.5	270	50.9
Heterosexual	63	6.3	43	5.5	20	9.1	65	7.9	1,847	7.6	48	9.1
Perinatal	1	0.1	1	0.1	0	0.0	10	1.2	449	1.9	3	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	1	0.2
Unknown	246	24.6	167	21.4	79	35.9	218	26.6	5,374	22.2	127	24.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,886	36.7	70	13.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,348	63.3	460	86.8

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>304</b>	<b>100.0</b>	<b>238</b>	<b>78.3</b>	<b>66</b>	<b>21.7</b>	<b>364</b>	<b>100.0</b>	<b>10,323</b>	<b>100.0</b>	<b>228</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.7	2	0.8	0	0.0	0	0.0	127	1.2	1	0.4
13-19	16	5.3	15	6.3	1	1.5	17	4.7	261	2.5	4	1.8
20-29	64	21.1	58	24.4	6	9.1	27	7.4	680	6.6	4	1.8
30-39	65	21.4	52	21.8	13	19.7	91	25.0	1,971	19.1	25	11.0
40-49	79	26.0	61	25.6	18	27.3	135	37.1	4,057	39.3	92	40.4
50-59	60	19.7	38	16.0	22	33.3	72	19.8	2,422	23.5	71	31.1
60+	18	5.9	12	5.0	6	9.1	22	6.0	805	7.8	31	13.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	146	48.0	114	47.9	32	48.5	180	49.5	4,234	41.0	97	42.5
Brooklyn	53	17.4	44	18.5	9	13.6	77	21.2	2,288	22.2	62	27.2
Manhattan	56	18.4	42	17.6	14	21.2	58	15.9	2,008	19.5	46	20.2
Queens	33	10.9	24	10.1	9	13.6	37	10.2	1,182	11.5	11	4.8
Staten Island	0	0.0	0	0.0	0	0.0	4	1.1	162	1.6	4	1.8
Outside NYC	15	4.9	13	5.5	2	3.0	8	2.2	400	3.9	8	3.5
Unknown	1	0.3	1	0.4	0	0.0	0	0.0	49	0.5	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	36	11.8	30	12.6	6	9.1	79	21.7	2,566	24.9	83	36.4
Heterosexual	218	71.7	173	72.7	45	68.2	197	54.1	4,832	46.8	76	33.3
Perinatal	2	0.7	2	0.8	0	0.0	9	2.5	456	4.4	5	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.3	0	0.0
Unknown	48	15.8	33	13.9	15	22.7	79	21.7	2,435	23.6	64	28.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,981	38.6	27	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,342	61.4	201	88.2



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>668</b>	<b>100.0</b>	<b>566</b>	<b>84.7</b>	<b>102</b>	<b>15.3</b>	<b>475</b>	<b>100.0</b>	<b>19,042</b>	<b>100.0</b>	<b>284</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	0	0.0	1	1.0	1	0.2	17	0.1	1	0.4
13-19	4	0.6	4	0.7	0	0.0	1	0.2	36	0.2	0	0.0
20-29	178	26.6	169	29.9	9	8.8	42	8.8	833	4.4	4	1.4
30-39	229	34.3	195	34.5	34	33.3	144	30.3	3,308	17.4	26	9.2
40-49	176	26.3	142	25.1	34	33.3	176	37.1	7,714	40.5	100	35.2
50-59	56	8.4	40	7.1	16	15.7	78	16.4	5,163	27.1	97	34.2
60+	24	3.6	16	2.8	8	7.8	33	6.9	1,971	10.4	56	19.7
<b>BOROUGH OF RESIDENCE</b>												
Bronx	26	3.9	18	3.2	8	7.8	22	4.6	686	3.6	21	7.4
Brooklyn	93	13.9	83	14.7	10	9.8	71	14.9	2,317	12.2	47	16.5
Manhattan	355	53.1	301	53.2	54	52.9	241	50.7	10,357	54.4	124	43.7
Queens	68	10.2	55	9.7	13	12.7	59	12.4	2,035	10.7	40	14.1
Staten Island	17	2.5	12	2.1	5	4.9	21	4.4	460	2.4	13	4.6
Outside NYC	109	16.3	97	17.1	12	11.8	55	11.6	3,054	16.0	39	13.7
Unknown	0	0.0	0	0.0	0	0.0	6	1.3	133	0.7	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	529	79.2	461	81.4	68	66.7	329	69.3	13,747	72.2	146	51.4
Injection drug use history	32	4.8	26	4.6	6	5.9	40	8.4	2,020	10.6	67	23.6
Heterosexual	15	2.2	11	1.9	4	3.9	14	2.9	491	2.6	7	2.5
Perinatal	1	0.1	0	0.0	1	1.0	1	0.2	68	0.4	1	0.4
Other	0	0.0	0	0.0	0	0.0	2	0.4	53	0.3	3	1.1
Unknown	91	13.6	68	12.0	23	22.5	89	18.7	2,663	14.0	60	21.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,681	45.6	54	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,361	54.4	230	81.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>57</b>	<b>100.0</b>	<b>46</b>	<b>80.7</b>	<b>11</b>	<b>19.3</b>	<b>60</b>	<b>100.0</b>	<b>2,426</b>	<b>100.0</b>	<b>67</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.6	0	0.0
13-19	1	1.8	1	2.2	0	0.0	1	1.7	39	1.6	0	0.0
20-29	16	28.1	16	34.8	0	0.0	2	3.3	132	5.4	1	1.5
30-39	12	21.1	11	23.9	1	9.1	18	30.0	409	16.9	6	9.0
40-49	14	24.6	10	21.7	4	36.4	24	40.0	989	40.8	30	44.8
50-59	12	21.1	6	13.0	6	54.5	13	21.7	631	26.0	25	37.3
60+	2	3.5	2	4.3	0	0.0	2	3.3	212	8.7	5	7.5
<b>BOROUGH OF RESIDENCE</b>												
Bronx	12	21.1	10	21.7	2	18.2	10	16.7	283	11.7	15	22.4
Brooklyn	15	26.3	11	23.9	4	36.4	18	30.0	541	22.3	16	23.9
Manhattan	14	24.6	11	23.9	3	27.3	12	20.0	594	24.5	11	16.4
Queens	10	17.5	9	19.6	1	9.1	7	11.7	495	20.4	15	22.4
Staten Island	3	5.3	3	6.5	0	0.0	4	6.7	182	7.5	6	9.0
Outside NYC	3	5.3	2	4.3	1	9.1	7	11.7	316	13.0	4	6.0
Unknown	0	0.0	0	0.0	0	0.0	2	3.3	15	0.6	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	9	15.8	8	17.4	1	9.1	15	25.0	725	29.9	26	38.8
Heterosexual	34	59.6	27	58.7	7	63.6	28	46.7	1,019	42.0	27	40.3
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	70	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	1.0	0	0.0
Unknown	14	24.6	11	23.9	3	27.3	16	26.7	588	24.2	14	20.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,007	41.5	12	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,419	58.5	55	82.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>109</b>	<b>100.0</b>	<b>80</b>	<b>73.4</b>	<b>29</b>	<b>26.6</b>	<b>63</b>	<b>100.0</b>	<b>1,230</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	4	3.7	4	5.0	0	0.0	0	0.0	7	0.6	0	0.0
20-29	26	23.9	24	30.0	2	6.9	6	9.5	96	7.8	1	6.3
30-39	36	33.0	25	31.3	11	37.9	21	33.3	353	28.7	0	0.0
40-49	26	23.9	19	23.8	7	24.1	20	31.7	463	37.6	7	43.8
50-59	12	11.0	5	6.3	7	24.1	12	19.0	227	18.5	5	31.3
60+	5	4.6	3	3.8	2	6.9	4	6.3	81	6.6	3	18.8
<b>BOROUGH OF RESIDENCE</b>												
Bronx	9	8.3	6	7.5	3	10.3	3	4.8	66	5.4	7	43.8
Brooklyn	14	12.8	12	15.0	2	6.9	13	20.6	206	16.7	3	18.8
Manhattan	34	31.2	28	35.0	6	20.7	22	34.9	462	37.6	2	12.5
Queens	38	34.9	23	28.8	15	51.7	20	31.7	379	30.8	4	25.0
Staten Island	2	1.8	1	1.3	1	3.4	1	1.6	9	0.7	0	0.0
Outside NYC	12	11.0	10	12.5	2	6.9	4	6.3	104	8.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	61	56.0	48	60.0	13	44.8	35	55.6	674	54.8	5	31.3
Injection drug use history	2	1.8	2	2.5	0	0.0	2	3.2	61	5.0	1	6.3
Heterosexual	13	11.9	7	8.8	6	20.7	8	12.7	128	10.4	2	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	33	30.3	23	28.8	10	34.5	18	28.6	353	28.7	8	50.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	558	45.4	2	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	672	54.6	14	87.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>24</b>	<b>100.0</b>	<b>18</b>	<b>75.0</b>	<b>6</b>	<b>25.0</b>	<b>19</b>	<b>100.0</b>	<b>310</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
13-19	2	8.3	2	11.1	0	0.0	0	0.0	7	2.3	0	0.0
20-29	5	20.8	4	22.2	1	16.7	1	5.3	29	9.4	1	12.5
30-39	6	25.0	4	22.2	2	33.3	7	36.8	90	29.0	1	12.5
40-49	4	16.7	2	11.1	2	33.3	7	36.8	102	32.9	2	25.0
50-59	4	16.7	4	22.2	0	0.0	2	10.5	59	19.0	2	25.0
60+	3	12.5	2	11.1	1	16.7	2	10.5	21	6.8	2	25.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	3	12.5	2	11.1	1	16.7	4	21.1	34	11.0	1	12.5
Brooklyn	2	8.3	2	11.1	0	0.0	2	10.5	71	22.9	1	12.5
Manhattan	6	25.0	4	22.2	2	33.3	5	26.3	63	20.3	1	12.5
Queens	11	45.8	9	50.0	2	33.3	6	31.6	116	37.4	3	37.5
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Outside NYC	2	8.3	1	5.6	1	16.7	2	10.5	22	7.1	2	25.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	1	4.2	1	5.6	0	0.0	1	5.3	15	4.8	0	0.0
Heterosexual	18	75.0	14	77.8	4	66.7	13	68.4	170	54.8	6	75.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
Unknown	5	20.8	3	16.7	2	33.3	5	26.3	116	37.4	2	25.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	159	51.3	2	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	151	48.7	6	75.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>10</b>	<b>100.0</b>	<b>8</b>	<b>80.0</b>	<b>2</b>	<b>20.0</b>	<b>8</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	60.0	6	75.0	0	0.0	0	0.0	13	8.1	0	0.0
30-39	3	30.0	2	25.0	1	50.0	3	37.5	47	29.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	3	37.5	60	37.3	2	66.7
50-59	1	10.0	0	0.0	1	50.0	1	12.5	28	17.4	1	33.3
60+	0	0.0	0	0.0	0	0.0	1	12.5	13	8.1	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	2	20.0	1	12.5	1	50.0	2	25.0	30	18.6	0	0.0
Brooklyn	2	20.0	2	25.0	0	0.0	2	25.0	30	18.6	1	33.3
Manhattan	3	30.0	3	37.5	0	0.0	3	37.5	56	34.8	0	0.0
Queens	1	10.0	1	12.5	0	0.0	0	0.0	29	18.0	2	66.7
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	2	20.0	1	12.5	1	50.0	1	12.5	11	6.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	90.0	7	87.5	2	100.0	3	37.5	72	44.7	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	12.5	24	14.9	2	66.7
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	14	8.7	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
Unknown	1	10.0	1	12.5	0	0.0	4	50.0	49	30.4	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	43.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	91	56.5	3	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>4</b>	<b>80.0</b>	<b>1</b>	<b>20.0</b>	<b>2</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	2.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	4	5.7	0	0.0
30-39	1	20.0	1	25.0	0	0.0	1	50.0	15	21.4	0	0.0
40-49	1	20.0	1	25.0	0	0.0	0	0.0	29	41.4	0	0.0
50-59	3	60.0	2	50.0	1	100.0	1	50.0	16	22.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	1	20.0	1	25.0	0	0.0	0	0.0	15	21.4	0	0.0
Brooklyn	2	40.0	1	25.0	1	100.0	1	50.0	27	38.6	0	0.0
Manhattan	2	40.0	2	50.0	0	0.0	1	50.0	12	17.1	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	15.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	5.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	10	14.3	0	0.0
Heterosexual	4	80.0	4	100.0	0	0.0	1	50.0	37	52.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	1	20.0	0	0.0	1	100.0	1	50.0	19	27.1	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	48.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	51.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>3</b>	<b>75.0</b>	<b>1</b>	<b>25.0</b>	<b>2</b>	<b>100.0</b>	<b>313</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	2	50.0	2	66.7	0	0.0	1	50.0	202	64.5	0	0.0
Hispanic	1	25.0	1	33.3	0	0.0	0	0.0	87	27.8	0	0.0
White	1	25.0	0	0.0	1	100.0	1	50.0	17	5.4	1	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	1	25.0	1	33.3	0	0.0	0	0.0	96	30.7	0	0.0
Brooklyn	1	25.0	1	33.3	0	0.0	0	0.0	113	36.1	0	0.0
Manhattan	1	25.0	1	33.3	0	0.0	1	50.0	46	14.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	32	10.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	1.6	0	0.0
Outside NYC	1	25.0	0	0.0	1	100.0	1	50.0	17	5.4	1	100.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	3	100.0	1	100.0	2	100.0	313	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	263	84.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50	16.0	1	100.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>8</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>365</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	6	75.0	6	75.0	0	0.0	0	0.0	219	60.0	0	0.0
Hispanic	2	25.0	2	25.0	0	0.0	0	0.0	127	34.8	1	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	14	3.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	1	12.5	1	12.5	0	0.0	0	0.0	130	35.6	1	100.0
Brooklyn	3	37.5	3	37.5	0	0.0	0	0.0	106	29.0	0	0.0
Manhattan	2	25.0	2	25.0	0	0.0	0	0.0	56	15.3	0	0.0
Queens	1	12.5	1	12.5	0	0.0	0	0.0	39	10.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	10	2.7	0	0.0
Outside NYC	1	12.5	1	12.5	0	0.0	0	0.0	21	5.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	8	100.0	8	100.0	0	0.0	0	0.0	365	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	313	85.8	1	100.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52	14.2	0	0.0



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3,130</b>	<b>100.0</b>	<b>2,496</b>	<b>79.7</b>	<b>634</b>	<b>20.3</b>	<b>2,472</b>	<b>100.0</b>	<b>73,736</b>	<b>100.0</b>	<b>1,582</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,344	42.9	1,063	42.6	281	44.3	1,105	44.7	28,833	39.1	745	47.1
Hispanic	998	31.9	778	31.2	220	34.7	820	33.2	24,147	32.7	530	33.5
White	667	21.3	566	22.7	101	15.9	474	19.2	19,025	25.8	283	17.9
Asian/Pacific Islander	109	3.5	80	3.2	29	4.6	63	2.5	1,227	1.7	16	1.0
Native American	10	0.3	8	0.3	2	0.3	8	0.3	161	0.2	3	0.2
Multiracial	2	0.1	1	0.0	1	0.2	2	0.1	33	0.0	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	310	0.4	1	0.1
<b>AGE GROUP (YEARS)</b>												
13-19	153	4.9	145	5.8	8	1.3	42	1.7	847	1.1	3	0.2
20-29	941	30.1	832	33.3	109	17.2	352	14.2	5,135	7.0	29	1.8
30-39	835	26.7	669	26.8	166	26.2	630	25.5	13,314	18.1	154	9.7
40-49	745	23.8	553	22.2	192	30.3	840	34.0	28,041	38.0	512	32.4
50-59	323	10.3	220	8.8	103	16.2	453	18.3	19,342	26.2	598	37.8
60+	133	4.2	77	3.1	56	8.8	155	6.3	7,057	9.6	286	18.1
<b>BOROUGH OF RESIDENCE</b>												
Bronx	571	18.2	448	17.9	123	19.4	501	20.3	13,357	18.1	378	23.9
Brooklyn	744	23.8	563	22.6	181	28.5	642	26.0	16,158	21.9	428	27.1
Manhattan	971	31.0	795	31.9	176	27.8	731	29.6	25,585	34.7	431	27.2
Queens	470	15.0	363	14.5	107	16.9	385	15.6	10,316	14.0	182	11.5
Staten Island	66	2.1	50	2.0	16	2.5	58	2.3	1,193	1.6	34	2.1
Outside NYC	301	9.6	270	10.8	31	4.9	132	5.3	6,698	9.1	128	8.1
Unknown	7	0.2	7	0.3	0	0.0	23	0.9	429	0.6	1	0.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,811	57.9	1,528	61.2	283	44.6	1,094	44.3	33,709	45.7	378	23.9
Injection drug use history	243	7.8	196	7.9	47	7.4	395	16.0	15,714	21.3	629	39.8
Heterosexual	229	7.3	169	6.8	60	9.5	226	9.1	5,445	7.4	138	8.7
Perinatal	0	0.0	0	0.0	0	0.0	23	0.9	912	1.2	4	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	138	0.2	6	0.4
Unknown	847	27.1	603	24.2	244	38.5	731	29.6	17,818	24.2	427	27.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29,399	39.9	235	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44,337	60.1	1,347	85.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,066</b>	<b>100.0</b>	<b>826</b>	<b>77.5</b>	<b>240</b>	<b>22.5</b>	<b>1,108</b>	<b>100.0</b>	<b>30,857</b>	<b>100.0</b>	<b>743</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	678	63.6	522	63.2	156	65.0	663	59.8	17,765	57.6	441	59.4
Hispanic	302	28.3	236	28.6	66	27.5	364	32.9	10,196	33.0	227	30.6
White	57	5.3	46	5.6	11	4.6	60	5.4	2,412	7.8	67	9.0
Asian/Pacific Islander	24	2.3	18	2.2	6	2.5	19	1.7	308	1.0	8	1.1
Native American	5	0.5	4	0.5	1	0.4	2	0.2	68	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	94	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
13-19	58	5.4	54	6.5	4	1.7	35	3.2	792	2.6	6	0.8
20-29	218	20.5	187	22.6	31	12.9	114	10.3	2,241	7.3	20	2.7
30-39	253	23.7	210	25.4	43	17.9	259	23.4	6,237	20.2	87	11.7
40-49	304	28.5	222	26.9	82	34.2	425	38.4	12,024	39.0	308	41.5
50-59	171	16.0	113	13.7	58	24.2	204	18.4	7,274	23.6	243	32.7
60+	62	5.8	40	4.8	22	9.2	71	6.4	2,289	7.4	79	10.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	339	31.8	275	33.3	64	26.7	358	32.3	8,919	28.9	195	26.2
Brooklyn	320	30.0	239	28.9	81	33.8	362	32.7	9,415	30.5	258	34.7
Manhattan	191	17.9	139	16.8	52	21.7	203	18.3	5,985	19.4	152	20.5
Queens	131	12.3	102	12.3	29	12.1	128	11.6	4,299	13.9	88	11.8
Staten Island	18	1.7	14	1.7	4	1.7	20	1.8	658	2.1	21	2.8
Outside NYC	62	5.8	52	6.3	10	4.2	34	3.1	1,429	4.6	29	3.9
Unknown	5	0.5	5	0.6	0	0.0	3	0.3	152	0.5	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	83	7.8	71	8.6	12	5.0	167	15.1	6,467	21.0	244	32.8
Heterosexual	803	75.3	624	75.5	179	74.6	661	59.7	14,610	47.3	292	39.3
Perinatal	0	0.0	0	0.0	0	0.0	20	1.8	918	3.0	10	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	137	0.4	3	0.4
Unknown	180	16.9	131	15.9	49	20.4	260	23.5	8,725	28.3	194	26.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,719	41.2	83	11.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,138	58.8	660	88.8

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>572</b>	<b>100.0</b>	<b>449</b>	<b>78.5</b>	<b>123</b>	<b>21.5</b>	<b>501</b>	<b>100.0</b>	<b>13,453</b>	<b>100.0</b>	<b>378</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	267	46.7	209	46.5	58	47.2	241	48.1	5,625	41.8	148	39.2
Hispanic	268	46.9	215	47.9	53	43.1	232	46.3	7,016	52.2	201	53.2
White	26	4.5	18	4.0	8	6.5	22	4.4	686	5.1	21	5.6
Asian/Pacific Islander	9	1.6	6	1.3	3	2.4	3	0.6	66	0.5	7	1.9
Native American	2	0.3	1	0.2	1	0.8	2	0.4	30	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.2	2	0.0	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	96	0.7	0	0.0
13-19	33	5.8	32	7.1	1	0.8	10	2.0	239	1.8	0	0.0
20-29	161	28.1	144	32.1	17	13.8	75	15.0	1,033	7.7	7	1.9
30-39	138	24.1	101	22.5	37	30.1	130	25.9	2,256	16.8	32	8.5
40-49	141	24.7	102	22.7	39	31.7	166	33.1	4,947	36.8	116	30.7
50-59	70	12.2	51	11.4	19	15.4	91	18.2	3,675	27.3	145	38.4
60+	28	4.9	18	4.0	10	8.1	29	5.8	1,207	9.0	78	20.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	234	40.9	201	44.8	33	26.8	133	26.5	3,535	26.3	49	13.0
Injection drug use history	93	16.3	75	16.7	18	14.6	123	24.6	4,139	30.8	185	48.9
Heterosexual	48	8.4	37	8.2	11	8.9	58	11.6	1,324	9.8	37	9.8
Perinatal	1	0.2	1	0.2	0	0.0	11	2.2	381	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.3
Unknown	196	34.3	135	30.1	61	49.6	176	35.1	4,051	30.1	106	28.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,110	38.0	56	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,343	62.0	322	85.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>340</b>	<b>100.0</b>	<b>276</b>	<b>81.2</b>	<b>64</b>	<b>18.8</b>	<b>358</b>	<b>100.0</b>	<b>9,049</b>	<b>100.0</b>	<b>196</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	178	52.4	149	54.0	29	45.3	164	45.8	4,464	49.3	83	42.3
Hispanic	146	42.9	114	41.3	32	50.0	180	50.3	4,234	46.8	97	49.5
White	12	3.5	10	3.6	2	3.1	10	2.8	283	3.1	15	7.7
Asian/Pacific Islander	3	0.9	2	0.7	1	1.6	4	1.1	34	0.4	1	0.5
Native American	1	0.3	1	0.4	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	130	1.4	1	0.5
13-19	20	5.9	20	7.2	0	0.0	12	3.4	234	2.6	0	0.0
20-29	82	24.1	70	25.4	12	18.8	43	12.0	696	7.7	7	3.6
30-39	89	26.2	74	26.8	15	23.4	95	26.5	1,913	21.1	32	16.3
40-49	90	26.5	69	25.0	21	32.8	137	38.3	3,512	38.8	79	40.3
50-59	44	12.9	31	11.2	13	20.3	54	15.1	1,936	21.4	57	29.1
60+	14	4.1	11	4.0	3	4.7	17	4.7	628	6.9	20	10.2
<b>TRANSMISSION RISK</b>												
Injection drug use history	29	8.5	26	9.4	3	4.7	56	15.6	1,882	20.8	63	32.1
Heterosexual	272	80.0	220	79.7	52	81.3	202	56.4	4,061	44.9	71	36.2
Perinatal	1	0.3	1	0.4	0	0.0	6	1.7	401	4.4	3	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	29	0.3	0	0.0
Unknown	38	11.2	29	10.5	9	14.1	94	26.3	2,676	29.6	59	30.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,885	42.9	23	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,164	57.1	173	88.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>745</b>	<b>100.0</b>	<b>564</b>	<b>75.7</b>	<b>181</b>	<b>24.3</b>	<b>642</b>	<b>100.0</b>	<b>16,271</b>	<b>100.0</b>	<b>428</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	472	63.4	343	60.8	129	71.3	402	62.6	9,482	58.3	260	60.7
Hispanic	164	22.0	124	22.0	40	22.1	154	24.0	4,197	25.8	115	26.9
White	93	12.5	83	14.7	10	5.5	71	11.1	2,317	14.2	47	11.0
Asian/Pacific Islander	14	1.9	12	2.1	2	1.1	13	2.0	206	1.3	3	0.7
Native American	2	0.3	2	0.4	0	0.0	2	0.3	30	0.2	1	0.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	2	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	113	0.7	0	0.0
13-19	41	5.5	38	6.7	3	1.7	14	2.2	266	1.6	2	0.5
20-29	253	34.0	216	38.3	37	20.4	99	15.4	1,359	8.4	7	1.6
30-39	166	22.3	129	22.9	37	20.4	147	22.9	2,954	18.2	43	10.0
40-49	174	23.4	120	21.3	54	29.8	214	33.3	5,849	35.9	145	33.9
50-59	74	9.9	42	7.4	32	17.7	127	19.8	4,163	25.6	157	36.7
60+	36	4.8	18	3.2	18	9.9	41	6.4	1,567	9.6	74	17.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	401	53.8	329	58.3	72	39.8	266	41.4	5,960	36.6	83	19.4
Injection drug use history	42	5.6	30	5.3	12	6.6	94	14.6	3,746	23.0	163	38.1
Heterosexual	64	8.6	48	8.5	16	8.8	60	9.3	1,503	9.2	38	8.9
Perinatal	1	0.1	1	0.2	0	0.0	5	0.8	383	2.4	2	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.2	30	0.2	0	0.0
Unknown	237	31.8	156	27.7	81	44.8	216	33.6	4,649	28.6	142	33.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,129	37.7	62	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,142	62.3	366	85.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>323</b>	<b>100.0</b>	<b>242</b>	<b>74.9</b>	<b>81</b>	<b>25.1</b>	<b>362</b>	<b>100.0</b>	<b>9,521</b>	<b>100.0</b>	<b>258</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	251	77.7	184	76.0	67	82.7	264	72.9	6,567	69.0	179	69.4
Hispanic	53	16.4	44	18.2	9	11.1	77	21.3	2,288	24.0	62	24.0
White	15	4.6	11	4.5	4	4.9	18	5.0	541	5.7	16	6.2
Asian/Pacific Islander	2	0.6	2	0.8	0	0.0	2	0.6	71	0.7	1	0.4
Native American	2	0.6	1	0.4	1	1.2	1	0.3	27	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	3	0.9	3	1.2	0	0.0	0	0.0	106	1.1	0	0.0
13-19	16	5.0	15	6.2	1	1.2	8	2.2	227	2.4	4	1.6
20-29	59	18.3	50	20.7	9	11.1	41	11.3	740	7.8	5	1.9
30-39	74	22.9	60	24.8	14	17.3	79	21.8	1,902	20.0	26	10.1
40-49	97	30.0	67	27.7	30	37.0	141	39.0	3,572	37.5	109	42.2
50-59	55	17.0	37	15.3	18	22.2	68	18.8	2,265	23.8	89	34.5
60+	19	5.9	10	4.1	9	11.1	25	6.9	709	7.4	25	9.7
<b>TRANSMISSION RISK</b>												
Injection drug use history	17	5.3	15	6.2	2	2.5	46	12.7	1,770	18.6	84	32.6
Heterosexual	248	76.8	184	76.0	64	79.0	222	61.3	4,596	48.3	103	39.9
Perinatal	3	0.9	3	1.2	0	0.0	5	1.4	360	3.8	4	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	41	0.4	0	0.0
Unknown	55	17.0	40	16.5	15	18.5	89	24.6	2,754	28.9	67	26.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,899	41.0	27	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,622	59.0	231	89.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>972</b>	<b>100.0</b>	<b>796</b>	<b>81.9</b>	<b>176</b>	<b>18.1</b>	<b>732</b>	<b>100.0</b>	<b>25,631</b>	<b>100.0</b>	<b>431</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	288	29.6	242	30.4	46	26.1	245	33.5	7,617	29.7	181	42.0
Hispanic	291	29.9	221	27.8	70	39.8	221	30.2	6,924	27.0	123	28.5
White	355	36.5	301	37.8	54	30.7	241	32.9	10,357	40.4	124	28.8
Asian/Pacific Islander	34	3.5	28	3.5	6	3.4	22	3.0	462	1.8	2	0.5
Native American	3	0.3	3	0.4	0	0.0	3	0.4	56	0.2	0	0.0
Multiracial	1	0.1	1	0.1	0	0.0	0	0.0	10	0.0	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	205	0.8	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	1	0.1	0	0.0	1	0.1	46	0.2	0	0.0
13-19	37	3.8	36	4.5	1	0.6	10	1.4	159	0.6	1	0.2
20-29	267	27.5	241	30.3	26	14.8	76	10.4	1,376	5.4	7	1.6
30-39	305	31.4	263	33.0	42	23.9	199	27.2	4,498	17.5	38	8.8
40-49	226	23.3	170	21.4	56	31.8	262	35.8	9,917	38.7	126	29.2
50-59	98	10.1	62	7.8	36	20.5	134	18.3	6,808	26.6	174	40.4
60+	38	3.9	23	2.9	15	8.5	50	6.8	2,827	11.0	85	19.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	674	69.3	570	71.6	104	59.1	415	56.7	15,022	58.6	143	33.2
Injection drug use history	53	5.5	46	5.8	7	4.0	87	11.9	4,210	16.4	153	35.5
Heterosexual	60	6.2	46	5.8	14	8.0	54	7.4	1,183	4.6	34	7.9
Perinatal	1	0.1	1	0.1	0	0.0	3	0.4	206	0.8	2	0.5
Other	0	0.0	0	0.0	0	0.0	2	0.3	22	0.1	0	0.0
Unknown	184	18.9	133	16.7	51	29.0	171	23.4	4,988	19.5	99	23.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,829	42.2	58	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,802	57.8	373	86.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>193</b>	<b>100.0</b>	<b>141</b>	<b>73.1</b>	<b>52</b>	<b>26.9</b>	<b>203</b>	<b>100.0</b>	<b>6,041</b>	<b>100.0</b>	<b>152</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	115	59.6	82	58.2	33	63.5	127	62.6	3,334	55.2	94	61.8
Hispanic	56	29.0	42	29.8	14	26.9	58	28.6	2,008	33.2	46	30.3
White	14	7.3	11	7.8	3	5.8	12	5.9	594	9.8	11	7.2
Asian/Pacific Islander	6	3.1	4	2.8	2	3.8	5	2.5	63	1.0	1	0.7
Native American	2	1.0	2	1.4	0	0.0	1	0.5	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	1.0	2	1.4	0	0.0	0	0.0	56	0.9	0	0.0
13-19	12	6.2	9	6.4	3	5.8	5	2.5	163	2.7	2	1.3
20-29	29	15.0	25	17.7	4	7.7	15	7.4	339	5.6	4	2.6
30-39	51	26.4	43	30.5	8	15.4	55	27.1	1,105	18.3	13	8.6
40-49	51	26.4	34	24.1	17	32.7	73	36.0	2,378	39.4	60	39.5
50-59	33	17.1	20	14.2	13	25.0	38	18.7	1,509	25.0	53	34.9
60+	15	7.8	8	5.7	7	13.5	17	8.4	491	8.1	20	13.2
<b>TRANSMISSION RISK</b>												
Injection drug use history	23	11.9	18	12.8	5	9.6	35	17.2	1,541	25.5	60	39.5
Heterosexual	134	69.4	104	73.8	30	57.7	123	60.6	2,596	43.0	52	34.2
Perinatal	2	1.0	2	1.4	0	0.0	1	0.5	228	3.8	2	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.4	2	1.3
Unknown	34	17.6	17	12.1	17	32.7	44	21.7	1,652	27.3	36	23.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,365	39.1	14	9.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,676	60.9	138	90.8



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>470</b>	<b>100.0</b>	<b>363</b>	<b>77.2</b>	<b>107</b>	<b>22.8</b>	<b>385</b>	<b>100.0</b>	<b>10,348</b>	<b>100.0</b>	<b>182</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	172	36.6	139	38.3	33	30.8	146	37.9	3,699	35.7	86	47.3
Hispanic	190	40.4	145	39.9	45	42.1	159	41.3	4,168	40.3	50	27.5
White	68	14.5	55	15.2	13	12.1	59	15.3	2,035	19.7	40	22.0
Asian/Pacific Islander	38	8.1	23	6.3	15	14.0	20	5.2	379	3.7	4	2.2
Native American	1	0.2	1	0.3	0	0.0	0	0.0	29	0.3	2	1.1
Multiracial	1	0.2	0	0.0	1	0.9	1	0.3	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
13-19	23	4.9	21	5.8	2	1.9	7	1.8	105	1.0	0	0.0
20-29	134	28.5	117	32.2	17	15.9	68	17.7	768	7.4	5	2.7
30-39	126	26.8	91	25.1	35	32.7	99	25.7	2,061	19.9	20	11.0
40-49	121	25.7	89	24.5	32	29.9	126	32.7	3,992	38.6	70	38.5
50-59	44	9.4	33	9.1	11	10.3	61	15.8	2,600	25.1	59	32.4
60+	22	4.7	12	3.3	10	9.3	24	6.2	790	7.6	28	15.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	258	54.9	206	56.7	52	48.6	181	47.0	4,592	44.4	51	28.0
Injection drug use history	33	7.0	28	7.7	5	4.7	58	15.1	2,101	20.3	70	38.5
Heterosexual	41	8.7	24	6.6	17	15.9	40	10.4	985	9.5	17	9.3
Perinatal	0	0.0	0	0.0	0	0.0	4	1.0	140	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.5
Unknown	138	29.4	105	28.9	33	30.8	102	26.5	2,506	24.2	43	23.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,977	38.4	28	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,371	61.6	154	84.6

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>132</b>	<b>100.0</b>	<b>103</b>	<b>78.0</b>	<b>29</b>	<b>22.0</b>	<b>128</b>	<b>100.0</b>	<b>4,338</b>	<b>100.0</b>	<b>88</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	78	59.1	61	59.2	17	58.6	78	60.9	2,511	57.9	59	67.0
Hispanic	33	25.0	24	23.3	9	31.0	37	28.9	1,182	27.2	11	12.5
White	10	7.6	9	8.7	1	3.4	7	5.5	495	11.4	15	17.0
Asian/Pacific Islander	11	8.3	9	8.7	2	6.9	6	4.7	116	2.7	3	3.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	39	0.9	0	0.0
13-19	6	4.5	6	5.8	0	0.0	9	7.0	107	2.5	0	0.0
20-29	29	22.0	27	26.2	2	6.9	10	7.8	295	6.8	1	1.1
30-39	18	13.6	15	14.6	3	10.3	18	14.1	883	20.4	11	12.5
40-49	41	31.1	32	31.1	9	31.0	46	35.9	1,672	38.5	34	38.6
50-59	26	19.7	13	12.6	13	44.8	37	28.9	1,021	23.5	32	36.4
60+	11	8.3	9	8.7	2	6.9	8	6.3	321	7.4	10	11.4
<b>TRANSMISSION RISK</b>												
Injection drug use history	8	6.1	8	7.8	0	0.0	20	15.6	832	19.2	23	26.1
Heterosexual	93	70.5	69	67.0	24	82.8	84	65.6	2,246	51.8	44	50.0
Perinatal	1	0.8	1	1.0	0	0.0	8	6.3	176	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	1	1.1
Unknown	30	22.7	25	24.3	5	17.2	16	12.5	1,059	24.4	20	22.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,793	41.3	14	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,545	58.7	74	84.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>66</b>	<b>100.0</b>	<b>50</b>	<b>75.8</b>	<b>16</b>	<b>24.2</b>	<b>58</b>	<b>100.0</b>	<b>1,198</b>	<b>100.0</b>	<b>34</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	32	48.5	26	52.0	6	37.5	17	29.3	405	33.8	15	44.1
Hispanic	15	22.7	11	22.0	4	25.0	19	32.8	313	26.1	6	17.6
White	17	25.8	12	24.0	5	31.3	21	36.2	460	38.4	13	38.2
Asian/Pacific Islander	2	3.0	1	2.0	1	6.3	1	1.7	9	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	3	4.5	3	6.0	0	0.0	0	0.0	19	1.6	0	0.0
20-29	17	25.8	13	26.0	4	25.0	10	17.2	94	7.8	2	5.9
30-39	14	21.2	11	22.0	3	18.8	11	19.0	167	13.9	5	14.7
40-49	19	28.8	14	28.0	5	31.3	21	36.2	484	40.4	8	23.5
50-59	9	13.6	6	12.0	3	18.8	13	22.4	325	27.1	17	50.0
60+	4	6.1	3	6.0	1	6.3	3	5.2	104	8.7	2	5.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	22	33.3	18	36.0	4	25.0	17	29.3	395	33.0	8	23.5
Injection drug use history	8	12.1	5	10.0	3	18.8	15	25.9	334	27.9	15	44.1
Heterosexual	6	9.1	5	10.0	1	6.3	4	6.9	100	8.3	2	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	1	2.9
Unknown	30	45.5	22	44.0	8	50.0	22	37.9	336	28.0	8	23.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	480	40.1	6	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	718	59.9	28	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>18</b>	<b>100.0</b>	<b>14</b>	<b>77.8</b>	<b>4</b>	<b>22.2</b>	<b>20</b>	<b>100.0</b>	<b>668</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	15	83.3	11	78.6	4	100.0	12	60.0	316	47.3	11	52.4
Hispanic	0	0.0	0	0.0	0	0.0	4	20.0	162	24.3	4	19.0
White	3	16.7	3	21.4	0	0.0	4	20.0	182	27.2	6	28.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	11	1.6	0	0.0
20-29	3	16.7	2	14.3	1	25.0	2	10.0	40	6.0	0	0.0
30-39	6	33.3	4	28.6	2	50.0	4	20.0	121	18.1	0	0.0
40-49	5	27.8	4	28.6	1	25.0	9	45.0	284	42.5	12	57.1
50-59	3	16.7	3	21.4	0	0.0	4	20.0	168	25.1	7	33.3
60+	1	5.6	1	7.1	0	0.0	1	5.0	34	5.1	2	9.5
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	4	20.0	146	21.9	6	28.6
Heterosexual	14	77.8	11	78.6	3	75.0	10	50.0	317	47.5	9	42.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Unknown	4	22.2	3	21.4	1	25.0	6	30.0	169	25.3	6	28.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	293	43.9	1	4.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	375	56.1	20	95.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,811</b>	<b>100.0</b>	<b>1,528</b>	<b>84.4</b>	<b>283</b>	<b>15.6</b>	<b>1,094</b>	<b>100.0</b>	<b>33,709</b>	<b>100.0</b>	<b>378</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	642	35.5	538	35.2	104	36.7	405	37.0	9,766	29.0	145	38.4
Hispanic	569	31.4	474	31.0	95	33.6	320	29.3	9,392	27.9	81	21.4
White	529	29.2	461	30.2	68	24.0	329	30.1	13,747	40.8	146	38.6
Asian/Pacific Islander	61	3.4	48	3.1	13	4.6	35	3.2	674	2.0	5	1.3
Native American	9	0.5	7	0.5	2	0.7	3	0.3	72	0.2	0	0.0
Multiracial	1	0.1	0	0.0	1	0.4	2	0.2	19	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	39	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	119	6.6	116	7.6	3	1.1	18	1.6	164	0.5	1	0.3
20-29	724	40.0	653	42.7	71	25.1	235	21.5	3,565	10.6	16	4.2
30-39	525	29.0	428	28.0	97	34.3	377	34.5	8,037	23.8	62	16.4
40-49	333	18.4	252	16.5	81	28.6	322	29.4	12,965	38.5	129	34.1
50-59	90	5.0	68	4.5	22	7.8	107	9.8	6,473	19.2	115	30.4
60+	20	1.1	11	0.7	9	3.2	35	3.2	2,505	7.4	55	14.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	234	12.9	201	13.2	33	11.7	133	12.2	3,535	10.5	49	13.0
Brooklyn	401	22.1	329	21.5	72	25.4	266	24.3	5,960	17.7	83	22.0
Manhattan	674	37.2	570	37.3	104	36.7	415	37.9	15,022	44.6	143	37.8
Queens	258	14.2	206	13.5	52	18.4	181	16.5	4,592	13.6	51	13.5
Staten Island	22	1.2	18	1.2	4	1.4	17	1.6	395	1.2	8	2.1
Outside NYC	217	12.0	199	13.0	18	6.4	66	6.0	4,000	11.9	43	11.4
Unknown	5	0.3	5	0.3	0	0.0	16	1.5	205	0.6	1	0.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,449	45.8	50	13.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,260	54.2	328	86.8

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>243</b>	<b>100.0</b>	<b>196</b>	<b>80.7</b>	<b>47</b>	<b>19.3</b>	<b>395</b>	<b>100.0</b>	<b>15,714</b>	<b>100.0</b>	<b>629</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	89	36.6	74	37.8	15	31.9	145	36.7	6,459	41.1	288	45.8
Hispanic	120	49.4	94	48.0	26	55.3	207	52.4	7,137	45.4	270	42.9
White	32	13.2	26	13.3	6	12.8	40	10.1	2,020	12.9	67	10.7
Asian/Pacific Islander	2	0.8	2	1.0	0	0.0	2	0.5	61	0.4	1	0.2
Native American	0	0.0	0	0.0	0	0.0	1	0.3	24	0.2	2	0.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	1.6	4	2.0	0	0.0	0	0.0	8	0.1	0	0.0
20-29	37	15.2	31	15.8	6	12.8	24	6.1	257	1.6	5	0.8
30-39	49	20.2	44	22.4	5	10.6	63	15.9	1,283	8.2	34	5.4
40-49	83	34.2	69	35.2	14	29.8	150	38.0	5,433	34.6	174	27.7
50-59	54	22.2	39	19.9	15	31.9	134	33.9	6,836	43.5	306	48.6
60+	16	6.6	9	4.6	7	14.9	24	6.1	1,897	12.1	110	17.5
<b>BOROUGH OF RESIDENCE</b>												
Bronx	93	38.3	75	38.3	18	38.3	123	31.1	4,139	26.3	185	29.4
Brooklyn	42	17.3	30	15.3	12	25.5	94	23.8	3,746	23.8	163	25.9
Manhattan	53	21.8	46	23.5	7	14.9	87	22.0	4,210	26.8	153	24.3
Queens	33	13.6	28	14.3	5	10.6	58	14.7	2,101	13.4	70	11.1
Staten Island	8	3.3	5	2.6	3	6.4	15	3.8	334	2.1	15	2.4
Outside NYC	14	5.8	12	6.1	2	4.3	16	4.1	1,100	7.0	43	6.8
Unknown	0	0.0	0	0.0	0	0.0	2	0.5	84	0.5	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,683	23.4	80	12.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,031	76.6	549	87.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>83</b>	<b>100.0</b>	<b>71</b>	<b>85.5</b>	<b>12</b>	<b>14.5</b>	<b>167</b>	<b>100.0</b>	<b>6,467</b>	<b>100.0</b>	<b>244</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	37	44.6	32	45.1	5	41.7	72	43.1	3,143	48.6	135	55.3
Hispanic	36	43.4	30	42.3	6	50.0	79	47.3	2,566	39.7	83	34.0
White	9	10.8	8	11.3	1	8.3	15	9.0	725	11.2	26	10.7
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	1	0.6	15	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0	0	0.0
20-29	17	20.5	16	22.5	1	8.3	7	4.2	128	2.0	0	0.0
30-39	16	19.3	14	19.7	2	16.7	37	22.2	763	11.8	19	7.8
40-49	31	37.3	25	35.2	6	50.0	72	43.1	2,851	44.1	106	43.4
50-59	14	16.9	12	16.9	2	16.7	44	26.3	2,309	35.7	103	42.2
60+	5	6.0	4	5.6	1	8.3	6	3.6	415	6.4	16	6.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	29	34.9	26	36.6	3	25.0	56	33.5	1,882	29.1	63	25.8
Brooklyn	17	20.5	15	21.1	2	16.7	46	27.5	1,770	27.4	84	34.4
Manhattan	23	27.7	18	25.4	5	41.7	35	21.0	1,541	23.8	60	24.6
Queens	8	9.6	8	11.3	0	0.0	20	12.0	832	12.9	23	9.4
Staten Island	0	0.0	0	0.0	0	0.0	4	2.4	146	2.3	6	2.5
Outside NYC	5	6.0	3	4.2	2	16.7	5	3.0	265	4.1	8	3.3
Unknown	1	1.2	1	1.4	0	0.0	1	0.6	31	0.5	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,682	26.0	15	6.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,785	74.0	229	93.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>229</b>	<b>100.0</b>	<b>169</b>	<b>73.8</b>	<b>60</b>	<b>26.2</b>	<b>226</b>	<b>100.0</b>	<b>5,445</b>	<b>100.0</b>	<b>138</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	138	60.3	108	63.9	30	50.0	139	61.5	2,958	54.3	80	58.0
Hispanic	63	27.5	43	25.4	20	33.3	65	28.8	1,847	33.9	48	34.8
White	15	6.6	11	6.5	4	6.7	14	6.2	491	9.0	7	5.1
Asian/Pacific Islander	13	5.7	7	4.1	6	10.0	8	3.5	128	2.4	2	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	1.7	3	1.8	1	1.7	2	0.9	6	0.1	0	0.0
20-29	36	15.7	33	19.5	3	5.0	17	7.5	197	3.6	1	0.7
30-39	54	23.6	38	22.5	16	26.7	53	23.5	976	17.9	17	12.3
40-49	73	31.9	56	33.1	17	28.3	94	41.6	2,350	43.2	52	37.7
50-59	42	18.3	27	16.0	15	25.0	45	19.9	1,362	25.0	42	30.4
60+	20	8.7	12	7.1	8	13.3	15	6.6	554	10.2	26	18.8
<b>BOROUGH OF RESIDENCE</b>												
Bronx	48	21.0	37	21.9	11	18.3	58	25.7	1,324	24.3	37	26.8
Brooklyn	64	27.9	48	28.4	16	26.7	60	26.5	1,503	27.6	38	27.5
Manhattan	60	26.2	46	27.2	14	23.3	54	23.9	1,183	21.7	34	24.6
Queens	41	17.9	24	14.2	17	28.3	40	17.7	985	18.1	17	12.3
Staten Island	6	2.6	5	3.0	1	1.7	4	1.8	100	1.8	2	1.4
Outside NYC	9	3.9	8	4.7	1	1.7	9	4.0	323	5.9	10	7.2
Unknown	1	0.4	1	0.6	0	0.0	1	0.4	27	0.5	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,039	37.4	21	15.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,406	62.6	117	84.8



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>803</b>	<b>100.0</b>	<b>624</b>	<b>77.7</b>	<b>179</b>	<b>22.3</b>	<b>661</b>	<b>100.0</b>	<b>14,610</b>	<b>100.0</b>	<b>292</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	529	65.9	406	65.1	123	68.7	422	63.8	8,530	58.4	183	62.7
Hispanic	218	27.1	173	27.7	45	25.1	197	29.8	4,832	33.1	76	26.0
White	34	4.2	27	4.3	7	3.9	28	4.2	1,019	7.0	27	9.2
Asian/Pacific Islander	18	2.2	14	2.2	4	2.2	13	2.0	170	1.2	6	2.1
Native American	4	0.5	4	0.6	0	0.0	1	0.2	37	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	50	6.2	47	7.5	3	1.7	13	2.0	103	0.7	1	0.3
20-29	166	20.7	140	22.4	26	14.5	84	12.7	1,239	8.5	7	2.4
30-39	198	24.7	164	26.3	34	19.0	158	23.9	3,357	23.0	41	14.0
40-49	217	27.0	162	26.0	55	30.7	245	37.1	5,782	39.6	125	42.8
50-59	128	15.9	82	13.1	46	25.7	118	17.9	3,015	20.6	84	28.8
60+	44	5.5	29	4.6	15	8.4	43	6.5	1,114	7.6	34	11.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	272	33.9	220	35.3	52	29.1	202	30.6	4,061	27.8	71	24.3
Brooklyn	248	30.9	184	29.5	64	35.8	222	33.6	4,596	31.5	103	35.3
Manhattan	134	16.7	104	16.7	30	16.8	123	18.6	2,596	17.8	52	17.8
Queens	93	11.6	69	11.1	24	13.4	84	12.7	2,246	15.4	44	15.1
Staten Island	14	1.7	11	1.8	3	1.7	10	1.5	317	2.2	9	3.1
Outside NYC	38	4.7	32	5.1	6	3.4	20	3.0	724	5.0	13	4.5
Unknown	4	0.5	4	0.6	0	0.0	0	0.0	70	0.5	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,245	42.7	36	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,365	57.3	256	87.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>17</b>	<b>100.0</b>	<b>15</b>	<b>88.2</b>	<b>2</b>	<b>11.8</b>	<b>10</b>	<b>100.0</b>	<b>529</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>
<b>SEX</b>												
Male	13	76.5	12	80.0	1	50.0	8	80.0	355	67.1	6	75.0
Female	4	23.5	3	20.0	1	50.0	2	20.0	174	32.9	2	25.0
<b>RACE/ETHNICITY</b>												
Black	5	29.4	4	26.7	1	50.0	4	40.0	172	32.5	3	37.5
Hispanic	10	58.8	10	66.7	0	0.0	2	20.0	260	49.1	2	25.0
White	2	11.8	1	6.7	1	50.0	4	40.0	89	16.8	3	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
13-19	1	5.9	1	6.7	0	0.0	0	0.0	6	1.1	0	0.0
20-29	7	41.2	7	46.7	0	0.0	2	20.0	44	8.3	0	0.0
30-39	5	29.4	4	26.7	1	50.0	3	30.0	77	14.6	0	0.0
40-49	1	5.9	0	0.0	1	50.0	2	20.0	179	33.8	3	37.5
50-59	3	17.6	3	20.0	0	0.0	2	20.0	166	31.4	2	25.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	52	9.8	3	37.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	7	41.2	7	46.7	0	0.0	4	40.0	150	28.4	2	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	2	20.0	112	21.2	1	12.5
Heterosexual	6	35.3	4	26.7	2	100.0	3	30.0	108	20.4	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	23.5	4	26.7	0	0.0	1	10.0	141	26.7	3	37.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	216	40.8	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	313	59.2	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>77</b>	<b>100.0</b>	<b>63</b>	<b>81.8</b>	<b>14</b>	<b>18.2</b>	<b>67</b>	<b>100.0</b>	<b>1,631</b>	<b>100.0</b>	<b>40</b>	<b>100.0</b>
<b>SEX</b>												
Male	50	64.9	41	65.1	9	64.3	44	65.7	924	56.7	28	70.0
Female	27	35.1	22	34.9	5	35.7	23	34.3	707	43.3	12	30.0
<b>RACE/ETHNICITY</b>												
Black	59	76.6	47	74.6	12	85.7	45	67.2	1,050	64.4	22	55.0
Hispanic	15	19.5	14	22.2	1	7.1	20	29.9	459	28.1	14	35.0
White	0	0.0	0	0.0	0	0.0	1	1.5	109	6.7	2	5.0
Asian/Pacific Islander	3	3.9	2	3.2	1	7.1	1	1.5	7	0.4	2	5.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.7	0	0.0
13-19	3	3.9	3	4.8	0	0.0	3	4.5	40	2.5	0	0.0
20-29	33	42.9	30	47.6	3	21.4	12	17.9	142	8.7	1	2.5
30-39	11	14.3	9	14.3	2	14.3	9	13.4	289	17.7	8	20.0
40-49	19	24.7	13	20.6	6	42.9	28	41.8	617	37.8	13	32.5
50-59	4	5.2	4	6.3	0	0.0	10	14.9	378	23.2	13	32.5
60+	7	9.1	4	6.3	3	21.4	5	7.5	153	9.4	5	12.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	22	28.6	20	31.7	2	14.3	7	10.4	257	15.8	1	2.5
Injection drug use history	7	9.1	6	9.5	1	7.1	12	17.9	298	18.3	17	42.5
Heterosexual	26	33.8	22	34.9	4	28.6	17	25.4	415	25.4	8	20.0
Perinatal	0	0.0	0	0.0	0	0.0	5	7.5	61	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	22	28.6	15	23.8	7	50.0	26	38.8	597	36.6	14	35.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	707	43.3	10	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	924	56.7	30	75.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>152</b>	<b>100.0</b>	<b>123</b>	<b>80.9</b>	<b>29</b>	<b>19.1</b>	<b>151</b>	<b>100.0</b>	<b>4,032</b>	<b>100.0</b>	<b>87</b>	<b>100.0</b>
<b>SEX</b>												
Male	91	59.9	73	59.3	18	62.1	85	56.3	2,479	61.5	66	75.9
Female	61	40.1	50	40.7	11	37.9	66	43.7	1,553	38.5	21	24.1
<b>RACE/ETHNICITY</b>												
Black	77	50.7	63	51.2	14	48.3	59	39.1	1,639	40.6	34	39.1
Hispanic	65	42.8	54	43.9	11	37.9	81	53.6	2,174	53.9	47	54.0
White	7	4.6	5	4.1	2	6.9	8	5.3	185	4.6	4	4.6
Asian/Pacific Islander	3	2.0	1	0.8	2	6.9	3	2.0	23	0.6	2	2.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	41	1.0	0	0.0
13-19	13	8.6	13	10.6	0	0.0	2	1.3	77	1.9	0	0.0
20-29	35	23.0	34	27.6	1	3.4	21	13.9	314	7.8	0	0.0
30-39	40	26.3	32	26.0	8	27.6	39	25.8	795	19.7	16	18.4
40-49	43	28.3	31	25.2	12	41.4	54	35.8	1,566	38.8	30	34.5
50-59	14	9.2	8	6.5	6	20.7	29	19.2	974	24.2	30	34.5
60+	7	4.6	5	4.1	2	6.9	6	4.0	265	6.6	11	12.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	42	27.6	38	30.9	4	13.8	27	17.9	760	18.8	11	12.6
Injection drug use history	16	10.5	13	10.6	3	10.3	28	18.5	976	24.2	35	40.2
Heterosexual	52	34.2	41	33.3	11	37.9	49	32.5	974	24.2	14	16.1
Perinatal	0	0.0	0	0.0	0	0.0	3	2.0	124	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	42	27.6	31	25.2	11	37.9	44	29.1	1,195	29.6	27	31.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,649	40.9	13	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,383	59.1	74	85.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>143</b>	<b>100.0</b>	<b>116</b>	<b>81.1</b>	<b>27</b>	<b>18.9</b>	<b>133</b>	<b>100.0</b>	<b>3,444</b>	<b>100.0</b>	<b>80</b>	<b>100.0</b>
<b>SEX</b>												
Male	88	61.5	73	62.9	15	55.6	76	57.1	2,029	58.9	49	61.3
Female	55	38.5	43	37.1	12	44.4	57	42.9	1,415	41.1	31	38.8
<b>RACE/ETHNICITY</b>												
Black	55	38.5	48	41.4	7	25.9	55	41.4	1,367	39.7	22	27.5
Hispanic	73	51.0	57	49.1	16	59.3	70	52.6	1,783	51.8	48	60.0
White	13	9.1	10	8.6	3	11.1	7	5.3	263	7.6	10	12.5
Asian/Pacific Islander	2	1.4	1	0.9	1	3.7	1	0.8	22	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.7	0	0.0
13-19	10	7.0	10	8.6	0	0.0	5	3.8	90	2.6	0	0.0
20-29	29	20.3	23	19.8	6	22.2	19	14.3	277	8.0	1	1.3
30-39	39	27.3	32	27.6	7	25.9	33	24.8	578	16.8	10	12.5
40-49	41	28.7	31	26.7	10	37.0	47	35.3	1,340	38.9	24	30.0
50-59	15	10.5	13	11.2	2	7.4	17	12.8	874	25.4	31	38.8
60+	9	6.3	7	6.0	2	7.4	12	9.0	262	7.6	14	17.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	35	24.5	29	25.0	6	22.2	23	17.3	593	17.2	7	8.8
Injection drug use history	19	13.3	16	13.8	3	11.1	19	14.3	858	24.9	44	55.0
Heterosexual	45	31.5	39	33.6	6	22.2	37	27.8	854	24.8	7	8.8
Perinatal	0	0.0	0	0.0	0	0.0	4	3.0	129	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.4	0	0.0
Unknown	44	30.8	32	27.6	12	44.4	50	37.6	995	28.9	22	27.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,388	40.3	12	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,056	59.7	68	85.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>172</b>	<b>100.0</b>	<b>127</b>	<b>73.8</b>	<b>45</b>	<b>26.2</b>	<b>168</b>	<b>100.0</b>	<b>4,391</b>	<b>100.0</b>	<b>136</b>	<b>100.0</b>
<b>SEX</b>												
Male	110	64.0	77	60.6	33	73.3	107	63.7	2,557	58.2	86	63.2
Female	62	36.0	50	39.4	12	26.7	61	36.3	1,834	41.8	50	36.8
<b>RACE/ETHNICITY</b>												
Black	88	51.2	64	50.4	24	53.3	72	42.9	1,991	45.3	58	42.6
Hispanic	81	47.1	60	47.2	21	46.7	94	56.0	2,282	52.0	69	50.7
White	2	1.2	2	1.6	0	0.0	2	1.2	93	2.1	6	4.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	2	1.5
Native American	1	0.6	1	0.8	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	55	1.3	0	0.0
13-19	7	4.1	7	5.5	0	0.0	3	1.8	93	2.1	0	0.0
20-29	44	25.6	36	28.3	8	17.8	20	11.9	328	7.5	4	2.9
30-39	45	26.2	31	24.4	14	31.1	45	26.8	773	17.6	11	8.1
40-49	40	23.3	30	23.6	10	22.2	64	38.1	1,667	38.0	44	32.4
50-59	28	16.3	17	13.4	11	24.4	27	16.1	1,092	24.9	50	36.8
60+	7	4.1	5	3.9	2	4.4	9	5.4	383	8.7	27	19.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	44	25.6	35	27.6	9	20.0	30	17.9	588	13.4	13	9.6
Injection drug use history	25	14.5	19	15.0	6	13.3	41	24.4	1,283	29.2	61	44.9
Heterosexual	65	37.8	49	38.6	16	35.6	47	28.0	1,072	24.4	23	16.9
Perinatal	1	0.6	1	0.8	0	0.0	1	0.6	160	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	0.7
Unknown	37	21.5	23	18.1	14	31.1	49	29.2	1,280	29.2	37	27.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,735	39.5	10	7.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,656	60.5	126	92.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>205</b>	<b>100.0</b>	<b>162</b>	<b>79.0</b>	<b>43</b>	<b>21.0</b>	<b>180</b>	<b>100.0</b>	<b>4,745</b>	<b>100.0</b>	<b>129</b>	<b>100.0</b>
<b>SEX</b>												
Male	118	57.6	91	56.2	27	62.8	91	50.6	2,774	58.5	79	61.2
Female	87	42.4	71	43.8	16	37.2	89	49.4	1,971	41.5	50	38.8
<b>RACE/ETHNICITY</b>												
Black	107	52.2	85	52.5	22	51.2	107	59.4	2,473	52.1	66	51.2
Hispanic	89	43.4	72	44.4	17	39.5	66	36.7	2,120	44.7	57	44.2
White	7	3.4	4	2.5	3	7.0	5	2.8	120	2.5	5	3.9
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	1	0.6	22	0.5	1	0.8
Native American	1	0.5	0	0.0	1	2.3	1	0.6	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	50	1.1	1	0.8
13-19	9	4.4	8	4.9	1	2.3	5	2.8	93	2.0	0	0.0
20-29	58	28.3	51	31.5	7	16.3	27	15.0	359	7.6	5	3.9
30-39	54	26.3	39	24.1	15	34.9	58	32.2	954	20.1	11	8.5
40-49	52	25.4	41	25.3	11	25.6	48	26.7	1,663	35.0	44	34.1
50-59	25	12.2	20	12.3	5	11.6	32	17.8	1,193	25.1	46	35.7
60+	6	2.9	2	1.2	4	9.3	10	5.6	433	9.1	22	17.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	47	22.9	40	24.7	7	16.3	25	13.9	692	14.6	10	7.8
Injection drug use history	27	13.2	24	14.8	3	7.0	40	22.2	1,284	27.1	52	40.3
Heterosexual	81	39.5	64	39.5	17	39.5	59	32.8	1,149	24.2	31	24.0
Perinatal	1	0.5	1	0.6	0	0.0	2	1.1	160	3.4	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	49	23.9	33	20.4	16	37.2	54	30.0	1,451	30.6	34	26.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,834	38.7	18	14.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,911	61.3	111	86.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>127</b>	<b>100.0</b>	<b>104</b>	<b>81.9</b>	<b>23</b>	<b>18.1</b>	<b>125</b>	<b>100.0</b>	<b>3,005</b>	<b>100.0</b>	<b>75</b>	<b>100.0</b>
<b>SEX</b>												
Male	87	68.5	71	68.3	16	69.6	76	60.8	1,859	61.9	50	66.7
Female	40	31.5	33	31.7	7	30.4	49	39.2	1,146	38.1	25	33.3
<b>RACE/ETHNICITY</b>												
Black	47	37.0	42	40.4	5	21.7	50	40.0	1,058	35.2	19	25.3
Hispanic	73	57.5	55	52.9	18	78.3	69	55.2	1,861	61.9	49	65.3
White	4	3.1	4	3.8	0	0.0	4	3.2	65	2.2	6	8.0
Asian/Pacific Islander	2	1.6	2	1.9	0	0.0	0	0.0	9	0.3	1	1.3
Native American	*	*	*	*	0	0.0	*	*	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.8	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	35	1.2	0	0.0
13-19	10	7.9	10	9.6	0	0.0	2	1.6	66	2.2	0	0.0
20-29	31	24.4	29	27.9	2	8.7	13	10.4	217	7.2	3	4.0
30-39	27	21.3	22	21.2	5	21.7	35	28.0	571	19.0	6	8.0
40-49	34	26.8	25	24.0	9	39.1	48	38.4	1,147	38.2	30	40.0
50-59	22	17.3	15	14.4	7	30.4	25	20.0	746	24.8	23	30.7
60+	3	2.4	3	2.9	0	0.0	2	1.6	223	7.4	13	17.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	32	25.2	28	26.9	4	17.4	16	12.8	400	13.3	5	6.7
Injection drug use history	24	18.9	20	19.2	4	17.4	33	26.4	987	32.8	33	44.0
Heterosexual	41	32.3	34	32.7	7	30.4	40	32.0	682	22.7	16	21.3
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	117	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	30	23.6	22	21.2	8	34.8	35	28.0	808	26.9	21	28.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,162	38.7	14	18.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,843	61.3	61	81.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>32</b>	<b>100.0</b>	<b>26</b>	<b>81.3</b>	<b>6</b>	<b>18.8</b>	<b>33</b>	<b>100.0</b>	<b>951</b>	<b>100.0</b>	<b>26</b>	<b>100.0</b>
<b>SEX</b>												
Male	26	81.3	20	76.9	6	100.0	28	84.8	710	74.7	18	69.2
Female	6	18.8	6	23.1	0	0.0	5	15.2	241	25.3	8	30.8
<b>RACE/ETHNICITY</b>												
Black	9	28.1	8	30.8	1	16.7	5	15.2	188	19.8	6	23.1
Hispanic	10	31.3	6	23.1	4	66.7	17	51.5	481	50.6	14	53.8
White	11	34.4	11	42.3	0	0.0	9	27.3	267	28.1	6	23.1
Asian/Pacific Islander	2	6.3	1	3.8	1	16.7	2	6.1	13	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
13-19	2	6.3	2	7.7	0	0.0	0	0.0	16	1.7	0	0.0
20-29	7	21.9	6	23.1	1	16.7	4	12.1	76	8.0	1	3.8
30-39	12	37.5	10	38.5	2	33.3	11	33.3	219	23.0	1	3.8
40-49	9	28.1	6	23.1	3	50.0	16	48.5	371	39.0	11	42.3
50-59	2	6.3	2	7.7	0	0.0	2	6.1	201	21.1	11	42.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	63	6.6	2	7.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	18	56.3	14	53.8	4	66.7	17	51.5	348	36.6	3	11.5
Injection drug use history	2	6.3	2	7.7	0	0.0	4	12.1	228	24.0	10	38.5
Heterosexual	4	12.5	4	15.4	0	0.0	5	15.2	134	14.1	7	26.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	8	25.0	6	23.1	2	33.3	7	21.2	216	22.7	6	23.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	37.0	2	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	599	63.0	24	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>103</b>	<b>100.0</b>	<b>78</b>	<b>75.7</b>	<b>25</b>	<b>24.3</b>	<b>85</b>	<b>100.0</b>	<b>2,925</b>	<b>100.0</b>	<b>53</b>	<b>100.0</b>
<b>SEX</b>												
Male	81	78.6	64	82.1	17	68.0	56	65.9	2,166	74.1	40	75.5
Female	22	21.4	14	17.9	8	32.0	29	34.1	759	25.9	13	24.5
<b>RACE/ETHNICITY</b>												
Black	50	48.5	33	42.3	17	68.0	50	58.8	1,318	45.1	24	45.3
Hispanic	23	22.3	18	23.1	5	20.0	19	22.4	797	27.2	17	32.1
White	27	26.2	24	30.8	3	12.0	14	16.5	762	26.1	10	18.9
Asian/Pacific Islander	3	2.9	3	3.8	0	0.0	2	2.4	35	1.2	1	1.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	20	0.7	0	0.0
13-19	4	3.9	4	5.1	0	0.0	1	1.2	30	1.0	0	0.0
20-29	38	36.9	33	42.3	5	20.0	13	15.3	170	5.8	0	0.0
30-39	24	23.3	21	26.9	3	12.0	14	16.5	527	18.0	3	5.7
40-49	23	22.3	10	12.8	13	52.0	38	44.7	1,162	39.7	20	37.7
50-59	8	7.8	4	5.1	4	16.0	14	16.5	737	25.2	22	41.5
60+	5	4.9	5	6.4	0	0.0	5	5.9	279	9.5	8	15.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	59	57.3	48	61.5	11	44.0	36	42.4	1,196	40.9	14	26.4
Injection drug use history	8	7.8	7	9.0	1	4.0	14	16.5	621	21.2	16	30.2
Heterosexual	18	17.5	11	14.1	7	28.0	16	18.8	453	15.5	8	15.1
Perinatal	1	1.0	1	1.3	0	0.0	1	1.2	63	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	17	16.5	11	14.1	6	24.0	18	21.2	589	20.1	15	28.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,106	37.8	9	17.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,819	62.2	44	83.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>313</b>	<b>100.0</b>	<b>245</b>	<b>78.3</b>	<b>68</b>	<b>21.7</b>	<b>275</b>	<b>100.0</b>	<b>6,407</b>	<b>100.0</b>	<b>197</b>	<b>100.0</b>
<b>SEX</b>												
Male	210	67.1	165	67.3	45	66.2	173	62.9	3,942	61.5	116	58.9
Female	103	32.9	80	32.7	23	33.8	102	37.1	2,465	38.5	81	41.1
<b>RACE/ETHNICITY</b>												
Black	253	80.8	194	79.2	59	86.8	220	80.0	5,259	82.1	159	80.7
Hispanic	42	13.4	35	14.3	7	10.3	40	14.5	829	12.9	28	14.2
White	14	4.5	12	4.9	2	2.9	13	4.7	266	4.2	9	4.6
Asian/Pacific Islander	2	0.6	2	0.8	0	0.0	2	0.7	28	0.4	1	0.5
Native American	2	0.6	2	0.8	0	0.0	0	0.0	19	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.6	2	0.8	0	0.0	0	0.0	66	1.0	0	0.0
13-19	15	4.8	14	5.7	1	1.5	7	2.5	119	1.9	3	1.5
20-29	94	30.0	79	32.2	15	22.1	43	15.6	569	8.9	6	3.0
30-39	69	22.0	58	23.7	11	16.2	63	22.9	1,222	19.1	28	14.2
40-49	81	25.9	63	25.7	18	26.5	83	30.2	2,231	34.8	68	34.5
50-59	34	10.9	22	9.0	12	17.6	59	21.5	1,622	25.3	66	33.5
60+	18	5.8	7	2.9	11	16.2	20	7.3	578	9.0	26	13.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	118	37.7	98	40.0	20	29.4	68	24.7	1,417	22.1	20	10.2
Injection drug use history	20	6.4	15	6.1	5	7.4	44	16.0	1,352	21.1	66	33.5
Heterosexual	90	28.8	72	29.4	18	26.5	70	25.5	1,525	23.8	41	20.8
Perinatal	2	0.6	2	0.8	0	0.0	4	1.5	190	3.0	1	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.4	17	0.3	0	0.0
Unknown	83	26.5	58	23.7	25	36.8	88	32.0	1,906	29.7	69	35.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,549	39.8	23	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,858	60.2	174	88.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>101</b>	<b>100.0</b>	<b>73</b>	<b>72.3</b>	<b>28</b>	<b>27.7</b>	<b>119</b>	<b>100.0</b>	<b>2,527</b>	<b>100.0</b>	<b>74</b>	<b>100.0</b>
<b>SEX</b>												
Male	73	72.3	53	72.6	20	71.4	66	55.5	1,382	54.7	43	58.1
Female	28	27.7	20	27.4	8	28.6	53	44.5	1,145	45.3	31	41.9
<b>RACE/ETHNICITY</b>												
Black	73	72.3	49	67.1	24	85.7	85	71.4	1,618	64.0	52	70.3
Hispanic	26	25.7	22	30.1	4	14.3	31	26.1	799	31.6	21	28.4
White	1	1.0	1	1.4	0	0.0	2	1.7	74	2.9	1	1.4
Asian/Pacific Islander	1	1.0	1	1.4	0	0.0	1	0.8	21	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	34	1.3	0	0.0
13-19	12	11.9	11	15.1	1	3.6	2	1.7	63	2.5	0	0.0
20-29	28	27.7	21	28.8	7	25.0	20	16.8	228	9.0	2	2.7
30-39	15	14.9	10	13.7	5	17.9	27	22.7	455	18.0	6	8.1
40-49	31	30.7	22	30.1	9	32.1	40	33.6	951	37.6	25	33.8
50-59	10	9.9	7	9.6	3	10.7	23	19.3	581	23.0	28	37.8
60+	5	5.0	2	2.7	3	10.7	7	5.9	215	8.5	13	17.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	33	32.7	24	32.9	9	32.1	23	19.3	361	14.3	6	8.1
Injection drug use history	0	0.0	0	0.0	0	0.0	18	15.1	565	22.4	31	41.9
Heterosexual	34	33.7	25	34.2	9	32.1	41	34.5	718	28.4	16	21.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	97	3.8	2	2.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	34	33.7	24	32.9	10	35.7	37	31.1	781	30.9	19	25.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	996	39.4	10	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,531	60.6	64	86.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in East New York: 11207, 11208.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>26</b>	<b>100.0</b>	<b>20</b>	<b>76.9</b>	<b>6</b>	<b>23.1</b>	<b>18</b>	<b>100.0</b>	<b>779</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>
<b>SEX</b>												
Male	20	76.9	15	75.0	5	83.3	15	83.3	545	70.0	13	65.0
Female	6	23.1	5	25.0	1	16.7	3	16.7	234	30.0	7	35.0
<b>RACE/ETHNICITY</b>												
Black	4	15.4	4	20.0	0	0.0	3	16.7	124	15.9	4	20.0
Hispanic	18	69.2	12	60.0	6	100.0	12	66.7	502	64.4	14	70.0
White	2	7.7	2	10.0	0	0.0	2	11.1	117	15.0	2	10.0
Asian/Pacific Islander	2	7.7	2	10.0	0	0.0	1	5.6	34	4.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	1	3.8	1	5.0	0	0.0	1	5.6	17	2.2	0	0.0
20-29	6	23.1	5	25.0	1	16.7	3	16.7	52	6.7	0	0.0
30-39	14	53.8	10	50.0	4	66.7	9	50.0	170	21.8	2	10.0
40-49	3	11.5	3	15.0	0	0.0	4	22.2	290	37.2	11	55.0
50-59	1	3.8	0	0.0	1	16.7	1	5.6	180	23.1	5	25.0
60+	1	3.8	1	5.0	0	0.0	0	0.0	67	8.6	2	10.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	12	46.2	10	50.0	2	33.3	8	44.4	196	25.2	3	15.0
Injection drug use history	3	11.5	3	15.0	0	0.0	1	5.6	236	30.3	9	45.0
Heterosexual	5	19.2	3	15.0	2	33.3	5	27.8	167	21.4	4	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	6	23.1	4	20.0	2	33.3	4	22.2	156	20.0	4	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	302	38.8	3	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	61.2	17	85.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>27</b>	<b>100.0</b>	<b>21</b>	<b>77.8</b>	<b>6</b>	<b>22.2</b>	<b>39</b>	<b>100.0</b>	<b>942</b>	<b>100.0</b>	<b>15</b>	<b>100.0</b>
<b>SEX</b>												
Male	22	81.5	16	76.2	6	100.0	31	79.5	655	69.5	7	46.7
Female	5	18.5	5	23.8	0	0.0	8	20.5	287	30.5	8	53.3
<b>RACE/ETHNICITY</b>												
Black	7	25.9	7	33.3	0	0.0	10	25.6	291	30.9	3	20.0
Hispanic	10	37.0	7	33.3	3	50.0	15	38.5	328	34.8	6	40.0
White	10	37.0	7	33.3	3	50.0	12	30.8	294	31.2	6	40.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	5.1	29	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	3.7	1	4.8	0	0.0	2	5.1	16	1.7	0	0.0
20-29	13	48.1	11	52.4	2	33.3	5	12.8	74	7.9	0	0.0
30-39	2	7.4	2	9.5	0	0.0	6	15.4	157	16.7	0	0.0
40-49	5	18.5	3	14.3	2	33.3	17	43.6	356	37.8	7	46.7
50-59	5	18.5	3	14.3	2	33.3	7	17.9	258	27.4	4	26.7
60+	1	3.7	1	4.8	0	0.0	2	5.1	79	8.4	4	26.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	48.1	11	52.4	2	33.3	15	38.5	268	28.5	3	20.0
Injection drug use history	2	7.4	0	0.0	2	33.3	5	12.8	227	24.1	6	40.0
Heterosexual	6	22.2	6	28.6	0	0.0	9	23.1	223	23.7	3	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	21	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	6	22.2	4	19.0	2	33.3	9	23.1	200	21.2	3	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	37.4	1	6.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	590	62.6	14	93.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>194</b>	<b>100.0</b>	<b>142</b>	<b>73.2</b>	<b>52</b>	<b>26.8</b>	<b>157</b>	<b>100.0</b>	<b>4,170</b>	<b>100.0</b>	<b>93</b>	<b>100.0</b>
<b>SEX</b>												
Male	127	65.5	92	64.8	35	67.3	97	61.8	2,498	59.9	60	64.5
Female	67	34.5	50	35.2	17	32.7	60	38.2	1,672	40.1	33	35.5
<b>RACE/ETHNICITY</b>												
Black	161	83.0	116	81.7	45	86.5	127	80.9	3,483	83.5	79	84.9
Hispanic	24	12.4	18	12.7	6	11.5	19	12.1	470	11.3	7	7.5
White	6	3.1	6	4.2	0	0.0	10	6.4	167	4.0	6	6.5
Asian/Pacific Islander	2	1.0	2	1.4	0	0.0	0	0.0	41	1.0	0	0.0
Native American	1	0.5	0	0.0	1	1.9	1	0.6	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	1	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	36	0.9	0	0.0
13-19	12	6.2	12	8.5	0	0.0	3	1.9	94	2.3	0	0.0
20-29	44	22.7	40	28.2	4	7.7	18	11.5	375	9.0	0	0.0
30-39	45	23.2	32	22.5	13	25.0	37	23.6	782	18.8	10	10.8
40-49	52	26.8	38	26.8	14	26.9	62	39.5	1,453	34.8	34	36.6
50-59	30	15.5	15	10.6	15	28.8	29	18.5	1,059	25.4	33	35.5
60+	11	5.7	5	3.5	6	11.5	8	5.1	371	8.9	16	17.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	57	29.4	45	31.7	12	23.1	46	29.3	846	20.3	15	16.1
Injection drug use history	4	2.1	3	2.1	1	1.9	6	3.8	550	13.2	21	22.6
Heterosexual	72	37.1	55	38.7	17	32.7	52	33.1	1,195	28.7	21	22.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	118	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Unknown	61	31.4	39	27.5	22	42.3	52	33.1	1,445	34.7	36	38.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,595	38.2	11	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,575	61.8	82	88.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>59</b>	<b>100.0</b>	<b>48</b>	<b>81.4</b>	<b>11</b>	<b>18.6</b>	<b>48</b>	<b>100.0</b>	<b>1,201</b>	<b>100.0</b>	<b>32</b>	<b>100.0</b>
<b>SEX</b>												
Male	35	59.3	29	60.4	6	54.5	28	58.3	656	54.6	22	68.8
Female	24	40.7	19	39.6	5	45.5	20	41.7	545	45.4	10	31.3
<b>RACE/ETHNICITY</b>												
Black	48	81.4	38	79.2	10	90.9	35	72.9	910	75.8	24	75.0
Hispanic	7	11.9	7	14.6	0	0.0	9	18.8	156	13.0	3	9.4
White	4	6.8	3	6.3	1	9.1	3	6.3	119	9.9	3	9.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.1	11	0.9	2	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	1.7	1	2.1	0	0.0	0	0.0	15	1.2	0	0.0
13-19	1	1.7	1	2.1	0	0.0	0	0.0	29	2.4	0	0.0
20-29	17	28.8	15	31.3	2	18.2	8	16.7	126	10.5	1	3.1
30-39	16	27.1	14	29.2	2	18.2	10	20.8	259	21.6	5	15.6
40-49	10	16.9	7	14.6	3	27.3	12	25.0	388	32.3	14	43.8
50-59	12	20.3	8	16.7	4	36.4	11	22.9	279	23.2	10	31.3
60+	2	3.4	2	4.2	0	0.0	7	14.6	105	8.7	2	6.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	15	25.4	14	29.2	1	9.1	5	10.4	195	16.2	5	15.6
Injection drug use history	2	3.4	1	2.1	1	9.1	9	18.8	170	14.2	12	37.5
Heterosexual	18	30.5	14	29.2	4	36.4	15	31.3	388	32.3	5	15.6
Perinatal	1	1.7	1	2.1	0	0.0	0	0.0	47	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	23	39.0	18	37.5	5	45.5	19	39.6	396	33.0	10	31.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	521	43.4	2	6.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	680	56.6	30	93.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>20</b>	<b>100.0</b>	<b>10</b>	<b>50.0</b>	<b>10</b>	<b>50.0</b>	<b>23</b>	<b>100.0</b>	<b>505</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>
<b>SEX</b>												
Male	17	85.0	9	90.0	8	80.0	19	82.6	364	72.1	8	61.5
Female	3	15.0	1	10.0	2	20.0	4	17.4	141	27.9	5	38.5
<b>RACE/ETHNICITY</b>												
Black	5	25.0	3	30.0	2	20.0	3	13.0	68	13.5	0	0.0
Hispanic	5	25.0	2	20.0	3	30.0	9	39.1	156	30.9	3	23.1
White	7	35.0	3	30.0	4	40.0	8	34.8	257	50.9	10	76.9
Asian/Pacific Islander	3	15.0	2	20.0	1	10.0	3	13.0	24	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
20-29	5	25.0	4	40.0	1	10.0	3	13.0	37	7.3	0	0.0
30-39	3	15.0	2	20.0	1	10.0	3	13.0	107	21.2	1	7.7
40-49	7	35.0	2	20.0	5	50.0	11	47.8	186	36.8	7	53.8
50-59	4	20.0	1	10.0	3	30.0	6	26.1	138	27.3	4	30.8
60+	1	5.0	1	10.0	0	0.0	0	0.0	32	6.3	1	7.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	8	40.0	4	40.0	4	40.0	9	39.1	181	35.8	4	30.8
Injection drug use history	2	10.0	1	10.0	1	10.0	6	26.1	127	25.1	3	23.1
Heterosexual	4	20.0	2	20.0	2	20.0	3	13.0	92	18.2	3	23.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	6	30.0	3	30.0	3	30.0	5	21.7	96	19.0	3	23.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	198	39.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	307	60.8	13	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>39</b>	<b>100.0</b>	<b>32</b>	<b>82.1</b>	<b>7</b>	<b>17.9</b>	<b>26</b>	<b>100.0</b>	<b>1,066</b>	<b>100.0</b>	<b>31</b>	<b>100.0</b>
<b>SEX</b>												
Male	25	64.1	21	65.6	4	57.1	14	53.8	654	61.4	18	58.1
Female	14	35.9	11	34.4	3	42.9	12	46.2	412	38.6	13	41.9
<b>RACE/ETHNICITY</b>												
Black	21	53.8	17	53.1	4	57.1	13	50.0	410	38.5	11	35.5
Hispanic	6	15.4	4	12.5	2	28.6	7	26.9	353	33.1	11	35.5
White	12	30.8	11	34.4	1	14.3	6	23.1	277	26.0	8	25.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
13-19	2	5.1	1	3.1	1	14.3	1	3.8	21	2.0	1	3.2
20-29	6	15.4	6	18.8	0	0.0	1	3.8	76	7.1	1	3.2
30-39	11	28.2	11	34.4	0	0.0	4	15.4	204	19.1	3	9.7
40-49	9	23.1	6	18.8	3	42.9	12	46.2	397	37.2	8	25.8
50-59	8	20.5	6	18.8	2	28.6	7	26.9	268	25.1	12	38.7
60+	3	7.7	2	6.3	1	14.3	1	3.8	92	8.6	6	19.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	10	25.6	9	28.1	1	14.3	4	15.4	213	20.0	7	22.6
Injection drug use history	4	10.3	4	12.5	0	0.0	6	23.1	280	26.3	10	32.3
Heterosexual	16	41.0	13	40.6	3	42.9	7	26.9	266	25.0	9	29.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	9	23.1	6	18.8	3	42.9	9	34.6	270	25.3	5	16.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	377	35.4	7	22.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	689	64.6	24	77.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>143</b>	<b>100.0</b>	<b>103</b>	<b>72.0</b>	<b>40</b>	<b>28.0</b>	<b>151</b>	<b>100.0</b>	<b>3,428</b>	<b>100.0</b>	<b>108</b>	<b>100.0</b>
<b>SEX</b>												
Male	100	69.9	73	70.9	27	67.5	97	64.2	2,127	62.0	67	62.0
Female	43	30.1	30	29.1	13	32.5	54	35.8	1,301	38.0	41	38.0
<b>RACE/ETHNICITY</b>												
Black	84	58.7	52	50.5	32	80.0	92	60.9	1,838	53.6	61	56.5
Hispanic	44	30.8	36	35.0	8	20.0	47	31.1	1,398	40.8	47	43.5
White	13	9.1	13	12.6	0	0.0	9	6.0	164	4.8	0	0.0
Asian/Pacific Islander	1	0.7	1	1.0	0	0.0	1	0.7	15	0.4	0	0.0
Native American	1	0.7	1	1.0	0	0.0	2	1.3	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.7	0	0.0
13-19	5	3.5	4	3.9	1	2.5	3	2.0	61	1.8	1	0.9
20-29	50	35.0	43	41.7	7	17.5	16	10.6	267	7.8	1	0.9
30-39	27	18.9	18	17.5	9	22.5	33	21.9	609	17.8	8	7.4
40-49	39	27.3	25	24.3	14	35.0	54	35.8	1,292	37.7	42	38.9
50-59	15	10.5	11	10.7	4	10.0	31	20.5	874	25.5	42	38.9
60+	7	4.9	2	1.9	5	12.5	14	9.3	302	8.8	14	13.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	54	37.8	49	47.6	5	12.5	24	15.9	610	17.8	2	1.9
Injection drug use history	11	7.7	8	7.8	3	7.5	24	15.9	941	27.5	56	51.9
Heterosexual	42	29.4	26	25.2	16	40.0	51	33.8	773	22.5	19	17.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	93	2.7	2	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	36	25.2	20	19.4	16	40.0	51	33.8	1,006	29.3	29	26.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,292	37.7	17	15.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,136	62.3	91	84.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>186</b>	<b>100.0</b>	<b>154</b>	<b>82.8</b>	<b>32</b>	<b>17.2</b>	<b>135</b>	<b>100.0</b>	<b>3,773</b>	<b>100.0</b>	<b>82</b>	<b>100.0</b>
<b>SEX</b>												
Male	148	79.6	123	79.9	25	78.1	109	80.7	2,829	75.0	58	70.7
Female	38	20.4	31	20.1	7	21.9	26	19.3	944	25.0	24	29.3
<b>RACE/ETHNICITY</b>												
Black	60	32.3	52	33.8	8	25.0	48	35.6	1,463	38.8	41	50.0
Hispanic	93	50.0	72	46.8	21	65.6	65	48.1	1,775	47.0	33	40.2
White	29	15.6	26	16.9	3	9.4	21	15.6	497	13.2	8	9.8
Asian/Pacific Islander	3	1.6	3	1.9	0	0.0	1	0.7	25	0.7	0	0.0
Native American	1	0.5	1	0.6	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	24	0.6	0	0.0
13-19	9	4.8	8	5.2	1	3.1	2	1.5	62	1.6	0	0.0
20-29	52	28.0	50	32.5	2	6.3	9	6.7	276	7.3	1	1.2
30-39	56	30.1	47	30.5	9	28.1	48	35.6	800	21.2	5	6.1
40-49	35	18.8	26	16.9	9	28.1	45	33.3	1,357	36.0	29	35.4
50-59	24	12.9	16	10.4	8	25.0	21	15.6	878	23.3	32	39.0
60+	9	4.8	6	3.9	3	9.4	10	7.4	376	10.0	15	18.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	100	53.8	87	56.5	13	40.6	57	42.2	1,400	37.1	14	17.1
Injection drug use history	9	4.8	8	5.2	1	3.1	23	17.0	689	18.3	31	37.8
Heterosexual	39	21.0	33	21.4	6	18.8	22	16.3	670	17.8	18	22.0
Perinatal	1	0.5	1	0.6	0	0.0	1	0.7	91	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.7	9	0.2	0	0.0
Unknown	37	19.9	25	16.2	12	37.5	31	23.0	914	24.2	19	23.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,552	41.1	6	7.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,221	58.9	76	92.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>187</b>	<b>100.0</b>	<b>147</b>	<b>78.6</b>	<b>40</b>	<b>21.4</b>	<b>143</b>	<b>100.0</b>	<b>4,204</b>	<b>100.0</b>	<b>95</b>	<b>100.0</b>
<b>SEX</b>												
Male	136	72.7	111	75.5	25	62.5	101	70.6	2,729	64.9	47	49.5
Female	51	27.3	36	24.5	15	37.5	42	29.4	1,475	35.1	48	50.5
<b>RACE/ETHNICITY</b>												
Black	120	64.2	91	61.9	29	72.5	108	75.5	3,133	74.5	79	83.2
Hispanic	48	25.7	38	25.9	10	25.0	27	18.9	706	16.8	13	13.7
White	15	8.0	14	9.5	1	2.5	6	4.2	316	7.5	3	3.2
Asian/Pacific Islander	2	1.1	2	1.4	0	0.0	2	1.4	29	0.7	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	1.1	2	1.4	0	0.0	1	0.7	35	0.8	0	0.0
13-19	15	8.0	12	8.2	3	7.5	5	3.5	91	2.2	2	2.1
20-29	50	26.7	43	29.3	7	17.5	16	11.2	308	7.3	3	3.2
30-39	54	28.9	47	32.0	7	17.5	39	27.3	776	18.5	8	8.4
40-49	33	17.6	24	16.3	9	22.5	51	35.7	1,477	35.1	33	34.7
50-59	23	12.3	13	8.8	10	25.0	22	15.4	1,110	26.4	38	40.0
60+	10	5.3	6	4.1	4	10.0	9	6.3	407	9.7	11	11.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	73	39.0	64	43.5	9	22.5	41	28.7	1,092	26.0	10	10.5
Injection drug use history	15	8.0	14	9.5	1	2.5	13	9.1	943	22.4	43	45.3
Heterosexual	63	33.7	46	31.3	17	42.5	46	32.2	898	21.4	22	23.2
Perinatal	2	1.1	2	1.4	0	0.0	1	0.7	121	2.9	2	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	1.1
Unknown	34	18.2	21	14.3	13	32.5	42	29.4	1,144	27.2	17	17.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,652	39.3	10	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,552	60.7	85	89.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>111</b>	<b>100.0</b>	<b>83</b>	<b>74.8</b>	<b>28</b>	<b>25.2</b>	<b>116</b>	<b>100.0</b>	<b>2,985</b>	<b>100.0</b>	<b>76</b>	<b>100.0</b>
<b>SEX</b>												
Male	72	64.9	51	61.4	21	75.0	77	66.4	1,943	65.1	52	68.4
Female	39	35.1	32	38.6	7	25.0	39	33.6	1,042	34.9	24	31.6
<b>RACE/ETHNICITY</b>												
Black	57	51.4	44	53.0	13	46.4	58	50.0	1,485	49.7	43	56.6
Hispanic	40	36.0	29	34.9	11	39.3	43	37.1	1,255	42.0	27	35.5
White	14	12.6	10	12.0	4	14.3	12	10.3	216	7.2	6	7.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.9	17	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	11	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
13-19	6	5.4	6	7.2	0	0.0	4	3.4	70	2.3	0	0.0
20-29	21	18.9	21	25.3	0	0.0	7	6.0	178	6.0	2	2.6
30-39	27	24.3	20	24.1	7	25.0	31	26.7	562	18.8	9	11.8
40-49	33	29.7	23	27.7	10	35.7	37	31.9	1,116	37.4	19	25.0
50-59	19	17.1	9	10.8	10	35.7	25	21.6	783	26.2	30	39.5
60+	5	4.5	4	4.8	1	3.6	12	10.3	261	8.7	16	21.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	35	31.5	25	30.1	10	35.7	29	25.0	664	22.2	12	15.8
Injection drug use history	12	10.8	8	9.6	4	14.3	23	19.8	898	30.1	29	38.2
Heterosexual	33	29.7	26	31.3	7	25.0	36	31.0	645	21.6	13	17.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	84	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	31	27.9	24	28.9	7	25.0	28	24.1	685	22.9	22	28.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,138	38.1	11	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,847	61.9	65	85.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>86</b>	<b>100.0</b>	<b>61</b>	<b>70.9</b>	<b>25</b>	<b>29.1</b>	<b>89</b>	<b>100.0</b>	<b>3,224</b>	<b>100.0</b>	<b>56</b>	<b>100.0</b>
<b>SEX</b>												
Male	70	81.4	56	91.8	14	56.0	64	71.9	2,720	84.4	44	78.6
Female	16	18.6	5	8.2	11	44.0	25	28.1	504	15.6	12	21.4
<b>RACE/ETHNICITY</b>												
Black	28	32.6	17	27.9	11	44.0	30	33.7	915	28.4	25	44.6
Hispanic	24	27.9	16	26.2	8	32.0	23	25.8	891	27.6	15	26.8
White	34	39.5	28	45.9	6	24.0	34	38.2	1,356	42.1	15	26.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	2.2	40	1.2	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	2	2.2	17	0.5	0	0.0
20-29	21	24.4	16	26.2	5	20.0	8	9.0	131	4.1	0	0.0
30-39	24	27.9	23	37.7	1	4.0	16	18.0	442	13.7	6	10.7
40-49	25	29.1	14	23.0	11	44.0	26	29.2	1,160	36.0	18	32.1
50-59	10	11.6	5	8.2	5	20.0	28	31.5	1,046	32.4	21	37.5
60+	6	7.0	3	4.9	3	12.0	9	10.1	423	13.1	11	19.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	47	54.7	40	65.6	7	28.0	35	39.3	1,715	53.2	11	19.6
Injection drug use history	5	5.8	3	4.9	2	8.0	8	9.0	552	17.1	22	39.3
Heterosexual	12	14.0	7	11.5	5	20.0	17	19.1	318	9.9	10	17.9
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	27	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	1.1	7	0.2	0	0.0
Unknown	22	25.6	11	18.0	11	44.0	27	30.3	605	18.8	13	23.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,224	38.0	5	8.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,000	62.0	51	91.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>50</b>	<b>100.0</b>	<b>40</b>	<b>80.0</b>	<b>10</b>	<b>20.0</b>	<b>41</b>	<b>100.0</b>	<b>1,425</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>
<b>SEX</b>												
Male	44	88.0	36	90.0	8	80.0	35	85.4	1,248	87.6	18	85.7
Female	6	12.0	4	10.0	2	20.0	6	14.6	177	12.4	3	14.3
<b>RACE/ETHNICITY</b>												
Black	10	20.0	6	15.0	4	40.0	18	43.9	294	20.6	10	47.6
Hispanic	9	18.0	8	20.0	1	10.0	6	14.6	280	19.6	4	19.0
White	30	60.0	25	62.5	5	50.0	17	41.5	812	57.0	7	33.3
Asian/Pacific Islander	1	2.0	1	2.5	0	0.0	0	0.0	34	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.0	1	2.5	0	0.0	1	2.4	10	0.7	1	4.8
20-29	12	24.0	12	30.0	0	0.0	3	7.3	58	4.1	0	0.0
30-39	14	28.0	13	32.5	1	10.0	5	12.2	208	14.6	0	0.0
40-49	17	34.0	10	25.0	7	70.0	22	53.7	544	38.2	6	28.6
50-59	5	10.0	4	10.0	1	10.0	5	12.2	377	26.5	9	42.9
60+	1	2.0	0	0.0	1	10.0	5	12.2	226	15.9	5	23.8
<b>TRANSMISSION RISK</b>												
Men who have sex with men	37	74.0	31	77.5	6	60.0	25	61.0	863	60.6	8	38.1
Injection drug use history	0	0.0	0	0.0	0	0.0	5	12.2	165	11.6	4	19.0
Heterosexual	5	10.0	3	7.5	2	20.0	6	14.6	123	8.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	11	0.8	1	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	16.0	6	15.0	2	20.0	4	9.8	261	18.3	8	38.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	571	40.1	6	28.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	854	59.9	15	71.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>218</b>	<b>100.0</b>	<b>185</b>	<b>84.9</b>	<b>33</b>	<b>15.1</b>	<b>148</b>	<b>100.0</b>	<b>5,823</b>	<b>100.0</b>	<b>80</b>	<b>100.0</b>
<b>SEX</b>												
Male	214	98.2	183	98.9	31	93.9	134	90.5	5,349	91.9	69	86.3
Female	4	1.8	2	1.1	2	6.1	14	9.5	474	8.1	11	13.8
<b>RACE/ETHNICITY</b>												
Black	39	17.9	34	18.4	5	15.2	33	22.3	1,146	19.7	16	20.0
Hispanic	52	23.9	42	22.7	10	30.3	33	22.3	1,302	22.4	21	26.3
White	113	51.8	97	52.4	16	48.5	74	50.0	3,219	55.3	42	52.5
Asian/Pacific Islander	12	5.5	10	5.4	2	6.1	8	5.4	113	1.9	1	1.3
Native American	*	*	*	*	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	11	5.0	11	5.9	0	0.0	0	0.0	23	0.4	0	0.0
20-29	55	25.2	48	25.9	7	21.2	20	13.5	296	5.1	0	0.0
30-39	84	38.5	77	41.6	7	21.2	42	28.4	1,112	19.1	9	11.3
40-49	46	21.1	36	19.5	10	30.3	56	37.8	2,521	43.3	31	38.8
50-59	14	6.4	8	4.3	6	18.2	23	15.5	1,367	23.5	28	35.0
60+	8	3.7	5	2.7	3	9.1	7	4.7	502	8.6	12	15.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	186	85.3	162	87.6	24	72.7	94	63.5	3,976	68.3	41	51.3
Injection drug use history	5	2.3	3	1.6	2	6.1	16	10.8	711	12.2	19	23.8
Heterosexual	2	0.9	1	0.5	1	3.0	12	8.1	287	4.9	7	8.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	25	11.5	19	10.3	6	18.2	26	17.6	827	14.2	13	16.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,703	46.4	13	16.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,120	53.6	67	83.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>87</b>	<b>100.0</b>	<b>68</b>	<b>78.2</b>	<b>19</b>	<b>21.8</b>	<b>66</b>	<b>100.0</b>	<b>2,173</b>	<b>100.0</b>	<b>34</b>	<b>100.0</b>
<b>SEX</b>												
Male	74	85.1	59	86.8	15	78.9	53	80.3	1,945	89.5	27	79.4
Female	13	14.9	9	13.2	4	21.1	13	19.7	228	10.5	7	20.6
<b>RACE/ETHNICITY</b>												
Black	21	24.1	19	27.9	2	10.5	18	27.3	517	23.8	14	41.2
Hispanic	21	24.1	14	20.6	7	36.8	21	31.8	512	23.6	9	26.5
White	38	43.7	30	44.1	8	42.1	20	30.3	1,087	50.0	11	32.4
Asian/Pacific Islander	7	8.0	5	7.4	2	10.5	5	7.6	48	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	2.3	2	2.9	0	0.0	1	1.5	5	0.2	0	0.0
20-29	18	20.7	15	22.1	3	15.8	5	7.6	103	4.7	2	5.9
30-39	25	28.7	20	29.4	5	26.3	20	30.3	331	15.2	8	23.5
40-49	24	27.6	21	30.9	3	15.8	21	31.8	809	37.2	7	20.6
50-59	12	13.8	8	11.8	4	21.1	13	19.7	612	28.2	14	41.2
60+	6	6.9	2	2.9	4	21.1	6	9.1	309	14.2	3	8.8
<b>TRANSMISSION RISK</b>												
Men who have sex with men	46	52.9	36	52.9	10	52.6	33	50.0	1,250	57.5	9	26.5
Injection drug use history	13	14.9	12	17.6	1	5.3	6	9.1	371	17.1	13	38.2
Heterosexual	14	16.1	10	14.7	4	21.1	12	18.2	149	6.9	3	8.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	2.9
Unknown	14	16.1	10	14.7	4	21.1	15	22.7	389	17.9	8	23.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	896	41.2	4	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,277	58.8	30	88.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>66</b>	<b>100.0</b>	<b>57</b>	<b>86.4</b>	<b>9</b>	<b>13.6</b>	<b>48</b>	<b>100.0</b>	<b>2,101</b>	<b>100.0</b>	<b>23</b>	<b>100.0</b>
<b>SEX</b>												
Male	64	97.0	55	96.5	9	100.0	43	89.6	2,015	95.9	22	95.7
Female	2	3.0	2	3.5	0	0.0	5	10.4	86	4.1	1	4.3
<b>RACE/ETHNICITY</b>												
Black	16	24.2	15	26.3	1	11.1	15	31.3	365	17.4	2	8.7
Hispanic	7	10.6	4	7.0	3	33.3	11	22.9	363	17.3	6	26.1
White	38	57.6	34	59.6	4	44.4	20	41.7	1,306	62.2	15	65.2
Asian/Pacific Islander	5	7.6	4	7.0	1	11.1	2	4.2	58	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	1.5	1	1.8	0	0.0	0	0.0	2	0.1	0	0.0
20-29	19	28.8	18	31.6	1	11.1	8	16.7	80	3.8	1	4.3
30-39	20	30.3	17	29.8	3	33.3	11	22.9	372	17.7	1	4.3
40-49	19	28.8	15	26.3	4	44.4	20	41.7	856	40.7	8	34.8
50-59	7	10.6	6	10.5	1	11.1	9	18.8	554	26.4	8	34.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	236	11.2	5	21.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	49	74.2	43	75.4	6	66.7	31	64.6	1,482	70.5	11	47.8
Injection drug use history	2	3.0	2	3.5	0	0.0	4	8.3	214	10.2	4	17.4
Heterosexual	4	6.1	4	7.0	0	0.0	4	8.3	76	3.6	1	4.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	11	16.7	8	14.0	3	33.3	9	18.8	327	15.6	7	30.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	899	42.8	3	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,202	57.2	20	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>92</b>	<b>100.0</b>	<b>70</b>	<b>76.1</b>	<b>22</b>	<b>23.9</b>	<b>93</b>	<b>100.0</b>	<b>3,220</b>	<b>100.0</b>	<b>55</b>	<b>100.0</b>
<b>SEX</b>												
Male	82	89.1	63	90.0	19	86.4	72	77.4	2,631	81.7	43	78.2
Female	10	10.9	7	10.0	3	13.6	21	22.6	589	18.3	12	21.8
<b>RACE/ETHNICITY</b>												
Black	20	21.7	17	24.3	3	13.6	22	23.7	658	20.4	19	34.5
Hispanic	29	31.5	20	28.6	9	40.9	34	36.6	1,118	34.7	21	38.2
White	36	39.1	29	41.4	7	31.8	32	34.4	1,312	40.7	14	25.5
Asian/Pacific Islander	6	6.5	3	4.3	3	13.6	5	5.4	111	3.4	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	1.1	1	1.4	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	3.3	3	4.3	0	0.0	0	0.0	30	0.9	0	0.0
20-29	22	23.9	17	24.3	5	22.7	12	12.9	160	5.0	0	0.0
30-39	26	28.3	22	31.4	4	18.2	25	26.9	510	15.8	1	1.8
40-49	24	26.1	17	24.3	7	31.8	34	36.6	1,322	41.1	17	30.9
50-59	11	12.0	8	11.4	3	13.6	13	14.0	867	26.9	23	41.8
60+	6	6.5	3	4.3	3	13.6	9	9.7	327	10.2	14	25.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	57	62.0	43	61.4	14	63.6	48	51.6	1,564	48.6	12	21.8
Injection drug use history	8	8.7	7	10.0	1	4.5	14	15.1	722	22.4	29	52.7
Heterosexual	9	9.8	7	10.0	2	9.1	14	15.1	345	10.7	4	7.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	18	19.6	13	18.6	5	22.7	17	18.3	543	16.9	10	18.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,225	38.0	6	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,995	62.0	49	89.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>29</b>	<b>100.0</b>	<b>22</b>	<b>75.9</b>	<b>7</b>	<b>24.1</b>	<b>20</b>	<b>100.0</b>	<b>454</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>
<b>SEX</b>												
Male	25	86.2	18	81.8	7	100.0	17	85.0	376	82.8	7	70.0
Female	4	13.8	4	18.2	0	0.0	3	15.0	78	17.2	3	30.0
<b>RACE/ETHNICITY</b>												
Black	6	20.7	4	18.2	2	28.6	7	35.0	108	23.8	4	40.0
Hispanic	9	31.0	7	31.8	2	28.6	5	25.0	117	25.8	3	30.0
White	12	41.4	9	40.9	3	42.9	8	40.0	207	45.6	3	30.0
Asian/Pacific Islander	2	6.9	2	9.1	0	0.0	0	0.0	18	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.5	0	0.0
20-29	8	27.6	8	36.4	0	0.0	1	5.0	27	5.9	2	20.0
30-39	10	34.5	6	27.3	4	57.1	8	40.0	97	21.4	1	10.0
40-49	7	24.1	5	22.7	2	28.6	6	30.0	186	41.0	6	60.0
50-59	3	10.3	2	9.1	1	14.3	5	25.0	111	24.4	1	10.0
60+	1	3.4	1	4.5	0	0.0	0	0.0	26	5.7	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	19	65.5	15	68.2	4	57.1	13	65.0	244	53.7	3	30.0
Injection drug use history	0	0.0	0	0.0	0	0.0	4	20.0	70	15.4	2	20.0
Heterosexual	4	13.8	4	18.2	0	0.0	0	0.0	51	11.2	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.5	1	10.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	20.7	3	13.6	3	42.9	3	15.0	82	18.1	2	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	234	51.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	220	48.5	10	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>75</b>	<b>100.0</b>	<b>56</b>	<b>74.7</b>	<b>19</b>	<b>25.3</b>	<b>63</b>	<b>100.0</b>	<b>1,687</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>
<b>SEX</b>												
Male	66	88.0	50	89.3	16	84.2	54	85.7	1,356	80.4	15	75.0
Female	9	12.0	6	10.7	3	15.8	9	14.3	331	19.6	5	25.0
<b>RACE/ETHNICITY</b>												
Black	17	22.7	14	25.0	3	15.8	14	22.2	388	23.0	10	50.0
Hispanic	25	33.3	18	32.1	7	36.8	23	36.5	676	40.1	5	25.0
White	27	36.0	22	39.3	5	26.3	20	31.7	552	32.7	5	25.0
Asian/Pacific Islander	6	8.0	2	3.6	4	21.1	6	9.5	59	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	5	6.7	5	8.9	0	0.0	1	1.6	21	1.2	0	0.0
20-29	23	30.7	22	39.3	1	5.3	8	12.7	127	7.5	0	0.0
30-39	26	34.7	18	32.1	8	42.1	24	38.1	406	24.1	3	15.0
40-49	16	21.3	11	19.6	5	26.3	14	22.2	698	41.4	9	45.0
50-59	5	6.7	0	0.0	5	26.3	14	22.2	328	19.4	5	25.0
60+	0	0.0	0	0.0	0	0.0	2	3.2	104	6.2	3	15.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	46	61.3	37	66.1	9	47.4	30	47.6	826	49.0	6	30.0
Injection drug use history	2	2.7	2	3.6	0	0.0	4	6.3	232	13.8	7	35.0
Heterosexual	13	17.3	8	14.3	5	26.3	10	15.9	271	16.1	2	10.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	14	18.7	9	16.1	5	26.3	19	30.2	330	19.6	5	25.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	719	42.6	3	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	968	57.4	17	85.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>222</b>	<b>100.0</b>	<b>178</b>	<b>80.2</b>	<b>44</b>	<b>19.8</b>	<b>187</b>	<b>100.0</b>	<b>4,395</b>	<b>100.0</b>	<b>65</b>	<b>100.0</b>
<b>SEX</b>												
Male	192	86.5	152	85.4	40	90.9	152	81.3	3,458	78.7	53	81.5
Female	30	13.5	26	14.6	4	9.1	35	18.7	937	21.3	12	18.5
<b>RACE/ETHNICITY</b>												
Black	59	26.6	50	28.1	9	20.5	63	33.7	1,281	29.1	21	32.3
Hispanic	126	56.8	100	56.2	26	59.1	98	52.4	2,407	54.8	27	41.5
White	20	9.0	17	9.6	3	6.8	19	10.2	546	12.4	14	21.5
Asian/Pacific Islander	17	7.7	11	6.2	6	13.6	7	3.7	141	3.2	2	3.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	1.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	2.3	5	2.8	0	0.0	1	0.5	29	0.7	0	0.0
20-29	61	27.5	56	31.5	5	11.4	24	12.8	324	7.4	1	1.5
30-39	53	23.9	41	23.0	12	27.3	53	28.3	1,013	23.0	6	9.2
40-49	64	28.8	47	26.4	17	38.6	68	36.4	1,752	39.9	25	38.5
50-59	28	12.6	22	12.4	6	13.6	32	17.1	993	22.6	20	30.8
60+	10	4.5	6	3.4	4	9.1	9	4.8	276	6.3	13	20.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	117	52.7	90	50.6	27	61.4	79	42.2	1,627	37.0	15	23.1
Injection drug use history	21	9.5	19	10.7	2	4.5	41	21.9	1,017	23.1	27	41.5
Heterosexual	38	17.1	28	15.7	10	22.7	37	19.8	810	18.4	13	20.0
Perinatal	1	0.5	1	0.6	0	0.0	1	0.5	34	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	45	20.3	40	22.5	5	11.4	29	15.5	902	20.5	10	15.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,674	38.1	15	23.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,721	61.9	50	76.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>22</b>	<b>100.0</b>	<b>16</b>	<b>72.7</b>	<b>6</b>	<b>27.3</b>	<b>17</b>	<b>100.0</b>	<b>645</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>
<b>SEX</b>												
Male	18	81.8	13	81.3	5	83.3	12	70.6	468	72.6	9	90.0
Female	4	18.2	3	18.8	1	16.7	5	29.4	177	27.4	1	10.0
<b>RACE/ETHNICITY</b>												
Black	3	13.6	2	12.5	1	16.7	4	23.5	166	25.7	2	20.0
Hispanic	9	40.9	6	37.5	3	50.0	7	41.2	227	35.2	2	20.0
White	6	27.3	4	25.0	2	33.3	4	23.5	204	31.6	4	40.0
Asian/Pacific Islander	4	18.2	4	25.0	0	0.0	2	11.8	44	6.8	2	20.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	4.5	1	6.3	0	0.0	0	0.0	6	0.9	0	0.0
20-29	6	27.3	5	31.3	1	16.7	3	17.6	31	4.8	0	0.0
30-39	5	22.7	3	18.8	2	33.3	4	23.5	114	17.7	1	10.0
40-49	7	31.8	5	31.3	2	33.3	6	35.3	262	40.6	6	60.0
50-59	2	9.1	1	6.3	1	16.7	3	17.6	171	26.5	1	10.0
60+	1	4.5	1	6.3	0	0.0	1	5.9	60	9.3	2	20.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	8	36.4	8	50.0	0	0.0	4	23.5	240	37.2	2	20.0
Injection drug use history	2	9.1	1	6.3	1	16.7	1	5.9	128	19.8	3	30.0
Heterosexual	2	9.1	1	6.3	1	16.7	6	35.3	143	22.2	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	10	45.5	6	37.5	4	66.7	5	29.4	121	18.8	3	30.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	224	34.7	1	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	421	65.3	9	90.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>6</b>	<b>100.0</b>	<b>5</b>	<b>83.3</b>	<b>1</b>	<b>16.7</b>	<b>3</b>	<b>100.0</b>	<b>136</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>
<b>SEX</b>												
Male	6	100.0	5	100.0	1	100.0	2	66.7	108	79.4	1	100.0
Female	0	0.0	0	0.0	0	0.0	1	33.3	28	20.6	0	0.0
<b>RACE/ETHNICITY</b>												
Black	0	0.0	0	0.0	0	0.0	1	33.3	22	16.2	1	100.0
Hispanic	0	0.0	0	0.0	0	0.0	1	33.3	26	19.1	0	0.0
White	4	66.7	3	60.0	1	100.0	1	33.3	74	54.4	0	0.0
Asian/Pacific Islander	2	33.3	2	40.0	0	0.0	0	0.0	13	9.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	6.6	0	0.0
30-39	3	50.0	2	40.0	1	100.0	1	33.3	12	8.8	0	0.0
40-49	2	33.3	2	40.0	0	0.0	1	33.3	51	37.5	0	0.0
50-59	1	16.7	1	20.0	0	0.0	0	0.0	43	31.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	33.3	19	14.0	1	100.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	2	33.3	1	20.0	1	100.0	1	33.3	48	35.3	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	23	16.9	1	100.0
Heterosexual	2	33.3	2	40.0	0	0.0	1	33.3	26	19.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Unknown	2	33.3	2	40.0	0	0.0	1	33.3	30	22.1	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	61	44.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	75	55.1	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>28</b>	<b>100.0</b>	<b>25</b>	<b>89.3</b>	<b>3</b>	<b>10.7</b>	<b>22</b>	<b>100.0</b>	<b>940</b>	<b>100.0</b>	<b>17</b>	<b>100.0</b>
<b>SEX</b>												
Male	21	75.0	18	72.0	3	100.0	18	81.8	683	72.7	12	70.6
Female	7	25.0	7	28.0	0	0.0	4	18.2	257	27.3	5	29.4
<b>RACE/ETHNICITY</b>												
Black	6	21.4	6	24.0	0	0.0	1	4.5	127	13.5	2	11.8
Hispanic	10	35.7	9	36.0	1	33.3	13	59.1	431	45.9	3	17.6
White	7	25.0	6	24.0	1	33.3	7	31.8	342	36.4	12	70.6
Asian/Pacific Islander	4	14.3	4	16.0	0	0.0	0	0.0	31	3.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	3.6	0	0.0	1	33.3	1	4.5	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	1	3.6	1	4.0	0	0.0	3	13.6	10	1.1	0	0.0
20-29	5	17.9	5	20.0	0	0.0	3	13.6	70	7.4	0	0.0
30-39	11	39.3	8	32.0	3	100.0	6	27.3	179	19.0	1	5.9
40-49	7	25.0	7	28.0	0	0.0	5	22.7	378	40.2	5	29.4
50-59	3	10.7	3	12.0	0	0.0	5	22.7	234	24.9	7	41.2
60+	1	3.6	1	4.0	0	0.0	0	0.0	63	6.7	4	23.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	46.4	11	44.0	2	66.7	9	40.9	353	37.6	6	35.3
Injection drug use history	1	3.6	1	4.0	0	0.0	3	13.6	160	17.0	4	23.5
Heterosexual	5	17.9	5	20.0	0	0.0	3	13.6	189	20.1	3	17.6
Perinatal	0	0.0	0	0.0	0	0.0	2	9.1	23	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	9	32.1	8	32.0	1	33.3	5	22.7	209	22.2	4	23.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	392	41.7	3	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	548	58.3	14	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>7</b>	<b>100.0</b>	<b>6</b>	<b>85.7</b>	<b>1</b>	<b>14.3</b>	<b>8</b>	<b>100.0</b>	<b>257</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>
<b>SEX</b>												
Male	6	85.7	6	100.0	0	0.0	4	50.0	174	67.7	2	100.0
Female	1	14.3	0	0.0	1	100.0	4	50.0	83	32.3	0	0.0
<b>RACE/ETHNICITY</b>												
Black	1	14.3	1	16.7	0	0.0	4	50.0	108	42.0	1	50.0
Hispanic	4	57.1	3	50.0	1	100.0	4	50.0	76	29.6	0	0.0
White	1	14.3	1	16.7	0	0.0	0	0.0	57	22.2	1	50.0
Asian/Pacific Islander	1	14.3	1	16.7	0	0.0	0	0.0	13	5.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
20-29	2	28.6	2	33.3	0	0.0	0	0.0	20	7.8	0	0.0
30-39	0	0.0	0	0.0	0	0.0	3	37.5	43	16.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	25.0	103	40.1	0	0.0
50-59	4	57.1	3	50.0	1	100.0	3	37.5	61	23.7	2	100.0
60+	1	14.3	1	16.7	0	0.0	0	0.0	22	8.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	2	28.6	2	33.3	0	0.0	2	25.0	81	31.5	0	0.0
Injection drug use history	1	14.3	1	16.7	0	0.0	1	12.5	37	14.4	0	0.0
Heterosexual	2	28.6	1	16.7	1	100.0	3	37.5	60	23.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
Unknown	2	28.6	2	33.3	0	0.0	2	25.0	68	26.5	2	100.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	114	44.4	1	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	143	55.6	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>56</b>	<b>100.0</b>	<b>41</b>	<b>73.2</b>	<b>15</b>	<b>26.8</b>	<b>32</b>	<b>100.0</b>	<b>1,311</b>	<b>100.0</b>	<b>22</b>	<b>100.0</b>
<b>SEX</b>												
Male	39	69.6	27	65.9	12	80.0	24	75.0	917	69.9	15	68.2
Female	17	30.4	14	34.1	3	20.0	8	25.0	394	30.1	7	31.8
<b>RACE/ETHNICITY</b>												
Black	26	46.4	22	53.7	4	26.7	12	37.5	422	32.2	6	27.3
Hispanic	18	32.1	13	31.7	5	33.3	11	34.4	510	38.9	2	9.1
White	3	5.4	3	7.3	0	0.0	2	6.3	282	21.5	11	50.0
Asian/Pacific Islander	9	16.1	3	7.3	6	40.0	7	21.9	83	6.3	2	9.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	1	4.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	3	5.4	1	2.4	2	13.3	3	9.4	27	2.1	0	0.0
20-29	12	21.4	9	22.0	3	20.0	7	21.9	89	6.8	0	0.0
30-39	15	26.8	11	26.8	4	26.7	5	15.6	287	21.9	3	13.6
40-49	17	30.4	14	34.1	3	20.0	12	37.5	499	38.1	7	31.8
50-59	4	7.1	3	7.3	1	6.7	2	6.3	307	23.4	10	45.5
60+	5	8.9	3	7.3	2	13.3	3	9.4	97	7.4	2	9.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	21	37.5	18	43.9	3	20.0	13	40.6	420	32.0	5	22.7
Injection drug use history	2	3.6	2	4.9	0	0.0	2	6.3	230	17.5	7	31.8
Heterosexual	17	30.4	11	26.8	6	40.0	10	31.3	293	22.3	5	22.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	16	28.6	10	24.4	6	40.0	7	21.9	328	25.0	5	22.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	541	41.3	3	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	770	58.7	19	86.4

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>115</b>	<b>100.0</b>	<b>83</b>	<b>72.2</b>	<b>32</b>	<b>27.8</b>	<b>109</b>	<b>100.0</b>	<b>2,705</b>	<b>100.0</b>	<b>74</b>	<b>100.0</b>
<b>SEX</b>												
Male	84	73.0	62	74.7	22	68.8	74	67.9	1,618	59.8	40	54.1
Female	31	27.0	21	25.3	10	31.3	35	32.1	1,087	40.2	34	45.9
<b>RACE/ETHNICITY</b>												
Black	88	76.5	64	77.1	24	75.0	74	67.9	2,077	76.8	63	85.1
Hispanic	20	17.4	12	14.5	8	25.0	27	24.8	422	15.6	9	12.2
White	2	1.7	2	2.4	0	0.0	6	5.5	142	5.2	1	1.4
Asian/Pacific Islander	4	3.5	4	4.8	0	0.0	2	1.8	54	2.0	1	1.4
Native American	1	0.9	1	1.2	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	22	0.8	0	0.0
13-19	9	7.8	9	10.8	0	0.0	5	4.6	59	2.2	0	0.0
20-29	30	26.1	24	28.9	6	18.8	22	20.2	211	7.8	2	2.7
30-39	20	17.4	14	16.9	6	18.8	11	10.1	440	16.3	8	10.8
40-49	34	29.6	23	27.7	11	34.4	44	40.4	959	35.5	30	40.5
50-59	12	10.4	7	8.4	5	15.6	17	15.6	762	28.2	27	36.5
60+	10	8.7	6	7.2	4	12.5	10	9.2	252	9.3	7	9.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	28	24.3	23	27.7	5	15.6	26	23.9	510	18.9	9	12.2
Injection drug use history	9	7.8	7	8.4	2	6.3	14	12.8	580	21.4	26	35.1
Heterosexual	31	27.0	19	22.9	12	37.5	35	32.1	714	26.4	19	25.7
Perinatal	0	0.0	0	0.0	0	0.0	6	5.5	89	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	47	40.9	34	41.0	13	40.6	28	25.7	803	29.7	20	27.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,009	37.3	9	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,696	62.7	65	87.8

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>39</b>	<b>100.0</b>	<b>31</b>	<b>79.5</b>	<b>8</b>	<b>20.5</b>	<b>32</b>	<b>100.0</b>	<b>1,020</b>	<b>100.0</b>	<b>22</b>	<b>100.0</b>
<b>SEX</b>												
Male	20	51.3	16	51.6	4	50.0	20	62.5	589	57.7	13	59.1
Female	19	48.7	15	48.4	4	50.0	12	37.5	431	42.3	9	40.9
<b>RACE/ETHNICITY</b>												
Black	30	76.9	25	80.6	5	62.5	24	75.0	800	78.4	18	81.8
Hispanic	4	10.3	2	6.5	2	25.0	5	15.6	113	11.1	4	18.2
White	3	7.7	3	9.7	0	0.0	1	3.1	74	7.3	0	0.0
Asian/Pacific Islander	2	5.1	1	3.2	1	12.5	2	6.3	31	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	1.1	0	0.0
13-19	2	5.1	2	6.5	0	0.0	1	3.1	31	3.0	0	0.0
20-29	12	30.8	9	29.0	3	37.5	8	25.0	75	7.4	1	4.5
30-39	5	12.8	5	16.1	0	0.0	4	12.5	177	17.4	3	13.6
40-49	10	25.6	9	29.0	1	12.5	9	28.1	369	36.2	7	31.8
50-59	6	15.4	3	9.7	3	37.5	7	21.9	255	25.0	6	27.3
60+	4	10.3	3	9.7	1	12.5	3	9.4	102	10.0	5	22.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	23.1	7	22.6	2	25.0	7	21.9	176	17.3	1	4.5
Injection drug use history	2	5.1	2	6.5	0	0.0	2	6.3	149	14.6	6	27.3
Heterosexual	11	28.2	8	25.8	3	37.5	11	34.4	309	30.3	7	31.8
Perinatal	0	0.0	0	0.0	0	0.0	1	3.1	46	4.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	17	43.6	14	45.2	3	37.5	11	34.4	333	32.6	8	36.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	386	37.8	1	4.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	634	62.2	21	95.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>26</b>	<b>100.0</b>	<b>20</b>	<b>76.9</b>	<b>6</b>	<b>23.1</b>	<b>31</b>	<b>100.0</b>	<b>829</b>	<b>100.0</b>	<b>28</b>	<b>100.0</b>
<b>SEX</b>												
Male	14	53.8	11	55.0	3	50.0	18	58.1	443	53.4	13	46.4
Female	12	46.2	9	45.0	3	50.0	13	41.9	386	46.6	15	53.6
<b>RACE/ETHNICITY</b>												
Black	17	65.4	13	65.0	4	66.7	21	67.7	535	64.5	16	57.1
Hispanic	5	19.2	5	25.0	0	0.0	4	12.9	183	22.1	6	21.4
White	4	15.4	2	10.0	2	33.3	6	19.4	103	12.4	6	21.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
13-19	2	7.7	2	10.0	0	0.0	1	3.2	15	1.8	0	0.0
20-29	9	34.6	9	45.0	0	0.0	2	6.5	66	8.0	2	7.1
30-39	5	19.2	4	20.0	1	16.7	3	9.7	124	15.0	5	17.9
40-49	5	19.2	3	15.0	2	33.3	9	29.0	303	36.6	12	42.9
50-59	4	15.4	2	10.0	2	33.3	14	45.2	261	31.5	8	28.6
60+	1	3.8	0	0.0	1	16.7	2	6.5	52	6.3	1	3.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	8	30.8	6	30.0	2	33.3	5	16.1	110	13.3	4	14.3
Injection drug use history	1	3.8	1	5.0	0	0.0	9	29.0	222	26.8	8	28.6
Heterosexual	12	46.2	9	45.0	3	50.0	8	25.8	274	33.1	10	35.7
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	30	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	2	7.1
Unknown	5	19.2	4	20.0	1	16.7	8	25.8	190	22.9	4	14.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	356	42.9	5	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	473	57.1	23	82.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>19</b>	<b>100.0</b>	<b>15</b>	<b>78.9</b>	<b>4</b>	<b>21.1</b>	<b>16</b>	<b>100.0</b>	<b>389</b>	<b>100.0</b>	<b>15</b>	<b>100.0</b>
<b>SEX</b>												
Male	18	94.7	14	93.3	4	100.0	11	68.8	239	61.4	11	73.3
Female	1	5.3	1	6.7	0	0.0	5	31.3	150	38.6	4	26.7
<b>RACE/ETHNICITY</b>												
Black	10	52.6	8	53.3	2	50.0	7	43.8	194	49.9	6	40.0
Hispanic	8	42.1	6	40.0	2	50.0	7	43.8	113	29.0	4	26.7
White	1	5.3	1	6.7	0	0.0	2	12.5	77	19.8	5	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
13-19	1	5.3	1	6.7	0	0.0	0	0.0	10	2.6	0	0.0
20-29	4	21.1	3	20.0	1	25.0	3	18.8	27	6.9	1	6.7
30-39	2	10.5	2	13.3	0	0.0	5	31.3	60	15.4	2	13.3
40-49	9	47.4	7	46.7	2	50.0	5	31.3	148	38.0	5	33.3
50-59	2	10.5	1	6.7	1	25.0	3	18.8	109	28.0	7	46.7
60+	1	5.3	1	6.7	0	0.0	0	0.0	32	8.2	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	7	36.8	6	40.0	1	25.0	3	18.8	65	16.7	3	20.0
Injection drug use history	3	15.8	2	13.3	1	25.0	3	18.8	107	27.5	6	40.0
Heterosexual	4	21.1	4	26.7	0	0.0	5	31.3	98	25.2	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	5	26.3	3	20.0	2	50.0	5	31.3	101	26.0	5	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	157	40.4	2	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	232	59.6	13	86.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).



## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>42</b>	<b>100.0</b>	<b>31</b>	<b>73.8</b>	<b>11</b>	<b>26.2</b>	<b>31</b>	<b>100.0</b>	<b>838</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>
<b>SEX</b>												
Male	28	66.7	20	64.5	8	72.7	22	71.0	529	63.1	10	47.6
Female	14	33.3	11	35.5	3	27.3	9	29.0	309	36.9	11	52.4
<b>RACE/ETHNICITY</b>												
Black	29	69.0	24	77.4	5	45.5	14	45.2	376	44.9	12	57.1
Hispanic	5	11.9	4	12.9	1	9.1	8	25.8	207	24.7	4	19.0
White	6	14.3	2	6.5	4	36.4	8	25.8	243	29.0	5	23.8
Asian/Pacific Islander	2	4.8	1	3.2	1	9.1	1	3.2	4	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
13-19	2	4.8	2	6.5	0	0.0	0	0.0	12	1.4	0	0.0
20-29	14	33.3	11	35.5	3	27.3	3	9.7	63	7.5	1	4.8
30-39	9	21.4	7	22.6	2	18.2	6	19.4	133	15.9	1	4.8
40-49	8	19.0	5	16.1	3	27.3	11	35.5	348	41.5	7	33.3
50-59	7	16.7	5	16.1	2	18.2	9	29.0	210	25.1	10	47.6
60+	2	4.8	1	3.2	1	9.1	2	6.5	64	7.6	2	9.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	8	19.0	7	22.6	1	9.1	4	12.9	203	24.2	2	9.5
Injection drug use history	3	7.1	1	3.2	2	18.2	11	35.5	218	26.0	8	38.1
Heterosexual	11	26.2	9	29.0	2	18.2	7	22.6	191	22.8	7	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	20	47.6	14	45.2	6	54.5	9	29.0	197	23.5	4	19.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	336	40.1	2	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	502	59.9	19	90.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>3</b>	<b>75.0</b>	<b>1</b>	<b>25.0</b>	<b>7</b>	<b>100.0</b>	<b>144</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<b>SEX</b>												
Male	3	75.0	2	66.7	1	100.0	7	100.0	99	68.8	3	100.0
Female	1	25.0	1	33.3	0	0.0	0	0.0	45	31.3	0	0.0
<b>RACE/ETHNICITY</b>												
Black	1	25.0	1	33.3	0	0.0	1	14.3	21	14.6	1	33.3
Hispanic	1	25.0	0	0.0	1	100.0	1	14.3	34	23.6	1	33.3
White	2	50.0	2	66.7	0	0.0	5	71.4	84	58.3	1	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	14.3	15	10.4	0	0.0
30-39	2	50.0	1	33.3	1	100.0	0	0.0	18	12.5	1	33.3
40-49	2	50.0	2	66.7	0	0.0	5	71.4	65	45.1	2	66.7
50-59	0	0.0	0	0.0	0	0.0	0	0.0	32	22.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	14.3	12	8.3	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	0	0.0	0	0.0	0	0.0	4	57.1	46	31.9	1	33.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	21	14.6	1	33.3
Heterosexual	2	50.0	1	33.3	1	100.0	0	0.0	31	21.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	2	50.0	2	66.7	0	0.0	3	42.9	41	28.5	1	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	64	44.4	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	80	55.6	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>18</b>	<b>100.0</b>	<b>14</b>	<b>77.8</b>	<b>4</b>	<b>22.2</b>	<b>20</b>	<b>100.0</b>	<b>356</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>
<b>SEX</b>												
Male	16	88.9	13	92.9	3	75.0	15	75.0	247	69.4	4	50.0
Female	2	11.1	1	7.1	1	25.0	5	25.0	109	30.6	4	50.0
<b>RACE/ETHNICITY</b>												
Black	7	38.9	4	28.6	3	75.0	6	30.0	71	19.9	2	25.0
Hispanic	1	5.6	1	7.1	0	0.0	4	20.0	86	24.2	0	0.0
White	10	55.6	9	64.3	1	25.0	10	50.0	198	55.6	6	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	2.2	0	0.0
20-29	2	11.1	1	7.1	1	25.0	3	15.0	20	5.6	0	0.0
30-39	6	33.3	4	28.6	2	50.0	4	20.0	60	16.9	1	12.5
40-49	5	27.8	4	28.6	1	25.0	8	40.0	145	40.7	3	37.5
50-59	3	16.7	3	21.4	0	0.0	4	20.0	102	28.7	3	37.5
60+	2	11.1	2	14.3	0	0.0	1	5.0	19	5.3	1	12.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	6	33.3	4	28.6	2	50.0	4	20.0	64	18.0	2	25.0
Injection drug use history	2	11.1	2	14.3	0	0.0	3	15.0	95	26.7	1	12.5
Heterosexual	3	16.7	2	14.3	1	25.0	2	10.0	74	20.8	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	1	12.5
Unknown	7	38.9	6	42.9	1	25.0	11	55.0	108	30.3	2	25.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	154	43.3	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	202	56.7	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2007****Table 2.1. Overall and by sex, age, and race/ethnicity**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>52.5</b>	<b>1.3</b>	<b>21.6</b>	<b>8,008,278</b>
<b>SEX</b>				
Male	82.6	2.0	20.5	3,794,204
Female	25.5	0.8	24.0	4,214,074
<b>RACE/ETHNICITY</b>				
Black	103.5	2.5	24.8	1,962,154
Hispanic	60.3	1.6	21.9	2,160,554
White	25.9	0.8	15.4	2,801,267
Asian/Pacific Islander	17.0	0.2	17.8	783,058
Native American	86.6	1.4	14.0*	17,321
<b>AGE GROUP (YEARS)</b>				
0-12	0.8	0.0	2.9*	1,429,677
13-19	29.2	0.2	5.5*	723,773
20-29	91.2	0.6	6.6	1,270,490
30-39	80.7	1.5	12.2	1,348,263
40-49	92.5	3.6	20.1	1,133,497
50-59	58.1	3.2	30.6	850,372
60+	15.6	0.8	37.6	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Rates based on numerators  $\leq 10$  are marked with an asterisk (\*) and should be interpreted with caution.

<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>2</sup>Age-adjusted to the citywide population of PWHA at the end of 2007, except for age-specific rates.

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2007****Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>52.5</b>	<b>1.3</b>	<b>21.6</b>	<b>8,008,278</b>
<b>BRONX<sup>3</sup></b>	<b>68.7</b>	<b>1.7</b>	<b>25.4</b>	<b>1,327,690</b>
Crotona - Tremont	86.2	2.3	30.3	199,530
Fordham - Bronx Park	60.7	1.6	22.0	250,491
High Bridge - Morrisania	108.0	2.6	26.8	189,755
Hunts Point - Mott Haven	103.4	2.5	25.1	122,875
Kingsbridge - Riverdale	19.1	0.6	14.2*	88,989
Northeast Bronx	41.4	0.9	24.6	185,998
Pelham - Throgs Neck	49.3	1.2	23.4	290,052
<b>BROOKLYN<sup>3</sup></b>	<b>43.3</b>	<b>1.1</b>	<b>26.3</b>	<b>2,465,326</b>
Bedford Stuyvesant - Crown Heights	98.6	2.1	30.3	317,296
Bensonhurst - Bay Ridge	10.3	0.3	25.4	194,558
Borough Park	8.3	0.3	15.6	324,411
Canarsie - Flatlands	29.8	0.6	27.8	197,819
Coney Island - Sheepshead Bay	13.6	0.4	28.2	286,901
Downtown - Heights - Park Slope	48.0	1.4	17.4	214,696
East Flatbush - Flatbush	61.3	1.3	22.5	316,734
East New York	58.1	1.5	29.6	173,716
Greenpoint	25.7	0.8	28.7	124,449
Sunset Park	21.6	0.7	25.5	120,441
Williamsburg - Bushwick	73.6	1.8	30.6	194,305
<b>MANHATTAN<sup>3</sup></b>	<b>76.2</b>	<b>2.1</b>	<b>17.5</b>	<b>1,529,375</b>
Central Harlem - Morningside Heights	123.7	2.8	22.0	151,113
Chelsea - Clinton	177.2	4.8	13.3	122,998
East Harlem	102.7	2.8	24.7	108,092
Gramercy Park - Murray Hill	69.9	1.8	15.5	124,477
Greenwich Village - Soho	78.8	2.5	10.4	83,709
Lower Manhattan	93.9	1.5	20.8*	30,895
Union Square - Lower East Side	46.7	1.7	15.5	197,138
Upper East Side	22.9	0.7	13.4	218,167
Upper West Side	38.7	1.5	15.6	222,109
Washington Heights - Inwood	68.7	1.4	21.8	270,677
<b>QUEENS<sup>3</sup></b>	<b>26.8</b>	<b>0.7</b>	<b>18.4</b>	<b>2,242,159</b>
Bayside - Little Neck	6.8*	0.2	4.5*	88,164
Flushing - Clearview	8.6	0.3	14.5*	255,542
Fresh Meadows	7.5*	0.3	8.1*	93,148
Jamaica	40.3	1.0	26.6	285,568
Long Island City - Astoria	33.9	0.8	12.5	220,960
Ridgewood - Forest Hills	11.6	0.4	18.8	240,901
Rockaway	24.4	0.8	32.9	106,738
Southeast Queens	19.1	0.5	21.1	203,670
Southwest Queens	20.7	0.5	17.0	269,952
West Queens	46.5	0.9	15.7	477,516
<b>STATEN ISLAND<sup>3</sup></b>	<b>18.9</b>	<b>0.4</b>	<b>28.2</b>	<b>443,728</b>
Port Richmond	30.3	0.6	36.2	62,788
South Beach - Tottenville	10.0	0.2	22.5*	179,892
Stapleton - St. George	36.1	0.7	24.3	116,227
Willowbrook	4.7*	0.2	21.0*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2012. Table generated December 18, 2012.

Rates based on numerators  $\leq 10$  are marked with an asterisk (\*) and should be interpreted with caution.<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.<sup>2</sup>Age-adjusted to the citywide population of PWHA at the end of 2007.<sup>3</sup>Borough-level data include persons residing in unknown UHF neighborhoods.