

NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2008

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www.nyc.gov/html/doh/html/data/hivepi.shtml

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
Table 1.1	New York Oity (All)	Table 1.7.5	Crotona – Tremont
	By Sex	Table 1.7.6	High Bridge – Morrisania
Table 1.2.1	Males	Table 1.7.7	Hunts Point – Mott Haven
Table 1.2.1	Females	14010 1.7.7	Tiding Foint Wott Flavori
Table 1.2.2	i emales		By UHF Neighborhood: Brooklyn
	By Race/Ethnicity	Table 1.8.1	Greenpoint
Table 1.3.1	Black males	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.2	Black females	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.3	Hispanic males	Table 1.8.4	East New York
Table 1.3.4	Hispanic females	Table 1.8.5	Sunset Park
Table 1.3.5	White males	Table 1.8.6	Borough Park
Table 1.3.6	White females	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.8	Canarsie – Flatlands
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.9	Native American males	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.3.10	Native American females	Table 1.8.11	Williamsburg – Bushwick
14510 1.5.10	Native / inchedit females	14510 1.0.11	Williamsburg Bushwick
	By Age		By UHF Neighborhood: Manhattan
Table 1.4.1	Males 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.2	Females 0-12 years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.3	Males 13+ years	Table 1.9.3	East Harlem
Table 1.4.4	Females 13+ years	Table 1.9.4	Upper West Side
	·	Table 1.9.5	Upper East Side
	By Borough	Table 1.9.6	Chelsea – Clinton
Table 1.5.1	Bronx, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.2	Bronx, females	Table 1.9.8	Greenwich Village - Soho
Table 1.5.3	Brooklyn, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.4	Brooklyn, females	Table 1.9.10	Lower Manhattan
Table 1.5.5	Manhattan, males		
Table 1.5.6	Manhattan, females		By UHF Neighborhood: Queens
Table 1.5.7	Queens, males	Table 1.10.1	Long Island City – Astoria
Table 1.5.8	Queens, females	Table 1.10.2	West Queens
Table 1.5.9	Staten Island, males	Table 1.10.3	Flushing – Clearview
Table 1.5.10	Staten Island, females	Table 1.10.4	Bayside – Little Neck
		Table 1.10.5	Ridgewood – Forest Hills
	By Transmission Risk	Table 1.10.6	Fresh Meadows
Table 1.6.1	Men who have sex with men	Table 1.10.7	Southwest Queens
Table 1.6.2	Injection drug users, males	Table 1.10.8	Jamaica
Table 1.6.3	Injection drug users, females	Table 1.10.9	Southeast Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.10	Rockaway
Table 1.6.5	Heterosexuals, females		
			By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
	- "	- 11 1 1 1 1 1	0 4 5 4 7 4 44
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach - Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2008, New York City

Table 2.1 Overall and by sex, age, and race/ethnicity Table 2.2 Overall and by borough and UHF neighborhood of residence

Please refer to http://www.nyc.gov/html/doh/html/data/hivtables.shtml#abbrev for glossary of terms.

Table 1.1. New York City (All)

		HIV	DIAGNOS	ES, 2008			AIDS DIAGNOS	ES, 2008	PLWHA AS 12/31/200		DEATHS,	2008
	Total HIV di		Withou		Concuri AIDS dia	agnoses		0/		0/	N	0/
TOTAL	4, 25 6	% 100.0	N 3,388	% 79.6	N 868	% 20.4	N 3,347	% 100.0	N 107,831	% 100.0	N 2,381	100.0
SEX								_				
Male	3,249	76.3	2,612	77.1	637	73.4	2,382	71.2	76,217	70.7	1,618	68.0
Female	1,007	23.7	776	22.9	231	26.6		28.8	31,614	29.3	763	32.0
RACE/ETHNICITY								_		_		
Black	2,105	49.5	1,658	48.9	447	51.5		51.0	48,202	44.7	1,207	50.7
Hispanic	1,296	30.5	1,019	30.1	277	31.9		32.6	35,257	32.7	781	32.8
White Control of the	708	16.6	597	17.6	111	12.8		13.5	22,011	20.4	347	14.6
Asian/Pacific Islander Native American	126 17	3.0 0.4	96 15	2.8 0.4	30 2	3.5 0.2	79 14	2.4 0.4	1,657 249	1.5 0.2	36 4	1.5 0.2
Multiracial	4	0.4	3	0.4	1	0.2	2	0.4	249 55	0.2	4 5	0.2
Unknown	0	0.0	0	0.0	Ó	0.0	0	0.0	400	0.4	1	0.0
AGE GROUP (YEARS)								_		_		
0-12	9	0.2	9	0.3	0	0.0	1	0.0	537	0.5	0	0.0
13-19	213	5.0	194	5.7	19	2.2		2.2	1,635	1.5	7	0.3
20-29	1,200	28.2	1,059	31.3	141	16.2		13.7	7,850	7.3	66	2.8
30-39	1,116	26.2	897	26.5	219	25.2		25.1	18,729	17.4	243	10.2
40-49 50-59	1,063	25.0	799 334	23.6 9.9	264 151	30.4	1,145 620	34.2	39,965	37.1 26.3	762 851	32.0 35.7
60 +	485 170	11.4 4.0	334 96	2.8	74	17.4 8.5		18.5 6.2	28,404 10,711	9.9	452	19.0
BOROUGH OF RESIDENCE								_		_		
Bronx	883	20.7	676	20.0	207	23.8	852	25.5	24,592	22.8	565	23.7
Brooklyn	1,100	25.8	849	25.1	251	28.9		25.8	26,566	24.6	611	25.7
Manhattan	1,114	26.2	904	26.7	210	24.2		24.1	29,975	27.8	502	21.1
Queens	642	15.1	513	15.1	129	14.9		14.1	15,564	14.4	236	9.9
Staten Island	64	1.5	41	1.2	23	2.6		1.8	2,123	2.0	50	2.1
Outside NYC Unknown	440 13	10.3 0.3	393 12	11.6 0.4	47 1	5.4 0.1	214 78	6.4 2.3	8,754 257	8.1 0.2	81 336	3.4 14.1
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	435	10.2	351	10.4	84	9.7	278	8.3	11,730	10.9	158	6.6
Medium poverty (10 to <20% below FPL)	1,136	26.7	882	26.0	254	29.3		26.8	29,610	27.5	509	21.4
High poverty (20 to <30% below FPL)	1,093	25.7	850	25.1	243	28.0	870	26.0	27,177	25.2	589	24.7
Very high poverty (>=30% below FPL)	1,101	25.9	873	25.8	228	26.3	981	29.3	28,771	26.7	706	29.7
Area-based poverty level not available	491	11.5	432	12.8	59	6.8	322	9.6	10,543	9.8	419	17.6
TRANSMISSION RISK	4	4	4.655	40.				60.7	0= 227			
Men who have sex with men	1,923	45.2	1,628	48.1	295	34.0	1,088	32.5	35,606	33.0	432	18.1
Injection drug use history Heterosexual	278 950	6.5 22.3	222 707	6.6 20.9	56 243	6.5		13.9 22.9	21,658 21.096	20.1	865 393	36.3 16.5
Perinatal	950	0.2	107	0.3	243	28.0 0.0	767 50	1.5	2,514	19.6 2.3	393 16	0.7
Other	0	0.2	0	0.0	0	0.0		0.0	2,314	0.2	13	0.7
Unknown	1,095	25.7	821	24.2	274	31.6		29.2	26,716	24.8	662	27.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A		N/A	43,973	40.8	361	15.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	63,858	59.2	2,020	84.8

		HIV	DIAGNOSI	ES, 2008		All	DS DIAGNOSI	ES, 2008	PLWHA A: 12/31/20		DEATHS,	2008
	Total HIV d	agnoses %	Withou N	t AIDS %	Concuri AIDS dia N		N	%	N	%	N	%
TOTAL	3,249	100.0	2,612	80.4	637	19.6	2,382	100.0	76,217	100.0	1,618	100.0
RACE/ETHNICITY						_		_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	1,441 1,040 644 107 13 4	44.4 32.0 19.8 3.3 0.4 0.1 0.0	1,158 816 541 83 11 3	44.3 31.2 20.7 3.2 0.4 0.1 0.0	283 224 103 24 2 1	44.4 35.2 16.2 3.8 0.3 0.2	1,102 797 409 62 10 2	46.3 33.5 17.2 2.6 0.4 0.1 0.0	29,912 24,888 19,565 1,332 173 40 307	39.2 32.7 25.7 1.7 0.2 0.1 0.4	766 522 295 27 3 4	47.3 32.3 18.2 1.7 0.2 0.2
AGE GROUP (YEARS)						_		_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	6 155 1,000 861 786 336 105	0.2 4.8 30.8 26.5 24.2 10.3 3.2	6 144 884 703 591 222 62	0.2 5.5 33.8 26.9 22.6 8.5 2.4	0 11 116 158 195 114 43	0.0 1.7 18.2 24.8 30.6 17.9 6.8	1 44 359 600 805 437 136	0.0 1.8 15.1 25.2 33.8 18.3 5.7	250 847 5,648 12,867 27,983 20,548 8,074	0.3 1.1 7.4 16.9 36.7 27.0 10.6	0 2 44 152 479 619 322	0.0 0.1 2.7 9.4 29.6 38.3 19.9
BOROUGH OF RESIDENCE						_		_		_		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	571 808 952 498 46 361 13	17.6 24.9 29.3 15.3 1.4 11.1 0.4	443 623 781 398 29 326 12	17.0 23.9 29.9 15.2 1.1 12.5 0.5	128 185 171 100 17 35	20.1 29.0 26.8 15.7 2.7 5.5 0.2	523 588 649 354 40 170 58	22.0 24.7 27.2 14.9 1.7 7.1 2.4	14,759 17,057 24,719 11,057 1,358 7,063 204	19.4 22.4 32.4 14.5 1.8 9.3 0.3	364 372 367 164 34 59 258	22.5 23.0 22.7 10.1 2.1 3.6 15.9
AREA-BASED POVERTY LEVEL						_		_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	377 886 854 726 406	11.6 27.3 26.3 22.3 12.5	311 693 669 577 362	11.9 26.5 25.6 22.1 13.9	66 193 185 149 44	10.4 30.3 29.0 23.4 6.9	232 659 617 626 248	9.7 27.7 25.9 26.3 10.4	9,829 21,969 18,345 17,596 8,478	12.9 28.8 24.1 23.1 11.1	126 355 385 433 319	7.8 21.9 23.8 26.8 19.7
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	1,923 208 199 7 0 912	59.2 6.4 6.1 0.2 0.0 28.1	1,628 162 137 7 0 678	62.3 6.2 5.2 0.3 0.0 26.0	295 46 62 0 0 234	46.3 7.2 9.7 0.0 0.0 36.7	1,088 321 210 26 0 737	45.7 13.5 8.8 1.1 0.0 30.9	35,606 15,359 5,658 1,229 127 18,238	46.7 20.2 7.4 1.6 0.2 23.9	432 600 117 5 6 458	26.7 37.1 7.2 0.3 0.4 28.3
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	30,843 45,374	40.5 59.5	257 1,361	15.9 84.1

		HIV E	DIAGNO	SES, 200	08		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV d	iaanoses	Withou	t AIDS	oncurrent wi	th AIDS						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1,007	100.0	776	77.1	231	22.9	965	100.0	31,614	100.0	763	100.0
RACE/ETHNICITY												
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	664 256 64 19 4 0	65.9 25.4 6.4 1.9 0.4 0.0	500 203 56 13 4 0	64.4 26.2 7.2 1.7 0.5 0.0	164 53 8 6 0 0	71.0 22.9 3.5 2.6 0.0 0.0	295 43 17 4 0	62.8 30.6 4.5 1.8 0.4 0.0	18,290 10,369 2,446 325 76 15 93	57.9 32.8 7.7 1.0 0.2 0.0 0.3	441 259 52 9 1 1 0	57.8 33.9 6.8 1.2 0.1 0.1
AGE GROUP (YEARS)				0.4		0.0		0.0	007	0.0		0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	3 58 200 255 277 149 65	0.3 5.8 19.9 25.3 27.5 14.8 6.5	3 50 175 194 208 112 34	0.4 6.4 22.6 25.0 26.8 14.4 4.4	0 8 25 61 69 37 31	0.0 3.5 10.8 26.4 29.9 16.0 13.4	30 98 241 340 183	0.0 3.1 10.2 25.0 35.2 19.0 7.6	287 788 2,202 5,862 11,982 7,856 2,637	0.9 2.5 7.0 18.5 37.9 24.8 8.3	0 5 22 91 283 232 130	0.0 0.7 2.9 11.9 37.1 30.4 17.0
BOROUGH OF RESIDENCE								_		-		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	312 292 162 144 18 79 0	31.0 29.0 16.1 14.3 1.8 7.8 0.0	233 226 123 115 12 67 0	30.0 29.1 15.9 14.8 1.5 8.6 0.0	79 66 39 29 6 12	34.2 28.6 16.9 12.6 2.6 5.2 0.0	275 157 119 21 44	34.1 28.5 16.3 12.3 2.2 4.6 2.1	9,833 9,509 5,256 4,507 765 1,691 53	31.1 30.1 16.6 14.3 2.4 5.3 0.2	201 239 135 72 16 22 78	26.3 31.3 17.7 9.4 2.1 2.9 10.2
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	58 250 239 375 85	5.8 24.8 23.7 37.2 8.4	40 189 181 296 70	5.2 24.4 23.3 38.1 9.0	18 61 58 79 15	7.8 26.4 25.1 34.2 6.5	237 253 355	4.8 24.6 26.2 36.8 7.7	1,901 7,641 8,832 11,175 2,065	6.0 24.2 27.9 35.3 6.5	32 154 204 273 100	4.2 20.2 26.7 35.8 13.1
TRANSMISSION RISK												
Injection drug use history Heterosexual Perinatal Other Unknown	70 751 3 0 183	7.0 74.6 0.3 0.0 18.2	60 570 3 0 143	7.7 73.5 0.4 0.0 18.4	10 181 0 0 40	4.3 78.4 0.0 0.0 17.3	557 24 0	14.9 57.7 2.5 0.0 24.9	6,299 15,438 1,285 114 8,478	19.9 48.8 4.1 0.4 26.8	265 276 11 7 204	34.7 36.2 1.4 0.9 26.7
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	13,130 18,484	41.5 58.5	104 659	13.6 86.4

Table	1.3.1.	Black	Males
-------	--------	-------	-------

		HIV	DIAGNOS	ES, 2008			AIDS DIAGNOS	ES, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurr AIDS dia N			%	N	%	N	%
TOTAL	1,441	100.0	1,158	80.4	283	19.6	1,102	100.0	29,912	100.0	766	100.0
AGE GROUP (YEARS)	_							_				
0-12	4	0.3	4	0.3	0	0.0	1	0.1	156	0.5	0	0.0
13-19	102	7.1	95	8.2	7	2.5		2.6	514	1.7	2	0.3
20-29	481	33.4	428	37.0	53	18.7	176	16.0	2,702	9.0	29	3.8
30-39	319	22.1	265	22.9	54	19.1	236	21.4	4,594	15.4	76	9.9
40-49	325	22.6	232	20.0	93	32.9	379	34.4	10,178	34.0	203	26.5
50-59	152	10.5	97	8.4	55	19.4	211	19.1	8,430	28.2	299	39.0
60+	58	4.0	37	3.2	21	7.4	70	6.4	3,338	11.2	157	20.5
BOROUGH OF RESIDENCE	_							_		_		
Bronx	277	19.2	218	18.8	59	20.8		20.7	6,350	21.2	167	21.8
Brooklyn	505	35.0	391	33.8	114	40.3		33.8	9,831	32.9	235	30.7
Manhattan	325	22.6	262	22.6	63	22.3	258	23.4	7,075	23.7	154	20.1
Queens	165	11.5	139	12.0	26	9.2	146	13.2	3,978	13.3	65	8.5
Staten Island	15	1.0	9	0.8	6	2.1	13	1.2	465	1.6	12	1.6
Outside NYC	145	10.1	130	11.2	15	5.3		5.9	2,141	7.2	19	2.5
Unknown	9	0.6	9	0.8	0	0.0	19	1.7	72	0.2	114	14.9
AREA-BASED POVERTY LEVEL	_							_				
Low poverty (<10% below FPL)	102	7.1	83	7.2	19	6.7	69	6.3	1,929	6.4	38	5.0
Medium poverty (10 to <20% below FPL)	320	22.2	254	21.9	66	23.3		25.2	7,791	26.0	154	20.1
High poverty (20 to <30% below FPL)	457	31.7	352	30.4	105	37.1	348	31.6	8,910	29.8	215	28.1
Very high poverty (>=30% below FPL)	392	27.2	316	27.3	76	26.9	312	28.3	8,628	28.8	225	29.4
Area-based poverty level not available	170	11.8	153	13.2	17	6.0	95	8.6	2,654	8.9	134	17.5
TRANSMISSION RISK	_							_				
Men who have sex with men	738	51.2	636	54.9	102	36.0	427	38.7	10,457	35.0	187	24.4
Injection drug use history	70	4.9	53	4.6	17	6.0	131	11.9	6,275	21.0	260	33.9
Heterosexual	113	7.8	75	6.5	38	13.4	115	10.4	3,068	10.3	70	9.1
Perinatal	5	0.3	5	0.4	0	0.0	17	1.5	690	2.3	4	0.5
Other	0	0.0	0	0.0	0	0.0		0.0	39	0.1	4	0.5
Unknown	515	35.7	389	33.6	126	44.5	412	37.4	9,383	31.4	241	31.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,615	38.8	111	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A		N/A	18,297	61.2	655	85.5

Table 1.3.2. Black Females

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSI	ES, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV di		Withou	it AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	664	100.0	500	75.3	164	24.7	606	100.0	18,290	100.0	441	100.0
AGE GROUP (YEARS)	_							_				
13-19 20-29 30-39 40-49 50-59 60+	1 38 129 158 190 102 46	0.2 5.7 19.4 23.8 28.6 15.4 6.9	1 32 110 118 141 77 21	0.2 6.4 22.0 23.6 28.2 15.4 4.2	0 6 19 40 49 25 25	0.0 3.7 11.6 24.4 29.9 15.2	0 23 67 148 211 110 47	0.0 3.8 11.1 24.4 34.8 18.2 7.8	170 486 1,333 3,567 6,847 4,459 1,428	0.9 2.7 7.3 19.5 37.4 24.4 7.8	0 2 12 57 154 138 78	0.0 0.5 2.7 12.9 34.9 31.3 17.7
	40	0.0		7.2	20	10.2		7.0	1,420	7.0	70	17.7
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	194 222 100 89 9 50	29.2 33.4 15.1 13.4 1.4 7.5 0.0	142 167 73 69 6 43 0	28.4 33.4 14.6 13.8 1.2 8.6 0.0	52 55 27 20 3 7 0	31.7 33.5 16.5 12.2 1.8 4.3 0.0	178 209 95 76 13 24	29.4 34.5 15.7 12.5 2.1 4.0 1.8	4,922 6,568 2,916 2,644 361 856 23	26.9 35.9 15.9 14.5 2.0 4.7 0.1	93 178 70 37 5 12 46	21.1 40.4 15.9 8.4 1.1 2.7 10.4
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	38 160 173 238 55	5.7 24.1 26.1 35.8 8.3	23 116 130 185 46	4.6 23.2 26.0 37.0 9.2	15 44 43 53 9	9.1 26.8 26.2 32.3 5.5	33 158 165 207 43	5.4 26.1 27.2 34.2 7.1	982 4,549 5,393 6,302 1,064	5.4 24.9 29.5 34.5 5.8	16 82 123 162 58	3.6 18.6 27.9 36.7 13.2
TRANSMISSION RISK Injection drug use history Heterosexual Perinatal Other Unknown	39 507 1 0 117	5.9 76.4 0.2 0.0 17.6	35 375 1 0 89	7.0 75.0 0.2 0.0 17.8	4 132 0 0 28	2.4 80.5 0.0 0.0 17.1	74 354 17 0 161	12.2 58.4 2.8 0.0 26.6	3,058 9,080 744 58 5,350	16.7 49.6 4.1 0.3 29.3	137 156 7 2 139	31.1 35.4 1.6 0.5 31.5
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	7,847 10,443	42.9 57.1	67 374	15.2 84.8

Table 1.3.3. Hispanic Males

		HIV D	IAGNO	SES, 20	08	AIDS DIAGNO	OSES, 2008	PLWHA A: 12/31/20		DEATHS	, 2008
	Total HIV di N	iagnoses %	Withou N		Concurrent with AID diagnose N		%	N	%	N	%
TOTAL	1,040	100.0	816	78.5	224 21.		100.0	24,888	100.0	522	100.0
AGE GROUP (YEARS)							_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 42 325 307 237 101 27	0.1 4.0 31.3 29.5 22.8 9.7 2.6	1 40 278 242 173 68 14	0.1 4.9 34.1 29.7 21.2 8.3 1.7	0 0. 2 0. 47 21. 65 29. 64 28. 33 14. 13 5.	9 11 0 126 0 231 6 248 7 142	0.0 1.4 15.8 29.0 31.1 17.8 4.9	72 288 1,948 4,659 9,376 6,227 2,318	0.3 1.2 7.8 18.7 37.7 25.0 9.3	0 10 49 171 196 96	0.0 0.0 1.9 9.4 32.8 37.5 18.4
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	275 184 268 202 14 95 2	26.4 17.7 25.8 19.4 1.3 9.1 0.2	209 138 214 159 7 87 2	25.6 16.9 26.2 19.5 0.9 10.7 0.2	66 29. 46 20. 54 24. 43 19. 7 3. 8 3. 0 0.	5 140 1 206 2 118 1 14 6 32	34.1 17.6 25.8 14.8 1.8 4.0	7,505 4,337 6,594 4,532 389 1,471 60	30.2 17.4 26.5 18.2 1.6 5.9 0.2	179 86 128 51 9 12 57	34.3 16.5 24.5 9.8 1.7 2.3 10.9
AREA-BASED POVERTY LEVEL						_			_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	94 300 261 284 101	9.0 28.8 25.1 27.3 9.7	79 227 198 220 92	9.7 27.8 24.3 27.0 11.3	15 6. 73 32. 63 28. 64 28. 9 4.	6 207 1 192 6 279	8.5 26.0 24.1 35.0 6.4	2,077 6,903 6,178 7,789 1,941	8.3 27.7 24.8 31.3 7.8	32 105 125 190 70	6.1 20.1 23.9 36.4 13.4
TRANSMISSION RISK						_			_		
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	618 99 62 1 0 260	59.4 9.5 6.0 0.1 0.0 25.0	509 77 43 1 0 186	62.4 9.4 5.3 0.1 0.0 22.8	109 48. 22 9. 19 8. 0 0. 0 0. 74 33.	8 157 5 77 0 7 0 0	42.4 19.7 9.7 0.9 0.0 27.4	10,011 7,012 1,919 449 33 5,464	40.2 28.2 7.7 1.8 0.1 22.0	96 251 31 1 1	18.4 48.1 5.9 0.2 0.2 27.2
CLINICAL STATUS											
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/ N/A N/		N/A N/A	9,198 15,690	37.0 63.0	83 439	15.9 84.1

Table 1.3.4. Hispanic Females

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/200		DEATHS	, 2008
	Total HIV di	agnoses	Withou		oncurrent with A diagno	_						
TOTAL	N 256	100.0	N 203	% 79.3	53	% 20.7	N 295	% 100.0	N 10,369	% 100.0	N 259	% 100.0
ACE CROUP (VEARS)								_	,			
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	1 18 54 72 65 31 15	0.4 7.0 21.1 28.1 25.4 12.1 5.9	1 16 50 54 50 21 11	0.5 7.9 24.6 26.6 24.6 10.3 5.4	15	0.0 3.8 7.5 34.0 28.3 18.9 7.5	6 27 77 109 57	0.0 2.0 9.2 26.1 36.9 19.3 6.4	102 254 687 1,810 3,978 2,601 937	1.0 2.4 6.6 17.5 38.4 25.1 9.0	0 3 9 26 102 82 37	0.0 1.2 3.5 10.0 39.4 31.7 14.3
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	104 51 44 33 5 19	40.6 19.9 17.2 12.9 2.0 7.4 0.0	79 42 34 29 4 15	38.9 20.7 16.7 14.3 2.0 7.4 0.0	9	47.2 17.0 18.9 7.5 1.9 7.5 0.0	55 43 23 6 15	49.5 18.6 14.6 7.8 2.0 5.1 2.4	4,507 2,291 1,698 1,251 198 406 18	43.5 22.1 16.4 12.1 1.9 3.9 0.2	99 49 51 21 6 6 27	38.2 18.9 19.7 8.1 2.3 2.3 10.4
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	8 59 53 116 20	3.1 23.0 20.7 45.3 7.8	7 48 41 92 15	3.4 23.6 20.2 45.3 7.4	12	1.9 20.8 22.6 45.3 9.4	55 70	2.0 18.6 23.7 47.5 8.1	369 2,150 2,860 4,500 490	3.6 20.7 27.6 43.4 4.7	3 52 68 103 33	1.2 20.1 26.3 39.8 12.7
TRANSMISSION RISK Injection drug use history Heterosexual Perinatal Other Unknown	23 184 1 0 48	9.0 71.9 0.4 0.0 18.8	18 146 1 0 38	8.9 71.9 0.5 0.0 18.7	0 0	9.4 71.7 0.0 0.0 18.9	161 6 0	20.0 54.6 2.0 0.0 23.4	2,494 5,024 456 29 2,366	24.1 48.5 4.4 0.3 22.8	104 94 4 4 53	40.2 36.3 1.5 1.5 20.5
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A		N/A N/A	3,959 6,410	38.2 61.8	24 235	9.3 90.7

Table 1.3.5. White Males

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSI	ES, 2008	PLWHA AS 12/31/200		DEATHS	, 2008
	Total HIV di	agnoses	Withou		oncurrent with dia	th AIDS gnoses						
TOTAL	N 644	100.0	N 541	% 84.0	N 103	% 16.0	N 409	% 100.0	N 19,565	% 100.0	N 295	% 100.0
									2,222			,
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
13-19	7	1.1	6	1.1	1	1.0	3	0.0	33	0.1	0	0.0
20-29	160	24.8	149	27.5	11	10.7	42	10.3	851	4.3	4	1.4
30-39	192	29.8	161	29.8	31	30.1	113	27.6	3,154	16.1	20	6.8
40-49	200	31.1	167	30.9	33	32.0	158	38.6	7,744	39.6	97	32.9
50-59 60+	69 16	10.7 2.5	49 9	9.1 1.7	20 7	19.4 6.8	71 22	17.4 5.4	5,504	28.1 11.6	113 61	38.3 20.7
00+	16	2.5	9	1.7	/	0.0	22	5.4	2,264	11.0	01	20.7
BOROUGH OF RESIDENCE										_		
Bronx	13	2.0	11	2.0	2	1.9	18	4.4	775	4.0	15	5.1
Brooklyn	92 324	14.3 50.3	73 276	13.5 51.0	19	18.4 46.6	58 167	14.2 40.8	2,569	13.1 52.8	45	15.3
Manhattan Queens	324 90	14.0	73	13.5	48 17	16.5	61	40.8 14.9	10,330 2,049	52.8 10.5	77 35	26.1 11.9
Staten Island	14	2.2	10	1.8	4	3.9	13	3.2	478	2.4	13	4.4
Outside NYC	109	16.9	97	17.9	12	11.7	69	16.9	3,304	16.9	27	9.2
Unknown	2	0.3	1	0.2	1	1.0	23	5.6	60	0.3	83	28.1
AREA-BASED POVERTY LEVEL	_							_		_		
Low poverty (<10% below FPL)	166	25.8	139	25.7	27	26.2	88	21.5	5,523	28.2	50	16.9
Medium poverty (10 to <20% below FPL)	207	32.1	169	31.2	38	36.9	136	33.3	6,502	33.2	80	27.1
High poverty (20 to <30% below FPL)	109	16.9	95	17.6	14	13.6	63	15.4	2,885	14.7	39	13.2
Very high poverty (>=30% below FPL)	40	6.2	34	6.3	6	5.8	25 97	6.1	1,014	5.2	16	5.4
Area-based poverty level not available	122	18.9	104	19.2	18	17.5	97	23.7	3,641	18.6	110	37.3
TRANSMISSION RISK												
Men who have sex with men	497	77.2	427	78.9	70	68.0	281	68.7	14,252	72.8	141	47.8
Injection drug use history	32	5.0	27	5.0	5	4.9	31	7.6	1,973	10.1	83	28.1
Heterosexual Perinatal	13	2.0	12 0	2.2	1 0	1.0	8 2	2.0 0.5	508 68	2.6 0.3	13 0	4.4 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	49	0.3	1	0.0
Unknown	102	15.8	75	13.9	27	26.2	87	21.3	2,715	13.9	57	19.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,036	46.2	56	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,529	53.8	239	81.0

Table 1.3.6. White Females

		HIV	DIAGNO	SES, 20		AIDS DIAGN	OSES, 2008	PLWHA / 12/31/2		DEATHS	, 2008
	Total HIV di N	agnoses %	Withou N		Concurrent with AIDS diagnose N %	S	%	N	%	N	%
TOTAL	64	100.0	56	87.5	8 12.		100.0	2,446	100.0	52	100.0
AGE GROUP (YEARS)						_					
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 1 11 19 16 13 3	1.6 1.6 17.2 29.7 25.0 20.3 4.7	1 1 10 17 12 13 2	1.8 1.8 17.9 30.4 21.4 23.2 3.6	0 0. 0 0. 1 12. 2 25. 4 50. 0 0. 1 12.	0 0 5 2 0 9 0 14 0 13	0.0 0.0 4.7 20.9 32.6 30.2 11.6	13 38 136 358 979 685 237	0.5 1.6 5.6 14.6 40.0 28.0 9.7	0 0 1 5 23 10	0.0 0.0 1.9 9.6 44.2 19.2 25.0
BOROUGH OF RESIDENCE	40	00.0	4.0	04.4	40.4		4.7	000	40.0		45.4
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	13 10 14 14 4 9	20.3 15.6 21.9 21.9 6.3 14.1 0.0	12 9 13 12 2 8 0	21.4 16.1 23.2 21.4 3.6 14.3 0.0	1 12.4 1 12.5 1 12.5 2 25.6 2 25.1 1 12.6 0 0.6	5 4 5 16 0 12 0 2 5 5	4.7 9.3 37.2 27.9 4.7 11.6 4.7	326 510 551 461 195 395	13.3 20.9 22.5 18.8 8.0 16.1 0.3	8 7 12 11 5 4 5	15.4 13.5 23.1 21.2 9.6 7.7 9.6
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	11 21 9 14 9	17.2 32.8 14.1 21.9 14.1	9 19 7 13 8	16.1 33.9 12.5 23.2 14.3	2 25. 2 25. 2 25. 1 12. 1 12.	0 14 0 13 5 2	16.3 32.6 30.2 4.7 16.3	497 765 472 275 437	20.3 31.3 19.3 11.2 17.9	13 16 8 6 9	25.0 30.8 15.4 11.5 17.3
TRANSMISSION RISK											
Injection drug use history Heterosexual Perinatal Other Unknown	8 42 1 0 13	12.5 65.6 1.6 0.0 20.3	7 36 1 0 12	12.5 64.3 1.8 0.0 21.4	1 12.5 6 75.0 0 0.0 0 0.1 1 12.5	0 27 0 0 0 0	20.9 62.8 0.0 0.0 16.3	715 1,079 72 22 558	29.2 44.1 2.9 0.9 22.8	22 21 0 1 8	42.3 40.4 0.0 1.9 15.4
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/ <i>I</i> N/A N/ <i>I</i>		N/A N/A	1,028 1,418	42.0 58.0	13 39	25.0 75.0

Table 1.3.7. Asian/Pacific Islander Males

		HIV	DIAGNO	SES, 20	08	AIDS DIAG	NOSES, 2008	PLWHA . 12/31/2		DEATHS	, 2008
	T- (-1111) (-1		Marie -		Concurrent with AID						
	Total HIV di	agnoses %	N	it AIDS %	diagnose N		N %	N	%	N	%
TOTAL	107	100.0	83	77.6	24 22.	•	2 100.0	1,332	100.0	27	100.0
AGE GROUP (YEARS)						_					
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 3 29 39 20 12 3	0.9 2.8 27.1 36.4 18.7 11.2 2.8	1 2 26 31 15 7	1.2 2.4 31.3 37.3 18.1 8.4 1.2	0 0. 1 4. 3 12. 8 33. 5 20. 5 20. 2 8.	2 5 1 3 1 8 1 8 1	5 24.2	4 9 114 363 491 251 100	0.3 0.7 8.6 27.3 36.9 18.8 7.5	0 0 1 5 7 7 7	0.0 0.0 3.7 18.5 25.9 25.9
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	2 24 32 35 3 11 0	1.9 22.4 29.9 32.7 2.8 10.3 0.0	2 18 26 23 3 11 0	2.4 21.7 31.3 27.7 3.6 13.3 0.0	0 0. 6 25. 6 25. 12 50. 0 0. 0 0.	0 1 0 1 0 2 0	3 4.8 4 22.6 6 25.8 5 40.3 0 0.0 3 4.8 1 1.6	67 238 478 418 16 114	5.0 17.9 35.9 31.4 1.2 8.6 0.1	2 3 7 11 0 1 3	7.4 11.1 25.9 40.7 0.0 3.7 11.1
AREA-BASED POVERTY LEVEL						_					
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	14 51 24 7 11	13.1 47.7 22.4 6.5 10.3	9 37 21 5 11	10.8 44.6 25.3 6.0 13.3	5 20. 14 58. 3 12. 2 8. 0 0.	3 3 5 1 3	7 11.3 3 53.2 1 17.7 7 11.3 4 6.5	214 598 292 97 131	16.1 44.9 21.9 7.3 9.8	6 11 5 1 4	22.2 40.7 18.5 3.7 14.8
TRANSMISSION RISK	_					-					
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	65 5 10 1 0 26	60.7 4.7 9.3 0.9 0.0 24.3	52 4 6 1 0 20	62.7 4.8 7.2 1.2 0.0 24.1	13 54. 1 4. 4 16. 0 0. 0 0. 6 25.	2 7 1 0 0	5 56.5 1 1.6 0 16.1 0 0.0 0 0.0 6 25.8	745 61 141 11 4 370	55.9 4.6 10.6 0.8 0.3 27.8	7 5 2 0 0 13	25.9 18.5 7.4 0.0 0.0 48.1
CLINICAL STATUS											
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A N/A N/A				46.3 53.7	6 21	22.2 77.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.3.8. Asian/Pacific Islander Females

		HIV	DIAGNO	SES, 20	08	AIDS DIA	GNOSES,	2008	PLWHA A 12/31/20		DEATHS	5, 2008
	Total HIV di		Withou	t AIDS	Concurrent with AID diagnose	s						
TOTAL	N	%	N	%		6	N	%	N	%	N	400.0
TOTAL	19	100.0	13	68.4	6 31.	ь	17	100.0	325	100.0	9	100.0
AGE GROUP (YEARS)								_				
3GE GROUP (TEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 6 5 4 2 1	0.0 5.3 31.6 26.3 21.1 10.5 5.3	0 1 5 4 3 0	0.0 7.7 38.5 30.8 23.1 0.0 0.0	0 0. 0 0. 1 16. 1 16. 1 16. 2 33. 1 16.	0 7 7 7 3	0 1 1 6 4 3 2	0.0 5.9 5.9 35.3 23.5 17.6 11.8	1 4 35 94 104 61 26	0.3 1.2 10.8 28.9 32.0 18.8 8.0	0 0 0 3 3 1 2	0.0 0.0 0.0 33.3 33.3 11.1 22.2
BOROUGH OF RESIDENCE										_		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	1 6 3 8 0 1 0	5.3 31.6 15.8 42.1 0.0 5.3 0.0	0 5 2 5 0 1	0.0 38.5 15.4 38.5 0.0 7.7 0.0	1 16. 1 16. 1 16. 3 50. 0 0. 0 0. 0 0.	7 7 0 0 0	2 4 3 8 0 0	11.8 23.5 17.6 47.1 0.0 0.0	38 79 58 118 3 29 0	11.7 24.3 17.8 36.3 0.9 8.9 0.0	1 3 2 3 0 0	11.1 33.3 22.2 33.3 0.0 0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	1 10 3 4 1	5.3 52.6 15.8 21.1 5.3	1 6 2 3 1	7.7 46.2 15.4 23.1 7.7	0 0. 4 66. 1 16. 1 16. 0 0.	7 7 7	0 10 2 5 0	0.0 58.8 11.8 29.4 0.0	41 134 60 57 33	12.6 41.2 18.5 17.5 10.2	0 3 4 2 0	0.0 33.3 44.4 22.2 0.0
TRANSMISSION RISK		0.0	_	0.0	0 0	0		44.0	4.5	4.0		44.4
Injection drug use history Heterosexual Perinatal Other Unknown	0 14 0 0 5	0.0 73.7 0.0 0.0 26.3	0 9 0 0 4	0.0 69.2 0.0 0.0 30.8	0 0. 5 83. 0 0. 0 0. 1 16.	3 0 0	2 11 1 0 3	11.8 64.7 5.9 0.0 17.6	15 186 5 2 117	4.6 57.2 1.5 0.6 36.0	1 5 0 0 3	11.1 55.6 0.0 0.0 33.3
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A N/A N/A		N/A N/A	N/A N/A	167 158	51.4 48.6	0 9	0.0 100.0

Table 1.3.9. Native American Males

			DIAGNO	•	08 Concurrent with AIDS	AIDS DIAGN	IOSES, 2008	PLWHA . 12/31/2		DEATHS	5, 2008
	Total HIV di		Withou		diagnose						
TOTAL	N 13	% 100.0	N 11	% 84.6	N % 2 15.			N 173	% 100.0	N 3	% 100.0
AGE GROUP (YEARS)							_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 4 4 3 0	0.0 7.7 30.8 30.8 23.1 0.0 7.7	0 1 2 4 3 0	0.0 9.1 18.2 36.4 27.3 0.0 9.1	0 0.0 0 0.0 2 100.0 0 0.0 0 0.0 0 0.0	0 0 3 2 0 4 0 1	0.0 30.0 20.0 40.0 10.0	0 0 17 49 59 34 14	0.0 0.0 9.8 28.3 34.1 19.7 8.1	0 0 0 1 1 1 0	0.0 0.0 33.3 33.3 33.3 0.0
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	3 2 2 5 0 1	23.1 15.4 15.4 38.5 0.0 7.7 0.0	2 2 4 0 1	18.2 18.2 18.2 36.4 0.0 9.1 0.0	1 50.0 0 0.0 0 0.1 1 50.0 0 0.0 0 0.0	3 2 3 0 0 1 1	10.0 30.0 20.0 30.0 0.0 10.0	31 38 52 40 * 9	17.9 22.0 30.1 23.1 * 5.2 0.0	0 2 0 1 0 0	0.0 66.7 0.0 33.3 0.0 0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	0 5 3 3 2	0.0 38.5 23.1 23.1 15.4	0 4 3 2 2	0.0 36.4 27.3 18.2 18.2	0 0.0 1 50.0 0 0.0 1 50.0 0 0.0) 4) 3) 2	0.0 40.0 30.0 20.0 10.0	11 69 44 38 11	6.4 39.9 25.4 22.0 6.4	0 1 1 1 0	0.0 33.3 33.3 33.3 0.0
TRANSMISSION RISK											
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	4 2 1 0 0 6	30.8 15.4 7.7 0.0 0.0 46.2	3 1 1 0 0 6	27.3 9.1 9.1 0.0 0.0 54.5	1 50.0 1 50.0 0 0.0 0 0.0 0 0.0 0 0.0	1 0 0 0 0	70.0 10.0 0.0 0.0 0.0 20.0	78 25 15 0 2 53	45.1 14.5 8.7 0.0 1.2 30.6	1 1 0 0 0	33.3 33.3 0.0 0.0 0.0 33.3
CLINICAL STATUS											
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A N/A N/A			76 97	43.9 56.1	0	0.0 100.0

Table 1.3.10. Native American Females

	HIV		DIAGNO	OSES, 200	8		AIDS DIAGNOS	SES, 2008	PLWHA A		DEATHS	5, 2008
					oncurrent wi				,,,,_			
	Total HIV di			out AIDS		agnoses		0/		0/		0/
TOTAL	N 4	% 100.0	N 4	% 100.0	N 0	% 0.0	N 4	% 100.0	N 76	% 100.0	N 1	% 100.0
IOTAL	_	100.0	-	100.0	U	0.0	-	100.0	70	100.0	•	100.0
AGE GROUP (YEARS)	_							_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	25.0	4	5.3	0	0.0
30-39	1	25.0	1	25.0	0	0.0	1	25.0	13	17.1	0	0.0
40-49	2	50.0	2	50.0	0	0.0	2	50.0	33	43.4	0	0.0
50-59 60+	1 0	25.0 0.0	1	25.0 0.0	0	0.0	0 0	0.0 0.0	20 3	26.3 3.9	1 0	100.0 0.0
00+	U	0.0	U	0.0	U	0.0	U	0.0	3	3.9	U	0.0
BOROUGH OF RESIDENCE	_							_				
Bronx	0	0.0	0	0.0	0	0.0	1	25.0	20	26.3	0	0.0
Brooklyn	3	75.0	3	75.0	0	0.0	3	75.0	32	42.1	1	100.0
Manhattan	1	25.0	1	25.0	0	0.0	0	0.0	9	11.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	13.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL	_							_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	19	25.0	0	0.0
High poverty (20 to <30% below FPL)	1	25.0	1	25.0	0	0.0	3	75.0	23	30.3	1	100.0
Very high poverty (>=30% below FPL)	3	75.0	3	75.0	0	0.0	1	25.0	28	36.8	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
TRANSMISSION RISK								_				
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	11	14.5	0	0.0
Heterosexual	4	100.0	4	100.0	0	0.0	4	100.0	44	57.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	Ō	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	22.4	1	100.0
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	47.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40	52.6	1	100.0

Table 1.4.1. 0-12 Years, Males

		HIV	DIAGNO	OSES, 2008	3	AIC	OS DIAGNOS	ES, 2008	PLWHA A 12/31/20		DEATHS,	, 2008
					oncurrent wi							
	Total HIV di N			out AIDS %	dia N	agnoses %	N	%	N	%	N	0/
TOTAL	6	% 100.0	N 6	100.0	0	0.0	1	100.0	250	100.0	0	0.0
RACE/ETHNICITY	_					_		_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	4 1 0 1 0 0	66.7 16.7 0.0 16.7 0.0 0.0	4 1 0 1 0 0 0	66.7 16.7 0.0 16.7 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	1 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0 0.0	156 72 15 4 0 2	62.4 28.8 6.0 1.6 0.0 0.8 0.4	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE											_	
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	1 1 1 2 0 1	16.7 16.7 16.7 33.3 0.0 16.7 0.0	1 1 2 0 1	16.7 16.7 16.7 33.3 0.0 16.7 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 100.0	87 74 35 35 5 13	34.8 29.6 14.0 14.0 2.0 5.2 0.4	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL						_						
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	0 1 2 2 1	0.0 16.7 33.3 33.3 16.7	0 1 2 2 1	0.0 16.7 33.3 33.3 16.7	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0 0 0 1	0.0 0.0 0.0 0.0 100.0	13 63 54 105 15	5.2 25.2 21.6 42.0 6.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	0 0 0 6 0	0.0 0.0 0.0 100.0 0.0 0.0	0 0 0 6 0	0.0 0.0 0.0 100.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 1 0 0	0.0 0.0 0.0 100.0 0.0 0.0	0 0 0 250 0	0.0 0.0 0.0 100.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	224 26	89.6 10.4	0	0.0 0.0

Injection drug use history

CLINICAL STATUS HIV (non-AIDS)

Heterosexual

Perinatal

Unknown

Other

AIDS

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.4.2. 0-12 Years, Females

		HIV	DIAGN	OSES, 2008			AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
	_				ncurrent wit	th AIDS			12/01/20			
	Total HIV	diagnoses		out AIDS		agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	287	100.0	0	0.0
RACE/ETHNICITY	_							_				
Black	1	33.3	1	33.3	0	0.0	0	0.0	170	59.2	0	0.0
Hispanic	1	33.3	1	33.3	Ö	0.0		0.0	102	35.5	Ö	0.0
White	1	33.3	1	33.3	Ō	0.0		0.0	13	4.5	Ö	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		0.0	1	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE	_											
Bronx	0	0.0	0	0.0	0	0.0		0.0	98	34.1	0	0.0
Brooklyn	1	33.3	1	33.3	0	0.0		0.0	85	29.6	0	0.0
Manhattan	1	33.3	1	33.3	0	0.0		0.0	39	13.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0		0.0	28	9.8	0	0.0 0.0 0.0
Staten Island	0	0.0	0	0.0	0	0.0		0.0	8	2.8	0	0.0
Outside NYC	1	33.3	1	33.3	0	0.0		0.0	28	9.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0		0.0	12	4.2	0	0.0
Medium poverty (10 to <20% below FPL)	2	66.7	2	66.7	0	0.0		0.0	58	20.2		0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0		0.0	79	27.5	0	0.0
Very high poverty (>=30% below FPL)	0	0.0	0	0.0	0	0.0		0.0	109	38.0	0	0.0 0.0
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	0	0.0	29	10.1	0	0.0
TRANSMISSION RISK		0.0		0.0	0	0.0		0.0		0.0		0.0
			^				_					

0.0

0.0

0.0

0.0

N/A

N/A

100.0

0

N/A

N/A

0

0

N/A

N/A

0.0

0.0

0.0

0.0

N/A

N/A

N/A

N/A

100.0

0.0

0.0

0.0

0.0

0.0

N/A

N/A

0.0

0.0

0.0

0.0

0.0

N/A

N/A

0

0

0

287

251

36

0.0

0.0

0.0

87.5

12.5

100.0

0

0

0

0

0

0.0

0.0

0.0

0.0

0.0

0

0

0

0

N/A

N/A

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.4.3. 13+ Years, Males

		HIV	DIAGNOS	ES, 2008		Al	DS DIAGNOSI	ES, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV di N	agnoses %	Withou N	t AIDS %	Concurr AIDS dia N		N	%	N	%	N	%
TOTAL	3,243	100.0	2,606	80.4	637	19.6	2,381	100.0	75,967	100.0	1,618	100.0
RACE/ETHNICITY	_					_		_				
Black	1,437	44.3	1,154	44.3	283	44.4	1,101	46.2	29,756	39.2	766	47.3
Hispanic	1,039	32.0	815	31.3	224	35.2	797	33.5	24,816	32.7	522	32.3
White	644	19.9	541	20.8	103	16.2	409	17.2	19,550	25.7	295	18.2
Asian/Pacific Islander	106	3.3	82	3.1	24	3.8	62	2.6	1,328	1.7	27	1.7
Native American	13	0.4	11	0.4	2	0.3	10	0.4	173	0.2	3	0.2
Multiracial	4	0.1	3	0.1	1	0.2	2	0.1	38	0.1	4	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	306	0.4	1	0.1
AGE GROUP (YEARS)						_						
13-19	155	4.8	144	5.5	11	1.7	44	1.8	847	1.1	2	0.1
20-29	1,000	30.8	884	33.9	116	18.2	359	15.1	5,648	7.4	44	2.7
30-39	861	26.5	703	27.0	158	24.8	600	25.2	12,867	16.9	152	9.4
40-49	786	24.2	591 222	22.7	195 114	30.6	805	33.8	27,983	36.8	479	29.6 38.3
50-59 60+	336 105	10.4 3.2	222 62	8.5 2.4	43	17.9 6.8	437 136	18.4 5.7	20,548 8,074	27.0 10.6	619 322	38.3 19.9
00+	105	3.2	02	2.4	43	0.0	130	5.7	0,074	10.6	322	19.9
BOROUGH OF RESIDENCE												
Bronx	570	17.6	442	17.0	128	20.1	523	22.0	14,672	19.3	364	22.5
Brooklyn	807	24.9	622	23.9	185	29.0	588	24.7	16,983	22.4	372	23.0
Manhattan	951	29.3 15.3	780	29.9	171	26.8	649	27.3	24,684	32.5	367	22.7 10.1
Queens Staten Island	496 46	15.3	396 29	15.2 1.1	100 17	15.7 2.7	354 40	14.9 1.7	11,022 1,353	14.5 1.8	164 34	10.1
Outside NYC	360	11.1	325	12.5	35	5.5	170	7.1	7.050	9.3	59	2.1 3.6
Unknown	13	0.4	12	0.5	1	0.2	57	2.4	203	0.3	258	15.9
AREA-BASED POVERTY LEVEL	077	44.0	244	44.0	00	40.4	222	0.7	0.040	40.0	400	7.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	377 885	11.6 27.3	311 692	11.9 26.6	66 193	10.4 30.3	232 659	9.7 27.7	9,816 21.906	12.9 28.8	126 355	7.8 21.9
High poverty (20 to <30% below FPL)	852	26.3	667	25.6	185	29.0	617	25.9	18,291	24.1	385	23.8
Very high poverty (>=30% below FPL)	724	22.3	575	22.1	149	23.4	626	26.3	17.491	23.0	433	26.8
Area-based poverty level not available	405	12.5	361	13.9	44	6.9	247	10.4	8,463	11.1	319	19.7
TRANSMISSION RISK	_					_		_				
Men who have sex with men	1,923	59.3	1,628	62.5	295	46.3	1,088	45.7	35,606	46.9	432	26.7
Injection drug use history	208	6.4	162	6.2	46	7.2	321	13.5	15,359	20.2	600	37.1
Heterosexual	199	6.1	137	5.3	62	9.7	210	8.8	5,658	7.4	117	7.2
Perinatal	1	0.0	1	0.0	0	0.0	25	1.0	979	1.3	5	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	127	0.2	6	0.4
Unknown	912	28.1	678	26.0	234	36.7	737	31.0	18,238	24.0	458	28.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30,619	40.3	257	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	45,348	59.7	1,361	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.4.4. 13+ Years, Females

		HIV [IAGNO	SES, 200)8		AIDS DIAGNOSE	ES, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	T-(-11107-11		1474		oncurrent wit			_	12/01/20			
	Total HIV di N	agnoses %	Withou N	t AIDS %	dia N	gnoses %		%	N	%	N	%
TOTAL	1,004	100.0	773	77.0	231	23.0		100.0	31,327	100.0	763	100.0
RACE/ETHNICITY								_		_		
Black	663	66.0	499	64.6	164	71.0		62.8	18,120	57.8	441	57.8
Hispanic	255	25.4	202	26.1	53	22.9		30.6	10,267	32.8	259	33.9
White Asian/Pacific Islander	63 19	6.3 1.9	55 13	7.1 1.7	8 6	3.5 2.6		4.5 1.8	2,433 324	7.8 1.0	52 9	6.8 1.2
Native American	4	0.4	4	0.5	0	0.0		0.4	75	0.2	1	0.1
Multiracial	Ö	0.0	Ö	0.0	Ö	0.0		0.0	15	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	93	0.3	0	0.0
AGE GROUP (YEARS)								_		_		
13-19	58	5.8	50	6.5	8	3.5		3.1	788	2.5	5	0.7
20-29	200	19.9	175	22.6	25	10.8		10.2	2,202	7.0	22	2.9
30-39 40-49	255 277	25.4 27.6	194 208	25.1 26.9	61 69	26.4 29.9	241 340	25.0 35.2	5,862 11,982	18.7 38.2	91 283	11.9 37.1
50-59	149	14.8	112	14.5	37	16.0		19.0	7,856	25.1	232	30.4
60+	65	6.5	34	4.4	31	13.4		7.6	2,637	8.4	130	17.0
BOROUGH OF RESIDENCE								_		_		
Bronx	312	31.1	233	30.1	79	34.2		34.1	9,735	31.1	201	26.3
Brooklyn	291	29.0	225	29.1	66	28.6		28.5	9,424	30.1	239	31.3
Manhattan	161	16.0	122	15.8	39	16.9		16.3	5,217	16.7	135	17.7
Queens Staten Island	144 18	14.3 1.8	115 12	14.9 1.6	29 6	12.6 2.6		12.3 2.2	4,479 757	14.3 2.4	72 16	9.4 2.1
Outside NYC	78	7.8	66	8.5	12	2.6 5.2		4.6	1,663	2.4 5.3	22	2.1
Unknown	0	0.0	0	0.0	0	0.0		2.1	52	0.2	78	10.2
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	58	5.8	40	5.2	18	7.8		4.8	1,889	6.0	32	4.2
Medium poverty (10 to <20% below FPL)	248	24.7	187	24.2	61	26.4		24.6	7,583	24.2	154	20.2
High poverty (20 to <30% below FPL)	239 375	23.8	181 296	23.4 38.3	58 79	25.1	253 355	26.2	8,753	27.9	204	26.7 35.8
Very high poverty (>=30% below FPL) Area-based poverty level not available	375 84	37.4 8.4	296 69	38.3 8.9	79 15	34.2 6.5		36.8 7.7	11,066 2.036	35.3 6.5	273 100	35.8 13.1
' '		0.1		0.0		0.0			2,000	0.0		10.1
TRANSMISSION RISK Injection drug use history	70	7.0	60	7.8	10	4.3	144	14.9	6,299	20.1	265	34.7
Heterosexual	70 751	7.0	570	73.7	181	78.4		57.7	15,438	49.3	276	36.2
Perinatal	0	0.0	0	0.0	0	0.0		2.5	998	3.2	11	1.4
Other	0	0.0	0	0.0	0	0.0		0.0	114	0.4	7	0.9
Unknown	183	18.2	143	18.5	40	17.3	240	24.9	8,478	27.1	204	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A N/A	N/A	N/A N/A	N/A		N/A	12,879	41.1 58.9	104 659	13.6
AIDS	N/A	N/A	IV/A	N/A	IN/A	N/A	N/A	N/A	18,448	56.9	659	86.4

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSI	ES, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV d		Withou	it AIDS		gnoses		- 1				
TOTAL	N 571	% 100.0	N 443	% 77.6	N 128	% 22.4	N 523	% 100.0	N 14,759	% 100.0	N 364	% 100.0
RACE/ETHNICITY								_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	277 275 13 2 3 1	48.5 48.2 2.3 0.4 0.5 0.2	218 209 11 2 2 1 0	49.2 47.2 2.5 0.5 0.5 0.2	59 66 2 0 1 0	46.1 51.6 1.6 0.0 0.8 0.0 0.0	228 272 18 3 1 1	43.6 52.0 3.4 0.6 0.2 0.2	6,350 7,505 775 67 31 4 27	43.0 50.9 5.3 0.5 0.2 0.0	167 179 15 2 0 1	45.9 49.2 4.1 0.5 0.0 0.3 0.0
AGE GROUP (YEARS)		0.2	4	0.2	0	0.0	0	0.0	07	0.6	0	0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 33 177 118 145 76 21	0.2 5.8 31.0 20.7 25.4 13.3 3.7	29 154 90 103 48 18	0.2 6.5 34.8 20.3 23.3 10.8 4.1	0 4 23 28 42 28 3	0.0 3.1 18.0 21.9 32.8 21.9 2.3	0 15 72 116 191 103 26	0.0 2.9 13.8 22.2 36.5 19.7 5.0	87 251 1,134 2,227 5,274 4,283 1,503	0.6 1.7 7.7 15.1 35.7 29.0 10.2	0 0 7 38 109 150 60	0.0 0.0 1.9 10.4 29.9 41.2 16.5
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	3 82 92 392 2	0.5 14.4 16.1 68.7 0.4	1 62 71 307 2	0.2 14.0 16.0 69.3 0.5	2 20 21 85 0	1.6 15.6 16.4 66.4 0.0	2 74 70 375 2	0.4 14.1 13.4 71.7 0.4	83 1,834 2,081 10,622 139	0.6 12.4 14.1 72.0 0.9	0 54 42 267 1	0.0 14.8 11.5 73.4 0.3
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	249 60 49 1 0 212	43.6 10.5 8.6 0.2 0.0 37.1	206 50 31 1 0 155	46.5 11.3 7.0 0.2 0.0 35.0	43 10 18 0 0 57	33.6 7.8 14.1 0.0 0.0 44.5	167 99 58 8 0 191	31.9 18.9 11.1 1.5 0.0 36.5	4,099 4,420 1,462 413 21 4,344	27.8 29.9 9.9 2.8 0.1 29.4	75 165 24 0 0 100	20.6 45.3 6.6 0.0 0.0 27.5
CLINICAL STATUS	NI/A	NI/A	NI/A	NI/A	NI/A	NI/A	NI/A	NI/C	F 200	25.0	EA	14.0
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	5,290 9,469	35.8 64.2	54 310	14.8 85.2

		HIV	DIAGNO	SES, 20	08 Concurrent wit	th AIDS	AIDS DIAGNOS	ES, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total HIV d	iagnoses %	Withou N			gnoses %	N	%	N	%	N	%
TOTAL	312	100.0	233	74.7	79	25.3	329	100.0	9,833	100.0	201	100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	194 104 13 1 0 0	62.2 33.3 4.2 0.3 0.0 0.0	142 79 12 0 0 0	60.9 33.9 5.2 0.0 0.0 0.0	52 25 1 1 0 0	65.8 31.6 1.3 1.3 0.0 0.0	178 146 2 2 1 0	54.1 44.4 0.6 0.6 0.3 0.0	4,922 4,507 326 38 20 2 18	50.1 45.8 3.3 0.4 0.2 0.0 0.2	93 99 8 1 0 0	46.3 49.3 4.0 0.5 0.0 0.0
AGE GROUP (YEARS)						0.0		0.0	20	4.0		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 20 60 92 87 36 17	0.0 6.4 19.2 29.5 27.9 11.5 5.4	0 17 49 68 65 26 8	0.0 7.3 21.0 29.2 27.9 11.2 3.4	0 3 11 24 22 10 9	0.0 3.8 13.9 30.4 27.8 12.7 11.4	0 10 37 83 124 53 22	0.0 3.0 11.2 25.2 37.7 16.1 6.7	98 247 688 1,940 3,781 2,290 789	1.0 2.5 7.0 19.7 38.5 23.3 8.0	0 1 6 27 86 50 31	0.0 0.5 3.0 13.4 42.8 24.9 15.4
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	1 49 40 221 1	0.3 15.7 12.8 70.8 0.3	1 30 31 171 0	0.4 12.9 13.3 73.4 0.0	0 19 9 50 1	0.0 24.1 11.4 63.3 1.3	2 48 49 228 2	0.6 14.6 14.9 69.3 0.6	29 1,431 1,465 6,862 46	0.3 14.6 14.9 69.8 0.5	0 29 25 147 0	0.0 14.4 12.4 73.1 0.0
TRANSMISSION RISK												
Injection drug use history Heterosexual Perinatal Other Unknown	28 244 0 0 40	9.0 78.2 0.0 0.0 12.8	25 177 0 0 31	10.7 76.0 0.0 0.0 13.3	3 67 0 0 9	3.8 84.8 0.0 0.0 11.4	44 195 8 0 82	13.4 59.3 2.4 0.0 24.9	2,086 4,612 416 25 2,694	21.2 46.9 4.2 0.3 27.4	72 74 2 3 50	35.8 36.8 1.0 1.5 24.9
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	4,056 5,777	41.2 58.8	21 180	10.4 89.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.5.3. Brooklyn, Males

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOS	ES, 2008	PLWHA AS 12/31/20		DEATHS	3, 2008
	Total HIV d			ıt AIDS		gnoses		- 1				
TOTAL	N 808	% 100.0	N 623	% 77.1	N 185	% 22.9	N 588	% 100.0	N 17,057	% 100.0	N 372	% 100.0
RACE/ETHNICITY												
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	505 184 92 24 2 1	62.5 22.8 11.4 3.0 0.2 0.1	391 138 73 18 2 1	62.8 22.2 11.7 2.9 0.3 0.2 0.0	114 46 19 6 0 0	61.6 24.9 10.3 3.2 0.0 0.0	373 140 58 14 3 0	63.4 23.8 9.9 2.4 0.5 0.0	9,831 4,337 2,569 238 38 9 35	57.6 25.4 15.1 1.4 0.2 0.1 0.2	235 86 45 3 2 1	63.2 23.1 12.1 0.8 0.5 0.3 0.0
AGE GROUP (YEARS)	4	0.1		0.2	0	0.0	0	0.0	7.1	0.4	0	0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 44 263 214 170 82 34	0.1 5.4 32.5 26.5 21.0 10.1 4.2	41 219 175 112 54 21	0.2 6.6 35.2 28.1 18.0 8.7 3.4	0 3 44 39 58 28 13	0.0 1.6 23.8 21.1 31.4 15.1 7.0	0 14 114 145 167 115 33	0.0 2.4 19.4 24.7 28.4 19.6 5.6	74 246 1,565 2,997 5,943 4,398 1,834	0.4 1.4 9.2 17.6 34.8 25.8 10.8	0 1 13 39 109 134 76	0.0 0.3 3.5 10.5 29.3 36.0 20.4
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	29 194 305 273 7	3.6 24.0 37.7 33.8 0.9	22 145 230 221 5	3.5 23.3 36.9 35.5 0.8	7 49 75 52 2	3.8 26.5 40.5 28.1 1.1	18 144 225 197 4	3.1 24.5 38.3 33.5 0.7	616 4,256 6,342 5,655 188	3.6 25.0 37.2 33.2 1.1	12 100 136 124 0	3.2 26.9 36.6 33.3 0.0
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	439 47 61 2 0 259	54.3 5.8 7.5 0.2 0.0 32.1	361 35 39 2 0 186	57.9 5.6 6.3 0.3 0.0 29.9	78 12 22 0 0 73	42.2 6.5 11.9 0.0 0.0 39.5	247 69 59 10 0 203	42.0 11.7 10.0 1.7 0.0 34.5	6,805 3,611 1,548 339 27 4,727	39.9 21.2 9.1 2.0 0.2 27.7	78 131 33 3 0 127	21.0 35.2 8.9 0.8 0.0 34.1
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	6,464 10,593	37.9 62.1	45 327	12.1 87.9

Table 1.5.4. Brooklyn, Females

	Total HIV d		DIAGNO Withou		08 Concurrent with AIL diagnos	os	AIDS DIAGNOSES	5, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	292	100.0	226	77.4	66 22	2.6	275	100.0	9,509	100.0	239	100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	222 51 10 6 3 0	76.0 17.5 3.4 2.1 1.0 0.0	167 42 9 5 3 0	73.9 18.6 4.0 2.2 1.3 0.0	1 1 1 1 0 0	3.3 3.6 1.5 1.5 0.0 0.0	209 55 4 4 3 0	76.0 20.0 1.5 1.5 1.1 0.0	6,568 2,291 510 79 32 3 26	69.1 24.1 5.4 0.8 0.3 0.0	178 49 7 3 1 1	74.5 20.5 2.9 1.3 0.4 0.4 0.0
AGE GROUP (YEARS)	_							_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 15 50 69 81 56 20	0.3 5.1 17.1 23.6 27.7 19.2 6.8	1 13 46 51 65 41 9	0.4 5.8 20.4 22.6 28.8 18.1 4.0	2 3	1.2 2.7	0 8 32 64 90 57 24	0.0 2.9 11.6 23.3 32.7 20.7 8.7	85 240 728 1,699 3,533 2,446 778	0.9 2.5 7.7 17.9 37.2 25.7 8.2	0 1 6 35 78 77 42	0.0 0.4 2.5 14.6 32.6 32.2 17.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	11 64 82 132 3	3.8 21.9 28.1 45.2 1.0	7 48 62 107 2	3.1 21.2 27.4 47.3 0.9	16 24 20 30 25 37	3.1 1.2 0.3 7.9	9 70 83 110 3	3.3 25.5 30.2 40.0 1.1	272 2,089 3,414 3,649 85	2.9 22.0 35.9 38.4 0.9	4 51 72 112 0	1.7 21.3 30.1 46.9 0.0
TRANSMISSION RISK												
Injection drug use history Heterosexual Perinatal Other Unknown	23 215 1 0 53	7.9 73.6 0.3 0.0 18.2	19 163 1 0 43	8.4 72.1 0.4 0.0 19.0	52 78 0 0 0 0	3.8 3.8 3.0 3.0 5.2	40 155 8 0 72	14.5 56.4 2.9 0.0 26.2	1,684 4,775 363 33 2,654	17.7 50.2 3.8 0.3 27.9	68 90 3 1 77	28.5 37.7 1.3 0.4 32.2
CLINICAL STATUS												10.
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A		I/A I/A	N/A N/A	N/A N/A	3,877 5,632	40.8 59.2	29 210	12.1 87.9

Table 1.5.5. Manhattan, Males

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOS	ES, 2008	PLWHA AS 12/31/20		DEATHS	5, 2008
	Total HIV di	iaanoses	Withou	ıt AIDS	oncurrent wit dia	th AIDS agnoses		_	12/01/20			
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	952	100.0	781	82.0	171	18.0	649	100.0	24,719	100.0	367	100.0
RACE/ETHNICITY	_							_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	325 268 324 32 2 1 0	34.1 28.2 34.0 3.4 0.2 0.1	262 214 276 26 2 1	33.5 27.4 35.3 3.3 0.3 0.1 0.0	63 54 48 6 0 0	36.8 31.6 28.1 3.5 0.0 0.0	206 167 16 2 0	39.8 31.7 25.7 2.5 0.3 0.0	7,075 6,594 10,330 478 52 8 182	28.6 26.7 41.8 1.9 0.2 0.0	154 128 77 7 0 1	42.0 34.9 21.0 1.9 0.0 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 38 276 256 255 98 28	0.1 4.0 29.0 26.9 26.8 10.3 2.9	1 35 254 214 200 62 15	0.1 4.5 32.5 27.4 25.6 7.9 1.9	0 3 22 42 55 36 13	0.0 1.8 12.9 24.6 32.2 21.1 7.6	5 80 188 220 115	0.0 0.8 12.3 29.0 33.9 17.7 6.3	35 138 1,437 4,164 9,234 6,742 2,969	0.1 0.6 5.8 16.8 37.4 27.3 12.0	0 7 28 95 140 97	0.0 0.0 1.9 7.6 25.9 38.1 26.4
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	234 281 365 61 11	24.6 29.5 38.3 6.4 1.2	205 231 291 49 5	26.2 29.6 37.3 6.3 0.6	29 50 74 12 6	17.0 29.2 43.3 7.0 3.5	197 256 53	20.2 30.4 39.4 8.2 1.8	6,776 8,000 7,906 1,316 721	27.4 32.4 32.0 5.3 2.9	65 91 168 42 1	17.7 24.8 45.8 11.4 0.3
TRANSMISSION RISK								_				
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	649 54 38 1 0 210	68.2 5.7 4.0 0.1 0.0 22.1	558 36 27 1 0 159	71.4 4.6 3.5 0.1 0.0 20.4	91 18 11 0 0 51	53.2 10.5 6.4 0.0 0.0 29.8	93 48 1 0	53.9 14.3 7.4 0.2 0.0 24.2	15,007 3,773 1,093 182 22 4,642	60.7 15.3 4.4 0.7 0.1 18.8	122 131 19 1 1 93	33.2 35.7 5.2 0.3 0.3 25.3
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	10,509 14,210	42.5 57.5	44 323	12.0 88.0

Table 1.5.6. Manhattan, Females

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSES	, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total HIV di			ıt AIDS		gnoses						
TOTAL	N 162	% 100.0	N 123	% 75.9	N 39	% 24.1	N 157	% 100.0	N E 256	% 100.0	N 135	% 100.0
IOTAL	102	100.0	123	75.9	39	24.1	197	100.0	5,256	100.0	133	100.0
RACE/ETHNICITY	_					_		_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	100 44 14 3 1 0	61.7 27.2 8.6 1.9 0.6 0.0	73 34 13 2 1 0	59.3 27.6 10.6 1.6 0.8 0.0	27 10 1 1 0 0	69.2 25.6 2.6 2.6 0.0 0.0	95 43 16 3 0 0	60.5 27.4 10.2 1.9 0.0 0.0	2,916 1,698 551 58 9 3 21	55.5 32.3 10.5 1.1 0.2 0.1 0.4	70 51 12 2 0 0	51.9 37.8 8.9 1.5 0.0 0.0
AGE GROUP (YEARS)	_					-		_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 7 33 35 47 30 9	0.6 4.3 20.4 21.6 29.0 18.5 5.6	1 6 29 27 31 24 5	0.8 4.9 23.6 22.0 25.2 19.5 4.1	0 1 4 8 16 6 4	0.0 2.6 10.3 20.5 41.0 15.4 10.3	0 6 12 35 55 38 11	0.0 3.8 7.6 22.3 35.0 24.2 7.0	39 130 316 864 1,972 1,394 541	0.7 2.5 6.0 16.4 37.5 26.5 10.3	0 1 3 10 46 52 23	0.0 0.7 2.2 7.4 34.1 38.5 17.0
AREA-BASED POVERTY LEVEL	_					_				_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	13 35 90 22 2	8.0 21.6 55.6 13.6 1.2	10 28 66 18 1	8.1 22.8 53.7 14.6 0.8	3 7 24 4 1	7.7 17.9 61.5 10.3 2.6	8 40 88 17 4	5.1 25.5 56.1 10.8 2.5	525 1,052 2,890 663 126	10.0 20.0 55.0 12.6 2.4	9 23 89 14 0	6.7 17.0 65.9 10.4 0.0
TRANSMISSION RISK	_					_				_		
Injection drug use history Heterosexual Perinatal Other Unknown	11 112 1 0 38	6.8 69.1 0.6 0.0 23.5	9 82 1 0 31	7.3 66.7 0.8 0.0 25.2	2 30 0 0 7	5.1 76.9 0.0 0.0 17.9	30 84 3 0 40	19.1 53.5 1.9 0.0 25.5	1,267 2,347 202 19 1,421	24.1 44.7 3.8 0.4 27.0	63 44 1 2 25	46.7 32.6 0.7 1.5 18.5
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,090 3.166	39.8 60.2	15 120	11.1 88.9

	HIV		DIAGNO	SES, 20	08		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV di			it AIDS		noses		- 1				
TOTAL	N 498	% 100.0	N 398	% 79.9	N 100	% 20.1	N 354	% 100.0	N 11,057	% 100.0	N 164	% 100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	165 202 90 35 5 1	33.1 40.6 18.1 7.0 1.0 0.2 0.0	139 159 73 23 4 0	34.9 39.9 18.3 5.8 1.0 0.0	26 43 17 12 1 1	26.0 43.0 17.0 12.0 1.0 1.0	118 61 25 3 1	41.2 33.3 17.2 7.1 0.8 0.3 0.0	3,978 4,532 2,049 418 40 8 32	36.0 41.0 18.5 3.8 0.4 0.1 0.3	65 51 35 11 1 1	39.6 31.1 21.3 6.7 0.6 0.6
AGE GROUP (YEARS) 0-12 42.40	2	0.4 3.6	2	0.5	0	0.0		0.0	35 124	0.3 1.1	0	0.0
13-19 20-29 30-39 40-49 50-59 60+	18 136 158 126 46 12	27.3 31.7 25.3 9.2 2.4	17 122 123 100 30 4	4.3 30.7 30.9 25.1 7.5 1.0	14 35 26 16 8	14.0 35.0 26.0 16.0 8.0	46 90 130 63	1.7 13.0 25.4 36.7 17.8 5.4	836 2,053 4,284 2,809 916	7.6 18.6 38.7 25.4 8.3	0 3 19 47 65 30	0.0 1.8 11.6 28.7 39.6 18.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	88 314 84 0 12	17.7 63.1 16.9 0.0 2.4	69 246 71 0 12	17.3 61.8 17.8 0.0 3.0	19 68 13 0	19.0 68.0 13.0 0.0 0.0	227 60 *	18.1 64.1 16.9 *	1,866 7,396 1,650 *	16.9 66.9 14.9 *	33 95 36 0 0	20.1 57.9 22.0 0.0 0.0
TRANSMISSION RISK Men who have sex with men	312	62.7	255	64.1	57	57.0	175	49.4	4,887	44.2	44	26.0
Injection drug use history Heterosexual Perinatal Other Unknown	24 38 2 0 122	4.8 7.6 0.4 0.0 24.5	255 21 29 2 0 91	5.3 7.3 0.5 0.0 22.9	57 3 9 0 0 31	3.0 9.0 0.0 0.0 31.0	29 31 3 0	8.2 8.8 0.8 0.0 32.8	2,252 1,058 167 26 2,667	20.4 9.6 1.5 0.2 24.1	53 13 0 1 53	26.8 32.3 7.9 0.0 0.6 32.3
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	4,350 6,707	39.3 60.7	29 135	17.7 82.3

Table 1.5.8. Queens, Females

				-	Concurrent with AIL	os	AIDS DIAGNOSE	S, 2008	PLWHA / 12/31/2		DEATHS	i, 2008
	Total HIV di N	iagnoses %	Withou N	it AIDS %	diagnos N	ses %	N	%	N	%	N	%
TOTAL	144	100.0	115	79.9	29 20		119	100.0	4,507	100.0	72	100.0
RACE/ETHNICITY						٠.		_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	89 33 14 8 0 0	61.8 22.9 9.7 5.6 0.0 0.0	69 29 12 5 0 0	60.0 25.2 10.4 4.3 0.0 0.0	4 13 2 6 3 10 0 0	9.0 3.8 5.9 0.3 0.0 0.0	76 23 12 8 0 0	63.9 19.3 10.1 6.7 0.0 0.0	2,644 1,251 461 118 10 6	58.7 27.8 10.2 2.6 0.2 0.1 0.4	37 21 11 3 0 0	51.4 29.2 15.3 4.2 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 10 35 35 36 16 12	0.0 6.9 24.3 24.3 25.0 11.1 8.3	0 8 33 30 25 12 7	0.0 7.0 28.7 26.1 21.7 10.4 6.1	2 6 2 6 5 17 11 37 4 13	0.0 6.9 6.9 7.2 7.9 8.8 7.2	0 4 9 35 41 21 9	0.0 3.4 7.6 29.4 34.5 17.6 7.6	28 98 291 888 1,738 1,107 357	0.6 2.2 6.5 19.7 38.6 24.6 7.9	0 0 4 4 25 24 15	0.0 0.0 5.6 5.6 34.7 33.3 20.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	27 93 24 0 0	18.8 64.6 16.7 0.0 0.0	20 76 19 0	17.4 66.1 16.5 0.0 0.0	17 58 5 17 0 0	1.1 3.6 7.2 0.0 0.0	20 71 27 0 1	16.8 59.7 22.7 0.0 0.8	845 2,730 870 *	18.7 60.6 19.3 *	15 39 18 0 0	20.8 54.2 25.0 0.0 0.0
TRANSMISSION RISK												
Injection drug use history Heterosexual Perinatal Other Unknown	2 109 0 0 33	1.4 75.7 0.0 0.0 22.9	2 91 0 0 22	1.7 79.1 0.0 0.0 19.1	18 62 0 0 0 0	0.0 2.1 0.0 0.0 7.9	15 70 3 0 31	12.6 58.8 2.5 0.0 26.1	852 2,387 161 21 1,086	18.9 53.0 3.6 0.5 24.1	25 28 1 0 18	34.7 38.9 1.4 0.0 25.0
CLINICAL STATUS	N1/5	N1/6	11/4		N1/A		.	N1/2	4.000	44.5		40.
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A		I/A I/A	N/A N/A	N/A N/A	1,860 2,647	41.3 58.7	14 58	19.4 80.6

Table 1.5.9. Staten Island, Males

		HIV	DIAGNO	SES, 20	008	AIDS DIAG	IOSES, 2008	PLWHA 12/31/2		DEATHS	5, 2008
					Concurrent with AID	S		,			
	Total HIV di			ıt AIDS	diagnose				0.4		0.4
TOTAL	N 46	% 100.0	N 29	% 63.0	N 9 17 37.			N 1,358	% 100.0	N 34	100.0
RACE/ETHNICITY											
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	15 14 14 3 0 0	32.6 30.4 30.4 6.5 0.0 0.0	9 7 10 3 0 0	31.0 24.1 34.5 10.3 0.0 0.0	6 35. 7 41. 4 23. 0 0. 0 0. 0 0. 0 0.	2 1 ² 5 13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35.0 32.5 0.0 0.0 0.0	465 389 478 16 * 2 5	34.2 28.6 35.2 1.2 * 0.1 0.4	12 9 13 0 0 0	35.3 26.5 38.2 0.0 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 13 14 10 3 4	0.0 4.3 28.3 30.4 21.7 6.5 8.7	0 2 10 9 5 2	0.0 6.9 34.5 31.0 17.2 6.9 3.4	0 0. 0 0. 3 17. 5 29. 5 29. 1 5. 3 17.	0 1 6 6 4 10 4 14	2.5 15.0 25.0 35.0 15.0	5 18 100 189 517 398 131	0.4 1.3 7.4 13.9 38.1 29.3 9.6	0 0 1 3 12 11 7	0.0 0.0 2.9 8.8 35.3 32.4 20.6
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	23 15 8 0 0	50.0 32.6 17.4 0.0 0.0	14 9 6 0	48.3 31.0 20.7 0.0 0.0	9 52. 6 35. 2 11. 0 0. 0 0.	3 17 3 6	42.5 5 15.0 0.0	488 483 366 0 21	35.9 35.6 27.0 0.0 1.5	16 15 3 0 0	47.1 44.1 8.8 0.0 0.0
TRANSMISSION RISK											
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	26 1 4 0 0 15	56.5 2.2 8.7 0.0 0.0 32.6	18 0 4 0 0 7	62.1 0.0 13.8 0.0 0.0 24.1	8 47. 1 5. 0 0. 0 0. 0 0. 0 0. 8 47.	9 6	5 15.0 5.0 2.5 0 0.0	466 372 136 34 3 347	34.3 27.4 10.0 2.5 0.2 25.6	5 17 4 0 0 8	14.7 50.0 11.8 0.0 0.0 23.5
CLINICAL STATUS											
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A N/A N/A			512 846	37.7 62.3	5 29	14.7 85.3

Table 1.5.10. Staten Island, Females

		HIV	DIAGNO	SES, 20	08	AIDS DIAG	NOSES, 2008	PLWHA 12/31/2		DEATHS	, 2008
	Total HIV di			it AIDS	Concurrent with AID diagnose	S				N.	0/
TOTAL	N 18	% 100.0	N 12	% 66.7	N 9		N % 1 100.0		% 100.0	N 16	% 100.0
IOIAL	10	100.0		00.7	0 00.	_	1 100.0	700	100.0	10	100.0
RACE/ETHNICITY											
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	9 5 4 0 0 0	50.0 27.8 22.2 0.0 0.0 0.0 0.0	6 4 2 0 0 0	50.0 33.3 16.7 0.0 0.0 0.0	3 50. 1 16. 2 33. 0 0. 0 0. 0 0. 0 0.	7 3 0 0 0	3 61.9 6 28.6 2 9.5 0 0.0 0 0.0 0 0.0 0 0.0	198	47.2 25.9 25.5 0.4 * 0.0 0.7	5 6 5 0 0 0	31.3 37.5 31.3 0.0 0.0 0.0
AGE GROUP (YEARS)	_					_					
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 3 6 6 2 1	0.0 0.0 16.7 33.3 33.3 11.1 5.6	0 0 1 4 4 2 1	0.0 0.0 8.3 33.3 33.3 16.7 8.3	0 0. 0 0. 2 33. 2 33. 2 33. 0 0.	0 3 3 3 1 0	0 0.0 1 4.8 3 14.3 6 28.6 1 52.4 0 0.0 0 0.0	13 48 137 308 211	1.0 1.7 6.3 17.9 40.3 27.6 5.2	0 0 1 2 9 4 0	0.0 0.0 6.3 12.5 56.3 25.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	6 9 3 0	33.3 50.0 16.7 0.0 0.0	2 7 3 0 0	16.7 58.3 25.0 0.0 0.0	4 66. 2 33. 0 0. 0 0. 0 0.	3 0 0	7 33.3 8 38.1 6 28.6 0 0.0 0 0.0	339	30.1 44.3 25.2 0.0 0.4	4 12 0 0 0	25.0 75.0 0.0 0.0 0.0
TRANSMISSION RISK											
Injection drug use history Heterosexual Perinatal Other Unknown	3 11 0 0 4	16.7 61.1 0.0 0.0 22.2	2 8 0 0 2	16.7 66.7 0.0 0.0 16.7	1 16. 3 50. 0 0. 0 0. 2 33.	0 1 0 0	5 23.8 2 57.1 1 4.8 0 0.0 3 14.3	398 32 7	21.6 52.0 4.2 0.9 21.3	7 5 1 0 3	43.8 31.3 6.3 0.0 18.8
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/ N/A N/				38.6 61.4	3 13	18.8 81.3

Table 1.6.1. Men Who Have Sex With Men

		HIV	DIAGNOS	ES, 2008			AIDS DIAGNOS	ES, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurr AIDS dia N		N	%	N	%	N	%
TOTAL	1,923	100.0	1,628	84.7	295	15.3	1,088	100.0	35,606	100.0	432	100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	738 618 497 65 4 1	38.4 32.1 25.8 3.4 0.2 0.1 0.0	636 509 427 52 3 1	39.1 31.3 26.2 3.2 0.2 0.1 0.0	102 109 70 13 1 0	34.6 36.9 23.7 4.4 0.3 0.0	427 338 281 35 7 0	39.2 31.1 25.8 3.2 0.6 0.0	10,457 10,011 14,252 745 78 24 39	29.4 28.1 40.0 2.1 0.2 0.1 0.1	187 96 141 7 1 0	43.3 22.2 32.6 1.6 0.2 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 120 775 542 362 105 19	0.0 6.2 40.3 28.2 18.8 5.5 1.0	0 111 698 459 279 72 9	0.0 6.8 42.9 28.2 17.1 4.4 0.6	0 9 77 83 83 33 10	0.0 3.1 26.1 28.1 28.1 11.2 3.4	0 21 268 342 325 106 26	0.0 1.9 24.6 31.4 29.9 9.7 2.4	0 178 3,957 8,052 13,481 7,084 2,854	0.0 0.5 11.1 22.6 37.9 19.9 8.0	0 0 22 70 145 111 84	0.0 0.0 5.1 16.2 33.6 25.7 19.4
BOROUGH OF RESIDENCE	_							_				
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	249 439 649 312 26 242 6	12.9 22.8 33.7 16.2 1.4 12.6 0.3	206 361 558 255 18 225 5	12.7 22.2 34.3 15.7 1.1 13.8 0.3	43 78 91 57 8 17	14.6 26.4 30.8 19.3 2.7 5.8 0.3	167 247 350 175 16 98 35	15.3 22.7 32.2 16.1 1.5 9.0 3.2	4,099 6,805 15,007 4,887 466 4,254 88	11.5 19.1 42.1 13.7 1.3 11.9 0.2	75 78 122 44 5 20 88	17.4 18.1 28.2 10.2 1.2 4.6 20.4
AREA-BASED POVERTY LEVEL	_							_		_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	270 558 490 340 265	14.0 29.0 25.5 17.7 13.8	231 461 404 289 243	14.2 28.3 24.8 17.8 14.9	39 97 86 51 22	13.2 32.9 29.2 17.3 7.5	126 322 286 211 143	11.6 29.6 26.3 19.4 13.1	6,487 11,129 8,046 5,187 4,757	18.2 31.3 22.6 14.6 13.4	51 90 101 81 109	11.8 20.8 23.4 18.8 25.2
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	16,597 19,009	46.6 53.4	67 365	15.5 84.5

Table 1.6.2. Injection Drug Users, Males

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV di			it AIDS	Concurrent with a diagra	oses		0.4		0.4		0/
TOTAL	N 208	% 100.0	N 162	% 77.9	N 46	% 22.1	N 321	% 100.0	N 15,359	% 100.0	N 600	% 100.0
RACE/ETHNICITY								_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	70 99 32 5 2 0	33.7 47.6 15.4 2.4 1.0 0.0	53 77 27 4 1 0	32.7 47.5 16.7 2.5 0.6 0.0		37.0 47.8 10.9 2.2 2.2 0.0 0.0	31 1 1 0	40.8 48.9 9.7 0.3 0.3 0.0 0.0	6,275 7,012 1,973 61 25 5	40.9 45.7 12.8 0.4 0.2 0.0 0.1	260 251 83 5 1 0	43.3 41.8 13.8 0.8 0.2 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 41 36 64 52 9	0.0 2.9 19.7 17.3 30.8 25.0 4.3	0 6 32 29 52 37 6	0.0 3.7 19.8 17.9 32.1 22.8 3.7	0 0 9 7 12 15 3	0.0 0.0 19.6 15.2 26.1 32.6 6.5	0 22 55 120 99	0.0 0.0 6.9 17.1 37.4 30.8 7.8	0 8 256 1,060 4,926 6,860 2,249	0.0 0.1 1.7 6.9 32.1 44.7 14.6	0 0 8 25 153 310	0.0 0.0 1.3 4.2 25.5 51.7 17.3
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	60 47 54 24 1 20 2	28.8 22.6 26.0 11.5 0.5 9.6 1.0	50 35 36 21 0 18 2	30.9 21.6 22.2 13.0 0.0 11.1 1.2		21.7 26.1 39.1 6.5 2.2 4.3 0.0	99 69 93 29 6 15	30.8 21.5 29.0 9.0 1.9 4.7 3.1	4,420 3,611 3,773 2,252 372 892 39	28.8 23.5 24.6 14.7 2.4 5.8 0.3	165 131 131 53 17 13	27.5 21.8 21.8 8.8 2.8 2.2 15.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	14 45 43 78 28	6.7 21.6 20.7 37.5 13.5	12 31 32 62 25	7.4 19.1 19.8 38.3 15.4	11	4.3 30.4 23.9 34.8 6.5	24 76 74 121 26	7.5 23.7 23.1 37.7 8.1	1,092 4,064 3,770 5,195 1,238	7.1 26.5 24.5 33.8 8.1	28 128 144 196 104	4.7 21.3 24.0 32.7 17.3
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	3,545 11,814	23.1 76.9	73 527	12.2 87.8

Table 1.6.3. Injection Drug Users, Females

		HIV	DIAGNO	SES, 20	008	AIDS DIAGN	OSES, 2008	PLWHA /		DEATHS	, 2008
	T		14.00		Concurrent with AIDS						
	Total HIV di N	agnoses %	Withou N	it AIDS %	diagnose N %		%	N	%	N	%
TOTAL	70	100.0	60	85.7	10 14.3		100.0	6,299	100.0	265	100.0
RACE/ETHNICITY											
Black Hispanic White Asian/Pacific Islander Native American Multiracial	39 23 8 0 0	55.7 32.9 11.4 0.0 0.0	35 18 7 0 0	58.3 30.0 11.7 0.0 0.0 0.0	4 40. 5 50. 1 10. 0 0. 0 0. 0 0.	59 0 9 0 2 0 0	51.4 41.0 6.3 1.4 0.0	3,058 2,494 715 15 11	48.5 39.6 11.4 0.2 0.2	137 104 22 1 0	51.7 39.2 8.3 0.4 0.0
Unknown	0	0.0	0	0.0	0 0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+ BOROUGH OF RESIDENCE Bronx	0 1 4 13 29 21 2	0.0 1.4 5.7 18.6 41.4 30.0 2.9	0 1 4 10 28 17 0	0.0 1.7 6.7 16.7 46.7 28.3 0.0	0 0.0 0 0.0 0 0.0 3 30.1 1 10.1 4 40.1 2 20.1	0 1 0 4 0 24 0 66 0 41 0 8	0.0 0.7 2.8 16.7 45.8 28.5 5.6	0 1 105 634 2,643 2,429 487	0.0 0.0 1.7 10.1 42.0 38.6 7.7	0 0 2 22 106 101 34	0.0 0.0 0.8 8.3 40.0 38.1 12.8
Brooklyn Manhattan Queens Staten Island Outside NYC Unknown AREA-BASED POVERTY LEVEL	23 11 2 3 3 0	32.9 15.7 2.9 4.3 4.3 0.0	19 9 2 2 3 0	31.7 15.0 3.3 3.3 5.0 0.0	4 40.0 2 20.0 0 0.1 1 10.0 0 0.0 0.0 0.0 0.0 0.0 0	30 30 15 30 5 5	27.8 20.8 10.4 3.5 3.5 3.5	1,684 1,267 852 165 234 11	26.7 20.1 13.5 2.6 3.7 0.2	68 63 25 7 4 26	25.7 23.8 9.4 2.6 1.5 9.8
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	3 14 19 31 3	4.3 20.0 27.1 44.3 4.3	2 11 17 27 3	3.3 18.3 28.3 45.0 5.0	1 10.1 3 30.1 2 20.1 4 40.1 0 0.0	28 0 40 0 59	2.8 19.4 27.8 41.0 9.0	362 1,453 1,729 2,426 329	5.7 23.1 27.4 38.5 5.2	11 52 80 92 30	4.2 19.6 30.2 34.7 11.3
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A		N/A N/A	1,605 4,694	25.5 74.5	25 240	9.4 90.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.6.4. Heterosexuals, Males

		HIV	DIAGNO	SES, 20	008		AIDS DIAGNOS	ES, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total HIV d		Withou	it AIDS		gnoses						
TOTAL	N 199	% 100.0	N 137	% 68.8	N 62	% 31.2	N 210	% 100.0	N 5,658	% 100.0	N 117	% 100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	113 62 13 10 1 0	56.8 31.2 6.5 5.0 0.5 0.0	75 43 12 6 1 0	54.7 31.4 8.8 4.4 0.7 0.0 0.0	38 19 1 4 0 0	61.3 30.6 1.6 6.5 0.0 0.0	115 77 8 10 0 0	54.8 36.7 3.8 4.8 0.0 0.0	3,068 1,919 508 141 15 1	54.2 33.9 9.0 2.5 0.3 0.0 0.1	70 31 13 2 0 1	59.8 26.5 11.1 1.7 0.0 0.9 0.0
AGE GROUP (YEARS)		2.0		2.2		0.0		0.0		0.0		
0-12 13-19 20-29 30-39 40-49 50-59	0 5 25 61 69 27 12	0.0 2.5 12.6 30.7 34.7 13.6 6.0	0 5 19 44 45 17 7	0.0 3.6 13.9 32.1 32.8 12.4 5.1	0 0 6 17 24 10 5	0.0 0.0 9.7 27.4 38.7 16.1 8.1	0 1 13 46 85 43 22	0.0 0.5 6.2 21.9 40.5 20.5	0 6 204 901 2,359 1,569 619	0.0 0.1 3.6 15.9 41.7 27.7 10.9	0 0 1 11 38 41 26	0.0 0.9 9.4 32.5 35.0 22.2
BOROUGH OF RESIDENCE	40	04.0	0.4	20.0	40	20.0	50	07.0	4 400	05.0	2.1	20.5
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	49 61 38 38 4 9	24.6 30.7 19.1 19.1 2.0 4.5 0.0	31 39 27 29 4 7	22.6 28.5 19.7 21.2 2.9 5.1 0.0	18 22 11 9 0 2 0	29.0 35.5 17.7 14.5 0.0 3.2 0.0	58 59 48 31 2 8 4	27.6 28.1 22.9 14.8 1.0 3.8 1.9	1,462 1,548 1,093 1,058 136 355 6	25.8 27.4 19.3 18.7 2.4 6.3 0.1	24 33 19 13 4 6	20.5 28.2 16.2 11.1 3.4 5.1 15.4
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	9	4.5	7	5.1	2	3.2	7	3.3	400	7.1	11	9.4
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	65 60 54 11	32.7 30.2 27.1 5.5	43 42 37 8	31.4 30.7 27.0 5.8	22 18 17 3	35.5 29.0 27.4 4.8	64 59 66 14	30.5 28.1 31.4 6.7	1,572 1,572 1,718 396	27.8 27.8 30.4 7.0	18 25 39 24	15.4 21.4 33.3 20.5
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,086 3,572	36.9 63.1	17 100	14.5 85.5

Table 1.6.5. Heterosexuals, Females

		HIV	DIAGNO	SES, 20	08		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV d			ıt AIDS		gnoses		- 1				
TOTAL	751	% 100.0	N 570	% 75.9	N 181	% 24.1	N 557	% 100.0	N 15,438	% 100.0	N 276	% 100.0
RACE/ETHNICITY								_				
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	507 184 42 14 4 0	67.5 24.5 5.6 1.9 0.5 0.0	375 146 36 9 4 0	65.8 25.6 6.3 1.6 0.7 0.0	132 38 6 5 0 0	72.9 21.0 3.3 2.8 0.0 0.0	354 161 27 11 4 0	63.6 28.9 4.8 2.0 0.7 0.0 0.0	9,080 5,024 1,079 186 44 10	58.8 32.5 7.0 1.2 0.3 0.1 0.1	156 94 21 5 0 0	56.5 34.1 7.6 1.8 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 51 164 196 201 96 43	0.0 6.8 21.8 26.1 26.8 12.8 5.7	0 44 145 145 142 72 22	0.0 7.7 25.4 25.4 24.9 12.6 3.9	0 7 19 51 59 24 21	0.0 3.9 10.5 28.2 32.6 13.3 11.6	0 9 58 152 196 98 44	0.0 1.6 10.4 27.3 35.2 17.6 7.9	0 103 1,241 3,363 6,007 3,411 1,313	0.0 0.7 8.0 21.8 38.9 22.1 8.5	0 0 7 36 105 79 49	0.0 0.0 2.5 13.0 38.0 28.6 17.8
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	244 215 112 109 11 60	32.5 28.6 14.9 14.5 1.5 8.0 0.0	177 163 82 91 8 49	31.1 28.6 14.4 16.0 1.4 8.6 0.0	67 52 30 18 3 11	37.0 28.7 16.6 9.9 1.7 6.1 0.0	195 155 84 70 12 31	35.0 27.8 15.1 12.6 2.2 5.6 1.8	4,612 4,775 2,347 2,387 398 901 18	29.9 30.9 15.2 15.5 2.6 5.8 0.1	74 90 44 28 5 7 28	26.8 32.6 15.9 10.1 1.8 2.5 10.1
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (>=30% below FPL) Area-based poverty level not available	38 181 176 292 64	5.1 24.1 23.4 38.9 8.5	26 136 132 225 51	4.6 23.9 23.2 39.5 8.9	12 45 44 67 13	6.6 24.9 24.3 37.0 7.2	29 135 141 206 46	5.2 24.2 25.3 37.0 8.3	932 3,825 4,341 5,332 1,008	6.0 24.8 28.1 34.5 6.5	15 56 76 94 35	5.4 20.3 27.5 34.1 12.7
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	6,651 8,787	43.1 56.9	36 240	13.0 87.0

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	20	100.0	13	65.0	7	35.0	23	100.0	609	100.0	14	100.0
SEX	4.4	70.0	40	70.0		57.4	45	05.0	007	05.0	40	05.7
Male	14	70.0	10	76.9	4	57.1	15	65.2	397	65.2	12	85.7
Female	6	30.0	3	23.1	3	42.9	8	34.8	212	34.8	2	14.3
RACE/ETHNICITY												
Black	9	45.0	6	46.2	3	42.9	10	43.5	218	35.8	3	21.4
Hispanic	10	50.0	6	46.2	4	57.1	12	52.2	268	44.0	10	71.4
White	1	5.0	1	7.7	0	0.0	1	4.3	114	18.7	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
13-19	1	5.0	1	7.7	Ö	0.0	0	0.0	9	1.5	0	0.0
20-29	5	25.0	3	23.1	2	28.6	6	26.1	37	6.1	0	0.0
30-39	6	30.0	4	30.8	2	28.6	5	21.7	85	14.0	Õ	0.0
40-49	2	10.0	2	15.4	0	0.0	3	13.0	213	35.0	3	21.4
50-59	4	20.0	2	15.4	2	28.6	7	30.4	187	30.7	8	21.4 57.1
60+	2	10.0	1	7.7	1	14.3	2	8.7	76	12.5	3	21.4
TRANSMISSION PIOU												
TRANSMISSION RISK		40.0	0	C4 F	0	0.0	_	04.7	474	20.0	2	04.4
Men who have sex with men	8 2	40.0	8	61.5 15.4	0	0.0	5 3	21.7	174 120	28.6 19.7	3	21.4
Injection drug use history Heterosexual	5	10.0 25.0	2	7.7	4	0.0 57.1	ა 7	13.0 30.4	120	20.9	0	42.9 7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	20.9	1	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	5	25.0	2	15.4	3	42.9	8	34.8	169	27.8	4	28.6
O I I I I I I I I I I I I I I I I I I I	,	25.0		10.7		72.3	U	54.0	100	21.0	-	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	237	38.9	5	35.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	372	61.1	9	64.3

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	diaanoses	Withou	ut AIDS	Concurrent v	vith AIDS liagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	92	100.0	61	66.3	31	33.7	80	100.0	2,060	100.0	56	100.0
CEV								_		_		
SEX Male	57	62.0	41	67.2	16	51.6	45	56.3	1,107	53.7	32	57.1
Female	35	38.0	20	32.8	15	48.4	35	43.8	953	46.3	24	42.9
i emale	33	30.0	20	32.0	13	40.4	33	45.0	933	40.5	24	42.3
RACE/ETHNICITY												
Black	64	69.6	43	70.5	21	67.7	51	63.8	1,306	63.4	31	55.4
Hispanic	21	22.8	13	21.3	8	25.8	25	31.3	625	30.3	21	37.5 5.4
White Control of the	6	6.5	4	6.6	2	6.5	4	5.0	108	5.2	3	5.4
Asian/Pacific Islander	1	1.1	1	1.6	0	0.0	0	0.0	10	0.5	1	1.8
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0 0.0	0	0.0 0.0	2	0.1	U	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	<u> </u>	0.1	0	0.0
Olkilowii	U	0.0	U	0.0	U	0.0	U	0.0	4	0.2	U	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	31	1.5	0	0.0
13-19	5	5.4	5	8.2	0	0.0	1	1.3	56	2.7	0	0.0 3.6 8.9 35.7
20-29	22	23.9	20	32.8	2	6.5	3	3.8	161	7.8	2	3.6
30-39	21	22.8	11	18.0	10	32.3	18	22.5	346	16.8	5	8.9
40-49	23	25.0	14	23.0	9	29.0	33	41.3	757	36.7	20	35.7
50-59	16	17.4	9	14.8	7	22.6	16	20.0	516	25.0 9.4	14 15	25.0 26.8
60+	5	5.4	2	3.3	3	9.7	9	11.3	193	9.4	15	26.8
TRANSMISSION RISK								_				
Men who have sex with men	24	26.1	19	31.1	5	16.1	11	13.8	315	15.3	6	10.7
Injection drug use history	6	6.5	3	4.9	3	9.7	10	12.5	397	19.3	21	37.5
Heterosexual	36	39.1	21	34.4	15	48.4	29	36.3	565	27.4	9	16.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	105	5.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	26	28.3	18	29.5	8	25.8	30	37.5	674	32.7	20	35.7
CLINICAL STATUS								_				
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	825	40.0	4	7 1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,235	60.0	52	7.1 92.9
1100	14//1	14//1	14//1	14// (14//1	14//1	14//1	14//\	1,200	00.0	- UL	02.0

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS							
	N	ilagrioses %	N	% AIDS	N	diagnoses %	N	%	N	%	N	%
TOTAL	172	100.0	129	75.0	43	25.0	163	100.0	4,360	100.0	68	100.0
SEX						_		_		_		
Male	120	69.8	91	70.5	29	67.4	100	61.3	2,745	63.0	41	60.3
Female	52	30.2	38	29.5	14	32.6	63	38.7	1,615	37.0	27	39.7
RACE/ETHNICITY						_		_		_		
Black	83	48.3	62	48.1	21	48.8	77	47.2	1,818	41.7	29	42.6
Hispanic	85	49.4	65	50.4	20	46.5	80	49.1	2,291	52.5	33	48.5
White	3	1.7	2	1.6	1	2.3	4	2.5	220	5.0	6	8.8 0.0 0.0
Asian/Pacific Islander	1	0.6	0	0.0	1	2.3	2	1.2	21 7	0.5	0	0.0
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	0	0.2 0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0 0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.5	0	0.0
13-19	9	5.2	8	6.2	1	2.3	1	0.6	70	1.6	ő	0.0
20-29	52	30.2	43	33.3	9	20.9	23	14.1	318	7.3	3	4.4
30-39	38	22.1	28	21.7	10	23.3	38	23.3	777	17.8	7	10.3
40-49	51	29.7	37	28.7	14	32.6	66	40.5	1,666	38.2	27	10.3 39.7
50-59	14	8.1	7	5.4	7	16.3	25	15.3	1,144	26.2	24	35.3
60+	8	4.7	6	4.7	2	4.7	10	6.1	362	8.3	7	10.3
TRANSMISSION RISK						_				_		
Men who have sex with men	57	33.1	48	37.2	9	20.9	36	22.1	887	20.3	12	17.6
Injection drug use history	11	6.4	10	7.8	1	2.3	21	12.9	1,115	25.6	28	41.2
Heterosexual	50	29.1	32	24.8	18	41.9	54	33.1	1,046	24.0	11	16.2
Perinatal Others	0	0.0	0	0.0	0	0.0	0	0.0	117	2.7	0	0.0
Other Unknown	0 54	0.0 31.4	0 39	0.0 30.2	0 15	0.0 34.9	0 52	0.0 31.9	3 1,192	0.1 27.3	0 17	0.0 25.0
		01.4	- 00	00.2	- 13	04.5		01.0	1,102	27.0	.,	20.0
CLINICAL STATUS HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,683	38.6	11	16.2
AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,677	61.4	57	83.8

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 200	18		AIDS DIAGNOSE	S, 2008	PLWHA A: 12/31/20		DEATHS,	2008
	Total HIV o			ut AIDS		diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	128	100.0	101	78.9	27	21.1	133	100.0	4,030	100.0	74	100.0
SEX								_				
Male	84	65.6	67	66.3	17	63.0	82	61.7	2,393	59.4	50	67.6
Female	44	34.4	34	33.7	10	37.0	51	38.3	1,637	40.6	24	32.4
RACE/ETHNICITY						_		_		_		
Black	58	45.3	47	46.5	11	40.7	58	43.6	1,597	39.6	30	40.5
Hispanic	63	49.2	47	46.5	16	59.3	69	51.9	2,102	52.2	40	54.1
White	3	2.3	3	3.0	0	0.0	5	3.8	296	7.3	2	2.7 1.4
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	22	0.5	1	1.4
Native American	2	1.6	2	2.0	0	0.0	1	0.8	7	0.2	0	0.0
Multiracial	1	0.8	1	1.0	0	0.0	0	0.0	1	0.0	1	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	29	0.7	0	0.0
13-19	8	6.3	7	6.9	1	3.7	4	3.0	109	2.7	0	0.0
20-29	37	28.9	35	34.7	2	7.4	19	14.3	326	8.1	1	1.4
30-39	24	18.8	18	17.8	6	22.2	27	20.3	628	15.6	6	8.1
40-49	39	30.5	26	25.7	13	48.1	58	43.6	1,548	38.4	27	36.5
50-59	13	10.2	10	9.9	3	11.1	18	13.5	1,022	25.4	27	36.5
60+	7	5.5	5	5.0	2	7.4	7	5.3	368	9.1	13	17.6
TRANSMISSION RISK										_		
Men who have sex with men	42	32.8	33	32.7	9	33.3	31	23.3	749	18.6	12	16.2
Injection drug use history	9	7.0	8	7.9	1	3.7	13	9.8	964	23.9	22	29.7
Heterosexual	42	32.8	31	30.7	11	40.7	43	32.3	1,019	25.3	15	20.3
Perinatal	0	0.0	0	0.0	0	0.0	4	3.0	164	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	35	27.3	29	28.7	6	22.2	42	31.6	1,121	27.8	25	33.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,524	37.8	9	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,506	62.2	65	87.8

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnasas	Mitho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	ilayi10ses %	N	w AID3	N	ulayrioses %	N	%	N	%	N	%
TOTAL	160	100.0	124	77.5	36	22.5	148	100.0	4,860	100.0	116	100.0
SEX								_		_		
Male	99	61.9	75	60.5	24	66.7	92	62.2	2,853	58.7	83	71.6
Female	61	38.1	49	39.5	12	33.3	56	37.8	2,007	41.3	33	28.4
RACE/ETHNICITY								_				
Black	95	59.4	70	56.5	25	69.4	81	54.7	2,253	46.4	53	45.7
Hispanic	61	38.1	50	40.3	11	30.6	66	44.6	2,449	50.4	58	50.0
White	4	2.5	4	3.2	0	0.0	0	0.0	128	2.6	5	4.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.7	17	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	8.0	0	0.0	0	0.0	44	0.9	0	0.0
13-19	6	3.8	5	4.0	1	2.8	6	4.1	87	1.8	0	0.0
20-29	42	26.3	34	27.4	8	22.2	21	14.2	338	7.0	3	2.6
30-39	41	25.6	35	28.2	6	16.7	35	23.6	818	16.8	11	2.6 9.5 36.2 36.2
40-49	42	26.3	30	24.2	12	33.3	50	33.8	1,764	36.3	42	36.2
50-59	22	13.8	15	12.1	7	19.4	26	17.6	1,338	27.5	42	36.2
60+	6	3.8	4	3.2	2	5.6	10	6.8	471	9.7	18	15.5
TRANSMISSION RISK												
Men who have sex with men	36	22.5	28	22.6	8	22.2	28	18.9	715	14.7	12	10.3
Injection drug use history	26	16.3	23	18.5	3	8.3	30	20.3	1,350	27.8	55	47.4
Heterosexual	57	35.6	42	33.9	15	41.7	44	29.7	1,253	25.8	19	16.4
Perinatal	1	0.6	1	0.8	0	0.0	2	1.4	152	3.1	0	0.0
Other	0 40	0.0 25.0	0 30	0.0 24.2	0 10	0.0	0 44	0.0	11	0.2 28.4	1 29	0.9 25.0
Unknown	40	25.0	30	24.2	10	27.8	44	29.7	1,379	28.4	29	∠5.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,825	37.6	15	12.9 87.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,035	62.4	101	87.1

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 200)8		AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total HIV d	liagnoses	Witho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	183	100.0	146	79.8	37	20.2	185	100.0	5,364	100.0	150	100.0
SEX						_		_		_		
Male	109	59.6	87	59.6	22	59.5	112	60.5	3,195	59.6	88	58.7
Female	74	40.4	59	40.4	15	40.5	73	39.5	2,169	40.4	62	41.3
RACE/ETHNICITY						_		_		_		
Black	108	59.0	86	58.9	22	59.5	98	53.0	2,758	51.4	81	54.0
Hispanic	71	38.8	56	38.4	15	40.5	82	44.3	2,429	45.3	63	42.0 3.3 0.7 0.0 0.0
White	4	2.2	4	2.7	0	0.0	4	2.2	137	2.6	5	3.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.5	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	40	0.7	0	0.0 0.7
13-19	21	11.5	17	11.6	4	10.8	11	5.9	102	1.9	1	0.7
20-29	47	25.7	40	27.4	7	18.9	22	11.9	402	7.5	1	0.7
30-39	45	24.6	37	25.3	8	21.6	47	25.4	923	17.2	24	16.0
40-49	42	23.0	33	22.6	9	24.3	56	30.3	1,881	35.1	43	28.7
50-59	24	13.1	16	11.0	8	21.6	41	22.2	1,477	27.5	52	34.7
60+	4	2.2	3	2.1	1	2.7	8	4.3	539	10.0	29	19.3
TRANSMISSION RISK						_				_		
Men who have sex with men	48	26.2	38	26.0	10	27.0	38	20.5	792	14.8	19	12.7
Injection drug use history	12	6.6	11	7.5	1	2.7	34	18.4	1,517	28.3	67	44.7
Heterosexual	71	38.8	58	39.7	13	35.1	45	24.3	1,316	24.5	26	17.3
Perinatal	0	0.0	0	0.0	0	0.0	7	3.8	166	3.1	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	2	1.3
Unknown	52	28.4	39	26.7	13	35.1	61	33.0	1,565	29.2	35	23.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,928	35.9	19	12.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,436	64.1	131	87.3

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		DIAGNO	SES, 200	8		AIDS DIAGNOSES	S, 2008	PLWHA AS 12/31/200		DEATHS,	2008	
	Total HIV o	diagnoses	Withou	ıt AIDS	Concurrent v	vith AIDS lagnoses						
	N	<i>"</i>	N	%	N	% was a second	N	%	N	%	N	%
OTAL	125	100.0	100	80.0	25	20.0	116	100.0	3,124	100.0	86	100.0
EX	00	00.0	70	70.0	40	04.0	75	04.7	4.000	04.0	57	00.0
Male	86	68.8	70	70.0	16	64.0	75	64.7	1,930	61.8	57	66.3
emale	39	31.2	30	30.0	9	36.0	41	35.3	1,194	38.2	29	33.7
RACE/ETHNICITY						_		_		_		
Black	51	40.8	44	44.0	7	28.0	29	25.0	1,264	40.5	32	37.2
lispanic	68	54.4	51	51.0	17	68.0	82	70.7	1,756	56.2	53	61.6
Vhite	5	4.0	5	5.0	0	0.0	2	1.7	80	2.6	1	1.2
sian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.7	11	0.4	0	0.0
lative American	*	*	0	0.0	*	*	*	*	11	0.4	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Inknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)								_				
-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.5	0	0.0
3-19	3	2.4	3	3.0	0	0.0	1	0.9	65	2.1	0	0.0
0-29	32	25.6	28	28.0	4	16.0	14	12.1	236	7.6	3	3.5 14.0 38.4
0-39	33	26.4	24	24.0	9	36.0	28	24.1	564	18.1	12	14.0
0-49	33	26.4	26	26.0	7	28.0	48	41.4	1,147	36.7	33	38.4
0-59	18	14.4	14	14.0	4	16.0	23	19.8	835	26.7	32	37.2
0+	6	4.8	5	5.0	1	4.0	2	1.7	261	8.4	6	7.0
RANSMISSION RISK						_		_		-		
Men who have sex with men	34	27.2	32	32.0	2	8.0	17	14.7	453	14.5	10	11.6
njection drug use history	21	16.8	17	17.0	4	16.0	32	27.6	979	31.3	38	44.2
leterosexual	30	24.0	22	22.0	8	32.0	30	25.9	733	23.5	17	19.8
Perinatal	0	0.0	0	0.0	0	0.0	2	1.7	107	3.4	1	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0 23.3
Inknown	40	32.0	29	29.0	11	44.0	35	30.2	847	27.1	20	23.3
CLINICAL STATUS												
IIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,237	39.6	12	14.0
NIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,887	60.4	74	86.0

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV d	liaanoses	Withou	ut AIDS	Concurrent v	vith AIDS lagnoses						
	N	%	N	%	N	% %	N	%	N	%	N	%
TOTAL	38	100.0	28	73.7	10	26.3	25	100.0	878	100.0	18	100.0
SEX						_		_		_		
Male	30	78.9	21	75.0	9	90.0	22	88.0	666	75.9	14	77.8
Female	8	21.1	7	25.0	1	10.0	3	12.0	212	24.1	4	22.2
RACE/ETHNICITY								_				
Black	11	28.9	10	35.7	1	10.0	7	28.0	163	18.6	0	0.0
Hispanic	13	34.2	8	28.6	5	50.0	12	48.0	430	49.0	10	55.6
White	13	34.2	10	35.7	3	30.0	4	16.0	265	30.2	8	44.4
Asian/Pacific Islander	1	2.6	0	0.0	1	10.0	2	8.0	16	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0 0.0 0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	2.6	1	3.6	0	0.0	0	0.0	13	1.5	0	0.0
20-29	17	44.7	11	39.3	6	60.0	13	52.0	86	9.8	0	0.0
30-39	14	36.8	12	42.9	2	20.0	5	20.0	194	22.1	2	11.1
40-49 50-59	5	13.2	4	14.3	1	10.0	4	16.0	316	36.0	8	44.4
50-59	1	2.6	0	0.0	1	10.0	2	8.0	194	22.1	5	27.8
60+	0	0.0	0	0.0	0	0.0	1	4.0	73	8.3	3	16.7
TRANSMISSION RISK												
Men who have sex with men	22	57.9	17	60.7	5	50.0	13	52.0	356	40.5	4	22.2
Injection drug use history	6	15.8	4	14.3	2	20.0	2	8.0	187	21.3	9	50.0
Heterosexual	7	18.4	4	14.3	3	30.0	7	28.0	120	13.7	2	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	3	7.9	3	10.7	0	0.0	3	12.0	196	22.3	3	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	360	41.0	2	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	518	59.0	16	88.9

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Witho	ut AIDS	Concurrent v	vith AIDS liagnoses		- 1				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	92	100.0	77	83.7	15	16.3	68	100.0	2,717	100.0	47	100.0
SEX						_		_		_		
Male	76	82.6	64	83.1	12	80.0	46	67.6	2,048	75.4	30	63.8
Female	16	17.4	13	16.9	3	20.0	22	32.4	669	24.6	17	36.2
RACE/ETHNICITY						_		_		_		
Black	45	48.9	38	49.4	7	46.7	36	52.9	1,185	43.6	27	57.4
Hispanic	21	22.8	19	24.7	2	13.3	15	22.1	704	25.9	13	27.7
White	21	22.8	17	22.1	4	26.7	12	17.6	767	28.2	5	10.6 4.3 0.0 0.0
Asian/Pacific Islander	5	5.4	3	3.9	2	13.3	5	7.4	42	1.5	2	4.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)						_		-		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
13-19	2	2.2	2	2.6	0	0.0	2	2.9	36	1.3	0	0.0 2.1
20-29	25 28	27.2	24	31.2	1	6.7	9	13.2	170	6.3	1	2.1
30-39	28	30.4	22	28.6	6	40.0	21	30.9	478	17.6	7	14.9 21.3
40-49 50-59	22	23.9	17	22.1	5	33.3	23	33.8	1,028	37.8	10	21.3
50-59	12	13.0	11	14.3	1	6.7	5	7.4	695	25.6	15	31.9
60+	3	3.3	1	1.3	2	13.3	8	11.8	298	11.0	14	29.8
TRANSMISSION RISK						_		_		_		
Men who have sex with men	53	57.6	46	59.7	7	46.7	28	41.2	1,183	43.5	9	19.1
Injection drug use history	5	5.4	4	5.2	1	6.7	10	14.7	496	18.3	15	31.9
Heterosexual	16	17.4	12	15.6	4	26.7	11	16.2	422	15.5	7	14.9
Perinatal	0	0.0	0	0.0	0	0.0	2	2.9	52	1.9	1	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	18	19.6	15	19.5	3	20.0	17	25.0	558	20.5	15	31.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,126	41.4	5	10.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,591	58.6	42	89.4

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 200	18		AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	281	100.0	218	77.6	63	22.4	254	100.0	6,919	100.0	195	100.0
SEX								_				
Male	200	71.2	161	73.9	39	61.9	171	67.3	4,372	63.2	118	60.5
Female	81	28.8	57	26.1	24	38.1	83	32.7	2,547	36.8	77	39.5
RACE/ETHNICITY								_		_		
Black	236	84.0	181	83.0	55	87.3	210	82.7	5,508	79.6	167	85.6
Hispanic	31	11.0	24	11.0	7	11.1	34	13.4	968	14.0	19	9.7
White	11	3.9	10	4.6	1	1.6	7	2.8	371	5.4	7	3.6 0.0 1.0
Asian/Pacific Islander	1	0.4	1	0.5	0	0.0	1	0.4	38	0.5	0	0.0
Native American	2	0.7	2	0.9	0	0.0	2	0.8	20	0.3	2	1.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	51	0.7	0	0.0
13-19	15	5.3	12	5.5	3	4.8	7	2.8	123	1.8	1	0.5
20-29	70	24.9	60	27.5	10	15.9	43	16.9	629	9.1	8	4.1
30-39	69	24.6	60	27.5	9	14.3	62	24.4	1,241	17.9	29	14.9 29.2
40-49	69	24.6	49	22.5	20	31.7	80	31.5	2,386	34.5	57	29.2
50-59	42	14.9	27	12.4	15	23.8	47	18.5	1,801	26.0	66	33.8
60+	16	5.7	10	4.6	6	9.5	15	5.9	688	9.9	34	17.4
TRANSMISSION RISK						_		_		_		
Men who have sex with men	97	34.5	87	39.9	10	15.9	67	26.4	1,688	24.4	31	15.9
Injection drug use history	20	7.1	14	6.4	6	9.5	40	15.7	1,353	19.6	61	31.3
Heterosexual	67	23.8	45	20.6	22	34.9	60	23.6	1,665	24.1	31	15.9
Perinatal	1	0.4	1	0.5	0	0.0	6	2.4	191	2.8	2	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Unknown	96	34.2	71	32.6	25	39.7	81	31.9	2,008	29.0	70	35.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,752	39.8	29	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,167	60.2	166	85.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV			ut AIDS		liagnoses						
TOTAL	N 119	% 100.0	N 98	% 82.4	N 21	% 17.6	N 89	% 100.0	2,806	% 100.0	N 72	% 100.0
IOTAL	119	100.0	90	02.4	21	17.0	09	100.0	2,800	100.0	12	100.0
SEX								_				
Male	80	67.2	63	64.3	17	81.0	57	64.0	1,567	55.8	37	51.4
Female	39	32.8	35	35.7	4	19.0	32	36.0	1,239	44.2	35	48.6
RACE/ETHNICITY										_		
Black	72	60.5	61	62.2	11	52.4	61	68.5	1,792	63.9	46	63.9
Hispanic	43	36.1	35	35.7	8	38.1	26	29.2	893	31.8	24	33.3
White	2	1.7	0	0.0	2	9.5	1	1.1	85	3.0	1	1.4
Asian/Pacific Islander	2	1.7	2	2.0	0	0.0	0	0.0	19	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.1	10	0.4	1	1.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
13-19	12	10.1	12	12.2	0	0.0	5	5.6	60	2.1	1	1.4
20-29	38	31.9	33	33.7	5	23.8	18	20.2	276	9.8	4	5.6 9.7
30-39	21	17.6	19	19.4	2	9.5	16	18.0	492	17.5	7	9.7
40-49	30	25.2	19	19.4	11	52.4	27	30.3	1,057	37.7	20	27.8
50-59	14	11.8	11	11.2	3	14.3	17	19.1	647	23.1	26	36.1
60+	4	3.4	4	4.1	0	0.0	6	6.7	248	8.8	14	19.4
TRANSMISSION RISK												
Men who have sex with men	43	36.1	34	34.7	9	42.9	20	22.5	449	16.0	5	6.9
Injection drug use history	11	9.2	10	10.2	1	4.8	13	14.6	619	22.1	21	29.2
Heterosexual	39	32.8	34	34.7	5	23.8	20	22.5	835	29.8	17	23.6
Perinatal	0	0.0	0	0.0	0	0.0	4	4.5	93	3.3	2	2.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	26	21.8	20	20.4	6	28.6	32	36.0	806	28.7	27	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,068	38.1	7	9.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,738	61.9	65	90.3

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
					Concurrent			_				
	Total HIV o			ıt AIDS		diagnoses %	N.	%	N.	0/	N	0/
TOTAL	N 27	% 100.0	N 23	% 85.2	N 4	% 14.8	N 15	100.0	N 891	% 100.0	N 9	% 100.0
IOTAL	Z I	100.0	23	03.2	-	14.0	13	100.0	091	100.0	9	100.0
SEX						_		_				
Male	23	85.2	19	82.6	4	100.0	14	93.3	623	69.9	6	66.7
Female	4	14.8	4	17.4	0	0.0	1	6.7	268	30.1	3	33.3
RACE/ETHNICITY						_		_		_		
Black	7	25.9	7	30.4	0	0.0	7	46.7	207	23.2	0	0.0
Hispanic	12	44.4	10	43.5	2	50.0	6	40.0	504	56.6	9	100.0
White Control of the	2	7.4	1	4.3	1	25.0	1	6.7	141	15.8	0	0.0 0.0 0.0
Asian/Pacific Islander	6	22.2	5	21.7	1	25.0	1	6.7	37	4.2	0	0.0
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0 0.0	0 2	0.0 0.2	0	0.0 0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	2	0.2	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	2	7.4	2	8.7	0	0.0	0	0.0	15	1.7	0	0.0
20-29	11	40.7	9	39.1	2	50.0	4	26.7	65	7.3	0	0.0
30-39	9	33.3	8	34.8	1	25.0	4	26.7	174	19.5	1	11.1
40-49 50-59	3	11.1 3.7	2	8.7 4.3	0	25.0 0.0	0	40.0 6.7	323 212	36.3 23.8	2	22.2 55.6
60 +	1	3.7	1	4.3	0	0.0	0	0.0	100	11.2	ე 1	11.1
007		3.1		4.3	0	0.0	U	0.0	100	11.2	ļ	11.1
TRANSMISSION RISK												
Men who have sex with men	16	59.3	14	60.9	2	50.0	8	53.3	274	30.8	1	11.1
Injection drug use history	3	11.1	3	13.0	0	0.0	0	0.0	228	25.6	5	55.6
Heterosexual	4	14.8	3	13.0	1	25.0	1	6.7	199	22.3	2	22.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	14.8	3	13.0	1	25.0	6	40.0	172	19.3	1	11.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	351	39.4	3	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	540	60.6	6	66.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS	, 2008
	Total HIV a	liagnoses	Withou	ut AIDS	Concurrent v	vith AIDS iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	53	100.0	40	75.5	13	24.5	35	100.0	1,002	100.0	13	100.0
SEX								_				
Male	42	79.2	34	85.0	8	61.5	23	65.7	727	72.6	8	61.5
Female	11	20.8	6	15.0	5	38.5	12	34.3	275	27.4	5	38.5
RACE/ETHNICITY												
Black	18	34.0	14	35.0	4	30.8	18	51.4	297	29.6	0	0.0
Hispanic White	20 12	37.7 22.6	12 11	30.0 27.5	8	61.5 7.7	12 5	34.3 14.3	359 310	35.8 30.9	8	61.5 38.5 0.0
Asian/Pacific Islander	3	22.6 5.7	3	27.5 7.5	0	0.0	ა 0	0.0	34	30.9	5 0	36.5 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	Ō	0.0	0	0.0	0	0.0	0	0.0	Ō	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	1	1.9 35.8	1	2.5 37.5	0	0.0	1	2.9	12 71	1.2 7.1	0	0.0 7.7
30-39	19 20	37.7	15 13	32.5	7	30.8 53.8	10	20.0 28.6	177	17.7	Ů	0.0
40-49	7	13.2	6	15.0	1	7.7	7	20.0	383	38.2	2	15.4
50-59	2	3.8	2	5.0	0	0.0	7	20.0	254	25.3	7	15.4 53.8 23.1
60+	4	7.5	3	7.5	1	7.7	3	8.6	105	10.5	3	23.1
TRANSMISSION RISK												
Men who have sex with men	22	41.5	18	45.0	4	30.8	12	34.3	318	31.7	2	15.4
Injection drug use history Heterosexual	5 13	9.4 24.5	3 7	7.5 17.5	2 6	15.4	4 10	11.4	234 205	23.4 20.5	6	46.2
Perinatal	0	24.5 0.0	0	0.0	0	46.2 0.0	10	28.6 2.9	205 16	20.5	4	30.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	13	24.5	12	30.0	1	7.7	8	22.9	227	22.7	1	0.0 7.7
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	384 618	38.3 61.7	3 10	23.1 76.9

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA A: 12/31/20		DEATHS,	2008
	Total HIV d	liagnoses	Withou	ut AIDS	Concurrent v	with AIDS liagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	186	100.0	129	69.4	57	30.6	144	100.0	4,653	100.0	96	100.0
SEX						_		_		_		
Male	136	73.1	93	72.1	43	75.4	96	66.7	2,896	62.2	61	63.5
Female	50	26.9	36	27.9	14	24.6	48	33.3	1,757	37.8	35	36.5
RACE/ETHNICITY						_		_		_		
Black	158	84.9	111	86.0	47	82.5	112	77.8	3,718	79.9	77	80.2
Hispanic	20	10.8	12	9.3	8	14.0	23	16.0	646	13.9	12	12.5 5.2 1.0 0.0
White	6	3.2	5	3.9	1	1.8	5	3.5	225	4.8	5	5.2
Asian/Pacific Islander	1	0.5	0	0.0	1	1.8	2	1.4	41	0.9	1	1.0
Native American	0	0.0	0	0.0	0	0.0	2	1.4	14	0.3	0	0.0
Multiracial	1	0.5	1	0.8	0	0.0	0	0.0	2	0.0	1	1.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)						_		-		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.5	0	0.0
13-19	12	6.5	11	8.5	1	1.8	2	1.4	91	2.0	0	0.0 3.1
20-29	50	26.9	45	34.9	5	8.8	19	13.2	423	9.1	3	3.1
30-39	41	22.0	28	21.7	13	22.8	32	22.2	797	17.1	8	8.3 31.3
40-49	42	22.6	24	18.6	18	31.6	42	29.2	1,613	34.7	30	31.3
50-59	28	15.1	16	12.4	12	21.1	35	24.3	1,247	26.8	36	37.5
60+	13	7.0	5	3.9	8	14.0	14	9.7	461	9.9	19	19.8
TRANSMISSION RISK						_		_		_		
Men who have sex with men	70	37.6	50	38.8	20	35.1	37	25.7	1,100	23.6	15	15.6
Injection drug use history	4	2.2	2	1.6	2	3.5	9	6.3	684	14.7	29	30.2
Heterosexual	52	28.0	38	29.5	14	24.6	44	30.6	1,253	26.9	22	22.9
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	115	2.5	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	60	32.3	39	30.2	21	36.8	53	36.8	1,488	32.0	29	30.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,713	36.8	7	7.3 92.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,940	63.2	89	92.7

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
	Total HIV o			ut AIDS		with AIDS diagnoses				24		
TOTAL	N 74	% 100.0	N 56	% 75.7	N 18	24.3	N 49	% 100.0	N 1,334	% 100.0	N 36	% 100.0
SEX								_				
Male Female	44 30	59.5 40.5	33 23	58.9 41.1	11 7	61.1 38.9	23 26	46.9 53.1	697 637	52.2 47.8	16 20	44.4 55.6
RACE/ETHNICITY										_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	63 8 3 0 0 0	85.1 10.8 4.1 0.0 0.0 0.0 0.0	50 6 0 0 0 0	89.3 10.7 0.0 0.0 0.0 0.0	13 2 3 0 0 0	72.2 11.1 16.7 0.0 0.0 0.0	38 6 5 0 0 0	77.6 12.2 10.2 0.0 0.0 0.0 0.0	1,032 167 118 10 * 1 5	77.4 12.5 8.8 0.7 * 0.1 0.4	27 3 5 0 0 1	75.0 8.3 13.9 0.0 2.8 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 3 24 17 14 6 10	0.0 4.1 32.4 23.0 18.9 8.1 13.5	0 3 20 13 10 4 6	0.0 5.4 35.7 23.2 17.9 7.1 10.7	0 0 4 4 4 2 4	0.0 0.0 22.2 22.2 22.2 11.1 22.2	0 0 9 14 11 9 6	0.0 0.0 18.4 28.6 22.4 18.4 12.2	15 41 121 225 451 358 123	1.1 3.1 9.1 16.9 33.8 26.8 9.2	0 0 1 4 9 11 11	0.0 0.0 2.8 11.1 25.0 30.6 30.6
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	25 2 24 0 0 23	33.8 2.7 32.4 0.0 0.0 31.1	21 1 17 0 0 17	37.5 1.8 30.4 0.0 0.0 30.4	4 1 7 0 0 6	22.2 5.6 38.9 0.0 0.0 33.3	12 4 17 0 0 16	24.5 8.2 34.7 0.0 0.0 32.7	197 176 445 61 4 451	14.8 13.2 33.4 4.6 0.3 33.8	0 8 13 0 0 15	0.0 22.2 36.1 0.0 0.0 41.7
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	562 772	42.1 57.9	8 28	22.2 77.8

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	diaanoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses		- 1				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	16	84.2	3	15.8	18	100.0	565	100.0	11	100.0
SEX								_		_		
Male	15	78.9	12	75.0	3	100.0	15	83.3	409	72.4	6	54.5
Female	4	21.1	4	25.0	0	0.0	3	16.7	156	27.6	5	45.5
RACE/ETHNICITY												
Black	1	5.3	0	0.0	1	33.3	2	11.1	78	13.8	4	36.4
Hispanic	2	10.5	2	12.5	0	0.0	4	22.2	158	28.0	3	27.3 36.4 0.0 0.0
White	13	68.4	11	68.8	2	66.7	9	50.0	294	52.0	4	36.4
Asian/Pacific Islander	3	15.8	3	18.8	0	0.0	3	16.7	32	5.7	0	0.0
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0		0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0 2	0.0 0.4	0	0.0
OTIKITOWIT	U	0.0	U	0.0	U	0.0	U	0.0	2	0.4	U	0.0
AGE GROUP (YEARS)												
0-12	1	5.3	1	6.3	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
20-29	5	26.3	5 5	31.3	0	0.0	0	0.0	38	6.7	0	0.0
30-39 40-49	5 3	26.3 15.8	5	31.3 12.5	0	0.0 33.3	4	22.2 11.1	117 190	20.7 33.6	3 -	27.3
50-59	3 5	26.3	2	12.5	2	33.3 66.7	2 12	66.7	190	28.5	5	0.0 27.3 45.5 18.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	55	9.7	1	9.1
007	O	0.0	U	0.0	U	0.0	U	0.0	33	3.1	'	3.1
TRANSMISSION RISK												
Men who have sex with men	10	52.6	9	56.3	1	33.3	7	38.9	214	37.9	1	9.1
Injection drug use history	1	5.3	1	6.3	0	0.0	2	11.1	122	21.6	4	36.4 18.2
Heterosexual	3	15.8	3	18.8	0	0.0	2	11.1	99	17.5	2	18.2
Perinatal	1	5.3	1	6.3	0	0.0	0	0.0	6	1.1	U	0.0
Other Unknown	0	0.0 21.1	0 2	0.0 12.5	0 2	0.0 66.7	0 7	0.0 38.9	3 121	0.5 21.4	0 1	0.0 36.4
OTIKITOWIT		21.1		12.5		00.7	,	30.9	121	21.4	4	30.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	229	40.5	3	27.3 72.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	336	59.5	88	72.7

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Witho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	45	100.0	33	73.3	12	26.7	41	100.0	1,034	100.0	27	100.0
SEX								_		_		
Male	37	82.2	25	75.8	12	100.0	30	73.2	624	60.3	19	70.4
Female	8	17.8	8	24.2	0	0.0	11	26.8	410	39.7	8	29.6
RACE/ETHNICITY												
Black	15	33.3	8	24.2	7	58.3	20	48.8	403	39.0	11	40.7
Hispanic	16	35.6	13	39.4	3	25.0	14	34.1	343	33.2	6	22.2 33.3 3.7
White	10	22.2	9	27.3	1	8.3	5	12.2	262	25.3	9	33.3
Asian/Pacific Islander	4	8.9	3	9.1	1	8.3	2	4.9	23	2.2	1	3.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	1	2.2	1	3.0	0	0.0	0	0.0	21	2.0	0	0.0
20-29	11	24.4	7	21.2	4	33.3	8	19.5	81	7.8	0	0.0
30-39	12	26.7	10	30.3	2	16.7	9	22.0	179	17.3	3	11.1
40-49	13	28.9	12	36.4	1	8.3	11	26.8	370	35.8	8	29.6
50-59	7	15.6	3	9.1	4	33.3	11	26.8	276	26.7	9	29.6 33.3
60+	1	2.2	0	0.0	1	8.3	2	4.9	101	9.8	7	25.9
TRANSMISSION RISK						_		_		_		
Men who have sex with men	15	33.3	11	33.3	4	33.3	10	24.4	220	21.3	3	11.1
Injection drug use history	1	2.2	1	3.0	0	0.0	3	7.3	231	22.3	7	25.9
Heterosexual	7	15.6	6	18.2	1	8.3	11	26.8	272	26.3	7	25.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	22	48.9	15	45.5	7	58.3	17	41.5	272	26.3	10	37.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	373	36.1	5	18.5
AIDS '	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	661	63.9	22	81.5

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total I IIV a	liaanaaaa	14/:460	ut AIDS	Concurrent	-						
	Total HIV a	% was in a grid set	N	ut AIDS %	N	liagnoses %	N	%	N	%	N	%
TOTAL	156	100.0	124	79.5	32	20.5	118	100.0	3,495	100.0	87	100.0
SEX								_		_		
Male	118	75.6	93	75.0	25	78.1	87	73.7	2,241	64.1	57	65.5
Female	38	24.4	31	25.0	7	21.9	31	26.3	1,254	35.9	30	34.5
RACE/ETHNICITY						_		_		_		
Black	95	60.9	74	59.7	21	65.6	65	55.1	1,856	53.1	54	62.1
Hispanic	48	30.8	38	30.6	10	31.3	42	35.6	1,390	39.8	28	32.2 3.4 2.3 0.0 0.0
White	7	4.5	7	5.6	0	0.0	8	6.8	205	5.9	3	3.4
Asian/Pacific Islander	4	2.6	3	2.4	1	3.1	2	1.7	25	0.7	2	2.3
Native American	2	1.3	2	1.6	0	0.0	1	8.0	14	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	. 1	0.6	1	0.8	0	0.0	0	0.0	23	0.7	0	0.0
13-19	10	6.4	9	7.3	1	3.1	5	4.2	66	1.9	0	0.0
20-29	42	26.9	35	28.2	7	21.9	16	13.6	309	8.8	1	1.1
30-39	43	27.6	33	26.6	10	31.3	31	26.3	588	16.8	10	11.5
40-49	39	25.0	30	24.2	9	28.1	42	35.6	1,268	36.3	36	41.4
50-59	19	12.2	16 0	12.9	3	9.4	22	18.6	918	26.3	29 11	33.3 12.6
60+	2	1.3	Ü	0.0	2	6.3	2	1.7	323	9.2	11	12.6
TRANSMISSION RISK												
Men who have sex with men	63	40.4	52	41.9	11	34.4	32	27.1	766	21.9	7	8.0
Injection drug use history	11	7.1	10	8.1	1	3.1	21	17.8	885	25.3	34	39.1
Heterosexual	41	26.3	31	25.0	10	31.3	28	23.7	773	22.1	16	18.4
Perinatal	1	0.6	1	0.8	0	0.0	4	3.4	93	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	1	1.1
Unknown	40	25.6	30	24.2	10	31.3	33	28.0	974	27.9	29	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A N/A	N/A	N/A N/A	N/A N/A	1,302	37.3 62.7	2 85	2.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,193	62.7	85	97.7

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 200)8		AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Witho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	157	100.0	126	80.3	31	19.7	130	100.0	3,791	100.0	56	100.0
SEX								_		_		
Male	137	87.3	112	88.9	25	80.6	107	82.3	2,962	78.1	42	75.0
Female	20	12.7	14	11.1	6	19.4	23	17.7	829	21.9	14	25.0
RACE/ETHNICITY						_		_		_		
Black	53	33.8	41	32.5	12	38.7	51	39.2	1,429	37.7	22	39.3
Hispanic	71	45.2	53	42.1	18	58.1	56	43.1	1,648	43.5	21	37.5
White	31	19.7	30	23.8	1	3.2	20	15.4	665	17.5	13	23.2
Asian/Pacific Islander	2	1.3	2	1.6	0	0.0	2	1.5	31	0.8	0	0.0 0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
13-19	4	2.5	4	3.2	0	0.0	0	0.0	45	1.2	0	0.0
20-29	53	33.8	46	36.5	7	22.6	24	18.5	290	7.6	1	1.8
30-39	38	24.2	29	23.0	9	29.0	35	26.9	777	20.5	7	12.5
40-49	36	22.9	27	21.4	9	29.0	41	31.5	1,343	35.4	16	28.6
50-59	22	14.0	17	13.5	5	16.1	22	16.9	945	24.9	22	39.3
60+	4	2.5	3	2.4	1	3.2	8	6.2	375	9.9	10	28.6 39.3 17.9
TRANSMISSION RISK								_		_		
Men who have sex with men	87	55.4	73	57.9	14	45.2	61	46.9	1,604	42.3	15	26.8
Injection drug use history	11	7.0	8	6.3	3	9.7	20	15.4	602	15.9	19	33.9 8.9
Heterosexual	18	11.5	15	11.9	3	9.7	22	16.9	608	16.0	5	8.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	69	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	41	26.1	30	23.8	11	35.5	27	20.8	901	23.8	17	30.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,576	41.6	8	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,215	58.4	48	85.7

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 200		with AIDC	AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	diagnoses %	Withou N	ut AIDS %	Concurrent of N	with AIDS diagnoses %	N	%	N	%	N	%
TOTAL	224	100.0	188	83.9	36	16.1	140	100.0	4,314	100.0	104	100.0
SEX						_		_		-		
Male Female	167 57	74.6 25.4	142 46	75.5 24.5	25 11	69.4 30.6	104 36	74.3 25.7	2,954 1,360	68.5 31.5	73 31	70.2 29.8
RACE/ETHNICITY						_		_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	167 34 18 4 * 0	74.6 15.2 8.0 1.8 * 0.0 0.0	139 27 17 4 *	73.9 14.4 9.0 2.1 * 0.0 0.0	28 7 1 0 0 0	77.8 19.4 2.8 0.0 0.0 0.0	103 26 8 3 0 0	73.6 18.6 5.7 2.1 0.0 0.0	2,978 851 434 33 11 1	69.0 19.7 10.1 0.8 0.3 0.0	79 22 3 0 0 0	76.0 21.2 2.9 0.0 0.0 0.0
AGE GROUP (YEARS) 0-12	1	0.4	1	0.5	0	0.0	0	0.0	26	0.6	0	0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	15 71 52 49 25 11	6.7 31.7 23.2 21.9 11.2 4.9	14 65 45 38 21 4	7.4 34.6 23.9 20.2 11.2 2.1	0 1 6 7 11 4 7	2.8 16.7 19.4 30.6 11.1 19.4	0 2 17 42 39 26 14	1.4 12.1 30.0 27.9 18.6 10.0	74 341 801 1,469 1,146 457	1.7 7.9 18.6 34.1 26.6 10.6	1 3 7 28 38 27	1.0 2.9 6.7 26.9 36.5 26.0
TRANSMISSION RISK Men who have sex with men	93	41.5	83	44.1	10	27.8	49	35.0	1,290	29.9	16	15.4
Helerosexual Perinatal Other Unknown	11 53 1 0 66	4.9 23.7 0.4 0.0 29.5	8 40 1 0 56	4.3 21.3 0.5 0.0 29.8	3 13 0 0	8.3 36.1 0.0 0.0 27.8	15 36 1 0 39	10.7 25.7 0.7 0.0 27.9	897 868 109 5 1,145	20.8 20.1 2.5 0.1 26.5	35 21 1 2 29	33.7 20.2 1.0 1.9 27.9
CLINICAL STATUS HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,746 2,568	40.5 59.5	13 91	12.5 87.5

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/200		DEATHS,	2008
	Total HIV o	liaanoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
	N	<i>"iagrio</i> 000"	N	%	N `	<i>alagnosos</i> %	N	%	N	%	N	%
TOTAL	103	100.0	78	75.7	25	24.3	82	100.0	2,710	100.0	86	100.0
SEX						_		_		-		
Male	76	73.8	57	73.1	19	76.0	58	70.7	1,789	66.0	53	61.6
Female	27	26.2	21	26.9	6	24.0	24	29.3	921	34.0	33	38.4
RACE/ETHNICITY												
Black	60	58.3	44	56.4	16	64.0	47	57.3	1,288	47.5	42	48.8
Hispanic	34	33.0	26	33.3	8	32.0	33	40.2	1,138	42.0	40	46.5 2.3 2.3 0.0
White	7	6.8	6	7.7	1	4.0	2	2.4	249	9.2	2	2.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	22	0.8	2	2.3
Native American	*	*	*	*	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
13-19	3	2.9	3	3.8	0	0.0	1	1.2	60	2.2	0	0.0
20-29	31	30.1	28	35.9	3	12.0	9	11.0	197	7.3	2	2.3
30-39	23	22.3	15	19.2	8	32.0	21	25.6	484	17.9	7	8.1
40-49	25	24.3	19	24.4	6	24.0	25	30.5	919	33.9	25	29.1 39.5
50-59	19	18.4	13	16.7	6	24.0	21	25.6	746	27.5	34	39.5
60+	2	1.9	0	0.0	2	8.0	5	6.1	292	10.8	18	20.9
TRANSMISSION RISK												
Men who have sex with men	40	38.8	33	42.3	7	28.0	21	25.6	663	24.5	11	12.8
Injection drug use history	13	12.6	9	11.5	4	16.0	18	22.0	757	27.9	48	55.8
Heterosexual	26	25.2	19	24.4	7	28.0	23	28.0	578	21.3	12	14.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	84	3.1	1	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	24	23.3	17	21.8	7	28.0	20	24.4	619	22.8	14	16.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,063	39.2	_9	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,647	60.8	77	89.5

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
	Total HIV o			ut AIDS		vith AIDS lagnoses	N	0/	N	0/	N.	0/
TOTAL	N 85	% 100.0	75	% 88.2	N 10	% 11.8	N 72	% 100.0	N 3,101	% 100.0	N 50	% 100.0
SEX								_				
Male Female	69 16	81.2 18.8	63 12	84.0 16.0	6 4	60.0 40.0	58 14	80.6 19.4	2,653 448	85.6 14.4	41 9	82.0 18.0
RACE/ETHNICITY						_		_		_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	20 32 28 5 0 0	23.5 37.6 32.9 5.9 0.0 0.0	19 28 25 3 0 0	25.3 37.3 33.3 4.0 0.0 0.0	1 4 3 2 0 0 0	10.0 40.0 30.0 20.0 0.0 0.0	22 26 19 5 0 0	30.6 36.1 26.4 6.9 0.0 0.0	880 813 1,338 39 7 0 24	28.4 26.2 43.1 1.3 0.2 0.0	17 19 12 1 0 1	34.0 38.0 24.0 2.0 0.0 2.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	1 1 21 24 26 9 3	1.2 1.2 24.7 28.2 30.6 10.6 3.5	1 1 21 21 22 6 3	1.3 1.3 28.0 28.0 29.3 8.0 4.0	0 0 0 3 4 3 0	0.0 0.0 0.0 30.0 40.0 30.0 0.0	0 1 4 18 23 19 7	0.0 1.4 5.6 25.0 31.9 26.4 9.7	7 20 140 375 1,065 1,021 473	0.2 0.6 4.5 12.1 34.3 32.9 15.3	0 0 1 2 13 22 12	0.0 0.0 2.0 4.0 26.0 44.0 24.0
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	51 5 12 1 0 16	60.0 5.9 14.1 1.2 0.0 18.8	47 4 9 1 0 14	62.7 5.3 12.0 1.3 0.0 18.7	4 1 3 0 0 2	40.0 10.0 30.0 0.0 0.0 20.0	28 19 9 1 0 15	38.9 26.4 12.5 1.4 0.0 20.8	1,667 494 308 32 3 597	53.8 15.9 9.9 1.0 0.1 19.3	18 15 5 0 1	36.0 30.0 10.0 0.0 2.0 22.0
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,223 1,878	39.4 60.6	7 43	14.0 86.0

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Withou	ıt AIDS	Concurrent	with AIDS diagnoses						
	N	g	N	%	N	<i>"""</i>	N	%	N	%	N	%
TOTAL	43	100.0	34	79.1	9	20.9	32	100.0	1,381	100.0	30	100.0
SEX								_		_		
Male	37	86.0	29	85.3	8	88.9	28	87.5	1,201	87.0	26	86.7
Female	6	14.0	5	14.7	1	11.1	4	12.5	180	13.0	4	13.3
RACE/ETHNICITY						_						
Black	7	16.3	5	14.7	2	22.2	7	21.9	285	20.6	11	36.7
Hispanic	13	30.2	9	26.5	4	44.4	9	28.1	284	20.6	9	30.0
White	21	48.8	18	52.9	3	33.3	16	50.0	773	56.0	9	30.0 3.3 0.0
Asian/Pacific Islander	2	4.7	2	5.9	0	0.0	0	0.0	33	2.4	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
20-29	13	30.2	12	35.3	1	11.1	2	6.3	50	3.6	1	3.3
30-39	12	27.9	8	23.5	4	44.4	10	31.3	194	14.0	3	10.0
40-49	12	27.9	10	29.4	2	22.2	13	40.6	504	36.5	3	10.0 36.7
50-59	3	7.0	3	8.8	0	0.0	4	12.5	390	28.2	11	36.7
60+	3	7.0	1	2.9	2	22.2	3	9.4	233	16.9	12	40.0
TRANSMISSION RISK												
Men who have sex with men	26	60.5	22	64.7	4	44.4	17	53.1	810	58.7	4	13.3
Injection drug use history	3	7.0	2	5.9	1	11.1	5	15.6	174	12.6	16	53.3
Heterosexual	2	4.7	2	5.9	0	0.0	0	0.0	107	7.7	4	13.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	27.9	8	23.5	4	44.4	10	31.3	277	20.1	6	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	545	39.5	3	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	836	60.5	27	90.0

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o			ut AIDS		diagnoses						
TOTAL	N 224	% 100.0	N 193	% 86.2	N 31	% 13.8	N 132	% 100.0	N 5,958	% 100.0	N 51	% 100.0
IOTAL	224	100.0	193	00.2	31	13.0	132	100.0	3,936	100.0	31	100.0
SEX						_				_		
Male	213	95.1	183	94.8	30	96.8	113	85.6	5,508	92.4	42	82.4
Female	11	4.9	10	5.2	1	3.2	19	14.4	450	7.6	9	17.6
RACE/ETHNICITY						_		_		_		
Black	41	18.3	34	17.6	7	22.6	36	27.3	1,065	17.9	14	27.5
Hispanic	63	28.1	54	28.0	9	29.0	44	33.3	1,254	21.0	16	31.4
White	117	52.2	102	52.8	15	48.4	51	38.6	3,438	57.7	21	41.2
Asian/Pacific Islander	3	1.3	3	1.6	0	0.0	1	0.8	133	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	55	0.9	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	10	4.5	8	4.1	2	6.5	4	3.0	24	0.4	0	0.0
20-29	61	27.2	60	31.1	1	3.2	15	11.4	318	5.3	2	3.9 9.8
30-39	72	32.1	66	34.2	6	19.4	39	29.5	1,073	18.0	5	9.8
40-49	60	26.8	46	23.8	14 7	45.2	54 16	40.9	2,516	42.2 24.7	19 17	37.3 33.3
50-59 60+	17 4	7.6 1.8	10 3	5.2 1.6	/	22.6 3.2	16	12.1 3.0	1,469 556	9.3	8	33.3 15.7
00+	4	1.0	3	1.0	'	3.2	4	3.0	556	9.3	0	15.7
TRANSMISSION RISK												
Men who have sex with men	178	79.5	160	82.9	18	58.1	81	61.4	4,184	70.2	25	49.0
Injection drug use history	7	3.1	4	2.1	3	9.7	12	9.1	598	10.0	10	19.6
Heterosexual	12	5.4	9	4.7	3	9.7	11	8.3	279	4.7	2	3.9
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	27	0.5	0	0.0
Other	0	0.0	0	0.0	0 7	0.0	0	0.0	2	0.0	0	0.0
Unknown	27	12.1	20	10.4	/	22.6	27	20.5	868	14.6	14	27.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,864	48.1	6	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,094	51.9	45	88.2

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Witho	ut AIDS	Concurrent v	with AIDS diagnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	73	100.0	62	84.9	11	15.1	49	100.0	1,967	100.0	19	100.0
SEX						_		_		_		
Male	68	93.2	59	95.2	9	81.8	43	87.8	1,804	91.7	16	84.2
Female	5	6.8	3	4.8	2	18.2	6	12.2	163	8.3	3	15.8
RACE/ETHNICITY								_		_		
Black	20	27.4	14	22.6	6	54.5	17	34.7	415	21.1	8	42.1
Hispanic	25	34.2	21	33.9	4	36.4	19	38.8	430	21.9	5	26.3 26.3 5.3 0.0
White	24	32.9	23	37.1	1	9.1	12	24.5	1,057	53.7	5	26.3
Asian/Pacific Islander	3	4.1	3	4.8	0	0.0	1	2.0	43	2.2	1	5.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	Â	0 1	0	0.0
Multiracial Unknown	0	1.4 0.0	1	1.6 0.0	0	0.0 0.0	0 0	0.0 0.0	18	0.1 0.9	0	0.0 0.0
Olikilowii	U	0.0	U	0.0	U	0.0	U	0.0	10	0.9	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.4	1	1.6	0	0.0	0	0.0	5	0.3	0	0.0
20-29 30-39	16 21	21.9 28.8	13	21.0 32.3	3	27.3 9.1	8	16.3	86 278	4.4	0	0.0
40-49	29	26.6 39.7	20 23	32.3 37.1	6	9. i 54.5	10 18	20.4 36.7	276 745	14.1 37.9	2	21.1
50-59	4	5.5	3	4.8	1	9.1	11	22.4	550	28.0	9	10.5 21.1 47.4
60+	2	2.7	2	3.2	Ó	0.0	2	4.1	303	15.4	4	21.1
	_	,	_	0.2	· ·	0.0	_		000	10.1	•	
TRANSMISSION RISK												
Men who have sex with men	45	61.6	39	62.9	6	54.5	22	44.9	1,209	61.5	7	36.8
Injection drug use history	4	5.5	4	6.5	0	0.0	5	10.2	271	13.8	6	31.6
Heterosexual Perinatal	6 0	8.2 0.0	4 0	6.5 0.0	2	18.2 0.0	0	14.3 0.0	127 7	6.5 0.4	1	5.3 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	18	24.7	15	24.2	3	27.3	15	30.6	351	17.8	5	26.3
O I I I I I I I I I I I I I I I I I I I		27.1	- 10	27.2		27.0	10	55.0		17.5	Ü	20.0
CLINICAL STATUS	N1/A	N1/A	N 1/A	N1/A	N1/A	N1/2		N1/2	0.46	40.5		45.3
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A N/A	N/A N/A	N/A N/A	843	42.9	3 16	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,124	57.1	16	84.2

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV d	liagnoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	57	100.0	46	80.7	11	19.3	46	100.0	2,101	100.0	16	100.0
SEX								_		_		
Male	55	96.5	44	95.7	11	100.0	46	100.0	2,025	96.4	15	93.8
Female	2	3.5	2	4.3	0	0.0	0	0.0	76	3.6	1	6.3
RACE/ETHNICITY								_		_		
Black	12	21.1	12	26.1	0	0.0	18	39.1	473	22.5	3	18.8
Hispanic	12	21.1	11	23.9	1	9.1	7	15.2	396	18.8	4	25.0
White	27	47.4	20	43.5	7	63.6	19	41.3	1,163	55.4	8	50.0 6.3 0.0
Asian/Pacific Islander	6	10.5	3	6.5	3	27.3	2	4.3	54	2.6	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.8	1	2.2	0	0.0	1	2.2	3	0.1	0	0.0
20-29	9	15.8	9	19.6	0	0.0	2	4.3	84	4.0	0	0.0
30-39	12	21.1	11	23.9	1	9.1	14	30.4	339	16.1	1	6.3
40-49	24	42.1	20	43.5	4	36.4	15	32.6	841	40.0	4	25.0
50-59	7	12.3	2	4.3	5	45.5	10	21.7	571	27.2	3	0.0 6.3 25.0 18.8
60+	4	7.0	3	6.5	1	9.1	4	8.7	263	12.5	8	50.0
TRANSMISSION RISK								_				
Men who have sex with men	40	70.2	30	65.2	10	90.9	26	56.5	1,363	64.9	8	50.0 25.0
Injection drug use history	1	1.8	1	2.2	0	0.0	5	10.9	275	13.1	4	25.0
Heterosexual	2	3.5	2	4.3	0	0.0	3	6.5	94	4.5	1	6.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	14	24.6	13	28.3	1	9.1	12	26.1	366	17.4	3	18.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	886	42.2	2	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,215	57.8	14	12.5 87.5

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA A: 12/31/20		DEATHS	, 2008	
	Total HIV a	liagnoses	Witho	ut AIDS	Concurrent v	vith AIDS liagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	115	100.0	82	71.3	33	28.7	94	100.0	3,333	100.0	81	100.0
OFY												
SEX Male	101	07.0	71	00.2	07	04.0	70	74.5	2.701	81.0	50	64.0
	101 14	87.8 12.2	74 8	90.2 9.8	27	81.8 18.2	70 24	74.5 25.5	2,701 632	19.0	52 29	64.2 35.8
Female	14	12.2	8	9.8	6	18.2	24	25.5	632	19.0	29	35.8
RACE/ETHNICITY												
Black	34	29.6	19	23.2	15	45.5	39	41.5	757	22.7	27	33.3
Hispanic	23	20.0	18	22.0	5	15.2	23	24.5	1,118	33.5	39	48.1
White	48	41.7	37	45.1	11	33.3	26	27.7	1,317	39.5	12	14.8 3.7
Asian/Pacific Islander	10	8.7	8	9.8	2	6.1	5	5.3	116	3.5	3	3.7
Native American	0	0.0	0	0.0	0	0.0	*	*	6	0.2	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.5	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
13-19	9	7.8	8	9.8	ĭ	3.0	2	2.1	25	0.8	Õ	0.0
20-29	26	22.6	24	29.3	2	6.1	7	7.4	171	5.1	Õ	0.0 0.0
30-39	27	23.5	18	22.0	9	27.3	29	30.9	469	14.1	4	4.9
40-49	33	28.7	22	26.8	11	33.3	37	39.4	1,304	39.1	24	29.6
50-59	17	14.8	9	11.0	8	24.2	16	17.0	956	28.7	33	40.7
60+	3	2.6	1	1.2	2	6.1	3	3.2	399	12.0	20	29.6 40.7 24.7
TD A NOMICCION DICK												
TRANSMISSION RISK Men who have sex with men	73	63.5	60	73.2	13	39.4	35	37.2	1,608	48.2	14	17.3
Injection drug use history	/3 8	7.0	4	4.9	4	12.1	20	21.3	743	22.3	39	48.1
Heterosexual	15	13.0	8	9.8	7	21.2	16	17.0	384	11.5	39 11	13.6
Perinatal	0	0.0	0	0.0	0	0.0	10	17.0	39	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	19	16.5	10	12.2	9	27.3	22	23.4	551	16.5	17	21.0
Officiowit	19	10.3	- 10	12.2	3	21.3	22	25.4	331	10.5	17	۷۱.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,253	37.6	7	8.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,080	62.4	74	91.4

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSES	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liaanoses	Withou	ut AIDS	Concurrent v	vith AIDS liagnoses		_				
	N	%	N	%	N	% magness	N	%	N	%	N	%
TOTAL	20	100.0	14	70.0	6	30.0	13	100.0	487	100.0	8	100.0
SEX						_		_		_		
Male	18	90.0	13	92.9	5	83.3	10	76.9	412	84.6	6	75.0
Female	2	10.0	1	7.1	1	16.7	3	23.1	75	15.4	2	25.0
RACE/ETHNICITY						_		_		_		
Black	8	40.0	6	42.9	2	33.3	4	30.8	113	23.2	1	12.5
Hispanic	3	15.0	1	7.1	2	33.3	4	30.8	125	25.7	3	37.5
White	9	45.0	7	50.0	2	33.3	5	38.5	228	46.8	4	50.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
20-29	4	20.0	3	21.4	1	16.7	2	15.4	30	6.2	0	0.0
30-39	7	35.0	7	50.0	0	0.0	1	7.7	109	22.4	0	0.0 0.0 50.0 37.5
40-49 50-59	6	30.0	4	28.6	2	33.3	4	30.8	188	38.6	4	50.0
50-59	2	10.0	0	0.0	2	33.3	4	30.8	121	24.8	3	37.5
60+	1	5.0	0	0.0	1	16.7	2	15.4	35	7.2	1	12.5
TRANSMISSION RISK												
Men who have sex with men	10	50.0	8	57.1	2	33.3	4	30.8	284	58.3	4	50.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	7.7	47	9.7	1	12.5
Heterosexual	3	15.0	1	7.1	2	33.3	3	23.1	46	9.4	1	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	7	35.0	5	35.7	2	33.3	5	38.5	106	21.8	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	232	47.6	1 7	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	255	52.4		87.5

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA A 12/31/20		DEATHS,	2008
					Concurrent	-		_				
	Total HIV o			ut AIDS		diagnoses				24		
TOTAL	N	%	N	%	N	%	N	%	N 4 700	%	N	%
TOTAL	83	100.0	75	90.4	8	9.6	49	100.0	1,702	100.0	19	100.0
SEX								_		_		
Male	72	86.7	66	88.0	6	75.0	38	77.6	1,396	82.0	14	73.7
Female	11	13.3	9	12.0	2	25.0	11	22.4	306	18.0	5	26.3
reniale	- ''	13.3	9	12.0	2	25.0	11	22.4	300	16.0	5	20.3
RACE/ETHNICITY								_		_		
Black	14	16.9	13	17.3	1	12.5	13	26.5	373	21.9	5	26.3
Hispanic	34	41.0	31	41.3	3	37.5	17	34.7	665	39.1	5	26.3
White	33	39.8	29	38.7	4	50.0	18	36.7	592	34.8	9	47.4
Asian/Pacific Islander	2	2.4	2	2.7	ó	0.0	1	2.0	57	3.3	Õ	0.0
Native American	0	0.0	0	0.0	ő	0.0	0	0.0	4	0.2	Õ	0.0 0.0 0.0
Multiracial	ŏ	0.0	ő	0.0	ő	0.0	Ö	0.0	1	0.1	Ő	0.0
Unknown	ő	0.0	0	0.0	0	0.0	0	0.0	10	0.6	0	0.0
OTICIOWIT	O .	0.0	U	0.0	0	0.0	O	0.0	10	0.0	O	0.0
AGE GROUP (YEARS)												
0-12	1	1.2	1	1.3	0	0.0	0	0.0	6	0.4	0	0.0
13-19	2	2.4	2	2.7	0	0.0	1	2.0	12	0.7	0	0.0
20-29	25	30.1	25	33.3	0	0.0	7	14.3	131	7.7	0	0.0
30-39	25 25 22	30.1	23	30.7	2	25.0	11	22.4	405	23.8	1	0.0 5.3
40-49	22	26.5	18	24.0	4	50.0	22	44.9	692	40.7	8	42.1
50-59	5	6.0	5	6.7	0	0.0	7	14.3	338	19.9	7	36.8
60+	3	3.6	1	1.3	2	25.0	1	2.0	118	6.9	3	36.8 15.8
TRANSMISSION RISK											_	
Men who have sex with men	54	65.1	50	66.7	4	50.0	26	53.1	892	52.4	5	26.3
Injection drug use history	3	3.6	2	2.7	1	12.5	4	8.2	196	11.5	8	42.1
Heterosexual	13	15.7	11	14.7	2	25.0	6	12.2	254	14.9	2	10.5
Perinatal	1	1.2	1	1.3	0	0.0	2	4.1	17	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	14.5	11	14.7	1	12.5	11	22.4	340	20.0	4	21.1
OLINIOAL OTATUO												
CLINICAL STATUS	NI/A	NI/A	NI/A	NI/A	NI/A	NI/A	NI/A	NI/A	70.4	16.4	1	F 2
HIV (non-AIDS)	N/A N/A	N/A	N/A	N/A	N/A N/A	N/A N/A	N/A N/A	N/A	784 918	46.1	1 18	5.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	918	53.9	18	94.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV d	liagnoses	Witho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	206	100.0	157	76.2	49	23.8	162	100.0	5,334	100.0	40	100.0
SEX						_		_		_		
Male	175	85.0	131	83.4	44	89.8	132	81.5	4,241	79.5	32	80.0
Female	31	15.0	26	16.6	5	10.2	30	18.5	1,093	20.5	8	20.0
RACE/ETHNICITY						_		_		_		
Black	51	24.8	41	26.1	10	20.4	64	39.5	1,727	32.4	13	32.5
Hispanic	116	56.3	88	56.1	28	57.1	72	44.4	2,832	53.1	13	32.5 25.0
White	22	10.7	17	10.8	5	10.2	12	7.4	586	11.0	10	25.0
Asian/Pacific Islander	15	7.3	9	5.7	6	12.2	14	8.6	170	3.2	4	10.0 0.0
Native American	2	1.0	2	1.3	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	2.9	5	3.2	1	2.0	1	0.6	36	0.7	0	0.0
20-29	44	21.4	38	24.2	6	12.2	16	9.9	368	6.9	2	5.0
30-39	76	36.9	53	33.8	23	46.9	54	33.3	1,115	20.9	3	7.5
40-49	57	27.7	48	30.6	9	18.4	59	36.4	2,224	41.7	12	30.0
50-59	17	8.3	12	7.6	5	10.2	24	14.8	1,240	23.2	15	37.5
60+	6	2.9	1	0.6	5	10.2	8	4.9	347	6.5	8	20.0
TRANSMISSION RISK						_		_		-		
Men who have sex with men	109	52.9	80	51.0	29	59.2	66	40.7	1,792	33.6	11	27.5
Injection drug use history	13	6.3	12	7.6	1	2.0	16	9.9	1,446	27.1	11	27.5
Heterosexual	40	19.4	32	20.4	8	16.3	36	22.2	939	17.6	7	17.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	44	21.4	33	21.0	11	22.4	44	27.2	1,105	20.7	11	27.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,055	38.5	6	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,279	61.5	34	85.0

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/200		DEATHS,	2008
			140.1		Concurrent							
	Total HIV o	diagnoses %		ut AIDS %	N	diagnoses %	N	%	N	%	N	%
TOTAL	N 22	100.0	N 17	77.3	5	22.7	16	100.0	563	100.0	10	100.0
		10010						10010				.00.0
SEX												
Male	17	77.3	13	76.5	4	80.0	10	62.5	411	73.0	7	70.0
Female	5	22.7	4	23.5	1	20.0	6	37.5	152	27.0	3	30.0
RACE/ETHNICITY						_				_		
Black	4	18.2	3	17.6	1	20.0	3	18.8	118	21.0	3	30.0
Hispanic	13	59.1	11	64.7	2	40.0	5	31.3	201	35.7	4	40.0
White	2	9.1	1	5.9	1	20.0	6	37.5	184	32.7	1	10.0
Asian/Pacific Islander	3	13.6	2	11.8	1	20.0	2	12.5	53	9.4	2	20.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
20-29	6	27.3	5	29.4	1	20.0	2	12.5	26	4.6	0	0.0
30-39	5	22.7	4	23.5	1	20.0	5	31.3	86	15.3	1	10.0 30.0
40-49	8	36.4	5	29.4	3	60.0	6	37.5	235	41.7	3	30.0
50-59	1	4.5	1	5.9	0	0.0	3	18.8	148	26.3	2	20.0
60+	2	9.1	2	11.8	0	0.0	0	0.0	64	11.4	4	40.0
TRANSMISSION RISK												
Men who have sex with men	12	54.5	9	52.9	3	60.0	6	37.5	203	36.1	3	30.0
Injection drug use history	1	4.5	1	5.9	0	0.0	1	6.3	94	16.7	1	10.0
Heterosexual	7	31.8	5	29.4	2	40.0	7	43.8	127	22.6	4	40.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	2	9.1	2	11.8	0	0.0	2	12.5	129	22.9	2	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	221	39.3	2	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	342	60.7	8	80.0

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	/ DIAGNO	OSES, 2008			AIDS DIAGNOS	ES, 2008	PLWHA A 12/31/20		DEATHS	, 2008
	Total HIV			nout AIDS		diagnoses	N	0/		0/	N	0/
TOTAL	N 7	% 100.0	N 5	% 71.4	N 2	% 28.6	N 5	% 100.0	N 141	% 100.0	N 4	% 100.0
SEX								_		_		
Male Female	7 0	100.0 0.0	5 0	100.0 0.0	2 0	100.0	5 0	100.0 0.0	108 33	76.6 23.4	2 2	50.0 50.0
RACE/ETHNICITY						_				_		
Black Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	2 1 4 0 0 0	28.6 14.3 57.1 0.0 0.0 0.0 0.0	1 1 3 0 0 0	20.0 20.0 60.0 0.0 0.0 0.0	1 0 1 0 0 0	50.0 0.0 50.0 0.0 0.0 0.0	2 1 2 0 0 0	40.0 20.0 40.0 0.0 0.0 0.0	25 27 77 11 * 0	17.7 19.1 54.6 7.8 * 0.0 0.0	2 0 1 1 0 0	50.0 0.0 25.0 25.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 0 1 0 4 2	0.0 0.0 14.3 0.0 57.1 28.6 0.0	0 0 1 0 3 1	0.0 0.0 20.0 0.0 60.0 20.0	0 0 0 0 1 1 0	0.0 0.0 0.0 0.0 50.0 50.0	0 0 0 0 3 2 0	0.0 0.0 0.0 0.0 60.0 40.0	1 1 7 14 54 46 18	0.7 0.7 5.0 9.9 38.3 32.6 12.8	0 0 1 0 2 0 1	0.0 0.0 25.0 0.0 50.0 0.0 25.0
TRANSMISSION RISK												
Men who have sex with men Injection drug use history Heterosexual Perinatal Other Unknown	5 0 0 0 0 2	71.4 0.0 0.0 0.0 0.0 28.6	4 0 0 0 0 1	80.0 0.0 0.0 0.0 0.0 20.0	1 0 0 0 0 1	50.0 0.0 0.0 0.0 0.0 50.0	1 0 1 0 0 3	20.0 0.0 20.0 0.0 0.0 60.0	50 19 30 5 4 33	35.5 13.5 21.3 3.5 2.8 23.4	0 1 1 0 0 2	0.0 25.0 25.0 0.0 0.0 50.0
CLINICAL STATUS												
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	55 86	39.0 61.0	1 3	25.0 75.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liaanaaaa	14/14/201	ut AIDS	Concurrent							
	N	iiagrioses %	N	% AIDS	N	diagnoses %	N	%	N	%	N	%
TOTAL	43	100.0	34	79.1	9	20.9	29	100.0	1,042	100.0	14	100.0
SEX								_		_		
Male	35	81.4	26	76.5	9	100.0	24	82.8	767	73.6	11	78.6
Female	8	18.6	8	23.5	0	0.0	5	17.2	275	26.4	3	21.4
RACE/ETHNICITY								_		_		
Black	4	9.3	4	11.8	0	0.0	3	10.3	127	12.2	0	0.0
Hispanic	17	39.5	13	38.2	4	44.4	14	48.3	494	47.4	4	28.6
White	19	44.2	15	44.1	4	44.4	10	34.5	379	36.4	9	64.3
Asian/Pacific Islander	3	7.0	2	5.9	1	11.1	2	6.9	33	3.2	1	7.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.4	17	1.6	0	0.0
20-29	10	23.3	8	23.5	2	22.2	5	17.2	67	6.4	0	0.0
30-39	17	39.5	14	41.2	3	33.3	11	37.9	171	16.4	3	21.4
40-49	12	27.9	9	26.5	3	33.3	6	20.7	423	40.6	2	14.3
50-59	4	9.3	3	8.8	1	11.1	5	17.2	273	26.2	8	57.1
60+	0	0.0	0	0.0	0	0.0	1	3.4	84	8.1	1	7.1
TRANSMISSION RISK											<u> </u>	
Men who have sex with men	26	60.5	21	61.8	5	55.6	12	41.4	440	42.2	2	14.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	139	13.3	6	42.9
Heterosexual	9	20.9	9	26.5	0	0.0	3	10.3	217	20.8	3	21.4
Perinatal	0	0.0	0	0.0	0	0.0	1	3.4	30	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	U	0.0
Unknown	8	18.6	4	11.8	4	44.4	13	44.8	209	20.1	3	21.4
CLINICAL STATUS						N. C.						2.7
HIV (non-AIDS) AIDS	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	424 618	40.7 59.3	5 9	35.7 64.3
MINO	IN/A	IN/A	IN/A	IN/A	IN/A	IV/A	IN/A	IN/A	010	59.3	9	04.3

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/200		DEATHS,	2008
					Concurrent w			_				
	Total HIV o			ut AIDS		iagnoses		0.4		0.0		0.4
TOTAL	N 13	400.0	N 10	%	N	% 23.1	N	% 400.0	N 243	%	N 8	% 400.0
TOTAL	13	100.0	10	76.9	3	23.1	6	100.0	243	100.0	0	100.0
SEX						_				_		
Male	11	84.6	9	90.0	2	66.7	5	83.3	152	62.6	6	75.0
Female	2	15.4	1	10.0	1	33.3	1	16.7	91	37.4	2	25.0
RACE/ETHNICITY								_		_		
Black	6	46.2	6	60.0	0	0.0	0	0.0	113	46.5	0	0.0
Hispanic	3	23.1	2	20.0	1	33.3	3	50.0	60	24.7	4	50.0
White	1	7.7	0	0.0	1	33.3	1	16.7	49	20.2	3	37.5
Asian/Pacific Islander	3	23.1	2	20.0	1	33.3	2	33.3	17	7.0	1	12.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
13-19	1	7.7	1	10.0	0	0.0	0	0.0	4	1.6	0	0.0
20-29	3	23.1	2	20.0	1	33.3	1	16.7	19	7.8	0	0.0 0.0 25.0 50.0
30-39 40-49	4	30.8	3	30.0	1	33.3	1	16.7	41	16.9	0	0.0
40-49 50-59	2	7.7 15.4	2	10.0 20.0	0	0.0	1	16.7 16.7	85 66	35.0 27.2	2	25.0 50.0
50-59 60+	2	15.4	1	10.0	0	33.3	2	33.3	24	9.9	2	25.0
00+	2	15.4	'	10.0		33.3	2	33.3	24	9.9	2	25.0
TRANSMISSION RISK												
Men who have sex with men	5	38.5	4	40.0	1	33.3	2	33.3	57	23.5	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	31	12.8	2	25.0
Heterosexual	3	23.1	2	20.0	1	33.3	2	33.3	62	25.5	3	37.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	1	12.5
Unknown	5	38.5	4	40.0	1	33.3	2	33.3	83	34.2	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	101	41.6	1 7	12.5 87.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	142	58.4		87.5

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	lioanoooo	Mitho	ıt AIDS	Concurrent	with AIDS diagnoses						
	N	ilagrioses %	N	% AIDS	N	ulayrioses %	N	%	N	%	N	%
TOTAL	51	100.0	45	88.2	6	11.8	36	100.0	1,473	100.0	27	100.0
SEX						_		_		-		
Male	37	72.5	32	71.1	5	83.3	27	75.0	1,021	69.3	17	63.0
Female	14	27.5	13	28.9	1	16.7	9	25.0	452	30.7	10	37.0
RACE/ETHNICITY						_		_		_		
Black	16	31.4	15	33.3	1	16.7	11	30.6	470	31.9	6	22.2
Hispanic	17	33.3	16	35.6	1	16.7	8	22.2	606	41.1	12	44.4
White	9	17.6	9	20.0	0	0.0	11	30.6	281	19.1	6	22.2 7.4 0.0
Asian/Pacific Islander	6	11.8	4	8.9	2	33.3	4	11.1	94	6.4	2	7.4
Native American	2	3.9	1	2.2	1	16.7	1	2.8	15	1.0	0	0.0
Multiracial	1	2.0	0	0.0	1	16.7	1	2.8	2	0.1	1	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
13-19	2	3.9	2	4.4	0	0.0	2	5.6	27	1.8	0	0.0
20-29	17	33.3	15	33.3	2	33.3	6	16.7	109	7.4	0	0.0
30-39	14	27.5	13	28.9	1	16.7	8	22.2	275	18.7	3	11.1
40-49	11	21.6	10	22.2	1	16.7	14	38.9	558	37.9	6	22.2 40.7
50-59	5	9.8	4	8.9	1	16.7	5	13.9	373	25.3	11	40.7
60+	2	3.9	1	2.2	1	16.7	1	2.8	125	8.5	7	25.9
TRANSMISSION RISK							<u> </u>					
Men who have sex with men	19	37.3	17	37.8	2	33.3	15	41.7	488	33.1	5	18.5
Injection drug use history	1	2.0	1	2.2	0	0.0	2	5.6	257	17.4	10	37.0
Heterosexual	14	27.5	14	31.1	0	0.0	8	22.2	332	22.5	3	11.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.8	42	2.9	Ü	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	17	33.3	13	28.9	4	66.7	10	27.8	352	23.9	9	33.3
CLINICAL STATUS					N.1.6							22.5
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	580	39.4	6	22.2 77.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	893	60.6	21	77.8

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 200	18		AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	liagnoses	Witho	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	127	100.0	95	74.8	32	25.2	92	100.0	2,868	100.0	71	100.0
SEX						_		_		-		
Male	77	60.6	60	63.2	17	53.1	55	59.8	1,711	59.7	45	63.4
Female	50	39.4	35	36.8	15	46.9	37	40.2	1,157	40.3	26	36.6
RACE/ETHNICITY								_		_		
Black	89	70.1	70	73.7	19	59.4	69	75.0	2,161	75.3	42	59.2
Hispanic	18	14.2	11	11.6	7	21.9	11	12.0	488	17.0	20	28.2 7.0 4.2 1.4
White	8	6.3	6	6.3	2	6.3	4	4.3	147	5.1	5	7.0
Asian/Pacific Islander	11	8.7	7	7.4	4	12.5	6	6.5	57	2.0	3	4.2
Native American	1	0.8	1	1.1	0	0.0	2	2.2	9	0.3	1	1.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	1	0.8	1	1.1	0	0.0	0	0.0	17	0.6	0	0.0
13-19	7	5.5	5	5.3	2	6.3	5	5.4	60	2.1	0	0.0
20-29	32	25.2	30	31.6	2	6.3	9	9.8	227	7.9	2	2.8 8.5
30-39	33	26.0	26	27.4	7	21.9	18	19.6	478	16.7	6	8.5
40-49	32	25.2	20	21.1	12	37.5	33	35.9	999	34.8	23	32.4 35.2
50-59	16	12.6	9	9.5	7	21.9	19	20.7	800	27.9	25	35.2
60+	6	4.7	4	4.2	2	6.3	8	8.7	287	10.0	15	21.1
TRANSMISSION RISK										_		
Men who have sex with men	43	33.9	36	37.9	7	21.9	18	19.6	590	20.6	12	16.9
Injection drug use history	5	3.9	4	4.2	1	3.1	13	14.1	528	18.4	26	36.6
Heterosexual	43	33.9	30	31.6	13	40.6	28	30.4	812	28.3	11	15.5
Perinatal	1	0.8	1	1.1	0	0.0	2	2.2	89	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	35	27.6	24	25.3	11	34.4	31	33.7	838	29.2	22	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,107	38.6	12	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,761	61.4	59	83.1

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 200			AIDS DIAGNOSE	S, 2008	PLWHA AS 12/31/20		DEATHS,	2008
	Total HIV o	!:	14/34/2 2	ut AIDS	Concurrent	_						
	N	ilagrioses %	N	ul AIDS %	N	diagnoses %	N	%	N	%	N	%
TOTAL	46	100.0	35	76.1	11	23.9	43	100.0	1,065	100.0	15	100.0
SEX						_		_		_		
Male	30	65.2	22	62.9	8	72.7	31	72.1	606	56.9	10	66.7
Female	16	34.8	13	37.1	3	27.3	12	27.9	459	43.1	5	33.3
RACE/ETHNICITY								_		_		
Black	34	73.9	25	71.4	9	81.8	33	76.7	827	77.7	14	93.3
Hispanic	7	15.2	6	17.1	1	9.1	5	11.6	120	11.3	1	6.7
White	5	10.9	4	11.4	1	9.1	3	7.0	84	7.9	0	0.0 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	4.7	32	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	8.0	0	0.0
13-19	4	8.7	4	11.4	0	0.0	0	0.0	37	3.5	0	0.0
20-29	15	32.6	13	37.1	2	18.2	6	14.0	88	8.3	1	6.7
30-39	9	19.6	7	20.0	2	18.2	9	20.9	169	15.9	3	20.0 26.7
40-49	10	21.7	7	20.0	3	27.3	13	30.2	374	35.1	4	26.7
50-59	5	10.9	3	8.6	2	18.2	11	25.6	279	26.2	6	40.0
60+	3	6.5	1	2.9	2	18.2	4	9.3	110	10.3	1	6.7
TRANSMISSION RISK											· ·	
Men who have sex with men	19	41.3	15	42.9	4	36.4	15	34.9	197	18.5	3	20.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	2.3	139	13.1	2	13.3
Heterosexual	10	21.7	10	28.6	0	0.0	5	11.6	322	30.2	4	26.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	50	4.7	U	0.0
Other	0	0.0	0	0.0	0 7	0.0	0	0.0	6	0.6	Ü	0.0
Unknown	17	37.0	10	28.6		63.6	22	51.2	351	33.0	ь	40.0
CLINICAL STATUS								N//				
HIV (non-AIDS)	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	427 638	40.1	0 15	0.0
AIDS	IN/A	IN/A	IV/A	IN/A	IN/A	N/A	IN/A	N/A	538	59.9	15	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	SES, 200)8		AIDS DIAGNOS	ES, 2008	PLWHA A: 12/31/20		DEATHS	, 2008
	T	,.	14///		Concurrent							
	Total HIV o	diagnoses %	Witho N	ut AIDS %	N	diagnoses %	N	%	N	%	N	%
TOTAL	32	100.0	28	87.5	4	12.5	32	100.0	936	100.0	28	100.0
SEX	_							_				
Male	25	78.1	22	78.6	3	75.0	25	78.1	507	54.2	20	71.4
Female	7	21.9	6	21.4	1	25.0	7	21.9	429	45.8	8	28.6
RACE/ETHNICITY	_					_		_		_		
Black	25	78.1	21	75.0	4	100.0	22	68.8	601	64.2	17	60.7
Hispanic White	7	21.9 0.0	7 0	25.0 0.0	0	0.0 0.0	4 6	12.5 18.8	221 102	23.6 10.9	9	32.1 7.1
Asian/Pacific Islander	0	0.0	Ö	0.0	ő	0.0	0	0.0	8	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)	_					_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
13-19 20-29	5 11	15.6 34.4	5 11	17.9 39.3	0	0.0 0.0	0 3	0.0 9.4	23 76	2.5 8.1	0	0.0 3.6
30-39	6	18.8	6	21.4	0	0.0	3 7	21.9	154	16.5	3	10.7
40-49	5	15.6	4	14.3	1	25.0	12	37.5	301	32.2	10	35.7
50-59	5	15.6	2	7.1	3	75.0	7	21.9	291	31.1	11	39.3
60+	0	0.0	0	0.0	0	0.0	3	9.4	82	8.8	3	10.7
TRANSMISSION RISK	_					_		_		_		
Men who have sex with men	12	37.5	11	39.3	1	25.0	12	37.5	148	15.8	3	10.7
Injection drug use history	1 8	3.1	1 7	3.6	0	0.0	7	21.9	206	22.0	11	39.3
Heterosexual Perinatal	8	25.0 0.0	0	25.0 0.0	0	25.0 0.0	4 0	12.5 0.0	321 31	34.3 3.3	3 1	10.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	Ó	10.7 3.6 0.0
Unknown	11	34.4	9	32.1	2	50.0	9	28.1	227	24.3	10	35.7
CLINICAL STATUS								_			_	_
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	381	40.7	9	32.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	555	59.3	19	67.9

Table 1.11.1. Port Richmond (Staten Island)

		HIV	DIAGNO	SES, 200	8		AIDS DIAGNOSE	S, 2008	PLWHA A: 12/31/20		DEATHS,	2008
	Total HIV o	diaanoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	10	71.4	4	28.6	13	100.0	502	100.0	13	100.0
SEX						_		_		_		
Male	10	71.4	6	60.0	4	100.0	10	76.9	299	59.6	9	69.2
Female	4	28.6	4	40.0	0	0.0	3	23.1	203	40.4	4	30.8
RACE/ETHNICITY						_		_				
Black	4	28.6	3	30.0	1	25.0	4	30.8	245	48.8	7	53.8
Hispanic	6	42.9	4	40.0	2	50.0	5	38.5	159	31.7	4	30.8 15.4 0.0 0.0
White	4	28.6	3	30.0	1	25.0	4	30.8	90	17.9	2	15.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
13-19	1	7.1	1	10.0	0	0.0	0	0.0	8	1.6	0	0.0
20-29	3	21.4	2	20.0	1	25.0	0	0.0	37	7.4	0	0.0
30-39	1	7.1	1	10.0	0	0.0	0	0.0	67	13.3	3	23.1 15.4
40-49	5	35.7	4	40.0	1	25.0	8	61.5	224	44.6	2	15.4
50-59	3	21.4	2	20.0	1	25.0	4	30.8	124	24.7	6	46.2
60+	1	7.1	0	0.0	1	25.0	1	7.7	37	7.4	2	15.4
TRANSMISSION RISK												
Men who have sex with men	4	28.6	2	20.0	2	50.0	2	15.4	81	16.1	0	0.0
Injection drug use history	3	21.4	2	20.0	1	25.0	4	30.8	137	27.3	7	53.8
Heterosexual	5	35.7	5	50.0	0	0.0	3	23.1	152	30.3	2	15.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	2	14.3	1	10.0	1	25.0	4	30.8	111	22.1	4	30.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	185	36.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	317	63.1	13	100.0

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2008					AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008		
	Total HIV o	liagnoses	Withou	ut AIDS	Concurrent	with AIDS diagnoses						
TOTAL	N	400.0	N 18	%	N	%	N	% 400.0	N	400.0	N	% 100.0
TOTAL	28	100.0	18	64.3	10	35.7	33	100.0	1,023	100.0	23	100.0
SEX												
Male	19	67.9	12	66.7	7	70.0	19	57.6	639	62.5	15	65.2
Female	9	32.1	6	33.3	3	30.0	14	42.4	384	37.5	8	34.8
RACE/ETHNICITY												
Black	15	53.6	10	55.6	5	50.0	17	51.5	464	45.4	8	34.8
Hispanic	9	32.1	5	27.8	4	40.0	12	36.4	270	26.4	6	26.1 39.1 0.0
White	3	10.7	2	11.1	1	10.0	4	12.1	269	26.3	9	39.1
Asian/Pacific Islander	1	3.6	1	5.6	0	0.0	0	0.0	10	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	Â	0 1	0	0.0
Multiracial Unknown	0	0.0 0.0	0	0.0	0	0.0 0.0	0 0	0.0 0.0	6	0.1 0.6	0	0.0 0.0
OTIKITOWIT	U	0.0	U	0.0	U	0.0	U	0.0	O	0.6	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	1	3.6	1	5.6	0	0.0	2	6.1	18	1.8	0	0.0
20-29	,	25.0	5	27.8	2	20.0	5	15.2	76	7.4	2	8.7
30-39	9	32.1 28.6	6 4	33.3	3	30.0	12 13	36.4	166 374	16.2	1	4.3
40-49 50-59	0	28.6	0	22.2 0.0	0	40.0 0.0	0	39.4 0.0	374 299	36.6 29.2	13	56.5 17.4
60+	3	10.7	2	11.1	1	10.0	1	3.0	299 84	8.2	3	17.4
004	3	10.7	2	11.1		10.0	•	3.0	04	0.2	3	13.0
TRANSMISSION RISK												
Men who have sex with men	9	32.1	6	33.3	3	30.0	8	24.2	250	24.4	2	8.7
Injection drug use history	0	0.0	0	0.0	0	0.0	5	15.2	252	24.6	13	56.5 13.0
Heterosexual	7	25.0	6	33.3	1	10.0	8	24.2	258	25.2	3	13.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.1	34	3.3	7	4.3
Other Unknown	0 12	0.0 42.9	0 6	0.0 33.3	0 6	0.0 60.0	10	0.0 30.3	4 225	0.4 22.0	0 1	0.0 17.4
OTINIOWIT	12	42.3	- 0	33.3	U	00.0	10	30.3	223	22.0	4	17.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	368	36.0	2	8.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	655	64.0	21	91.3

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2008					AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008		
	Total HIV o			nout AIDS		diagnoses						
TOTAL	N 5	% 100.0	N 2	% 40.0	N 3	% 60.0	N 4	% 100.0	N 153	% 100.0	N 6	% 100.0
		100.0					•					100.0
SEX												
Male	2	40.0	1	50.0	1	33.3	2	50.0	105	68.6	4	66.7
Female	3	60.0	1	50.0	2	66.7	2	50.0	48	31.4	2	33.3
RACE/ETHNICITY						_				_		
Black	3	60.0	2	100.0	1	33.3	1	25.0	21	13.7	1	16.7
Hispanic	1	20.0	0	0.0	1	33.3	1	25.0	44	28.8	2	33.3
White	1	20.0	0	0.0	1	33.3	2	50.0	85	55.6	3	50.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
20-29	1	20.0	0	0.0	1	33.3	1	25.0	9	5.9	0	0.0 0.0
30-39	4	80.0	2	100.0	2	66.7	2	50.0	21	13.7	0	0.0
40-49 50-59	0	0.0	0	0.0	0	0.0	0	0.0	56	36.6	3	50.0 33.3
50-59	0	0.0	0	0.0	0	0.0	1	25.0	51	33.3	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	15	9.8	1	16.7
TRANSMISSION RISK						_				_		
Men who have sex with men	2	40.0	1	50.0	1	33.3	1	25.0	49	32.0	1	16.7
Injection drug use history	1	20.0	0	0.0	1	33.3	1	25.0	40	26.1	1	16.7
Heterosexual	1	20.0	0	0.0	1	33.3	1	25.0	31	20.3	2	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	1	20.0	1	50.0	0	0.0	1	25.0	29	19.0	2	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	59	38.6	3	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	94	61.4	3	50.0

Table 1.11.4. South Beach - Tottenville (Staten Island)

Total HIV o N 17	liagnoses %	Witho		Concurrent v					PLWHA AS OF 12/31/2008		DEATHS, 2008	
N		VVILLIO	I A AIDS		with AIDS liagnoses		_					
		N	w AID3	N	iiayiioses %	N	%	N	%	N	%	
	100.0	11	64.7	6	35.3	11	100.0	421	100.0	8	100.0	
_					_		_		-			
15	88.2	10	90.9	5	83.3	9	81.8	294	69.8	6	75.0	
2	11.8	1	9.1	1	16.7	2	18.2	127	30.2	2	25.0	
				2		4				1	12.5 37.5	
10	58.8	7	63.6	3	50.0	5		224	53.2	4	50.0	
2	11.8	2	18.2	0	0.0	0	0.0	4	1.0	0	50.0 0.0	
						-		-		0	0.0	
0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 0.0	
					_		_					
0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0	
0	0.0	Õ	0.0	Ö	0.0	Ö	0.0	4	1.0	Ö	0.0	
5	29.4	4	36.4	1	16.7	3		24		0	0.0	
6		4				2				1	12.5 37.5 37.5	
		1		_		4				3 3	37.5 37.5	
1	5.9	0	0.0	1	16.7	i	9.1	33	7.8	1	12.5	
_					_		_		-			
11	64.7	9	81.8	2	33.3	5	45.5	86	20.4	2	25.0	
		0		0		1					37.5	
		1		1						2	25.0 0.0	
_										0	0.0	
4	23.5	1	9.1	3	50.0	3	27.3	129	30.6	1	12.5	
N/A	N/A	N/A	N/A	N/A	N/A	N/A N/A	N/A	186	44.2 55.8	3	37.5 62.5	
	2 3 10 2 0 0 0 0 5 6 3 2 1	2 11.8 2 11.8 3 17.6 10 58.8 2 11.8 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 5 29.4 6 35.3 3 17.6 2 11.8 1 5.9 11 64.7 0 0.0 2 11.8 0 0.0 4 23.5	2 11.8 1 2 11.8 0 3 17.6 2 10 58.8 7 2 11.8 2 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 5 29.4 4 6 35.3 4 3 17.6 1 2 11.8 2 1 5.9 0 11 64.7 9 0 0.0 0 2 11.8 1 0 0.0 0 0 0.0 0 4 23.5 1	2 11.8 1 9.1 2 11.8 0 0.0 3 17.6 2 18.2 10 58.8 7 63.6 2 11.8 2 18.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 5 29.4 4 36.4 6 35.3 4 36.4 3 17.6 1 9.1 2 11.8 2 18.2 1 5.9 0 0.0 11 64.7 9 81.8 0 0.0 0 0.0 2 11.8 1 9.1 0 0.0 0 0.0 2 11.8 1 9.1 0 0.0 0 0.0 0 0.0 0 0.0 4 23.5 1 9.1	2 11.8 1 9.1 1 2 11.8 0 0.0 2 3 17.6 2 18.2 1 10 58.8 7 63.6 3 2 11.8 2 18.2 0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 5 29.4 4 36.4 1 6 35.3 4 36.4 2 3 17.6 1 9.1 2 2 11.8 2 18.2 0 1 5.9 0 0.0 1 11 64.7 9 81.8 2 2 11.8 2 18.2 0 1 5.9 0 0.0 1 11 64.7 9 81.8 2 2 11.8 1 9.1 1 0 0.0 0 0.0 0 2 11.8 1 9.1 1 0 0.0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 0 0 0.0 0 0 0	2 11.8 1 9.1 1 16.7 2 11.8 0 0.0 2 33.3 3 17.6 2 18.2 1 16.7 10 58.8 7 63.6 3 50.0 2 11.8 2 18.2 0 0.0 5 29.4 4 36.4 1 16.7 6 35.3 4 36.4 2 33.3 3 17.6 1 9.1 2 33.3 2 11.8 2 18.2 0 0.0 1 5.9 0 0.0 1 16.7 11 64.7 9 81.8 2 33.3 2 11.8 1 9.1 1 16.7 0 0.0 0 0.0 0 0.0 0 0.0 2 11.8 1 9.1 1 16.7 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 4 23.5 1 9.1 3 50.0	2 11.8 1 9.1 1 16.7 2 2 11.8 0 0.0 2 33.3 4 3 17.6 2 18.2 1 16.7 2 10 58.8 7 63.6 3 50.0 5 2 11.8 2 18.2 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 1 16.7 1 11 64.7 9 81.8 2 33.3 5 0 0.0 0 0.0 1 16.7 1 11 64.7 9 81.8 2 33.3 5 0 0.0 0 0.0 0 0.0 1 2 11.8 1 9.1 1 16.7 2 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 1 2 11.8 1 9.1 1 16.7 2 0 0.0 0 0.0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0.	2 11.8 1 9.1 1 16.7 2 18.2 2 11.8 0 0.0 2 33.3 4 36.4 3 17.6 2 18.2 1 16.7 2 18.2 10 58.8 7 63.6 3 50.0 5 45.5 2 11.8 2 18.2 0 0.0 0 0 0.0 0 0.0 0 <	2 11.8 1 9.1 1 16.7 2 18.2 127 2 11.8 0 0.0 2 33.3 4 36.4 85 3 17.6 2 18.2 107 10 58.8 7 63.6 3 50.0 5 45.5 224 2 11.8 2 18.2 0 0.0 0 0 0.0 4 0 0.0 0	2 11.8 1 9.1 1 16.7 2 18.2 127 30.2 2 11.8 0 0.0 2 33.3 4 36.4 85 20.2 3 17.6 2 18.2 1 16.7 2 18.2 107 25.4 10 58.8 7 63.6 3 50.0 5 45.5 224 53.2 2 11.8 2 18.2 0 0.0 0 0.0 0.0 4 1.0 0 0.0 1 0.2 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.2 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 4 1.0 5 29.4 4 36.4 1 16.7 3 27.3 24 5.7 6 35.3 4 36.4 2 33.3 2 18.2 68 16.2 3 17.6 1 9.1 2 33.3 4 36.4 152 38.5 2 11.8 2 18.2 0 0.0 1 9.1 128 30.4 1 5.9 0 0.0 1 16.7 1 9.1 23 30.4 1 5.9 0 0.0 1 16.7 1 9.1 23 3.3 7.8 11 64.7 9 81.8 2 33.3 5 45.5 86 20.4 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 2 11.8 1 9.1 1 16.7 2 18.2 92 21.9 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0	2 11.8 1 9.1 1 16.7 2 18.2 127 30.2 2 2 11.8 0 0.0 2 33.3 4 36.4 85 20.2 1 3 17.6 2 18.2 1 107 25.4 3 10 58.8 7 63.6 3 50.0 5 45.5 224 53.2 4 2 11.8 2 18.2 0 0.0 0 0.0 4 1.0 0 0 0.0 0.0 0 0.0 0.0	

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2008 Table 2.1. Overall and by sex, age, and race/ethnicity

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	53.1	1.4	21.6	8,008,278
SEX				
Male	85.6	2.1	20.5	3,794,204
Female	23.9	0.8	24.3	4,214,074
DAGE/ETHANOITY				
RACE/ETHNICITY	407.0	0.5	24.2	4 000 454
Black	107.3	2.5	24.6	1,962,154
Hispanic	60.0	1.7	22.1	2,160,554
White	25.3	0.8	14.7	2,801,267
Asian/Pacific Islander	16.1	0.2	22.9	783,058
Native American	98.1	1.5	16.2*	17,321
AGE GROUP (YEARS)				
0-12	0.6*	0.0	0.0*	1,429,677
13-19	29.4	0.2	4.3*	723,773
20-29	94.5	0.6	8.3	1,270,490
30-39	82.8	1.4	12.8	1,348,263
40-49	93.8	3.6	18.7	1,133,497
50-59	57.0	3.4	29.1	850,372
60+	13.6	0.9	40.5	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2013. Table generated January 17, 2014.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution. ¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS. ²Age-adjusted to the citywide population of PWHA at the end of 2008, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2008 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES ¹ PER 100,000	REPORTED PWHA AS PERCENT OF	AGE-ADJUSTED DEATH RATE	POPULATION FROM
	POPULATION	POPULATION	PER 1,000 PWHA ²	2000 CENSUS
TOTAL	53.1	1.4	21.6	8,008,278
DD CALVO				4
BRONX ³	66.5	1.9	22.7	1,327,690
Crotona - Tremont	80.2	2.5	23.3	199,530
Fordham - Bronx Park	68.7	1.8	15.5	250,491
High Bridge - Morrisania	96.4	2.9	27.1	189,755
Hunts Point - Mott Haven	101.7	2.6	26.9	122,875
Kingsbridge - Riverdale	22.5	0.7	19.9	88,989
Northeast Bronx	49.5	1.1	27.2	185,998
Pelham - Throgs Neck	44.1	1.4	18.5	290,052
BROOKLYN ³	44.6	1.1	22.8	2,465,326
Bedford Stuyvesant - Crown Heights	88.6	2.2	27.7	317,296
Bensonhurst - Bay Ridge	9.8	0.3	18.8	194,558
Borough Park	16.3	0.3	12.8	324,411
Canarsie - Flatlands	37.4	0.7	27.1	197,819
Coney Island - Sheepshead Bay	15.7	0.4	25.6	286,901
Downtown - Heights - Park Slope	42.9	1.3	16.6	214,696
East Flatbush - Flatbush	58.7	1.5	20.4	316,734
East New York	68.5	1.7	26.2	173,716
Greenpoint	30.5	0.7	21.5	124,449
Sunset Park	22.4	0.7	10.4*	120,441
Williamsburg - Bushwick	80.3	1.8	24.8	194,305
williamsburg - Bushwick	60.3	1.0	24.0	194,303
MANHATTAN ³	72.8	2.0	15.8	1,529,375
Central Harlem - Morningside Heights	148.2	2.9	23.4	151,113
Chelsea - Clinton	182.1	4.9	8.5	122,998
East Harlem	95.3	2.6	30.4	108,092
Gramercy Park - Murray Hill	58.6	1.6	8.8	124,477
Greenwich Village - Soho	68.1	2.5	6.6	83,709
Lower Manhattan	64.7	1.6	16.9*	30,895
Union Square - Lower East Side	58.3	1.7	21.8	197,138
Upper East Side	19.7	0.6	18.5	218,167
Upper West Side	38.3	1.4	14.0	222,109
Washington Heights - Inwood	58.0	1.4	14.8	270,677
OHEENS3	20.6	0.7	45.5	2 242 450
QUEENS ³	28.6	0.7	15.5	2,242,159
Bayside - Little Neck	7.9*	0.2	27.5*	88,164
Flushing - Clearview	8.6	0.2	16.1*	255,542
Fresh Meadows	14.0	0.3	31.5*	93,148
Jamaica	44.5	1.0	24.2	285,568
Long Island City - Astoria	37.6	0.8	12.5	220,960
Ridgewood - Forest Hills	17.8	0.4	13.5	240,901
Rockaway	30.0	0.9	29.3	106,738
Southeast Queens	22.6	0.5	14.2	203,670
Southwest Queens	18.9	0.6	18.8	269,952
West Queens	43.1	1.1	8.3	477,516
STATEN ISLAND ³	14.4	0.5	23.1	443,728
Port Richmond	22.3	0.8	28.1	62,788
South Beach - Tottenville	9.5	0.2	18.3*	179,892
Stapleton - St. George	24.1	0.9	22.3	116,227
Willowbrook	5.9*	0.9	35.1*	84,821

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2013. Table generated January 17, 2014. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution. ¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2008. ³Borough-level data include persons residing in unknown UHF neighborhoods.