

#### **NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2011**

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page

#### **LIST OF ANNUAL TABLES**

Click on each title below to reach the corresponding table

#### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, New York CITY

Table 1.1	New York City (All)		
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, males	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, females	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, males	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, females	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, males	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, females		
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Risk	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, males	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, females		
Table 1.6.7	Transgender people with sexual contact	T 11 4 44 4	By UHF Neighborhood: Staten Island
	De III E Natalikasıkasık Desi	Table 1.11.1	Port Richmond
T 11 474	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		

#### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2011

Table 2.1 Overall and by gender, age, and race/ethnicity Table 2.2 Overall and by borough and UHF neighborhood of residence

Table 1.1. New York City (All)

		HIV					AIDS DIAGNOS	ES, 2011	PLWHA AS 12/31/201		DEATHS,	2011
	Total HIV d		Withou	it AIDS		ith AIDS agnoses						
TOTAL	3,386	% 100.0	N 2,746	% 81.1	N <b>640</b>	% 18.9	N <b>2,366</b>	% 100.0	N 116,251	% 100.0	2,040	% 100.0
GENDER								_				
Male Female Transgender	2,596 739 51	76.7 21.8 1.5	2,116 586 44	77.1 21.3 1.6	480 153 7	75.0 23.9 1.1	1,712 622 32	72.4 26.3 1.4	82,572 32,737 942	71.0 28.2 0.8	1,423 605 12	69.8 29.7 0.6
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	1,532 1,085 649 108 4 8	45.2 32.0 19.2 3.2 0.1 0.2 0.0	1,213 888 550 84 4 7	44.2 32.3 20.0 3.1 0.1 0.3 0.0	319 197 99 24 0 1	49.8 30.8 15.5 3.8 0.0 0.2	1,243 761 307 50 1 4	52.5 32.2 13.0 2.1 0.0 0.2 0.0	51,759 37,732 23,954 2,044 265 136 361	44.5 32.5 20.6 1.8 0.2 0.1 0.3	1,003 679 330 20 7 1	49.2 33.3 16.2 1.0 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	7 187 1,135 825 712 383 137	0.2 5.5 33.5 24.4 21.0 11.3 4.0	7 176 1,011 672 524 269 87	0.3 6.4 36.8 24.5 19.1 9.8 3.2	0 11 124 153 188 114 50	0.0 1.7 19.4 23.9 29.4 17.8 7.8	0 55 466 538 716 438 153	0.0 2.3 19.7 22.7 30.3 18.5 6.5	268 1,296 9,845 17,597 37,576 34,024 15,645	0.2 1.1 8.5 15.1 32.3 29.3 13.5	0 2 66 143 538 736 555	0.0 0.1 3.2 7.0 26.4 36.1 27.2
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	627 932 826 489 39 421 52	18.5 27.5 24.4 14.4 1.2 12.4 1.5	483 726 709 386 24 368 50	17.6 26.4 25.8 14.1 0.9 13.4 1.8	144 206 117 103 15 53 2	22.5 32.2 18.3 16.1 2.3 8.3 0.3	568 650 500 305 33 261 49	24.0 27.5 21.1 12.9 1.4 11.0 2.1	25,683 28,029 30,675 16,552 2,193 11,014 2,105	22.1 24.1 26.4 14.2 1.9 9.5 1.8	513 509 404 191 60 86 277	25.1 25.0 19.8 9.4 2.9 4.2 13.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	301 741 1,031 824 489	8.9 21.9 30.4 24.3 14.4	253 597 819 644 433	9.2 21.7 29.8 23.5 15.8	48 144 212 180 56	7.5 22.5 33.1 28.1 8.8	150 486 736 674 320	6.3 20.5 31.1 28.5 13.5	12,166 26,481 33,455 29,594 14,555	10.5 22.8 28.8 25.5 12.5	116 336 600 624 364	5.7 16.5 29.4 30.6 17.8
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	1,756 107 56 739 50 8 0	51.9 3.2 1.7 21.8 1.5 0.2 0.0	1,507 75 47 566 43 7	54.9 2.7 1.7 20.6 1.6 0.3 0.0	249 32 9 173 7 1	38.9 5.0 1.4 27.0 1.1 0.2 0.0	881 240 57 559 29 43 0	37.2 10.1 2.4 23.6 1.2 1.8 0.0	41,706 17,749 2,724 23,090 780 2,556 225	35.9 15.3 2.3 19.9 0.7 2.2 0.2	375 643 78 393 8 25 3	18.4 31.5 3.8 19.3 0.4 1.2 0.1 25.2
Perinatal	8	0.2	7	0.3	7 1 0 169	0.2	43	1.8	2,556	2.2	25	

Table 1.2.1. Males (includes transgender men)

		HIV	DIAGNOS	SES, 2011	l		AIDS DIAGNOSE	ES, 2011	PLWHA AS 12/31/20		DEATHS,	2011
	Total HIV di	agnoses %	Withou		oncurrent wi dia N	ith AIDS agnoses	N	%	N	%	N	0/
TOTAL	2,597	100.0	N 2,117	81.5	480	18.5	1,712	100.0	82,582	100.0	1,423	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	1,043 848 599 97 3 7	40.2 32.7 23.1 3.7 0.1 0.3 0.0	832 693 508 75 3 6	39.3 32.7 24.0 3.5 0.1 0.3 0.0	211 155 91 22 0 1	44.0 32.3 19.0 4.6 0.0 0.2 0.0	822 570 274 42 1 3	48.0 33.3 16.0 2.5 0.1 0.2 0.0	32,269 26,657 21,431 1,656 189 103 277	39.1 32.3 26.0 2.0 0.2 0.1 0.3	649 479 276 13 5 1	45.6 33.7 19.4 0.9 0.4 0.1 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 140 957 649 517 253 80	0.0 5.4 36.9 25.0 19.9 9.7 3.1	1 133 853 527 379 171 53	0.0 6.3 40.3 24.9 17.9 8.1 2.5	0 7 104 122 138 82 27	0.0 1.5 21.7 25.4 28.8 17.1 5.6	0 33 370 405 506 305 93	0.0 1.9 21.6 23.7 29.6 17.8 5.4	125 666 7,327 12,284 26,391 24,172 11,617	0.2 0.8 8.9 14.9 32.0 29.3 14.1	0 1 47 90 354 505 426	0.0 0.1 3.3 6.3 24.9 35.5 29.9
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	414 679 704 386 27 350 37	15.9 26.1 27.1 14.9 1.0 13.5 1.4	316 529 602 311 15 309 35	14.9 25.0 28.4 14.7 0.7 14.6 1.7	98 150 102 75 12 41 2	20.4 31.3 21.3 15.6 2.5 8.5 0.4	365 449 408 218 25 213 34	21.3 26.2 23.8 12.7 1.5 12.4 2.0	15,417 18,072 25,325 11,800 1,413 8,970 1,585	18.7 21.9 30.7 14.3 1.7 10.9 1.9	335 343 305 126 41 70 203	23.5 24.1 21.4 8.9 2.9 4.9 14.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	250 585 790 570 402	9.6 22.5 30.4 21.9 15.5	210 478 624 447 358	9.9 22.6 29.5 21.1 16.9	40 107 166 123 44	8.3 22.3 34.6 25.6 9.2	125 353 537 441 256	7.3 20.6 31.4 25.8 15.0	10,138 19,843 22,810 18,091 11,700	12.3 24.0 27.6 21.9 14.2	92 240 405 413 273	6.5 16.9 28.5 29.0 19.2
TRANSMISSION RISK Men who have sex with men (MSM)	1,756	67.6	1,507	71.2	249	51.9	881	51.5	41.706	50.5	375	26.4
Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1,756 73 56 163 1 1 0 547	67.6 2.8 2.2 6.3 0.0 0.0 0.0 21.1	1,507 48 47 115 1 1 0 398	71.2 2.3 2.2 5.4 0.0 0.0 0.0 18.8	249 25 9 48 0 0 0	51.9 5.2 1.9 10.0 0.0 0.0 31.0	881 154 57 147 0 23 0 450	51.5 9.0 3.3 8.6 0.0 1.3 0.0 26.3	41,706 11,743 2,724 5,975 6 1,242 120 19,066	50.5 14.2 3.3 7.2 0.0 1.5 0.1 23.1	375 431 78 125 0 13 2 399	26.4 30.3 5.5 8.8 0.0 0.9 0.1 28.0

Table 1.2.2. Females (includes transgender women)

		HIV	DIAGNO	SES, 201			AIDS DIAGNOSE	ES, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
	Total HIV dia	agnoses	Withou		oncurrent w di	rith AIDS agnoses						
TOTAL	N 789	% 100.0	N 629	% 79.7	N 160	% 20.3	N 654	% 100.0	N 33,669	% 100.0	N <b>617</b>	100.0
IOTAL	769	100.0	029	19.1	100	20.3	054	100.0	33,009	100.0	017	100.0
RACE/ETHNICITY												
Black	489	62.0	381	60.6	108	67.5	421	64.4	19,490	57.9	354	57.4
Latino/Hispanic White	237 50	30.0 6.3	195 42	31.0 6.7	42 8	26.3 5.0	191 33	29.2 5.0	11,075 2.523	32.9 7.5	200 54	32.4 8.8
Asian/Pacific Islander	11	1.4	9	1.4	2	1.3	8	1.2	388	1.2	7	1.1
Native American	1	0.1	1	0.2	0	0.0	ő	0.0	76	0.2	2	0.3
Multiracial	1	0.1	1	0.2	0	0.0	1	0.2	33	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	84	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	6	0.8	6	1.0	0	0.0	0	0.0	143	0.4	0	0.0
13-19	47	6.0	43	6.8	4	2.5	22	3.4	630	1.9	1	0.2
20-29 30-39	178	22.6 22.3	158	25.1 23.1	20	12.5	96	14.7	2,518 5,313	7.5 15.8	19 53	3.1 8.6
40-49	176 195	22.3 24.7	145 145	23.1	31 50	19.4 31.3	133 210	20.3 32.1	5,313 11,185	33.2	184	29.8
50-59	130	16.5	98	15.6	32	20.0	133	20.3	9,852	29.3	231	37.4
60+	57	7.2	34	5.4	23	14.4	60	9.2	4,028	12.0	129	20.9
BOROUGH OF RESIDENCE								_				
Bronx	213	27.0	167	26.6	46	28.8	203	31.0	10.266	30.5	178	28.8
Brooklyn	253	32.1	197	31.3	56	35.0	201	30.7	9,957	29.6	166	26.9
Manhattan	122	15.5	107	17.0	15	9.4	92	14.1	5,350	15.9	99	16.0
Queens	103 12	13.1	75	11.9 1.4	28 3	17.5	87	13.3	4,752	14.1	65	10.5
Staten Island Outside NYC	71	1.5 9.0	9 59	9.4	12	1.9 7.5	8 48	1.2 7.3	780 2.044	2.3 6.1	19 16	3.1 2.6
Unknown	15	1.9	15	2.4	0	0.0	15	2.3	520	1.5	74	12.0
AREA RACER ROVERTY LEVEL												
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	51	6.5	43	6.8	8	5.0	25	3.8	2,028	6.0	24	3.9
Medium poverty (10 to <20% below FPL)	156	19.8	119	18.9	37	23.1	133	20.3	6,638	19.7	96	15.6
High poverty (20 to <30% below FPL)	241	30.5	195	31.0	46	28.8	199	30.4	10,645	31.6	195	31.6
Very high poverty (≥30% below FPL)	254	32.2	197	31.3	57	35.6	233	35.6	11,503	34.2	211	34.2
Area-based poverty level not available	87	11.0	75	11.9	12	7.5	64	9.8	2,855	8.5	91	14.7
TO A NOMICOLON PION												
TRANSMISSION RISK Injection drug use history (IDU)	34	4.3	27	4.3	7	4.4	86	13.1	6,006	17.8	212	34.4
Heterosexual contact	576	73.0	451	71.7	125	78.1	412	63.0	17,115	50.8	268	43.4
Transgender people with sexual contact	49	6.2	42	6.7	7	4.4	29	4.4	774	2.3	8	1.3
Perinatal	7	0.9	6	1.0	1	0.6	20	3.1	1,314	3.9	12	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	105	0.3	1	0.2
Unknown	123	15.6	103	16.4	20	12.5	107	16.4	8,355	24.8	116	18.8

Table 1.3.1. Black males (includes transgender men)

		HIV	DIAGNO	SES, 201	11		AIDS DIAGNOSE	S, 2011	PLWHA AS 12/31/20		DEATHS,	, 2011
					oncurrent wi	th AIDS						
	Total HIV dia	•	Withou			agnoses						J
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1,043	100.0	832	79.8	211	20.2	822	100.0	32,269	100.0	649	100.0
AGE GROUP (YEARS)								_				
0-12	1	0.1	1	0.1	0	0.0	0	0.0	76	0.2	0	0.0
13-19	80	7.7	77	9.3	3	1.4	17	2.1	402	1.2	1	0.2
20-29	413	39.6	367	44.1	46	21.8	200	24.3	3,681	11.4	28	4.3
30-39	204	19.6	160	19.2	44	20.9	165	20.1	4,557	14.1	37	5.7
40-49	191	18.3	128	15.4	63	29.9	238	29.0	9,318	28.9	161	24.8
50-59	116	11.1	74	8.9	42	19.9	154	18.7	9,499	29.4	231	35.6
60+	38	3.6	25	3.0	13	6.2	48	5.8	4,736	14.7	191	29.4
BOROUGH OF RESIDENCE	_							_				
Bronx	174	16.7	134	16.1	40	19.0	156	19.0	6.617	20.5	145	22.3
Brooklyn	404	38.7	309	37.1	95	45.0	302	36.7	10,425	32.3	211	32.5
Manhattan	172	16.5	136	16.3	36	17.1	167	20.3	6,991	21.7	113	17.4
Queens	130	12.5	103	12.4	27	12.8	92	11.2	4,165	12.9	56	8.6
Staten Island	7	0.7	5	0.6	2	0.9	5	0.6	486	1.5	20	3.1
Outside NYC	138	13.2	127	15.3	11	5.2	88	10.7	2,987	9.3	31	4.8
Unknown	18	1.7	18	2.2	0	0.0	12	1.5	598	1.9	73	11.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	60	5.8	51	6.1	9	4.3	38	4.6	2,007	6.2	23	3.5
Medium poverty (10 to <20% below FPL)	185	17.7	142	17.1	43	20.4	169	20.6	6,880	21.3	97	14.9
High poverty (20 to <30% below FPL)	371	35.6	284	34.1	87	41.2	289	35.2	10,769	33.4	229	35.3
Very high poverty (≥30% below FPL)	264	25.3	204	24.5	60	28.4	221	26.9	8.609	26.7	196	30.2
Area-based poverty level not available	163	15.6	151	18.1	12	5.7	105	12.8	4,004	12.4	104	16.0
Intea-based poverty level flot available	103	13.0	131	10.1	12	3.7	103	12.0	4,004	12.4	104	10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	616	59.1	528	63.5	88	41.7	375	45.6	12,644	39.2	129	19.9
Injection drug use history (IDU)	20	1.9	12	1.4	8	3.8	57	6.9	4,812	14.9	184	28.4
MSM-IDU	19	1.8	16	1.9	3	1.4	20	2.4	995	3.1	32	4.9
Heterosexual contact	101	9.7	73	8.8	28	13.3	90	10.9	3,257	10.1	75	11.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Perinatal Out and	1	0.1	1	0.1	0	0.0	11	1.3	697	2.2	8	1.2
Other	0 286	0.0	0 202	0.0 24.3	0	0.0	0 269	0.0	35 9.825	0.1 30.4	2 219	0.3 33.7
Unknown	200	27.4	202	24.3	84	39.8	209	32.7	9,825	30.4	219	<i>აა.1</i>

Table 1.3.2. Black females (includes transgender women)

		HIV	DIAGNO	OSES, 20	11		AIDS DIAGNOS	ES, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
	T	, ,,	14.00		Concurrent w							
	I otal HIV	diagnoses %	Withou N	ut AIDS %	N A	liagnoses °/	N	%	N	%	N	0/
TOTAL	489		381	77.9	108	22.1	421	100.0	19,490	100.0	354	100.0
									.0,.00	10010		
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.3	0	0.0	0	0.0	80	0.4	0	0.0
13-19	27		24	6.3	3	2.8	11	2.6	387	2.0	0	0.0
20-29 30-39	109 103		96 86	25.2 22.6	13 17	12.0 15.7	58 89	13.8 21.1	1,511 3.273	7.8 16.8	12 36	3.4 10.2
40-49	129		95	24.9	34	31.5	128	30.4	5,273 6,457	33.1	102	28.8
50-59	84		61	16.0	23	21.3	93	22.1	5,577	28.6	130	36.7
60+	36		18	4.7	18	16.7	42	10.0	2,205	11.3	74	20.9
									,			
BOROUGH OF RESIDENCE												
Bronx	119		90	23.6	29	26.9	111	26.4	5,143	26.4	91	25.7
Brooklyn	200		152	39.9	48	44.4	155	36.8	6,919	35.5	107	30.2
Manhattan Queens	69 45		61 31	16.0 8.1	8	7.4 13.0	57 51	13.5 12.1	2,957 2,737	15.2	54 41	15.3 11.6
Staten Island	45		5	1.3	14 3	2.8	7	12.1	363	14.0 1.9	10	2.8
Outside NYC	39		33	8.7	6	2.6 5.6	31	7.4	1,066	5.5	10	2.8
Unknown	9		9	2.4	0	0.0	9	2.1	305	1.6	41	11.6
					_		-					
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	30		24	6.3	6	5.6	15	3.6	1,089	5.6	14	4.0
Medium poverty (10 to <20% below FPL)	112		81	21.3	31	28.7	93	22.1	3,922	20.1	47	13.3
High poverty (20 to <30% below FPL)	147	30.1	120	31.5	27	25.0	130	30.9	6,552	33.6	124	35.0
Very high poverty (≥30% below FPL)	151	30.9	113	29.7	38	35.2	142	33.7	6,397	32.8	117	33.1
Area-based poverty level not available	49	10.0	43	11.3	6	5.6	41	9.7	1,530	7.9	52	14.7
TRANSMISSION RISK	_											
Injection drug use history (IDU)	19	3.9	15	3.9	4	3.7	44	10.5	2,868	14.7	103	29.1
Heterosexual contact	368		283	74.3	85	78.7	275	65.3	10,188	52.3	159	44.9
Transgender people with sexual contact	21		17	4.5	4	3.7	19	4.5	383	2.0	5	1.4
Perinatal	2		1	0.3	1	0.9	9	2.1	758	3.9	7	2.0
Other			0	0.0	0	0.0	0	0.0	52	0.3	_1	0.3
Unknown	79	16.2	65	17.1	14	13.0	74	17.6	5,241	26.9	79	22.3

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.3.3. Latino/Hispanic males (includes transgender men)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	ES, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
					Concurrent w	-						
	Total HIV di	•	Withou			agnoses		0.4		0.4		
TOTAL	N 848	%	N 693	% 81.7	N 155	40.0	N <b>570</b>	% 400.0	N OC 057	%	N 479	% 100.0
IUIAL	848	100.0	693	61.7	155	18.3	5/0	100.0	26,657	100.0	4/9	100.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	41	0.2	0	0.0
13-19	51	6.0	48	6.9	3	1.9	14	2.5	216	0.8	0	0.0
20-29	320	37.7	284	41.0	36	23.2	120	21.1	2,383	8.9	10	2.1
30-39	227	26.8	180	26.0	47	30.3	155	27.2	4,359	16.4	35	7.3
40-49	157	18.5	120	17.3	37	23.9	163	28.6	8,934	33.5	126	26.3
50-59	73	8.6	49	7.1	24	15.5	89	15.6	7,408	27.8	177	37.0
60+	20	2.4	12	1.7	8	5.2	29	5.1	3,316	12.4	131	27.3
BOROUGH OF RESIDENCE								_				
Bronx	211	24.9	161	23.2	50	32.3	191	33.5	7,846	29.4	166	34.7
Brooklyn	142	16.7	111	16.0	31	20.0	94	16.5	4,480	16.8	95	19.8
Manhattan	222	26.2	191	27.6	31	20.0	127	22.3	6,764	25.4	93	19.4
Queens	171	20.2	138	19.9	33	21.3	86	15.1	4,832	18.1	45	9.4
Staten Island	8	0.9	5	0.7	3	1.9	8	1.4	408	1.5	12	2.5
Outside NYC	84	9.9	78	11.3	6	3.9	52	9.1	1,831	6.9	10	2.1
Unknown	10	1.2	9	1.3	1	0.6	12	2.1	496	1.9	58	12.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	57	6.7	46	6.6	11	7.1	32	5.6	2,041	7.7	21	4.4
Medium poverty (10 to <20% below FPL)	183	21.6	153	22.1	30	19.4	101	17.7	5,966	22.4	68	14.2
High poverty (20 to <30% below FPL)	278	32.8	225	32.5	53	34.2	178	31.2	7,879	29.6	128	26.7
Very high poverty (≥30% below FPL)	230	27.1	176	25.4	54	34.8	194	34.0	8.071	30.3	194	40.5
Area-based poverty level not available	100	11.8	93	13.4	7	4.5	65	11.4	2,700	10.1	68	14.2
Area-based poverty level not available	100	11.0	93	13.4	,	4.5	65	11.4	2,700	10.1	00	14.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	581	68.5	501	72.3	80	51.6	276	48.4	11,832	44.4	103	21.5
Injection drug use history (IDÙ)	37	4.4	27	3.9	10	6.5	81	14.2	5,512	20.7	200	41.8
MSM-IDU	17	2.0	13	1.9	4	2.6	30	5.3	1,093	4.1	26	5.4
Heterosexual contact	44	5.2	32	4.6	12	7.7	44	7.7	2,023	7.6	30	6.3 0.0
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	1.9	456	1.7	3	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	31 5.700	0.1	0	0.0
Unknown	168	19.8	119	17.2	49	31.6	128	22.5	5,709	21.4	117	24.4

Table 1.3.4. Latina/Hispanic females (includes transgender women)

		HIV	DIAGNO	SES, 20	11	AIDS DIAGNO	SES, 2011	PLWHA AS 12/31/20		DEATHS,	, 2011
	Total HIV d	%	Withou N	t AIDS %	Concurrent with AIDS diagnose N %	s 6 N	%	N	%	N	%
TOTAL	237	100.0	195	82.3	42 17.	7 191	100.0	11,075	100.0	200	100.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59	5 19 56 56 52 34	2.1 8.0 23.6 23.6 21.9 14.3	5 18 51 45 37 28	2.6 9.2 26.2 23.1 19.0 14.4	0 0. 1 2. 5 11. 11 26. 15 35. 6 14.	4 11 9 32 2 35 7 65 3 32	0.0 5.8 16.8 18.3 34.0	55 210 818 1,603 3,670 3,288	0.5 1.9 7.4 14.5 33.1 29.7	0 1 5 15 65 71	0.0 0.5 2.5 7.5 32.5 35.5
60+ BOROUGH OF RESIDENCE	15	6.3	11	5.6	4 9.	5 16	8.4	1,431	12.9	43	21.5
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	87 36 46 43 2 19 4	36.7 15.2 19.4 18.1 0.8 8.0 1.7	71 29 40 34 2 15 4	36.4 14.9 20.5 17.4 1.0 7.7 2.1	16 38.7 16.7 16.1 16.1 16.1 16.1 16.1 16.1 16	7 36 3 30 4 25 0 0	44.0 18.8 15.7 13.1 0.0 6.3 2.1	4,712 2,358 1,737 1,392 223 495 158	42.5 21.3 15.7 12.6 2.0 4.5 1.4	77 46 34 11 6 3 23	38.5 23.0 17.0 5.5 3.0 1.5 11.5
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	12 34 79 89	5.1 14.3 33.3 37.6	11 30 64 71	5.6 15.4 32.8 36.4	1 2.4 4 9.5 15 35.7 18 42.9	5 28 7 56 9 86	2.6 14.7 29.3 45.0	428 1,868 3,363 4,693	3.9 16.9 30.4 42.4	4 24 62 84	2.0 12.0 31.0 42.0
Area-based poverty level not available  TRANSMISSION RISK	23	9.7	19	9.7	4 9.	5 16	8.4	723	6.5	26	13.0
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	7 170 23 5 0 32	3.0 71.7 9.7 2.1 0.0 13.5	6 135 20 5 0 29	3.1 69.2 10.3 2.6 0.0 14.9	1 2.4 35 83.3 3 7. 0 0.0 0 0.4 3 7.	3 117 1 9 0 11 0 0	15.2 61.3 4.7 5.8 0.0 13.1	2,430 5,496 306 470 28 2,345	21.9 49.6 2.8 4.2 0.3 21.2	86 84 2 4 0 24	43.0 42.0 1.0 2.0 0.0 12.0

Table 1.3.5. White males (includes transgender men)

	T-(-1110/3				Concurrent w	-	AIDS DIAGNOS	ES, 2011	PLWHA A: 12/31/20		DEATHS	, 2011
	Total HIV di		Withou			iagnoses	NI.	0/	N	0/	N	0/
TOTAL	N 599	% 100.0	N 508	% 84.8	N 91	% 15.2	N <b>274</b>	% 100.0	N 21,431	% 100.0	N 276	% 100.0
TOTAL	000	10010		0 110		1012		100.0	21,101	100.0	2.0	100.0
AGE GROUP (YEARS)												
0-12 13-19	0 5	0.0 0.8	0 4	0.0 0.8	0 1	0.0 1.1	0 2	0.0 0.7	5 36	0.0 0.2	0 0	0.0 0.0
20-29	191	31.9	173	34.1	18	19.8	42	15.3	1,071	5.0	9	3.3
30-39 40-49	180 143	30.1 23.9	159 113	31.3 22.2	21 30	23.1 33.0	66 92	24.1 33.6	2,845 7,404	13.3 34.5	16 60	5.8 21.7
50-59	60	10.0	45	8.9	15	16.5	56	20.4	6,729	31.4	91	33.0
60+	20	3.3	14	2.8	6	6.6	16	5.8	3,341	15.6	100	36.2
BOROUGH OF RESIDENCE								_				
Bronx	22	3.7	16	3.1	6	6.6	16	5.8	791	3.7	19	6.9
Brooklyn	112	18.7	94	18.5	18	19.8	41	15.0	2,790	13.0	34	12.3
Manhattan	279	46.6	250	49.2	29	31.9	103	37.6	10,794	50.4	95	34.4 8.3
Queens	56	9.3	47	9.3	9	9.9	30	10.9	2,204	10.3	23	8.3
Staten Island	10	1.7	4	0.8	6	6.6	10	3.6	490	2.3	9	3.3
Outside NYC Unknown	112 8	18.7 1.3	90 7	17.7 1.4	22 1	24.2 1.1	66 8	24.1 2.9	3,932 430	18.3 2.0	27 69	9.8 25.0
Oliviowii		1.5	′	1.4	'	1.1	O	2.5	430	2.0	09	25.0
AREA-BASED POVERTY LEVEL	117	19.5	100	19.7	17	18.7	50	18.2	5.761	26.9	48	17.4
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	182	30.4	157	30.9	25	27.5	71	25.9	6.296	29.4	46 70	25.4
High poverty (20 to <30% below FPL)	116	19.4	97	19.1	19	20.9	58	21.2	3,569	16.7	42	15.2
Very high poverty (≥30% below FPL)	62	10.4	55	10.8	7	7.7	20	7.3	1,177	5.5	20	7.2
Area-based poverty level not available	122	20.4	99	19.5	23	25.3	75	7.3 27.4	4.628	21.6	96	34.8
Area-based poverty level not available	122	20.4	99	19.5	23	25.3	75	21.4	4,628	21.0	96	34.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	481	80.3	414	81.5	67	73.6	200	73.0	16,043	74.9	138	50.0
Injection drug use history (IDU)	14	2.3	7	1.4	7	7.7	13	4.7	1,341	6.3	46	16.7
MSM-IDU Heterosexual contact	20	3.3	18 7	3.5 1.4	2 4	2.2	7 8	2.6	596	2.8	19	6.9
Transgender people with sexual contact	11	1.8 0.0	0	0.0	0	4.4 0.0	8	2.9 0.0	508 1	2.4 0.0	15 0	5.4 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.0	67	0.0	2	0.0
Other	Ö	0.0	Ő	0.0	ő	0.0	Ö	0.0	47	0.2	0	0.0
Unknown	73	12.2	62	12.2	11	12.1	45	16.4	2,828	13.2	56	20.3

Table 1.3.6. White females (includes transgender women)

		HIV	DIAGNO	OSES, 20			IDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV di	%	Withou N	nt AIDS %	Concurrent with Al diagnos N	ses %	N	%	N	%	N	%
TOTAL	50	100.0	42	84.0	8 1	16.0	33	100.0	2,523	100.0	54	100.0
AGE GROUP (YEARS)						_		_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	1	2.0	1	2.4		0.0	0	0.0	27	1.1	0	0.0
20-29	8	16.0	7	16.7		12.5	3	9.1	132	5.2	1	1.9
30-39	15	30.0	12	28.6		37.5	7	21.2	301	11.9	1	1.9
40-49	12	24.0	11	26.2		12.5	14	42.4	872	34.6	13	24.1
50-59	9	18.0	7	16.7		25.0	7	21.2	842	33.4	28	51.9
60+	5	10.0	4	9.5	1 1	12.5	2	6.1	342	13.6	11	20.4
BOROUGH OF RESIDENCE	_											
Bronx	/	14.0	6	14.3		12.5	/	21.2	334	13.2	6	11.1
Brooklyn Manhattan	14 7	28.0	13	31.0 14.3		12.5	/	21.2 12.1	528 556	20.9 22.0	11	20.4 20.4
Queens	6	14.0 12.0	6 3	7.1		12.5 37.5	4 7	21.2	440	17.4	11 11	20.4 20.4
Staten Island	2	4.0	2	4.8		0.0	1	3.0	186	7.4	3	5.6
Outside NYC	12	24.0	10	23.8		25.0	5	15.2	443	17.6	3	5.6
Unknown	2	4.0	2	4.8		0.0	2	6.1	36	17.0	9	16.7
Ondiown	_	7.0	_	4.0	Ŭ	0.0	_	0.1	30	1	J	10.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	16.0	7	16.7		12.5	4	12.1	457	18.1	6	11.1
Medium poverty (10 to <20% below FPL)	6	12.0	4	9.5		25.0	9	27.3	683	27.1	23	42.6
High poverty (20 to <30% below FPL)	9	18.0	7	16.7	2 2	25.0	9	27.3	566	22.4	8	14.8
Very high poverty (≥30% below FPL)	13	26.0	12	28.6	1 1	12.5	4	12.1	311	12.3	5	9.3
Area-based poverty level not available	14	28.0	12	28.6	2 2	25.0	7	21.2	506	20.1	12	22.2
,												
TRANSMISSION RISK												
Injection drug use history (IDU)	8	16.0	6	14.3		25.0	13	39.4	681	27.0	22	40.7
Heterosexual contact	28	56.0	25	59.5		37.5	14	42.4	1,128	44.7	21	38.9
Transgender people with sexual contact	4	8.0	4	9.5		0.0	0	0.0	57	2.3	1	1.9
Perinatal	0	0.0	0	0.0		0.0	0	0.0	72	2.9	0	0.0
Other	0	0.0	0	0.0		0.0 37.5	U	0.0 18.2	22 563	0.9 22.3	0 10	0.0
Unknown	10	20.0		16.7	3 3	57.5	ь	18.2	563	22.3	10	18.5

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

					11 Concurrent with	AIDS	AIDS DIAGNOSES	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV di		Withou		diagr	noses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	97	100.0	75	77.3	22	22.7	42	100.0	1,656	100.0	13	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	4	4.1	4	5.3	0	0.0	0	0.0	6	0.4	0	0.0
20-29	29	29.9	25	33.3	4	18.2	6	14.3	140	8.5	0	0.0
30-39	36	37.1	27	36.0	9	40.9	17	40.5	441	26.6	2	15.4
40-49	24	24.7	16	21.3	8	36.4	13	31.0	563	34.0	2	15.4
50-59 60+	3	3.1 1.0	2	2.7 1.3	1 0	4.5	6 0	14.3	353 150	21.3 9.1	5 4	38.5 30.8
60+	1	1.0	1	1.3	U	0.0	U	0.0	150	9.1	4	30.8
BOROUGH OF RESIDENCE												
Bronx	5	5.2	3	4.0	2	9.1	2	4.8	94	5.7	3	23.1
Brooklyn	20	20.6	14	18.7	6 5	27.3	12	28.6	285	17.2	2	15.4
Manhattan	29	29.9	24	32.0	5	22.7	10	23.8	554	33.5	3	23.1
Queens	29	29.9	23	30.7	6	27.3	10	23.8	519	31.3	2	15.4
Staten Island	2	2.1	1	1.3	1	4.5	1	2.4	18	1.1	0	0.0
Outside NYC	11	11.3	9	12.0	2	9.1	5	11.9	144	8.7	2	15.4
Unknown	1	1.0	1	1.3	0	0.0	2	4.8	42	2.5	1	7.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	16	16.5	13	17.3	3	13.6	5	11.9	245	14.8	0	0.0
Medium poverty (10 to <20% below FPL)	34	35.1	26	34.7	8	36.4	12	28.6	567	34.2	5	38.5
High poverty (20 to <30% below FPL)	25	25.8	18	24.0	7	31.8	11	26.2	480	29.0	4	30.8
Very high poverty (≥30% below FPL)	10	10.3	8	10.7	2	9.1	5	11.9	156	9.4	1	7.7
Area-based poverty level not available	12	12.4	10	13.3	2	9.1	9	21.4	208	12.6	3	23.1
Thou based perenty level her available			.0	10.0	-	0.1	· ·		200	12.0	Ü	20.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	72	74.2	59	78.7	13	59.1	26	61.9	989	59.7	3	23.1
Injection drug use history (IDU)	2	2.1	2	2.7	0	0.0	3	7.1	45	2.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	1.6	1	7.7
Heterosexual contact	6	6.2	2	2.7	4	18.2	5	11.9	166	10.0	5	38.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	Ü	0.0	0	0.0	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	U	0.0	10	0.6	0	0.0
Other Unknown	0 17	0.0 17.5	0 12	0.0 16.0	0 5	0.0 22.7	0 8	0.0 19.0	4 416	0.2 25.1	0	0.0 30.8
UTIKTOWIT	17	17.5	12	16.0	5	22.1	8	19.0	416	25.1	4	30.8

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

		Concurrent with AIDS sees Without AIDS diagnoses				AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011	
	Total HIV di					liagnoses						
TOTAL	N 11	%	N	%	N	40.0	N	400.0	N 388	%	N 7	400.0
TOTAL	11	100.0	9	81.8	2	18.2	8	100.0	388	100.0	- /	100.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	Ö	0.0	Ō	0.0	Ö	0.0	0	0.0	2	0.5	Ō	0.0
20-29	3	27.3	2	22.2	1	50.0	3	37.5	37	9.5	0	0.0
30-39	2	18.2	2	22.2	0	0.0	2	25.0	104	26.8	1	14.3
40-49	2	18.2	2	22.2	0	0.0	2	25.0	125	32.2	3	42.9
50-59	3	27.3	2	22.2	1	50.0	1	12.5	84	21.6	2	28.6
60+	1	9.1	1	11.1	0	0.0	0	0.0	36	9.3	1	14.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	40	10.3	3	42.9
Brooklyn	2	18.2	2	22.2	0	0.0	3	37.5	90	23.2	1	14.3
Manhattan	0	0.0	0	0.0	0	0.0	1	12.5	66	17.0	0	0.0
Queens	9	81.8	7	77.8	2	100.0	4	50.0	145	37.4	2	28.6
Staten Island	Ö	0.0	Ó	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Outside NYC	Ö	0.0	Õ	0.0	ŏ	0.0	0	0.0	31	8.0	ő	0.0
Unknown	Ö	0.0	Ö	0.0	Ö	0.0	Ö	0.0	13	3.4	1	14.3
AREA-BASED POVERTY LEVEL								46.5				
Low poverty (<10% below FPL)	1	9.1	1	11.1	0	0.0	1	12.5	42	10.8	0	0.0
Medium poverty (10 to <20% below FPL)	4	36.4	4	44.4	0	0.0	2	25.0	126	32.5 27.1	2	28.6
High poverty (20 to <30% below FPL)	6	54.5	4	44.4	2	100.0	4	50.0	105		0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	12.5	66	17.0	4	57.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	49	12.6	1	14.3
TD A NOMICOLON DIOL												
TRANSMISSION RISK Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	1.4	2.6	0	0.0
Heterosexual contact	9	81.8	7	77.8	0 2	0.0 100.0	U 5	62.5	14 225	3.6 58.0	0 4	0.0 57.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	12.5	18	4.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	2	18.2	2	22.2	0	0.0	2	25.0	125	32.2	3	42.9

Table 1.3.9. Native American males (includes transgender men)

		HIV	DIAGNO	OSES, 201	<b>1</b> Concurrent with All		SNOSES, 2011	PLWHA / 12/31/2		DEATHS,	, 2011
	Total HIV di			out AIDS	diagnos						
TOTAL	N 3	% 100.0	N 3	% 100.0	N	% ).0	N % 1 100.0		% 100.0	N 5	400.0
IOTAL	3	100.0	3	100.0	0	J.U	1 100.0	189	100.0	э	100.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 0 1 0 1	0.0 0.0 0.0 33.3 0.0 33.3 33.3	0 0 0 1 0 1	0.0 0.0 0.0 33.3 0.0 33.3 33.3	0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 0 0.0 0 0.0 1 100.0 0 0.0 0 0.0 0 0.0	0 15 39 61 54	0.0 0.0 7.9 20.6 32.3 28.6 10.6	0 0 0 4 1	0.0 0.0 0.0 0.0 80.0 20.0 0.0
BOROUGH OF RESIDENCE											
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Other/Unknown	0 1 1 0 1	0.0 33.3 33.3 0.0 33.3	0 1 1 0	0.0 33.3 33.3 0.0 33.3	0 0 0	0.0 0.0 0.0 0.0	0 0.0 0 0.0 1 100.0 0 0.0 0 0.0	46 44 41	19.6 24.3 23.3 21.7 11.1	2 1 1 0 1	40.0 20.0 20.0 0.0 20.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	0 (	0.0 0.0 0.0	0 0.0 0 0.0 0 0.0	41	8.5 21.7 32.3	0 0 2	0.0 0.0 40.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	2	66.7 33.3	2	66.7 33.3	0	).0 ).0	1 100.0 0 0.0	50	26.5 11.1	2	40.0 20.0
TRANSMISSION RISK Men who have sex with men (MSM)	1	33.3	1	33.3	0 (	0.0	1 100.0	91	48.1	2	40.0
Injection drug use history (IDÙ) MSM-IDU Heterosexual contact Transgender people with sexual contact	0 0 1 0	0.0 0.0 33.3 0.0	0 0 1 0	0.0 0.0 33.3 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0.0 0 0.0 0 0.0 0 0.0	18 9 15 0	9.5 4.8 7.9 0.0	1 0 0 0	20.0 0.0 0.0 0.0
Perinatal Other Unknown	0 0 1	0.0 0.0 33.3	0 0 1	0.0 0.0 33.3	0	).0 ).0 ).0	0 0.0 0 0.0 0 0.0	2	0.0 1.1 28.6	0 0 2	0.0 0.0 40.0

Table 1.3.10. Native American females (includes transgender women)

		HIV	DIAGN	OSES, 20		AIDS DIAGNOS	ES, 2011	PLWHA A 12/31/2		DEATHS	, 2011
	Total HIV d	%	With	out AIDS %	Concurrent with AID diagnose N	es % N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0 0.	0 0	0.0	76	100.0	2	100.0
AGE GROUP (YEARS)									4.0		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 1 0 0	0.0 0.0 100.0 0.0 0.0 0.0	0 0 1 0 0 0	0.0 0.0 100.0 0.0 0.0 0.0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	1 1 7 14 28 21 4	1.3 1.3 9.2 18.4 36.8 27.6 5.3	0 0 1 0 1 0	0.0 0.0 50.0 0.0 50.0 0.0
BOROUGH OF RESIDENCE Bronx	0	0.0	0	0.0	0 0.		0.0	20	26.3	1	50.0
Brooklyn Manhattan Queens Other/Unknown	0 0 0 0	0.0 0.0 0.0 0.0 100.0	0 0 0 0	0.0 0.0 0.0 0.0 100.0	0 0 0 0 0 0 0 0	0 0 0 0	0.0 0.0 0.0 0.0	30 11 12 3	39.5 14.5 15.8 3.9	1 0 0 0	50.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	0 0 0 0 0 0	0	0.0 0.0 0.0	6 16 29	7.9 21.1 38.2	0 0 1	0.0 0.0 50.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 1	0.0 100.0	0 1	0.0 100.0	0 0 0		0.0 0.0	23 2	30.3 2.6	1 0	50.0 0.0
TRANSMISSION RISK Injection drug use history (IDU)	0	0.0	0	0.0	0 0		0.0	4	5.3	1	50.0
Heterosexual contact Transgender people with sexual contact Perinatal Other	0 1 0 0	0.0 100.0 0.0 0.0	0 1 0 0	0.0 100.0 0.0 0.0	0 0 0 0 0 0 0 0	0 0 0 0	0.0 0.0 0.0 0.0	48 4 3 1	63.2 5.3 3.9 1.3	0 0 1 0	0.0 0.0 50.0 0.0 0.0
Unknown	0	0.0	0	0.0	0 0	0 0	0.0	16	21.1	0	0.0

Table 1.4.1. Males 0-12 Years

		HIV	DIAGN	OSES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA <i>A</i> 12/31/2		DEATHS,	, 2011
					Concurrent wi	-			12/31/2	011		
	Total HIV o			out AIDS		agnoses	N.	0/	N	0/	NI	0
TOTAL	N 1	% 100.0	N 1	% 100.0	N 0	% 0.0	N <b>0</b>	% 0.0	N 125	% 100.0	N 0	0.0
												-
RACE/ETHNICITY												
Black	1	100.0	1	100.0	0	0.0	0	0.0	76	60.8	0	0.
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	41	32.8	0	0.0 0.0 0.0
White Control of the	0	0.0	0	0.0	0	0.0	0	0.0	5	4.0	0	0.
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	2.4	0	0.
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0. 0.
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	37	29.6	0	0.
Brooklyn	1	100.0	1	100.0	0	0.0	0	0.0	33	26.4	0	0.
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	23	18.4	0	0.
Queens	0	0.0	0	0.0	0	0.0	0	0.0	19	15.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0 0.0 0.0 0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	9	7.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	2.4	0	0.
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	8	6.4	0	0.
Medium poverty (10 to <20% below FPL)	0	0.0	Ö	0.0	Ō	0.0	0	0.0	18	14.4	Ö	0.0
High poverty (20 to <30% below FPL)	1	100.0	1	100.0	Ō	0.0	0	0.0	39	31.2	Ö	0.0
	0									38.4		
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	48		0	0.
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	12	9.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDÜ)	0	0.0	Ō	0.0	0	0.0	0	0.0	0	0.0	0	0.
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.
Perinatal	1	100.0	Ť	100.0	Ō	0.0	Ō	0.0	125	100.0	Ö	0.
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0. 0. 0. 0.
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.

Table 1.4.2. Females 0-12 Years

		HIV	DIAGN	OSES, 201	1		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV d	liaanoses	Witho	out AIDS	Concurrent wit	th AIDS			12/31/20	,,,		
	N	%	N	%	N	%	N	%	N	%	N	9/
TOTAL	6	100.0	6	100.0	0	0.0		0.0	143	100.0		0.0
RACE/ETHNICITY												
Black	1	16.7	1	16.7	0	0.0	0	0.0	80	55.9	0	0.0 0.0
Latino/Hispanic	5	83.3	5	83.3	0	0.0	0	0.0	55	38.5		0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	7	4.9		0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE	_							_				
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	45	31.5	0	0.0
Brooklyn	0	0.0	Ö	0.0	Ō	0.0	0	0.0	36	25.2		0.0
Manhattan	2	33.3	2	33.3	Ö	0.0	0	0.0	21	14.7	Ö	0.0
Queens	2 3	50.0	3	50.0	Ö	0.0	Õ	0.0	14	9.8	Ö	0.0
Staten Island	Ö	0.0	Õ	0.0	ő	0.0	Õ	0.0	5	3.5		0.0
Outside NYC	1	16.7	1	16.7	Õ	0.0	Õ	0.0	13	9.1	Ö	0.0
Unknown	Ö	0.0	Ö	0.0	ő	0.0	Ö	0.0	9	6.3		0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	1	16.7	1	16.7	0	0.0	0	0.0	8	5.6	0	0.0
Medium poverty (10 to <20% below FPL)	1	16.7	1	16.7	ő	0.0	0	0.0	20	14.0		
High poverty (20 to <30% below FPL)	3	50.0	3	50.0	0	0.0	0	0.0	41	28.7	0	0.0 0.0
							_					
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	52	36.4	0	0.0
Area-based poverty level not available	1	16.7	1	16.7	0	0.0	0	0.0	22	15.4	0	0.0
TRANSMISSION RISK	_							_				
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	Ö	0.0	Ö	0.0	Ŏ	0.0	Ŏ	0.0	Ö	0.0	Ö	0.0
Transgender people with sexual contact	Ö	0.0	Ö	0.0	Õ	0.0	0	0.0	Ö	0.0	Ö	0.0 0.0
Perinatal	6	100.0	6	100.0	ő	0.0	Õ	0.0	143	100.0	Ö	0.0
Other	Ö	0.0	ő	0.0	ő	0.0	Ő	0.0	0	0.0	Ö	0.0
Unknown	ŏ	0.0	Õ	0.0	ŏ	0.0	Õ	0.0	ŏ	0.0		0.0 0.0

Table 1.4.3. Males 13+ Years (includes transgender men)

		HIV	DIAGNOS	SES, 2011	l		AIDS DIAGNOSE	S, 2011	PLWHA AS 12/31/20		DEATHS,	2011
	Total HIV di N	iagnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses	N	%	N	%	N	9/
TOTAL	2,596	100.0	2,116	81.5	480	18.5	1,712	100.0	82,457	100.0	1,423	100.0
RACE/ETHNICITY												
Black Latino/Hispanic	1,042 848	40.1 32.7	831 693	39.3 32.8	211 155	44.0 32.3	822 570	48.0 33.3	32,193 26.616	39.0 32.3	649 479	45.6 33.7
White	599	23.1	508	24.0	91	19.0	274	16.0	21,426	26.0	276	19.4
Asian/Pacific Islander	97	3.7	75	3.5	22	4.6	42	2.5	1,653	2.0	13	0.9
Native American Multiracial	3 7	0.1 0.3	3 6	0.1 0.3	0 1	0.0 0.2	1 3	0.1 0.2	189 103	0.2 0.1	5 1	0.4 0.1
Unknown	Ó	0.0	0	0.0	0	0.2	0	0.2	277	0.1	0	0.0
ACE CROUP (VEARS)												
AGE GROUP (YEARS) 13-19	140	5.4	133	6.3	7	1.5	33	1.9	666	0.8	1	0.1
20-29	957	36.9	853	40.3	104	21.7	370	21.6	7,327	8.9	47	3.3
30-39	649	25.0	527	24.9	122	25.4	405	23.7	12,284	14.9	90	6.3 24.9
40-49 50-59	517 253	19.9 9.7	379 171	17.9 8.1	138 82	28.8 17.1	506 305	29.6 17.8	26,391 24,172	32.0 29.3	354 505	24.9 35.5
60+	80	3.1	53	2.5	27	5.6	93	5.4	11,617	14.1	426	29.9
BOROUGH OF RESIDENCE								_				
Bronx	414	15.9	316	14.9	98	20.4	365	21.3	15,380	18.7	335	23.5
Brooklyn	678	26.1	528	25.0	150	31.3	449	26.2	18,039	21.9	343	24.1
Manhattan Queens	704 386	27.1 14.9	602 311	28.4 14.7	102 75	21.3 15.6	408 218	23.8 12.7	25,302 11,781	30.7 14.3	305 126	21.4 8.9
Staten Island	27	1.0	15	0.7	12	2.5	25	1.5	1,412	1.7	41	2.9
Outside NYC	350	13.5	309	14.6	41	8.5	213	12.4	8,961	10.9	70	4.9
Unknown	37	1.4	35	1.7	2	0.4	34	2.0	1,582	1.9	203	14.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	250 585	9.6 22.5	210 478	9.9 22.6	40 107	8.3 22.3	125 353	7.3 20.6	10,130 19,825	12.3 24.0	92 240	6.5 16.9
High poverty (20 to <30% below FPL)	789	30.4	623	29.4	166	34.6	537	31.4	22,771	27.6	405	28.5
Very high poverty (≥30% below FPL)	570	22.0	447	21.1	123	25.6	441	25.8	18,043	21.9	413	29.0
Area-based poverty level not available	402	15.5	358	16.9	44	9.2	256	15.0	11,688	14.2	273	19.2
TRANSMISSION RISK								_		_		
Men who have sex with men (MSM)	1,756	67.6	1,507	71.2	249	51.9	881	51.5	41,706	50.6	375	26.4
Injection drug use history (IDÙ)	73	2.8	48	2.3	25	5.2	154	9.0	11,743	14.2	431	30.3
MSM-IDU Heterosexual contact	56 163	2.2 6.3	47 115	2.2 5.4	9 48	1.9 10.0	57 147	3.3 8.6	2,724 5,975	3.3 7.2	78 125	5.5 8.8
Transgender people with sexual contact	1	0.0	1	0.0	0	0.0	0	0.0	5,975	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	23	1.3	1,117	1.4	13	0.9
Other Unknown	0 547	0.0 21.1	0 398	0.0 18.8	0 149	0.0 31.0	0 450	0.0 26.3	120 19,066	0.1 23.1	2 399	0.1 28.0
UTINTOWIT	347	21.1	396	10.0	149	31.0	400	20.3	19,000	۷۵.۱	399	∠6.0

Table 1.4.4. Females 13+ Years

			DIAGNO	SES, 20	11 Concurrent w	ith AIDS	AIDS DIAGNOSE	ES, 2011	PLWHA A 12/31/20		DEATHS	5, 2011
	Total HIV di	agnoses	Withou			agnoses						
TOTAL	N	%	N 623	%	N	%	N <b>654</b>	% 400.0	N	%	N <b>617</b>	%
TOTAL	783	100.0	623	79.6	160	20.4	654	100.0	33,526	100.0	617	100.0
RACE/ETHNICITY												
Black	488	62.3	380	61.0	108	67.5	421	64.4	19,410	57.9	354	57.4
Latino/Hispanic White	232 50	29.6 6.4	190 42	30.5 6.7	42 8	26.3 5.0	191 33	29.2 5.0	11,020 2,516	32.9 7.5	200 54	32.4 8.8
Asian/Pacific Islander	11	1.4	9	1.4	2	1.3	8	1.2	388	1.2	7	1.1
Native American	1	0.1	ĭ	0.2	ō	0.0	ő	0.0	75	0.2	2	0.3
Multiracial	1	0.1	1	0.2	0	0.0	1	0.2	33	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	84	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	47	6.0	43	6.9	4	2.5	22	3.4	630	1.9	1	0.2
20-29	178	22.7	158	25.4	20	12.5	96	14.7	2,518	7.5	19	3.1
30-39	176	22.5	145	23.3	31	19.4	133	20.3	5,313	15.8	53	8.6
40-49 50-59	195 130	24.9 16.6	145 98	23.3 15.7	50 32	31.3 20.0	210 133	32.1 20.3	11,185 9,852	33.4 29.4	184 231	29.8 37.4
60+	57	7.3	34	5.5	23	14.4	60	9.2	4,028	12.0	129	20.9
								-	.,			
BOROUGH OF RESIDENCE Bronx	213	27.2	167	26.8	46	28.8	203	31.0	10,221	30.5	178	28.8
Brooklyn	253	32.3	197	31.6	56	35.0	203	30.7	9,921	29.6	166	26.9
Manhattan	120	15.3	105	16.9	15	9.4	92	14.1	5,329	15.9	99	16.0
Queens	100	12.8	72	11.6	28	17.5	87	13.3	4,738	14.1	65	10.5 3.1
Staten Island	12	1.5	9	1.4	3	1.9	8	1.2	775	2.3	19	3.1
Outside NYC	70	8.9	58	9.3	12	7.5	48	7.3	2,031	6.1	16	2.6
Unknown	15	1.9	15	2.4	0	0.0	15	2.3	511	1.5	74	12.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	50	6.4	42	6.7	8	5.0	25	3.8	2,020	6.0	24	3.9
Medium poverty (10 to <20% below FPL)	155	19.8	118	18.9	37	23.1	133	20.3	6,618	19.7	96	15.6
High poverty (20 to <30% below FPL)	238	30.4	192	30.8	46	28.8	199	30.4	10,604	31.6	195	31.6
Very high poverty (≥30% below FPL)	254	32.4	197	31.6	57	35.6	233	35.6	11,451	34.2	211	34.2
Area-based poverty level not available	86	11.0	74	11.9	12	7.5	64	9.8	2,833	8.5	91	14.7
TRANSMISSION RISK												
Injection drug use history (IDU)	34	4.3	27	4.3	7	4.4	86	13.1	6,006	17.9	212	34.4
Heterosexual contact	576	73.6	451	72.4	125	78.1	412	63.0	17,115	51.0	268	43.4
Transgender people with sexual contact	49	6.3	42	6.7	7	4.4	29	4.4	774	2.3	8	1.3
Perinatal Other	1 0	0.1 0.0	0	0.0 0.0	1	0.6 0.0	20 0	3.1 0.0	1,171 105	3.5 0.3	12	1.9 0.2
Unknown	123	15.7	103	16.5	20	12.5	107	16.4	8,355	24.9	116	18.8

Table 1.5.1. Bronx, males (includes transgender men)

	<b>-</b>				Concurrent v		AIDS DIAGNOS	SES, 2011	PLWHA A 12/31/20		DEATHS	i, 2011
	Total HIV di		Withou			liagnoses						
	N	%	N	%	N	%	N	%	N	%		%
TOTAL	414	100.0	316	76.3	98	23.7	365	100.0	15,417	100.0	335	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	174 211 22 5 0 2	42.0 51.0 5.3 1.2 0.0 0.5 0.0	134 161 16 3 0 2	42.4 50.9 5.1 0.9 0.0 0.6 0.0	40 50 6 2 0 0	40.8 51.0 6.1 2.0 0.0 0.0	156 191 16 2 0 0	42.7 52.3 4.4 0.5 0.0 0.0	6,617 7,846 791 94 37 7 25	42.9 50.9 5.1 0.6 0.2 0.0 0.2	145 166 19 3 2 0	43.3 49.6 5.7 0.9 0.6 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 23 145 103 86 41 16	0.0 5.6 35.0 24.9 20.8 9.9 3.9	0 22 121 74 64 25 10	0.0 7.0 38.3 23.4 20.3 7.9 3.2	0 1 24 29 22 16 6	0.0 1.0 24.5 29.6 22.4 16.3 6.1	0 8 68 79 107 74 29	0.0 2.2 18.6 21.6 29.3 20.3 7.9	37 194 1,330 2,012 4,766 4,876 2,202	0.2 1.3 8.6 13.1 30.9 31.6 14.3	0 0 9 20 78 137 91	0.0 0.0 2.7 6.0 23.3 40.9 27.2
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	1 47 82 284 0	0.2 11.4 19.8 68.6 0.0	0 37 61 218 0	0.0 11.7 19.3 69.0 0.0	1 10 21 66 0	1.0 10.2 21.4 67.3 0.0	1 34 75 254 1	0.3 9.3 20.5 69.6 0.3	92 1,492 2,813 10,895 125	0.6 9.7 18.2 70.7 0.8	2 25 55 253 0	0.6 7.5 16.4 75.5
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	219 24 10 39 1 0 0	52.9 5.8 2.4 9.4 0.2 0.0 0.0 29.2	179 18 8 29 1 0	56.6 5.7 2.5 9.2 0.3 0.0 0.0 25.6	40 6 2 10 0 0 0	40.8 6.1 2.0 10.2 0.0 0.0 0.0 40.8	128 55 16 40 0 5 0	35.1 15.1 4.4 11.0 0.0 1.4 0.0 33.2	4,744 3,563 655 1,533 5 396 23 4,498	30.8 23.1 4.2 9.9 0.0 2.6 0.1 29.2	54 136 23 27 0 5 0	16.1 40.6 6.9 8.1 0.0 1.5 0.0 26.9

Table 1.5.2. Bronx, females (includes transgender women)

				SES, 20	11		AIDS DIAGNOS	ES, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
	Total HIV d	%	Withou	t AIDS %	N	liagnoses %	N	%	N	%	N	%
TOTAL	213	100.0	167	78.4	46	21.6	203	100.0	10,266	100.0	178	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	119 87 7 0 0 0	55.9 40.8 3.3 0.0 0.0 0.0	90 71 6 0 0 0	53.9 42.5 3.6 0.0 0.0 0.0	29 16 1 0 0 0	63.0 34.8 2.2 0.0 0.0 0.0	111 84 7 0 0 1	54.7 41.4 3.4 0.0 0.0 0.5 0.0	5,143 4,712 334 40 20 1	50.1 45.9 3.3 0.4 0.2 0.0	91 77 6 3 1 0	51.1 43.3 3.4 1.7 0.6 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 18 46 53 52 30 14	0.0 8.5 21.6 24.9 24.4 14.1 6.6	0 16 40 50 32 20 9	0.0 9.6 24.0 29.9 19.2 12.0 5.4	0 2 6 3 20 10 5	0.0 4.3 13.0 6.5 43.5 21.7 10.9	0 10 23 39 73 42 16	0.0 4.9 11.3 19.2 36.0 20.7 7.9	45 200 739 1,728 3,445 2,928 1,181	0.4 1.9 7.2 16.8 33.6 28.5 11.5	0 0 8 20 62 56 32	0.0 0.0 4.5 11.2 34.8 31.5 18.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	1 30 32 150 0	0.5 14.1 15.0 70.4 0.0	1 22 25 119 0	0.6 13.2 15.0 71.3 0.0	0 8 7 31 0	0.0 17.4 15.2 67.4 0.0	1 21 38 143 0	0.5 10.3 18.7 70.4 0.0	30 1,071 2,054 7,074 37	0.3 10.4 20.0 68.9 0.4	0 17 30 131 0	0.0 9.6 16.9 73.6 0.0
Mica-based poverty level flot available	0	0.0	- 0	0.0	0	0.0	U	0.0	31	0.4	U	0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	12 179 6 0 0	5.6 84.0 2.8 0.0 0.0 7.5	10 138 6 0 0	6.0 82.6 3.6 0.0 0.0 7.8	2 41 0 0 0 3	4.3 89.1 0.0 0.0 0.0 6.5	33 126 5 10 0	16.3 62.1 2.5 4.9 0.0 14.3	1,990 5,112 159 427 24 2,554	19.4 49.8 1.5 4.2 0.2 24.9	63 79 3 4 1 28	35.4 44.4 1.7 2.2 0.6 15.7

Table 1.5.3. Brooklyn, males (includes transgender men)

					Concurrent w		AIDS DIAGNOSI	ES, 2011	PLWHA A: 12/31/20		DEATHS	, 2011
	Total HIV di		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	679	100.0	529	77.9	150	22.1	449	100.0	18,072	100.0	343	100.0
RACE/ETHNICITY												
Black	404	59.5	309	58.4	95	63.3	302	67.3	10,425	57.7	211	61.5
Latino/Hispanic	142	20.9	111	21.0	31	20.7	94	20.9	4,480	24.8	95	27.7
White	112	16.5	94	17.8	18	12.0	41	9.1	2,790	15.4	34	9.9
Asian/Pacific Islander	20	2.9	14	2.6	6	4.0	12	2.7	285	1.6	2	0.6
Native American	1	0.1	1	0.2	0	0.0	0	0.0	46	0.3	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	1	0.1	1	0.2	0	0.0	0	0.0	33	0.2	0	0.0
13-19	46	6.8	41	7.8	5	3.3	11	2.4	193	1.1	0	0.0
20-29	262	38.6	225	42.5	37	24.7	103	22.9	1.857	10.3	12	3.5 5.5
30-39	149	21.9	125	23.6	24	16.0	90	20.0	2,845	15.7	19	5.5
40-49	128	18.9	82	15.5	46	30.7	133	29.6	5,514	30.5	81	23.6
50-59	72	10.6	43	8.1	29	19.3	87	19.4	5,083	28.1	116	33.8
60+	21	3.1	12	2.3	9	6.0	25	5.6	2.547	14.1	115	33.5
00+	21	3.1	12	2.3	9	0.0	25	5.0	2,547	14.1	113	33.3
AREA-BASED POVERTY LEVEL			- 10									
Low poverty (<10% below FPL)	22	3.2	19	3.6	3	2.0	15	3.3	649	3.6	7	2.0
Medium poverty (10 to <20% below FPL)	161	23.7	118	22.3	43	28.7	106	23.6	4,287	23.7	76	22.2
High poverty (20 to <30% below FPL)	232	34.2	183	34.6	49	32.7	158	35.2	6,541	36.2	116	33.8
Very high poverty (≥30% below FPL)	259	38.1	205	38.8	54	36.0	169	37.6	6,406	35.4	144	42.0
Area-based poverty level not available	5	0.7	4	0.8	1	0.7	1	0.2	189	1.0	0	0.0
Area-based poverty level not available	5	0.7	4	0.6		0.7	I	0.2	109	1.0	U	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	416	61.3	354	66.9	62	41.3	211	47.0	7,848	43.4	77	22.4
Injection drug use history (IDU)	22	3.2	14	2.6	8	5.3	34	7.6	2,787	15.4	107	31.2
MSM-IDU	10	1.5	9	1.7	1	0.7	17	3.8	576	3.2	19	5.5
Heterosexual contact	46	6.8	27	5.1	19	12.7	45	10.0	1,624	9.0	34	9.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	9.9 0.0 0.3
Perinatal	1	0.1	1	0.2	0	0.0	8	1.8	344	1.9	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	1	0.3
Unknown	184	27.1	124	23.4	60	40.0	134	29.8	4,869	26.9	104	30.3

Table 1.5.4. Brooklyn, females (includes transgender women)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di	%	Withou N	t AIDS %	N	noses %	N	%	N	%	N	%
TOTAL	253	100.0	197	77.9	56	22.1	201	100.0	9,957	100.0	166	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	200 36 14 2 0 1	79.1 14.2 5.5 0.8 0.0 0.4 0.0	152 29 13 2 0 1	77.2 14.7 6.6 1.0 0.0 0.5 0.0	48 7 1 0 0 0	85.7 12.5 1.8 0.0 0.0 0.0	155 36 7 3 0 0	77.1 17.9 3.5 1.5 0.0 0.0	6,919 2,358 528 90 30 7 25	69.5 23.7 5.3 0.9 0.3 0.1 0.3	107 46 11 1 1 0	64.5 27.7 6.6 0.6 0.6 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 11 56 50 73 43 20	0.0 4.3 22.1 19.8 28.9 17.0 7.9	0 10 51 39 57 31	0.0 5.1 25.9 19.8 28.9 15.7 4.6	0 1 5 11 16 12 11	0.0 1.8 8.9 19.6 28.6 21.4 19.6	0 6 26 42 64 42 21	0.0 3.0 12.9 20.9 31.8 20.9 10.4	36 184 768 1,525 3,234 3,001 1,209	0.4 1.8 7.7 15.3 32.5 30.1 12.1	0 0 8 19 43 58 38	0.0 0.0 4.8 11.4 25.9 34.9 22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	12 67 76 98 0	4.7 26.5 30.0 38.7 0.0	10 53 62 72 0	5.1 26.9 31.5 36.5 0.0	2 14 14 26 0	3.6 25.0 25.0 46.4 0.0	6 43 71 80 1	3.0 21.4 35.3 39.8 0.5	310 2,098 3,451 4,030 68	3.1 21.1 34.7 40.5 0.7	0 34 60 72 0	0.0 20.5 36.1 43.4 0.0
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	10 184 9 1 0 49	4.0 72.7 3.6 0.4 0.0 19.4	7 142 8 0 0 40	3.6 72.1 4.1 0.0 0.0 20.3	3 42 1 1 0 9	5.4 75.0 1.8 1.8 0.0 16.1	23 121 8 7 0 42	11.4 60.2 4.0 3.5 0.0 20.9	1,616 5,213 192 377 29 2,530	16.2 52.4 1.9 3.8 0.3 25.4	56 72 1 4 0 33	33.7 43.4 0.6 2.4 0.0 19.9

Table 1.5.5. Manhattan, males (includes transgender men)

		HIV	DIAGNO	)SES, 20	11		AIDS DIAGNOSI	ES, 2011	PLWHA A: 12/31/20		DEATHS	, 2011
					Concurrent w	-						
	Total HIV di	•	Withou			agnoses		0.4		0.0		0.4
TOTAL	704	% 100.0	N 602	% 85.5	N 102	% 14.5	N <b>408</b>	% 100.0	N 25,325	% 100.0	N <b>305</b>	100.0
IOTAL	704	100.0	002	00.0	102	14.5	400	100.0	25,525	100.0	303	100.0
RACE/ETHNICITY								_				
Black	172	24.4	136	22.6	36	35.3	167	40.9	6,991	27.6	113	37.0
Latino/Hispanic	222	31.5	191	31.7	31	30.4	127	31.1	6,764	26.7	93	30.5
White	279	39.6	250	41.5	29	28.4	103	25.2	10,794	42.6	95	31.1
Asian/Pacific Islander	29	4.1	24	4.0	5	4.9	10	2.5	554	2.2	3	1.0 0.3
Native American	1	0.1	1	0.2	0	0.0	1	0.2	44	0.2	1	0.3
Multiracial	1	0.1	0	0.0	1	1.0	0	0.0	13	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	165	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
13-19	24	3.4	24	4.0	ő	0.0	2	0.5	77	0.3	ĭ	0.3
20-29	236	33.5	218	36.2	18	17.6	70	17.2	1,587	6.3	6	0.3 2.0
30-39	198	28.1	168	27.9	30	29.4	112	27.5	3,603	14.2	16	5.2
40-49	164	23.3	130	21.6	34	33.3	132	32.4	8,369	33.0	63	20.7
50-59	60	8.5	45	7.5	15	14.7	66	16.2	7,562	29.9	102	33.4
60+	22	3.1	17	2.8	5	4.9	26	6.4	4.104	16.2	117	38.4
									, -			
AREA-BASED POVERTY LEVEL						24.0		40.0				
Low poverty (<10% below FPL)	173	24.6	151	25.1	22	21.6	76	18.6	7,314	28.9	55	18.0
Medium poverty (10 to <20% below FPL)	193	27.4	164	27.2	29	28.4	109	26.7	7,460	29.5	74	24.3
High poverty (20 to <30% below FPL)	302	42.9	254	42.2	48	47.1	200	49.0	9,084	35.9	160	52.5
Very high poverty (≥30% below FPL)	27	3.8	24	4.0	3	2.9	17	4.2	790	3.1	16	5.2
Area-based poverty level not available	9	1.3	9	1.5	0	0.0	6	1.5	677	2.7	0	0.0
TRANSMISSION RISK	550	70.4	400	04.4	0.4	CO 7	0.40	F0.6	40.400	C2 0	407	25.4
Men who have sex with men (MSM)	552	78.4	488	81.1	64	62.7	243	59.6	16,163	63.8	107	35.1
Injection drug use history (IDÙ)	12	1.7	9	1.5	3	2.9	26	6.4	2,554	10.1	76	24.9
MSM-IDU	21	3.0	18	3.0	3	2.9	13	3.2	783	3.1	24	7.9 6.6 0.0
Heterosexual contact	27	3.8	22 0	3.7	5 0	4.9 0.0	21 0	5.1	1,039	4.1	20 0	6.6
Transgender people with sexual contact	0	0.0	_	0.0	_		-	0.0	0	0.0	_	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	5	1.2	179	0.7	3	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	0	0.0
Unknown	92	13.1	65	10.8	27	26.5	100	24.5	4,589	18.1	75	24.6

Table 1.5.6. Manhattan, females (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES,	2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV di	%	Withou N	t AIDS %	Concurrent with A diagn N	oses %	N	%	N	%	N	%
TOTAL	122	100.0	107	87.7	15	12.3	92	100.0	5,350	100.0	99	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	69 46 7 0 0 0	56.6 37.7 5.7 0.0 0.0 0.0	61 40 6 0 0	57.0 37.4 5.6 0.0 0.0 0.0		53.3 40.0 6.7 0.0 0.0 0.0	57 30 4 1 0 0	62.0 32.6 4.3 1.1 0.0 0.0 0.0	2,957 1,737 556 66 11 4 19	55.3 32.5 10.4 1.2 0.2 0.1 0.4	54 34 11 0 0 0	54.5 34.3 11.1 0.0 0.0 0.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 7 21 32 28 21 11	1.6 5.7 17.2 26.2 23.0 17.2 9.0	2 7 20 25 26 19 8	1.9 6.5 18.7 23.4 24.3 17.8 7.5	2 2	0.0 0.0 6.7 46.7 13.3 13.3 20.0	0 3 17 20 24 19 9	0.0 3.3 18.5 21.7 26.1 20.7 9.8	21 95 339 715 1,744 1,652 784	0.4 1.8 6.3 13.4 32.6 30.9 14.7	0 1 0 4 29 39 26	0.0 1.0 0.0 4.0 29.3 39.4 26.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	18 18 79 6 1	14.8 14.8 64.8 4.9 0.8	16 14 70 6 1	15.0 13.1 65.4 5.6 0.9	4	13.3 26.7 60.0 0.0	19 56 10	7.6 20.7 60.9 10.9 0.0	617 895 3,321 399 118	11.5 16.7 62.1 7.5 2.2	5 18 68 8 0	5.1 18.2 68.7 8.1 0.0
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	9 77 10 2 0 24	7.4 63.1 8.2 1.6 0.0 19.7	7 68 8 2 0	6.5 63.6 7.5 1.9 0.0 20.6		13.3 60.0 13.3 0.0 0.0 13.3	14 57 6 3 0 12	15.2 62.0 6.5 3.3 0.0 13.0	1,176 2,410 159 192 17 1,396	22.0 45.0 3.0 3.6 0.3 26.1	41 43 3 1 0	41.4 43.4 3.0 1.0 0.0 11.1

Table 1.5.7. Queens, males (includes transgender men)

			DIAGNO	OSES, 20	<b>11</b> Concurrent w	ith AIDS	AIDS DIAGNOS	ES, 2011	PLWHA A 12/31/20		DEATHS	5, 2011
	Total HIV di		Withou			iagnoses						
TOTAL	N 386	% 100.0	N 311	% 80.6	N 75	% 19.4	N <b>218</b>	% 100.0	N 11,800	% 100.0	N 126	% 100.0
IOTAL	300	100.0	311	00.0	75	19.4	210	100.0	11,000	100.0	120	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	130 171 56 29 0 0	33.7 44.3 14.5 7.5 0.0 0.0	103 138 47 23 0 0	33.1 44.4 15.1 7.4 0.0 0.0	27 33 9 6 0 0	36.0 44.0 12.0 8.0 0.0 0.0	92 86 30 10 0 0	42.2 39.4 13.8 4.6 0.0 0.0	4,165 4,832 2,204 519 41 10 29	35.3 40.9 18.7 4.4 0.3 0.1 0.2	56 45 23 2 0 0	44.4 35.7 18.3 1.6 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 15 138 100 82 44 7	0.0 3.9 35.8 25.9 21.2 11.4 1.8	0 15 129 78 57 28 4	0.0 4.8 41.5 25.1 18.3 9.0 1.3	0 9 22 25 16 3	0.0 0.0 12.0 29.3 33.3 21.3 4.0	0 5 44 60 67 36 6	0.0 2.3 20.2 27.5 30.7 16.5 2.8	19 92 959 1,896 4,054 3,424 1,356	0.2 0.8 8.1 16.1 34.4 29.0 11.5	0 0 5 12 34 47 28	0.0 0.0 4.0 9.5 27.0 37.3 22.2
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	49 180 156 0 1	12.7 46.6 40.4 0.0 0.3	38 157 115 0 1	12.2 50.5 37.0 0.0 0.3	11 23 41 0 0	14.7 30.7 54.7 0.0 0.0	28 100 88 1 1	12.8 45.9 40.4 0.5 0.5	1,678 6,509 3,476 0 137	14.2 55.2 29.5 0.0 1.2	22 65 39 0	17.5 51.6 31.0 0.0 0.0
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	269 9 5 34 0 0 0	69.7 2.3 1.3 8.8 0.0 0.0 0.0 17.9	222 4 3 24 0 0 0 58	71.4 1.3 1.0 7.7 0.0 0.0 0.0 18.6	47 5 2 10 0 0 0	62.7 6.7 2.7 13.3 0.0 0.0 0.0	118 17 6 23 0 2 0 52	54.1 7.8 2.8 10.6 0.0 0.9 0.0 23.9	5,627 1,667 344 1,134 0 183 21 2,824	47.7 14.1 2.9 9.6 0.0 1.6 0.2 23.9	40 37 3 14 0 0 0 32	31.7 29.4 2.4 11.1 0.0 0.0 0.0 25.4

Table 1.5.8. Queens, females (includes transgender women)

		HIV	DIAGNO	SES, 20		4450	AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV di	agnoses %	Withou N		Concurrent with a diagra N	noses %	N	%	N	%	N	%
TOTAL	103	100.0	75	72.8	28	27.2	87	100.0	4,752	100.0	65	100.0
RACE/ETHNICITY								_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	45 43 6 9 0 0	43.7 41.7 5.8 8.7 0.0 0.0	31 34 3 7 0 0	41.3 45.3 4.0 9.3 0.0 0.0	14 9 3 2 0 0	50.0 32.1 10.7 7.1 0.0 0.0	51 25 7 4 0 0	58.6 28.7 8.0 4.6 0.0 0.0	2,737 1,392 440 145 12 10 16	57.6 29.3 9.3 3.1 0.3 0.2 0.3	41 11 11 2 0 0	63.1 16.9 16.9 3.1 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	3 4 25 21 24 19 7	2.9 3.9 24.3 20.4 23.3 18.4 6.8	3 3 20 13 17 15 4	4.0 4.0 26.7 17.3 22.7 20.0 5.3	0 1 5 8 7 4 3	0.0 3.6 17.9 28.6 25.0 14.3 10.7	0 1 13 22 25 17 9	0.0 1.1 14.9 25.3 28.7 19.5 10.3	14 74 341 779 1,626 1,393 525	0.3 1.6 7.2 16.4 34.2 29.3 11.0	0 0 1 5 19 29 11	0.0 0.0 1.5 7.7 29.2 44.6 16.9
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	19 40	18.4 38.8	15 29	20.0 38.7	4 11	14.3 39.3	11 50	12.6 57.5	880 2,516	18.5 52.9	12 26	18.5 40.0
High poverty (20 to <30% below FPL)	44	42.7	31	41.3	13	46.4	26	29.9	1,293	27.2	26	40.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0	0.0 0.0	0 0	0.0 0.0	0 0	0.0	0 0	0.0 0.0	0 63	0.0 1.3	0 1	0.0 1.5
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal	0 80 9 3	0.0 77.7 8.7 2.9	0 57 6 3	0.0 76.0 8.0 4.0	0 23 3 0	0.0 82.1 10.7 0.0	7 65 5 0	8.0 74.7 5.7 0.0	772 2,614 130 163	16.2 55.0 2.7 3.4	19 24 0 1	29.2 36.9 0.0 1.5
Other Unknown	0 11	0.0 10.7	0	0.0 12.0	0 2	0.0 7.1	0 10	0.0 11.5	21 1,052	0.4 22.1	0 21	0.0 32.3

Table 1.5.9. Staten Island, males (includes transgender men)

		HIV	DIAGNO	•		45.0	AIDS DIAGNOSES, 2011	PLWHA 12/31/		DEATHS,	, 2011
	Total HIV di	%	Withou N	t AIDS %	Concurrent with A diagno N	oses %	N %		%	N	%
TOTAL	27	100.0	15	55.6	12	44.4	25 100.0	1,413	100.0	41	100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	7 8 10 2 0	25.9 29.6 37.0 7.4 0.0	5 5 4 1 0	33.3 33.3 26.7 6.7 0.0	3	16.7 25.0 50.0 8.3 0.0	5 20.0 8 32.0 10 40.0 1 4.0 1 4.0	408 490 18	34.4 28.9 34.7 1.3 0.8	20 12 9 0 0	48.8 29.3 22.0 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 7 6 9 1 3	0.0 3.7 25.9 22.2 33.3 3.7 11.1	0 1 5 4 4 1 0	0.0 6.7 33.3 26.7 26.7 6.7 0.0	2 5 0	0.0 0.0 16.7 16.7 41.7 0.0 25.0	0 0. 1 4. 4 16. 6 24. 10 40. 1 4. 3 12.	13 98 178 0 441 0 494	0.1 0.9 6.9 12.6 31.2 35.0 13.3	0 0 1 1 15 13	0.0 0.0 2.4 2.4 36.6 31.7 26.8
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	5 4 18	18.5 14.8 66.7	2 2 11	13.3 13.3 73.3	2 7	25.0 16.7 58.3	5 20.0 4 16.0 16 64.0	95 896	28.7 6.7 63.4	6 0 35	14.6 0.0 85.4
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0	0.0 0.0	0 0	0.0 0.0	0 0	0.0	0 0.0 0 0.1		0.0 1.2	0 0	0.0 0.0
TRANSMISSION RISK											
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	12 2 2	44.4 7.4 7.4	8 0 1	53.3 0.0 6.7		33.3 16.7 8.3	9 36.0 4 16.0 2 8.0	305	36.0 21.6 4.9	6 14 2	14.6 34.1 4.9
Heterosexual contact Transgender people with sexual contact Perinatal Other	1 0 0 0	3.7 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	1 0 0 0	8.3 0.0 0.0 0.0	4 16.0 0.1 4.1 0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0 37 0 1	9.5 0.0 2.6 0.1	7 0 1 0	17.1 0.0 2.4 0.0
Unknown	10	37.0	6	40.0	4	33.3	5 20.0	358	25.3	11	26.8

Table 1.5.10. Staten Island, females (includes transgender women)

		HIV	DIAGNO	SES, 20		://- AIDO	AIDS DIAGNOSE	ES, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di	aanoses	Withou		Concurrent wi	ith AIDS agnoses						
	N	% w	N	%	N	% with the same of	N	%	N	%	N	%
TOTAL	12	100.0	9	75.0	3	25.0	8	100.0	780	100.0	19	100.0
DA OF (FTUNIOITY												
RACE/ETHNICITY Black	8	66.7	5	55.6	3	100.0	7	87.5	363	46.5	10	52.6
Latino/Hispanic	2	16.7	2	22.2	0	0.0	0	0.0	223	28.6	6	31.6
White	2	16.7	2	22.2	ő	0.0	1	12.5	186	23.8	3	15.8
Asian/Pacific Islander	0	0.0	0	0.0	Ö	0.0	0	0.0	3	0.4	Ö	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0 0.0
AGE GROUP (YEARS)		0.0	0	0.0	0	0.0		0.0		0.0		
0-12 13-19	0	0.0 25.0	0 3	0.0 33.3	0	0.0 0.0	0	0.0 0.0	5 10	0.6 1.3	0 0	0.0 0.0
20-29	3	25.0	2	22.2	1	33.3	4	50.0	51	6.5	0	0.0
30-39	2	16.7	2	22.2	Ó	0.0	0	0.0	105	13.5	1	5.3
40-49	1	8.3	0	0.0	1	33.3	3	37.5	271	34.7	6	31.6
50-59	2	16.7	1	11.1	1	33.3	1	12.5	265	34.0	9	47.4
60+	1	8.3	1	11.1	0	0.0	0	0.0	73	9.4	3	15.8
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	1	8.3	1	11.1	0	0.0	0	0.0	191	24.5	7	36.8
Medium poverty (10 to <20% below FPL)	1	8.3	1	11.1	ő	0.0	Ö	0.0	58	7.4	1	36.8 5.3
High poverty (20 to <30% below FPL)	10	83.3	7	77.8	3	100.0	8	100.0	526	67.4	11	57.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
The based poverty level flot available	o o	0.0	Ŭ	0.0	Ŭ	0.0	Ü	0.0	Ŭ	0.0	J	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	1	8.3	1	11.1	0	0.0	1	12.5	150	19.2	11	57.9
Heterosexual contact	7	58.3	5	55.6	2	66.7	5	62.5	415	53.2	5	26.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	Ü	0.0	18	2.3	0	0.0
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	U	0.0 0.0	30 5	3.8 0.6	0	0.0
Unknown	1	33.3	3	33.3	1	33.3	0	25.0	162	20.8	0 3	0.0 15.8
UNINIOWII	4	33.3	<u> </u>	<del>აა</del> .ა		33.3		25.0	102	20.6	3	13.6

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNOS	•			AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV dia	agnoses %	Withou N		Concurrent wit dia N	ith AIDS agnoses %	N	%	N	%	N	%
TOTAL	1,756	100.0	1,507	85.8	249	14.2	881	100.0	41,706	100.0	375	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	616 581 481 72 1 5	35.1 33.1 27.4 4.1 0.1 0.3 0.0	528 501 414 59 1 4	35.0 33.2 27.5 3.9 0.1 0.3 0.0	88 80 67 13 0 1	35.3 32.1 26.9 5.2 0.0 0.4 0.0	375 276 200 26 1 3	42.6 31.3 22.7 3.0 0.1 0.3 0.0	12,644 11,832 16,043 989 91 72 35	30.3 28.4 38.5 2.4 0.2 0.2	129 103 138 3 2 0	34.4 27.5 36.8 0.8 0.5 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 124 775 462 285 83 27	0.0 7.1 44.1 26.3 16.2 4.7 1.5	0 117 692 388 226 64 20	0.0 7.8 45.9 25.7 15.0 4.2 1.3	0 7 83 74 59 19 7	0.0 2.8 33.3 29.7 23.7 7.6 2.8	0 15 288 252 225 78 23	0.0 1.7 32.7 28.6 25.5 8.9 2.6	0 173 5,397 8,390 14,161 9,444 4,141	0.0 0.4 12.9 20.1 34.0 22.6 9.9	0 0 23 41 119 96 96	0.0 0.0 6.1 10.9 31.7 25.6 25.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	219 416 552 269 12 266 22	12.5 23.7 31.4 15.3 0.7 15.1 1.3	179 354 488 222 8 235 21	11.9 23.5 32.4 14.7 0.5 15.6 1.4	40 62 64 47 4 31	16.1 24.9 25.7 18.9 1.6 12.4 0.4	128 211 243 118 9 155 17	14.5 24.0 27.6 13.4 1.0 17.6 1.9	4,744 7,848 16,163 5,627 509 5,741 1,074	11.4 18.8 38.8 13.5 1.2 13.8 2.6	54 77 107 40 6 27 64	14.4 20.5 28.5 10.7 1.6 7.2 17.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	198 413 517	11.3 23.5 29.4	170 354 439	11.3 23.5 29.1	28 59 78	11.2 23.7 31.3	79 188 264	9.0 21.3 30.0	6,920 10,544 11,021	16.6 25.3 26.4	47 74 92	12.5 19.7 24.5
Very high poverty (≥30% below FPL)	328	18.7	277	18.4	51	20.5	169	19.2	5,997	14.4	71	18.9
Area-based poverty level not available	300	17.1	267	17.7	33	13.3	181	20.5	7,224	17.3	91	24.3

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2011	PLWHA A 12/31/20		DEATHS	3, 2011
	Total HIV dia		Withou		Concurrent wi							
	N	agnoses %	N	t AIDS %	N ala	agnoses %	N	%	N	%	N	%
TOTAL	73	100.0	48	65.8	25	34.2	154	100.0	11,743	100.0	431	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	20 37 14 2 0 0	27.4 50.7 19.2 2.7 0.0 0.0	12 27 7 2 0 0	25.0 56.3 14.6 4.2 0.0 0.0	8 10 7 0 0 0	32.0 40.0 28.0 0.0 0.0 0.0	57 81 13 3 0 0	37.0 52.6 8.4 1.9 0.0 0.0	4,812 5,512 1,341 45 18 9 6	41.0 46.9 11.4 0.4 0.2 0.1	184 200 46 0 1 0	42.7 46.4 10.7 0.0 0.2 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 5 17 21 24 5	0.0 1.4 6.8 23.3 28.8 32.9 6.8	0 1 4 15 12 12 4	0.0 2.1 8.3 31.3 25.0 25.0 8.3	0 0 1 2 9 12 1	0.0 0.0 4.0 8.0 36.0 48.0 4.0	0 0 6 14 63 57 14	0.0 0.0 3.9 9.1 40.9 37.0 9.1	0 1 64 438 2,613 5,504 3,123	0.0 0.0 0.5 3.7 22.3 46.9 26.6	0 0 0 6 70 207 148	0.0 0.0 0.0 1.4 16.2 48.0 34.3
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	24 22 12 9 2 3 1	32.9 30.1 16.4 12.3 2.7 4.1 1.4	18 14 9 4 0 2	37.5 29.2 18.8 8.3 0.0 4.2 2.1	6 8 3 5 2 1 0	24.0 32.0 12.0 20.0 8.0 4.0 0.0	55 34 26 17 4 13	35.7 22.1 16.9 11.0 2.6 8.4 3.2	3,563 2,787 2,554 1,667 305 769 98	30.3 23.7 21.7 14.2 2.6 6.5 0.8	136 107 76 37 14 13 48	31.6 24.8 17.6 8.6 3.2 3.0 11.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	4 13 24	5.5 17.8 32.9	2 8 17	4.2 16.7 35.4	2 5 7	8.0 20.0 28.0	3 26 43	1.9 16.9 27.9	726 2,611 3,228	6.2 22.2 27.5	10 66 130	2.3 15.3 30.2
Very high poverty (≥30% below FPL) Area-based poverty level not available	28	38.4 5.5	18 3	37.5 6.3	10 1	40.0 4.0	64 18	41.6 11.7	4,050 1,128	34.5 9.6	164 61	38.1 14.2

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

		HIV	DIAGNO	SES, 20	111 Concurrent with a	AIDS	AIDS DIAGNOSES, 2017		HA AS C 31/2011	F	DEATHS	, 2011
	Total HIV di	agnoses %	Withou N		diagn N			%	N	%	N	0/
TOTAL	34	100.0	27	79.4		20.6	86 100			100.0	212	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	19 7 8 0 0 0	55.9 20.6 23.5 0.0 0.0 0.0	15 6 6 0 0 0	55.6 22.2 22.2 0.0 0.0 0.0 0.0	4 1 2 0 0 0 0	57.1 14.3 28.6 0.0 0.0 0.0	0 ( 0 (	.7 2,4	668 630 681 14 4 5	47.8 40.5 11.3 0.2 0.1 0.1	103 86 22 0 1 0	48.6 40.6 10.4 0.0 0.5 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 7 8 13 2 4	0.0 0.0 20.6 23.5 38.2 5.9 11.8	0 0 6 6 11 1 3	0.0 0.0 22.2 22.2 40.7 3.7 11.1	0 0 1 2 2 1 1	0.0 0.0 14.3 28.6 28.6 14.3 14.3	0 0 4 2 8 9 41 47 25 29	.7 1,9 .1 2,7	0 1 74 24 82 705	0.0 0.0 1.2 7.1 33.0 45.0 13.7	0 0 12 61 103 36	0.0 0.0 0.0 5.7 28.8 48.6 17.0
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	12 10 9 0 1 2	35.3 29.4 26.5 0.0 2.9 5.9 0.0	10 7 7 0 1 2 0	37.0 25.9 25.9 0.0 3.7 7.4 0.0	2 3 2 0 0 0 0	28.6 42.9 28.6 0.0 0.0 0.0	1 1 5 5	.7 1,6 .3 1, .1 .2 .8 2	990 316 76 72 50 869 33	33.1 26.9 19.6 12.9 2.5 4.5 0.5	63 56 41 19 11 2	29.7 26.4 19.3 9.0 5.2 0.9 9.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	3 3 7	8.8 8.8 20.6	2 2 6	7.4 7.4 22.2	1 1 1	14.3 14.3 14.3	3 3 18 20 21 24	.9 1, <sup>2</sup>	47 000	5.2 19.1 31.6	10 25 73	4.7 11.8 34.4
Very high poverty (≥30% below FPL) Area-based poverty level not available	19 2	55.9 5.9	15 2	55.6 7.4	4 0	57.1 0.0	35 40 9 10		.75 .69	37.9 6.1	82 22	38.7 10.4

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

					Concurrent with AIL		OSES, 2011	PLWHA <i>A</i> 12/31/2		DEATHS,	, 2011
	Total HIV di		Withou		diagnos						
TOTAL	N 56	% 100.0	N 47	% 83.9	N 9 1€	% N 5.1 57	% 100.0	N 2,724	% 100.0	N 78	100.0
IOTAL	30	100.0	41	03.9	9 10	57	100.0	2,724	100.0	70	100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	19 17 20 0 0	33.9 30.4 35.7 0.0 0.0	16 13 18 0 0	34.0 27.7 38.3 0.0 0.0 0.0	0 (	.4 30	35.1 52.6 12.3 0.0 0.0	995 1,093 596 26 9	36.5 40.1 21.9 1.0 0.3 0.2	32 26 19 1 0	41.0 33.3 24.4 1.3 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59	0 0 18 20 10 4 4	0.0 0.0 32.1 35.7 17.9 7.1 7.1	0 0 16 18 9 3 1	0.0 0.0 34.0 38.3 19.1 6.4 2.1		2.2 17 .1 13 .1 11	0.0 1.8 15.8 29.8 22.8 19.3 10.5	0 2 170 376 946 894 336	0.0 0.1 6.2 13.8 34.7 32.8 12.3	0 0 0 4 22 32 20	0.0 0.0 0.0 5.1 28.2 41.0 25.6
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	10 10 21 5 2 8 0	17.9 17.9 37.5 8.9 3.6 14.3 0.0	8 9 18 3 1 8 0	17.0 19.1 38.3 6.4 2.1 17.0 0.0	2 22 1 11 3 33 2 22 1 11 0 0	.1 17 3.3 13 2.2 6 .1 2	28.1 29.8 22.8 10.5 3.5 5.3 0.0	655 576 783 344 69 253 44	24.0 21.1 28.7 12.6 2.5 9.3 1.6	23 19 24 3 2 4 3	29.5 24.4 30.8 3.8 2.6 5.1 3.8
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	7 7 18 15	12.5 12.5 32.1 26.8	7 5 13 13	14.9 10.6 27.7 27.7	0 0 2 22 5 55 2 22	19	7.0 24.6 33.3 29.8	230 648 799 730	8.4 23.8 29.3 26.8	7 11 23 30	9.0 14.1 29.5 38.5
Area-based poverty level not available	9	16.1	9	19.1		0.0 3	29.8 5.3	317	26.8 11.6	7	38.5 9.0

Table 1.6.5. Heterosexual, males

		HIV	DIAGNO	SES, 20	11 Concurrent with	th AIDS	AIDS DIAGNOSES	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV dia		Withou	t AIDS	diag	gnoses				24		
TOTAL	N 163	% 100.0	N 115	% <b>70.6</b>	N 48	29.4	N <b>147</b>	% 100.0	N 5,975	% 100.0	N <b>125</b>	100.0
RACE/ETHNICITY								_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	101 44 11 6 1 0	62.0 27.0 6.7 3.7 0.6 0.0	73 32 7 2 1 0	63.5 27.8 6.1 1.7 0.9 0.0 0.0	28 12 4 4 0 0	58.3 25.0 8.3 8.3 0.0 0.0	90 44 8 5 0 0	61.2 29.9 5.4 3.4 0.0 0.0	3,257 2,023 508 166 15 1	54.5 33.9 8.5 2.8 0.3 0.0 0.1	75 30 15 5 0 0	60.0 24.0 12.0 4.0 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 33 31 55 35 7	0.0 1.2 20.2 19.0 33.7 21.5 4.3	0 2 27 25 39 19 3	0.0 1.7 23.5 21.7 33.9 16.5 2.6	0 0 6 6 16 16 4	0.0 0.0 12.5 12.5 33.3 33.3 8.3	0 0 13 27 54 46 7	0.0 0.0 8.8 18.4 36.7 31.3 4.8	0 5 196 686 2,187 2,033 868	0.0 0.1 3.3 11.5 36.6 34.0 14.5	0 0 10 34 47 34	0.0 0.0 0.0 8.0 27.2 37.6 27.2
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	39 46 27 34 1 15	23.9 28.2 16.6 20.9 0.6 9.2 0.6	29 27 22 24 0 12	25.2 23.5 19.1 20.9 0.0 10.4 0.9	10 19 5 10 1 3 0	20.8 39.6 10.4 20.8 2.1 6.3 0.0	40 45 21 23 4 10 4	27.2 30.6 14.3 15.6 2.7 6.8 2.7	1,533 1,624 1,039 1,134 134 461 50	25.7 27.2 17.4 19.0 2.2 7.7 0.8	27 34 20 14 7 3 20	21.6 27.2 16.0 11.2 5.6 2.4 16.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	8 40 57	4.9 24.5 35.0	7 29 34	6.1 25.2 29.6	1 11 23	2.1 22.9 47.9	7 26 51	4.8 17.7 34.7	375 1,361 1,893	6.3 22.8 31.7	9 21 39	7.2 16.8 31.2
Very high poverty (≥30% below FPL) Area-based poverty level not available	42 16	25.8 9.8	32 13	27.8 11.3	10 3	20.8 6.3	49 14	33.3 9.5	1,798 548	30.1 9.2	33 23	26.4 18.4

Table 1.6.6. Heterosexual, females

		HIV	DIAGNO	OSES, 201	11		AIDS DIAGNOSE	S, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	576	100.0	451	78.3	125	21.7	412	100.0	17,115	100.0	268	100.0
RACE/ETHNICITY												
Black	368	63.9	283	62.7	85	68.0	275	66.7	10,188	59.5	159	59.3
Latino/Hispanic	170	29.5	135	29.9	35	28.0	117	28.4	5,496	32.1	84	31.3
White	28	4.9	25	5.5	3	2.4	14	3.4	1,128	6.6	21	7.8
Asian/Pacific Islander	9	1.6	7	1.6	2	1.6	5	1.2	225	1.3	4	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	48	0.3	0	0.0
Multiracial	1	0.2	1	0.2	0	0.0	1	0.2	19	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	37	6.4	34	7.5	3	2.4	7	1.7	64	0.4	0	0.0
20-29	125	21.7	108	23.9	17	13.6	61	14.8	1,237	7.2	7	2.6
30-39	132	22.9	108	23.9	24	19.2	94	22.8	3,166	18.5	24	9.0
40-49	142	24.7	100	22.2	42	33.6	130	31.6	5,975	34.9	89	33.2
50-59	98	17.0	75	16.6	23	18.4	80	19.4	4,675	27.3	84	31.3
60+	42	7.3	26	5.8	16	12.8	40	9.7	1,998	11.7	64	23.9
BOROUGH OF RESIDENCE	_							_				
Bronx	179	31.1	138	30.6	41	32.8	126	30.6	5,112	29.9	79	29.5
Brooklyn	184	31.9	142	31.5	42	33.6	121	29.4	5,213	30.5	72	26.9
Manhattan	77	13.4	68	15.1	9	7.2	57	13.8	2,410	14.1	43	16.0
Queens	80	13.9	57	12.6	23	18.4	65	15.8	2,614	15.3	24	9.0
Staten Island	7	1.2	5	1.1	2	1.6	5	1.2	415	2.4	5	1.9
Outside NYC	42	7.3	34	7.5	8	6.4	30	7.3	1,047	6.1	8	3.0
Unknown	7	1.2	7	1.6	0	0.0	8	1.9	304	1.8	37	13.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	38	6.6	31	6.9	7	5.6	21	5.1	1,032	6.0	8	3.0
Medium poverty (10 to <20% below FPL)	117	20.3	89	19.7	28	22.4	79	19.2	3,422	20.0	44	16.4
High poverty (20 to <30% below FPL)	175	30.4	138	30.6	37	29.6	135	32.8	5,434	31.7	86	32.1
Very high poverty (≥30% below FPL)	196	34.0	151	33.5	45	36.0	139	33.7	5,795	33.9	84	31.3
Area-based poverty level not available	50	8.7	42	9.3	8	6.4	38	9.2	1,432	8.4	46	17.2
Area-based poverty level flot available	50	0.7	42	9.5	0	0.4	J0	9.2	1,432	0.4	40	17.2

Table 1.6.7. Transgender people with sexual contact

		HIV	DIAGNO	OSES, 20	11		AIDS DIAGNOSES,	2011	PLWHA A: 12/31/20		DEATHS	, 2011
	Total HIV di		Withou	ıt AIDS	Concurrent with A diagno	ses						
TOTAL	N 50	% 100.0	N 43	% 86.0	N 7	% 14.0	N <b>29</b>	% 100.0	N <b>780</b>	% 100.0	N 8	% 100.0
IOTAL	- 50	100.0	40	00.0		14.0	23	100.0	700	100.0		100.0
GENDER												
Male Female	1 49	2.0 98.0	1 42	2.3 97.7	0 7 10	0.0	0 29	0.0 100.0	6 774	0.8 99.2	0 8	0.0 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	21 24 4 0 1 0	42.0 48.0 8.0 0.0 2.0 0.0	17 21 4 0 1 0	39.5 48.8 9.3 0.0 2.3 0.0 0.0	3 4	57.1 42.9 0.0 0.0 0.0 0.0 0.0	19 9 0 1 0 0	65.5 31.0 0.0 3.4 0.0 0.0	387 307 58 18 4 5	49.6 39.4 7.4 2.3 0.5 0.6 0.1	5 2 1 0 0 0	62.5 25.0 12.5 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 4 28 11 5 1	0.0 8.0 56.0 22.0 10.0 2.0 2.0	0 4 27 9 2 0 1	0.0 9.3 62.8 20.9 4.7 0.0 2.3	2 2 3 4 1	0.0 0.0 14.3 28.6 42.9 14.3 0.0	0 0 12 10 6 1	0.0 0.0 41.4 34.5 20.7 3.4 0.0	0 15 239 279 169 65 13	0.0 1.9 30.6 35.8 21.7 8.3 1.7	0 0 2 3 3 0	0.0 0.0 0.0 25.0 37.5 37.5
BOROUGH OF RESIDENCE		44.0	7	40.0		0.0		47.0	404	04.0	0	07.5
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	7 9 10 9 0 13 2	14.0 18.0 20.0 18.0 0.0 26.0 4.0	7 8 8 6 0 12 2	16.3 18.6 18.6 14.0 0.0 27.9 4.7	2 3 0	0.0 14.3 28.6 42.9 0.0 14.3 0.0	5 8 6 5 0 5 0	17.2 27.6 20.7 17.2 0.0 17.2 0.0	164 193 159 130 18 82 34	21.0 24.7 20.4 16.7 2.3 10.5 4.4	3 1 3 0 0 0	37.5 12.5 37.5 0.0 0.0 0.0 12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	3 7 11	6.0 14.0 22.0	3 5 8	7.0 11.6 18.6	2 2	0.0 28.6 42.9	0 6 7	0.0 20.7 24.1	66 159 223	8.5 20.4 28.6	0 2 1	0.0 25.0 12.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	14 15	28.0 30.0	13 14	30.2 32.6		14.3 14.3	11 5	37.9 17.2	212 120	27.2 15.4	4 1	50.0 12.5

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d	iaanoses	Withou		Concurrent wit dia	th AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	20	100.0	14	70.0	6	30.0	10	100.0	636	100.0	13	100.0
GENDER												
Male	12	60.0	8	57.1	4	66.7	6	60.0	418	65.7	7	53.8
Female	8	40.0	6	42.9	2	33.3	4	40.0	218	34.3	6	46.2
RACE/ETHNICITY								_		_		
Black	7	35.0	4	28.6	3	50.0	2	20.0	212	33.3	5	38.5
Latino/Hispanic	9	45.0	8	57.1	1	16.7	4	40.0	303	47.6	5	38.5
White	4	20.0	2	14.3	2	33.3	3	30.0	110	17.3	3	38.5 23.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Native American	Ö	0.0	ő	0.0	ő	0.0	0	0.0	1	0.3	Ö	0.0
Multiracial	ő	0.0	ő	0.0	ŏ	0.0	1	10.0	i	0.2	ő	0.0
Unknown	ő	0.0	0	0.0	ŏ	0.0	0	0.0	3	0.5	0	0.0
							-					
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
13-19	2	10.0	1	7.1	1	16.7	0	0.0	4	0.6	0	0.0 7.7
20-29	6	30.0	6	42.9	0	0.0	0	0.0	45	7.1	1	7.7
30-39	5	25.0	4	28.6	1	16.7	4	40.0	85	13.4	2	15.4 7.7 7.7
40-49	3	15.0	2	14.3	1	16.7	3	30.0	186	29.2	1	7.7
50-59	4	20.0	1	7.1	3	50.0	3	30.0	208	32.7	1	7.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	106	16.7	8	61.5
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	9	45.0	6	42.9	3	50.0	5	50.0	194	30.5	1	7.7
Injection drug use history (IDU)	ő	0.0	ő	0.0	ő	0.0	0	0.0	112	17.6	6	46.2
MSM-IDU	Ö	0.0	0	0.0	Ö	0.0	0	0.0	6	0.9	1	7.7
Heterosexual contact	7	35.0	5	35.7	2	33.3	4	40.0	135	21.2	2	15.4
Transgender people with sexual contact	Ó	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	Ö	0.0	ő	0.0	ő	0.0	Õ	0.0	11	1.7	1	0.0 7.7
Other	Ö	0.0	Õ	0.0	Õ	0.0	Õ	0.0	1	0.2	Ö	0.0
Unknown	4	20.0	3	21.4	1	16.7	ĭ	10.0	174	27.4	2	15.4

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	5, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di		Withou	t AIDS	Concurrent with diagr	_	N	%	N	0/	N	0/
TOTAL	N 67	% 100.0	N 52	% <b>77.6</b>	N 15	22.4	N 61	100.0	2,303	% 100.0	N 39	100.0
GENDER												
Male	39	58.2	30	57.7	9	60.0	37	60.7	1,233	53.5	24	61.5
Female	28	41.8	22	42.3	6	40.0	24	39.3	1,070	46.5	15	38.5
RACE/ETHNICITY												
Black	50	74.6	38	73.1	12	80.0	38	62.3	1,455	63.2	27	69.2
Latino/Hispanic White	16 0	23.9 0.0	14 0	26.9 0.0	2 0	13.3	19	31.1 4.9	711 111	30.9 4.8	8	20.5 10.3
Asian/Pacific Islander	1	1.5	0	0.0	1	6.7	1	1.6	12	0.5	0	0.0
Native American	Ö	0.0	0	0.0	Ô	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12 13-19	0 7	0.0 10.4	0 7	0.0 13.5	0 0	0.0	0	0.0 1.6	12 56	0.5 2.4	0 0	0.0 0.0
20-29	20	29.9	19	36.5	1	6.7	8	13.1	193	2.4 8.4	1	2.6
30-39	11	16.4	6	11.5		33.3	15	24.6	340	14.8	4	10.3
40-49	13	19.4	10	19.2	5 3	20.0	21	34.4	751	32.6	11	10.3 28.2 30.8 28.2
50-59	9 7	13.4	7	13.5	2	13.3	8	13.1	653	28.4	12	30.8
60+	/	10.4	3	5.8	4	26.7	8	13.1	298	12.9	11	28.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	32.8	19	36.5	3	20.0	14	23.0	405	17.6	4	10.3
Injection drug use history (IDU) MSM-IDU	2	3.0 0.0	2	3.8 0.0	0 0	0.0	5 2	8.2 3.3	350 45	15.2 2.0	9	23.1 2.6
Heterosexual contact	31	46.3	23	44.2	8	53.3	18	29.5	678	29.4	11	28.2
Transgender people with sexual contact	1	1.5	1	1.9	0	0.0	0	0.0	9	0.4	0	28.2 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.3	97	4.2	0	0.0
Other Unknown	0 11	0.0 16.4	0	0.0 13.5	0	0.0 26.7	0 20	0.0 32.8	5 714	0.2 31.0	0 14	0.0 35.9
UTIKITOWIT	- 11	10.4	- 1	13.5	4	20.7	20	3∠.8	/ 14	31.0	14	ან.9

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	5, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di N	agnoses %	Withou N		Concurrent with diagr N	_	N	%	N	%	N	0/0
TOTAL	111	100.0	86	77.5	25	22.5	116	100.0	4,721	100.0	84	100.0
GENDER Male Female	80 31	72.1 27.9	61 25	70.9 29.1	19 6	76.0 24.0	81 35	69.8 30.2	2,942 1,779	62.3 37.7	46 38	54.8 45.2
RACE/ETHNICITY Black	41	36.9	32	37.2	9	36.0	51	44.0	1,986	42.1	35	41.7
Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	65 4 1 0 0	58.6 3.6 0.9 0.0 0.0	50 3 1 0 0	58.1 3.5 1.2 0.0 0.0 0.0	15 1 0 0 0	60.0 4.0 0.0 0.0 0.0 0.0	62 3 0 0 0	53.4 2.6 0.0 0.0 0.0 0.0	2,462 226 29 13 2	52.1 4.8 0.6 0.3 0.0	44 3 2 0 0	52.4 3.6 2.4 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 7 34 29 23 15 3	0.0 6.3 30.6 26.1 20.7 13.5 2.7	0 7 28 24 17 8 2	0.0 8.1 32.6 27.9 19.8 9.3 2.3	0 0 6 5 6 7 1	0.0 0.0 24.0 20.0 24.0 28.0 4.0	0 5 26 15 39 25 6	0.0 4.3 22.4 12.9 33.6 21.6 5.2	11 59 380 726 1,555 1,426 564	0.2 1.2 8.0 15.4 32.9 30.2 11.9	0 0 1 10 34 31 8	0.0 0.0 1.2 11.9 40.5 36.9 9.5
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	43 4 1 35 2 0 0	38.7 3.6 0.9 31.5 1.8 0.0 0.0 23.4	38 3 0 26 2 0 0	44.2 3.5 0.0 30.2 2.3 0.0 0.0 19.8	5 1 1 9 0 0 0	20.0 4.0 4.0 36.0 0.0 0.0 0.0 36.0	29 13 2 33 2 4 0 33	25.0 11.2 1.7 28.4 1.7 3.4 0.0 28.4	1,029 970 124 1,164 37 120 4 1,273	21.8 20.5 2.6 24.7 0.8 2.5 0.1 27.0	12 28 3 20 0 1 0 20	14.3 33.3 3.6 23.8 0.0 1.2 0.0 23.8

Table 1.7.4. Pelham - Throgs Neck (Bronx)

HIV		DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011			DEATHS	, 2011
			ıt AIDS	dia		N	%	N	%	N	0/0
95	100.0	74	77.9	21	22.1	77	100.0	4,266	100.0	68	100.0
65	68.4	53	71.6	12	57.1	49	63.6	2.560	60.0	49	72.1
30	31.6	21	28.4	9	42.9	28	36.4	1,706	40.0	19	27.9
							_				
39 50 5 1 0 0	41.1 52.6 5.3 1.1 0.0 0.0	31 39 3 1 0 0	41.9 52.7 4.1 1.4 0.0 0.0 0.0	8 11 2 0 0 0	38.1 52.4 9.5 0.0 0.0 0.0	30 40 7 0 0 0	39.0 51.9 9.1 0.0 0.0 0.0	1,705 2,234 289 26 7 1	40.0 52.4 6.8 0.6 0.2 0.0 0.1	25 32 6 3 2 0	36.8 47.1 8.8 4.4 2.9 0.0 0.0
0 5 28 24 23 10 5	0.0 5.3 29.5 25.3 24.2 10.5 5.3	0 5 22 21 16 7 3	0.0 6.8 29.7 28.4 21.6 9.5 4.1	0 0 6 3 7 3 2	0.0 0.0 28.6 14.3 33.3 14.3 9.5	0 4 17 13 23 17 3	0.0 5.2 22.1 16.9 29.9 22.1 3.9	12 69 379 561 1,416 1,290 539	0.3 1.6 8.9 13.2 33.2 30.2 12.6	0 0 4 8 18 25 13	0.0 0.0 5.9 11.8 26.5 36.8 19.1
3 31 0 0	3.2 3.2 32.6 0.0 0.0 0.0	3 2 23 0 0	4.1 2.7 31.1 0.0 0.0 0.0	0 1 8 0 0	0.0 4.8 38.1 0.0 0.0	10 4 23 0 2 0	13.0 5.2 29.9 0.0 2.6 0.0	863 99 1,104 20 179 14	20.2 2.3 25.9 0.5 4.2 0.3	19 3 19 0 2 0	13.2 27.9 4.4 27.9 0.0 2.9 0.0 23.5
	N 95 65 30 39 50 5 1 0 0 0 0 5 28 24 23 10 5 5 32 3 3 31 0 0 0 0	Total HIV diagnoses N 95 100.0  65 68.4 30 31.6  39 41.1 50 52.6 5 5.3 1 1 1.1 0 0.0 0 0.0 0 0 0 0 0 0 0 0 0 0	Total HIV diagnoses N without N % 95 100.0 74  65 68.4 53 30 31.6 21  39 41.1 31 50 52.6 39 5 5.3 3 1 1.1 1 1 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0	Total HIV diagnoses Nithout AIDS N % N % 95 100.0 74 77.9  65 68.4 53 71.6 30 31.6 21 28.4  39 41.1 31 41.9 50 52.6 39 52.7 5 5.3 3 4.1 1 1.1 1 1.4 0 0.0 0 0.0 0.0 0 0.	Total HIV diagnoses Not thout AIDS Not	Total HIV diagnoses N without AIDS diagnoses N N N N N N N N N N N N N N N N N N	Total HIV diagnoses	Total HIV diagnoses Nithout AIDS diagnoses N % N % N % N % N % N % N % N % N % N	Total HIV Diagnoses Without AIDS diagnoses N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses Without AIDS diagnoses N N % N % N % N % N % N % N % N % N %	Total HIV diagnoses N without AIDS diagnoses N without AIDS diagnoses N N N N N N N N N N N N N N N N N N

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di		Withou	t AIDS		h AIDS gnoses	N	0/		0/	N.	0/
TOTAL	N 99	% 100.0	77	% <b>77.8</b>	N <b>22</b>	22.2	N 101	% 100.0	N 4,950	% 100.0	99	% 100.0
GENDER												
Male	68	68.7	54	70.1	14	63.6	61	60.4	2,907	58.7	58	58.6
Female	31	31.3	23	29.9	8	36.4	40	39.6	2,043	41.3	41	41.4
RACE/ETHNICITY												
Black	44	44.4	32	41.6	12	54.5	50	49.5	2,252	45.5	47	47.5
Latino/Hispanic White	51 4	51.5 4.0	41 4	53.2 5.2	10 0	45.5 0.0	50	49.5 1.0	2,534 132	51.2 2.7	49 3	49.5 3.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Native American	ő	0.0	ő	0.0	0	0.0	ŏ	0.0	10	0.2	ŏ	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0 5.1	0	0.0 6.5	0	0.0	0	0.0 3.0	16	0.3 1.6	0	0.0
20-29	5 27	27.3	5 23	29.9	0 4	18.2	3 10	9.9	81 361	7.3	0 5	0.0 5.1
30-39	32	32.3	27	35.1		22.7	23	22.8	708	14.3	9	9.1
40-49	21	21.2	13	16.9	5 8	36.4	31	30.7	1,569	31.7	23	23.2 36.4 26.3
50-59	10	10.1	7	9.1	3	13.6	26	25.7	1,551	31.3	36	36.4
60+	4	4.0	2	2.6	2	9.1	8	7.9	664	13.4	26	26.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	36.4	33	42.9	3	13.6	14	13.9	792	16.0	9	9.1
Injection drug use history (IDU) MSM-IDU	6 2	6.1 2.0	3 2	3.9 2.6	3 0	13.6 0.0	24 3	23.8 3.0	1,149 131	23.2 2.6	44 4	44.4 4.0
Heterosexual contact	31	31.3	25	32.5	6	27.3	25	24.8	1,360	27.5	16	16.2
Transgender people with sexual contact	1	1.0	1	1.3	ő	0.0	2	2.0	38	0.8	2	16.2 2.0 2.0 1.0
Perinatal	0	0.0	0	0.0	0	0.0	3	3.0	149	3.0	2	2.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	1.0
Unknown	23	23.2	13	16.9	10	45.5	30	29.7	1,324	26.7	21	21.2

Table 1.7.6. High Bridge - Morrisania (Bronx)

TAL NDER	Total HIV o N 139	liagnoses % 100.0	Withou N	ıt AIDS	Concurrent w di	ith AIDS						i
								0.4		0.0		0.1
	139	100.0	400	% 77.7	N 31	% <b>22.3</b>	N <b>124</b>	% 100.0	N 5,425	% 100.0	N <b>155</b>	% 100.0
NDER			108	11.1	31	22.3	124	100.0	5,425	100.0	155	100.0
IDEN								_				
le	82	59.0	60	55.6	22	71.0	78	62.9	3,246	59.8	115	74.2
male	57	41.0	48	44.4	9	29.0	46	37.1	2,179	40.2	40	25.8
									, ,			
CE/ETHNICITY												
ck	72	51.8	57	52.8	15	48.4	61	49.2	2,793	51.5	76	49.0
ino/Hispanic	58	41.7	45	41.7	13	41.9	58	46.8	2,446	45.1	75	48.4 2.6 0.0
ite	6	4.3	4	3.7	2	6.5	4	3.2	142	2.6	4	2.6
an/Pacific Islander	2	1.4	1	0.9	1	3.2	1	0.8	26	0.5	0	0.0
ive American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
ltiracial	1	0.7	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0
known	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
E GROUP (YEARS)	_							_				
2	0	0.0	0	0.0	0	0.0	0	0.0	21	0.4	0	0.0
	9	6.5	9	8.3	Ō	0.0	2	1.6	70	1.3	0	0.0 2.6 2.6 26.5
29	46	33.1	39	36.1	7	22.6	16	12.9	436	8.0	4	2.6
39	30	21.6	23	21.3	7	22.6	30	24.2	799	14.7	4	2.6
49	32	23.0	21	19.4	11	35.5	36	29.0	1,671	30.8	41	26.5
59	15	10.8	10	9.3	5	16.1	27	21.8	1,654	30.5	60	38.7
÷	7	5.0	6	5.6	1	3.2	13	10.5	774	14.3	46	29.7
ANDMICCION PICI												
ANSMISSION RISK	40	20.0	22	20.0		20.0	25	20.0	01.1	40.0	10	40.0
n who have sex with men (MSM)	42 10	30.2 7.2	33 9	30.6 8.3	9 1	29.0 3.2	25 22	20.2 17.7	914 1,250	16.8 23.0	16 66	10.3 42.6
ection drug use history (IDÙ) M-IDU	4	2.9	9	8.3 3.7	0	0.0	3	2.4	1,250	23.0	10	4∠.6 6.5
rerosexual contact	54 54	2.9 38.8	43	3.7 39.8	11	35.5	38 38	30.6	1,384	2.9 25.5	25	6.5 16.1
nsgender people with sexual contact	2	1.4	2	1.9	0	0.0	1	0.8	32	0.6	2J 1	0.6
inatal	0	0.0	0	0.0	0	0.0	1	0.8	152	2.8	2	1.3
niatai ler	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
KNOWN	27	19.4	17	15.7	10	32.3	34	27.4	1.525	28.1	35	22.6

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV		DIAGNO	SES, 201	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
					Concurrent w	-						
	Total HIV d	agnoses %	Withou N	ıt AIDS %		agnoses	N	%	N	%	N	0/
TOTAL	96	100.0	72	75.0	N 24	25.0	78	100.0	3,220	100.0	N <b>55</b>	% 100.0
TOTAL	30	100.0		70.0		20.0	,,	100.0	0,220	100.0	33	100.0
GENDER												
Male	68	70.8	50	69.4	18	75.0	52	66.7	1,986	61.7	36	65.5
Female	28	29.2	22	30.6	6	25.0	26	33.3	1,234	38.3	19	34.5
RACE/ETHNICITY												
Black	40	41.7	30	41.7	10	41.7	34	43.6	1,304	40.5	21	38.2
Latino/Hispanic	49	51.0	35	48.6	14	58.3	42	53.8	1,790	55.6	30	54.5
White	6	6.3	6	8.3	0	0.0	2	2.6	99	3.1	2	3.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	0.5	1	1.8
Other/Unknown	1	1.0	1	1.4	0	0.0	0	0.0	10	0.3	1	1.8
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19	6	6.3	4	5.6	2	8.3	3	3.8	55	1.7	0	0.0
20-29	30	31.3	24	33.3	6	25.0	13	16.7	274	8.5	1	1.8
30-39	25	26.0	19	26.4	6	25.0	18	23.1	510	15.8	3	5.5
40-49 50-59	23 8	24.0	17	23.6	6 3	25.0 12.5	27 10	34.6 12.8	1,004 966	31.2 30.0	12 28	21.8 50.9
60+	. 0	8.3 4.2	5 3	6.9 4.2	3 1	4.2	7	9.0	403	12.5	20 11	20.9
00+	_	7.2	3	7.2		7.2	,	3.0	400	12.5		20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	36.5	25	34.7	10	41.7	18	23.1	522	16.2	3	5.5
Injection drug use history (IDU)	11	11.5	8	11.1	3	12.5	14	17.9	802	24.9	27	49.1
MSM-IDU	0	0.0	0	0.0	0	0.0	2	2.6	88	2.7	1	1.8
Heterosexual contact	29	30.2	22 1	30.6	7 0	29.2	25 0	32.1	811	25.2	13	23.6
Transgender people with sexual contact Perinatal	0	1.0 0.0	0	1.4 0.0	0	0.0	3	0.0 3.8	25 114	0.8 3.5	U 1	0.0 1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	20	20.8	16	22.2	4	16.7	16	20.5	850	26.4	10	18.2

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	6, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di N	iagnoses %	Withou N		Concurrent with A diagno N	_	N	%	N	%	N	0/
TOTAL	39	100.0	34	87.2		12.8	13	100.0	908	100.0	13	100.0
GENDER												
Male	32	82.1	29	85.3	3 (	30.0	9	69.2	705	77.6	10	76.9
Female	7	17.9	5	14.7		40.0	4	30.8	203	22.4	3	23.1
RACE/ETHNICITY												
Black Latino/Hispanic White	6 10 22	15.4 25.6 56.4	6 9 19	17.6 26.5 55.9	1 2	0.0 20.0 50.0	2 6 4	15.4 46.2 30.8	154 418 319	17.0 46.0 35.1	5 4 4	38.5 30.8 30.8
Asian/Pacific Islander Native American Multiracial	1 0 0	2.6 0.0 0.0	0 0 0	0.0 0.0 0.0		20.0 0.0 0.0	1 0 0	7.7 0.0 0.0	13 1 0	1.4 0.1 0.0	0 0 0	0.0 0.0 0.0 0.0
Unknown	0	0.0	Ō	0.0	0	0.0	Ō	0.0	3	0.3	0	0.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	7.7	2 6	0.2	0	0.0
20-29	19	48.7	18	52.9		20.0	4	30.8	89	9.8	1	0.0 7.7 7.7
30-39	8 9	20.5	7	20.6		20.0	3	23.1	195	21.5	1	7.7
40-49	9	23.1	7	20.6		40.0	4	30.8	307	33.8	3	23.1
50-59 60+	3 0	7.7 0.0	2 0	5.9 0.0	1 2	20.0	1 0	7.7 0.0	220 89	24.2 9.8	4 4	23.1 30.8 30.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	71.8	27	79.4		20.0	5	38.5	432	47.6	4	30.8
Injection drug use history (IDU)	1	2.6	0	0.0		20.0	1	7.7	138	15.2	6	46.2
MSM-IDU Heterosexual contact	1 4	2.6 10.3	1 2	2.9 5.9		0.0 40.0	1	7.7 23.1	22 126	2.4 13.9	0 2	0.0 15.4
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	7	0.8	0	0.0
Perinatal	Ö	0.0	Ö	0.0	ŏ	0.0	1	7.7	14	1.5	1	7.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0 7.7 0.0 0.0
Unknown	5	12.8	4	11.8	1 2	20.0	2	15.4	165	18.2	0	0.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20 <sup>-</sup>	11		AIDS DIAGNOSE	S, 2011	PLWHA A: 12/31/20		DEATHS,	2011
	Total HIV d	iagnasas	Withou		Concurrent wi	-						
	N	ayrioses %	N	% AIDS	N	agnoses %	N	%	N	%	N	%
TOTAL	82	100.0	65	79.3	17	20.7	47	100.0	2,695	100.0	52	100.0
									,			
GENDER												
Male	66	80.5	52	80.0	14	82.4	35	74.5	2,023	75.1	36	69.2
Female	16	19.5	13	20.0	3	17.6	12	25.5	672	24.9	16	30.8
RACE/ETHNICITY								_				
Black	40	48.8	29	44.6	11	64.7	20	42.6	1,150	42.7	27	51.9
Latino/Hispanic	23	28.0	20	30.8	3	17.6	12	25.5	698	25.9	13	25.0
White	16	19.5	14	21.5	2	11.8	13	27.7	784	29.1	12	23.1
Asian/Pacific Islander	2	2.4	1	1.5	1	5.9	2	4.3	45	1.7	0	0.0 0.0
Other/Unknown	1	1.2	1	1.5	0	0.0	0	0.0	18	0.7	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	6.1	5	7.7	ő	0.0	0	0.0	28	1.0	ő	0.0
20-29	31	37.8	26	40.0	5	29.4	7	14.9	184	6.8	2	0.0 3.8 5.8
30-39	15	18.3	12	18.5	3	17.6	12	25.5	344	12.8	3	5.8
40-49	13	15.9	10	15.4	3	17.6	13	27.7	881	32.7	11	21.2
50-59	13	15.9	10	15.4	3	17.6	11	23.4	805	29.9	19	36.5
60+	5	6.1	2	3.1	3	17.6	4	8.5	447	16.6	17	32.7
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	44	53.7	37	56.9	7	41.2	24	51.1	1,203	44.6	12	23.1
Injection drug use history (IDU)	3	3.7	2	3.1	1	5.9	2	4.3	388	14.4	13	25.0
MSM-IDU	0	0.0	0	0.0	O	0.0	1	2.1	57	2.1	1	1.9
Heterosexual contact	13	15.9	11	16.9	2	11.8	9	19.1	429	15.9	11	21.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	49	1.8	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	22	26.8	15	23.1	7	41.2	11	23.4	559	20.7	15	28.8

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20°	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV di		Withou	t AIDS		th AIDS agnoses						
TOTAL	N 235	% 100.0	N 182	% <b>77.4</b>	N 53	% <b>22.6</b>	N <b>191</b>	% 100.0	7,335	% 100.0	N 149	% 100.0
								100.0	1,000			100.0
GENDER	450	67.7	407	CO 0	20	CO 4	407	CC F	4.007	CO 4	100	74.4
Male Female	159 76	67.7 32.3	127 55	69.8 30.2	32 21	60.4 39.6	127 64	66.5 33.5	4,627 2,708	63.1 36.9	106 43	71.1 28.9
	, 0	02.0	00	00.2		00.0	01	00.0	2,700	00.0	10	20.0
RACE/ETHNICITY												
Black Latino/Hispanic	194 19	82.6 8.1	147 17	80.8 9.3	47 2	88.7 3.8	164 18	85.9 9.4	5,802 1,042	79.1 14.2	116	77.9 19.5
White	16	6.8	13	9.3 7.1	3	5.7	6	3.1	405	5.5	29 2	1.3
Asian/Pacific Islander	6	2.6	5	2.7	1	1.9	3	1.6	50	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	2	0.0 1.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	0	0.0
13-19	17	7.2	16	8.8	1	1.9	4	2.1	108	1.5	0	0.0
20-29 30-39	67 47	28.5 20.0	62 36	34.1 19.8	5 11	9.4 20.8	31 39	16.2 20.4	688 1,215	9.4 16.6	7 9	4.7 6.0
40-49	60	25.5	43	23.6	17	32.1	62	32.5	2,292	31.2	37	24.8
50-59	34	14.5	19	10.4	15	28.3	40	20.9	2,073	28.3	54	36.2
60+	10	4.3	6	3.3	4	7.5	15	7.9	940	12.8	42	28.2
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	99	42.1	86	47.3	13	24.5	62	32.5	1,962	26.7	23	15.4
Injection drug use history (IDU)	8	3.4	4	2.2	4	7.5	15	7.9	1,117	15.2	45	30.2
MSM-IDU	3	1.3	3	1.6	0	0.0	6	3.1	169	2.3	10	6.7
Heterosexual contact	58	24.7	42	23.1	16	30.2	44	23.0	1,826	24.9	24	16.1
Transgender people with sexual contact Perinatal	6	2.6 0.0	5 0	2.7 0.0	1 0	1.9 0.0	4	2.1 1.6	74 190	1.0 2.6	0 2	0.0 1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	190	0.1	0	0.0
Unknown	61	26.0	42	23.1	19	35.8	57	29.8	1,986	27.1	45	30.2

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di	agnoses	Withou		Concurrent w dia	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	82	100.0	58	70.7	24	29.3	78	100.0	2,959	100.0	59	100.0
GENDER												
Male	54	65.9	35	60.3	19	79.2	54	69.2	1,635	55.3	38	64.4
Female	28	34.1	23	39.7	5	20.8	24	30.8	1,324	44.7	21	35.6
RACE/ETHNICITY								_				
Black	55	67.1	40	69.0	15	62.5	48	61.5	1,938	65.5	29	49.2
Latino/Hispanic	18	22.0	11	19.0	7	29.2	26	33.3	892	30.1	26	49.2
White	7	8.5	6	10.3	1	4.2	2	2.6	85	2.9	3	44.1 5.1
Asian/Pacific Islander	1	1.2	0	0.0	1	4.2	2	2.6	27	0.9	1	1.7
Native American	Ö	0.0	Ö	0.0	Ó	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	1.2	1	1.7	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	Ö	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Officiowit		0.0	U	0.0	U	0.0	O	0.0	3	0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
13-19	7	8.5	6	10.3	1	4.2	4	5.1	53	1.8	0	0.0
20-29	34	41.5	27	46.6	7	29.2	15	19.2	345	11.7	3	5.1
30-39	13	15.9	9	15.5	4	16.7	15	19.2	451	15.2	2	3.4
40-49	14	17.1	9	15.5	5	20.8	23	29.5	911	30.8	18	30.5
50-59	13	15.9	7	12.1	6	25.0	19	24.4	837	28.3	21	35.6
60+	1	1.2	0	0.0	1	4.2	2	2.6	349	11.8	15	25.4
TRANSMICCION PICK												
TRANSMISSION RISK	20	24.4	24	20.0	7	20.2	20	25.0	E 4 E	40.4	_	0.5
Men who have sex with men (MSM)	28	34.1	21	36.2	7	29.2	20	25.6	545	18.4	5	8.5
Injection drug use history (IDU) MSM-IDU	4	4.9	2	3.4	2	8.3	8	10.3	514	17.4	25	42.4
MSM-IDU Heterosexual contact	1	1.2	1	1.7	0	0.0	0	0.0	60	2.0	2	3.4
	28	34.1	19	32.8	9	37.5	22	28.2	924	31.2	13	22.0 0.0
Transgender people with sexual contact	2	2.4	2	3.4	0	0.0	1	1.3	24	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	5.1	102	3.4	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	19	23.2	13	22.4	6	25.0	23	29.5	786	26.6	13	22.0

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di	aanosas	Withou		Concurrent with	h AIDS gnoses						
	N	agnoses %	N	%	N N	9110303 %	N	%	N	%	N	%
TOTAL	27	100.0	19	70.4	8	29.6	24	100.0	827	100.0	7	100.0
GENDER												
Male	23	85.2	16	84.2	7	87.5	20	83.3	601	72.7	7	100.0
Female	4	14.8	3	15.8	1	12.5	4	16.7	226	27.3	0	0.0
RACE/ETHNICITY												
Black	4	14.8	2	10.5	2	25.0	7	29.2	141	17.0	0	0.0
Latino/Hispanic	16	59.3	11	57.9	5	62.5	11	45.8	481	58.2	5	71.4
White	5	18.5	4	21.1	1	12.5	3	12.5	154	18.6	2	28.6
Asian/Pacific Islander	2	7.4	2	10.5	0	0.0	3	12.5	48	5.8	0	71.4 28.6 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	5.3	0	0.0	0	0.0	8	1.0	0	0.0
20-29	8	29.6	4	21.1	4	50.0	6	25.0	69	8.3	0	0.0
30-39	6	22.2	6	31.6	0	0.0	6	25.0	139	16.8	0	0.0
40-49	7	25.9	6	31.6	1	12.5	6	25.0	285	34.5	1	14.3
50-59	4	14.8	2	10.5	2	25.0	5	20.8	225	27.2	2	28.6
60+	1	3.7	0	0.0	1	12.5	1	4.2	101	12.2	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	44.4	8	42.1	4	50.0	8	33.3	252	30.5	3	42.9
Injection drug use history (IDÙ)	4	14.8	3	15.8	1	12.5	4	16.7	178	21.5	1	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.2	28	3.4	1	14.3
Heterosexual contact	4	14.8	3	15.8	1	12.5	2	8.3	173	20.9	1	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	4.2	7	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	7	25.9	5	26.3	2	25.0	8	33.3	172	20.8	11	14.3

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	S, 2011	PLWHA A: 12/31/20		DEATHS,	2011
					Concurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	29	100.0	25	86.2	4	13.8	14	100.0	1,060	100.0	15	100.0
GENDER								_				
Male	23	79.3	20	80.0	3	75.0	9	64.3	764	72.1	11	73.3
Female	6	20.7	5	20.0	1	25.0	5	35.7	296	27.9	4	26.7
RACE/ETHNICITY	40	0.4.5		00.0		05.0	_	50.0	040	00.4		40.0
Black	10 11	34.5	9	36.0	1	25.0	/	50.0	319	30.1	6 7	40.0
Latino/Hispanic White	11	37.9 24.1	9 6	36.0 24.0	2	50.0 25.0	4	28.6 21.4	380 317	35.8 29.9	2	46.7 13.3
Asian/Pacific Islander	1	3.4	1	4.0	0	0.0	ა ი	0.0	41	3.9	2	0.0
Other/Unknown	Ó	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
	· ·	0.0	Ŭ	0.0		0.0	· ·	0.0		0.0	· ·	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.4	1	4.0	0	0.0	0	0.0	6	0.6	0	0.0
20-29	11	37.9	11	44.0	0	0.0	1	7.1	.84	7.9	0	0.0
30-39	9	31.0	7	28.0	2	50.0	5	35.7	155	14.6	3	20.0
40-49	(	24.1	6	24.0	1	25.0	4	28.6	357	33.7	4	26.7
50-59 60+	1 0	3.4 0.0	0	0.0 0.0	1 0	25.0 0.0	3	21.4 7.1	307 151	29.0 14.2	3 5	20.0 33.3
00+	U	0.0	U	0.0	U	0.0	ı ı	7.1	151	14.2	5	აა.ა
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	65.5	17	68.0	2	50.0	6	42.9	376	35.5	2	13.3
Injection drug use history (IDÙ)	1	3.4	1	4.0	0	0.0	1	7.1	198	18.7	3	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	2.5	1	6.7
Heterosexual contact	4	13.8	4	16.0	0	0.0	4	28.6	218	20.6	2	13.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	7.1	7	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	17.2	3	12.0	2	50.0	2	14.3	214	20.2	7	46.7

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	ES, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d		Withou	t AIDS		iagnoses						
TOTAL	N	%	N	%	N	%	N 119	400.0	N	% 400.0	N	400.0
TOTAL	166	100.0	128	77.1	38	22.9	119	100.0	5,119	100.0	77	100.0
GENDER								_				
Male	116	69.9	87	68.0	29	76.3	79	66.4	3,192	62.4	55	71.4
Female	50	30.1	41	32.0	9	23.7	40	33.6	1,927	37.6	22	28.6
									,-			
RACE/ETHNICITY												
Black	147	88.6	113	88.3	34	89.5	106	89.1	4,061	79.3	61	79.2
Latino/Hispanic	15	9.0	12	9.4	3	7.9	11	9.2	716	14.0	14	18.2 1.3 1.3
White	4	2.4	3	2.3	1	2.6	2	1.7	268	5.2	1	1.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	45	0.9	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)	_							_				
0-12	1	0.6	1	0.8	0	0.0	0	0.0	5	0.1	0	0.0
13-19	13	7.8	10	7.8	3	7.9	5	4.2	66	1.3	0	0.0
20-29	51	30.7	41	32.0	10	26.3	27	22.7	498	9.7	1	0.0 1.3
30-39	41	24.7	36	28.1	5	13.2	25	21.0	787	15.4	6	7.8
40-49	36	21.7	25	19.5	11	28.9	32	26.9	1,566	30.6	23	29.9
50-59	14	8.4	10	7.8	4	10.5	20	16.8	1,469	28.7	22	7.8 29.9 28.6
60+	10	6.0	5	3.9	5	13.2	10	8.4	728	14.2	25	32.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	68	41.0	57	44.5	11	28.9	35	29.4	1,322	25.8	15	19.5
Injection drug use history (IDU)	2	1.2	2	1.6	0	0.0	9	7.6	618	12.1	19	24.7
MSM-IDU	0	0.0	0	0.0	0	0.0	3	2.5	86	1.7	19	5.2
Heterosexual contact	57	34.3	44	34.4	13	34.2	38	31.9	1,406	27.5	21	27.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	0.6	0	0.0
Perinatal	2	1.2	1	0.8	1	2.6	3	2.5	112	2.2	0	0.0
Other	0	0.0	Ö	0.0	Ö	0.0	0	0.0	12	0.2	ő	0.0
Unknown	37	22.3	24	18.8	13	34.2	31	26.1	1,533	29.9	18	23.4

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 201	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d		Withou	t AIDS		ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	67	100.0	50	74.6	17	25.4	46	100.0	1,499	100.0	18	100.0
GENDER						_		_				
Male	37	55.2	26	52.0	11	64.7	25	54.3	778	51.9	15	83.3
Female	30	44.8	24	48.0	6	35.3	21	45.7	721	48.1	3	16.7
RACE/ETHNICITY												
Black	53	79.1	39	78.0	14	82.4	37	80.4	1,174	78.3	15	83.3
Latino/Hispanic	9	13.4	6	12.0	3	17.6	7	15.2	185	12.3	2	11.1
White Asian/Pacific Islander	4	6.0 1.5	4	8.0 2.0	0	0.0	1	2.2 2.2	120 14	8.0 0.9	1	5.6 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	3	4.5	3	6.0	0	0.0	1	2.2	32	2.1	0	0.0
20-29	20	29.9	19	38.0	1	5.9	9	19.6	146	9.7	1	5.6
30-39 40-49	10 15	14.9 22.4	10 6	20.0 12.0	0 9	0.0 52.9	5 17	10.9 37.0	220 430	14.7 28.7	3	16.7 16.7
50-59	11	16.4	8	16.0	3	17.6	9	19.6	466	31.1	3 6	33.3
60+	8	11.9	4	8.0	4	23.5	5	10.9	201	13.4	5	27.8
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	17	25.4	14	28.0	3	17.6	8	17.4	236	15.7	2	11.1
Injection drug use history (IDU)	1	1.5	0	0.0	1	5.9	4	8.7	154	10.3	5	27.8
MSM-IDU	1	1.5	1	2.0	0	0.0	0	0.0	13	0.9	0	0.0
Heterosexual contact	25	37.3	17	34.0	8	47.1	17	37.0	517	34.5	4	22.2
Transgender people with sexual contact Perinatal	0	0.0 0.0	0	0.0 0.0	0	0.0	1 2	2.2 4.3	4 63	0.3 4.2	U	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	1	5.6
Unknown	23	34.3	18	36.0	5	29.4	14	30.4	509	34.0	6	33.3

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	S, 2011	PLWHA AS 12/31/20		DEATHS	, 2011
	Total HIV di	annon	Withou		Concurrent with	AIDS noses						
	N	ayrioses %	N	% AIDS	N Ulayi	103E3 %	N	%	N	%	N	0/2
TOTAL	25	100.0	17	68.0	8	32.0	15	100.0	614	100.0	7	100.0
GENDER												
Male	24	96.0	16	94.1		100.0	14	93.3	453	73.8	6	85.7
Female	1	4.0	1	5.9	0	0.0	1	6.7	161	26.2	1	14.3
RACE/ETHNICITY												
Black	6	24.0	4	23.5	2	25.0	4	26.7	83	13.5	0	0.0
Latino/Hispanic	4	16.0	2	11.8	2	25.0	4	26.7	183	29.8	3	42.9
White	11	44.0	8	47.1	3	37.5	5	33.3	311	50.7	3	42.9
Asian/Pacific Islander	4	16.0	3	17.6	1	12.5	2	13.3	33	5.4	1	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	4.0	1	5.9	0	0.0	0	0.0	3	0.5	0	0.0 14.3
20-29	6	24.0	3	17.6	3	37.5	3	20.0	41	6.7	1	14.3
30-39	6	24.0	6	35.3	0	0.0	3	20.0	111	18.1	0	0.0
40-49	9	36.0	6	35.3	3	37.5	6	40.0	176	28.7	1	14.3
50-59	3	12.0	1	5.9	2	25.0	3	20.0	188	30.6	4	57.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	94	15.3	1	14.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	48.0	8	47.1	4	50.0	8	53.3	253	41.2	0	0.0
Injection drug use history (IDÙ)	2	8.0	1	5.9	1	12.5	2	13.3	98	16.0	3	42.9 0.0
MSM-IDU (	0	0.0	0	0.0	0	0.0	0	0.0	13	2.1	0	0.0
Heterosexual contact	3	12.0	2	11.8	1	12.5	2	13.3	105	17.1	2	28.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	8	32.0	6	35.3	2	25.0	3	20.0	132	21.5	2	28.6

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20 <sup>-</sup>	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV d	iagnoses	Withou		Concurrent wi dia	th AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	28	100.0	25	89.3	3	10.7	24	100.0	1,060	100.0	29	100.0
GENDER Male	18	64.3	47	68.0	4	33.3	10	79.2	647	61.0	40	34.5
Female	10	35.7	17 8	32.0	2	66.7	19 5	20.8	413	39.0	10 19	65.5
remale	10	33.1	0	32.0	2	00.7	5	20.0	413	39.0	19	65.5
RACE/ETHNICITY												
Black	11	39.3	11	44.0	0	0.0	13	54.2	412	38.9	10	34.5
Latino/Hispanic	8	28.6	5	20.0	3	100.0	8	33.3	352	33.2	9	31.0
White	8	28.6	8	32.0	0	0.0	3	12.5	262	24.7	10	34.5
Asian/Pacific Islander	1	3.6	1	4.0	0	0.0	0	0.0	29 5	2.7	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
	3	10.7 14.3	3	12.0 16.0	0	0.0	1	4.2	16 86	1.5	0	0.0 3.4 10.3
20-29 30-39	4	25.0	4 6	24.0	1	0.0 33.3	4	16.7 20.8	157	8.1 14.8	3	3.4
40-49	7	25.0	7	28.0	0	0.0	5 6	25.0	310	29.2	3 4	13.8
50-59	6	21.4	5	20.0	1	33.3	6	25.0	339	32.0	13	44.8
60+	1	3.6	0	0.0	1	33.3	2	8.3	147	13.9	8	27.6
	•	5.0	U	0.0		33.3	2	0.5	177	10.5	O	21.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	28.6	8	32.0	0	0.0	4	16.7	230	21.7	3	10.3
Injection drug use history (IDÙ)	1	3.6	1	4.0	0	0.0	5	20.8	206	19.4	8	27.6
MSM-IDU (	0	0.0	0	0.0	0	0.0	2	8.3	20	1.9	0	0.0
Heterosexual contact	9	32.1	7	28.0	2	66.7	4	16.7	282	26.6	10	34.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0 3.4
Perinatal	0	0.0	0	0.0	0	0.0	1	4.2	34	3.2	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	10	35.7	9	36.0	1	33.3	8	33.3	277	26.1	7	24.1

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di		Withou	t AIDS		ith AIDS agnoses	N	0/	N	0/	N	0/
TOTAL	N 147	% 100.0	N 119	% 81.0	N 28	19.0	N 77	% 100.0	N 3,698	% 100.0	N <b>83</b>	100.0
GENDER												
Male Female	122 25	83.0 17.0	100 19	84.0 16.0	22 6	78.6 21.4	57 20	74.0 26.0	2,460 1,238	66.5 33.5	49 34	59.0 41.0
RACE/ETHNICITY Black	75	51.0	59	49.6	16	57.1	47	61.0	1,962	53.1	49	59.0
Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	44 25 3 0 0	29.9 17.0 2.0 0.0 0.0	37 21 2 0 0	49.6 31.1 17.6 1.7 0.0 0.0	7 4 1 0 0	25.0 14.3 3.6 0.0 0.0	23 6 1 0 0	29.9 7.8 1.3 0.0 0.0	1,962 1,427 261 30 13 2	38.6 7.1 0.8 0.4 0.1	29 5 0 0 0	34.9 6.0 0.0 0.0 0.0
AGE GROUP (YEARS)				0.0		0.0		0.0		0.4		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 63 36 24 13 5	0.0 4.1 42.9 24.5 16.3 8.8 3.4	0 5 58 28 14 10 4	0.0 4.2 48.7 23.5 11.8 8.4 3.4	0 1 5 8 10 3 1	0.0 3.6 17.9 28.6 35.7 10.7 3.6	0 1 21 14 24 11 6	0.0 1.3 27.3 18.2 31.2 14.3 7.8	14 51 376 570 1,159 1,063 465	0.4 1.4 10.2 15.4 31.3 28.7 12.6	0 0 3 8 19 26 27	0.0 0.0 3.6 9.6 22.9 31.3 32.5
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	78 5 4 25 1 0 0 34	53.1 3.4 2.7 17.0 0.7 0.0 0.0 23.1	69 5 3 18 1 0 0 23	58.0 4.2 2.5 15.1 0.8 0.0 0.0 19.3	9 0 1 7 0 0 0	32.1 0.0 3.6 25.0 0.0 0.0 0.0 39.3	30 5 3 21 0 1 0	39.0 6.5 3.9 27.3 0.0 1.3 0.0 22.1	992 723 79 805 24 105 5 965	26.8 19.6 2.1 21.8 0.6 2.8 0.1 26.1	8 35 0 16 1 0 0 23	9.6 42.2 0.0 19.3 1.2 0.0 0.0 27.7

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A: 12/31/20		DEATHS,	2011
	Total HIV d	iaanoses	Withou		Concurrent wi	ith AIDS						
	N	% iagrioses	N	%	N	291103 <del>0</del> 3 %	N	%	N	%	N	%
TOTAL	136	100.0	118	86.8	18	13.2	92	100.0	4,071	100.0	49	100.0
GENDER												
Male	113	83.1	98	83.1	15	83.3	81	88.0	3,223	79.2	38	77.6
Female	23	16.9	20	16.9	3	16.7	11	12.0	848	20.8	11	22.4
RACE/ETHNICITY								_				
Black	40	29.4	34	28.8	6	33.3	31	33.7	1,453	35.7	24	49.0
Latino/Hispanic	69	50.7	59	50.0	10	55.6	50	54.3	1,759	43.2	17	34.7
White	25	18.4	23	19.5	2	11.1	11	12.0	786	19.3	7	14.3
Asian/Pacific Islander	2	1.5	2	1.7	0	0.0	0	0.0	45	1.1	0	0.0 2.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.7	1	2.0
AGE GROUP (YEARS)								_				
0-12	1	0.7	1	0.8	0	0.0	0	0.0	14	0.3	0	0.0
13-19	3	2.2	3	2.5	ŏ	0.0	1	1.1	36	0.9	ő	0.0
20-29	50	36.8	48	40.7	2	11.1	12	13.0	336	8.3	1	0.0 2.0
30-39	31	22.8	25	21.2	6	33.3	25	27.2	708	17.4	3	6.1
40-49	27	19.9	21	17.8	6	33.3	31	33.7	1,349	33.1	14	28.6
50-59	20	14.7	17	14.4	3	16.7	17	18.5	1,093	26.8	19	38.8
60+	4	2.9	3	2.5	1	5.6	6	6.5	535	13.1	12	24.5
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	82	60.3	71	60.2	11	61.1	45	48.9	1,908	46.9	10	20.4
Injection drug use history (IDU)	2	1.5	2	1.7	0	0.0	7	7.6	451	11.1	12	24.5
MSM-IDU	3	2.2	2	1.7	ĭ	5.6	2	2.2	86	2.1	4	8.2
Heterosexual contact	21	15.4	18	15.3	3	16.7	13	14.1	618	15.2	7	14.3
Transgender people with sexual contact	3	2.2	2	1.7	1	5.6	2	2.2	21	0.5	0	0.0
Perinatal	1	0.7	1	0.8	0	0.0	1	1.1	76	1.9	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	24	17.6	22	18.6	2	11.1	22	23.9	905	22.2	16	32.7

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 201	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV di N	agnoses %	Withou N		Concurrent wit dia N	th AIDS gnoses	N	%	N	%	N	0/3
TOTAL	143	100.0	122	85.3	21	14.7	96	100.0	4,536	100.0	88	100.0
GENDER												
Male Female	108 35	75.5 24.5	89 33	73.0 27.0	19 2	90.5 9.5	73 23	76.0 24.0	3,120 1,416	68.8 31.2	56 32	63.6 36.4
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	92 32 17 2 0 0	64.3 22.4 11.9 1.4 0.0 0.0	76 30 14 2 0 0	62.3 24.6 11.5 1.6 0.0 0.0	16 2 3 0 0 0	76.2 9.5 14.3 0.0 0.0 0.0	69 16 10 1 0 0	71.9 16.7 10.4 1.0 0.0 0.0	3,063 895 523 41 7 1 6	67.5 19.7 11.5 0.9 0.2 0.0 0.1	60 19 9 0 0 0	68.2 21.6 10.2 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 8 57 28 32 12 5	0.7 5.6 39.9 19.6 22.4 8.4 3.5	1 8 52 22 26 9 4	0.8 6.6 42.6 18.0 21.3 7.4 3.3	0 0 5 6 6 3 1	0.0 0.0 23.8 28.6 28.6 14.3 4.8	0 1 23 28 21 15 8	0.0 1.0 24.0 29.2 21.9 15.6 8.3	14 49 398 755 1,402 1,283 635	0.3 1.1 8.8 16.6 30.9 28.3 14.0	0 2 2 3 21 26 34	0.0 2.3 2.3 3.4 23.9 29.5 38.6
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	74 3 2 30 1 1 0 32	51.7 2.1 1.4 21.0 0.7 0.7 0.0 22.4	68 2 2 26 1 1 0 22	55.7 1.6 1.6 21.3 0.8 0.8 0.0 18.0	6 1 0 4 0 0 0	28.6 4.8 0.0 19.0 0.0 0.0 47.6	34 7 0 24 0 1 0 30	35.4 7.3 0.0 25.0 0.0 1.0 0.0 31.3	1,520 714 107 904 22 92 4 1,173	33.5 15.7 2.4 19.9 0.5 2.0 0.1 25.9	13 29 5 22 0 2 0	14.8 33.0 5.7 25.0 0.0 2.3 0.0 19.3

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	OSES, 20	11	AIC	S DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di N	iagnoses %	Withou N		Concurrent with All diagnos N		N	%	N	%	N	%
TOTAL	78	100.0	69	88.5		1.5	54	100.0	2,746	100.0	70	100.0
GENDER Male Female	59 19	75.6 24.4	53 16	76.8 23.2		6.7 3.3	30 24	55.6 44.4	1,827 919	66.5 33.5	48 22	68.6 31.4
RACE/ETHNICITY Black	30	38.5	28	40.6	2 2	2.2	32	59.3	1,308	47.6	39	55.7
Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	37 9 1 1 0	47.4 11.5 1.3 1.3 0.0	30 9 1 1 0	43.5 13.0 1.4 1.4 0.0 0.0	7 7 0 0 0 0 0 0	7.8 0.0 0.0 0.0 0.0 0.0	16 4 1 1 0	29.6 7.4 1.9 1.9 0.0 0.0	1,123 278 25 7 2	40.9 10.1 0.9 0.3 0.1	28 3 0 0 0	40.0 4.3 0.0 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 26 20 21 6 3	0.0 2.6 33.3 25.6 26.9 7.7 3.8	0 2 26 17 18 4 2	0.0 2.9 37.7 24.6 26.1 5.8 2.9	0 0 3 3 3 3 2	0.0 0.0 0.0 3.3 3.3 2.2	0 2 14 11 11 14 2	0.0 3.7 25.9 20.4 20.4 25.9 3.7	7 32 231 388 875 811 402	0.3 1.2 8.4 14.1 31.9 29.5 14.6	0 0 2 3 16 30 19	0.0 0.0 2.9 4.3 22.9 42.9 27.1
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	36 4 2 18 0 0 0	46.2 5.1 2.6 23.1 0.0 0.0 0.0 23.1	35 2 2 15 0 0 0	50.7 2.9 2.9 21.7 0.0 0.0 0.0 21.7	2 2: 0 3 3 3: 0 0	1.1 2.2 0.0 3.3 0.0 0.0 0.0 3.3	13 8 2 16 3 3 0 9	24.1 14.8 3.7 29.6 5.6 5.6 0.0 16.7	787 609 70 575 12 80 7 606	28.7 22.2 2.5 20.9 0.4 2.9 0.3 22.1	5 22 3 14 1 2 0 23	7.1 31.4 4.3 20.0 1.4 2.9 0.0 32.9

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20°	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
					Concurrent wi	-						
	Total HIV d		Withou			agnoses		0.4		0.0		0.4
TOTAL	N 66	% 100.0	N 56	% 84.8	N 10	% 15.2	N 48	% 100.0	N 3,084	% 100.0	N 37	% 100.0
IOTAL	00	100.0	30	04.0	10	15.2	40	100.0	3,064	100.0	31	100.0
GENDER	_							_				
Male	58	87.9	51	91.1	7	70.0	37	77.1	2,646	85.8	30	81.1
Female	8	12.1	5	8.9	3	30.0	11	22.9	438	14.2	7	18.9
RACE/ETHNICITY												
Black	18	27.3	14	25.0	4	40.0	23	47.9	876	28.4	13	35.1
Latino/Hispanic	20	30.3	16	28.6	4	40.0	15	31.3	795	25.8	14	37.8
White	27	40.9	25	44.6	2	20.0	9	18.8	1,340	43.5	10	27.0
Asian/Pacific Islander Other/Unknown	0	1.5 0.0	1 0	1.8 0.0	0	0.0	0	2.1 0.0	53 20	1.7 0.6	0	0.0 0.0
Other/Otherlowit	U	0.0	U	0.0	U	0.0	U	0.0	20	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	5	7.6	5	8.9	0	0.0	1	2.1	17	0.6	0	0.0
20-29 30-39	16 17	24.2	15 14	26.8 25.0		10.0 30.0	7 10	14.6 20.8	156 301	5.1 9.8	1	2.7 0.0
40-49	11	25.8 16.7	8	14.3	3 3	30.0	14	20.6	883	28.6	9	24.3
50-59	9	13.6	7	12.5	2	20.0	10	20.8	1,036	33.6	11	29.7
60+	8	12.1	7	12.5	1	10.0	6	12.5	689	22.3	16	43.2
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	46	69.7	43	76.8	3	30.0	16	33.3	1,732	56.2	11	29.7
Injection drug use history (IDU)	1	1.5	0	0.0	1	10.0	5	10.4	334	10.8	9	24.3
MSM-IDU	0	0.0	Ō	0.0	0	0.0	2	4.2	84	2.7	3	8.1
Heterosexual contact	6	9.1	5	8.9	1	10.0	7	14.6	294	9.5	5	13.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.1	13	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
Other	0 13	0.0	0 8	0.0	0 5	0.0	0 17	0.0	3	0.1 19.1	Ü	0.0
Unknown	13	19.7	8	14.3	5	50.0	17	35.4	590	19.1	9	24.3

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	S, 2011	PLWHA A 12/31/20		DEATHS	2011
	Total HIV di		Withou	t AIDS	Concurrent with a diagr	_						j
TOTAL	N 37	% 100.0	N 28	% <b>75.7</b>	N 9	% 24.3	N 18	% 100.0	N 1,407	% 100.0	N <b>20</b>	% 100.0
GENDER												
Male Female	28 9	75.7 24.3	21 7	75.0 25.0	7 2	77.8 22.2	16 2	88.9 11.1	1,221 186	86.8 13.2	18 2	90.0 10.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	8 6 20 3 0 0	21.6 16.2 54.1 8.1 0.0 0.0	4 4 17 3 0 0	14.3 14.3 60.7 10.7 0.0 0.0	4 2 3 0 0 0 0	44.4 22.2 33.3 0.0 0.0 0.0	6 3 9 0 0 0	33.3 16.7 50.0 0.0 0.0 0.0	295 286 784 37 0 1	21.0 20.3 55.7 2.6 0.0 0.1 0.3	2 9 7 2 0 0	10.0 45.0 35.0 10.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 6 16 7 5 3	0.0 0.0 16.2 43.2 18.9 13.5 8.1	0 0 6 11 4 4 3	0.0 0.0 21.4 39.3 14.3 14.3	0 0 5 3 1 0	0.0 0.0 0.0 55.6 33.3 11.1 0.0	0 0 5 10 2 1	0.0 0.0 0.0 27.8 55.6 11.1 5.6	2 3 63 172 428 451 288	0.1 0.2 4.5 12.2 30.4 32.1 20.5	0 0 1 2 5 12	0.0 0.0 0.0 5.0 10.0 25.0 60.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	20 1 0 9 0 0 0 7	54.1 2.7 0.0 24.3 0.0 0.0 0.0 18.9	16 1 0 7 0 0 0 4	57.1 3.6 0.0 25.0 0.0 0.0 0.0 14.3	4 0 0 2 0 0 0 3	44.4 0.0 0.0 22.2 0.0 0.0 0.0 33.3	12 0 0 2 0 0 0 4	66.7 0.0 0.0 11.1 0.0 0.0 0.0 22.2	837 113 37 123 5 8 3	59.5 8.0 2.6 8.7 0.4 0.6 0.2 20.0	6 3 2 1 0 0 0 8	30.0 15.0 10.0 5.0 0.0 0.0 0.0 40.0

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOS	ES, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d		Withou	t AIDS		rith AIDS agnoses		0.4				
TOTAL	N 169	% 100.0	N 151	% 89.3	N 18	% 10.7	N <b>89</b>	% 100.0	N 6,334	% 100.0	N 48	% 100.0
GENDER												
Male Female	161 8	95.3 4.7	143 8	94.7 5.3	18 0	100.0 0.0	83 6	93.3 6.7	5,886 448	92.9 7.1	40 8	83.3 16.7
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	22 40 98 9 0 0	13.0 23.7 58.0 5.3 0.0 0.0	18 37 91 5 0 0	11.9 24.5 60.3 3.3 0.0 0.0	4 3 7 4 0 0	22.2 16.7 38.9 22.2 0.0 0.0	26 26 32 5 0 0	29.2 29.2 36.0 5.6 0.0 0.0	1,045 1,350 3,709 163 11 4 52	16.5 21.3 58.6 2.6 0.2 0.1 0.8	11 8 29 0 0 0	22.9 16.7 60.4 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 51 61 40 9 3	0.0 3.0 30.2 36.1 23.7 5.3 1.8	0 5 47 53 36 8 2	0.0 3.3 31.1 35.1 23.8 5.3 1.3	0 0 4 8 4 1 1	0.0 0.0 22.2 44.4 22.2 5.6 5.6	0 0 15 29 28 13	0.0 0.0 16.9 32.6 31.5 14.6 4.5	1 13 350 988 2,328 1,873 781	0.0 0.2 5.5 15.6 36.8 29.6 12.3	0 0 4 12 15	0.0 0.0 0.0 8.3 25.0 31.3 35.4
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	143 2 6 3 4 0 0	84.6 1.2 3.6 1.8 2.4 0.0 0.0 6.5	129 2 5 3 4 0 0	85.4 1.3 3.3 2.0 2.6 0.0 0.0 5.3	14 0 1 0 0 0 0 0 3	77.8 0.0 5.6 0.0 0.0 0.0 0.0 16.7	64 6 4 2 0 0 0 13	71.9 6.7 4.5 2.2 0.0 0.0 0.0 14.6	4,606 406 151 260 37 22 2 850	72.7 6.4 2.4 4.1 0.6 0.3 0.0 13.4	26 6 2 7 1 0 0	54.2 12.5 4.2 14.6 2.1 0.0 0.0 12.5

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di	agnoses	Withou		Concurrent wit dia	th AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	47	100.0	43	91.5	4	8.5	21	100.0	1,941	100.0	17	100.0
GENDER												
Male	40	85.1	36	83.7	4	100.0	17	81.0	1,769	91.1	15	88.2
Female	7	14.9	7	16.3	0	0.0	4	19.0	172	8.9	2	11.8
RACE/ETHNICITY								_				
Black	8	17.0	7	16.3	1	25.0	5	23.8	368	19.0	0	0.0
Latino/Hispanic	13	27.7	12	27.9	1	25.0	6	28.6	455	23.4	4	23.5
White	23	48.9	21	48.8	2	50.0	9	42.9	1,048	54.0	13	76.5
Asian/Pacific Islander	3	6.4	3	7.0	0	0.0	1	4.8	53	2.7	0	23.5 76.5 0.0
Native American	Ö	0.0	ő	0.0	ő	0.0	Ò	0.0	1	0.1	ŏ	0.0
Multiracial	Ö	0.0	ő	0.0	ő	0.0	0	0.0	2	0.1	ő	0.0
Unknown	ő	0.0	ő	0.0	ő	0.0	Ö	0.0	14	0.7	Ö	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	8	17.0	8	18.6	0	0.0	2	9.5	66	3.4	0	0.0
30-39	13	27.7	13	30.2	0	0.0	3	14.3	238	12.3	0	0.0
40-49	18	38.3	16	37.2	2	50.0	10	47.6	640	33.0	3	17.6
50-59	7	14.9	5	11.6	2	50.0	5	23.8	600	30.9	7	41.2
60+	1	2.1	1	2.3	0	0.0	1	4.8	395	20.4	7	41.2
007	•	2.1		2.5	U	0.0	'	4.0	393	20.4	,	41.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	68.1	28	65.1	4	100.0	12	57.1	1,223	63.0	10	58.8
Injection drug use history (IDU)	3	6.4	28 3	7.0	0	0.0	1	4.8	189	9.7	3	17.6
MSM-IDU	2	4.3	2	4.7	0	0.0	1	4.8	60	3.1	1	5.9 0.0 5.9 0.0
Heterosexual contact	6	12.8	6	14.0	0	0.0	2	9.5	118	6.1	0	0.0
Transgender people with sexual contact	1	2.1	1	2.3	0	0.0	0	0.0	11	0.6	1	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	3	6.4	3	7.0	0	0.0	5	23.8	329	17.0	2	11.8

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV d	iaanoses	Withou		Concurrent witi	h AIDS gnoses						
	N	%	N	%	N N	%	N	%	N	%	N	%
TOTAL	36	100.0	29	80.6	7	19.4	16	100.0	1,972	100.0	12	100.0
GENDER												
Male	35	97.2	28 1	96.6	/	100.0	14	87.5	1,871	94.9	10 2	83.3 16.7
Female	1	2.8	1	3.4	0	0.0	2	12.5	101	5.1	2	16.7
RACE/ETHNICITY												
Black	4	11.1	3	10.3	1	14.3	6	37.5	410	20.8	1	8.3
Latino/Hispanic	12	33.3	9	31.0	3	42.9	7	43.8	391	19.8	1	8.3
White	18	50.0	15	51.7	3	42.9	3	18.8	1,108	56.2	10	83.3
Asian/Pacific Islander	2	5.6	2	6.9	0	0.0	0	0.0	49	2.5	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	ĭ	2.8	ĭ	3.4	ŏ	0.0	0	0.0	ĭ	0.0	0	0.0 0.0
20-29	9	25.0	7	24.1	2	28.6	3	18.8	89	4.5	Ö	0.0 16.7
30-39	9	25.0	8	27.6	1	14.3	5	31.3	233	11.8	2	16.7
40-49	11	30.6	9	31.0	2	28.6	5	31.3	686	34.8	2	16.7
50-59	4	11.1	3	10.3	1	14.3	2	12.5	612	31.0	4	33.3
60+	2	5.6	1	3.4	1	14.3	1	6.3	351	17.8	4	33.3
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	32	88.9	26	89.7	6	85.7	9	56.3	1,293	65.6	7	58.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.3	1,293	8.9	2	16.7
MSM-IDU	1	2.8	1	3.4	Ö	0.0	0	0.0	45	2.3	1	
Heterosexual contact	1	2.8	1	3.4	ő	0.0	2	12.5	87	4.4	1	8.3
Transgender people with sexual contact	0	0.0	Ö	0.0	0	0.0	0	0.0	22	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	8.3 8.3 0.0 0.0 0.0 8.3
Unknown	2	5.6	1	3.4	11	14.3	3	18.8	348	17.6	11	8.3

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d	iaanoses	Withou		Concurrent w di	ith AIDS agnoses						İ
	N	%	N	%	N	% %	N	%	N	%	N	%
TOTAL	91	100.0	73	80.2	18	19.8	54	100.0	3,269	100.0	57	100.0
GENDER												
Male	80	87.9	64	87.7	16	88.9	46	85.2	2,634	80.6	45	78.9
Female	11	12.1	9	12.3	2	11.1	8	14.8	635	19.4	12	21.1
RACE/ETHNICITY						_		_				
Black	13	14.3	8	11.0	5	27.8	20	37.0	738	22.6	17	29.8
Latino/Hispanic	30	33.0	25	34.2	5	27.8	16	29.6	1,099	33.6	23	40.4
White	41	45.1	35	47.9	6	33.3	17	31.5	1,293	39.6	16	28.1
Asian/Pacific Islander	6	6.6	5	6.8	1	5.6	1	1.9	117	3.6	1	1.8
Native American	Ö	0.0	Ō	0.0	Ö	0.0	0	0.0	7	0.2	0	0.0
Multiracial	1	1.1	0	0.0	1	5.6	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
A OF OPOUR (VEA DO)												
AGE GROUP (YEARS)				0.0		0.0		0.0		0.4		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	6.6	6	8.2	0	0.0	0	0.0	17	0.5	0	0.0 0.0
20-29	30	33.0	25	34.2	5	27.8	11	20.4	185	5.7	0	0.0
30-39 40-49	27 17	29.7 18.7	24 11	32.9 15.1	3 6	16.7 33.3	10	18.5 37.0	353 1,056	10.8 32.3	2	3.5
40-49 50-59	7			6.8	2	11.1	20 7	13.0		32.3 32.7	13 21	22.8 36.8
60+	4	7.7 4.4	5 2	6.8 2.7	2	11.1	<i>7</i> 6	11.1	1,070 584	32.7 17.9	21	36.8
00+	4	4.4	2	2.1	2	11.1	O	11.1	364	17.9	21	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	68	74.7	55	75.3	13	72.2	29	53.7	1,627	49.8	16	28.1
Injection drug use history (IDÙ)	3	3.3	3	4.1	0	0.0	4	7.4	543	16.6	31	54.4
MSM-IDU (	4	4.4	3	4.1	1	5.6	2	3.7	116	3.5	3	5.3
Heterosexual contact	9	9.9	8	11.0	1	5.6	8	14.8	381	11.7	4	7.0
Transgender people with sexual contact	1	1.1	0	0.0	1	5.6	0	0.0	12	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	3.7	42	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0 5.3
Unknown	6	6.6	4	5.5	2	11.1	9	16.7	542	16.6	3	5.3

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGN	OSES, 201	1		AIDS DIAGNOSE	ES, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV			out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	10	76.9	3	23.1	8	100.0	538	100.0	6	100.0
OFNIDED								_				
GENDER Male	40	400.0	40	100.0	2	400.0	7	07.5	405	00.4	_	00.0
	13	100.0	10	100.0	3	100.0	/	87.5	465	86.4	5	83.3
Female	0	0.0	0	0.0	0	0.0	1	12.5	73	13.6	1	16.7
RACE/ETHNICITY												
Black	. 1	7.7	0	0.0	1	33.3	3	37.5	110	20.4	0	0.0
Latino/Hispanic	4	30.8	4	40.0	ò	0.0	2	25.0	130	24.2	4	66.7
White	8	61.5	6	60.0	2	66.7	3	37.5	276	51.3	2	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	3.3	0	33.3 0.0
Native American	Ö	0.0	ő	0.0	ő	0.0	0	0.0	0	0.0	Ö	0.0
Multiracial	Ö	0.0	ő	0.0	ő	0.0	0	0.0	1	0.2	ő	0.0
Unknown	0	0.0	Ö	0.0	ő	0.0	0	0.0	3	0.6	0	0.0
OTIKIOWIT	U	0.0	U	0.0	U	0.0	O	0.0	3	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
20-29	1	7.7	1	10.0	0	0.0	0	0.0	29	5.4	0	0.0
30-39	8	61.5	6	60.0	2	66.7	3	37.5	96	17.8	2	33.3 0.0
40-49	3	23.1	2	20.0	1	33.3	5	62.5	200	37.2	0	0.0
50-59	1	7.7	1	10.0	0	0.0	0	0.0	153	28.4	3	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	58	10.8	1	16.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	84.6	9	90.0	2	66.7	5	62.5	319	59.3	3	50.0
Injection drug use history (IDU)	2	15.4	1	10.0	1	33.3	1	12.5	48	8.9	0	0.0
MSM-IDU ( )	0	0.0	0	0.0	0	0.0	0	0.0	14	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	25.0	45	8.4	2	33.3 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	105	19.5	1	16.7

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A: 12/31/20		DEATHS,	2011
	Total IIIV a		14/:4/		Concurrent with	_						
	Total HIV d N	iagnoses %	Withou N	t AIDS %	n alag N	gnoses %	N	%	N	%	N	0/_
TOTAL	60	100.0	52	86.7	8	13.3	31	100.0	1,808	100.0	10	100.0
									1,000			
GENDER												
Male	55	91.7	48	92.3	7	87.5	24	77.4	1,514	83.7	6	60.0
Female	5	8.3	4	7.7	1	12.5	7	22.6	294	16.3	4	40.0
RACE/ETHNICITY												
Black	9	15.0	8	15.4	1	12.5	6	19.4	346	19.1	4	40.0
Latino/Hispanic	26	43.3	21	40.4	5	62.5	14	45.2	729	40.3	4	40.0
White	19	31.7	17	32.7	2	25.0	10	32.3	645	35.7	2	20.0
Asian/Pacific Islander	6	10.0	6	11.5	0	0.0	1	3.2	75	4.1	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	1	1.7	1	1.9	0	0.0	0	0.0	7	0.4	0	0.0 0.0
20-29	28	46.7	26	50.0	2	25.0	7	22.6	155	8.6	1	10.0
30-39	16	26.7	13	25.0	3	37.5	11	35.5	363	20.1	0	0.0
40-49	13	21.7	10	19.2	3	37.5	11	35.5	653	36.1	2	20.0
50-59	2	3.3	2	3.8	0	0.0	2	6.5 0.0	465 161	25.7	4	40.0
60+	0	0.0	Ü	0.0	U	0.0	Ü	0.0	161	8.9	3	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	45	75.0	40	76.9	5	62.5	21	67.7	1,035	57.2	1	10.0
Injection drug use history (IDU)	1	1.7	0	0.0	1	12.5	1	3.2	128	7.1	4	40.0
MSM-IDU	2	3.3	1	1.9	1	12.5	1_	3.2	41	2.3	0	0.0
Heterosexual contact	8	13.3	7	13.5	1	12.5	7	22.6	248	13.7	3	30.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0	0	0.0	0	0.0 0.0	12	0.7 0.9	0	0.0 0.0
Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0	16 2	0.9	0	0.0
Unknown	0	6.7	1	7.7	0	0.0	1	3.2	326	18.0	2	20.0
OHAHOWH	4	0.7	4	1.1	U	0.0	I	ა.2	320	16.0		20.0

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2011 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2011, NEW YORK CITY Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV di N	iagnoses %	Withou N		Concurrent with diag N	h AIDS gnoses %	N	%	N	%	N	%
TOTAL	163	100.0	132	81.0	31	19.0	97	100.0	5,569	100.0	32	100.0
GENDER								_				
Male	135	82.8	109	82.6	26	83.9	76	78.4	4,441	79.7	31	96.9
Female	28	17.2	23	17.4	5	16.1	21	21.6	1,128	20.3	1	3.1
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	18 112 19 14 0 0	11.0 68.7 11.7 8.6 0.0 0.0	14 89 17 12 0 0	10.6 67.4 12.9 9.1 0.0 0.0	4 23 2 2 0 0	12.9 74.2 6.5 6.5 0.0 0.0	26 63 5 3 0 0	26.8 64.9 5.2 3.1 0.0 0.0	1,725 2,959 643 217 13 6	31.0 53.1 11.5 3.9 0.2 0.1 0.1	7 20 5 0 0 0	21.9 62.5 15.6 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 7 50 56 36 13 1	0.0 4.3 30.7 34.4 22.1 8.0 0.6	0 7 43 42 30 9	0.0 5.3 32.6 31.8 22.7 6.8 0.8	0 7 14 6 4 0	0.0 0.0 22.6 45.2 19.4 12.9 0.0	0 2 17 33 30 15 0	0.0 2.1 17.5 34.0 30.9 15.5 0.0	4 29 415 966 2,123 1,506 526	0.1 0.5 7.5 17.3 38.1 27.0 9.4	0 0 5 10 10 7	0.0 0.0 0.0 15.6 31.3 31.3 21.9
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	107 2 2 28 5 0 0	65.6 1.2 1.2 17.2 3.1 0.0 0.0 11.7	86 2 2 22 3 0 0	65.2 1.5 1.5 16.7 2.3 0.0 0.0 12.9	21 0 0 6 2 0 0	67.7 0.0 0.0 19.4 6.5 0.0 0.0 6.5	40 11 3 18 4 1 0	41.2 11.3 3.1 18.6 4.1 1.0 0.0 20.6	2,053 1,094 154 952 73 55 4 1,184	36.9 19.6 2.8 17.1 1.3 1.0 0.1 21.3	14 9 1 1 0 0 0 7	43.8 28.1 3.1 3.1 0.0 0.0 0.0 21.9

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	OSES, 2011			AIDS DIAGNOSES	, 2011	PLWHA A: 12/31/20		DEATHS,	2011
	Total I IIV d	ioanooo	14/646	C out AIDS	oncurrent with Al	_						
	Total HIV d	agrioses %	N	out AIDS %	diagno. N	ses %	N	%	N	%	N	%
TOTAL	20	100.0	13	65.0		35.0	12	100.0	597	100.0	11	100.0
GENDER Male	17	85.0	13	100.0	4 5	57.1	8	66.7	430	72.0	6	54.5
Female	3	15.0	0	0.0		12.9	4	33.3	167	28.0	5	45.5
							•	33.3			_	
RACE/ETHNICITY RACE/ETHNICITY												
Black Latino/Hispanic	3 8	15.0 40.0	1 6	7.7 46.2		28.6 28.6	5	41.7	121 217	20.3 36.3	1 4	9.1
White	5	25.0	4	30.8		14.3	ა 2	25.0 16.7	180	30.2	5	36.4 45.5
Asian/Pacific Islander	4	20.0	2	15.4		28.6	2	16.7	72	12.1	1	9.1
Other/Unknown	0	0.0	0	0.0		0.0	0	0.0	7	1.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	Ö	0.0	ő	0.0		0.0	Ŏ	0.0	2	0.3	ő	0.0
20-29	6	30.0	6	46.2		0.0	1	8.3	27	4.5	1	9.1
30-39	5	25.0	3	23.1		28.6	3	25.0	86	14.4	0	0.0
40-49 50-59	5 4	25.0 20.0	2	15.4 15.4		12.9 28.6	5	41.7 16.7	216 179	36.2 30.0	4 3	36.4
60 <del>+</del>	0	0.0	0	0.0		0.0	1	8.3	87	14.6	3 3	36.4 27.3 27.3
		0.0	Ŭ	0.0	Ŭ	0.0	•	0.0	O,	1 1.0	Ü	27.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	75.0	11	84.6		57.1	6	50.0	231	38.7	2	18.2 9.1
Injection drug use history (IDÜ) MSM-IDU	0	0.0 0.0	0	0.0 0.0		0.0	0	0.0 0.0	74 14	12.4 2.3	0	9.1 0.0
Heterosexual contact	3	15.0	0	0.0		12.9	5	41.7	140	23.5	1	9.1
Transgender people with sexual contact	Ö	0.0	0	0.0	0	0.0	Ō	0.0	1	0.2	Ö	0.0 0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	7	1.2	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	2	0.3	0	0.0
Unknown	2	10.0	- 2	15.4	0	0.0	11	8.3	128	21.4		63.6

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	OSES, 2011			AIDS DIAGNOSES,	2011	PLWHA A: 12/31/20		DEATHS,	2011
	Total HIV di	aanoses	Witho	Cout AIDS	oncurrent with diagn	_						
	N	% %	N	%	N anagri	% %	N	%	N	%	N	%
TOTAL	6	100.0	6	100.0	0	0.0		100.0	152	100.0	3	100.0
GENDER Male	4	66.7	4	66.7	0	0.0	1	100.0	115	75.7	2	66.7
Female	2	66.7 33.3	4 2	33.3	0 0	0.0	0	0.0	37	24.3	2	33.3
i emale	2	33.3	2	33.3	O	0.0	U	0.0	31	24.5	'	33.3
RACE/ETHNICITY												
Black	2	33.3	2	33.3	0	0.0	0	0.0	29	19.1	0	0.0
Latino/Hispanic	1	16.7	1	16.7	0	0.0	0	0.0	31	20.4	2	66.7
White	3	50.0	3	50.0	0	0.0	1	100.0	81	53.3	1	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	6.6	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	5.9	0	0.0
30-39	2	33.3	2	33.3	0	0.0	0	0.0	12	7.9	0	0.0
40-49	2	33.3	2	33.3	0	0.0	0	0.0	51	33.6	0	0.0
50-59	2	33.3	2	33.3	0	0.0	1	100.0	53	34.9	1	33.3 66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	24	15.8	2	66.7
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	1	16.7	1	16.7	0	0.0	0	0.0	55	36.2	1	33.3
Injection drug use history (IDU)	ò	0.0	Ö	0.0	ő	0.0	Ö	0.0	15	9.9	Ö	0.0
MSM-IDU	0	0.0	Ö	0.0	Ö	0.0	Ō	0.0	55 15 2	1.3	0	0.0
Heterosexual contact	2	33.3	2	33.3	0	0.0	0	0.0	36	23.7	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Unknown	3	50.0	3	50.0	0	0.0	1	100.0	35	23.0	11	33.3

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSES	5, 2011	PLWHA A: 12/31/20		DEATHS	, 2011
	Total HIV di		Withou	t AIDS	Concurrent with A diagno	_						
TOTAL	N 33	% 100.0	N 26	% 78.8	N 7	% 21.2	N 17	% 100.0	N 1,101	% 100.0	N 7	% 100.0
GENDER							•		.,			
Male	26	78.8	21	80.8	5	71.4	12	70.6	809	73.5	6	85.7
Female	7	21.2	5	19.2		28.6	5	29.4	292	26.5	1	14.3
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown  AGE GROUP (YEARS)	4 19 8 2 0 0	12.1 57.6 24.2 6.1 0.0 0.0	4 16 5 1 0 0	15.4 61.5 19.2 3.8 0.0 0.0 0.0	3 3 1 0 0	0.0 42.9 42.9 14.3 0.0 0.0	4 5 7 1 0 0	23.5 29.4 41.2 5.9 0.0 0.0	138 526 391 40 0 1 5	12.5 47.8 35.5 3.6 0.0 0.1 0.5	1 3 3 0 0 0	14.3 42.9 42.9 0.0 0.0 0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 10 10 5 5 1	0.0 6.1 30.3 30.3 15.2 15.2 3.0	0 2 10 6 4 4 0	0.0 7.7 38.5 23.1 15.4 15.4 0.0	1 1	0.0 0.0 57.1 14.3 14.3	0 0 2 6 4 3 2	0.0 0.0 11.8 35.3 23.5 17.6 11.8	0 16 74 159 383 338 131	0.0 1.5 6.7 14.4 34.8 30.7 11.9	0 0 0 0 3 2 2	0.0 0.0 0.0 42.9 28.6 28.6
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	17 0 0 6 1 0 0	51.5 0.0 0.0 18.2 3.0 0.0 0.0 27.3	15 0 0 4 1 0 0	57.7 0.0 0.0 15.4 3.8 0.0 0.0 23.1	0 0 2 0 0	28.6 0.0 0.0 28.6 0.0 0.0 0.0 42.9	8 0 0 5 0 0 0 4	47.1 0.0 0.0 29.4 0.0 0.0 0.0 23.5	475 108 23 237 8 32 5 213	43.1 9.8 2.1 21.5 0.7 2.9 0.5 19.3	3 2 0 1 0 0 0	42.9 28.6 0.0 14.3 0.0 0.0 14.3

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	SES, 20 <sup>-</sup>	11		AIDS DIAGNOSE	S, 2011	PLWHA AS 12/31/20		DEATHS,	2011
					Concurrent with	_						İ
	Total HIV dia		Withou			noses	N	0/	N	0/	N	0/
TOTAL	N 8	% 100.0	N 6	% <b>75.0</b>	N 2	25.0	N 7	% 100.0	N <b>266</b>	% 100.0	N 5	% 100.0
IOTAL	-	100.0		75.0		25.0	•	100.0	200	100.0	, ,	100.0
GENDER												
Male	6	75.0	5	83.3	1	50.0	6	85.7	162	60.9	2	40.0
Female	2	25.0	1	16.7	1	50.0	1	14.3	104	39.1	3	60.0
RACE/ETHNICITY								_				
Black	3	37.5	2	33.3	1	50.0	5	71.4	128	48.1	0	0.0
Latino/Hispanic	3	37.5	3	50.0	0	0.0	1	14.3	69	25.9	2	40.0
White	0	0.0	0	0.0	0	0.0	0	0.0	51	19.2	2	40.0
Asian/Pacific Islander	2	25.0	1	16.7	1	50.0	1	14.3	17	6.4	1	20.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	14.3	4	1.5	0	0.0 0.0 0.0 0.0
20-29	4	50.0	4	66.7	0	0.0	0	0.0	22	8.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	14.3	28	10.5	0	0.0
40-49	2	25.0	1	16.7	1	50.0	3	42.9	92	34.6	2	40.0
50-59 60+	1	12.5 12.5	1 0	16.7 0.0	0	0.0 50.0	1	14.3 14.3	82 38	30.8	1 2	20.0 40.0
60+	1	12.5	U	0.0	1	50.0	1	14.3	38	14.3	2	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	50.0	3	50.0	1	50.0	2	28.6	68	25.6	0	0.0 20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	26	9.8	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Heterosexual contact	2	25.0	1	16.7	1	50.0	2	28.6	76	28.6	3	60.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0 0.0	0 0	0.0	0	0.0 0.0	1 7	0.4 2.6	0	0.0 0.0
Other	0	0.0 0.0	0	0.0	0	0.0	U	0.0	2	2.6 0.8	0	0.0
Unknown	0	25.0	2	33.3	0	0.0	0 3	42.9	2 84	31.6	1	20.0
OHNHOWH		20.0		55.5	U	0.0	3	42.9	04	31.0		20.0

Males include transgender men and females include transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS	, 2011
	Total HIV d		Withou	ıt AIDS	Concurrent with dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	32	80.0	8	20.0	26	100.0	1,620	100.0	26	100.0
GENDER						=						
Male	28	70.0	24	75.0	4	50.0	15	57.7	1,148	70.9	18	69.2
Female	12	30.0	8	25.0	4	50.0	11	42.3	472	29.1	8	30.8
RACE/ETHNICITY								_		_		
Black	12	30.0	9	28.1	3	37.5	10	38.5	505	31.2	9	34.6
Latino/Hispanic	18	45.0	15	46.9	3	37.5	7	26.9	696	43.0	7	26.0
White	3	7.5	2	6.3	1	12.5	6	23.1	274	16.9	9	26.9 34.6
Asian/Pacific Islander	7	17.5	6	18.8	1	12.5	3	11.5	122	7.5	9	3.8
Native American	0	0.0	0	0.0	0	0.0	ა 0	0.0	16	1.0	0	3.0 0.0
Multiracial		0.0		0.0	0	0.0	0	0.0		0.2	0	0.0
	0		0				-		3 4		0	0.0
Unknown	U	0.0	U	0.0	0	0.0	0	0.0	4	0.2	Ü	0.0
AGE GROUP (YEARS)												
0-12	1	2.5	1	3.1	0	0.0	0	0.0	5	0.3	0	0.0
13-19	2	5.0	2	6.3	0	0.0	0	0.0	16	1.0	0	0.0
20-29	14	35.0	13	40.6	1	12.5	4	15.4	130	8.0	0	0.0
30-39	8	20.0	6	18.8	2	25.0	7	26.9	256	15.8	3	11.5
40-49	8	20.0	4	12.5	4	50.0	8	30.8	560	34.6	8	30.8
50-59	7	17.5	6	18.8	1	12.5	6	23.1	480	29.6	10	38.5
60+	0	0.0	Ō	0.0	0	0.0	1	3.8	173	10.7	5	19.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	50.0	16	50.0	4	50.0	8	30.8	577	35.6	3	11.5
Injection drug use history (IDÜ)	1	2.5	1	3.1	0	0.0	1	3.8	204	12.6	12	46.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	22	1.4	1	3.8
Heterosexual contact	11	27.5	8	25.0	3	37.5	9	34.6	372	23.0	4	15.4
Transgender people with sexual contact	1	2.5	0	0.0	1	12.5	1	3.8	10	0.6	0	0.0
Perinatal	1	2.5	1	3.1	0	0.0	0	0.0	45	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	6	15.0	6	18.8	0	0.0	7	26.9	387	23.9	6	23.1

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV d		Withou	t AIDS		agnoses						
TOTAL	N 102	% 100.0	N 85	% 83.3	N 17	% 16.7	N 68	% 100.0	N 2,982	% 100.0	N <b>50</b>	% 100.0
GENDER												
Male	76	74.5	64	75.3	12	70.6	45	66.2	1,786	59.9	27	54.0
Female	26	25.5	21	24.7	5	29.4	23	33.8	1,196	40.1	23	46.0
RACE/ETHNICITY												
Black Latino/Hispanic	75 21	73.5 20.6	64 18	75.3 21.2	11 3	64.7 17.6	53 10	77.9 14.7	2,231 524	74.8 17.6	37 8	74.0 16.0
White	3	2.9	10	1.2	2	11.8	3	4.4	146	4.9	4	8.0
Asian/Pacific Islander	3	2.9	2	2.4	1	5.9	2	2.9	65	2.2	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	2.0	2	2.4	0	0.0	0	0.0	11	0.4	0	0.0
13-19 20-29	2 39	2.0 38.2	2 36	2.4 42.4	0 3	0.0 17.6	2 20	2.9 29.4	45 272	1.5 9.1	0 2	0.0 4.0
30-39	15	14.7	14	16.5	1	5.9	8	11.8	437	14.7	6	12.0
40-49	24	23.5	16	18.8	8	47.1	20	29.4	877	29.4	15	30.0
50-59	16	15.7	11	12.9	5	29.4	13	19.1	923	31.0	22	44.0
60+	4	3.9	4	4.7	0	0.0	5	7.4	417	14.0	5	10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	41.2	37	43.5	5	29.4	22	32.4	685	23.0	7	14.0
Injection drug use history (IDU)	2	2.0	1	1.2	1	5.9	6	8.8	425	14.3	13	26.0
MSM-IDU Heterosexual contact	0 28	0.0 27.5	0 22	0.0 25.9	0 6	0.0 35.3	0 21	0.0 30.9	46 890	1.5 29.8	1 12	2.0 24.0
Transgender people with sexual contact	20 1	1.0	1	1.2	0	0.0	0	0.0	13	0.4	0	0.0
Perinatal	2	2.0	2	2.4	0	0.0	1	1.5	92	3.1	1	2.0
Other	0	0.0	0	0.0	ŏ	0.0	0	0.0	10	0.3	Ö	2.0 0.0
Unknown	27	26.5	22	25.9	5	29.4	18	26.5	821	27.5	16	32.0

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A: 12/31/20		DEATHS	, 2011
	Total HIV d	iaanoses	Withou		Concurrent wi	ith AIDS agnoses						
	N	%	N	%	N	% % manual manua	N	%	N	%	N	%
TOTAL	30	100.0	20	66.7	10	33.3	20	100.0	1,195	100.0	15	100.0
GENDER												
Male _	20	66.7	14	70.0	6	60.0	12	60.0	663	55.5	12	80.0
Female	10	33.3	6	30.0	4	40.0	8	40.0	532	44.5	3	20.0
RACE/ETHNICITY												
Black	27	90.0	18	90.0	9	90.0	17	85.0	932	78.0	12	80.0
Latino/Hispanic	3	10.0	2	10.0	1	10.0	2	10.0	143	12.0	2	13.3
White	0	0.0	0	0.0	Ö	0.0	1	5.0	85	7.1	1	6.7
Asian/Pacific Islander	Ö	0.0	Ō	0.0	0	0.0	0	0.0	30	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
13-19	3	10.0	3	15.0	ő	0.0	0	0.0	20	1.7	0	0.0
20-29	8	26.7	8	40.0	Ő	0.0	2	10.0	104	8.7	1	0.0 6.7
30-39	4	13.3	2	10.0	2	20.0	6	30.0	184	15.4	Ö	0.0
40-49	7	23.3	4	20.0	3	30.0	5	25.0	345	28.9	3	20.0
50-59	4	13.3	1	5.0	3	30.0	4	20.0	367	30.7	9	60.0
60+	4	13.3	2	10.0	2	20.0	3	15.0	168	14.1	2	13.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	36.7	9	45.0	2	20.0	3	15.0	221	18.5	4	26.7
Injection drug use history (IDU)	1	3.3	ő	0.0	1	10.0	1	5.0	140	11.7	7	46.7
MSM-IDU	Ó	0.0	0	0.0	Ö	0.0	i	5.0	12	1.0	Ó	0.0
Heterosexual contact	13	43.3	8	40.0	5	50.0	9	45.0	380	31.8	1	6.7
Transgender people with sexual contact	1	3.3	1	5.0	0	0.0	Õ	0.0	4	0.3	O	0.0
Perinatal	0	0.0	0	0.0	Ő	0.0	Ö	0.0	52	4.4	Ö	0.0
Other	0	0.0	Ö	0.0	Ő	0.0	Ö	0.0	8	0.7	Ö	0.0
Unknown	4	13.3	2	10.0	2	20.0	ő	30.0	378	31.6	3	20.0

Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	OSES, 20°	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
					Concurrent wi							
	Total HIV di N	agnoses %	Withou N	ıt AIDS %	dia N	agnoses	N	%	N	%	N	%
TOTAL	26	100.0	13	50.0	13	50.0	25	100.0	1,064	100.0	31	100.0
I O I I I	20	10010		00.0		00.0	20	.00.0	1,001	100.0	0.	100.0
GENDER												
Male	18	69.2	8	61.5	10	76.9	18	72.0	597	56.1	16	51.6
Female	8	30.8	5	38.5	3	23.1	7	28.0	467	43.9	15	48.4
RACE/ETHNICITY												
Black	22	84.6	12	92.3	10	76.9	17	68.0	669	62.9	25	80.6
Latino/Hispanic	3	11.5	1	7.7	2	15.4	6	24.0	263	24.7	4	12.9
White	1	3.8	0	0.0	1	7.7	2	8.0	115	10.8	2	6.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	2	7.7	1	7.7	1	7.7	1	4.0	22	2.1	0	0.0
20-29	3	11.5	2	15.4	1	7.7	4	16.0	85	8.0	1	3.2
30-39	5	19.2	3	23.1	2	15.4 23.1	6	24.0	157	14.8	6	6.5
40-49 50-59	9	15.4 34.6	1 5	7.7 38.5	3 4	30.8	6	24.0 24.0	314 356	29.5 33.5	14	19.4 45.2
60+	3	11.5	1	7.7	2	15.4	2	8.0	128	12.0	8	25.8
		11.0	•		_	10.1	_	0.0	120	12.0	Ü	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	23.1	3	23.1	3	23.1	7	28.0	193	18.1	5	16.1
Injection drug use history (IDU)	2	7.7	0	0.0	2	15.4	4	16.0	186	17.5	7	22.6
MSM-IDU Heterosexual contact	1 13	3.8 50.0	0 7	0.0 53.8	1 6	7.7 46.2	1 12	4.0 48.0	26 384	2.4 36.1	0 10	0.0 32.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	12	48.0 0.0	384 6	0.6	10	32.3 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	3.1	0	0.0
Other	0	0.0	0	0.0	ŏ	0.0	ŏ	0.0	3	0.3	ő	0.0
Unknown	4	15.4	3	23.1	1	7.7	1	4.0	233	21.9	9	29.0

Table 1.11.1. Port Richmond (Staten Island)

		HIV	DIAGNO	SES, 201	1		AIDS DIAGNOSE	S, 2011	PLWHA A: 12/31/20		DEATHS,	2011
					Concurrent wit	_						
	Total HIV di		Withou			gnoses	N.	0/	N	0/	NI	0/
TOTAL	N 9	% 100.0	N 6	% 66.7	N 3	33.3	N 10	% 100.0	N 563	% 100.0	N 11	100.0
IOTAL	9	100.0	-	00.7		33.3	10	100.0	303	100.0	- "	100.0
GENDER												
Male	8	88.9	5	83.3	3	100.0	5	50.0	338	60.0	8	72.7
Female	1	11.1	1	16.7	0	0.0	5	50.0	225	40.0	3	27.3
RACE/ETHNICITY								_				
Black	4	44.4	4	66.7	0	0.0	4	40.0	290	51.5	7	63.6
Latino/Hispanic	3	33.3	2	33.3	1	33.3	2	20.0	173	30.7	3	27.3
White	1	11.1	0	0.0	1	33.3	3	30.0	93	16.5	1	9.1
Asian/Pacific Islander	1	11.1	0	0.0	1	33.3	1	10.0	4	0.7	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	10.0	8	1.4	0	0.0 0.0 0.0
20-29	5	55.6	4	66.7	1	33.3	5	50.0	54	9.6	0	0.0
30-39	3	33.3	2	33.3	1	33.3	1	10.0	62	11.0	ĭ	9.1
40-49	1	11.1	0	0.0	1	33.3	3	30.0	190	33.7	4	36.4
50-59	0	0.0	0	0.0	0	0.0	0	0.0	183	32.5	4	36.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	65	11.5	2	36.4 18.2
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	2	22.2	2	33.3	0	0.0	1	10.0	102	18.1	1	0.1
Injection drug use history (IDU)	1	11.1	0	0.0	1	33.3	2	20.0	132	23.4	5	9.1 45.5
MSM-IDU	0	0.0	0	0.0	Ö	0.0	0	0.0	15	2.7	1	9.1
Heterosexual contact	1	11.1	ő	0.0	ĭ	33.3	4	40.0	156	27.7	2	18.2
Transgender people with sexual contact	0	0.0	ő	0.0	Ö	0.0	0	0.0	1	0.2	0	0.0
Perinatal	Ö	0.0	Ō	0.0	Ö	0.0	1	10.0	24	4.3	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	5	55.6	4	66.7	11	33.3	2	20.0	132	23.4	2	18.2

Table 1.11.2. Stapleton - St. George (Staten Island)

		HIV	DIAGNO	SES, 20	11		AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	2011
	Total HIV d	iaanoses	Withou		Concurrent witi	h AIDS gnoses		_				
	N	%	N	%	N N	%	N	%	N	%	N	%
TOTAL	24	100.0	15	62.5	9	37.5	18	100.0	1,012	100.0	36	100.0
GENDER	4.4	50.0	0	50.0		00.7	45	00.0	050	04.5	07	75.0
Male Female	14 10	58.3 41.7	8 7	53.3 46.7	6 3	66.7 33.3	15 3	83.3 16.7	653 359	64.5 35.5	27 9	75.0 25.0
remale	10	41.7	/	40.7	3	33.3	3	16.7	359	35.5	9	25.0
RACE/ETHNICITY												
Black	10	41.7	5	33.3	5	55.6	8	44.4	444	43.9	17	47.2
Latino/Hispanic	6	25.0	4	26.7	2	22.2	4	22.2	292	28.9	11	30.6
White	7	29.2	5	33.3	2	22.2	5	27.8	256	25.3	8	22.2
Asian/Pacific Islander	1	4.2	1	6.7	0	0.0	0	0.0	11	1.1	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.6	9	0.9	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	3	12.5	3	20.0	Ö	0.0	Ö	0.0	12	1.2	Ö	0.0 0.0 2.8 0.0
20-29	5	20.8	3	20.0	2	22.2	3	16.7	64	6.3	1	2.8
30-39	4	16.7	3	20.0	1	11.1	5	27.8	144	14.2	0	0.0
40-49	6	25.0	3	20.0	3	33.3	6	33.3	337	33.3	13	36.1
50-59	3	12.5	2	13.3	1	11.1	2	11.1	335	33.1	15	41.7
60+	3	12.5	1	6.7	2	22.2	2	11.1	118	11.7	7	19.4
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	7	29.2	5	33.3	2	22.2	6	33.3	266	26.3	5	13.9
Injection drug use history (IDU)	1	4.2	1	6.7	0	0.0	1	5.6	191	18.9	16	44 4
MSM-IDU	1	4.2	0	0.0	ĭ	11.1	2	11.1	39	3.9	0	0.0
Heterosexual contact	6	25.0	4	26.7	2	22.2	4	22.2	248	24.5	5	13.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.2	0	0.0 13.9 0.0 2.8 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.8	1	2.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	9	37.5	5	33.3	4	44.4	5	27.8	226	22.3	9	25.0

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGNO	OSES, 2011			AIDS DIAGNOSE	S, 2011	PLWHA A 12/31/20		DEATHS,	, 2011
	Total HIV d	iaanosas	With	Cout AIDS	oncurrent wit	th AIDS agnoses						
	N	%	N	% %	N	29110303 %	N	%	N	%	N	%
TOTAL	2	100.0	1	50.0	1	50.0	1	100.0	173	100.0	4	100.0
GENDED												
GENDER Male	1	50.0	0	0.0	1	100.0	1	100.0	118	68.2	1	25.0
Female	1	50.0	1	100.0	Ó	0.0	Ö	0.0	55	31.8	3	75.0
l omas		30.0				0.0	· ·	0.0		00	· ·	. 0.0
RACE/ETHNICITY												
Black	1	50.0	1	100.0	0	0.0	0	0.0	23 48	13.3 27.7	2	50.0 50.0
Latino/Hispanic White	0	0.0 50.0	0	0.0 0.0	0 1	0.0	0	0.0 100.0	48 98	56.6	2 0	50.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
Other/Unknown	Ö	0.0	Ŏ	0.0	Ö	0.0	Ö	0.0	2	1.2	Ö	0.0 0.0
AGE GROUP (YEARS)				0.0		0.0		0.0		0.0		0.0
0-12 13-19	0	0.0 50.0	0 1	0.0 100.0	0	0.0	0	0.0 0.0	1	0.6 0.6	0 0	0.0 0.0
20-29	0	0.0	Ó	0.0	0	0.0	0	0.0	13	7.5	0	0.0
30-39	Ö	0.0	ő	0.0	ő	0.0	Ö	0.0	19	11.0	ő	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	49	28.3	1	25.0 25.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	65	37.6	1	25.0
60+	1	50.0	0	0.0	1	100.0	1	100.0	25	14.5	2	50.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	52	30.1	0	0.0
Injection drug use history (IDÙ)	1	50.0	0	0.0	1	100.0	1	100.0	41	23.7	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	4.0	0	0.0
Heterosexual contact	1	50.0	1	100.0	0	0.0	0	0.0	34	19.7	2	50.0
Transgender people with sexual contact Perinatal	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	0 6	0.0 3.5	0 0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	19.1	0	0.0

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2011					AIDS DIAGNOSES, 2011		PLWHA AS OF 12/31/2011		DEATHS, 2011		
	Total HIV di			out AIDS	oncurrent wi dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4	100.0	2	50.0	2	50.0	4	100.0	423	100.0	9	100.0
								_				
GENDER		400.0		400.0		400.0	4	400.0	007	07.0	_	55.0
Male	4	100.0	2	100.0	2	100.0	4	100.0	287	67.8	5	55.6
Female	0	0.0	0	0.0	0	0.0	0	0.0	136	32.2	4	44.4
RACE/ETHNICITY								_				
Black	0	0.0	0	0.0	0	0.0	0	0.0	83	19.6	4	44.4
Latino/Hispanic	1	25.0	1	50.0	0	0.0	2	50.0	109	25.8	2	22.7
White	3	75.0	i	50.0	2	100.0	2	50.0	226	53.4	3	22.2 33.3
Asian/Pacific Islander	ő	0.0	Ö	0.0	0	0.0	0	0.0	4	0.9	ő	0.0
Native American	Ö	0.0	ő	0.0	ő	0.0	0	0.0	0	0.0	ő	0.0
Multiracial	Ö	0.0	ő	0.0	Ő	0.0	Õ	0.0	ő	0.0	ő	0.0
Unknown	0	0.0	Õ	0.0	Ö	0.0	Õ	0.0	ĭ	0.2	Ö	0.0
on a control of the c		0.0	Ŭ	0.0	Ŭ	0.0	Ŭ	0.0	·	0.2	Ŭ	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	18	4.3	0	0.0
30-39	1	25.0	1	50.0	0	0.0	0	0.0	55	13.0	1	11.1
40-49	3	75.0	1	50.0	2	100.0	4	100.0	125	29.6	3	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	169	40.0	2	22.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	52	12.3	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	75.0	1	50.0	2	100.0	2	50.0	89	21.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	25.0	84	19.9	2	22.2
MSM-IDU ,	1	25.0	1	50.0	0	0.0	0	0.0	8	1.9	1	11.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	25.0	110	26.0	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	115	27.2	3	33.3

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2011 Table 2.1. Overall and by sex, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION <sup>1,2</sup>	PLWHA AS PERCENT OF POPULATION <sup>2</sup>	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2011 NEW YORK CITY POPULATION⁴
TOTAL	40.9	1.4	13.5	8,287,000
GENDER				
Male	65.9	2.1	13.4	3,940,472
Female	18.2	0.8	13.5	4,346,528
RACE/ETHNICITY				
Black	80.5	2.7	15.0	1,903,440
Latino/Hispanic	45.6	1.6	13.7	2,381,427
White	23.6	0.9	10.7	2,754,563
Asian/Pacific Islander	9.8	0.2	8.4	1,104,258
Native American	20.5*	1.4	16.8*	19,554
AGE GROUP (YEARS)				
0 - 12	0.5*	0.0	0.0*	1,290,434
13 - 19	26.7	0.2	1.4*	700,423
20 - 29	81.4	0.7	6.6	1,394,683
30 - 39	65.0	1.4	7.8	1,269,621
40 - 49	62.4	3.3	13.7	1,141,701
50 - 59	36.9	3.3	22.0	1,038,761
60+	9.4	1.1	37.2	1,451,377

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2016. Table generated February 13, 2017. Male category includes transgender men and female category includes transgender women. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution.

<sup>&</sup>lt;sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using the intercensal 2011 NYC population.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from NYC intercensal estimates.

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2011 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES	PLWHA AS	AGE-ADJUSTED	2011 NEW
	PER 100,000 POPULATION <sup>1,2</sup>	PERCENT OF POPULATION <sup>2</sup>	DEATH RATE PER 1,000 MID-YEAR PLWHA <sup>3</sup>	YORK CITY POPULATION
TOTAL	40.9	1.4	13.5	8,287,000
BRONX <sup>5</sup>	44.9	1.8	14.9	1,397,723
Crotona - Tremont	47.6	2.4	15.9	208,046
Fordham - Bronx Park	43.5	1.9	10.6	255,072
High Bridge - Morrisania	65.5	2.6	20.9	212,335
Hunts Point - Mott Haven	69.3	2.3	11.4	138,524
Kingsbridge - Riverdale	21.8	0.7	22.5	91,609
Northeast Bronx	35.0	1.2	13.8	191,636
Pelham - Throgs Neck	31.6	1.4	12.3	300,502
BROOKLYN <sup>5</sup>	36.6	1.1	14.4	2,544,744
Bedford Stuyvesant - Crown Heights	73.8	2.3	16.5	318,563
Bensonhurst - Bay Ridge	11.8	0.3	8.6*	212,33
Borough Park	8.6	0.3	11.4	338,525
Canarsie - Flatlands	34.1	0.8	9.3	196,254
Coney Island - Sheepshead Bay	9.5	0.4	20.9	295,142
Downtown - Heights - Park Slope	36.5	1.2	13.9	224,834
East Flatbush - Flatbush	55.7	1.7	11.2	297,896
East New York	43.7	1.6	15.9	187,669
Greenpoint	29.1	0.7	14.5	133,858
Sunset Park	20.9	0.6	8.8*	129,205
Williamsburg - Bushwick	69.8	1.8	19.1	210,467
MANHATTAN <sup>5</sup>	51.6	1.9	10.5	1,601,133
Central Harlem - Morningside Heights	87.1	2.8	18.8	164,109
Chelsea - Clinton	110.3	4.1	6.4	153,194
East Harlem	69.8	2.5	18.2	111,789
Gramercy Park - Murray Hill	34.8	1.4	5.3	134,972
Greenwich Village - Soho	42.7	2.3	4.6	84,222
Lower Manhattan	23.0	1.0	8.8*	56,443
Union Square - Lower East Side	45.5	1.6	11.6	199,829
Upper East Side	16.6	0.6	9.7	222,938
Upper West Side	29.6	1.4	7.7	222,603
Washington Heights - Inwood	54.2	1.6	8.5	251,033
QUEENS <sup>5</sup>	21.6	0.7	8.8	2,268,043
Bayside - Little Neck	6.8*	0.2	17.4*	88,105
Flushing - Clearview	7.6	0.2	17.0	261,806
Fresh Meadows	8.2*	0.3	14.2*	97,235
Jamaica	35.0	1.0	10.8	291,793
Long Island City - Astoria	28.0	0.8	6.0*	214,51
Ridgewood - Forest Hills	13.5	0.4	4.7*	245,268
Rockaway	22.6	0.9	23.4	115,246
Southeast Queens	15.6	0.6	8.2	192,740
Southwest Queens	15.0	0.6	11.3	267,40
West Queens	33.0	1.1	4.8	493,940
STATEN ISLAND <sup>5</sup>	8.3	0.5	19.1	471,10
Port Richmond	12.7*	0.8	11.5*	71,080
South Beach - Tottenville	2.1*	0.2	18.8*	189,42
Stapleton - St. George	19.2	0.8	23.7	124,67
Willowbrook	2.3*	0.2	19.2*	85,909

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2016. Table generated February 13, 2017. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution. 
¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using the intercensal 2011 NYC population.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from NYC intercensal estimates.

<sup>&</sup>lt;sup>5</sup>Borough-level data include people residing in unknown UHF neighborhoods.