

NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2012

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2012 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2012, NEW YORK CITY

Table 1.1	New York City (All)		
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.1	Black females	Table 1.8.1	Downtown – Heights – Park Slope
Table 1.3.2	Latino/Hispanic males	Table 1.8.2	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.3	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.7	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
14016 1.5.10	Native American females	Table 1.8.10	Williamsburg – Bushwick
	By Age	Table 1.0.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	. omalos revijeare	Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, males	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, females	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, males	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, females	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, males	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, females		
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Risk	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug users (IDU), males	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, males	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, females		
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2012

Table 2.1 Overall and by gender, age, and race/ethnicity Table 2.2 Overall and by borough and UHF neighborhood of residence

Table 1.1. New York City (All)

	HIV		DIAGNOS	•			AIDS DIAGNOSE	ES, 2012	PLWHA AS 12/31/201		DEATHS	, 2012
	Total HIV di	iagnoses	Withou		oncurrent wit dia	th AIDS ignoses						
TOTAL	N 3,123	% 100.0	N 2,556	% 81.8	N 567	% 18.2	N 2,124	% 100.0	N 118,7 0 5	% 100.0	N 1,900	% 100.0
GENDER												
Male	2,444	78.3	2,002	78.3	442	78.0	1,546	72.8	84,666	71.3	1,326	69.8
Female	630	20.2	509	19.9	121	21.3		25.6	32,974	27.8	562	29.6
Transgender	49	1.6	45	1.8	4	0.7	34	1.6	1,065	0.9	12	0.6
RACE/ETHNICITY												
Black	1,342	43.0	1,065	41.7	277	48.9		51.7	52,632	44.3	973	51.2
Latino/Hispanic	1,031	33.0	860	33.6	171	30.2		30.7	38,589	32.5	595	31.3
White	624	20.0	530	20.7	94	16.6		14.8	24,532	20.7	300	15.8
Asian/Pacific Islander Native American	108	3.5 0.1	86 1	3.4 0.0	22 2	3.9 0.4	51 6	2.4 0.3	2,171 268	1.8 0.2	24 5	1.3 0.3
Multiracial	15	0.1	14	0.5	1	0.4		0.0	156	0.2	3	0.3
Unknown	0	0.0	0	0.0	Ö	0.0		0.0	357	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	6	0.2	6	0.2	0	0.0	1	0.0	207	0.2	2	0.1
13-19	144	4.6	140	5.5	4	0.7	34	1.6	1,150	1.0	1	0.1
20-29	1,093	35.0	989	38.7	104	18.3	413	19.4	10,265	8.6	52	2.7
30-39	757	24.2	635	24.8	122	21.5		22.9	17,698	14.9	140	7.4
40-49	628	20.1	456	17.8	172	30.3	581	27.4	35,884	30.2	447	23.5
50-59 60+	341 154	10.9 4.9	237 93	9.3 3.6	104 61	18.3 10.8	421 187	19.8 8.8	35,828 17,673	30.2 14.9	697 561	36.7 29.5
60+	154	4.9	93	3.0	01	10.6	107	0.0	17,073	14.9	301	29.5
BOROUGH OF RESIDENCE												
Bronx	568	18.2	462	18.1	106	18.7	470	22.1	26,437	22.3	490	25.8
Brooklyn Manhattan	809 769	25.9 24.6	636 639	24.9 25.0	173	30.5 22.9	572 435	26.9 20.5	28,369 30.870	23.9 26.0	507 350	26.7 18.4
Queens	480	24.6 15.4	388	15.2	130 92	16.2	283	13.3	16,968	14.3	152	8.0
Staten Island	37	1.2	34	1.3	3	0.5		2.1	2,206	1.9	45	2.4
Outside NYC	392	12.6	331	12.9	61	10.8	282	13.3	11,707	9.9	88	4.6
Unknown	68	2.2	66	2.6	2	0.4	38	1.8	2,148	1.8	268	14.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	211	6.8	177	6.9	34	6.0	119	5.6	10,794	9.1	92	4.8
Medium poverty (10 to <20% below FPL)	813	26.0	664	26.0	149	26.3		23.4	30,210	25.4	333	17.5
High poverty (20 to <30% below FPL)	758	24.3	602	23.6	156	27.5	539	25.4	27,381	23.1	439	23.1
Very high poverty (≥30% below FPL)	871	27.9	709	27.7	162	28.6	640	30.1	35,051	29.5	677	35.6
Area-based poverty level not available	470	15.0	404	15.8	66	11.6	329	15.5	15,269	12.9	359	18.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,714	54.9	1,463	57.2	251	44.3	864	40.7	43,868	37.0	364	19.2
Injection drug use history (IDU)	86	2.8	69	2.7	17	3.0		7.6	17.325	14.6	606	31.9
MSM-IDU	62	2.0	50	2.0	12	2.1	54	2.5	2,832	2.4	80	4.2
Heterosexual contact	614	19.7	473	18.5	141	24.9	493	23.2	23,607	19.9	352	18.5
Transgender people with sexual contact	46	1.5	42	1.6	4	0.7	30	1.4	883	0.7	10	0.5
Perinatal	6	0.2	6	0.2	0	0.0		1.4	2,553	2.2	19	1.0
Other	0	0.0	0 453	0.0	0	0.0		0.0	224	0.2	460	0.0
Unknown	595	19.1	453	17.7	142	25.0	491	23.1	27,413	23.1	469	24.7

Table 1.2.1. Males (includes transgender men)

		HIV	DIAGNOS	· ·			AIDS DIAGNOSE	S, 2012	PLWHA AS 12/31/20		DEATHS,	2012
	Total HIV di	agnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses %	N	%	N	%	N	%
TOTAL	2,445	100.0	2,003	81.9	442	18.1	1,546	100.0	84,680	100.0	1,326	100.0
RACE/ETHNICITY												
Black	920	37.6	734	36.6	186	42.1	724	46.8	32,931	38.9	634	47.8
Latino/Hispanic	837	34.2	690	34.4	147	33.3	495	32.0	27,393	32.3	411	31.0
White	579	23.7	493	24.6	86	19.5	279	18.0	22,003	26.0	255	19.2
Asian/Pacific Islander	96	3.9	76	3.8	20	4.5	43	2.8	1,765	2.1	21	1.6
Native American	2	0.1	0	0.0	2	0.5	4 1	0.3	193	0.2	3	0.2 0.2
Multiracial Unknown	11 0	0.4 0.0	10 0	0.5 0.0	0	0.2 0.0	0	0.1 0.0	119 276	0.1 0.3	2	0.2
OHAHOWH	U	0.0	U	0.0	U	0.0	U	0.0	270	0.3	U	0.0
AGE GROUP (YEARS)												
0-12		0.2	5	0.2	0	0.0	0	0.0	_96	0.1	1	0.1
13-19	111	4.5	108	5.4	3	0.7	21	1.4	575	0.7	0	0.0
20-29 30-39	910 610	37.2 24.9	819 509	40.9 25.4	91 101	20.6 22.9	335 371	21.7 24.0	7,750 12,561	9.2 14.8	38 93	2.9 7.0
40-49	480	19.6	349	17.4	131	29.6	400	25.9	25,279	29.9	290	21.9
50-59	226	9.2	155	7.7	71	16.1	283	18.3	25,362	30.0	487	36.7
60+	103	4.2	58	2.9	45	10.2	136	8.8	13,057	15.4	417	31.4
BOROUGH OF RESIDENCE												
Bronx	402	16.4	320	16.0	82	18.6	302	19.5	15,948	18.8	306	23.1
Brooklyn	578	23.6	457	22.8	121	27.4	396	25.6	18,387	21.7	337	25.4
Manhattan	668	27.3	557	27.8	111	25.1	358	23.2	25,624	30.3	269	20.3
Queens	378	15.5	304	15.2	74	16.7	208	13.5	12,170	14.4	105	7.9
Staten Island	23	0.9	21	1.0	2	0.5	28	1.8	1,412	1.7	25	1.9
Outside NYC	342	14.0	292	14.6	50	11.3	228	14.7	9,567	11.3	69	5.2
Unknown	54	2.2	52	2.6	2	0.5	26	1.7	1,572	1.9	215	16.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	186	7.6	155	7.7	31	7.0	92	6.0	9,034	10.7	73	5.5
Medium poverty (10 to <20% below FPL)	670	27.4	549	27.4	121	27.4	380	24.6	23,065	27.2	240	18.1
High poverty (20 to <30% below FPL)	549	22.5	434	21.7	115	26.0	375	24.3	18,414	21.7	303	22.9
Very high poverty (≥30% below FPL)	635	26.0	514	25.7	121	27.4	437	28.3	21,899	25.9	423	31.9
Area-based poverty level not available	405	16.6	351	17.5	54	12.2	262	16.9	12,268	14.5	287	21.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,714	70.1	1.463	73.0	251	56.8	864	55.9	43.868	51.8	364	27.5
Injection drug use history (IDU)	62	2.5	46	2.3	16	3.6	102	6.6	11,440	13.5	409	30.8
MSM-IDU , , , , ,	62	2.5	50	2.5	12	2.7	54	3.5	2,832	3.3	80	6.0
Heterosexual contact	137	5.6	96	4.8	41	9.3	132	8.5	6,073	7.2	106	8.0
Transgender people with sexual contact	1	0.0	1	0.0	0	0.0	0	0.0	9	0.0	0	0.0
Perinatal Other	5 0	0.2	5	0.2	0	0.0	13	0.8	1,243	1.5	9	0.7
Other Unknown	0 464	0.0 19.0	0 342	0.0 17.1	0 122	0.0 27.6	0 381	0.0 24.6	119 19.096	0.1 22.6	0 358	0.0 27.0
UIIKIUWII	404	19.0	342	17.1	IZZ	21.0	J0 I	24.0	19,090	22.0	ააშ	21.0

Table 1.2.2. Females (includes transgender women)

	Total HIV dia		DIAGNC Withou		Concurrent with	h AIDS gnoses	AIDS DIAGNOSE	ES, 2012	PLWHA A: 12/31/20		DEATHS	5, 2012
	N	ayrioses %	N	1 AID3 %	N Ula	91103 <i>0</i> 3 %	N	%	N	%	N	%
TOTAL	678	100.0	553	81.6	125	18.4	578	100.0	34,025	100.0	574	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	422 194 45 12 1 4	62.2 28.6 6.6 1.8 0.1 0.6 0.0	331 170 37 10 1 4	59.9 30.7 6.7 1.8 0.2 0.7	91 24 8 2 0 0	72.8 19.2 6.4 1.6 0.0 0.0	375 158 35 8 2 0	64.9 27.3 6.1 1.4 0.3 0.0	19,701 11,196 2,529 406 75 37 81	57.9 32.9 7.4 1.2 0.2 0.1 0.2	45 3	59.1 32.1 7.8 0.5 0.3 0.2 0.0
AGE GROUP (YEARS)		0.4	,	0.0		0.0		0.0	444	0.0	_	0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 33 183 147 148 115 51	0.1 4.9 27.0 21.7 21.8 17.0 7.5	1 32 170 126 107 82 35	0.2 5.8 30.7 22.8 19.3 14.8 6.3	0 1 13 21 41 33 16	0.0 0.8 10.4 16.8 32.8 26.4 12.8	1 13 78 116 181 138 51	0.2 2.2 13.5 20.1 31.3 23.9 8.8	111 575 2,515 5,137 10,605 10,466 4,616	0.3 1.7 7.4 15.1 31.2 30.8 13.6	1 14 47 157 210 144	0.2 0.2 2.4 8.2 27.4 36.6 25.1
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	166 231 101 102 14 50	24.5 34.1 14.9 15.0 2.1 7.4 2.1	142 179 82 84 13 39 14	25.7 32.4 14.8 15.2 2.4 7.1 2.5	24 52 19 18 1 11	19.2 41.6 15.2 14.4 0.8 8.8 0.0	168 176 77 75 16 54	29.1 30.4 13.3 13.0 2.8 9.3 2.1	10,489 9,982 5,246 4,798 794 2,140 576	30.8 29.3 15.4 14.1 2.3 6.3 1.7	184 170 81 47 20 19 53	32.1 29.6 14.1 8.2 3.5 3.3 9.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	25 143 209 236 65	3.7 21.1 30.8 34.8 9.6	22 115 168 195 53	4.0 20.8 30.4 35.3 9.6	3 28 41 41 12	2.4 22.4 32.8 32.8 9.6	27 117 164 203 67	4.7 20.2 28.4 35.1 11.6	1,760 7,145 8,967 13,152 3,001	5.2 21.0 26.4 38.7 8.8		3.3 16.2 23.7 44.3 12.5
' '	03	9.0	- 33	3.0	12	9.0	O7	11.0	3,001	0.0	12	12.5
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	24 477 45 1 0	3.5 70.4 6.6 0.1 0.0 19.3	23 377 41 1 0 111	4.2 68.2 7.4 0.2 0.0 20.1	1 100 4 0 0 20	0.8 80.0 3.2 0.0 0.0 16.0	59 361 30 17 1	10.2 62.5 5.2 2.9 0.2 19.0	5,885 17,534 874 1,310 105 8,317	17.3 51.5 2.6 3.9 0.3 24.4	197 246 10 10 0	34.3 42.9 1.7 1.7 0.0 19.3

Table 1.3.1. Black males (includes transgender men)

		HIV	DIAGNO	OSES, 20	12 Concurrent w	vith AIDS	AIDS DIAGNOS	ES, 2012	PLWHA AS 12/31/20		DEATHS,	, 2012
	Total HIV di	agnoses	Withou	it AIDS	di	iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	920	100.0	734	79.8	186	20.2	724	100.0	32,931	100.0	634	100.0
AGE GROUP (YEARS)												
0-12	5	0.5	5	0.7	0	0.0	0	0.0	62	0.2	1	0.2
13-19	60	6.5	59	8.0	1	0.5	13	1.8	335	1.0	0	0.0
20-29	359	39.0	317	43.2	42	22.6	174	24.0	3,905	11.9	26	4.1
30-39	192	20.9	151	20.6	41	22.0	162	22.4	4,654	14.1	40	6.3
40-49	161	17.5	112	15.3	49	26.3	174	24.0	8,890	27.0	121	19.1
50-59	94	10.2	62	8.4	32	17.2	137	18.9	9,786	29.7	235	37.1
60+	49	5.3	28	3.8	21	11.3	64	8.8	5,299	16.1	211	33.3
BOROUGH OF RESIDENCE												
Bronx	180	19.6	139	18.9	41	22.0	149	20.6	6.922	21.0	148	23.3
Brooklyn	331	36.0	256	34.9	75	40.3	245	33.8	10,539	32.0	217	34.2
Manhattan	180	19.6	144	19.6	36	19.4	138	19.1	6,974	21.2	97	15.3
Queens	95	10.3	79	10.8	16	8.6	79	10.9	4,236	12.9	45	7.1
Staten Island	8	0.9	8	1.1	0	0.0	9	1.2	488	1.5	9	1.4
Outside NYC	103	11.2	85	11.6	18	9.7	97	13.4	3,181	9.7	26	4.1
Unknown	23	2.5	23	3.1	0	0.0	7	1.0	591	1.8	92	14.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	42	4.6	35	4.8	7	3.8	28	3.9	1,751	5.3	20	3.2
Medium poverty (10 to <20% below FPL)	194	21.1	155	21.1	39	21.0	145	20.0	7,258	22.0	86	13.6
High poverty (20 to <30% below FPL)	242	26.3	192	26.2	50	26.9	197	27.2	9,127	27.7	184	29.0
· · · · · · · ·												
Very high poverty (≥30% below FPL)	310	33.7	240	32.7	70	37.6	243	33.6	10,608	32.2	226	35.6
Area-based poverty level not available	132	14.3	112	15.3	20	10.8	111	15.3	4,187	12.7	118	18.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	561	61.0	477	65.0	84	45.2	360	49.7	13,377	40.6	138	21.8
Injection drug use history (IDU)	26	2.8	14	1.9	12	6.5	47	6.5	4,680	14.2	176	27.8
MSM-IDU	15	1.6	10	1.4	5	2.7	23	3.2	1.028	3.1	35	5.5
Heterosexual contact	85	9.2	62	8.4	23	12.4	82 82	11.3	3,306	10.0	76	12.0
Transgender people with sexual contact	1	0.1	1	0.4	0	0.0	0	0.0	7	0.0	0	0.0
Perinatal	5	0.1	5	0.7	0	0.0	8	1.1	699	2.1	6	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	0	0.9
Unknown	227	24.7	165	22.5	62	33.3	204	28.2	9.799	29.8	203	32.0
OTIKHOWIT	221	Z4.1	100	22.0	02	55.5	204	20.2	3,133	23.0	203	32.0

Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2012						AIDS DIAGNOSE	S, 2012	PLWHA AS 12/31/20		DEATHS	, 2012
					Concurrent wit	_						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	422	100.0	331	78.4	91	21.6	375	100.0	19,701	100.0	339	100.0
AGE GROUP (YEARS)								_				
0-12	1	0.2	1	0.3	0	0.0	1	0.3	67	0.3	1	0.3
13-19	13	3.1	12	3.6	1	1.1	5	1.3	345	1.8	Ó	0.0
20-29	104	24.6	98	29.6	6	6.6	46	12.3	1,485	7.5	10	2.9
30-39	97	23.0	83	25.1	14	15.4	79	21.1	3,173	16.1	33	9.7
40-49	102	24.2	70	21.1	32	35.2	118	31.5	6,160	31.3	91	26.8
50-59	75	17.8	49	14.8	26	28.6	94	25.1	5,929	30.1	120	35.4
60+	30	7.1	18	5.4	12	13.2	32	8.5	2,542	12.9	84	24.8
BOROUGH OF RESIDENCE												
Bronx	97	23.0	81	24.5	16	17.6	95	25.3	5,330	27.1	85	25.1
Brooklyn	168	39.8	127	38.4	41	45.1	127	33.9	6,929	35.2	134	39.5
Manhattan	59	14.0	43	13.0	16	17.6	44	11.7	2,882	14.6	45	13.3
Queens	54	12.8	42	12.7	12	13.2	53	14.1	2,747	13.9	33	9.7
Staten Island	6	1.4	6	1.8	0	0.0	10	2.7	372	1.9	5	1.5 2.7
Outside NYC	31	7.3	25	7.6	6	6.6	37	9.9	1,113	5.6	9	2.7
Unknown	7	1.7	7	2.1	0	0.0	9	2.4	328	1.7	28	8.3
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	10	2.4	7	2.1	3	3.3	20	5.3	933	4.7	8	2.4
Medium poverty (10 to <20% below FPL)	85	20.1	62	18.7	23	25.3	73	19.5	4,077	20.7	59	17.4
High poverty (20 to <30% below FPL)	128	30.3	101	30.5	27	29.7	113	30.1	5,569	28.3	85	25.1
,									•			
Very high poverty (≥30% below FPL)	160	37.9	129	39.0	31	34.1	122	32.5	7,523	38.2	150	44.2
Area-based poverty level not available	39	9.2	32	9.7	7	7.7	47	12.5	1,599	8.1	37	10.9
TRANSMISSION RISK												
Injection drug use history (IDU)	12	2.8	11	3.3	1	1.1	28	7.5	2,800	14.2	96	28.3
Heterosexual contact	300	71.1	226	68.3	74	81.3	246	65.6	10,427	52.9	161	47.5
Transgender people with sexual contact	18	4.3	17	5.1	1	1.1	15	4.0	425	2.2	7	2.1
Perinatal	1	0.2	1	0.3	Ö	0.0	4	1.1	756	3.8	6	1.8
Other	0	0.0	Ô	0.0	Ō	0.0	1	0.3	52	0.3	Ö	0.0
Unknown	91	21.6	76	23.0	15	16.5	81	21.6	5,241	26.6	69	20.4

Table 1.3.3. Latino/Hispanic males (includes transgender men)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2012	PLWHA AS 12/31/20		DEATHS	, 2012
					Concurrent w							
	Total HIV di	•	Withou			iagnoses		0.4		0.0		0/
TOTAL	N 837	% 100.0	N 690	% 82.4	N 147	% 17.6	N 495	% 100.0	N 27 202	% 100.0	N 411	100.0
TOTAL	837	100.0	690	82.4	147	17.0	495	100.0	27,393	100.0	411	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	29	0.1	0	0.0
13-19	46	5.5	44	6.4	2	1.4	8	1.6	202	0.7	0	0.0
20-29	311	37.2	279	40.4	32	21.8	109	22.0	2,490	9.1	10	2.4
30-39	221	26.4	183	26.5	38	25.9	129	26.1	4,438	16.2	28	6.8
40-49	166	19.8	122	17.7	44	29.9	128	25.9	8,616	31.5	99	24.1
50-59	67	8.0	47	6.8	20	13.6	82	16.6	7,912	28.9	160	38.9
60+	26	3.1	15	2.2	11	7.5	39	7.9	3,706	13.5	114	27.7
BOROUGH OF RESIDENCE								_				
Bronx	198	23.7	162	23.5	36	24.5	134	27.1	8,019	29.3	137	33.3
Brooklyn	138	16.5	111	16.1	27	18.4	96	19.4	4.595	16.8	82	20.0
Manhattan	215	25.7	178	25.8	37	25.2	107	21.6	6.875	25.1	81	19.7
Queens	170	20.3	138	20.0	32	21.8	80	16.2	5,016	18.3	33	8.0
Staten Island	4	0.5	4	0.6	0	0.0	7	1.4	407	1.5	5	1.2 3.9
Outside NYC	89	10.6	75	10.9	14	9.5	60	12.1	1,953	7.1	16	3.9
Unknown	23	2.7	22	3.2	1	0.7	11	2.2	528	1.9	57	13.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	40	4.8	32	4.6	8	5.4	18	3.6	1,730	6.3	11	2.7
Medium poverty (10 to <20% below FPL)	243	29.0	207	30.0	36	24.5	120	24.2	7,588	27.7	76	18.5
High poverty (20 to <30% below FPL)	194	23.2	148	21.4	46	31.3	123	24.8	5,962	21.8	82	20.0
Very high poverty (≥30% below FPL)	246	29.4	204	29.6	42	28.6	162	32.7	9.265	33.8	168	40.9
, , , ,	_							-	-,			
Area-based poverty level not available	114	13.6	99	14.3	15	10.2	72	14.5	2,848	10.4	74	18.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	596	71.2	504	73.0	92	62.6	264	53.3	12,591	46.0	71	17.3
Injection drug use history (IDÙ)	24	2.9	21	3.0	3	2.0	46	9.3	5,374	19.6	187	45.5
MSM-IDU	29	3.5	25	3.6	4	2.7	21	4.2	1,124	4.1	32	7.8
Heterosexual contact	38	4.5	28	4.1	10	6.8	36	7.3	2,055	7.5	22	5.4 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	1.0	456	1.7	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	30	0.1	0	0.0
Unknown	150	17.9	112	16.2	38	25.9	123	24.8	5,762	21.0	97	23.6

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2012 Concurrent with					יחפ	AIDS DIAGNOSES	2012	PLWHA AS 12/31/20		DEATHS,	2012
	Total HIV di	agnoses	Withou		diagnos							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	194	100.0	170	87.6	24 1	2.4	158	100.0	11,196	100.0	184	100.0
AGE GROUP (YEARS)	0	0.0	0	0.0	0	0.0	•	0.0	00	0.0	0	0.0
0-12 13-19	0 15	0.0 7.7	0 15	0.0 8.8		0.0	0 7	0.0 4.4	39 201	0.3 1.8	0	0.0 0.5
20-29	59	30.4	55	32.4		6.7	23	14.6	201 826	7.4	1	0.5 2.2
20-29 30-39	36	18.6	32	32.4 18.8		6.7	23 28	17.7	1,537	13.7	11	2.2 6.0
40-49	38	19.6	31	18.2		9.2	49	31.0	3,471	31.0	55	29.9
50-59	31	16.0	25	14.7	•	5.0	37	23.4	3,497	31.2	69	37.5
60+	15	7.7	12	7.1		2.5	14	8.9	1,625	14.5	44	23.9
		• • • •						0.0	.,020			20.0
BOROUGH OF RESIDENCE												
Bronx	63	32.5	56	32.9		9.2		41.8	4,742	42.4	91	49.5
Brooklyn	48	24.7	40	23.5		3.3	39	24.7	2,358	21.1	28	15.2
Manhattan	30	15.5	28	16.5		8.3	27	17.1	1,728	15.4	25	13.6
Queens	35	18.0	30	17.6		8.0	13	8.2	1,422	12.7	10	5.4
Staten Island	3	1.5	2	1.2		4.2	5	3.2	232	2.1	8	4.3
Outside NYC	11	5.7	10 4	5.9		4.2	5	3.2	522	4.7	4	2.2 9.8
Unknown	4	2.1	4	2.4	0	0.0	3	1.9	192	1.7	18	9.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	3.1	6	3.5	0	0.0	6	3.8	385	3.4	4	2.2
Medium poverty (10 to <20% below FPL)	38	19.6	36	21.2		8.3	29	18.4	2,123	19.0	26	14.1
High poverty (20 to <30% below FPL)	68	35.1	54	31.8		8.3	46	29.1	2,772	24.8	35	19.0
Very high poverty (≥30% below FPL)	67	34.5	60	35.3	7 2	9.2	69	43.7	5,139	45.9	97	52.7
Area-based poverty level not available	15	7.7	14	8.2		4.2	8	5.1	777	6.9	22	12.0
Area-based poverty level not available	15	7.7	14	0.2		4.2	0	5.1	111	6.9	22	12.0
TRANSMISSION RISK												
Injection drug use history (IDU)	9	4.6	9	5.3	0	0.0	23	14.6	2,391	21.4	77	41.8
Heterosexual contact	134	69.1	116	68.2	18 7	5.0	88	55.7	5,642	50.4	68	37.0
Transgender people with sexual contact	23	11.9	21	12.4		8.3	11	7.0	356	3.2	2	1.1
Perinatal	0	0.0	0	0.0		0.0	11	7.0	468	4.2	4	2.2
Other	0	0.0	0	0.0		0.0	0	0.0	28	0.3	0	0.0
Unknown	28	14.4	24	14.1	4 1	6.7	25	15.8	2,311	20.6	33	17.9

Table 1.3.5. White males (includes transgender men)

	HIV DIAGNOSES, 2012 Concurrent with AIDS					AIDS DIAGNOS	SES, 2012	PLWHA A 12/31/20		DEATHS	5, 2012	
	Total HIV di	iaanneae	Withou			vitri AIDS liagnoses						
	N	agnoses %	N	% AIDS	N	% magnoses	N	%	N	%	N	0/2
TOTAL	579	100.0	493	85.1	86	14.9	279	100.0	22,003	100.0	255	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	3	0.5	3	0.6	0	0.0	0	0.0	27	0.1	0	0.0
20-29	196	33.9	184	37.3	12	14.0	44	15.8	1,124	5.1	1	0.4
30-39	166	28.7	148	30.0	18	20.9	64	22.9	2,951	13.4	20	7.8
40-49	135	23.3	102	20.7	33	38.4	87	31.2	7,020	31.9	63	24.7
50-59	57	9.8	42	8.5	15	17.4	57	20.4	7,098	32.3	85	33.3
60+	22	3.8	14	2.8	8	9.3	27	9.7	3,781	17.2	86	33.7
BOROUGH OF RESIDENCE												
Bronx	20	3.5	17	3.4	3	3.5	14	5.0	842	3.8	15	5.9
Brooklyn	91	15.7	75	15.2	16	18.6	47	16.8	2,866	13.0	34	13.3
Manhattan	241	41.6	206	41.8	35	40.7	105	37.6	10,963	49.8	87	34.1
Queens	74	12.8	61	12.4	13	15.1	33	11.8	2,273	10.3	19	7.5
Staten Island	9	1.6	7	1.4	2	2.3	10	3.6	486	2.2	10	3.9
Outside NYC	136	23.5	120	24.3	16	18.6	62	22.2	4,185	19.0	26	10.2
Unknown	8	1.4	7	1.4	1	1.2	8	2.9	388	1.8	64	25.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	93	16.1	79	16.0	14	16.3	41	14.7	5,269	23.9	42	16.5
Medium poverty (10 to <20% below FPL)	183	31.6	150	30.4	33	38.4	95	34.1	7,278	33.1	69	27.1
High poverty (20 to <30% below FPL)	93	16.1	78	15.8	15	17.4	48	17.2	2,874	13.1	32	12.5
Very high poverty (≥30% below FPL)	65	11.2	58	11.8	7	8.1	25	9.0	1,744	7.9	20	7.8
Area-based poverty level not available	145	25.0	128	26.0	17	19.8	70	25.1	4,838	22.0	92	36.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	476	82.2	412	83.6	64	74.4	211	75.6	16,602	75.5	145	56.9
Injection drug use history (IDU)	10	1.7	9	1.8	1	1.2	9	3.2	1,309	5.9	43	16.9
MSM-IDU	15	2.6	12	2.4	3	3.5	9	3.2	638	2.9	12	4.7
Heterosexual contact	10	1.7	6	1.2	4	4.7	9	3.2	521	2.4	4	1.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	66	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	68	11.7	54	11.0	14	16.3	41	14.7	2,819	12.8	50	19.6

Table 1.3.6. White females (includes transgender women)

						AIDS DIAGNOSES	5, 2012	PLWHA A 12/31/20		DEATHS,	, 2012	
	Total HIV di N	agnoses %	Withou N		Concurrent with a diagra N	_	N	%	N	%	N	%
TOTAL	45	100.0	37	82.2	8	17.8	35	100.0	2,529	100.0	45	100.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
0-12 13-19	0 3	0.0 6.7	0 3	8.1	0	0.0	0	0.0 2.9	4 23	0.2 0.9	0 0	0.0 0.0
20-29	16	35.6	13	35.1	3	37.5	l Q	22.9	23 149	5.9	0	0.0
30-39	10	22.2	8	21.6	2	25.0	5	14.3	297	11.7	2	4.4
40-49	7	15.6	5	13.5	2	25.0	11	31.4	777	30.7	11	24.4
50-59	4	8.9	4	10.8	0	0.0	6	17.1	889	35.2	17	37.8
60+	5	11.1	4	10.8	1	12.5	4	11.4	390	15.4	15	33.3
			•		·							
BOROUGH OF RESIDENCE												
Bronx	4	8.9	3	8.1	1	12.5	6	17.1	335	13.2	7	15.6
Brooklyn	14	31.1	11	29.7	3	37.5	9	25.7	540	21.4	7	15.6
Manhattan	6	13.3	6	16.2	0	0.0	4	11.4	538	21.3	9	20.0
Queens	7	15.6	7	18.9	0	0.0	4	11.4	438	17.3	3	6.7
Staten Island	5	11.1	5	13.5	0	0.0	1	2.9	181	7.2	7	15.6
Outside NYC	7	15.6	3	8.1	4	50.0	11	31.4	464	18.3	5	11.1
Unknown	2	4.4	2	5.4	0	0.0	0	0.0	33	1.3	7	15.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	15.6	7	18.9	0	0.0	1	2.9	405	16.0	7	15.6
Medium poverty (10 to <20% below FPL)	13	28.9	11	29.7	2	25.0	9	25.7	740	29.3	7	15.6
High poverty (20 to <30% below FPL)	10	22.2	10	27.0	0	0.0	4	11.4	491	19.4	13	28.9
,							40					
Very high poverty (≥30% below FPL)	6	13.3	4	10.8	2	25.0	10	28.6	368	14.6	6	13.3
Area-based poverty level not available	9	20.0	5	13.5	4	50.0	11	31.4	525	20.8	12	26.7
TRANSMISSION RISK												
Injection drug use history (IDU)	1	2.2	1	2.7	0	0.0	6	17.1	666	26.3	22	48.9
Heterosexual contact	35	77.8	28	75.7	7	87.5	20	57.1	1,147	45.4	16	35.6
Transgender people with sexual contact	2	4.4	1	2.7	1	12.5	4	11.4	62	2.5	10	2.0
Perinatal	0	0.0	Ö	0.0	Ö	0.0	2	5.7	72	2.8	Ö	2.2 0.0
Other	Ö	0.0	ő	0.0	ŏ	0.0	0	0.0	22	0.9	ŏ	0.0
Unknown	7	15.6	7	18.9	Ö	0.0	3	8.6	560	22.1	6	13.3

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

	Total HIV diagnoses				Concurrent with		AIDS DIAGNOSES	5, 2012	PLWHA A 12/31/20		DEATHS	, 2012
			Withou			noses						
TOTAL	N 96	%	N 76	%	N	%	N	% 400.0	N	%	N 21	100.0
TOTAL	96	100.0	76	79.2	20	20.8	43	100.0	1,765	100.0	21	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	1.0	1	1.3	0	0.0	0	0.0	4	0.2	0	0.0
20-29	38	39.6	34	44.7	4	20.0	7	16.3	173	9.8	1	4.8
30-39	29	30.2	25	32.9	4	20.0	16	37.2	439	24.9	4	19.0
40-49	16	16.7	12	15.8	4	20.0	10	23.3	585	33.1	5	23.8
50-59	8	8.3	4	5.3	4	20.0	5	11.6	386	21.9	5	23.8
60+	4	4.2	0	0.0	4	20.0	5	11.6	175	9.9	6	28.6
BOROUGH OF RESIDENCE												
Bronx	4	4.2	2	2.6	2	10.0	5	11.6	98	5.6	5	23.8
Brooklyn	15	15.6	13	17.1	2	10.0	7	16.3	296	16.8	3	14.3
Manhattan	31	32.3	28	36.8	3	15.0	7	16.3	590	33.4	3	14.3
Queens	36	37.5	24	31.6	12	60.0	15	34.9	558	31.6	7	33.3
Staten Island	2	2.1	2	2.6	0	0.0	1	2.3	20	1.1	0	0.0
Outside NYC	8	8.3	7	9.2	1	5.0	8	18.6	159	9.0	1	4.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	44	2.5	2	9.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	10.4	8	10.5	2	10.0	5	11.6	214	12.1	0	0.0
Medium poverty (10 to <20% below FPL)	47	49.0	35	46.1	12	60.0	18	41.9	780	44.2	7	33.3
High poverty (20 to <30% below FPL)	17	17.7	14	18.4	3	15.0	6	14.0	352	19.9	4	19.0
Very high poverty (≥30% below FPL)	14	14.6	12	15.8	2	10.0	6	14.0	197	11.2	7	33.3
Area-based poverty level not available	8	8.3	7	9.2	1	5.0	8	18.6	222	12.6	3	14.3
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	71	74.0	61	80.3	10	50.0	28	65.1	1,079	61.1	8	38.1
Injection drug use history (IDU)	2	2.1	2	2.6	0	0.0	0	0.0	45	2.5	2	9.5
MSM-IDU	3	3.1	3	3.9	0	0.0	1	2.3	28	1.6	1	4.8
Heterosexual contact	3	3.1	0	0.0	3	15.0	3	7.0	170	9.6	3	14.3
Transgender people with sexual contact	Ö	0.0	Ö	0.0	ő	0.0	ŏ	0.0	0	0.0	ő	0.0
Perinatal	Ö	0.0	Ö	0.0	Ö	0.0	Ō	0.0	10	0.6	Ö	0.0
Other	0	0.0	Ō	0.0	0	0.0	0	0.0	4	0.2	Ō	0.0
Unknown	17	17.7	10	13.2	7	35.0	11	25.6	429	24.3	7	33.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2012 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2012, NEW YORK CITY Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

		HIV	DIAGNO				AIDS DIAGNOSES, 2012	PLWHA 12/31/		DEATHS	, 2012
	Total HIV di	%	Withou N	t AIDS %	Concurrent with A diagno N	ses %	N 9		%	N	%
TOTAL	12	100.0	10	83.3	2	16.7	8 100.0	406	100.0	3	100.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0	0.0	0 0.0		0.0	0	0.0
13-19	1	8.3	1	10.0	0	0.0	0 0.0		0.5	0	0.0
20-29	4	33.3	4	40.0		0.0	0 0.0		9.1	0	0.0
30-39 40-49	3	25.0 0.0	2	20.0		50.0	4 50.0 2 25.0		25.1 32.0	0	33.3 0.0
50-59	3	25.0	2	20.0		50.0	1 12.5		23.2	1	33.3
60+	1	8.3	1	10.0	Ů,	0.0	1 12.5		10.1	1	33.3
		0.0	•	10.0	· ·	0.0			10.1	•	00.0
BOROUGH OF RESIDENCE											
Bronx	1	8.3	1	10.0		0.0	0 0.0		10.3	0	0.0
Brooklyn	1	8.3	1	10.0		0.0	1 12.5		22.9	0	0.0
Manhattan	4	33.3	3	30.0		50.0	1 12.5		17.0	1	33.3
Queens	6	50.0	5	50.0		50.0	5 62.5		38.2	1	33.3
Staten Island	0	0.0	0	0.0		0.0	0 0.0		0.7	0	0.0
Outside NYC Unknown	0	0.0 0.0	0	0.0	0	0.0	1 12.5		7.6 3.2	1 0	33.3 0.0
Unknown	U	0.0	U	0.0	U	0.0	0 0.0	13	3.2	U	0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	1	8.3	1	10.0	0	0.0	0 0.0	30	7.4	0	0.0
Medium poverty (10 to <20% below FPL)	7	58.3	6	60.0	1 !	50.0	5 62.5	164	40.4	1	33.3
High poverty (20 to <30% below FPL)	1	8.3	1	10.0	0	0.0	0 0.0	86	21.2	1	33.3
Very high poverty (≥30% below FPL)	3	25.0	2	20.0	1 :	50.0	2 25.0	76	18.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1 12.5		12.3	1	33.3
A real based poverty level not available		0.0	Ŭ	0.0	O	0.0	1 12.0	, 00	12.0	•	00.0
TRANSMISSION RISK											
Injection drug use history (IDU)	1	8.3	1	10.0		0.0	2 25.0		3.9	0	0.0
Heterosexual contact	6	50.0	5	50.0		50.0	5 62.5		58.6	1	33.3
Transgender people with sexual contact	1	8.3	1	10.0		0.0	0 0.0		4.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0 0.0		1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0 0.0		0.2	0	0.0
Unknown	4	33.3	3	30.0	1	50.0	1 12.5	127	31.3	2	66.7

Table 1.3.9. Native American males (includes transgender men)

		HIV	DIAGNO				AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	i, 2012
	Total HIV di N	%	Without N	AIDS %	N	iagnoses %	N	%	N	%	N	%
TOTAL	2	100.0	0	0.0	2	100.0	4	100.0	193	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	ő	0.0	Ö	0.0	ő	0.0	0	0.0
20-29	0	0.0	ő	0.0	ő	0.0	Õ	0.0	15	7.8	ő	0.0
30-39	0	0.0	Ö	0.0	Ö	0.0	0	0.0	39	20.2	Ö	0.0
40-49	1	50.0	Ō	0.0	1	50.0	1	25.0	60	31.1	2	66.7
50-59	0	0.0	0	0.0	0	0.0	2	50.0	51	26.4	1	33.3
60+	1	50.0	0	0.0	1	50.0	1	25.0	28	14.5	0	0.0
BOROUGH OF RESIDENCE	•	0.0	•	0.0		0.0		0.0	0.5	40.4	4	20.0
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	35	18.1	1 1	33.3
Brooklyn	1	50.0	0	0.0	1	50.0	1	25.0	45	23.3	•	33.3
Manhattan Queens	0	0.0 50.0	0	0.0	0	0.0 50.0	1	25.0 25.0	44 45	22.8 23.3	0	0.0 33.3
Other/Unknown	0	0.0	0	0.0	0	0.0	1	25.0	24	23.3 12.4	0	0.0
Other/Othknown	U	0.0	U	0.0	U	0.0	ı	25.0	24	12.4	U	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	5.2	0	0.0
Medium poverty (10 to <20% below FPL)	1	50.0	0	0.0	1	50.0	2	50.0	56	29.0	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	0	0.0	1	50.0	1	25.0	50	25.9	1	33.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	25.0	54	28.0	2	66.7
_ · · · · · · · · · · · · · · · · · · ·	0	0.0					0					
Area-based poverty level not available	U	0.0	0	0.0	0	0.0	U	0.0	23	11.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	98	50.8	0	0.0
Injection drug use history (IDU)	0	0.0	Ō	0.0	Ō	0.0	Ō	0.0	17	8.8	1	33.3
MSM-IDU	0	0.0	Ō	0.0	0	0.0	0	0.0	9	4.7	0	0.0
Heterosexual contact	1	50.0	0	0.0	1	50.0	2	50.0	15	7.8	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Unknown	1	50.0	0	0.0	1	50.0	2	50.0	52	26.9	1	33.3

Table 1.3.10. Native American females (includes transgender women)

		HIV	DIAGN	OSES, 201	2	А	IDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	5, 2012
					Concurrent with Al	'DS						
	Total HIV di	0		out AIDS	diagnos							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	2	100.0	75	100.0	2	100.0
AGE GROUP (YEARS)	0	0.0	^	0.0	0	0.0	•	0.0	4	4.0	0	0.0
0-12	0	0.0	0	0.0		0.0	0	0.0	1	1.3	0	0.0
13-19	•	100.0	1	100.0		0.0	0	0.0	2 6	2.7	0	0.0
20-29	0	0.0	0	0.0		0.0	1	50.0	6	8.0	0	0.0
30-39	0	0.0 0.0	0	0.0 0.0		0.0	0	0.0 50.0	11 31	14.7 41.3	0	0.0
40-49	0	0.0	0	0.0		0.0	0	0.0	18	24.0	0	0.0
50-59 60+	0	0.0	0	0.0		0.0	0	0.0	6	24.0 8.0	2	100.0 0.0
00+	U	0.0	U	0.0	U	0.0	U	0.0	б	8.0	U	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	21	28.0	1	50.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	31	41.3	1	50.0
Manhattan	0	0.0	0	0.0	0	0.0	1	50.0	7	9.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	16.0	0	0.0
Other/Unknown	1	100.0	1	100.0	0	0.0	0	0.0	4	5.3	0	0.0 0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0		0.0	0	0.0	1	1.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0		0.0	1	50.0	19	25.3	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	24	32.0	1	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	27	36.0	1	50.0
Area-based poverty level not available	1	100.0	1	100.0		0.0	0	0.0	4	5.3	0	0.0
Area-based poverty level not available	•	100.0	'	100.0	O	0.0	O	0.0		5.5	U	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.0	1	50.0
Heterosexual contact	0	0.0	0	0.0		0.0	2	100.0	49 5	65.3	0	0.0
Transgender people with sexual contact	1	100.0	1	100.0		0.0	0	0.0	5	6.7	0	0.0 0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	3	4.0	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	18.7	1	50.0

Table 1.4.1. Males 0-12 Years

		HIV	DIAGN	OSES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV d	%	With	out AIDS %	Concurrent wi dia N	agnoses %	N	%	N	%	N	%
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	96	100.0	1	100.0
RACE/ETHNICITY												
Black	5	100.0	5	100.0	0	0.0	0	0.0	62	64.6	1	100.0
Latino/Hispanic	0	0.0	Ö	0.0	Ö	0.0		0.0	29	30.2	Ö	0.0
White	Ö	0.0	Ö	0.0	0	0.0		0.0	2	2.1	0	0.0
Asian/Pacific Islander	Ō	0.0	Ö	0.0	0	0.0		0.0	3	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE		40.0		40.0		0.0		0.0	00	00.0		0.0
Bronx	2	40.0	2	40.0	0	0.0		0.0	29	30.2	0	0.0
Brooklyn	2	40.0	2	40.0	0	0.0		0.0	24	25.0	0	0.0
Manhattan	1	20.0	1	20.0	0	0.0		0.0	16	16.7	1	100.0
Queens Staten Island	0	0.0	0	0.0	0	0.0		0.0	18	18.8	0	0.0
Outside NYC	0	0.0 0.0	0	0.0	0	0.0		0.0	1	1.0 5.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0		0.0	5 3	5.∠ 3.1	0	0.0 0.0
OTIKITOWIT	U	0.0	U	0.0	U	0.0	U	0.0	3	3.1	U	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	8	8.3	0	0.0
Medium poverty (10 to <20% below FPL)	3	60.0	3	60.0	0	0.0	0	0.0	16	16.7	0	0.0
High poverty (20 to <30% below FPL)	2	40.0	2	40.0	0	0.0	0	0.0	23	24.0	1	100.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	41	42.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	8	8.3	0	0.0
Area-based poverty level flot available	U	0.0	U	0.0	U	0.0	U	0.0	0	0.3	U	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Perinatal	5	100.0	5	100.0	0	0.0		0.0	96	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table 1.4.2. Females 0-12 Years

		HIV	DIAGNO	OSES, 2012	2		AIDS DIAGNOSE	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di	agnoses	With	C out AIDS	oncurrent with dia	h AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	111	100.0	1	100.0
DA OF (FTUNIOITY												
RACE/ETHNICITY Black	- 1	100.0	1	100.0	0	0.0	1	100.0	67	60.4	1	100.0
Latino/Hispanic	0	100.0 0.0	0	100.0 0.0	0	0.0	0	100.0 0.0	67 39	60.4 35.1	0	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	39 4	33.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	Ó	0.0	0	0.0
Waltin dold!		0.0	Ŭ	0.0	· ·	0.0	O	0.0	· ·	0.0	O	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	37	33.3	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	30	27.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	16	14.4	0	0.0
Queens	1	100.0	1	100.0	0	0.0	1	100.0	11	9.9	1	100.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	2.7	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3 8	7.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	5.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	6	5.4	0	0.0
Medium poverty (10 to <20% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	20	18.0	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	22	19.8	1	100.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	49	44.1	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	14	12.6	0	0.0
r nou based persony terror not available		0.0	ŭ	0.0	· ·	0.0	ŭ	0.0	• •		ŭ	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	1	100.0	111	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table 1.4.3. Males 13+ Years (includes transgender men)

		HIV	DIAGNOS				AIDS DIAGNOSI	ES, 2012	PLWHA AS 12/31/20		DEATHS,	2012
	Total HIV di	agnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses %	N	%	N	%	N	0/
TOTAL	2,440	100.0	1,998	81.9	442	18.1	1,546	100.0	84,584	100.0	1,325	100.0
DA OF/ETHANOITY												
RACE/ETHNICITY Black	915	37.5	729	36.5	186	42.1	724	46.8	32,869	38.9	633	47.8
Latino/Hispanic	837	34.3	690	34.5	147	33.3	495	32.0	27.364	32.4	411	31.0
White	579	23.7	493	24.7	86	19.5	279	18.0	22,001	26.0	255	19.2
Asian/Pacific Islander	96	3.9	76	3.8	20	4.5	43	2.8	1,762	2.1	21	1.6
Native American	2	0.1	0	0.0	2	0.5	4	0.3	193	0.2	3	0.2
Multiracial	11	0.5	10	0.5	1	0.2	1	0.1	119	0.1	2	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	276	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	111	4.5	108	5.4	3	0.7	21	1.4	575	0.7	0	0.0
20-29	910	37.3	819	41.0	91	20.6	335	21.7	7,750	9.2	38	2.9
30-39	610	25.0	509	25.5	101	22.9	371	24.0	12,561	14.9	93	7.0 21.9
40-49	480	19.7	349	17.5	131	29.6	400	25.9	25,279	29.9	290	21.9 36.8
50-59 60+	226 103	9.3 4.2	155 58	7.8 2.9	71 45	16.1 10.2	283 136	18.3 8.8	25,362 13,057	30.0 15.4	487 417	36.8 31.5
00+	103	4.2	36	2.9	45	10.2	130	0.0	13,057	15.4	417	31.5
BOROUGH OF RESIDENCE												
Bronx	400	16.4	318	15.9	82	18.6	302	19.5	15,919	18.8	306	23.1
Brooklyn	576	23.6	455	22.8	121	27.4	396	25.6	18,363	21.7	337	25.4
Manhattan	667 378	27.3 15.5	556	27.8 15.2	111	25.1	358 208	23.2 13.5	25,608	30.3	268 105	20.2
Queens Staten Island	23	0.9	304 21	13.2	74 2	16.7 0.5	206	1.8	12,152 1,411	14.4 1.7	25	7.9 1.9
Outside NYC	342	14.0	292	14.6	50	11.3	228	14.7	9,562	11.3	69	5.2
Unknown	54	2.2	52	2.6	2	0.5	26	1.7	1,569	1.9	215	16.2
AREA-BASED POVERTY LEVEL	400	7.0	455	7.0	24	7.0	00	0.0	0.000	40.7	70	ا م
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	186 667	7.6 27.3	155 546	7.8 27.3	31 121	7.0 27.4	92 380	6.0 24.6	9,026 23,049	10.7 27.2	73 240	5.5 18.1
High poverty (20 to <30% below FPL)	547	22.4	432	21.6	115	26.0	375	24.3	18,391	21.7	302	22.8
Very high poverty (≥30% below FPL)	635	26.0	514	25.7	121	27.4	437	28.3	21,858	25.8	423	31.9
, , , ,				25.7 17.6		12.2			•			31.9 21.7
Area-based poverty level not available	405	16.6	351	17.6	54	12.2	262	16.9	12,260	14.5	287	21./
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,714	70.2	1,463	73.2	251	56.8	864	55.9	43,868	51.9	364	27.5
Injection drug use history (IDÜ)	62	2.5	46	2.3	16	3.6	102	6.6	11,440	13.5	409	30.9
MSM-IDU	62	2.5	50	2.5	12	2.7	54	3.5	2,832	3.3	80	6.0
Heterosexual contact Transgender people with sexual contact	137	5.6 0.0	96 1	4.8 0.1	41 0	9.3 0.0	132 0	8.5 0.0	6,073 9	7.2 0.0	106 0	8.0 0.0
Perinatal	0	0.0	0	0.1	0	0.0	13	0.0	1,147	1.4	0 8	0.6
Other	Ö	0.0	0	0.0	Ő	0.0	0	0.0	119	0.1	Ö	0.0
Unknown	464	19.0	342	17.1	122	27.6	381	24.6	19,096	22.6	358	27.0

Table 1.4.4. Females 13+ Years

		HIV	DIAGNO	SES, 20		u. AIDO	AIDS DIAGNOSE	S, 2012	PLWHA AS 12/31/20		DEATHS,	, 2012
	Total HIV dia	agnoses	Withou		Concurrent wit dia	in AIDS ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	677	100.0	552	81.5	125	18.5	577	100.0	33,914	100.0	573	100.0
RACE/ETHNICITY												
Black	421	62.2	330	59.8	91	72.8	374	64.8	19,634	57.9	338	59.0
Latino/Hispanic	194	28.7	170	30.8	24	19.2	158	27.4	11,157	32.9	184	32.1
White	45	6.6	37	6.7	8	6.4	35	6.1	2,525	7.4	45	7.9 0.5
Asian/Pacific Islander Native American	12 1	1.8 0.1	10 1	1.8 0.2	2	1.6 0.0	8 2	1.4 0.3	406 74	1.2 0.2	3 2	0.5
Multiracial	4	0.1	4	0.2	0	0.0	0	0.0	37	0.2	1	0.3
Unknown	0	0.0	0	0.0	Ö	0.0	0	0.0	81	0.2	Ö	0.0
AGE GROUP (YEARS)	00	4.0	00	5 0		0.0	40	0.0	F7F	4.7		0.0
13-19 20-29	33 183	4.9 27.0	32 170	5.8 30.8	13	0.8 10.4	13 78	2.3 13.5	575 2,515	1.7 7.4	14	0.2 2.4
30-39	147	21.7	126	22.8	21	16.8	116	20.1	5.137	15.1	47	8.2
40-49	148	21.9	107	19.4	41	32.8	181	31.4	10,605	31.3	157	27.4
50-59	115	17.0	82	14.9	33	26.4	138	23.9	10,466	30.9	210	36.6
60+	51	7.5	35	6.3	16	12.8	51	8.8	4,616	13.6	144	25.1
BOROUGH OF RESIDENCE												
Bronx	166	24.5	142	25.7	24	19.2	168	29.1	10,452	30.8	184	32.1
Brooklyn	231	34.1	179	32.4	52	41.6	176	30.5	9,952	29.3	170	29.7
Manhattan	101	14.9	82	14.9	19	15.2	77	13.3	5,230	15.4	81	14.1
Queens	101	14.9	83	15.0	18	14.4	74	12.8	4,787	14.1	46	8.0
Staten Island Outside NYC	14	2.1 7.4	13	2.4	1	0.8	16	2.8	791	2.3	20	3.5
Unknown	50 14	7.4 2.1	39 14	7.1 2.5	11 0	8.8	54 12	9.4 2.1	2,132 570	6.3 1.7	19 53	8.0 3.5 3.3 9.2
Oliviowii	14	2.1	14	2.5	O	0.0	12	2.1	370	1.7	33	3.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	3.7	22	4.0	3	2.4	27	4.7	1,754	5.2	19	3.3
Medium poverty (10 to <20% below FPL)	142	21.0	114	20.7	28	22.4	117	20.3	7,125	21.0	93	16.2
High poverty (20 to <30% below FPL)	209	30.9	168	30.4	41	32.8	163	28.2	8,945	26.4	135	23.6
Very high poverty (≥30% below FPL)	236	34.9	195	35.3	41	32.8	203	35.2	13,103	38.6	254	44.3
Area-based poverty level not available	65	9.6	53	9.6	12	9.6	67	11.6	2,987	8.8	72	12.6
TRANSMISSION RISK												
Injection drug use history (IDU)	24	3.5	23	4.2	1	0.8	59	10.2	5,885	17.4	197	34.4
Heterosexual contact	477	70.5	377	68.3	100	80.0	361	62.6	17,534	51.7	246	42.9
Transgender people with sexual contact	45	6.6	41	7.4	4	3.2	30	5.2	874	2.6	10	1.7
Perinatal Other	0	0.0	0	0.0	0	0.0	16	2.8	1,199	3.5	9	1.6
Other Unknown	0 131	0.0 19.4	0 111	0.0 20.1	0 20	0.0 16.0	1 110	0.2 19.1	105 8,317	0.3 24.5	0 111	0.0 19.4
UINIUWII	131	19.4	111	20.1	20	10.0	110	18.1	0,317	24.5		19.4

Table 1.5.1. Bronx, males (includes transgender men)

	Total HIV dia		DIAGNO Withou		Concurrent w	ith AIDS agnoses	AIDS DIAGNOSI	ES, 2012	PLWHA A: 12/31/20		DEATHS	, 2012
	N	291103E3 %	N	% AIDS	N U	ayrıoses %	N	%	N	%	N	0/
TOTAL	402	100.0	320	79.6	82	20.4	302	100.0	15,948	100.0	306	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	180 198 20 4 0 0	44.8 49.3 5.0 1.0 0.0 0.0	139 162 17 2 0 0	43.4 50.6 5.3 0.6 0.0 0.0	41 36 3 2 0 0	50.0 43.9 3.7 2.4 0.0 0.0	149 134 14 5 0 0	49.3 44.4 4.6 1.7 0.0 0.0	6,922 8,019 842 98 35 7 25	43.4 50.3 5.3 0.6 0.2 0.0	148 137 15 5 1 0	48.4 44.8 4.9 1.6 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 25 137 91 78 38 31	0.5 6.2 34.1 22.6 19.4 9.5 7.7	2 24 116 77 55 27 19	0.6 7.5 36.3 24.1 17.2 8.4 5.9	0 1 21 14 23 11 12	0.0 1.2 25.6 17.1 28.0 13.4 14.6	0 3 66 54 82 62 35	0.0 1.0 21.9 17.9 27.2 20.5 11.6	29 177 1,486 2,087 4,567 5,094 2,508	0.2 1.1 9.3 13.1 28.6 31.9 15.7	0 0 8 18 56 124 100	0.0 0.0 2.6 5.9 18.3 40.5 32.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 62 72 267 1	0.0 15.4 17.9 66.4 0.2	0 49 54 217 0	0.0 15.3 16.9 67.8 0.0	0 13 18 50 1	0.0 15.9 22.0 61.0 1.2	1 37 53 209 2	0.3 12.3 17.5 69.2 0.7	93 1,534 2,893 11,303 125	0.6 9.6 18.1 70.9 0.8	1 34 53 218 0	0.3 11.1 17.3 71.2 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	224 21 9 36 0 2 0 110	55.7 5.2 2.2 9.0 0.0 0.5 0.0 27.4	182 17 7 25 0 2 0	56.9 5.3 2.2 7.8 0.0 0.6 0.0 27.2	42 4 2 11 0 0 0 23	51.2 4.9 2.4 13.4 0.0 0.0 0.0 28.0	131 31 12 39 0 5 0	43.4 10.3 4.0 12.9 0.0 1.7 0.0 27.8	5,195 3,493 668 1,605 5 403 23 4,556	32.6 21.9 4.2 10.1 0.0 2.5 0.1 28.6	48 115 25 22 0 2 0 94	15.7 37.6 8.2 7.2 0.0 0.7 0.0 30.7

Table 1.5.2. Bronx, females (includes transgender women)

		HIV	DIAGNO	SES, 20	12 Concurrent with	h AIDS	AIDS DIAGNOSE	ES, 2012	PLWHA A: 12/31/20		DEATHS	S, 2012
	Total HIV di N	%	Withou N	t AIDS %	diag N	gnoses %	N	%	N	%	N	%
TOTAL	166	100.0	142	85.5	24	14.5	168	100.0	10,489	100.0	184	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	97 63 4 1 0 1	58.4 38.0 2.4 0.6 0.0 0.6 0.0	81 56 3 1 0 1	57.0 39.4 2.1 0.7 0.0 0.7 0.0	16 7 1 0 0 0	66.7 29.2 4.2 0.0 0.0 0.0	95 66 6 0 1 0	56.5 39.3 3.6 0.0 0.6 0.0	5,330 4,742 335 42 21 3 16	50.8 45.2 3.2 0.4 0.2 0.0	85 91 7 0 1 0	46.2 49.5 3.8 0.0 0.5 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 11 47 34 40 21	0.0 6.6 28.3 20.5 24.1 12.7 7.8	0 11 43 31 33 16 8	0.0 7.7 30.3 21.8 23.2 11.3 5.6	0 0 4 3 7 5 5	0.0 0.0 16.7 12.5 29.2 20.8 20.8	0 5 23 36 52 38 14	0.0 3.0 13.7 21.4 31.0 22.6 8.3	37 179 757 1,660 3,360 3,168 1,328	0.4 1.7 7.2 15.8 32.0 30.2 12.7	0 0 4 9 57 76 38	0.0 0.0 2.2 4.9 31.0 41.3 20.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 20 38 108 0	0.0 12.0 22.9 65.1 0.0	0 18 34 90 0	0.0 12.7 23.9 63.4 0.0	0 2 4 18 0	0.0 8.3 16.7 75.0 0.0	0 19 38 111 0	0.0 11.3 22.6 66.1 0.0	35 1,092 2,093 7,232 37	0.3 10.4 20.0 68.9 0.4	0 17 23 144 0	0.0 9.2 12.5 78.3 0.0
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	8 137 5 0 0	4.8 82.5 3.0 0.0 0.0 9.6	8 114 5 0 0 15	5.6 80.3 3.5 0.0 0.0 10.6	0 23 0 0 0	0.0 95.8 0.0 0.0 0.0 4.2	19 102 5 8 0 34	11.3 60.7 3.0 4.8 0.0 20.2	1,988 5,301 198 425 24 2,553	19.0 50.5 1.9 4.1 0.2 24.3	75 72 4 3 0 30	40.8 39.1 2.2 1.6 0.0 16.3

Table 1.5.3. Brooklyn, males (includes transgender men)

		HIV	DIAGNO	SES, 20	12 Concurrent w	ith AIDS	AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	5, 2012
	Total HIV dia	aanoses	Withou			agnoses						
	N	%	N	%	N N	<i>w</i>	N	%	N	%	N	%
TOTAL	578	100.0	457	79.1	121	20.9	396	100.0	18,387	100.0	337	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	331 138 91 15 1 2	57.3 23.9 15.7 2.6 0.2 0.3 0.0	256 111 75 13 0 2	56.0 24.3 16.4 2.8 0.0 0.4 0.0	75 27 16 2 1 0	62.0 22.3 13.2 1.7 0.8 0.0 0.0	245 96 47 7 1 0	61.9 24.2 11.9 1.8 0.3 0.0	10,539 4,595 2,866 296 45 16	57.3 25.0 15.6 1.6 0.2 0.1	217 82 34 3 1 0	64.4 24.3 10.1 0.9 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 33 236 122 109 54 22	0.3 5.7 40.8 21.1 18.9 9.3 3.8	2 33 211 93 73 35 10	0.4 7.2 46.2 20.4 16.0 7.7 2.2	0 0 25 29 36 19	0.0 0.0 20.7 24.0 29.8 15.7 9.9	0 6 93 95 102 69 31	0.0 1.5 23.5 24.0 25.8 17.4 7.8	24 168 1,943 2,856 5,289 5,301 2,806	0.1 0.9 10.6 15.5 28.8 28.8 15.3	0 0 14 22 81 131 89	0.0 0.0 4.2 6.5 24.0 38.9 26.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	19 133 186 238 2	3.3 23.0 32.2 41.2 0.3	15 108 142 190 2	3.3 23.6 31.1 41.6 0.4	4 25 44 48 0	3.3 20.7 36.4 39.7 0.0	13 79 150 151 3	3.3 19.9 37.9 38.1 0.8	653 4,310 6,664 6,573 187	3.6 23.4 36.2 35.7 1.0	8 63 120 146 0	2.4 18.7 35.6 43.3 0.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	377 16 12 39 0 2 0	65.2 2.8 2.1 6.7 0.0 0.3 0.0 22.8	320 10 8 28 0 2 0 89	70.0 2.2 1.8 6.1 0.0 0.4 0.0 19.5	57 6 4 11 0 0 0 43	47.1 5.0 3.3 9.1 0.0 0.0 0.0 35.5	206 27 15 33 0 3 0	52.0 6.8 3.8 8.3 0.0 0.8 0.0 28.3	8,276 2,677 597 1,609 1 344 23 4,860	45.0 14.6 3.2 8.8 0.0 1.9 0.1 26.4	72 111 16 44 0 0 0 94	21.4 32.9 4.7 13.1 0.0 0.0 27.9

Table 1.5.4. Brooklyn, females (includes transgender women)

		HIV	DIAGNO	•			AIDS DIAGNOSES, 201	2	PLWHA AS 12/31/20		DEATHS,	, 2012
	Total HIV di	%	Withou	t AIDS %	Concurrent with a diagn N	oses %	N	%	N	%	N	%
TOTAL	231	100.0	179	77.5	52	22.5	176 10	0.0	9,982	100.0	170	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	168 48 14 1 0 0	72.7 20.8 6.1 0.4 0.0 0.0	127 40 11 1 0 0	70.9 22.3 6.1 0.6 0.0 0.0	41 8 3 0 0 0	78.8 15.4 5.8 0.0 0.0 0.0	39 2 9 1 0	2.2 2.2 5.1 0.6 0.0 0.0	6,929 2,358 540 93 31 7 24	69.4 23.6 5.4 0.9 0.3 0.1	134 28 7 0 1 0	78.8 16.5 4.1 0.0 0.6 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 12 59 43 47 49 21	0.0 5.2 25.5 18.6 20.3 21.2 9.1	0 12 55 33 32 32 15	0.0 6.7 30.7 18.4 17.9 17.9 8.4	0 0 4 10 15 17 6	0.0 0.0 7.7 19.2 28.8 32.7 11.5	1 25 1 34 1 56 3 46 2	0.0 0.6 4.2 9.3 1.8 6.1 8.0	30 164 745 1,497 3,030 3,118 1,398	0.3 1.6 7.5 15.0 30.4 31.2 14.0	0 0 6 18 44 63 39	0.0 0.0 3.5 10.6 25.9 37.1 22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	4 53 82 92 0	1.7 22.9 35.5 39.8 0.0	3 37 62 77 0	1.7 20.7 34.6 43.0 0.0	1 16 20 15 0	1.9 30.8 38.5 28.8 0.0	43 2 62 3 66 3	2.8 4.4 5.2 7.5 0.0	312 2,079 3,436 4,088 67	3.1 20.8 34.4 41.0 0.7	3 34 51 82 0	1.8 20.0 30.0 48.2 0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	6 143 17 0 0	2.6 61.9 7.4 0.0 0.0 28.1	6 105 16 0 0 52	3.4 58.7 8.9 0.0 0.0 29.1	0 38 1 0 0	0.0 73.1 1.9 0.0 0.0 25.0	113 6 8 0 1	9.1 4.2 4.5 0.0 0.6 1.6	1,545 5,301 220 369 28 2,519	15.5 53.1 2.2 3.7 0.3 25.2	50 80 2 2 0 36	29.4 47.1 1.2 1.2 0.0 21.2

Table 1.5.5. Manhattan, males (includes transgender men)

TOTAL Total HIV diagnoses N			HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2012	PLWHA AS 12/31/20		DEATHS	, 2012
TOTAL 10													
TOTAL			•				-						
RACE/ETHNICITY Black 180 26.9 144 25.9 36 32.4 138 38.5 6,1974 27.2 97 36.1 Latino/Hispanic 215 32.2 178 32.0 37 33.3 107 29.9 6,875 26.8 81 30.1 White 241 36.1 206 37.0 35 31.5 105 29.3 10,963 42.8 87 32.3 Asian/Pacific Islander 31 4.6 28 5.0 3 2.7 7 2.0 590 2.3 3 1.1 Native American 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													%
Black	TOTAL	668	100.0	557	83.4	111	16.6	358	100.0	25,624	100.0	269	100.0
Latino/Hispanic White	RACE/ETHNICITY												
White Standar Standa	Black	180	26.9	144	25.9	36	32.4	138	38.5	6,974	27.2	97	36.1
Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		215	32.2	178	32.0	37	33.3	107	29.9	6,875	26.8	81	
Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.3 44 0.2 0 0.0 0 0.0 Multiracial 1 0.1 1 0.2 0 0.0 0 0.0 0 0.0 13 0.1 1 0.4 0.4 0.0 0.0 0.0 15 0.6 0 0.0 0.0 0.0 0.0 0.0 15 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	White	241	36.1	206	37.0	35	31.5	105	29.3	10,963	42.8	87	32.3
Native American 0 0 0 0 0 0 0 0 0 0 1 0.3 44 0.2 0 0.0 Multiracial 1 0.1 1 0.2 0 0.0 0 0.0 13 0.1 1 0.4 Unknown 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Asian/Pacific Islander	31	4.6	28	5.0	3	2.7	7	2.0	590	2.3	3	1.1
Unknown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Native American	0	0.0	0	0.0	0	0.0	1	0.3	44	0.2	0	0.0
Unknown 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Multiracial	1	0.1	1	0.2	0	0.0	0	0.0	13	0.1	1	0.4
0-12	Unknown	0	0.0	0	0.0	0	0.0	0	0.0	165	0.6	0	0.0
0-12	AGE GROUP (YEARS)												
13-19		1	0.1	1	0.2	0	0.0	0	0.0	16	0.1	1	0.4
20-29 33.4 205 36.8 18 16.2 62 17.3 1,593 6.2 3 1.1 182 27.2 157 28.2 25 22.5 89 24.9 3,618 14.1 19 7.1 40-49 3.0-39 4.4 7.9 22.3 114 20.5 35 31.5 102 28.5 7,981 31.1 58 21.6 50-59 60+ 66 9.9 44 7.9 22 19.8 65 18.2 7,817 30.5 92 34.2 60+ 66 9.9 44 7.9 22 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 22 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 22 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.2 19.8 65 18.2 7,817 30.5 92 34.2 60- 44 7.9 9.0 39 10.9 4,533 17.7 96 35.7 60- 44 7.9 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9		22		21		ĭ						'n	
30-39	20-29					18		•					1 1
40-49	30-39												
50-59 66 9.9 44 7.9 22 19.8 65 18.2 7.817 30.5 92 34.2 60+ AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) 123 18.4 103 18.5 20 18.0 51 14.2 6,530 25.5 45 16.7 Medium poverty (10 to <30% below FPL) 129 32.8 190 34.1 29 26.1 120 33.5 8,654 33.8 80 29.7 High poverty (20 to <30% below FPL) 192 28.7 154 27.6 38 34.2 107 29.9 5,754 22.5 83 30.9 Very high poverty (≥30% below FPL) 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 100 100 100 100 100 100 100 100 100 10													
60+												92	
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 123 18.4 103 18.5 20 18.0 51 14.2 6,530 25.5 45 16.7 Medium poverty (10 to <20% below FPL) 129 32.8 190 34.1 29 26.1 120 33.5 8,654 33.8 80 29.7 High poverty (20 to <30% below FPL) 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Very high poverty level not available 14 0.6 3 0.5 1 0.9 3 0.8 663 2.6 2 0.7 TRANSMISSION RISK Men who have sex with men (MSM) 1511 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 Injection drug use history (IDU) 1511 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 1611 13.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Transgender people with sexual contact 1512 1.8 1.1 1.9 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Transgender people with sexual contact 1513 154 155 154 156 158 159 159 159 159 159 159 159 159 159 159												92	
Low poverty (<10% below FPL) 123 18.4 103 18.5 20 18.0 51 14.2 6,530 25.5 45 16.7 Medium poverty (10 to <20% below FPL) 219 32.8 190 34.1 29 26.1 120 33.5 8,654 33.8 80 29.7 High poverty (20 to <30% below FPL) 192 28.7 154 27.6 38 34.2 107 29.9 5,754 22.5 83 30.9 Very high poverty (≥30% below FPL) 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 151 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 Injection drug use history (IDU) 151 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 Injection drug use history (IDU) 151 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00+	25	5.7	13	2.1	10	9.0	39	10.9	4,555	17.7	30	33.7
Medium poverty (10 to <20% below FPL) 219 32.8 190 34.1 29 26.1 120 33.5 8,654 33.8 80 29.7 High poverty (20 to <30% below FPL) 192 28.7 154 27.6 38 34.2 107 29.9 5,754 22.5 83 30.9 Very high poverty (≥30% below FPL) 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 4 0.6 3 0.5 1 0.9 3 0.8 663 2.6 2 0.7 TRANSMISSION RISK													
High poverty (20 to <30% below FPL) 192 28.7 154 27.6 38 34.2 107 29.9 5,754 22.5 83 30.9 Very high poverty (≥30% below FPL) 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 4 0.6 3 0.5 1 0.9 3 0.8 663 2.6 2 0.7 TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU Heterosexual contact 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU Heterosexual contact 12 1.8 11 9 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 13 1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Transgender people with sexual contact 14 1 0.1 1 0.2 0 0.0 0 0.0 0 0.0 2 0.0 0.0 0.0 0.0													
Very high poverty (≥30% below FPL) Area-based poverty level not available 130 19.5 107 19.2 23 20.7 77 21.5 4,023 15.7 59 21.9 Area-based poverty level not available 4 0.6 3 0.5 1 0.9 3 0.8 663 2.6 2 0.7 TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU Heterosexual contact 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 13 1 1 1 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1													
Area-based poverty level not available 4 0.6 3 0.5 1 0.9 3 0.8 663 2.6 2 0.7 TRANSMISSION RISK Men who have sex with men (MSM) 511 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 lnjection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 14 1.3 1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0.0 Perinatal 1 0.1 1 0.2 0 0.0 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0	High poverty (20 to <30% below FPL)	192	28.7	154	27.6	38	34.2	107	29.9	5,754	22.5	83	30.9
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 13 1.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 14 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 15 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 16 20 0.0 0 0.0 0 0.0 1 0.3 180 0.7 1 0.4 Other 17 20 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0	Very high poverty (≥30% below FPL)	130	19.5	107	19.2	23	20.7	77	21.5	4,023	15.7	59	21.9
Men who have sex with men (MSM) 511 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 Injection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 21 3.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0 Perinatal 1 0.1 1 0.2 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Area-based poverty level not available	4	0.6	3	0.5	1	0.9	3	0.8	663	2.6	2	0.7
Men who have sex with men (MSM) 511 76.5 438 78.6 73 65.8 222 62.0 16,625 64.9 111 41.3 Injection drug use history (IDU) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 21 3.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0 Perinatal 1 0.1 1 0.2 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TRANSMISSION RISK												
Injection drug use history (IDÙ) 12 1.8 11 2.0 1 0.9 20 5.6 2,462 9.6 73 27.1 MSM-IDU 21 3.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0.0 Perinatal 1 0.1 1 0.2 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0.0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0		511	76.5	438	78.6	73	65.8	222	62.0	16.625	64.9	111	41.3
MSM-IDU 21 3.1 19 3.4 2 1.8 12 3.4 782 3.1 18 6.7 Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0 0 0 2 0.0 0 0.0 Perinatal 1 0.1 1 0.2 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0													
Heterosexual contact 28 4.2 17 3.1 11 9.9 28 7.8 1,005 3.9 11 4.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0.0 Perinatal 1 0.1 1 0.2 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0						2							
Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 2 0.0 0 0.0 Perinatal 1 0.1 1 0.2 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0													
Perinatal 1 0.1 1 0.2 0 0.0 1 0.3 180 0.7 1 0.4 Other 0 0.0 0.0 0 0.0 0 0.0 17 0.1 0 0.0													0.0
Other 0 0.0 0 0.0 0 0.0 0 0.0 17 0.1 0 0.0		-		1		-		1				1	0.4
		•		0		_		0				'n	
	Unknown	95	14.2	71	12.7	24	21.6	75	20.9	4,551	17.8	55	20.4

Table 1.5.6. Manhattan, females (includes transgender women)

		HIV	DIAGNO	Í			AIDS DIAGNOSES, 2012	PLWHA 12/31/		DEATHS	, 2012
	Total HIV dia	%	Withou N	t AIDS %	Concurrent with A diagno N	ses %		6 N	%	N	%
TOTAL	101	100.0	82	81.2	19 1	18.8	77 100.	5,246	100.0	81	100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	59 30 6 4 0 2	58.4 29.7 5.9 4.0 0.0 2.0 0.0	43 28 6 3 0 2	52.4 34.1 7.3 3.7 0.0 2.4 0.0	2 0 1 0 0	84.2 10.5 0.0 5.3 0.0 0.0	44 57. 27 35. 4 5. 1 1. 1 0 0. 0 0.	1 1,728 2 538 3 69 3 7	54.9 32.9 10.3 1.3 0.1 0.1 0.3	45 25 9 1 0 1	55.6 30.9 11.1 1.2 0.0 1.2 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 20 29 19 21 7	0.0 5.0 19.8 28.7 18.8 20.8 6.9	0 5 18 24 15 15	0.0 6.1 22.0 29.3 18.3 18.3 6.1	0 2 5 4 2 6	0.0 0.0 10.5 26.3 21.1 31.6 10.5	0 0.3 3.5 6.13 16.23 29.25 32.8 10.	9 90 5 326 9 643 9 1,572 5 1,707	0.3 1.7 6.2 12.3 30.0 32.5 17.0	0 1 0 9 14 31 26	0.0 1.2 0.0 11.1 17.3 38.3 32.1
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	8 22 34 36 1	7.9 21.8 33.7 35.6 1.0	7 18 29 28 0	8.5 22.0 35.4 34.1 0.0	4 2 5 2	5.3 21.1 26.3 42.1 5.3	8 10. 20 26. 22 28. 26 33. 1 1.	1,025 6 1,744 8 1,832	10.1 19.5 33.2 34.9 2.2	5 15 33 28 0	6.2 18.5 40.7 34.6 0.0
		1.5		0.0		3.3		. 10	2.2	3	0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	5 76 6 0 0	5.0 75.2 5.9 0.0 0.0 13.9	4 60 5 0 0	4.9 73.2 6.1 0.0 0.0 15.9	16 8 1 0	5.3 84.2 5.3 0.0 0.0 5.3	10 13. 47 61. 6 7. 3 3. 0 0. 11 14.	2,406 8 169 9 190 0 17	21.0 45.9 3.2 3.6 0.3 26.0	30 35 1 1 0	37.0 43.2 1.2 1.2 0.0 17.3

Table 1.5.7. Queens, males (includes transgender men)

					Concurrent w	-	AIDS DIAGNOS	ES, 2012	PLWHA A: 12/31/20		DEATHS	i, 2012
	Total HIV dia		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	378	100.0	304	80.4	74	19.6	208	100.0	12,170	100.0	105	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White	95 170 74	25.1 45.0 19.6	79 138 61	26.0 45.4 20.1	16 32 13	21.6 43.2 17.6	79 80 33	38.0 38.5 15.9	4,236 5,016 2,273	34.8 41.2 18.7	45 33 19	42.9 31.4 18.1
Asian/Pacific Islander Native American	36 1	9.5 0.3	24 0	7.9 0.0	12 1	16.2 1.4	15 1	7.2 0.5	558 45	4.6 0.4	7 1	6.7 1.0
Multiracial Unknown	2 0	0.5 0.0	0	0.7 0.0	0	0.0	0	0.0 0.0	13 29	0.1 0.2	0	0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 17 143 109 59 40	0.0 4.5 37.8 28.8 15.6 10.6 2.6	0 16 126 90 42 26 4	0.0 5.3 41.4 29.6 13.8 8.6 1.3	0 1 17 19 17 14 6	0.0 1.4 23.0 25.7 23.0 18.9 8.1	0 6 45 55 44 44 14	0.0 2.9 21.6 26.4 21.2 21.2 6.7	18 68 1,006 1,954 3,864 3,673 1,587	0.1 0.6 8.3 16.1 31.8 30.2 13.0	0 0 3 6 31 33 32	0.0 0.0 2.9 5.7 29.5 31.4 30.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	40 254 82	10.6 67.2 21.7	33 200 69	10.9 65.8 22.7	7 54 13	9.5 73.0 17.6	22 141 45	10.6 67.8 21.6	1,349 8,485 2,199	11.1 69.7 18.1	15 58 31	14.3 55.2 29.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 2	0.0 0.5	0 2	0.0 0.7	0 0	0.0 0.0	0 0	0.0 0.0	0 137	0.0 1.1	0 1	0.0 1.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	275 4 7	72.8 1.1 1.9	231 3 6	76.0 1.0 2.0	44 1 1	59.5 1.4 1.4	115 8 8	55.3 3.8 3.8	5,917 1,659 362	48.6 13.6 3.0	31 26 7	29.5 24.8 6.7
Heterosexual contact Transgender people with sexual contact Perinatal	25 0 0	6.6 0.0 0.0	17 0 0	5.6 0.0 0.0	8 0 0	10.8 0.0 0.0	16 0 2	7.7 0.0 1.0	1,155 0 173	9.5 0.0 1.4	11 0 1	10.5 0.0 1.0
Other Unknown	0 67	0.0 17.7	0 47	0.0 15.5	0 20	0.0 27.0	0 59	0.0 28.4	22 2,882	0.2 23.7	0 29	0.0 27.6

Table 1.5.8. Queens, females (includes transgender women)

		HIV	DIAGNO	Í			OS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV dia	%	Withou N	t AIDS %	Concurrent with Al diagno	ses %	N	%	N	%	N	%
TOTAL	102	100.0	84	82.4	18 1	17.6	75	100.0	4,798	100.0	47	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	54 35 7 6 0 0	52.9 34.3 6.9 5.9 0.0 0.0	42 30 7 5 0 0	50.0 35.7 8.3 6.0 0.0 0.0	5 2 0 1 0 0	66.7 27.8 0.0 5.6 0.0 0.0	53 13 4 5 0 0	70.7 17.3 5.3 6.7 0.0 0.0	2,747 1,422 438 155 12 9	57.3 29.6 9.1 3.2 0.3 0.2 0.3	33 10 3 1 0 0	70.2 21.3 6.4 2.1 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 30 23 23 17 7	1.0 1.0 29.4 22.5 22.5 16.7 6.9	1 0 29 20 15 13 6	1.2 0.0 34.5 23.8 17.9 15.5 7.1	1 1 3 1 8 4 4 2	0.0 5.6 5.6 16.7 14.4 22.2 5.6	1 2 10 17 23 17 5	1.3 2.7 13.3 22.7 30.7 22.7 6.7	11 64 335 739 1,531 1,517 601	0.2 1.3 7.0 15.4 31.9 31.6 12.5	1 0 2 4 14 12 14	2.1 0.0 4.3 8.5 29.8 25.5 29.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	10 48 44 0	9.8 47.1 43.1 0.0 0.0	9 42 33 0	10.7 50.0 39.3 0.0 0.0	6 3 11 6 0	5.6 33.3 31.1 0.0 0.0	12 35 28 0	16.0 46.7 37.3 0.0 0.0	689 2,895 1,149 0 65	14.4 60.3 23.9 0.0	6 26 15 0	12.8 55.3 31.9 0.0 0.0
Area-based poverty level not available	0	0.0	U	0.0	U	0.0	U	0.0	65	1.4	U	0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	4 73 7 1 0	3.9 71.6 6.9 1.0 0.0 16.7	4 58 6 1 0	4.8 69.0 7.1 1.2 0.0 17.9	15 8 1 0 0	0.0 33.3 5.6 0.0 0.0	4 54 4 2 0 11	5.3 72.0 5.3 2.7 0.0 14.7	775 2,658 132 166 21 1,046	16.2 55.4 2.8 3.5 0.4 21.8	15 20 0 3 0 9	31.9 42.6 0.0 6.4 0.0 19.1

Table 1.5.9. Staten Island, males (includes transgender men)

		HIV	DIAGNO		012 Concurrent with A	AIDS	AIDS DIAGNOSES, 2012		AS OF /2012	DEATHS,	, 2012
	Total HIV dia	%	Withou N	t AIDS %	diagn N	oses %		% N	%	N	%
TOTAL	23	100.0	21	91.3	2	8.7	28 100	0 1,412	100.0	25	100.0
 RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	8 4 9 2 0	34.8 17.4 39.1 8.7 0.0	8 4 7 2 0	38.1 19.0 33.3 9.5 0.0	0 0 2 1 0	0.0 0.0 100.0 0.0 0.0	9 32 7 25 10 35 1 3	0 407 7 486 6 20	28.8 34.4 1.4	9 5 10 0 1	36.0 20.0 40.0 0.0 4.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 7 6 6 1	0.0 8.7 30.4 26.1 26.1 4.3 4.3	0 2 7 6 4 1	0.0 9.5 33.3 28.6 19.0 4.8 4.8	0 0 0 0 2 1 0	0.0 0.0 0.0 0.0 100.0 0.0	0 0 0 0 2 7 5 17 9 32 9 32 3 10	0 12 1 93 9 176 1 405 1 506	6.6 12.5 28.7 35.8	0 0 3 1 5 12 4	0.0 0.0 12.0 4.0 20.0 48.0 16.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	4 2 17	17.4 8.7 73.9	4 2 15	19.0 9.5 71.4	0 0 2 1	0.0 0.0 100.0	5 17 3 10 20 71	.7 82	5.8	4 5 16	16.0 20.0 64.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0	0.0 0.0	0	0.0	0 0	0.0	0 0	-		0 0	0.0 0.0
TRANSMISSION RISK											
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	13 2 1	56.5 8.7 4.3	13 1 0	61.9 4.8 0.0	1	0.0 50.0 50.0	7 25 4 14 1 3	.3 296 .6 64	21.0 4.5	9 10 1	36.0 40.0 4.0
Heterosexual contact Transgender people with sexual contact Perinatal Other	1 0 0 0	4.3 0.0 0.0 0.0	1 0 0 0	4.8 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	6 21 0 0 0 0 0 0	0 0 0 34 0 1	0.0 2.4 0.1	2 0 1 0	8.0 0.0 4.0 0.0
Unknown	6	26.1	6	28.6	0	0.0	10 35	.7 360	25.5	2	8.0

Table 1.5.10. Staten Island, females (includes transgender women)

		HIV	DIAGNO	SES, 20)12	AIDS DIAGNO	OSES, 2012	PLWHA / 12/31/2		DEATHS	, 2012
	Total HIV dia	aanoses	Withou		Concurrent with All diagnos						
	N	%	N	%	N	% N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1 16	100.0	794	100.0	20	100.0
RACE/ETHNICITY											
Black	6	42.9	6	46.2		0.0 10	62.5	372	46.9	5	25.0
Latino/Hispanic	3	21.4	2	15.4	1 100		31.3	232	29.2	8	40.0
White	5	35.7	5	38.5		0.0	6.3	181	22.8	7	35.0
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0.0	3 6	0.4	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0.0	6	0.8	0	0.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0	0.0	0.0	3	0.4	0	0.0
13-19	Ō	0.0	Ō	0.0		0.0	0.0	15	1.9	Ō	0.0
20-29	4	28.6	4	30.8		0.0	12.5	48	6.0	1	5.0
30-39	5	35.7	5	38.5		0.0	12.5	108	13.6	1	5.0
40-49	3	21.4	3	23.1		0.0	37.5	262	33.0	3	15.0
50-59	1	7.1	1	7.7	0	0.0	12.5	267	33.6	10 5	50.0 25.0
60+	1	7.1	0	0.0	1 100	0.0 4	25.0	91	11.5	5	25.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	3	21.4	3	23.1	0	0.0 2	12.5	192	24.2	5	25.0
Medium poverty (10 to <20% below FPL)	Ō	0.0	Ō	0.0		0.0	0.0	54	6.8	1	25.0 5.0
High poverty (20 to <30% below FPL)	11	78.6	10	76.9	1 100	0.0 14	87.5	545	68.6	14	70.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0		0.0	0.0	3	0.4	0	0.0
TRANSMISSION BIOK											
TRANSMISSION RISK	0	0.0	0	0.0	0	2.0	40.0	4.40	40.0	_	05.0
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	18.8	149	18.8	7	35.0
Heterosexual contact	10 0	71.4 0.0	10 0	76.9 0.0		0.0 0.0	62.5 0.0	428 16	53.9 2.0	9	45.0 5.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0		0.0	0.0	32	2.0 4.0	0	0.0
Other	0	0.0	0	0.0		0.0	0.0	32 6	4.0 0.8	0	0.0
Unknown	0	28.6	3	23.1	1 100		18.8	163	20.5	3	15.0
UIINIUWII	4	20.0	<u>ა</u>	23.1	1 100	3.0	18.8	103	20.5	3	15.0

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNOS	•			AIDS DIAGNOS	ES, 2012	PLWHA A: 12/31/20		DEATHS	, 2012
	Total HIV di	agnoses %	Withou N		Concurrent w di N	rith AIDS agnoses %	N	%	N	%	N	%
TOTAL	1,714	100.0	1,463	85.4	251	14.6	864	100.0	43,868	100.0	364	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	561 596 476 71 0 10	32.7 34.8 27.8 4.1 0.0 0.6 0.0	477 504 412 61 0 9	32.6 34.4 28.2 4.2 0.0 0.6 0.0	84 92 64 10 0 1	33.5 36.7 25.5 4.0 0.0 0.4 0.0	360 264 211 28 0 1	41.7 30.6 24.4 3.2 0.0 0.1 0.0	13,377 12,591 16,602 1,079 98 86 35	30.5 28.7 37.8 2.5 0.2 0.2	138 71 145 8 0 2	37.9 19.5 39.8 2.2 0.0 0.5 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 99 786 427 287 96 19	0.0 5.8 45.9 24.9 16.7 5.6 1.1	0 96 710 358 223 66 10	0.0 6.6 48.5 24.5 15.2 4.5 0.7	0 3 76 69 64 30 9	0.0 1.2 30.3 27.5 25.5 12.0 3.6	0 13 274 262 189 99 27	0.0 1.5 31.7 30.3 21.9 11.5 3.1	0 154 5,839 8,845 13,990 10,358 4,682	0.0 0.4 13.3 20.2 31.9 23.6 10.7	0 19 44 111 100 90	0.0 0.0 5.2 12.1 30.5 27.5 24.7
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	224 377 511 275 13 275 39	13.1 22.0 29.8 16.0 0.8 16.0 2.3	182 320 438 231 13 242 37	12.4 21.9 29.9 15.8 0.9 16.5 2.5	42 57 73 44 0 33 2	16.7 22.7 29.1 17.5 0.0 13.1 0.8	131 206 222 115 7 169 14	15.2 23.8 25.7 13.3 0.8 19.6 1.6	5,195 8,276 16,625 5,917 517 6,256 1,082	11.8 18.9 37.9 13.5 1.2 14.3 2.5	48 72 111 31 9 22 71	13.2 19.8 30.5 8.5 2.5 6.0 19.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	146 491 369	8.5 28.6 21.5	125 416 313	8.5 28.4 21.4	21 75 56	8.4 29.9 22.3	60 214 190	6.9 24.8 22.0	6,284 12,976 8,735	14.3 29.6 19.9	35 81 77	9.6 22.3 21.2
Very high poverty (≥30% below FPL)	389	22.7	326	22.3	63	25.1	212	24.5	8,123	18.5	77	21.2
Area-based poverty level not available	319	18.6	283	19.3	36	14.3	188	21.8	7,750	17.7	94	25.8

Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

	T-4-11 (IV) di				Concurrent w	-	AIDS DIAGNOS	SES, 2012	PLWHA A 12/31/20		DEATHS	3, 2012
	Total HIV dia	agnoses %	Withou N	t AIDS %	N al	agnoses %	N	%	N	0/	N	%
TOTAL	62	100.0	46	74.2	16	25.8	102	100.0	11,440	% 100.0	409	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	26 24 10 2 0 0	41.9 38.7 16.1 3.2 0.0 0.0	14 21 9 2 0 0	30.4 45.7 19.6 4.3 0.0 0.0	12 3 1 0 0 0	75.0 18.8 6.3 0.0 0.0 0.0	47 46 9 0 0 0	46.1 45.1 8.8 0.0 0.0 0.0	4,680 5,374 1,309 45 17 9	40.9 47.0 11.4 0.4 0.1 0.1	176 187 43 2 1 0	43.0 45.7 10.5 0.5 0.2 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 7 16 11 15	0.0 1.6 11.3 25.8 17.7 24.2 19.4	0 1 7 13 6 11	0.0 2.2 15.2 28.3 13.0 23.9 17.4	0 0 0 3 5 4 4	0.0 0.0 18.8 31.3 25.0 25.0	0 0 1 10 27 41 23	0.0 0.0 1.0 9.8 26.5 40.2 22.5	0 54 391 2,181 5,286 3,528	0.0 0.0 0.5 3.4 19.1 46.2 30.8	0 0 14 63 186 146	0.0 0.0 0.0 3.4 15.4 45.5 35.7
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	21 16 12 4 2 7 0	33.9 25.8 19.4 6.5 3.2 11.3 0.0	17 10 11 3 1 4 0	37.0 21.7 23.9 6.5 2.2 8.7 0.0	4 6 1 1 3 0	25.0 37.5 6.3 6.3 6.3 18.8 0.0	31 27 20 8 4 10 2	30.4 26.5 19.6 7.8 3.9 9.8 2.0	3,493 2,677 2,462 1,659 296 775 78	30.5 23.4 21.5 14.5 2.6 6.8 0.7	115 111 73 26 10 13 61	28.1 27.1 17.8 6.4 2.4 3.2 14.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	3 18 12	4.8 29.0 19.4	3 12 9	6.5 26.1 19.6	0 6 3	0.0 37.5 18.8	3 24 25	2.9 23.5 24.5	567 2,728 2,609	5.0 23.8 22.8	19 62 93	4.6 15.2 22.7
Very high poverty (≥30% below FPL) Area-based poverty level not available	22 7	35.5 11.3	18 4	39.1 8.7	4 3	25.0 18.8	37 13	36.3 12.7	4,430 1,106	38.7 9.7	160 75	39.1 18.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2012 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2012, NEW YORK CITY Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

	_				Concurrent w	-	AIDS DIAGNOSE	ES, 2012	PLWHA A 12/31/20		DEATHS,	, 2012
	Total HIV di		Withou			agnoses	N.	0/	N.	0/		0/
TOTAL	N 24	% 100.0	N 23	% 95.8	N 1	% 4.2	N 59	% 100.0	N 5,885	% 100.0	N 197	% 100.0
RACE/ETHNICITY												
RACE/ETHNICITY Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	12 9 1 1 0 1	50.0 37.5 4.2 4.2 0.0 4.2 0.0	11 9 1 1 0 1	47.8 39.1 4.3 4.3 0.0 4.3 0.0	1 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0	28 23 6 2 0 0	47.5 39.0 10.2 3.4 0.0 0.0	2,800 2,391 666 16 3 5	47.6 40.6 11.3 0.3 0.1 0.1	96 77 22 0 1 1	48.7 39.1 11.2 0.0 0.5 0.5
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 4 4 5 10 1	0.0 0.0 16.7 16.7 20.8 41.7 4.2	0 0 4 4 4 10	0.0 0.0 17.4 17.4 17.4 43.5 4.3	0 0 0 0 1 0	0.0 0.0 0.0 0.0 100.0 0.0	0 0 2 10 18 23 6	0.0 0.0 3.4 16.9 30.5 39.0 10.2	0 1 62 378 1,744 2,691 1,009	0.0 0.0 1.1 6.4 29.6 45.7 17.1	0 0 1 8 45 100 43	0.0 0.0 0.5 4.1 22.8 50.8 21.8
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	8 6 5 4 0 1	33.3 25.0 20.8 16.7 0.0 4.2 0.0	8 6 4 4 0 1	34.8 26.1 17.4 17.4 0.0 4.3 0.0	0 0 1 0 0 0	0.0 0.0 100.0 0.0 0.0 0.0	19 16 10 4 3 4 3	32.2 27.1 16.9 6.8 5.1 6.8 5.1	1,988 1,545 1,100 775 149 295 33	33.8 26.3 18.7 13.2 2.5 5.0 0.6	75 50 30 15 7 6	38.1 25.4 15.2 7.6 3.6 3.0 7.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	2 7 4	8.3 29.2 16.7	2 6 4	8.7 26.1 17.4	0 1 0	0.0 100.0 0.0	3 12 16	5.1 20.3 27.1	274 1,188 1,494	4.7 20.2 25.4	5 31 48	2.5 15.7 24.4
Very high poverty (≥30% below FPL) Area-based poverty level not available	10 1	41.7 4.2	10 1	43.5 4.3	0	0.0 0.0	21 7	35.6 11.9	2,538 391	43.1 6.6	93 20	47.2 10.2

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	T				Concurrent with A		AIDS DIAGNOSES, 2012		WHA A 12/31/20		DEATHS,	2012
	Total HIV di		Withou		diagn	oses	N	24		0/	N.	0/
TOTAL	N 62	% 100.0	N 50	% 80.6	N 12	% 19.4	N 54 100	% .0 2	N 2,832	% 100.0	N 80	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	15 29 15 3 0	24.2 46.8 24.2 4.8 0.0 0.0	10 25 12 3 0	20.0 50.0 24.0 6.0 0.0	4	41.7 33.3 25.0 0.0 0.0	9 16 1 1 0 0	.9 1 .7	1,028 1,124 638 28 9 5	36.3 39.7 22.5 1.0 0.3 0.2	35 32 12 1 0 0	43.8 40.0 15.0 1.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 15 20 18 2 6	0.0 1.6 24.2 32.3 29.0 3.2 9.7	0 1 14 17 12 2 4	0.0 2.0 28.0 34.0 24.0 4.0 8.0	6 0	0.0 0.0 8.3 25.0 50.0 0.0 16.7	0 0 9 16	.1 .3 .8	0 1 181 389 940 934 387	0.0 0.0 6.4 13.7 33.2 33.0 13.7	0 0 7 20 33 20	0.0 0.0 0.0 8.8 25.0 41.3 25.0
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	9 12 21 7 1 10 2	14.5 19.4 33.9 11.3 1.6 16.1 3.2	7 8 19 6 0 8 2	14.0 16.0 38.0 12.0 0.0 16.0 4.0	4 2 1 1	16.7 33.3 16.7 8.3 8.3 16.7 0.0		.8 .2 .8 .9	668 597 782 362 64 318 41	23.6 21.1 27.6 12.8 2.3 11.2	25 16 18 7 1 4	31.3 20.0 22.5 8.8 1.3 5.0 11.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	5 16 14	8.1 25.8 22.6	4 13 9	8.0 26.0 18.0		8.3 25.0 41.7			210 730 636	7.4 25.8 22.5	4 13 21	5.0 16.3 26.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	14 13	22.6 21.0	13 11	26.0 22.0	1 2	8.3 16.7	16 29 7 13		876 380	30.9 13.4	29 13	36.3 16.3

Table 1.6.5. Heterosexual contact, males

			DIAGNO		Concurrent w	-	AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	i, 2012
	Total HIV di		Withou			agnoses		0.4		0.0		0.4
TOTAL	N 137	% 100.0	N 96	% 70. 1	N 41	% 29.9	N 132	% 100.0	N 6,073	% 100.0	N 106	% 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	85 38 10 3 1 0	62.0 27.7 7.3 2.2 0.7 0.0	62 28 6 0 0 0	64.6 29.2 6.3 0.0 0.0 0.0	23 10 4 3 1 0	56.1 24.4 9.8 7.3 2.4 0.0	82 36 9 3 2 0	62.1 27.3 6.8 2.3 1.5 0.0	3,306 2,055 521 170 15 1	54.4 33.8 8.6 2.8 0.2 0.0	76 22 4 3 1 0	71.7 20.8 3.8 2.8 0.9 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 18 37 41 27 12	0.0 1.5 13.1 27.0 29.9 19.7 8.8	0 2 17 31 22 18 6	0.0 2.1 17.7 32.3 22.9 18.8 6.3	0 0 1 6 19 9 6	0.0 0.0 2.4 14.6 46.3 22.0 14.6	0 0 6 28 49 33 16	0.0 0.0 4.5 21.2 37.1 25.0 12.1	0 4 177 650 2,098 2,141 1,003	0.0 0.1 2.9 10.7 34.5 35.3 16.5	0 0 3 6 20 48 29	0.0 0.0 2.8 5.7 18.9 45.3 27.4
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	36 39 28 25 1 6 2	26.3 28.5 20.4 18.2 0.7 4.4 1.5	25 28 17 17 1 6 2	26.0 29.2 17.7 17.7 1.0 6.3 2.1	11 11 11 8 0 0	26.8 26.8 19.5 0.0 0.0	39 33 28 16 6 7 3	29.5 25.0 21.2 12.1 4.5 5.3 2.3	1,605 1,609 1,005 1,155 140 497 62	26.4 26.5 16.5 19.0 2.3 8.2 1.0	22 44 11 11 2 5	20.8 41.5 10.4 10.4 1.9 4.7 10.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	8 29 46	5.8 21.2 33.6	5 19 29	5.2 19.8 30.2	3 10 17	7.3 24.4 41.5	5 29 43	3.8 22.0 32.6	337 1,504 1,538	5.5 24.8 25.3	1 20 28	0.9 18.9 26.4
Very high poverty (≥30% below FPL) Area-based poverty level not available	46 8	33.6 5.8	35 8	36.5 8.3	11 0	26.8 0.0	45 10	34.1 7.6	2,102 592	34.6 9.7	41 16	38.7 15.1

Table 1.6.6. Heterosexual contact, females

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2012	PLWHA AS 12/31/20		DEATHS	, 2012
	Total HIV di N	agnoses %	Withou N		Concurrent w di N	ith AIDS iagnoses %	N	%	N	%	N	%
TOTAL	477	100.0	377	79.0	100	21.0	361	100.0	17,534	100.0	246	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	300 134 35 6 0 2	62.9 28.1 7.3 1.3 0.0 0.4 0.0	226 116 28 5 0 2	59.9 30.8 7.4 1.3 0.0 0.5 0.0	74 18 7 1 0 0	74.0 18.0 7.0 1.0 0.0 0.0	246 88 20 5 2 0	68.1 24.4 5.5 1.4 0.6 0.0	10,427 5,642 1,147 238 49 21	59.5 32.2 6.5 1.4 0.3 0.1	161 68 16 1 0 0	65.4 27.6 6.5 0.4 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 21 116 109 116 81 34	0.0 4.4 24.3 22.9 24.3 17.0 7.1	0 20 106 92 83 54 22	0.0 5.3 28.1 24.4 22.0 14.3 5.8	0 1 10 17 33 27 12	0.0 1.0 10.0 17.0 33.0 27.0 12.0	0 2 43 77 125 83 31	0.0 0.6 11.9 21.3 34.6 23.0 8.6	0 61 1,183 3,140 5,758 5,128 2,264	0.0 0.3 6.7 17.9 32.8 29.2 12.9	0 0 5 22 82 79 58	0.0 0.0 2.0 8.9 33.3 32.1 23.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	137 143 76 73 10 30 8	28.7 30.0 15.9 15.3 2.1 6.3 1.7	114 105 60 58 10 22	30.2 27.9 15.9 15.4 2.7 5.8 2.1	23 38 16 15 0 8	23.0 38.0 16.0 15.0 0.0 8.0 0.0	102 113 47 54 10 28 7	28.3 31.3 13.0 15.0 2.8 7.8 1.9	5,301 5,301 2,406 2,658 428 1,087 353	30.2 30.2 13.7 15.2 2.4 6.2 2.0	72 80 35 20 9 6 24	29.3 32.5 14.2 8.1 3.7 2.4 9.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	18 92 153	3.8 19.3 32.1	15 71 122	4.0 18.8 32.4	3 21 31	3.0 21.0 31.0	20 78 98	5.5 21.6 27.1	905 3,726 4,671	5.2 21.3 26.6	9 42 57	3.7 17.1 23.2
Very high poverty (≥30% below FPL)	176	36.9	139	36.9	37	37.0	130	36.0	6,710	38.3	108	43.9
Area-based poverty level not available	38	8.0	30	8.0	8	8.0	35	9.7	1,522	8.7	30	12.2

Table 1.6.7. Transgender people with sexual contact

		HIV	DIAGNO			AIDS DIAGNO	SES, 2012	PLWHA A 12/31/20		DEATHS,	, 2012
	Total HIV di		Withou	t AIDS	Concurrent with AIDS diagnoses						
TOTAL	N 46	% 100.0	N 42	% 91.3	N % 4 8.7		% 100.0	N 883	% 100.0	N 10	% 100.0
TOTAL	40	100.0	42	31.3	4 0.7		100.0	005	100.0	10	100.0
GENDER											
Male Female	1 45	2.2 97.8	1 41	2.4 97.6	0 0.0 4 100.0		0.0 100.0	9 874	1.0 99.0	0 10	0.0 100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	19 23 2 1 1 0	41.3 50.0 4.3 2.2 2.2 0.0 0.0	18 21 1 1 1 0 0	42.9 50.0 2.4 2.4 2.4 0.0 0.0	1 25.0 2 50.0 1 25.0 0 0.0 0 0.0 0 0.0 0 0.0	11 4 0 0 0	50.0 36.7 13.3 0.0 0.0 0.0	432 357 63 19 5 6	48.9 40.4 7.1 2.2 0.6 0.7 0.1	7 2 1 0 0 0	70.0 20.0 10.0 0.0 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 7 29 7 3 0	0.0 15.2 63.0 15.2 6.5 0.0	0 7 26 6 3 0	0.0 16.7 61.9 14.3 7.1 0.0 0.0	0 0.0 0 0.0 3 75.0 1 25.0 0 0.0 0 0.0	0 20 6 2 2	0.0 0.0 66.7 20.0 6.7 6.7 0.0	0 16 271 311 195 71	0.0 1.8 30.7 35.2 22.1 8.0 2.2	0 0 3 2 4 1	0.0 0.0 0.0 30.0 20.0 40.0 10.0
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	5 17 6 7 0 8 3	10.9 37.0 13.0 15.2 0.0 17.4 6.5	5 16 5 6 0 7 3	11.9 38.1 11.9 14.3 0.0 16.7 7.1	0 0.0 1 25.0 1 25.0 0 0.0 1 25.0 0 0.0	8 6 4 0 7	16.7 26.7 20.0 13.3 0.0 23.3 0.0	203 221 171 132 16 97 43	23.0 25.0 19.4 14.9 1.8 11.0 4.9	4 2 1 0 1 0 2	40.0 20.0 10.0 0.0 10.0 0.0 20.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 5 13	0.0 10.9 28.3	0 5 10	0.0 11.9 23.8	0 0.0 0 0.0 3 75.0	3	3.3 10.0 30.0	56 187 216	6.3 21.2 24.5	0 1 2	0.0 10.0 20.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	17 11	37.0 23.9	17 10	40.5 23.8	0 0.0 1 25.0		33.3 23.3	278 146	31.5 16.5	5 2	50.0 20.0

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV dia		Withou	t AIDS		gnoses		24		0.4		
TOTAL	N 20	% 100.0	N 15	% 75.0	N 5	% 25.0	N 12	% 100.0	N 652	% 100.0	N 11	% 100.0
GENDER	47	05.0	40	00.0		400.0	4.4	04.7	100	25.0	•	70.7
Male	17	85.0	12 3	80.0	5	100.0	11 1	91.7	429	65.8	8 3	72.7
Female	3	15.0	3	20.0	0	0.0	1	8.3	223	34.2	3	27.3
RACE/ETHNICITY												
Black	6	30.0	5	33.3	1	20.0	1	8.3	217	33.3	4	36.4
Latino/Hispanic	11	55.0	8	53.3	3	60.0	10	83.3	305	46.8	5	45.5 18.2
White	2	10.0	1	6.7	1	20.0	1	8.3	119	18.3	2	18.2
Asian/Pacific Islander	1	5.0	1	6.7	0	0.0	0	0.0	7	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	2	10.0	2	13.3	0	0.0	0	0.0	4	0.6	0	0.0
20-29	6	30.0	5	33.3	1	20.0	0	0.0	49	7.5	1	9.1
30-39	5	25.0	4	26.7	1	20.0	2	16.7	75	11.5	0	0.0
40-49	5	25.0	3	20.0	2	40.0	6	50.0	182	27.9	4	36.4
50-59	2	10.0	1	6.7	1	20.0	2	16.7	211	32.4	4	36.4
60+	0	0.0	0	0.0	0	0.0	2	16.7	130	19.9	2	18.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	70.0	11	73.3	3	60.0	4	33.3	206	31.6	4	36.4
Injection drug use history (IDÙ)	1	5.0	1	6.7	0	0.0	1	8.3	109	16.7	3	27.3 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	1.2	0	0.0
Heterosexual contact	3	15.0	2	13.3	1	20.0	3	25.0	141	21.6	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.3	1	9.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 9.1
Unknown	2	10.0	1	6.7	1	20.0	4	33.3	170	26.1	11	9.1

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou	t AIDS		agnoses						
TOTAL	N 76	% 100.0	N 61	% 80.3	N 15	% 19.7	N 66	% 100.0	N 2,402	100.0	N 44	% 100.0
101/12		100.0	<u> </u>	00.0		1017		100.0	2,102	10010		100.0
GENDER												
Male	53	69.7	41	67.2	12	80.0	38	57.6	1,308	54.5	29	65.9
Female	23	30.3	20	32.8	3	20.0	28	42.4	1,094	45.5	15	34.1
RACE/ETHNICITY												
Black	55	72.4	42	68.9	13	86.7	46	69.7	1,518	63.2	30	68.2
Latino/Hispanic	17	22.4	15	24.6	2	13.3	13	19.7	728	30.3	10	22.7
White Control of the	3	3.9	3	4.9	0	0.0	4	6.1	124	5.2	3	6.8
Asian/Pacific Islander Native American	1	1.3	1	1.6 0.0	0	0.0	2	3.0 1.5	17 9	0.7 0.4	1	2.3
Multiracial	0	0.0 0.0	0	0.0	0	0.0	0	0.0	2	0.4	0 0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0 0.0 0.0
AGE GROUP (YEARS)	•	0.0	0	0.0	0	0.0	•	0.0	44	0.5	•	0.0
0-12 13-19	2 4	2.6 5.3	2 4	3.3 6.6	0	0.0	0	0.0 0.0	11 49	0.5 2.0	0	0.0
20-29	27	35.5	25	41.0	0 2	13.3	0 12	18.2	234	2.0 9.7	0	0.0 2.3
30-39	12	35.5 15.8	25 11	18.0	1	6.7	14	21.2	234 347	9.7 14.4	1	2.3 9.1
40-49	15	19.7	10	16.4	5	33.3	19	28.8	730	30.4	8	18.2
50-59	10	13.2	6	9.8	4	26.7	13	19.7	695	28.9	13	29.5
60+	6	7.9	3	4.9	3	20.0	8	12.1	336	14.0	18	40.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	35.5	25	41.0	2	13.3	12	18.2	455	18.9	5	11.4
Injection drug use history (IDU)	1	35.5	25 0	0.0	∠ 1	6.7	9	13.6	455 331	13.8	5 14	31.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	50	2.1	14	21.0
Heterosexual contact	25	32.9	18	29.5	7	46.7	24	36.4	722	30.1	10	2.3 22.7
Transgender people with sexual contact	0	0.0	0	0.0	Ó	0.0	0	0.0	13	0.5	0	0.0
Perinatal	2	2.6	2	3.3	0	0.0	ĭ	1.5	104	4.3	0	0.0
Other	0	0.0	0	0.0	Ö	0.0	0	0.0	5	0.2	Ö	0.0
Unknown	21	27.6	16	26.2	5	33.3	20	30.3	722	30.1	14	31.8

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSI	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					Concurrent wi	-						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	104	100.0	90	86.5	14	13.5	70	100.0	5,011	100.0	79	100.0
GENDER												
Male _	80	76.9	66	73.3	14	100.0	44	62.9	3,138	62.6	50	63.3
Female	24	23.1	24	26.7	0	0.0	26	37.1	1,873	37.4	29	36.7
RACE/ETHNICITY												
Black	46	44.2	39	43.3	7	50.0	39	55.7	2,165	43.2	30	38.0
Latino/Hispanic	53	51.0	47	52.2	6	42.9	26	37.1	2,564	51.2	44	55.7 6.3 0.0
White	3	2.9	2	2.2	1	7.1	5	7.1	236	4.7	5	6.3
Asian/Pacific Islander	1	1.0	1	1.1	0	0.0	0	0.0	28	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	1	1.0	1	1.1	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	8	7.7	8	8.9	0	0.0	1	1.4	51	1.0	0	0.0
20-29	35	33.7	29	32.2	6	42.9	18	25.7	430	8.6	1	0.0 1.3
30-39	23	22.1	23	25.6	0	0.0	14	20.0	758	15.1	6	7.6
40-49	19	18.3	15	16.7	4	28.6	15	21.4	1,567	31.3	23	29.1
50-59	8	7.7	8	8.9	0	0.0	13	18.6	1,539	30.7	37	46.8
60+	11	10.6	7	7.8	4	28.6	9	12.9	656	13.1	12	15.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	49.0	44	48.9	7	50.0	23	32.9	1,169	23.3	8	10.1
Injection drug use history (IDU)	2	1.9	2	2.2	0	0.0	5	7.1	988	19.7	31	39.2
MSM-IDU	0	0.0	0	0.0	0	0.0	2	2.9	135	2.7	4	5.1
Heterosexual contact	26	25.0	22	24.4	4	28.6	18	25.7	1,231	24.6	12	15.2
Transgender people with sexual contact	2	1.9	2	2.2	0	0.0	0	0.0	48	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	4.3	117	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	23	22.1	20	22.2	3	21.4	19	27.1	1,319	26.3	24	30.4

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	5, 2012
					Concurrent w	-						
	Total HIV di		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	87	100.0	67	77.0	20	23.0	67	100.0	4,217	100.0	61	100.0
GENDER												
Male	60	69.0	46	68.7	14	70.0	41	61.2	2,542	60.3	42	68.9
Female	27	31.0	21	31.3	6	30.0	26	38.8	1,675	39.7	19	31.1
RACE/ETHNICITY												
Black	39	44.8	27	40.3	12	60.0	35	52.2	1,696	40.2	23	37.7
Latino/Hispanic	44	50.6	36	53.7	8	40.0	29	43.3	2,197	52.1	32	52.5 8.2 1.6
White	4	4.6	4	6.0	0	0.0	3	4.5	286	6.8	5	8.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	26	0.6	1	1.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19	3	3.4	3	4.5	0	0.0	1	1.5	57	1.4	0	0.0
20-29	32	36.8	27	40.3	5	25.0	13	19.4	367	8.7	5	8.2
30-39	19	21.8	13	19.4	6	30.0	13	19.4	546	12.9	2	0.0 8.2 3.3 19.7
40-49	21	24.1	14	20.9	7	35.0	24	35.8	1,304	30.9	12	19.7
50-59	6	6.9	5	7.5	1	5.0	12	17.9	1,352	32.1	27	44.3
60+	6	6.9	5	7.5	1	5.0	4	6.0	583	13.8	15	24.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	36.8	25	37.3	7	35.0	16	23.9	905	21.5	7	11.5
Injection drug use history (IDU)	6	6.9	25 5	7.5	1	5.0	5	7.5	820	19.4	24	39.3
MSM-IDU	5	5.7	4	6.0	1	5.0	2	3.0	97	2.3	5	8.2
Heterosexual contact	27	31.0	21	31.3	6	30.0	25	37.3	1,115	26.4	8	13.1
Transgender people with sexual contact	1	1.1	1	1.5	Ö	0.0	1	1.5	23	0.5	Ö	0.0
Perinatal	Ö	0.0	0	0.0	Ö	0.0	2	3.0	166	3.9	3	4.9
Other	Ö	0.0	0	0.0	Ö	0.0	0	0.0	14	0.3	Ö	0.0
Unknown	16	18.4	11	16.4	5	25.0	16	23.9	1.077	25.5	14	23.0

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di	iaanoses	Withou		Concurrent v d	vith AIDS iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	98	100.0	77	78.6	21	21.4	88	100.0	5,083	100.0	92	100.0
												ı
GENDER												
Male	65	66.3	52	67.5	13	61.9	58	65.9	3,003	59.1	51	55.4
Female	33	33.7	25	32.5	8	38.1	30	34.1	2,080	40.9	41	44.6
RACE/ETHNICITY												
Black	39	39.8	32	41.6	7	33.3	35	39.8	2,343	46.1	46	50.0
Latino/Hispanic	55	56.1	43	55.8	12	57.1	51	58.0	2,574	50.6	44	47.8
White	3	3.1	2	2.6	1	4.8	1	1.1	132	2.6	2	2.2
Asian/Pacific Islander	1	1.0	0	0.0	1	4.8	1	1.1	20	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
13-19	6	6.1	6	7.8	0	0.0	1	1.1	71	1.4	0	0.0
20-29	31	31.6	25	32.5	6	28.6	16	18.2	408	8.0	3	3.3 4.3
30-39	23	23.5	19	24.7	4	19.0	14	15.9	724	14.2	4	4.3
40-49	20	20.4	14	18.2	6	28.6	27	30.7	1,512	29.7	18	19.6
50-59	13	13.3	10	13.0	3	14.3	22	25.0	1,603	31.5	18 32	19.6 34.8
60+	5	5.1	3	3.9	2	9.5	8	9.1	747	14.7	35	38.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	29.6	20	26.0	9	42.9	27	30.7	853	16.8	6	6.5
Injection drug use history (IDU)	7	7.1	6	7.8	1	4.8	10	11.4	1,137	22.4	38	41.3
MSM-IDU	3	3.1	2	2.6	1	4.8	3	3.4	147	2.9	4	4.3
Heterosexual contact	37	37.8	29	37.7	8	38.1	20	22.7	1,397	27.5	17	18.5
Transgender people with sexual contact	0	0.0	0	0.0	Ö	0.0	2	2.3	46	0.9	1	4.3 18.5 1.1
Perinatal	Ö	0.0	Ö	0.0	0	0.0	1	1.1	165	3.2	1	1.1
Other	Ö	0.0	0	0.0	ő	0.0	0	0.0	8	0.2	0	0.0
Unknown	22	22.4	20	26.0	ž	9.5	25	28.4	1,330	26.2	25	27.2

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV d	aanoses	Withou		Concurrent w di	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	109	100.0	91	83.5	18	16.5	101	100.0	5,524	100.0	136	100.0
GENDER	00	00.0	50	04.5	40	70.0	0.4	00.4	0.000	20.0	0.7	04.0
Male	69	63.3	56	61.5	13	72.2	64	63.4	3,333	60.3	87	64.0
Female	40	36.7	35	38.5	5	27.8	37	36.6	2,191	39.7	49	36.0
RACE/ETHNICITY												
Black	55	50.5	45	49.5	10	55.6	58	57.4	2,837	51.4	71	52.2
Latino/Hispanic	47	43.1	40	44.0	7	38.9	39	38.6	2,492	45.1	57	41.9
White	6	5.5	6	6.6	0	0.0	3	3.0	153	2.8	4	2.9 1.5 1.5 0.0
Asian/Pacific Islander	1	0.9	0	0.0	1	5.6	1	1.0	24	0.4	2	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	2	1.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
13-19	9	8.3	8	8.8	1	5.6	1	1.0	72	1.3	Ō	0.0
20-29	31	28.4	28	30.8	3	16.7	20	19.8	447	8.1	Ö	0.0
30-39	30	27.5	28	30.8	2	11.1	17	16.8	788	14.3	8	0.0 5.9
40-49	17	15.6	14	15.4	3	16.7	25	24.8	1,582	28.6	30	22.1 41.9
50-59	11	10.1	7	7.7	4	22.2	26	25.7	1,744	31.6	57	41.9
60+	11	10.1	6	6.6	5	27.8	12	11.9	878	15.9	41	30.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	33.0	30	33.0	6	33.3	27	26.7	1,006	18.2	13	9.6
Injection drug use history (IDU)	7	6.4	6	6.6	1	5.6	13	12.9	1,219	22.1	53	39.0
MSM-IDU	1	0.9	1	1.1	Ö	0.0	3	3.0	148	2.7	9	6.6
Heterosexual contact	40	36.7	34	37.4	6	33.3	33	32.7	1,427	25.8	29	21.3
Transgender people with sexual contact	1	0.9	1	1.1	0	0.0	1	1.0	37	0.7	2	1.5
Perinatal	Ö	0.0	0	0.0	Ö	0.0	3	3.0	143	2.6	0	1.5 0.0 0.0
Other	Ö	0.0	0	0.0	Ö	0.0	0	0.0	9	0.2	ő	0.0
Unknown	24	22.0	19	20.9	5	27.8	21	20.8	1,535	27.8	30	22.1

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou		Concurrent w di	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	73	100.0	61	83.6	12	16.4	64	100.0	3,386	100.0	67	100.0
GENDER								_				
Male	57	78.1	47	77.0	10	83.3	44	68.8	2,070	61.1	39	58.2
Female	16	21.9	14	23.0	2	16.7	20	31.3	1,316	38.9	28	41.8
RACE/ETHNICITY												
Black	36	49.3	30	49.2	6	50.0	28	43.8	1,422	42.0	29	43.3
Latino/Hispanic	34	46.6		47.5	5	41.7	32	50.0	1,824	53.9	36	53.7
White	3	4.1	29 2	3.3	1	8.3	3	4.7	111	3.3	1	1.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.6	18	0.5	1	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	Ō	0.0	0	0.0	0	0.0	1	0.0	Ō	0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	5.5	4	6.6	0	0.0	4	6.3	52	1.5	0	0.0
20-29	22	30.1	20	32.8	2	16.7	10	15.6	306	9.0	1	1.5
30-39	13	17.8	10	16.4	3	25.0	16	25.0	501	14.8	3	1.5
40-49	20	27.4	18	29.5	2	16.7	16	25.0	996	29.4	18	4.5 26.9 44.8
50-59	9	12.3	6	9.8	3	25.0	12	18.8	1,059	31.3	30	20.9
50-59 60+	9 5	6.8	3	9.6 4.9	3 2	16.7	6	9.4	467	13.8	30 15	22.4
60+	5	0.8	3	4.9	2	16.7	0	9.4	467	13.8	15	22.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	46.6	27	44.3	7	58.3	20	31.3	588	17.4	5	7.5
Injection drug use history (IDU)	5	6.8	5	8.2	0	0.0	7	10.9	820	24.2	27	40.3
MSM-IDU	0	0.0	0	0.0	0	0.0	2	3.1	81	2.4	2	3.0
Heterosexual contact	15	20.5	13	21.3	2	16.7	18	28.1	864	25.5	16	3.0 23.9 1.5
Transgender people with sexual contact	1	1.4	1	1.6	0	0.0	1	1.6	34	1.0	1	1.5
Perinatal	0	0.0	0	0.0	0	0.0	3	4.7	117	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0 23.9
Unknown	18	24.7	15	24.6	3	25.0	13	20.3	876	25.9	16	23.9

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	ES, 2012	PLWHA A 12/31/20		DEATHS	S, 2012
					Concurrent wi	th AIDS						
	Total HIV di		Withou		dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	34	100.0	31	91.2	3	8.8	8	100.0	897	100.0	8	100.0
GENDER								_				
Male	26	76.5	25 6	80.6	1	33.3	5	62.5	697	77.7	6	75.0
Female	8	23.5	6	19.4	2	66.7	3	37.5	200	22.3	2	25.0
RACE/ETHNICITY												
Black	4	11.8	4	12.9	0	0.0	0	0.0	137	15.3	1	12.5
Latino/Hispanic	10	29.4	10	32.3	0	0.0	2	25.0	407	45.4	6	75.0 12.5 0.0
White	19	55.9	16	51.6	3	100.0	6	75.0	335	37.3	1	12.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Multiracial	1	2.9	1	3.2	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.9	1	3.2	0	0.0	0	0.0	6	0.7	0	0.0
20-29	15	44.1	15	48.4	0	0.0	1	12.5	78	8.7	1	12.5
30-39	10	29.4	8	25.8	2	66.7	3	37.5	180	20.1	2	25.0 25.0
40-49	4	11.8	4	12.9	0	0.0	2	25.0	299	33.3	2	25.0
50-59	3	8.8	2	6.5	1	33.3	2	25.0	233	26.0	1	12.5 25.0
60+	1	2.9	1	3.2	0	0.0	0	0.0	100	11.1	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	70.6	23	74.2	1	33.3	3	37.5	435	48.5	2	25.0
Injection drug use history (IDÙ)	0	0.0	23 0	0.0	0	0.0	0	0.0	128	14.3	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.8	1	12.5
Heterosexual contact	5	14.7	3	9.7	2	66.7	4	50.0	123	13.7	1	12.5
Transgender people with sexual contact	3	8.8	3	9.7	0	0.0	0	0.0	8	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	2	5.9	2	6.5	0	0.0	1	12.5	160	17.8	3	37.5

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS,	2012
	Total HIV di	agnoses	Withou		Concurrent wi dia	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	64	100.0	53	82.8	11	17.2	34	100.0	2,671	100.0	35	100.0
								_				
GENDER Male		05.0	45	040	10	00.0	24	70.0	0.000	75.0	200	74.0
Female	55 9	85.9 14.1	45 8	84.9 15.1	10 1	90.9	24 10	70.6	2,026 645	75.9	26 9	74.3 25.7
remaie	9	14.1	8	15.1	1	9.1	10	29.4	645	24.1	9	25./
RACE/ETHNICITY												
Black	27	42.2	21	39.6	6	54.5	18	52.9	1,117	41.8	20	57.1
Latino/Hispanic	18	28.1	15	28.3	3	27.3	9	26.5	690	25.8	10	28.6
White	16	25.0	15	28.3	1	9.1	5	14.7	799	29.9	5	14.3
Asian/Pacific Islander	3	4.7	2	3.8	1	9.1	2	5.9	47	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	1	1.6	1	1.9	0	0.0	1	2.9	18	0.7	0	0.0 8.6 2.9
20-29	24	37.5	24	45.3	0	0.0	1	2.9	180	6.7	3	8.6
30-39	15	23.4	11	20.8	4	36.4	11	32.4	348	13.0	1	2.9
40-49	11	17.2	9	17.0	2	18.2	10	29.4	815	30.5	8	22.9
50-59	12	18.8	7	13.2	5	45.5	9	26.5	824	30.8	12	34.3
60+	1	1.6	1	1.9	0	0.0	2	5.9	479	17.9	11	31.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	60.9	33	62.3	6	54.5	12	35.3	1,244	46.6	4	11.4
Injection drug use history (IDU)	3	4.7	3	5.7	0	0.0	4	11.8	374	14.0	11	31.4
MSM-IDU	3	4.7	2	3.8	1	9.1	2	5.9	53	2.0	3	8.6
Heterosexual contact	10	15.6	8	15.1	2	18.2	10	29.4	422	15.8	7	20.0
Transgender people with sexual contact	1	1.6	1	1.9	0	0.0	0	0.0	8	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	45	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	12.5	6	11.3	2	18.2	5	14.7	523	19.6	10	28.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2012 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2012, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					Concurrent w	-						
	Total HIV d		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	178	100.0	130	73.0	48	27.0	160	100.0	7,412	100.0	166	100.0
GENDER	404	00.0	00	00.5	00	00.7	00	04.0	4.000	20.0	407	0.4.5
Male	121	68.0	89	68.5	32	66.7	98	61.3	4,693	63.3	107	64.5
Female	57	32.0	41	31.5	16	33.3	62	38.8	2,719	36.7	59	35.5
RACE/ETHNICITY												
Black	149	83.7	112	86.2	37	77.1	116	72.5	5,849	78.9	134	80.7
Latino/Hispanic	21	11.8	13	10.0	8	16.7	28	17.5	1,070	14.4	26	15.7 2.4 0.0
White	7	3.9	5	3.8	2	4.2	12	7.5	406	5.5	4	2.4
Asian/Pacific Islander	1	0.6	0	0.0	1	2.1	4	2.5	50	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	2	1.2 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
13-19	12	6.7	12	9.2	0	0.0	1	0.6	95	1.3	0	0.0
20-29	53	29.8	51	39.2	2	4.2	28	17.5	694	9.4	2	0.0 1.2
30-39	40	22.5	29	22.3	11	22.9	35	21.9	1,220	16.5	8	4.8
40-49	45	25.3	24	18.5	21	43.8	53	33.1	2,161	29.2	49	4.8 29.5
50-59	22	12.4	12	9.2	10	20.8	30	18.8	2,166	29.2	65	39.2
60+	6	3.4	2	1.5	4	8.3	13	8.1	1,061	14.3	42	25.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	82	46.1	68	52.3	14	29.2	55	34.4	2,043	27.6	17	10.2
Injection drug use history (IDÙ)	3	1.7	2	1.5	1	2.1	13	8.1	1,084	14.6	63	38.0
MSM-IDU	1	0.6	1	0.8	0	0.0	5	3.1	162	2.2	4	2.4
Heterosexual contact	47	26.4	31	23.8	16	33.3	43	26.9	1,868	25.2	48	28.9
Transgender people with sexual contact	3	1.7	3	2.3	0	0.0	3	1.9	75	1.0	1	0.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	190	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.6	11	0.1	0	0.0
Unknown	42	23.6	25	19.2	17	35.4	40	25.0	1,979	26.7	33	19.9

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	OSES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	s, 2012
					Concurrent w	-						
	Total HIV di			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	86	100.0	66	76.7	20	23.3	60	100.0	3,095	100.0	56	100.0
GENDER				=- /								
Male	57	66.3	39	59.1	18	90.0	45	75.0	1,696	54.8	40	71.4
Female	29	33.7	27	40.9	2	10.0	15	25.0	1,399	45.2	16	28.6
RACE/ETHNICITY												
Black	58	67.4	41	62.1	17	85.0	47	78.3	1,999	64.6	47	83.9
Latino/Hispanic	23	26.7	20	30.3	3	15.0	13	21.7	956	30.9	6	10.7
White	2	2.3	2	3.0	0	0.0	0	0.0	92	3.0	1	1.8
Asian/Pacific Islander	3	3.5	3	4.5	0	0.0	0	0.0	30	1.0	2	1.8 3.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	6	7.0	6	9.1	0	0.0	2	3.3	51	1.6	0	0.0
20-29	33	38.4	28	42.4	5	25.0	15	25.0	348	11.2	4	7.1
30-39	14	16.3	12	18.2	2	10.0	9	15.0	478	15.4	7	12.5
40-49	18	20.9	10	15.2	8	40.0	18	30.0	926	29.9	12	21.4
50-59	10	11.6	7	10.6	3	15.0	13	21.7	899	29.0	17	30.4
60+	5	5.8	3	4.5	2	10.0	3	5.0	383	12.4	16	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	38.4	24	36.4	9	45.0	24	40.0	618	20.0	10	17.9
Injection drug use history (IDU)	3	3.5	2	3.0	1	5.0	4	6.7	496	16.0	14	25.0 3.6
MSM-IDU	2	2.3	2	3.0	0	0.0	1	1.7	64	2.1	2	3.6
Heterosexual contact	23	26.7	20	30.3	3	15.0	14	23.3	981	31.7	13	23.2
Transgender people with sexual contact	4	4.7	4	6.1	0	0.0	0	0.0	27	0.9	0	23.2 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	99	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	21	24.4	14	21.2	7	35.0	17	28.3	806	26.0	17	30.4

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					Concurrent with	_						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	21	100.0	18	85.7	3	14.3	11	100.0	844	100.0	8	100.0
GENDER												
Male	17	81.0	15	83.3	2	66.7	6	54.5	612	72.5	7	87.5
Female	4	19.0	3	16.7	1	33.3	5	45.5	232	27.5	1	12.5
RACE/ETHNICITY												
Black	1	4.8	1	5.6	0	0.0	2	18.2	137	16.2	0	0.0
Latino/Hispanic	17	81.0	15	83.3	2	66.7	7	63.6	492	58.3	7	87.5 12.5 0.0
White	1	4.8	0	0.0	1	33.3	2	18.2	163	19.3	1	12.5
Asian/Pacific Islander	2	9.5	2	11.1	0	0.0	0	0.0	49	5.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.8	1	5.6	ő	0.0	Ö	0.0	8	0.9	ő	0.0
20-29	6	28.6	5	27.8	1	33.3	2	18.2	69	8.2	ő	0.0
30-39	5	23.8	4	22.2	1	33.3	4	36.4	130	15.4	1	12.5
40-49	6	28.6	6	33.3	Ö	0.0	1	9.1	280	33.2	i	12.5 12.5
50-59	3	14.3	2	11.1	1	33.3	3	27.3	235	27.8	5	62.5
60+	ő	0.0	0	0.0	Ö	0.0	1	9.1	122	14.5	1	62.5 12.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	42.9	8	44.4	1	33.3	1	36.4	268	31.8	2	25.0
Injection drug use history (IDU)	9 2	9.5	2	11.1	0	0.0	4	9.1	200 173	20.5	4	50.0
MSM-IDU	2	9.5 9.5	1	5.6	1	33.3	1	9.1	27	3.2	0	0.0
MSM-IDO Heterosexual contact	2	9.5 4.8	1	5.6	0	0.0	1	9.1	27 176	20.9	1	12.5
Transgender people with sexual contact	1	4.6	1	5.6	0	0.0	1	9.1	8	0.9	0	12.5 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0 13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
Unknown	6	28.6	5	27.8	1	33.3	3	27.3	178	21.1	1	0.0 12.5
UIINIUWII	U	20.0	J	21.0		JJ.J	3	۷۱.۵	170	Z 1. l	ı	12.5

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSES	5, 2012	PLWHA AS 12/31/20		DEATHS,	2012
					Concurrent wit	_						
	Total HIV di		Withou			gnoses	N.	0/	N.	0/		0/
TOTAL	N 35	% 100.0	N 31	% 88.6	N 4	% 11.4	N 20	% 100.0	N 1,096	% 100.0	N 16	% 100.0
TOTAL	33	100.0	31	00.0	4	11.4	20	100.0	1,096	100.0	10	100.0
GENDER												
Male	26	74.3	23	74.2	3	75.0	17	85.0	805	73.4	9	56.3
Female	9	25.7	8	25.8	1	25.0	3	15.0	291	26.6	7	43.8
RACE/ETHNICITY												
Black	8	22.9	7	22.6	1	25.0	3	15.0	313	28.6	8	50.0
Latino/Hispanic	12	34.3	11	35.5	1	25.0	12	60.0	411	37.5	5	31.3
White	12	34.3	10	32.3	2	50.0	4	20.0	323	29.5	3	18.8
Asian/Pacific Islander	3	8.6	3	9.7	0	0.0	1	5.0	46	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.9	1	3.2	0	0.0	0	0.0	4	0.4	0	0.0
20-29	11	31.4	11	35.5	0	0.0	3	15.0	. 99	9.0	0	0.0
30-39	12	34.3	10	32.3	2	50.0	7	35.0	157	14.3	1	6.3
40-49	7	20.0	5	16.1	2	50.0	/	35.0	339	30.9	3	18.8
50-59 60+	0	0.0 11.4	0 4	0.0 12.9	0	0.0	2	10.0 5.0	326 171	29.7 15.6	5 7	31.3 43.8
00+	4	11.4	4	12.9	U	0.0	1	5.0	171	15.6	/	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	21	60.0	18	58.1	3	75.0	12	60.0	406	37.0	2	12.5
Injection drug use history (IDÜ)	1	2.9	1	3.2	0	0.0	2	10.0	188	17.2	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	5.0	29	2.6	1	6.3
Heterosexual contact	4	11.4	4	12.9	0	0.0	1	5.0	219	20.0	2	12.5
Transgender people with sexual contact	2	5.7	1	3.2	1	25.0	1	5.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	/	20.0	- 1	22.6	0	0.0	3	15.0	226	20.6		43.8

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou	t AIDS		agnoses						
TOTAL	N 145	% 100.0	N 108	% 74.5	N 37	% 25.5	N 111	% 100.0	N 5,175	% 100.0	N 79	% 100.0
									,			
GENDER												
Male	93	64.1	70	64.8	23	62.2	81	73.0	3,254	62.9	51	64.6
Female	52	35.9	38	35.2	14	37.8	30	27.0	1,921	37.1	28	35.4
RACE/ETHNICITY												
Black	118	81.4	90	83.3	28	75.7	88	79.3	4,110	79.4	61	77.2
Latino/Hispanic	19	13.1	11	10.2	8	21.6	18	16.2	714	13.8	14	17.7
White	6	4.1	6	5.6	0	0.0	4	3.6	274	5.3	4	5.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	45	0.9	0	0.0
Native American	1	0.7	0	0.0	1	2.7	1	0.9	20	0.4	0	0.0
Multiracial	1	0.7	1	0.9	0	0.0	0	0.0	5 7	0.1	0	0.0
Unknown	0	0.0	Ü	0.0	0	0.0	0	0.0	/	0.1	Ü	0.0
AGE GROUP (YEARS)												
0-12	2	1.4	2	1.9	0	0.0	0	0.0	6	0.1	0	0.0
13-19	8	5.5	8	7.4	0	0.0	0	0.0	_56	1.1	0	0.0
20-29	43	29.7	39	36.1	4	10.8	24	21.6	504	9.7	3	3.8
30-39	37	25.5	25	23.1	12	32.4	29	26.1	787	15.2	9	11.4
40-49	23	15.9	13	12.0	10	27.0	27	24.3	1,484	28.7	16	20.3
50-59 60+	22 10	15.2 6.9	17 4	15.7 3.7	5 6	13.5 16.2	19 12	17.1	1,532 806	29.6 15.6	38 13	48.1 16.5
00+	10	6.9	4	3.7	ь	16.2	12	10.8	806	0.01	13	10.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	57	39.3	47	43.5	10	27.0	41	36.9	1,398	27.0	12	15.2
Injection drug use history (IDÙ)	3	2.1	1	0.9	2	5.4	7	6.3	581	11.2	20	25.3
MSM-IDU TO TO TO THE SECOND TO	1	0.7	0	0.0	1	2.7	2	1.8	96	1.9	3	3.8
Heterosexual contact	41	28.3	31	28.7	10	27.0	27	24.3	1,388	26.8	23	29.1
Transgender people with sexual contact	1	0.7	1	0.9	0	0.0	2	1.8	36	0.7	1	1.3 0.0 0.0
Perinatal	2	1.4	2	1.9	0	0.0	0	0.0	112	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	40	27.6	26	24.1	14	37.8	32	28.8	1,551	30.0	20	25.3

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES	2012	PLWHA A: 12/31/20		DEATHS,	2012
	Total HIV di	agnoses	Withou		Concurrent wit dia	th AIDS ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	52	100.0	38	73.1	14	26.9	49	100.0	1,508	100.0	29	100.0
GENDER								_				
Male	31	59.6	25	65.8	6	42.9	24	49.0	791	52.5	15	51.7
Female	21	40.4	13	34.2	8	57.1	25	51.0	717	47.5	14	48.3
RACE/ETHNICITY												
Black	43	82.7	32	84.2	11	78.6	37	75.5	1,186	78.6	24	82.8
Latino/Hispanic	7	13.5	5	13.2	2	14.3	10	20.4	187	12.4	3	10.3
White	2	3.8	1	2.6	1	7.1	2	4.1	116	7.7	1	3.4
Asian/Pacific Islander Other/Unknown	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	13 6	0.9 0.4	1 0	3.4 0.0
Other/Oriknown	U	0.0	U	0.0	U	0.0	U	0.0	0	0.4	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	3	5.8	3	7.9	0	0.0	0	0.0	31	2.1	0	0.0 6.9
20-29 30-39	21 6	40.4 11.5	18 5	47.4 13.2	3	21.4 7.1	8 11	16.3 22.4	159 206	10.5 13.7	2 4	6.9 13.8
40-49	9	17.3	ე /	10.5	5	35.7	16	32.7	410	27.2	4	13.8
50-59	10	19.2	5	13.2	5	35.7	10	20.4	481	31.9	11	37.9
60+	3	5.8	3	7.9	Ö	0.0	4	8.2	218	14.5	8	37.9 27.6
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	17	32.7	15	39.5	2	14.3	9	18.4	248	16.4	2	6.9
Injection drug use history (IDU)	2	3.8	1	2.6	1	7.1	2	4.1	142	9.4	6	6.9 20.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.0	14	0.9	Ō	0.0
Heterosexual contact	16	30.8	9	23.7	7	50.0	23	46.9	524	34.7	12	41.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 3.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	67	4.4	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	17	32.7	13	34.2	4	28.6	14	28.6	507	33.6	8	27.6

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSES	, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou	t AIDS	Concurrent with diagr	noses						
TOTAL	N 23	% 100.0	N 20	% 87.0	N 3	% 13.0	N 12	% 100.0	N 610	% 100.0	N 11	% 100.0
		100.0		0.10						10010	• • •	
GENDER												
Male	19	82.6	17	85.0	2	66.7	8	66.7	453	74.3	7	63.6
Female	4	17.4	3	15.0	1	33.3	4	33.3	157	25.7	4	36.4
RACE/ETHNICITY												
Black	2	8.7	2	10.0	0	0.0	2	16.7	83	13.6	0	0.0
Latino/Hispanic	8	34.8	7	35.0	1	33.3	5	41.7	183	30.0	3	27.3 72.7
White	11	47.8	9	45.0	2	66.7	5	41.7	308	50.5	8	72.7
Asian/Pacific Islander	2	8.7	2	10.0	0	0.0	0	0.0	33	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0
20-29	13	56.5	11	55.0	2	66.7	3	25.0	45	7.4	0	0.0
30-39	3	13.0	3	15.0	0	0.0	1	8.3	95	15.6	0	0.0
40-49	5	21.7	4	20.0	1	33.3	7	58.3	169	27.7	2	18.2
50-59	1	4.3	1	5.0	0	0.0	1	8.3	192	31.5	2	18.2
60+	1	4.3	1	5.0	0	0.0	0	0.0	107	17.5	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	52.2	11	55.0	1	33.3	4	33.3	248	40.7	4	36.4
Injection drug use history (IDU)	2	8.7	1	5.0	1	33.3	1	8.3	100	16.4	4	36.4 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.8	0	0.0
Heterosexual contact	2	8.7	1	5.0	1	33.3	3	25.0	104	17.0	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	7	30.4	7	35.0	0	0.0	4	33.3	129	21.1	2	18.2

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSES,	2012	PLWHA A: 12/31/20		DEATHS	, 2012
	Total HIV di	agnoses	Withou		Concurrent with A diagno	_						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	37	100.0	28	75.7	9	24.3	19	100.0	1,074	100.0	27	100.0
GENDER								_				
Male	28	75.7	21	75.0	7	77.8	15	78.9	669	62.3	15	55.6
Female	9	24.3	7	25.0		22.2	4	21.1	405	37.7	12	44.4
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	16 8 13 0 0	43.2 21.6 35.1 0.0 0.0	13 6 9 0	46.4 21.4 32.1 0.0 0.0	2	33.3 22.2 44.4 0.0 0.0	7 6 5 1 0	36.8 31.6 26.3 5.3 0.0	421 345 274 30 4	39.2 32.1 25.5 2.8 0.4	15 5 7 0 0	55.6 18.5 25.9 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 15 5 4 5	0.0 10.8 40.5 13.5 10.8 13.5 10.8	0 4 12 4 4 3 1	0.0 14.3 42.9 14.3 14.3 10.7 3.6	1 0 2	0.0 0.0 33.3 11.1 0.0 22.2 33.3	0 0 4 2 5 4 4	0.0 0.0 21.1 10.5 26.3 21.1 21.1	1 16 91 153 287 353 173	0.1 1.5 8.5 14.2 26.7 32.9 16.1	0 0 2 3 8 11 3	0.0 0.0 7.4 11.1 29.6 40.7 11.1
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	14 1 0 7 0 0 0	37.8 2.7 0.0 18.9 0.0 0.0 0.0 40.5	12 1 0 5 0 0 0	42.9 3.6 0.0 17.9 0.0 0.0 35.7	0 0 2 0 0	22.2 0.0 0.0 22.2 0.0 0.0 0.0 55.6	6 1 0 3 0 0 0	31.6 5.3 0.0 15.8 0.0 0.0 0.0 47.4	249 197 22 275 7 35 4 285	23.2 18.3 2.0 25.6 0.7 3.3 0.4 26.5	3 6 0 6 0 0 0	11.1 22.2 0.0 22.2 0.0 0.0 0.0 44.4

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	5, 2012
					Concurrent w	-						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	132	100.0	111	84.1	21	15.9	85	100.0	3,735	100.0	72	100.0
GENDER												
Male _	103	78.0	86	77.5	17	81.0	70	82.4	2,506	67.1	54	75.0
Female	29	22.0	25	22.5	4	19.0	15	17.6	1,229	32.9	18	25.0
RACE/ETHNICITY												
Black	71	53.8	58	52.3	13	61.9	50	58.8	1,972	52.8	41	56.9
Latino/Hispanic	43	32.6	38	34.2	5	23.8	24	28.2	1,433	38.4	25	34.7 8.3
White	16	12.1	13	11.7	3	14.3	11	12.9	283	7.6	6	8.3
Asian/Pacific Islander	2	1.5	2	1.8	0	0.0	0	0.0	32	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	8	6.1	8	7.2	0	0.0	3	3.5	46	1.2	0	0.0
20-29	61	46.2	52	46.8	9	42.9	28	32.9	404	10.8	3	4.2
30-39	18	13.6	15	13.5	3	14.3	16	18.8	572	15.3	4	0.0 4.2 5.6
40-49	22	16.7	20	18.0	2	9.5	11	12.9	1,080	28.9	20	27.8
50-59	15	11.4	11	9.9	4	19.0	22	25.9	1,090	29.2	27	37.5
60+	8	6.1	5	4.5	3	14.3	5	5.9	533	14.3	18	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	69	52.3	61	55.0	8	38.1	34	40.0	1,068	28.6	14	19.4
Injection drug use history (IDU)	2	1.5	2	1.8	Ö	0.0	8	9.4	692	18.5	28	38.9
MSM-IDU	3	2.3	2	1.8	1	4.8	1	1.2	85	2.3	2	38.9 2.8
Heterosexual contact	26	19.7	20	18.0	6	28.6	17	20.0	804	21.5	10	13.9
Transgender people with sexual contact	2	1.5	2	1.8	Ö	0.0	1	1.2	38	1.0	0	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	2	2.4	103	2.8	1	1.4
Other	Ö	0.0	Õ	0.0	Ö	0.0	0	0.0	5	0.1	0	0.0
Unknown	30	22.7	24	21.6	6	28.6	22	25.9	940	25.2	17	23.6

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20 ⁻	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di	agnoses	Withou		Concurrent w di	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	149	100.0	123	82.6	26	17.4	81	100.0	4,176	100.0	41	100.0
GENDER												
Male	129	86.6	105	85.4	24	92.3	66	81.5	3,357	80.4	27	65.9
Female	20	13.4	18	14.6	2	7.7	15	18.5	819	19.6	14	34.1
RACE/ETHNICITY												
Black	46	30.9	38	30.9	8	30.8	26	32.1	1,455	34.8	22	53.7
Latino/Hispanic	71	47.7	57	46.3	14	53.8	37	45.7	1,805	43.2	16	39.0
White	28	18.8	24	19.5	4	15.4	18	22.2	837	20.0	3	7.3 0.0
Asian/Pacific Islander	3	2.0	3	2.4	0	0.0	0	0.0	50	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	1	0.7	1	0.8	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19	8	5.4	7	5.7	1	3.8	1	1.2	36	0.9	1	2.4 0.0
20-29	61	40.9	56	45.5	5	19.2	13	16.0	359	8.6	0	0.0
30-39	33	22.1	28	22.8	5	19.2	23	28.4	715	17.1	5	12.2
40-49	21	14.1	16	13.0	5	19.2	20	24.7	1,306	31.3	9	22.0
50-59	16	10.7	10	8.1	6	23.1	14	17.3	1,129	27.0	15	36.6
60+	10	6.7	6	4.9	4	15.4	10	12.3	622	14.9	11	26.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	93	62.4	80	65.0	13	50.0	43	53.1	2,055	49.2	6	14.6
Injection drug use history (IDÙ)	1	0.7	1	0.8	0	0.0	2	2.5	421	10.1	15	36.6
MSM-IDU	5	3.4	4	3.3	1	3.8	2	2.5	93	2.2	1	2.4
Heterosexual contact	26	17.4	20	16.3	6	23.1	20	24.7	610	14.6	10	24.4
Transgender people with sexual contact	1	0.7	0	0.0	1	3.8	1	1.2	20	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	76	1.8	1	0.0 2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0 19.5
Unknown	23	15.4	18	14.6	5	19.2	13	16.0	895	21.4	8	19.5

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

'OTAL	Total HIV di N 137	agnoses %	Withou		Concurrent w	ith AIDS						
OTAL						iagnoses	N	0/	N	0/	N.	0/
		100.0	N 116	% 84.7	N 21	% 15.3	76	% 100.0	4,518	% 100.0	N 77	100.0
GENDER												
gender Male	107	78.1	90	77.6	17	81.0	63	82.9	3,156	69.9	50	64.9
Female	30	21.9	26	22.4	4	19.0	13	17.1	1,362	30.1	27	35.1
RACE/ETHNICITY												
Black	81	59.1	65	56.0	16	76.2	56	73.7	3,012	66.7	48	62.3
.atino/Hispanic	35	25.5	30	25.9	5	23.8	14	18.4	898	19.9	19	24.7 13.0
Vhite Control of the	18	13.1	18	15.5	0	0.0	5	6.6	554	12.3	10	13.0
Asian/Pacific Islander Native American	3	2.2 0.0	3 0	2.6 0.0	0	0.0	0	0.0 1.3	44 5	1.0 0.1	0 0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Inknown	0	0.0	0	0.0	0	0.0	ő	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
)-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
3-19	6	4.4	6	5.2	0	0.0	0	0.0	34	0.8	0	0.0 0.0
0-29	43	31.4	39	33.6	4	19.0	12	15.8	385	8.5	0	0.0
10-39 10-49	42	30.7 16.8	36 21	31.0 18.1	6	28.6 9.5	24 17	31.6 22.4	752 1,366	16.6 30.2	6	7.8
0-49 60-59	23 17	10.8	10	8.6	2 7	33.3	18	22.4	1,300	29.0	25 21	32.5 27.3
00-09 00+	6	4.4	4	3.4	2	9.5	5	6.6	660	14.6	25	32.5
RANSMISSION RISK												
Men who have sex with men (MSM)	74	54.0	67	57.8	7	33.3	30	39.5	1,613	35.7	21	27.3
njection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	5.3	652	14.4	16	20.8 3.9
ASM-IDU	1	0.7	1	0.9	0	0.0	2	2.6	111	2.5	3	3.9
leterosexual contact	35	25.5	30	25.9	5	23.8	15	19.7	881	19.5	17	22.1
ransgender people with sexual contact	1	0.7	1	0.9	0	0.0	2	2.6	28	0.6	0	0.0
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0 0.0	0	0.0 0.0	86 5	1.9 0.1	0	0.0
Jnknown	26	19.0	17	14.7	9	42.9	23	30.3	1.142	25.3	20	0.0 26.0

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou	t AIDS		gnoses						
TOTAL	N 70	% 100.0	N 55	% 78.6	N 15	% 21.4	N 50	% 100.0	N 2,906	% 100.0	N 43	% 100.0
									,			
GENDER												
Male	54	77.1	44	80.0	10	66.7	35	70.0	1,972	67.9	31	72.1
Female	16	22.9	11	20.0	5	33.3	15	30.0	934	32.1	12	27.9
RACE/ETHNICITY												
Black	32	45.7	24	43.6	8	53.3	23	46.0	1,398	48.1	21	48.8
Latino/Hispanic	23	32.9	19	34.5	4	26.7	22	44.0	1,165	40.1	16	37.2
White	12	17.1	10	18.2	2	13.3	4	8.0	304	10.5	5	11.6
Asian/Pacific Islander	3	4.3	2	3.6	1	6.7	1	2.0	27	0.9	1	2.3 0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
13-19	3	4.3	3	5.5	0	0.0	1	2.0	31	1.1	0	0.0
20-29	23	32.9	20	36.4	3	20.0	10	20.0	243	8.4	1	2.3 9.3 16.3
30-39	20	28.6	15	27.3	5	33.3	11	22.0	375	12.9	4	9.3
40-49	12	17.1	9	16.4	3	20.0	12	24.0	832	28.6	7	16.3
50-59	9	12.9	6	10.9	3	20.0	12	24.0	897	30.9	19 12	44.2 27.9
60+	3	4.3	2	3.6	1	6.7	4	8.0	523	18.0	12	27.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	48.6	27	49.1	7	46.7	20	40.0	853	29.4	4	9.3
Injection drug use history (IDÙ)	2	2.9	2	3.6	0	0.0	5	10.0	637	21.9	19	44.2
MSM-IDU	3	4.3	3	5.5	0	0.0	1	2.0	76	2.6	6	14.0
Heterosexual contact	12	17.1	7	12.7	5	33.3	13	26.0	603	20.8	7	16.3
Transgender people with sexual contact	2	2.9	2	3.6	0	0.0	1	2.0	16	0.6	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.0	82	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	17	24.3	14	25.5	3	20.0	9	18.0	633	21.8	7	16.3

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	ES, 2012	PLWHA A 12/31/20		DEATHS,	, 2012
	Total HIV di	iaanosas	Withou		Concurrent wi	ith AIDS agnoses						
	N	%	N	%	N	% with the second	N	%	N	%	N	%
TOTAL	52	100.0	37	71.2	15	28.8	54	100.0	3,006	100.0	45	100.0
GENDER												
Male	47	90.4	34	91.9	13	86.7	43	79.6	2,593	86.3	38	84.4
Female	5	9.6	3	8.1	2	13.3	11	20.4	413	13.7	7	15.6
 RACE/ETHNICITY												
Black	13	25.0	10	27.0	3	20.0	22	40.7	831	27.6	12	26.7
Latino/Hispanic	18	34.6	14	37.8	4	26.7	14	25.9	763	25.4	19	42.2
White	20	38.5	12	32.4	8	53.3	18	33.3	1,337	44.5	14	31.1
Asian/Pacific Islander	1	1.9	1	2.7	0	0.0	0	0.0	55	1.8	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	ĭ	1.9	ĭ	2.7	ŏ	0.0	Õ	0.0	15	0.5	ő	0.0 0.0 0.0 2.2 17.8
20-29	16	30.8	13	35.1	3	20.0	11	20.4	140	4.7	0	0.0
30-39	9	17.3	7	18.9	2	13.3	6	11.1	291	9.7	1	2.2
40-49	16	30.8	9	24.3	7	46.7	18	33.3	819	27.2	8	17.8
50-59	6	11.5	5	13.5	1	6.7	11	20.4	1,004	33.4	18	40.0
60+	4	7.7	2	5.4	2	13.3	8	14.8	737	24.5	18	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	75.0	28	75.7	11	73.3	29	53.7	1,731	57.6	18	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	6	11.1	311	10.3	13	28.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	76	2.5	2	4.4
Heterosexual contact	5	9.6	2	5.4	3	20.0	6	11.1	280	9.3	5	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	1.9	14	0.5	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	15.4	7	18.9	11	6.7	12	22.2	562	18.7	7	15.6

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	OSES, 201	2		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di	agnoses	Witho	out AIDS	Concurrent with diag	h AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	30	100.0	25	83.3	5	16.7	15	100.0	1,422	100.0	19	100.0
GENDER								_				
Male	30	100.0	25	100.0	5	100.0	12	80.0	1,240	87.2	14	73.7
Female	0	0.0	0	0.0	0	0.0	3	20.0	182	12.8	5	26.3
RACE/ETHNICITY												
Black	3	10.0	3	12.0	0	0.0	4	26.7	292	20.5	10	52.6
Latino/Hispanic	12	40.0	10	40.0	2	40.0	4	26.7	301	21.2	3	15.8
White	11	36.7	9	36.0	2	40.0	6	40.0	781	54.9	6	31.6
Asian/Pacific Islander	4	13.3	3	12.0	1	20.0	1	6.7	44	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	Ö	0.0	0	0.0	0	0.0	4	0.3	Ō	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	Ö	0.0	Ö	0.0	Ö	0.0	0	0.0	1	0.1	Ö	0.0
20-29	11	36.7	11	44.0	Ö	0.0	3	20.0	71	5.0	ő	0.0
30-39	8	26.7	7	28.0	1	20.0	3	20.0	170	12.0	3	15.8
40-49	6	20.0	3	12.0	3	60.0	4	26.7	411	28.9	4	21.1
50-59	3	10.0	2	8.0	ĭ	20.0	3	20.0	460	32.3	2	10.5
60+	2	6.7	2	8.0	Ö	0.0	2	13.3	307	21.6	10	52.6
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	23	76.7	20	80.0	3	60.0	9	60.0	855	60.1	5	26.3
Injection drug use history (IDU)	23	3.3	1	4.0	0	0.0	1	6.7	115	8.1	5	26.3
MSM-IDU	1	0.0	0	0.0	0	0.0	0	0.0	32	2.3	ა 1	26.3 5.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	13.3	32 117	2.3 8.2	2	10.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	6	20.0	4	16.0	2	40.0	3	20.0	284	20.0	6	31.6
OHKHOWH	0	20.0	4	10.0		40.0	აა	20.0	204	20.0	б	ا.اد

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSI	ES, 2012	PLWHA A 12/31/20		DEATHS,	2012
	Total HIV d	iaanoses	Withou		Concurrent w di	rith AIDS agnoses						
	N	%	N	%	N	w %	N	%	N	%	N	%
TOTAL	148	100.0	127	85.8	21	14.2	68	100.0	6,381	100.0	35	100.0
GENDER												
Male	140	94.6	120	94.5	20	95.2	6 <u>1</u>	89.7	5,938	93.1	34	97.1
Female	8	5.4	7	5.5	1	4.8	7	10.3	443	6.9	1	2.9
 RACE/ETHNICITY												
Black	25	16.9	18	14.2	7	33.3	16	23.5	1,017	15.9	4	11.4
Latino/Hispanic	33	22.3	30	23.6	3	14.3	14	20.6	1,392	21.8	7	20.0
White	81	54.7	71	55.9	10	47.6	33	48.5	3,736	58.5	22	62.9 2.9 2.9
Asian/Pacific Islander	9	6.1	8	6.3	1	4.8	4	5.9	170	2.7	1	2.9
Other/Unknown	0	0.0	0	0.0	0	0.0	1	1.5	66	1.0	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	1.4	2	1.6	Ö	0.0	ĺ	1.5	14	0.2	Õ	0.0 0.0
20-29	47	31.8	45	35.4	2	9.5	5	7.4	326	5.1	0	0.0
30-39	53	35.8	47	37.0	6	28.6	18	26.5	991	15.5	5	14.3
40-49	34	23.0	24	18.9	10	47.6	24	35.3	2,182	34.2	7	20.0
50-59	12	8.1	9	7.1	3	14.3	13	19.1	1,989	31.2	13	37.1
60+	0	0.0	0	0.0	0	0.0	7	10.3	878	13.8	10	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	123	83.1	104	81.9	19	90.5	47	69.1	4,681	73.4	26	74.3
Injection drug use history (IDU)	3	2.0	3	2.4	0	0.0	2	2.9	383	6.0	3	8.6
MSM-IDU	5	3.4	5	3.9	0	0.0	2	2.9	157	2.5	1	2.9
Heterosexual contact	6	4.1	4	3.1	2	9.5	6	8.8	261	4.1	0	0.0
Transgender people with sexual contact	2	1.4	2	1.6	0	0.0	1	1.5	38	0.6	0	8.6 2.9 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	21	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	9	6.1	9	7.1	0	0.0	9	13.2	838	13.1	5	14.3

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	5, 2012
	T- (-1.11) (-1		Martin		Concurrent wi	-						
	Total HIV d	agnoses %	N	ıt AIDS %	N ala	agnoses %	N	%	N	%	N	0/
TOTAL	51	100.0	44	86.3	7	13.7	24	100.0	1,940	100.0	12	100.0
GENDER	40	04.0	20	00.4	-	74.4	04	87.5	4 775	04.5	4.4	04.7
Male	43 8	84.3 15.7	38 6	86.4 13.6	5 2	71.4 28.6	21 3		1,775	91.5	11 1	91.7 8.3
Female	8	15.7	6	13.6	2	28.6	3	12.5	165	8.5	1	8.3
RACE/ETHNICITY												
Black	14	27.5	11	25.0	3	42.9	11	45.8	365	18.8	1	8.3
Latino/Hispanic	14	27.5	13	29.5	1	14.3	6	25.0	447	23.0	3	25.0 66.7 0.0
White	18	35.3	16	36.4	2	28.6	6	25.0	1,051	54.2	8	66.7
Asian/Pacific Islander	4	7.8	3	6.8	1	14.3	1	4.2	59	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Multiracial	1	2.0	1	2.3	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.9	2	4.5	0	0.0	0	0.0	1	0.1	0	0.0
20-29	10	19.6	9	20.5	1	14.3	4	16.7	71	3.7	0	0.0
30-39	12	23.5	11	25.0	1	14.3	5	20.8	223	11.5	0	0.0
40-49	13	25.5	11	25.0	2	28.6	6	25.0	598	30.8	2	16.7
50-59	10	19.6	8	18.2	2	28.6	6	25.0	607	31.3	2 5	41.7
60+	4	7.8	3	6.8	1	14.3	3	12.5	440	22.7	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	62.7	28	63.6	4	57.1	13	54.2	1,233	63.6	8	66.7
Injection drug use history (IDÙ)	6	11.8	5	11.4	1	14.3	5	20.8	191	9.8	2	16.7
MSM-IDU	2	3.9	2	4.5	0	0.0	1	4.2	57	2.9	0	0.0
Heterosexual contact	6	11.8	4	9.1	2	28.6	2	8.3	117	6.0	Ö	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0 0.0 0.0 16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	Ō	0.0	2	0.1	Ö	0.0
Unknown	5	9.8	5	11.4	0	0.0	3	12.5	322	16.6	2	16.7

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A: 12/31/20		DEATHS,	2012
	Total I IIV di		Withou		Concurrent w	-						
	Total HIV dia	agnoses %	N	LAIDS %	N ala	agnoses %	N	%	N	%	N	0/-
TOTAL	40	100.0	36	90.0	4	10.0	14	100.0	1,956	100.0	15	100.0
		100.0					••	100.0	1,000	100.0		
GENDER												
Male	37	92.5	33	91.7	4	100.0	14	100.0	1,853	94.7	14	93.3
Female	3	7.5	3	8.3	0	0.0	0	0.0	103	5.3	1	6.7
 RACE/ETHNICITY												
Black	3	7.5	3	8.3	0	0.0	6	42.9	384	19.6	3	20.0
Latino/Hispanic	7	17.5	7	19.4	0	0.0	1	7.1	382	19.5	3	20.0
White	26	65.0	22	61.1	4	100.0	7	50.0	1,130	57.8	9	60.0
Asian/Pacific Islander	4	10.0	4	11.1	0	0.0	0	0.0	50	2.6	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 6.7
13-19	1	2.5	1	2.8	0	0.0	0	0.0	3	0.2	0	0.0
20-29	9	22.5	9	25.0	0	0.0	1	7.1	94	4.8	0	0.0
30-39	9	22.5	8	22.2	1	25.0	3	21.4	222	11.3	1	6.7
40-49	15	37.5	13	36.1	2	50.0	7	50.0	634	32.4	2 7	13.3
50-59	6	15.0	5 0	13.9	1	25.0	2	14.3	612	31.3	/ 5	46.7
60+	0	0.0	Ü	0.0	0	0.0	1	7.1	391	20.0	5	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	75.0	27	75.0	3	75.0	10	71.4	1,309	66.9	7	46.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	160	8.2	3	20.0
MSM-IDU	3	7.5	2	5.6	1	25.0	1	7.1	55	2.8	0	0.0
Heterosexual contact	3	7.5	3	8.3	0	0.0	0	0.0	68	3.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	24 4	1.2 0.2	0 0	0.0 0.0 0.0 0.0
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	U	0.0	0	0.2	0	0.0
Unknown	4	10.0	4	11.1	0	0.0	3	21.4	336	17.2	0 5	33.3
Ulkilowii	4	10.0	4	11.1	U	0.0	<u> </u>	21.4	330	17.2	<u> </u>	აა.ა

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	OSES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					Concurrent with	h AIDS						
	Total HIV di			ıt AIDS	diag	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	75	100.0	61	81.3	14	18.7	42	100.0	3,252	100.0	55	100.0
GENDER								_				
Male	65	86.7	53	86.9	12	85.7	35	83.3	2,617	80.5	44	80.0
Female	10	13.3	8	13.1	2	14.3	7	16.7	635	19.5	11	20.0
RACE/ETHNICITY												
Black	17	22.7	12	19.7	5	35.7	12	28.6	706	21.7	20	36.4
Latino/Hispanic	25	33.3	19	31.1	6	42.9	20	47.6	1,107	34.0	16	29.1 30.9
White	29	38.7	26	42.6	3	21.4	9	21.4	1,289	39.6	17	30.9
Asian/Pacific Islander	3	4.0	3	4.9	0	0.0	1	2.4	125	3.8	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	1	1.3	1	1.6	0	0.0	0	0.0	4	0.1	1	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.3	1	1.6	0	0.0	0	0.0	3	0.1	1	1.8 0.0 3.6 3.6 10.9
13-19	4	5.3	4	6.6	0	0.0	1	2.4	16	0.5	0	0.0
20-29	18	24.0	16	26.2	2	14.3	7	16.7	185	5.7	2	3.6
30-39	21	28.0	18	29.5	3	21.4	6	14.3	349	10.7	2	3.6
40-49	21	28.0	17	27.9	4	28.6	12	28.6	972	29.9	6	10.9
50-59	7	9.3	4	6.6	3	21.4	9	21.4	1,105	34.0	20	36.4
60+	3	4.0	1	1.6	2	14.3	7	16.7	622	19.1	24	43.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	68.0	45	73.8	6	42.9	18	42.9	1,662	51.1	15	27.3
Injection drug use history (IDÙ)	4	5.3	3	4.9	1	7.1	4	9.5	500	15.4	24	43.6
MSM-IDU	1	1.3	1	1.6	0	0.0	2	4.8	100	3.1	4	7.3
Heterosexual contact	10	13.3	6	9.8	4	28.6	9	21.4	386	11.9	4	7.3 7.3 1.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	1	1.8
Perinatal	1	1.3	1	1.6	0	0.0	1	2.4	43	1.3	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0 10.9
Unknown	8	10.7	5	8.2	3	21.4	8	19.0	542	16.7	6	10.9

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	OSES, 2012	2		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					oncurrent with	_						
	Total HIV di			out AIDS		noses						
TOTAL	N	%	N	%	N	%	N	%	N	% 400.0	N	400.0
TOTAL	12	100.0	12	100.0	0	0.0	7	100.0	537	100.0	6	100.0
GENDER												
Male	12	100.0	12	100.0	0	0.0	5	71.4	460	85.7	4	66.7
Female	0	0.0	0	0.0	Ö	0.0	2	28.6	77	14.3	2	33.3
· Gillaid		0.0	ŭ	0.0	· ·	0.0	_	20.0			_	00.0
RACE/ETHNICITY												
Black	1	8.3	1	8.3	0	0.0	2	28.6	117	21.8	1	16.7
Latino/Hispanic	6	50.0	6	50.0	0	0.0	2	28.6	128	23.8	3	50.0
White	4	33.3	4	33.3	0	0.0	3	42.9	271	50.5	1	16.7
Asian/Pacific Islander	1	8.3	1	8.3	0	0.0	0	0.0	17	3.2	1	16.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial Unknown	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0	1	0.2 0.6	0	0.0 0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	3	0.6	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	Ö	0.0	Ö	0.0	Ö	0.0	Õ	0.0	5	0.9	Ö	0.0
20-29	4	33.3	4	33.3	Ö	0.0	1	14.3	26	4.8	Ō	0.0
30-39	3	25.0	3	25.0	0	0.0	3	42.9	85	15.8	1	16.7
40-49	5	41.7	3 5	41.7	0	0.0	3	42.9	198	36.9	2	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	160	29.8	1	16.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	63	11.7	2	33.3
TO ANIONIOGICAL DIGIS												
TRANSMISSION RISK	40	00.0	10	00.0	0	0.0		20.0	240	F0.0	4	40.7
Men who have sex with men (MSM)	10 0	83.3 0.0	10 0	83.3 0.0	0	0.0	2	28.6 0.0	318 45	59.2 8.4	1	16.7 33.3
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0	1	14.3	12	2.2	2	0.0
Heterosexual contact	1	8.3	1	8.3	0	0.0	2	28.6	48	8.9	1	16.7
Transgender people with sexual contact	0	0.0	Ó	0.0	0	0.0	0	0.0	1	0.3	Ó	0.0
Perinatal	Ö	0.0	0	0.0	0	0.0	1	14.3	7	1.3	0	0.0
Other	0	0.0	Õ	0.0	Ö	0.0	0	0.0	0	0.0	ő	0.0
Unknown	1	8.3	1	8.3	Ö	0.0	1	14.3	106	19.7	2	33.3

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOS	ES, 2012	PLWHA A 12/31/20		DEATHS,	, 2012
	Total HIV di	'aanaaa	Withou		Concurrent w	-						Ì
	N	agnoses %	N	l AIDS %	N N	iagnoses %	N	%	N	%	N	0/
TOTAL	73	100.0	63	86.3	10	13.7	33	100.0	1,875	100.0	11	100.0
101/12	,,,	10010		00.0		1017	00	100.0	1,010	100.0	••	100.0
GENDER												
Male	66	90.4	56	88.9	10	100.0	28	84.8	1,568	83.6	10	90.9
Female	7	9.6	7	11.1	0	0.0	5	15.2	307	16.4	1	9.1
RACE/ETHNICITY												
Black	6	8.2	5	7.9	1	10.0	9	27.3	349	18.6	4	36.4
Latino/Hispanic	32	43.8	27	42.9	5	50.0	11	33.3	750	40.0	4	36.4
White	34	46.6	30	47.6	4	40.0	12	36.4	683	36.4	2	18.2
Asian/Pacific Islander	1	1.4	1	1.6	0	0.0	1	3.0	80	4.3	1	9.1 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0 0.0 0.0
13-19	1	1.4	1	1.6	0	0.0	0	0.0	4	0.2	0	0.0
20-29	27	37.0	26	41.3	1	10.0	8	24.2	160	8.5	0	0.0
30-39	27	37.0	22	34.9	5	50.0	12	36.4	381	20.3	1	9.1
40-49	8 9	11.0	6 7	9.5	2	20.0	/	21.2	625	33.3	3	27.3
50-59 60+	9	12.3 1.4	1	11.1 1.6	2	20.0 0.0	5	15.2 3.0	519 182	27.7 9.7	4 3	36.4 27.3
00+	'	1.4	- 1	1.0	U	0.0	ı	3.0	102	9.7	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	59	80.8	51	81.0	8	80.0	24	72.7	1,097	58.5	6	54.5 27.3
Injection drug use history (IDÜ)	1	1.4	1	1.6	0	0.0	0	0.0	127	6.8	3	27.3
MSM-IDU	1	1.4	1	1.6	0	0.0	0	0.0	39	2.1	0	0.0
Heterosexual contact	4	5.5	4	6.3	0	0.0	6	18.2	256	13.7	1	9.1
Transgender people with sexual contact	1	1.4	1	1.6	0	0.0	0	0.0	12	0.6	0	0.0
Perinatal Other	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0	15 2	0.8	0	0.0
Unknown	7	9.6	0 5	0.0 7.9	2	20.0	3	0.0 9.1	2 327	0.1 17.4	1	0.0 0.0 0.0 9.1
UIIKIIUWII	1	9.0	5	7.9		20.0	3	9.1	321	17.4		9.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2012 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2012, NEW YORK CITY Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS,	, 2012
	Total HIV dia	agnoses	Withou		Concurrent with diag	n AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	140	100.0	111	79.3	29	20.7	86	100.0	5,739	100.0	25	100.0
AFUDED.								_				
GENDER Male	123	87.9	96	86.5	27	93.1	75	87.2	4,625	80.6	10	72.0
Female	123	12.1	15	13.5	2	6.9	75 11	12.8	4,625 1,114	19.4	18 7	28.0
remale	17	12.1	13	13.5	2	0.9	11	12.0	1,114	19.4	,	20.0
RACE/ETHNICITY												
Black	15	10.7	11	9.9	4	13.8	25	29.1	1,734	30.2	8	32.0
Latino/Hispanic	96	68.6	79	71.2	17	58.6	44	51.2	3,068	53.5	13	52.0 12.0
White	10	7.1	8	7.2	2	6.9	8	9.3	673	11.7	3	12.0
Asian/Pacific Islander	19	13.6	13	11.7	6	20.7	9	10.5	235	4.1	1	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	5	3.6	4	3.6	1	3.4	2	2.3	23	0.4	0	0.0 0.0 8.0
20-29	48	34.3	39	35.1	9	31.0	21	24.4	416	7.2	0	0.0
30-39	47	33.6	39	35.1	8	27.6	23	26.7	989	17.2	2	8.0
40-49	25	17.9	19	17.1	6	20.7	19	22.1	2,007	35.0	8	32.0
50-59	11	7.9	7	6.3	4	13.8	19	22.1	1,679	29.3	7	32.0 28.0
60+	4	2.9	3	2.7	1	3.4	2	2.3	621	10.8	8	32.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	103	73.6	82	73.9	21	72.4	47	54.7	2,177	37.9	7	28.0
Injection drug use history (IDU)	1	0.7	1	0.9	0	0.0	3	3.5	1,102	19.2	6 2	24.0
MSM-IDU	4	2.9	3	2.7	1	3.4	5	5.8	171	3.0	2	24.0 8.0 28.0
Heterosexual contact	17	12.1	15	13.5	2	6.9	13	15.1	954	16.6	7	28.0
Transgender people with sexual contact	3	2.1	2	1.8	1	3.4	3	3.5	72	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	59	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0 12.0
Unknown	12	8.6	8	7.2	4	13.8	15	17.4	1,200	20.9	3	12.0

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSI	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
					Concurrent w							
	Total HIV di		Withou			iagnoses		0.4		0.4		0.4
TOTAL	N 20	% 100.0	N 11	% 55.0	N 9	% 45.0	N 13	% 100.0	N 598	% 100.0	N 8	% 100.0
IOTAL	20	100.0	11	55.0	9	45.0	13	100.0	598	100.0	0	100.0
GENDER												
Male	18	90.0	9	81.8	9	100.0	12	92.3	435	72.7	7	87.5
Female	2	10.0	2	18.2	0	0.0	1	7.7	163	27.3	1	12.5
RACE/ETHNICITY												
Black	1	5.0	1	9.1	0	0.0	0	0.0	101	16.9	0	0.0
Latino/Hispanic	7	35.0	6	54.5	1	11.1	4	30.8	231	38.6	3	37.5
White	4	20.0	2	18.2	2	22.2	3	23.1	182	30.4	3	37.5
Asian/Pacific Islander	7	35.0	2	18.2	5 1	55.6	5	38.5	76	12.7	2	25.0
Other/Unknown	1	5.0	0	0.0	1	11.1	1	7.7	8	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 12.5
13-19	1	5.0	1	9.1	0	0.0	0	0.0	2	0.3	0	0.0
20-29	7	35.0	6	54.5	1	11.1	0	0.0	29	4.8	1	12.5
30-39	2	10.0	2	18.2	0	0.0	5	38.5	86	14.4	0	0.0
40-49	3	15.0	1	9.1	2	22.2	1	7.7	194	32.4	1	12.5
50-59 60+	3	20.0 15.0	1 0	9.1 0.0	3	33.3 33.3	4 3	30.8 23.1	183 104	30.6 17.4	3 3	37.5 37.5
00+	3	15.0	U	0.0	3	33.3	3	23.1	104	17.4	3	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	30.0	4	36.4	2	22.2	3	23.1	236	39.5	2	25.0
Injection drug use history (IDU)	1	5.0	1	9.1	0	0.0	1	7.7	71	11.9	3	37.5
MSM-IDU	1	5.0	1	9.1	0	0.0	1	7.7	13	2.2	0	0.0
Heterosexual contact	6	30.0	2	18.2	4	44.4	3	23.1	140	23.4	1	0.0 12.5 0.0 0.0 0.0
Transgender people with sexual contact Perinatal	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	0 7	0.0 1.2	0 0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	6	30.0	3	27.3	3	33.3	5	38.5	129	21.6	2	25.0
OHAHOWH	0	30.0	J	21.3	3	33.3	υ	30.3	129	∠1.0		20.0

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	OSES, 201	2		AIDS DIAGNOSES, 2012		HA AS (/31/2012		DEATHS	, 2012
	Total HIV dia	agnoses	Witho	out AIDS	Concurrent with Al diagno:							
	N	%	N	%	N	%	N 9		N	%	N	%
TOTAL	2	100.0	2	100.0	0	0.0	0 0.)	150	100.0	1	100.0
GENDER		400.0	•	400.0	•	0.0			100	04.0	_	400.0
Male	2	100.0	2	100.0		0.0	0 0.		122	81.3	1	100.0
Female	0	0.0	0	0.0	0	0.0	0 0.)	28	18.7	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	0 0.0		32	21.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0		0.0	0 0.0		28	18.7	Ö	0.0
White	0	0.0	Ö	0.0		0.0	0 0.0		80	53.3	1	100.0
Asian/Pacific Islander	0	0.0	Ö	0.0		0.0	0 0.0		8	5.3	0	0.0
Other/Unknown	1	50.0	ĭ	50.0		0.0	0 0.0		80 8 2	1.3	Ö	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0 0.		0	0.0	0	0.0
13-19	1	50.0	1	50.0		0.0	0 0.0		3	2.0	0	0.0 0.0 0.0
20-29	0	0.0	0	0.0		0.0	0 0.0		7	4.7	0	0.0
30-39	0	0.0	0	0.0		0.0	0 0.0		12	8.0	0	0.0
40-49	1	50.0	1	50.0		0.0	0 0.0		47	31.3	0	0.0
50-59	0	0.0	0	0.0		0.0	0 0.0		50	33.3	1	100.0 0.0
60+	0	0.0	0	0.0	0	0.0	0 0.0)	31	20.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	50.0	1	50.0	0	0.0	0 0.	1	60	40.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	0 0.0		15	10.0	0	0.0
IMSM-IDU	0	0.0	0	0.0		0.0	0 0.0		3	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0		0.0	0 0.0		29	19.3	0	0.0 0.0 0.0 0.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0 0.0		0	0.0	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0 0.0		4	2.7	0	0.0
Other	0	0.0	0	0.0		0.0	0 0.0		4	2.7	0	0.0
Unknown	1	50.0	1	50.0		0.0	0 0.		35	23.3	1	100.0
OHRIOWH		30.0		30.0	U	0.0	0.		00	25.5	!	100.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total I IIV d		Withou		Concurrent w	-						
	Total HIV di N	agnoses %	vvitnou N	it AIDS %	N ala	agnoses %	N	%	N	%	N	0/2
TOTAL	25	100.0	18	72.0	7	28.0	11	100.0	1,123	100.0	11	100.0
GENDER												
Male	24	96.0	17	94.4	7	100.0	10	90.9	829	73.8	10	90.9
Female	1	4.0	1	5.6	0	0.0	1	9.1	294	26.2	1	9.1
RACE/ETHNICITY												
Black	1	4.0	1	5.6	0	0.0	0	0.0	149	13.3	1	9.1
Latino/Hispanic	13	52.0	8	44.4	5	71.4	7	63.6	532	47.4	4	36.4 45.5 9.1
White	9	36.0	7	38.9	2	28.6	4	36.4	392	34.9	5	45.5
Asian/Pacific Islander	2	8.0	2	11.1	0	0.0	0	0.0	42	3.7	1	9.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.0	1	5.6	0	0.0	2	18.2	13	1.2	0	0.0
20-29	9	36.0	7	38.9	2	28.6	2	18.2	74	6.6	0	0.0
30-39	6	24.0	6	33.3	0	0.0	0	0.0	161	14.3	0	0.0
40-49	6	24.0	2	11.1	4	57.1	4	36.4	363	32.3	5	45.5 18.2
50-59	3	12.0	2	11.1	1	14.3	2	18.2	355	31.6	2	18.2
60+	0	0.0	0	0.0	0	0.0	1	9.1	157	14.0	4	36.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	64.0	12	66.7	4	57.1	4	36.4	495	44.1	3	27.3
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	107	9.5	3	27.3
MSM-IDU	1	4.0	1	5.6	0	0.0	0	0.0	23	2.0	2	18.2
Heterosexual contact	1	4.0	1	5.6	0	0.0	0	0.0	243	21.6	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	9.1	29	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	7	28.0	4	22.2	3	42.9	6	54.5	212	18.9	2	18.2

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSI	ES, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di	oanoooo	Withou		Concurrent w	_						
	N	aynoses %	N	(AIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	6	100.0	5	83.3	1	16.7	3	100.0	265	100.0	2	100.0
OFNIDED								_				
GENDER Male	5	83.3	4	80.0	1	100.0	2	66.7	167	63.0	1	50.0
Female	1	16.7	1	20.0	0	0.0	1	33.3	98	37.0	1	50.0
RACE/ETHNICITY								_				
Black	3	50.0	2	40.0	1	100.0	2	66.7	126	47.5	2	100.0
Latino/Hispanic	1	16.7	1	20.0	0	0.0	1	33.3	66	24.9	0	0.0
White Asian/Pacific Islander	2 0	33.3 0.0	2 0	40.0 0.0	0 0	0.0	0	0.0 0.0	55 17	20.8 6.4	0 0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0 0.0
		0.0	· ·	0.0	ŭ	0.0	·	0.0	·	0	· ·	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.5	0	0.0 0.0 0.0
20-29	1	16.7	1	20.0	0	0.0	1	33.3	19	7.2	0	0.0
30-39	2	33.3	2	40.0	0	0.0	0	0.0	25	9.4	0	0.0
40-49	2	33.3	2	40.0	0	0.0	0	0.0	88	33.2	1	50.0 0.0
50-59 60+	0	16.7 0.0	0	0.0 0.0	0	100.0	2	66.7 0.0	87 42	32.8 15.8	0	50.0
00+	U	0.0	U	0.0	O	0.0	O	0.0	72	13.0		30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	33.3	2	40.0	0	0.0	1	33.3	71	26.8	0	0.0
Injection drug use history (IDÙ)	1	16.7	0	0.0	1	100.0	2	66.7	26	9.8	1	50.0 0.0 0.0 0.0 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Heterosexual contact	2	33.3	2	40.0	0	0.0	0	0.0	76	28.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	Ü	0.0	6	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2 81	0.8	0	50.0
Unknown		16.7	ī	20.0	U	0.0	U	0.0	81	30.6	1	50.0

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSE	S, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV d	iagnoses	Withou		Concurrent wit dia	th AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	56	100.0	52	92.9	4	7.1	21	100.0	1,669	100.0	18	100.0
GENDER												
Male	45	80.4	42	80.8	3	75.0	15	71.4	1,164	69.7	12	66.7
Female	11	19.6	10	19.2	1	25.0	6	28.6	505	30.3	6	33.3
RACE/ETHNICITY												
Black	15	26.8	14	26.9	1	25.0	6	28.6	514	30.8	6	33.3
Latino/Hispanic	24	42.9	23	44.2	1	25.0	9	42.9	727	43.6	4	22.2 38.9
White	7	12.5	6	11.5	1	25.0	4	19.0	268	16.1	7	38.9
Asian/Pacific Islander	10	17.9	9	17.3	1	25.0	2	9.5	136	8.1	1	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	1	1.8	1	1.9	0	0.0	0	0.0	16	1.0	0	0.0 0.0
20-29	28	50.0	27	51.9	1	25.0	3	14.3	131	7.8	0	0.0
30-39	18	32.1	16	30.8	2	50.0	12	57.1	271	16.2	1	5.6
40-49	5	8.9	5	9.6	0	0.0	4	19.0	529	31.7	9	50.0
50-59	3	5.4	2	3.8	1	25.0	1	4.8	519	31.1	4	22.2
60+	1	1.8	1	1.9	0	0.0	1	4.8	199	11.9	4	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	31	55.4	29	55.8	2	50.0	10	47.6	587	35.2	4	22.2
Injection drug use history (IDU)	1	1.8	1	1.9	0	0.0	2	9.5	208	12.5	1	5.6
MSM-IDU	0	0.0	0	0.0	Ö	0.0	0	0.0	24	1.4	1	5.6
Heterosexual contact	6	10.7	5	9.6	1	25.0	4	19.0	397	23.8	3	16.7
Transgender people with sexual contact	1	1.8	1	1.9	0	0.0	0	0.0	10	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.7	Ō	0.0
Other	Ö	0.0	Ō	0.0	0	0.0	0	0.0	3	0.2	Ó	0.0
Unknown	17	30.4	16	30.8	1	25.0	5	23.8	395	23.7	9	50.0

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSES	6, 2012	PLWHA A 12/31/20		DEATHS	, 2012
	Total HIV di		Withou	t AIDS		noses		0/	.,	0.6		0.4
TOTAL	N 87	% 100.0	N 64	% 73.6	N 23	% 26.4	N 66	% 100.0	N 3,008	% 100.0	N 33	% 100.0
GENDER												
Male	48	55.2	35	54.7	13	56.5	40	60.6	1,800	59.8	16	48.5
Female	39	44.8	29	45.3	10	43.5	26	39.4	1,208	40.2	17	51.5
RACE/ETHNICITY												
Black	62	71.3	47	73.4	15	65.2	50	75.8	2,240	74.5	28	84.8
Latino/Hispanic	15	17.2	9	14.1	6	26.1	12	18.2	534	17.8	4	12.1
White	8	9.2	7	10.9	1	4.3	2	3.0	151	5.0	0	0.0
Asian/Pacific Islander Native American	2	2.3 0.0	1 0	1.6 0.0	1 0	4.3 0.0	2	3.0 0.0	68 7	2.3 0.2	1 0	3.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	ő	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.6	0	0.0	1	1.5	9	0.3	1	3.0
13-19	5	5.7	4	6.3	1	4.3	2	3.0	33	1.1	0	0.0
20-29	29	33.3	26	40.6	3	13.0	9	13.6	294	9.8	0	0.0
30-39	17 18	19.5 20.7	11	17.2 17.2	6 7	26.1	10	15.2 28.8	402 842	13.4	2 7	6.1
40-49 50-59	18	13.8	11 8	17.2	4	30.4 17.4	19 19	28.8	952	28.0 31.6	10	21.2 30.3
50-5 9 60+	5	5.7	3	4.7	2	8.7	6	9.1	476	15.8	13	39.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	33.3	23	35.9	6	26.1	17	25.8	714	23.7	3	9.1
Injection drug use history (IDÙ)	2	2.3	2	3.1	0	0.0	0	0.0	402	13.4	13	39.4
MSM-IDU , A CONTROLL OF THE CONTROLL OF THE CONTROLL OF THE CONTROL OF THE CONTRO	0	0.0	0	0.0	0	0.0	1	1.5	46	1.5	1	3.0
Heterosexual contact	37	42.5	27	42.2	10	43.5	23	34.8	902	30.0	5	15.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	1.5	16	0.5	0	0.0 3.0 0.0
Perinatal Other	1 0	1.1 0.0	T 0	1.6 0.0	0	0.0	1	1.5 0.0	90 9	3.0 0.3	1 0	3.0
Unknown	18	20.7	0 11	17.2	7	30.4	23	34.8	829	27.6	10	30.3
OTIKIOWII	10	20.1		17.2		50.4	23	34.0	029	27.0	10	30.3

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20	12		AIDS DIAGNOSE	S, 2012	PLWHA A: 12/31/20		DEATHS	, 2012
	Total HIV dia	agnosas	Withou		Concurrent wi	ith AIDS						İ
	N	% agrioses	N	%	N N	% agrioses	N	%	N	%	N	%
TOTAL	34	100.0	29	85.3	5	14.7	27	100.0	1,232	100.0	14	100.0
GENDER												
Male _	27	79.4	23	79.3	4	80.0	17	63.0	704	57.1	10	71.4
Female	7	20.6	6	20.7	1	20.0	10	37.0	528	42.9	4	28.6
RACE/ETHNICITY												
Black	25	73.5	22	75.9	3	60.0	21	77.8	957	77.7	11	78.6
Latino/Hispanic	5	14.7	4	13.8	1	20.0	2	7.4	156	12.7	2	14.3
White	4	11.8	3	10.3	1	20.0	3	11.1	82	6.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.7	33	2.7	1	7.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
13-19	2	5.9	2	6.9	0	0.0	0	0.0	14	1.1	0	0.0
20-29	14	41.2	13	44.8	1	20.0	5	18.5	118	9.6	3	21.4
30-39	6	17.6	5	17.2	1	20.0	9	33.3	182	14.8	2	14.3
40-49	5	14.7	4	13.8	1	20.0	5	18.5	328	26.6	3	21.4
50-59	7	20.6	5	17.2	2	40.0	6	22.2	398	32.3	4	28.6
60+	0	0.0	0	0.0	0	0.0	2	7.4	185	15.0	2	14.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	44.1	14	48.3	1	20.0	7	25.9	236	19.2	1	7.1
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	3	11.1	145	11.8	5	35.7
MSM-IDU TO THE STATE OF THE STA	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	0	0.0
Heterosexual contact	11	32.4	9	31.0	2	40.0	8	29.6	376	30.5	4	28.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.7	52	4.2	1	7.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	8	23.5	6	20.7	2	40.0	8	29.6	397	32.2	3	21.4

Table 1.10.10. Rockaway (Queens)

OTAL	Total HIV di N 35	agnoses % 100.0	Withou N		Concurrent w di	rith AIDS agnoses						j
	N	%	N		G,							
				70	N	w // w	N	%	N	%	N	%
TUDED.			31	88.6	4	11.4	23	100.0	1,108	100.0	28	100.0
ENDER	4.0		40	50.4		0.0	•	00.4	200	50.0	4.0	07.0
ale	18	51.4	18	58.1	0	0.0	9	39.1	620	56.0	19 9	67.9
emale	17	48.6	13	41.9	4	100.0	14	60.9	488	44.0	9	32.1
ACE/ETHNICITY												
ack	20	57.1	17	54.8	3	75.0	19	82.6	695	62.7	18	64.3
atino/Hispanic	11	31.4	10	32.3	1	25.0	3	13.0	282	25.5	9	32.1
hite	2	5.7	2	6.5	0	0.0	1	4.3	115	10.4	0	0.0
sian/Pacific Islander	1	2.9	1	3.2	0	0.0	0	0.0	11	1.0	0	0.0 3.6
ther/Unknown	1	2.9	1	3.2	0	0.0	0	0.0	5	0.5	1	3.6
GE GROUP (YEARS)												
12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
3-19	1	2.9	1	3.2	Ö	0.0	2	8.7	18	1.6	Ö	0.0
)-29	9	25.7	9	29.0	Ö	0.0	6	26.1	83	7.5	ĭ	0.0 3.6 7.1
)-39	7	20.0	7	22.6	Ö	0.0	1	4.3	164	14.8	2	7.1
)-49	8	22.9	5	16.1	3	75.0	8	34.8	311	28.1	8	28.6
)-59	7	20.0	7	22.6	Ö	0.0	3	13.0	371	33.5	9	32.1
) +	3	8.6	2	6.5	1	25.0	3	13.0	160	14.4	8	28.6 32.1 28.6
RANSMISSION RISK	44	04.4	4.4	05.5	0	0.0	0	0.7	044	40.0		440
en who have sex with men (MSM)	11 1	31.4 2.9	11	35.5 3.2	0	0.0	2	8.7 4.3	211 191	19.0 17.2	4	14.3
iection drug use history (IDÜ) SM-IDU	0	0.0	0	0.0	0	0.0	1	4.3	25	2.3	6 1	21.4
SM-IDU eterosexual contact	14	40.0	10	32.3	4	100.0	13	4.3 56.5	402	2.3 36.3	9	ა.ნ ვე 1
ansgender people with sexual contact	2	5.7	2	32.3 6.5	0	0.0	13	0.0	402 7	0.6	0	02.1
arisgender people with sexual contact erinatal	0	0.0	0	0.0	0	0.0	1	4.3	28	2.5	2	21.4 3.6 32.1 0.0 7.1
ther	0	0.0	0	0.0	0	0.0	Ó	0.0	4	0.4	0	0.0
nknown	7	20.0	7	22.6	0	0.0	5	21.7	240	21.7	6	21.4

Table 1.11.1. Port Richmond (Staten Island)

		HIV	DIAGNO	SES, 20	HIV DIAGNOSES, 2012				PLWHA AS OF 12/31/2012		DEATHS, 2012	
	Total HIV dia	oanooo	Withou		Concurrent with	_						
	N	agnoses %	N	1 AID3 %	N Ulay	noses %	N	%	N	%	N	%
TOTAL	16	100.0	14	87.5	2	12.5	11	100.0	564	100.0	13	100.0
GENDER												
Male	10	62.5	9	64.3	1	50.0	6	54.5	335	59.4	8	61.5
Female	6	37.5	5	35.7	1	50.0	5	45.5	229	40.6	5	38.5
RACE/ETHNICITY												
Black	7	43.8	7	50.0	0	0.0	7	63.6	287	50.9	8	61.5
Latino/Hispanic	3 5	18.8	2	14.3	1	50.0	2	18.2	184	32.6	3	23.1
White	5	31.3	4	28.6	1	50.0	2	18.2	84	14.9	2	23.1 15.4
Asian/Pacific Islander	1	6.3	1	7.1	0	0.0	0	0.0	4	0.7	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	12.5	2	14.3	0	0.0	0	0.0	8	1.4	0	0.0
20-29	6	37.5	6	42.9	0	0.0	3	27.3	58	10.3	3	23.1 7.7
30-39	2	12.5	2	14.3	0	0.0	0	0.0	67	11.9	1	7.7
40-49	4	25.0	3	21.4	1	50.0	4	36.4	162	28.7	4	30.8
50-59	0	0.0	0	0.0	0	0.0	3	27.3	194	34.4	5	30.8 38.5 0.0
60+	2	12.5	1	7.1	1	50.0	1	9.1	75	13.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	37.5	6	42.9	0	0.0	0	0.0	113	20.0	3	23.1
Injection drug use history (IDÙ)	1	6.3	0	0.0	1	50.0	1	9.1	125	22.2	3	23.1 23.1 7.7 15.4 7.7 7.7 0.0 15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	13	2.3	1	7.7
Heterosexual contact	5	31.3	5	35.7	0	0.0	7	63.6	161	28.5	2	15.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22 1	3.9	1	7.7
Other	0	0.0	0	0.0	0	0.0	0	0.0		0.2	0	0.0
Unknown	4	25.0	3	21.4	1	50.0	3	27.3	127	22.5	2	15.4

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2012					AIDS DIAGNOSES, 2012		PLWHA AS OF 12/31/2012		DEATHS, 2012		
	Total HIV di	agnoses	Withou		Concurrent wi dia	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	26	100.0	1,021	100.0	23	100.0
OFNDER								_				
GENDER Male	9	64.3	8	61.5	1	100.0	17	65.4	651	63.8	13	56.5
Female	5	35.7	5	38.5	Ö	0.0	9	34.6	370	36.2	10	43.5
i emale	3	55.7	3	30.5	O	0.0	9	34.0	370	30.2	10	₹5.5
RACE/ETHNICITY												
Black	6	42.9	6	46.2	0	0.0	12	46.2	461	45.2	5	21.7
Latino/Hispanic	4	28.6	4	30.8	0	0.0	8	30.8	285	27.9	8	34.8
White	3	21.4	2	15.4	1	100.0	4	15.4	255	25.0	9	39.1
Asian/Pacific Islander	1	7.1	1	7.7	0	0.0	1	3.8	12	1.2	0	0.0 4.3
Other/Unknown	0	0.0	0	0.0	0	0.0	1	3.8	8	0.8	1	4.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	ŏ	0.0	ő	0.0	ő	0.0	0	0.0	14	1.4	ő	0.0
20-29	3	21.4	3	23.1	0	0.0	1	3.8	54	5.3	1	0.0 4.3 0.0 0.0
30-39	7	50.0	7	53.8	0	0.0	6	23.1	148	14.5	0	0.0
40-49	3	21.4	2	15.4	1	100.0	8	30.8	314	30.8	0	0.0
50-59	1	7.1	1	7.7	0	0.0	6	23.1	342	33.5	15 7	65.2 30.4
60+	0	0.0	0	0.0	0	0.0	5	19.2	147	14.4	7	30.4
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	5	35.7	5	38.5	0	0.0	6	23.1	262	25.7	4	17.4
Injection drug use history (IDU)) 1	35.7 7.1	ວ 1	38.5 7.7	0	0.0	5 5	19.2	190	25.7 18.6	4 10	17.4 43.5
IMSM-IDU	1	7.1	0	0.0	1	100.0	1	3.8	37	3.6	0	43.5 0.0
Heterosexual contact	4	28.6	4	30.8	Ö	0.0	7	26.9	260	25.5	7	30.4
Transgender people with sexual contact	Ö	0.0	0	0.0	Ö	0.0	0	0.0	10	1.0	0	30.4 0.0 0.0 0.0 8.7
Perinatal	Ö	0.0	Ŏ	0.0	Ö	0.0	Ö	0.0	30	2.9	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	3	21.4	3	23.1	0	0.0	7	26.9	229	22.4	2	8.7

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGNO	OSES, 2012			AIDS DIAGNOSES, 2012		PLWHA AS OF 12/31/2012		DEATHS, 2012	
	Total HIV di	agnosos	Mitho	out AIDS	oncurrent with							
	N	aynoses %	N	% MILIOS	N UIAG	gnoses %	N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	Ö	0.0	4	100.0	180	100.0	2	100.0
GENDER												
Male	1	33.3	1	33.3	0	0.0	2	50.0	123	68.3	1	50.0
Female	2	66.7	2	66.7	0	0.0	2	50.0	57	31.7	1	50.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	25	13.9	1	50.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	2	50.0	54	30.0	0	0.0
White	3	100.0	3	100.0	0	0.0	2	50.0	95	52.8	1	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.2	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
13-19	Ō	0.0	Ō	0.0	Ö	0.0	Ō	0.0	2	1.1	Ō	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	12	6.7	0	0.0 0.0
30-39	1	33.3	1	33.3	0	0.0	0	0.0	20	11.1	0	0.0
40-49	2	66.7	2	66.7	0	0.0	2	50.0	51	28.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	25.0	69	38.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	25.0	25	13.9	2	100.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	55	30.6	0	0.0
Injection drug use history (IDU)	Ö	0.0	Ŏ	0.0	Ö	0.0	1	25.0	40	22.2	1	50.0
MSM-IDU TO THE STATE OF THE STA	0	0.0	0	0.0	0	0.0	0	0.0	6	3.3	0	0.0
Heterosexual contact	2	66.7	2	66.7	0	0.0	2	50.0	36	20.0	1	50.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0 0.0
Unknown	11	33.3	1	33.3	0	0.0	1	25.0	36	20.0	0	0.0

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2012 AIDS DIAGNOSES, 2012 PLWHA AS C 12/31/2012								DEATHS, 2012			
	Total HIV di	agnoses	Witho	out AIDS	oncurrent with A diagno	_						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4	100.0	4	100.0	0	0.0	3	100.0	421	100.0	7	100.0
GENDER												
Male	3	75.0	3	75.0	0	0.0	3	100.0	286	67.9	3	42.9
Female	1	25.0	1	25.0	0	0.0	0	0.0	135	32.1	4	57.1
RACE/ETHNICITY												
Black	1	25.0	1	25.0	0	0.0	0	0.0	78	18.5	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	109	25.9	2	28.6
White	3	75.0	3	75.0	0	0.0	3	100.0	230	54.6	5	71.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
20-29	2	50.0	2	50.0	0	0.0	0	0.0	17	4.0	0	0.0
30-39	1	25.0	1	25.0	0	0.0	1	33.3	46	10.9	1	14.3
40-49	Ö	0.0	Ö	0.0	0	0.0	1	33.3	132	31.4	4	57.1
50-59	1	25.0	1	25.0	0	0.0	1	33.3	161	38.2	2	28.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	61	14.5	0	0.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	2	50.0	2	50.0	0	0.0	1	33.3	87	20.7	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	ŏ	0.0	0	0.0	85	20.2	3	42.9
MSM-IDU	0	0.0	Ö	0.0	ő	0.0	0	0.0	8	1.9	0	0.0
Heterosexual contact	Õ	0.0	ő	0.0	ŏ	0.0	Õ	0.0	110	26.1	1	14.3
Transgender people with sexual contact	0	0.0	Ö	0.0	Ö	0.0	0	0.0	4	1.0	0	0.0
Perinatal	ő	0.0	Ŏ	0.0	ő	0.0	Õ	0.0	8	1.9	Ö	0.0
Other	ő	0.0	ő	0.0	ő	0.0	Õ	0.0	2	0.5	Ô	0.0
Unknown	2	50.0	2	50.0	0	0.0	2	66.7	117	27.8	1	0.0 14.3

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2012 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2012 NEW YORK CITY POPULATION⁴
TOTAL	37.3	1.4	13.1	8,365,069
GENDER				
Male	61.4	2.1	12.9	3,982,562
Female	15.5	0.8	13.6	4,382,507
RACE/ETHNICITY				
Black	70.5	2.8	16.0	1,902,292
Latino/Hispanic	42.7	1.6	11.2	2,413,845
White	22.6	0.9	8.2	2,764,025
Asian/Pacific Islander	9.5	0.2	10.7	1,136,510
Native American	15.4*	1.4	8.0*	19,522
AGE GROUP (YEARS)				
0 - 12	0.5*	0.0	8.6*	1,304,734
13 - 19	21.0	0.2	0.8*	685,477
20 - 29	77.8	0.7	5.0	1,404,984
30 - 39	58.6	1.4	7.4	1,291,508
40 - 49	55.0	3.1	11.8	1,142,574
50 - 59	32.4	3.4	19.5	1,053,951
60+	10.4	1.2	32.8	1,481,841

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017. Male category includes transgender men and female category includes transgender women. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2012 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2012 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWHA AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA ³	2012 NEW YORK CITY POPULATION
TOTAL	37.3	1.4	13.1	8,365,069
BRONX ⁵	40.2	1.9	13.2	1,412,744
Crotona - Tremont	46.6	2.4	14.5	210,506
Fordham - Bronx Park	40.3	1.9	9.3	258,095
High Bridge - Morrisania	50.7	2.6	16.5	215,130
Hunts Point - Mott Haven	52.0	2.4	13.2	140,413
Kingsbridge - Riverdale	21.7	0.7	11.6	92,257
Northeast Bronx	39.4	1.2	15.2	192,780
Pelham - Throgs Neck	28.7	1.4	11.0	303,563
BROOKLYN ⁵	31.4	1.1	12.5	2,573,998
Bedford Stuyvesant - Crown Heights	55.7	2.3	15.2	319,701
Bensonhurst - Bay Ridge	10.6	0.3	13.5*	216,173
Borough Park	10.2	0.3	9.4	344,013
Canarsie - Flatlands	26.4	0.8	15.0	196,959
Coney Island - Sheepshead Bay	12.4	0.4	16.2	298,821
Downtown - Heights - Park Slope	28.0	1.2	10.5	228,957
East Flatbush - Flatbush	48.5	1.7	9.9	299,140
East New York	45.7	1.6	14.5	188,167
Greenpoint	24.6	0.6	8.7*	138,225
Sunset Park	15.9	0.6	5.9*	131,875
Williamsburg - Bushwick	62.3	1.8	13.6	211,966
Williamsburg - Bushwick	02.3	1.0	13.0	211,900
MANHATTAN ⁵	47.6	1.9	12.6	1,616,143
Central Harlem - Morningside Heights	83.1	2.7	12.2	164,787
Chelsea - Clinton	95.7	4.1	4.0	154,723
East Harlem	62.1	2.6	10.3	112,799
Gramercy Park - Murray Hill	37.5	1.4	3.1	135,881
Greenwich Village - Soho	47.0	2.3	4.8	85,064
Lower Manhattan	20.9	0.9	7.9*	57,359
Union Square - Lower East Side	37.1	1.6	51.5	201,985
Upper East Side	13.3	0.6	10.3	225,191
Upper West Side	23.1	1.3	8.4	224,689
Washington Heights - Inwood	58.7	1.6	8.6	253,665
QUEENS ⁵	21.0	0.7	12.6	2,287,024
Bayside - Little Neck	2.3*	0.7	2.4*	88,795
Flushing - Clearview		0.2 0.2	2.4° 13.9*	88,795 265,241
_	7.5			
Fresh Meadows	6.1*	0.3	5.8*	97,999
Jamaica	29.6	1.0	25.2	293,469
Long Island City - Astoria	33.7	0.9	5.2	216,885
Ridgewood - Forest Hills	10.1	0.5	7.4	246,317
Rockaway	30.4	1.0	19.5	115,282
Southeast Queens	17.6	0.6	10.5	193,632
Southwest Queens	20.8	0.6	7.3	269,671
West Queens	28.0	1.1	3.7	499,732
STATEN ISLAND ⁵	7.9	0.5	16.2	470,874
Port Richmond	22.5	0.8	17.7	71,066
South Beach - Tottenville	2.1*	0.2	8.9*	188,98
Stapleton - St. George	11.2	0.8	17.0	124,78
Willowbrook	3.5*	0.2	13.8*	86,04

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2017. Table generated October 5, 2017. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.
¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using the intercensal 2012 NYC population.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.